

INDEX TO AUTHORS

A

- Abe, T.K. See *Baba, Tsunashawa, and Odani*, 115
 Adachi, E. See *Hattori, Ebihara, Shirai, Someki, and Irie*, 676
 Adachi, R. See *Nagaishi, Kawanishi, Yamaguchi, Kasahara, Hayakawa, and Suzuki*, 891
 Ageyeva, L. See *Berman, Veksler, Wood, and Devi*, 641
 Aiba, H. See *Ohmiya, Kato, Yamada, and Mizuno*, 1061
 Aihara, M. See *Ishidoh, Takeda-Ezaki, Watanabe, Sato, Imagawa, Kikuchi, and Kominami*, 770
 Aimoto, S. See *Tsuchiya, Ogura, Hatanaka, Nagata, Terasawa, Mandiyan, Schlessinger, Ohta, and Inagaki*, 1151
 Aiuchi, T. See *Hashimoto, Xu, Masuda, Nakajo, Cao, Miyakoshi, Ida, and Nakaya*, 17
 Aizono, Y. See *Tsuruta*, 690
 Akagawa, K. See *Watanabe, Fujiwara, Komazaki, Yamaguchi, and Tajima*, 685
 Akamine, A. See *Yasuda, Kageyama, Shiba-ta, Kominami, Uchiyama, and Yamamoto*, 1137
 Akanuma, H. See *Shiga, Kametani, and Kadokura*, 166
 Akao, T., Hashimoto, S., Kobashi, K., and Hidaka, Y. Unique Synthetic Peptides Stimulating Streptolysin S Production in Streptococci, 27
 Akashi, H. See *Tsukita, Koyanagi, Nagata, Koizuka, Shimoyama, Tamura, and Sone*, 194
 Akiba, S. See *Sato, Kageura, Hashizume, Hayama, and Kitatani*, 96
 Akiyama, T. See *Takemura, Sato, Nishio, Umekawa, and Yoshida*, 904
 Amakasu, Y. See *Uchiyama, Miyazaki, Kuwata, Nakatani, Atsumi, Murakami, and Kudo*, 1001
 Aoki, J. See *Harada, Takeuchi, Dohmae, Takio, Uenaka, Inoue, and Umeda*, 443
 Aoki, N., Kawamura, M., Yamaguchi-Aoki, Y., Ohira, S., and Matsuda, T. Down-Regulation of Protein Tyrosine Phosphatase Gene Expression in Lactating Mouse Mammary Gland, 669
 Aoki, R. See *Li and Dolly*, 1200
 Aoyagi, H. See *Hatakeyama, Sato, Taira, Kuwahara, and Niidome*, 277
 Arai, H. See *Namatame, Tomoda, Inoue, and Ômura*, 319
 Ariyama, T. See *Eli, Nishigaki, and Husimi*, 790
 Asaumi, M. See *Muneyuki, Shibasaki, Oh-tani, Okuno, and Mogi*, 270
 Asayama, M., Hayasaka, Y., Kabasawa, M., Shirai, M., and Ohyama, T. An Intrinsic DNA Curvature Found in the Cyanobacterium *Microcystis aeruginosa* K-81 Affects the Promoter Activity of *rpoD1* Encoding a

Principal Sigma Factor, 460

- Athauda, S.B.P. See *Matsushima, Ichinose, Yahagi, Tsukada-Kato, Miki, Omata, Kim, Ito, Takahashi, Sakurai, Tsuchiya, Inoue, and Takahashi*, 947
 Atsumi, G. See *Uchiyama, Miyazaki, Amakasu, Kuwata, Nakatani, Murakami, and Kudo*, 1001
 Ayusawa, D. See *Fujii, Ide, Nakabayashi, Joguchi, and Ogino*, 531

B

- Baba, K., Abe, T.K., Tsunashawa, S., and Odani, S. Characterization and Primary Structure of a Fatty Acid-Binding Protein and Its Isoforms from the Liver of the Amphibia, *Rana catesbeiana*, 115
 Berman, Y., Ageyeva, L., Veksler, B., Wood, D., and Devi, L.A. Dynorphin A Processing Enzyme: Tissue Distribution, Isolation, and Characterization, 641
 Bird, K. See *Suda, Mori, Marques, Ormsby, Tanaka, Koshida, Nakamura, Kusumoto, and Sobel*, 1011
 Bloom, M.L. See *Matsui, Breau, Iwasaki, Hagiwara, Tamai, Mori, Jerry, Eddy, and Taketo*, 1104
 Breau, W.C. See *Matsui, Iwasaki, Hagiwara, Tamai, Mori, Bloom, Jerry, Eddy, and Taketo*, 1104
 Bunai, K., Yamada, K., Hayashi, K., Nakamura, K., and Yamane, K. Enhancing Effect of *Bacillus subtilis* Ffh, a Homologue of the SRP54 Subunit of the Mammalian Signal Recognition Particle, on the Binding of SecA to Precursors of Secretory Proteins *In Vitro*, 151

C

- Cao, J. See *Hashimoto, Xu, Masuda, Aiuchi, Nakajo, Miyakoshi, Ida, and Nakaya*, 17
 Chen, S. See *Fei, Matragoon, Smith, Overbeek, Zack, and Liou*, 1189
 Cheng, J. See *Kimura, Toyoshima, Oda, and Saku*, 406
 Chewawiwat, N., Yano, M., Terada, K., Hoogenraad, N.J., and Mori, M. Characterization of the Novel Mitochondrial Protein Import Component, Tom34, in Mammalian Cells, 721
 Chiang, M.Y. See *Steinrauf and Shiu*, 422
 Chiba, T. See *Takii, Hayashi, Hiroma, Kawashima, Zhang, Nagatsu, Sakakibara, and Onozaki*, 910
 Chikaoka, Y. and Tamura, M. 7-Ethoxycoumarin Deethylation Activity in Perfused Isolated Rat Brain, 634
 Choshi, T. See *Imamura, Migita, Otagiri, and Hibino*, 41

D

- Devi, L.A. See *Berman, Ageyeva, Veksler, and Wood*, 641
 Ding, S., Kuroki, S., Kameyama, A., Yoshimura, A., and Kameyama, M. Cloning and

Expression of the Ca⁺⁺ Channel α_{1c} and β_2 Subunits from Guinea Pig Heart, 750

- Dohmae, N. See *Harada, Takeuchi, Takio, Uenaka, Aoki, Inoue, and Umeda*, 443
 -. See *Nojiri, Yohda, Odaka, Matsushita, Tsujimura, Yoshida, Takio, and Endo*, 696
 Doi, T. See *Yu, Shimoyama, Uneda, Obika, Miyashita, and Imanishi*, 1034
 Dolly, J.O. See *Li and Aoki*, 1200
 Dunn, B.M. See *Narutaki and Oda*, 75

E

- Ebihara, Tatsuhiko. See *Kumahara and Saffen*, 541
 Ebihara, Tetsuya. See *Hattori, Adachi, Shirai, Someki, and Irie*, 676
 Eddy, E.M. See *Matsui, Breau, Iwasaki, Hagiwara, Tamai, Mori, Bloom, Jerry, and Taketo*, 1104
 Eli, P., Ariyama, T., Nishigaki, K., and Husimi, Y. Characterization of Imidazole as a DNA Denaturant by Using TGGE of PCR Products from a Random Pool of DNA, 790
 Endo, I. See *Nojiri, Yohda, Odaka, Matsushita, Tsujimura, Yoshida, Dohmae, and Takio*, 696
 Enyoyji, K. See *Hine, Kokame, Nakamura, Takei, Kanikubo, Sueishi, and Kato*, 1039
 Erdmann, V.A. See *Merk, Stiege, Tsumoto, and Kumagai*, 328
 Esaki, N. See *Watanabe, Kurokawa, and Yoshimura*, 987
 Eto, Masami. See *Takeuchi, Senba, Furukawa, and Morita*, 334
 Eto, Masumi. See *Senba and Yazawa*, 354

F

- Fei, Y., Matragoon, S., Smith, S.B., Overbeek, P.A., Chen, S., Zack, D.J., and Liou, G.I. Functional Dissection of the Promoter of the Interphotoreceptor Retinoid-Binding Protein Gene: The Cone-Rod-Homeobox Element Is Essential for Photoreceptor-Specific Expression *In Vivo*, 1189
 Fujii, I., Tanaka, Y., Homma, K., and Natori, S. Induction of *Sarcophaga* Central Nervous System Remodeling by 20-Hydroxyecdysone *In Vitro*, 613
 Fujii, K. See *Sugiyama and Mukohata*, 1144
 Fujii, M., Ide, A., Nakabayashi, K., Joguchi, A., Ogino, H., and Ayusawa, D. The Introduction of Dominant-Negative p53 Mutants Suppresses Temperature Shift-Induced Senescence in Immortal Human Fibroblasts Expressing a Thermolabile SV40 Large T Antigen, 531
 Fujii, T. and Koizumi, Y. Identification of the Binding Region of Basic Calponin on α and β Tubulins, 869
 Fujiki, Y. See *Harano, Shimizu, and Otera*, 1168
 Fujimoto, Y., Kobayashi, A., Kurata, S., and Natori, S. Two Subunits of the Insect 26/29-kDa Proteinase Are Probably Derived from a Common Precursor Protein, 566

F (cont'd)

- Fujimura, S. See *Terada, Hori, and Kimoto*, 64
 Fujisawa, H. See *Kitani, Ishida, Okuno, Takeuchi, and Kameshita*, 1022
 Fujisawa, T., Hattori, T., Takahashi, K., Kuboki, T., Yamashita, A., and Takigawa, M. Cyclic Mechanical Stress Induces Extracellular Matrix Degradation in Cultured Chondrocytes via Gene Expression of Matrix Metalloproteinases and Interleukin-1, 966
 Fujiwara, S. See *Hashimoto, Matsumoto, Nishioka, Yuasa, Takeuchi, Inoue, Takagi, Imanaka, and Kai*, 983
 Fujiwara, T. See *Watanabe, Komazaki, Yamaguchi, Tajima, and Akagawa*, 685
 Fujiyama, S. See *Ozaki, Gotoh, Nagasaki, Miyanaka, Takeya, Tomita, and Mori*, 586
 Fukuda, H. See *Ogino, Negi, Matsumiya, Nakaoka, Kondo, Kuroda, Tokuyama, Kikkawa, and Yamane*, 263
 Fukuda, R. See *Yamada, Himeno, and Sugimoto*, 832
 Fukushige, S. See *Kondo and Horii*, 818
 Funayama, M. See *Nakajima, Yokoi, Mizutani, Kinoshita, and Kamataki*, 803
 Furukawa, H. See *Saeki, Matoba, Kirisufuji, Kanamoto, and Iwami*, 846
 Furukawa, K. See *Takeuchi, Senba, Eto, and Morita*, 334

G

- Gillespie, M.T. See *Mori, Imamaki, Nagata, Yonetomi, Kiyokane-Yoshimoto, Martin, Nagahama, Tsuji, and Matsuda*, 627
 Gohshi, T. See *Kikuchi, Kawahire, Tachibana, Yaneda, Isobe, Lim, Kohno, Ichimura, Omata, and Horigome*, 487
 —, Shimada, M., Kawahire, S., Imai, N., Ichimura, T., Omata, S., and Horigome, T. Molecular Cloning of Mouse p47, a Second Group Mammalian RuvB DNA Helicase-Like Protein: Homology with Those from Human and *Saccharomyces cerevisiae*, 939
 Gotoh, T. See *Ozaki, Nagasaki, Miyanaka, Takeya, Fujiyama, Tomita, and Mori*, 586
 Gotowda, M. See *Sugawara, Inoue, Li, Hibino, Takabe, and Kai*, 899

H

- Habuchi, O. See *Hasegawa, Torii, Nagaoka, Nakayasu, and Miyajima*, 245
 Hachimori, A. See *Satoh, Shinoda, Ishii, Koyama, Sakurai, Kaji, Irie, and Samejima*, 48
 Hagiwara, H. See *Inoue, Hayakawa, Otsuka, Kamiya, Suzuki, and Hirose*, 103
 Hagiwara, S. See *Matsui, Breau, Iwasaki, Tamai, Mori, Bloom, Jerry, Eddy, and Taketo*, 1104
 Hakomori, S. See *Tsuji, Han, Takeuchi, Takahashi, and Irimura*, 1183
 Hama, Y., Nakagawa, H., Mochizuki, K., Sumi, T., and Hatate, H. Quantitative Anhydrous Mercaptolysis of Algal Galactans Followed by HPLC of Component Sugars, 160
 Hamana, H. and Shinozawa, T. Effects of C-Terminal Deletion on the Activity and Thermostability of Orotate Phosphoribo-

- syltransferase from *Thermus thermophilus*, 109
 Han, S.A. See *Tsuji, Takeuchi, Takahashi, Hakomori, and Irimura*, 1183
 Handa, S. See *Yamamoto, Iida-Tanaka, Kasama, Ishizuka, and Kushi*, 923
 Hara, S. See *Ta, Takano, Kamei, Xu, Kariya, and Yoshida*, 554
 Harada, A., Takeuchi, K., Dohmae, N., Takio, K., Uenaka, T., Aoki, J., Inoue, K., and Umeda, M. A Monoclonal Antibody, 3A10, Recognizes a Specific Amino Acid Sequence Present on a Series of Developmentally Expressed Brain Proteins, 443
 Harano, T., Shimizu, N., Otera, H., and Fujiki, Y. Transmembrane Topology of the Peroxin, Pex2p, an Essential Component for the Peroxisome Assembly, 1168
 Hase, S. See *Iwai and Mega*, 70
 —. See *Sasaki, Yamagishi, Mega, Norioka, and Natsuka*, 363
 —. See *Okamoto, Omichi, Yamanaka, and Ikenaka*, 537
 —. See *Shimazaki, Makino, Omichi, and Odani*, 560
 —. See *Kageyama and Natsuka*, 838
 Hasegawa, N., Torii, T., Nagaoka, I., Nakayasu, K., Miyajima, H., and Habuchi, O. Measurement of Activities of Human Serum Sulfotransferases Which Transfer Sulfate to the Galactose Residues of Keratan Sulfate and to the Nonreducing End *N*-Acetylglucosamine Residues of *N*-Acetyllactosamine Trisaccharide: Comparison between Normal Controls and Patients with Macular Corneal Dystrophy, 245
 Hasegawa, T. See *Tomita, Tsukihara, Miyajima, Nagao, and Sato*, 916
 Hashimoto, H., Matsumoto, T., Nishioka, M., Yuasa, T., Takeuchi, S., Inoue, T., Fujiwara, S., Takagi, M., Imanaka, T., and Kai, Y. Crystallographic Studies on a Family B DNA Polymerase from Hyperthermophilic Archaeon *Pyrococcus kodakaraensis* Strain KOD1, 983
 Hashimoto, Sachiko, Xu, M., Masuda, Y., Aiuchi, T., Nakajo, S., Cao, J., Miyakoshi, M., Ida, Y., and Nakaya, K. β -Hydroxyisovalerylshikonin Inhibits the Cell Growth of Various Cancer Cell Lines and Induces Apoptosis in Leukemia HL-60 Cells through a Mechanism Different from Those of Fas and Etoposide, 17
 Hashimoto, Shuichi. See *Akao, Kobashi, and Hidaka*, 27
 Hashizume, T. See *Sato, Kageura, Hayama, Kitatani, and Akiba*, 96
 Hatakeyama, T. See *Oda, Shinmura, Nishioka, Komatsu, and Muramatsu*, 713
 —, Sato, T., Taira, E., Kuwahara, H., Niidome, T., and Aoyagi, H. Characterization of the Interaction of Hemolytic Lectin CEL-III from the Marine Invertebrate, *Cucumaria echinata*, with Artificial Lipid Membranes: Involvement of Neutral Sphingoglycolipids in the Pore-Forming Process, 277
 Hatanaka, Hideki. See *Tsuchiya, Ogura, Nagata, Terasawa, Mandiyan, Schlessinger, Aimoto, Ohta, and Inagaki*, 1151
 Hatanaka, Hiroshi. See *Satoh, Yamagata, Ishikawa, Yamada, and Uchiyama*, 952

- Hatake, H. See *Hama, Nakagawa, Mochizuki, and Sumi*, 160
 Hattori, A., Matsumoto, H., Mizutani, S., and Tsujimoto, M. Molecular Cloning of Adipocyte-Derived Leucine Aminopeptidase Highly Related to Placental Leucine Aminopeptidase/Oxytocinase, 931
 Hattori, M. See *Shinoda, Shimizu, Samejima, and Satoh*, 58
 —. See *Satoh, Oshida, Ono, Ohta, Watanabe, Shinoda, Takahashi, Lee, and Samejima*, 858
 Hattori, S., Adachi, E., Ebihara, T., Shirai, T., Someki, I., and Irie, S. Alkali-Treated Collagen Retained the Triple Helical Conformation and the Ligand Activity for the Cell Adhesion via $\alpha 2\beta 1$ Integrin, 676
 Hattori, T. See *Fujisawa, Takahashi, Kuboki, Yamashita, and Takigawa*, 966
 Hayakawa, K. See *Okagaki, Samizo, and Kohama*, 619
 Hayakawa, Takao. See *Nagaishi, Adachi, Kawanishi, Yamaguchi, Kasahara, and Suzuki*, 891
 Hayakawa, Tomoko. See *Inoue, Otsuka, Kamiya, Suzuki, Hirose, and Hagiwara*, 103
 Hayama, M. See *Sato, Kageura, Hashizume, Kitatani, and Akiba*, 96
 Hayasaka, Y. See *Asayama, Kabasawa, Shirai, and Ohyama*, 460
 Hayashi, Kenji. See *Bunai, Yamada, Nakamura, and Yamane*, 151
 Hayashi, Kyozo. See *Ohkura, Kitahara, Inoue, and Ikeda*, 375
 Hayashi, Masaru. See *Takii, Hiroma, Chiba, Kawashima, Zhang, Nagatsu, Sakakibara, and Onozaki*, 910
 Hayashi, Motoroh. See *Yamauchi and Yamamoto*, 853
 Hayashi, T. See *Hirose, Kosugi, and Nakazato*, 991
 Hibino, S. See *Imamura, Migita, Otagiri, and Choshi*, 41
 Hibino, T. See *Sugawara, Inoue, Li, Gotoda, Takabe, and Kai*, 899
 Hidaka, M. See *Takashima, Nakamura, Masaki, and Uozumi*, 728
 Hidaka, Y. See *Akao, Hashimoto, and Kobashi*, 27
 Higashi, S. See *Miyata, Koshikawa, Miyagi, Nagashima, Yanoma, Kato, Yasumitsu, and Miyazaki*, 1067
 Higashimoto, Y., Kodama, H., Jelokhani-Niaraki, M., Kato, F., and Kondo, M. Structure-Function Relationship of Model Aib-Containing Peptides as Ion Transfer Intermembrane Templates, 705
 Higashiyama, S. See *Nakano, Takashima, Tsuruoka, Klagsbrun, and Taniguchi*, 368
 Himeno, M. See *Yamada, Fukuda, and Sugimoto*, 832
 Hine, C., Enyoji, K., Kokame, K., Nakamura, S., Takei, A., Kamikubo, Y., Sueishi, K., and Kato, H. Monkey Hepatocytes Efficiently Express Tissue Factor Pathway Inhibitor (TFPI), in Contrast with Human and Rat Hepatocytes, 1039
 Hiraga, K., Seeram, S.S., Tate, S., Tanaka, N., Kainosho, M., and Oda, K. Mutational Analysis of the Reactive Site Loop of *Streptomyces* Metalloproteinase Inhibitor,

H (cont'd)

- SMPI, 202
 Hiraki, Y. See *Shukunami, Kondo, Wakai, Takahashi, Inoue, and Kamizono*, 436
 Hirata, A. See *Takewaka, Zimmer, Ohta, and Takagi*, 507
 Hirata, H. See *Kanamori, Kamata, and Yagisawa*, 454
 Hiroma, H. See *Takii, Hayashi, Chiba, Kawashima, Zhang, Nagatsu, Sakakibara, and Onozaki*, 910
 Hiroaki, K. See *Toyofuku, Wada, Park, Hori, and Jimbow*, 82
 Hirose, M., Kosugi, H., Nakazato, K., and Hayashi, T. Restoration to a Quiescent and Contractile Phenotype from a Proliferative Phenotype of Myofibroblast-Like Human Aortic Smooth Muscle Cells by Culture on Type IV Collagen, 991
 Hirose, S. See *Inoue, Hayakawa, Otsuka, Kamiya, Suzuki, and Hagiwara*, 103
 Hitomi, K., Kanehiro, S., Ikura, K., and Maki, M. Characterization of Recombinant Mouse Epidermal-Type Transglutaminase (TGase 3): Regulation of Its Activity by Proteolysis and Guanine Nucleotides, 1048
 Homma, Kazuaki. See *Maruta, Uyehara, Sugimoto, and Wakabayashi*, 177
 Homma, Ko-ichi. See *Fujii, Tanaka, and Natori*, 613
 Hoogenraad, N.J. See *Chewawiwat, Yano, Terada, and Mori*, 721
 Hori, J. See *Terada, Fujimura, and Kimoto*, 64
 Hori, Y. See *Toyofuku, Wada, Hiroaki, Park, and Jimbow*, 82
 Horigome, T. See *Kikuchi, Gohshi, Kawahire, Tachibana, Yaneda, Isobe, Lim, Kohno, Ichimura, and Omata*, 487
 —. See *Gohshi, Shimada, Kawahire, Imai, Ichimura, and Omata*, 939
 Horii, A. See *Kondo and Fukushige*, 818
 Husimi, Y. See *Eli, Ariyama, and Nishigaki*, 790

I

- Ichimura, T. See *Kikuchi, Gohshi, Kawahire, Tachibana, Yaneda, Isobe, Lim, Kohno, Omata, and Horigome*, 487
 —. See *Gohshi, Shimada, Kawahire, Imai, Omata, and Horigome*, 939
 Ichinose, M. See *Matsushima, Yahagi, Tsukada-Kato, Miki, Omata, Kim, Ito, Takahashi, Sakurai, Tsuchiya, Athauda, Inoue, and Takahashi*, 947
 Ida, Y. See *Hashimoto, Xu, Masuda, Aiuchi, Nakajo, Cao, Miyakoshi, and Nakaya*, 17
 Ide, A. See *Fujii, Nakabayashi, Joguchi, Ogino, and Ayusawa*, 531
 Igarashi, K. See *Murata, Takase, Yamato, and Kakinuma*, 414
 Igarashi, Y. See *Sweeney*, 737
 Iguchi, H. See *Tanaka, Taketani, Nakata, Tokumaru, Sugimoto, and Kojo*, 173
 Ihara, K. See *Mukohata, Tamura, and Sugiyama*, 649
 Iida-Tanaka, N. See *Yamamoto, Kasama, Ishizuka, Kushi, and Handa*, 923
 Iijima, S. See *You and Kamihira*, 1160
 Ikeda, K. See *Ohkura, Kitahara, Inoue, and Hayashi*, 375

- Ikegami, T., Kuraoka, I., Saijo, M., Kodo, N., Kyogoku, Y., Morikawa, K., Tanaka, K., and Shirakawa, M. Resonance Assignments, Solution Structure, and Backbone Dynamics of the DNA- and RPA-Binding Domain of Human Repair Factor XPA, 495
 Ikenaka, K. See *Okamoto, Omichi, Yamanka, and Hase*, 537
 Ikura, K. See *Hitomi, Kanehiro, and Maki*, 1048
 Imagawa, K. See *Ishidoh, Takeda-Ezaki, Watanabe, Sato, Aihara, Kikuchi, and Kominami*, 770
 Imai, N. See *Gohshi, Shimada, Kawahire, Ichimura, Omata, and Horigome*, 939
 Imamaki, A. See *Mori, Nagata, Yonetomi, Kiyokane Yoshimoto, Martin, Gillespie, Nagahama, Tsuji, and Matsuda*, 627
 Imamura, Y., Migita, T., Otagiri, M., Choshi, T., and Hibino, S. Purification and Catalytic Properties of a Tetrameric Carbonyl Reductase from Rabbit Heart, 41
 Imanaka, T. See *Hashimoto, Matsumoto, Nishioka, Yuasa, Takeuchi, Inoue, Fujiwara, Takagi, and Kai*, 983
 Imanishi, T. See *Yu, Shimoyama, Uneda, Obika, Miyashita, and Doi*, 1034
 Inagaki, F. See *Tsuchiya, Ogura, Hatanaka, Nagata, Terasawa, Mandiyan, Schlessinger, Aimoto, and Ohta*, 1151
 Inagaki, M. See *Usui, Marriott, Swarup, and Osada*, 960
 Inazu, T. See *Myint, Tanaka, Yamada, Keng, Inoue, Kuriyama, and Noguchi*, 795
 Inoue, A., Hayakawa, T., Otsuka, E., Kamiya, A., Suzuki, Y., Hirose, S., and Hagiwara, H. Correlation between Induction of Expression of Biglycan and Mineralization by C-Type Natriuretic Peptide in Osteoblastic Cells, 103
 Inoue, Hideshi. See *Matsushima, Ichinose, Yahagi, Tsukada-Kato, Miki, Omata, Kim, Ito, Takahashi, Sakurai, Tsuchiya, Athauda, and Takahashi*, 947
 Inoue, Hiroyuki. See *Shukunami, Kondo, Wakai, Takahashi, Kamizono, and Hiraki*, 436
 Inoue, Kazuyuki. See *Itoh, Nakagomi, Suzuki, Tada, and Suzuki*, 123
 Inoue, Keizo. See *Namatame, Tomoda, Arai, and Omura*, 319
 —. See *Harada, Takeuchi, Dohmae, Takio, Uenaka, Aoki, and Ueda*, 443
 Inoue, S. See *Ohkura, Kitahara, Ikeda, and Hayashi*, 375
 Inoue, T. See *Sugawara, Li, Gotowda, Hibino, Takabe, and Kai*, 899
 —. See *Hashimoto, Matsumoto, Nishioka, Yuasa, Takeuchi, Fujiwara, Takagi, Inanaka, and Kai*, 983
 Inoue, Y. See *Myint, Inazu, Tanaka, Yamada, Keng, Kuriyama, and Noguchi*, 795
 Inui, H. See *Masuda, Takenaka, Tsuyama, Miyatake, and Nakano*, 449
 Irie, M. See *Satoh, Shinoda, Ishii, Koyama, Sakurai, Kaji, Hachimori, and Samejima*, 48
 Irie, S. See *Hattori, Adachi, Ebihara, Shirai, and Someki*, 676
 Irimura, T. See *Tsuji, Han, Takeuchi, Takahashi, and Hakomori*, 1183
 Ishida, A. See *Kitani, Okuno, Takeuchi, Kamesita, and Fujisawa*, 1022
 Ishida, Y. See *Nagata and Momose*, 658
 Ishidoh, K., Takeda-Ezaki, M., Watanabe, S., Sato, N., Aihara, M., Imagawa, K., Kikuchi, M., and Kominami, E. Analysis of Where and Which Types of Proteinases Participate in Lysosomal Proteinase Processing Using Baflomycin A1 and *Helicobacter pylori* Vac A Toxin, 770
 Ishii, K. See *Satoh, Shinoda, Koyama, Sakurai, Kaji, Hachimori, Irie, and Samejima*, 48
 Ishikawa, Y. See *Satoh, Yamagata, Yamada, Uchiyama, and Hatanaka*, 952
 Ishizuka, I. See *Yamamoto, Iida-Tanaka, Kasama, Kushi, and Handa*, 923
 Isobe, T. See *Kikuchi, Gohshi, Kawahire, Tachibana, Yaneda, Lim, Kohno, Ichimura, Omata, and Horigome*, 487
 Ito, F. See *Tanaka and Mierau*, 883
 Ito, H. See *Matsushima, Ichinose, Yahagi, Tsukada-Kato, Miki, Omata, Kim, Takahashi, Sakurai, Tsuchiya, Athauda, Inoue, and Takahashi*, 947
 Ito, Makoto. See *Tani, Okino, and Mitsutake*, 746
 Ito, Masaaki, Narutaki, S., Uchida, K., and Oda, K. Identification of Carboxyl Residues in Pepstatin-Insensitive Carboxyl Proteinase from *Pseudomonas* sp. 101 That Participate in Catalysis and Substrate Binding, 210
 Ito, N. See *Iwamori and Iwamori*, 594
 Itoh, H. See *Sun, Yamauchi, and Kaziro*, 515
 Itoh, K., Nakagomi, O., Suzuki, K., Inoue, K., Tada, H., and Suzuki, T. Recombinant Human Monoclonal Fab Fragments against Rotavirus from Phage Display Combinatorial Libraries, 123
 Iuchi, I. See *Sugiyama, Murata, Nomura, and Yamagami*, 469
 Iwahana, H. See *Yanagisawa, Kosaka, Nakanishi, and Tominaga*, 36
 Iwai, K., Mega, T., and Hase, S. Detection of Man_nGlcNAc and Related Free Oligomannosides in the Cytosol Fraction of Hen Oviduct, 70
 Iwami, K. See *Saeki, Matoba, Furukawa, Kirifuri, and Kanamoto*, 846
 Iwamori, M., Iwamori, Y., and Ito, N. Regulation of the Activities of Thrombin and Plasmin by Cholesterol Sulfate as a Physiological Inhibitor in Human Plasma, 594
 Iwamori, Y. See *Iwamori and Ito*, 594
 Iwamura, H. See *Miyoshi, Takegami, Sakamoto, and Mogi*, 138
 Iwasaki, S. See *Matsui, Breau, Hagiwara, Tamai, Mori, Bloom, Jerry, Eddy, and Taketo*, 1104

J

- Jelokhani-Niaraki, M. See *Higashimoto, Kodama, Kato, and Kondo*, 705
 Jerry, M.B. See *Matsui, Breau, Iwasaki, Hagiwara, Tamai, Mori, Bloom, Jerry, Eddy, and Taketo*, 1104
 Jimbow, K. See *Toyofuku, Wada, Hiroaki, Park, and Hori*, 82
 Joguchi, A. See *Fujii, Ide, Nakabayashi, Ogino, and Ayusawa*, 531

- K
- Kabasawa, M. See *Asayama, Hayasaka, Shirai, and Ohyama*, 460
- Kadokura, T. See *Shiga, Kometani, and Akanuma*, 166
- Kageura, T. See *Sato, Hashizume, Hayama, Kitatani, and Akiba*, 96
- Kageyama, N., Natsuka, S., and Hase, S. Molecular Cloning and Characterization of Two Zebrafish α (1,3)Fucosyltransferase Genes Developmentally Regulated in Embryogenesis, 838
- Kageyama, T. See *Yasuda, Akamine, Shiba-ta, Kominami, Uchiyama, and Yamamoto*, 1137
- Kai, Y. See *Sugawara, Inoue, Li, Gotowda, Hibino, and Takabe*, 899
- . See *Hashimoto, Matsunoto, Nishioka, Yuasa, Takeuchi, Inoue, Fujiwara, Takagi, and Imanaka*, 983
- Kainoshio, M. See *Hiraga, Seeram, Tate, Tanaka, and Oda*, 202
- Kaji, H. See *Satoh, Shinoda, Ishii, Koyama, Sakurai, Hachimori, Irie, and Samejima*, 48
- Kakinuma, Y. See *Murata, Takase, Yamato, and Igarashi*, 414
- Kaku, H. See *Ohshima, Mitsuhashi, Okamoto, Sawano, Nishiyama, Natori, and Ohashi*, 431
- Kamata, H. See *Kanamori, Yagisawa, and Hirata*, 454
- Kamatani, T. See *Nakajima, Yokoi, Mizutani, Kinoshita, and Funayama*, 803
- Kameda, K. See *Morimoto, Suniyoshi, Tsujita, and Okuda*, 976
- Kamei, K. See *Ta, Takano, Xu, Kariya, Yoshida, and Hara*, 554
- Kameshita, I. See *Kitani, Ishida, Okuno, Takeuchi, and Fujisawa*, 1022
- Kometani, S. See *Shiga, Kadokura, and Akanuma*, 166
- Kameyama, A. See *Ding, Kuroki, Yoshimura, and Kameyama*, 750
- Kameyama, M. See *Ding, Kuroki, Kameyama, and Yoshimura*, 750
- Kamihira, M. See *You and Iijima*, 1160
- Kamikubo, Y. See *Hine, Enyoji, Kokame, Nakamura, Takei, Sueishi, and Kato*, 1039
- Kamimura, Y.-I., Kawasaki, Y., Ohara, T., and Sugino, A. DNA Helicase III of *Saccharomyces cerevisiae*, Encoded by YER176w (*HEL1*), Highly Unwinds Covalently Closed, Circular DNA in the Presence of a DNA Topoisomerase and yRF-A, 236
- Kamitori, S. See *Nagarajan and Okuyama*, 310
- Kamiya, A. See *Inoue, Hayakawa, Otsuka, Suzuki, Hirose, and Hagiwara*, 103
- Kamizono, A. See *Shukunami, Kondo, Wakai, Takahashi, Inoue, and Hiraki*, 436
- Kanamori, M., Kamata, H., Yagisawa, H., and Hirata, H. Overexpression of the Alanine Carrier Protein Gene from Thermophilic Bacterium PS3 in *Escherichia coli*, 454
- Kanamoto, R. See *Saeki, Matoba, Furukawa, Kirifuiji, and Iwami*, 846
- Kandori, H. See *Yamazaki and Mogi*, 1131
- Kanehiro, S. See *Hitomi, Ikura, and Maki*, 64
- 1048
- Kaneko, T. See *Takahashi, Takahashi, Ogasawara, Shindo, and Kobayashi*, 348
- Kariya, Y. See *Ta, Takano, Kamei, Xu, Yoshida, and Hara*, 554
- Kasahara, T. See *Nagaishi, Adachi, Kawani-shi, Yamaguchi, Hayakawa, and Suzuki*, 891
- Kasai, K., Shin, H.-W., Shinotsuka, C., Murakami, K., and Nakayama, K. Dynamin II Is Involved in Endocytosis but Not in the Formation of Transport Vesicles from the *trans*-Golgi Network, 780
- Kasama, T. See *Yamamoto, Iida-Tanaka, Ishizuka, Kushi, and Handa*, 923
- Kato, C. See *Ohmiya, Yamada, Aiba, and Mizuno*, 1061
- Kato, F. See *Higashimoto, Kodama, Jelokhani-Niaraki, and Kondo*, 705
- Kato, H. See *Hine, Enyoji, Kokame, Nakamura, Takei, Kamikubo, and Sueishi*, 1039
- Kato, Y. See *Miyata, Koshikawa, Higashi, Miyagi, Nagashima, Yanoma, Yasumitsu, and Miyazaki*, 1067
- Kawabata, M. and Miyazono, K. Signal Transduction of the TGF- β Superfamily by Smad Proteins, 9
- Kawahire, S. See *Kikuchi, Gohshi, Tachibana, Yaneda, Isobe, Lim, Kohno, Ichimura, Omata, and Horigome*, 487
- . See *Gohshi, Shimada, Imai, Ichimura, Omata, and Horigome*, 939
- Kawamura, M. See *Aoki, Yamaguchi-Aoki, Ohira, and Matsuda*, 669
- Kawanishi, T. See *Nagaishi, Adachi, Yamaguchi, Kasahara, Hayakawa, and Suzuki*, 891
- Kawasaki, Y. See *Kamimura, Ohara, and Sugino*, 236
- Kawashima, H. See *Watanabe, Li, and Miyasaka*, 826
- Kawashima, S. See *Takii, Hayashi, Hiroma, Chiba, Zhang, Nagatsu, Sakakibara, and Onozaki*, 910
- Kaziro, Y. See *Sun, Yamauchi, and Itoh*, 515
- Keng, V.W. See *Myint, Inazu, Tanaka, Yamada, Inoue, Kuriyama, and Noguchi*, 795
- Kikkawa, U. See *Ogino, Negi, Matsumiya, Nakaoka, Kondo, Kuroda, Tokuyama, Yamane, and Fukuda*, 263
- Kikuchi, M. See *Ishidoh, Takeda-Ezaki, Watanabe, Sato, Aihara, Imagawa, and Kominami*, 770
- Kikuchi, N., Gohshi, T., Kawahire, S., Tachibana, T., Yaneda, Y., Isobe, T., Lim, C.R., Kohno, K., Ichimura, T., Omata, S., and Horigome, T. Molecular Shape and ATP Binding Activity of Rat p50, a Putative Mammalian Homologue of RuvB DNA Helicase, 487
- Kikuchi, T. See *Saito, Shirakawa, and Yoshida*, 399
- Kikuchi, Y. See *Takeno, Yamamoto, Tanaka, and Sakano*, 1115
- Kim, D.-S. See *Suhr*, 305
- Kim, Y.-T. See *Matsushima, Ichinose, Yagagi, Tsukada-Kato, Miki, Omata, Ito, Takahashi, Sakurai, Tsuchiya, Athauda, Inoue, and Takahashi*, 947
- Kimoto, E. See *Terada, Hori, and Fujimura*, 194
- Kimura, H., Suetake, I., and Tajima, S. *Xenopus* Maintenance-Type DNA Methyltransferase Is Accumulated and Translocated into Germinal Vesicles of Oocytes, 1175
- Kimura, S., Cheng, J., Toyoshima, K., Oda, K., and Saku, T. Basement Membrane Heparan Sulfate Proteoglycan (Perlecan) Synthesized by ACC3, Adenoid Cystic Carcinoma Cells of Human Salivary Gland Origin, 406
- Kinoshita, M. See *Nakajima, Yokoi, Mizutani, Funayama, and Kamataki*, 803
- Kirifuiji, K. See *Saeki, Matoba, Furukawa, Kanamoto, and Iwami*, 846
- Kishimoto, Y. See *Oyama, Kusunoki, Takanaki, and Nitta*, 1120
- Kitahara, J. See *Sakamoto and Nakagawa*, 90
- Kitahara, Y. See *Ohkura, Inoue, Ikeda, and Hayashi*, 375
- Kitajima, S. and Sato, F. Plant Pathogenesis-Related Proteins: Molecular Mechanisms of Gene Expression and Protein Function, 1
- Kitani, T., Ishida, A., Okuno, S., Takeuchi, M., Kameshita, I., and Fujisawa, H. Molecular Cloning of Ca^{2+} /Calmodulin-Dependent Protein Kinase Phosphatase, 1022
- Kitatani, K. See *Sato, Kageura, Hashizume, Hayama, and Akiba*, 96
- Kito, M. See *Moriyama and Urade*, 1077
- Kiyokane-Yoshimoto, R. See *Mori, Imamaki, Nagata, Yonetomi, Martin, Gillespie, Nagahama, Tsuji, and Matsuda*, 627
- Klagesbrun, M. See *Nakano, Higashiyama, Takashima, Tsuruoka, and Taniguchi*, 368
- Kobashi, K. See *Akao, Hashimoto, and Hidaka*, 27
- Kobayashi, A. See *Fujimoto, Kurata, and Natori*, 566
- Kobayashi, Michihiko, Sakuradani, E., and Shimizu, S. Genetic Analysis of Cytochrome b_c from Arachidonic Acid-Producing Fungus, *Mortierella alpina* 1S-4: Cloning, RNA Editing, and Expression of the Gene in *Escherichia coli*, and Purification and Characterization of the Gene Product, 1094
- Kobayashi, Mikihiko. See *Takahashi, Takahashi, Kaneko, Ogasawara, and Shindo*, 348
- Kodama, H. See *Higashimoto, Jelokhani-Niaraki, Kato, and Kondo*, 705
- Kodo, N. See *Ikegami, Kuraoka, Saijo, Kyogoku, Morikawa, Tanaka, and Shirakawa*, 495
- Koguma, M. See *Matsuda, Okuyama, Nakazawa, Matsuzaki, Nakuchi, Yanai, Terasaki, and Obinata*, 602
- Kohama, K. See *Okagaki, Hayakawa, and Samizo*, 619
- . See *Okagaki, Ye, Samizo, and Tanaka*, 1055
- Kohno, K. See *Kikuchi, Gohshi, Kawahire, Tachibana, Yaneda, Isobe, Lim, Ichimura, Omata, and Horigome*, 487
- Koide, T. See *Shirotani and Tokunaga*, 253
- . See *Wakabayashi and Takahashi*, 522
- Koizuka, H. See *Tsukita, Koyanagi, Nagata, Akashi, Shimoyama, Tamura, and Sone*, 194
- Koizumi, Y. See *Fujii*, 869

- K (cont'd)
- Kojima, S. See *Nohara, Sugiura, Sakakibara, Matsubara, Miura, and Sakai*, 343
 Kojo, S. See *Tanaka, Iguchi, Taketani, Nakata, Tokumaru, and Sugimoto*, 173
 Kokame, K. See *Hine, Enyōji, Nakamura, Takei, Kamikubo, Sueishi, and Kato*, 1039
 Komatsu, N. See *Oda, Shinmura, Nishioka, Hatakeyama, and Muramatsu*, 713
 Komazaki, S. See *Watanabe, Fujiwara, Yamaguchi, Tajima, and Akagawa*, 685
 Kominami, E. See *Ishidoh, Takeda-Ezaki, Watanabe, Sato, Aihara, Imagawa, and Kikuchi*, 770
 —. See *Yasuda, Kageyama, Akamine, Shibata, Uchiyama, and Yamamoto*, 1137
 Komori, H., Sasai, N., Matsunaga, F., Wada, C., and Miki, K. Crystallization and Preliminary X-Ray Diffraction Studies of a Replication Initiator Protein (RepE54) of the Mini-F Plasmid Complexed with Iteron DNA, 24
 Kondo, A. See *Ogino, Negi, Matsumiya, Nakaoka, Kuroda, Tokuyama, Kikkawa, Yamane, and Fukuda*, 263
 Kondo, E., Horii, A., and Fukushige, S. The Human PMS2L Proteins Do Not Interact with hMLH1, a Major DNA Mismatch Repair Protein, 818
 Kondo, J. See *Shukunami, Wakai, Takahashi, Inoue, Kamizono, and Hiraki*, 436
 Kondo, M. See *Higashimoto, Kodama, Jelokhani-Niaraki, and Kato*, 705
 Kosaka, A. See *Yanagisawa, Iwahana, Nakanishi, and Tominaga*, 36
 Koshida, S. See *Suda, Mori, Bird, Marques, Ormsby, Tanaka, Nakamura, Kusumoto, and Sobel*, 1011
 Koshikawa, N. See *Miyata, Higashi, Miyagi, Nagashima, Yanoma, Kato, Yasumitsu, and Miyazaki*, 1067
 Kosugi, H. See *Hirose, Nakazato, and Hayashi*, 991
 Koyama, M. See *Satoh, Shinoda, Ishii, Sakurai, Kaji, Hachimori, Irie, and Samejima*, 48
 Koyanagi, S. See *Tsukita, Nagata, Koizuka, Akashi, Shimoyama, Tamura, and Sone*, 194
 Kuboki, T. See *Fujisawa, Hattori, Takahashi, Yamashita, and Takigawa*, 966
 Kudo, I. See *Uchiyama, Miyazaki, Amakasu, Kuwata, Nakatani, Atsumi, and Murakami*, 1001
 Kumagai, I. See *Merk, Stiege, Tsumoto, and Erdmann*, 328
 Kumahara, E., Ebihara, T., and Saffen, D. Nerve Growth Factor Induces *zif268* Gene Expression via MAPK-Dependent and -Independent Pathways in PC12D Cells, 541
 Kumar, M.M. See *Rao and Rao*, 383
 Kundu, T.K. and Rao, M.R.S. CpG Islands in Chromatin Organization and Gene Expression, 217
 Kuramitsu, S. See *Wada, Yamazaki, and Kyogoku*, 143
 Kuraoka, I. See *Ikegami, Saijo, Kodo, Kyogoku, Morikawa, Tanaka, and Shirakawa*, 495
 Kurata, S. See *Fujimoto, Kobayashi, and*
- Natori*, 566
 Kuriyama, M. See *Myint, Inazu, Tanaka, Yamada, Keng, Inoue, and Noguchi*, 795
 Kuroda, S. See *Ogino, Negi, Matsumiya, Nakaoka, Kondo, Tokuyama, Kikkawa, Yamane, and Fukuda*, 263
 Kurokawa, Y. See *Watanabe, Yoshimura, and Esaki*, 987
 Kuroki, S. See *Ding, Kameyama, Yoshimura, and Kameyama*, 750
 Kusakabe, T. See *Mantoku, Muramatsu, Nakauchi, Yamagami, and Suzuki*, 476
 Kushi, Y. See *Yamamoto, Iida-Tanaka, Kasama, Ishizuka, and Handa*, 923
 Kusumoto, S. See *Suda, Mori, Bird, Marques, Ormsby, Tanaka, Koshida, Nakamura, and Sobel*, 1011
 Kusunoki, M. See *Oyama, Kishimoto, Takanaki, and Nitta*, 1120
 Kuwahara, H. See *Hatakeyama, Sato, Taira, Niidome, and Aoyagi*, 277
 Kuwata, H. See *Uchiyama, Miyazaki, Amakasu, Nakatani, Atsumi, Murakami, and Kudo*, 1001
 Kwon, J.H. See *Shimizu, Sasaki, Odaka, Satoh, Sakurai, Sakurai, Yamaguchi, and Samejima*, 662
 Kyogoku, Y. See *Wada, Yamazaki, and Kuramitsu*, 143
 —. See *Ikegami, Kuraoka, Saijo, Kodo, Morikawa, Tanaka, and Shirakawa*, 495
- L
- Laine, R.A. See *Wu*, 1086
 Lee, J.-S. See *Satoh, Oshida, Ono, Hattori, Ohta, Watanabe, Shinoda, Takahashi, and Samejima*, 858
 Li, C. See *Sugawara, Inoue, Gotowda, Hibino, Takabe, and Kai*, 899
 Li, Y., Aoki, R., and Dolly, J.O. Expression and Characterisation of the Heavy Chain of Tetanus Toxin: Reconstitution of the Fully Recombinant Dichain Protein in Active Form, 1200
 Li, Y.-F. See *Watanabe, Kawashima, and Miyasaka*, 826
 Lim, C.R. See *Kikuchi, Gohshi, Kawahire, Tachibana, Yaneda, Isobe, Kohno, Ichimura, Omata, and Horigome*, 487
 Lin, A. See *Lin and Liu*, 1029
 Lin, E., Liu, S.-R., and Lin, A. Biochemical Analysis of a 5S rRNA-Associated Sub-Particle from Trypsinized Eukaryotic Ribosomes, 1029
 Liou, G.I. See *Fei, Matragoon, Smith, Overbeek, Chen, and Zack*, 1189
 Liu, S.-R. See *Lin and Lin*, 1029
- M
- Ma, J. See *Yuan and Ma*, 809
 Ma, X. See *Yuan and Ma*, 809
 Maki, M. See *Hitomi, Kanehiro, and Ikura*, 1048
 Makino, Y. See *Shimazaki, Omichi, Odani, and Hase*, 560
 Mandiyan, V. See *Tsuchiya, Ogura, Hatanaka, Nagata, Terasawa, Schlessinger, Aimoto, Ohta, and Inagaki*, 1151
 Mantoku, T., Muramatsu, R., Nakauchi, M., Yamagami, S., Kusakabe, T., and Suzuki, N. Sequence Analysis of cDNA and Genomic DNA, and mRNA Expression of the
- Medaka Fish Homolog of Mammalian Guanylyl Cyclase C, 476
 Marques, D. See *Suda, Mori, Bird, Ormsby, Tanaka, Koshida, Nakamura, Kusumoto, and Sobel*, 1011
 Marriott, G. See *Usui, Inagaki, Swarup, and Osada*, 960
 Martin, T.J. See *Mori, Imamaki, Nagata, Yonetomi, Kiyokane-Yoshimoto, Gillespie, Nagahama, Tsuji, and Matsuda*, 627
 Maruta, S., Uyehara, Y., Homma, K., Sugimoto, Y., and Wakabayashi, K. Formation of the Myosin-ADP-Gallium Fluoride Complex and Its Solution Structure by Small-Angle Synchrotron X-Ray Scattering, 177
 Maruyama, T. See *Yamano*, 186
 Masaki, H. See *Takashima, Nakamura, Hidaka, and Uozumi*, 728
 Masuda, W., Takenaka, S., Tsuyama, S., Inui, H., Miyatake, K., and Nakano, Y. Purification and Characterization of ADP-Ribosyl Cyclase from *Euglena gracilis*, 449
 Masuda, Y. See *Hashimoto, Xu, Aiuchi, Nakajo, Cao, Miyakoshi, Ida, and Nakaya*, 17
 Matoba, K. See *Saeki, Furukawa, Kirifujii, Kanamoto, and Iwami*, 846
 Matragoon, S. See *Fei, Smith, Overbeek, Chen, Zack, and Liou*, 1189
 Matsubara, M. See *Nohara, Sugiura, Sakakibara, Kojima, Miura, and Sakai*, 343
 Matsuda, K., Koguma, M., Okuyama, R., Nakazawa, T., Matsuzaki, Y., Nakauchi, H., Yanai, N., Terasaki, T., and Obinata, M. A Novel Stromal Cell-Dependent B Lymphoid Stem-Like Cell Line That Induces Immunoglobulin Gene Rearrangement, 602
 Matsuda, T. See *Aoki, Kawamura, Yamaguchi-Aoki, and Ohira*, 669
 Matsuda, Y. See *Mori, Imamaki, Nagata, Yonetomi, Kiyokane-Yoshimoto, Martin, Gillespie, Nagahama, and Tsuji*, 627
 Matsui, M., Breau, W.C., Iwasaki, S., Hagiwara, S., Tamai, Y., Mori, C., Bloom, M.L., Jerry, M.B., Eddy, E.M., and Taketo, M.M. Retrovirus Integration Site *Mintb* Encoding the Mouse Homolog of hnRNP U, 1104
 Matsumiya, T. See *Ogino, Negi, Nakaoka, Kondo, Kuroda, Tokuyama, Kikkawa, Yamane, and Fukuda*, 263
 Matsumoto, H. See *Hattori, Mizutani, and Tsujimoto*, 931
 Matsumoto, T. See *Hashimoto, Nishioka, Yuasa, Takeuchi, Inoue, Fujiwara, Takagi, Imanaka, and Kai*, 983
 Matsunaga, F. See *Komori, Sasai, Wada, and Miki*, 24
 Matsushima, M., Ichinose, M., Yahagi, N., Tsukada-Kato, S., Miki, K., Omata, M., Kim, Y.-T., Ito, H., Takahashi, T., Sakurai, Y., Tsuchiya, Y., Athauda, S.B.P., Inoue, H., and Takahashi, K. Purification and Further Characterization of Enteropeptidase from Porcine Duodenum, 947
 Matsushita, Y. See *Nojiri, Yohda, Odaka, Tsujimura, Yoshida, Dohmae, Takio, and Endo*, 696
 Matsuzaki, Y. See *Matsuda, Koguma, Okuyama, Nakazawa, Nakauchi, Yanai, Tera-*

M (cont'd)

- saki, and Obinata, 602
 Matsuzawa, H. See Tanaka and Ohta, 1016
 Mega, T. See Iwai and Hase, 70
 —. See Sasaki, Yamagishi, Norioha, Natsuha, and Hase, 363
 Merk, H., Stiege, W., Tsuruoto, K., Kumagai, I., and Erdmann, V.A. Cell-Free Expression of Two Single-Chain Monoclonal Antibodies against Lysozyme: Effect of Domain Arrangement on the Expression, 328
 Mierau, I. See Tanaka and Ito, 883
 Migita, T. See Imamura, Otagiri, Choshi, and Hibino, 41
 Miki, Kazumasa. See Matsushima, Ichinose, Yahagi, Tsukada-Kato, Omata, Kim, Ito, Takahashi, Sakurai, Tsuchiya, Athauda, Inoue, and Takahashi, 947
 Miki, Kunio. See Komori, Sasai, Matsunaga, and Wada, 24
 Mitsuhashi, I. See Ohshima, Okamoto, Sawano, Nishiyama, Kaku, Natori, and Ohashi, 431
 Mitsutake, S. See Tani, Okino, and Ito, 746
 Miura, K. See Nohara, Sugiura, Sakakibara, Matsubara, Kojima, and Sakai, 343
 Miura, R. See Tamaoki, Nishina, and Shiga, 285
 Miyagi, Y. See Miyata, Koshikawa, Higashi, Nagashima, Yanoma, Kato, Yasumitsu, and Miyazaki, 1067
 Miyajima, H. See Hasegawa, Torii, Nagaoka, Nakayasu, and Habuchi, 245
 Miyajima, S. See Tomita, Hasegawa, Tsukihara, Nagao, and Sato, 916
 Miyakoshi, M. See Hashimoto, Xu, Masuda, Aiuchi, Nakajo, Cao, Ida, and Nakaya, 17
 Miyanaka, K. See Ozaki, Gotoh, Nagasaki, Takeya, Fujiyama, Tomita, and Mori, 586
 Miyasaka, M. See Watanabe, Kawashima, and Li, 826
 Miyashita, K. See Yu, Shimoyama, Uneda, Obika, Doi, and Imanishi, 1034
 Miyata, S., Koshikawa, N., Higashi, S., Miyagi, Y., Nagashima, Y., Yanoma, S., Kato, Y., Yasumitsu, H., and Miyazaki, K. Expression of Trypsin in Human Cancer Cell Lines and Cancer Tissues and Its Tight Binding to Soluble Form of Alzheimer Amyloid Precursor Protein in Culture, 1067
 Miyatake, K. See Masuda, Takenaka, Tsumaya, Inui, and Nakano, 449
 Miyazaki, K. See Miyata, Koshikawa, Higashi, Miyagi, Nagashima, Yanoma, Kato, and Yasumitsu, 1067
 Miyazaki, Y. See Uchiyama, Amakasu, Kuwata, Nakatani, Atsumi, Murakami, and Kudo, 1001
 Miyazono, K. See Kawabata, 9
 Miyoshi, H., Takegami, K., Sakamoto, K., Mogi, T., and Iwamura, H. Characterization of the Ubiquinol Oxidation Sites in Cytochromes *bo* and *bd* from *Escherichia coli* Using Aurachin C Analogues, 138
 Mizuno, T. See Ohmiya, Kato, Yamada, and Aiba, 1061
 Mizutani, M. See Nakajima, Yokoi, Kinoshita, Funayama, and Kamataki, 803
 Mizutani, S. See Hattori, Matsumoto, and Tsujimoto, 931

Mochizuki, K. See Hama, Nakagawa, Sumi, and Hatake, 160

- Mogi, T. See Miyoshi, Takegami, Sakamoto, and Iwamura, 138
 —. See Muneyuki, Shibasaki, Ohtani, Okuno, and Asaumi, 270
 —. See Yamazaki and Kandori, 1131
 Momose, K. See Nagata and Ishida, 658
 Mori, C. See Matsui, Breau, Iwasaki, Hagiwara, Tamai, Bloom, Jerry, Eddy, and Taketo, 1104
 Mori, Keiji. See Suda, Bird, Marques, Ormsby, Tanaka, Koshida, Nakamura, Kusumoto, and Sobel, 1011
 Mori, Kenji, Imamaki, A., Nagata, K., Yonetomi, Y., Kiyokage-Yoshimoto, R., Martin, T.J., Gillespie, M.T., Nagahama, M., Tsuji, A., and Matsuda, Y. Subtilisin-Like Protein Convertases, PACE4 and PC8, as Well as Furin, Are Endogenous Proalbumin Convertases in HepG2 Cells, 627
 Mori, M. See Ozaki, Gotoh, Nagasaki, Miyanaka, Takeya, Fujiyama, and Tomita, 586
 —. See Chewawiwat, Yano, Terada, and Hoogenraad, 721
 Morikawa, K. See Ikegami, Kuraoka, Saijo, Kodo, Kyogoku, Tanaka, and Shirakawa, 495
 Morimoto, C., Sumiyoshi, M., Kameda, K., Tsujita, T., and Okuda, H. Relationship between Hormone-Sensitive Lipolysis and Lipase Activity in Rat Fat Cells, 976
 Morita, F. See Takeuchi, Senba, Furukawa, and Eto, 334
 Moriyama, T., Urade, R., and Kito, M. Purification and Characterization of Diacylglycerol Lipase from Human Platelets, 1077
 Mukohata, Y. See Sugiyama and Fujii, 1144
 —, Ihara, K., Tamura, T., and Sugiyama, Y. Halobacterial Rhodopsins, 649
 Muneyuki, E., Shibasaki, C., Ohtani, H., Okuno, D., Asaumi, M., and Mogi, T. Time-Resolved Measurements of Photovoltage Generation by Bacteriorhodopsin and Halorhodopsin Adsorbed on a Thin Polymer Film, 270
 Murakami, K. See Kasai, Shin, Shinotsuka, and Nakayama, 780
 Murakami, M. See Uchiyama, Miyazaki, Amakasu, Kuwata, Nakatani, Atsumi, and Kudo, 1001
 Murakami, Y. See Yamamura, Sakaguchi, Yokoyama, and Tamiya, 760
 Muramatsu, R. See Mantoku, Nakauchi, Yamagami, Kusakabe, and Suzuki, 476
 Muramatsu, T. See Oda, Shinmura, Nishioka, Komatsu, and Hatakeyama, 713
 Murata, K. See Sugiyama, Iuchi, Nomura, and Yamagami, 469
 Murata, T., Takase, K., Yamato, I., Igarashi, K., and Kakinuma, Y. Properties of the V_o , V_i , Na^+ -ATPase from *Enterococcus hirae* and Its V_o Moiety, 414
 Myint, Z., Inazu, T., Tanaka, T., Yamada, K., Keng, V.W., Inoue, Y., Kuriyama, M., and Noguchi, T. Genomic Organization and Promoter Analysis of a Mouse Homeobox Gene, Hex, 795

N

- Nakahama, M. See Mori, Imamaki, Nagata, Yonetomi, Kiyokage-Yoshimoto, Martin, Gillespie, Tsuji, and Matsuda, 627
 Nagaishi, K., Adachi, R., Kawanishi, T., Yamaguchi, T., Kasahara, T., Hayakawa, T., and Suzuki, K. Participation of Cofilin in Opsonized Zymosan-Triggered Activation of Neutrophil-Like HL-60 Cells through Rapid Dephosphorylation and Translocation to Plasma Membranes, 891
 Nagao, M. See Tomita, Hasegawa, Tsukihara, Miyajima, and Sato, 916
 Nagaoka, I. See Hasegawa, Torii, Nakayasu, Miyajima, and Habuchi, 245
 Nagarajan, V., Kamitori, S., and Okuyama, K. Structure Analysis of a Collagen-Model Peptide with a (Pro-Hyp-Gly) Sequence Repeat, 310
 Nagasaki, A. See Ozaki, Gotoh, Miyanaka, Takeya, Fujiyama, Tomita, and Mori, 586
 Nagashima, Y. See Miyata, Koshikawa, Higashi, Miyagi, Yanoma, Kato, Yasumitsu, and Miyazaki, 1067
 Nagata, Kaya. See Mori, Imamaki, Yonetomi, Kiyokage-Yoshimoto, Martin, Gillespie, Nagahama, Tsuji, and Matsuda, 627
 Nagata, Koji. See Tsuchiya, Ogura, Hatanaka, Terasawa, Mandiyan, Schlessinger, Aimoto, Ohta, and Inagaki, 1151
 Nagata, Kumiko. See Tsukita, Koyanagi, Koizuka, Akashi, Shimoyama, Tamura, and Sone, 194
 Nagata, N., Momose, K., and Ishida, Y. Inhibitory Effects of Catecholamines and Anti-Oxidants on the Fluorescence Reaction of 4,5-Diaminofluorescein, DAF-2, a Novel Indicator of Nitric Oxide, 658
 Nagatsu, A. See Takii, Hayashi, Hiroma, Chiba, Kawashima, Zhang, Sakakibara, and Onozaki, 910
 Nakabayashi, K. See Fujii, Ide, Joguchi, Ogino, and Ayusawa, 531
 Nakagawa, H. See Hama, Mochizuki, Sumi, and Hatake, 160
 Nakagawa, Y. See Sakamoto and Kitahara, 90
 Nakagomi, O. See Itoh, Suzuki, Inoue, Tada, and Suzuki, 123
 Nakajima, M., Yokoi, T., Mizutani, M., Kinoshita, M., Funayama, M., and Kamataki, T. Genetic Polymorphism in the 5'-Flanking Region of Human CYP1A2 Gene: Effect on the CYP1A2 Inducibility in Humans, 803
 Nakajo, S. See Hashimoto, Xu, Masuda, Aiuchi, Cao, Miyakoshi, Ida, and Nakaya, 17
 Nakamura, A. See Takashima, Hidaka, Masaki, and Uozumi, 728
 Nakamura, K. See Bunai, Yamada, Hayashi, and Yamane, 151
 Nakamura, M. See Suda, Mori, Bird, Marques, Ormsby, Tanaka, Koshida, Kusumoto, and Sobel, 1011
 Nakamura, S. See Hine, Enyoji, Kokame, Takei, Kamikubo, Sueishi, and Kato, 1039
 Nakanishi, M. See Yanagisawa, Kosaka, Iwahana, and Tominaga, 36
 Nakanishi, Y. See Takizawa and Tatematsu, 391

- N (cont'd)
- Nakano, A. See *Saito, Yamanushi, and Oka*, 130
- Nakano, N., Higashiyama, S., Takashima, S., Tsuruoka, N., Klagsbrun, M., and Taniguchi, N. Purification and Characterization of a Novel Vascular Endothelial Cell Growth Inhibitor Secreted by Macrophage-Like U-937 Cells, 368
- Nakano, Y. See *Masuda, Takenaka, Tsuyama, Inui, and Miyatake*, 449
- Nakaoka, K. See *Ogino, Negi, Matsumiya, Kondo, Kuroda, Tokuyama, Kikkawa, Yamane, and Fukuda*, 263
- Nakata, R. See *Tanaka, Iguchi, Taketani, Tokunaru, Sugimoto, and Kojo*, 173
- Nakatani, Y. See *Uchiyama, Miyazaki, Amakasu, Kuwata, Atsumi, Murakami, and Kudo*, 1001
- Nakauchi, H. See *Matsuda, Koguma, Okuyama, Nakazawa, Matsuzaki, Yanai, Terasaki, and Obinata*, 602
- Nakauchi, M. See *Mantoku, Muramatsu, Yamagami, Kusakabe, and Suzuki*, 476
- Nakaya, K. See *Hashimoto, Xu, Masuda, Aiuchi, Nakajo, Cao, Miyakoshi, and Ida*, 17
- Nakayama, K. See *Kasai, Shin, Shinotsuka, and Murakami*, 780
- Nakayasu, K. See *Hasegawa, Torii, Nagao, Miyajima, and Habuchi*, 245
- Nakazato, K. See *Hirose, Kosugi, and Hayashi*, 991
- Nakazawa, T. See *Matsuda, Koguma, Okuyama, Matsuzaki, Nakauchi, Yanai, Terasaki, and Obinata*, 602
- Namatame, I., Tomoda, H., Arai, H., Inoue, K., and Ômura, S. Complete Inhibition of Mouse Macrophage-Derived Foam Cell Formation by Triacsin C, 319
- Narutaki, S. See *Ito, Uchida, and Oda*, 210
- , Dunn, B.M., and Oda, K. Subsite Preferences of Pepstatin-Insensitive Carboxyl Proteinases from Bacteria, 75
- Natori, S. See *Ohshima, Mitsuhashi, Okamoto, Sawano, Nishiyama, Kaku, and Ohashi*, 431
- . See *Fujimoto, Kobayashi, and Kurata*, 566
- . See *Fujii, Tanaka, and Homma*, 613
- Natsuka, S. See *Sasaki, Yamagishi, Mega, Norioka, and Hase*, 363
- . See *Kageyama and Hase*, 838
- Negi, Y. See *Ogino, Matsumiya, Nakaoka, Kondo, Kuroda, Tokuyama, Kikkawa, Yamane, and Fukuda*, 263
- Niidome, T. See *Hatakeyama, Sato, Taira, Kuwahara, and Aoyagi*, 277
- Nishigaki, K. See *Eli, Ariyama, and Husimi*, 790
- Nishimoto, T. See *Noguchi, Saitoh, and Sazer*, 574
- Nishina, Y. See *Tamaoki, Shiga, and Miura*, 285
- Nishio, M. See *Takemura, Sato, Akiyama, Umekawa, and Yoshida*, 904
- Nishioka, M. See *Hashimoto, Matsumoto, Yuasa, Takeuchi, Inoue, Fujiwara, Takagi, Imanaka, and Kai*, 983
- Nishioka, Y. See *Oda, Shinmura, Komatsu, Hatakeyama, and Muramatsu*, 713
- Nishiyama, K. See *Ohshima, Mitsuhashi, Okamoto, Sawano, Kaku, Natori, and Ohashi*, 431
- Nitta, Y. See *Oyama, Kusunoki, Kishimoto, and Takasaki*, 1120
- Noguchi, E., Saitoh, Y., Sazer, S., and Nishimoto, T. Disruption of the *YRB2* Gene Retards Nuclear Protein Export, Causing a Profound Mitotic Delay, and Can Be Rescued by Overexpression of *XPO1/CRM1*, 574
- Noguchi, T. See *Myint, Inazu, Tanaka, Yamada, Keng, Inoue, and Kuriyama*, 795
- Nohara, D., Sugiura, H., Sakakibara, H., Matsubara, M., Kojima, S., Miura, K., and Sakai, T. High Performance in Refolding of *Streptomyces griseus* Trypsin by the Aid of a Mutant of *Streptomyces* Subtilisin Inhibitor Designed as Trypsin Inhibitor, 343
- Nojiri, M., Yohda, M., Odaka, M., Matsushita, Y., Tsujimura, M., Yoshida, T., Dohmae, N., Takio, K., and Endo, I. Functional Expression of Nitrile Hydratase in *Escherichia coli*: Requirement of a Nitrile Hydratase Activator and Post-Translational Modification of a Ligand Cysteine, 696
- Nomura, K. See *Sugiyama, Murata, Iuchi, and Yamagami*, 469
- Norioka, S. See *Sasaki, Yamagishi, Mega, Natsuka, and Hase*, 363
- O
- Obika, S. See *Yu, Shimoyama, Uneda, Miyashita, Doi, and Imanishi*, 1034
- Obinata, M. See *Matsuda, Koguma, Okuyama, Nakazawa, Matsuzaki, Nakauchi, Yanai, and Terasaki*, 602
- Oda, Kimimitsu. See *Kimura, Cheng, Toyoshima, and Saku*, 406
- Oda, Kohei. See *Narutaki and Dunn*, 75
- . See *Hiraga, Seeram, Tate, Tanaka, and Kainosho*, 202
- . See *Ito, Narutaki, and Uchida*, 210
- Oda, T., Shinmura, N., Nishioka, Y., Komatsu, N., Hatakeyama, T., and Muramatsu, T. Effect of the Hemolytic Lectin CEL-III from Holothuroidea *Cucumaria echinata* on the ANS Fluorescence Responses in Sensitive MDCK and Resistant CHO Cells, 713
- Odaka, A. See *Shimizu, Sasaki, Kwon, Satoh, Sakurai, Sakurai, Yamaguchi, and Samejima*, 662
- Odaka, M. See *Nojiri, Yohda, Matsushita, Tsujimura, Yoshida, Dohmae, Takio, and Endo*, 696
- Odani, S. See *Baba, Abe, and Tsunashima*, 115
- . See *Shimazaki, Makino, Omichi, and Hase*, 560
- Ogasawara, H. See *Takahashi, Takahashi, Kaneko, Shindo, and Kobayashi*, 348
- Ogino, C., Negi, Y., Matsumiya, T., Nakaoka, K., Kondo, A., Kuroda, S., Tokuyama, S., Kikkawa, U., Yamane, T., and Fukuda, H. Purification, Characterization, and Sequence Determination of Phospholipase D Secreted by *Streptoverticillium cinnamoneum*, 263
- Ogino, H. See *Fujii, Ide, Nakabayashi, Joguchi, and Ayusawa*, 531
- Ogura, K. See *Tsuchiya, Hatanaka, Nagata*, 976
- Terasawa, Mandiyan, Schlessinger, Aimoto, Ohta, and Inagaki, 1151
- Ohara, T. See *Kamimura, Kawasaki, and Sugino*, 236
- Ohashi, Y. See *Ohshima, Mitsuhashi, Okamoto, Sawano, Nishiyama, Kaku, and Natori*, 431
- Ohira, S. See *Aoki, Kawamura, Yamaguchi-Aoki, and Matsuda*, 669
- Ohkura, N., Kitahara, Y., Inoue, S., Ikeda, K., and Hayashi, K. Isolation and Amino Acid Sequence of a Phospholipase A, Inhibitor from the Blood Plasma of the Sea Krait, *Laticauda semifasciata*, 375
- Ohmiya, R., Kato, C., Yamada, H., Aiba, H., and Mizuno, T. A Fission Yeast Gene (*prr1*) That Encodes a Response Regulator Implicated in Oxidative Stress Response, 1061
- Ohsako, S. and Takamatsu, Y. Identification and Characterization of a *Drosophila* Homologue of the Yeast *UBC9* and *hus5* Genes, 230
- Ohshima, M., Mitsuhashi, I., Okamoto, M., Sawano, S., Nishiyama, K., Kaku, H., Natori, S., and Ohashi, Y. Enhanced Resistance to Bacterial Diseases of Transgenic Tobacco Plants Overexpressing Sarcotoxin IA, a Bactericidal Peptide of Insect, 431
- Ohta, A. See *Takewaka, Zimmer, Hirata, and Takagi*, 507
- Ohta, H. See *Tsuchiya, Ogura, Hatanaka, Nagata, Terasawa, Mandiyan, Schlessinger, Aimoto, and Inagaki*, 1151
- Ohta, Takahisa. See *Tanaka and Matsuzawa*, 1016
- Ohta, Toru. See *Satoh, Oshida, Ono, Hattori, Watanabe, Shinoda, Takahashi, Lee, and Samejima*, 858
- Ohtani, H. See *Muneyuki, Shibasaki, Okuno, Asaumi, and Mogi*, 270
- Ohyama, T. See *Asayama, Hayasaka, Kabsawa, and Shirai*, 460
- Oka, T. See *Saito, Yamanushi, and Nakano*, 130
- Okagaki, T., Hayakawa, K., Samizo, K., and Kohama, K. Inhibition of the ATP-Dependent Interaction of Actin and Myosin by the Catalytic Domain of the Myosin Light Chain Kinase of Smooth Muscle: Possible Involvement in Smooth Muscle Relaxation, 619
- Okagaki, T., Ye, L.-H., Samizo, K., Tanaka, T., and Kohama, K. Inhibitory Effect of the Catalytic Domain of Myosin Light Chain Kinase on Actin-Myosin Interaction: Insight into the Mode of Inhibition, 1055
- Okamoto, M. See *Ohshima, Mitsuhashi, Sawano, Nishiyama, Kaku, Natori, and Ohashi*, 431
- Okamoto, Y., Omichi, K., Yamanaka, S., Ikenaka, K., and Hase, S. Conversion of Brain-Specific Complex Type Sugar Chains by *N*-Acetyl- β -D-Hexosaminidase B, 537
- Okino, N. See *Tani, Mitsutake, and Ito*, 746
- Okubo, A. See *Sato and Yamazaki*, 864
- Okuda, H. See *Morimoto, Sumiyoshi, Kameda, and Tsujita*, 976
- Okumura, Y. See *Suzuki and Sunamoto*, 876
- Okuno, D. See *Muneyuki, Shibasaki, Ohtani, Asaumi, and Mogi*, 270
- Okuno, S. See *Kitani, Ishida, Takeuchi*,

- O (cont'd)
- Kameshita, and Fujisawa, 1022
- Okuyama, K. See Nagarajan and Kamitori, 310
- Okuyama, R. See Matsuda, Koguma, Nakazawa, Matsuzaki, Nakauchi, Yanai, Terasaki, and Obinata, 602
- Omata, M. See Matsushima, Ichinose, Yagagi, Tsukada-Kato, Miki, Kim, Ito, Takahashi, Sakurai, Tsuchiya, Athauda, Inoue, and Takahashi, 947
- Omata, S. See Kikuchi, Gohshi, Kawahire, Tachibana, Yaneda, Isobe, Lim, Kohno, Ichimura, and Horigome, 487
- . See Gohshi, Shimada, Kawahire, Imai, Ichimura, and Horigome, 939
- Omichi, K. See Okamoto, Yamanaka, Ikenaka, and Hase, 537
- . See Shimazaki, Makino, Odani, and Hase, 560
- Ômura, S. See Namatame, Tomoda, Arai, and Inoue, 319
- Ono, M. See Satoh, Oshida, Hattori, Ohta, Watanabe, Shinoda, Takahashi, Lee, and Samejima, 858
- Onozaki, K. See Takii, Hayashi, Hiroma, Chiba, Kawashima, Zhang, Nagatsu, and Sakakibara, 910
- Ormsby, J. See Suda, Mori, Bird, Marques, Tanaka, Koshida, Nakamura, Kusumoto, and Sobel, 1011
- Osada, H. See Usui, Marriott, Inagaki, and Swarup, 960
- Oshida, N. See Satoh, Ono, Hattori, Ohta, Watanabe, Shinoda, Takahashi, Lee, and Samejima, 858
- Oshikawa, K. and Terada, S. Ussuristatin 2, a Novel KGD-Bearing Disintegrin from *Aghistrodon ussuriensis* Venom, 31
- Otagiri, M. See Imamura, Migita, Choshi, and Hibino, 41
- Otera, H. See Harano, Shimizu, and Fujiki, 1168
- Otsuka, E. See Inoue, Hayakawa, Kamiya, Suzuki, Hirose, and Hagiwara, 103
- Overbeek, P.A. See Fei, Matragoon, Smith, Chen, Zack, and Liou, 1189
- Oyama, T., Kusunoki, M., Kishimoto, Y., Takasaki, Y., and Nitta, Y. Crystal Structure of β -Amylase from *Bacillus cereus* var. *mycooides* at 2.2 Å Resolution, 1120
- Ozaki, M., Gotoh, T., Nagasaki, A., Miyanaka, K., Takeya, M., Fujiyama, S., Tomita, K., and Mori, M. Expression of Arginase II and Related Enzymes in the Rat Small Intestine and Kidney, 586
- P
- Park, J.S. See Toyofuku, Wada, Hirosaki, Hori, and Jimbow, 82
- R
- Rao, M., Kumar, M.M., and Rao, M.A. *In Vitro* and *In Vivo* Effects of Phenolic Antioxidants against Cisplatin-Induced Nephrotoxicity, 383
- Rao, M.A. See Rao and Kumar, 383
- Rao, M.R.S. See Kundu, 217
- S
- Saeki, T., Matoba, K., Furukawa, H., Kirifuji, K., Kanamoto, R., and Iwami, K. Characterization, cDNA Cloning, and Functional Expression of Mouse Ileal Sodium-Dependent Bile Acid Transporter, 846
- Saffen, D. See Kumahara and Ebihara, 541
- Saijo, M. See Ikegami, Kuraoka, Kodo, Kyogoku, Morikawa, Tanaka, and Shirakawa, 495
- Saito, K., Kikuchi, T., Shirakawa, H., and Yoshida, M. The Stabilized Structural Array of Two HMG1/2-Boxes Endowed by a Linker Sequence between Them Is Required for the Effective Binding of HMG1 with DNA, 399
- Saito, Y., Yamanishi, T., Oka, T., and Nakano, A. Identification of SEC12, SED4, Truncated SEC16, and EKS1/HRD3 as Multicopy Suppressors of ts Mutants of Sar1 GTPase, 130
- Saitoh, Y. See Noguchi, Sazer, and Nishimoto, 574
- Sakaguchi, T. See Yamamura, Murakami, Yokoyama, and Tamiya, 760
- Sakai, T. See Nohara, Sugiura, Sakakibara, Matsubara, Kojima, and Miura, 343
- Sakakibara, H. See Nohara, Sugiura, Matsubara, Kojima, Miura, and Sakai, 343
- Sakakibara, J. See Takii, Hayashi, Hiroma, Chiba, Kawashima, Zhang, Nagatsu, and Onozaki, 910
- Sakamoto, H., Kitahara, J., and Nakagawa, Y. Effect of Intracellular Glutathione on the Production of Prostaglandin D₂ in RBL-2H3 Cells Oxidized by tert-Butyl Hydroperoxide, 90
- Sakamoto, K. See Miyoshi, Takegami, Mogi, and Iwamura, 138
- Sakano, Y. See Takeno, Yamamoto, Tanaka, and Kikuchi, 1115
- Saku, T. See Kimura, Cheng, Toyoshima, and Oda, 406
- Sakuradani, E. See Kobayashi and Shimizu, 1094
- Sakurai, N. See Satoh, Shinoda, Ishii, Koyama, Kaji, Hachimori, Irie, and Samejima, 48
- . See Shimizu, Sasaki, Kwon, Odaka, Satoh, Sakurai, Yamaguchi, and Samejima, 662
- Sakurai, T. See Shimizu, Sasaki, Kwon, Odaka, Satoh, Sakurai, Yamaguchi, and Samejima, 662
- Sakurai, Y. See Matsushima, Ichinose, Yagagi, Tsukada-Kato, Miki, Omata, Kim, Ito, Takahashi, Tsuchiya, Athauda, Inoue, and Takahashi, 947
- Samejima, T. See Satoh, Shinoda, Ishii, Koyama, Sakurai, Kaji, Hachimori, and Irie, 48
- . See Shinoda, Hattori, Shimizu, and Satoh, 58
- . See Shimizu, Sasaki, Kwon, Odaka, Satoh, Sakurai, Yamaguchi, and Yamaguchi, 662
- . See Satoh, Oshida, Ono, Hattori, Ohta, Watanabe, Shinoda, Takahashi, and Lee, 858
- Samizo, K. See Okagaki, Hayakawa, and Kohama, 619
- . See Okagaki, Ye, Tanaka, and Kohama, 1055
- Sasai, N. See Komori, Matsunaga, Wada, and Miki, 24
- Sasaki, A., Yamagishi, M., Mega, T., Norioka, S., Natsuka, S., and Hase, S. Partial Purification and Characterization of a Novel Endo- β -mannosidase Acting on N-Linked Sugar Chains from *Lilium longiflorum* Thunb, 363
- Sasaki, T. See Shimizu, Kwon, Odaka, Satoh, Sakurai, Sakurai, Yamaguchi, and Samejima, 662
- Sato, F. See Kitajima, 1
- Sato, Keiji. See Takemura, Nishio, Akiyama, Umekawa, and Yoshida, 904
- Sato, Kiichi, Okubo, A., and Yamazaki, S. Anaerobic Purification and Characterization of Nitrous Oxide Reductase from *Rhodobacter sphaeroides* f. sp. *denitrificans* IL106, 864
- Sato, M. See Tomita, Hasegawa, Tsukihara, Miyajima, and Nagao, 916
- Sato, N. See Ishidoh, Takeda-Ezaki, Watanabe, Aihara, Imagawa, Kikuchi, and Kominami, 770
- Sato, Taiji. See Hatakeyama, Taira, Kuwahara, Niudome, and Aoyagi, 277
- Sato, Takashi, Kageura, T., Hashizume, T., Hayama, M., Kitatani, K., and Akiba, S. Stimulation by Ceramide of Phospholipase A₁ Activation through a Mechanism Related to the Phospholipase C-Initiated Signaling Pathway in Rabbit Platelets, 96
- Satoh, Takanori. See Shinoda, Hattori, Shimizu, and Samejima, 58
- . See Shimizu, Sasaki, Kwon, Odaka, Sakurai, Sakurai, Yamaguchi, and Samejima, 662
- . Shinoda, H., Ishii, K., Koyama, M., Sakurai, N., Kaji, H., Hachimori, A., Irie, M., and Samejima, T. Primary Structure, Expression, and Site-Directed Mutagenesis of Inorganic Pyrophosphatase from *Bacillus stearothermophilus*, 48
- . Oshida, N., Ono, M., Hattori, M., Ohta, T., Watanabe, M., Shinoda, H., Takahashi, Y., Lee, J.-S., and Samejima, T. Deletion of Ala144-Lys145 in *Thermus thermophilus* Inorganic Pyrophosphatase Suppresses Thermal Aggregation, 858
- Satoh, Takumi, Yamagata, T., Ishikawa, Y., Yamada, M., Uchiyama, Y., and Hatanaka, H. Regulation of Reactive Oxygen Species by Nerve Growth Factor but Not Bcl-2 as a Novel Mechanism of Protection of PC12 Cells from Superoxide Anion-Induced Death, 952
- Sawano, S. See Ohshima, Mitsuhashi, Okamoto, Nishiyama, Kaku, Natori, and Ohashi, 431
- Sazer, S. See Noguchi, Saitoh, and Nishimoto, 574
- Schlessinger, J. See Tsuchiya, Ogura, Hatanaka, Nagata, Terasawa, Mandiyan, Aimoto, Ohta, and Inagaki, 1151
- Seeram, S.S. See Hiraga, Tate, Tanaka, Kainosho, and Oda, 202
- Senba, S. See Takeuchi, Furukawa, Eto, and Morita, 334
- . Eto, M., and Yazawa, M. Identification of Trimeric Myosin Phosphatase (PP1M) as a Target for a Novel PKC-Potentiated Protein Phosphatase-1 Inhibitory Protein (CPI17) in Porcine Aorta Smooth Muscle,

S (cont'd)

- 354
- Shibata, M. See *Yasuda, Kageyama, Akamine, Kominami, Uchiyama, and Yamamoto*, 1137
- Shibasaki, C. See *Muneyuki, Ohtani, Okuno, Asaumi, and Mogi*, 270
- Shiga, K. See *Tamaoki, Nishina, and Miura*, 285
- Shiga, Y., Kometani, S., Kadokura, T., and Akanuma, H. 1,5-Anhydroglucitol Promotes Glycogenolysis in *Escherichia coli*, 166
- Shimada, M. See *Gohshi, Kawahire, Imai, Ichimura, Omata, and Horigome*, 939
- Shimazaki, A., Makino, Y., Omichi, K., Odani, S., and Hase, S. A New Sugar Chain of the Proteinase Inhibitor from Latex of *Carica papaya*, 560
- Shimizu, A. See *Shinoda, Hattori, Samejima, and Satoh*, 58
- , Sasaki, T., Kwon, J.H., Odaka, A., Satoh, T., Sakurai, N., Sakurai, T., Yamaguchi, S., and Samejima, T. Site-Directed Mutagenesis of a Possible Type 1 Copper Ligand of Bilirubin Oxidase; a Met467Gln Mutant Shows Stellacyanin-Like Properties, 662
- Shimizu, N. See *Harano, Otera, and Fujiki*, 1168
- Shimizu, S. See *Kobayashi and Sakuradani*, 1094
- Shimoyama, A. See *Yu, Uneda, Obika, Miyashita, Doi, and Imanishi*, 1034
- Shimoyama, T. See *Tsukita, Koyanagi, Nagata, Koizuka, Akashi, Tamura, and Sone*, 194
- Shin, H.-W. See *Kasai, Shinotsuka, Murakami, and Nakayama*, 780
- Shindo, S. See *Takahashi, Takahashi, Kaneko, Ogasawara, and Kobayashi*, 348
- Shinmura, N. See *Oda, Nishioka, Komatsu, Hatakeyama, and Muramatsu*, 713
- Shinoda, H. See *Satoh, Ishii, Koyama, Sakurai, Kaji, Hachimori, Irie, and Samejima*, 48
- . See *Satoh, Oshida, Ono, Hattori, Ohta, Watanabe, Takahashi, Lee, and Samejima*, 858
- , Hattori, M., Shimizu, A., Samejima, T., and Satoh, T. Hydrophobic Interactions of Val75 Are Critical for Oligomeric Thermostability of Inorganic Pyrophosphatase from *Bacillus stearothermophilus*, 58
- Shinotsuka, C. See *Kasai, Shin, Murakami, and Nakayama*, 780
- Shinozawa, T. See *Hamana*, 109
- Shirai, M. See *Asayama, Hayasaka, Kaba-sawa, and Ohyama*, 460
- Shirai, T. See *Hattori, Adachi, Ebihara, Someki, and Irie*, 676
- Shirakawa, H. See *Saito, Kikuchi, and Yoshida*, 399
- Shirakawa, M. See *Ikegami, Kuraoka, Sajio, Kodo, Kyogoku, Morikawa, and Tanaka*, 495
- Shirotani, H., Tokunaga, F., and Koide, T. Cellular and Functional Characterization of Three Recombinant Antithrombin Mutants That Caused Pleiotropic Effect-Type Deficiency, 253
- Shiu, D. See *Steinrauf and Chiang*, 422
- Shukunami, C., Kondo, J., Wakai, H., Takahashi, K., Inoue, H., Kamizono, A., and Hiraki, Y. Molecular Cloning of Mouse and Bovine Chondromodulin-II cDNAs and the Growth-Promoting Actions of Bovine Recombinant Protein, 436
- Smith, S.B. See *Fei, Matragoon, Overbeek, Chen, Zack, and Liou*, 1189
- Sobel, M. See *Suda, Mori, Bird, Marques, Ormsby, Tanaka, Koshida, Nakamura, and Kusumoto*, 1011
- Someki, I. See *Hattori, Adachi, Ebihara, Shirai, and Irie*, 676
- Sone, N. See *Tsukita, Koyanagi, Nagata, Koizuka, Akashi, Shimoyama, and Tamura*, 194
- Steinrauf, L.K., Chiang, M.Y., and Shiuan, D. Molecular Structure of the Amyloid-Forming Protein kappa I Bre, 422
- Stiege, W. See *Merk, Tsumoto, Kumagai, and Erdmann*, 328
- Suda, Y., Mori, K., Bird, K., Marques, D., Ormsby, J., Tanaka, S., Koshida, S., Nakamura, M., Kusumoto, S., and Sobel, M. A Novel Crosslinking Reagent and Its Application for the Detection and Isolation of Heparin-Binding Protein(s) on the Platelet Surface, 1011
- Sueishi, K. See *Hine, Enjoji, Kokame, Nakamura, Takei, Kamikubo, and Kato*, 1039
- Suetake, I. See *Kimura and Tajima*, 1175
- Sugawara, H., Inoue, T., Li, C., Gotowda, M., Hibino, T., Takabe, T., and Kai, Y. Crystal Structures of Wild-Type and Mutant Plastocyanins from a Higher Plant, *Silene*, 899
- Sugimoto, K. See *Yamada, Fukuda, and Himeno*, 832
- Sugimoto, T. See *Tanaka, Iguchi, Taketani, Nakata, Tokumaru, and Kojo*, 173
- Sugimoto, Y. See *Maruta, Uyehara, Homma, and Wakabayashi*, 177
- Sugino, A. See *Kanamura, Kawasaki, and Ohara*, 236
- Sugiura, H. See *Nohara, Sakakibara, Matsubara, Kojima, Miura, and Sakai*, 343
- Sugiyama, H., Murata, K., Iuchi, I., Nomura, K., and Yamagami, K. Formation of Mature Egg Envelope Subunit Proteins from Their Precursors (Choriogenins) in the Fish, *Oryzias latipes*: Loss of Partial C-Terminal Sequences of the Choriogenins, 469
- Sugiyama, Y. See *Mukohata, Ihara, and Tamura*, 649
- , Fujii, K., and Mukohata, Y. The Effect of Carboxyl Group Modification on the Chromophore Regeneration of Archaeopsin-1 and Bacteriopsin, 1144
- Suhr, S.-M. and Kim, D.-S. Comparison of the Apoptotic Pathways Induced by L-Amino Acid Oxidase and Hydrogen Peroxide, 305
- Sumi, T. See *Hama, Nakagawa, Mochizuki, and Hatate*, 160
- Sumiyoshi, M. See *Morimoto, Kameda, Tsujita, and Okuda*, 976
- Sun, Y., Yamauchi, J., Kaziro, Y., and Itoh, H. Activation of c-fos Promoter by G β -Mediated Signaling: Involvement of Rho and c-Jun N-Terminal Kinase, 515
- Sunamoto, J. See *Suzuki and Okumura*, 876
- Suzuki, Kaori. See *Itoh, Nakagomi, Inoue, Tada, and Suzuki*, 123
- Suzuki, Kazuhiro. See *Nagaishi, Adachi, Kawanishi, Yamaguchi, Kasahara, and Hayakawa*, 891
- Suzuki, Kenichi, Okumura, Y., and Sunamoto, J. Induction of Acetylcholinesterase Release from Erythrocytes in the Presence of Liposomes, 876
- Suzuki, N. See *Mantoku, Muramatsu, Nakuchi, Yamagami, and Kusakabe*, 476
- Suzuki, T. See *Itoh, Nakagomi, Suzuki, Inoue, and Tada*, 123
- Suzuki, Y. See *Inoue, Hayakawa, Otsuka, Kamiya, Hirose, and Hagiwara*, 103
- Swarup, G. See *Usui, Marriott, Inagaki, and Osada*, 960
- Sweeney, E.A. and Igarashi, Y. Increases in Ceramide Levels in Normal Human Mesangial Cells Subjected to Different Cellular Stresses Result from Changes in Distinct Enzyme Activities and Can Influence Cellular Responses to Other Stimuli, 737
- T
- Ta, T.-V., Takano, R., Kamei, K., Xu, X.-Y., Kariya, Y., Yoshida, K., and Hara, S. Fructose 1,6-Bisphosphate Aldolase Is a Heparin-Binding Protein, 554
- Tachibana, T. See *Kikuchi, Gohshi, Kawahire, Yaneda, Isobe, Lin, Kohno, Ichimura, Omata, and Horigome*, 487
- Tada, H. See *Itoh, Nakagomi, Suzuki, Inoue, and Suzuki*, 123
- Taira, E. See *Hatakeyama, Sato, Kuwahara, Niidome, and Aoyagi*, 277
- Tajima, O. See *Watanaibe, Fujiwara, Komazaki, Yamaguchi, and Akagawa*, 685
- Tajima, S. See *Kimura and Suetake*, 1175
- Takabe, T. See *Sugawara, Inoue, Li, Gotowda, Hibino, and Kai*, 899
- Takagi, Masahiro. See *Hashimoto, Moto-moto, Nishioka, Yuasa, Takeuchi, Inoue, Fujiwara, Imanaka, and Kai*, 983
- Takagi, Masamichi. See *Takewaka, Zimmer, Hirata, and Ohta*, 507
- Takahashi, Kazuhiro. See *Shukunami, Kondo, Wakai, Inoue, Kamizono, and Hiraki*, 436
- Takahashi, Keitaro. See *Takahashi, Kaneko, Ogasawara, Shindo, and Kobayashi*, 348
- Takahashi, Kenji. See *Matsushima, Ichinose, Yahagi, Tsukada-Kato, Miki, Omata, Kim, Ito, Takahashi, Sakurai, Tsuchiya, Athauda, and Inoue*, 947
- Takahashi, Koji. See *Wakabayashi and Koide*, 522
- Takahashi, Kojiro. See *Fujisawa, Hattori, Kuboki, Yamashita, and Takigawa*, 966
- Takahashi, N. See *Tsuji, Han, Takeuchi, Hakomori, and Irimura*, 1183
- Takahashi, S., Takahashi, K., Kaneko, T., Ogasawara, H., Shindo, S., and Kobayashi, M. Human Renin-Binding Protein Is the Enzyme N-Acetyl-D-Glucosamine 2-Epimerase, 348
- Takahashi, T. See *Matsushima, Ichinose, Yahagi, Tsukada-Kato, Miki, Omata, Kim, Ito, Sakurai, Tsuchiya, Athauda, Inoue, and Takahashi*, 947
- Takahashi, Y. See *Satoh, Oshida, Ono, Hattori, Ohta, Watanabe, Shinoda, Lee*,

- T (cont'd)
- and Samejima*, 858
 Takamatsu, Y. See *Ohsako*, 230
 Takano, R. See *Ta, Kamei, Xu, Kariya, Yoshida, and Hara*, 554
 Takasaki, Y. See *Oyama, Kusunoki, Kishimoto, and Nitta*, 1120
 Takase, K. See *Murata, Yamato, Igarashi, and Kakinuma*, 414
 Takashima, Seiji. See *Nakano, Higashiyama, Tsuruoka, Klagsbrun, and Taniguchi*, 368
 Takashima, Shou, Nakamura, A., Hidaka, M., Masaki, H., and Uozumi, T. Molecular Cloning and Expression of the Novel Fungal β -Glucosidase Genes from *Humicola grisea* and *Trichoderma reesei*, 728
 Takeda-Ezaki, M. See *Ishidoh, Watanabe, Sato, Aihara, Imagawa, Kikuchi, and Kominami*, 770
 Takegami, K. See *Miyoshi, Sakamoto, Mogi, and Iwanura*, 138
 Takei, A. See *Hine, Enyoji, Kokame, Nakamura, Kamikubo, Sueishi, and Kato*, 1039
 Takemura, M., Sato, K., Nishio, M., Akiyama, T., Umekawa, H., and Yoshida, S. Nucleolar Protein B23.1 Binds to Retinoblastoma Protein and Synergistically Stimulates DNA Polymerase α Activity, 904
 Takenaka, S. See *Masuda, Tsuyama, Inui, Miyatake, and Nakano*, 449
 Takeno, H., Yamamoto, S., Tanaka, T., Sakano, Y., and Kikuchi, Y. Selection of an RNA Molecule That Specifically Inhibits the Protease Activity of Subtilisin, 1115
 Taketani, S. See *Tanaka, Iguchi, Nakata, Tokumaru, Sugimoto, and Kojo*, 173
 Taketo, M.M. See *Matsui, Breau, Iwasaki, Hagiwara, Tamai, Mori, Bloom, Jerry, and Eddy*, 1104
 Takeuchi, Ken-ichi. See *Harada, Dohmae, Takio, Uenaka, Aoki, Inoue, and Umeda*, 443
 —. See *Tsuji, Han, Takahashi, Hakomori, and Irimura*, 1183
 Takeuchi, Kikuko, Senba, S., Furukawa, K., Eto, M., and Morita, F. Localization of 17-kDa Myosin Light Chain Isoforms in Cultured Aortic Smooth Muscle Cells, 334
 Takeuchi, M. See *Kitani, Ishida, Okuno, Kameshita, and Fujisawa*, 1022
 Takeuchi, S. See *Hashimoto, Matsumoto, Nishioka, Yuasa, Inoue, Fujiwara, Takagi, Imanaka, and Kai*, 983
 Takewaka, T., Zimmer, T., Hirata, A., Ohta, A., and Takagi, M. Null Mutation in *IRE1* Gene Inhibits Overproduction of Microsomal Cytochrome P450Alk1 (*CYP 52A3*) and Proliferation of the Endoplasmic Reticulum in *Saccharomyces cerevisiae*, 507
 Takeya, M. See *Ozaki, Gotoh, Nagasaki, Miyanaka, Fujiiyama, Tomita, and Mori*, 586
 Takigawa, M. See *Fujisawa, Hattori, Takahashi, Kuboki, and Yamashita*, 966
 Takii, T., Hayashi, M., Hiroma, H., Chiba, T., Kawashima, S., Zhang, H.L., Nagatsu, A., Sakakibara, J., and Onozaki, K. Serotonin Derivative, *N*-(*p*-Cumaroyl)serotonin, Isolated from Saflower (*Carthamus tinctorius* L.) Oil Cake Augments the Proliferation of Normal Human and Mouse Fibroblasts in Synergy with Basic Fibroblast Growth Factor (bFGF) or Epidermal Growth Factor (EGF), 910
 Takio, K. See *Harada, Takeuchi, Dohmae, Uenaka, Aoki, Inoue, and Umeda*, 443
 —. See *Nojiri, Yohda, Odaka, Matsushita, Tsujimura, Yoshida, Dohmae, and Endo*, 696
 Takizawa, T., Tatematsu, C., and Nakanishi, Y. Double-Stranded RNA-Activated Protein Kinase (PKR) Fused to Green Fluorescent Protein Induces Apoptosis of Human Embryonic Kidney Cells: Possible Role in the Fas Signaling Pathway, 391
 Tamai, Y. See *Matsui, Breau, Iwasaki, Hagiwara, Mori, Bloom, Jerry, Eddy, and Taketo*, 1104
 Tamaoki, H., Nishina, Y., Shiga, K., and Miura, R. Mechanism for the Recognition and Activation of Substrate in Medium-Chain Acyl-CoA Dehydrogenase, 285
 Tamiya, E. See *Yamamura, Sakaguchi, Murakami, and Yokoyama*, 760
 Tamura, M. See *Chikaoka*, 634
 Tamura, Takeshi. See *Mukohata, Ihara, and Sugiyama*, 649
 Tamura, Tohishide. See *Tsukita, Koyanagi, Nagata, Koizuka, Akashi, Shimoyama, and Sone*, 194
 Tanaka, H., Mierau, I., and Ito, F. Purification and Characterization of Bovine Pancreatic Bile Salt-Activated Lipase, 883
 Tanaka, Kiyoji. See *Ikegami, Kuraoka, Saito, Kodo, Kyogoku, Morikawa, and Shirakawa*, 495
 Tanaka, Kyoko, Iguchi, H., Taketani, S., Nakata, R., Tokumaru, S., Sugimoto, T., and Kojo, S. Facile Degradation of Apolipoprotein B by Radical Reactions and the Presence of Cleaved Proteins in Serum, 173
 Tanaka, N. See *Hiraga, Seeram, Tate, Kainoshio, and Oda*, 202
 Tanaka, S. See *Suda, Mori, Bird, Marques, Ormsby, Koshida, Nakamura, Kusumoto, and Sobel*, 1011
 Tanaka, Takashi. See *Myint, Inazu, Yamada, Keng, Inoue, Kuriyama, and Noguchi*, 795
 Tanaka, Takeshi. See *Okagaki, Ye, Samizo, and Kohama*, 1055
 Tanaka, Terumichi. See *Takeno, Yamamoto, Sakano, and Kikuchi*, 1115
 —, Matsuzawa, H., and Ohta, T. Identification and Designing of the S3 Site of Aquaphelin I, a Thermophilic Subtilisin-Related Serine Protease, 1016
 Tanaka, Y. See *Fujii, Homma, and Natori*, 613
 Tani, M., Okino, N., Mitsutake, S., and Ito, M. Specific and Sensitive Assay for Alkaline and Neutral Ceramidases Involving C12-NBD-Ceramide, 746
 Taniguchi, N. See *Nakano, Higashiyama, Takashima, Tsuruoka, and Klagsbrun*, 368
 Tarugi, P. See *Volpi*, 297
 Tate, S. See *Hiraga, Seeram, Tanaka, Kainoshio, and Oda*, 202
 Tatematsu, C. See *Takizawa and Nakanishi*, 391
 Terada, K. See *Chewawiwat, Yano, Hoogenraad, and Mori*, 721
 —. See *Oshikawa*, 31
 Terada, S., Hori, J., Fujimura, S., and Kimoto, E. Purification and Amino Acid Sequence of Brevilysin L6, a Non-Hemorrhagic Metalloprotease from *Agiistrodon halys brevicaudus* Venom, 64
 Terasaki, T. See *Matsuda, Koguma, Okuyama, Nakazawa, Matsuzaki, Nakauchi, Yanai, and Obinata*, 602
 Terasawa, H. See *Tsuchiya, Ogura, Hatanaka, Nagata, Mandiyan, Schlessinger, Aimoto, Ohta, and Inagaki*, 1151
 Tokumaru, S. See *Tanaka, Iguchi, Taketani, Nakata, Sugimoto, and Kojo*, 173
 Tokunaga, F. See *Shirotani and Koide*, 253
 Tokuyama, S. See *Ogino, Negi, Matsumiya, Nakaoka, Kondo, Kuroda, Kikkawa, Yamane, and Fukuda*, 263
 Tominaga, S. See *Yanagisawa, Kosaka, Iwahana, and Nakanishi*, 36
 Tomita, K. See *Ozaki, Gotoh, Nagasaki, Miyanaka, Takeya, Fujiiyama, and Mori*, 586
 Tomita, M., Hasegawa, T., Tsukihara, T., Miyajima, S., Nagao, M., and Sato, M. Two Concentric Protein Shell Structure with Spikes of Silkworm *Bombyx mori* Cytoplasmic Polyhedrosis Virus Revealed by Small-Angle Neutron Scattering Using the Contrast Variation Method, 916
 Tomoda, H. See *Namatame, Arai, Inoue, and Ômura*, 319
 Torii, T. See *Hasegawa, Nagaoka, Nakayasu, Miyajima, and Habuchi*, 245
 Toyofuku, K., Wada, I., Hirosaki, K., Park, J.S., Hori, Y., and Jimbow, K. Promotion of Tyrosinase Folding in Cos 7 Cells by Calnexin, 82
 Toyoshima, K. See *Kimura, Cheng, Oda, and Saku*, 406
 Tsuchiya, S., Ogura, K., Hatanaka, H., Nagata, K., Terasawa, H., Mandiyan, V., Schlessinger, J., Aimoto, S., Ohta, H., and Inagaki, F. Solution Structure of the SH2 Domain of Grb2/Ash Complexed with EGF Receptor-Derived Phosphotyrosine-Containing Peptide, 1151
 Tsuchiya, Y. See *Matsushima, Ichinose, Yahagi, Tsukada-Kato, Miki, Omata, Kim, Ito, Takahashi, Sakurai, Athauda, Inoue, and Takahashi*, 947
 Tsuji, A. See *Mori, Imamaki, Nagata, Yonetomi, Kiyokane-Yoshimoto, Martin, Gillespie, Nagahama, and Matsuda*, 627
 Tsuji, T., Han, S.A., Takeuchi, K., Takahashi, N., Hakomori, S., and Irimura, T. Characterization of Mouse Integrin $\alpha 3$ Subunit Gene, 1183
 Tsujimoto, M. See *Hattori, Matsumoto, and Mizutani*, 931
 Tsujimura, M. See *Nojiri, Yohda, Odaka, Matsushita, Yoshida, Dohmae, Takio, and Endo*, 696
 Tsujita, T. See *Morimoto, Sumiyoshi, Kameda, and Okuda*, 976
 Tsukada-Kato, S. See *Matsushima, Ichinose, Yahagi, Miki, Omata, Kim, Ito, Takahashi, Sakurai, Tsuchiya, Athauda, Inoue, and Takahashi*, 947
 Tsukihara, T. See *Tomita, Hasegawa, Miyajima, Nagao, and Sato*, 916
 Tsukita, S., Koyanagi, S., Nagata, K., Koiwaka, H., Akashi, H., Shimoyama, T.,

T (cont'd)

- Tamura, T., and Sone, N. Characterization of a *cb*-Type Cytochrome *c* Oxidase from *Helicobacter pylori*, 194
 Tsumoto, K. See *Merk, Stiege, Kumagai, and Erdmann*, 328
 Tsunawasa, S. See *Baba, Abe, and Odani*, 115
 Tsuruoka, N. See *Nakano, Higashiyama, Takashima, Klagsbrun, and Taniguchi*, 368
 Tsuruta, H. and Aizono, Y. Enzymatical Properties of Psychrophilic Phosphatase I, 690
 Tsuyama, S. See *Masuda, Takenaka, Inui, Miyatake, and Nakano*, 449

U

- Uchida, K. See *Ito, Narutaki, and Oda*, 210
 Uchiyama, S., Miyazaki, Y., Amakasu, Y., Kuwata, H., Nakatani, Y., Atsumi, G., Murakami, M., and Kudo, I. Characterization of Heparin Low-Affinity Phospholipase A₁ Present in Brain and Testicular Tissue, 1001
 Uchiyama, Y. See *Satoh, Yamagata, Ishikawa, Yamada, and Hatanaka*, 952
 —. See *Yasuda, Kageyama, Akamine, Shibata, Kominami, and Yamamoto*, 1137
 Uenaka, T. See *Harada, Takeuchi, Dohmae, Takio, Aoki, Inoue, and Umeda*, 443
 Umeda, M. See *Harada, Takeuchi, Dohmae, Takio, Uenaka, Aoki, and Inoue*, 443
 Umekawa, H. See *Takemura, Sato, Nishio, Akiyama, and Yoshida*, 904
 Uneda, T. See *Yu, Shimoyama, Obika, Miyashita, Doi, and Imanishi*, 1034
 Uozumi, T. See *Takashima, Nakamura, Hidaka, and Masaki*, 728

V

- Veksler, B. See *Berman, Ageyeva, Wood, and Devi*, 641
 Volpi, N. and Tarugi, P. Influence of Chondroitin Sulfate Charge Density, Sulfate Group Position, and Molecular Mass on Cu²⁺-Mediated Oxidation of Human Low-Density Lipoproteins: Effect of Normal Human Plasma-Derived Chondroitin Sulfate, 297

W

- Wada, C. See *Komori, Sasai, Matsunaga, and Miki*, 24
 Wada, I. See *Toyofuku, Hirosaki, Park, Hori, and Jimbow*, 82
 Wada, T., Yamazaki, T., Kuramitsu, S., and Kyogoku, Y. Cloning of the RNA Polymerase α Subunit Gene from *Thermus thermophilus* HB8 and Characterization of the Protein, 143
 Wakabayashi, K. See *Maruta, Uyehara, Homma, and Sugimoto*, 177
 Wakabayashi, S., Takahashi, K., and Koide,

T. Structural Characterization of the Gene for Human Histidine-Rich Glycoprotein, Reinvestigation of the 5'-Terminal Region of cDNA and a Search for the Liver Specific Promoter in the Gene, 522

Wakai, H. See *Shukunami, Kondo, Takahashi, Inoue, Kamizono, and Hiraki*, 436

Watanabe, A., Kurokawa, Y., Yoshimura, T., and Esaki, N. Role of Tyrosine 265 of Alanine Racemase from *Bacillus stearothermophilus*, 987

Watanabe, M. See *Satoh, Oshida, Ono, Hattori, Ohta, Shinoda, Takahashi, Lee, and Samejima*, 858

Watanabe, N., Kawashima, H., Li, Y.-F., and Miyasaka, M. Identification and Characterization of Ligands for L-Selectin in the Kidney. III. Characterization of L-Selectin Reactive Heparan Sulfate Proteoglycans, 826

Watanabe, S. See *Ishidoh, Takeda-Ezaki, Sato, Aihara, Imagawa, Kikuchi, and Kominami*, 770

Watanabe, T., Fujiwara, T., Komazaki, S., Yamaguchi, K., Tajima, O., and Akagawa, K. HPC-1/Syntaxin 1A Suppresses Exocytosis of PC12 Cells, 685

Wood, D. See *Berman, Ageyeva, Veksler, and Devi*, 641

Wu, M.H. and Laine, R.A. Sequence of the *V. parahaemolyticus* Gene for Cytoplasmic *N,N'*-Diacetylchitobiase and Homology with Related Enzymes, 1086

X

Xu, M. See *Hashimoto, Masuda, Aiuchi, Nakajo, Cao, Miyakoshi, Ida, and Nakaya*, 17

Xu, X.-Y. See *Ta, Takano, Kamei, Kariya, Yoshida, and Hara*, 554

Y

Yagisawa, H. See *Kanamori, Kamata, and Hirata*, 454

Yahagi, N. See *Matsushima, Ichinose, Tsukada-Kato, Miki, Omata, Kim, Ito, Takahashi, Sakurai, Tsuchiya, Athauda, Inoue, and Takahashi*, 947

Yamada, H. See *Ohmiya, Kato, Aiba, and Mizuno*, 1061

Yamada, Kazuya. See *Myint, Inazu, Tanaka, Keng, Inoue, Kuriyama, and Noguchi*, 795

Yamada, Kouhei. See *Bunai, Hayashi, Nakamura, and Yamane*, 151

Yamada, M. See *Satoh, Yamagata, Ishikawa, Uchiyama, and Hatanaka*, 952

Yamada, T., Fukuda, R., Himeno, M., and Sugimoto, K. Functional Domain Structure of Human Heterochromatin Protein HP1^{***}: Involvement of Internal DNA-Binding and C-Terminal Self-Association Domains in the Formation of Discrete Dots in Interphase Nuclei, 832

Yamagami, K. See *Sugiyama, Murata, Iuchi, and Nomura*, 469

Yamagami, S. See *Mantoku, Muramatsu, Nakauchi, Kusakabe, and Suzuki*, 476

Yamagata, T. See *Satoh, Ishikawa, Yamada, Uchiyama, and Hatanaka*, 952

Yamagishi, M. See *Sasaki, Mega, Norioka, Natsuka, and Hase*, 363

Yamaguchi, K. See *Watanabe, Fujiwara*,

Komazaki, Tajima, and Akagawa, 685
 Yamaguchi, S. See *Shimizu, Sasaki, Kwon, Odaka, Satoh, Sakurai, Sakurai, and Samejima*, 662

Yamaguchi, T. See *Nagaishi, Adachi, Kawanishi, Kasahara, Hayakawa, and Suzuki*, 891

Yamaguchi-Aoki, Y. See *Aoki, Kawamura, Ohira, and Matsuda*, 669

Yamamoto, H., Iida-Tanaka, N., Kasama, T., Ishizuka, I., Kushi, Y., and Handa, S. Isolation and Characterization of a Novel Forssman Active Acidic Glycosphingolipid with Branched Isoglobo-, Ganglio-, and Neolacto-Series Hybrid Sugar Chains, 923

Yamamoto, I. See *Yamauchi and Hayashi*, 853

Yamamoto, K. See *Yasuda, Kageyama, Akamine, Shibata, Kominami, and Uchiyama*, 1137

Yamamoto, S. See *Takeno, Tanaka, Sakano, and Kikuchi*, 1115

Yamamura, A., Sakaguchi, T., Murakami, Y., Yokoyama, K., and Tamiya, E. Purification and Characterization of Cold-Active L-Glutamate Dehydrogenase Independent of NAD(P) and Oxygen, 760

Yamanaka, S. See *Okamoto, Omichi, Ikenaka, and Hase*, 537

Yamane, K. See *Bunai, Yamada, Hayashi, and Nakamura*, 151

Yamane, T. See *Ogino, Negi, Matsumiya, Nakaoka, Kondo, Kuroda, Tokuyama, Kikkawa, and Fukuda*, 263

Yamano, S. and Maruyama, T. An Azide-Insensitive Superoxide Dismutase from a Hyperthermophilic Archaeon, *Sulfolobus solfataricus*, 186

Yamanushi, T. See *Saito, Oka, and Nakano*, 130

Yamao, F. Ubiquitin System: Selectivity and Timing of Protein Destruction, 223

Yamashita, A. See *Fujisawa, Hattori, Takahashi, Kuboki, and Takigawa*, 966

Yamato, I. See *Murata, Takase, Igarashi, and Kakinuma*, 414

Yamauchi, J. See *Sun, Kaziro, and Itoh*, 515

Yamauchi, K., Hayashi, M., and Yamamoto, I. 1,2-Dotriacontanediol-sn-Glycero-3-Phosphocholine: A Cyclic Lipid Used for Phospholipase A₂-Catalyzed Modulation of the Liposome Surface Charge, 853

Yamazaki, S. See *Sato and Okubo*, 864

Yamazaki, T. See *Wada, Kuramitsu, and Kyogoku*, 143

Yamazaki, Y., Kandori, H., and Mogi, T. Fourier-Transform Infrared Studies on Conformation Changes in *bd*-Type Ubiquinol Oxidase from *Escherichia coli* upon Photoreduction of the Redox Metal Centers, 1131

Yanagisawa, K., Kosaka, A., Iwahana, H., Nakanishi, M., and Tominaga, S. Opposite Regulation of the Expression of Cyclin-Dependent Kinase Inhibitors during Contact Inhibition, 36

Yanai, N. See *Matsuda, Koguma, Okuyama, Nakazawa, Matsuzaki, Nakauchi, Terasaki, and Obinata*, 602

Yaneda, Y. See *Kikuchi, Gohshi, Kawahire, Tachibana, Isobe, Lim, Kohno, Ichimura, Omata, and Horigome*, 487

- Y (cont'd)
- Yano, M. See *Cheewawiwat, Terada, Hoogenraad, and Mori*, 721
- Yanoma, S. See *Miyata, Koshikawa, Higashi, Miyagi, Nagashima, Kato, Yasumitsu, and Miyazaki*, 1067
- Yasuda, Y., Kageyama, T., Akamine, A., Shibata, M., Kominami, E., Uchiyama, Y., and Yamamoto, K. Characterization of New Fluorogenic Substrates for the Rapid and Sensitive Assay of Cathepsin E and Cathepsin D, 1137
- Yasumitsu, H. See *Miyata, Koshikawa, Higashi, Miyagi, Nagashima, Yanoma, Kato, and Miyazaki*, 1067
- Yazawa, M. See *Senba and Eto*, 354
- Ye, L.-H. See *Okagaki, Samizo, Tanaka, and Kohama*, 1055
- Yohda, M. See *Nojiri, Odaka, Matsushita, Tsujimura, Yoshida, Dohmae, Takio, and Endo*, 696
- Yokoi, T. See *Nakajima, Mizutani, Kinosita, Funayama, and Kamataki*, 803
- Yokoyama, K. See *Yamamura, Sakaguchi, Murakami, and Tamiya*, 760
- Yonetomi, Y. See *Mori, Imamaki, Nagata, Kiyokane-Yoshimoto, Martin, Gillespie, Nagahama, Tsuji, and Matsuda*, 627
- Yoshida, K. See *Ta, Takano, Kamei, Xu, Kariya, and Hara*, 554
- Yoshida, M. See *Saito, Kikuchi, and Shirakawa*, 399
- Yoshida, S. See *Takemura, Sato, Nishio, Akiyama, and Umekawa*, 904
- Yoshida, T. See *Nojiri, Yohda, Odaka, Matsushita, Tsujimura, Dohmae, Takio, and Endo*, 696
- Yoshimura, A. See *Ding, Kuroki, Kameyama, and Kameyama*, 750
- Yoshimura, T. See *Watanabe, Kurokawa, and Esaki*, 987
- You, J., Kamihira, M., and Iijima, S. Enhancement of Transfection Efficiency by Protamine in DDAB Lipid Vesicle-Mediated Gene Transfer, 1160
- Yu, W., Shimoyama, A., Uneda, T., Obika, S., Miyashita, K., Doi, T., and Imanishi, T. Gene Transfer Mediated by YKS-220 Cationic Particles: Convenient and Efficient Gene Delivery Reagent, 1034
- Yuan, D., Ma, X., and Ma, J. Recognition of Multiple Patterns of DNA Sites by *Drosophila* Homeodomain Protein Bicoid, 809
- Yuasa, T. See *Hashimoto, Matsumoto, Nishio, Takeuchi, Inoue, Fujiwara, Takagi, Imanaka, and Kai*, 983
- Z
- Zack, D.J. See *Fei, Matragoon, Smith, Overbeek, Chen, and Liou*, 1189
- Zhang, H.L. See *Takii, Hayashi, Hiroma, Chiba, Kawashima, Nagatsu, Sakakibara, and Onozaki*, 910
- Zimmer, T. See *Takewaka, Hirata, Ohta, and Takagi*, 507

INDEX TO KEY WORDS

A

N-acetyl-D-glucosamine (GlcNAc), *N*-acetyl-D-mannosamine, binding protein, GlcNAc 2-epimerase, renin, *Takahashi, Takahashi, Kaneko, Ogasawara, Shindo, Kobayashi*, 348
N-acetyl-D-mannosamine, *N*-acetyl-D-glucosamine (GlcNAc), binding protein, GlcNAc 2-epimerase, renin, *Takahashi, Takahashi, Kaneko, Ogasawara, Shindo, Kobayashi*, 348
 acidic patch, crystal structure, double mutant, electron transfer, plastocyanin, *Sugawara, Inoue, Li, Gotowda, Hibino, Takabe, Kai*, 899
 actin, protein phosphatase 1, protein phosphatase 2A, site-specific phosphorylated antibodies, vimentin, *Usui, Marriott, Inagaki, Swarup, Osada*, 960
 actin-binding protein, CR3, okadaic acid, phagocytes, superoxide, *Nagaishi, Adachi, Kawanishi, Yamaguchi, Kasahara, Hayakawa, Suzuki*, 891
 active site cleft, *Bacillus cereus*, β -amylase, crystal structure, raw starch binding domain, *Oyama, Kusunoki, Kishimoto, Taka-saki, Nitta*, 1120
 acyl-CoA dehydrogenase, charge-transfer interaction, flavoenzyme, nuclear magnetic resonance, resonance Raman spectra, *Tamaoki, Nishina, Shiga, Miura*, 285
 acyl-CoA synthetase inhibitor, cholesterol ester, macrophage-derived foam cell formation, triacsin, triacylglycerol, *Namatame, Tomoda, Arai, Inoue, Omura*, 319
 adenoid cystic carcinoma, basement membrane, extracellular matrix, heparan sulfate proteoglycan, perlecan, *Kimura, Cheng, Toyoshima, Oda, Saku*, 406
 adhesion molecule, integrin, genomic cloning, oncogenic transformation, very late antigen, *Tsuji, Han, Takeuchi, Takahashi, Hakomori, Irimura*, 1183
 ADP-ribosyl cyclase, CD38, cell cycle regulation, cyclic ADP-ribose, *Euglena gracilis, Masuda, Takenaka, Tsuyama, Inui, Miyatake, Nakano*, 449
Aeromonas sp., cold-active enzyme, L-glutamate dehydrogenase, heme b, heme-containing enzyme, *Yamamura, Sakaguchi, Murakami, Yokoyama, Tamiya*, 760
 affinity, crosslinking, heparin, platelet, protein, *Suda, Mori, Bird, Marques, Ormsby, Tanaka, Koshida, Nakamura, Kusumoto, Sobel*, 1011
 affinity chromatography, myosin light chain phosphatase, protein kinase C, protein phosphatase 1, smooth muscle regulation, *Senba, Eto, Yazawa*, 354
 aggregation, deletion, inorganic pyrophosphatase, thermostability, *Thermus thermophilus*, *Satoh, Oshida, Ono, Hattori, Ohta, Watanabe, Shinoda, Takahashi, Lee, Samejima*, 858

Agkistrodon halys brevicaudus, amino acid sequence, fibrinogenolytic, metalloprotease, snake venom, *Terada, Hori, Fujimura, Kimoto*, 64
 Aib (2-aminoisobutyric acid)-peptide, antimicrobial activity, ion channel activity, peptide chain aggregation, solid phase peptide synthesis, *Higashimoto, Kodama, Jelokhani-Niaraki, Kato, Kondo*, 705
 alanine racemase, β -chloroalanine, chemical rescue, *Watanabe, Kurokawa, Yoshimura, Esaki*, 987
 alcium, *Cucumaria echinata*, glycolipid, hemolysin, lectin, *Hatakeyama, Sato, Taira, Kuwahara, Niidome, Aoyagi*, 277
 algal galactans, anhydrogalactose, anhydrous mercaptolysis, dithioacetal, HPLC, *Hama, Nakagawa, Mochizuki, Sumi, Hatate*, 160
 anhydrosugars, algal galactans, anhydrogalactose, dithioacetal, HPLC, *Hama, Nakagawa, Mochizuki, Sumi, Hatate*, 160
 ANS-fluorescence, CEL-III, cytotoxicity, lectin, pore-forming protein, *Oda, Shimura, Nishioka, Komatsu, Hatakeyama, Maramatsu*, 713
 antifungal activity, ERF (EREBP), ethylene, innate immunity in plant, pathogenesis-related protein (PR protein), *Kitajima, Sato*, 1
 antimicrobial activity, Aib (2-aminoisobutyric acid)-peptide, ion channel activity, peptide chain aggregation, solid phase peptide synthesis, *Higashimoto, Kodama, Jelokhani-Niaraki, Kato, Kondo*, 705
 antithrombin, intracellular degradation, proteasome, quality control, secretion defect, *Shirotani, Tokunaga, Koide*, 253
 aortic smooth muscle cell, cell proliferation, gel culture, myofibroblast, type IV collagen, *Hirose, Kosugi, Nakazato, Hayashi*, 991
 aortic smooth muscle cells, cultured smooth muscle cell, 17-kDa light chain localization, myosin 17-kDa light chain, myosin light chain isoforms, *Takeuchi, Senba, Furukawa, Eto, Morita*, 334
 apolipoprotein B, LDL, lipid peroxidation, low density lipoprotein, protein degradation, radical reaction, *Tanaka, Iguchi, Taketani, Nakata, Tokumaru, Sugimoto, Kojo*, 173
 apoptosis, JNK, leukemia cells, MAP kinase, shikokin, *Hashimoto, Xu, Masuda, Aiuchi, Nakajo, Cao, Miyakoshi, Ida, Nakaya*, 17
 —, hydrogen peroxide, L-amino acid oxidase, snake venom, *Suhr, Kim*, 305
 —, EGFP, Fas, PKR, protein kinase, *Takizawa, Tatematsu, Nakanishi*, 391
 —, cell proliferation, CNS remodeling, 20-hydroxyecdysone, *Sarcophaga peregrina, Fuji, Tanaka, Homma, Natori*, 613
 —, ceramide, *N,N-dimethylsphingosine, mesangial cell, stress, Sweeney, Igarashi*, 737
 —, neurotrophic factor, oxygen radical, superoxide dismutase, xanthine, *Satoh, Yamagata, Ishikawa, Yamada, Uchiyama, Hatanaka*, 952
 APP, cancer, trypsin, tumor invasion, zymography, *Miyata, Koshikawa, Higashi, Miyagi, Nagashima, Yanoma, Kato, Yasumitsu, Miyazaki*, 1067
 aptamer, *in vitro* selection, protease inhibi-

A (cont'd)

tor, SELEX, subtilisin, *Takeno, Yamamoto, Tanaka, Sakano, Kikuchi*, 1115
aqualysin I, P3-specificity, S3 subsite, serine protease, subtilisin, *Tanaka, Matsuzawa, Ohta*, 1016

arachidonic acid, glutathione, lipid peroxidation, phospholipase A₂, prostaglandin D₂, *Sakamoto, Kitahara, Nakagawa*, 90
archaea, azide, hyperthermophile, *Sulfolobus solfataricus*, superoxide dismutase, *Yamano, Maruyama*, 186
archaeerhodopsin, bacteriorhodopsin, carboxyl group modification, *in vitro* refolding, side chain packing, *Sugiyama, Fujii, Mukohata*, 1144

arginase II, kidney, ornithine aminotransferase, ornithine decarboxylase, small intestine, *Ozaki, Gotoh, Nagasaki, Miyanaka, Takeya, Fujiyama, Tomita, Mori*, 586

artificial strong promoter, bacterial disease resistant plant, bactericidal peptide, sarcotoxin IA, transgenic plant, *Ohshima, Mitsuhashi, Okamoto, Sawano, Nishiyama, Kaku, Natori, Ohashi*, 431

aspartic proteinase, cathepsin D, cathepsin E, fluorogenic substrate, *Yasuda, Kageyama, Akamine, Shibata, Kominami, Uchiyama, Yamamoto*, 1137

aurachin C, cytochrome bd, cytochrome bo, terminal oxidase, ubiquinone, *Miyoshi, Takegami, Sakamoto, Mogi, Iwamura*, 138

autoantigen, DNA binding, heterochromatin, HP1, self-association, *Yamada, Fukuda, Hideno, Sugimoto*, 832
azide, archaea, hyperthermophile, *Sulfolobus solfataricus*, superoxide dismutase, *Yamano, Maruyama*, 186

B

B23, DNA polymerase α , DNA replication, oligomerization, retinoblastoma protein, *Takemura, Sato, Nishio, Akiyama, Umekawa, Yoshida*, 904

Bacillus cereus, active site cleft, β -amylase, crystal structure, raw starch binding domain, *Oyama, Kusunoki, Kishimoto, Takanaki, Nitta*, 1120

Bacillus stearothermophilus, amino acid sequence, expression, inorganic pyrophosphatase, site-directed mutagenesis, *Satoh, Shinoda, Ishii, Koyama, Sakurai, Kaji, Hachimori, Irie, Samejima*, 48

—, hydrophobic interaction, inorganic pyrophosphatase, site-directed mutagenesis, thermostability, *Shinoda, Hattori, Shimizu, Samejima, Satoh*, 58

Bacillus subtilis, Ffh, protein secretion, SecA, signal recognition particle, *Bunai, Yamada, Hayashi, Nakamura, Yamane*, 151

bacterial disease resistant plant, artificial strong promoter, bactericidal peptide, sarcotoxin IA, transgenic plant, *Ohshima, Mitsuhashi, Okamoto, Sawano, Nishiyama, Kaku, Natori, Ohashi*, 431

bacterial proteinase, carboxyl proteinase, kinetic property, pepstatin-insensitivity, subsite preferences, *Narutaki, Dunn, Oda*, 75

bacterial rhodopsin, bacteriorhodopsin, evo-

lution of bacterial rhodopsin, halobacteria, retinal protein, *Mukohata, Ihara, Tamura, Sugiyama*, 649

bactericidal peptide, artificial strong promoter, bacterial disease resistant plant, sarcotoxin IA, transgenic plant, *Ohshima, Mitsuhashi, Okamoto, Sawano, Nishiyama, Kaku, Natori, Ohashi*, 431

bacteriorhodopsin, halobacteria, halorhodopsin, photocycle, photovoltage, *Muneyuki, Shibasaki, Ohtani, Okuno, Asaumi, Mogi*, 270

—, bacterial rhodopsin, evolution of bacterial rhodopsin, halobacteria, retinal protein, *Mukohata, Ihara, Tamura, Sugiyama*, 649
—, archaeerhodopsin, carboxyl group modification, *in vitro* refolding, side chain packing, *Sugiyama, Fujii, Mukohata*, 1144

baculovirus, calcium, calpain, guanine nucleotide, transglutaminase, *Hitomi, Kanehiro, Ikura, Maki*, 1048

baflomycin A1, cathepsins, processing, proteinase inhibitors, Vac A toxin, *Ishidoh, Takeda-Ezaki, Watanabe, Sato, Aihara, Imagawa, Kikuchi, Kominami*, 770

BALB/c-3T3 fibroblasts, contact inhibition, cyclin-dependent kinase inhibitors, G₁ arrest, Rb protein, *Yanagisawa, Kosaka, Iwahana, Nakanishi, Tominaga*, 36

basement membrane, adenoid cystic carcinoma, extracellular matrix, heparan sulfate proteoglycan, perlecan, *Kunura, Cheng, Toyoshima, Oda, Saku*, 406

basic residues, disulfide bridge, metalloproteinase, reactive site loop, SMPI, *Hiraga, Seiram, Tate, Tanaka, Kainosho, Oda*, 202
B-cell differentiation, early B-cell progenitor, hematopoietic stem cell, immunoglobulin gene rearrangement, stromal cell, *Matsuura, Koguma, Okuyama, Nakazawa, Matsuzaki, Nakauchi, Yanai, Terasaki, Obinata*, 602

Bence-Jones protein, amyloidosis, fibril model, X-ray crystallography, *Steinrauf, Chiang, Shiuian*, 422

bent DNA, cyanobacteria, RNA polymerase, rpoD, transcription, *Asayama, Hayasaka, Kabasawa, Shirai, Ohyama*, 460

Bicoid, DNA binding, *Drosophila*, gene activation, *in vitro* selection, *Yuan, Ma, Ma*, 809

biglycan, C-type natriuretic peptide, differential display-polymerase chain reaction, mineralization, osteoblast, *Inoue, Hayakawa, Otsuka, Kamiya, Suzuki, Hirose, Hagiwara*, 103

bile acid, ileum, Na⁺-dependence, taurocholate, transporter, *Saeki, Matoba, Furukawa, Kirifuri, Kanamoto, Iwami*, 846
bile salt-activated lipase, bovine pancreas, cholesterol esterase, human milk, lysophospholipase, lipase assay, *Tanaka, Mierau, Ito*, 883

binding protein, N-acetyl-D-glucosamine (GlcNAc), N-acetyl-D-mannosamine, GlcNAc 2-epimerase, renin, *Takahashi, Takahashi, Kaneko, Ogasawara, Shindo, Kobayashi*, 348

blue copper protein, ESR, multicopper oxidase, site-directed mutagenesis, stellacyanin, *Shimizu, Sasaki, Kwon, Odaka, Satoh, Sakurai, Sakurai, Yamaguchi*, 931

Samejima, 662

bone, cartilage, chondromodulin-II, growth factor, recombinant protein, *Shukunami, Kondo, Wakai, Takahashi, Inoue, Kamizono, Hiraki*, 436

bovine cerebral cortex, fructose 1,6-bisphosphate aldolase, heparin-binding protein, purification, regioselectively desulfated heparins, *Ta, Takano, Kamei, Xu, Kariya, Yoshida, Hara*, 554

bovine pancreas, bile salt-activated lipase, cholesterol esterase, human milk, lysophospholipase, lipase assay, *Tanaka, Mierau, Ito*, 883

brain, development, monoclonal antibody, neuron, synapsin I, *Harada, Takeuchi, Dohmae, Takio, Uenaka, Aoki, Inoue, Umeda*, 443

—, hexosaminidase, sugar chains, *Okamoto, Omichi, Yamanaka, Ikenaka, Hase*, 537

—, heparin, phosphatidic acid, phospholipase, testis, *Uchiyama, Miyazaki, Amakasu, Kuwata, Nakatani, Atsumi, Murakami, Kudo*, 1001

BSE, alkaline treatment, collagen, fibril formation, integrin, *Hattori, Adachi, Ebihara, Shirai, Someki, Irie*, 676

C

C12-NBD-ceramide, ceramidase, ceramide, sphingolipid ceramide N-deacylase (SCDase), *Tani, Okino, Mitsutake, Ito*, 746

Ca²⁺/calmodulin-dependent protein kinase, CaM-kinase phosphatase, cDNA sequence, protein kinase phosphatase, protein phosphatase, *Kitani, Ishida, Okuno, Takeuchi, Kameshita, Fujisawa*, 1022

Ca²⁺ channel, α_1 subunit, β_2 subunit, cloning, guinea pig heart, *Ding, Kuroki, Kameyama, Yoshimura, Kaneyama*, 750

caffeine metabolism, cigarette smoking, induction, PCR-RFLP, *Nakajima, Yokoi, Mizutani, Kinoshita, Funayama, Kamataki*, 803

calcium, baculovirus, calpain, guanine nucleotide, transglutaminase, *Hitomi, Kanehiro, Ikura, Maki*, 1048

calnexin, melanocyte, melanogenesis, melanin, tyrosinase, *Toyofuku, Wada, Hirosaki, Park, Hori, Jimbow*, 82

calpain, baculovirus, calcium, guanine nucleotide, transglutaminase, *Hitomi, Kanehiro, Ikura, Maki*, 1048

calponin, chemical cross-linking, interaction, MALDI-TOF/MS, tubulin, *Fujii, Koizumi*, 869

CaM-kinase phosphatase, Ca²⁺/calmodulin-dependent protein kinase, cDNA sequence, protein kinase phosphatase, protein phosphatase, *Kitani, Ishida, Okuno, Takeuchi, Kameshita, Fujisawa*, 1022

cancer, APP, trypsin, tumor invasion, zymography, *Miyata, Koshikawa, Higashi, Miyagi, Nagashima, Yanoma, Kato, Yasumitsu, Miyazaki*, 1067

carbodiimide, carboxyl proteinase, chemical modification, *Pseudomonas, pepstatin, Ito, Narutaki, Uchida, Oda*, 210

carbonyl reductase, drug-metabolizing enzyme, rabbit heart, redox cycling, tetrameric enzyme, *Imamura, Migita, Otagiri, Choshi, Hibino*, 41

- C (cont'd)
- carboxyl group modification, archaerhodopsin, bacteriorhodopsin, *in vitro* refolding, side chain packing, Sugiyama, Fujii, Mukohata, 1144
- carboxyl proteinase, bacterial proteinase, kinetic property, pepstatin-insensitive, subsite preferences, Narutaki, Dunn, Oda, 75
- , carbodiimide, chemical modification, *Pseudomonas*, pepstatin, Ito, Narutaki, Uchida, Oda, 210
- carboxyterminal deletion, mutant enzyme, orotate phosphoribosyltransferase, protein thermostability, *Thermus thermophilus*, Hamana, Shinozawa, 109
- Carica papaya*, glycoprotein, proteinase inhibitor, sugar chain, Shimazaki, Makino, Omichi, Odani, Hase, 560
- cartilage, bone, chondromodulin-II, growth factor, recombinant protein, Shukunami, Kondo, Wakai, Takahashi, Inoue, Kamizono, Hiraki, 436
- catalytic domain, MLCK, myosin light chain, myosin, phosphorylation, Okagaki, Ye, Samizo, Tanaka, Kohama, 1055
- catalytic residue, cold enzyme, protein-tyrosine-phosphatase-like enzyme, Tsuruta, Aizono, 690
- CAT assay, gene structure, histidine-rich glycoprotein, molecular cloning, nucleotide sequence, Wakabayashi, Takahashi, Koide, 522
- catecholamines, 4,5-diaminofluorescein, fluorescence, nitric oxide, reducers, Nagata, Momose, Ishida, 658
- cathepsin D, aspartic proteinase, cathepsin E, fluorogenic substrate, Yasuda, Kageyama, Akamine, Shibata, Kominami, Uchiyama, Yamamoto, 1137
- cathepsin E, aspartic proteinase, cathepsin D, fluorogenic substrate, Yasuda, Kageyama, Akamine, Shibata, Kominami, Uchiyama, Yamamoto, 1137
- cathepsins, baflomycin A1, processing, proteinase inhibitors, Vac A toxin, Ishidoh, Takeda-Ezaki, Watanabe, Sato, Aihara, Imagawa, Kikuchi, Kominami, 770
- cationic lipid vesicles, DDAB, gene transfection, protamine, You, Kamihira, Iijima, 1160
- cationic liposomes, cationic particles, transfection, Yu, Shimoyama, Uneda, Obika, Miyashita, Doi, Imanishi, 1034
- cationic particles, cationic liposomes, transfection, Yu, Shimoyama, Uneda, Obika, Miyashita, Doi, Imanishi, 1034
- CD38, ADP-ribosyl cyclase, cell cycle regulation, cyclic ADP-ribose, *Euglena gracilis*, Masuda, Takenaka, Tsuyama, Inui, Miyatake, Nakano, 449
- cDNA cloning, DNA helicase, helicase, p50, RuvB, Kikuchi, Gohshi, Kawahire, Tachibana, Yaneda, Isobe, Lim, Kohno, Ichimura, Omata, Horigome, 487
- , DNA helicase, p47, RuvB, RUVB-like protein, Gohshi, Shimada, Kawahire, Imai, Ichimura, Omata, Horigome, 939
- cDNA sequence, Ca^{2+} /calmodulin-dependent protein kinase, CaM-kinase phosphatase, protein kinase phosphatase, protein phos-
- phatase, Kitani, Ishida, Okuno, Takeuchi, Kameshita, Fujisawa, 1022
- CEL-III, ANS-fluorescence, cytotoxicity, lectin, pore-forming protein, Oda, Shinmura, Nishioka, Komatsu, Hatakeyama, Muramatsu, 713
- cell cycle control, proteolysis, ubiquitin, ubiquitin-conjugating enzyme, ubiquitin-ligase, Yamao, 223
- cell cycle regulation, ADP-ribosyl cyclase, CD38, cyclic ADP-ribose, *Euglena gracilis*, Masuda, Takenaka, Tsuyama, Inui, Miyatake, Nakano, 449
- cell proliferation, apoptosis, CNS remodeling, 20-hydroxyecdysone, *Sarcophaga peregrina*, Fujii, Tanaka, Homma, Natori, 613
- , aortic smooth muscle cell, gel culture, myofibroblast, type IV collagen, Hirose, Kosugi, Nakazato, Hayashi, 991
- cellulase, cellulolytic fungi, β -glucosidase, *Humicola grisea*, *Trichoderma reesei*, Takashima, Nakamura, Hidaka, Masaki, Uozumi, 728
- cellulolytic fungi, cellulase, β -glucosidase, *Humicola grisea*, *Trichoderma reesei*, Takashima, Nakamura, Hidaka, Masaki, Uozumi, 728
- ceramidase, ceramide, C12-NBD-ceramide, sphingolipid ceramide *N*-deacylase (SCDase), Tani, Okino, Mitsutake, Ito, 746
- ceramide, cytosolic phospholipase A₂, mitogen-activated protein kinase, phospholipase C, protein kinase C, Sato, Kageura, Hashizume, Hayama, Kitatani, Akiba, 96
- , apoptosis, *N,N*-dimethylsphingosine, mesangial cell, stress, Sweeney, Igarashi, 737
- , ceramidase, C12-NBD-ceramide, sphingolipid ceramide *N*-deacylase (SCDase), Tani, Okino, Mitsutake, Ito, 746
- cerebral tissue, cytochrome P-450, drug-metabolizing activity, microsome, perfused brain, Chikaoka, Tamura, 634
- cerulenin, cytochrome P450, ER chaperones, ER proliferation, IRE1, yeast, Takewaka, Zimmer, Hirata, Ohta, Takagi, 507
- charge-transfer interaction, acyl-CoA dehydrogenase, flavoenzyme, nuclear magnetic resonance, resonance Raman spectra, Tamaoki, Nishina, Shiga, Miura, 285
- chemical cross-linking, calponin, interaction, MALDI-TOF/MS, tubulin, Fujii, Koizumi, 869
- chemical modification, carbodiimide, carboxyl proteinase, *Pseudomonas*, pepstatin, Ito, Narutaki, Uchida, Oda, 210
- chemical rescue, alanine racemase, β -chloroalanine, Watanabe, Kurokawa, Yoshimura, Esaki, 987
- chitin degradation, cytoplasmic chitobiase, DNA sequence, *Vibrio parahaemolyticus*, homology, Wu, Laine, 1086
- β -chloroalanine, alanine racemase, chemical rescue, Watanabe, Kurokawa, Yoshimura, Esaki, 987
- cholesterol esterase, bile salt-activated lipase, bovine pancreas, human milk, lysophospholipase, lipase assay, Tanaka, Mierau, Ito, 883
- cholesteryl ester, acyl-CoA synthetase inhibitor, macrophage-derived foam cell forma-
- tion, triacsin, triacylglycerol, *Namatame*, Tomoda, Ariai, Inoue, Omura, 319
- chondrocyte, interleukin (IL)-1, matrix metalloproteinase (MMP), mechanical stress, proteoglycan, Fujisawa, Hattori, Takahashi, Kuboki, Yamashita, Takigawa, 966
- chondroitin, glycosaminoglycans, low-density lipoprotein, Volpi, Tarugi, 297
- chondromodulin-II, bone, cartilage, growth factor, recombinant protein, Shukunami, Kondo, Wakai, Takahashi, Inoue, Kamizono, Hiraki, 436
- choriogenin, fish egg envelope, limited cleavage, medaka (teleost fish), molecular architecture, Sugiyama, Murata, Iuchi, Nomura, Yamagami, 469
- chromatin remodeling, DNA methylation, histone acetylation and deacetylation, spermiogenesis, transition proteins, Kundu, Rao, 217
- cigarette smoking, caffeine metabolism, induction, PCR-RFLP, Nakajima, Yokoi, Mizutani, Kinoshita, Funayama, Kamataki, 803
- cisplatin, cytotoxicity, free radicals, nephrotoxicity, phenolic antioxidants, Rao, Kumar, Rao, 383
- cloning, α_{1c} subunit, β_2 subunit, Ca^{2+} channel, guinea pig heart, Ding, Kuroki, Kameyama, Yoshimura, Kameyama, 750
- , cytochrome b_5 , gene expression, Mortierella, RNA editing, Kobayashi, Sakuradani, Shimizu, 1094
- CNS remodeling, apoptosis, cell proliferation, 20-hydroxyecdysone, *Sarcophaga peregrina*, Fujii, Tanaka, Homma, Natori, 613
- cold-active enzyme, *Aeromonas* sp., L-glutamate dehydrogenase, heme b , heme-containing enzyme, Yamamura, Sakaguchi, Murakami, Yokoyama, Tamya, 760
- cold enzyme, catalytic residue, protein-tyrosine-phosphatase-like enzyme, Tsuruta, Aizono, 690
- collagen, hydration, hydroxyproline, model peptide, triple helix, Nagarajan, Kamitori, Okuyama, 310
- , alkaline treatment, BSE, fibril formation, integrin, Hattori, Adachi, Ebihara, Shirai, Someki, Irie, 676
- combinatorial library, human antibody repertoire, phage display, recombinant Fab fragment, rotavirus infection, Itoh, Nakagomi, Suzuki, Inoue, Tada, Suzuki, 123
- contact inhibition, BALB/c-3T3 fibroblasts, cyclin-dependent kinase inhibitors, G₁ arrest, Rb protein, Yanagisawa, Kosaka, Iwahana, Nakanishi, Tominaga, 36
- contrast variation, cytoplasmic polyhedrosis virus, neutron scattering, small-angle scattering, Tomita, Hasegawa, Tsukihara, Miyajima, Nagao, Sato, 916
- COPII vesicle, ER protein degradation, *Saccharomyces cerevisiae*, SAR1, vesicular transport, Saito, Yamanishi, Oka, Nakano, 130
- COS-7 cells, aminopeptidase, expressed sequence tags, metallopeptidase, molecular cloning, Hattori, Matsumoto, Mizutani, Tsujimoto, 931
- coumaroyl serotonin, EGF, FGF, fibroblast,

C (cont'd)

- growth factor, *Takii, Hayashi, Hiroma, Chiba, Kawashima, Zhang, Nagatsu, Sakakibara, Onozaki*, 910
- CR3, actin-binding protein, okadaic acid, phagocytes, superoxide, *Nagaishi, Adachi, Kawanishi, Yamaguchi, Kasahara, Hayakawa, Suzuki*, 891
- cross-bridge, MLCK, myosin, phosphorylation, smooth muscle, *Okagaki, Hayakawa, Samizo, Kohama*, 619
- crosslinking, affinity, heparin, platelet, protein, *Suda, Mori, Bird, Marques, Ormsby, Tanaka, Koshida, Nakamura, Kusumoto, Sobel*, 1011
- CRXE, *IRBP* gene regulation, photoreceptor-specific, PCE, *Fei, Matragano, Smith, Overbeek, Chen, Zack, Liou*, 1189
- crystallization, replication initiator protein, RepE, mini-F plasmid, X-ray diffraction, *Komori, Sasai, Matsunaga, Wada, Miki*, 24
- , family B DNA polymerase, hyperthermophilic archaeon, polymerase chain reaction, X-ray crystallography, *Hashimoto, Matsunaga, Nishioka, Yuasa, Takeuchi, Inoue, Fujiwara, Takagi, Imanaka, Kai*, 983
- crystal structure, acidic patch, double mutant, electron transfer, plastocyanin, *Sugawara, Inoue, Li, Gotowda, Hibino, Takabe, Kai*, 899
- , active site cleft, *Bacillus cereus*, β -amylase, raw starch binding domain, *Oyama, Kusunoki, Kishimoto, Takasaki, Nitta*, 1120
- C-type natriuretic peptide, biglycan, differential display-polymerase chain reaction, mineralization, osteoblast, *Inoue, Hayakawa, Otsuka, Kamiya, Suzuki, Hirose, Hagiwara*, 103
- Cucumaria echinata*, alcium, glycolipid, hemolysin, lectin, *Hatakeyama, Sato, Taira, Kuwahara, Niidome, Aoyagi*, 277
- cultured smooth muscle cell, aortic smooth muscle cells, 17-kDa light chain localization, myosin 17-kDa light chain, myosin light chain isoforms, *Takeuchi, Senba, Furukawa, Eto, Morita*, 334
- cyanobacteria, bent DNA, RNA polymerase, *rpoD*, transcription, *Asayama, Hayasaka, Kabasawa, Shirai, Ohyama*, 460
- cyclic ADP-ribose, ADP-ribosyl cyclase, CD38, cell cycle regulation, *Euglena gracilis, Masuda, Takenaka, Tsuyama, Inui, Miyatake, Nakano*, 449
- cyclin-dependent kinase inhibitors, BALB/c-3T3 fibroblasts, contact inhibition, G₁ arrest, Rb protein, *Yanagisawa, Kosaka, Iwahana, Nakanishi, Tominaga*, 36
- cytochrome *b*, cloning, gene expression, *Mortierella*, RNA editing, *Kobayashi, Sakuradani, Shimizu*, 1094
- cytochrome *bd*, aurachin C, cytochrome *bo*, terminal oxidase, ubiquinone, *Miyoshi, Takegami, Sakamoto, Mogi, Iwamura*, 138
- , FTIR, ubiquinol oxidase, redox difference spectra, protein backbone change, *Yamazaki, Kandori, Mogi*, 1131
- cytochrome *bo*, aurachin C, cytochrome *bd*, terminal oxidase, ubiquinone, *Miyoshi, Takegami, Sakamoto, Mogi, Iwamura*, 138
- cytochrome *cb*, cytochrome *c* oxidase, *c*-type cytochrome, *Helicobacter pylori*, heme-copper oxidase, *Tsukita, Koyanagi, Nagata, Koizuka, Akashi, Shimoyama, Tamura, Sone*, 194
- cytochrome *c* oxidase, cytochrome *cb*, *c*-type cytochrome, *Helicobacter pylori*, heme-copper oxidase, *Tsukita, Koyanagi, Nagata, Koizuka, Akashi, Shimoyama, Tamura, Sone*, 194
- c*-type cytochrome, cytochrome *c* oxidase, cytochrome *cb*, *Helicobacter pylori*, heme-copper oxidase, *Tsukita, Koyanagi, Nagata, Koizuka, Akashi, Shimoyama, Tamura, Sone*, 194
- cytochrome P450, cerulenin, ER chaperones, ER proliferation, *IRE1*, yeast, *Takewaka, Zimmer, Hirata, Ohta, Takagi*, 507
- cytochrome P-450, cerebral tissue, drug-metabolizing activity, microsome, perfused brain, *Chiaka, Tamura*, 634
- cytoplasmic chitobiase, chitin degradation, DNA sequence, *Vibrio parahaemolyticus*, homology, *Wu, Laine*, 1086
- cytoplasmic polyhedrosis virus, contrast variation, neutron scattering, small-angle scattering, *Tomita, Hasegawa, Tsukihara, Miyajima, Nagao, Sato*, 916
- cytosol, free oligosaccharides, hen oviduct, oligomannoside, *Iwai, Mega, Hase*, 70
- cytosolic phospholipase A₂, ceramide, mitochondrial-activated protein kinase, phospholipase C, protein kinase C, *Sato, Kageura, Hashizume, Hayama, Kitatani, Akiba*, 96
- cytotoxicity, cisplatin, free radicals, nephrotoxicity, phenolic antioxidants, *Rao, Kumar, Rao*, 383
- , ANS-fluorescence, CEL-III, lectin, pore-forming protein, *Oda, Shinmura, Nishioka, Komatsu, Hatakeyama, Muramatsu*, 713
- D
- DDAB, cationic lipid vesicles, gene transfection, protamine, *You, Kamihira, Iijima*, 1160
- defense mechanism, heterodimer, insect, papain family proteinase, processing, *Fujimoto, Kobayashi, Kurata, Natori*, 566
- deletion, aggregation, inorganic pyrophosphatase, thermostability, *Thermus thermophilus*, *Satoh, Oshida, Ono, Hattori, Ohta, Watanabe, Shinoda, Takahashi, Lee, Samejima*, 858
- denitrification, multi-copper enzyme, N₂O reductase, *Rhodobacter sphaeroides* f. sp. *denitrificans* IL106, *Sato, Okubo, Yamazaki*, 864
- development, brain, monoclonal antibody, neuron, synapsin I, *Harada, Takeuchi, Dohmae, Takio, Uenaka, Aoki, Inoue, Umeda*, 443
- , exon-intron organization, gene expression, medaka fish, membrane guanylyl cyclase, *Mantoku, Muramatsu, Nakauchi, Yamagami, Kusakabe, Suzuki*, 476
- diacylglycerol lipase, platelet, signal transduction, purification, *Moriyama, Urade, Kito*, 1077
- 4,5-diaminofluorescein, catecholamines, fluorescence, nitric oxide, reducers, *Nagata, Momose, Ishida*, 658
- differential display-polymerase chain reaction, biglycan, C-type natriuretic peptide, mineralization, osteoblast, *Inoue, Hayakawa, Otsuka, Kamiya, Suzuki, Hirose, Hagiwara*, 103
- N,N*-dimethylsphingosine, apoptosis, ceramide, mesangial cell, stress, *Sweeney, Igarashi*, 737
- disintegrins, amino acid sequences, platelet aggregation, protein purification, snake venom, *Oshikawa, Terada*, 31
- disulfide bridge, basic residues, metalloproteinase, reactive site loop, *SMPI, Hiraga, Seeram, Tate, Tanaka, Kainoshio, Oda*, 202
- dithioacetol, algal galactans, anhydrogalactose, anhydrous mercaptolysis, HPLC, *Hama, Nakagawa, Mochizuki, Sumi, Hatate*, 160
- DNA binding, Bicoid, *Drosophila*, gene activation, *in vitro* selection, *Yuan, Ma, Ma*, 809
- , autoantigen, heterochromatin, HP1, self-association, *Yamada, Fukuda, Himeno, Sugimoto*, 832
- DNA helicase, cDNA cloning, helicase, p50, RuvB, *Kikuchi, Gohshi, Kawahire, Tachibana, Yaneda, Isobe, Lim, Kohno, Ichimura, Omata, Horigome*, 487
- , cDNA cloning, p47, RuvB, RUUV-like protein, *Gohshi, Shimada, Kawahire, Imai, Ichimura, Omata, Horigome*, 939
- DNA methylation, chromatin remodeling, histone acetylation and deacetylation, spermiogenesis, transition proteins, *Kundu, Rao*, 217
- DNA methyltransferase, nuclear localization, oogenesis, *Xenopus laevis, Kimura, Suetake, Tajima*, 1175
- DNA polymerase α , B23, DNA replication, oligomerization, retinoblastoma protein, *Takemura, Sato, Nishio, Akiyama, Umekawa, Yoshida*, 904
- DNA polymerase α -primase, NA helicase, DNA topoisomerase, highly unwound DNA, yeast *Saccharomyces cerevisiae, Kamimura, Kawasaki, Ohara, Sugino*, 236
- DNA replication, B23, DNA polymerase α , oligomerization, retinoblastoma protein, *Takemura, Sato, Nishio, Akiyama, Umekawa, Yoshida*, 904
- DNA sequence, chitin degradation, cytoplasmic chitobiase, *Vibrio parahaemolyticus*, homology, *Wu, Laine*, 1086
- DNA topoisomerase, NA helicase, DNA polymerase α -primase, highly unwound DNA, yeast *Saccharomyces cerevisiae, Kamimura, Kawasaki, Ohara, Sugino*, 236
- dominant-negative p53, p21 mRNA, senescence, senescence-associated β -galactosidase, SV40 T antigen, *Fujii, Ide, Nakabayashi, Joguchi, Ogino, Ayusawa*, 531
- double mutant, acidic patch, crystal structure, electron transfer, plastocyanin, *Sugawara, Inoue, Li, Gotowda, Hibino, Takabe, Kai*, 899
- DPC4, Mad, serine-threonine kinase receptor, Smad, TGF- β , *Kawabata, Miyazono*, 9
- Drosophila*, Groucho, UBC9, ubiquitin-like proteins, yeast two-hybrid, *Ohsako, Takematsu*, 230
- , Bicoid, DNA binding, gene activation, *in vitro* selection, *Yuan, Ma, Ma*, 809
- drug-metabolizing activity, cerebral tissue,

INDEX TO KEY WORDS

D (cont'd)

- cytochrome P-450, microsome, perfused brain, *Chikaoka, Tamura*, 634
 drug-metabolizing enzyme, carbonyl reductase, rabbit heart, redox cycling, tetrameric enzyme, *Imamura, Migita, Otagiri, Choshi, Hibino*, 41
 dynamin, endocytosis, *trans*-Golgi network, vesicular transport, *Kasai, Shin, Shinotsuka, Murakami, Nakayama*, 780

E

- early B-cell progenitor, B-cell differentiation, hematopoietic stem cell, immunoglobulin gene rearrangement, stromal cell, *Matsuda, Koguma, Okuyama, Nakazawa, Matsuzaki, Nakauchi, Yanai, Terasaki, Obinata*, 602
 ecto-acceptors, expression, heavy chain, reconstitution, tetanus toxin, *Li, Aoki, Dolly*, 1200
 EGF, coumaroyl serotonin, FGF, fibroblast, growth factor, *Takii, Hayashi, Hiroma, Chiba, Kawashima, Zhang, Nagatsu, Sakakibara, Onozaki*, 910
 EGFP, apoptosis, Fas, PKR, protein kinase, *Takizawa, Tatematsu, Nakanishi*, 391
 EGF receptor, Grb2/Ash, NMR, SH2 domain, solution structure, *Tsuchiya, Ogura, Hatanaka, Nagata, Terasawa, Mandiyan, Schlessinger, Aimoto, Ohta, Inagaki*, 1151
 electron transfer, acidic patch, crystal structure, double mutant, plastocyanin, *Sugawara, Inoue, Li, Gotowda, Hibino, Takabe, Kai*, 899
 ELISA, keratan sulfate, macular corneal dystrophy, serum, sulfotransferase, *Hasegawa, Torii, Nagaoka, Nakayasu, Miyajima, Habuchi*, 245
 embryo, fucosyltransferase, gene cloning, Lewis x, zebrafish, *Kageyama, Natsuka, Hase*, 838
 embryonal carcinoma cell, retrovirus, ribonucleoprotein, spermatogenesis, testis, *Matsui, Breau, Iwasaki, Hagiwara, Tamai, Mori, Bloom, Jerry, Eddy, Taketo*, 1104
 endocytosis, dynamin, *trans*-Golgi network, vesicular transport, *Kasai, Shin, Shinotsuka, Murakami, Nakayama*, 780
 endo- β -mannosidase, enzyme, glycoprotein, lily, N-linked sugar chains, *Sasaki, Yamagishi, Mega, Norioka, Natsuka, Hase*, 363
 endothelial cell, angiogenesis, endothelial cell growth inhibitor, macrophage, smooth muscle cell, *Nakano, Higashiyama, Takashima, Tsuruoka, Klagsbrun, Taniguchi*, 368
 endothelial cell growth inhibitor, angiogenesis, endothelial cell, macrophage, smooth muscle cell, *Nakano, Higashiyama, Takashima, Tsuruoka, Klagsbrun, Taniguchi*, 368
 energy transduction, myosin ATPase, phosphate analogue, transition state complex, X-ray scattering, *Maruta, Uyehara, Homma, Sugimoto, Wakabayashi*, 177
 enkephalin, metalloprotease, neuropeptide, proprotein convertase, *Berman, Ageyeva, Veksler, Wood, Devi*, 641
Enterococcus hirae, Na⁺ pumping properties, Na⁺-translocating ATPase, vacuolar

- ATPase, V_o-liposomes, *Murata, Takase, Yamato, Igarashi, Kakinuma*, 414
 enteropeptidase, lectin blotting, porcine duodenal, purification, substrate specificity, *Matsushima, Ichinose, Yahagi, Tsukada-Kato, Miki, Omata, Kim, Ito, Takahashi, Sakurai, Tsuchiya, Athauda, Inoue, Takashashi*, 947

- enzyme, endo- β -mannosidase, glycoprotein, lily, N-linked sugar chains, *Sasaki, Yamagishi, Mega, Norioka, Natsuka, Hase*, 363
 ER chaperones, cerulenin, cytochrome P450, ER proliferation, *IRE1*, yeast, *Takewaka, Zimmer, Hirata, Ohta, Takagi*, 507
 ERF (ERE β P), antifungal activity, ethylene, innate immunity in plant, pathogenesis-related protein (PR protein), *Kitajima, Sato*, 1

- ER proliferation, cerulenin, cytochrome P450, ER chaperones, *IRE1*, yeast, *Takewaka, Zimmer, Hirata, Ohta, Takagi*, 507
 ER protein degradation, COPII vesicle, *Saccharomyces cerevisiae, SAR1*, vesicular transport, *Saito, Yamanushi, Oka, Nakano*, 130

- erythrocyte, induction of AChE release, lipid transfer, liposome, morphological index, *Suzuki, Okumura, Sunamoto*, 876
Escherichia coli, 1,5-anhydro-D-fructose, 1,5-anhydro-D-glucitol, glycogenolytic pathway, regulation of glycogen metabolism, *Shiga, Kametani, Kadokura, Akanuma*, 166

- ESR, blue copper protein, multicopper oxidase, site-directed mutagenesis, stellacyanin, *Shimizu, Sasaki, Kwon, Odaka, Sato, Sakurai, Sakurai, Yamaguchi, Samejima*, 662
 ethylene, antifungal activity, ERF (ERE β P), innate immunity in plant, pathogenesis-related protein (PR protein), *Kitajima, Sato*, 1

- Euglena gracilis*, ADP-ribosyl cyclase, CD38, cell cycle regulation, cyclic ADP-ribose, *Masuda, Takenaka, Tsuyama, Inui, Miyatake, Nakano*, 449

- evolution of bacterial rhodopsin, bacterial rhodopsin, bacteriorhodopsin, halobacteria, retinal protein, *Mukohata, Ihara, Tamura, Sugiyama*, 649

- exocytosis, HPC-1, PC12h, SNARE, syntaxin, *Watanabe, Fujiwara, Komazaki, Yamaguchi, Tajima, Akagawa*, 685

- exon-intron organization, development, gene expression, medaka fish, membrane guanylyl cyclase, *Mantoku, Muramatsu, Nakachi, Yamagami, Kusakabe, Suzuki*, 476
 expressed sequence tags, aminopeptidase, COS-7 cells, metallopeptidase, molecular cloning, *Hattori, Matsumoto, Mizutani, Tsujimoto*, 931

- expression, amino acid sequence, *Bacillus stearothermophilus*, inorganic pyrophosphatase, site-directed mutagenesis, *Sato, Shinoda, Ishii, Koyama, Sakurai, Kaji, Hachimori, Irie, Samejima*, 48
 —, ecto-acceptors, heavy chain, reconstitution, tetanus toxin, *Li, Aoki, Dolly*, 1200

- extracellular matrix, adenoid cystic carcinoma, basement membrane, heparan sulfate proteoglycan, perlecan, *Kimura, Cheng, Toyoshima, Oda, Saku*, 406

F

- family B DNA polymerase, crystallization, hyperthermophilic archaeon, polymerase chain reaction, X-ray crystallography, *Hashimoto, Matsumoto, Nishioka, Yuasa, Takeuchi, Inoue, Fujiwara, Takagi, Imanaka, Kai*, 983

- Fas, apoptosis, EGFP, PKR, protein kinase, *Takizawa, Tatematsu, Nakanishi*, 391
 fat cell, insulin, lipase, lipolysis, norepinephrine, *Morimoto, Sumiyoshi, Kameda, Tsujita, Okuda*, 976

- fatty acid-binding protein, amino acid sequence, glutathione-thiolation, molecular phylogeny, *Rana catesbeiana, Baba, Abe, Tsunashawa, Odani*, 115

- Ffh, *Bacillus subtilis*, protein secretion, SecA, signal recognition particle, *Bunai, Yamada, Hayashi, Nakamura, Yamane*, 151

- FGF, coumaroyl serotonin, EGF, fibroblast, growth factor, *Takii, Hayashi, Hiroma, Chiba, Kawashima, Zhang, Nagatsu, Sakakibara, Onozaki*, 910

- fibril formation, alkaline treatment, BSE, collagen, integrin, *Hattori, Adachi, Ebihara, Shirai, Someki, Irie*, 676
 fibril model, amyloidosis, Bence-Jones protein, X-ray crystallography, *Steinrauf, Chiang, Shiuian*, 422

- fibrinogen, fibrinolysis, inhibition, serine protease, thrombogenesis, *Iwamori, Iwamori, Ito*, 594

- fibrinogenolytic, *Agkistrodon halys brevicaudus*, amino acid sequence, metalloprotease, snake venom, *Terada, Hori, Fujimura, Kimoto*, 64

- fibrinolysis, fibrinogen, inhibition, serine protease, thrombogenesis, *Iwamori, Iwamori, Ito*, 594

- fibroblast, coumaroyl serotonin, EGF, FGF, growth factor, *Takii, Hayashi, Hiroma, Chiba, Kawashima, Zhang, Nagatsu, Sakakibara, Onozaki*, 910

- fish egg envelope, choriogenin, limited cleavage, medaka (teleost fish), molecular architecture, *Sugiyama, Murata, Iuchi, Nomura, Yamagami*, 469

- flavoenzyme, acyl-CoA dehydrogenase, charge-transfer interaction, nuclear magnetic resonance, resonance Raman spectra, *Tamaoki, Nishina, Shiga, Miura*, 285

- fluorescence, catecholamines, 4,5-diamino-fluorescein, nitric oxide, reducers, *Nagata, Momose, Ishida*, 658

- fluorogenic substrate, aspartic proteinase, cathepsin D, cathepsin E, *Yasuda, Kageyama, Akamine, Shibata, Kominami, Uchiyama, Yamamoto*, 1137

- Forssman, glycosphingolipid, GM2, isogloblo, neolacto, *Yamamoto, Iida-Tanaka, Kasama, Ishizuka, Kushi, Handa*, 923

- c-fos promoter, G protein, HEK-293 cells, MAP kinase, signal transduction, small GTPase, *Sun, Yamauchi, Kaziro, Itoh*, 515

- free oligosaccharides, cytosol, hen oviduct, oligomannoside, *Iwai, Mega, Hase*, 70

- free radicals, cisplatin, cytotoxicity, nephrotoxicity, phenolic antioxidants, *Rao, Kumar, Rao*, 383

- fructose 1,6-bisphosphate aldolase, bovine

F (cont'd)

cerebral cortex, heparin-binding protein, purification, regioselectively desulfated heparins, *Ta, Takano, Kamei, Xu, Kariya, Yoshida, Hara*, 554
 FTIR, ubiquinol oxidase, cytochrome *bd*, redox difference spectra, protein backbone change, *Yamazaki, Kandori, Mogi*, 1131
 fucosyltransferase, embryo, gene cloning, Lewis x, zebrafish, *Kageyama, Natsuka, Hase*, 838
 furin, PACE4, PC8, proalbumin processing, subtilisin-like proprotein convertase, *Mori, Imamaki, Nagata, Yonetomi, Kiyokage-Yoshimoto, Martin, Gillespie, Nagahama, Tsuji, Matsuda*, 627
 fusion protein, amino acid transporter, over-expression, sodium alanine symporter family, thermophilic alanine carrier, *Kanamori, Kamata, Yagisawa, Hirata*, 454

G

G_1 arrest, BALB/c-3T3 fibroblasts, contact inhibition, cyclin-dependent kinase inhibitors, Rb protein, *Yanagisawa, Kosaka, Iwahana, Nakanishi, Tominaga*, 36
 gel culture, aortic smooth muscle cell, cell proliferation, myofibroblast, type IV collagen, *Hirose, Kosugi, Nakazato, Hayashi*, 991
 gene activation, Bicoid, DNA binding, *Drosophila, in vitro selection, Yuan, Ma, Ma*, 809
 gene cloning, ribosomal protein, RNA polymerase α subunit, thermostability, *Thermus thermophilus, Wada, Yamazaki, Kuramitsu, Kyogoku*, 143
 —, embryo, fucosyltransferase, Lewis x, zebrafish, *Kageyama, Natsuka, Hase*, 838
 gene expression, development, exon-intron organization, medaka fish, membrane guanylyl cyclase, *Mantoku, Muramatsu, Nakuchi, Yamagami, Kusakabe, Suzuki*, 476
 —, hepatocytes, HUVEC, TFPI, thrombosis, *Hine, Enyoji, Kokame, Nakamura, Takei, Kamikubo, Sueishi, Kato*, 1039
 —, cloning, cytochrome *b*, *Mortierella*, RNA editing, *Kobayashi, Sakuradani, Shimizu*, 1094
 gene structure, CAT assay, histidine-rich glycoprotein, molecular cloning, nucleotide sequence, *Wakabayashi, Takahashi, Koido*, 522

gene structure and regulation, hepatocyte, Hex, homeobox, tissue specificity, *Myint, Inazu, Tanaka, Yamada, Keng, Inoue, Kuriyama, Noguchi*, 795

gene transfection, cationic lipid vesicles, DDAB, protamine, *You, Kamihira, Iijima*, 1160

genomic cloning, integrin, oncogenic transformation, adhesion molecule, very late antigen, *Tsuji, Han, Takeuchi, Takahashi, Hakomori, Irimura*, 1183

β -glucosidase, cellulase, cellulolytic fungi, *Humicola grisea, Trichoderma reesei, Takashima, Nakamura, Hidaka, Masaki, Uozumi*, 728

GlcNAc 2-epimerase, *N*-acetyl-D-glucosamine (GlcNAc), *N*-acetyl-D-mannosamine, binding protein, renin, *Takahashi*,

Takahashi, Kaneko, Ogasawara, Shindo, Kobayashi, 348

L-glutamate dehydrogenase, *Aeromonas* sp., cold-active enzyme, heme *b*, heme-containing enzyme, *Yamamura, Sakaguchi, Murakami, Yokoyama, Tamiya*, 760

glutathione, arachidonic acid, lipid peroxidation, phospholipase A₂, prostaglandin D₂, *Sakamoto, Kitahara, Nakagawa*, 90
 glutathione-thiolation, amino acid sequence, fatty acid-binding protein, molecular phylogeny, *Rana catesbeiana, Baba, Abe, Tsunasaki, Odani*, 115

glycogenolytic pathway, 1,5-anhydro-D-fructose, 1,5-anhydro-D-glucitol, *Escherichia coli*, regulation of glycogen metabolism, *Shiga, Kametani, Kadokura, Akanuma*, 166

glycolipid, alcium, *Cucumaria echinata*, hemolysin, lectin, *Hatakeyama, Sato, Taira, Kuwahara, Niidome, Aoyagi*, 277

glycoprotein, endo- β -mannosidase, enzyme, lily, N-linked sugar chains, *Sasaki, Yamagishi, Mega, Norioka, Natsuka, Hase*, 363 —, *Carica papaya*, proteinase inhibitor, sugar chain, *Shimazaki, Makino, Omichi, Odani, Hase*, 560

glycosaminoglycans, chondroitin, low-density lipoprotein, *Volpi, Tarugi*, 297

glycosphingolipid, Forssman, GM2, isogloblobo, neolacto, *Yamamoto, Iida-Tanaka, Kasama, Ishizuka, Kushi, Handa*, 923

GM2, Forssman, glycosphingolipid, isogloblobo, neolacto, *Yamamoto, Iida-Tanaka, Kasama, Ishizuka, Kushi, Handa*, 923
 trans-Golgi network, dynamin, endocytosis, vesicular transport, *Kasai, Shin, Shinozuka, Murakami, Nakayama*, 780

G protein, c-fos promoter, HEK-293 cells, MAP kinase, signal transduction, small GTPase, *Sun, Yamauchi, Kaziro, Itoh*, 515

Grb2/Ash, EGF receptor, NMR, SH2 domain, solution structure, *Tsuchiya, Ogura, Hatanaka, Nagata, Terasawa, Mandiyan, Schlessinger, Aimoto, Ohta, Inagaki*, 1151

Groucho, *Drosophila*, UBC9, ubiquitin-like proteins, yeast two-hybrid, *Ohsako, Takamatsu*, 230

growth factor, bone, cartilage, chondromodulin-II, recombinant protein, *Shukunami, Kondo, Wakai, Takahashi, Inoue, Kamizono, Hiraki*, 436

—, coumaroyl serotonin, EGF, FGF, fibroblast, *Takii, Hayashi, Hiroma, Chiba, Kawashima, Zhang, Nagatsu, Sakakibara, Onozaki*, 910

guanine nucleotide, baculovirus, calcium, calpain, transglutaminase, *Hitomi, Kanehiro, Ikura, Maki*, 1048

guinea pig heart, α_{1c} subunit, β_2 subunit, Ca^{2+} channel, cloning, *Ding, Kuroki, Kameyama, Yoshimura, Kameyama*, 750

H

halobacteria, bacteriorhodopsin, halorhodopsin, photocycle, photovoltage, *Muneyuki, Shibasaki, Ohtani, Okuno, Asaumi, Mogi*, 270

—, bacterial rhodopsin, bacteriorhodopsin, evolution of bacterial rhodopsin, retinal protein, *Mukohata, Ihara, Tamura, Sugiyama*, 649

halorhodopsin, bacteriorhodopsin, halobacteria, photocycle, photovoltage, *Muneyuki, Shibasaki, Ohtani, Okuno, Asaumi, Mogi*, 270

heavy chain, ecto-acceptors, expression, reconstitution, tetanus toxin, *Li, Aoki, Dolly*, 1200

HEK-293 cells, c-fos promoter, G protein, MAP kinase, signal transduction, small GTPase, *Sun, Yamauchi, Kaziro, Itoh*, 515

helicase, cDNA cloning, DNA helicase, p50, RuvB, *Kikuchi, Gohshi, Kawahire, Tachibana, Yaneda, Isobe, Lin, Kohno, Ichimura, Omata, Horigome*, 487

Helicobacter pylori, cytochrome *c* oxidase, cytochrome *cb*, c-type cytochrome, heme-copper oxidase, *Tsukita, Koyanagi, Nagata, Koizuka, Akashi, Shimoyama, Tamura, Sone*, 194

hematopoietic stem cell, B-cell differentiation, early B-cell progenitor, immunoglobulin gene rearrangement, stromal cell, *Matsuda, Koguma, Okuyama, Nakazawa, Matsuzaki, Nakuchi, Yanai, Terasaki, Obinata*, 602

heme *b*, *Aeromonas* sp., cold-active enzyme, L-glutamate dehydrogenase, heme-containing enzyme, *Yamamura, Sakaguchi, Murakami, Yokoyama, Tamiya*, 760

heme-containing enzyme, *Aeromonas* sp., cold-active enzyme, L-glutamate dehydrogenase, heme *b*, *Yamamura, Sakaguchi, Murakami, Yokoyama, Tamiya*, 760

heme-copper oxidase, cytochrome *c* oxidase, cytochrome *cb*, c-type cytochrome, *Helicobacter pylori, Tsukita, Koyanagi, Nagata, Koizuka, Akashi, Shimoyama, Tamura, Sone*, 194

hemolysin, alcium, *Cucumaria echinata*, glycolipid, lectin, *Hatakeyama, Sato, Taira, Kuwahara, Niidome, Aoyagi*, 277

hen oviduct, cytosol, free oligosaccharides, oligomannoside, *Iwai, Mega, Hase*, 70

heparan sulfate proteoglycan, adenoid cystic carcinoma, basement membrane, extracellular matrix, perlecan, *Kimura, Cheng, Toyoshima, Oda, Saku*, 406

—, heparitinase, kidney, L-selectin, leukocyte migration, *Watanabe, Kawashima, Li, Miyasaka*, 826

heparin, brain, phosphatidic acid, phospholipase, testis, *Uchiyama, Miyazaki, Amakasu, Kuwata, Nakatani, Atsumi, Murakami, Kudo*, 1001

—, affinity, crosslinking, platelet, protein, *Suda, Mori, Bird, Marques, Ormsby, Tanka, Koshida, Nakamura, Kusumoto, Sobel*, 1011

heparin-binding protein, bovine cerebral cortex, fructose 1,6-bisphosphate aldolase, purification, regioselectively desulfated heparins, *Ta, Takano, Kamei, Xu, Kariya, Yoshida, Hara*, 554

heparitinase, heparan sulfate proteoglycan, kidney, L-selectin, leukocyte migration, *Watanabe, Kawashima, Li, Miyasaka*, 826

hepatocyte, gene structure and regulation, Hex, homeobox, tissue specificity, *Myint, Inazu, Tanaka, Yamada, Keng, Inoue, Kuriyama, Noguchi*, 795

hepatocytes, gene expression, HUVEC, TFPI, thrombosis, *Hine, Enyoji, Kokame, Nakamura*, 1094

- H (cont'd)
- mura, Takei, Kamikubo, Sueishi, Kato, 1039*
- heterochromatin, autoantigen, DNA binding, HP1, self-association, Yamada, Fukuda, Himeno, Sugimoto, 832
- heterodimer, defense mechanism, insect, papain family proteinase, processing, Fujimoto, Kobayashi, Kurata, Natori, 566
- Hex, gene structure and regulation, hepatocyte, homeobox, tissue specificity, Myint, Inazu, Tanaka, Yamada, Keng, Inoue, Kuriyama, Noguchi, 795
- hexosaminidase, brain, sugar chains, Okamoto, Omichi, Yamanaka, Ikenaka, Hase, 537
- highly unwound DNA, NA helicase, DNA polymerase α -primase, DNA topoisomerase, yeast *Saccharomyces cerevisiae*, Kamimura, Kawasaki, Ohara, Sugino, 236
- His-Asp phosphorelay, response regulator, *Schizosaccharomyces pombe*, signal transduction, stress response, Ohmiya, Kato, Yamada, Aiba, Mizuno, 1061
- histidine-rich glycoprotein, CAT assay, gene structure, molecular cloning, nucleotide sequence, Wakabayashi, Takahashi, Koida, 522
- histone acetylation and deacetylation, chromatin remodeling, DNA methylation, spermiogenesis, transition proteins, Kundu, Rao, 217
- HMG1, HMG1/2-box, model building, mutagenesis, protein-DNA interaction, Saito, Kikuchi, Shirakawa, Yoshida, 399
- HMG1/2-box, HMG1, model building, mutagenesis, protein-DNA interaction, Saito, Kikuchi, Shirakawa, Yoshida, 399
- homeobox, gene structure and regulation, hepatocyte, Hex, tissue specificity, Myint, Inazu, Tanaka, Yamada, Keng, Inoue, Kuriyama, Noguchi, 795
- homology, chitin degradation, cytoplasmic chitobiase, DNA sequence, *Vibrio parahaemolyticus*, Wu, Laine, 1086
- HP1, autoantigen, DNA binding, heterochromatin, self-association, Yamada, Fukuda, Himeno, Sugimoto, 832
- HPc-1, exocytosis, PC12h, SNARE, syntaxin, Watanabe, Fujiwara, Komazaki, Yamaguchi, Tajima, Akagawa, 685
- HPLC, algal galactans, anhydrogalactose, anhydrous mercaptolysis, dithioacetal, Hama, Nakagawa, Mochizuki, Sumi, Hatate, 160
- human antibody repertoire, combinatorial library, phage display, recombinant Fab fragment, rotavirus infection, Itoh, Nakagomi, Suzuki, Inoue, Tada, Suzuki, 123
- human milk, bile salt-activated lipase, bovine pancreas, cholesterol esterase, lysophospholipase, lipase assay, Tanaka, Mierau, Ito, 883
- Humicola grisea*, cellulase, cellulolytic fungi, β -glucosidase, *Trichoderma reesei*, Takashima, Nakamura, Hidaka, Masaki, Uozumi, 728
- HUVEC, gene expression, hepatocytes, TFPI, thrombosis, Hine, Enyoji, Kokame, Nakamura, Takei, Kamikubo, Sueishi, Kato, 1039
- hydration, collagen, hydroxyproline, model peptide, triple helix, Nagarajan, Kamitori, Okuyama, 310
- , metalloprotein, nitrile, overexpression, post-translational modification, Nojiri, Yohda, Odaka, Matsushita, Tsujimura, Yoshida, Dohmae, Takio, Endo, 696
- hydrogen peroxide, apoptosis, L-amino acid oxidase, snake venom, Suhr, Kim, 305
- hydrophobic interaction, *Bacillus stearothermophilus*, inorganic pyrophosphatase, site-directed mutagenesis, thermostability, Shinoda, Hattori, Shimizu, Samejima, Satoh, 58
- 20-hydroxyecdysone, apoptosis, cell proliferation, CNS remodeling, *Sarcophaga peregrina*, Fujii, Tanaka, Homma, Natori, 613
- hydroxyproline, collagen, hydration, model peptide, triple helix, Nagarajan, Kamitori, Okuyama, 310
- hyperthermophile, archaea, azide, *Sulfolobus solfataricus*, superoxide dismutase, Yamano, Maruyama, 186
- hyperthermophilic archaeon, crystallization, family B DNA polymerase, polymerase chain reaction, X-ray crystallography, Hashimoto, Matsumoto, Nishioka, Yuasa, Takeuchi, Inoue, Fujiwara, Takagi, Imanaka, Kai, 983
- I
- ileum, bile acid, Na^+ -dependence, taurocholate, transporter, Saeki, Matoba, Furukawa, Kirifushi, Kanamoto, Iwami, 846
- imidazole as a DNA denaturant, *in vitro* selection, ligand-induced melting, melting temperature of DNA, TGGE, Eli, Ariyama, Nishigaki, Husimi, 790
- , Bicoid, DNA binding, *Drosophila*, gene activation, Yuan, Ma, Ma, 809
- , aptamer, protease inhibitor, SELEX, subtilisin, Takeno, Yamamoto, Tanaka, Sakano, Kikuchi, 1115
- involution, lactation, mammary gland, prolactin signaling, protein tyrosine phosphatase, Aoki, Kawamura, Yamaguchi-Aoki, Ohira, Matsuda, 669
- ion channel activity, Aib (2-aminoisobutyric acid)-peptide, antimicrobial activity, peptide chain aggregation, solid phase peptide synthesis, Higashimoto, Kodama, Jelokhani-Niaraki, Kato, Kondo, 705
- IRBP gene regulation, photoreceptor-specific, CRX, PCE, Fei, Matragano, Smith, Overbeek, Chen, Zack, Liou, 1189
- IRE1, cerulenin, cytochrome P450, ER chaperones, ER proliferation, yeast, Takewaka, Zimmer, Hirata, Ohta, Takagi, 507
- isogloblo, Forssman, glycosphingolipid, GM2, neolacto, Yamamoto, Iida-Tanaka, Kasama, Ishizuka, Kushi, Handa, 923
- J
- JNK, apoptosis, leukemia cells, MAP kinase, shikonin, Hashimoto, Xu, Masuda, Aiuchi, Nakajo, Cao, Miyakoshi, Ida, Nakaya, 17
- , MAPK, NGF, wortmannin, zif268, Kumahara, Ebihara, Saffen, 541
- K
- keratan sulfate, ELISA, macular corneal dystrophy, serum, sulfotransferase, Hasegawa, Torii, Nagaoka, Nakayasu, Miyajima, Habuchi, 245
- kidney, arginase II, ornithine aminotransferase, ornithine decarboxylase, small intes-

K (cont'd)

tine, Ozaki, Gotoh, Nagasaki, Miyanaka, Takeya, Fujiyama, Tomita, Mori, 586
 —, heparan sulfate proteoglycan, heparitinase, L-selectin, leukocyte migration, Watanabe, Kawashima, Li, Miyasaka, 826
 kinetic property, bacterial proteinase, carboxyl proteinase, pepstatin-insensitive, subsite preferences, Narutaki, Dunn, Oda, 75

L

lactation, involution, mammary gland, prolactin signaling, protein tyrosine phosphatase, Aoki, Kawamura, Yamaguchi-Aoki, Ohira, Matsuda, 669

LDL, apolipoprotein B, lipid peroxidation, low density lipoprotein, protein degradation, radical reaction, Tanaka, Iguchi, Taketani, Nakata, Tokumaru, Sugimoto, Kojo, 173

lectin, alcium, *Cucumaria echinata*, glycolipid, hemolysin, Hatakeyama, Sato, Taira, Kuwahara, Niidome, Aoyagi, 277

—, ANS-fluorescence, CEL-III, cytotoxicity, pore-forming protein, Oda, Shimura, Nishioka, Komatsu, Hatakeyama, Muramatsu, 713

lectin blotting, enteropeptidase, porcine duodenum, purification, substrate specificity, Matsushima, Ichinose, Yahagi, Tsukada-Kato, Miki, Omata, Kim, Ito, Takahashi, Sakurai, Tsuchiya, Athauda, Inoue, Takashashi, 947

leukemia cells, apoptosis, JNK, MAP kinase, shikonin, Hashimoto, Xu, Masuda, Aiuchi, Nakajo, Cao, Miyakoshi, Ida, Nakaya, 17
 leukocyte migration, heparan sulfate proteoglycan, heparitinase, kidney, L-selectin, Watanabe, Kawashima, Li, Miyasaka, 826

Lewis x, embryo, fucosyltransferase, gene cloning, zebrafish, Kageyama, Natsuka, Hase, 838

ligand-induced melting, imidazole as a DNA denaturant, *in vitro* selection, melting temperature of DNA, TGGE, Eli, Ariyama, Nishigaki, Husimi, 790

17-kDa light chain localization, aortic smooth muscle cells, cultured smooth muscle cell, myosin 17-kDa light chain, myosin light chain isoforms, Takeuchi, Senba, Furukawa, Eto, Morita, 334

lily, endo- β -mannosidase, enzyme, glycoprotein, N-linked sugar chains, Sasaki, Yamagishi, Mega, Norioka, Natsuka, Hase, 363

limited cleavage, choriogenin, fish egg envelope, medaka (teleost fish), molecular architecture, Sugiyama, Murata, Iuchi, Nomura, Yamagami, 469

lipase, fat cell, insulin, lipolysis, norepinephrine, Morimoto, Sumiyoshi, Kameda, Tsujita, Okuda, 976

lipase assay, bile salt-activated lipase, bovine pancreas, cholesterol esterase, human milk, lysophospholipase, Tanaka, Mierau, Ito, 883

lipid bilayer, liposome, phospholipase A, (*Naja mossambica mossambica*), phosphatidylcholine, zeta-potential, Yamauchi, Hayashi, Yamamoto, 853

lipid peroxidation, arachidonic acid, glutathione, phospholipase A₂, prostaglandin D₂, Sakamoto, Kitahara, Nakagawa, 90

—, apolipoprotein B, LDL, low density lipoprotein, protein degradation, radical reaction, Tanaka, Iguchi, Taketani, Nakata, Tokumaru, Sugimoto, Kojo, 173

lipid transfer, erythrocyte, induction of AChE release, liposome, morphological index, Suzuki, Okumura, Sunamoto, 876

lipolysis, fat cell, insulin, lipase, norepinephrine, Morimoto, Sumiyoshi, Kameda, Tsujita, Okuda, 976

liposome, lipid bilayer, phospholipase A, (*Naja mossambica mossambica*), phosphatidylcholine, zeta-potential, Yamauchi, Hayashi, Yamamoto, 853

—, erythrocyte, induction of AChE release, lipid transfer, morphological index, Suzuki, Okumura, Sunamoto, 876

low density lipoprotein, apolipoprotein B, LDL, lipid peroxidation, protein degradation, radical reaction, Tanaka, Iguchi, Taketani, Nakata, Tokumaru, Sugimoto, Kojo, 173

low-density lipoprotein, chondroitin, glycosaminoglycans, Volpi, Tarugi, 297

L-selectin, heparan sulfate proteoglycan, heparitinase, kidney, leukocyte migration, Watanabe, Kawashima, Li, Miyasaka, 826

lysophospholipase, bile salt-activated lipase, bovine pancreas, cholesterol esterase, human milk, lipase assay, Tanaka, Mierau, Ito, 883

M

macrophage, angiogenesis, endothelial cell, endothelial cell growth inhibitor, smooth muscle cell, Nakano, Higashiyama, Takashima, Tsuruoka, Klagsbrun, Taniguchi, 368

macrophage-derived foam cell formation, acyl-CoA synthetase inhibitor, cholestryler ester, triacsin, triacylglycerol, Namatame, Tomoda, Arai, Inoue, Omura, 319

macular corneal dystrophy, ELISA, keratan sulfate, serum, sulfotransferase, Hasegawa, Torii, Nagaoka, Nakayasu, Miyajima, Habuchi, 245

Mad, DPC4, serine-threonine kinase receptor, Smad, TGF- β , Kawabata, Miyazono, 9

MALDI-TOF/MS, calponin, chemical cross-linking, interaction, tubulin, Fujii, Kozumi, 869

mammary gland, involution, lactation, prolactin signaling, protein tyrosine phosphatase, Aoki, Kawamura, Yamaguchi-Aoki, Ohira, Matsuda, 669

MAPK, JNK, NGF, wortmannin, zif268, Kumahara, Ebihara, Saffen, 541

MAP kinase, apoptosis, JNK, leukemia cells, shikonin, Hashimoto, Xu, Masuda, Aiuchi, Nakajo, Cao, Miyakoshi, Ida, Nakaya, 17

—, c-fos promoter, G protein, HEK-293 cells, signal transduction, small GTPase, Sun, Yamauchi, Kaziro, Itoh, 515

matrix metalloproteinase (MMP), chondrocyte, interleukin (IL)-1, mechanical stress, proteoglycan, Fujisawa, Hattori, Takashashi, Kuboki, Yamashita, Takigawa, 966

mechanical stress, chondrocyte, interleukin (IL)-1, matrix metalloproteinase (MMP),

proteoglycan, Fujisawa, Hattori, Takashashi, Kuboki, Yamashita, Takigawa, 966

medaka fish, development, exon-intron organization, gene expression, membrane guanylyl cyclase, Mantoku, Muramatsu, Nakuchi, Yamagami, Kusakabe, Suzuki, 476
 medaka (teleost fish), choriogenin, fish egg envelope, limited cleavage, molecular architecture, Sugiyama, Murata, Iuchi, Nomura, Yamagami, 469

melanin, calnexin, melanocyte, melanogenesis, tyrosinase, Toyofuku, Wada, Hirosaki, Park Hori, Jimbow, 82

melanocyte, calnexin, melanogenesis, melanin, tyrosinase, Toyofuku, Wada, Hirosaki, Park Hori, Jimbow, 82

melanogenesis, calnexin, melanocyte, melanin, tyrosinase, Toyofuku, Wada, Hirosaki, Park Hori, Jimbow, 82

melting temperature of DNA, imidazole as a DNA denaturant, *in vitro* selection, ligand-induced melting, TGGE, Eli, Ariyama, Nishigaki, Husimi, 790

membrane guanylyl cyclase, development, exon-intron organization, gene expression, medaka fish, Mantoku, Muramatsu, Nakuchi, Yamagami, Kusakabe, Suzuki, 476

membrane topology, peroxin Pex2p, peroxisome assembly factor, peroxisome biogenesis, Harano, Shimizu, Otera, Fujiki, 1168

mesangial cell, apoptosis, ceramide, N,N-dimethylsphingosine, stress, Sweeney, Igashishi, 737

metallopeptidase, aminopeptidase, COS-7 cells, expressed sequence tags, molecular cloning, Hattori, Matsumoto, Mizutani, Tsujimoto, 931

metallopeptidase, *Aegistodus halys brevicaudus*, amino acid sequence, fibrinogenolytic, snake venom, Terada, Hori, Fujimura, Kimoto, 64

—, enkephalin, neuropeptide, proprotein convertase, Berman, Ageyeva, Veksler, Wood, Devi, 641

metalloprotein, hydration, nitrile, overexpression, post-translational modification, Nojiri, Yohda, Odaka, Matsushita, Tsujimura, Yoshida, Dohmae, Takio, Endo, 696

metalloproteinase, basic residues, disulfide bridge, reactive site loop, SMPI, Hiraga, Seiram, Tate, Tanaka, Kainosh, Oda, 202

microsome, cerebral tissue, cytochrome P-450, drug-metabolizing activity, perfused brain, Chikaoka, Tamura, 634

mineralization, biglycan, C-type natriuretic peptide, differential display-polymerase chain reaction, osteoblast, Inoue, Hayakawa, Otsuka, Kamiya, Suzuki, Hirose, Hagiwara, 103

mini-F plasmid, crystallization, replication initiator protein, RepE, X-ray diffraction, Komori, Sasai, Matsunaga, Wada, Miki, 24

mismatch repair, immunoprecipitation study, PMS2L, RT-PCR, yeast two-hybrid assay, Kondo, Horii, Fukushige, 818

mitochondria, protein transport, tissue distribution, Tom20, Tom34, Chevalliat, Yano, Terada, Hoogenraad, Mori, 721

mitogen-activated protein kinase, ceramide,

INDEX TO KEY WORDS

- M (cont'd)
- cytosolic phospholipase A₂, phospholipase C, protein kinase C, *Sato, Kageura, Hashizume, Hayama, Kitatani, Akiba*, 96
- mitotic delay, nuclear export, XPO1/CRM1, YRB1/2, *Noguchi, Saitoh, Sazer, Nishimoto*, 574
- MLCK, cross-bridge, myosin, phosphorylation, smooth muscle, *Okagaki, Hayakawa, Samizo, Kohama*, 619
- , catalytic domain, myosin light chain, myosin, phosphorylation, *Okagaki, Ye, Samizo, Tanaka, Kohama*, 1055
- model building, HMG1, HMG1/2-box, mutagenesis, protein-DNA interaction, *Saito, Kikuchi, Shirakawa, Yoshida*, 399
- model peptide, collagen, hydration, hydroxyproline, triple helix, *Nagarajan, Kamitori, Okuyama*, 310
- molecular architecture, choriogenin, fish egg envelope, limited cleavage, medaka (teleost fish), *Sugiyama, Murata, Iuchi, Nomura, Yamagami*, 469
- molecular cloning, CAT assay, gene structure, histidine-rich glycoprotein, nucleotide sequence, *Wakabayashi, Takahashi, Koide, 522*
- , aminopeptidase, COS-7 cells, expressed sequence tags, metallopeptidase, *Hattori, Matsumoto, Mizutani, Tsujimoto*, 931
- molecular phylogeny, amino acid sequence, fatty acid-binding protein, glutathione-thiolation, *Rana catesbeiana, Baba, Abe, Tsunawasa, Odani*, 115
- monoclonal antibody, brain, development, neuron, synapsin I, *Harada, Takeuchi, Dohmae, Takio, Uenaka, Aoki, Inoue, Umeda*, 443
- morphological index, erythrocyte, induction of AChE release, lipid transfer, liposome, *Suzuki, Okumura, Sunamoto*, 876
- Mortierella*, cloning, cytochrome b₅, gene expression, RNA editing, *Kobayashi, Sakuradani, Shimizu*, 1094
- multi-copper enzyme, denitrification, N₂O reductase, *Rhodobacter sphaeroides* f. sp. *denitrificans* IL106, *Sato, Okubo, Yamazaki*, 864
- multicopper oxidase, blue copper protein, ESR, site-directed mutagenesis, stellacyanin, *Shimizu, Sasaki, Kwon, Odaka, Satoh, Sakurai, Sakurai, Yamaguchi, Samejima*, 662
- mutagenesis, HMG1, HMG1/2-box, model building, protein-DNA interaction, *Saito, Kikuchi, Shirakawa, Yoshida*, 399
- mutant enzyme, carboxyterminal deletion, orotate phosphoribosyltransferase, protein thermostability, *Thermus thermophilus, Hamana, Shinozawa*, 109
- mutant *Streptomyces* subtilisin inhibitor, protein refolding, refolding media selection, *Streptomyces griseus* trypsin, temporary inhibitor, *Nohara, Sugiura, Sakakibara, Matsubara, Kojima, Miura, Sakai*, 343
- myofibroblast, aortic smooth muscle cell, cell proliferation, gel culture, type IV collagen, *Hirose, Kosugi, Nakazato, Hayashi*, 991
- myosin, cross-bridge, MLCK, phosphorylation, smooth muscle, *Okagaki, Hayakawa, Samizo, Kohama*, 619
- , catalytic domain, MLCK, myosin light chain, phosphorylation, *Okagaki, Ye, Samizo, Tanaka, Kohama*, 1055
- myosin 17-kDa light chain, aortic smooth muscle cells, cultured smooth muscle cell, 17-kDa light chain localization, myosin light chain isoforms, *Takeuchi, Senba, Furukawa, Eto, Morita*, 334
- myosin ATPase, energy transduction, phosphate analogue, transition state complex, X-ray scattering, *Maruta, Uyehara, Homma, Sugimoto, Wakabayashi*, 177
- myosin light chain, catalytic domain, MLCK, myosin, phosphorylation, *Okagaki, Ye, Samizo, Tanaka, Kohama*, 1055
- myosin light chain isoforms, aortic smooth muscle cells, cultured smooth muscle cell, 17-kDa light chain localization, myosin 17-kDa light chain, *Takeuchi, Senba, Furukawa, Eto, Morita*, 334
- myosin light chain phosphatase, affinity chromatography, protein kinase C, protein phosphatase 1, smooth muscle regulation, *Senba, Eto, Yazawa*, 354
- N
- N₂O reductase, denitrification, multi-copper enzyme, *Rhodobacter sphaeroides* f. sp. *denitrificans* IL106, *Sato, Okubo, Yamazaki*, 864
- Na⁺-dependence, bile acid, ileum, taurocholate, transporter, *Saeki, Matoba, Furukawa, Kirifuri, Kanamoto, Iwami*, 846
- Na⁺ pumping properties, *Enterococcus hirae*, Na⁺-translocating ATPase, vacuolar ATPase, V_o-liposomes, *Murata, Takase, Yamato, Igashiki, Kakinuma*, 414
- Na⁺-translocating ATPase, *Enterococcus hirae*, Na⁺ pumping properties, vacuolar ATPase, V_o-liposomes, *Murata, Takase, Yamato, Igashiki, Kakinuma*, 414
- NA helicase, DNA polymerase α -primase, DNA topoisomerase, highly unwound DNA, yeast *Saccharomyces cerevisiae*, *Kamimura, Kawasaki, Ohara, Sugino*, 236
- neolacto, Forssman, glycosphingolipid, GM2, isogloblobo, *Yamamoto, Iida-Tanaka, Kasama, Ishizuka, Kushi, Handa*, 923
- nephrotoxicity, cisplatin, cytotoxicity, free radicals, phenolic antioxidants, *Rao, Kumar, Rao*, 383
- neuron, brain, development, monoclonal antibody, synapsin I, *Harada, Takeuchi, Dohmae, Takio, Uenaka, Aoki, Inoue, Umeda*, 443
- neuropeptide, enkephalin, metalloprotease, proprotein convertase, *Berman, Ageyeva, Veksler, Wood, Devi*, 641
- neurotrophic factor, apoptosis, oxygen radical, superoxide dismutase, xanthine, *Satoh, Yamagata, Ishikawa, Yamada, Uchiyama, Hatanaka*, 952
- neutron scattering, contrast variation, cytoplasmic polyhedrosis virus, small-angle scattering, *Tomita, Hasegawa, Tsukihara, Miyajima, Nagao, Sato*, 916
- NGF, JNK, MAPK, wortmannin, *zif268, Kumahara, Ebihara, Saffen*, 541
- nitric oxide, catecholamines, 4,5-diamino-fluorescein, fluorescence, reducers, *Nagata, Momose, Ishida*, 658
- nitrile, hydration, metalloprotein, overexpression, post-translational modification, *Nojiri, Yohda, Odaka, Matsushita, Tsujimura, Yoshida, Dohmae, Takio, Endo*, 696
- NMR, nucleotide excision repair, relaxation, xeroderma pigmentosum, XPA, *Ikegami, Kuraoka, Saijo, Kodo, Kyogoku, Morikawa, Tanaka, Shirakawa*, 495
- , EGF receptor, Grb2/Ash, SH2 domain, solution structure, *Tsuchiya, Ogura, Hatanaka, Nagata, Terasawa, Mandiyan, Schlessinger, Aimoto, Ohta, Inagaki*, 1151
- norepinephrine, fat cell, insulin, lipase, lipolysis, *Morimoto, Sumiyoshi, Kameda, Tsujita, Okuda*, 976
- nuclear export, mitotic delay, XPO1/CRM1, YRB1/2, *Noguchi, Saitoh, Sazer, Nishimoto*, 574
- nuclear localization, DNA methyltransferase, oogenesis, *Xenopus laevis, Kimura, Suetake, Tajima*, 1175
- nuclear magnetic resonance, acyl-CoA dehydrogenase, charge-transfer interaction, flavoenzyme, resonance Raman spectra, *Tamaoki, Nishina, Shiga, Miura*, 285
- nucleotide excision repair, NMR, relaxation, xeroderma pigmentosum, XPA, *Ikegami, Kuraoka, Saijo, Kodo, Kyogoku, Morikawa, Tanaka, Shirakawa*, 495
- nucleotide sequence, CAT assay, gene structure, histidine-rich glycoprotein, molecular cloning, *Wakabayashi, Takahashi, Koide*, 522
- O
- okadaic acid, actin-binding protein, CR3, phagocytes, superoxide, *Nagaishi, Adachi, Kawanishi, Yamaguchi, Kasahara, Hayakawa, Suzuki*, 891
- oligomannoside, cytosol, free oligosaccharides, hen oviduct, *Iwai, Mega, Hase*, 70
- oligomerization, B23, DNA polymerase α , DNA replication, retinoblastoma protein, *Takenura, Sato, Nishio, Akiyama, Umekawa, Yoshida*, 904
- oncogenic transformation, integrin, genomic cloning, adhesion molecule, very late antigen, *Tsuji, Han, Takeuchi, Takahashi, Hakomori, Irimura*, 1183
- oogenesis, DNA methyltransferase, nuclear localization, *Xenopus laevis, Kimura, Suetake, Tajima*, 1175
- ornithine aminotransferase, arginase II, kidney, ornithine decarboxylase, small intestine, *Ozaki, Gotoh, Nagasaki, Miyanaka, Takeya, Fujiyama, Tomita, Mori*, 586
- ornithine decarboxylase, arginase II, kidney, ornithine aminotransferase, small intestine, *Ozaki, Gotoh, Nagasaki, Miyanaka, Takeya, Fujiyama, Tomita, Mori*, 586
- orotate phosphoribosyltransferase, carboxy-terminal deletion, mutant enzyme, protein thermostability, *Thermus thermophilus, Hamana, Shinozawa*, 109
- osteoblast, biglycan, C-type natriuretic peptide, differential display-polymerase chain reaction, mineralization, *Inoue, Hayakawa, Otsuka, Kamiya, Suzuki, Hirose, Hagiwara*, 103
- overexpression, amino acid transporter, fusion protein, sodium alanine symporter

- O (cont'd)
- family, thermophilic alanine carrier, *Kanamori, Kainata, Yagisawa, Hirata*, 454
- , hydration, metalloprotein, nitrile, post-translational modification, *Nojiri, Yohda, Odaka, Matsushita, Tsujimura, Yoshida, Dohmae, Takio, Endo*, 696
- oxygen radical, apoptosis, neurotrophic factor, superoxide dismutase, xanthine, *Satoh, Yamagata, Ishikawa, Yamada, Uchiyama, Hatanaka*, 952
- P
- p21 mRNA, dominant-negative p53, senescence, senescence-associated β -galactosidase, SV40 T antigen, *Fujii, Ide, Nakabayashi, Joguchi, Ogino, Ayusawa*, 531
- P3-specificity, aqualysin I, S3 subsite, serine protease, subtilisin, *Tanaka, Matsuzawa, Ohta*, 1016
- p47, cDNA cloning, DNA helicase, RuvB, RUVB-like protein, *Gohshi, Shimada, Kawahire, Imai, Ichimura, Omata, Horigome*, 939
- p50, cDNA cloning, DNA helicase, helicase, RuvB, *Kikuchi, Gohshi, Kawahire, Tachibana, Yaneda, Isobe, Lim, Kohno, Ichimura, Omata, Horigome*, 487
- PACE4, furin, PC8, proalbumin processing, subtilisin-like proprotein convertase, *Mori, Imamaki, Nagata, Yonetomi, Kiyokage-Yoshimoto, Martin, Gillespie, Nagahama, Tsuji, Matsuda*, 627
- papain family proteinase, defense mechanism, heterodimer, insect, processing, *Fujimoto, Kobayashi, Kurata, Natori*, 566
- pathogenesis-related protein (PR protein), antifungal activity, ERF (EREBP), ethylene, innate immunity in plant, *Kitajima, Sato*, 1
- PC12h, exocytosis, HPC-1, SNARE, syntaxin, *Watanabe, Fujiwara, Komazaki, Yamaguchi, Tajima, Akagawa*, 685
- PC8, furin, PACE4, proalbumin processing, subtilisin-like proprotein convertase, *Mori, Imamaki, Nagata, Yonetomi, Kiyokage-Yoshimoto, Martin, Gillespie, Nagahama, Tsuji, Matsuda*, 627
- PCF, *IRBP* gene regulation, photoreceptor-specific, CRXE, *Fei, Matragoon, Smith, Overbeek, Chen, Zack, Liou*, 1189
- PCR-RFLP, caffeine metabolism, cigarette smoking, induction, *Nakajima, Yokoi, Mizutani, Kinoshita, Funayama, Kamataki*, 803
- peptastatin, carbodiimide, carboxyl proteinase, chemical modification, *Pseudomonas, Ito, Narutaki, Uchida, Oda*, 210
- peptastatin-insensitive, bacterial proteinase, carboxyl proteinase, kinetic property, subsite preferences, *Narutaki, Dunn, Oda*, 75
- peptide chain aggregation, Aib (2-aminoisobutyric acid)-peptide, antimicrobial activity, ion channel activity, solid phase peptide synthesis, *Higashimoto, Kodama, Jelokhani-Niaraki, Kato, Kondo*, 705
- perfused brain, cerebral tissue, cytochrome P-450, drug-metabolizing activity, microsome, *Chikaoka, Tamura*, 634
- perlecan, adenoid cystic carcinoma, basement membrane, extracellular matrix, heparan sulfate proteoglycan, *Kimura, Cheng, Toyoshima, Oda, Saku*, 406
- peroxin Pex2p, membrane topology, peroxisome assembly factor, peroxisome biogenesis, *Harano, Shimizu, Otera, Fujiki*, 1168
- peroxisome assembly factor, membrane topology, peroxin Pex2p, peroxisome biogenesis, *Harano, Shimizu, Otera, Fujiki*, 1168
- peroxisome biogenesis, membrane topology, peroxin Pex2p, peroxisome assembly factor, *Harano, Shimizu, Otera, Fujiki*, 1168
- phage display, combinatorial library, human antibody repertoire, recombinant Fab fragment, rotavirus infection, *Itoh, Nakagomi, Suzuki, Inoue, Tada, Suzuki*, 123
- phagocytes, actin-binding protein, CR3, okadaic acid, superoxide, *Nagaishi, Adachi, Kawanishi, Yamaguchi, Kasahara, Hayakawa, Suzuki*, 891
- phenolic antioxidants, cisplatin, cytotoxicity, free radicals, nephrotoxicity, *Rao, Kumar, Rao*, 383
- phosphate analogue, energy transduction, myosin ATPase, transition state complex, X-ray scattering, *Maruta, Uyehara, Homma, Sugimoto, Wakabayashi*, 177
- phosphatidic acid, brain, heparin, phospholipase, testis, *Uchiyama, Miyazaki, Amakasu, Kuwata, Nakatani, Atsumi, Murakami, Kudo*, 1001
- phosphatidylcholine, lipid bilayer, liposome, phospholipase A₁ (*Naja mossambica mossambica*), zeta-potential, *Yamauchi, Hayashi, Yamamoto*, 853
- phospholipase, brain, heparin, phosphatidic acid, testis, *Uchiyama, Miyazaki, Amakasu, Kuwata, Nakatani, Atsumi, Murakami, Kudo*, 1001
- phospholipase A₂, arachidonic acid, glutathione, lipid peroxidation, prostaglandin D₂, *Sakamoto, Kitahara, Nakagawa*, 90
- , amino acid sequence, phospholipase A₂, inhibitor, plasma, snake venom, *Ohkura, Kitahara, Inoue, Ikeda, Hayashi*, 375
- phospholipase A₂, inhibitor, amino acid sequence, phospholipase A₂, plasma, snake venom, *Ohkura, Kitahara, Inoue, Ikeda, Hayashi*, 375
- phospholipase A₂ (*Naja mossambica mossambica*), lipid bilayer, liposome, phosphatidylcholine, zeta-potential, *Yamauchi, Hayashi, Yamamoto*, 853
- phospholipase C, ceramide, cytosolic phospholipase A₂, mitogen-activated protein kinase, protein kinase C, *Sato, Kageura, Hashizume, Hayama, Kitatani, Akiba*, 96
- phospholipase D (PLD), *Streptovorticillium cinnamoneum*, substrate specificity, transphosphatidylation, *Ogino, Negi, Matsunaga, Nakao, Kondo, Kuroda, Tokuyama, Kikkawa, Yamane, Fukuda*, 263
- phosphorylation, cross-bridge, MLCK, myosin, smooth muscle, *Okagaki, Hayakawa, Samizo, Kohama*, 619
- , catalytic domain, MLCK, myosin light chain, myosin, *Okagaki, Ye, Samizo, Tanaka, Kohama*, 1055
- photocycle, bacteriorhodopsin, halobacteria, halorhodopsin, photovoltage, *Muneyuki, Shibasaki, Ohtani, Okuno, Asaumi, Mogi*, 270
- photoreceptor-specific, *IRBP* gene regulation, CRXE, PCE, *Fei, Matragoon, Smith, Overbeek, Chen, Zack, Liou*, 1189
- photovoltage, bacteriorhodopsin, halobacteria, halorhodopsin, photocycle, *Muneyuki, Shibasaki, Ohtani, Okuno, Asaumi, Mogi*, 270
- PKR, apoptosis, EGFP, Fas, protein kinase, *Takizawa, Tatematsu, Nakanishi*, 391
- plasma, amino acid sequence, phospholipase A₂, phospholipase A₂, inhibitor, snake venom, *Ohkura, Kitahara, Inoue, Ikeda, Hayashi*, 375
- plastocyanin, acidic patch, crystal structure, double mutant, electron transfer, *Sugawara, Inoue, Li, Gotowda, Hibino, Takabe, Kai*, 899
- platelet, affinity, crosslinking, heparin, protein, *Suda, Mori, Bird, Marques, Ormsby, Tanaka, Koshida, Nakamura, Kusumoto, Sobel*, 1011
- , diacylglycerol lipase, signal transduction, purification, *Moriyama, Urade, Kito*, 1077
- platelet aggregation, amino acid sequences, disintegrins, protein purification, snake venom, *Oshikawa, Terada*, 31
- PMS2L, immunoprecipitation study, mismatch repair, RT-PCR, yeast two-hybrid assay, *Kondo, Horii, Fukushima*, 818
- polymerase chain reaction, crystallization, family B DNA polymerase, hyperthermophilic archaeon, X-ray crystallography, *Hashimoto, Matsumoto, Nishioka, Yuasa, Takeuchi, Inoue, Fujiwara, Takagi, Imamura, Kai*, 983
- porcine duodenum, enteropeptidase, lectin blotting, purification, substrate specificity, *Matsushima, Ichinose, Yahagi, Tsukada-Kato, Miki, Omata, Kim, Ito, Takahashi, Sakurai, Tsuchiya, Athauda, Inoue, Takahashi*, 947
- pore-forming protein, ANS-fluorescence, CEL-III, cytotoxicity, lectin, *Oda, Shimura, Nishioka, Komatsu, Hatakeyama, Muramatsu*, 713
- post-translational modification, hydration, metalloprotein, nitrile, overexpression, *Nojiri, Yohda, Odaka, Matsushita, Tsujimura, Yoshida, Dohmae, Takio, Endo*, 696
- proalbumin processing, furin, PACE4, PC8, subtilisin-like proprotein convertase, *Mori, Imamaki, Nagata, Yonetomi, Kiyokage-Yoshimoto, Martin, Gillespie, Nagahama, Tsuji, Matsuda*, 627
- processing, defense mechanism, heterodimer, insect, papain family proteinase, *Fujimoto, Kobayashi, Kurata, Natori*, 566
- , baflomycin A1, cathepsins, proteinase inhibitors, Vac A toxin, *Ishidoh, Takeda-Ezaki, Watanabe, Sato, Aihara, Imagawa, Kikuchi, Kominami*, 770
- prolactin signaling, involution, lactation, mammary gland, protein tyrosine phosphatase, *Aoki, Kawamura, Yamaguchi-Aoki, Ohira, Matsuda*, 669
- proprotein convertase, enkephalin, metalloprotease, neuropeptide, *Berman, Ageyeva, Veksler, Wood, Devi*, 641
- prostaglandin D₂, arachidonic acid, glutathione, lipid peroxidation, phospholipase A₂, *Sakamoto, Kitahara, Nakagawa*, 90

P (cont'd)

protamine, cationic lipid vesicles, DDAB, gene transfection, *You, Kamihira, Iijima*, 1160
 protease inhibitor, aptamer, *in vitro* selection, SELEX, subtilisin, *Takeno, Yamamoto, Tanaka, Sakano, Kikuchi*, 1115
 proteasome, antithrombin, intracellular degradation, quality control, secretion defect, *Shirotani, Tokunaga, Koide*, 253
 protein, affinity, crosslinking, heparin, platelet, *Suda, Mori, Bird, Marques, Ormsby, Tanaka, Koshida, Nakamura, Kusumoto, Sobel*, 1011
 protein activity, protein disulfide-isomerase, protein folding, protein synthesis *in vitro*, single-chain antibody, *Merk, Stiege, Tsu-moto, Kumagai, Erdmann*, 328
 proteinase inhibitor, *Carica papaya*, glycoprotein, sugar chain, *Shimazaki, Makino, Omichi, Odani, Hase*, 560
 proteinase inhibitors, baflomycin A1, cathepsins, processing, Vac A toxin, *Ishidoh, Takeda-Ezaki, Watanabe, Sato, Aihara, Imagawa, Kikuchi, Kominami*, 770
 protein backbone change, FTIR, ubiquinol oxidase, cytochrome *bd*, redox difference spectra, *Yamazaki, Kandori, Mogi*, 1131
 protein degradation, apolipoprotein B, LDL, lipid peroxidation, low density lipoprotein, radical reaction, *Tanaka, Iguchi, Taketani, Nakata, Tokumaru, Sugimoto, Kojo*, 173
 protein disulfide-isomerase, protein activity, protein folding, protein synthesis *in vitro*, single-chain antibody, *Merk, Stiege, Tsu-moto, Kumagai, Erdmann*, 328
 protein-DNA interaction, HMG1, HMG1/2-box, model building, mutagenesis, *Saito, Kikuchi, Shirakawa, Yoshida*, 399
 protein folding, protein activity, protein disulfide-isomerase, protein synthesis *in vitro*, single-chain antibody, *Merk, Stiege, Tsumoto, Kumagai, Erdmann*, 328
 protein kinase, apoptosis, EGFP, Fas, PKR, *Takizawa, Tatematsu, Nakarishi*, 391
 protein kinase C, ceramide, cytosolic phospholipase A₂, mitogen-activated protein kinase, phospholipase C, *Sato, Kageura, Hashizume, Hayama, Kitatani, Akiba*, 96
 —, affinity chromatography, myosin light chain phosphatase, protein phosphatase 1, smooth muscle regulation, *Senba, Eto, Yazawa*, 354
 protein kinase phosphatase, Ca²⁺/calmodulin-dependent protein kinase, CaM-kinase phosphatase, cDNA sequence, protein kinase phosphatase, *Kitani, Ishida, Okuno, Takeuchi, Kameshita, Fujisawa*, 1022
 protein phosphatase, Ca²⁺/calmodulin-dependent protein kinase, CaM-kinase phosphatase, cDNA sequence, protein kinase phosphatase, *Kitani, Ishida, Okuno, Takeuchi, Kameshita, Fujisawa*, 1022
 protein phosphatase 1, affinity chromatography, myosin light chain phosphatase, protein kinase C, smooth muscle regulation, *Senba, Eto, Yazawa*, 354
 —, actin, protein phosphatase 2A, site-specific phosphorylated antibodies, vimentin, *Usui, Marriott, Inagaki, Swarup, Osada*, 960

protein phosphatase 2A, actin, protein phosphatase 1, site-specific phosphorylated antibodies, vimentin, *Usui, Marriott, Inagaki, Swarup, Osada*, 960
 protein purification, amino acid sequences, disintegrins, platelet aggregation, snake venom, *Oshikawa, Terada*, 31
 protein refolding, mutant *Streptomyces* subtilisin inhibitor, refolding media selection, *Streptomyces griseus* trypsin, temporary inhibitor, *Nohara, Sugiura, Sakakibara, Matsubara, Kojima, Miura, Sakai*, 343
 protein secretion, *Bacillus subtilis*, Ffh, SecA, signal recognition particle, *Bunai, Yamada, Hayashi, Nakamura, Yamane*, 151
 protein synthesis *in vitro*, protein activity, protein disulfide-isomerase, protein folding, single-chain antibody, *Merk, Stiege, Tsu-moto, Kumagai, Erdmann*, 328
 protein thermostability, carboxyterminal deletion, mutant enzyme, orotate phosphoribosyltransferase, *Thermus thermophilus*, *Hamana, Shinozawa*, 109
 protein transport, mitochondria, tissue distribution, *Tom20, Tom34, Chewawiwat, Yano, Terada, Hoogenraad, Mori*, 721
 protein tyrosine phosphatase, involution, lactation, mammary gland, prolactin signaling, *Aoki, Kawamura, Yamaguchi-Aoki, Ohira, Matsuda*, 669
 protein-tyrosine-phosphatase-like enzyme, catalytic residue, cold enzyme, *Tsuruta, Aizono*, 690
 proteoglycan, chondrocyte, interleukin (IL)-1, matrix metalloproteinase (MMP), mechanical stress, *Fujisawa, Hattori, Takahashi, Kuboki, Yamashita, Takigawa*, 966
 proteolysis, cell cycle control, ubiquitin, ubiquitin-conjugating enzyme, ubiquitin-ligase, *Yamao*, 223
Pseudomonas, carbodiimide, carboxyl proteinase, chemical modification, pepstatin, *Ito, Narutaki, Uchida, Oda*, 210
 purification, bovine cerebral cortex, fructose 1,6-bisphosphate aldolase, heparin-binding protein, regioselectively desulfated heparins, *Ta, Takano, Kamei, Xu, Kariya, Yoshida, Hara*, 554
 —, enteropeptidase, lectin blotting, porcine duodenum, substrate specificity, *Matsu-shima, Ichinose, Yahagi, Tsukada-Kato, Miki, Omata, Kim, Ito, Takahashi, Sakurai, Tsuchiya, Athauda, Inoue, Takahashi*, 947
 —, diacylglycerol lipase, platelet, signal transduction, *Moriyama, Urade, Kito*, 1077

Q

quality control, antithrombin, intracellular degradation, proteasome, secretion defect, *Shirotani, Tokunaga, Koide*, 253

R

rabbit heart, carbonyl reductase, drug-metabolizing enzyme, redox cycling, tetrameric enzyme, *Imamura, Migita, Otagiri, Choshi, Hibino*, 41
 radical reaction, apolipoprotein B, LDL, lipid peroxidation, low density lipoprotein, pro-

tein degradation, *Tanaka, Iguchi, Take-tani, Nakata, Tokumaru, Sugimoto, Kojo*, 173

Rana catesbeiana, amino acid sequence, fatty acid-binding protein, glutathione-thiolation, molecular phylogeny, *Baba, Abe, Tsunasawa, Odani*, 115

raw starch binding domain, active site cleft, *Bacillus cereus*, β-amylase, crystal structure, *Oyama, Kusunoki, Kishimoto, Takan-saki, Nitta*, 1120

Rb protein, BALB/c-3T3 fibroblasts, contact inhibition, cyclin-dependent kinase inhibitors, G₁ arrest, *Yanagisawa, Kosaka, Iwahana, Nakanishi, Tominaga*, 36

reactive site loop, basic residues, disulfide bridge, metalloproteinase, SMPI, *Hiraga, Seeram, Tate, Tanaka, Kainoshio, Oda*, 202

recombinant Fab fragment, combinatorial library, human antibody repertoire, phage display, rotavirus infection, *Itoh, Nakagomi, Suzuki, Inoue, Tada, Suzuki*, 123 recombinant protein, bone, cartilage, chondromodulin-II, growth factor, *Shukunami, Kondo, Wakai, Takahashi, Inoue, Kami-zono, Hiraki*, 436

reconstitution, ecto-acceptors, expression, heavy chain, tetanus toxin, *Li, Aoki, Dolly*, 1200

redox cycling, carbonyl reductase, drug-metabolizing enzyme, rabbit heart, tetrameric enzyme, *Imamura, Migita, Otagiri, Choshi, Hibino*, 41

redox difference spectra, FTIR, ubiquinol oxidase, cytochrome *bd*, protein backbone change, *Yamazaki, Kandori, Mogi*, 1131

reducers, catecholamines, 4,5-diaminofluorescein, fluorescence, nitric oxide, *Nagata, Momose, Ishida*, 658

refolding media selection, mutant *Streptomyces* subtilisin inhibitor, protein refolding, *Streptomyces griseus* trypsin, temporary inhibitor, *Nohara, Sugiura, Sakakibara, Matsubara, Kojima, Miura, Sakai*, 343

regioselectively desulfated heparins, bovine cerebral cortex, fructose 1,6-bisphosphate aldolase, heparin-binding protein, purification, *Ta, Takano, Kamei, Xu, Kariya, Yoshida, Hara*, 554

regulation of glycogen metabolism, 1,5-anhydro-D-fructose, 1,5-anhydro-D-glucitol, *Escherichia coli*, glycogenolytic pathway, *Shiga, Kamei, Kadokura, Akanuma*, 166

relaxation, NMR, nucleotide excision repair, xeroderma pigmentosum, XPA, *Ikegami, Kurakuwa, Saito, Kodo, Kyogoku, Morikawa, Tanaka, Shirakawa*, 495

renin, N-acetyl-D-glucosamine (GlcNAc), N-acetyl-D-mannosamine, binding protein, GlcNAc 2-epimerase, *Takahashi, Takahashi, Kaneko, Ogasawara, Shindo, Kobayashi*, 348

RepE, crystallization, replication initiator protein, mini-F plasmid, X-ray diffraction, *Komori, Sasai, Matsunaga, Wada, Miki*, 24

replication initiator protein, crystallization, RepE, mini-F plasmid, X-ray diffraction, *Komori, Sasai, Matsunaga, Wada, Miki*, 24

resonance Raman spectra, acyl-CoA dehydro-

R (cont'd)

genase, charge-transfer interaction, flavoenzyme, nuclear magnetic resonance, *Tamaoki, Nishina, Shiga, Miura*, 285

response regulator, His-Asp phosphorelay, *Schizosaccharomyces pombe*, signal transduction, stress response, *Ohmiya, Kato, Yamada, Aiba, Mizuno*, 1061

retinal protein, bacterial rhodopsin, bacteriorhodopsin, evolution of bacterial rhodopsin, halobacteria, *Mukohata, Ihara, Tamura, Sugiyama*, 649

retinoblastoma protein, B23, DNA polymerase α , DNA replication, oligomerization, *Takemura, Sato, Nishio, Akiyama, Umekawa, Yoshida*, 904

retrovirus, embryonal carcinoma cell, ribonucleoprotein, spermatogenesis, testis, *Matsui, Breau, Iwasaki, Hagiwara, Tamai, Mori, Bloom, Jerry, Eddy, Taketo*, 1104

Rhodobacter sphaeroides f. sp. *denitrificans* IL106, denitrification, multi-copper enzyme, N_2O reductase, *Sato, Okubo, Yamazaki*, 864

ribonucleoprotein, embryonal carcinoma cell, retrovirus, spermatogenesis, testis, *Matsui, Breau, Iwasaki, Hagiwara, Tamai, Mori, Bloom, Jerry, Eddy, Taketo*, 1104

ribosomal protein, gene cloning, RNA polymerase α subunit, thermostability, *Thermus thermophilus*, *Wada, Yamazaki, Kuramitsu, Kyogoku*, 143

—, ribosome, 5S rRNA, RNA-protein complex (RNP), trypsinization, *Lin, Liu, Lin*, 1029

ribosome, 5S rRNA, ribosomal protein, RNA-protein complex (RNP), trypsinization, *Lin, Liu, Lin*, 1029

RNA editing, cloning, cytochrome b_6 , gene expression, *Mortierella, Kobayashi, Sakuradani, Shimizu*, 1094

RNA polymerase, cyanobacteria, bent DNA, *rpoD*, transcription, *Asayama, Hayasaka, Kabasawa, Shirai, Ohyama*, 460

RNA polymerase α subunit, gene cloning, ribosomal protein, thermostability, *Thermus thermophilus*, *Wada, Yamazaki, Kuramitsu, Kyogoku*, 143

RNA-protein complex (RNP), ribosome, 5S rRNA, ribosomal protein, trypsinization, *Lin, Liu, Lin*, 1029

rotavirus infection, combinatorial library, human antibody repertoire, phage display, recombinant Fab fragment, *Itoh, Nakagomi, Suzuki, Inoue, Tada, Suzuki*, 123

rpoD, cyanobacteria, bent DNA, RNA polymerase, transcription, *Asayama, Hayasaka, Kabasawa, Shirai, Ohyama*, 460

5S rRNA, ribosome, ribosomal protein, RNA-protein complex (RNP), trypsinization, *Lin, Liu, Lin*, 1029

RT-PCR, immunoprecipitation study, mismatch repair, PMS2L, yeast two-hybrid assay, *Kondo, Horii, Fukushige*, 818

RuvB, cDNA cloning, DNA helicase, helicase, p50, *Kikuchi, Gohshi, Kawahire, Tachibana, Yaneda, Isobe, Lim, Kohno, Ichimura, Omata, Horigome*, 487

—, cDNA cloning, DNA helicase, p47, RUVB-like protein, *Gohshi, Shimada, Kawahire, Imai, Ichimura, Omata, Horigome*, 939

RUVB-like protein, cDNA cloning, DNA helicase, p47, RuvB, *Gohshi, Shimada, Kawahire, Imai, Ichimura, Omata, Horigome*, 939

S

S3 subsite, aqualysin I, P3-specificity, serine protease, subtilisin, *Tanaka, Matsuzawa, Ohta*, 1016

Saccharomyces cerevisiae, COPII vesicle, ER protein degradation, *SAR1*, vesicular transport, *Saito, Yamanishi, Oka, Nakano*, 130

SAR1, COPII vesicle, ER protein degradation, *Saccharomyces cerevisiae*, vesicular transport, *Saito, Yamanishi, Oka, Nakano*, 130

Sarcophaga peregrina, apoptosis, cell proliferation, CNS remodeling, 20-hydroxyecdysone, *Fujii, Tanaka, Homma, Natori*, 613

sarcotoxin IA, artificial strong promoter, bacterial disease resistant plant, bactericidal peptide, transgenic plant, *Ohshima, Mitsuhashi, Okamoto, Sawano, Nishiyama, Kaku, Natori, Ohashi*, 431

Schizosaccharomyces pombe, His-Asp phosphorelay, response regulator, signal transduction, stress response, *Ohmiya, Kato, Yamada, Aiba, Mizuno*, 1061

SecA, *Bacillus subtilis*, Ffh, protein secretion, signal recognition particle, *Bunai, Yamada, Hayashi, Nakamura, Yamane*, 151

secretion defect, antithrombin, intracellular degradation, proteasome, quality control, *Shirotani, Tokunaga, Koide*, 253

SELEX, aptamer, *in vitro* selection, protease inhibitor, subtilisin, *Takeno, Yamamoto, Tanaka, Sakano, Kikuchi*, 1115

self-association, autoantigen, DNA binding, heterochromatin, HP1, *Yamada, Fukuda, Himeno, Sugimoto*, 832

senescence, dominant-negative p53, p21 mRNA, senescence-associated β -galactosidase, SV40 T antigen, *Fujii, Ide, Nakabayashi, Joguchi, Ogino, Ayusawa*, 531

senescence-associated β -galactosidase, dominant-negative p53, p21 mRNA, senescence, SV40 T antigen, *Fujii, Ide, Nakabayashi, Joguchi, Ogino, Ayusawa*, 531

serine protease, fibrinolysis, fibrinogen, inhibition, thrombogenesis, *Iwamori, Iwamori, Ito*, 594

—, aqualysin I, P3-specificity, S3 subsite, subtilisin, *Tanaka, Matsuzawa, Ohta*, 1016

serine-threonine kinase receptor, DPC4, Mad, Smad, TGF- β , *Kawabata, Miyazono*, 9

serum, ELISA, keratan sulfate, macular corneal dystrophy, sulfotransferase, *Hasegawa, Torii, Nagaoka, Nakayasu, Miyajima, Habuchi*, 245

SH2 domain, EGF receptor, Grb2/Ash, NMR, solution structure, *Tsuchiya, Ogura, Hatanaka, Nagata, Terasawa, Mandiyan, Schlessinger, Aimoto, Ohta, Inagaki*, 1151

shikinon, apoptosis, JNK, leukemia cells, MAP kinase, *Hashimoto, Xu, Masuda, Aiuchi, Nakajo, Cao, Miyakoshi, Ida, Nakaya*, 17

side chain packing, archaerhodopsin, bacteriorhodopsin, carboxyl group modification, *in vitro* refolding, *Sugiyama, Fujii, Mukohata*, 1144

signal recognition particle, *Bacillus subtilis*, Ffh, protein secretion, SecA, *Bunai, Yamada, Hayashi, Nakamura, Yamane*, 151

signal transduction, c-fos promoter, G protein, HEK-293 cells, MAP kinase, small GTPase, *Sun, Yamauchi, Kaziro, Itoh*, 515

—, His-Asp phosphorelay, response regulator, *Schizosaccharomyces pombe*, stress response, *Ohmiya, Kato, Yamada, Aiba, Mizuno*, 1061

—, diacylglycerol lipase, platelet, purification, *Moriyama, Urade, Kito*, 1077

single-chain antibody, protein activity, protein disulfide-isomerase, protein folding, protein synthesis *in vitro*, *Merk, Stiege, Tsumoto, Kumagai, Erdmann*, 328

site-directed mutagenesis, amino acid sequence, *Bacillus stearothermophilus*, expression, inorganic pyrophosphatase, *Satoh, Shinoda, Ishii, Koyama, Sakurai, Kaji, Hachimori, Irie, Samejima*, 48

—, *Bacillus stearothermophilus*, hydrophobic interaction, inorganic pyrophosphatase, thermostability, *Shinoda, Hattori, Shimizu, Samejima, Satoh*, 58

—, blue copper protein, ESR, multicopper oxidase, stellacyanin, *Shimizu, Sasaki, Kwon, Odaka, Satoh, Sakurai, Sakurai, Yamaguchi, Samejima*, 662

site-specific phosphorylated antibodies, actin, protein phosphatase 1, protein phosphatase 2A, vimentin, *Usui, Marriott, Inagaki, Swarup, Osada*, 960

Smad, DPC4, Mad, serine-threonine kinase receptor, TGF- β , *Kawabata, Miyazono*, 9

small-angle scattering, contrast variation, cytoplasmic polyhedrosis virus, neutron scattering, *Tomita, Hasegawa, Tsukihara, Miyajima, Nagao, Sato*, 916

small GTPase, c-fos promoter, G protein, HEK-293 cells, MAP kinase, signal transduction, *Sun, Yamauchi, Kaziro, Itoh*, 515

small intestine, arginase II, kidney, ornithine aminotransferase, ornithine decarboxylase, *Ozaki, Gotoh, Nagasaki, Miyazawa, Takeya, Fujiyama, Tomita, Mori*, 586

smooth muscle, cross-bridge, MLCK, myosin, phosphorylation, *Okagaki, Hayakawa, Samizo, Kohama*, 619

smooth muscle cell, angiogenesis, endothelial cell, endothelial cell growth inhibitor, macrophage, *Nakano, Higashiyama, Takashima, Tsuruoka, Klagsbrun, Taniguchi*, 368

smooth muscle regulation, affinity chromatography, myosin light chain phosphatase, protein kinase C, protein phosphatase 1, *Senba, Eto, Yazawa*, 354

SMPI, basic residues, disulfide bridge, metalloproteinase, reactive site loop, *Hiraga, Seeram, Tate, Tanaka, Kainosho, Oda*, 202

snake venom, amino acid sequences, disintegrins, platelet aggregation, protein purification, *Oshikawa, Terada*, 31

—, *Agiistrodon halys brevicaudus*, amino acid sequence, fibrinogenolytic, metalloprotease, *Terada, Hori, Fujimura, Kimoto*, 64

- S (cont'd)
- , apoptosis, hydrogen peroxide, L-amino acid oxidase, *Suhr, Kim*, 305
 - , amino acid sequence, phospholipase A₂, phospholipase A₂ inhibitor, plasma, *Ohkura, Kitahara, Inoue, Ikeda, Hayashi*, 375
 - SNARE, exocytosis, HPC-1, PC12h, syntaxin, *Watanabe, Fujiwara, Komazaki, Yamaguchi, Tajima, Akagawa*, 685
 - sodium alanine symporter family, amino acid transporter, fusion protein, overexpression, thermophilic alanine carrier, *Kanamori, Kamata, Yagisawa, Hirata*, 454
 - solid phase peptide synthesis, Aib (2-amino-isobutyric acid)-peptide, antimicrobial activity, ion channel activity, peptide chain aggregation, *Higashimoto, Kodama, Jelokhani-Niaraki, Kato, Kondo*, 705
 - solution structure, EGF receptor, Grb2/Ash, NMR, SH2 domain, *Tsuchiya, Ogura, Hatanaka, Nagata, Terasawa, Mandiyan, Schlessinger, Aimoto, Ohta, Inagaki*, 1151
 - spermatogenesis, embryonal carcinoma cell, retrovirus, ribonucleoprotein, testis, *Matsui, Breau, Iwasaki, Hagiwara, Tamai, Mori, Bloom, Jerry, Eddy, Taketo*, 1104
 - spermiogenesis, chromatin remodeling, DNA methylation, histone acetylation and deacetylation, transition proteins, *Kundu, Rao*, 217
 - sphingolipid ceramide *N*-deacylase (SCDase), ceramidase, ceramide, C12-NBD-ceramide, *Tani, Okino, Mitsutake, Ito*, 746
 - stellacyanin, blue copper protein, ESR, multicopper oxidase, site-directed mutagenesis, *Shimizu, Sasaki, Kwon, Odaka, Satoh, Sakurai, Sakurai, Yamaguchi, Samejima*, 662
 - Streptococcus pyogenes*, streptolysin S, toxin production, unique peptides, *Akao, Hashimoto, Kobashi, Hidaka*, 27
 - streptolysin S, *Streptococcus pyogenes*, toxin production, unique peptides, *Akao, Hashimoto, Kobashi, Hidaka*, 27
 - Streptomyces griseus* trypsin, mutant *Streptomyces* subtilisin inhibitor, protein refolding, refolding media selection, temporary inhibitor, *Nohara, Sugiura, Sakakibara, Matsubara, Kojima, Miura, Sakai*, 343
 - Streptoverticillium cinnamomeum*, phospholipase D (PLD), substrate specificity, transphosphatidylation, *Ogino, Negi, Matsunaga, Nakaoka, Kondo, Kuroda, Tokuyama, Kikkawa, Yamane, Fukuda*, 263
 - stress, apoptosis, ceramide, *N,N*-dimethyl-sphingosine, mesangial cell, *Sweeney, Igashiki*, 737
 - stress response, His-Asp phosphorelay, response regulator, *Schizosaccharomyces pombe*, signal transduction, *Ohmiya, Kato, Yamada, Aiba, Mizuno*, 1061
 - stromal cell, B-cell differentiation, early B-cell progenitor, hematopoietic stem cell, immunoglobulin gene rearrangement, *Matsuda, Koguma, Okuyama, Nakazawa, Matsuzaki, Nakuchi, Yanai, Terasaki, Obinata*, 602
 - subsite preferences, bacterial proteinase, carboxyl proteinase, kinetic property, pepstatin-insensitive, *Narutaki, Dunn, Oda*,
 - 75
 - substrate specificity, phospholipase D (PLD), *Streptoverticillium cinnamomeum*, transphosphatidylation, *Ogino, Negi, Matsunaga, Nakaoka, Kondo, Kuroda, Tokuyama, Kikkawa, Yamane, Fukuda*, 263
 - , enteropeptidase, lectin blotting, porcine duodenum, purification, *Matsushima, Ichinose, Yahagi, Tsukada-Kato, Miki, Omata, Kim, Ito, Takahashi, Sakurai, Tsuchiya, Athauda, Inoue, Takahashi*, 947
 - subtilisin, aqualysin I, P3-specificity, S3 subsite, serine protease, *Tanaka, Matsuzawa, Ohta*, 1016
 - , aptamer, *in vitro* selection, protease inhibitor, SELEX, *Takeno, Yamamoto, Tanaka, Sakano, Kikuchi*, 1115
 - subtilisin-like proprotein convertase, furin, PACE4, PC8, proalbumin processing, *Mori, Imamaki, Nagata, Yonetomi, Kiyokane-Yoshimoto, Martin, Gillespie, Nagahama, Tsuji, Matsuda*, 627
 - α_1 subunit, β_2 subunit, Ca^{2+} channel, cloning, guinea pig heart, *Ding, Kuroki, Kameyama, Yoshimura, Kameyama*, 750
 - β_2 subunit, α_1 subunit, Ca^{2+} channel, cloning, guinea pig heart, *Ding, Kuroki, Kameyama, Yoshimura, Kameyama*, 750
 - sugar chain, *Carica papaya*, glycoprotein, proteinase inhibitor, *Shimazaki, Makino, Omichi, Odani, Hase*, 560
 - sugar chains, brain, hexosaminidase, *Okamoto, Omichi, Yamanaka, Ikenaka, Hase*, 537
 - N-linked sugar chains, endo- β -mannosidase, enzyme, glycoprotein, lily, *Sasaki, Yamagishi, Mega, Norioka, Natsuwa, Hase*, 363
 - Sulfolobus solfataricus*, archaea, azide, hyperthermophile, superoxide dismutase, *Yamano, Maruyama*, 186
 - sulfotransferase, ELISA, keratan sulfate, macular corneal dystrophy, serum, *Hasegawa, Torii, Nagaoka, Nakayasu, Miyajima, Habuchi*, 245
 - superoxide, actin-binding protein, CR3, okadaic acid, phagocytes, *Nagaishi, Adachi, Kawanishi, Yamaguchi, Kasahara, Hayakawa, Suzuki*, 891
 - superoxide dismutase, archaea, azide, hyperthermophile, *Sulfolobus solfataricus*, *Yamano, Maruyama*, 186
 - , apoptosis, neurotrophic factor, oxygen radical, xanthine, *Satoh, Yamagata, Ishikawa, Yamada, Uchiyama, Hatanaka*, 952
 - SV40 T antigen, dominant-negative p53, p21 mRNA, senescence, senescence-associated β -galactosidase, *Fujii, Ide, Nakabayashi, Joguchi, Ogino, Ayusawa*, 531
 - synapsin I, brain, development, monoclonal antibody, neuron, *Harada, Takeuchi, Dohmae, Takio, Uenaka, Aoki, Inoue, Umeda*, 443
 - syntaxin, exocytosis, HPC-1, PC12h, SNARE, *Watanabe, Fujiwara, Komazaki, Yamaguchi, Tajima, Akagawa*, 685
- T
- taurocholate, bile acid, ileum, Na^+ -dependence, transporter, *Saeki, Matoba, Furukawa, Kirifuri, Kanamoto, Iwami*, 846
 - temporary inhibitor, mutant *Streptomyces* subtilisin inhibitor, protein refolding, re-
 - folding media selection, *Streptomyces griseus* trypsin, *Nohara, Sugiura, Sakakibara, Matsubara, Kojima, Miura, Sakai*, 343
 - terminal oxidase, aurachin C, cytochrome bd, cytochrome bo, ubiquinone, *Miyoshi, Takegami, Sakamoto, Mogi, Iwamura*, 138
 - testis, brain, heparin, phosphatidic acid, phospholipase, *Uchiyama, Miyazaki, Amakasu, Kuwata, Nakatani, Atsumi, Murakami, Kudo*, 1001
 - , embryonal carcinoma cell, retrovirus, ribonucleoprotein, spermatogenesis, *Matsui, Breau, Iwasaki, Hagiwara, Tamai, Mori, Bloom, Jerry, Eddy, Taketo*, 1104
 - tetanus toxin, ecto-acceptors, expression, heavy chain, reconstitution, *Li, Aoki, Dolly*, 1200
 - tetrameric enzyme, carbonyl reductase, drug-metabolizing enzyme, rabbit heart, redox cycling, *Imamura, Migita, Otagiri, Choshi, Hibino*, 41
 - TFPI, gene expression, hepatocytes, HUVEC, thrombosis, *Hine, Enyoji, Kokame, Nakamura, Takei, Kamikubo, Sueishi, Kato*, 1039
 - TGF- β , DPC4, Mad, serine-threonine kinase receptor, Smad, *Kawabata, Miyazono*, 9
 - TGGE, imidazole as a DNA denaturant, *in vitro* selection, ligand-induced melting, melting temperature of DNA, *Eli, Ariyama, Nishigaki, Husimi*, 790
 - thermophilic alanine carrier, amino acid transporter, fusion protein, overexpression, sodium alanine symporter family, *Kanamori, Kamata, Yagisawa, Hirata*, 454
 - thermostability, *Bacillus stearothermophilus*, hydrophobic interaction, inorganic pyrophosphatase, site-directed mutagenesis, *Shinoda, Hattori, Shimizu, Samejima, Satoh*, 58
 - , gene cloning, ribosomal protein, RNA polymerase α subunit, *Thermus thermophilus*, *Wada, Yamazaki, Kuramitsu, Kyogoku*, 143
 - , aggregation, deletion, inorganic pyrophosphatase, *Thermus thermophilus*, *Satoh, Oshida, Ono, Hattori, Ohta, Watanabe, Shinoda, Takahashi, Lee, Samejima*, 858
 - Thermus thermophilus*, carboxyterminal deletion, mutant enzyme, orotate phosphoribosyltransferase, protein thermostability, *Hamana, Shinozawa*, 109
 - , gene cloning, ribosomal protein, RNA polymerase α subunit, thermostability, *Wada, Yamazaki, Kuramitsu, Kyogoku*, 143
 - Thermus thermophilus*, aggregation, deletion, inorganic pyrophosphatase, thermostability, *Satoh, Oshida, Ono, Hattori, Ohta, Watanabe, Shinoda, Takahashi, Lee, Samejima*, 858
 - thrombogenesis, fibrinolysis, fibrinogen, inhibition, serine protease, *Iwanori, Iwanori, Ito*, 594
 - thrombosis, gene expression, hepatocytes, HUVEC, TFPI, *Hine, Enyoji, Kokame, Nakamura, Takei, Kamikubo, Sueishi, Kato*, 1039
 - tissue distribution, mitochondria, protein transport, Tom20, Tom34, *Chewawiwat*,

T (cont'd)

Yano, Terada, Hoogenraad, Mori, 721
 tissue specificity, gene structure and regulation, hepatocyte, Hex, homeobox, *Myint, Inazu, Tanaka, Yamada, Keng, Inoue, Kuriyama, Noguchi*, 795
Tom20, mitochondria, protein transport, tissue distribution, *Tom34, Chewawiwat, Yano, Terada, Hoogenraad, Mori*, 721
Tom34, mitochondria, protein transport, tissue distribution, *Tom20, Chewawiwat, Yano, Terada, Hoogenraad, Mori*, 721
 toxin production, *Streptococcus pyogenes, streptolysin S, unique peptides, Akao, Hashimoto, Kobashi, Hidaka*, 27
 transcription, cyanobacteria, bent DNA, RNA polymerase, *rpoD, Asayama, Hayasaka, Kabasawa, Shirai, Ohyama*, 460
 transfection, cationic liposomes, cationic particles, *Yu, Shimoyama, Uneda, Obika, Miyashita, Doi, Imanishi*, 1034
 transgenic plant, artificial strong promoter, bacterial disease resistant plant, bactericidal peptide, sarcotoxin IA, *Oshima, Mitsuhashi, Okamoto, Sawano, Nishiyama, Kaku, Natori, Ohashi*, 431
 transglutaminase, baculovirus, calcium, calpain, guanine nucleotide, *Hitomi, Kanehiro, Ikura, Maki*, 1048
 transition proteins, chromatin remodeling, DNA methylation, histone acetylation and deacetylation, spermiogenesis, *Kundu, Rao*, 217
 transition state complex, energy transduction, myosin ATPase, phosphate analogue, X-ray scattering, *Maruta, Uyehara, Homma, Sugimoto, Wakabayashi*, 177
 transphosphatidylation, phospholipase D (PLD), *Streptovorticillium cinnamoneum*, substrate specificity, *Ogino, Negi, Matsunaga, Nakao, Kondo, Kuroda, Tokuyama, Kikkawa, Yamane, Fukuda*, 263
 transporter, bile acid, ileum, Na⁺-dependence, taurocholate, *Saeki, Matoba, Furukawa, Kirifuiji, Kanamoto, Iwami*, 846
 triacsin, acyl-CoA synthetase inhibitor, cholesterol ester, macrophage-derived foam cell formation, triacylglycerol, *Namatame, Tomoda, Arai, Inoue, Omura*, 319
 triacylglycerol, acyl-CoA synthetase inhibitor, cholesterol ester, macrophage-derived foam cell formation, triacsin, *Namatame, Tomoda, Arai, Inoue, Omura*, 319
Trichoderma reesei, cellulase, cellulolytic fungi, β -glucosidase, *Humicola grisea, Takashima, Nakamura, Hidaka, Masaki, Uozumi*, 728
 triple helix, collagen, hydration, hydroxyproline, model peptide, *Nagarajan, Kamitori, Okuyama*, 310
 trypsin, APP, cancer, tumor invasion, zymography, *Miyata, Koshikawa, Higashi, Miyagi, Nagashima, Yanoma, Kato, Yasumitsu, Miyazaki*, 1067
 trypsinization, ribosome, 5S rRNA, ribosomal protein, RNA-protein complex (RNP), *Lin, Liu, Lin*, 1029
 tubulin, calponin, chemical cross-linking, interaction, MALDI-TOF/MS, *Fujii, Kozumi*, 869

tumor invasion, APP, cancer, trypsin, zymography, *Miyata, Koshikawa, Higashi, Miyagi, Nagashima, Yanoma, Kato, Yasumitsu, Miyazaki*, 1067
 type IV collagen, aortic smooth muscle cell, cell proliferation, gel culture, myofibroblast, *Hirose, Kosugi, Nakazato, Hayashi*, 991
 tyrosinase, calnexin, melanocyte, melanogenesis, melanin, *Toyoefuku, Wada, Hiroaki, Park, Hori, Jimbow*, 82

U

UBC9, *Drosophila, Groucho, ubiquitin-like proteins, yeast two-hybrid, Ohsako, Takamatsu*, 230
 ubiquinol oxidase, FTIR, cytochrome bd, redox difference spectra, protein backbone change, *Yamazaki, Kandori, Mogi*, 1131
 ubiquinone, aurachin C, cytochrome bd, cytochrome bo, terminal oxidase, *Miyoshi, Takegami, Sakamoto, Mogi, Iwamura*, 138
 ubiquitin, cell cycle control, proteolysis, ubiquitin-conjugating enzyme, ubiquitin-ligase, *Yamao*, 223
 ubiquitin-conjugating enzyme, cell cycle control, proteolysis, ubiquitin, ubiquitin-ligase, *Yamao*, 223
 ubiquitin-ligase, cell cycle control, proteolysis, ubiquitin, ubiquitin-conjugating enzyme, *Yamao*, 223
 ubiquitin-like proteins, *Drosophila, Groucho, UBC9, yeast two-hybrid, Ohsako, Takamatsu*, 230
 unique peptides, *Streptococcus pyogenes, streptolysin S, toxin production, Akao, Hashimoto, Kobashi, Hidaka*, 27

V

V_o-liposomes, *Enterococcus hirae*, Na⁺ pumping properties, Na⁺-translocating ATPase, vacuolar ATPase, *Murata, Takase, Yamato, Igarashi, Kakinuma*, 414
 Vac A toxin, baflomycin A1, cathepsins, processing, proteinase inhibitors, *Ishidoh, Takeda-Ezaki, Watanabe, Sato, Aihara, Imagawa, Kikuchi, Kominami*, 770
 vacuolar ATPase, *Enterococcus hirae*, Na⁺ pumping properties, Na⁺-translocating ATPase, V_o-liposomes, *Murata, Takase, Yamato, Igarashi, Kakinuma*, 414
 very late antigen, integrin, genomic cloning, oncogenic transformation, adhesion molecule, *Tsuji, Han, Takeuchi, Takahashi, Hakomori, Irimura*, 1183
 vesicular transport, COPII vesicle, ER protein degradation, *Saccharomyces cerevisiae, SAR1, Saito, Yamanishi, Oka, Nakano*, 130

—, dynamin, endocytosis, trans-Golgi network, *Kasai, Shin, Shinotsuka, Murakami, Nakayama*, 780
Vibrio parahaemolyticus, chitin degradation, cytoplasmic chitobiase, DNA sequence, homology, *Wu, Laine*, 1086
 vimentin, actin, protein phosphatase 1, protein phosphatase 2A, site-specific phosphorylated antibodies, *Usui, Marriott, Inagaki, Swarup, Osada*, 960

W

wortmannin, JNK, MAPK, NGF, *zif268*,

Kumahara, Ebihara, Saffen, 541

X

xanthine, apoptosis, neurotrophic factor, oxygen radical, superoxide dismutase, *Satoh, Yamagata, Ishikawa, Yamada, Uchiyama, Hatanaka*, 952

Xenopus laevis, DNA methyltransferase, nuclear localization, oogenesis, *Kimura, Suetake, Tajima*, 1175

xeroderma pigmentosum, NMR, nucleotide excision repair, relaxation, XPA, *Ikegami, Kuraoka, Saijo, Kodo, Kyogoku, Morikawa, Tanaka, Shirakawa*, 495

XPA, NMR, nucleotide excision repair, relaxation, xeroderma pigmentosum, *Ikegami, Kuraoka, Saijo, Kodo, Kyogoku, Morikawa, Tanaka, Shirakawa*, 495

XPO1/CRM1, mitotic delay, nuclear export, *YRB1/2, Noguchi, Saitoh, Sazer, Nishimoto*, 574

X-ray crystallography, amyloidosis, Bence-Jones protein, fibril model, *Steinrauf, Chiang, Shiuan*, 422

—, crystallization, family B DNA polymerase, hyperthermophilic archaeon, polymerase chain reaction, *Hashimoto, Matsunoto, Nishioka, Yuasa, Takeuchi, Inoue, Fujiwara, Takagi, Imanaka, Kai*, 983

X-ray diffraction, crystallization, replication initiator protein, RepE, mini-F plasmid, *Komori, Sasai, Matsunaga, Wada, Miki*, 24

X-ray scattering, energy transduction, myosin ATPase, phosphate analogue, transition state complex, *Maruta, Uyehara, Homma, Sugimoto, Wakabayashi*, 177

Y

yeast, cerulenin, cytochrome P450, ER chaperones, ER proliferation, *IRE1, Takewaka, Zimmer, Hirata, Ohta, Takagi*, 507

yeast *Saccharomyces cerevisiae*, NA helicase, DNA polymerase α -primase, DNA topoisomerase, highly unwound DNA, *Kanimura, Kawasaki, Ohara, Sugino*, 236

yeast two-hybrid, *Drosophila, Groucho, UBC9, ubiquitin-like proteins, Ohsako, Takamatsu*, 230

yeast two-hybrid assay, immunoprecipitation study, mismatch repair, PMS2L, RT-PCR, *Kondo, Horii, Fukuhige*, 818

YRB1/2, mitotic delay, nuclear export, XPO1/CRM1, *Noguchi, Saitoh, Sazer, Nishimoto*, 574

Z

zebrafish, embryo, fucosyltransferase, gene cloning, *Lewis x, Kageyama, Natsuka, Hase*, 838

zeta-potential, lipid bilayer, liposome, phospholipase A₁, (*Naja mossambica mossambica*), phosphatidylcholine, *Yamauchi, Hayashi, Yamamoto*, 853

zif268, JNK, MAPK, NGF, wortmannin, *Kumahara, Ebihara, Saffen*, 541

zymography, APP, cancer, trypsin, tumor invasion, *Miyata, Koshikawa, Higashi, Miyagi, Nagashima, Yanoma, Kato, Yasumitsu, Miyazaki*, 1067



