

INDEX TO AUTHORS

A

- Abe, K. See *Yasuoka, Endo, Asano-Miyoshi, and Emori*, 866
 Adachi, C. See *Hagiwara, Naruse, Inoue, Hiruma, Otsuka, Naruse, Demura, and Hirose*, 168
 Adachi, E. See *Suzuki, Someki, Irie, and Hattori*, 54
 Adamiak, R. See *Wyszko, Fuerste, Barciszewska, Szymanski, Erdmann, and Barciszewski*, 326
 Aiuchi, T. See *Kawazoe, Masuda, Nakajo, and Nakaya*, 278
 Akaba, S., Seo, M., Dohmae, N., Takio, K., Sekimoto, H., Kamiya, Y., Furuya, N., Komano, T., and Koshiba, T. Production of Homo- and Hetero-Dimeric Isozymes from Two Aldehyde Oxidase Genes of *Arabidopsis thaliana*, 395
 Akasaka, K. See *Sasakawa, Tamura, Fujimaki, and Taguchi*, 859
 Amada, K. See *Mizuguchi, Haruki, Imanaka, Morikawa, and Kanaya*, 731
 Amae, S. See *Fuse, Yasumoto, Takeda, Yoshizawa, Udon, Takahashi, Tamai, Tomita, Tachibana, and Shibahara*, 1043
 Amaya, Y. See *Oda, Fukushi-Irié, Kinameri, Ohsuye, Kubota, Fujimura, and Kobayashi*, 694
 Amin, M. See *Manzoor and Khan*, 776
 Andjelkovic, M. See *Konishi, Fujiyoshi, Fukui, Matsuzaki, Yamamoto, Ono, Hemmings, and Kikkawa*, 1136
 Ångström, J. See *Lanne and Schierbeck*, 226
 Aoki, F., Nakabayashi, K., Wataya, Y., Kankawa, S., Kaneda, S., Ayusawa, D., and Seno, T. Defective DNA Replication and Repair Associated with Decreases in Deoxyribonucleotide Pools in a Mouse Cell Mutant with Thermolabile Ubiquitin-Activating Enzyme E1, 845
 Aoki, K. See *Ishida, Yoshioka, Iida, Sudo, Miura, and Kawakita*, 1107
 —, Sun-Wada, G.-H., Segawa, H., Yoshioka, S., Ishida, N., and Kawakita, M. Expression and Activity of Chimeric Molecules between Human UDP-Galactose Transporter and CMP-Sialic Acid Transporter, 940
 Aoki, Y. See *Shimokawa, Masutani, Nagasawa, Nozaki, Ikota, Nakagama, and Sugimura*, 748
 Aoyama, Y. See *Nitahara, Horiuchi, Noshiro, and Yoshida*, 927
 Arima, K. See *Yonezawa, Uchikoba, Shima- da, and Kaneda*, 26
 Arioka, M. See *Wakatsuki, Dohmae, Takio, Yamasaki, and Kitamoto*, 1151
 Asano, Masahiro. See *Shimo, Nakanishi, Nishida, Kanyama, Kuboki, Tamatani, Tezuka, Takemura, Matsumura, and Taki- gawa*, 137
 Asano, Minao, Suzuki, S., Kawai, M., Miwa, T., and Shibai, H. Characterization of Novel Cysteine Proteases from Germinat-

- ing Cotyledons of Soybean [*Glycine max* (L.) Merrill], 296
 Asano-Miyoshi, M. See *Yasuoka, Endo, Abe, and Emori*, 866
 Asayama, M. See *Nishizawa, Fujii, Harada, and Shirai*, 520
 Ayusawa, D. See *Aoki, Nakabayashi, Wata- ya, Kankawa, Kaneda, and Seno*, 845
 —. See *Michishita, Nakabayashi, Suzuki, Kaul, Ogino, Fujii, and Mitsui*, 1052

B

- Baek, S.H. See *Kawakami, Suzuki, Chung, Kawasaki, Hirano, Ichiyama, Omata, and Tanaka*, 612
 Bando, M. See *Tsuji, Yoshida, Hasegawa, Yoshida, Koide, Mori, and Matsuda*, 494
 Barath, P. See *Li, Hodny, Zaid, and Nelson*, 130
 Barciszewska, M. See *Wyszko, Fuerste, Szymanski, Adamiak, Erdmann, and Barciszewski*, 326
 Barciszewski, J. See *Wyszko, Fuerste, Barciszewska, Szymanski, Adamiak, and Erdmann*, 326
 Bätge, B. See *Gebken, Lüders, Notbohm, Klein, Brinckmann, and Müller*, 676
 Bauchart, D. See *Gruffat-Mouty, Graulet, Durand, and Samson-Bouma*, 188
 Bertoli, E. See *D'Auria, Nucci, Rossi, Tanfani, Gryczynski, Malak, and Lakowicz*, 545
 Brinckmann, J. See *Gebken, Lüders, Notbohm, Klein, Müller, and Bätge*, 676
 Brzezinski, R. See *Honda, Kirihata, Fukamizo, Kaneko, and Tokuyasu*, 470

C

- Chang, B.-Y. See *Liao, Wang, Yang, and Chen*, 461
 Chen, J.-P. See *Liao, Wang, Yang, and Chang*, 461
 Chen, J.-W. See *Lu and Huang*, 302
 Chiba, Y. See *Ishida, Yoshioka, Takeuchi, and Kawakita*, 68
 Cho, Y.-D. See *Park*, 996
 Choi, S.-K. See *Shin and Park*, 333
 Choi, Y.-H. See *Kim, Sohn, Jeong, Pak, Park, Park, Lee, Han, Yu, and Lee*, 320
 Chuman, Y. See *Shirasu, Kuromizu, Nakao, Nose, Costa, and Shimohigashi*, 254
 Chung, C.H. See *Kawakami, Suzuki, Baek, Kawasaki, Hirano, Ichiyama, Omata, and Tanaka*, 612
 Costa, T. See *Fujita, Nose, Nakajima, Inoue, and Shimohigashi*, 174
 —. See *Shirasu, Kuromizu, Nakao, Chuman, Nose, and Shimohigashi*, 254
 Cox, J.A. See *Yuasa and Takagi*, 572

D

- D'Auria, S., Nucci, R., Rossi, M., Bertoli, E., Tanfani, F., Gryczynski, I., Malak, H., and Lakowicz, J.R. β -Glycosidase from the Hyperthermophilic Archaeon *Sulfolobus*

- solfataricus*: Structure and Activity in the Presence of Alcohols, 545

- Deligeer. See *Kobayashi, Tagawa, and Suzuki*, 408

- Demura, H. See *Hagiwara, Naruse, Adachi, Inoue, Hiruma, Otsuka, Naruse, and Hirose*, 168

- Denda, Kaori. See *Irimura, Iida, Takeuchi, and Kato*, 975

- Denda, Kimitoshi. See *Shimomura, Kawaguchi, Matsumoto, Miyazawa, and Kitamura*, 821

- Dohmae, N. See *Akaba, Seo, Takio, Sekimoto, Kamiya, Furuya, Komano, and Koshiba*, 395

- . See *Wakatsuki, Arioka, Takio, Yamasaki, and Kitamoto*, 1151

- Durand, D. See *Gruffat-Mouty, Graulet, Samson-Bouma, and Bauchart*, 188

E

- Eda, M. See *Toraya, Yoshizawa, and Yama- be*, 650

- Emori, Y. See *Yasuoka, Endo, Asano- Miyoshi, and Abe*, 866

- Endo, K. See *Yasuoka, Asano-Miyoshi, Abe, and Emori*, 866

- Endo, T. See *Yamada, Kurata, Hirata, Taniguchi, Takama, Furihata, Shiratori, Iida, Takagi-Sakuma, Watanabe, Kuro- saki, and Suga*, 1013

- Erdmann, V.A. See *Wyszko, Fuerste, Barciszewska, Szymanski, Adamiak, and Barciszewski*, 326

- Esaki, N. See *Watanabe, Yoshimura, and Mikami*, 781

F

- Fidelio, G.D. See *Madoery and González Gattone*, 1060

- Finnegan, M.G. See *Fujii and Johnson*, 708
 Fuerste, J.-P. See *Wyszko, Barciszewska, Szymanski, Adamiak, Erdmann, and Barciszewski*, 326

- Fujii, C., Morii, S., Kadode, M., Sawamoto, S., Iwami, M., and Itagaki, E. Essential Tyrosine Residues in 3-Ketosteroid- Δ^1 -Dehydrogenase from *Rhodococcus rhodochrous*, 662

- Fujii, H., Finnegan, M.G., and Johnson, M.K. The Active Form of the Ferric Heme in Neutrophil Cytochrome b_{559} Is Low-Spin in the Reconstituted Cell-Free System in the Presence of Amphophil, 708

- Fujii, J. See *Hamaoka, Miyagawa, Taka- hashi, Kishimoto, Moriwaki, Yamamoto, Kajimoto, Yamasaki, Hanafusa, Matsuzawa, and Taniguchi*, 41

- Fujii, K. See *Nishizawa, Asayama, Harada, and Shirai*, 520

- Fujii, M. See *Michishita, Nakabayashi, Suzuki, Kaul, Ogino, Mitsui, and Ayu- sawa*, 1052

- Fujii, S., Ogata, K., Inoue, B., Inoue, S., Murakami, M., Iwama, S., Katsumura, S.,

F (cont'd)

- Tomita, M., Tamura, H., Tsukamoto, K., Ikezawa, H., and Ikeda, K. Roles of Asp126 and Asp156 in the Enzyme Function of Sphingomyelinase from *Bacillus cereus*, 90
 Fujimaki, S. See *Sasahara, Tamura, Taguchi, and Akasaka*, 859
 Fujimura, S. See *Oda, Amaya, Fukushi-Irié, Kinameri, Ohsuye, Kubota, and Kobayashi*, 694
 Fujisawa, H. See *Kameshita, Taketani, and Ishida*, 991
 Fujise, Y. See *Li, Matsuda, and Ichiyama*, 243
 Fujita, T., Nose, T., Nakajima, M., Inoue, Y., Costa, T., and Shimohigashi, Y. Design and Synthesis of *para*-Fluorophenylalanine Amide Derivatives as Thrombin Receptor Antagonists, 174
 Fujiwara, K., Masuyama, Y., Yagisawa, S., Tanabe, T., Yabuuchi, M., and Tsuru, D. Histamine Monoclonal Antibody for Brain Immunocytochemistry, 503
 Fujiwara, K., Murata, I., Yagisawa, S., Tanabe, T., Yabuuchi, M., Sakakibara, R., and Tsuru, D. Glutaraldehyde (GA)-Hapten Adducts, but without a Carrier Protein, for Use in a Specificity Study on an Antibody against a GA-Conjugated Hapten Compound: Histamine Monoclonal Antibody (AHA-2) as a Model, 1170
 Fujiwara, S. See *Mizuguchi, Nakatsuji, Takagi, and Imanaka*, 762
 Fujiyoshi, T. See *Konishi, Fukui, Matsuzaki, Yamamoto, Ono, Andjelkovic, Hemmings, and Kikkawa*, 1136
 Fukamizo, T. See *Honda, Kirihata, Kaneko, Tokuyasu, and Brzezinski*, 470
 Fukuda, H. and Iritani, N. Regulation of ATP Citrate-Lyase Gene Expression in Hepatocytes and Adipocytes in Normal and Genetically Obese Rats, 437
 Fukudome, K. See *Yamazaki, Shikamoto, Kimoto, and Morita*, 655
 Fukui, K. See *Konishi, Torii, Yamamoto, Miyagi, Ohta, Hanamoto, Matsuno, Komatsu, Kodama, and Katayama*, 287
 Fukui, Y. See *Konishi, Fujiyoshi, Matsuzaki, Yamamoto, Ono, Andjelkovic, Hemmings, and Kikkawa*, 1136
 Fukukawa, C. See *Takahashi, Naraoka, Katoh, and Yazawa*, 34
 Fukuoka, M. See *Ozawa, Shimizu, Katoh, Miyajima, Ohno, Matsumoto, Tang, Lang, and Kadlubar*, 271
 Fukushi-Irié, M. See *Oda, Amaya, Kinameri, Ohsuye, Kubota, Fujimura, and Kobayashi*, 694
 Fukuyama, K. See *Nakagawa, Sugahara, Masui, Kato, and Kuramitsu*, 986
 Furihata, T. See *Yamada, Kurata, Hirata, Taniguchi, Takama, Shiratori, Iida, Takagi-Sakuma, Watanabe, Kurosaki, Endo, and Suga*, 1013
 Furuya, N. See *Akaba, Seo, Dohmae, Takio, Sekimoto, Kamiya, Komano, and Koshiba*, 395
 Fuse, N., Yasumoto, K., Takeda, K., Amae, S., Yoshizawa, M., Udon, T., Takahashi, K., Tamai, M., Tomita, Y., Tachibana, M., and Shibahara, S. Molecular Cloning of

cDNA Encoding a Novel Microphthalmia-Associated Transcription Factor Isoform with a Distinct Amino-Terminus, 1043

G

- Gebken, J., Lüders, B., Notbohm, H., Klein, H.H., Brinckmann, J., Müller, P.K., and Bätge, B. Hypergravity Stimulates Collagen Synthesis in Human Osteoblast-Like Cells: Evidence for the Involvement of p44/42 MAP-Kinases (ERK 1/2), 676
 González Gattone, C. See *Madoery and Fidelio*, 1060
 Goso, Y., Ishihara, K., Kurihara, M., Sugaya, T., and Hotta, K. Rat Gastric Mucins Recognized by Monoclonal Antibodies RGM21 and HIK1083: Isolation of Mucin Species Characteristic of the Surface and Glandular Mucosa, 375
 Gotoh, O. See *Ishida, Kuruta, Yamashita, Yoshida, and Noshiro*, 19
 Graulet, B. See *Gruffat-Mouty, Durand, Samson-Bouna, and Bauchart*, 188
 Gruffat-Mouty, D., Graulet, B., Durand, D., Samson-Bouna, M.-E., and Bauchart, D. Apolipoprotein B Production and Very Low Density Lipoprotein Secretion by Calf Liver Slices, 188
 Gryczynski, I. See *D'Auria, Nucci, Rossi, Bertoli, Tansfani, Malak, and Lakowicz*, 545
 Guo, C.-T., Nakagomi, O., Mochizuki, M., Ishida, H., Kiso, M., Ohta, Y., Suzuki, T., Miyamoto, D., Hidari, K.I.-P.J., and Suzuki, Y. Ganglioside GM₁ on the Cell Surface Is Involved in the Infection by Human Rotavirus KUN and MO Strains, 683

H

- Hagiwara, H., Naruse, M., Adachi, C., Inoue, A., Hiruma, Y., Otsuka, E., Naruse, K., Demura, H., and Hirose, S. Ipriflavone Down-Regulates Endothelin Receptor Levels during Differentiation of Rat Calvarial Osteoblast-Like Cells, 168
 Hamada, Y. See *Takahashi, Nakamura, and Nakazawa*, 804
 Hamakawa, N. See *Taguchi, Maekawa, and Ikezawa*, 421
 Hamaoka, R., Fujii, J., Miyagawa, J., Takahashi, M., Kishimoto, M., Moriwaki, M., Yamamoto, K., Kajimoto, Y., Yamasaki, Y., Hanafusa, T., Matsuzawa, Y., and Taniguchi, N. Overexpression of the Aldose Reductase Gene Induces Apoptosis in Pancreatic β -Cells by Causing a Redox Imbalance, 41
 Han, Y.-M. See *Kim, Sohn, Jeong, Pak, Park, Park, Lee, Choi, Lee, Yu, and Lee*, 320
 Hanafusa, T. See *Hamaoka, Fujii, Miyagawa, Takahashi, Kishimoto, Moriwaki, Yamamoto, Kajimoto, Yamasaki, Matsuzawa, and Taniguchi*, 41
 Hanamoto, S. See *Konishi, Torii, Yamamoto, Miyagi, Ohta, Fukui, Matsuno, Komatsu, Kodama, and Katayama*, 287
 Harada, Keita. See *Morimoto and Ohtsuki*, 121
 Harada, Ken-ichi. See *Nishizawa, Asayama, Fujii, and Shirai*, 520
 Haruki, M. See *Mizuguchi, Amada, Imanaka, Morikawa, and Kanaya*, 731

Hase, S. See *Ohashi, Iwai, and Mega*, 852
 —. See *Nakakita, Menon, Natsuka, and Ikenaka*, 1161

Hasegawa, K. See *Naito, Ikeda, Oka, Uemura, Kawasaki, and Kawasaki*, 1004

Hasegawa, S. See *Tsuji, Yoshida, Bando, Yoshida, Koide, Mori, and Matsuda*, 494

Hashimoto, E. See *Tsuji, Ikoma, Taniguchi, Mori, Nagahama, and Matsuda*, 591

Hashimoto, Y. See *Kunichika and Imoto*, 584

Hattori, S. See *Suzuki, Someki, Adachi, and Irie*, 54

Hayashi, R. See *Jung and Ueno*, 1

Hayashi, T. See *Hori, Nembai, Miyata, Ueno, and Koide*, 722

Hayashi, Y. See *Hori, Iwasaki, Kurahashi, Matsumura, and Nishino*, 829

Hemmings, B.A. See *Konishi, Fujiyoshi, Fukui, Matsuzaki, Yamamoto, Ono, Andjelkovic, and Kikkawa*, 1136

Hidari, K.I.-P.J. See *Guo, Nakagomi, Mochizuki, Ishida, Kiso, Ohta, Suzuki, Miyamoto, and Suzuki*, 683

Himukai, R., Kuzuhara, T., and Horikoshi, M. Relationship between the Subcellular Localization and Structures of Catalytic Domains of FKBP-Type PPIases, 879

Hiraishi, H., Yokoi, F., and Kumon, A. Bovine Liver Phosphoamidase as a Protein Histidine/Lysine Phosphatase, 368

Hirako, Y. See *Okumura, Uematsu, Nishizawa, Shimizu, Kido, and Owaribe*, 1144

Hiramoto, S. See *Takahashi, Wato, Nishimoto, Wada, Nagai, and Yamaguchi*, 838

Hirano, H. See *Kawakami, Suzuki, Baek, Chung, Kawasaki, Ichiyama, Omata, and Tanaka*, 612

Hirata, M. See *Yamada, Kurata, Taniguchi, Takama, Furihata, Shiratori, Iida, Takagi-Sakuma, Watanabe, Kurosaki, Endo, and Suga*, 1013

Hirose, S. See *Hagiwara, Naruse, Adachi, Inoue, Hiruma, Otsuka, Naruse, and Demura*, 168

Hiruma, Y. See *Hagiwara, Naruse, Adachi, Inoue, Otsuka, Naruse, Demura, and Hirose*, 168

Hodny, Z. See *Li, Zaid, Barath, and Nelson*, 130

Homma, K. See *Iijima, Yamaguchi, and Natori*, 912

Honda, Y., Kirihata, M., Fukamizo, T., Kaneko, S., Tokuyasu, K., and Brzezinski, R. Chitosanase-Catalyzed Hydrolysis of 4-Methylumbelliferyl β -Chitotrioside, 470

Honjo, T. See *Minoguchi, Ikeda, Itohara, Kaneko, and Okuchi*, 738

Hori, Hiroshi. See *Tsubaki and Mogi*, 98
 —. See *Tsubaki and Mogi*, 510

—. See *Kominami, Yamazaki, and Koga*, 756
 —, Nembai, T., Miyata, Y., Hayashi, T., Ueno, K., and Koide, T. Isolation and Characterization of Two 20S Proteasomes from the Endoplasmic Reticulum of Rat Liver Microsomes, 722

Hori, Hiroyuki. See *Miyoshi, Youlani, Ide, Okamoto, Ishikawa, Wakiyama, Nishino, Ishida, and Miura*, 897

—, Iwasaki, T., Hayashi, Y., Kurahashi, Y., Matsumura, T., and Nishino, T. Inhibition of Neuronal Nitric Oxide Synthase by Phosphatidylinositol 4,5-Bisphosphate and

H (cont'd)

Phosphatidic Acid, 829
 Hori, M. See *Iwata, Sakai, Uchida, Towari, and Kido*, 485
 Horigome, T. See *Shimada, Saito, Katakai, Shimizu, Ichimura, and Omata*, 1033
 Horikoshi, M. See *Himukai and Kuzuhara*, 879
 Horiuchi, T. See *Nitahara, Aoyama, Noshiro, and Yoshida*, 927
 Hoseki, J., Yano, T., Koyama, Y., Kuramitsu, S., and Kagamiyama, H. Directed Evolution of Thermostable Kanamycin-Resistance Gene: A Convenient Selection Marker for *Thermus thermophilus*, 951
 Hoshino, T. See *Miura, Ohgiya, Nemoto, Odaira, Nitta, and Tsuda*, 387
 Hosoya, R. See *Itabe, Karasawa, Jimi, Saku, Takebayashi, Imanaka, and Takanobu*, 153
 Hotta, K. See *Goso, Ishihara, Kurihara, and Sugaya*, 375
 Huang, F. See *Lu and Chen*, 302

I

Ichimura, T. See *Shimada, Saito, Katakai, Shimizu, Omata, and Horigome*, 1033
 Ichiyama, A. See *Li, Matsuda, and Fujise*, 243
 —. See *Kawakami, Suzuki, Baek, Chung, Kawasaki, Hirano, Omata, and Tanaka*, 612
 Ide, H. See *Miyoshi, Youtani, Hori, Okamoto, Ishikawa, Wakiyama, Nishino, Ishida, and Miura*, 897
 Igarashi, Y. See *Yang, Yatomi, Satoh, and Ozaki*, 84
 Iida, M. See *Ishida, Yoshioka, Sudo, Miura, Aoki, and Kawakita*, 1107
 Iida, N. See *Yamada, Kurata, Hirata, Taniguchi, Takama, Furihata, Shiratori, Takagi-Sakuma, Watanabe, Kurosaki, Endo, and Suga*, 1013
 Iida, S. See *Irimura, Denda, Takeuchi, and Kato*, 975
 Iijima, R., Yamaguchi, S., Homma, K., and Natori, S. Stage-Specific Inhibition of *Xenopus* Embryogenesis by Aprotinin, a Serine Protease Inhibitor, 912
 Ikeda, A. See *Naito, Hasegawa, Oka, Uemura, Kawasaki, and Kawasaki*, 1004
 Ikeda, K. See *Fujii, Ogata, Inoue, Inoue, Murakami, Iwama, Katsumura, Tomita, Tamura, Tsukamoto, and Ikezawa*, 90
 Ikeda, T. See *Minoguchi, Itohara, Kaneko, Okaichi, and Honjo*, 738
 Ikeda, Y. See *Miyagawa, Nakai, Yamada, Tanemura, Taniguchi, and Shirakura*, 1067
 Ikenaka, K. See *Nakajima, Menon, Natsuka, and Hase*, 1161
 Ikezawa, H. See *Fujii, Ogata, Inoue, Inoue, Murakami, Iwama, Katsumura, Tomita, Tamura, Tsukamoto, and Ikeda*, 90
 —. See *Taguchi, Hamakawa, and Maekawa*, 421
 Ikoma, T. See *Tsuji, Hashimoto, Taniguchi, Mori, Nagahama, and Matsuda*, 591
 Ikota, N. See *Shinokawa, Masutani, Nagasawa, Nozaki, Aoki, Nakagama, and Sugimura*, 748
 Imagawa, T. See *Kanagawa, Kaya, Umezawa*,

Watanabe, Togawa, Shimada, Mårdh, and Taniguchi, 266
 Imanaka, Tadayuki. See *Mizuguchi, Amada, Haruki, Morikawa, and Kanaya*, 731
 —. See *Mizuguchi, Nakatsuji, Fujiwara, and Takagi*, 762
 Imanaka, Tsuneo. See *Itabe, Hosoya, Karasawa, Jimi, Saku, Takebayashi, and Takanobu*, 153
 Imoto, T. See *Kunichika and Hashimoto*, 584
 Inoue, A. See *Hagiwara, Naruse, Adachi, Hiruma, Otsuma, Naruse, Demura, and Hirose*, 168
 Inoue, B. See *Fujii, Ogata, Inoue, Murakami, Iwama, Katsumura, Tomita, Tamura, Tsukamoto, Ikezawa, and Ikeda*, 90
 Inoue, R., Usui, H., Tanabe, O., Nishito, Y., Shimizu, M., and Takeda, M. Studies on Functions of the 63-kDa A- and 74-kDa B'-Regulatory Subunits in Human Erythrocyte Protein Phosphatase 2A: Dissociation and Reassociation of the Subunits, 1127
 Inoue, S. See *Fujii, Ogata, Inoue, Murakami, Iwama, Katsumura, Tomita, Tamura, Tsukamoto, Ikezawa, and Ikeda*, 90
 Inoue, T. See *Yoshimoto, Kabashima, Uchikawa, Tanaka, Nakamura, Tsuru, and Ito*, 559
 Inoue, Y. See *Fujita, Nose, Nakajima, Costa, and Shimohigashi*, 174
 Inouye, K. See *Tanaka, Okuda, Senoo, and Obata*, 382
 —. See *Oneda*, 905
 Irie, S. See *Suzuki, Someki, Adachi, and Hattori*, 54
 Irimura, T., Denda, K., Iida, S., Takeuchi, H., and Kato, K. Diverse Glycosylation of MUC1 and MUC2: Potential Significance in Tumor Immunity, 975
 Iritani, N. See *Fukuda*, 437
 Ishida, A. See *Kameshita, Taketani, and Fujisawa*, 991
 Ishida, Hideharu. See *Guo, Nakagomi, Mochizuki, Kiso, Ohta, Suzuki, Miyamoto, Hidari, and Suzuki*, 683
 Ishida, Hiroko, Kuruta, Y., Gotoh, O., Yamashita, C., Yoshida, Y., and Noshiro, M. Structure, Evolution, and Liver-Specific Expression of Sterol 12 α -Hydroxylase P450 (CYP8B), 19
 Ishida, N. See *Aoki, Sun-Wada, Segawa, Yoshioka, and Kawakita*, 940
 —, Yoshioka, S., Chiba, Y., Takeuchi, M., and Kawakita, M. Molecular Cloning and Functional Expression of the Human Golgi UDP-N-Acetylglucosamine Transporter, 68
 —, Yoshioka, S., Iida, M., Sudo, K., Miura, N., Aoki, K., and Kawakita, M. indispensability of Transmembrane Domains of Golgi UDP-Galactose Transporter as Revealed by Analysis of Genetic Defects in UDP-Galactose Transporter-Deficient Murine *Had-1* Mutant Cell Lines and Construction of Deletion Mutants, 1107
 Ishida, T. See *Ogino, Kaji, Kawabata, Satoh, Tomoo, Yamazaki, Ishidoh, and Komianami*, 78
 —. See *Miyoshi, Youtani, Ide, Hori, Okamoto, Ishikawa, Wakiyama, Nishino, and Miura*, 897

Ishidoh, K. See *Ogino, Kaji, Kawabata, Satoh, Tomoo, Ishida, Yamazaki, and Komianami*, 78
 Ishihara, K. See *Goso, Kurihara, Sugaya, and Hotta*, 375
 Ishikawa, H. See *Matsumoto and Morioka*, 578
 Ishikawa, M. See *Miyoshi, Youtani, Ide, Hori, Okamoto, Wakiyama, Nishino, Ishida, and Miura*, 897
 Ishikawa, T. and Wakabayashi, T. Calcium-Induced Changes in the Location and Conformation of Troponin in Skeletal Muscle Thin Filaments, 200
 Ishimura, Y. See *Miyamoto, Mitani, Mukai, and Suematsu*, 1175
 Ishisaka, R., Sato, N., Tanaka, K., Takeshige, T., Iwata, H., Klostergaard, J., and Utsuimi, T. A Part of the Transmembrane Domain of pro-TNF Can Function as a Cleavable Signal Sequence That Generates a Biologically Active Secretory Form of TNF, 413
 Ishiura, S. See *Koike, Seki, Kouchi, Ito, Kinouchi, Tomioka, Sorimachi, Saido, Maruyama, and Suzuki*, 235
 Ishizuka, I. See *Niimura, Tomori, Tadano-Aritomi, and Toida*, 962
 Isobe, Y. See *Nozawa, Kurumiya, Yamamoto, Suzuki, and Yoshida*, 361
 Itabe, H., Hosoya, R., Karasawa, K., Jimi, S., Saku, K., Takebayashi, S., Imanaka, T., and Takano, T. Metabolism of Oxidized Phosphatidylcholine Formed in Oxidized Low Density Lipoprotein by Lecithin-Cholesterol Acyltransferase, 153
 Itagaki, E. See *Morii, Sawamoto, Yamauchi, Miyamoto, and Iwami*, 624
 —. See *Fujii, Morii, Kadode, Sawamoto, and Iwami*, 662
 Ito, A. See *Moriwaki and Ogishima*, 874
 Ito, K. See *Yoshimoto, Kabashima, Uchikawa, Inoue, Tanaka, Nakamura, and Tsuru*, 559
 Ito, Makoto. See *Nakagawa, Tani, and Kita*, 604
 Ito, Masayuki. See *Koike, Seki, Kouchi, Kinouchi, Tomioka, Sorimachi, Saido, Maruyama, Suzuki, and Ishiura*, 235
 Itoh, H. See *Li, Tao, Nagasawa, Tazawa, Kobayashi, and Tashima*, 643
 Itohara, S. See *Minoguchi, Ikeda, Kaneko, Okaichi, and Honjo*, 738
 Iwai, K. See *Ohashi, Mega, and Hase*, 852
 Iwama, S. See *Fujii, Ogata, Inoue, Inoue, Murakami, Katsumura, Tomita, Tamura, Tsukamoto, Ikezawa, and Ikeda*, 90
 Iwami, M. See *Morii, Sawamoto, Yamauchi, Miyamoto, and Itagaki*, 624
 —. See *Fujii, Morii, Kadode, Sawamoto, and Itagaki*, 662
 Iwamuro, S., Saeki, M., and Kato, S. Multi-Ubiquitination of a Nascent Membrane Protein Produced in a Rabbit Reticulocyte Lysate, 48
 Iwanaga, S., Nagata, R., Miyamoto, A., Kouzumi, Y., Yamasaki, N., and Kimura, M. Conformation of the Primary Binding Loop Folded through an Intramolecular Interaction Contributes to the Strong Chymotrypsin Inhibitory Activity of the Chymotrypsin Inhibitor from *Erythrina*

I (cont'd)

- variegata* Seeds, 162
 Iwasaki, T. See *Hori, Hayashi, Kurahashi, Matsumura, and Nishino*, 829
 Iwasaki, W., Sasaki, H., Nakamura, A., Kohama, K., and Tanokura, M. Crystallization and Preliminary X-Ray Diffraction Studies of a 40 kDa Calcium Binding Protein Specifically Expressed in Plasmodesma of *Physarum polycephalum*, 7
 Iwata, H. See *Ishisaka, Sato, Tanaka, Takeishi, Klostergaard, and Utsumi*, 413
 Iwata, T., Sakai, K., Hori, M., Uchida, S., Towatari, T., and Kido, H. Human Parathyroid Hormone (1-34) Transiently Increases the Excretion of Lysosomal Enzymes into Urine and the Size of Renal Lysosomes, 485

J

- Jeong, S. See *Kim, Sohn, Pak, Park, Park, Lee, Choi, Lee, Han, Yu, and Lee*, 320
 Jimi, S. See *Itabe, Hosoya, Karasawa, Saku, Takebayashi, Imanaka, and Takano*, 153
 Johnson, M.K. See *Fujii and Finnegan*, 708
 Jung, G., Ueno, H., and Hayashi, R. Carboxy-peptidase Y: Structural Basis for Protein Sorting and Catalytic Triad, 1

K

- Kabashima, T. See *Yoshimoto, Uchikawa, Inoue, Tanaka, Nakamura, Tsuru, and Ito*, 559
 Kadlubar, F.F. See *Ozawa, Shimizu, Katoh, Miyajima, Ohno, Matsumoto, Fukuoka, Tang, and Lang*, 271
 Kadode, M. See *Fujii, Morii, Sawamoto, Iwami, and Itagaki*, 662
 Kagamiyama, H. See *Hoseki, Yano, Koyama, and Kuramitsu*, 951
 Kaibuchi, K. See *Yamamoto and Taya*, 799
 Kaji, H. See *Mizutani, Narikawa, Satoh, Sakurai, Yamada, and Samejima*, 347
 —, Yada-Wakatabe, R., Uehira, T., Terai, M., Takeda, A., Satoh, T., and Samejima, T. Molecular Cloning, Enhancement of Expression Efficiency and Site-Directed Mutagenesis of Rat Epidermal Cystatin A, 769
 Kaji, T. See *Ogino, Kawabata, Satoh, Tomoo, Ishida, Yamazaki, Ishidoh, and Kominami*, 78
 Kajimoto, Y. See *Hamaoka, Fujii, Miyagawa, Takahashi, Kishimoto, Moriwaki, Yamamoto, Yamasaki, Hanafusa, Matsuzawa, and Taniguchi*, 41
 Kamataki, T. See *Nunoya, Yokoi, Takahashi, Kimura, and Kinoshita*, 402
 Kameshita, I., Taketani, S., Ishida, A., and Fujisawa, H. Detection of a Variety of Ser/Thr Protein Kinases Using a Synthetic Peptide with Multiple Phosphorylation Sites, 991
 Kamiya, Y. See *Akaba, Seo, Dohmae, Takio, Sekimoto, Furuya, Komano, and Koshiba*, 395
 Kanagawa, M., Kaya, S., Umezawa, H., Watanabe, S., Togawa, K., Shimada, A., Imagawa, T., Mardh, S., and Taniguchi, K. Direct Evidence for *In Vivo* Reversible Tyrosine Phosphorylation of the N-Ter-

- minal Domain of the H/K-ATPase α -Subunit in Mammalian Stomach Cells, 266
 Kanaya, S. See *Mizuguchi, Amada, Haruki, Imanaka, and Morikawa*, 731
 Kandori, H. See *Yamazaki and Mogi*, 194
 Kaneda, M. See *Yonezawa, Uchikoba, Arima, and Shimada*, 26
 Kaneda, S. See *Aoki, Nakabayashi, Wataya, Kankawa, Ayusawa, and Seno*, 845
 Kaneko, S. See *Honda, Kirihata, Fukamizo, Tokuyasu, and Brzezinski*, 470
 Kaneko, Takahiro. See *Takahashi, Takahashi, Ogasawara, Shindo, Saito, and Kobayashi*, 639
 Kaneko, Takeshi. See *Minoguchi, Ikeda, Itohara, Okaichi, and Honjo*, 738
 Kang, H.S. See *Kim, Kang, and Kim*, 1025
 Kang, K.I. See *Kim, Kang, and Kim*, 1025
 Kankawa, S. See *Aoki, Nakabayashi, Wataya, Kaneda, Ayusawa, and Seno*, 845
 Kanyama, M. See *Shimo, Nakaniishi, Nishida, Asano, Kuboki, Tamatani, Tezuka, Takemura, Matsumura, and Takigawa*, 137
 Kanzawa, N. See *Tanori, Tajima, Tamiya, and Tsuchiya*, 969
 Karasawa, K. See *Itabe, Hosoya, Jimi, Saku, Takebayashi, Imanaka, and Takano*, 153
 —, Yokoyama, K., Setaka, M., and Nojima, S. The *Escherichia coli pldC* Gene Encoding Lysophospholipase L_i Is Identical to the *apeA* and *tesA* Genes Encoding Protease I and Thioesterase I, Respectively, 445
 Kasai, S. Occurrence of P-Flavin Binding Protein in *Vibrio fischeri* and Properties of the Protein, 307
 Katakai, T. See *Shimada, Saito, Shimizu, Ichimura, Omata, and Horigome*, 1033
 Katayama, E. See *Konishi, Torii, Yamamoto, Miyagi, Ohta, Fukui, Hanamoto, Matsuno, Komatsu, and Kodama*, 287
 Kato, G. and Maeda, S. Neuron-Specific Cdk5 Kinase Is Responsible for Mitosis-Independent Phosphorylation of c-Src at Ser75 in Human Y79 Retinoblastoma Cells, 957
 Kato, H. See *Sutoh and Minamikawa*, 700
 Kato, K. See *Irimura, Denda, Iida, and Takeuchi*, 975
 Kato, R. See *Nakagawa, Sugahara, Masui, Fukuyama, and Kuramitsu*, 986
 Kato, S. See *Iwamuro and Saeki*, 48
 Katoh, Takahiko. See *Ozawa, Shimizu, Miyajima, Ohno, Matsumoto, Fukuoka, Tang, Lang, and Kadlubar*, 271
 Katoh, Tsuyoshi. See *Takahashi, Fukukawa, Naraoka, and Yazawa*, 34
 Katsumura, S. See *Fujii, Ogata, Inoue, Inoue, Murakami, Iwama, Tomita, Tamura, Tsukamoto, Ikezawa, and Ikeda*, 90
 Kaul, S.C. See *Michishita, Nakabayashi, Suzuki, Ogino, Fujii, Mitsui, and Ayusawa*, 1052
 Kawabata, M. See *Ogino, Kaji, Satoh, Tomoo, Ishida, Yamazaki, Ishidoh, and Kominami*, 78
 Kawaguchi, T. See *Shimomura, Denda, Matsumoto, Miyazawa, and Kitamura*, 821
 Kawai, M. See *Asano, Suzuki, Miwa, and Shibai*, 296
 Kawai, Y., Ogamo, A., and Nakagawa, Y. Formation of the Aldehydic Choline Glycerophospholipids in Human Red Blood

- Cell Membrane Peroxidized with an Azo Initiator, 115
 Kawakami, T., Suzuki, T., Baek, S.H., Chung, C.H., Kawasaki, H., Hirano, H., Ichiyama, A., Omata, M., and Tanaka, K. Isolation and Characterization of Cytosolic and Membrane-Bound Deubiquitylating Enzymes from Bovine Brain, 612
 Kawakita, M. See *Ishida, Yoshioka, Chiba, and Takeuchi*, 68
 —. See *Aoki, Sun-Wada, Segawa, Yoshioka, and Ishida*, 940
 —. See *Ishida, Yoshioka, Iida, Sudo, Miura, and Aoki*, 1107
 Kawasaki, H. See *Kawakami, Suzuki, Baek, Chung, Hirano, Ichiyama, Omata, and Tanaka*, 612
 Kawasaki, N. See *Naito, Ikeda, Hasegawa, Oka, Uemura, and Kawasaki*, 1004
 Kawasaki, T. See *Naito, Ikeda, Hasegawa, Oka, Uemura, and Kawasaki*, 1004
 Kawazoe, N., Aiuchi, T., Masuda, Y., Nakajo, S., and Nakaya, K. Induction of Apoptosis by Bufalin in Human Tumor Cells Is Associated with a Change of Intracellular Concentration of Na⁺ Ions, 278
 Kaya, S. See *Kanagawa, Umezawa, Watanabe, Togawa, Shimada, Imagawa, Mardh, and Taniguchi*, 266
 Khan, L.A. See *Manzoor and Amin*, 776
 Kido, H. See *Iwata, Sakai, Hori, Uchida, and Towatari*, 485
 Kido, N. See *Okumura, Uematsu, Hirako, Nishizawa, Shimizu, and Owaribe*, 1144
 Kikkawa, U. See *Konishi, Fujiyoshi, Fukui, Matsuzaki, Yamamoto, Ono, Andjelkovic, and Hemmings*, 1136
 Kim, H.D. See *Kim, Kang, and Kang*, 1025
 Kim, H.R., Kang, K.I., Kang, H.S., and Kim, H.D. Identification of Heat Shock Protein 90-Associated 84-kDa Phosphoprotein, 1025
 Kim, S.J., Sohn, B.H., Jeong, S., Pak, K.-W., Park, J.-S., Park, I.-Y., Lee, T.-H., Choi, Y.-H., Lee, C.-S., Han, Y.-M., Yu, D.-Y., and Lee, K.-K. High-Level Expression of Human Lactoferrin in Milk of Transgenic Mice Using Genomic Lactoferrin Sequence, 320
 Kimoto, M. See *Yamazaki, Shikamoto, Fukudome, and Morita*, 655
 Kimura, H., Minakami, H., Sekiguchi, I., Otsuki, K., and Shoji, A. Phorbol Ester Facilitates Apoptosis in Murine Fibroblasts Pretreated by Mild Ultraviolet Radiation, 340
 Kimura, K. See *Nunoya, Yokoi, Takahashi, Kinoshita, and Kamataki*, 402
 Kimura, M. See *Iwanaga, Nagata, Miyamoto, Kouzuma, and Yamasaki*, 162
 Kimura, N., Ueno, M., Nakashima, K., and Taga, T. A Brain Region-Specific Gene Product Lhx6.1 Interacts with Ldb1 through Tandem LIM-Domains, 180
 Kinameri, Y. See *Oda, Amaya, Fukushi-Irié, Ohsuye, Kubota, Fujimura, and Kobayashi*, 694
 Kinoshita, M. See *Nunoya, Yokoi, Takahashi, Kimura, and Kamataki*, 402
 Kinouchi, T. See *Koike, Seki, Kouchi, Ito, Tomioka, Sorimachi, Saito, Maruyama, Suzuki, and Ishiura*, 235

K (cont'd)

- Kirihata, M. See Honda, Fukamizo, Kaneko, Tokuyasu, and Brzezinski, 470
- Kishimoto, M. See Hamaoka, Fujii, Miyagawa, Takahashi, Moriwaki, Yamamoto, Kajimoto, Yamasaki, Hanafusa, Matsuzawa, and Taniguchi, 41
- Kiso, M. See Guo, Nakagomi, Mochizuki, Ishida, Ohta, Suzuki, Miyamoto, Hidari, and Suzuki, 683
- Kita, K. See Nakagawa, Tani, and Ito, 604
- Kitajima, T. See Tomita, Yoshizato, and Nagata, 1118
- Kitamoto, K. See Wakatsuki, Ario, Dohmae, Takio, and Yamasaki, 1151
- Kitamura, N. See Shimomura, Denda, Kawaguchi, Matsumoto, and Miyazawa, 821
- Kitano, K., Niimura, Y., Nishiyama, Y., and Miki, K. Stimulation of Peroxidase Activity by Decamerization Related to Ionic Strength: AhpC Protein from *Amphibacillus xylinus*, 313
- Klein, H.H. See Gebken, Lüders, Notbohm, Brinckmann, Müller, and Bütge, 676
- Klostergaard, J. See Ishisaka, Sato, Tanaka, Takeshige, Iwata, and Utsumi, 413
- Kobayashi, A. See Li, Tao, Nagasawa, Tazawa, Itoh, and Tashima, 643
- Kobayashi, J. See Oda, Amaya, Fukushi-Irié, Kinameri, Ohsuye, Kubota, and Fujimura, 694
- Kobayashi, K., Tagawa, S., Deligeer, and Suzuki, S. The pH-Dependent Changes of Intramolecular Electron Transfer on Copper-Containing Nitrite Reductase, 408
- Kobayashi, M. See Takahashi, Takahashi, Kaneko, Ogasawara, Shindo, and Saito, 639
- Kodama, T. See Konishi, Torii, Yamamoto, Miyagi, Ohta, Fukui, Hanamoto, Matsuno, Komatsu, and Katayama, 287
- Koga, T. See Kominami, Yamazaki, and Hori, 756
- Kohama, K. See Iwasaki, Sasaki, Nakamura, and Tanokura, 7
- Koide, S. See Tsuji, Yoshida, Hasegawa, Bando, Yoshida, Mori, and Matsuda, 494
- Koide, T. See Hori, Nembai, Miyata, Hayashi, and Ueno, 722
- Koike, H., Seki, H., Kouchi, Z., Ito, M., Kinouchi, T., Tomioka, S., Sorimachi, H., Saido, T.C., Maruyama, K., Suzuki, K., and Ishiura, S. Thimet Oligopeptidase Cleaves the Full-Length Alzheimer Amyloid Precursor Protein at a β -Secretase Cleavage Site in COS Cells, 235
- Kojima, K. See Ueda, Saitoh, and Ogawa, 530
- Komano, T. See Akaba, Seo, Dohmae, Takio, Sekimoto, Kamiya, Furuya, and Koshiba, 395
- Komatsu, H. See Konishi, Torii, Yamamoto, Miyagi, Ohta, Fukui, Hanamoto, Matsuno, Kodama, and Katayama, 287
- Komatsu, N. See Oda, Sadakata, and Maramatsu, 715
- Kominami, E. See Ogino, Kaji, Kawabata, Satoh, Tomoo, Ishida, Yamazaki, and Ishidoh, 78
- Kominami, S., Yamazaki, T., Koga, T., and

Hori, H. EPR Studies on the Photo-Induced Intermediates of Ferric NO Complexes of Rat Neuronal Nitric Oxide Synthase Trapped at Low Temperature, 756

- Konishi, H., Fujiyoshi, T., Fukui, Y., Matsuzaki, H., Yamamoto, T., Ono, Y., Andjelkovic, M., Hemmings, B.A., and Kikkawa, U. Activation of Protein Kinase B Induced by H_2O_2 and Heat Shock through Distinct Mechanisms Dependent and Independent of Phosphatidylinositol 3-Kinase, 1136
- Konishi, N., Torii, Y., Yamamoto, T., Miyagi, A., Ohta, H., Fukui, K., Hanamoto, S., Matsuno, H., Komatsu, H., Kodama, T., and Katayama, E. Structure and Enzymatic Properties of Genetically Truncated Forms of the Water-Insoluble Glucan-Synthesizing Glucosyltransferase from *Streptococcus sobrinus*, 287
- Koshiba, T. See Akaba, Seo, Dohmae, Takio, Sekimoto, Kamiya, Furuya, and Komano, 395
- Koshino, H. See Mizushina, Takahashi, Ogawa, Tsurugaya, Takemura, Yoshida, Matsukage, Sugawara, and Sakaguchi, 430
- Kouchi, Z. See Koike, Seki, Ito, Kinouchi, Tomioka, Sorimachi, Saido, Maruyama, Suzuki, and Ishiura, 235
- Kouzuma, Y. See Iwanaga, Nagata, Miyamoto, Yamasaki, and Kimura, 162
- Koyama, Y. See Hoseki, Yano, Kuramitsu, and Kagamiyama, 951
- Kuboki, T. See Shimo, Nakanishi, Nishida, Asano, Kanyama, Tamatani, Terzuka, Takemura, Matsumura, and Takigawa, 137
- Kubota, I. See Oda, Amaya, Fukushi-Irié, Kinameri, Ohsuye, Fujimura, and Kobayashi, 694
- Kumon, A. See Hiraishi and Yokoi, 368
- Kunichika, K., Hashimoto, Y., and Imoto, T. Construction of a Screening System for Selecting Lysozyme Mutants Unable to Form a Stable Structure from Random Mutants, 584
- Kurahashi, Y. See Hori, Iwasaki, Hayashi, Matsumura, and Nishino, 829
- Kuramitsu, S. See Hoseki, Yano, Koyama, and Kagamiyama, 951
- . See Nakagawa, Sugahara, Masui, Kato, and Fukuyama, 986
- Kurata, A. See Yamada, Hirata, Taniguchi, Takama, Furihata, Shiratori, Iida, Takagi-Sakuma, Watanabe, Kurosaki, Endo, and Suga, 1013
- Kurihara, M. See Goso, Ishihara, Sugaya, and Hotta, 375
- Kuromizu, T. See Shirasu, Nakao, Chuman, Nose, Costa, and Shimohigashi, 254
- Kuroski, K. See Yamada, Kurata, Hirata, Taniguchi, Takama, Furihata, Shiratori, Iida, Takagi-Sakuma, Watanabe, Endo, and Suga, 1013
- Kurumiya, Y. See Nozawa, Yamamoto, Isobe, Suzuki, and Yoshida, 361
- Kuruta, Y. See Ishida, Gotoh, Yamashita, Yoshida, and Noshiro, 19
- Kuzuhara, T. See Himukai and Horikoshi, 879

L

- Lakowicz, J.R. See D'Auria, Nucci, Rossi, Bertoli, Tanfani, Gryczynski, and Malak, 545
- Lang, N.P. See Ozawa, Shimizu, Katoh, Miyajima, Ohno, Matsumoto, Fukuoka, Tang, and Kadlubar, 271
- Lanne, B., Schierbeck, B., and Ångström, J. Binding of Cholera Toxin B-Subunits to Derivatives of the Natural Ganglioside Receptor, GM1, 226
- Lee, C.-S. See Kim, Sohn, Jeong, Pak, Park, Park, Lee, Choi, Han, Yu, and Lee, 320
- Lee, K.-K. See Kim, Sohn, Jeong, Pak, Park, Park, Lee, Choi, Lee, Han, and Yu, 320
- Lee, T.-H. See Kim, Sohn, Jeong, Pak, Park, Park, Choi, Lee, Han, Yu, and Lee, 320
- Li, H.-Q., Matsuda, I., Fujise, Y., and Ichiyama, A. Short-Chain Acyl-CoA-Dependent Production of Oxalate from Oxaloacetate by *Burkholderia glurnae*, a Plant Pathogen Which Causes Grain Rot and Seedling Rot of Rice via the Oxalate Production, 243
- Li, R., Hodny, Z., Zaid, A., Barath, P., and Nelson, B.D. AP-2 Enhances Sp1-Dependent Activation of the Growth-Regulated Human ATP/ADP Translocator, 130
- Li, Y., Tao, G., Nagasawa, H., Tazawa, H., Kobayashi, A., Itoh, H., and Tashima, Y., pLCin and Cytosolic F-Actin Constitute a Heteromeric Complex with a Constant Molecular Mass in Rat Skeletal Muscles, 643
- Liao, C.-T., Wang, W.-H., Yang, H.-S., Chen, J.-P., and Chang, B.-Y. Differential and Additive Effects of the Three Conserved Isoleucine Residues in the Promoter -10 Binding Region on *Bacillus subtilis* σ^A Structure and Function, 461
- Lüders, B. See Gebken, Notbohm, Klein, Brinckmann, Müller, and Bütge, 676
- Lu, J.-Z., Huang, F., and Chen, J.-W. The Behaviors of Ca^{2+} -ATPase Embedded in Interdigitated Bilayer, 302
- M
- Märdh, S. See Kanagawa, Kaya, Umezawa, Watanabe, Togawa, Shimada, Imagawa, and Taniguchi, 266
- Madoery, R.R., González Gattone, C., and Fidelio, G.D. The Effect of Phospholipase A₂ Immobilization upon Calcium Interaction: A Kinetic Study, 1060
- Maeda, S. See Kato, 957
- Maekawa, N. See Taguchi, Hamakawa, and Ikezawa, 421
- Malak, H. See D'Auria, Nucci, Rossi, Bertoli, Tanfani, Gryczynski, and Lakowicz, 545
- Manzoor, N., Amin, M., and Khan, L.A. Pre-Steady State Kinetic Studies on H⁺-ATPase from *Candida albicans*, 776
- Maruyama, K. See Koike, Seki, Kouchi, Ito, Kinouchi, Tomioka, Sorimachi, Saido, Suzuki, and Ishiura, 235
- Maruyama, T. See Yamano, Sako, and Nomura, 218
- Masaoka, H., Shibata, K., and Yamaguchi, H. Topological and Functional Characterization of the N-Glycans of Soybean (*Glycine max*) Agglutinin, 212

- M (cont'd)
- Masuda, Y. See *Kawazoe, Aiuchi, Nakajo, and Nakaya*, 278
- Masui, R. See *Nakagawa, Sugahara, Kato, Fukuyama, and Kuramitsu*, 986
- Masutani, M. See *Shimokawa, Nagasawa, Nozaki, Ikota, Aoki, Nakagama, and Sugimura*, 748
- Masuyama, Y. See *Fujiwara, Yagisawa, Tanabe, Yabuuchi, and Tsuru*, 503
- Matsuda, I. See *Li, Fujise, and Ichiyama*, 243
- Matsuda, Y. See *Tsuji, Yoshida, Hasegawa, Bando, Yoshida, Koide, and Mori*, 494
- . See *Tsuji, Hashimoto, Ikoma, Taniguchi, Mori, and Nagahama*, 591
- Matsukage, A. See *Mizushina, Takahashi, Ogawa, Tsurugaya, Koshino, Takemura, Yoshida, Sugawara, and Sakaguchi*, 430
- Matsumoto, Kyoko, Morioka, M., and Ishikawa, H. Phosphocarrier Proteins in an Intracellular Symbiotic Bacterium of Aphids, 578
- Matsumoto, Kouji. See *Shimomura, Denda, Kawaguchi, Miyazawa, and Kitamura*, 821
- Matsumoto, Y. See *Ozawa, Shimizu, Katoh, Miyajima, Ohno, Fukuoka, Tang, Lang, and Kadlubar*, 271
- Matsumura, T. See *Shimo, Nakanishi, Nishida, Asano, Kanyama, Kuboki, Tamatani, Tezuka, Takemura, and Takigawa*, 137
- . See *Hori, Iwasaki, Hayashi, Kurahashi, and Nishino*, 829
- Matsuno, H. See *Konishi, Torii, Yamamoto, Miyagi, Ohta, Fukui, Hanamoto, Komatsu, Kodama, and Katayama*, 287
- Matsushika, A. See *Takeda and Mizuno*, 354
- Matsuzaki, H. See *Konishi, Fujiyoshi, Fukui, Yamamoto, Ono, Andjelkovic, Hemmings, and Kikkawa*, 1136
- Matsuzawa, Y. See *Hamaoka, Fujii, Miyagawa, Takahashi, Kishimoto, Moriwaki, Yamamoto, Kajimoto, Yamasaki, Hanafusa, and Taniguchi*, 41
- Mega, T. See *Ohashi, Iwai, and Hase*, 852
- Menon, K.K. See *Nakakita, Natsuka, Ikenaka, and Hase*, 1161
- Michishita, E., Nakabayashi, K., Suzuki, T., Kaul, S.C., Ogino, H., Fujii, M., Mitsui, Y., and Ayusawa, D. 5-Bromodeoxyuridine Induces Senescence-Like Phenomena in Mammalian Cells Regardless of Cell Type or Species, 1052
- Mikami, B. See *Watanabe, Yoshimura, and Esaki*, 781
- Miki, K. See *Kitano, Niimura, and Nishiyama*, 313
- Minakami, H. See *Kimura, Sekiguchi, Otsuki, and Shoji*, 340
- Minamikawa, T. See *Sutoh and Kato*, 700
- Minoguchi, S., Ikeda, T., Itohara, S., Kaneko, T., Okaichi, H., and Honjo, T. Studies on the Cell-Type Specific Expression of RBP-L, a RBP-J Family Member, by Replacement Insertion of β -Galactosidase, 738
- Minoshima, T. and Nakanishi, S. Structural Organization of the Mouse Metabotropic Glutamate Receptor Subtype 3 Gene and Its Regulation by Growth Factors in Cultured Cortical Astrocytes, 889
- Mitani, F. See *Miyamoto, Mukai, Suematsu, and Ishimura*, 1175
- Mitsui, Youji. See *Michishita, Nakabayashi, Suzuki, Kaul, Ogino, Fujii, and Ayusawa*, 1052
- Mitsui, Yukio. See *Taguchi, Ozaki, Nonaka, and Monose*, 689
- Miura, Kazunori, Ohgiya, S., Hoshino, T., Nemoto, N., Odaira, M., Nitta, K., and Tsuda, S. Determination of the Solution Structure of the N-Domain Plus Linker of Antarctic Eel Pout Antifreeze Protein RD3, 387
- Miura, Kin-ichiro. See *Miyoshi, Youtani, Ide, Hori, Okamoto, Ishikawa, Wakiyama, Nishino, and Ishida*, 897
- Miura, N. See *Ishida, Yoshioka, Iida, Sudo, Aoki, and Kawakita*, 1107
- Miura, R. See *Sato, Nishina, Setoyama, and Shiga*, 668
- Miya, T. See *Asano, Suzuki, Kawai, and Shibai*, 296
- Miyagawa, J. See *Hamaoka, Fujii, Takahashi, Kishimoto, Moriwaki, Yamamoto, Kajimoto, Yamasaki, Hanafusa, Matsuzawa, and Taniguchi*, 41
- Miyagawa, S., Nakai, R., Yamada, M., Tamamura, M., Ikeda, Y., Taniguchi, N., and Shirakura, R. Regulation of Natural Killer Cell-Mediated Swine Endothelial Cell Lysis through Genetic Remodeling of a Glycoantigen, 1067
- Miyagi, A. See *Konishi, Torii, Yamamoto, Ohta, Fukui, Hanamoto, Matsuno, Komatsu, Kodama, and Katayama*, 287
- Miyajima, A. See *Ozawa, Shimizu, Katoh, Ohno, Matsumoto, Fukuoka, Tang, Lang, and Kadlubar*, 271
- Miyamoto, A. See *Iwanaga, Nagata, Kouzuma, Yamasaki, and Kimura*, 162
- Miyamoto, D. See *Guo, Nakagomi, Mochizuki, Ishida, Kiso, Ohta, Suzuki, Hidari, and Suzuki*, 683
- Miyamoto, H., Mitani, F., Mukai, K., Suematsu, M., and Ishimura, Y. Studies on Cytogenesis in Adult Rat Adrenal Cortex: Circadian and Zonal Variations and Their Modulation by Adrenocorticotrophic Hormone, 1175
- Miyamoto, Masaaki. See *Yoshinaga, Mukai, Toshimori, and Ono*, 475
- Miyamoto, Masahiko. See *Morii, Sawamoto, Yamauchi, Iwami, and Itagaki*, 624
- Miyata, Y. See *Hori, Nembai, Hayashi, Ueno, and Koide*, 722
- Miyazawa, K. See *Shimomura, Denda, Kawaguchi, Matsumoto, and Kitamura*, 821
- Miyoshi, H., Youtani, T., Ide, H., Hori, H., Okamoto, K., Ishikawa, M., Wakiyama, M., Nishino, T., Ishida, T., and Miura, K. Binding Analysis of *Xenopus laevis* Translation Initiation Factor 4E (eIF4E) in Initiation Complex Formation, 897
- Mizuguchi, H., Nakatsuji, M., Fujiwara, S., Takagi, M., and Imanaka, T. Characterization and Application to Hot Start PCR of Neutralizing Monoclonal Antibodies against KOD DNA Polymerase, 762
- Mizuguchi, S., Amada, K., Haruki, M., Imanaka, T., Morikawa, M., and Kanaya, S. Identification of the Gene Encoding Esterase, a Homolog of Hormone-Sensitive Lipase, from an Oil-Degrading Bacterium, Strain HD-1, 731
- Mizuno, T. See *Takeda and Matsushika*, 354
- Mizushina, Y., Takahashi, N., Ogawa, A., Tsurugaya, K., Koshino, H., Takemura, M., Yoshida, S., Matsukage, A., Sugawara, F., and Sakaguchi, K. The Cyanogenic Glucoside, Prunasin (α -Mandelonitrile- β -D-Glucoside), Is a Novel Inhibitor of DNA Polymerase β , 430
- Mizutani, Y., Narikawa, T., Satoh, T., Sakurai, N., Kaji, H., Yamada, S., and Samejima, T. A New UV Method for Serum γ -Glutamyltransferase Assay Using Recombinant 4-Aminobenzoate Hydroxylase as a Coupling Enzyme, 347
- Mochizuki, M. See *Guo, Nakagomi, Ishida, Kiso, Ohta, Suzuki, Miyamoto, Hidari, and Suzuki*, 683
- Mogi, T. See *Tsubaki and Hori*, 98
- . See *Yamazaki and Kandori*, 194
- . See *Tsubaki and Hori*, 510
- . See *Sakamoto, Noguchi, and Sone*, 934
- Momose, H. See *Taguchi, Ozaki, Nonaka, and Mitsui*, 689
- Mori, K. See *Tsuji, Yoshida, Hasegawa, Bando, Yoshida, Koide, and Matsuda*, 494
- . See *Tsuji, Hashimoto, Ikoma, Taniguchi, Nagahama, and Matsuda*, 591
- Morii, S. See *Fuji, Kadode, Sawamoto, Iwami, and Itagaki*, 662
- . Sawamoto, S., Yamauchi, Y., Miyamoto, M., Iwami, M., and Itagaki, E. Steroid Monooxygenase of *Rhodococcus rhodochrous*: Sequencing of the Genomic DNA, and Hyperexpression, Purification, and Characterization of the Recombinant Enzyme, 624
- Morikawa, M. See *Mizuguchi, Amada, Haruki, Imanaka, and Kanaya*, 731
- Morimoto, S. See *Nakaura, Yanaga, and Ohtsuki*, 457
- . See *Shiraishi, Nishita, Ojima, and Ohtsuki*, 1020
- . Harada, K., and Ohtsuki, I. Roles of Troponin Isoforms in pH Dependence of Contraction in Rabbit Fast and Slow Skeletal and Cardiac Muscles, 121
- . Sato, O., and Ogawa, Y. Effect of Vanadate on Force and Myosin Light Chain Phosphorylation in Skinned Aortic Smooth Muscle, 146
- Morioka, M. See *Matsumoto and Ishikawa*, 578
- Morita, T. See *Yamazaki, Shikamoto, Fukudome, and Kimoto*, 655
- Moriwaki, K., Ogishima, T., and Ito, A. Analysis of Recognition Elements for Mitochondrial Processing Peptidase Using Artificial Amino Acids: Roles of the Intervening Portion and Proximal Arginine, 874
- Moriwaki, M. See *Hamaoka, Fujii, Miyagawa, Takahashi, Kishimoto, Yamamoto, Kajimoto, Yamasaki, Hanafusa, Matsuzawa, and Taniguchi*, 41
- Müller, P.K. See *Gebken, Lüders, Notbohm, Klein, Brinckmann, and Böttge*, 676
- Mukai, H. See *Yoshinaga, Toshimori, Miyamoto, and Ono*, 475
- Mukai, K. See *Miyamoto, Mitani, Suematsu, and Ishimura*, 1175
- Murakami, M. See *Fuji, Ogata, Inoue, Inoue*,

M (cont'd)

- Iwama, Katsumura, Tomita, Tamura, Tsukamoto, Ikezawa, and Ikeda, 90
 Muramatsu, T. See Oda, Sadakata, and Komatsu, 715
 Murata, I. See Fujiwara, Yagisawa, Tanabe, Yabuuchi, Sakakibara, and Tsuru, 1170

N

- Nagahama, M. See Tsuji, Hashimoto, Ikoma, Taniguchi, Mori, and Matsuda, 591
 Nagai, H. See Takaoka and Niwa, 553
 Nagai, K. See Takahashi, Hiramoto, Wato, Nishimoto, Wada, and Yamaguchi, 838
 Nagasawa, H. See Li, Tao, Tazawa, Kobayashi, Itoh, and Tashima, 643
 Nagasawa, S. See Shimokawa, Masutani, Nozaki, Ikota, Aoki, Nakagama, and Sugimura, 748
 Nagata, K. See Tomita, Yoshizato, and Kitajima, 1118
 Nagata, R. See Iwanaga, Miyamoto, Kouzuma, Yamasaki, and Kimura, 162
 Naito, H., Ikeda, A., Hasegawa, K., Oka, S., Uemura, K., Kawasaki, N., and Kawasaki, T. Characterization of Human Serum Mannan-Binding Protein Promoter, 1004
 Nakabayashi, K. See Aoki, Wataya, Kan-kawa, Kaneda, Ayusawa, and Seno, 845
 —. See Michishita, Suzuki, Kaul, Ogino, Fujii, Mitsui, and Ayusawa, 1052
 Nakagama, H. See Shimokawa, Masutani, Nagasawa, Nozaki, Ikota, Aoki, and Sugimura, 748

- Nakagawa, N., Sugahara, M., Masui, R., Kato, R., Fukuyama, K., and Kuramitsu, S. Crystal Structure of *Thermus thermophilus* HB8 UvrB Protein, a Key Enzyme of Nucleotide Excision Repair, 986
 Nakagawa, T., Tani, M., Kita, K., and Ito, M. Preparation of Fluorescence-Labeled GM1 and Sphingomyelin by the Reverse Hydrolysis Reaction of Sphingolipid Ceramide N-Deacylase as Substrates for Assay of Sphingolipid-Degrading Enzymes and for Detection of Sphingolipid-Binding Proteins, 604

- Nakagawa, Y. See Kawai and Ogamo, 115
 Nakagomi, O. See Guo, Mochizuki, Ishida, Kiso, Ohta, Suzuki, Miyamoto, Hidari, and Suzuki, 683

- Nakai, R. See Miyagawa, Yamada, Tanemura, Ikeda, Taniguchi, and Shirakura, 1067

- Nakajima, M. See Fujita, Nose, Inoue, Costa, and Shimohigashi, 174

- Nakajo, S. See Kawazoe, Aiuchi, Masuda, and Nakaya, 278

- Nakakita, S., Menon, K.K., Natsuka, S., Ikenaka, K., and Hase, S. β 1-4Galactosyltransferase Activity of Mouse Brain as Revealed by Analysis of Brain-Specific Complex-Type N-Linked Sugar Chains, 1161

- Nakamura, A. See Iwasaki, Sasaki, Kohama, and Tanokura, 7

- Nakamura, K.T. See Yoshimoto, Kabashima, Uchikawa, Inoue, Tanaka, Tsuru, and Ito, 559

- Nakamura, M. See Takahashi, 917
 —, Saeki, K., and Takahashi, Y. Hyper-

production of Recombinant Ferredoxins in *Escherichia coli* by Coexpression of the ORF1-ORF2-iscS-iscU-iscA-hscB-hscA-fdx-ORF3 Gene Cluster, 10

Nakamura, Y. See Takahashi, Hamada, and Nakazawa, 804

Nakanishi, S. See Minoshima, 889

Nakanishi, T. See Shimo, Nishida, Asano, Kanyama, Kuboki, Tamatani, Tezuka, Takemura, Matsumura, and Takigawa, 137

Nakanishi, Y. See Shiratsuchi, 1101

Nakao, H. See Shirasu, Kuromizu, Chuman, Nose, Costa, and Shimohigashi, 254

Nakashima, K. See Kimura, Ueno, and Taga, 180

Nakatsuji, M. See Mizuguchi, Fujiwara, Takagi, and Imanaka, 762

Nakaura, H., Yanaga, F., Ohtsuki, I., and Morimoto, S. Effects of Missense Mutations Phe110Ile and Glu244Asp in Human Cardiac Troponin T on Force Generation in Skinned Cardiac Muscle Fibers, 457

Nakaya, K. See Kawazoe, Aiuchi, Masuda, and Nakajo, 278

Nakazawa, K. See Takahashi, Nakamura, and Hamada, 804

Naraoka, C. See Takahashi, Fukukawa, Kato, and Yazawa, 34

Narikawa, T. See Mizutani, Satoh, Sakurai, Kaji, Yamada, and Samejima, 347

Narita, K., Ohnuma, S., and Nishino, T. Protein Design of Geranyl Diphosphate Synthase. Structural Features That Define the Product Specificities of Prenyltransferases, 566

Naruse, K. See Hagiwara, Naruse, Adachi, Inoue, Hiruma, Otsuka, Demura, and Hirose, 168

Naruse, M. See Hagiwara, Adachi, Inoue, Hiruma, Otsuka, Naruse, Demura, and Hirose, 168

Natori, S. See Iijima, Yamaguchi, and Homma, 912

Natsuka, S. See Nakakita, Menon, Ikenaka, and Hase, 1161

Nelson, B.D. See Li, Hodny, Zaid, and Barath, 130

Nembai, T. See Hori, Miyata, Hayashi, Ueno, and Koide, 722

Nemoto, N. See Miura, Ohgiya, Hoshino, Odaira, Nitta, and Tsuda, 387

Niimura, Youichi. See Kitano, Nishiyama, and Miki, 313

Niimura, Yukio, Tomori, M., Tadano-Aritomi, K., Toida, T., and Ishizuka, I. The Major Acidic Glycolipids from the Kidney of the Pacific Salmon (*Oncorhynchus keta*): Characterization of a Novel Ganglioside, Fucosyl-N-acetylgalactosaminyl-GM1, 962

Nishida, T. See Shimo, Nakanishi, Asano, Kanyama, Kuboki, Tamatani, Tezuka, Takemura, Matsumura, and Takigawa, 137

Nishimoto, T. See Takahashi, Hiramoto, Wato, Wada, Nagai, and Yamaguchi, 838

Nishina, Y. See Sato, Setoyama, Miura, and Shiga, 668

Nishino, Takeshi. See Hori, Iwasaki, Hayashi, Kurahashi, and Matsumura, 829

—. See Miyoshi, Youtani, Ide, Hori, Oka-

moto, Ishikawa, Wakiyama, Ishida, and Miura, 897

Nishino, Tokuzo. See Narita and Ohnuma, 566

Nishita, K. See Shiraishi, Morimoto, Ojima, and Ohtsuki, 1020

Nishito, Y. See Inoue, Usui, Tanabe, Shimizu, and Takeda, 1127

—, Usui, H., Tanabe, O., Shimizu, M., and Takeda, M. Interconversion of Mn²⁺-Dependent and -Independent Protein Phosphatase 2A from Human Erythrocytes: Role of Zn²⁺ and Fe²⁺ in Protein Phosphatase 2A, 632

Nishiyama, T. See Yamaguchi and Uchida, 261

Nishiyama, Y. See Kitano, Niimura, and Miki, 313

Nishizawa, T., Asayama, M., Fujii, K., Harada, K., and Shirai, M. Genetic Analysis of the Peptide Synthetase Genes for a Cyclic Heptapeptide Microcystin in *Microcystis* spp., 520

Nishizawa, Y. See Okumura, Uenatsu, Hirako, Shimizu, Kido, and Owaribe, 1144

Nitahara, Y., Aoyama, Y., Horiuchi, T., Noshiro, M., and Yoshida, Y. Purification and Characterization of Rat Sterol 14-Demethylase P450 (CYP51) Expressed in *Escherichia coli*, 927

Nitta, K. See Miura, Ohgiya, Hoshino, Nemoto, Odaira, and Tsuda, 387

Niwa, S. See Takaoka and Nagai, 553

Noguchi, S. See Sakamoto, Mogi, and Sone, 934

Nojima, S. See Karasawa, Yokoyama, and Setaka, 445

Nomura, N. See Yamano, Sako, and Maruyama, 218

Nonaka, T. See Taguchi, Ozaki, Mitsui, and Momose, 689

Nose, T. See Fujita, Nakajima, Inoue, Costa, and Shimohigashi, 174

—. See Shirasu, Kuromizu, Nakao, Chuman, Costa, and Shimohigashi, 254

Noshiro, M. See Ishida, Kuruta, Gotoh, Yamashita, and Yoshida, 19

—. See Nitahara, Aoyama, Horiuchi, and Yoshida, 927

Notbohm, H. See Gebken, Lüders, Klein, Brinckmann, Müller, and Bäte, 676

Nozaki, T. See Shimokawa, Masutani, Nagasawa, Ikota, Aoki, Nakagama, and Sugimura, 748

Nozawa, K., Kurumiya, Y., Yamamoto, A., Isobe, Y., Suzuki, M., and Yoshida, S. Up-Regulation of Telomerase in Primary Cultured Rat Hepatocytes, 361

Nucci, R. See D'Auria, Rossi, Bertoli, Tansani, Gryczynski, Malak, and Lakowicz, 545

Nunoya, K., Yokoi, T., Takahashi, Y., Kimura, K., Kinoshita, M., and Kamataki, T. Homologous Unequal Cross-Over within the Human CYP2A Gene Cluster as a Mechanism for the Deletion of the Entire CYP2A6 Gene Associated with the Poor Metabolizer Phenotype, 402

O

Obata, H. See Tanaka, Okuda, Senoo, and Inouye, 382

O (cont'd)

- Oda, K., Amaya, Y., Fukushi-Irié, M., Kinameri, Y., Ohsuye, K., Kubota, I., Fujimura, S., and Kobayashi, J. A General Method for Rapid Purification of Soluble Versions of Glycosylphosphatidylinositol-Anchored Proteins Expressed in Insect Cells: An Application for Human Tissue-Nonspecific Alkaline Phosphatase, 694
 Oda, T., Sadakata, N., Komatsu, N., and Muramatsu, T. Specific Efflux of Glutathione from the Basolateral Membrane Domain in Polarized MDCK Cells during Ricin-Induced Apoptosis, 715
 Odaira, M. See Miura, Ohgiya, Hoshino, Nemoto, Nitta, and Tsuda, 387
 Ogamo, A. See Kawai and Nakagawa, 115
 Ogasawara, H. See Takahashi, Takahashi, Kaneko, Shindo, Saito, and Kobayashi, 639
 Ogata, K. See Fujii, Inoue, Inoue, Murakami, Iwama, Katsumura, Tomita, Tamura, Tsukamoto, Ikezawa, and Ikeda, 90
 Ogawa, A. See Mizushina, Takahashi, Tsurugaya, Koshino, Takemura, Yoshida, Matsukage, Sugawara, and Sakaguchi, 430
 Ogawa, H. See Ueda, Saitoh, and Kojima, 530
 Ogawa, Y. See Morimoto and Sato, 146
 —. See Sato, 787
 Ogino, H. See Michishita, Nakabayashi, Suzuki, Kaul, Fujii, Mitsui, and Ayusawa, 1052
 Ogino, T., Kaji, T., Kawabata, M., Satoh, K., Tomoo, K., Ishida, T., Yamazaki, H., Ishidoh, K., and Kominami, E. Function of the Propeptide Region in Recombinant Expression of Active Procathepsin L in *Escherichia coli*, 78
 Ogishima, T. See Moriwaki and Ito, 874
 Ogura, A. See Zimmer, Ohta, and Takagi, 1080
 Ohashi, S., Iwai, K., Mega, T., and Hase, S. Quantitation and Isomeric Structure Analysis of Free Oligosaccharides Present in the Cytosol Fraction of Mouse Liver: Detection of a Free Disialobiantennay Oligosaccharide and Glucosylated Oligomannosides, 852
 Ohgiya, S. See Miura, Hoshino, Nemoto, Odaira, Nitta, and Tsuda, 387
 Ohno, Y. See Ozawa, Shimizu, Katoh, Miyajima, Matsumoto, Fukuoka, Tang, Lang, and Kadlubar, 271
 Ohnuma, S. See Narita and Nishino, 566
 Ohsuye, K. See Oda, Amaya, Fukushi-Irié, Kinameri, Kubota, Fujimura, and Kobayashi, 694
 Ohta, A. See Zimmer, Ogura, and Takagi, 1080
 Ohta, H. See Konishi, Torii, Yamamoto, Miyagi, Fukui, Hanamoto, Matsuno, Komatsu, Kodama, and Katayama, 287
 Ohta, Y. See Guo, Nakagomi, Mochizuki, Ishida, Kiso, Suzuki, Miyamoto, Hidari, and Suzuki, 683
 Ohtsuki, I. See Morimoto and Harada, 121
 —. See Nakaura, Yanaga, and Morimoto, 457
 —. See Shiraishi, Morimoto, Nishita, and Ojima, 1020

S

- Sadakata, N. See Oda, Komatsu, and Muramatsu, 715
 Saeki, K. See Nakamura and Takahashi, 10
 Saeki, M. See Iwanuro and Kato, 48
 Saido, T.C. See Koike, Seki, Kouchi, Ito, Kinouchi, Tomioka, Sorimachi, Maruyama, Suzuki, and Ishiura, 235
 Saito, K. See Takahashi, Takahashi, Kaneko, Ogasawara, Shindo, and Kobayashi, 639
 Saito, M. See Shimada, Katai, Shimizu, Ichimura, Omata, and Horigome, 1033
 Saitoh, T. See Ueda, Kojima, and Ogawa, 530
 Saiz, M., Ro, Y.-T., Wirth, D.F., and Patterson, J.L. Host Cell Proteins Bind Specifically to the Capsid-Cleaved 5' End of *Leishmania* virus RNA, 538
 Sakaguchi, K. See Mizushina, Takahashi, Ogawa, Tsurugaya, Koshino, Takemura, Yoshida, Matsukage, and Sugawara, 430
 Sakai, K. See Iwata, Hori, Uchida, Towatari, and Kido, 485
 Sakakibara, R. See Fujiwara, Murata, Yagisawa, Tanabe, Yabuuchi, and Tsuru, 1170
 Sakamoto, K., Mogi, T., Noguchi, S., and Sone, N. Defining the Structural Domain of Subunit II of the Heme-Copper Terminal Oxidase Using Chimeric Enzymes Constructed from the *Escherichia coli* bo-Type Ubiquinol Oxidase and the Thermophilic *Bacillus* caa₃-Type Cytochrome c Oxidase, 934
 Sako, Y. See Yamano, Nomura, and Maruyama, 218
 Saku, K. See Itabe, Hosoya, Karasawa, Jimi, Takebayashi, Imanaka, and Takano, 153
 Sakurai, N. See Mizutani, Narikawa, Satoh, Kaji, Yamada, and Samejima, 347
 Samejima, T. See Mizutani, Narikawa, Satoh, Sakurai, Kaji, and Yamada, 347
 —. See Kaji, Yada-Wakatabe, Uehira, Terai, Takeda, and Satoh, 769
 Samson-Bouma, M.-E. See Gruffat-Mouty, Graulet, Durand, and Bauchart, 188
 Sasakawa, H., Tamura, A., Fujimaki, S., Taguchi, S., and Akasaka, K. Secondary Structures and Structural Fluctuation in a Dimeric Protein, *Streptomyces* Subtilisin Inhibitor, 859
 Sasaki, H. See Iwasaki, Nakamura, Kohama, and Tanokura, 7
 Sato, H. See Tomita, Yamashita, and Taira, 1090
 Sato, K., Nishina, Y., Setoyama, C., Miura, R., and Shiga, K. Unusually High Standard Redox Potential of Acrylyl-CoA/Propionyl-CoA Couple among Enoyl-CoA/Acyl-CoA Couples: A Reason for the Distinct Metabolic Pathway of Propionyl-CoA from Longer Acyl-CoAs, 668
 Sato, N. See Ishisaka, Tanaka, Takeshige, Iwata, Klostergaard, and Utsunomi, 413
 Sato, O. See Morimoto and Ogawa, 146
 — and Ogawa, Y. The Modulatory Effect of MgATP on Heterotrimeric Smooth Muscle Myosin Phosphatase Activity, 787
 Satoh, Kaneo. See Yang, Yatomi, Igarashi, and Ozaki, 84
 Satoh, Kazumasa. See Ogino, Kaji, Kawabata, Tomoo, Ishida, Yamazaki, Ishidoh,

R

- Ro, Y.-T. See Saiz, Wirth, and Patterson, 538
 Rossi, M. See D'Auria, Nucci, Bertoli, Tansani, Gryczynski, Malak, and Lakowicz, 545

- S (cont'd)
- and Kominami, 78
- Satoh, T. See Mizutani, Narikawa, Sakurai, Kaji, Yamada, and Samejima, 347
- . See Kaji, Yada-Wakatabe, Uehira, Terai, Takeda, and Samejima, 769
- Sawamoto, S. See Morii, Yamauchi, Miyamoto, Iwami, and Itagaki, 624
- . See Fujii, Morii, Kadode, Iwami, and Itagaki, 662
- Schierbeck, B. See Lanne and Angström, 226
- Segawa, H. See Aoki, Sun-Wada, Yoshioka, Ishida, and Kawakita, 940
- Seki, H. See Koike, Kouchi, Ito, Kinouchi, Tomioka, Sorimachi, Saido, Maruyama, Suzuki, and Ishiura, 235
- Sekiguchi, I. See Kimura, Minakami, Otsuki, and Shoji, 340
- Sekimoto, H. See Akaba, Seo, Dohmae, Takio, Kamiya, Furuya, Komano, and Koshiba, 395
- Seno, T. See Aoki, Nakabayashi, Wataya, Kankawa, Kaneda, and Ayusawa, 845
- Senoo, K. See Tanaka, Okuda, Obata, and Inouye, 382
- Seo, M. See Akaba, Dohmae, Takio, Sekimoto, Kamiya, Furuya, Komano, and Koshiba, 395
- Setaka, M. See Karasawa, Yokoyama, and Nojima, 445
- Setoyama, C. See Sato, Nishina, Miura, and Shiga, 668
- Shibahara, S. See Fuse, Yasumoto, Takeda, Amae, Yoshizawa, Udon, Takahashi, Tamai, Tomita, and Tachibana, 1043
- Shibai, H. See Asano, Suzuki, Kawai, and Miwa, 296
- Shibata, K. See Masaoka and Yamaguchi, 212
- Shiga, K. See Sato, Nishina, Setoyama, and Miura, 668
- Shikamoto, Y. See Yamazaki, Fukudome, Kimoto, and Morita, 655
- Shimada, A. See Kanagawa, Kaya, Umez, Watanabe, Togawa, Imagawa, Mardh, and Taniguchi, 266
- Shimada, K. See Sugimoto, Takahashi, Yamamoto, and Tanzawa, 449
- Shimada, Masayuki. See Yonezawa, Uchikoba, Arima, and Kaneda, 26
- Shimada, Midori, Saito, M., Katai, T., Shimizu, A., Ichimura, T., Omata, S., and Horigome, T. Molecular Cloning and Splicing Isoforms of Mouse p144, a Homologue of CA150, 1033
- Shimizu, A. See Shimada, Saito, Katai, Ichimura, Omata, and Horigome, 1033
- Shimizu, H. See Okunura, Uematsu, Hirako, Nishizawa, Kido, and Owaribe, 1144
- Shimizu, Makiko. See Ozawa, Katoh, Miyajima, Ohno, Matsumoto, Fukuoka, Tang, Lang, and Kadlubar, 271
- Shimizu, Masahiro. See Nishito, Usui, Tanabe, and Takeda, 632
- . See Inoue, Usui, Tanabe, Nishito, and Takeda, 1127
- Shimo, T., Nakanishi, T., Nishida, T., Asano, M., Kanyama, M., Kuboki, T., Tamatani, T., Tezuka, K., Takemura, M., Matsumura, T., and Takigawa, M. Connective Tissue Growth Factor Induces the Proliferation, Migration, and Tube Formation of Vascular Endothelial Cells *In Vitro*, and Angiogenesis *In Vivo*, 137
- Shimohigashi, Y. See Fujita, Nose, Nakajima, Inoue, and Costa, 174
- . See Shirasu, Kuromizu, Nakao, Chuman, Nose, and Costa, 254
- Shimokawa, T., Masutani, M., Nagasawa, S., Nozaki, T., Ikota, N., Aoki, Y., Nakagama, H., and Sugimura, T. Isolation and Cloning of Rat Poly(ADP-Ribose)Glycohydrolase: Presence of a Potential Nuclear Export Signal Conserved in Mammalian Orthologs, 748
- Shimomura, T., Denda, K., Kawaguchi, T., Matsumoto, K., Miyazawa, K., and Kitamura, N. Multiple Sites of Proteolytic Cleavage to Release Soluble Forms of Hepatocyte Growth Factor Activator Inhibitor Type 1 from a Transmembrane Form, 821
- Shin, B.-S., Choi, S.-K., and Park, S.-H. Regulation of the *Bacillus subtilis* Phosphotransacetylase Gene, 333
- Shindo, S. See Takahashi, Takahashi, Kaneko, Ogasawara, Saito, and Kobayashi, 639
- Shirai, M. See Nishizawa, Asayama, Fujii, and Harada, 520
- Shiraishi, F., Morimoto, S., Nishita, K., Ojima, T., and Ohtsuki, I. Effects of Removal and Reconstitution of Myosin Regulatory Light Chain and Troponin C on the Ca²⁺-Sensitive ATPase Activity of Myofibrils from Scallop Striated Muscle, 1020
- Shirakura, R. See Miyagawa, Nakai, Yamada, Tanemura, Ikeda, and Taniguchi, 1067
- Shirasu, N., Kuromizu, T., Nakao, H., Chuman, Y., Nose, T., Costa, T., and Shimohigashi, Y. Exploration of Universal Cysteines in the Binding Sites of Three Opioid Receptor Subtypes by Disulfide-Bonding Affinity Labeling with Chemically Activated Thiol-Containing Dynorphin A Analogs, 254
- Shiratori, K. See Yamada, Kurata, Hirata, Taniguchi, Takama, Furihata, Iida, Takagi-Sakuma, Watanabe, Kurosaki, Endo, and Suga, 1013
- Shiratsuchi, A. and Nakanishi, Y. Phosphatidylserine-Mediated Phagocytosis of Anticancer Drug-Treated Cells by Macrophages, 1101
- Shoji, A. See Kimura, Minakami, Sekiguchi, and Otsuki, 340
- Sohn, B.H. See Kim, Jeong, Pak, Park, Park, Lee, Choi, Lee, Han, Yu, and Lee, 320
- Someki, I. See Suzuki, Adachi, Irie, and Hattori, 54
- Sone, N. See Sakamoto, Mogi, and Noguchi, 934
- Sorimachi, H. See Koike, Seki, Kouchi, Ito, Kinouchi, Tomioka, Saido, Maruyama, Suzuki, and Ishiura, 235
- Sudo, K. See Ishida, Yoshioka, Iida, Miura, Aoki, and Kawakita, 1107
- Suematsu, M. See Miyamoto, Mitani, Mukai, and Ishimura, 1175
- Suga, T. See Yamada, Kurata, Hirata, Taniguchi, Takama, Furihata, Shiratori, Iida, Takagi-Sakuma, Watanabe, Kurosaki, and Endo, 1013
- Sugahara, M. See Nakagawa, Masui, Kato, Fukuyama, and Kuramitsu, 986
- Sugawara, F. See Mizushina, Takahashi, Ogawa, Tsurugaya, Koshino, Takemura, Yoshida, Matsukage, and Sakaguchi, 430
- Sugaya, T. See Goso, Ishihara, Kurihara, and Hotta, 375
- Sugimoto, K., Takahashi, M., Yamamoto, Y., Shimada, K., and Tanzawa, K. Identification of Aggrecanase Activity in Medium of Cartilage Culture, 449
- Sugimura, T. See Shimokawa, Masutani, Nagasawa, Nozaki, Ikota, Aoki, and Nakagama, 748
- Sumiyoshi, M. See Tsujita and Okuda, 1074
- Sun-Wada, G.-H. See Aoki, Segawa, Yoshioka, Ishida, and Kawakita, 940
- Sutoh, K., Kato, H., and Minamikawa, T. Identification and Possible Roles of Three Types of Endopeptidase from Germinated Wheat Seeds, 700
- Suzuki, K. See Koike, Seki, Kouchi, Ito, Kinouchi, Tomioka, Sorimachi, Saido, Maruyama, and Ishiura, 235
- Suzuki, M. See Nozawa, Kurumiya, Yamamoto, Isobe, and Yoshida, 361
- Suzuki, N. See Takeda, 104
- Suzuki, Shinnichiro. See Kobayashi, Tagawa, and Deligeer, 408
- Suzuki, Shunichi. See Asano, Kawai, Miwa, and Shibai, 296
- Suzuki, Takashi. See Guo, Nakagomi, Mochizuki, Ishida, Kiso, Ohta, Miyamoto, Hidari, and Suzuki, 683
- Suzuki, Toshiaki. See Kawakami, Baek, Chung, Kawasaki, Hirano, Ichiyama, Omata, and Tanaka, 612
- Suzuki, Toshikazu. See Michishita, Nakabayashi, Kaul, Ogino, Fujii, Mitsui, and Ayusawa, 1052
- Suzuki, Y. See Guo, Nakagomi, Mochizuki, Ishida, Kiso, Ohta, Suzuki, Miyamoto, and Hidari, 683
- , Someki, I., Adachi, E., Irie, S., and Hattori, S. Interaction of Collagen Molecules from the Aspect of Fibril Formation: Acid-Soluble, Alkali-Treated, and MMP1-Digested Fragments of Type I Collagen, 54
- Szymanski, M. See Wyszko, Fuerste, Barciszewska, Adamia, Erdmann, and Barciszewski, 326
- T
- Tachibana, M. See Fuse, Yasumoto, Takeda, Amae, Yoshizawa, Udon, Takahashi, Tamai, Tomita, and Shibahara, 1043
- Tadano-Aritomi, K. See Niimura, Tomori, Toida, and Ishizuka, 962
- Taga, T. See Kimura, Ueno, and Nakashima, 180
- Tagawa, S. See Kobayashi, Deligeer, and Suzuki, 408
- Taguchi, R., Hamakawa, N., Maekawa, N., and Ikezawa, H. Application of Electrospray Ionization MS/MS and Matrix-Assisted Laser Desorption/Ionization-Time of Flight Mass Spectrometry to Structural Analysis of the Glycosylphosphatidylinositol-Anchored Protein, 421
- Taguchi, S. See Sasakawa, Tamura, Fujimaki, and Akasaka, 859
- , Ozaki, A., Nonaka, T., Mitsui, Y., and Momose, H. A Cold-Adapted Protease

- T (cont'd)
- Engineered by Experimental Evolution System, 689
- Taira, H. See Tomita, Yamashita, and Sato, 1090
- Tajima, T. See Tamori, Kanzawa, Tamiya, and Tsuchiya, 969
- Takagi, Masahiro. See Mizuguchi, Nakatsuji, Fujiwara, and Imanaka, 762
- Takagi, Masamichi. See Zimmer, Ogura, and Ohta, 1080
- Takagi, T. See Yuasa and Cox, 572
- Takagi-Sakuma, M. See Yamada, Kurata, Hirata, Taniguchi, Takama, Furihata, Shiratori, Iida, Watanabe, Kurosaki, Endo, and Suga, 1013
- Takahashi, I., Nakamura, Y., Hamada, Y., and Nakazawa, K. Immunohistochemical Analysis of Proteoglycan Biosynthesis during Early Development of the Chicken Cornea, 804
- Takahashi, Kazuhiro. See Fuse, Yasumoto, Takeda, Amae, Yoshizawa, Udon, Tamai, Tomita, Tachibana, and Shibahara, 1043
- Takahashi, Keitaro. See Takahashi, Kaneko, Ogasawara, Shindo, Saito, and Kobayashi, 639
- Takahashi, Masaaki. See Sugimoto, Yamamoto, Shimada, and Tanzawa, 449
- Takahashi, Motoko. See Hamaoka, Fujii, Miyagawa, Kishimoto, Moriwaki, Yamamoto, Kajimoto, Yamasaki, Hanafusa, Matsuzawa, and Taniguchi, 41
- Takahashi, N. See Mizushima, Ogawa, Tsurugaya, Koshino, Takemura, Yoshida, Matsukage, Sugawara, and Sakaguchi, 430
- Takahashi, S., Takahashi, K., Kaneko, T., Ogasawara, H., Shindo, S., Saito, K., and Kobayashi, M. Identification of Cysteine-380 as the Essential Residue for the Human N-Acetyl-D-Glucosamine 2-Epimerase (Renin Binding Protein), 639
- Takahashi, T., Fukukawa, C., Naraoka, C., Katoh, T., and Yazawa, M. Conformations of Vertebrate Striated Muscle Myosin Monomers in Equilibrium with Filaments, 34
- Takahashi, T., Hiramoto, S., Wato, S., Nishimoto, T., Wada, Y., Nagai, K., and Yamaguchi, H. Identification of Essential Amino Acid Residues of an α -Amylase Inhibitor from *Phaseolus vulgaris* White Kidney Beans, 838
- Takahashi, Yasuhiro. See Nakamura and Saeki, 10
- and Nakamura, M. Functional Assignment of the ORF2-*iscS*-*iscU*-*iscA*-*hscB*-*hscA*-*fdx*-ORF3 Gene Cluster Involved in the Assembly of Fe-S Clusters in *Escherichia coli*, 917
- Takahashi, Yuki. See Nunoya, Yokoi, Kimura, Kinoshita, and Kamataki, 402
- Takama, H. See Yamada, Kurata, Hirata, Taniguchi, Furihata, Shiratori, Iida, Takagi-Sakuma, Watanabe, Kurosaki, Endo, and Suga, 1013
- Takano, T. See Itabe, Hosoya, Karasawa, Jimi, Saku, Takebayashi, and Imanaka, 153
- Takaoka, Y., Niwa, S., and Nagai, H. Interleukin-1 β Induces Interleukin-6 Production through the Production of Prostaglandin E₂ in Human Osteoblasts, MG-63 Cells, 553
- Takebayashi, S. See Itabe, Hosoya, Karasawa, Jimi, Saku, Imanaka, and Takano, 153
- Takeda, A. See Kaji, Yada-Wakatabe, Uehira, Terai, Satoh, and Samejima, 769
- Takeda, Kazuhisa. See Fuse, Yasumoto, Amae, Yoshizawa, Udon, Takahashi, Tamai, Tomita, Tachibana, and Shibahara, 1043
- Takeda, Kenji and Suzuki, N. Genomic Structure and Expression of the Medaka Fish Homolog of the Mammalian Guanylyl Cyclase B, 104
- Takeda, M. See Nishito, Usui, Tanabe, and Shimizu, 632
- . See Inoue, Usui, Tanabe, Nishito, and Shimizu, 1127
- Takeda, S., Matsushika, A., and Mizuno, T. Repression of the Gene Encoding Succinate Dehydrogenase in Response to Glucose Is Mediated by the EIICB^{Sc} Protein in *Escherichia coli*, 354
- Takemura, Masaharu. See Mizushima, Takahashi, Ogawa, Tsurugaya, Koshino, Yoshida, Matsukage, Sugawara, and Sakaguchi, 430
- Takemura, Motohide. See Shimo, Nakanishi, Nishida, Asano, Kanyama, Kuboki, Tamatani, Tezuka, Matsumura, and Takigawa, 137
- Takeshige, T. See Ishisaka, Sato, Tanaka, Iwata, Klostergaard, and Utsumi, 413
- Taketani, S. See Kameshita, Ishida, and Fujisawa, 991
- Takeuchi, H. See Irimura, Denda, Iida, and Kato, 975
- Takeuchi, M. See Ishida, Yoshioka, Chiba, and Kawakita, 68
- Takigawa, M. See Shimo, Nakanishi, Nishida, Asano, Kanyama, Kuboki, Tamatani, Tezuka, Takemura, and Matsumura, 137
- Takio, K. See Akaba, Seo, Dohmae, Sekimoto, Kamiya, Furuya, Komano, and Koshiba, 395
- . See Wakatsuki, Arioka, Dohmae, Yamasaki, and Kitamoto, 1151
- Tamai, M. See Fuse, Yasumoto, Takeda, Amae, Yoshizawa, Udon, Takahashi, Tomita, Tachibana, and Shibahara, 1043
- Tamatani, T. See Shimo, Nakanishi, Nishida, Asano, Kanyama, Kuboki, Tezuka, Takemura, Matsumura, and Takigawa, 137
- Tamiya, T. See Tamori, Kanzawa, Tajima, and Tsuchiya, 969
- Tamori, J., Kanzawa, N., Tajima, T., Tamiya, T., and Tsuchiya, T. Purification and Characterization of a Novel Isoform of Myosinase from Spear Squid Liver, 969
- Tamura, A. See Sasakawa, Fujimaki, Taguchi, and Akasaka, 859
- Tamura, H. See Fujii, Ogata, Inoue, Inoue, Murakami, Iwama, Katsumura, Tomita, Tsukamoto, Ikezawa, and Ikeda, 90
- Tanabe, O. See Nishito, Usui, Shimizu, and Takeda, 632
- . See Inoue, Usui, Nishito, Shimizu, and Takeda, 1127
- Tanabe, T. See Fujiwara, Masuyama, Yagi-sawa, Yabuuchi, and Tsuru, 503
- . See Fujiwara, Murata, Yagisawa, Yabuuchi, Sakakibara, and Tsuru, 1170
- Tanaka, A., Okuda, K., Senoo, K., Obata, H., and Inouye, K. Guanidine Hydrochloride-Induced Denaturation of *Pseudomonas cepacia* Lipase, 382
- Tanaka, Keiji. See Kawakami, Suzuki, Baek, Chung, Kawasaki, Hirano, Ichiyama, and Omata, 612
- Tanaka, Kenji. See Ishisaka, Sato, Takeshige, Iwata, Klostergaard, and Utsumi, 413
- Tanaka, N. See Yoshimoto, Kabashima, Uchikawa, Inoue, Nakamura, Tsuru, and Ito, 559
- Tanemura, M. See Miyagawa, Nakai, Yamada, Ikeda, Taniguchi, and Shirakura, 1067
- Tanfani, F. See D'Auria, Nucci, Rossi, Bertoli, Gryczynski, Malak, and Lakowicz, 545
- Tang, Y.-M. See Ozawa, Shimizu, Katoh, Miyajima, Ohno, Matsumoto, Fukuoka, Lang, and Kadlubar, 271
- Tani, M. See Nakagawa, Kita, and Ito, 604
- Taniguchi, K. See Kanagawa, Kaya, Umezawa, Watanabe, Togawa, Shimada, Imagawa, and Mardh, 266
- Taniguchi, N. See Hamaoka, Fujii, Miyagawa, Takahashi, Kishimoto, Moriwaki, Yamamoto, Kajimoto, Yamasaki, Hanafusa, and Matsuzawa, 41
- . See Miyagawa, Nakai, Yamada, Tanemura, Ikeda, and Shirakura, 1067
- Taniguchi, Takazumi. See Tsuji, Hashimoto, Ikoma, Mori, Nagahama, and Matsuda, 591
- Taniguchi, Tomomi. See Yamada, Kurata, Hirata, Takama, Furihata, Shiratori, Iida, Takagi-Sakuma, Watanabe, Kurosaki, Endo, and Suga, 1013
- Tanokura, M. See Iwasaki, Sasaki, Nakamura, and Kohama, 7
- Tanzawa, K. See Sugimoto, Takahashi, Yamamoto, and Shimada, 449
- Tao, G. See Li, Nagasawa, Tazawa, Kobayashi, Itoh, and Tashima, 643
- Tashima, Y. See Li, Tao, Nagasawa, Tazawa, Kobayashi, and Itoh, 643
- Taya, S. See Yamamoto and Kaiuchi, 799
- Tazawa, H. See Li, Tao, Nagasawa, Kobayashi, Itoh, and Tashima, 643
- Terai, M. See Kaji, Yada-Wakatabe, Uehira, Takeda, Satoh, and Samejima, 769
- Tezuka, K. See Shimo, Nakanishi, Nishida, Asano, Kanyama, Kuboki, Tamatani, Takemura, Matsumura, and Takigawa, 137
- Togawa, K. See Kanagawa, Kaya, Umezawa, Watanabe, Shimada, Imagawa, Mardh, and Taniguchi, 266
- Toida, T. See Niimura, Tomori, Tadano-Aritomi, and Ishizuka, 962
- Tokuyasu, K. See Honda, Kirihata, Fukamizo, Kaneko, and Brzezinski, 470
- Tomioka, S. See Koike, Seki, Kouchi, Ito, Kinouchi, Sorimachi, Saido, Maruyama, Suzuki, and Ishiura, 235
- Tomita, M. See Fujii, Ogata, Inoue, Inoue, Murakami, Iwama, Katsumura, Tomita, Tsukamoto, Ikezawa, and Ikeda, 90
- . Yoshizato, K., Nagata, K., and Kitajima, T. Enhancement of Secretion of Human Procollagen I in Mouse HSP47-Expressing

T (cont'd)

- Insect Cells, 1118
 Tomita, Yasuhiro, Yamashita, T., Sato, H., and Taira, H. Kinetics of Interactions of Sendai Virus Envelope Glycoproteins, F and HN, with Endoplasmic Reticulum-Resident Molecular Chaperones, BiP, Calnexin, and Calreticulin, 1090
 Tomita, Yasushi. See *Fuse, Yasumoto, Takeda, Amae, Yoshizawa, Udon, Takahashi, Tamai, Tachibana, and Shibahara*, 1043
 Tomoo, K. See *Ogino, Kaji, Kawabata, Satoh, Ishida, Yamazaki, Ishidoh, and Kominami*, 78
 Tomori, M. See *Niimura, Tadano-Aritomi, Toida, and Ishizuka*, 962
 Toraya, T., Yoshizawa, K., Eda, M., and Yamabe, T. Direct Participation of Potassium Ion in the Catalysis of Coenzyme B₁₂-Dependent Diol Dehydratase, 650
 Torii, Y. See *Konishi, Yamamoto, Miyagi, Ohta, Fukui, Hanamoto, Matsuno, Komatsu, Kodama, and Katayama*, 287
 Toshimori, M. See *Yoshinaga, Mukai, Miyamoto, and Ono*, 475
 Towatari, T. See *Iwata, Sakai, Hori, Uchida, and Kido*, 485
 Tsubaki, M., Mogi, T., and Hori, H. Fluoride-Binding to the *Escherichia coli* bd-Type Ubiquinol Oxidase Studied by Visible Absorption and EPR Spectroscopies, 98
 —, Mogi, T., and Hori, H. Azide- and Cyanide-Binding to the *Escherichia coli* bd-Type Ubiquinol Oxidase Studied by Visible Absorption, EPR, and FTIR Spectroscopies, 510
 Tsuboi, S. Elevation of Glutathione Level in Rat Hepatocytes by Hepatocyte Growth Factor via Induction of γ -Glutamylcysteine Synthetase, 815
 Tsuchiya, T. See *Tamori, Kanzawa, Tajima, and Tamiya*, 969
 Tsuda, S. See *Miura, Ohgiya, Hoshino, Nemoto, Odaira, and Nitta*, 387
 Tsuji, A., Hashimoto, E., Ikoma, T., Taniguchi, T., Mori, K., Nagahama, M., and Matsuda, Y. Inactivation of Proprotein Convertase, PACE4, by α 1-Antitrypsin Portland (α 1-PDX), a Blocker of Proteolytic Activation of Bone Morphogenetic Protein during Embryogenesis: Evidence That PACE4 Is Able to Form an SDS-Stable Acyl Intermediate with α 1-PDX, 591
 Tsuji, A., Yoshida, S., Hasegawa, S., Bando, M., Yoshida, I., Koide, S., Mori, K., and Matsuda, Y. Human Subtilisin-Like Protein Convertase, PACE4 (SPC4) Gene Expression Is Highly Regulated through E-Box Elements in HepG2 and GH4C1 Cells, 494
 Tsujita, T., Sumiyoshi, M., and Okuda, H. Fatty Acid Alcohol Ester-Synthesizing Activity of Lipoprotein Lipase, 1074
 Tsukamoto, K. See *Fujii, Ogata, Inoue, Inoue, Murakami, Iwama, Katsumura, Tomita, Tamura, Ikezawa, and Ikeda*, 90
 Tsuru, D. See *Fujiwara, Masuyama, Yagisawa, Tanabe, and Yabuuchi*, 503
 —. See *Fujiwara, Murata, Yagisawa, Tanabe, Yabuuchi, and Sakakibara*, 1170
 Tsuru, M. See *Yoshimoto, Kabashima, Uchi-ka, Inoue, Tanaka, Nakamura, and Ito*, 559
 Tsurugaya, K. See *Mizushina, Takahashi, Ogawa, Koshino, Takemura, Yoshida, Matsukage, Sugawara, and Sakaguchi*, 430
- U
- Uchida, M. See *Yamaguchi and Nishiyama*, 261
 Uchida, S. See *Iwata, Sakai, Hori, Towatari, and Kido*, 485
 Uchikawa, K. See *Yoshimoto, Kabashima, Inoue, Tanaka, Nakamura, Tsuru, and Ito*, 559
 Uchikoba, T. See *Yonezawa, Arima, Shimada, and Kaneda*, 26
 Udon, T. See *Fuse, Yasumoto, Takeda, Amae, Yoshizawa, Takahashi, Tamai, Tomita, Tachibana, and Shibahara*, 1043
 Ueda, H., Saitoh, T., Kojima, K., and Ogawa, H. Multi-Specificity of a *Psathyrella velutina* Mushroom Lectin: Heparin/Pectin Binding Occurs at a Site Different from the N-Acetylglucosamine/N-Acetylneurameric Acid-Specific Site, 530
 Uehira, T. See *Kaji, Yada-Wakatabe, Terai, Takeda, Satoh, and Samejima*, 769
 Uematsu, J. See *Okumura, Hirako, Nishizawa, Shimizu, Kido, and Owaribe*, 1144
 Uemura, K. See *Naito, Ikeda, Hasegawa, Oka, Kawasaki, and Kawasaki*, 1004
 Ueno, H. See *Jung and Hayashi*, 1
 Ueno, K. See *Hori, Nembai, Miyata, Hayashi, and Koide*, 722
 Ueno, M. See *Kimura, Nakashima, and Taga*, 180
 Umezawa, H. See *Kanagawa, Kaya, Watanabe, Togawa, Shimada, Imagawa, Mardh, and Taniguchi*, 266
 Usui, H. See *Nishito, Tanabe, Shimizu, and Takeda*, 632
 —, *Inoue, Tanabe, Nishito, Shimizu, and Takeda*, 1127
 Utsumi, T. See *Ishisaka, Sato, Tanaka, Takeshige, Iwata, and Klostergaard*, 413
- W
- Wada, Y. See *Takahashi, Hiramoto, Wato, Nishimoto, Nagai, and Yamaguchi*, 838
 Wakabayashi, T. See *Ishikawa*, 200
 Wakatsuki, S., Arioka, M., Dohmae, N., Takio, K., Yamasaki, M., and Kitamoto, K. Characterization of a Novel Fungal Protein, p15, Which Induces Neuronal Differentiation of PC12 Cells, 1151
 Wakiyama, M. See *Miyoshi, Youtani, Ide, Hori, Okamoto, Ishikawa, Nishino, Ishida, and Miura*, 897
 Wang, W.-H. See *Liao, Yang, Chen, and Chang*, 461
 Watanabe, A., Yoshimura, T., Mikami, B., and Esaki, N. Tyrosine 265 of Alanine Racemase Serves as a Base Abstracting α -Hydrogen from L-Alanine: The Counterpart Residue to Lysine 39 Specific to D-Alanine, 781
 Watanabe, S. See *Kanagawa, Kaya, Umezawa, Togawa, Shimada, Imagawa, Mardh, and Taniguchi*, 266
 Watanabe, T. See *Yamada, Kurata, Hirata, Taniguchi, Takama, Furihata, Shiratori*,
- Iida, Takagi-Sakuma, Kurosaki, Endo, and Suga
- Wataya, Y. See *Aoki, Nakabayashi, Kan-kawa, Kaneda, Ayusawa, and Seno*, 845
 Wato, S. See *Takahashi, Hiramoto, Nishimoto, Wada, Nagai, and Yamaguchi*, 838
 Wirth, D.F. See *Saiz, Ro, and Patterson*, 538
 Wyszko, E., Fuerste, J.-P., Barciszewska, M., Szymanski, M., Adamak, R., Erdmann, V.A., and Barciszewski, J. Preparation of HIV TAR RNA with RNA Scissors, 326
- Y
- Yabuuchi, M. See *Fujiwara, Masuyama, Yagisawa, Tanabe, and Tsuru*, 503
 —. See *Fujiwara, Murata, Yagisawa, Tanabe, Sakakibara, and Tsuru*, 1170
 Yada-Wakatabe, R. See *Kaji, Uehira, Terai, Takeda, Satoh, and Samejima*, 769
 Yagisawa, S. See *Fujiwara, Masuyama, Tanabe, Yabuuchi, and Tsuru*, 503
 —. See *Fujiwara, Murata, Tanabe, Yabuuchi, Sakakibara, and Tsuru*, 1170
 Yamabe, T. See *Toraya, Yoshizawa, and Eda*, 650
 Yamada, J., Kurata, A., Hirata, M., Taniguchi, T., Takama, H., Furihata, T., Shiratori, K., Iida, N., Takagi-Sakuma, M., Watanabe, T., Kurosaki, K., Endo, T., and Suga, T. Purification, Molecular Cloning, and Genomic Organization of Human Brain Long-Chain Acyl-CoA Hydrolase, 1013
 Yamada, M. See *Miyagawa, Nakai, Tanemura, Ikeda, Taniguchi, and Shirakura*, 1067
 Yamada, S. See *Mizutani, Narikawa, Satoh, Sakurai, Kaji, and Samejima*, 347
 Yamaguchi, H. See *Masaoka and Shibata*, 212
 —. See *Takahashi, Hiramoto, Wato, Nishimoto, Wada, and Nagai*, 838
 —, Nishiyama, T., and Uchida, M. Binding Affinity of N-Glycans for Aromatic Amino Acid Residues: Implications for Novel Interactions between N-Glycans and Proteins, 261
 Yamaguchi, S. See *Iijima, Homma, and Natori*, 912
 Yamamoto, A. See *Nozawa, Kurumiya, Isobe, Suzuki, and Yoshida*, 361
 Yamamoto, K. See *Hamaoka, Fujii, Miyagawa, Takahashi, Kishimoto, Moriwaki, Kajimoto, Yamasaki, Hanafusa, Matsuzawa, and Taniguchi*, 41
 Yamamoto, Takaharu, Taya, S., and Kubuchi, K. Ras-Induced Transformation and Signaling Pathway, 799
 Yamamoto, Tatsuo. See *Konishi, Torii, Miyagi, Ohta, Fukui, Hanamoto, Matsuno, Komatsu, Kodama, and Katayama*, 287
 Yamamoto, Toshiyoshi. See *Konishi, Fujiyoshi, Fukui, Matsuzaki, Ono, Andjelkovic, Hemmings, and Kikkawa*, 1136
 Yamamoto, Y. See *Sugimoto, Takahashi, Shimada, and Tanzawa*, 449
 Yamano, S., Sako, Y., Nomura, N., and Maruyama, T. A Cambialistic SOD in a Strictly Aerobic Hyperthermophilic Archaeon, *Aeropyrum pernix*, 218
 Yamasaki, M. See *Wakatsuki, Arioka, Dohmae, Takio, and Kitamoto*, 1151
 Yamasaki, N. See *Iwanaga, Nagata, Miya-*

- Y (cont'd)
- moto, Kouzuma, and Kimura*, 162
Yamasaki, Y. See *Hamaoka, Fujii, Miyagawa, Takahashi, Kishimoto, Moriwaki, Yamamoto, Kajimoto, Hanafusa, Matsuzawa, and Taniguchi*, 41
Yamashita, C. See *Ishida, Kuruta, Gotoh, Yoshida, and Noshiro*, 19
Yamashita, T. See *Tomita, Sato, and Taira*, 1090
Yamauchi, Y. See *Morii, Sawamoto, Miyamoto, Iwami, and Itagaki*, 624
Yamazaki, H. See *Ogino, Kaji, Kawabata, Satoh, Tomoo, Ishida, Ishidoh, and Komianmi*, 78
Yamazaki, T. See *Kominami, Koga, and Hori*, 756
Yamazaki, Yasuo, Shikamoto, Y., Fukudome, K., Kimoto, M., and Morita, T. Fibroblasts, Glial, and Neuronal Cells Are Involved in Extravascular Prothrombin Activation, 655
Yamazaki, Yoichi, Kandori, H., and Mugi, T. Effects of Subunit I Mutations on Redox-Linked Conformational Changes of the *Escherichia coli* bo-Type Ubiquinol Oxidase Revealed by Fourier-Transform Infrared Spectroscopy, 194
Yanaga, F. See *Nakaura, Ohtsuki, and Morimoto*, 457
Yang, H.-S. See *Liao, Wang, Chen, and Chang*, 461
Yang, L., Yatomi, Y., Satoh, K., Igarashi, Y., and Ozaki, Y. Sphingosine 1-Phosphate Formation and Intracellular Ca²⁺ Mobilization in Human Platelets: Evaluation with Sphingosine Kinase Inhibitors, 84
Yano, T. See *Hoseki, Koyama, Kuramitsu, and Kagamiyama*, 951
Yasumoto, K. See *Fuse, Takeda, Amae, Yoshizawa, Udon, Takahashi, Tamai, Tomita, Tachibana, and Shibahara*, 1043
Yasuoka, A., Endo, K., Asano-Miyoshi, M., Abe, K., and Emori, Y. Two Subfamilies of Olfactory Receptor Genes in Medaka Fish, *Oryzias latipes*: Genomic Organization and Differential Expression in Olfactory Epithelium, 866
Yatomi, Y. See *Yang, Satoh, Igarashi, and Ozaki*, 84
Yazawa, M. See *Takahashi, Fukukawa, Naraoka, and Katoh*, 34
Yokoi, F. See *Hiraishi and Kumon*, 368
Yokoi, T. See *Nunoya, Takahashi, Kimura, Kinoshita, and Kamataki*, 402
Yokoyama, K. See *Karasawa, Setaka, and Nojima*, 445
Yonezawa, H., Uchikoba, T., Arima, K., Shimada, M., and Kaneda, M. Amino Acid Sequence and Some Properties of Phyto-lacain R, a Cysteine Protease from Full-Growth Fruits of Pokeweed, *Phytolacca americana*, 26
Yoshida, I. See *Tsuji, Yoshida, Hasegawa, Bando, Koide, Mori, and Matsuda*, 494
Yoshida, Shigeru. See *Tsuji, Hasegawa, Bando, Yoshida, Koide, Mori, and Matsuda*, 494
Yoshida, Shonen. See *Nozawa, Kurumiya, Yamamoto, Isobe, and Suzuki*, 361
—. See Mizushina, Takahashi, Ogawa, Tsurugaya, Koshino, Takemura, Matsukage, Sugawara, and Sakaguchi, 430
Yoshida, Y. See *Ishida, Kuruta, Gotoh, Yamashita, and Noshiro*, 19
—. See Nitahara, Aoyama, Horiuchi, and Noshiro, 927
Yoshimoto, T., Kabashima, T., Uchikawa, K., Inoue, T., Tanaka, N., Nakamura, K.T., Tsuru, M., and Ito, K. Crystal Structure of Prolyl Aminopeptidase from *Serratia marcescens*, 559
Yoshimura, T. See *Watanabe, Mikami, and Esaki*, 781
Yoshinaga, C., Mukai, H., Toshimori, M., Miyamoto, M., and Ono, Y. Mutational Analysis of the Regulatory Mechanism of PKN: The Regulatory Region of PKN Contains an Arachidonic Acid-Sensitive Autoinhibitory Domain, 475
Yoshioka, S. See *Ishida, Chiba, Takeuchi, and Kawakita*, 68
—. See Aoki, Sun-Wada, Segawa, Ishida, and Kawakita, 940
—. See Ishida, Iida, Sudo, Miura, Aoki, and Kawakita, 1107
Yoshizato, K. See *Tomita, Nagata, and Kitajima*, 1118
Yoshizawa, K. See *Toraya, Eda, and Yamabe*, 650
Yoshizawa, M. See *Fuse, Yasumoto, Takeda, Amae, Udon, Takahashi, Tamai, Tomita, Tachibana, and Shibahara*, 1043
Youtani, T. See *Miyoshi, Ide, Hori, Okamoto, Ishikawa, Wakayama, Nishino, Ishida, and Miura*, 897
Yu, D.-Y. See *Kim, Sohn, Jeong, Pak, Park, Park, Lee, Choi, Lee, Han, and Lee*, 320
Yuasa, H.J., Cox, J.A., and Takagi, T. Genomic Structure of the Amphioxus Calcium Vector Protein, 572
- Z
- Zaid, A.* See *Li, Hodny, Barath, and Nelson*, 130
Zimmer, T., Ogura, A., Ohta, A., and Takagi, M. Misfolded Membrane-Bound Cytochrome P450 Activates KAR2 Induction through Two Distinct Mechanisms, 1080