

INDEX TO AUTHORS

A

- Abe, K. See *Asano-Miyoshi, Suda, Yasuoka, Osima, Yamashita, and Emori*, 915
 Abe, Y. See *Sato, Kim, Saito, Yokoyama, and Kohda*, 65
 Achterhold, K. See *Lehnerer, Schulze, Lewis, and Hlavica*, 163
 Ahmed, T., Kelly, S.M., Price, N.C., and Lawrence, A.J. Activation of Phospholipase A₂ by Long Chain Fatty Acyl Groups Involves a Novel Unstable Linkage, 871
 Aisaka, K. See *Okutsu, Kuroiwa, Kagitani, Kai, Tsutsumi, Kaneko, Yokomori, Surani, Kohda, Kaneko-Ishino, and Ishino*, 475
 Aizono, Y. See *Tsuruta*, 143
 Akaba, S. See *Koiwai, Seo, Komano, and Koshihara*, 659
 Akaike, T. See *Ishihara, Ono, Ishikawa, Hattori, Saito, Yura, Ozeki, Tanaka, Mochizuki, and Kurita*, 797
 Akashi, M. See *Osawa, Hachiyu, Araki, Kusama, Matsushima, and Aoki*, 883
 Akine, Y. See *Pan, Minegishi, Harigae, Yamagiwa, Minegishi, and Yamamoto*, 105
 Akita, K. See *Ishii, Sonezaki, Iwasaki, Miyata, Kato, and Amano*, 837
 Akiyama, S. See *Matsui, Kurosawa, Hibi, Kasai, Sakamoto, Ito, Nakao, and Muramatsu*, 1103
 Amano, F. See *Ishii, Sonezaki, Iwasaki, Miyata, Akita, and Kato*, 837
 Ami, R. See *Aoki, Onagi, Fujino, and Watabe*, 627
 Ando, K. See *Fujino, Beppu, and Kikugawa*, 1081
 Aoki, T., Ami, R., Onagi, H., Fujino, H., and Watabe, H. A New Approach to Gene Mutation Analysis Using GFP-Display, 627
 Aoki, Y. See *Osawa, Hachiyu, Araki, Kusama, Matsushima, and Akashi*, 883
 Aozasa, N. See *Shiraishi, Kobayashi, Sakamoto, Nonaka, Mitsui, Kubo, and Natori*, 1127
 Arai, K. See *Okubo, Yanai, Watanabe, and Obinata*, 591
 Araki, S. See *Osawa, Hachiyu, Kusama, Matsushima, Aoki, and Akashi*, 883
 Aratani, Y. See *Noguchi, Nakano, Koyama, Kodama, and Niki*, 971
 Arimoto, M. See *Fujii, Takagi, Ootani, and Ueda*, 457
 Asahara, Y., Atsuta, K., Motohashi, K., Taguchi, H., Yohda, M., and Yoshida, M. FtsH Recognizes Proteins with Unfolded Structure and Hydrolyzes the Carboxyl Side of Hydrophobic Residues, 931
 Asai, K. See *Tsuiki, Yamamoto, Fujita, Inoue, Kawai, Tada, Moriyama, Wada, and Kato*, 517
 Asakura, T. See *Maruta and Saitoh*, 199
 Asano, R., Takemura, S., Tsumoto, K., Sakurai, N., Teramae, A., Ebara, S., Katayose, Y., Shinoda, M., Suzuki, M., Imai, K., Matsuno, S., Kudo, T., and Kumagai, I. Functional Construction of the Anti-Mucin Core Protein

- (MUC1) Antibody MUSE11 Variable Regions in a Bacterial Expression System, 673
 Asano, S., Furumoto, R., Tega, Y., Matsuda, S., and Takeguchi, N. Mutational Analysis of the Putative K⁺-Binding Site on the Fourth Transmembrane Segment of the Gastric H⁺K⁺-ATPase, 993
 Asano-Miyoshi, M., Suda, T., Yasuoka, A., Osima, S., Yamashita, S., Abe, K., and Emori, Y. Random Expression of Main and Vomeronasal Olfactory Receptor Genes in Immature and Mature Olfactory Epithelia of *Fugu rubripes*, 915
 Asayama, M. See *Nishizawa, Ueda, Fujii, Harada, Ochi, and Shirai*, 779
 Atsuta, K. See *Asahara, Motohashi, Taguchi, Yohda, and Yoshida*, 931

B

- Baba, S. See *Takahashi, Hayashi, Koyanagi, Yamamoto, Takaku, and Kawai*, 681
 Baranowska-Kortylewicz, J. See *Goel, Beresford, Colcher, Pavlinkova, Booth, and Batra*, 829
 Basu, M.K. See *Chakraborty and Ghosh*, 185
 Batra, S.K. See *Goel, Beresford, Colcher, Pavlinkova, Booth, and Baranowska-Kortylewicz*, 829
 Bechtold, U., Otterbach, J.T., Pasternack, R., and Fuchsbaue, H.-L. Enzymic Preparation of Protein G-Peroxidase Conjugates Catalysed by Transglutaminase, 239
 Beppu, M. See *Fujino, Tada, Hosaka, and Kikugawa*, 307
 —. See *Fujino, Ando, and Kikugawa*, 1081
 —. See *Fujino, Kojima, Kikugawa, Yasuda, and Takahashi*, 1087
 Beresford, G.W. See *Goel, Colcher, Pavlinkova, Booth, Baranowska-Kortylewicz, and Batra*, 829
 Booth, B.J.M. See *Goel, Beresford, Colcher, Pavlinkova, Baranowska-Kortylewicz, and Batra*, 829

C

- Chakraborty, P., Ghosh, D., and Basu, M.K. Macrophage Protein Kinase C: Its Role in Modulating Membrane Microviscosity and Superoxide in Leishmanial Infection, 185
 Chi, S.-W. See *Ryu, Choi, Kim, and Kim*, 687
 Choi, B.-S. See *Ryu, Chi, Kim, and Kim*, 687
 Choi, I. See *Kim and Kim*, 23
 Choi, J.-W. See *Lee, Sohn, Yeh, Jung, and Kim*, 1053
 Colcher, D. See *Goel, Beresford, Pavlinkova, Booth, Baranowska-Kortylewicz, and Batra*, 829

D

- Deguchi, H. See *Zako, Kitayama, Ueda, and Nagamune*, 351
 Ding, J. See *Tsuchida, Yanagi, Inatome, Hermann, Tsujimura, Matsui, and Yamamura*, 321
 —, Takano, T., Hermann, P., Gao, S., Han, W., Noda, C., Yanagi, S., and Yamamura, H. Dis-

- tinctive Functions of Syk N-Terminal and C-Terminal SH2 Domains in the Signaling Cascade Elicited by Oxidative Stress in B Cells, 791

- Doi, Y. See *Fujii, Ueno, and Hayashi*, 877

E

- Ebara, S. See *Asano, Takemura, Tsumoto, Sakurai, Teramae, Katayose, Shinoda, Suzuki, Imai, Matsuno, Kudo, and Kumagai*, 673
 Eguchi, N. See *Manyu, Sato, Seiki, Oda, Nakajima, Urade, and Endo*, 1001
 Emori, Y. See *Asano-Miyoshi, Suda, Yasuoka, Osima, Yamashita, and Abe*, 915
 Endo, M. See *Takagaki, Munakata, Majima, and Kakizaki*, 695
 Endo, Takeshi. See *Nakano, Higashiyama, Kajihara, Ishiguro, Yamada, Nagatsu, and Taniguchi*, 925
 Endo, Tamao. See *Manyu, Sato, Eguchi, Seiki, Oda, Nakajima, and Urade*, 1001
 Endo, Y. See *Ogata, Ohno, Terao, and Iwasaki*, 221
 Enomoto, T. See *Shishido, Ohkawa, Itoh, Hashimoto, and Masuko*, 253
 Esaki, N. See *Mihara, Kurihara, and Yoshimura*, 559

F

- Fuchsbaue, H.-L. See *Bechtold, Otterbach, and Pasternack*, 239
 Fujii, J. See *Okado-Matsumoto, Matsumoto, and Taniguchi*, 493
 Fujii, K. See *Nishizawa, Ueda, Asayama, Harada, Ochi, and Shirai*, 779
 Fujii, Takahiro, Doi, Y., Ueno, H., and Hayashi, R. Effect of Mutagenic Replacement of the Carboxyl Terminal Amino Acid, Val124, on the Properties and Regeneration of Bovine Pancreatic Ribonuclease A, 877
 Fujii, Toshihiro, Takagi, H., Arimoto, M., Ootani, H., and Ueda, T. Bundle Formation of Smooth Muscle Desmin Intermediate Filaments by Calponin and Its Binding Site on the Desmin Molecule, 457
 Fujimura, T. See *Taka, Kaga, Mineki, Imazumi, Suzuki, Tanokura, Shindo, and Murayama*, 723
 Fujino, H. See *Aoki, Ami, Onagi, and Watabe*, 627
 Fujino, T., Tada, T., Hosaka, T., Beppu, M., and Kikugawa, K. Presence of Oxidized Protein Hydrolase in Human Cell Lines, Rat Tissues, and Human/Rat Plasma, 307
 —, Ando, K., Beppu, M., and Kikugawa, K. Enzymatic Removal of Oxidized Protein Aggregates from Erythrocyte Membranes, 1081
 —, Kojima, M., Beppu, M., Kikugawa, K., Yasuda, H., and Takahashi, K. Identification of the Cleavage Sites of Oxidized Protein That Are Susceptible to Oxidized Protein Hydrolase (OPH) in the Primary and Tertiary Structures of the Protein, 1087
 Fujisawa, H. See *Okuno, Kitani, Matsuzaki, Konishi, and Kikkawa*, 965

F (cont'd)

- Fujisawa, K., Umesono, K., Kikawa, Y., Shigematsu, Y., Taketo, A., Mayumi, M., and Inuzuka, M. Identification of a Response Element for Vitamin D3 and Retinoic Acid in the Promoter Region of the Human Fructose-1,6-bisphosphatase Gene, 373
- Fujita, K. See *Tsuiki, Asai, Yamamoto, Inoue, Kawai, Tada, Moriyama, Wada, and Kato*, 517
- Fujiwara, M., Ichinomiya, M., Motoyama, T., Horiuchi, H., Ohta, A., and Takagi, M. Evidence That the *Aspergillus nidulans* Class I and Class II Chitin Synthase Genes, *chsC* and *chsA*, Share Critical Roles in Hyphal Wall Integrity and Conidiophore Development, 359
- Fukuyama, K. See *Sugahara, Mikawa, Kato, Kumasaka, Yamamoto, Inoue, and Kuramitsu*, 9
- Furukawa, H. and Haga, T. Expression of Functional M₂ Muscarinic Acetylcholine Receptor in *Escherichia coli*, 151
- Furumoto, R. See *Asano, Tega, Matsuda, and Takeguchi*, 993
- Furuno, M., Sato, K., Kawagishi, I., and Homma, M. Characterization of a Flagellar Sheath Component, PF60, and Its Structural Gene in Marine *Vibrio*, 29
- Furusawa, H. See *Kataoka, Takagi, Yamaguchi, and Suzuki*, 345
- Furuyama, S. See *Kukimoto, Nureki, Shirozu, Katada, Hirabayashi, Sugiyama, Yokoyama, and Hara-Yokoyama*, 181
- Futai, M. See *Sun-Wada, Manabe, Yoshimizu, Yamaguchi, Oka, and Wada*, 703
- Futami, J., Tsushima, Y., Tada, H., Seno, M., and Yamada, H. Convenient and Efficient *In Vitro* Folding of Disulfide-Containing Globular Protein from Crude Bacterial Inclusion Bodies, 435

G

- Gao, S. See *Ding, Takano, Hermann, Han, Noda, Yanagi, and Yamamura*, 791
- Ghosh, D. See *Chakraborty and Basu*, 185
- Goel, A., Beresford, G.W., Colcher, D., Pavlinkova, G., Booth, B.J.M., Baranowska-Kortylowicz, J., and Batra, S.K. Divalent Forms of CC49 Single-Chain Antibody Constructs in *Pichia pastoris*: Expression, Purification, and Characterization, 829
- Gonda, K. See *Numata, Kurasawa, and Watanabe*, 51
- See *Watanabe, Yonemura, and Numata*, 85
- Goto, S. See *Hashimoto, Majima, Hatanaka, Shinohara, Onishi, and Terada*, 443
- Guo, C.-T. See *Nakata, Matsufuji, Yoshimoto, Inagaki, Higuchi, and Suzuki*, 191

H

- Hachiya, M. See *Osawa, Araki, Kusama, Matsushima, Aoki, and Akashi*, 883
- Haga, K. See *Ishii, Yamane, and Harata*, 383
- Haga, T. See *Furukawa*, 151
- Hagiwara, H. See *Yamashita, Takeshige, Inoue, Hirose, and Takamori*, 177
- Hamada, N. See *Ohmoto, Moriyoshi, Sakai, and Ohe*, 43
- Han, W. See *Ding, Takano, Hermann, Gao, Noda, Yanagi, and Yamamura*, 791

- Hanai, R. See *Hotoda*, 1109
- Hara, T. See *Yamamoto, Tomoo, Murata, Kitamura, and Ishida*, 635
- Hara-Yokoyama, M. See *Kukimoto, Nureki, Shirozu, Katada, Hirabayashi, Sugiyama, Furuyama, and Yokoyama*, 181
- Harada, Keita, Takahashi-Yanaga, F., Minakami, R., Morimoto, S., and Ohtsuki, I. Functional Consequences of the Deletion Mutation Δ Glu160 in Human Cardiac Troponin T, 263
- Harada, Ken-ichi. See *Nishizawa, Ueda, Asayama, Fujii, Ochi, and Shirai*, 779
- Harada, M. See *Takaishi, Ohtsuka, Tsuneyoshi, Maehara, Yoshida, Watanabe, and Tsurufuji*, 511
- Harata, K. See *Ishii, Haga, and Yamane*, 383
- Harigae, H. See *Pan, Minegishi, Yamagiwa, Minegishi, Akine, and Yamamoto*, 105
- Haruki, M. See *Ohtani, Muroya, Morikawa, and Kanaya*, 895
- Hase, S. See *Makino, Shimazaki, Omichi, and Odani*, 1121
- Hasegawa, A. See *Hubl, Ishida, Kiso, and Schauer*, 1021
- Hasegawa, H. See *Kojima, Oguro, Sawabe, Iida, Ikeda, Yamashita, and Nakanishi*, 121
- Hashimoto, M., Majima, E., Hatanaka, T., Shinohara, Y., Onishi, M., Goto, S., and Terada, H. Irreversible Extrusion of the First Loop Facing the Matrix of the Bovine Heart Mitochondrial ADP/ATP Carrier by Labeling the Cys⁵⁶ Residue with the SH-Reagent Methyl Methanethiosulfonate, 443
- Hashimoto, Y. See *Shishido, Ohkawa, Itoh, Enomoto, and Masuko*, 253
- Hata, K. See *Sumi, Muramatsu, Ueda, and Muramatsu*, 247
- Hatanaka, H. See *Sasaki, Ogata, and Nishimura*, 945
- Hatanaka, T. See *Hashimoto, Majima, Shinohara, Onishi, Goto, and Terada*, 443
- Hatsuse, R. See *Uryu, Nakatomi, Watanabe, and Yazawa*, 739
- Hattori, H. See *Ishihara, Ono, Ishikawa, Saito, Yura, Akaike, Ozeki, Tanaka, Mochizuki, and Kurita*, 797
- Hattori, S. See *Yonezawa, Nonaka, Uchikoba, Ohno, and Kaneda*, 755
- Hayashi, R. See *Fujii, Doi, and Ueno*, 877
- Hayashi, Y. See *Takahashi, Baba, Koyanagi, Yamamoto, Takaku, and Kawai*, 681
- Hermann, P. See *Tsuchida, Yanagi, Inatome, Ding, Tsujimura, Matsui, and Yamamura*, 321
- See *Ding, Takano, Gao, Han, Noda, Yanagi, and Yamamura*, 791
- Hibi, K. See *Matsui, Kurosawa, Akiyama, Kasai, Sakamoto, Ito, Nakao, and Muramatsu*, 1103
- Higasa, T. See *Urada, Kusunose, Moriyama, and Kito*, 211
- Higashiyama, S. See *Nakano, Kajihara, Endo, Ishiguro, Yamada, Nagatsu, and Taniguchi*, 925
- Higuchi, R. See *Nakata, Guo, Matsufuji, Yoshimoto, Inagaki, and Suzuki*, 191
- Hirabayashi, Y. See *Kukimoto, Nureki, Shirozu, Katada, Sugiyama, Furuyama, Yokoyama, and Hara-Yokoyama*, 181
- Hirai, K. See *Takagi, Maeda, Matsuzawa, and Nakamori*, 617

- Hirose, S. See *Yamashita, Takeshige, Inoue, Takamori, and Hagiwara*, 177
- Hlavica, P. See *Lehrner, Schulze, Achterhold, and Lewis*, 163
- Homma, K., Yoshida, Y., and Nakano, A. Evidence for Recycling of Cytochrome P450 Sterol 14-Demethylase from the *cis*-Golgi Compartment to the Endoplasmic Reticulum (ER) upon Saturation of the ER-Retention Mechanism, 747
- Homma, M. See *Furuno, Sato, and Kawagishi*, 29
- Honma, M. See *Watanabe, Oikawa, Yagi, Ohashi, Mie, and Ichihara*, 467
- Hori, H. See *Iwasaki, Okamoto, Nishino, Mizushima, and Nishino*, 771
- Horiike, K. See *Tanaka, Ishida, and Hukuda*, 985
- Horiuchi, H. See *Fujiwara, Ichinomiya, Motoyama, Ohta, and Takagi*, 359
- Hosaka, T. See *Fujino, Tada, Beppu, and Kikugawa*, 307
- Hotoda, N. and Hanai, R. Characterization of Recombinant Human DNA Topoisomerase III α Activity Expressed in Yeast, 1109
- Hubl, U., Ishida, H., Kiso, M., Hasegawa, A., and Schauer, R. Studies on the Specificity and Sensitivity of the Influenza C Virus Binding Assay for 9-O-Acetylated Sialic Acids and Its Application to Human Melanomas, 1021
- Hukuda, S. See *Tanaka, Ishida, and Horiike*, 985

I

- Ichihara, A. See *Watanabe, Oikawa, Yagi, Ohashi, Mie, and Honma*, 467
- Ichihara-Tanaka, K. See *Qi, Ikematsu, Sakuma, Muramatsu, and Kadomatsu*, 269
- Ichinomiya, M. See *Fujiwara, Motoyama, Horiuchi, Ohta, and Takagi*, 359
- Ichiyama, A. See *Maeda-Nakai*, 279
- Igarashi, Y. See *Jimbo, Yamagishi, Yamaki, Nunomura, Kabayama, and Inokuchi*, 485
- Iida, Y. See *Kojima, Oguro, Sawabe, Ikeda, Yamashita, Nakanishi, and Hasegawa*, 121
- Ikawa, M. See *Koresawa, Miyagawa, Matsunami, Yamada, Shirakura, and Okabe*, 367
- Ikeda, K. See *Kobayashi, Ito, Tanaka, and Saito*, 569
- Ikeda, R. See *Kojima, Oguro, Sawabe, Iida, Yamashita, Nakanishi, and Hasegawa*, 121
- Ikehara, Y. See *Kurosawa, Takashima, Kono, Inoue, Tachida, Narimatsu, and Tsuji*, 845
- Ikematsu, S. See *Qi, Ichihara-Tanaka, Sakuma, Muramatsu, and Kadomatsu*, 269
- Ikuta, T., Tachibana, T., Watanabe, J., Yoshida, M., Yoneda, Y., and Kawajiri, K. Nucleocytoplasmic Shuttling of the Aryl Hydrocarbon Receptor, 503
- Imagawa, T. See *Kanagawa, Watanabe, Kaya, Togawa, Shimada, Kikuchi, and Taniguchi*, 821
- Imai, H. See *Sato, Yoneyama, Miyamura, Utsumi, Inoue, and Umeda*, 543
- Imai, K. See *Asano, Takemura, Tsumoto, Sakurai, Teramae, Ebara, Katayose, Shinoda, Suzuki, Matsuno, Kudo, and Kumagai*, 673
- Imai, R. See *Zhang, Ohta, and Takagi*, 611
- Imaishi, H. See *Inouye, Saito, Orita, Tonomura, and Ohkawa*, 1041
- Imaizumi, M. See *Taka, Kaga, Fujimura*, 1041

I (cont'd)

- Mineki, Suzuki, Suzuki, Tanokura, Shindo, and Murayama, 723
- Imajoh-Ohmi, S. See Kato, Nonaka, Maki, and Kikuchi, 297
- Imamura, S. and Kitaura, S. Purification and Characterization of a Monoacylglycerol Lipase from the Moderately Thermophilic *Bacillus* sp. H-257, 419
- Imamura, Y., Migita, T., Uriu, Y., Otagiri, M., and Okawara, T. Inhibitory Effects of Flavonoids on Rabbit Heart Carbonyl Reductase, 653
- Imanishi, J. Expression of Cytokines in Bacterial and Viral Infections and Their Biochemical Aspects, 525
- Inaba, K. Conformational Changes of Dynein: Mapping and Sequence Analysis of ATP/ Vanadate-Dependent Trypsin-Sensitive Sites on the Outer Arm Dynein β Heavy Chain from Sea Urchin Sperm Flagella, 1115
- Inagaki, Masanori. See Nakata, Guo, Matsufuji, Yoshimoto, Higuchi, and Suzuki, 191
- Inagaki, Minoru, Tanaka, A., Suzuki, R., Wakashima, H., Kawaura, T., Karita, S., Nishikawa, S., and Kashimura, N. Characterization of the Binding of Spike H Protein of Bacteriophage ϕ X174 with Receptor Lipopolysaccharides, 577
- Inatome, R. See Tsuchida, Yanagi, Ding, Hermann, Tsujimura, Matsui, and Yamamura, 321
- Inokuchi, J. See Jimbo, Yamagishi, Yamaki, Nunomura, Kabayama, and Igarashi, 485
- Inoue, A. See Yamashita, Takeshige, Hirose, Takamori, and Hagiwara, 177
- Inoue, K. See Satoh, Imai, Yoneyama, Miyamura, Utsumi, and Umeda, 543
- Inoue, M. See Takashima, Kurosawa, Tachida, and Tsuji, 399
- See Kurosawa, Takashima, Kono, Ikehara, Tachida, Narimatsu, and Tsuji, 845
- Inoue, Y. See Sugahara, Mikawa, Kato, Fukuyama, Kumasaka, Yamamoto, and Kuramitsu, 9
- See Tsuike, Asai, Yamamoto, Fujita, Kawai, Tada, Moriyama, Wada, and Kato, 517
- Inouye, K., Saito, A., Orita, M., Tonomura, B., Imaishi, H., and Ohkawa, H. Inhibitory Effects of 1,4-Naphthoquinone Derivatives on Rat Cytochrome P4501A1-Dependent Monooxygenase Activity in Recombinant Yeast Microsomes, 1041
- Inuzuka, M. See Fujisawa, Umesono, Kikawa, Shigematsu, Taketa, and Mayumi, 373
- Irie, A. See Kotani, Tajima, Shimoda, Kuba, and Tai, 13
- Isemura, S. Nucleotide Sequence of Gene PBII Encoding Salivary Proline-Rich Protein P-B, 393
- Ishida, Hideharu. See Hubl, Kiso, Hasegawa, and Schauer, 1021
- Ishida, Hiroko, Yamashita, C., Kuruta, Y., Yoshida, Y., and Noshiro, M. Insulin Is a Dominant Suppressor of Sterol 12 α -Hydroxylase P450 (CYP8B) Expression in Rat Liver: Possible Role of Insulin in Circadian Rhythm of CYP8B, 57
- Ishida, Tetsuo. See Tanaka, Hukuda, and Horiike, 985
- Ishida, Toshimasa. See Yamamoto, Tomoo, Hara, Murata, and Kitamura, 635
- Ishiguro, H. See Nakano, Higashiyama, Kajihara, Endo, Yamada, Nagatsu, and Taniguchi, 925
- Ishihara, K. See Sasaki and Kato, 711
- Ishihara, M., Ono, K., Ishikawa, K., Hattori, H., Saito, Y., Yura, H., Akaike, T., Ozeki, Y., Tanaka, S., Mochizuki, H., and Kurita, A. Enhanced Ability of Heparin-Carrying Polystyrene (HCPS) to Bind to Heparin-Binding Growth Factors and to Inhibit Growth Factor-Induced Endothelial Cell Growth, 797
- Ishii, N., Haga, K., Yamane, K., and Harata, K. Crystal Structure of Alkalophilic Asparagine 233-Replaced Cyclodextrin Glucanotransferase Complexed with an Inhibitor, Acarbose, at 2.0 Å Resolution, 383
- Ishii, Y., Sonezaki, S., Iwasaki, Y., Miyata, Y., Akita, K., Kato, Y., and Amano, F. Regulatory Role of C-Terminal Residues of Sula in Its Degradation by Lon Protease in *Escherichia coli*, 837
- Ishikawa, K. See Ishihara, Ono, Hattori, Saito, Yura, Akaike, Ozeki, Tanaka, Mochizuki, and Kurita, 797
- Ishikawa, T., Kai, M., Wada, I., and Kanoh, H. Cell Surface Activities of the Human Type 2b Phosphatidic Acid Phosphatase, 645
- Ishimoto, Y., Ohashi, K., Mizuno, K., and Nakano, T. Promotion of the Uptake of PS Liposomes and Apoptotic Cells by a Product of Growth Arrest-Specific Gene, *gas6*, 411
- Ishino, F. See Okutsu, Kuroiwa, Kagitani, Kai, Aisaka, Tsutsumi, Kaneko, Yokomori, Surani, Kohda, and Kaneko-Ishino, 475
- Isogai, Y. See Kimura, Sekido, and Yamaguchi, 955
- Ito, Katsuki. See Matsui, Kurosawa, Hibi, Akiyama, Kasai, Sakamoto, Nakao, and Muramatsu, 1103
- Ito, Koreaki. See Nakatogawa, Mori, and Matsumoto, 1071
- Ito, M. See Kobayashi, Ikeda, Tanaka, and Saito, 569
- Itoh, A. See Shishido, Ohkawa, Enomoto, Hashimoto, and Masuko, 253
- Iwasaki, K. See Ogata, Ohno, Terao, and Endo, 221
- Iwasaki, T., Okamoto, K., Nishino, T., Mizushima, J., Hori, H., and Nishino, T. Sequence Motif-Specific Assignment of Two [2Fe-2S] Clusters in Rat Xanthine Oxidoreductase Studied by Site-Directed Mutagenesis, 771
- Iwasaki, Y. See Ishii, Sonezaki, Miyata, Akita, Kato, and Amano, 837

J

- Jimbo, M., Yamagishi, K., Yamaki, T., Nunomura, K., Kabayama, K., Igarashi, Y., and Inokuchi, J. Development of a New Inhibitor of Glucosylceramide Synthase, 485
- Jitsuhashi, Y. See Nishiyama, Kimura, Uchida, Ochi, and Yamaguchi, 427
- Jung, B.D., Kimura, K., Kitamura, H., Makondo, K., Okita, K., Kawasaki, M., and Saito, M. Norepinephrine Stimulates Interleukin-6 mRNA Expression in Primary Cultured Rat Hepatocytes, 205
- Jung, S. See Lee, Sohn, Yeh, Choi, and Kim, 1053
- Kabayama, K. See Jimbo, Yamagishi, Yamaki, Nunomura, Igarashi, and Inokuchi, 485
- Kadomatsu, K. See Qi, Ikematsu, Ichihara-Tanaka, Sakuma, and Muramatsu, 269
- Kaga, N. See Taka, Fujimura, Mineki, Imaizumi, Suzuki, Suzuki, Tanokura, Shindo, and Murayama, 723
- Kagamiyama, H. See Oue, Okamoto, and Yano, 337
- Kageyama, T. New World Monkey Pepsinogens A and C, and Prochymosins. Purification, Characterization of Enzymatic Properties, cDNA Cloning, and Molecular Evolution, 761
- Kagitani, F. See Okutsu, Kuroiwa, Kai, Aisaka, Tsutsumi, Kaneko, Yokomori, Surani, Kohda, Kaneko-Ishino, and Ishino, 475
- Kai, Masahiro. See Ishikawa, Wada, and Kanoh, 645
- Kai, Masayuki. See Okutsu, Kuroiwa, Kagitani, Aisaka, Tsutsumi, Kaneko, Yokomori, Surani, Kohda, Kaneko-Ishino, and Ishino, 475
- Kajihara, K. See Nakano, Higashiyama, Endo, Ishiguro, Yamada, Nagatsu, and Taniguchi, 925
- Kakizaki, I. See Takagaki, Munakata, Majima, and Endo, 695
- Kanagawa, M., Watanabe, S., Kaya, S., Togawa, K., Imagawa, T., Shimada, A., Kikuchi, K., and Taniguchi, K. Membrane Enzyme Systems Responsible for the Ca²⁺-Dependent Phosphorylation of Ser²⁷, the Independent Phosphorylation of Tyr¹⁰ and Tyr⁷, and the Dephosphorylation of These Phosphorylated Residues in the α -Chain of H/K-ATPase, 821
- Kanaya, S. See Ohtani, Haruki, Muroya, and Morikawa, 895
- Kanda, T., Takai, K., Yokoyama, S., and Takaku, H. An Easy Cell-Free Protein Synthesis System Dependent on the Addition of Crude *Escherichia coli* tRNA, 37
- Kaneda, M. See Yonezawa, Nonaka, Uchikoba, Hattori, and Ohno, 755
- Kaneko, Y. See Okutsu, Kuroiwa, Kagitani, Kai, Aisaka, Tsutsumi, Yokomori, Surani, Kohda, Kaneko-Ishino, and Ishino, 475
- Kaneko-Ishino, T. See Okutsu, Kuroiwa, Kagitani, Kai, Aisaka, Tsutsumi, Kaneko, Yokomori, Surani, Kohda, and Ishino, 475
- Kanoh, H. See Ishikawa, Kai, and Wada, 645
- Kanzaki, I. See Komatsu, Shirai, Kumagai, Yamashita, and Ohtsuka, 531
- Karita, S. See Inagaki, Tanaka, Suzuki, Wakashima, Kawaura, Nishikawa, and Kashimura, 577
- Kasai, Y. See Matsui, Kurosawa, Hibi, Akiyama, Sakamoto, Ito, Nakao, and Muramatsu, 1103
- Kashimura, N. See Inagaki, Tanaka, Suzuki, Wakashima, Kawaura, Karita, and Nishikawa, 577
- Kashiyama, T., Kimura, N., Mimura, T., and Yamamoto, K. Cloning and Characterization of a Myosin from Characean Alga, the Fastest Motor Protein in the World, 1065
- Katada, T. See Kukimoto, Nureki, Shirouzu, Hirabayashi, Sugiyama, Furuyama, Yokoyama, and Hara-Yokoyama, 181

K (cont'd)

- Kataoka, K., Furusawa, H., Takagi, K., Yamaguchi, K., and Suzuki, S. Functional Analysis of Conserved Aspartate and Histidine Residues Located around the Type 2 Copper Site of Copper-Containing Nitrite Reductase, 345
- Katayose, Y. See *Asano, Takemura, Tsumoto, Sakurai, Teramae, Ebara, Shinoda, Suzuki, Imai, Matsuno, Kudo, and Kumagai*, 673
- Kato, M., Nonaka, T., Maki, M., Kikuchi, H., and Imajoh-Ohmi, S. Caspases Cleave the Amino-Terminal Calpain Inhibitory Unit of Calpastatin during Apoptosis in Human Jurkat T Cells, 297
- Kato, Reiko. See *Sasaki and Ishihara*, 711
- Kato, Ryuichi. See *Sugahara, Mikawa, Fukuyama, Kumasaka, Yamamoto, Inoue, and Kuramitsu*, 9
- Kato, S. The Function of Vitamin D Receptor in Vitamin D Action, 717
- Kato, T. See *Tsuiki, Asai, Yamamoto, Fujita, Inoue, Kawai, Tada, Moriyama, and Wada*, 517
- Kato, Y. See *Ishii, Sonezaki, Iwasaki, Miyata, Akita, and Amano*, 837
- Kawagishi, I. See *Furuno, Sato, and Homma*, 29
- Kawai, G. See *Takahashi, Baba, Hayashi, Koyanagi, Yamamoto, and Takaku*, 681
- Kawai, Y. See *Tsuiki, Asai, Yamamoto, Fujita, Inoue, Tada, Moriyama, Wada, and Kato*, 517
- Kawajiri, H. See *Zhuang, Takahashi, and Yoshimoto*, 451
- Kawajiri, K. See *Ikuta, Tachibana, Watanabe, Yoshida, and Yoneda*, 503
- Kawasaki, M. See *Jung, Kimura, Kitamura, Makonda, Okita, and Saito*, 205
- Kawaura, T. See *Inagaki, Tanaka, Suzuki, Wakashima, Karita, Nishikawa, and Kishimura*, 577
- Kaya, S. See *Kanagawa, Watanabe, Togawa, Imagawa, Shimada, Kikuchi, and Taniguchi*, 821
- Kelly, S.M. See *Ahmed, Price, and Lawrence*, 871
- Kikawa, Y. See *Fujisawa, Umesono, Shigematsu, Taketo, Mayumi, and Inuzuka*, 373
- Kikkawa, U. See *Okuno, Kitani, Matsuzaki, Konishi, and Fujisawa*, 965
- Kikuchi, H. See *Kato, Nonaka, Maki, and Imajoh-Ohmi*, 297
- Kikuchi, K. See *Kanagawa, Watanabe, Kaya, Togawa, Imagawa, Shimada, and Taniguchi*, 821
- Kikugawa, Kiyomi. See *Fujino, Tada, Hosaka, and Beppu*, 307
- See *Fujino, Ando, and Beppu*, 1081
- See *Fujino, Kojima, Beppu, Yasuda, and Takahashi*, 1087
- Kikuta, Y., Kusunose, E., and Kusunose, M. Characterization of Human Liver Leukotriene B₄ ω -Hydroxylase P450 (CYP4F2), 1047
- Kim, H. See *Ryu, Choi, Chi, and Kim*, 687
- Kim, H.-W. See *Lee, Sohn, Yeh, Choi, and Jung*, 1053
- Kim, J.-H. See *Sato, Abe, Saito, Yokoyama, and Kohda*, 65
- Kim, K.-Y., Choi, I., and Kim, S.-S. Purification and Characterization of a Novel Inhibitor of the Proliferation of Hepatic Stellate Cells, 23
- Kim, S.-H. See *Ryu, Choi, Chi, and Kim*, 687
- Kim, S.-S. See *Kim and Choi*, 23
- Kimura, K. See *Jung, Kitamura, Makonda, Okita, Kawasaki, and Saito*, 205
- Kimura, M., Sekido, S., Isogai, Y., and Yamaguchi, I. Expression, Purification, and Characterization of Blastocidin S Deaminase (BSD) from *Aspergillus terreus*: The Role of Catalytic Zinc in Enzyme Structure, 955
- Kimura, Naohiro. See *Kashiyama, Mimura, and Yamamoto*, 1065
- Kimura, Naoya. See *Nishiyama, Jitsuhashi, Uchida, Ochi, and Yamaguchi*, 427
- Kimura, Y. and Matsuo, S. Free N-Glycans Already Occur at an Early Stage of Seed Development, 1013
- Kinebuchi, T. See *Matsumoto, Morimoto, Shibata, Shimamoto, Tsukihara, and Yasuoka*, 329
- Kiso, M. See *Hubl, Ishida, Hasegawa, and Schauer*, 1021
- Kitamura, H. See *Jung, Kimura, Makonda, Okita, Kawasaki, and Saito*, 205
- Kitamura, K. See *Yamamoto, Tomoo, Hara, Murata, and Ishida*, 635
- Kitani, T. See *Okuno, Matsuzaki, Konishi, Kikkawa, and Fujisawa*, 965
- Kitaura, S. See *Imamura*, 419
- Kitayama, A. See *Zako, Deguchi, Ueda, and Nagamune*, 351
- Kito, M. See *Urade, Kusunose, Moriyama, and Higasa*, 211
- Kobayashi, A. See *Shiraishi, Sakamoto, Nonaka, Mitsui, Aozasa, Kubo, and Natori*, 1127
- Kobayashi, T., Ito, M., Ikeda, K., Tanaka, K., and Saito, M. Purification and Characterization of a Membrane-Bound Sialidase from Pig Liver, 569
- Kodama, T. See *Noguchi, Nakano, Aratani, Koyama, and Niki*, 971
- Kohda, D. See *Sato, Kim, Abe, Saito, and Yokoyama*, 65
- Kohda, T. See *Okutsu, Kuroiwa, Kagitani, Kai, Aisaka, Tsutsumi, Kaneko, Yokomori, Surani, Kaneko-Ishino, and Ishino*, 475
- Koishi, R., Nakamura, T., Takazawa, T., Yoshimura, C., and Serizawa, N. Production of Functional Human Selenocysteine-Containing KDRF/Thioredoxin Reductase in *E. coli*, 977
- Koiwai, H., Akaba, S., Seo, M., Komano, T., and Koshiba, T. Functional Expression of Two Arabidopsis Aldehyde Oxidases in the Yeast *Pichia pastoris*, 659
- Kojima, M., Oguro, K., Sawabe, K., Iida, Y., Ikeda, R., Yamashita, A., Nakanishi, N., and Hasegawa, H. Rapid Turnover of Tryptophan Hydroxylase Is Driven by Proteasomes in RBL2H3 Cells, a Serotonin Producing Mast Cell Line, 121
- Kojima, Masayo. See *Fujino, Beppu, Kikugawa, Yasuda, and Takahashi*, 1087
- Kojima, Misaki, Morozumi, T., Onishi, A., and Mitsuhashi, T. Structure of the Pig Sterol 14 α -Demethylase (CYP51) Gene and Its Expression in the Testis and Other Tissues, 805
- Komano, T. See *Koiwai, Akaba, Seo, and Koshiba*, 659
- Komatsu, Y., Kanzaki, I., Shirai, M., Kumagai, I., Yamashita, S., and Ohtsuka, E. Functional Domain-Assembly in Hairpin Ribozymes, 531
- Komori, H. See *Uga, Miki, and Wada*, 537
- Konami, Y. See *Yamamoto and Osawa*, 129
- Konishi, H. See *Okuno, Kitani, Matsuzaki, Kikkawa, and Fujisawa*, 965
- Kono, M. See *Kurosawa, Takashima, Ikehara, Inoue, Tachida, Narimatsu, and Tsuji*, 845
- Koresawa, Y., Miyagawa, S., Ikawa, M., Matsunami, K., Yamada, M., Shirakura, R., and Okabe, M. Synthesis of a New Cre Recombinase Gene Based on Optimal Codon Usage for Mammalian Systems, 367
- Koshiba, T. See *Koiwai, Akaba, Seo, and Komano*, 659
- Kotani, M., Tajima, Y., Shimoda, Y., Irie, A., Kubo, H., and Tai, T. Ganglioside GT1b in Rat Brain Binds to p58, a Brain-Specific Sodium-Dependent Inorganic Phosphate Cotransporter: Expression Cloning with a Specific Monoclonal Antibody to Ganglioside GT1b-Binding Protein, 13
- Koyama, H. See *Noguchi, Nakano, Aratani, Kodama, and Niki*, 971
- Koyanagi, S. See *Sone and Sakamoto*, 551
- Koyanagi, Y. See *Takahashi, Baba, Hayashi, Yamamoto, Takaku, and Kawai*, 681
- Kubo, H. See *Kotani, Tajima, Shimoda, Irie, and Tai*, 13
- Kubo, T. See *Shiraishi, Kobayashi, Sakamoto, Nonaka, Mitsui, Aozasa, and Natori*, 1127
- Kudo, T. See *Asano, Takemura, Tsumoto, Sakurai, Teramae, Ebara, Katayose, Shinoda, Suzuki, Imai, Matsuno, and Kumagai*, 673
- Kukimoto, M., Nureki, O., Shirouzu, M., Kataoka, T., Hirabayashi, Y., Sugiyama, H., Furuyama, S., Yokoyama, S., and Hara-Yokoyama, M. Crystallization and Preliminary X-Ray Diffraction Analysis of the Extracellular Domain of the Cell Surface Antigen CD38 Complexed with Ganglioside, 181
- Kumagai, I. See *Komatsu, Kanzaki, Shirai, Yamashita, and Ohtsuka*, 531
- See *Asano, Takemura, Tsumoto, Sakurai, Teramae, Ebara, Katayose, Shinoda, Suzuki, Imai, Matsuno, and Kudo*, 673
- Kumasaka, T. See *Sugahara, Mikawa, Kato, Fukuyama, Yamamoto, Inoue, and Kuramitsu*, 9
- Kuramitsu, S. See *Sugahara, Mikawa, Kato, Fukuyama, Kumasaka, Yamamoto, and Inoue*, 9
- Kurasawa, Y. See *Numata, Gonda, and Watanabe*, 51
- Kurihara, T. See *Mihara, Yoshimura, and Esaki*, 559
- Kurita, A. See *Ishihara, Ono, Ishikawa, Hattori, Saito, Yura, Akaike, Ozeki, Tanaka, and Mochizuki*, 797
- Kuroiwa, Y. See *Okutsu, Kagitani, Kai, Aisaka, Tsutsumi, Kaneko, Yokomori, Surani, Kohda, Kaneko-Ishino, and Ishino*, 475
- Kurosawa, N. See *Takahashi, Tachida, Inoue, and Tsuji*, 399
- , Takashima, S., Kono, M., Ikehara, Y., Inoue, M., Tachida, Y., Narimatsu, H., and Tsuji, S. Molecular Cloning and Genomic Analysis of Mouse GalNAc α 2,6-Sialyltrans-

K (cont'd)

- ferase (ST6GalNAc I), 845
 —. See *Matsui, Hibi, Akiyama, Kasai, Sakamoto, Ito, Nakao, and Muramatsu*, 1103
Kuruta, Y. See *Ishida, Yamashita, Yoshida, and Noshiro*, 57
Kusama, T. See *Osawa, Hachiya, Araki, Matsushima, Aoki, and Akashi*, 883
Kusunose, E. See *Kikuta and Kusunose*, 1047
Kusunose, Masahiko. See *Urade, Moriyama, Higasa, and Kito*, 211
Kusunose, Masamichi. See *Kikuta and Kusunose*, 1047

L

- Lanyi, J.K.* See *Yamaguchi, Tuzi, Tanio, Naito, Needleman, and Saitô*, 861
Lawrence, A.J. See *Ahmed, Kelly, and Price*, 871
Lee, H.-W., Sohn, J.H., Yeh, B.-I., Choi, J.-W., Jung, S., and Kim, H.-W. ¹⁹F NMR Investigation of F₁-ATPase of *Escherichia coli* Using Fluorotryptophan Labeling, 1053
Lehnerer, M., Schulze, J., Achterhold, K., Lewis, D.F.V., and Hlavica, P. Identification of Key Residues in Rabbit Liver Microsomal Cytochrome P450 2B4: Importance in Interactions with NADPH-Cytochrome P450 Reductase, 163
Lewis, D.F.V. See *Lehnerer, Schulze, Achterhold, and Hlavica*, 163
Li, S., Norioka, S., and Sakiyama, F. Purification, Characterization, and Primary Structure of a Novel Cell Wall Hydrolytic Amidase, CwhA, from *Achromobacter lyticus*, 1033
Li, Y.-K., Yao, H.-J., and Pan, I.-H. Mechanistic Study of β -Xylosidase from *Trichoderma koningii* G-39, 315
Loke, P. and Sim, T.-S. Mutational Analysis of Tyrosine-191 in the Catalysis of *Cephalosporium acremonium* Isopenicillin N Synthase, 585

M

- Machida, M.* See *Zhang, Pak, and Maruyama*, 1057
Maeda, K. See *Sano, Oda, and Maeda*, 1095
Maeda, Y. See *Takagi, Hirai, Matsuzawa, and Nakamori*, 617
Maeda, Y. See *Sano, Maeda, and Oda*, 1095
Maeda-Nakai, E. and Ichiyama, A. A Spectrophotometric Method for the Determination of Glycolate in Urine and Plasma with Glycolate Oxidase, 279
Maehara, N. See *Takaishi, Ohtsuka, Tsuneyoshi, Harada, Yoshida, Watanabe, and Tsurufuji*, 511
Majima, E. See *Hashimoto, Hatanaka, Shinohara, Onishi, Goto, and Terada*, 443
Majima, M. See *Takagaki, Munakata, Kikizaki, and Endo*, 695
Maki, M. See *Kato, Nonaka, Kikuchi, and Imajoh-Ohmi*, 297
Makino, Y., Shimazaki, A., Omichi, K., Odani, S., and Hase, S. Processing Pathway Deduced from the Structures of N-Glycans in *Carica papaya*, 1121
Makondo, K. See *Jung, Kimura, Kitamura, Okita, Kawasaki, and Saito*, 205
Manabe, S. See *Sun-Wada, Yoshimizu, Yama-*

- guchi, Oka, Wada, and Futai*, 703
Manya, H., Sato, Y., Eguchi, N., Seiki, K., Oda, H., Nakajima, H., Urade, Y., and Endo, T. Comparative Study of the Asparagine-Linked Sugar Chains of Human Lipocalin-Type Prostaglandin D Synthase Purified from Urine and Amniotic Fluid, and Recombinantly Expressed in Chinese Hamster Ovary Cells, 1001
Maruta, S., Saitoh, J., and Asakura, T. Analysis of Conformational Changes at the Unique Loop Adjacent to the ATP Binding Site of Smooth Muscle Myosin Using a Fluorescent Probe, 199
Maruyama, I.N. See *Yamamoto and Osawa*, 137
 —. See *Zhang, Pak, and Machida*, 1057
Masuko, T. See *Shishida, Ohkawa, Itoh, Enomoto, and Hashimoto*, 253
Matsuda, S. See *Asano, Furumoto, Tega, and Takeguchi*, 993
Matsufuji, M. See *Nakata, Guo, Yoshimoto, Inagaki, Higuchi, and Suzuki*, 191
Matsui, N. See *Tsuchida, Yanagi, Inatome, Ding, Hermann, Tsujimura, and Yamamura*, 321
Matsui, T., Kurosawa, N., Hibi, K., Akiyama, S., Kasai, Y., Sakamoto, J., Ito, K., Nakao, A., and Muramatsu, T. The Ratio of Splicing Variants of MGC-24/CD164, a Sialomucin, Correlates with the Metastatic Potential of Colorectal Carcinomas, 1103
Matsumoto, A. See *Okado-Matsumoto, Fujii, and Taniguchi*, 493
Matsumoto, G. See *Nakatogawa, Mori, and Ito*, 1071
Matsumoto, T., Morimoto, Y., Shibata, N., Kinebuchi, T., Shimamoto, N., Tsukihara, T., and Yasuoka, N. Roles of Functional Loops and the C-Terminal Segment of a Single-Stranded DNA Binding Protein Elucidated by X-Ray Structure Analysis, 329
Matsunami, K. See *Koresawa, Miyagawa, Ikawa, Yamada, Shirakura, and Okabe*, 367
Matsuno, S. See *Asano, Takemura, Tsumoto, Sakurai, Teramae, Ebara, Katayose, Shinoda, Suzuki, Imai, Kudo, and Kumagai*, 673
Matsuo, S. See *Kimura*, 1013
Matsushika, A. and Mizuno, T. Characterization of Three Putative Sub-Domains in the Signal-Input Domain of the ArcB Hybrid Sensor in *Escherichia coli*, 855
Matsushima, K. See *Osawa, Hachiya, Araki, Kusama, Aoki, and Akashi*, 883
Matsuzaki, H. See *Okuno, Kitani, Konishi, Kikkawa, and Fujisawa*, 965
Matsuzawa, H. See *Takagi, Hirai, Maeda, and Nakamori*, 617
Mayumi, M. See *Fujisawa, Umesono, Kikawa, Shigematsu, Taketa, and Inuzuka*, 373
Mie, T. See *Watanabe, Oikawa, Yagi, Ohashi, Ichihara, and Honma*, 467
Migita, T. See *Imamura, Uriu, Otagiri, and Okawara*, 653
Mihara, H., Kurihara, T., Yoshimura, T., and Esaki, N. Kinetic and Mutational Studies of Three NifS Homologs from *Escherichia coli*: Mechanistic Difference between L-Cysteine Desulfurase and L-Selenocysteine Lyase Reactions, 559
Mikawa, T. See *Sugahara, Kato, Fukuyama, Kumasaka, Yamamoto, Inoue, and Kura-*

mitsu, 9

- Miki, K.* See *Uga, Komori, and Wada*, 537
Mimura, T. See *Kashiyama, Kimura, and Yamamoto*, 1065
Minakami, R. See *Harada, Takahashi-Yanaga, Morimoto, and Ohtsuki*, 263
Minegishi, M. See *Pan, Minegishi, Harigae, Yamagiwa, Akine, and Yamamoto*, 105
Minegishi, N. See *Pan, Harigae, Yamagiwa, Minegishi, Akine, and Yamamoto*, 105
Mineki, R. See *Taka, Kaga, Fujimura, Imazumi, Suzuki, Suzuki, Tanokura, Shindo, and Murayama*, 723
Mitsuhashi, T. See *Kojima, Morozumi, and Onishi*, 805
Mitsui, Y. See *Shiraishi, Kobayashi, Sakamoto, Nonaka, Aozasa, Kubo, and Natori*, 1127
Miura, S. See *Oda and Uchida*, 665
Miura, Y., Yatomi, Y., Rile, G., Ohmori, T., Satoh, K., and Ozaki, Y. Rho-Mediated Phosphorylation of Focal Adhesion Kinase and Myosin Light Chain in Human Endothelial Cells Stimulated with Sphingosine 1-Phosphate, a Bioactive Lysophospholipid Released from Activated Platelets, 909
Miwa, I. See *Taniguchi, Okinaka, and Tanigawa*, 289
Miyagawa, S. See *Koresawa, Ikawa, Matsunami, Yamada, Shirakura, and Okabe*, 367
Miyamoto, S. See *Nakagawa and Yoshida*, 113
Miyamura, T. See *Sato, Imai, Yoneyama, Utsumi, Inoue, and Umeda*, 543
Miyata, Y. See *Ishii, Sonezaki, Iwasaki, Akita, Kato, and Amano*, 837
Mizuno, K. See *Ishimoto, Ohashi, and Nakano*, 411
Mizuno, T. See *Matsushika*, 855
Mizushima, J. See *Iwasaki, Okamoto, Nishino, Hori, and Nishino*, 771
Mizushima, Tohru. Site-Directed Mutational Analysis of DnaA Protein, the Initiator of Chromosomal DNA Replication in *E. coli*, 1
Mizushima, Tsunehiro. See *Tomisugi, Unno, Morimoto, Tanahashi, Tanaka, Tsukihara, and Yasuoka*, 941
Mochizuki, H. See *Ishihara, Ono, Ishikawa, Hattori, Saito, Yura, Akaike, Ozeki, Tanaka, and Kurita*, 797
Mori, H. See *Nakatogawa, Matsumoto, and Ito*, 1071
Morikawa, M. See *Ohtani, Haruki, Muroya, and Kanaya*, 895
Morimoto, S. See *Harada, Takahashi-Yanaga, Minakami, and Ohtsuki*, 263
 —. See *Takahashi-Yanaga and Ohtsuki*, 355
Morimoto, Y. See *Matsumoto, Shibata, Kinebuchi, Shimamoto, Tsukihara, and Yasuoka*, 329
 —. See *Tomisugi, Unno, Mizushima, Tanahashi, Tanaka, Tsukihara, and Yasuoka*, 941
Moriyama, A. See *Tsuiki, Asai, Yamamoto, Fujita, Inoue, Kawai, Tada, Wada, and Kato*, 517
Moriyama, T. See *Urade, Kusunose, Higasa, and Kito*, 211
Moriyoshi, K. See *Ohmoto, Sakai, Hamada, and Ohe*, 43
Morozumi, T. See *Kojima, Onishi, and Mitsuhashi*, 805
Motohashi, K. See *Asahara, Atsuta, Taguchi,*

M (cont'd)

- Yohda, and Yoshida, 931
 Motoyama, T. See Fujiwara, Ichinomiya, Horiuchi, Ohta, and Takagi, 359
 Munakata, H. See Takagaki, Majima, Kikuchi, and Endo, 695
 Muramatsu, H. See Sumi, Hata, Ueda, and Muramatsu, 247
 Muramatsu, T. Essential Roles of Carbohydrate Signals in Development, Immune Response, and Tissue Functions, as Revealed by Gene Targeting, 171
 —. See Sumi, Muramatsu, Hata, and Ueda, 247
 —. See Qi, Ikematsu, Ichihara-Tanaka, Sakuma, and Kadomatsu, 269
 —. See Matsui, Kurosawa, Hibi, Akiyama, Kasai, Sakamoto, Ito, and Nakao, 1103
 Murata, M. See Yamamoto, Tomoo, Hara, Kitamura, and Ishida, 635
 Murayama, K. See Taka, Kaga, Fujimura, Mineki, Imaizumi, Suzuki, Suzuki, Tanokura, and Shindo, 723
 Muroya, A. See Ohtani, Haruki, Morikawa, and Kanaya, 895
 Mutoh, N. See Nakagawa and Yamada, 233

N

- Nagamune, T. See Zako, Deguchi, Kitayama, and Ueda, 351
 Nagatsu, T. See Nakano, Higashiyama, Kajihara, Endo, Ishiguro, Yamada, and Taniguchi, 925
 Naito, A. See Yamaguchi, Tuzi, Tanio, Lanyi, Needleman, and Saito, 861
 Nakagawa, C.W., Yamada, K., and Mutoh, N. Role of Atf1 and Pap1 in the Introduction of the Catalase Gene of Fission Yeast *Schizosaccharomyces pombe*, 233
 Nakagawa, H., Yoshida, M., and Miyamoto, S. Nitric Oxide Underlines the Differentiation of PC12 Cells Induced by Depolarization with High KCl, 113
 Nakajima, H. See Manya, Sato, Eguchi, Seiki, Oda, Urade, and Endo, 1001
 Nakajima, Y. and Natori, S. Identification and Characterization of an Anterior Fat Body Protein in an Insect, 901
 Nakamaru, Y. See Sato and Nakamura, 603
 Nakamori, S. See Takagi, Hirai, Maeda, and Matsuzawa, 617
 Nakamura, J. See Sato and Nakamaru, 603
 Nakamura, T. See Koishi, Takazawa, Yoshimura, and Serizawa, 977
 Nakanishi, N. See Kojima, Oguro, Sawabe, Iida, Ikeda, Yamashita, and Hasegawa, 121
 Nakano, A. See Homma and Yoshida, 747
 Nakano, K. See Noguchi, Aratani, Koyama, Kodama, and Niki, 971
 Nakano, N., Higashiyama, S., Kajihara, K., Endo, T., Ishiguro, H., Yamada, K., Nagatsu, T., and Taniguchi, N. NTA α and β Isoforms Stimulate Breast Tumor Cell Growth by Means of Different Receptor Combinations, 925
 Nakano, T. See Ishimoto, Ohashi, and Mizuno, 411
 Nakao, A. See Matsui, Kurosawa, Hibi, Akiyama, Kasai, Sakamoto, Ito, and Muramatsu, 1103
 Nakata, K., Guo, C.-T., Matsufuji, M., Yoshimoto, A., Inagaki, M., Higuchi, R., and Suzuki, Y. Influenza A Virus-Binding Activity of Glycoglycerolipids of Aquatic Bacteria, 191
 —. High Resistance to Oxygen Radicals and Heat Is Caused by a Galactoglycerolipid in *Microbacterium* sp. M874, 731
 —. Rescuing Activity of Galactoglycerolipids from Cellular Lesions Induced by 5-Aminolevulinic Acid, 813
 Nakatogawa, H., Mori, H., Matsumoto, G., and Ito, K. Characterization of a Mutant Form of SecA That Alleviates a SecY Defect at Low Temperature and Shows a Synthetic Defect with SecY Alteration at High Temperature, 1071
 Nakatomi, A. See Uryu, Watanabe, Hatsuse, and Yazawa, 739
 Nakayama, K. See Takahashi and Nakayama, 73
 —. See Takahashi and Nakayama, 73
 Narimatsu, H. See Kurosawa, Takashima, Kono, Ikehara, Inoue, Tachida, and Tsuji, 845
 Natori, S. See Nakajima, 901
 —. See Shiraishi, Kobayashi, Sakamoto, Nonaka, Mitsui, Aozasa, and Kubo, 1127
 Needleman, R. See Yamaguchi, Tuzi, Tanio, Naito, Lanyi, and Saito, 861
 Nihira, T. See Tanaka and Yamada, 597
 Niki, E. See Noguchi, Nakano, Aratani, Koyama, and Kodama, 971
 Nishikawa, S. See Inagaki, Tanaka, Suzuki, Wakashima, Kawaura, Karita, and Kashimura, 577
 Nishimura, Y. See Sasaki, Ogata, and Hatanaka, 945
 Nishino, Takeshi. See Iwasaki, Okamoto, Nishino, Mizushima, and Hori, 771
 Nishino, Tomoko. See Iwasaki, Okamoto, Mizushima, Hori, and Nishino, 771
 Nishiyama, T., Kimura, N., Jitsuhara, Y., Uchida, M., Ochi, F., and Yamaguchi, H. N-Glycans Protect Proteins from Protease Digestion through Their Binding Affinities for Aromatic Amino Acid Residues, 427
 Nishizawa, T., Ueda, A., Asayama, M., Fujii, K., Harada, K., Ochi, K., and Shirai, M. Polyketide Synthase Gene Coupled to the Peptide Synthetase Module Involved in the Biosynthesis of the Cyclic Heptapeptide Microcystin, 779
 Noda, C. See Ding, Takano, Hermann, Gao, Han, Yanagi, and Yamamura, 791
 Noguchi, N., Nakano, K., Aratani, Y., Koyama, H., Kodama, T., and Niki, E. Role of Myeloperoxidase in the Neutrophil-Induced Oxidation of Low Density Lipoprotein as Studied by Myeloperoxidase-Knockout Mouse, 971
 Nonaka, Takamasa. See Shiraishi, Kobayashi, Sakamoto, Mitsui, Aozasa, Kubo, and Natori, 1127
 Nonaka, Takashi. See Kato, Maki, Kikuchi, and Imayoh-Ohmi, 297
 Nonaka, Tsuyoshi. See Yonezawa, Uchikoba, Hattori, Ohno, and Kaneda, 755
 Norioka, S. See Li and Sakiyama, 1033
 Noshiro, M. See Ishida, Yamashita, Kuruta, and Yoshida, 57
 Numata, O., Kurasawa, Y., Gonda, K., and Watanabe, Y. Tetrahymena Elongation Factor-1 α Is Localized with Calmodulin in the Division Furrow, 51
 —. See Watanabe, Yonemura, and Gonda, 85
 Nunomura, K. See Jimbo, Yamagishi, Yamaki, Kabayama, Igarashi, and Inokuchi, 485
 Nureki, O. See Kukimoto, Shirouzu, Katada, Hirabayashi, Sugiyama, Furuyama, Yokoyama, and Hara-Yokoyama, 181

O

- Obinata, M. See Okuba, Yanai, Watanabe, and Arai, 591
 Ochi, F. See Nishiyama, Kimura, Jitsuhara, Uchida, and Yamaguchi, 427
 Ochi, K. See Nishizawa, Ueda, Asayama, Fujii, Harada, and Shirai, 779
 Oda, H. See Manya, Sato, Eguchi, Seiki, Nakajima, Urade, and Endo, 1001
 Oda, Toshiaki, Uchida, C., and Miura, S. Mitochondrial Targeting Signal-Induced Conformational Change and Repression of the Peroxisomal Targeting Signal of the Precursor for Rat Liver Serine:Pyruvate/Alanine: Glyoxylate Aminotransferase, 665
 Oda, Toshiro. See Sano, Maeda, and Maeda, 1095
 Odani, S. See Makino, Shimazaki, Omichi, and Hase, 1121
 Ogata, Kazuhiro. See Sasaki, Hatanaka, and Nishimura, 945
 Ogata, Kikuo, Ohno, R., Terao, K., Iwasaki, K., and Endo, Y. Some Properties and the Possible Role of Intrinsic ATPase of Rat Liver 80S Ribosomes in Peptide Bond Elongation, 221
 Oguro, K. See Kojima, Sawabe, Iida, Ikeda, Yamashita, Nakanishi, and Hasegawa, 121
 Ohashi, K. See Ishimoto, Mizuno, and Nakano, 411
 Ohashi, S. See Watanabe, Oikawa, Yagi, Mie, Ichihara, and Honma, 467
 Ohe, T. See Ohmoto, Moriyoshi, Sakai, and Hamada, 43
 Ohkawa, H. See Inouye, Saito, Orita, Tomomura, and Imaishi, 1041
 Ohkawa, M. See Shishida, Itoh, Enomoto, Hashimoto, and Masuko, 253
 Ohmori, T. See Miura, Yatomi, Rile, Sato, and Ozaki, 909
 Ohmoto, T., Moriyoshi, K., Sakai, K., Hamada, N., and Ohe, T. Presence of Two *trans*-o-Hydroxybenzylidenepyruvate Hydratase-Aldolases in Naphthalenesulfonate-Assimilating *Sphingomonas paucimobilis* TA-2: Comparison of Some Properties, 43
 Ohno, M. See Yonezawa, Nonaka, Uchikoba, Hattori, and Kaneda, 755
 Ohno, R. See Ogata, Terao, Iwasaki, and Endo, 221
 Ohta, A. See Fujiwara, Ichinomiya, Motoyama, Horiuchi, and Takagi, 359
 —. See Zhang, Takagi, and Imai, 611
 Ohtani, N., Haruki, M., Muroya, A., Morikawa, M., and Kanaya, S. Characterization of Ribonuclease HIII from *Escherichia coli* Overproduced in a Soluble Form, 895
 Ohtsuka, E. See Komatsu, Kanzaki, Shirai, Kumagai, and Yamashita, 531
 Ohtsuka, T. See Takaishi, Tsuneyoshi, Maehara, Harada, Yoshida, Watanabe, and Tsunefuji, 511
 Ohtsuki, I. See Harada, Takahashi-Yanaga, Minakami, and Morimoto, 263
 —. See Takahashi-Yanaga and Morimoto, 355

O (cont'd)

- Oikawa, H. See *Watanabe, Yagi, Ohashi, Mie, Ichihara, and Honma*, 467
- Oka, T. See *Sun-Wada, Manabe, Yoshimizu, Yamaguchi, Wada, and Futai*, 703
- Okabe, M. See *Koresawa, Miyagawa, Ikawa, Matsunami, Yamada, and Shirakura*, 367
- Okado-Matsumoto, A., Matsumoto, A., Fujii, J., and Taniguchi, N. Peroxiredoxin IV Is a Secretable Protein with Heparin-Binding Properties under Reduced Conditions, 493
- Okamoto, A. See *Oue, Yano, and Kagamiyama*, 337
- Okamoto, K. See *Iwasaki, Nishina, Mizushima, Hori, and Nishino*, 771
- Okawara, T. See *Imamura, Migita, Uriu, and Otagiri*, 653
- Okinaka, M. See *Taniguchi, Tanigawa, and Miwa*, 289
- Okita, K. See *Jung, Kimura, Kitamura, Makondo, Kawasaki, and Saito*, 205
- Okubo, T., Yanai, N., Watanabe, S., Arai, K., and Obinata, M. Effect of Human Granulocyte-Macrophage Colony Stimulating Factor (hGM-CSF) on Lymphoid and Myeloid Differentiation of Sorted Hematopoietic Stem Cells from hGM-CSF Receptor Gene Transgenic Mice, 591
- Okuno, S., Kitani, T., Matsuzaki, H., Konishi, H., Kikkawa, U., and Fujisawa, H. Studies on the Phosphorylation of Protein Kinase B by Ca^{2+} /Calmodulin-Dependent Protein Kinases, 965
- Okutsu, T., Kuroiwa, Y., Kagitani, F., Kai, M., Aisaka, K., Tsutsumi, O., Kaneko, Y., Yokomori, K., Surani, M.A., Kohda, T., Kaneko-Ishino, T., and Ishino, F. Expression and Imprinting Status of Human *PEG8/IGF2AS*, a Paternally Expressed Antisense Transcript from the *IGF2* Locus, in Wilms Tumors, 475
- Omichi, K. See *Makino, Shimazaki, Odani, and Hase*, 1121
- Onagi, H. See *Aoki, Ami, Fujino, and Watabe*, 627
- Onishi, A. See *Kojima, Morozumi, and Mitsuhashi*, 805
- Onishi, M. See *Hashimoto, Majima, Hatanaka, Shinohara, Goto, and Terada*, 443
- Ono, K. See *Ishihara, Ishikawa, Hattori, Saito, Yura, Akaike, Ozeki, Tanaka, Mochizuki, and Kurita*, 797
- Ootani, H. See *Fujii, Takagi, Arimoto, and Ueda*, 457
- Orita, M. See *Inouye, Saito, Tonomura, Imashi, and Ohkawa*, 1041
- Osawa, T. See *Yamamoto and Konami*, 129
- See *Yamamoto and Maruyama*, 137
- Osawa, Y., Hachiya, M., Araki, S., Kusama, T., Matsushima, K., Aoki, Y., and Akashi, M. IL-1 Induces Expression of p21^{WAF1} Independently of p53 in High-Passage Human Embryonic Fibroblasts WI38, 883
- Osima, S. See *Asano-Miyoshi, Suda, Yasuoka, Yamashita, Abe, and Emori*, 915
- Otagiri, M. See *Imamura, Migita, Uriu, and Okawara*, 653
- Otterbach, J.T. See *Bechtold, Pasternack, and Fuchsbauer*, 239
- Oue, S., Okamoto, A., Yano, T., and Kagamiyama, H. Cocrystallization of a Mutant Aspartate Aminotransferase with a C5-Dicarboxylic Substrate Analog: Structural Comparison with the Enzyme-C4-Dicarboxylic Analog Complex, 337
- Ozaki, Y. See *Miura, Yatomi, Rile, Ohmori, and Satoh*, 909
- Ozeki, Y. See *Ishihara, Ono, Ishikawa, Hattori, Saito, Yura, Akaike, Tanaka, Mochizuki, and Kurita*, 797

P

- Pak, J.W. See *Zhang, Maruyama, and Machida*, 1057
- Pan, I.-H. See *Li and Yao*, 315
- Pan, X., Minegishi, N., Harigae, H., Yamagiwa, H., Minegishi, M., Akine, Y., and Yamamoto, M. Identification of Human GATA-2 Gene Distal IS Exon and Its Expression in Hematopoietic Stem Cell Fractions, 105
- Pasternack, R. See *Bechtold, Otterbach, and Fuchsbauer*, 239
- Pavlinkova, G. See *Goel, Beresford, Colcher, Booth, Baranowska-Kortylewicz, and Batra*, 829
- Price, N.C. See *Ahmed, Kelly, and Lawrence*, 871

Q

- Qi, M., Ikematsu, S., Ichihara-Tanaka, K., Sakuma, S., Muramatsu, T., and Kadomatsu, K. Midkine Rescues Wilms Tumor Cells from Cisplatin-Induced Apoptosis: Regulation of Bcl-2 Expression by Midkine, 269

R

- Rile, G. See *Miura, Yatomi, Ohmori, Satoh, and Ozaki*, 909
- Ryu, K.-S., Choi, B.-S., Chi, S.-W., Kim, S.-H., and Kim, H. Structures of Ovine Corticotropin-Releasing Factor and Its Ala32 Mutant as Studied by CD and NMR Techniques, 687

S

- Saito, A. See *Inouye, Orita, Tonomura, Imashi, and Ohkawa*, 1041
- Saito, H. See *Yamaguchi, Tuzi, Tanio, Naito, Lanyi, and Needleman*, 861
- Saito, K. See *Sato, Kim, Abe, Yokoyama, and Kohda*, 65
- Saito, Masayuki. See *Jung, Kimura, Kitamura, Makondo, Okita, and Kawasaki*, 205
- Saito, Megumi. See *Kobayashi, Ito, Ikeda, and Tanaka*, 569
- Saito, Y. See *Ishihara, Ono, Ishikawa, Hattori, Yura, Akaike, Ozeki, Tanaka, Mochizuki, and Kurita*, 797
- Saitoh, J. See *Maruta and Asakura*, 199
- Sakai, K. See *Ohmoto, Moriyoshi, Hamada, and Ohe*, 43
- Sakamoto, Junichi. See *Matsui, Kurosawa, Hibi, Akiyama, Kasai, Ito, Nakao, and Muramatsu*, 1103
- Sakamoto, Junshi. See *Sone and Koyanagi*, 551
- Sakamoto, Y. See *Shiraishi, Kobayashi, Nonaka, Mitsui, Aozasa, Kubo, and Natori*, 1127
- Sakiyama, F. See *Li and Norioka*, 1033
- Sakuma, S. See *Qi, Ikematsu, Ichihara-Tanaka, Muramatsu, and Kadomatsu*, 269
- Sakurai, N. See *Asano, Takemura, Tsumoto, Teramae, Ebara, Katayose, Shinoda, Suzuki, Imai, Matsuno, Ku-da, and Kumagai*, 673

- Sano, K., Maeda, K., Oda, T., and Maeda, Y. The Effect of Single Residue Substitutions of Serine-283 on the Strength of Head-to-Tail Interaction and Actin Binding Properties of Rabbit Skeletal Muscle α -Tropomyosin, 1095
- Sasaki, H., Ishihara, K., and Kato, R. Mechanisms of *Igf2/H19* Imprinting: DNA Methylation, Chromatin and Long-Distance Gene Regulation, 711
- Sasaki, M., Ogata, K., Hatanaka, H., and Nishimura, Y. Backbone Dynamics of the c-Myb DNA-Binding Domain Complexed with a Specific DNA, 945
- Sato, Chiaki, Kim, J.-H., Abe, Y., Saito, K., Yokoyama, S., and Kohda, D. Characterization of the N-Oligosaccharides Attached to the Atypical Asn-X-Cys Sequence of Recombinant Human Epidermal Growth Factor Receptor, 65
- Sato, Chusuke, Nakamura, J., and Nakamaru, Y. A Chemometric Approach to the Estimation of the Absorption Spectra of Dye Probe Merocyanine 540 in Aqueous and Phospholipid Environments, 603
- Sato, K. See *Furuno, Kawagishi, and Homma*, 29
- Sato, Y. See *Manyu, Eguchi, Seiki, Oda, Nakajima, Urade, and Endo*, 1001
- Satoh, K. See *Miura, Yatomi, Rile, Ohmori, and Ozaki*, 909
- Satoh, O., Imai, H., Yoneyama, T., Miyamura, T., Utsumi, H., Inoue, K., and Umeda, M. Membrane Structure of the Hepatitis B Virus Surface Antigen Particle, 543
- Sawabe, K. See *Kojima, Ogura, Iida, Ikeda, Yamashita, Nakanishi, and Hasegawa*, 121
- Schauer, R. See *Hubl, Ishida, Kiso, and Hasegawa*, 1021
- Schulze, J. See *Lehnerer, Achterhold, Lewis, and Hlavica*, 163
- Seiki, K. See *Manyu, Sato, Eguchi, Oda, Nakajima, Urade, and Endo*, 1001
- Sekido, S. See *Kimura, Isogai, and Yamaguchi*, 955
- Seno, M. See *Futami, Tsushima, Tada, and Yamada*, 435
- Seo, M. See *Koiwai, Akaba, Komano, and Koshiba*, 659
- Serizawa, N. See *Koishi, Nakamura, Takazawa, and Yoshimura*, 977
- Shibata, N. See *Matsumoto, Morimoto, Kinebuchi, Shimamoto, Tsukihara, and Yasuoka*, 329
- Shigematsu, Y. See *Fujisawa, Umesono, Kikawa, Taketo, Mayumi, and Inuzuka*, 373
- Shimada, A. See *Kanagawa, Watanabe, Kaya, Togawa, Imagawa, Kikuchi, and Taniguchi*, 821
- Shimamoto, N. See *Matsumoto, Morimoto, Shibata, Kinebuchi, Tsukihara, and Yasuoka*, 329
- Shimazaki, A. See *Makino, Omichi, Odani, and Hase*, 1121
- Shimoda, Y. See *Kotani, Tajima, Irie, Kubo, and Tai*, 13
- Shindo, N. See *Taka, Kaga, Fujimura, Mineki, Imaizumi, Suzuki, Suzuki, Tanokura, and Murayama*, 723
- Shinoda, M. See *Asano, Takemura, Tsumoto,*

S (cont'd)

- Sakurai, Teramae, Ebara, Katayose, Suzuki, Imai, Matsuno, Kudo, and Kumagai, 673
- Shinohara, Y. See Hashimoto, Majima, Hatanaka, Onishi, Goto, and Terada, 443
- Shirai, Makoto. See Nishizawa, Ueda, Asayama, Fujii, Harada, and Ochi, 779
- Shirai, Miho. See Komatsu, Kanzaki, Kumagai, Yamashita, and Ohtsuka, 531
- Shiraishi, H., Kobayashi, A., Sakamoto, Y., Nonaka, T., Mitsui, Y., Aozasa, N., Kubo, T., and Natori, S. Molecular Cloning and Characterization of SRAM, a Novel Insect Rel/Ankyrin-Family Protein Present in Nudei, 1127
- Shirakura, R. See Koresawa, Miyagawa, Ikawa, Matsunami, Yamada, and Okabe, 367
- Shirouzu, M. See Kukimoto, Nureki, Katada, Hirabayashi, Sugiyama, Furuyama, Yokoyama, and Hara-Yokoyama, 181
- Shishido, T., Ohkawa, M., Itoh, A., Enomoto, T., Hashimoto, Y., and Masuko, T. Colocalization of GP125/DC98 with Tropomyosin Isoforms at the Cell-Cell Adhesion Boundary, 253
- Sim, T.-S. See Loke, 585
- Soh, Y. and Wooten, M.W. Purification and Characterization of a Novel Protamine Kinase in HL60 Cells, 95
- Sohn, J.H. See Lee, Yeh, Choi, Jung, and Kim, 1053
- Sone, N., Koyanagi, S., and Sakamoto, J. Energy-Yielding Properties of SoxB-Type Cytochrome *bo*₃ Terminal Oxidase: Analyses Involving *Bacillus stearothermophilus* K1041 and Its Mutant Strains, 551
- Sonezaki, S. See Ishii, Iwasaki, Miyata, Akita, Kato, and Amano, 837
- Suda, T. See Asano-Miyoshi, Yasuoka, Osima, Yamashita, Abe, and Emori, 915
- Sugahara, M., Mikawa, T., Kato, R., Fukuyama, K., Kumasaka, T., Yamamoto, M., Inoue, Y., and Kuramitsu, S. Crystallization and Preliminary X-Ray Crystallographic Studies of *Thermus thermophilus* HB8 MutM Protein Involved in Repair of Oxidative DNA Damage, 9
- Sugiyama, H. See Kukimoto, Nureki, Shirouzu, Katada, Hirabayashi, Furuyama, Yokoyama, and Hara-Yokoyama, 181
- Sumi, Y., Muramatsu, H., Hata, K., Ueda, M., and Muramatsu, T. Midkine Enhances Early Stages of Collagen Gel Contraction, 247
- Sun-Wada, G.-H., Manabe, S., Yoshimizu, T., Yamaguchi, C., Oka, T., Wada, Y., and Futai, M. Upstream Regions Directing Heart-Specific Expression of the GATA6 Gene during Mouse Early Development, 703
- Surani, M.A. See Okutsu, Kuroiwa, Kagitani, Kai, Aisaka, Tsutsumi, Kaneko, Yokomori, Kohda, Kaneko-Ishino, and Ishino, 475
- Suzuki, M. See Asano, Takemura, Tsumoto, Sakurai, Teramae, Ebara, Katayose, Shinoda, Imai, Matsuno, Kudo, and Kumagai, 673
- Suzuki, Rintaro. See Taka, Kaga, Fujimura, Mineki, Imaizumi, Suzuki, Tanokura, Shinoda, and Murayama, 723
- Suzuki, Ryoko. See Inagaki, Tanaka, Wakashima, Kawaura, Karita, Nishikawa, and Kashimura, 577
- Suzuki, S. See Kataoka, Furusawa, Takagi, and Yamaguchi, 345
- Suzuki, Yasuo. See Nakata, Guo, Matsufuji, Yoshimoto, Inagaki, and Higuchi, 191
- Suzuki, Yoshikazu. See Taka, Kaga, Fujimura, Mineki, Imaizumi, Suzuki, Tanokura, Shinoda, and Murayama, 723

T

- Tachibana, T. See Ikuta, Watanabe, Yoshida, Yoneda, and Kawajiri, 503
- Tachida, Y. See Takashima, Kurosawa, Inoue, and Tsuji, 399
- See Kurosawa, Takashima, Kono, Ikehara, Inoue, Narimatsu, and Tsuji, 845
- Tada, H. See Futami, Tsushima, Seno, and Yamada, 435
- Tada, Tomohiro. See Fujino, Hosaka, Beppu, and Kikugawa, 307
- Tada, Toyohiro. See Tsuiki, Asai, Yamamoto, Fujita, Inoue, Kawai, Moriyama, Wada, and Kato, 517
- Taguchi, H. See Asahara, Atsuta, Motohashi, Yohda, and Yoshida, 931
- Tai, T. See Kotani, Tajima, Shimoda, Irie, and Kubo, 13
- Tajima, Y. See Kotani, Shimoda, Irie, Kubo, and Tai, 13
- Taka, H., Kaga, N., Fujimura, T., Mineki, R., Imaizumi, M., Suzuki, Y., Suzuki, R., Tanokura, M., Shindo, N., and Murayama, K. Rapid Determination of Parvalbumin Amino Acid Sequence from *Rana catesbeiana* (pl 4.78) by Combination of ESI Mass Spectrometry, Protein Sequencing, and Amino Acid Analysis, 723
- Takagaki, K., Munakata, H., Majima, M., Kakizaki, I., and Endo, M. Chimeric Glycosaminoglycan Oligosaccharides Synthesized by Enzymatic Reconstruction and Their Use in Substrate Specificity Determination of *Streptococcus* Hyaluronidase, 695
- Takagi, Hidenori. See Fujii, Arimoto, Ootani, and Ueda, 457
- Takagi, Hiroshi, Hirai, K., Maeda, Y., Matsuzawa, H., and Nakamori, S. Engineering Subtilisin E for Enhanced Stability and Activity in Polar Organic Solvents, 617
- Takagi, K. See Kataoka, Furusawa, Yamaguchi, and Suzuki, 345
- Takagi, M. See Fujiwara, Ichinomiya, Motoyama, Horiuchi, and Ohta, 359
- See Zhang, Ohta, and Imai, 611
- Takahashi, Katsuhiko, Nakayama, K., and Nakayama, K. Mice Lacking a CDK Inhibitor, p57^{Kip2}, Exhibit Skeletal Abnormalities and Growth Retardation, 73
- Takahashi, Ken-ichi, Baba, S., Hayashi, Y., Koyanagi, Y., Yamamoto, N., Takaku, H., and Kawai, G. NMR Analysis of Intra- and Inter-Molecular Stems in the Dimerization Initiation Site of the HIV-1 Genome, 681
- Takahashi, Kenji. See Fujino, Kojima, Beppu, Kikugawa, and Yasuda, 1087
- Takahashi, Y. See Zhuang, Kawajiri, and Yoshimoto, 451
- Takahashi-Yanaga, F. See Harada, Minakami, Morimoto, and Ohtsuki, 263
- , Morimoto, S., and Ohtsuki, I. Effect of Arg145Gly Mutation in Human Cardiac Troponin I on the ATPase Activity of Cardiac Myofibrils, 355
- Takai, K. See Kanda, Yokoyama, and Takaku, 37
- Takaishi, K., Ohtsuka, T., Tsuneyoshi, S., Maebara, N., Harada, M., Yoshida, H., Watanabe, K., and Tsurufuji, S. Inhibition of the Production of Rat Cytokine-Induced Neutrophil Chemoattractant (CINC)-1, a Member of the Interleukin-8 Family, by Adenovirus-Mediated Overexpression of IkB α , 511
- Takaku, H. See Kanda, Takai, and Yokoyama, 37
- See Takahashi, Baba, Hayashi, Koyanagi, Yamamoto, and Kawai, 681
- Takamori, A. See Yamashita, Takeshige, Inoue, Hirose, and Hagiwara, 177
- Takano, T. See Ding, Hermann, Gao, Han, Noda, Yanagi, and Yamamura, 791
- Takashima, S., Kurosawa, N., Tachida, Y., Inoue, M., and Tsuji, S. Comparative Analysis of the Genomic Structures and Promoter Activity of Mouse *Sia2,3Gal1,3GalNAc GalNAc2,6-Sialyltransferase* Genes (ST6-GalNAc III and IV): Characterization and Their Sp1 Binding Sites, 399
- See Kurosawa, Kono, Ikehara, Inoue, Tachida, Narimatsu, and Tsuji, 845
- Takazawa, T. See Koishi, Nakamura, Yoshimura, and Serizawa, 977
- Takeguchi, N. See Asano, Furumoto, Tega, and Matsuda, 993
- Takemura, S. See Asano, Tsumoto, Sakurai, Teramae, Ebara, Katayose, Shinoda, Suzuki, Imai, Matsuno, Kudo, and Kumagai, 673
- Takeshige, K. See Yamashita, Inoue, Hirose, Takamori, and Hagiwara, 177
- Taketo, A. See Fujisawa, Umesono, Kikawa, Shigematsu, Mayumi, and Inuzuka, 373
- Tanahashi, N. See Tomisugi, Unno, Mizushima, Morimoto, Tanaka, Tsukihara, and Yasuoka, 941
- Tanaka, A. See Inagaki, Suzuki, Wakashima, Kawaura, Karita, Nishikawa, and Kashimura, 577
- Tanaka, J., Nihira, T., and Yamada, Y. Glutathione as an Essential Factor for Chaperon-Mediated Activation of Lactonizing Lipase (LipL) from *Pseudomonas* sp. 109, 597
- Tanaka, Keiji. See Tomisugi, Unno, Mizushima, Morimoto, Tanahashi, Tsukihara, and Yasuoka, 941
- Tanaka, Kiyoshi. See Kobayashi, Ito, Ikeda, and Saito, 569
- Tanaka, N., Ishida, T., Hukuda, S., and Horiike, K. Purification of a Low-Molecular-Weight Phospholipase A₂ Associated with Soluble High-Molecular-Weight Acidic Proteins from Rabbit Nucleus Pulposus and Its Comparison with a Rabbit Splenic Group IIa Phospholipase A₂, 985
- Tanaka, S. See Ishihara, Ono, Ishikawa, Hattori, Saito, Yura, Akaike, Ozeke, Mochizuki, and Kurita, 797
- Tanigawa, K. See Taniguchi, Okinaka, and Muwa, 289
- Taniguchi, K. See Kanagawa, Watanabe, Kaya, Togawa, Imagawa, Shimada, and Kikuchi, 821
- Taniguchi, N. See Okado-Matsumoto, Matsumoto, and Fujii, 493

T (cont'd)

- See Nakano, Higashiyama, Kajihara, Endo, Ishiguro, Yamada, and Nagatsu, 925
- Taniguchi, S., Okinaka, M., Tanigawa, K., and Miwa, I. Difference in Mechanism between Glyceraldehyde- and Glucose-Induced Insulin Secretion from Isolated Rat Pancreatic Islets, 289
- Tanio, M. See Yamaguchi, Tuzi, Naito, Lanyi, Needleman, and Saitô, 861
- Tanokura, M. See Taka, Kaga, Fujimura, Mineki, Imaizumi, Suzuki, Shindo, and Murayama, 723
- Tega, Y. See Asano, Furumoto, Matsuda, and Takeguchi, 993
- Terada, H. See Hashimoto, Majima, Hatanaka, Shinohara, Onishi, and Goto, 443
- Teramae, A. See Asano, Takemura, Tsumoto, Sakurai, Ebara, Katayose, Shinoda, Suzuki, Imai, Matsuno, Kudo, and Kumagai, 673
- Terao, K. See Ogata, Ohno, Iwasaki, and Endo, 221
- Togawa, K. See Kanagawa, Watanabe, Kaya, Imagawa, Shimada, Kikuchi, and Taniguchi, 821
- Tomisugi, Y., Unno, M., Mizushima, T., Morimoto, Y., Tanahashi, N., Tanaka, K., Tsukihara, T., and Yasuoka, N. New Crystal Forms and Low Resolution Structure Analysis of 20S Proteasomes from Bovine Liver, 941
- Tomoo, K. See Yamamoto, Hara, Murata, Kitamura, and Ishida, 635
- Tonomura, B. See Inouye, Saito, Orita, Imaishi, and Ohkawa, 1041
- Tsuchida, S., Yanagi, S., Inatome, R., Ding, J., Hermann, P., Tsujimura, T., Matsui, N., and Yamamura, H. Purification of a 72-kDa Protein-Tyrosine Kinase from Rat Liver and Its Identification as Syk: Involvement of Syk in Signaling Events of Hepatocytes, 321
- Tsuiki, H., Asai, K., Yamamoto, M., Fujita, K., Inoue, Y., Kawai, Y., Tada, T., Moriyama, A., Wada, Y., and Kato, T. Cloning of a Rat Glia Maturation Factor- γ (rGMFG) cDNA and Expression of Its mRNA and Protein in Rat Organs, 517
- Tsuiji, S. See Takashima, Kurosawa, Tachida, and Inoue, 399
- See Kurosawa, Takashima, Kono, Ikehara, Inoue, Tachida, and Narimatsu, 845
- Tsujimura, T. See Tsuchida, Yanagi, Inatome, Ding, Hermann, Matsui, and Yamamura, 321
- Tsukihara, T. See Matsumoto, Morimoto, Shibata, Kinebuchi, Shimamoto, and Yasuoka, 329
- See Tomisugi, Unno, Mizushima, Morimoto, Tanahashi, Tanaka, and Yasuoka, 941
- Tsumoto, K. See Asano, Takemura, Sakurai, Teramae, Ebara, Katayose, Shinoda, Suzuki, Imai, Matsuno, Kudo, and Kumagai, 673
- Tsuneyoshi, S. See Takaishi, Ohtsuka, Maehara, Harada, Yoshida, Watanabe, and Tsurufuji, 511
- Tsurufuji, S. See Takaishi, Ohtsuka, Tsuneyoshi, Maehara, Harada, Yoshida, and Watanabe, 511
- Tsuruta, H. and Aizono, Y. Cloning of Phosphatase I Gene from a Psychrophile, *Shewanella* sp., and Some Properties of the Recombinant Enzyme, 143
- Tsushima, Y. See Futami, Tada, Seno, and Yamada, 435
- Tsutsumi, O. See Okutsu, Kuroiwa, Kagitani, Kai, Aisaka, Kaneko, Yokomori, Surani, Kohda, Kaneko-Ishino, and Ishino, 475
- Tuzi, S. See Yamaguchi, Tanio, Naito, Lanyi, Needleman, and Saitô, 861

U

- Uchida, C. See Oda and Miura, 665
- Uchida, M. See Nishiyama, Kimura, Jitsuhara, Ochi, and Yamaguchi, 427
- Uchikoba, T. See Yonezawa, Nonaka, Hattori, Ohno, and Kaneda, 755
- Ueda, A. See Nishizawa, Asayama, Fujii, Harada, Ochi, and Shirai, 779
- Ueda, H. See Zako, Deguchi, Kitayama, and Nagamune, 351
- Ueda, M. See Sumi, Muramatsu, Hata, and Muramatsu, 247
- Ueeda, T. See Fujii, Takagi, Arimoto, and Ootani, 457
- Ueno, H. See Fujii, Doi, and Hayashi, 877
- Uga, H., Komori, H., Miki, K., and Wada, C. The Iteron Regions Necessary for the RepE-Iteron Interaction *In Vivo* in Mini-F Plasmids of *Escherichia coli*, 537
- Umeda, M. See Satoh, Imai, Yoneyama, Miyamura, Utsumi, and Inoue, 543
- Umesono, K. See Fujisawa, Kikawa, Shigematsu, Taketo, Mayumi, and Inuzuka, 373
- Unno, M. See Tomisugi, Mizushima, Morimoto, Tanahashi, Tanaka, Tsukihara, and Yasuoka, 941
- Urade, R., Kusunose, M., Moriyama, T., Higasa, T., and Kito, M. Accumulation and Degradation in the Endoplasmic Reticulum of a Truncated ER-60 Devoid of C-Terminal Amino Acid Residues, 211
- Urade, Y. See Many, Sato, Eguchi, Seiki, Oda, Nakajima, and Endo, 1001
- Uriu, Y. See Imamura, Migita, Otagiri, and Okawara, 653
- Uryu, M., Nakatomi, A., Watanabe, M., Hatsuse, R., and Yazawa, M. Molecular Cloning of cDNA Encoding Two Subunits of Calcieneurin from Scallop Testis: Demonstration of Stage-Specific Expression during Maturation of the Testis, 739
- Utsumi, H. See Satoh, Imai, Yoneyama, Miyamura, Inoue, and Umeda, 543

W

- Wada, C. See Uga, Komori, and Miki, 537
- Wada, I. See Ishikawa, Kai, and Kanoh, 645
- Wada, Yoh. See Sun-Wada, Manabe, Yoshimizu, Yamaguchi, Oka, and Futai, 703
- Wada, Yoshiro. See Tsuiji, Asai, Yamamoto, Fujita, Inoue, Kawai, Tada, Moriyama, and Kato, 517
- Wakashima, H. See Inagaki, Tanaka, Suzuki, Kawaura, Karita, Nishikawa, and Kashimura, 577
- Watabe, H. See Aoki, Ami, Onagi, and Fujino, 627
- Watanabe, A., Yonemura, I., Gonda, K., and Numata, O. Cloning and Sequencing of the Gene for a *Tetrahymena* Fimbrin-Like Protein, 85
- Watanabe, J. See Ikuta, Tachibana, Yoshida, Yoneda, and Kawajiri, 503

- Watanabe, Kazuyoshi. See Takaishi, Ohtsuka, Tsuneyoshi, Maehara, Harada, Yoshida, and Tsurufuji, 511
- Watanabe, Kenji, Oikawa, H., Yagi, K., Ohashi, S., Mie, T., Ichihara, A., and Honma, M. Macrophomate Synthase: Characterization, Sequence, and Expression in *Escherichia coli* of the Novel Enzyme Catalyzing Unusual Multistep Transformation of 2-Pyrones to Benzoates, 467
- Watanabe, M. See Uryu, Nakatomi, Hatsuse, and Yazawa, 739
- Watanabe, S. See Kanagawa, Kaya, Togawa, Imagawa, Shimada, Kikuchi, and Taniguchi, 821
- Watanabe, Sumiko. See Okubo, Yanai, Arai, and Obinata, 591
- Watanabe, Y. See Numata, Kurasawa, and Gonda, 51
- Wooten, M.W. See Soh, 95

Y

- Yagi, K. See Watanabe, Oikawa, Ohashi, Mie, Ichihara, and Honma, 467
- Yamada, H. See Futami, Tsushima, Tada, and Seno, 435
- Yamada, Kenichiro. See Nakagawa and Mutoh, 233
- Yamada, Kouji. See Nakano, Higashiyama, Kajihara, Endo, Ishiguro, Nagatsu, and Taniguchi, 925
- Yamada, M. See Koresawa, Miyagawa, Ikawa, Matsunami, Shirakura, and Okabe, 367
- Yamada, Y. See Tanaka and Nihira, 597
- Yamagishi, K. See Jimbo, Yamaki, Nunomura, Kabayama, Igarashi, and Inokuchi, 485
- Yamagiwa, H. See Pan, Minegishi, Harigae, Minegishi, Akine, and Yamamoto, 105
- Yamaguchi, C. See Sun-Wada, Manabe, Yoshimizu, Oka, Wada, and Futai, 703
- Yamaguchi, H. See Nishiyama, Kimura, Jitsuhara, Uchida, and Ochi, 427
- Yamaguchi, I. See Kimura, Sekido, and Isogai, 955
- Yamaguchi, K. See Kataoka, Furusawa, Takagi, and Suzuki, 345
- Yamaguchi, S., Tuzi, S., Tanio, M., Naito, A., Lanyi, J.K., Needleman, R., and Saitô, H. Irreversible Conformational Change of Bacterio-opsin Induced by Binding of Retinal during Its Reconstitution to Bacteriorhodopsin, as Studied by ^{13}C NMR, 861
- Yamaki, T. See Jimbo, Yamagishi, Nunomura, Kabayama, Igarashi, and Inokuchi, 485
- Yamamoto, A., Tomoo, K., Hara, T., Murata, M., Kitamura, K., and Ishida, T. Substrate Specificity of Bovine Cathepsin B and Its Inhibition by CA074, Based on Crystal Structure Refinement of the Complex, 635
- Yamamoto, Kazuo, Konami, Y., and Osawa, T. A Chimeric Lectin Formed from *Bauhinia purpurea* Lectin and *Lens culinaris* Lectin Recognizes a Unique Carbohydrate Structure, 129
- Yamamoto, Kazuo, Maruyama, I.N., and Osawa, T. Cyborg Lectins: Novel Leguminous Lectins with Unique Specificities, 137
- Yamamoto, Keiichi. See Kashiwayama, Kimura, and Mimura, 1065
- Yamamoto, Manami. See Tsuiji, Asai, Fujita, Inoue, Kawai, Tada, Moriyama, Wada, and Kato, 517

Y (cont'd)

- Yamamoto, Masaki. See *Sugahara, Mikawa, Kato, Fukuyama, Kumasaka, Inoue, and Kuramitsu*, 9
- Yamamoto, Masayuki. See *Pan, Minegishi, Harigae, Yamagiwa, Minegishi, and Akine*, 105
- Yamamoto, N. See *Takahashi, Baba, Hayashi, Koyanagi, Takaku, and Kawai*, 681
- Yamamura, H. See *Tsuchida, Yanagi, Inatome, Ding, Hermann, Tsujimura, and Matsui*, 321
- See *Ding, Takano, Hermann, Gao, Han, Noda, and Yanagi*, 791
- Yamane, K. See *Ishii, Haga, and Harata*, 383
- Yamashita, A. See *Kojima, Oguro, Sawabe, Iida, Ikeda, Nakanishi, and Hasegawa*, 121
- Yamashita, C. See *Ishida, Kuruta, Yoshida, and Noshiro*, 57
- Yamashita, Shigeko. See *Komatsu, Kanzaki, Shirai, Kumagai, and Ohtsuka*, 531
- Yamashita, Shinya. See *Asano-Miyoshi, Suda, Yasuoka, Osima, Abe, and Emori*, 915
- Yamashita, Y., Takeshige, K., Inoue, A., Hirose, S., Takamori, A., and Hagiwara, H. Concentration of mRNA for the Natriuretic Peptide Receptor-C in Hypertrophic Chondrocytes of the Fetal Mouse Tibia, 177
- Yanagi, S. See *Tsuchida, Inatome, Ding, Hermann, Tsujimura, Matsui, and Yamamura*, 321
- See *Ding, Takano, Hermann, Gao, Han, Noda, and Yamamura*, 791
- Yanai, N. See *Okubo, Watanabe, Arai, and Obinata*, 591
- Yano, T. See *Oue, Okamoto, and Kagamuyama*, 337
- Yao, H.-J. See *Li and Pan*, 315
- Yasuda, H. See *Fujino, Kojima, Beppu, Kikugawa, and Takahashi*, 1087
- Yasuoka, A. See *Asano-Miyoshi, Suda, Osima, Yamashita, Abe, and Emori*, 915
- Yasuoka, N. See *Matsumoto, Morimoto, Shibata, Kinebuchi, Shimamoto, and Tsukihara*, 329
- See *Tomisugi, Unno, Mizushima, Morimoto, Tanahashi, Tanaka, and Tsukihara*, 941
- Yatomi, Y. See *Miura, Rile, Ohmori, Satoh, and Ozaki*, 909
- Yazawa, M. See *Uryu, Nakatomi, Watanabe, and Hatsuse*, 739
- Yeh, B.-I. See *Lee, Sohn, Choi, Jung, and Kim*, 1053
- Yohda, M. See *Asahara, Atsuta, Motohashi, Taguchi, and Yoshida*, 931
- Yokomori, K. See *Okutsu, Kuroiwa, Kagitani, Kai, Aisaka, Tsutsumi, Kaneko, Surani, Kohda, Kaneko-Ishino, and Ishino*, 475
- Yokoyama, S. See *Kanda, Takai, and Takaku*, 37
- See *Sato, Kim, Abe, Saito, and Kohda*, 65
- See *Kukimoto, Nureki, Shirouzu, Katada, Hirabayashi, Sugiyama, Furuyama, and Hara-Yokoyama*, 181
- Yoneda, Y. See *Ikuta, Tachibana, Watanabe, Yoshida, and Kawajiri*, 503
- Yonemura, I. See *Watanabe, Gonda, and Numata*, 85
- Yoneyama, T. See *Satoh, Imai, Miyamura, Utsumi, Inoue, and Umeda*, 543
- Yonezawa, H., Nonaka, T., Uchikoba, T., Hattori, S., Ohno, M., and Kaneda, M. Isolation and Characterization of Pepsinogen from *Trimeresurus flavoviridis* (Habu Snake), 755
- Yoshida, H. See *Takaishi, Ohtsuka, Tsuneyoshi, Maehara, Harada, Watanabe, and Tsurufuji*, 511
- Yoshida, Masaru. See *Nakagawa and Miyamoto*, 113
- Yoshida, Masasuke. See *Asahara, Atsuta, Motohashi, Taguchi, and Yohda*, 931
- Yoshida, Minoru. See *Ikuta, Tachibana, Watanabe, Yoneda, and Kawajiri*, 503
- Yoshida, Y. See *Ishida, Yamashita, Kuruta, and Noshiro*, 57
- See *Homma and Nakano*, 747
- Yoshimizu, T. See *Sun-Wada, Manabe, Yamaguchi, Oka, Wada, and Futai*, 703
- Yoshimoto, A. See *Nakata, Guo, Matsufuji, Inagaki, Higuchi, and Suzuki*, 191
- Yoshimoto, T. See *Zhuang, Kawajiri, and Takahashi*, 451
- Yoshimura, C. See *Koishi, Nakamura, Takazawa, and Serizawa*, 977
- Yoshimura, T. See *Mihara, Kurihara, and Esaki*, 559
- Yura, H. See *Ishihara, Ono, Ishikawa, Hattori, Saito, Akaike, Ozeki, Tanaka, Mochizuki, and Kurita*, 797

Z

- Zako, T., Deguchi, H., Kitayama, A., Ueda, H., and Nagamune, T. Refolding of Firefly Luciferase Immobilized on Agarose Beads, 351
- Zhang, L., Ohta, A., Takagi, M., and Imai, R. Expression of Plant Group 2 and Group 3 *lea* Genes in *Saccharomyces cerevisiae* Revealed Functional Divergence among LEA Proteins, 611
- Zhang, Y., Pak, J.W., Maruyama, I.N., and Machida, M. Affinity Selection of DNA-Binding Proteins Displayed on Bacteriophage λ , 1057
- Zhuang, D., Kawajiri, H., Takahashi, Y., and Yoshimoto, T. Suppression of Prostaglandin E_2 -Mediated *c-fos* mRNA Induction by Interleukin-4 in Murine Macrophages, 451

INDEX TO KEY WORDS

A

- α -helical coiled-coil, muscle thin filament, phosphorylation, polymerization, tropomyosin, Sano, K., Maeda, K., Oda, T., and Maeda, Y., 1095
- α -helix, CD, chemical shift, corticotropin-releasing factor, NMR, stability, Ryu, K.-S., Choi, B.-S., Chi, S.-W., Kim, S.-H., and Kim, H., 687
- absorption spectrum, factor analysis, fluorescence spectrum, merocyanine 540, potential probe, Sato, C., Nakamura, J., and Nakamaru, Y., 603
- acarbose, CGTase, crystal structure, cyclodextrin glucanotransferase, X-ray crystallography, Ishii, N., Haga, K., Yamane, K., and Harata, K., 383
- Achromobacter lyticus*, N-acetylmuramoyl-L-alanine amidase, achromopeptidase, primary structure, mass spectrometry, Li, S., Norioka, S., and Sakiyama, F., 1033
- achromopeptidase, N-acetylmuramoyl-L-alanine amidase, *Achromobacter lyticus*, primary structure, mass spectrometry, Li, S., Norioka, S., and Sakiyama, F., 1033
- actin, calmodulin, cytokinesis, elongation factor 1 α (EF-1 α), *Tetrahymena*, Numata, O., Kurasawa, Y., Gonda, K., and Watanabe, Y., 51
- activation, acylation, electrospray mass spectrometry, phospholipase A₂, tryptophan fluorescence, Ahmed, T., Kelly, S.M., Price, N.C., and Lawrence, A.J., 871
- acylation, activation, electrospray mass spectrometry, phospholipase A₂, tryptophan fluorescence, Ahmed, T., Kelly, S.M., Price, N.C., and Lawrence, A.J., 871
- ADP/ATP carrier, cysteine residue, methyl methanethiosulfonate, mitochondria, SH-reagent, Hashimoto, M., Majima, E., Hatanaka, T., Shinohara, Y., Onishi, M., Goto, S., and Terada, H., 443
- AFP, anterior-posterior axis, fat body, regucalcin, *Sarcophaga peregrina*, senescence marker protein-30, Nakajima, Y. and Natori, S., 901
- agarose beads, firefly luciferase, immobilization, renaturation, Zako, T., Deguchi, H., Kitayama, A., Ueda, H., and Nagamune, T., 351
- AhR nuclear translocator (ARNT), aryl hydrocarbon (TCDD) receptor, nucleocytoplasmic shuttling, CYP1A1, leptomycin B, Ikuta, T., Tachibana, T., Watanabe, J., Yoshida, M., Yoneda, Y., and Kawajiri, K., 503
- Alcaligenes xylosoxidans*, copper protein, nitrite reductase, type 1 Cu, type 2 Cu, Kataoka, K., Furusawa, H., Takagi, K., Yamaguchi, K., and Suzuki, S., 345
- aldehyde oxidase, *Arabidopsis thaliana*, indole-3-acetic acid (IAA), molybdenum cofactor, *Pichia pastoris*, Koiwai, H., Akaba, S., Seo, M., Komano, T., and Koshihara, T., 659
- aldolase, trans-o-hydroxybenzylidenepyruvate, naphthalene, naphthalenesulfonate, *Sphingomonas*, Ohmoto, T., Moriyoshi, K., Sakai, K., Hamada, N., and Ohe, T., 43
- alternative translocation, conformational change, mitochondrial targeting signal, peroxisomal targeting signal, serine:pyruvate aminotransferase, Oda, T., Uchida, C., and Miura, S., 665
- aminioctic fluid, carbohydrate structure, CHO recombinant, prostaglandin D synthase, urine, Many, H., Sato, Y., Eguchi, N., Seiki, K., Oda, H., Nakajima, H., Urade, Y., and Endo, T., 1001
- amino acid analysis, electrospray mass spectrometry, parvalbumin, protein sequencer, sequence, Taka, H., Kaga, N., Fujimura, T., Mineki, R., Imaizumi, M., Suzuki, Y., Suzuki, R., Tanokura, M., Shindo, N., and Murayama, K., 723
- amino acid sequence, enzymatic activity, *Escherichia coli*, overproduction, RNase H, Ohtani, N., Haruki, M., Muroya, A., Morikawa, M., and Kanaya, S., 895
- aminolevulinic acid, galactoglycerolipid, glyco-glycerolipid, oxygen radical, porphyrin, Nakata, K., 813
- angiotensin II, MAP kinase, hepatocytes, protein-tyrosine kinase, Syk, Tsuchida, S., Yanagi, S., Inatome, R., Ding, J., Hermann, P., Tsujimura, T., Matsui, N., and Yamamura, H., 321
- ankyrin, insect immunity, κ B motif, NF- κ B/Rel family, *Sarcophaga peregrina*, Shiraiishi, H., Kobayashi, A., Sakamoto, Y., Nonaka, T., Mitsui, Y., Aozasa, N., Kubo, T., and Natori, S., 1127
- anterior-posterior axis, AFP, fat body, regucalcin, *Sarcophaga peregrina*, senescence marker protein-30, Nakajima, Y. and Natori, S., 901
- anti-band 3 binding, oxidized erythrocyte, oxidized protein hydrolase, protein aggregation, Fujino, T., Ando, K., Beppu, M., and Kikugawa, K., 1081
- anti-cancer drug, DNA supercoiling, DNA topoisomerase, Hotoda, N. and Hanai, R., 1109
- anti-oxidized protein hydrolase antibody, human cell line, oxidized protein hydrolase, rat tissue, Fujino, T., Tada, T., Hosaka, T., Beppu, M., and Kikugawa, K., 307
- antioxigen, butyl hydroperoxide, glyceroglycerolipid, glyco-glycerolipid, stress tolerance, Nakata, K., 731
- apoptosis, Bcl-2, cisplatin, kidney, midkine, Qi, M., Ikematsu, S., Ichihara-Tanaka, K., Sakuma, S., Muramatsu, T., and Kado-matsu, K., 269
- , calpain, calpastatin, caspase, Jurkat T-cell, Kato, M., Nonaka, T., Maki, M., Kikuchi, H., and Imajoh-Ohmi, S., 297
- aqualysin I, disulfide bond, site-directed mutagenesis, stability in organic solvents, subtilisin E, Takagi, H., Hirai, K., Maeda, Y., Matsuzawa, H., and Nakamori, S., 617
- Arabidopsis thaliana*, aldehyde oxidase, indole-3-acetic acid (IAA), molybdenum cofactor, *Pichia pastoris*, Koiwai, H., Akaba, S., Seo, M., Komano, T., and Koshihara, T., 659
- ArcB His-kinase, *Escherichia coli*, PAS domain, phosphorelay signal transduction, Matsushika, A. and Mizuno, T., 855
- arginase, growth inhibitor, hepatic stellate cells, Zn- α -glycoprotein, Kim, K.-Y., Choi, I., and Kim, S.-S., 23
- aryl hydrocarbon (TCDD) receptor, nucleocytoplasmic shuttling, CYP1A1, AhR nuclear translocator (ARNT), leptomycin B, Ikuta, T., Tachibana, T., Watanabe, J., Yoshida, M., Yoneda, Y., and Kawajiri, K., 503
- Asn-X-Cys, CHO cells, epidermal growth factor receptor, EGF, glycosylation, Sato, C., Kim, J.-H., Abe, Y., Saito, K., Yokoyama, S., and Kohda, D., 65
- aspartate aminotransferase, crystallography, directed evolution, substrate specificity, Oue, S., Okamoto, A., Yano, T., and Kagamiyama, H., 337
- Aspergillus nidulans*, chitin synthase, conidiphore development, hyphal wall integrity, multigene family, Fujiwara, M., Ichinomiya, M., Motoyama, T., Horiuchi, H., Ohta, A., and Takagi, M., 359
- assembly, electron spin resonance, hepatitis B virus, membrane, phospholipid, Satoh, O., Imai, H., Yoneyama, T., Miyamura, T., Utsumi, H., Inoue, K., and Umeda, M., 543
- Atf1, catalase, Pap1, *Schizosaccharomyces pombe*, stress response, Nakagawa, C.W., Yamada, K., and Mutoh, N., 233
- ATP analogue, ATP binding site, fluorescent polarization, myosin, signal transduction, Maruta, S., Saitoh, J., and Asakura, T., 199
- ATP binding site, ATP analogue, fluorescent polarization, myosin, signal transduction, Maruta, S., Saitoh, J., and Asakura, T., 199
- ATP-dependent protease, cell division, Lon, protein recognition, Sula, Ishii, Y., Sonozaki, S., Iwasaki, Y., Miyata, Y., Akita, K., Kato, Y., and Amano, F., 837
- ATP/Zn²⁺-dependent protease, chymotrypsin-like activity, FtsH, progressive degradation, unfolded structure, Asahara, Y., Atsuta, K., Motohashi, K., Taguchi, H., Yohda, M., and Yoshida, M., 931
- ATPase, 80S ribosomes, GTPase, peptide-elongation, polysomes, Ogata, K., Ohno, R., Terao, K., Iwasaki, K., and Endo, Y., 221
- , calcium sensitivity, heart, hypertrophy, troponin, Harada, K., Takahashi-Yanaga, F., Minakami, R., Morimoto, S., and Ohtsuki, I., 263
- , familial hypertrophic cardiomyopathy, myofibrils, troponin I, Takahashi-Yanaga, F., Morimoto, S., and Ohtsuki, I., 355
- , *Escherichia coli*, protein translocation, SecA, SecY, Nakatogawa, H., Mori, H., Matsumoto, G., and Ito, K., 1071
- Axl, Gas6, macrophage, phagocytosis, phosphatidylserine, Ishimoto, Y., Ohashi, K., Mizuno, K., and Nakano, T., 411
- axoneme, dynein, flagella, molecular motor,

A (cont'd)

sperm, *Inaba, K.*, 1115

B

 β -xylosidase, Bronsted plot, mechanism, secondary deuterium isotope effect, *Li, Y.-K., Yao, H.-J., and Pan, I.-H.*, 315*Bacillus stearothermophilus*, cytochrome *c* oxidase, growth yield, H²O ratio, SoxB-type heme-copper oxidase, *Sone, N., Koyanagi, S., and Sakamoto, J.*, 551bacterio-opsin, bacteriorhodopsin, conformational change, membrane proteins, solid-state NMR, *Yamaguchi, S., Tuzi, S., Tanio, M., Naito, A., Lanyi, J.K., Needleman, R., and Saito, H.*, 861bacteriophage lambda, DNA-binding protein, phage display, protein-DNA interaction, sequence-specific selection, *Zhang, Y., Pak, J.W., Maruyama, I.N., and Machida, M.*, 1057bacteriophage ϕ X174, binding analysis, lipopolysaccharide, receptor, spike H protein, *Inagaki, M., Tanaka, A., Suzuki, R., Wakashima, H., Kawaura, T., Karita, S., Nishikawa, S., and Kashimura, N.*, 577bacteriorhodopsin, bacterio-opsin, conformational change, membrane proteins, solid-state NMR, *Yamaguchi, S., Tuzi, S., Tanio, M., Naito, A., Lanyi, J.K., Needleman, R., and Saito, H.*, 861*Bauhinia purpurea* lectin, chimera, lectin, *Lens culinaris* lectin, specificity, *Yamamoto, K., Konami, Y., and Osawa, T.*, 129—, lectin, phage display system, specificity, *Yamamoto, K., Maruyama, I.N., and Osawa, T.*, 137Bcl-2, apoptosis, cisplatin, kidney, midkine, *Qi, M., Ikematsu, S., Ichihara-Tanaka, K., Sakuma, S., Muramatsu, T., and Kado-matsu, K.*, 269Beckwith-Wiedemann syndrome, CDK inhibitor, cell cycle, gene targeting, oncosuppressor gene, *Takahashi, K., Nakayama, K., and Nakayama, K.*, 73bent structure, domain interaction, RNA cleavage, RNA enzyme, RNA synthesis, *Komatsu, Y., Kanzaki, I., Shirai, M., Kumagai, I., Yamashita, S., and Ohtsuka, E.*, 531bile acid, cytochrome P450, FXR, insulin, sterol 12 α -hydroxylase, *Ishida, H., Yamashita, C., Kuruta, Y., Yoshida, Y., and Noshira, M.*, 57binding analysis, bacteriophage ϕ X174, lipopolysaccharide, receptor, spike H protein, *Inagaki, M., Tanaka, A., Suzuki, R., Wakashima, H., Kawaura, T., Karita, S., Nishikawa, S., and Kashimura, N.*, 577binding mode, cathepsin B, CA074, X-ray crystal structure, tertiary structure, substrate specificity, *Yamamoto, A., Tomoo, K., Hara, T., Murata, M., Kitamura, K., and Ishida, T.*, 635Bronsted plot, mechanism, secondary deuterium isotope effect, β -xylosidase, *Li, Y.-K., Yao, H.-J., and Pan, I.-H.*, 315bundling, calponin, cytoskeleton, desmin intermediate filament, rod domain, *Fujii, T., Takagi, H., Arimoto, M., Ootani, H., and Ueda, T.*, 457

butyl hydroperoxide, antioxidant, glyceroglyco-

lipid, glycoglycerolipid, stress tolerance, *Nakata, K.*, 731

C

c-fos, cAMP, cyclooxygenase, IL-4, prostaglandin, *Zhuang, D., Kawajiri, H., Takahashi, Y., and Yoshimoto, T.*, 451*c-Myb*, complex with DNA, DNA-binding domain, dynamics, NMR, *Sasaki, M., Ogata, K., Hatanaka, H., and Nishimura, Y.*, 945CA074, cathepsin B, X-ray crystal structure, tertiary structure, substrate specificity, binding mode, *Yamamoto, A., Tomoo, K., Hara, T., Murata, M., Kitamura, K., and Ishida, T.*, 635Ca²⁺/calmodulin-dependent protein kinase II (CaM-kinase II), Ca²⁺/calmodulin-dependent protein kinase kinase (CaM-kinase kinase), protein kinase B (PKB), signal transduction, upstream protein kinase, *Okuno, S., Kitani, T., Matsuzaki, H., Konishi, H., Kikkawa, U., and Fujisawa, H.*, 965Ca²⁺/calmodulin-dependent protein kinase kinase (CaM-kinase kinase), Ca²⁺/calmodulin-dependent protein kinase II (CaM-kinase II), protein kinase B (PKB), signal transduction, upstream protein kinase, *Okuno, S., Kitani, T., Matsuzaki, H., Konishi, H., Kikkawa, U., and Fujisawa, H.*, 965calcineurin, calmodulin, cDNA cloning, phosphoprotein phosphatase 2B, testis-specific isoform of calcineurin, *Uryu, M., Nakatomi, A., Watanabe, M., Hatsuse, R., and Yazawa, M.*, 739calcium sensitivity, ATPase, heart, hypertrophy, troponin, *Harada, K., Takahashi-Yanaga, F., Minakami, R., Morimoto, S., and Ohtsuki, I.*, 263calmodulin, actin, cytokinesis, elongation factor 1 α (EF-1 α), *Tetrahymena*, *Numata, O., Kurasawa, Y., Gonda, K., and Watanabe, Y.*, 51—, calcineurin, cDNA cloning, phosphoprotein phosphatase 2B, testis-specific isoform of calcineurin, *Uryu, M., Nakatomi, A., Watanabe, M., Hatsuse, R., and Yazawa, M.*, 739calpain, apoptosis, calpastatin, caspase, Jurkat T-cell, *Kato, M., Nonaka, T., Maki, M., Kikuchi, H., and Imajoh-Ohmi, S.*, 297calpastatin, apoptosis, calpain, caspase, Jurkat T-cell, *Kato, M., Nonaka, T., Maki, M., Kikuchi, H., and Imajoh-Ohmi, S.*, 297calponin, bundling, cytoskeleton, desmin intermediate filament, rod domain, *Fujii, T., Takagi, H., Arimoto, M., Ootani, H., and Ueda, T.*, 457cAMP, *c-fos*, cyclooxygenase, IL-4, prostaglandin, *Zhuang, D., Kawajiri, H., Takahashi, Y., and Yoshimoto, T.*, 451carbohydrate structure, aminotoc fluid, CHO recombinant, prostaglandin D synthase, urine, *Manya, H., Sato, Y., Eguchi, N., Seiki, K., Oda, H., Nakajima, H., Urade, Y., and Endo, T.*, 1001carboxyl terminus, refolding, RNase A, *Fujii, T., Doi, Y., Ueno, H., and Hayashi, R.*, 877*Carica papaya*, Golgi α -mannosidase II, N-glycan, processing pathway, pyridylamination, *Makino, Y., Shimazaki, A., Omichi, K., Odani, S., and Hase, S.*, 1121

caspase, apoptosis, calpain, calpastatin, Jur-

kat T-cell, *Kato, M., Nonaka, T., Maki, M., Kikuchi, H., and Imajoh-Ohmi, S.*, 297catalase, Atf1, Pap1, *Schizosaccharomyces pombe*, stress response, *Nakagawa, C.W., Yamada, K., and Mutoh, N.*, 233catalytic and structural zinc, cytosine nucleoside/nucleotide deaminases, heat-modified protein, protein folding and stability, site-directed mutagenesis, *Kimura, M., Sekido, S., Isogai, Y., and Yamaguchi, I.*, 955cathepsin B, CA074, X-ray crystal structure, tertiary structure, substrate specificity, binding mode, *Yamamoto, A., Tomoo, K., Hara, T., Murata, M., Kitamura, K., and Ishida, T.*, 635CD38, crystallization, ganglioside, maltose-binding protein, X-ray crystallography, *Kukimoto, M., Nureki, O., Shirouzu, M., Katada, T., Hirabayashi, Y., Sugiyama, H., Furuyama, S., Yokoyama, S., and Hara-Yokoyama, M.*, 181CD, α -helix, chemical shift, corticotropin-releasing factor, NMR, stability, *Ryu, K.-S., Choi, B.-S., Chi, S.-W., Kim, S.-H., and Kim, H.*, 687CD164, colorectal carcinomas, metastasis, sialomucin, vascular invasion, *Matsui, T., Kurosawa, N., Hibi, K., Akiyama, S., Kasai, Y., Sakamoto, J., Ito, K., Nakao, A., and Muramatsu, T.*, 1103CDK inhibitor, Beckwith-Wiedemann syndrome, cell cycle, gene targeting, oncosuppressor gene, *Takahashi, K., Nakayama, K., and Nakayama, K.*, 73cDNA cloning, calcineurin, calmodulin, phosphoprotein phosphatase 2B, testis-specific isoform of calcineurin, *Uryu, M., Nakatomi, A., Watanabe, M., Hatsuse, R., and Yazawa, M.*, 739cDNA structure, *Macrophoma commelinae*, macrophomate synthase, overexpression, oxalacetate, 2-pyrone, *Watanabe, K., Oikawa, H., Yagi, K., Ohashi, S., Mie, T., Ichihara, A., and Honma, M.*, 467cell-cell adhesion, cytoskeleton, GP125/CD98, monoclonal antibody, tropomyosin, *Shishido, T., Ohkawa, M., Itoh, A., Enomoto, T., Hashimoto, Y., and Masuko, T.*, 253cell cycle, Beckwith-Wiedemann syndrome, CDK inhibitor, gene targeting, oncosuppressor gene, *Takahashi, K., Nakayama, K., and Nakayama, K.*, 73cell division, ATP-dependent protease, Lon, protein recognition, *SulA*, *Ishii, Y., Sonezaki, S., Iwasaki, Y., Miyata, Y., Akita, K., Kato, Y., and Amano, F.*, 837cell-free protein synthesis, immobilized RNase A, ribosome, S30, tRNA, *Kanda, T., Takai, K., Yokoyama, S., and Takaku, H.*, 37ceramide, glucosylceramide synthase, glycosphingolipids, inhibitor, PBPP, PDMP, *Jimba, M., Yamagishi, K., Yamaki, T., Nunomura, K., Kabayama, K., Igarashi, Y., and Inokuchi, J.*, 485CGTase, acarbose, crystal structure, cyclodextrin glucanotransferase, X-ray crystallography, *Ishii, N., Haga, K., Yamane, K., and Harata, K.*, 383characean alga, cloning, cytoplasmic streaming, motor protein, myosin, *Kashiyama, T., Kimura, N., Mimura, T., and Yamamoto, K.*, 1065

C (cont'd)

- chemical chaperon, electrostatic interaction, folding, inclusion body, RNase, *Futami, J., Tsushima, Y., Tada, H., Seno, M., and Yamada, H.*, 435
- chemical shift, α -helix, CD, corticotropin-releasing factor, NMR, stability, *Ryu, K.-S., Choi, B.-S., Chi, S.-W., Kim, S.-H., and Kim, H.*, 687
- chimera, *Bauhinia purpurea* lectin, lectin, *Lens culinaris* lectin, specificity, *Yamamoto, K., Konami, Y., and Osawa, T.*, 129
- chimeric glycosaminoglycan, enzymatic reconstruction, hyaluronidase from *Streptococcus dysgalactiae*, testicular hyaluronidase, transglycosylation, *Takagaki, K., Munakata, H., Majima, M., Kakizaki, I., and Endo, M.*, 695
- chitin synthase, *Aspergillus nidulans*, conidiophore development, hyphal wall integrity, multigene family, *Fujiwara, M., Ichinomiya, M., Motoyama, T., Horiuchi, H., Ohta, A., and Takagi, M.*, 359
- 4-chloro-7-nitro-benzofurazan, F₁-ATPase, *Escherichia coli*, ¹⁹F NMR, glycosylation, *Lee, H.-W., Sohn, J.H., Yeh, B.-I., Choi, J.-W., Jung, S., and Kim, H.-W.*, 1053
- CHO cells, Asn-X-Cys, epidermal growth factor receptor, EGF, glycosylation, *Sato, C., Kim, J.-H., Abe, Y., Saito, K., Yokoyama, S., and Kohda, D.*, 65
- CHO recombinant, aminotoc fluid, carbohydrate structure, prostaglandin D synthase, urine, *Manya, H., Sato, Y., Eguchi, N., Seiki, K., Oda, H., Nakajima, H., Urade, Y., and Endo, T.*, 1001
- cholesterol, *Escherichia coli*, G protein-coupled receptor, muscarinic acetylcholine receptor, reconstitution, *Furukawa, H. and Haga, T.*, 151
- chondrocyte, intervertebral disc, nucleus pulposus, phospholipase A₂, proteoglycan, *Tanaka, N., Ishida, T., Hukuda, S., and Horiike, K.*, 985
- chromatin, chromosome domain, DNA methylation, enhancer, genomic imprinting, *Sasaki, H., Ishihara, K., and Kato, R.*, 711
- chromosomal DNA replication, DnaA protein, *Escherichia coli*, ORC, site-directed mutation, *Mizushima, T.*, 1
- chromosome domain, chromatin, DNA methylation, enhancer, genomic imprinting, *Sasaki, H., Ishihara, K., and Kato, R.*, 711
- chymotrypsin-like activity, ATP/Zn²⁺-dependent protease, FtsH, progressive degradation, unfolded structure, *Asahara, Y., Atsuta, K., Motohashi, K., Taguchi, H., Yohda, M., and Yoshida, M.*, 931
- CINC-1, GRO, I κ B α , NF- κ B, recombinant adenovirus, *Takaishi, K., Ohtsuka, T., Tsuneyoshi, S., Maehara, N., Harada, M., Yoshida, H., Watanabe, K., and Tsurufuji, S.*, 511
- cis-elements, GATA6, heart, transcriptional regulation, transgenic mice, *Sun-Wada, G.-H., Marabe, S., Yoshimizu, T., Yamaguchi, C., Oka, T., Wada, Y., and Futai, M.*, 703
- cisplatin, apoptosis, Bcl-2, kidney, midkine, *Qi, M., Ikematsu, S., Ichihara-Tanaka, K., Sakuma, S., Muramatsu, T., and Kado-matsu, K.*, 269
- cloning, characean alga, cytoplasmic streaming, motor protein, myosin, *Kashiyama, T., Kimura, N., Mimura, T., and Yamamoto, K.*, 1065
- codon usage, Cre recombinase, loxP, *Koresawa, Y., Miyagawa, S., Ikawa, M., Matsunami, K., Yamada, M., Shirakura, R., and Okabe, M.*, 367
- cold enzyme, nucleotide-sequence, protein-tyrosine-phosphatase, protein-serine/threonine-phosphatase, *Tsuruta, H. and Aizono, Y.*, 143
- collagen gel, fibroblast, midkine, wound healing, *Sumi, Y., Muramatsu, H., Hata, K., Ueda, M., and Muramatsu, T.*, 247
- colon carcinoma xenografts, pharmacokinetics, single-chain Fv, valency, yeast, *Goel, A., Beresford, G.W., Colcher, D., Pavlinkova, G., Booth, B.J.M., Baranowska-Kortylewicz, J., and Batra, S.K.*, 829
- colorectal carcinomas, CD164, metastasis, sialomucin, vascular invasion, *Matsui, T., Kurosawa, N., Hibi, K., Akiyama, S., Kasai, Y., Sakamoto, J., Ito, K., Nakao, A., and Muramatsu, T.*, 1103
- complex with DNA, c-Myb, DNA-binding domain, dynamics, NMR, *Sasaki, M., Ogata, K., Hatanaka, H., and Nishimura, Y.*, 945
- computer modeling, oxidative stress, oxidized protein, oxidized protein hydrolase, protein degradation, three-dimensional structure of protein *Fujino, T., Kojima, M., Beppu, M., Kikugawa, K., Yasuda, H., and Takahashi, K.*, 1087
- conformational change, alternative translocation, mitochondrial targeting signal, peroxisomal targeting signal, serine:pyruvate aminotransferase, *Oda, T., Uchida, C., and Miura, S.*, 665
- , bacterio-opsin, bacteriorhodopsin, membrane proteins, solid-state NMR, *Yamaguchi, S., Tuzi, S., Tanio, M., Naito, A., Lanyi, J.K., Needleman, R., and Saito, H.*, 861
- conidiophore development, *Aspergillus nidulans*, chitin synthase, hyphal wall integrity, multigene family, *Fujiwara, M., Ichinomiya, M., Motoyama, T., Horiuchi, H., Ohta, A., and Takagi, M.*, 359
- copper protein, *Alcaligenes xylosoxidans*, nitrite reductase, type 1 Cu, type 2 Cu, *Kataoka, K., Furusawa, H., Takagi, K., Yamaguchi, K., and Suzuki, S.*, 345
- corticotropin-releasing factor, α -helix, CD, chemical shift, NMR, stability, *Ryu, K.-S., Choi, B.-S., Chi, S.-W., Kim, S.-H., and Kim, H.*, 687
- corynebacterium, glycoglycerolipid, glycolipid, influenza, receptor, *Nakata, K., Guo, C.-T., Matsufuji, M., Yoshimura, A., Inagaki, M., Higuchi, R., and Suzuki, Y.*, 191
- COS-1 cell, ER-60 protease, endoplasmic reticulum, misfolded protein aggregation, misfolded protein degradation, *Urade, R., Kusunose, M., Moriyama, T., Higasa, T., and Kito, M.*, 211
- Cre recombinase, codon usage, loxP, *Koresawa, Y., Miyagawa, S., Ikawa, M., Matsunami, K., Yamada, M., Shirakura, R., and Okabe, M.*, 367
- crystal, immunoproteasomes, synchrotron radiation, X-ray analysis, *Tbmisugi, Y., Unno, M., Mizushima, T., Morimoto, Y., Tanahashi, N., Tanaka, K., Tsukihara, T., and Yasuoka, N.*, 941
- crystal structure, acarbose, CGTase, cyclodextrin glucanotransferase, X-ray crystallography, *Ishii, N., Haga, K., Yamane, K., and Harata, K.*, 383
- crystal structure analysis, positive concavity, single-stranded DNA binding protein, *Matsumoto, T., Morimoto, Y., Shibata, N., Kinebuchi, T., Shimamoto, N., Tsukihara, T., and Yasuoka, N.*, 329
- crystallization, DNA repair enzyme, MutM protein, oxidative DNA damage, X-ray diffraction, *Thermus thermophilus* HB8, *Sugahara, M., Mikawa, T., Kato, R., Fukuyama, K., Kumasaka, T., Yamamoto, M., Inoue, Y., and Kuramitsu, S.*, 9
- , CD38, ganglioside, maltose-binding protein, X-ray crystallography, *Kukimoto, M., Nureki, O., Shirouzu, M., Katada, T., Hirabayashi, Y., Sugiyu, H., Furuyama, S., Yokoyama, S., and Hara-Yokoyama, M.*, 181
- crystallographic structure of RepE-iteron complex, incompatibility defective mutants, iteron-RepE interaction, mini-F plasmid, *Uga, H., Komori, H., Miki, K., and Wada, C.*, 537
- crystallography, aspartate aminotransferase, directed evolution, substrate specificity, *Oue, S., Okamoto, A., Yano, T., and Kagamiyama, H.*, 337
- cyanobacteria, microcystin biosynthesis, multifunctional enzyme complex, peptide synthetase gene, polyketide synthase gene, *Nishizawa, T., Ueda, A., Asayama, M., Fujii, K., Harada, K., Ochi, K., and Shirai, M.*, 779
- cyclodextrin glucanotransferase, acarbose, CGTase, crystal structure, X-ray crystallography, *Ishii, N., Haga, K., Yamane, K., and Harata, K.*, 383
- cyclooxygenase, cAMP, c-fos, IL-4, prostaglandin, *Zhuang, D., Kawajiri, H., Takahashi, Y., and Yoshimoto, T.*, 451
- CYP51, CYP51 mRNA, gene structure, lanosterol 14 α -demethylase, pig, *Kojima, M., Morozumi, T., Onishi, A., and Mitsuhashi, T.*, 805
- CYP51 mRNA, CYP51, gene structure, lanosterol 14 α -demethylase, pig, *Kojima, M., Morozumi, T., Onishi, A., and Mitsuhashi, T.*, 805
- CYP1A1, aryl hydrocarbon (TCDD) receptor, nucleocytoplasmic shuttling, AhR nuclear translocator (ARNT), leptomycin B, *Ikuta, T., Tachibana, T., Watanabe, J., Yoshida, M., Yoneda, Y., and Kawajiri, K.*, 503
- CYP4F2, human liver, leukotriene B₄, ω -hydroxylase, lipoxin A₄, P450, *Kikuta, Y., Kusunose, E., and Kusunose, M.*, 1047
- cysteine desulfurase, NifS, pyridoxal enzyme, selenocysteine lyase, transamination, *Mihara, H., Kurihara, T., Yoshimura, T., and Esaki, N.*, 559
- cysteine residue, ADP/ATP carrier, methyl methanethiosulfonate, mitochondria, SH-reagent, *Hashimoto, M., Majima, E., Hatanaka, T., Shinohara, Y., Onishi, M., Goto, S., and Terada, H.*, 443
- cytochrome c oxidase, *Bacillus stearothermophilus*, growth yield, H₂O ratio, SoxB-type

C (cont'd)

- heme-copper oxidase, *Sone, N., Koyanagi, S., and Sakamoto, J.*, 551
- cytochrome P450, bile acid, FXR, insulin, sterol 12 α -hydroxylase, *Ishida, H., Yamashita, C., Kuruta, Y., Yoshida, Y., and Noshiro, M.*, 57
- , vesicular transport, yeast *Saccharomyces cerevisiae*, *Homma, K., Yoshida, Y., and Nakano, A.*, 747
- , inhibition, monooxygenase, NADPH-cytochrome P450 reductase, 1,4-naphthoquinone, *Inouye, K., Saito, A., Orita, M., Tonomura, B., Imaishi, H., and Ohkawa, H.*, 1041
- cytochrome P450 2B4, reductase binding, surface residues, *Lehnerer, M., Schulze, J., Achterhold, K., Lewis, D.F.V., and Hlavica, P.*, 163
- cytokines, encephalomyocarditis virus, *Helicobacter pylori*, herpes simplex virus, influenza virus, *Imanishi, J.*, 525
- cytokinesis, actin, calmodulin, elongation factor 1 α (EF-1 α), *Tetrahymena*, *Numata, O., Kurasawa, Y., Gonda, K., and Watanabe, Y.*, 51
- , F-actin bundling, fimbrin/plastin family, RACE, *Tetrahymena*, *Watanabe, A., Yonemura, I., Gonda, K., and Numata, O.*, 85
- cytoplasmic streaming, characean alga, cloning, motor protein, myosin, *Kashiyama, T., Kimura, N., Mimura, T., and Yamamoto, K.*, 1065
- cytosine nucleoside/nucleotide deaminases, catalytic and structural zinc, heat-modified protein, protein folding and stability, site-directed mutagenesis, *Kimura, M., Sekida, S., Isogai, Y., and Yamaguchi, I.*, 955
- cytoskeleton, cell-cell adhesion, GP125/CD98, monoclonal antibody, tropomyosin, *Shishida, T., Ohkawa, M., Itoh, A., Enomoto, T., Hashimoto, Y., and Masuko, T.*, 253
- , bundling, calponin, desmin intermediate filament, rod domain, *Fujii, T., Takagi, H., Arimoto, M., Ootani, H., and Ueada, T.*, 457

D

- dehydrin, LEA protein, salt stress, water-deficit, *Zhang, L., Ohta, A., Takagi, M., and Imai, R.*, 611
- desmin intermediate filament, bundling, calponin, cytoskeleton, rod domain, *Fujii, T., Takagi, H., Arimoto, M., Ootani, H., and Ueada, T.*, 457
- differentiation, HL60 cells, kinase, protamine, protein kinase C, *Soh, Y. and Wooten, M.W.*, 95
- , *in situ* hybridization, hypertrophic chondrocyte, mouse tibia, natriuretic peptide receptor C, *Yamashita, Y., Takeshige, K., Inoue, A., Hirose, S., Takamori, A., and Hagiwara, H.*, 177
- 1,5-diphenylformazan, glycolate, glycolate oxidase, glyoxylate-Tris adduct, oxalate, *Maeda-Nakai, E. and Ichiyama, A.*, 279
- directed evolution, aspartate aminotransferase, crystallography, substrate specificity, *Oue, S., Okamoto, A., Yano, T., and Kagamiyama, H.*, 337
- DIS, HIV-1, kissing-loop, NMR, RNA, *Takahashi, K., Baba, S., Hayashi, Y., Koyanagi,*

- Y., Yamamoto, N., Takaku, H., and Kawai, G.*, 681
- disulfide bond, aqualysin I, site-directed mutagenesis, stability in organic solvents, subtilisin E, *Takagi, H., Hirai, K., Maeda, Y., Matsuzawa, H., and Nakamori, S.*, 617
- DNA-binding domain, c-Myb, complex with DNA, dynamics, NMR, *Sasaki, M., Ogata, K., Hatanaka, H., and Nishimura, Y.*, 945
- DNA-binding protein, bacteriophage lambda, phage display, protein-DNA interaction, sequence-specific selection, *Zhang, Y., Pak, J.W., Maruyama, I.N., and Machida, M.*, 1057
- DNA methylation, chromatin, chromosome domain, enhancer, genomic imprinting, *Sasaki, H., Ishihara, K., and Kato, R.*, 711
- DNA repair enzyme, crystallization, MutM protein, oxidative DNA damage, X-ray diffraction, *Thermus thermophilus* HB8, *Sugahara, M., Mikawa, T., Kato, R., Fukuyama, K., Kumasaka, T., Yamamoto, M., Inoue, Y., and Kuramitsu, S.*, 9
- DNA supercoiling, anti-cancer drug, DNA topoisomerase, *Hotoda, N. and Hanai, R.*, 1109
- DNA topoisomerase, anti-cancer drug, DNA supercoiling, *Hotoda, N. and Hanai, R.*, 1109
- DnaA protein, chromosomal DNA replication, *Escherichia coli*, ORC, site-directed mutation, *Mizushima, T.*, 1
- domain interaction, bent structure, RNA cleavage, RNA enzyme, RNA synthesis, *Komatsu, Y., Kanazaki, I., Shirai, M., Kumagai, I., Yamashita, S., and Ohtsuka, E.*, 531
- dynamics, c-Myb, complex with DNA, DNA-binding domain, NMR, *Sasaki, M., Ogata, K., Hatanaka, H., and Nishimura, Y.*, 945
- dynein, axoneme, flagella, molecular motor, sperm, *Inaba, K.*, 1115

E

- EGF, Asn-X-Cys, CHO cells, epidermal growth factor receptor, glycosylation, *Sato, C., Kim, J.-H., Abe, Y., Saito, K., Yokoyama, S., and Kohda, D.*, 65
- , ErbB, neuregulin-2, NTAK, tyrosine phosphorylation, *Nakano, N., Higashiyama, S., Kajihara, K., Endo, T., Ishiguro, H., Yamada, K., Nagatsu, T., and Taniguchi, N.*, 925
- electron paramagnetic resonance spectroscopy, iron-sulfur cluster, site-directed mutagenesis, xanthine dehydrogenase, xanthine oxidase, *Iwasaki, T., Okamoto, K., Nishino, T., Mizushima, J., Hori, H., and Nishino, T.*, 771
- electron spin resonance, assembly, hepatitis B virus, membrane, phospholipid, *Sato, O., Imai, H., Yoneyama, T., Miyamura, T., Utsami, H., Inoue, K., and Umeda, M.*, 543
- electrospray mass spectrometry, amino acid analysis, parvalbumin, protein sequencer, sequence, *Taka, H., Kaga, N., Fujimura, T., Mineki, R., Imaizumi, M., Suzuki, Y., Suzuki, R., Tanokura, M., Shindo, N., and Murayama, K.*, 723
- , activation, acylation, phospholipase A₂, tryptophan fluorescence, *Ahmed, T., Kelly, S.M., Price, N.C., and Lawrence, A.J.*, 871
- electrostatic interaction, chemical chaperon, folding, inclusion body, RNase, *Futami, J.,*

- Tsushima, Y., Tada, H., Seno, M., and Yamada, H.*, 435
- elongation factor 1 α (EF-1 α), actin, calmodulin, cytokinesis, *Tetrahymena*, *Numata, O., Kurasawa, Y., Gonda, K., and Watanabe, Y.*, 51
- encephalomyocarditis virus, cytokines, *Helicobacter pylori*, herpes simplex virus, influenza virus, *Imanishi, J.*, 525
- endoplasmic reticulum, COS-1 cell, ER-60 protease, misfolded protein aggregation, misfolded protein degradation, *Urade, R., Kusunose, M., Moriyama, T., Higasa, T., and Kito, M.*, 211
- enhancer, chromatin, chromosome domain, DNA methylation, genomic imprinting, *Sasaki, H., Ishihara, K., and Kato, R.*, 711
- enzymatic activity, amino acid sequence, *Escherichia coli*, overproduction, RNase H, *Ohtani, N., Haruki, M., Muroya, A., Morikawa, M., and Kanaya, S.*, 895
- enzymatic reconstruction, chimeric glycosaminoglycan, hyaluronidase from *Streptococcus dysgalactiae*, testicular hyaluronidase, transglycosylation, *Takagaki, K., Munkata, H., Majima, M., Kakizaki, I., and Endo, M.*, 695
- enzymic conjugate preparation, enzymic protein coupling, enzymic protein labeling, protein G-peroxidase conjugates, transglutaminase, *Bechtold, U., Otterbach, J.T., Pasternack, R., and Fuchsbaue, H.-L.*, 239
- enzymic protein coupling, enzymic conjugate preparation, enzymic protein labeling, protein G-peroxidase conjugates, transglutaminase, *Bechtold, U., Otterbach, J.T., Pasternack, R., and Fuchsbaue, H.-L.*, 239
- enzymic protein labeling, enzymic conjugate preparation, enzymic protein coupling, protein G-peroxidase conjugates, transglutaminase, *Bechtold, U., Otterbach, J.T., Pasternack, R., and Fuchsbaue, H.-L.*, 239
- epidermal growth factor receptor, Asn-X-Cys, CHO cells, EGF, glycosylation, *Sato, C., Kim, J.-H., Abe, Y., Saito, K., Yokoyama, S., and Kohda, D.*, 65
- ER-60 protease, COS-1 cell, endoplasmic reticulum, misfolded protein aggregation, misfolded protein degradation, *Urade, R., Kusunose, M., Moriyama, T., Higasa, T., and Kito, M.*, 211
- ErbB, EGF, neuregulin-2, NTAK, tyrosine phosphorylation, *Nakano, N., Higashiyama, S., Kajihara, K., Endo, T., Ishiguro, H., Yamada, K., Nagatsu, T., and Taniguchi, N.*, 925
- Escherichia coli*, chromosomal DNA replication, DnaA protein, ORC, site-directed mutation, *Mizushima, T.*, 1
- , cholesterol, G protein-coupled receptor, muscarinic acetylcholine receptor, reconstitution, *Furukawa, H. and Haga, T.*, 151
- , ArcB His-kinase, PAS domain, phosphorylay signal transduction, *Matsushika, A. and Mizuno, T.*, 855
- , amino acid sequence, enzymatic activity, overproduction, RNase H, *Ohtani, N., Haruki, M., Muroya, A., Morikawa, M., and Kanaya, S.*, 895
- , F₁-ATPase, 4-chloro-7-nitro-benzofurazan, ¹⁹F NMR, glyphosate, *Lee, H.-W., Sohn, J.H., Yeh, B.-I., Choi, J.-W., Jung, S., and*

E (cont'd)

- Kim, H.-W., 1053
—, ATPase, protein translocation, SecA, SecY, Nakatogawa, H., Mori, H., Matsumoto, G., and Ito, K., 1071

F

- F-actin bundling, cytokinesis, fimbrin/plastin family, RACE, *Tetrahymena*, Watanabe, A., Yonemura, I., Gonda, K., and Numata, O., 85
F₁-ATPase, 4-chloro-7-nitro-benzofurazan, *Escherichia coli*, ¹⁹F NMR, glyphosate, Lee, H.-W., Sohn, J.H., Yeh, B.-I., Choi, J.-W., Jung, S., and Kim, H.-W., 1053
¹⁹F NMR, F₁-ATPase, 4-chloro-7-nitro-benzofurazan, *Escherichia coli*, glyphosate, Lee, H.-W., Sohn, J.H., Yeh, B.-I., Choi, J.-W., Jung, S., and Kim, H.-W., 1053
factor analysis, absorption spectrum, fluorescence spectrum, merocyanine 540, potential probe, Sato, C., Nakamura, J., and Nakamaru, Y., 603
familial hypertrophic cardiomyopathy, ATPase, myofibrils, troponin I, Takahashi-Yanaga, F., Morimoto, S., and Ohtsuki, I., 355
fat body, AFP, anterior-posterior axis, regucalcin, *Sarcophaga peregrina*, senescence marker protein-30, Nakajima, Y. and Natori, S., 901
fibroblast, collagen gel, midline, wound healing, Sumi, Y., Muramatsu, H., Hata, K., Ueda, M., and Muramatsu, T., 247
fibroblasts, high passage, IL-1, independent of p53, p21^{WAF1}, Osawa, Y., Hachiya, M., Araki, S., Kusama, T., Matsushima, K., Aoki, Y., and Akashi, M., 883
fimbrin/plastin family, cytokinesis, F-actin bundling, RACE, *Tetrahymena*, Watanabe, A., Yonemura, I., Gonda, K., and Numata, O., 85
firefly luciferase, agarose beads, immobilization, renaturation, Zako, T., Deguchi, H., Kitayama, A., Ueda, H., and Nagamune, T., 351
flagella, flagellin, morphogenesis, sheath, *Vibrio*, Furuno, M., Sato, K., Kawagishi, I., and Homma, M., 29
—, axoneme, dynein, molecular motor, sperm, Inaba, K., 1115
flagellin, flagella, morphogenesis, sheath, *Vibrio*, Furuno, M., Sato, K., Kawagishi, I., and Homma, M., 29
flavonoid, inhibition mechanism, rabbit heart carbonyl reductase, structure-activity relationship, superoxide anion radical, Imamura, Y., Migita, T., Uriu, Y., Otagiri, M., and Okawara, T., 653
flow cytometry, Fv, MUC1, refolding, scFv, Asano, R., Takemura, S., Tsumoto, K., Sakurai, N., Teramae, A., Ebara, S., Katayose, Y., Shinoda, M., Suzuki, M., Imai, K., Matsuno, S., Kudo, T., and Kumagai, I., 673
fluorescence spectrum, absorption spectrum, factor analysis, merocyanine 540, potential probe, Sato, C., Nakamura, J., and Nakamaru, Y., 603
fluorescent polarization, ATP analogue, ATP binding site, myosin, signal transduction, Maruta, S., Saitoh, J., and Asakura, T., 199

- focal adhesion kinase, myosin light chain, Rho, sphingosine 1-phosphate, vascular endothelial cells, Miura, Y., Yatomi, Y., Rile, G., Ohmori, T., Satoh, K., and Ozaki, Y., 909
folding, chemical chaperon, electrostatic interaction, inclusion body, RNase, Futami, J., Tsushima, Y., Tada, H., Seno, M., and Yamada, H., 435
free N-glycan, *Ginkgo biloba*, N-glycan metabolism, plant endo- β -N-acetylglucosaminidase, seed development, Kimura, Y. and Matsuo, S., 1013
fructose-1,6-bisphosphatase, gluconeogenesis, nuclear receptor, RARE, VDRE, Fujisawa, K., Umesono, K., Kikawa, Y., Shigematsu, Y., Taketo, A., Mayumi, M., and Inuzuka, M., 373
FtsH, ATPZn²⁺-dependent protease, chymotrypsin-like activity, progressive degradation, unfolded structure, Asahara, Y., Atsuta, K., Motohashi, K., Taguchi, H., Yohda, M., and Yoshida, M., 931
Fugu, olfactory receptor, Asano-Miyoshi, M., Suda, T., Yasuoka, A., Osima, S., Yamashita, S., Abe, K., and Emori, Y., 915
Fv, flow cytometry, MUC1, refolding, scFv, Asano, R., Takemura, S., Tsumoto, K., Sakurai, N., Teramae, A., Ebara, S., Katayose, Y., Shinoda, M., Suzuki, M., Imai, K., Matsuno, S., Kudo, T., and Kumagai, I., 673
FXR, bile acid, cytochrome P450, insulin, sterol 12 α -hydroxylase, Ishida, H., Yamashita, C., Kuruta, Y., Yoshida, Y., and Noshira, M., 57

G

- G protein-coupled receptor, cholesterol, *Escherichia coli*, muscarinic acetylcholine receptor, reconstitution, Furukawa, H. and Haga, T., 151
galactoglycerolipid, aminolevulinic acid, glyco-glycerolipid, oxygen radical, porphyrin, Nakata, K., 813
GalNAc α 2,6-sialyltransferase, GD1 α synthase, genomic structure, molecular cloning, sialyltransferase, Takashima, S., Kurosawa, N., Tachida, Y., Inoue, M., and Tsuji, S., 399
ganglioside, GT1b, monoclonal antibody, rat brain, rBNPI, Kotani, M., Tajima, Y., Shimoda, Y., Irie, A., Kubo, H., and Tui, T., 13
—, crystallization, CD38, maltose-binding protein, X-ray crystallography, Kukimoto, M., Nureki, O., Shirouzu, M., Katada, T., Hirabayashi, Y., Sugiyama, H., Furuyama, S., Yokoyama, S., and Hara-Yokoyama, M., 181
gangliosides, 9-O-acetylated Neu5Ac, influenza C virus, melanoma, overlay assay, sialic acid analogues, solid phase assay, Hubl, U., Ishida, H., Kiso, M., Hasegawa, A., and Schauer, R., 1021
Gas6, Axl, macrophage, phagocytosis, phosphatidylserine, Ishimoto, Y., Ohashi, K., Mizuno, K., and Nakano, T., 411
gastric acid secretion, H⁺K⁺-ATPase, ion-selectivity, proton pump, site-directed mutagenesis, Asano, S., Furumoto, R., Tega, Y., Matsuda, S., and Takeguchi, N., 993
GATA6, cis-elements, heart, transcriptional regulation, transgenic mice, Sun-Wada, G.-H., Manabe, S., Yoshimizu, T., Yamaguchi, C., Oka, T., Wada, Y., and Futai, M., 703

- GATA-2, hematopoietic stem cell, nucleotide sequence, promoter, transcriptional regulation, Pan, X., Minegishi, N., Harigae, H., Yamagiwa, H., Minegishi, M., Akine, Y., and Yamamoto, M., 105
GD1 α synthase, GalNAc α 2,6-sialyltransferase, genomic structure, molecular cloning, sialyltransferase, Takashima, S., Kurosawa, N., Tachida, Y., Inoue, M., and Tsuji, S., 399
gene cloning, gene expression, Northern blot analysis, rat glia maturation factor- γ , Western blot analysis, Tsuiji, H., Asai, K., Yamamoto, M., Fujita, K., Inoue, Y., Kawai, Y., Tada, T., Moriyama, A., Wada, Y., and Kato, T., 517
gene expression, gene cloning, Northern blot analysis, rat glia maturation factor- γ , Western blot analysis, Tsuiji, H., Asai, K., Yamamoto, M., Fujita, K., Inoue, Y., Kawai, Y., Tada, T., Moriyama, A., Wada, Y., and Kato, T., 517
gene structure, CYP51, CYP51 mRNA, lanosterol 14 α -demethylase, pig, Kojima, M., Morozumi, T., Onishi, A., and Mitsuhashi, T., 805
gene targeting, Beckwith-Wiedemann syndrome, CDK inhibitor, cell cycle, oncosuppressor gene, Takahashi, K., Nakayama, K., and Nakayama, K., 73
genomic imprinting, IGF2, IGF2AS, imprinted genes, Wilms tumor, Okutsu, T., Kuroiwa, Y., Kagitani, F., Kai, M., Aisaka, K., Tsutsumi, O., Kaneko, Y., Yokomori, K., Surani, M.A., Kohda, T., Kaneko-Ishino, T., and Ishino, F., 475
—, chromatin, chromosome domain, DNA methylation, enhancer, Sasaki, H., Ishihara, K., and Kato, R., 711
genomic organization, sialyl-Tn, sialyltransferase, ST6GalNAc I, Kurosawa, N., Takashima, S., Kono, M., Ikehara, Y., Inoue, M., Tachida, Y., Narimatsu, H., and Tsuji, S., 845
genomic structure, GalNAc α 2,6-sialyltransferase, GD1 α synthase, molecular cloning, sialyltransferase, Takashima, S., Kurosawa, N., Tachida, Y., Inoue, M., and Tsuji, S., 399
GFP-display, green fluorescent protein (GFP), K-ras, mutation analysis, p53, Aoki, T., Ami, R., Onagi, H., Fujino, H., and Watabe, H., 627
Ginkgo biloba, free N-glycan, N-glycan metabolism, plant endo- β -N-acetylglucosaminidase, seed development, Kimura, Y. and Matsuo, S., 1013
gluconeogenesis, fructose-1,6-bisphosphatase, nuclear receptor, RARE, VDRE, Fujisawa, K., Umesono, K., Kikawa, Y., Shigematsu, Y., Taketo, A., Mayumi, M., and Inuzuka, M., 373
glucose, glyceraldehyde, glycolytic intermediates, insulin secretion, metabolism, pancreatic islet, Taniguchi, S., Okinaka, M., Tanigawa, K., and Miwa, I., 289
glucosylceramide synthase, ceramide, glycosphingolipids, inhibitor, PBPP, PDMP, Jimba, M., Yamagishi, K., Yamaki, T., Nunomura, K., Kabayama, K., Igarashi, Y., and Inokuchi, J., 485
glutathione, lactonizing lipase, lipase modulator protein, *Pseudomonas*, Tanaka, J., Nihira, T., and Yamada, Y., 597

G (cont'd)

- glyceraldehyde, glucose, glycolytic intermediates, insulin secretion, metabolism, pancreatic islet, *Taniguchi, S., Okinaka, M., Tanigawa, K., and Miwa, I.*, 289
- glyceroglycolipid, antioxygen, butyl hydroperoxide, glycolglycerolipid, stress tolerance, *Nakata, K.*, 731
- glycolglycerolipid, corynebacterium, glycolipid, influenza, receptor, *Nakata, K., Guo, C.-T., Matsufuji, M., Yoshimoto, A., Inagaki, M., Higuchi, R., and Suzuki, Y.*, 191
- , antioxygen, butyl hydroperoxide, glyceroglycolipid, stress tolerance, *Nakata, K.*, 731
- , aminolevulinic acid, galactoglycerolipid, oxygen radical, porphyrin, *Nakata, K.*, 813
- glycolate, 1,5-diphenylformazan, glycolate oxidase, glyoxylate-Tris adduct, oxalate, *Maeda-Nakai, E. and Ichiyama, A.*, 279
- glycolate oxidase, 1,5-diphenylformazan, glycolate, glyoxylate-Tris adduct, oxalate, *Maeda-Nakai, E. and Ichiyama, A.*, 279
- glycolipid, corynebacterium, glycolglycerolipid, influenza, receptor, *Nakata, K., Guo, C.-T., Matsufuji, M., Yoshimoto, A., Inagaki, M., Higuchi, R., and Suzuki, Y.*, 191
- glycolipids, glycoproteins, glycosyltransferases, proteoglycans, sulfotransferases, *Muramatsu, T.*, 171
- glycolytic intermediates, glucose, glyceraldehyde, insulin secretion, metabolism, pancreatic islet, *Taniguchi, S., Okinaka, M., Tanigawa, K., and Miwa, I.*, 289
- glycoprotein, N-glycan, N-glycan function, N-glycan-protein interaction, protease, *Nishiyama, T., Kimura, N., Jitsuhara, Y., Uchida, M., Ochi, F., and Yamaguchi, H.*, 427
- glycoproteins, glycolipids, glycosyltransferases, proteoglycans, sulfotransferases, *Muramatsu, T.*, 171
- glycosphingolipids, ceramide, glucosylceramide synthase, inhibitor, PBPP, PDMP, *Jimbo, M., Yamagishi, K., Yamaki, T., Nunomura, K., Kabayama, K., Igarashi, Y., and Inokuchi, J.*, 485
- glycosylation, Asn-X-Cys, CHO cells, epidermal growth factor receptor, EGF, *Sato, C., Kim, J.-H., Abe, Y., Saito, K., Yokoyama, S., and Kohda, D.*, 65
- glycosyltransferases, glycolipids, glycoproteins, proteoglycans, sulfotransferases, *Muramatsu, T.*, 171
- glyoxylate-Tris adduct, 1,5-diphenylformazan, glycolate, glycolate oxidase, oxalate, *Maeda-Nakai, E. and Ichiyama, A.*, 279
- glyphosate, F₁-ATPase, 4-chloro-7-nitro-benzofurazan, *Escherichia coli*, ¹⁹F NMR, *Lee, H.-W., Sohn, J.H., Yeh, B.-I., Choi, J.-W., Jung, S., and Kim, H.-W.*, 1053
- GM-CSF, hematopoietic stem cell, stromal cell, *Okubo, T., Yanai, N., Watanabe, S., Arai, K., and Obinata, M.*, 591
- Golgi α -mannosidase II, *Carica papaya*, N-glycan, processing pathway, pyridylamination, *Makino, Y., Shimazaki, A., Omichi, K., Odani, S., and Hase, S.*, 1121
- GP125/CD98, cell-cell adhesion, cytoskeleton, monoclonal antibody, tropomyosin, *Shishido, T., Ohkawa, M., Itoh, A., Enomoto, T., Hashimoto, Y., and Masuko, T.*, 253
- green fluorescent protein (GFP), GFP-display, K-ras, mutation analysis, *p53, Aoki, T., Ami, R., Onagi, H., Fujino, H., and Watabe, H.*, 627
- GRO, CINC-1, IkBa, NF- κ B, recombinant adenovirus, *Takaishi, K., Ohtsuka, T., Tsuneyoshi, S., Maehara, N., Harada, M., Yoshida, H., Watanabe, K., and Tsurufuji, S.*, 511
- growth inhibitor, arginase, hepatic stellate cells, Zn- α_2 -glycoprotein, *Kim, K.-Y., Choi, I., and Kim, S.-S.*, 23
- growth yield, *Bacillus stearothermophilus*, cytochrome c oxidase, H₂O ratio, SoxB-type heme-copper oxidase, *Sone, N., Koyanagi, S., and Sakamoto, J.*, 551
- GT1b, ganglioside, monoclonal antibody, rat brain, rBNPI, *Kotani, M., Tajima, Y., Shimoda, Y., Irie, A., Kubo, H., and Tai, T.*, 13
- GTPase, ATPase, 80S ribosomes, peptide-elongation, polysomes, *Ogata, K., Ohno, R., Terao, K., Iwasaki, K., and Endo, Y.*, 221
- H
- H/K-ATPase, kinase, phosphatase, reversible N-terminal phosphorylation, *Kanagawa, M., Watanabe, S., Kaya, S., Togawa, K., Imagawa, T., Shimada, A., Kikuchi, K., and Taniguchi, K.*, 821
- H⁺K⁺-ATPase, gastric acid secretion, ion-selectivity, proton pump, site-directed mutagenesis, *Asano, S., Furumoto, R., Tega, Y., Matsuda, S., and Takeguchi, N.*, 993
- H₂O ratio, *Bacillus stearothermophilus*, cytochrome c oxidase, growth yield, SoxB-type heme-copper oxidase, *Sone, N., Koyanagi, S., and Sakamoto, J.*, 551
- Habu snake, pepsin, pepsinogen, protease, *Yonezawa, H., Nonaka, T., Uchikoba, T., Hattori, S., Ohno, M., and Kaneda, M.*, 755
- HCPS (heparin-carrying polystyrene), heparin, heparan sulfate, heparin-binding growth factor, *Ishihara, M., Ono, K., Ishikawa, K., Hattori, H., Saito, Y., Yura, H., Akaike, T., Ozeki, Y., Tanaka, S., Mochizuki, H., and Kurita, A.*, 797
- heart, ATPase, calcium sensitivity, hypertrophy, troponin, *Harada, K., Takahashi-Yanaga, F., Minakami, R., Morimoto, S., and Ohtsuki, I.*, 263
- , cis-elements, GATA6, transcriptional regulation, transgenic mice, *Sun-Wada, G.-H., Manabe, S., Yoshimizu, T., Yamaguchi, C., Oka, T., Wada, Y., and Futai, M.*, 703
- heat-modified protein, catalytic and structural zinc, cytosine nucleoside/nucleotide deaminases, protein folding and stability, site-directed mutagenesis, *Kimura, M., Sekido, S., Isogai, Y., and Yamaguchi, I.*, 955
- HEK293, lysophosphatidic acid, phosphatidic acid phosphatase, phospholipase D, *Ishikawa, T., Kai, M., Wada, I., and Kanoh, H.*, 645
- Helicobacter pylori*, cytokines, encephalomyocarditis virus, herpes simplex virus, influenza virus, *Imanishi, J.*, 525
- hematopoietic stem cell, GATA-2, nucleotide sequence, promoter, transcriptional regulation, *Pan, X., Minegishi, N., Harigae, H., Yamagiwa, H., Minegishi, M., Akine, Y., and Yamamoto, M.*, 105
- , GM-CSF, stromal cell, *Okubo, T., Yanai, N., Watanabe, S., Arai, K., and Obinata, M.*, 591
- heparan sulfate, HCPS (heparin-carrying polystyrene), heparin, heparin-binding growth factor, *Ishihara, M., Ono, K., Ishikawa, K., Hattori, H., Saito, Y., Yura, H., Akaike, T., Ozeki, Y., Tanaka, S., Mochizuki, H., and Kurita, A.*, 797
- heparin, HCPS (heparin-carrying polystyrene), heparan sulfate, heparin-binding growth factor, *Ishihara, M., Ono, K., Ishikawa, K., Hattori, H., Saito, Y., Yura, H., Akaike, T., Ozeki, Y., Tanaka, S., Mochizuki, H., and Kurita, A.*, 797
- heparin binding, peroxiredoxin IV, redox, secreted protein, thioredoxin/glutathione-dependent peroxidase, *Okado-Matsumoto, A., Matsumoto, A., Fujii, J., and Taniguchi, N.*, 493
- heparin-binding growth factor, HCPS (heparin-carrying polystyrene), heparin, heparan sulfate, *Ishihara, M., Ono, K., Ishikawa, K., Hattori, H., Saito, Y., Yura, H., Akaike, T., Ozeki, Y., Tanaka, S., Mochizuki, H., and Kurita, A.*, 797
- hepatic stellate cells, arginase, growth inhibitor, Zn- α_2 -glycoprotein, *Kim, K.-Y., Choi, I., and Kim, S.-S.*, 23
- hepatitis B virus, assembly, electron spin resonance, membrane, phospholipid, *Sato, O., Imai, H., Yoneyama, T., Miyamura, T., Utsumi, H., Inoue, K., and Umeda, M.*, 543
- hepatocytes, interleukin-1, interleukin-6, norepinephrine, stress, *Jung, B.D., Kimura, K., Kitamura, H., Makondo, K., Okita, K., Kawasaki, M., and Saito, M.*, 205
- , MAP kinase, angiotensin II, protein-tyrosine kinase, Syk, *Tsuchida, S., Yanagi, S., Inatome, R., Ding, J., Hermann, P., Tsujimura, T., Matsui, N., and Yamamura, H.*, 321
- herpes simplex virus, cytokines, encephalomyocarditis virus, *Helicobacter pylori*, influenza virus, *Imanishi, J.*, 525
- high passage, fibroblasts, IL-1, independent of p53, p21^{WAF1}, *Osawa, Y., Hachiya, M., Araki, S., Kusama, T., Matsushima, K., Aoki, Y., and Akashi, M.*, 883
- HIV-1, DIS, kissing-loop, NMR, RNA, *Takahashi, K., Baba, S., Hayashi, Y., Koyanagi, Y., Yamamoto, N., Takaku, H., and Kawai, G.*, 681
- HL60 cells, differentiation, kinase, protamine, protein kinase C, *Soh, Y. and Wooten, M.W.*, 95
- human cell line, anti-oxidized protein hydrolase antibody, oxidized protein hydrolase, rat tissue, *Fujino, T., Tada, T., Hosaka, T., Beppu, M., and Kikugawa, K.*, 307
- human liver, CYP4F2, leukotriene B₄, ω -hydroxylase, lipoxin A₄, P450, *Kikuta, Y., Kusunose, E., and Kusunose, M.*, 1047
- hyaluronidase from *Streptococcus dysgalactiae*, chimeric glycosaminoglycan, enzymatic reconstruction, testicular hyaluronidase, transglycosylation, *Takagaki, K., Munakata, H., Majima, M., Kakizaki, I., and Endo, M.*, 695
- hypertrophic chondrocyte, differentiation, *in situ* hybridization, mouse tibia, natriuretic peptide receptor C, *Yamashita, Y., Takeshige, K., Inoue, A., Hirose, S., Takamori, A., and Hagiwara, H.*, 177

H (cont'd)

- hypertrophy, ATPase, calcium sensitivity, heart, tropomyosin, Harada, K., Takahashi-Yanaga, F., Minakami, R., Morimoto, S., and Ohtsuki, I., 263
- hyphal wall integrity, *Aspergillus nidulans*, chitin synthase, conidiophore development, multigene family, Fujiwara, M., Ichinomiya, M., Motoyama, T., Horiuchi, H., Ohta, A., and Takagi, M., 359

I

- IGF2, genomic imprinting, IGF2AS, imprinted genes, Wilms tumor, Okutsu, T., Kuroiwa, Y., Kagitani, F., Kai, M., Aisaka, K., Tsutsumi, O., Kaneko, Y., Yokomori, K., Surani, M.A., Kohda, T., Kaneko-Ishino, T., and Ishino, F., 475
- IGF2AS, genomic imprinting, IGF2, imprinted genes, Wilms tumor, Okutsu, T., Kuroiwa, Y., Kagitani, F., Kai, M., Aisaka, K., Tsutsumi, O., Kaneko, Y., Yokomori, K., Surani, M.A., Kohda, T., Kaneko-Ishino, T., and Ishino, F., 475
- I κ B α , CINC-1, GRO, NF- κ B, recombinant adenovirus, Takaishi, K., Ohtsuka, T., Tsuneyoshi, S., Maehara, N., Harada, M., Yoshida, H., Watanabe, K., and Tsurufuji, S., 511
- IL-4, cAMP, c-fos, cyclooxygenase, prostaglandin, Zhuang, D., Kawajiri, H., Takahashi, Y., and Yoshimoto, T., 451
- IL-1, fibroblasts, high passage, independent of p53, p21^{WAF1}, Osawa, Y., Hachiya, M., Araki, S., Kusama, T., Matsushima, K., Aoki, Y., and Akashi, M., 883
- immobilization, agarose beads, firefly luciferase, renaturation, Zako, T., Deguchi, T., Kitayama, A., Ueda, H., and Nagamune, T., 351
- immobilized RNase A, cell-free protein synthesis, ribosome, S30, tRNA, Kanda, T., Takai, K., Yokoyama, S., and Takaku, H., 37
- immunoproteasomes, crystal, synchrotron radiation, X-ray analysis, Tomisugi, Y., Unno, M., Mizushima, T., Morimoto, Y., Tanahashi, N., Tanaka, K., Tsukihara, T., and Yasuoka, N., 941
- imprinted genes, genomic imprinting, IGF2, IGF2AS, Wilms tumor, Okutsu, T., Kuroiwa, Y., Kagitani, F., Kai, M., Aisaka, K., Tsutsumi, O., Kaneko, Y., Yokomori, K., Surani, M.A., Kohda, T., Kaneko-Ishino, T., and Ishino, F., 475
- in situ hybridization, differentiation, hypertrophic chondrocyte, mouse tibia, natriuretic peptide receptor C, Yamashita, Y., Takeshige, K., Inoue, A., Hirose, S., Takamori, A., and Hagiwara, H., 177
- inclusion body, chemical chaperon, electrostatic interaction, folding, RNase, Futami, J., Tsushima, Y., Tada, H., Seno, M., and Yamada, H., 435
- incompatibility defective mutants, crystallographic structure of RepE-iteron complex, iteron-RepE interaction, mini-F plasmid, Uga, H., Komori, H., Miki, K., and Wada, C., 537
- independent of p53, fibroblasts, high passage, IL-1, p21^{WAF1}, Osawa, Y., Hachiya, M., Araki, S., Kusama, T., Matsushima, K.,

- Aoki, Y., and Akashi, M., 883
- indole-3-acetic acid (IAA), aldehyde oxidase, *Arabidopsis thaliana*, molybdenum cofactor, *Pichia pastoris*, Koiwai, H., Akaba, S., Seo, M., Komano, T., and Koshiba, T., 659
- influenza, corynebacterium, glycolipid, glycolipid, receptor, Nakata, K., Guo, C.-T., Matsufuji, M., Yoshimoto, A., Inagaki, M., Higuchi, R., and Suzuki, Y., 191
- influenza C virus, 9-O-acetylated Neu5Ac, gangliosides, melanoma, overlay assay, sialic acid analogues, solid phase assay, Hubl, U., Ishida, H., Kiso, M., Hasegawa, A., and Schauer, R., 1021
- influenza virus, cytokines, encephalomyocarditis virus, *Helicobacter pylori*, herpes simplex virus, Imanishi, J., 525
- inhibition, cytochrome P450, monooxygenase, NADPH-cytochrome P450 reductase, 1,4-naphthoquinone, Inouye, K., Saito, A., Orita, M., Tonomura, B., Imaishi, H., and Okawa, H., 1041
- inhibition mechanism, flavonoid, rabbit heart carbonyl reductase, structure-activity relationship, superoxide anion radical, Imamura, Y., Migita, T., Uriu, Y., Otagiri, M., and Okawara, T., 653
- inhibitor, ceramide, glucosylceramide synthase, glycosphingolipids, PBPP, PDMP, Jimbo, M., Yamagishi, K., Yamaki, T., Nunomura, K., Kabayama, K., Igarashi, Y., and Inokuchi, J., 485
- insect immunity, ankyrin, κ B motif, NF- κ B/Rel family, *Sarcophaga peregrina*, Shiraiishi, H., Kobayashi, A., Sakamoto, Y., Nonaka, T., Mitsui, Y., Aozasa, N., Kubo, T., and Natori, S., 1127
- insulin, bile acid, cytochrome P450, FXR, sterol 12 α -hydroxylase, Ishida, H., Yamashita, C., Kuruta, Y., Yoshida, Y., and Noshiro, M., 57
- insulin secretion, glucose, glyceraldehyde, glycolytic intermediates, metabolism, pancreatic islet, Taniguchi, S., Okinaka, M., Tanigawa, K., and Miwa, I., 289
- interleukin-1, hepatocytes, interleukin-6, norepinephrine, stress, Jung, B.D., Kimura, K., Kitamura, H., Makondo, K., Okita, K., Kawasaki, M., and Saito, M., 205
- interleukin-6, hepatocytes, interleukin-1, norepinephrine, stress, Jung, B.D., Kimura, K., Kitamura, H., Makondo, K., Okita, K., Kawasaki, M., and Saito, M., 205
- intervertebral disc, chondrocyte, nucleus pulposus, phospholipase A₂, proteoglycan, Tanaka, N., Ishida, T., Hukuda, S., and Horiike, K., 985
- ion-selectivity, gastric acid secretion, H⁺/K⁺-ATPase, proton pump, site-directed mutagenesis, Asano, S., Furumoto, R., Tega, Y., Matsuda, S., and Takeguchi, N., 993
- iron-sulfur cluster, electron paramagnetic resonance spectroscopy, site-directed mutagenesis, xanthine dehydrogenase, xanthine oxidase, Iwasaki, T., Okamoto, K., Nishino, T., Mizushima, J., Hori, H., and Nishino, T., 771
- isopenicillin N synthase, site-directed mutagenesis, substrate-binding, Loke, P. and Sim, T.-S., 585
- iteron-RepE interaction, crystallographic structure of RepE-iteron complex, incom-

patibility defective mutants, mini-F plasmid, Uga, H., Komori, H., Miki, K., and Wada, C., 537

J

- Jurkat T-cell, apoptosis, calpain, calpastatin, caspase, Kato, M., Nonaka, T., Maki, M., Kikuchi, H., and Imajoh-Ohmi, S., 297

K

- K-ras, green fluorescent protein (GFP), GFP-display, mutation analysis, p53, Aoki, T., Ami, R., Onagi, H., Fujino, H., and Watabe, H., 627
- κ B motif, ankyrin, insect immunity, NF- κ B/Rel family, *Sarcophaga peregrina*, Shiraiishi, H., Kobayashi, A., Sakamoto, Y., Nonaka, T., Mitsui, Y., Aozasa, N., Kubo, T., and Natori, S., 1127
- KDRF, LC/ESI MS, selenium, selenocysteine, thioredoxin reductase, Koishi, R., Nakamura, T., Takazawa, T., Yoshimura, C., and Serizawa, N., 977
- kidney, apoptosis, Bcl-2, cisplatin, midkine, Qi, M., Ikematsu, S., Ichihara-Tanaka, K., Sakuma, S., Muramatsu, T., and Kado-matsu, K., 269
- kinase, differentiation, HL60 cells, protamine, protein kinase C, Soh, Y. and Wooten, M.W., 95
- , H/K-ATPase, phosphatase, reversible N-terminal phosphorylation, Kanagawa, M., Watanabe, S., Kaya, S., Togawa, K., Imagawa, T., Shimada, A., Kikuchi, K., and Taniguchi, K., 821
- kissing-loop, DIS, HIV-1, NMR, RNA, Takahashi, K., Baba, S., Hayashi, Y., Koyanagi, Y., Yamamoto, N., Takaku, H., and Kawai, G., 681

L

- lactonizing lipase, glutathione, lipase modulator protein, *Pseudomonas*, Tanaka, J., Nihi-ura, T., and Yamada, Y., 597
- lanosterol 14 α -demethylase, CYP51, CYP51 mRNA, gene structure, pig, Kojima, M., Morozumi, T., Onishi, A., and Mitsuhashi, T., 805
- LC/ESI MS, KDRF, selenium, selenocysteine, thioredoxin reductase, Koishi, R., Nakamura, T., Takazawa, T., Yoshimura, C., and Serizawa, N., 977
- LDL, lipid peroxidation, MPO-knockout mouse, myeloperoxidase, neutrophil, Noguchi, N., Nakano, K., Aratani, Y., Koyama, H., Kodama, T., and Nishi, E., 971
- LEA protein, dehydration, salt stress, water-deficit, Zhang, L., Ohta, A., Takagi, M., and Imai, R., 611
- lectin, *Bauhinia purpurea* lectin, chimera, *Lens culinaris* lectin, specificity, Yamamoto, K., Konami, Y., and Osawa, T., 129
- , *Bauhinia purpurea* lectin, phage display system, specificity, Yamamoto, K., Maruyama, I.N., and Osawa, T., 137
- Leishmania donovani*, macrophages, membrane microviscosity, protein kinase C, superoxide, Chakraborty, P., Ghosh, D., and Basu, M.K., 185
- Lens culinaris* lectin, *Bauhinia purpurea* lectin, chimera, lectin, specificity, Yamamoto, K., Konami, Y., and Osawa, T., 129

L (cont'd)

- leptomycin B, aryl hydrocarbon (TCDD) receptor, nucleocytoplasmic shuttling, CYP1A1, AhR nuclear translocator (ARNT), *Ikuta, T., Tachibana, T., Watanabe, J., Yoshida, M., Yoneda, Y., and Kawajiri, K.*, 503
- leukotriene B₄ ω-hydroxylase, CYP4F2, human liver, lipoxin A₄, P450, *Kikuta, Y., Kusunose, E., and Kusunose, M.*, 1047
- lipase modulator protein, glutathione, lactonizing lipase, *Pseudomonas*, *Tanaka, J., Nihira, T., and Yamada, Y.*, 597
- lipid peroxidation, LDL, MPO-knockout mouse, myeloperoxidase, neutrophil, *Noguchi, N., Nakano, K., Aratani, Y., Koyama, H., Kodama, T., and Niki, E.*, 971
- lipopolysaccharide, bacteriophage φX174, binding analysis, receptor, spike H protein, *Inagaki, M., Tanaka, A., Suzuki, R., Wakashima, H., Kawaura, T., Karita, S., Nishikawa, S., and Kashimura, N.*, 577
- lipoxin A₄, CYP4F2, human liver, leukotriene B₄ ω-hydroxylase, P450, *Kikuta, Y., Kusunose, E., and Kusunose, M.*, 1047
- liver, membranes, pig, purification, sialidase, *Kobayashi, T., Ito, M., Ikeda, K., Tanaka, K., and Saito, M.*, 569
- Lon, ATP-dependent protease, cell division, protein recognition, *SulA*, *Ishii, Y., Sonezaki, S., Iwasaki, Y., Miyata, Y., Akita, K., Kato, Y., and Amano, F.*, 837
- loxP, codon usage, Cre recombinase, *Koresawa, Y., Miyagawa, S., Ikawa, M., Matsunami, K., Yamada, M., Shirakura, R., and Okabe, M.*, 367
- lysophosphatidic acid, HEK293, phosphatidic acid phosphatase, phospholipase D, *Ishikawa, T., Kai, M., Wada, I., and Kanoh, H.*, 645

M

- macrophage, Axl, Gas6, phagocytosis, phosphatidylserine, *Ishimoto, Y., Ohashi, K., Mizuno, K., and Nakano, T.*, 411
- macrophages, *Leishmania donovani*, membrane microviscosity, protein kinase C, superoxide, *Chakraborty, P., Ghosh, D., and Basu, M.K.*, 185
- Macrophoma commelinae*, cDNA structure, macrophomate synthase, overexpression, oxalacetate, 2-pyrone, *Watanabe, K., Oikawa, H., Yagi, K., Ohashi, S., Mie, T., Ichihara, A., and Honma, M.*, 467
- macrophomate synthase, cDNA structure, *Macrophoma commelinae*, overexpression, oxalacetate, 2-pyrone, *Watanabe, K., Oikawa, H., Yagi, K., Ohashi, S., Mie, T., Ichihara, A., and Honma, M.*, 467
- maltose-binding protein, crystallization, CD38, ganglioside, X-ray crystallography, *Kukimoto, M., Nureki, O., Shirouzu, M., Katada, T., Hirabayashi, Y., Sugiyama, H., Furuyama, S., Yokoyama, S., and Hara-Yokoyama, M.*, 181
- MAP kinase, angiotensin II, hepatocytes, protein-tyrosine kinase, Syk, *Tsuchida, S., Yanagi, S., Inatome, R., Ding, J., Hermann, P., Tsujimura, T., Matsui, N., and Yamamura, H.*, 321
- mass spectrometry, *N*-acetylmuramoyl-L-alanine amidase, *Achromobacter lyticus*, achromopeptidase, primary structure, *Li, S., Norioka, S., and Sakiyama, F.*, 1033
- mast cell, proteasome, protein turnover, serotonin biosynthesis, tryptophan hydroxylase, *Kojima, M., Oguro, K., Sawabe, K., Iida, Y., Ikeda, R., Yamashita, A., Nakanishi, N., and Hasegawa, H.*, 121
- mechanism, Bronsted plot, secondary deuterium isotope effect, β-xylosidase, *Li, Y.-K., Yao, H.-J., and Pan, I.-H.*, 315
- melanoma, 9-O-acetylated Neu5Ac, influenza C virus, gangliosides, overlay assay, sialic acid analogues, solid phase assay, *Hubl, U., Ishida, H., Kiso, M., Hasegawa, A., and Schauer, R.*, 1021
- membrane, assembly, electron spin resonance, hepatitis B virus, phospholipid, *Satoh, O., Imai, H., Yoneyama, T., Miyamura, T., Utsumi, H., Inoue, K., and Umeda, M.*, 543
- membrane microviscosity, *Leishmania donovani*, macrophages, protein kinase C, superoxide, *Chakraborty, P., Ghosh, D., and Basu, M.K.*, 185
- membrane proteins, bacterio-opsin, bacteriorhodopsin, conformational change, solid-state NMR, *Yamaguchi, S., Tuzi, S., Tanio, M., Naito, A., Lanyi, J.K., Needleman, R., and Saito, H.*, 861
- membranes, liver, pig, purification, sialidase, *Kobayashi, T., Ito, M., Ikeda, K., Tanaka, K., and Saito, M.*, 569
- merocyanine 540, absorption spectrum, factor analysis, fluorescence spectrum, potential probe, *Sato, C., Nakamura, J., and Nakamaru, Y.*, 603
- metabolism, glucose, glyceraldehyde, glycolytic intermediates, insulin secretion, pancreatic islet, *Taniguchi, S., Okinaka, M., Tanigawa, K., and Miwa, I.*, 289
- metastasis, CD164, colorectal carcinomas, sialomucin, vascular invasion, *Matsui, T., Kurosawa, N., Hibi, K., Akiyama, S., Kasai, Y., Sakamoto, J., Ito, K., Nakao, A., and Muramatsu, T.*, 1103
- methyl methanethiosulfonate, ADP/ATP carrier, cysteine residue, mitochondria, SH-reagent, *Hashimoto, M., Majima, E., Hatanaka, T., Shinohara, Y., Onishi, M., Goto, S., and Terada, H.*, 443
- microcystin biosynthesis, cyanobacteria, multifunctional enzyme complex, peptide synthetase gene, polyketide synthase gene, *Nishizawa, T., Ueda, A., Asayama, M., Fujii, K., Harada, K., Ochi, K., and Shirai, M.*, 779
- midkine, collagen gel, fibroblast, wound healing, *Sumi, Y., Muramatsu, H., Hata, K., Ueda, M., and Muramatsu, T.*, 247
- , apoptosis, Bcl-2, cisplatin, kidney, *Qi, M., Ikematsu, S., Ichihara-Tanaka, K., Sakuma, S., Muramatsu, T., and Kadamatsu, K.*, 269
- mini-F plasmid, crystallographic structure of RepE-iteron complex, incompatibility defective mutants, iteron-RepE interaction, *Uga, H., Komori, H., Miki, K., and Wada, C.*, 537
- misfolded protein aggregation, COS-1 cell, ER-60 protease, endoplasmic reticulum, misfolded protein degradation, *Urade, R., Kusunose, M., Moriyama, T., Higasa, T., and Kito, M.*, 211
- misfolded protein degradation, COS-1 cell, ER-60 protease, endoplasmic reticulum, misfolded protein aggregation, *Urade, R., Kusunose, M., Moriyama, T., Higasa, T., and Kito, M.*, 211
- mitochondria, ADP/ATP carrier, cysteine residue, methyl methanethiosulfonate, SH-reagent, *Hashimoto, M., Majima, E., Hatanaka, T., Shinohara, Y., Onishi, M., Goto, S., and Terada, H.*, 443
- mitochondrial targeting signal, alternative translocation, conformational change, peroxisomal targeting signal, serine:pyruvate aminotransferase, *Oda, T., Uchida, C., and Miura, S.*, 665
- moderately thermophilic bacteria, monoacylglycerol lipase, N-terminal amino acid sequence, purification, thermostable enzyme, *Imamura, S. and Kitaura, S.*, 419
- molecular cloning, GalNAc α2,6-sialyltransferase, GD1a synthase, genomic structure, sialyltransferase, *Takashima, S., Kurosawa, N., Tachida, Y., Inoue, M., and Tsuji, S.*, 399
- molecular evolution, New World monkeys, pepsinogen A, pepsinogen C, prochymosin, *Kageyama, T.*, 761
- molecular motor, axoneme, dynein, flagella, sperm, *Inaba, K.*, 1115
- molybdenum cofactor, aldehyde oxidase, *Arabidopsis thaliana*, indole-3-acetic acid (IAA), *Pichia pastoris*, *Koiwai, H., Akaba, S., Seo, M., Komano, T., and Koshiba, T.*, 659
- monoacylglycerol lipase, moderately thermophilic bacteria, N-terminal amino acid sequence, purification, thermostable enzyme, *Imamura, S. and Kitaura, S.*, 419
- monoclonal antibody, ganglioside, GT1b, rat brain, rBNPI, *Kotani, M., Tajima, Y., Shimoda, Y., Irie, A., Kubo, H., and Tai, T.*, 13
- , cell-cell adhesion, cytoskeleton, GP125/CD98, tropomyosin, *Shishida, T., Ohkawa, M., Itoh, A., Enomoto, T., Hashimoto, Y., and Masuko, T.*, 253
- monooxygenase, cytochrome P450, inhibition, NADPH-cytochrome P450 reductase, 1,4-naphthoquinone, *Inouye, K., Saito, A., Orita, M., Tonomura, B., Imaishi, H., and Ohkawa, H.*, 1041
- morphogenesis, flagella, flagellin, sheath, *Vibrio*, *Furuno, M., Sato, K., Kawagishi, I., and Homma, M.*, 29
- motor protein, characean alga, cloning, cytoplasmic streaming, myosin, *Kashiyama, T., Kimura, N., Mimura, T., and Yamamoto, K.*, 1065
- mouse tibia, differentiation, *in situ* hybridization, hypertrophic chondrocyte, natriuretic peptide receptor C, *Yamashita, Y., Takeshige, K., Inoue, A., Hirose, S., Takamori, A., and Hagiwara, H.*, 177
- MPO-knockout mouse, LDL, lipid peroxidation, myeloperoxidase, neutrophil, *Noguchi, N., Nakano, K., Aratani, Y., Koyama, H., Kodama, T., and Niki, E.*, 971
- MUC1, flow cytometry, Fv, refolding, scFv, *Asano, R., Takemura, S., Tsumoto, K., Sakurai, N., Teramae, A., Ebara, Y., Katayose, Y., Shinoda, M., Suzuki, M., Imai, K., Matsuno, S., Kudo, T., and Kumagai, I.*, 673
- multifunctional enzyme complex, cyanobacteria, microcystin biosynthesis, peptide synthetase gene, polyketide synthase gene, *Nishizawa, T., Ueda, A., Asayama, M., Fujii, K., Harada, K., Ochi, K., and Shirai, M.*, 779

M (cont'd)

- M., 779
- multigene family, *Aspergillus nidulans*, chitin synthase, conidiophore development, hyphal wall integrity, *Fujiwara, M., Ichino-miya, M., Motoyama, T., Horiuchi, H., Ohta, A., and Takagi, M.*, 359
- muscarinic acetylcholine receptor, cholesterol, *Escherichia coli*, G protein-coupled receptor, reconstitution, *Furukawa, H. and Haga, T.*, 151
- muscle thin filament, α -helical coiled-coil, phosphorylation, polymerization, tropomyosin, *Sano, K., Maeda, K., Oda, T., and Maeda, Y.*, 1095
- mutation analysis, green fluorescent protein (GFP), GFP-display, K-ras, p53, *Aoki, T., Ami, R., Onagi, H., Fujino, H., and Watabe, H.*, 627
- MutM protein, crystallization, DNA repair enzyme, oxidative DNA damage, X-ray diffraction, *Thermus thermophilus* HB8, *Sugahara, M., Mikawa, T., Kato, R., Fukuyama, K., Kumasaka, T., Yamamoto, M., Inoue, Y., and Kuramitsu, S.*, 9
- myeloperoxidase, LDL, lipid peroxidation, MPO-knockout mouse, neutrophil, *Noguchi, N., Nakano, K., Aratani, Y., Koyama, H., Kodama, T., and Niki, E.*, 971
- myofibrils, ATPase, familial hypertrophic cardiomyopathy, troponin I, *Takahashi-Yanaga, F., Morimoto, S., and Ohtsuki, I.*, 355
- myosin, ATP analogue, ATP binding site, fluorescent polarization, signal transduction, *Maruta, S., Saitoh, J., and Asakura, T.*, 199
- , characean alga, cloning, cytoplasmic streaming, motor protein, *Kashiyama, T., Kimura, N., Mimura, T., and Yamamoto, K.*, 1065
- myosin light chain, focal adhesion kinase, Rho, sphingosine 1-phosphate, vascular endothelial cells, *Miura, Y., Yatomi, Y., Rile, G., Ohmori, T., Satoh, K., and Ozaki, Y.*, 909
- N
- N-acetylmuramoyl-L-alanine amidase, *Achromobacter lyticus*, achromopeptidase, primary structure, mass spectrometry, *Li, S., Norioka, S., and Sakiyama, F.*, 1033
- N-glycan, N-glycan function, N-glycan-protein interaction, glycoprotein, protease, *Nishiyama, T., Kimura, N., Jitsuhara, Y., Uchida, M., Ochi, F., and Yamaguchi, H.*, 427
- , *Carica papaya*, Golgi α -mannosidase II, processing pathway, pyridylation, *Makino, Y., Shimazaki, A., Omichi, K., Odani, S., and Hase, S.*, 1121
- N-glycan function, N-glycan, N-glycan-protein interaction, glycoprotein, protease, *Nishiyama, T., Kimura, N., Jitsuhara, Y., Uchida, M., Ochi, F., and Yamaguchi, H.*, 427
- N-glycan metabolism, free N-glycan, *Ginkgo biloba*, plant endo- β -N-acetylglucosaminidase, seed development, *Kimura, Y. and Matsuo, S.*, 1013
- N-glycan-protein interaction, N-glycan, N-glycan function, glycoprotein, protease, *Nishiyama, T., Kimura, N., Jitsuhara, Y., Uchida, M., Ochi, F., and Yamaguchi, H.*, 427

- N-terminal amino acid sequence, moderately thermophilic bacteria, monoacylglycerol lipase, purification, thermostable enzyme, *Imamura, S. and Kitaura, S.*, 419
- NADPH-cytochrome P450 reductase, cytochrome P450, inhibition, monooxygenase, 1,4-naphthoquinone, *Inouye, K., Saito, A., Orita, M., Tonomura, B., Imaishi, H., and Ohkawa, H.*, 1041
- L-NAME, neurite outgrowth, NO, NO-synthase, PC12 cells, *Nakagawa, H., Yoshida, M., and Miyamoto, S.*, 113
- naphthalene, aldolase, *trans-o*-hydroxybenzylidenepyruvate, naphthalenesulfonate, *Sphingomonas*, *Ohmoto, T., Moriyoshi, K., Sakai, K., Hamada, N., and Ohe, T.*, 43
- naphthalenesulfonate, aldolase, *trans-o*-hydroxybenzylidenepyruvate, naphthalene, *Sphingomonas*, *Ohmoto, T., Moriyoshi, K., Sakai, K., Hamada, N., and Ohe, T.*, 43
- 1,4-naphthoquinone, cytochrome P450, inhibition, monooxygenase, NADPH-cytochrome P450 reductase, *Inouye, K., Saito, A., Orita, M., Tonomura, B., Imaishi, H., and Ohkawa, H.*, 1041
- natriuretic peptide receptor C, differentiation, *in situ* hybridization, hypertrophic chondrocyte, mouse tibia, *Yamashita, Y., Takeshige, K., Inoue, A., Hirose, S., Takamori, A., and Hagiwara, H.*, 177
- neuregulin-2, EGF, ErbB, NTAK, tyrosine phosphorylation, *Nakano, N., Higashiyama, S., Kajihara, K., Endo, T., Ishiguro, H., Yamada, K., Nagatsu, T., and Taniguchi, N.*, 925
- neurite outgrowth, L-NAME, NO, NO-synthase, PC12 cells, *Nakagawa, H., Yoshida, M., and Miyamoto, S.*, 113
- neutrophil, LDL, lipid peroxidation, MPO-knockout mouse, myeloperoxidase, *Noguchi, N., Nakano, K., Aratani, Y., Koyama, H., Kodama, T., and Niki, E.*, 971
- New World monkeys, molecular evolution, pepsinogen A, pepsinogen C, prochymosin, *Kageyama, T.*, 761
- NF- κ B, CINC-1, GRO, I κ B α , recombinant adenovirus, *Takaishi, K., Ohtsuka, T., Tsuneyoshi, S., Maehara, N., Harada, M., Yoshida, H., Watanabe, K., and Tsurufuji, S.*, 511
- NF- κ B/Rel family, ankyrin, insect immunity, κ B motif, *Sarcophaga peregrina*, *Shiraishi, H., Kobayashi, A., Sakamoto, Y., Nonaka, T., Mitsui, Y., Aozasa, N., Kuba, T., and Natori, S.*, 1127
- NifS, cysteine desulfurase, pyridoxal enzyme, selenocysteine lyase, transamination, *Mihara, H., Kurihara, T., Yoshimura, T., and Esaki, N.*, 559
- nitrite reductase, *Alcaligenes xylosoxidans*, copper protein, type 1 Cu, type 2 Cu, *Kataoka, K., Furusawa, H., Takagi, K., Yamaguchi, K., and Suzuki, S.*, 345
- NMR, DIS, HIV-1, kissing-loop, RNA, *Takahashi, K., Baba, S., Hayashi, Y., Koyanagi, Y., Yamamoto, N., Takaku, H., and Kawai, G.*, 681
- , α -helix, CD, chemical shift, corticotropin-releasing factor, stability, *Ryu, K.-S., Choi, B.-S., Chi, S.-W., Kim, S.-H., and Kim, H.*, 687
- , c-Myb, complex with DNA, DNA-binding

- domain, dynamics, *Sasaki, M., Ogata, K., Hatanaka, H., and Nishimura, Y.*, 945
- NO, L-NAME, neurite outgrowth, NO-synthase, PC12 cells, *Nakagawa, H., Yoshida, M., and Miyamoto, S.*, 113
- NO-synthase, L-NAME, neurite outgrowth, NO, PC12 cells, *Nakagawa, H., Yoshida, M., and Miyamoto, S.*, 113
- norepinephrine, hepatocytes, interleukin-1, interleukin-6, stress, *Jung, B.D., Kimura, K., Kitamura, H., Makondo, K., Okita, K., Kawasaki, M., and Saito, M.*, 205
- Northern blot analysis, gene cloning, gene expression, rat glia maturation factor- γ , Western blot analysis, *Tsuiki, H., Asai, K., Yamamoto, M., Fujita, K., Inoue, Y., Kawai, Y., Tada, T., Moriyama, A., Wada, Y., and Kato, T.*, 517
- NTAK, EGF, ErbB, neuregulin-2, tyrosine phosphorylation, *Nakano, N., Higashiyama, S., Kajihara, K., Endo, T., Ishiguro, H., Yamada, K., Nagatsu, T., and Taniguchi, N.*, 925
- nuclear receptor, fructose-1,6-bisphosphatase, gluconeogenesis, RARE, VDRE, *Fujisawa, K., Umehara, K., Kikawa, Y., Shigematsu, Y., Taketo, A., Mayumi, M., and Inuzuka, M.*, 373
- , VDR KO mice, vitamin D, vitamin D 1 α -hydroxylase, transcription factor, *Kato, S.*, 717
- nucleocytoplasmic shuttling, aryl hydrocarbon (TCDD) receptor, CYP1A1, AhR nuclear translocator (ARNT), leptomycin B, *Ikuta, T., Tachibana, T., Watanabe, J., Yoshida, M., Yoneda, Y., and Kawajiri, K.*, 503
- nucleotide sequence, GATA-2, hematopoietic stem cell, promoter, transcriptional regulation, *Pan, X., Minegishi, N., Harigae, H., Yamaguchi, H., Minegishi, M., Akune, Y., and Yamamoto, M.*, 105
- nucleotide-sequence, cold enzyme, protein-tyrosine-phosphatase, protein-serine/threonine-phosphatase, *Tsuruta, H. and Aizono, Y.*, 143
- nucleus pulposus, chondrocyte, intervertebral disc, phospholipase A₂, proteoglycan, *Tanaka, N., Ishida, T., Hukuda, S., and Horiike, K.*, 985
- O
- 9-O-acetylated Neu5Ac, influenza C virus, gangliosides, melanoma, overlay assay, sialic acid analogues, solid phase assay, *Hubl, U., Ishida, H., Kiso, M., Hasegawa, A., and Schauer, R.*, 1021
- olfactory receptor, *Fugu*, *Asano-Miyoshi, M., Suda, T., Yasuoka, A., Osima, S., Yamashita, S., Abe, K., and Emori, Y.*, 915
- oncosuppressor gene, Beckwith-Wiedemann syndrome, CDK inhibitor, cell cycle, gene targeting, *Takahashi, K., Nakayama, K., and Nakayama, K.*, 73
- ORC, chromosomal DNA replication, DnaA protein, *Escherichia coli*, site-directed mutation, *Mizushima, T.*, 1
- overexpression, cDNA structure, *Macrophoma commelinae*, macrophomate synthase, oxalacetate, 2-pyrone, *Watanabe, K., Oikawa, H., Yagi, K., Ohashi, S., Mie, T., Ichihara, A., and Honma, M.*, 467
- overlay assay, 9-O-acetylated Neu5Ac, influ-

O (cont'd)

- enza C virus, gangliosides, melanoma, sialic acid analogues, solid phase assay, *Hubl, U., Ishida, H., Kiso, M., Hasegawa, A., and Schauer, R.*, 1021
- overproduction, amino acid sequence, enzymatic activity, *Escherichia coli*, RNase H, *Ohtani, N., Haruki, M., Muroya, A., Morikawa, M., and Kanaya, S.*, 895
- oxalacetate, cDNA structure, *Macrophoma commelinae*, macrophomate synthase, overexpression, 2-pyrone, *Watanabe, K., Oikawa, H., Yagi, K., Ohashi, S., Mie, T., Ichihara, A., and Honma, M.*, 467
- oxalate, 1,5-diphenylformazan, glycolate, glycolate oxidase, glyoxylate-Tris adduct, *Maeda-Nakai, E. and Ichiyama, A.*, 279
- oxidative DNA damage, crystallization, DNA repair enzyme, MutM protein, X-ray diffraction, *Thermus thermophilus* HB8, *Sugahara, M., Mikawa, T., Kato, R., Fukuyama, K., Kumasaka, T., Yamamoto, M., Inoue, Y., and Kuramitsu, S.*, 9
- oxidative stress, protein-tyrosine kinase, SH2 domain, *Syk, Ding, J., Takano, T., Hermann, P., Gao, S., Han, W., Noda, C., Yanagi, S., and Yamamura, H.*, 791
- , computer modeling, oxidized protein, oxidized protein hydrolase, protein degradation, three-dimensional structure of protein *Fujino, T., Kojima, M., Beppu, M., Kikugawa, K., Yasuda, H., and Takahashi, K.*, 1087
- oxidized erythrocyte, anti-band 3 binding, oxidized protein hydrolase, protein aggregation, *Fujino, T., Anda, K., Beppu, M., and Kikugawa, K.*, 1081
- oxidized protein, computer modeling, oxidative stress, oxidized protein hydrolase, protein degradation, three-dimensional structure of protein *Fujino, T., Kojima, M., Beppu, M., Kikugawa, K., Yasuda, H., and Takahashi, K.*, 1087
- oxidized protein hydrolase, anti-oxidized protein hydrolase antibody, human cell line, rat tissue, *Fujino, T., Tada, T., Hosaka, T., Beppu, M., and Kikugawa, K.*, 307
- , anti-band 3 binding, oxidized erythrocyte, protein aggregation, *Fujino, T., Anda, K., Beppu, M., and Kikugawa, K.*, 1081
- , computer modeling, oxidative stress, oxidized protein, protein degradation, three-dimensional structure of protein *Fujino, T., Kojima, M., Beppu, M., Kikugawa, K., Yasuda, H., and Takahashi, K.*, 1087
- oxygen radical, aminolevulinic acid, galactoglycerolipid, glycoglycerolipid, porphyrin, *Nakata, K.*, 813
- P
- P450, CYP4F2, human liver, leukotriene B₄ ω-hydroxylase, lipoxin A₂, *Kikuta, Y., Kusunose, E., and Kusunose, M.*, 1047
- p53, green fluorescent protein (GFP), GFP-display, K-ras, mutation analysis, *Aoki, T., Ami, R., Onagi, H., Fujino, H., and Watabe, H.*, 627
- p21^{WAF1}, fibroblasts, high passage, IL-1, independent of p53, *Osawa, Y., Hachiya, M., Araki, S., Kusama, T., Matsushima, K., Aoki, Y., and Akashi, M.*, 883
- P-B, PBI, PBII, proline-rich protein, saliva, *Isemura, S.*, 393
- pancreatic islet, glucose, glyceraldehyde, glycolytic intermediates, insulin secretion, metabolism, *Taniguchi, S., Okinaka, M., Tanigawa, K., and Miwa, I.*, 289
- Pap1, Atf1, catalase, *Schizosaccharomyces pombe*, stress response, *Nakagawa, C.W., Yamada, K., and Mutoh, N.*, 233
- parvalbumin, amino acid analysis, electrospray mass spectrometry, protein sequencer, sequence, *Taka, H., Kaga, N., Fujimura, T., Mineki, R., Imaizumi, M., Suzuki, Y., Suzuki, R., Tanokura, M., Shindo, N., and Murayama, K.*, 723
- PAS domain, ArcB His-kinase, *Escherichia coli*, phosphorelay signal transduction, *Matsushika, A. and Mizuno, T.*, 855
- PBI, P-B, PBII, proline-rich protein, saliva, *Isemura, S.*, 393
- PBII, P-B, PBI, proline-rich protein, saliva, *Isemura, S.*, 393
- PBPP, ceramide, glucosylceramide synthase, glycosphingolipids, inhibitor, PDMP, *Jimbo, M., Yamagishi, K., Yamaki, T., Nunomura, K., Kabayama, K., Igarashi, Y., and Inokuchi, J.*, 485
- PC12 cells, L-NAME, neurite outgrowth, NO, NO-synthase, *Nakagawa, H., Yoshida, M., and Miyamoto, S.*, 113
- PDMP, ceramide, glucosylceramide synthase, glycosphingolipids, inhibitor, PBPP, *Jimbo, M., Yamagishi, K., Yamaki, T., Nunomura, K., Kabayama, K., Igarashi, Y., and Inokuchi, J.*, 485
- pepsin, Habu snake, pepsinogen, protease, *Yonezawa, H., Nonaka, T., Uchikoba, T., Hattori, S., Ohno, M., and Kaneda, M.*, 755
- pepsinogen, Habu snake, pepsin, protease, *Yonezawa, H., Nonaka, T., Uchikoba, T., Hattori, S., Ohno, M., and Kaneda, M.*, 755
- pepsinogen A, molecular evolution, New World monkeys, pepsinogen C, prochymosin, *Kageyama, T.*, 761
- pepsinogen C, molecular evolution, New World monkeys, pepsinogen A, prochymosin, *Kageyama, T.*, 761
- peptide elongation, ATPase, 80S ribosomes, GTPase, polysomes, *Ogata, K., Ohno, R., Terao, K., Iwasaki, K., and Endo, Y.*, 221
- peptide synthetase gene, cyanobacteria, microcystin biosynthesis, multifunctional enzyme complex, polyketide synthase gene, *Nishizawa, T., Ueda, A., Asayama, M., Fujii, K., Harada, K., Ochi, K., and Shirai, M.*, 779
- peroxiredoxin IV, heparin binding, redox, secretable protein, thioredoxin/glutathione-dependent peroxidase, *Okado-Matsumoto, A., Matsumoto, A., Fujii, J., and Taniguchi, N.*, 493
- peroxisomal targeting signal, alternative translocation, conformational change, mitochondrial targeting signal, serine:pyruvate aminotransferase, *Oda, T., Uchida, C., and Muira, S.*, 665
- phage display, bacteriophage lambda, DNA-binding protein, protein-DNA interaction, sequence-specific selection, *Zhang, Y., Pak, J.W., Maruyama, I.N., and Machida, M.*, 1057
- phage display system, *Bauhinia purpurea* lectin, specificity, *Yamamoto, K., Maruyama, I.N., and Osawa, T.*, 137
- phagocytosis, Axl, Gas6, macrophage, phosphatidylserine, *Ishimoto, Y., Ohashi, K., Mizuno, K., and Nakano, T.*, 411
- pharmacokinetics, colon carcinoma xenografts, single-chain Fv, valency, yeast, *Goel, A., Beresford, G.W., Colcher, D., Pavlinkova, G., Booth, B.J.M., Baranowska-Kortylewicz, J., and Batra, S.K.*, 829
- phosphatase, H/K-ATPase, kinase, reversible N-terminal phosphorylation, *Kanagawa, M., Watanabe, S., Kaya, S., Togawa, K., Imagawa, T., Shimada, A., Kikuchi, K., and Taniguchi, K.*, 821
- phosphatidic acid phosphatase, HEK293, lysophosphatidic acid, phospholipase D, *Ishikawa, T., Kai, M., Wada, I., and Kanoh, H.*, 645
- phosphatidylserine, Axl, Gas6, macrophage, phagocytosis, *Ishimoto, Y., Ohashi, K., Mizuno, K., and Nakano, T.*, 411
- phospholipase A₂, activation, acylation, electrospray mass spectrometry, tryptophan fluorescence, *Ahmed, T., Kelly, S.M., Price, N.C., and Lawrence, A.J.*, 871
- , chondrocyte, intervertebral disc, nucleus pulposus, proteoglycan, *Tanaka, N., Ishida, T., Hukuda, S., and Horiike, K.*, 985
- phospholipase D, HEK293, lysophosphatidic acid, phosphatidic acid phosphatase, *Ishikawa, T., Kai, M., Wada, I., and Kanoh, H.*, 645
- phospholipid, assembly, electron spin resonance, hepatitis B virus, membrane, *Sato, O., Imai, H., Yoneyama, T., Miyamura, T., Utsumi, H., Inoue, K., and Umeda, M.*, 543
- phosphoprotein phosphatase 2B, calcineurin, calmodulin, cDNA cloning, testis-specific isoform of calcineurin, *Uryu, M., Nakatomi, A., Watanabe, M., Hatsuse, R., and Yazawa, M.*, 739
- phosphorelay signal transduction, ArcB His-kinase, *Escherichia coli*, PAS domain, *Matsushika, A. and Mizuno, T.*, 855
- phosphorylation, α-helical coiled-coil, muscle thin filament, polymerization, tropomyosin, *Sano, K., Maeda, K., Oda, T., and Maeda, Y.*, 1095
- Pichia pastoris*, aldehyde oxidase, *Arabidopsis thaliana*, indole-3-acetic acid (IAA), molybdenum cofactor, *Koiwai, H., Akaba, S., Seo, M., Komano, T., and Koshiba, T.*, 659
- pig, liver, membranes, purification, sialidase, *Kobayashi, T., Ito, M., Ikeda, K., Tanaka, K., and Saito, M.*, 569
- , CYP51, CYP51 mRNA, gene structure, lanosterol 14α-demethylase, *Kojima, M., Morozumi, T., Onishi, A., and Mitsuhashi, T.*, 805
- plant endo-β-N-acetylglucosaminidase, free N-glycan, *Ginkgo biloba*, N-glycan metabolism, seed development, *Kimura, Y. and Matsuo, S.*, 1013
- polyketide synthase gene, cyanobacteria, microcystin biosynthesis, multifunctional enzyme complex, peptide synthetase gene, *Nishizawa, T., Ueda, A., Asayama, M., Fujii, K., Harada, K., Ochi, K., and Shirai, M.*, 779
- polymerization, α-helical coiled-coil, muscle thin filament, phosphorylation, tropomyo-

P (cont'd)

- sin, Sano, K., Maeda, K., Oda, T., and Maeda, Y., 1095
- polysomes, ATPase, 80S ribosomes, GTPase, peptide-elongation, Ogata, K., Ohno, R., Terao, K., Iwasaki, K., and Endo, Y., 221
- porphyrin, aminolevulinic acid, galactoglycerolipid, glycoacylglycerolipid, oxygen radical, Nakata, K., 813
- positive concavity, crystal structure analysis, single-stranded DNA binding protein, Matsumoto, T., Morimoto, Y., Shibata, N., Kinebuchi, T., Shimamoto, N., Tsukihara, T., and Yasuoka, N., 329
- potential probe, absorption spectrum, factor analysis, fluorescence spectrum, merocyanine 540, Sato, C., Nakamura, J., and Nakamaru, Y., 603
- primary structure, *N*-acetylmuramoyl-L-alanine amidase, *Achromobacter lyticus*, achromopeptidase, mass spectrometry, Li, S., Norioka, S., and Sakiyama, F., 1033
- processing pathway, *Carica papaya*, Golgi α -mannosidase II, *N*-glycan, pyridylamination, Makino, Y., Shimazaki, A., Omichi, K., Odani, S., and Hase, S., 1121
- prochymosin, molecular evolution, New World monkeys, pepsinogen A, pepsinogen C, Kageyama, T., 761
- progressive degradation, ATP, Zn^{2+} -dependent protease, chymotrypsin-like activity, FtsH, unfolded structure, Asahara, Y., Aisuta, K., Motohashi, K., Taguchi, H., Yohda, M., and Yoshida, M., 931
- proline-rich protein, P-B, PBI, PBII, saliva, Isemura, S., 393
- promoter, GATA-2, hematopoietic stem cell, nucleotide sequence, transcriptional regulation, Pan, X., Minegishi, N., Harigae, H., Yamagiwa, H., Minegishi, M., Akine, Y., and Yamamoto, M., 105
- prostaglandin, cAMP, *c-fos*, cyclooxygenase, IL-4, Zhuang, D., Kawajiri, H., Takahashi, Y., and Yoshimoto, T., 451
- prostaglandin D synthase, amniotic fluid, carbohydrate structure, CHO recombinant, urine, Many, H., Sato, Y., Eguchi, N., Seiki, K., Oda, H., Nakajima, H., Urade, Y., and Endo, T., 1001
- protamine, differentiation, HL60 cells, kinase, protein kinase C, Soh, Y. and Wooten, M.W., 95
- protease, *N*-glycan, *N*-glycan function, *N*-glycan-protein interaction, glycoprotein, Nishiyama, T., Kimura, N., Jitsuhara, Y., Uchida, M., Ochi, F., and Yamaguchi, H., 427
- , Habu snake, pepsin, pepsinogen, Yonezawa, H., Nonaka, T., Uchikoba, T., Hattori, S., Ohno, M., and Kaneda, M., 755
- proteasome, mast cell, protein turnover, serotonin biosynthesis, tryptophan hydroxylase, Kojima, M., Oguro, K., Sawabe, K., Iida, Y., Ikeda, R., Yamashita, A., Nakanishi, N., and Hasegawa, H., 121
- protein aggregation, anti-band 3 binding, oxidized erythrocyte, oxidized protein hydrolase, Fujino, T., Ando, K., Beppu, M., and Kikugawa, K., 1081
- protein degradation, computer modeling, oxidative stress, oxidized protein, oxidized protein hydrolase, three-dimensional structure of protein Fujino, T., Kojima, M., Beppu, M., Kikugawa, K., Yasuda, H., and Takahashi, K., 1087
- protein-DNA interaction, bacteriophage lambda, DNA-binding protein, phage display, sequence-specific selection, Zhang, Y., Pak, J.W., Maruyama, I.N., and Machida, M., 1057
- protein folding and stability, catalytic and structural zinc, cytosine nucleoside/nucleotide deaminases, heat-modified protein, site-directed mutagenesis, Kimura, M., Sekido, S., Isogai, Y., and Yamaguchi, I., 955
- protein G-peroxidase conjugates, enzymic conjugate preparation, enzymic protein coupling, enzymic protein labeling, transglutaminase, Bechtold, U., Otterbach, J.T., Pasternack, R., and Fuchsbaumer, H.-L., 239
- protein kinase B (PKB), Ca^{2+} /calmodulin-dependent protein kinase kinase (CaM-kinase kinase), Ca^{2+} /calmodulin-dependent protein kinase II (CaM-kinase II), signal transduction, upstream protein kinase, Okuno, S., Kitani, T., Matsuzaki, H., Konishi, H., Kikkawa, U., and Fujisawa, H., 965
- protein kinase C, differentiation, HL60 cells, kinase, protamine, Soh, Y. and Wooten, M.W., 95
- , *Leishmania donovani*, macrophages, membrane microviscosity, superoxide, Chakraborty, P., Ghosh, D., and Basu, M.K., 185
- protein recognition, ATP-dependent protease, cell division, Lon, Sula, Ishii, Y., Sonezaki, S., Iwasaki, Y., Miyata, Y., Akita, K., Kato, Y., and Amano, F., 837
- protein sequencer, amino acid analysis, electrospray mass spectrometry, parvalbumin, sequence, Taka, H., Kaga, N., Fujimura, T., Mineki, R., Imaizumi, M., Suzuki, Y., Suzuki, R., Tanokura, M., Shindo, N., and Murayama, K., 723
- protein-serine/threonine-phosphatase, cold enzyme, nucleotide-sequence, protein-tyrosine-phosphatase, Tsuruta, H. and Aizono, Y., 143
- protein translocation, ATPase, *Escherichia coli*, SecA, SecY, Nakatogawa, H., Mori, H., Matsumoto, G., and Ito, K., 1071
- protein turnover, mast cell, proteasome, serotonin biosynthesis, tryptophan hydroxylase, Kojima, M., Oguro, K., Sawabe, K., Iida, Y., Ikeda, R., Yamashita, A., Nakanishi, N., and Hasegawa, H., 121
- protein-tyrosine kinase, MAP kinase, angiotensin II, hepatocytes, Syk, Tsuchida, S., Yanagi, S., Inatome, R., Ding, J., Hermann, P., Tsujimura, T., Matsui, N., and Yamamura, H., 321
- , oxidative stress, SH2 domain, Syk, Ding, J., Takano, T., Hermann, P., Gao, S., Han, W., Noda, C., Yanagi, S., and Yamamura, H., 791
- protein-tyrosine-phosphatase, cold enzyme, nucleotide-sequence, protein-serine/threonine-phosphatase, Tsuruta, H. and Aizono, Y., 143
- proteoglycan, chondrocyte, intervertebral disc, nucleus pulposus, phospholipase A_2 , Tanaka, N., Ishida, T., Hukuda, S., and Horiike, K., 985
- proteoglycans, glycolipids, glycoproteins, glycosyltransferases, sulfotransferases, Muramatsu, T., 171
- proton pump, gastric acid secretion, H^+ , K^+ -ATPase, ion-selectivity, site-directed mutagenesis, Asano, S., Furumoto, R., Tega, Y., Matsuda, S., and Takeguchi, N., 993
- Pseudomonas*, glutathione, lactonizing lipase, lipase modulator protein, Tanaka, J., Nihira, T., and Yamada, Y., 597
- purification, moderately thermophilic bacteria, monoacylglycerol lipase, N-terminal amino acid sequence, thermostable enzyme, Imamura, S. and Kitaura, S., 419
- , liver, membranes, pig, sialidase, Kobayashi, T., Ito, M., Ikeda, K., Tanaka, K., and Saito, M., 569
- pyridoxal enzyme, cysteine desulfurase, NifS, selenocysteine lyase, transamination, Mihara, H., Kurihara, T., Yoshimura, T., and Esaki, N., 559
- pyridylamination, *Carica papaya*, Golgi α -mannosidase II, *N*-glycan, processing pathway, Makino, Y., Shimazaki, A., Omichi, K., Odani, S., and Hase, S., 1121
- 2-pyrone, cDNA structure, *Macrophoma comeliniae*, macrophomate synthase, overexpression, oxalacetate, Watanabe, K., Oikawa, H., Yagi, K., Ohashi, S., Mie, T., Ichihara, A., and Honma, M., 467

R

- rabbit heart carbonyl reductase, flavonoid, inhibition mechanism, structure-activity relationship, superoxide anion radical, Imamura, Y., Migita, T., Uriu, Y., Otagiri, M., and Okawara, T., 653
- RACE, cytokinesis, F-actin bundling, fimbrin/plastin family, *Tetrahymena*, Watanabe, A., Yonemura, I., Gonda, K., and Numata, O., 85
- RARE, fructose-1,6-bisphosphatase, gluconeogenesis, nuclear receptor, VDRE, Fujisawa, K., Umesono, K., Kikawa, Y., Shigematsu, Y., Taketo, A., Mayumi, M., and Inuzuka, M., 373
- rat brain, ganglioside, GT1b, monoclonal antibody, rBNPI, Kotani, M., Tajima, Y., Shimoda, Y., Irie, A., Kubo, H., and Tai, T., 13
- rat glia maturation factor- γ , gene cloning, gene expression, Northern blot analysis, Western blot analysis, Tsuiji, H., Asai, K., Yamamoto, M., Fujita, K., Inoue, Y., Kawai, Y., Tada, T., Moriyama, A., Wada, Y., and Kato, T., 517
- rat tissue, anti-oxidized protein hydrolase antibody, human cell line, oxidized protein hydrolase, Fujino, T., Tada, T., Hosaka, T., Beppu, M., and Kikugawa, K., 307
- rBNPI, ganglioside, GT1b, monoclonal antibody, rat brain, Kotani, M., Tajima, Y., Shimoda, Y., Irie, A., Kubo, H., and Tai, T., 13
- receptor, corynebacterium, glycoacylglycerolipid, glycolipid, influenza, Nakata, K., Guo, C.-T., Matsufuji, M., Yoshimoto, A., Inagaki, M., Higuchi, R., and Suzuki, Y., 191
- , bacteriophage ϕ X174, binding analysis, lipopolysaccharide, spike H protein, Inagaki, M., Tanaka, A., Suzuki, R., Wakashima, H., Kawaura, T., Karita, S., Nishikawa, S., and Kashimura, N., 577
- recombinant adenovirus, CINC-1, GRO, I κ B α , NF- κ B, Takaishi, K., Ohtsuka, T., Tsune-

R (cont'd)

- yoshi, S., Maehara, N., Harada, M., Yoshida, H., Watanabe, K., and Tsurufuji, S., 511
- reconstitution, cholesterol, *Escherichia coli*, G protein-coupled receptor, muscarinic acetylcholine receptor, Furukawa, H. and Haga, T., 151
- redox, heparin binding, peroxiredoxin IV, secreted protein, thioredoxin/glutathione-dependent peroxidase, Okado-Matsumoto, A., Matsumoto, A., Fujii, J., and Taniguchi, N., 493
- reductase binding, cytochrome P450 2B4, surface residues, Lehnerer, M., Schulze, J., Achterhold, K., Lewis, D.F.V., and Hlavica, P., 163
- refolding, flow cytometry, Fv, MUC1, scFv, Asano, R., Takemura, S., Tsumoto, K., Sakurai, N., Teramae, A., Ebara, S., Katayose, Y., Shinoda, M., Suzuki, M., Imai, K., Matsuno, S., Kudo, T., and Kumagai, I., 673
- , carboxyl terminus, RNase A, Fujii, T., Doi, Y., Ueno, H., and Hayashi, R., 877
- regucalcin, AFP, anterior-posterior axis, fat body, *Sarcophaga peregrina*, senescence marker protein-30, Nakajima, Y. and Natori, S., 901
- renaturation, agarose beads, firefly luciferase, immobilization, Zako, T., Deguchi, H., Kitayama, A., Ueda, H., and Nagamune, T., 351
- reversible N-terminal phosphorylation, H/K-ATPase, kinase, phosphatase, Kanagawa, M., Watanabe, S., Kaya, S., Togawa, K., Imagawa, T., Shimada, A., Kikuchi, K., and Taniguchi, K., 821
- Rho, focal adhesion kinase, myosin light chain, sphingosine 1-phosphate, vascular endothelial cells, Miura, Y., Yatomi, Y., Rile, G., Ohmori, T., Satoh, K., and Ozaki, Y., 909
- ribosome, cell-free protein synthesis, immobilized RNase A, S30, tRNA, Kanda, T., Takai, K., Yokoyama, S., and Takaku, H., 37
- RNA, DIS, HIV-1, kissing-loop, NMR, Takahashi, K., Baba, S., Hayashi, Y., Koyanagi, Y., Yamamoto, N., Takaku, H., and Kawai, G., 681
- RNA cleavage, bent structure, domain interaction, RNA enzyme, RNA synthesis, Komatsu, Y., Kanzaki, I., Shirai, M., Kumagai, I., Yamashita, S., and Ohtsuka, E., 531
- RNA enzyme, bent structure, domain interaction, RNA cleavage, RNA synthesis, Komatsu, Y., Kanzaki, I., Shirai, M., Kumagai, I., Yamashita, S., and Ohtsuka, E., 531
- RNA synthesis, bent structure, domain interaction, RNA cleavage, RNA enzyme, Komatsu, Y., Kanzaki, I., Shirai, M., Kumagai, I., Yamashita, S., and Ohtsuka, E., 531
- RNase, chemical chaperon, electrostatic interaction, folding, inclusion body, Futami, J., Tsushima, Y., Tada, H., Seno, M., and Yamada, H., 435
- RNase A, carboxyl terminus, refolding, Fujii, T., Doi, Y., Ueno, H., and Hayashi, R., 877
- RNase H, amino acid sequence, enzymatic activity, *Escherichia coli*, overproduction, Ohtani, N., Haruki, M., Muroya, A., Morikawa, M., and Kanaya, S., 895
- rod domain, bundling, calponin, cytoskeleton, desmin intermediate filament, Fujii, T., Takagi, H., Arimoto, M., Ootani, H., and

Ueda, T., 457

S

- S30, cell-free protein synthesis, immobilized RNase A, ribosome, tRNA, Kanda, T., Takai, K., Yokoyama, S., and Takaku, H., 37
- 80S ribosomes, ATPase, GTPase, peptide-elongation, polysomes, Ogata, K., Ohno, R., Terao, K., Iwasaki, K., and Endo, Y., 221
- saliva, P-B, PBI, PBII, proline-rich protein, Isemura, S., 393
- salt stress, dehydrin, LEA protein, water-deficit, Zhang, L., Ohta, A., Takagi, M., and Imai, R., 611
- Sarcophaga peregrina*, AFP, anterior-posterior axis, fat body, regucalcin, senescence marker protein-30, Nakajima, Y. and Natori, S., 901
- , ankyrin, insect immunity, κ B motif, NF- κ B/Rel family, Shirai, H., Kobayashi, A., Sakamoto, Y., Nonaka, T., Mitsui, Y., Aozasa, N., Kubo, T., and Natori, S., 1127
- scFv, flow cytometry, Fv, MUC1, refolding, Asano, R., Takemura, S., Tsumoto, K., Sakurai, N., Teramae, A., Ebara, S., Katayose, Y., Shinoda, M., Suzuki, M., Imai, K., Matsuno, S., Kudo, T., and Kumagai, I., 673
- Schizosaccharomyces pombe*, Atf1, catalase, Pap1, stress response, Nakagawa, C.W., Yamada, K., and Mutoh, N., 233
- SecA, ATPase, *Escherichia coli*, protein translocation, SecY, Nakatogawa, H., Mori, H., Matsumoto, G., and Ito, K., 1071
- secondary deuterium isotope effect, Bronsted plot, mechanism, β -xylosidase, Li, Y.-K., Yao, H.-J., and Pan, I.-H., 315
- secreted protein, heparin binding, peroxiredoxin IV, redox, thioredoxin/glutathione-dependent peroxidase, Okado-Matsumoto, A., Matsumoto, A., Fujii, J., and Taniguchi, N., 493
- SecY, ATPase, *Escherichia coli*, protein translocation, SecA, Nakatogawa, H., Mori, H., Matsumoto, G., and Ito, K., 1071
- seed development, free N-glycan, *Ginkgo biloba*, N-glycan metabolism, plant endo- β -N-acetylglucosaminidase, Kimura, Y. and Matsuo, S., 1013
- selenium, KDRF, LC/ESI MS, selenocysteine, thioredoxin reductase, Koishi, R., Nakamura, T., Takazawa, T., Yoshimura, C., and Serizawa, N., 977
- selenocysteine, KDRF, LC/ESI MS, selenium, thioredoxin reductase, Koishi, R., Nakamura, T., Takazawa, T., Yoshimura, C., and Serizawa, N., 977
- selenocysteine lyase, cysteine desulfurase, NifS, pyridoxal enzyme, transamination, Mihara, H., Kurihara, T., Yoshimura, T., and Esaki, N., 559
- senescence marker protein-30, AFP, anterior-posterior axis, fat body, regucalcin, *Sarcophaga peregrina*, Nakajima, Y. and Natori, S., 901
- sequence, amino acid analysis, electrospray mass spectrometry, parvalbumin, protein sequencer, Taka, H., Kaga, N., Fujimura, T., Mineki, R., Imaizumi, M., Suzuki, Y., Suzuki, R., Tanokura, M., Shinda, N., and Murayama, K., 723
- sequence-specific selection, bacteriophage lambda, DNA-binding protein, phage dis-

play, protein-DNA interaction, Zhang, Y., Pak, J.W., Maruyama, I.N., and Machida, M., 1057

- serine:pyruvate aminotransferase, alternative translocation, conformational change, mitochondrial targeting signal, peroxisomal targeting signal, Oda, T., Uchida, C., and Miura, S., 665
- serotonin biosynthesis, mast cell, proteasome, protein turnover, tryptophan hydroxylase, Kojima, M., Oguro, K., Sawabe, K., Iida, Y., Ikeda, R., Yamashita, A., Nakanishi, N., and Hasegawa, H., 121
- SH2 domain, oxidative stress, protein-tyrosine kinase, Syk, Ding, J., Takano, T., Hermann, P., Gao, S., Han, W., Noda, C., Yanagi, S., and Yamamura, H., 791
- SH-reagent, ADP/ATP carrier, cysteine residue, methyl methanethiosulfonate, mitochondria, Hashimoto, M., Majima, E., Hatanaka, T., Shinohara, Y., Onishi, M., Goto, S., and Terada, H., 443
- sheath, flagella, flagellin, morphogenesis, *Vibrio*, Furuno, M., Sato, K., Kawagishi, I., and Homma, M., 29
- sialic acid analogues, 9-O-acetylated Neu5Ac, influenza C virus, gangliosides, melanoma, overlay assay, solid phase assay, Hubl, U., Ishida, H., Kiso, M., Hasegawa, A., and Schauer, R., 1021
- sialidase, liver, membranes, pig, purification, Kobayashi, T., Ito, M., Ikeda, K., Tanaka, K., and Saito, M., 569
- sialomucin, CD164, colorectal carcinomas, metastasis, vascular invasion, Matsui, T., Kurosawa, N., Hibi, K., Akiyama, S., Kasai, Y., Sakamoto, J., Ito, K., Nakao, A., and Muramatsu, T., 1103
- sialyl-Tn, genomic organization, sialyltransferase, ST6GalNAc I, Kurosawa, N., Takashima, S., Kono, M., Ikehara, Y., Inoue, M., Tachida, Y., Narimatsu, H., and Tsuji, S., 845
- sialyltransferase, GalNAc α 2,6-sialyltransferase, GD1a synthase, genomic structure, molecular cloning, Takashima, S., Kurosawa, N., Tachida, Y., Inoue, M., and Tsuji, S., 399
- , genomic organization, sialyl-Tn, ST6GalNAc I, Kurosawa, N., Takashima, S., Kono, M., Ikehara, Y., Inoue, M., Tachida, Y., Narimatsu, H., and Tsuji, S., 845
- signal transduction, ATP analogue, ATP binding site, fluorescent polarization, myosin, Maruta, S., Saitoh, J., and Asakura, T., 199
- , Ca^{2+} /calmodulin-dependent protein kinase kinase (CaM-kinase kinase), Ca^{2+} /calmodulin-dependent protein kinase II (CaM-kinase II), protein kinase B (PKB), upstream protein kinase, Okuno, S., Kitani, T., Matsuzaki, H., Konishi, H., Kikkawa, U., and Fujisawa, H., 965
- single-chain Fv, colon carcinoma xenografts, pharmacokinetics, valency, yeast, Goel, A., Beresford, G.W., Colcher, D., Pavlinkova, G., Booth, B.J.M., Baranowska-Kortylewicz, J., and Batra, S.K., 829
- single-stranded DNA binding protein, crystal structure analysis, positive concavity, Matsumoto, T., Morimoto, Y., Shibata, N., Kinebuchi, T., Shimamoto, N., Tsukihara, T., and Yasuoka, N., 329

S (cont'd)

- site-directed mutagenesis, isopenicillin N synthase, substrate-binding, *Loke, P. and Sim, T.-S.*, 585
- , aqualysin I, disulfide bond, stability in organic solvents, subtilisin E, *Takagi, H., Hirai, K., Maeda, Y., Matsuzawa, H., and Nakamori, S.*, 617
- , electron paramagnetic resonance spectroscopy, iron-sulfur cluster, xanthine dehydrogenase, xanthine oxidase, *Iwasaki, T., Okamoto, K., Nishino, T., Mizushima, J., Hori, H., and Nishino, T.*, 771
- , catalytic and structural zinc, cytosine nucleoside/nucleotide deaminases, heat-modified protein, protein folding and stability, *Kimura, M., Sekido, S., Isogai, Y., and Yamaguchi, I.*, 955
- , gastric acid secretion, H^+K^+ -ATPase, ion-selectivity, proton pump, *Asano, S., Furumoto, R., Tega, Y., Matsuda, S., and Takeguchi, N.*, 993
- site-directed mutation, chromosomal DNA replication, DnaA protein, *Escherichia coli*, ORC, *Mizushima, T.*, 1
- solid phase assay, 9-O-acetylated Neu5Ac, influenza C virus, gangliosides, melanoma, overlay assay, sialic acid analogues, *Hubl, U., Ishida, H., Kiso, M., Hasegawa, A., and Schauer, R.*, 1021
- solid-state NMR, bacterio-opsin, bacteriorhodopsin, conformational change, membrane proteins, *Yamaguchi, S., Tuzi, S., Tanio, M., Naito, A., Lanyi, J.K., Needleman, R., and Saito, H.*, 861
- SoxB-type heme-copper oxidase, *Bacillus stearothermophilus*, cytochrome c oxidase, growth yield, H^+O ratio, *Sone, N., Koyanagi, S., and Sakamoto, J.*, 551
- specificity, *Bauhinia purpurea* lectin, chimera, lectin, *Lens culinaris* lectin, *Yamamoto, K., Konami, Y., and Osawa, T.*, 129
- , *Bauhinia purpurea* lectin, lectin, phage display system, *Yamamoto, K., Maruyama, I.N., and Osawa, T.*, 137
- sperm, axoneme, dynein, flagella, molecular motor, *Inaba, K.*, 1115
- Sphingomonas*, aldolase, *trans*-o-hydroxybenzylidenepyruvate, naphthalene, naphthalenesulfonate, *Ohmoto, T., Moriyoshi, K., Sakai, K., Hamada, N., and Ohe, T.*, 43
- sphingosine 1-phosphate, focal adhesion kinase, myosin light chain, Rho, vascular endothelial cells, *Miura, Y., Yatomi, Y., Rile, G., Ohmori, T., Satoh, K., and Ozaki, Y.*, 909
- spike H protein, bacteriophage ϕ X174, binding analysis, lipopolysaccharide, receptor, *Inagaki, M., Tanaka, A., Suzuki, R., Wakashima, H., Kawaura, T., Karita, S., Nishikawa, S., and Kashimura, N.*, 577
- stability, α -helix, CD, chemical shift, corticotropin-releasing factor, NMR, *Ryu, K.-S., Choi, B.-S., Chi, S.-W., Kim, S.-H., and Kim, H.*, 687
- stability in organic solvents, aqualysin I, disulfide bond, site-directed mutagenesis, subtilisin E, *Takagi, H., Hirai, K., Maeda, Y., Matsuzawa, H., and Nakamori, S.*, 617
- sterol 12 α -hydroxylase, bile acid, cytochrome P450, FXR, insulin, *Ishida, H., Yamashita, C., Kuruta, Y., Yoshida, Y., and Noshiro, M.*, 57
- ST6GalNAc I, genomic organization, sialyl-Tn, sialyltransferase, *Kurosawa, N., Takashima, S., Kono, M., Ikehara, Y., Inoue, M., Tsuchida, Y., Narimatsu, H., and Tsuji, S.*, 845
- stress, hepatocytes, interleukin-1, interleukin-6, norepinephrine, *Jung, B.D., Kimura, K., Kitamura, H., Makondo, K., Okita, K., Kawasaki, M., and Saito, M.*, 205
- stress response, Atf1, catalase, Pap1, *Schizosaccharomyces pombe*, *Nakagawa, C.W., Yamada, K., and Mutoh, N.*, 233
- stress tolerance, antioxidant, butyl hydroperoxide, glyceroglycolipid, glycolipid, *Nakata, K.*, 731
- stromal cell, GM-CSF, hematopoietic stem cell, *Okubo, T., Yanai, N., Watanabe, S., Arai, K., and Obinata, M.*, 591
- structure-activity relationship, flavonoid, inhibition mechanism, rabbit heart carbonyl reductase, superoxide anion radical, *Imamura, Y., Migita, T., Uriu, Y., Otagiri, M., and Okawara, T.*, 653
- substrate-binding, isopenicillin N synthase, site-directed mutagenesis, *Loke, P. and Sim, T.-S.*, 585
- substrate specificity, aspartate aminotransferase, crystallography, directed evolution, *Oue, S., Okamoto, A., Yano, T., and Kagamiyama, H.*, 337
- , cathepsin B, CA074, X-ray crystal structure, tertiary structure, binding mode, *Yamamoto, A., Tomoo, K., Hara, T., Murata, M., Kitamura, K., and Ishida, T.*, 635
- subtilisin E, aqualysin I, disulfide bond, site-directed mutagenesis, stability in organic solvents, *Takagi, H., Hirai, K., Maeda, Y., Matsuzawa, H., and Nakamori, S.*, 617
- SulA, ATP-dependent protease, cell division, Lon, protein recognition, *Ishii, Y., Sonezaki, S., Iwasaki, Y., Miyata, Y., Akita, K., Kato, Y., and Amano, F.*, 837
- sulfotransferases, glycolipids, glycoproteins, glycosyltransferases, proteoglycans, *Muramatsu, T.*, 171
- Leishmania donovani*, macrophages, membrane microviscosity, protein kinase C, superoxide, *Chakraborty, P., Ghosh, D., and Basu, M.K.*, 185
- superoxide anion radical, flavonoid, inhibition mechanism, rabbit heart carbonyl reductase, structure-activity relationship, *Imamura, Y., Migita, T., Uriu, Y., Otagiri, M., and Okawara, T.*, 653
- surface residues, cytochrome P450 2B4, reductase binding, *Lehnerer, M., Schulze, J., Achterhold, K., Lewis, D.F.V., and Hlavica, P.*, 163
- Syk, MAP kinase, angiotensin II, hepatocytes, protein-tyrosine kinase, *Tsuchida, S., Yanagi, S., Inatome, R., Ding, J., Hermann, P., Tsujimura, T., Matsui, N., and Yamamura, H.*, 321
- , oxidative stress, protein-tyrosine kinase, SH2 domain, *Ding, J., Takano, T., Hermann, P., Gao, S., Han, W., Noda, C., Yanagi, S., and Yamamura, H.*, 791
- synchrotron radiation, crystal, immunoproteasomes, X-ray analysis, *Tomisugi, Y., Unno, M., Mizushima, T., Morimoto, Y., Tanahashi, N., Tanaka, K., Tsukihara, T.*, 791

and Yasuoka, N., 941

T

- tertiary structure, cathepsin B, CA074, X-ray crystal structure, substrate specificity, binding mode, *Yamamoto, A., Tomoo, K., Hara, T., Murata, M., Kitamura, K., and Ishida, T.*, 635
- testicular hyaluronidase, chimeric glycosaminoglycan, enzymatic reconstruction, hyaluronidase from *Streptococcus dysgalactiae*, transglycosylation, *Takagaki, K., Munkata, H., Majima, M., Kakizaki, I., and Endo, M.*, 695
- testis-specific isoform of calcineurin, calcineurin, calmodulin, cDNA cloning, phosphoprotein phosphatase 2B, *Uryu, M., Nakatomi, A., Watanabe, M., Hatsuse, R., and Yazawa, M.*, 739
- Tetrahymena*, actin, calmodulin, cytokinesis, elongation factor 1 α (EF-1 α), *Numata, O., Kurasawa, Y., Gonda, K., and Watanabe, Y.*, 51
- , cytokinesis, F-actin bundling, fimbrin/plastin family, RACE, *Watanabe, A., Yonemura, I., Gonda, K., and Numata, O.*, 85
- thermostable enzyme, moderately thermophilic bacteria, monoacylglycerol lipase, N-terminal amino acid sequence, purification, *Imamura, S. and Kitaura, S.*, 419
- Thermus thermophilus* HB8, crystallization, DNA repair enzyme, MutM protein, oxidative DNA damage, X-ray diffraction, *Sugahara, M., Mikawa, T., Kato, R., Fukuyama, K., Kumasaka, T., Yamamoto, M., Inoue, Y., and Kuramitsu, S.*, 9
- thioredoxin/glutathione-dependent peroxidase, heparin binding, peroxidoredoxin IV, redox, secreted protein, *Okado-Matsumoto, A., Matsumoto, A., Fujii, J., and Taniguchi, N.*, 493
- thioredoxin reductase, KDRF, LC/ESI MS, selenium, selenocysteine, *Koishi, R., Nakamura, T., Takazawa, T., Yoshimura, C., and Serizawa, N.*, 977
- three-dimensional structure of protein, computer modeling, oxidative stress, oxidized protein, oxidized protein hydrolase, protein degradation, *Fujino, T., Kojima, M., Beppu, M., Kikugawa, K., Yasuda, H., and Takahashi, K.*, 1087
- trans*-o-hydroxybenzylidenepyruvate, aldolase, naphthalene, naphthalenesulfonate, *Sphingomonas*, *Ohmoto, T., Moriyoshi, K., Sakai, K., Hamada, N., and Ohe, T.*, 43
- transamination, cysteine desulfurase, NifS, pyridoxal enzyme, selenocysteine lyase, *Mihara, H., Kurihara, T., Yoshimura, T., and Esaki, N.*, 559
- transcription factor, nuclear receptor, VDR KO mice, vitamin D, vitamin D 1 α -hydroxylase, *Kato, S.*, 717
- transcriptional regulation, GATA-2, hematopoietic stem cell, nucleotide sequence, promoter, *Pan, X., Minegishi, N., Harigae, H., Yamagiwa, H., Minegishi, M., Akine, Y., and Yamamoto, M.*, 105
- , cis-elements, GATA6, heart, transgenic mice, *Sun-Wada, G.-H., Manabe, S., Yoshimizu, T., Yamaguchi, C., Oka, T., Wada, Y., and Futai, M.*, 703
- transgenic mice, cis-elements, GATA6, heart,

T (cont'd)

- transcriptional regulation, *Sun-Wada, G.-H., Manabe, S., Yoshimizu, T., Yamaguchi, C., Oka, T., Wada, Y., and Futai, M.*, 703
- transglutaminase, enzymic conjugate preparation, enzymic protein coupling, enzymic protein labeling, protein G-peroxidase conjugates, *Bechtold, U., Otterbach, J.T., Paster-nack, R., and Fuchsbaue, H.-L.*, 239
- transglycosylation, chimeric glycosaminoglycan, enzymatic reconstruction, hyaluronidase from *Streptococcus dysgalactiae*, testicular hyaluronidase, *Takagaki, K., Munakata, H., Majima, M., Kakizaki, I., and Endo, M.*, 695
- tRNA, cell-free protein synthesis, immobilized RNase A, ribosome, S30, *Kanda, T., Takai, K., Yokoyama, S., and Takaku, H.*, 37
- tropomyosin, cell-cell adhesion, cytoskeleton, GP125/CD98, monoclonal antibody, *Shishido, T., Ohkawa, M., Itoh, A., Enomoto, T., Hashimoto, Y., and Masuko, T.*, 253
- , α -helical coiled-coil, muscle thin filament, phosphorylation, polymerization, *Sano, K., Maeda, K., Oda, T., and Maeda, Y.*, 1095
- tropoin, ATPase, calcium sensitivity, heart, hypertrophy, *Harada, K., Takahashi-Yanaga, F., Minakami, R., Morimoto, S., and Ohtsuki, I.*, 263
- tropoin I, ATPase, familial hypertrophic cardiomyopathy, myofibrils, *Takahashi-Yanaga, F., Morimoto, S., and Ohtsuki, I.*, 355
- tryptophan fluorescence, activation, acylation, electropray mass spectrometry, phospholipase A₂, *Ahmed, T., Kelly, S.M., Price, N.C., and Lawrence, A.J.*, 871
- tryptophan hydroxylase, mast cell, proteasome, protein turnover, serotonin biosynthesis, *Kajima, M., Oguro, K., Sawabe, K., Iida, Y., Ikeda, R., Yamashita, A., Nakanishi, N., and Hasegawa, H.*, 121
- type 1 Cu, *Alcaligenes xylosoxidans*, copper protein, nitrite reductase, type 2 Cu, *Kataoka, K., Furusawa, H., Takagi, K., Yamaguchi, K., and Suzuki, S.*, 345
- type 2 Cu, *Alcaligenes xylosoxidans*, copper protein, nitrite reductase, type 1 Cu, *Kataoka, K., Furusawa, H., Takagi, K., Yamaguchi, K., and Suzuki, S.*, 345
- tyrosine phosphorylation, EGF, ErbB, neuregulin-2, NTAk, *Nakano, N., Higashiyama, S., Kajihara, K., Endo, T., Ishiguro, H., Yamada, K., Nagatsu, T., and Taniguchi, N.*, 925

U

- unfolded structure, ATP/Zn²⁺-dependent protease, chymotrypsin-like activity, FtsH, progressive degradation, *Asahara, Y., Atsuta, K., Motohashi, K., Taguchi, H., Yohda, M., and Yoshida, M.*, 931

- upstream protein kinase, Ca²⁺/calmodulin-dependent protein kinase (CaM-kinase), Ca²⁺/calmodulin-dependent protein kinase II (CaM-kinase II), protein kinase B (PKB), signal transduction, *Okuno, S., Kitani, T., Matsuzaki, H., Konishi, H., Kikkawa, U., and Fujisawa, H.*, 965
- urine, amniotic fluid, carbohydrate structure, CHO recombinant, prostaglandin D synthase, *Manya, H., Sato, Y., Eguchi, N., Seiki, K., Oda, H., Nakajima, H., Urade, Y., and Endo, T.*, 1001

V

- valency, colon carcinoma xenografts, pharmacokinetics, single-chain Fv, yeast, *Goel, A., Beresford, G.W., Colcher, D., Pavlinkova, G., Booth, B.J.M., Baranowska-Kortylewicz, J., and Batra, S.K.*, 829
- vascular endothelial cells, focal adhesion kinase, myosin light chain, Rho, sphingosine 1-phosphate, *Miura, Y., Yatomi, Y., Rile, G., Ohmori, T., Satoh, K., and Ozaki, Y.*, 909
- vascular invasion, CD164, colorectal carcinomas, metastasis, sialomucin, *Matsui, T., Kurosawa, N., Hibi, K., Akiyama, S., Kasai, Y., Sakamoto, J., Ito, K., Nakao, A., and Muramatsu, T.*, 1103
- VDR KO mice, nuclear receptor, vitamin D, vitamin D 1 α -hydroxylase, transcription factor, *Kato, S.*, 717
- VDRE, fructose-1,6-bisphosphatase, gluconeogenesis, nuclear receptor, RARE, *Fujisawa, K., Umehara, K., Kikawa, Y., Shigematsu, Y., Taketo, A., Mayumi, M., and Inuzuka, M.*, 373
- vesicular transport, cytochrome P450, yeast *Saccharomyces cerevisiae*, *Homma, K., Yoshida, Y., and Nakano, A.*, 747
- Vibrio, flagella, flagellin, morphogenesis, sheath, *Furuta, M., Sato, K., Kawagishi, I., and Homma, M.*, 29
- vitamin D, nuclear receptor, VDR KO mice, vitamin D 1 α -hydroxylase, transcription factor, *Kato, S.*, 717
- vitamin D 1 α -hydroxylase, nuclear receptor, VDR KO mice, vitamin D, transcription factor, *Kato, S.*, 717

W

- water-deficit, dehydrin, LEA protein, salt stress, *Zhang, L., Ohta, A., Takagi, M., and Imai, R.*, 611
- Western blot analysis, gene cloning, gene expression, Northern blot analysis, rat glia maturation factor- γ , *Tsuiki, H., Asai, K., Yamamoto, M., Fujita, K., Inoue, Y., Kawai, Y., Tada, T., Moriyama, A., Wada, Y., and Kato, T.*, 517
- Wilms tumor, genomic imprinting, IGF2, IGF2AS, imprinted genes, *Okutsu, T., Kuroiwa, Y., Kagitani, F., Kai, M., Aisaka, K.,*

- Tsutsumi, O., Kaneko, Y., Yokomori, K., Surani, M.A., Kohda, T., Kaneko-Ishino, T., and Ishino, F.*, 475
- wound healing, collagen gel, fibroblast, midkine, *Sumi, Y., Muramatsu, H., Hata, K., Ueda, M., and Muramatsu, T.*, 247

X

- X-ray analysis, crystal, immunoproteasomes, synchrotron radiation, *Tomisugi, Y., Unno, M., Mizushima, T., Morimoto, Y., Tanahashi, N., Tanaka, K., Tsukihara, T., and Yasuoka, N.*, 941
- X-ray crystal structure, cathepsin B, CA074, tertiary structure, substrate specificity, binding mode, *Yamamoto, A., Tomoa, K., Hara, T., Murata, M., Kitamura, K., and Ishida, T.*, 635
- X-ray crystallography, crystallization, CD38, ganglioside, maltose-binding protein, *Kukimoto, M., Nureki, O., Shirouzu, M., Katada, T., Hirabayashi, Y., Sugiyama, H., Furuyama, S., Yokoyama, S., and Hara-Yokoyama, M.*, 181
- , acarbose, CGTase, crystal structure, cyclodextrin glucanotransferase, *Ishii, N., Haga, K., Yamane, K., and Harata, K.*, 383
- X-ray diffraction, crystallization, DNA repair enzyme, MutM protein, oxidative DNA damage, *Thermus thermophilus* HB8, *Sugahara, M., Mikawa, T., Kato, R., Fukuyama, K., Kumasaka, T., Yamamoto, M., Inoue, Y., and Kuramitsu, S.*, 9
- xanthine dehydrogenase, electron paramagnetic resonance spectroscopy, iron-sulfur cluster, site-directed mutagenesis, xanthine oxidase, *Iwasaki, T., Okamoto, K., Nishino, T., Mizushima, J., Hori, H., and Nishino, T.*, 771
- xanthine oxidase, electron paramagnetic resonance spectroscopy, iron-sulfur cluster, site-directed mutagenesis, xanthine dehydrogenase, *Iwasaki, T., Okamoto, K., Nishino, T., Mizushima, J., Hori, H., and Nishino, T.*, 771

Y

- yeast, colon carcinoma xenografts, pharmacokinetics, single-chain Fv, valency, *Goel, A., Beresford, G.W., Colcher, D., Pavlinkova, G., Booth, B.J.M., Baranowska-Kortylewicz, J., and Batra, S.K.*, 829
- yeast *Saccharomyces cerevisiae*, cytochrome P450, vesicular transport, *Homma, K., Yoshida, Y., and Nakano, A.*, 747

Z

- Zn- α_2 -glycoprotein, arginase, growth inhibitor, hepatic stellate cells, *Kim, K.-Y., Choi, I., and Kim, S.-S.*, 23

THE JOURNAL OF BIOCHEMISTRY

EDITED FOR
THE JAPANESE BIOCHEMICAL SOCIETY
VOLUME 127, 2000

EDITORIAL BOARD

Editor-in-Chief
Koichi SUZUKI (Tokyo)

Editors

<i>Biochemistry (I)</i>	Toshisuke KAWASAKI (Kyoto)
<i>Biochemistry (II)</i>	Eiki KOMINAMI (Tokyo)
<i>Molecular Biology</i>	Yoshiaki FUJII-KURIYAMA (Sendai)
<i>Cell</i>	Toshiaki KATADA (Tokyo)
<i>Biotechnology</i>	Izumi KUMAGAI (Sendai)

Managing Editors

Toshiaki KATADA (Tokyo)	Tadaomi TAKENAWA (Tokyo)
-------------------------	--------------------------

Associate Editors

<i>Biochemistry (I)</i>	Katsura IZUI (Kyoto) Hisao KATO (Suita) Shuichi TSUJI (Hadano)	Hideo KANOH (Sapporo) Tadaomi TAKENAWA (Tokyo) Akihito YAMAGUCHI (Ibaraki)
<i>Biochemistry (II)</i>	Kuniyo INOUE (Kyoto) Masaru TANOKURA (Tokyo) Kenji YAMAMOTO (Fukuoka)	Taiji KATO (Nagoya) Tomofusa TSUCHIYA (Okayama)
<i>Molecular Biology</i>	Fumio HANAOKA (Suita) Motoya KATSUKI (Tokyo) Hiroyuki SASAKI (Mishima)	Kenshi HAYASHI (Fukuoka) Kunihiro MATSUMOTO (Nagoya) Masayuki YAMAMOTO (Tsukuba)
<i>Cell</i>	Tatsuya HAGA (Tokyo) Akihiko NAKANO (Wako) Kenji SOBUE (Suita)	Atsushi MIYAJIMA (Tokyo) Shigeo OHNO (Yokohama)
<i>Biotechnology</i>	Shinji IJIMA (Nagoya) Yasufumi KANEDA (Suita)	Masahiro IWAKURA (Tsukuba) Eiichi TAMIYA (Ishikawa)

Advisory Board

<i>Biochemistry (I)</i> Kurt DRICKAMER (Oxford) Yoshimi HOMMA (Fukushima) Kiyoshi KITA (Tokyo) Masatomo MAEDA (Suita) Takaaki NISHIOKA (Kyoto) Yukio SUGIURA (Uji) Tetsuro YAMAMOTO (Kumamoto) Shinji YOKOYAMA (Nagoya)	Kiyoshi FURUKAWA (Tokyo) Tatsuro IRIMURA (Tokyo) Hisatake KONDO (Sendai) Alfred H. MERRILL, Jr. (Atlanta) Fumihiko SATO (Kyoto) Koji SUZUKI (Tsu) Hirohei YAMAMURA (Kobe)	Saburo HARA (Kyoto) Makoto ITO (Fukuoka) Ta-Hsiu Liao (Taipei) Taeko MIYAGI (Natori) Kazuyuki SUGAHARA (Kobe) Dennis E. VANCE (Edmonton) Satoshi YAMASHITA (Maebashi)
---	---	---

Biochemistry (II)

Elinor T. ADMAN (Seattle)
Masaaki HIROSE (Uji)
Akio ITO (Fukuoka)
Ushio KIKKAWA (Kobe)
Kunihiro KUWAJIMA (Tokyo)
Norio MUTO (Shobara)
Noriaki TAKEGUCHI (Toyama)

Shoei FURUKAWA (Gifu)
Michio HOMMA (Nagoya)
Keiichi KAWANO (Toyama)
Takehiko KOIDE (Hyogo)
Peter MALONEY (Baltimore)
Hideaki NAGASE (London)
Koji YODA (Tokyo)

Seisuke HATTORI (Kodaira)
Tokuji IKEDA (Kyoto)
Seiichi KAWASHIMA (Tokyo)
Konosuke KUMAKURA (Tokyo)
Tomonari MURAMATSU (Tokyo)
Toru SHIMIZU (Sendai)
Tadashi YOSHIMOTO (Nagasaki)

Molecular Biology

Hiroyuki ARAKI (Mishima)
Akira HORII (Sendai)
Hidetoshi INOKO (Isehara)
Daisuke KITAMURA (Noda)
Ken-ichirou MOROHASHI (Okazaki)
Lorenz POELLINGER (Stockholm)
Takashi TODA (London)
Hideyo YASUDA (Hachioji)

James D. ENGEL (Evanston)
Nobumichi HOZUMI (Noda)
Tetsuro ISHII (Tsukuba)
Hisao MASAI (Tokyo)
Tsunehiro MUKAI (Saga)
Tomokazu SUZUKI (Itami)
Morimasa WADA (Fukuoka)
Yoshihiro YONEDA (Suita)

Akiyoshi FUKAMIZU (Tsukuba)
Toshinori IDE (Hiroshima)
Takeo KISHIMOTO (Yokohama)
Takeshi MIZUNO (Nagoya)
Yusaku NAKABEPPU (Fukuoka)
Shoji TAJIMA (Suita)
Masao YAMADA (Tokyo)

Cell

Toshiya ENDO (Nagoya)
Haruhiro HIGASHIDA (Kanazawa)
Kozo KAIBUCHI (Ikoma)
Eisuke MEKADA (Kurume)
Toru NAKANO (Suita)
Hiroshi OHNO (Kanazawa)
Mamoru SANO (Kyoto)
Mitsuo TAGAYA (Hachioji)

Yukio FUJIKI (Fukuoka)
Masaki INAGAKI (Nagoya)
Akira KIKUCHI (Hiroshima)
Takashi MURAMATSU (Nagoya)
Kazuhisa NAKAYAMA (Tsukuba)
Harumasa OKAMOTO (Tsukuba)
Hiroyuki SUGIYAMA (Fukuoka)
Takashi YOKOTA (Tokyo)

Yasuhisa FUKUI (Tokyo)
Makoto INUI (Ube)
Toshio KITAMURA (Tokyo)
Shigekazu NAGATA (Suita)
Masuo OBINATA (Sendai)
David SAFFEN (Tokyo)
Tetsuya TAGA (Tokyo)
Akihiko YOSHIMURA (Kurume)

Biotechnology

Yoshiharu DOI (Wako)
Patricia A. JENNINGS (San Diego)
Izumi KUBO (Hachioji)
Fumio MIZUTANI (Tsukuba)
Shigemi NORIOKA (Suita)
Kiyotaka SHIBA (Tokyo)
Toshifumi TAKEUCHI (Hiroshima)

Nobuyoshi ESAKI (Uji)
Makoto KIMURA (Fukuoka)
Isamu MATSUMOTO (Tokyo)
Teruyuki NAGAMUNE (Tokyo)
Takahiro OCHIYA (Tokyo)
Masayasu SUZUKI (Iizuka)
Norihito TSUKAGOSHI (Nagoya)

Shigehisa HIROSE (Yokohama)
Kazukiyo KOBAYASHI (Nagoya)
Kohnosuke MITANI (Los Angeles)
Satoshi NISHIKAWA (Tsukuba)
Teruo OKANO (Tokyo)
Yoshinobu TAKAKURA (Kyoto)

COPYRIGHT, 2000 © BY THE JAPANESE BIOCHEMICAL SOCIETY

PUBLISHED

BY

THE JAPANESE BIOCHEMICAL SOCIETY

CONTENTS OF VOLUME 127

No. 1, January 2000

	PAGE
JB Review	
Site-Directed Mutational Analysis of DnaA Protein, the Initiator of Chromosomal DNA Replication in <i>E. coli</i>	T. Mizushima 1
Rapid Communication	
Crystallization and Preliminary X-Ray Crystallographic Studies of <i>Thermus thermophilus</i> HB8 MutM Protein Involved in Repair of Oxidative DNA Damage	M. Sugahara, T. Mikawa, R. Kato, K. Fukuyama, T. Kumasaka, M. Yamamoto, Y. Inoue, and S. Kuramitsu 9
Regular Papers	
Ganglioside GT1b in Rat Brain Binds to p58, a Brain-Specific Sodium-Dependent Inorganic Phosphate Cotransporter: Expression Cloning with a Specific Monoclonal Antibody to Ganglioside GT1b-Binding Protein	M. Kotani, Y. Tajima, Y. Shimoda, A. Irie, H. Kubo, and T. Tai 13
Purification and Characterization of a Novel Inhibitor of the Proliferation of Hepatic Stellate Cells	K.-Y. Kim, I. Choi, and S.-S. Kim 23
Characterization of a Flagellar Sheath Component, PF60, and Its Structural Gene in Marine <i>Vibrio</i>	M. Furuno, K. Sato, I. Kawagishi, and M. Homma 29
An Easy Cell-Free Protein Synthesis System Dependent on the Addition of Crude <i>Escherichia coli</i> tRNA	T. Kanda, K. Takai, S. Yokoyama, and H. Takaku 37
Presence of Two <i>trans</i> -o-Hydroxybenzylidenepyruvate Hydratase-Aldolases in Naphthalenesulfonate-Assimilating <i>Sphingomonas paucimobilis</i> TA-2: Comparison of Some Properties	T. Ohmoto, K. Moriyoshi, K. Sakai, N. Hamada, and T. Ohe 43
<i>Tetrahymena</i> Elongation Factor-1 α Is Localized with Calmodulin in the Division Furrow	O. Numata, Y. Kurasawa, K. Gonda, and Y. Watanabe 51
Insulin Is a Dominant Suppressor of Sterol 12 α -Hydroxylase P450 (CYP8B) Expression in Rat Liver: Possible Role of Insulin in Circadian Rhythm of CYP8B	H. Ishida, C. Yamashita, Y. Kuruta, Y. Yoshida, and M. Noshiro 57
Characterization of the N-Oligosaccharides Attached to the Atypical Asn-X-Cys Sequence of Recombinant Human Epidermal Growth Factor Receptor	C. Sato, J.-H. Kim, Y. Abe, K. Saito, S. Yokoyama, and D. Kohda 65
Mice Lacking a CDK Inhibitor, p57 ^{Kip2} , Exhibit Skeletal Abnormalities and Growth Retardation	K. Takahashi, K. Nakayama, and K. Nakayama 73
Cloning and Sequencing of the Gene for a <i>Tetrahymena</i> Fimbrin-Like Protein	A. Watanabe, I. Yonemura, K. Gonda, and O. Numata 85
Purification and Characterization of a Novel Protamine Kinase in HL60 Cells	Y. Soh and M.W. Wooten 95
Identification of Human GATA-2 Gene Distal IS Exon and Its Expression in Hematopoietic Stem Cell Fractions	X. Pan, N. Minegishi, H. Harigae, H. Yamagiwa, M. Minegishi, Y. Akine, and M. Yamamoto 105
Nitric Oxide Underlines the Differentiation of PC12 Cells Induced by Depolarization with High KCl	H. Nakagawa, M. Yoshida, and S. Miyamoto 113

		PAGE
Rapid Turnover of Tryptophan Hydroxylase Is Driven by Proteasomes in RBL2H3 Cells, a Serotonin Producing Mast Cell Line	M. Kojima, K. Oguro, K. Sawabe, Y. Iida, R. Ikeda, A. Yamashita, N. Nakanishi, and H. Hasegawa	121
A Chimeric Lectin Formed from <i>Bauhinia purpurea</i> Lectin and <i>Lens culinaris</i> Lectin Recognizes a Unique Carbohydrate Structure	K. Yamamoto, Y. Konami, and T. Osawa	129
Cyborg Lectins: Novel Leguminous Lectins with Unique Specificities	K. Yamamoto, I.N. Maruyama, and T. Osawa	137
Cloning of Phosphatase I Gene from a Psychrophile, <i>Shewanella</i> sp., and Some Properties of the Recombinant Enzyme	H. Tsuruta and Y. Arizono	143
Expression of Functional M ₂ Muscarinic Acetylcholine Receptor in <i>Escherichia coli</i>	H. Furukawa and T. Haga	151
Identification of Key Residues in Rabbit Liver Microsomal Cytochrome P450 2B4: Importance in Interactions with NADPH-Cytochrome P450 Reductase	M. Lehnerer, J. Schulze, K. Achterhold, D.F.V. Lewis, and P. Hlavica	163

No. 2, February, 2000

JB Review

Essential Roles of Carbohydrate Signals in Development, Immune Response, and Tissue Functions, as Revealed by Gene Targeting	T. Muramatsu	171
--	--------------	-----

Rapid Communications

Concentration of mRNA for the Natriuretic Peptide Receptor-C in Hypertrophic Chondrocytes of the Fetal Mouse Tibia	Y. Yamashita, K. Takeshige, A. Inoue, S. Hirose, A. Takamori, and H. Hagiwara	177
Crystallization and Preliminary X-Ray Diffraction Analysis of the Extracellular Domain of the Cell Surface Antigen CD38 Complexed with Ganglioside	M. Kukimoto, O. Nureki, M. Shirouzu, T. Katada, Y. Hirabayashi, H. Sugiya, S. Furuyama, S. Yokoyama, and M. Hara-Yokoyama	181

Regular Papers

Macrophage Protein Kinase C: Its Role in Modulating Membrane Microviscosity and Superoxide in Leishmanial Infection	P. Chakraborty, D. Ghosh, and M.K. Basu	185
Influenza A Virus–Binding Activity of Glycoglycerolipids of Aquatic Bacteria	K. Nakata, C.-T. Guo, M. Matsufuji, A. Yoshimoto, M. Inagaki, R. Higuchi, and Y. Suzuki	191
Analysis of Conformational Changes at the Unique Loop Adjacent to the ATP Binding Site of Smooth Muscle Myosin Using a Fluorescent Probe	S. Maruta, J. Saitoh, and T. Asakura	199
Norepinephrine Stimulates Interleukin-6 mRNA Expression in Primary Cultured Rat Hepatocytes	B.D. Jung, K. Kimura, H. Kitamura, K. Makondo, K. Okita, M. Kawasaki, and M. Saito	205
Accumulation and Degradation in the Endoplasmic Reticulum of a Truncated ER-60 Devoid of C-Terminal Amino Acid Residues	R. Urade, M. Kusunose, T. Moriyama, T. Higasa, and M. Kito	211
Some Properties and the Possible Role of Intrinsic ATPase of Rat Liver 80S Ribosomes in Peptide Bond Elongation	K. Ogata, R. Ohno, K. Terao, K. Iwasaki, and Y. Endo	221
Role of Atf1 and Pap1 in the Introduction of the Catalase Gene of Fission Yeast <i>Schizosaccharomyces pombe</i>	C.W. Nakagawa, K. Yamada, and N. Mutoh	233

	PAGE
Enzymic Preparation of Protein G–Peroxidase Conjugates Catalysed by Transglutaminase	239
Midkine Enhances Early Stages of Collagen Gel Contraction	247
Colocalization of GP125/DC98 with Tropomyosin Isoforms at the Cell–Cell Adhesion Boundary	253
Functional Consequences of the Deletion Mutation Δ Glu160 in Human Cardiac Troponin T	263
Midkine Rescues Wilms' Tumor Cells from Cisplatin-Induced Apoptosis: Regulation of Bcl-2 Expression by Midkine	269
A Spectrophotometric Method for the Determination of Glycolate in Urine and Plasma with Glycolate Oxidase	279
Difference in Mechanism between Glyceraldehyde- and Glucose-Induced Insulin Secretion from Isolated Rat Pancreatic I	289
Caspases Cleave the Amino-Terminal Calpain Inhibitory Unit of Calpastatin during Apoptosis in Human Jurkat T Cells	297
Presence of Oxidized Protein Hydrolase in Human Cell Lines, Rat Tissues, and Human/Rat Plasma	307
Mechanistic Study of β -Xylosidase from <i>Trichoderma koningii</i> G-39	315
Purification of a 72-kDa Protein-Tyrosine Kinase from Rat Liver and Its Identification as Syk: Involvement of Syk in Signaling Events of Hepatocytes	321
Roles of Functional Loops and the C-Terminal Segment of a Single-Stranded DNA Binding Protein Elucidated by X-Ray Structure Analysis	329
Cocrystallization of a Mutant Aspartate Aminotransferase with a C5-Dicarboxylic Substrate Analog: Structural Comparison with the Enzyme–C4-Dicarboxylic Analog Complex	337
Functional Analysis of Conserved Aspartate and Histidine Residues Located around the Type 2 Copper Site of Copper-Containing Nitrite Reductase	345

No. 3, March, 2000

Rapid Communications

Refolding of Firefly Luciferase Immobilized on Agarose Beads	351
Effect of Arg145Gly Mutation in Human Cardiac Troponin I on the ATPase Activity of Cardiac Myofibrils	355

Regular Papers

Evidence That the <i>Aspergillus nidulans</i> Class I and Class II Chitin Synthase Genes, <i>chsC</i> and <i>chsA</i> , Share Critical Roles in Hyphal Wall Integrity and Conidiophore Development	359
--	-----

	PAGE
Synthesis of a New Cre Recombinase Gene Based on Optimal Codon Usage for Mammalian Systems	367
Identification of a Response Element for Vitamin D3 and Retinoic Acid in the Promoter Region of the Human Fructose-1,6-bisphosphatase Gene	373
Crystal Structure of Alkalophilic Asparagine 233-Replaced Cyclodextrin Glucanotransferase Complexed with an Inhibitor, Acarbose, at 2.0 Å Resolution	383
Nucleotide Sequence of Gene PBII Encoding Salivary Proline-Rich Protein P-B	393
Comparative Analysis of the Genomic Structures and Promoter Activity of Mouse Sia α 2,3Gal β 1,3GalNAc GalNAc α 2,6-Sialyltransferase Genes (ST6GalNAc III and IV): Characterization and Their Sp1 Binding Sites	399
Promotion of the Uptake of PS Liposomes and Apoptotic Cells by a Product of Growth Arrest-Specific Gene, <i>gas6</i>	411
Purification and Characterization of a Monoacylglycerol Lipase from the Moderately Thermophilic <i>Bacillus</i> sp. H-257	419
N-Glycans Protect Proteins from Protease Digestion through Their Binding Affinities for Aromatic Amino Acid Residues	427
Convenient and Efficient <i>In Vitro</i> Folding of Disulfide-Containing Globular Protein from Crude Bacterial Inclusion Bodies	435
Irreversible Extrusion of the First Loop Facing the Matrix of the Bovine Heart Mitochondrial ADP/ATP Carrier by Labeling the Cys ⁵⁶ Residue with the SH-Reagent Methyl Methanethiosulfonate	443
Suppression of Prostaglandin E ₂ -Mediated <i>c-fos</i> mRNA Induction by Interleukin-4 in Murine Macrophages	451
Bundle Formation of Smooth Muscle Desmin Intermediate Filaments by Calponin and Its Binding Site on the Desmin Molecule	457
Macrophomate Synthase: Characterization, Sequence, and Expression in <i>Escherichia coli</i> of the Novel Enzyme Catalyzing Unusual Multistep Transformation of 2-Pyrones to Benzoates	467
Expression and Imprinting Status of Human <i>PEG8/IGF2AS</i> , a Paternally Expressed Antisense Transcript from the <i>IGF2</i> Locus, in Wilms' Tumors	475
Development of a New Inhibitor of Glucosylceramide Synthase	485
Peroxiredoxin IV Is a Secretable Protein with Heparin-Binding Properties under Reduced Conditions	493
Nucleocytoplasmic Shuttling of the Aryl Hydrocarbon Receptor	503
Inhibition of the Production of Rat Cytokine-Induced Neutrophil Chemoattractant (CINC)-1, a Member of the Interleukin-8 Family, by Adenovirus-Mediated Overexpression of I κ B α	511
Cloning of a Rat Glia Maturation Factor- γ (rGMFG) cDNA and Expression of Its mRNA and Protein in Rat Organs	517

No. 4, April, 2000

JB Reviews

Expression of Cytokines in Bacterial and Viral Infections and Their Biochemical Aspects	J. Imanishi	525
Functional Domain-Assembly in Hairpin Ribozymes	Y. Komatsu, I. Kanzaki, M. Shirai, I. Kumagai, S. Yamashita, and E. Ohtsuka	531

Rapid Communication

The Iteron Regions Necessary for the RepE–Iteron Interaction <i>In Vivo</i> in Mini-F Plasmids of <i>Escherichia coli</i>	H. Uga, H. Komori, K. Miki, and C. Wada	537
---	---	-----

Regular Papers

Membrane Structure of the Hepatitis B Virus Surface Antigen Particle	O. Satoh, H. Imai, T. Yoneyama, T. Miyamura, H. Utsumi, K. Inoue, and M. Umeda	543
Energy-Yielding Properties of SoxB-Type Cytochrome <i>bo</i> ₃ Terminal Oxidase: Analyses Involving <i>Bacillus stearothermophilus</i> K1041 and Its Mutant Strains	N. Sone, S. Koyanagi, and J. Sakamoto	551
Kinetic and Mutational Studies of Three NifS Homologs from <i>Escherichia coli</i> : Mechanistic Difference between L-Cysteine Desulfurase and L-Selenocysteine Lyase Reactions	H. Mihara, T. Kurihara, T. Yoshimura, and N. Esaki	559
Purification and Characterization of a Membrane-Bound Sialidase from Pig Liver	T. Kobayashi, M. Ito, K. Ikeda, K. Tanaka, and M. Saito	569
Characterization of the Binding of Spike H Protein of Bacteriophage ϕ X174 with Receptor Lipopolysaccharides	M. Inagaki, A. Tanaka, R. Suzuki, H. Wakashima, T. Kawaura, S. Karita, S. Nishikawa, and N. Kashimura	577
Mutational Analysis of Tyrosine-191 in the Catalysis of <i>Cephalosporium acremonium</i> Isopenicillin N Synthase	P. Loke and T.-S. Sim	585
Effect of Human Granulocyte-Macrophage Colony Stimulating Factor (hGM-CSF) on Lymphoid and Myeloid Differentiation of Sorted Hematopoietic Stem Cells from hGM-CSF Receptor Gene Transgenic Mice	T. Okubo, N. Yanai, S. Watanabe, K. Arai, and M. Obinata	591
Glutathione as an Essential Factor for Chaperon-Mediated Activation of Lactonizing Lipase (LipL) from <i>Pseudomonas</i> sp. 109	J. Tanaka, T. Nihira, and Y. Yamada	597
A Chemometric Approach to the Estimation of the Absorption Spectra of Dye Probe Merocyanine 540 in Aqueous and Phospholipid Environments	C. Sato, J. Nakamura, and Y. Nakamaru	603
Expression of Plant Group 2 and Group 3 <i>lea</i> Genes in <i>Saccharomyces cerevisiae</i> Revealed Functional Divergence among LEA Proteins	L. Zhang, A. Ohta, M. Takagi, and R. Imai	611
Engineering Subtilisin E for Enhanced Stability and Activity in Polar Organic Solvents	H. Takagi, K. Hirai, Y. Maeda, H. Matsuzawa, and S. Nakamori	617
A New Approach to Gene Mutation Analysis Using “GFP-Display”	T. Aoki, R. Ami, H. Onagi, H. Fujino, and H. Watabe	627
Substrate Specificity of Bovine Cathepsin B and Its Inhibition by CA074, Based on Crystal Structure Refinement of the Complex	A. Yamamoto, K. Tomoo, T. Hara, M. Murata, K. Kitamura, and T. Ishida	635
Cell Surface Activities of the Human Type 2b Phosphatidic Acid Phosphatase	T. Ishikawa, M. Kai, I. Wada, and H. Kanoh	645

		PAGE
Inhibitory Effects of Flavonoids on Rabbit Heart Carbonyl Reductase	Y. Imamura, T. Migita, Y. Uriu, M. Otagiri, and T. Okawara	653
Functional Expression of Two Arabidopsis Aldehyde Oxidases in the Yeast <i>Pichia pastoris</i>	H. Koiwai, S. Akaba, M. Seo, T. Komano, and T. Koshihara	659
Mitochondrial Targeting Signal-Induced Conformational Change and Repression of the Peroxisomal Targeting Signal of the Precursor for Rat Liver Serine: Pyruvate/Alanine: Glyoxylate Aminotransferase	T. Oda, C. Uchida, and S. Miura	665
Functional Construction of the Anti-Mucin Core Protein (MUC1) Antibody MUSE11 Variable Regions in a Bacterial Expression System	R. Asano, S. Takemura, K. Tsumoto, N. Sakurai, A. Teramae, S. Ebara, Y. Katayose, M. Shinoda, M. Suzuki, K. Imai, S. Matsuno, T. Kudo, and I. Kumagai	673
NMR Analysis of Intra- and Inter-Molecular Stems in the Dimerization Initiation Site of the HIV-1 Genome	K. Takahashi, S. Baba, Y. Hayashi, Y. Koyanagi, N. Yamamoto, H. Takaku, and G. Kawai	681
Structures of Ovine Corticotropin-Releasing Factor and Its Ala32 Mutant as Studied by CD and NMR Techniques	K.-S. Ryu, B.-S. Choi, S.-W. Chi, S.-H. Kim, and H. Kim	687
Chimeric Glycosaminoglycan Oligosaccharides Synthesized by Enzymatic Reconstruction and Their Use in Substrate Specificity Determination of <i>Streptococcus</i> Hyaluronidase	K. Takagaki, H. Munakata, M. Majima, I. Kakizaki, and M. Endo	695
Upstream Regions Directing Heart-Specific Expression of the GATA6 Gene during Mouse Early Development	G.-H. Sun-Wada, S. Manabe, T. Yoshimizu, C. Yamaguchi, T. Oka, Y. Wada, and M. Futai	703

No. 5, May, 2000

JB Reviews

Mechanisms of <i>Igf2/H19</i> Imprinting: DNA Methylation, Chromatin and Long-Distance Gene Regulation	H. Sasaki, K. Ishihara, and R. Kato	711
The Function of Vitamin D Receptor in Vitamin D Action	S. Kato	717

Regular Papers

Rapid Determination of Parvalbumin Amino Acid Sequence from <i>Rana catesbeiana</i> (pI 4.78) by Combination of ESI Mass Spectrometry, Protein Sequencing, and Amino Acid Analysis	H. Taka, N. Kaga, T. Fujimura, R. Mineki, M. Imaizumi, Y. Suzuki, R. Suzuki, M. Tanokura, N. Shindo, and K. Murayama	723
High Resistance to Oxygen Radicals and Heat Is Caused by a Galactoglycerolipid in <i>Microbacterium</i> sp. M874	K. Nakata	731
Molecular Cloning of cDNA Encoding Two Subunits of Calcineurin from Scallop Testis: Demonstration of Stage-Specific Expression during Maturation of the Testis	M. Uryu, A. Nakatomi, M. Watanabe, R. Hatsuse, and M. Yazawa	739
Evidence for Recycling of Cytochrome P450 Sterol 14-Demethylase from the <i>cis</i> -Golgi Compartment to the Endoplasmic Reticulum (ER) upon Saturation of the ER-Retention Mechanism	K. Homma, Y. Yoshida, and A. Nakano	747
Isolation and Characterization of Pepsinogen from <i>Trimeresurus flavoviridis</i> (Habu Snake)	H. Yonezawa, T. Nonaka, T. Uchikoba, S. Hattori, M. Ohno, and M. Kaneda	755
New World Monkey Pepsinogens A and C, and Prochymosins. Purification, Characterization of Enzymatic Properties, cDNA Cloning, and Molecular Evolution	T. Kageyama	761

	PAGE
Sequence Motif-Specific Assignment of Two [2Fe-2S] Clusters in Rat Xanthine Oxidoreductase Studied by Site-Directed Mutagenesis	T. Iwasaki, K. Okamoto, T. Nishino, J. Mizushima, H. Hori, and T. Nishino 771
Polyketide Synthase Gene Coupled to the Peptide Synthetase Module Involved in the Biosynthesis of the Cyclic Heptapeptide Microcystin	T. Nishizawa, A. Ueda, M. Asayama, K. Fujii, K. Harada, K. Ochi, and M. Shirai 779
Distinctive Functions of Syk N-Terminal and C-Terminal SH2 Domains in the Signaling Cascade Elicited by Oxidative Stress in B Cells	J. Ding, T. Takano, P. Hermann, S. Gao, W. Han, C. Noda, S. Yanagi, and H. Yamamura 791
Enhanced Ability of Heparin-Carrying Polystyrene (HCPS) to Bind to Heparin-Binding Growth Factors and to Inhibit Growth Factor-Induced Endothelial Cell Growth	M. Ishihara, K. Ono, K. Ishikawa, H. Hattori, Y. Saito, H. Yura, T. Akaike, Y. Ozeki, S. Tanaka, H. Mochizuki, and A. Kurita 797
Structure of the Pig Sterol 14 α -Demethylase (CYP51) Gene and Its Expression in the Testis and Other Tissues	M. Kojima, T. Morozumi, A. Onishi, and T. Mitsuhashi 805
Rescuing Activity of Galactoglycerolipids from Cellular Lesions Induced by 5-Aminolevulinic Acid	K. Nakata 813
Membrane Enzyme Systems Responsible for the Ca ²⁺ -Dependent Phosphorylation of Ser ²⁷ , the Independent Phosphorylation of Tyr ¹⁰ and Tyr ⁷ , and the Dephosphorylation of These Phosphorylated Residues in the α -Chain of H/K-ATPase	M. Kanagawa, S. Watanabe, S. Kaya, K. Togawa, T. Imagawa, A. Shimada, K. Kikuchi, and K. Taniguchi 821
Divalent Forms of CC49 Single-Chain Antibody Constructs in <i>Pichia pastoris</i> : Expression, Purification, and Characterization	A. Goel, G.W. Beresford, D. Colcher, G. Pavlinkova, B.J.M. Booth, J. Baranowska-Kortylewicz, and S.K. Batra 829
Regulatory Role of C-Terminal Residues of Sula in Its Degradation by Lon Protease in <i>Escherichia coli</i>	Y. Ishii, S. Sonezaki, Y. Iwasaki, Y. Miyata, K. Akita, Y. Kato, and F. Amano 837
Molecular Cloning and Genomic Analysis of Mouse GalNAc α 2,6-Sialyltransferase (ST6GalNAc I)	N. Kurosawa, S. Takashima, M. Kono, Y. Ikehara, M. Inoue, Y. Tachida, H. Narimatsu, and S. Tsuji 845
Characterization of Three Putative Sub-Domains in the Signal-Input Domain of the ArcB Hybrid Sensor in <i>Escherichia coli</i>	A. Matsushika and T. Mizuno 855
Irreversible Conformational Change of Bacterio-opsin Induced by Binding of Retinal during Its Reconstitution to Bacteriorhodopsin, as Studied by ¹³ C NMR	. Yamaguchi, S. Tuzi, M. Tanio, A. Naito, J.K. Lanyi, R. Needleman, and H. Saitô 861
Activation of Phospholipase A ₂ by Long Chain Fatty Acyl Groups Involves a Novel Unstable Linkage	T. Ahmed, S.M. Kelly, N.C. Price, and A.J. Lawrence 871
Effect of Mutagenic Replacement of the Carboxyl Terminal Amino Acid, Val124, on the Properties and Regeneration of Bovine Pancreatic Ribonuclease A	T. Fujii, Y. Doi, H. Ueno, and R. Hayashi 877
IL-1 Induces Expression of p21 ^{WAF1} Independently of p53 in High-Passage Human Embryonic Fibroblasts WI38	Y. Osawa, M. Hachiya, S. Araki, T. Kusama, K. Matsushima, Y. Aoki, and M. Akashi 883
Characterization of Ribonuclease HIII from <i>Escherichia coli</i> Overproduced in a Soluble Form	N. Ohtani, M. Haruki, A. Muroya, M. Morikawa, and S. Kanaya 895
Identification and Characterization of an Anterior Fat Body Protein in an Insect	Y. Nakajima and S. Natori 901
Rho-Mediated Phosphorylation of Focal Adhesion Kinase and Myosin Light Chain in Human Endothelial Cells Stimulated with Sphingosine 1-Phosphate, a Bioactive Lysophospholipid Released from Activated Platelets	Y. Miura, Y. Yatomi, G. Rile, T. Ohmori, K. Satoh, and Y. Ozaki 909

	PAGE
Random Expression of Main and Vomeronasal Olfactory Receptor Genes in Immature and Mature Olfactory Epithelia of <i>Fugu rubripes</i>	M. Asano-Miyoshi, T. Suda, A. Yasuoka, S. Osima, S. Yamashita, K. Abe, and Y. Emori 915
NTAK α and β Isoforms Stimulate Breast Tumor Cell Growth by Means of Different Receptor Combinations	N. Nakano, S. Higashiyama, K. Kajihara, T. Endo, H. Ishiguro, K. Yamada, T. Nagatsu, and N. Taniguchi 925
FtsH Recognizes Proteins with Unfolded Structure and Hydrolyzes the Carboxyl Side of Hydrophobic Residues	Y. Asahara, K. Atsuta, K. Motohashi, H. Taguchi, M. Yohda, and M. Yoshida 931
Corrections and Additions	939

No. 6, June, 2000

Rapid Communication

New Crystal Forms and Low Resolution Structure Analysis of 20S Proteasomes from Bovine Liver	Y. Tomisugi, M. Unno, T. Mizushima, Y. Morimoto, N. Tanahashi, K. Tanaka, T. Tsukihara, and N. Yasuoka 941
--	--

Regular Papers

Backbone Dynamics of the c-Myb DNA-Binding Domain Complexed with a Specific DNA	M. Sasaki, K. Ogata, H. Hatanaka, and Y. Nishimura 945
Expression, Purification, and Characterization of Blasticidin S Deaminase (BSD) from <i>Aspergillus terreus</i> : The Role of Catalytic Zinc in Enzyme Structure	M. Kimura, S. Sekido, Y. Isogai, and I. Yamaguchi 955
Studies on the Phosphorylation of Protein Kinase B by Ca ²⁺ /Calmodulin-Dependent Protein Kinases	S. Okuno, T. Kitani, H. Matsuzaki, H. Konishi, U. Kikkawa, and H. Fujisawa 965
Role of Myeloperoxidase in the Neutrophil-Induced Oxidation of Low Density Lipoprotein as Studied by Myeloperoxidase-Knockout Mouse	N. Noguchi, K. Nakano, Y. Aratani, H. Koyama, T. Kodama, and E. Niki 971
Production of Functional Human Selenocysteine-Containing KDRF/Thioredoxin Reductase in <i>E. coli</i>	R. Koishi, T. Nakamura, T. Takazawa, C. Yoshimura, and N. Serizawa 977
Purification of a Low-Molecular-Weight Phospholipase A ₂ Associated with Soluble High-Molecular-Weight Acidic Proteins from Rabbit Nucleus Pulposus and Its Comparison with a Rabbit Splenic Group IIa Phospholipase A ₂	N. Tanaka, T. Ishida, S. Hukuda, and K. Horiike 985
Mutational Analysis of the Putative K ⁺ -Binding Site on the Fourth Transmembrane Segment of the Gastric H ⁺ , K ⁺ -ATPase	S. Asano, R. Furumoto, Y. Tega, S. Matsuda, and N. Takeguchi 993
Comparative Study of the Asparagine-Linked Sugar Chains of Human Lipocalin-Type Prostaglandin D Synthase Purified from Urine and Amniotic Fluid, and Recombinantly Expressed in Chinese Hamster Ovary Cells	H. Many, Y. Sato, N. Eguchi, K. Seiki, H. Oda, H. Nakajima, Y. Urade, and T. Endo 1001
Free N-Glycans Already Occur at an Early Stage of Seed Development	Y. Kimura and S. Matsuo 1013
Studies on the Specificity and Sensitivity of the Influenza C Virus Binding Assay for 9-O-Acetylated Sialic Acids and Its Application to Human Melanomas	U. Hubl, H. Ishida, M. Kiso, A. Hasegawa, and R. Schauer 1021
Purification, Characterization, and Primary Structure of a Novel Cell Wall Hydrolytic Amidase, CwhA, from <i>Achromobacter lyticus</i>	S. Li, S. Norioka, and F. Sakiyama 1033
Inhibitory Effects of 1,4-Naphthoquinone Derivatives on Rat Cytochrome P4501A1-Dependent Monooxygenase Activity in Recombinant Yeast Microsomes	K. Inouye, A. Saito, M. Orita, B. Tonomura, H. Imaishi, and H. Ohkawa 1041

		PAGE
Characterization of Human Liver Leukotriene B ₄ ω -Hydroxylase P450 (CYP4F2)	Y. Kikuta, E. Kusunose, and M. Kusunose	1047
¹⁹ F NMR Investigation of F ₁ -ATPase of <i>Escherichia coli</i> Using Fluorotryptophan Labeling	H.-W. Lee, J.H. Sohn, B.-I. Yeh, J.-W. Choi, S. Jung, and H.-W. Kim	1053
Affinity Selection of DNA-Binding Proteins Displayed on Bacteriophage λ	Y. Zhang, J.W. Pak, I.N. Maruyama, and M. Machida	1057
Cloning and Characterization of a Myosin from Characean Alga, the Fastest Motor Protein in the World	T. Kashiwayama, N. Kimura, T. Mimura, and K. Yamamoto	1065
Characterization of a Mutant Form of SecA That Alleviates a SecY Defect at Low Temperature and Shows a Synthetic Defect with SecY Alteration at High Temperature	H. Nakatogawa, H. Mori, G. Matsumoto, and K. Ito	1071
Enzymatic Removal of Oxidized Protein Aggregates from Erythrocyte Membranes	T. Fujino, K. Ando, M. Beppu, and K. Kikugawa	1081
Identification of the Cleavage Sites of Oxidized Protein That Are Susceptible to Oxidized Protein Hydrolase (OPH) in the Primary and Tertiary Structures of the Protein	T. Fujino, M. Kojima, M. Beppu, K. Kikugawa, H. Yasuda, and K. Takahashi	1087
The Effect of Single Residue Substitutions of Serine-283 on the Strength of Head-to-Tail Interaction and Actin Binding Properties of Rabbit Skeletal Muscle α -Tropomyosin	K. Sano, K. Maeda, T. Oda, and Y. Maeda	1095
The Ratio of Splicing Variants of MGC-24/CD164, a Sialomucin, Correlates with the Metastatic Potential of Colorectal Carcinomas	T. Matsui, N. Kurosawa, K. Hibi, S. Akiyama, Y. Kasai, J. Sakamoto, K. Ito, A. Nakao, and T. Muramatsu	1103
Characterization of Recombinant Human DNA Topoisomerase III α Activity Expressed in Yeast	N. Hotoda and R. Hanai	1109
Conformational Changes of Dynein: Mapping and Sequence Analysis of ATP/Vanadate-Dependent Trypsin-Sensitive Sites on the Outer Arm Dynein β Heavy Chain from Sea Urchin Sperm Flagella	K. Inaba	1115
Processing Pathway Deduced from the Structures of <i>N</i> -Glycans in <i>Carica papaya</i>	Y. Makino, A. Shimazaki, K. Omichi, S. Odani, and S. Hase	1121
Molecular Cloning and Characterization of SRAM, a Novel Insect Rel/Ankyrin-Family Protein Present in Nuclei	H. Shiraishi, A. Kobayashi, Y. Sakamoto, T. Nonaka, Y. Mitsui, N. Aozasa, T. Kubo, and S. Natori	1127

Biological Oxidation and Bioenergetics		
Mutational Analysis of the Putative K ⁺ -Binding Site on the Fourth Trans-membrane Segment of the Gastric H ⁺ ,K ⁺ -ATPase	S. Asano, R. Furumoto, Y. Tega, S. Matsuda, and N. Takeguchi	993
Characterization of Human Liver Leukotriene B ₄ ω-Hydroxylase P450 (CYP4F2)	Y. Kikuta, E. Kusunose, and M. Kusunose	1047
Reactive Oxygen and Nitrogen Species		
Role of Myeloperoxidase in the Neutrophil-Induced Oxidation of Low Density Lipoprotein as Studied by Myeloperoxidase-Knockout Mouse	N. Noguchi, K. Nakano, Y. Aratani, H. Koyama, T. Kodama, and E. Niki	971
Biochemistry in Cell Membranes		
Characterization of a Mutant Form of SecA That Alleviates a SecY Defect at Low Temperature and Shows a Synthetic Defect with SecY Alteration at High Temperature	H. Nakatogawa, H. Mori, G. Matsumoto, and K. Ito	1071
MOLECULAR BIOLOGY		
Molecular Biology General		
Backbone Dynamics of the c-Myb DNA-Binding Domain Complexed with a Specific DNA	M. Sasaki, K. Ogata, H. Hatanaka, and Y. Nishimura	945
Characterization of Recombinant Human DNA Topoisomerase IIIα Activity Expressed in Yeast	N. Hotoda and R. Hanai	1109
Regulation of Gene Expression		
Molecular Cloning and Characterization of SRAM, a Novel Insect Rel/Ankyrin-Family Protein Present in Nuclei	H. Shiraishi, A. Kobayashi, Y. Sakamoto, T. Nonaka, Y. Mitsui, N. Aozasa, T. Kubo, and S. Natori	1127
CELL		
Muscles, Cell Motility, and Cytoskeleton		
The Effect of Single Residue Substitutions of Serine-283 on the Strength of Head-to-Tail Interaction and Actin Binding Properties of Rabbit Skeletal Muscle α-Tropomyosin	K. Sano, K. Maeda, T. Oda, and Y. Maéda	1095
Conformational Changes of Dynein: Mapping and Sequence Analysis of ATP/Vanadate-Dependent Trypsin-Sensitive Sites on the Outer Arm Dynein β Heavy Chain from Sea Urchin Sperm Flagella	K. Inaba	1115
BIOTECHNOLOGY		
Biotechnology General		
Affinity Selection of DNA-Binding Proteins Displayed on Bacteriophage λ	Y. Zhang, J.W. Pak, I.N. Maruyama, and M. Machida	1057
Gene and Protein Engineering		
Production of Functional Human Selenocysteine-Containing KDRF/Thioredoxin Reductase in <i>E. coli</i>	R. Koishi, T. Nakamura, T. Takazawa, C. Yoshimura, and N. Serizawa	977

CONTENTS Rearranged According to Subject Categories, Vol. 127, No. 6

BIOCHEMISTRY

Biomolecular Structures

- ¹⁹F NMR Investigation of F₁-ATPase of *Escherichia coli* Using Fluorotryptophan Labeling H.-W. Lee, J.H. Sohn, B.-I. Yeh, J.-W. Choi, S. Jung, and H.-W. Kim 1053

Glycobiology and Carbohydrate Biochemistry

- Comparative Study of the Asparagine-Linked Sugar Chains of Human Lipocalin-Type Prostaglandin D Synthase Purified from Urine and Amniotic Fluid, and Recombinantly Expressed in Chinese Hamster Ovary Cells H. Manya, Y. Sato, N. Eguchi, K. Seiki, H. Oda, H. Nakajima, Y. Urade, and T. Endo 1001
- Free N-Glycans Already Occur at an Early Stage of Seed Development Y. Kimura and S. Matsuo 1013
- Studies on the Specificity and Sensitivity of the Influenza C Virus Binding Assay for 9-O-Acetylated Sialic Acids and Its Application to Human Melanomas U. Hubl, H. Ishida, M. Kiso, A. Hasegawa, and R. Schauer 1021
- The Ratio of Splicing Variants of MGC-24/CD164, a Sialomucin, Correlates with the Metastatic Potential of Colorectal Carcinomas T. Matsui, N. Kurosawa, K. Hibi, S. Akiyama, Y. Kasai, J. Sakamoto, K. Ito, A. Nakao, and T. Muramatsu 1103
- Processing Pathway Deduced from the Structures of N-Glycans in *Carica papaya* Y. Makino, A. Shimazaki, K. Omichi, S. Odani, and S. Hase 1121

Lipid Biochemistry

- Purification of a Low-Molecular-Weight Phospholipase A₂ Associated with Soluble High-Molecular-Weight Acidic Proteins from Rabbit Nucleus Pulposus and Its Comparison with a Rabbit Splenic Group IIa Phospholipase A₂ N. Tanaka, T. Ishida, S. Hukuda, and K. Horiike 985

Protein and Peptide Chemistry

- Purification, Characterization, and Primary Structure of a Novel Cell Wall Hydrolytic Amidase, CwhA, from *Achromobacter lyticus* S. Li, S. Norioka, and F. Sakiyama 1033
- New Crystal Forms and Low Resolution Structure Analysis of 20S Proteasomes from Bovine Liver *Rapid Communication* Y. Tomisugi, M. Unno, T. Mizushima, Y. Morimoto, N. Tanahashi, K. Tanaka, T. Tsukihara, and N. Yasuoka 941

Enzymology

- Expression, Purification; and Characterization of Blastocidin S Deaminase (BSD) from *Aspergillus terreus*: The Role of Catalytic Zinc in Enzyme Structure M. Kimura, S. Sekido, Y. Isogai, and I. Yamaguchi 955
- Studies on the Phosphorylation of Protein Kinase B by Ca²⁺/Calmodulin-Dependent Protein Kinases S. Okuno, T. Kitani, H. Matsuzaki, H. Konishi, U. Kikkawa, and H. Fujisawa 965
- Inhibitory Effects of 1,4-Naphthoquinone Derivatives on Rat Cytochrome P4501A1-Dependent Monooxygenase Activity in Recombinant Yeast Microsomes K. Inouye, A. Saito, M. Orita, B. Tonomura, H. Imaishi, and H. Ohkawa 1041
- Cloning and Characterization of a Myosin from Characean Alga, the Fastest Motor Protein in the World T. Kashiyama, N. Kimura, T. Mimura, and K. Yamamoto 1065

Biochemistry of Proteolysis

- Enzymatic Removal of Oxidized Protein Aggregates from Erythrocyte Membranes T. Fujino, K. Ando, M. Beppu, and K. Kikugawa 1081
- Identification of the Cleavage Sites of Oxidized Protein That Are Susceptible to Oxidized Protein Hydrolase (OPH) in the Primary and Tertiary Structures of the Protein T. Fujino, M. Kojima, M. Beppu, K. Kikugawa, H. Yasuda, and K. Takahashi 1087