

INDEX TO AUTHORS

A

- Abe, A. See *Yamane*, 827
 Abe, N. See *Kadowaki, Nakayama, Okamoto, Baba, Shi, Ratnayake, and Yamamoto*, 153
 —, Baba, A., Kadowaki, T., Okamoto, K., Okazaki, S., Asao, T., and Yamamoto, K. Design and Synthesis of Sensitive Fluorogenic Substrates Specific for Lys-Gingipain, 877
 Adachi, S. See *Hishiki, Shimada, Nagano, Egawa, Kanamori, Makino, Park, Shiro, and Ishimura*, 965
 Agata, N. See *Fujii, Narita, Agematu, and Isshiki*, 391, 975
 Agematu, H. See *Fujii, Narita, Agata, and Isshiki*, 391, 975
 Aihara, T. See *Maruta, Uyehara, Homma, Sugimoto, and Wakabayashi*, 687
 Aimoto, S. See *Suhara, Yoneyama, Iwamura, Yoshimura, Tamura, Namiki, and Fujita*, 301
 —. See *Kawakami, Toda, Akaji, Nishimura, Nakatsuji, Ueno, Sonobe, and Sonobe*, 455
 Akaji, K. See *Kawakami, Toda, Nishimura, Nakatsuji, Ueno, Sonobe, Sonobe, and Aimoto*, 455
 Albuquerque, F.C. See *Andrade, Moraes, Brígido, and Santos-Silva*, 891
 Andrade, E.V., Albuquerque, F.C., Moraes, L.M.P., Brígido, M.M., and Santos-Silva, M.A. Single-Chain Fv with Fc Fragment of the Human IgG1 Tag: Construction, *Pichia pastoris* Expression and Antigen Binding Characterization, 891
 Ångström, J. See *Teneberg and Berntsson*, 481
 —. See *Ciopraga, Bergström, Larsson, Karlsson, Motas, Gozia, and Teneberg*, 855
 Anwaruzzaman. See *Uemura, Shibata, Fujiwara, Higuchi, Kobayashi, Kai, and Yokota*, 591
 Aoki, K.H. See *Toyoda, Itai, Arakawa, and Yamaguchi*, 731
 Aoyama, Y. See *Yamashita, Kudo, Ishida, Noshiro, and Yoshida*, 93
 Arai, H. See *Ikemoto, Furuchi, and Inoue*, 251
 Arai, J. See *Kikuchi, Ichikawa, Tateiwa, Fu, Higuchi, and Yoshimura*, 811
 Arakawa, T. See *Wato, Kamei, Philo, Wen, Hara, and Yamaguchi*, 139
 —. See *Toyoda, Itai, Aoki, and Yamaguchi*, 731
 Araki, K. See *Yamaguchi, Takei, Ishii, Nagano, Ichikawa, Kumanishi, and Nawa*, 101
 Asai, K. See *Kodama, Takamatsu, Ogasawara, Sadaie, and Watabe*, 655
 Asami, Y., Nagano, H., Ikematsu, S., Murasugi, A. An Approach to the Removal of Yeast Specific O-Linked Oligo-Mannoses from Human Midkine Expressed in *Pichia pastoris* Using Site-Specific Mutagenesis, 823
 Asao, E. See *Suzuki, Nakamura, Nakamura, Ohnishi, and Fukuda*, 293
 Asao, T. See *Abe, Baba, Kadowaki, Okamoto, Okazaki, and Yamamoto*, 877
 Aubert, J.-P. See *Choudhury, Moniaux, Winpenny, Hollingsworth, and Batra*, 233

Ayabe, T., Park, S.K., Takenaka, H., Takenaka, O., Maruyama, H., Sumida, M., Onitsuka, T., and Hamada, M. The Steady-State Kinetics of the Enzyme Reaction Tested by Site-Directed Mutagenesis of Hydrophobic Residues (Val, Leu, and Cys) in the C-Terminal α -Helix of Human Adenylate Kinase, 181
 Azab, E. See *Ito, Inoue, Kabashima, Kanada, Huang, Ma, Azmi, and Yoshimoto*, 673
 Azmi, N. See *Ito, Inoue, Kabashima, Kanada, Huang, Ma, Azab, and Yoshimoto*, 673

B

- Baba, A. See *Kadowaki, Nakayama, Okamoto, Abe, Shi, Ratnayake, and Yamamoto*, 153
 —. See *Abe, Kadowaki, Okamoto, Okazaki, Asao, and Yamamoto*, 877
 Bae, K.S. See *Lee, Cho, Lee, Lee, and Maeng*, 1059
 Bao, J. See *Kishi and Kohama*, 719
 Barbieri, L., Valbonesi, P., Righi, F., Zuccheri, G., Monti, F., Gorini, P., Samori, B., and Stirpe, F. Polynucleotide:Adenosine Glycosidase Is the Sole Activity of Ribosome-Inactivating Proteins on DNA, 883
 Batra, S.K. See *Choudhury, Moniaux, Winpenny, Hollingsworth, and Aubert*, 233
 Bergström, J. See *Ciopraga, Ångström, Larsson, Karlsson, Motas, Gozia, and Teneberg*, 855
 Berntsson, A. See *Teneberg and Ångström*, 481
 Brígido, M.M. See *Andrade, Albuquerque, Moraes, and Santos-Silva*, 891
 Byun, S.M. See *Kim*, 449

C

- Champattanachai, V. See *Ketudat Cairns, Srivatsan, Wittman-Liebold, Thiede, and Svasti*, 999
 Chen, S. See *Kato, Kiyama, Ikeda, Kimura, Nakashima, and Taga*, 923
 Chen, Y.-L. See *Chung, Farh, and Shiuan*, 261
 Chi, P.-Y. See *Kim, Hwang, Stark, and Webster*, 49
 Chida, K. See *Xue, Zhao, Suda, Uchida, Oda, Ichiyama, and Nakamura*, 329
 Cho, S.P. See *Lee, Lee, Lee, Bae, and Maeng*, 1059
 Choudhury, A., Moniaux, N., Winpenny, J.P., Hollingsworth, M.A., Aubert, J.-P., and Batra, S.K. Human *MUC4* Mucin cDNA and Its Variants in Pancreatic Carcinoma, 233
 Chung, T.-L., Farh, L., Chen, Y.-L., and Shiuan, D. Molecular Cloning and Characterization of a Unique 60 kDa/72 kDa Antigen Gene Encoding Enzyme I of the Phosphoenolpyruvate: Sugar Phosphotransferase System (PTS) of *Mycoplasma hyopneumoniae*, 261
 Ciopraga, J., Ångström, J., Bergström, J., Larsson, T., Karlsson, N., Motas, C., Gozia, O., and Teneberg, S. Isolectins from *Solanum tuberosum* with Different Detailed Carbohydrate Binding Specificities: Unexpected Recognition of Lactosylceramide by *N*-Acetyl-lactosamine-Binding Lectins, 855

Cluzel, C., Lethias, C., Garrone, R., and Exposito, J.-Y. Production in Mammalian Cells of Chimeric Human/Sea Urchin Pro-collagen Molecules Displaying Distinct Versions of the Minor Triple Helix, 957

D

- Doi, T. See *Wakabayashi, Kageyama, Habu, Morita, Nozaki, Yamamoto, and Nishimune*, 1087
 Doi, Y. See *Kakinuma, Hatanaka, Fukushima, Nakaya, Maeda, Ooi, and Watabe*, 11
 Doi-Kawano, K. See *Kouzuma, Inanaga, Yamasaki, and Kimura*, 161
 Dunn, B.M. See *Oda, Ogasawara, and Oyama*, 499

E

- Egawa, T. See *Hishiki, Shimada, Nagano, Kanamori, Makino, Park, Adachi, Shiro, and Ishimura*, 965
 Endo, T. See *Kadota, Suzuki, Nakagami, and Izumi*, 941
 Endo, Y. See *Ogata, Ohno, and Terao*, 1
 —. See *Ogata, Ohno, Morishita, and Wada*, 309
 Esaki, N. See *Nakai, Mizutani, Miyahara, Hirotsu, Takeda, Jhee, and Yoshimura*, 29
 —. See *Motoshima, Inagaki, Kumasaka, Furuichi, Inoue, Tamura, Soda, Tanaka, Yamamoto, and Tanaka*, 349
 —. See *Jhee, Yoshimura, Miles, Takeda, Miyahara, Hirotsu, Soda, and Kawata*, 679
 Exposito, J.-Y. See *Cluzel, Lethias, and Garrone*, 957
 Ezaki, J., Takeda-Ezaki, M., and Kominami, E. Tripeptidyl Peptidase I, the Late Infantile Neuronal Ceroid Lipofuscinosis Gene Product, Initiates the Lysosomal Degradation of Subunit c of ATP Synthase, 509

F

- Farh, L. See *Chung, Chen, and Shiuan*, 261
 Farrell, D.H. See *Suehiro, Mizuguchi, Nishiyama, Iwanaga, and Ohtaki*, 705
 Fu, L. See *Kikuchi, Ichikawa, Arai, Tateiwa, Higuchi, and Yoshimura*, 811
 Fudemoto, T. See *Kamauchi, Miki, Inoue, and Kanazawa*, 629
 Fujihira, E. See *Kawabe and Yamaguchi*, 195
 Fujii, H. See *Odani, Namba, Ishii, and Ono*, 355
 Fujii, K., Urano, N., Ushio, H., Satomi, M., Iida, H., Ushio-Sata, N., and Kimura, S. Profile of a Nonylphenol-Degrading Microflora and Its Potential for Bioremedial Applications, 909
 Fujii, T., Narita, T., Agematu, H., Agata, N., and Isshiki, K. Characterization of L-Lysine 6-Aminotransferase and Its Structural Gene from *Flavobacterium lutescens* IFO3084, 391
 —, Narita, T., Agematu, H., Agata, N., and Isshiki, K. Cloning and Characterization of *pcd* Encoding Δ' -Piperideine-6-Carboxylate Dehydrogenase from *Flavobacterium lute-*

- F (cont'd)
- scens* IFO3084, 975
 Fujii, Y. See *Hao, Yang, Yamauchi, Suzuki, Kikuchi, Kaneda, and Nakamura*, 989
 Fujii-Taira, I., Tanaka, Y., Homma, K.J., and Natori, S. Hydrolysis and Synthesis of Substrate Proteins for Cathepsin L in the Brain Basement Membranes of *Sarcophaga* during Metamorphosis, 539
 Fujikura, K., Zhang, Y.-W., Yoshizaki, H., Nishino, T., and Koyama, T. Significance of Asn-77 and Trp-78 in the Catalytic Function of Undecaprenyl Diphosphate Synthase of *Micrococcus luteus* B-P 26, 917
 Fujimura, S., Oshikawa, K., Terada, S., and Kimoto, E. Primary Structure and Autoproteolysis of Brevilysin H6 from the Venom of *Gloydius halys brevicaudus*, 167
 Fujita, K. See *Itaya, Nagata, Shiroishi, and Tsuge*, 869
 Fujita Takashi. See *Suhara, Yoneyama, Iwamura, Yoshimura, Tamura, Namiki, and Aimoto*, 301
 Fujita, Tsugumi. See *Matsushima, Nose, and Shimohigashi*, 225
 Fujiwara, M. See *Uemura, Shibata, Anwaruzzaman, Higuchi, Kobayashi, Kai, and Yokota*, 591
 Fujiwara, T. See *Kobayashi, Kasano, Maeda, Hori, Motojima, Suzuki, Takahashi, Yabe, Tanaka, Kasahara, Yamaguchi, and Maeda*, 711
 Fukuda, M. and Mikoshiba, K. Calcium-Dependent and -Independent Hetero-Oligomerization in the Synaptotagmin Family, 637
 Fukuda, S. See *Suzuki, Asao, Nakamura, Nakamura, and Ohnishi*, 293
 Fukushima, H. See *Kakinuma, Hatanaka, Nakaya, Maeda, Doi, Ooi, and Watabe*, 11
 Fukuta, M. See *Okuda, Mita, Yamauchi, Matsubara, Yagi, Yamamori, Kuroiwa, Matsuda, and Habuchi*, 763
 Fukuta, Y. See *Murata-Hori, Fumoto, Iwasaki, Kikuchi, Tatsuka, and Hosoya*, 903
 Fukuzawa, R. See *Xin, Soejima, Higashimoto, Yatsuki, Zhu, Satoh, Masaki, Kaneko, Jinno, Hata, and Mukai*, 847
 Fumoto, K. See *Murata-Hori, Fukuta, Iwasaki, Kikuchi, Tatsuka, and Hosoya*, 903
 Furuchi, T. See *Ikemoto, Arai, and Inoue*, 251
 Furuchi, M. See *Motoshima, Inagaki, Kumakawa, Inoue, Tamura, Esaki, Soda, Tanaka, Yamamoto, and Tanaka*, 349
 Furukawa, T. See *Kunoh, Sakuno, Kaneko, and Harashima*, 575
 Futami, J., Tada, H., Seno, M., Ishikami, S., and Yamada, H. Stabilization of Human RNase 1 by Introduction of a Disulfide Bond between Residues 4 and 118, 245
 Futatsumori, M., Kasai, K., Takatsu, H., Shin, H.-W., and Nakayama, K. Identification and Characterization of Novel Isoforms of COP I Subunits, 793
- G
- García-Pelayo, M.C. See *Martínez-Cayuela, Linares, and García-Peregrín*, 545
 García-Peregrín, E. See *Martínez-Cayuela, García-Pelayo, and Linares*, 545
 Garrone, R. See *Cluzel, Lethias, and Exposito*, 957
 Gekko, K., Kamiyama, T., Ohmae, E., and Katayanagi, K. Single Amino Acid Substitutions in Flexible Loops Can Induce Large Compressibility Changes in Dihydrofolate Reductase, 21
 Gerard, C. See *Takaki, Iwata, Tsubuki, Taniguchi, Toyoshima, Lu, Gerard, Lee, Shirotan, and Saido*, 897
 Gerard, N.P. See *Takaki, Iwata, Tsubuki, Taniguchi, Toyoshima, Lu, Gerard, Lee, Shirotan, and Saido*, 897
 Gorini, P. See *Barbieri, Valbonesi, Righi, Zuccheri, Monti, Samorì, and Stirpe*, 883
 Goto, K. See *Oba, Yanase, Ichino, Takayanagi, and Nawata*, 517
 Gozia, O. See *Ciopraga, Ångström, Bergström, Larsson, Karlsson, Motas, and Teneberg*, 855
- H
- Habu, T. See *Wakabayashi, Kageyama, Doi, Morita, Nozaki, Yamamoto, and Nishimune*, 1087
 Habuchi, O. See *Okuda, Mita, Yamauchi, Matsubara, Yagi, Yamamori, Fukuta, Kuroiwa, and Matsuda*, 763
 Hamada, M. See *Ayabe, Park, Takenaka, Takenaka, Maruyama, Sumida, and Onitsuka*, 181
 Hamano, K. See *Nishigaki and Naimuddin*, 107
 Hamatake, M., Iguchi, K., Hirano, K., and Ishida, R. Zinc Induces Mixed Types of Cell Death, Necrosis, and Apoptosis, in Molt-4 Cells, 933
 Hansen, G. See *Hilpert, Wessner, Schneider Mergener, and Höhne*, 1051
 Hao, L.J., Yang, D., Fujii, Y., Yamauchi, A., Suzuki, N., Kikuchi, H., Kaneda, Y., and Nakamura, M. Phorbol Ester-Potentiated Liposomal Transfection to Monocytic PLB-985 Cells, 989
 Hara, A. See *Yamamoto, Nozaki, Shintani, Ishikura, and Katagiri*, 121
 Hara, Nobumasa, Terashima, M., Shimoyama, M., and Tsuchiya, M. Mouse T-Cell Antigen RT6.1 Has Thiol-Dependent NAD Glycohydrolase Activity, 601
 Hara, Nobuyuki. See *Makishima, Yoshimi, Koniyma, and Nishimoto*, 399
 Hara, S. See *Wato, Kamei, Arakawa, Philo, Wen, and Yamaguchi*, 139
 Harashima, S. See *Kunoh, Sakuno, Furukawa, and Kaneko*, 575
 Harata, M., Oma, Y., Tabuchi, T., Zhang, Y., Stillman, D.J., and Mizuno, S. Multiple Actin-Related Proteins of *Saccharomyces cerevisiae* Are Present in the Nucleus, 665
 Hase, S. See *Makino, Omichi, Kuraya, Ogawa, Nishimura, and Iwanaga*, 175
 Hasegawa, Y. Isolation of a cDNA Encoding the Motor Domain of Nonmuscle Myosin Which Is Specifically Expressed in the Mantle Pallial Cell Layer of Scallop (*Patinopecten yessoensis*), 983
 Hashimoto, T. See *Iwatsuki, Lu, Yamaguchi, and Ichikawa*, 553
 Hata, J. See *Xin, Soejima, Higashimoto, Yatsuki, Zhu, Satoh, Masaki, Kaneko, Jinno, Fukuzawa, and Mukai*, 847
 Hatanaka, A. See *Kakinuma, Fukushima, Nakaya, Maeda, Doi, Ooi, and Watabe*, 11
 Hattori, A., Kitatani, K., Matsumoto, H., Miyazawa, S., Rogi, T., Tsuruoka, N., Mizutani, S., Natori, Y., and Tsujimoto, M. Characterization of Recombinant Human Adipocyte-Derived Leucine Aminopeptidase Expressed in Chinese Hamster Ovary Cells, 755
 Hayashi, M. See *Inomata, Shumiya, Kawashima, and Ito*, 771
 Hayashi, Y. See *Kondo, Yamaoka, Honda, Miwa, Katashima, Moritani, Yoshimoto, and Itakura*, 57
 Higashimoto, K. See *Xin, Soejima, Yatsuki, Zhu, Satoh, Masaki, Kaneko, Jinno, Fukuzawa, Hata, and Mukai*, 847
 Higuchi, K. See *Kikuchi, Ichikawa, Arai, Tateiwa, Fu, and Yoshimura*, 811
 Higuchi, T. See *Uemura, Shibata, Anwaruzzaman, Fujiwara, Kobayashi, Kai, and Yokota*, 591
 Hikichi, K. See *Yoshida, Matsushima, Kumaki, and Nakata*, 271
 Hilpert, K., Hansen, G., Wessner, H., Schneider-Mergener, J., and Höhne, W. Characterizing and Optimizing Protease/Peptide Inhibitor Interactions, a New Application for Spot Synthesis, 1051
 Himeno, M. See *Tanaka, Tanaka, Kawabata, and Noguchi*, 39
 Hirabayashi, J. See *Satoh, Miwa, Kojima, and Matsumoto*, 377
 Hirai, K. See *Takagi, Wada, and Nakamori*, 585
 Hirano, K. See *Hamatake, Iguchi, and Ishida*, 933
 Hirotsu, K. See *Nakai, Mizutani, Miyahara, Takeda, Jhee, Yoshimura, and Esaki*, 29
 —. See *Mizutani, Miyahara, Nishina, Shiga, Setoyama, and Miura*, 73
 —. See *Jhee, Yoshimura, Miles, Takeda, Miyahara, Soda, Kawata, and Esaki*, 679
 Hishiki, T., Shimada, H., Nagano, S., Egawa, T., Kanamori, Y., Makino, R., Park, S.-Y., Adachi, S., Shiro, Y., and Ishimura, Y. X-Ray Crystal Structure and Catalytic Properties of Thr252Ile Mutant of Cytochrome P450cam: Roles of Thr252 and Water in the Active Center, 965
 Hitomi, K. See *Takano, Watanabe, and Maki*, 83
 Höhne, W. See *Hilpert, Hansen, Wessner, and Schneider-Mergener*, 1051
 Hollingsworth, M.A. See *Choudhury, Moniaux, Winpenny, Aubert, and Batra*, 233
 Homma, K. See *Maruta, Aihara, Uyehara, Sugimoto, and Wakabayashi*, 687
 —. See *Maruta*, 695
 Homma, K.J. See *Fujii-Taira, Tanaka, and Natori*, 539
 Honda, A. See *Sakaihara, Tateyama, and Sagami*, 1073
 Honda, S. See *Kondo, Yamaoka, Miwa, Katashima, Moritani, Yoshimoto, Hayashi, and Itakura*, 57
 Hori, M. See *Yoshimoto, Ozaki, and Karaki*, 1045
 Hori, S. See *Kobayashi, Kasano, Maeda, Motojima, Suzuki, Fujiwara, Takahashi, Yabe, Tanaka, Kasahara, Yamaguchi, and Maeda*, 711
 Horikoshi, K. See *Kaneko and Obuchi*, 727
 Hosoya, H. See *Suzu, Ueda, Iwasaki, and Murata-Hori*, 435

- H (cont'd)
- . See *Murata-Hori, Fumoto, Fukuta, Iwasaki, Kikuchi, and Tatsuka*, 903
 - Hsieh, M. See *Lin, Li, Li, Pearson, Pollard, and Li*, 493
 - Huang, H.-S., Ito, K., Kabashima, T., and Yoshimoto, T. Glutamate 83 Is Important for Stabilization of Domain-Domain Conformation of *Thermus aquaticus* Glycerol Kinase, 207
 - . See *Ito, Inoue, Kabashima, Kanada, Ma, Azmi, Azab, and Yoshimoto*, 673
 - Hwang, K.-W. See *Kim, Chi, Stark, and Webster*, 49
- I
- Ichihara, K. See *Imai, Matsunaga, and Kusunose*, 189
 - Ichikawa, M. See *Kikuchi, Arai, Tateiwa, Fu, Higuchi, and Yoshimura*, 811
 - Ichikawa, N. See *Iwatsuki, Lu, Yamaguchi, and Hashimoto*, 553
 - Ichikawa, T. See *Yamaguchi, Takei, Araki, Ishii, Nagano, Kumanishi, and Nawata*, 101
 - Ichino, I. See *Oba, Yanase, Goto, Takayanagi, and Nawata*, 517
 - Ichiyama, A. See *Xue, Zhao, Suda, Uchida, Oda, Chida, and Nakamura*, 329
 - Igi, K. See *Taguchi, Nishihama, Ito, Taira, Motoki, and Momose*, 415
 - Iguchi, K. See *Hamatake, Hirano, and Ishida*, 933
 - Ihara, H. See *Ikeda, Koyota, Yamaguchi, Korekane, Tsuda, Sasai, and Taniguchi*, 609
 - Iida, H. See *Fujii, Urano, Ushio, Satomi, Ushio-Sata, and Kimura*, 909
 - Ikeda, K. See *Kato, Chen, Kiyama, Kimura, Nakashima, and Toga*, 923
 - Ikeda, Y., Toyota, S., Ihara, H., Yamaguchi, Y., Korekane, H., Tsuda, T., Sasai, K., and Taniguchi, N. Kinetic Basis for the Donor Nucleotide-Sugar Specificity of β 1,4-N-Acetylglucosaminyltransferase III, 609
 - Ikematsu, S. See *Asami, Nagano, Murasugi*, 823
 - Ikemoto, M., Furuchi, T., Arai, H., and Inoue, K. Dual Pathways for the Secretion of Lysosomal Cholesterol into a Medium from Cultured Macrophages, 251
 - Imai, Y., Matsunaga, I., Kusunose, E., and Ichihara, K. Unique Heme Environment at the Putative Distal Region of Hydrogen Peroxide-Dependent Fatty Acid α -Hydroxylase from *Sphingomonas paucimobilis* (Peroxxygenase P450_{SPB}), 189
 - Imajo, S. See *Ohtsuka, Ishiguro, Nakatani, Oka, and Kawasaki*, 283
 - Inagaki, K. See *Motoshima, Kumasaka, Furuchi, Inoue, Tamura, Esaki, Soda, Tanaka, Yamamoto, and Tanaka*, 349
 - Inanaga, H. See *Kouzuma, Doi-Kawano, Yamasaki, and Kimura*, 161
 - Inano, K., Suetake, I., Ueda, T., Miyake, Y., Nakamura, M., Okada, M., and Tajima, S. Maintenance-Type DNA Methyltransferase Is Highly Expressed in Post-Mitotic Neurons and Localized in the Cytoplasmic Compartment, 315
 - Inaoka, T. See *Uchiyama, Ohkuma-Soyejima, Togame, Shibanaka, Yoshimoto, and Kubo*, 441
 - Inomata, M., Hayashi, M., Shumiya, S., Kawashima, S., and Ito, Y. Aminoguanidine-Treatment Results in the Inhibition of Lens Opacification and Calpain-Mediated Proteolysis in Shumiya Cataract Rats (SCR), 771
 - Inoue, A. See *Ojima, Koizumi, Ueyama, and Nishita*, 803
 - Inoue, Hiroki. See *Kamauchi, Fudemoto, Miki, and Kanazawa*, 629
 - Inoue, Hiroyuki. See *Motoshima, Inagaki, Kumasaka, Furuchi, Tamura, Esaki, Soda, Tanaka, Yamamoto, and Tanaka*, 349
 - Inoue, K. See *Ikemoto, Furuchi, and Arai*, 251
 - Inoue, M. See *Takashima, Kono, Kurosawa, Yoshida, Tachida, Kanematsu, and Tsuji*, 1033
 - Inoue, T. See *Ito, Kabashima, Kanada, Huang, Ma, Azmi, Azab, and Yoshimoto*, 673
 - Inouye, K., Tanaka, H., and Oneda, H. States of Tryptophyl Residues and Stability of Recombinant Human Matrix Metalloproteinase 7 (Matrilysin) as Examined by Fluorescence, 363
 - . See *Oneda*, 785
 - Inuzuka, K. See *Itoh, Kohno, Wada, Shiku, Ohkura, and Kato*, 1017
 - Isa, S. See *Takeuchi, Nakamura, Kayasuga, and Sato*, 1025
 - Isaji, T. See *Ishida, Shirai, Matsuda, Kato, Ohno, and Yamane*, 561
 - Ishida, Hirokazu, Shirai, T., Matsuda, Y., Kato, Y., Ohno, M., Isaji, T., and Yamane, T. EmPLiCS: An Empirical Approach for Structure-Based Design of Natural Peptide Drugs, 561
 - Ishida, Hiroko. See *Yamashita, Kudo, Noshiro, Aoyama, and Yoshida*, 93
 - Ishida, R. See *Hamatake, Iguchi, and Hirano*, 933
 - Ishiguro, M. See *Ohtsuka, Imajo, Nakatani, Oka, and Kawasaki*, 283
 - Ishihama, A. See *Otomo, Yamazaki, Murakami, and Kyogoku*, 337
 - Ishii, A. See *Odani, Namba, Ono, and Fujii*, 355
 - Ishii, K. See *Yamaguchi, Takei, Araki, Nagano, Ichikawa, Kumanishi, and Nawata*, 101
 - Ishikami, S. See *Futami, Tada, Seno, and Yamada*, 245
 - Ishikura, S. See *Yamamoto, Nozaki, Shintani, Katagiri, and Hara*, 121
 - Ishimura, Y. See *Hishiki, Shimada, Nagano, Egawa, Kanamori, Makino, Park, Adachi, and Shiro*, 965
 - Isshiki, K. See *Fujii, Narita, Agematu, and Agata*, 391, 975
 - Itai, T. See *Toyoda, Arakawa, Aoki, and Yamaguchi*, 731
 - Itakura, M. See *Kondo, Yamaoka, Honda, Miwa, Katashima, Moritani, Yoshimoto, and Hayashi*, 57
 - Itaya, M., Nagata, T., Shiroishi, T., Fujita, K., and Tsuge, K. Efficient Cloning and Engineering of Giant DNAs in a Novel *Bacillus subtilis* Genome Vector, 869
 - Ito, J. See *Zhang, Kato, and Yokoyama*, 837
 - Ito, Kiyoshi. See *Huang, Kabashima, and Yoshimoto*, 207
 - , Inoue, T., Kabashima, T., Kanada, N., Huang, H.-S., Ma, X., Azmi, N., Azab, E., and Yoshimoto, T. Substrate Recognition Mechanism of Prolyl Aminopeptidase from *Serratia marcescens*, 673
 - Ito, Kotaro. See *Taguchi, Nishihama, Igi, Taira, Motoki, and Momose*, 415
 - Ito, M. See *Sakaguchi, Okina, Sueyoshi, and Izu*, 145
 - Ito, Y. See *Inomata, Hayashi, Shumiya, and Kawashima*, 771
 - Itoh, Y., Inuzuka, K., Kohno, I., Wada, H., Shiku, H., Ohkura, N., and Kato, H. Highly Increased Plasma Concentrations of the Nicked Form of β_2 Glycoprotein I in Patients with Leukemia and with Lupus Anticoagulant: Measurement with a Monoclonal Antibody Specific for a Nicked Form of Domain V, 1017
 - Iwamatsu, A. See *Mitsumoto, Kim, Oshima, Kunimoto Okawa, and Nakagawa*, 647
 - Iwamura, T. See *Suhara, Yoneyama, Yoshi-mura, Tamura, Namiki, Aimoto, and Fujita*, 301
 - Iwanaga, S. See *Makino, Omichi, Kuraya, Ogawa, Nishimura, and Hase*, 175
 - . See *Suehiro, Mizuguchi, Nishiyama, Farrell, and Ohtaki*, 705
 - Iwasaki, S., Kataoka, M., Sekiguchi, M., Shimazaki, Y., Sato, K., and Takahashi, M. Two Distinct Mechanisms Underlie the Stimulation of Neurotransmitter Release by Phorbol Esters in Clonal Rat Pheochromocytoma PC12 Cells, 407
 - Iwasaki, T. See *Suzu, Ueda, Murata-Hori, and Hosoya*, 435
 - . See *Murata-Hori, Fumoto, Fukuta, Kiku-chi, Tatsuka, and Hosoya*, 903
 - Iwata, N. See *Takaki, Tsubuki, Taniguchi, Toyoshima, Lu, Gerard, Gerard, Lee, Shiro-tani, and Saido*, 897
 - Iwatsuki, H., Lu, Y.-M., Yamaguchi, K., Ichikawa, N., and Hashimoto, T. Binding of an Intrinsic ATPase Inhibitor to the F₁F₀ATPase in Phosphorylating Conditions of Yeast Mitochondria, 553
 - Izu, H. See *Sakaguchi, Okina, Sueyoshi, and Ito*, 145
 - Izumi, T. See *Kadota, Suzuki, Nakagami, and Endo*, 941
- J
- Jhee, K.-H. See *Nakai, Mizutani, Miyahara, Hirotsu, Takeda, Yoshimura, and Esaki*, 29
 - , Yoshimura, T., Miles, E.W., Takeda, S., Miyahara, I., Hirotsu, K., Soda, K., Kawata, Y., and Esaki, N. Stereochemistry of the Transamination Reaction Catalyzed by Aminodeoxychorismate Lyase from *Escherichia coli*: Close Relationship between Fold Type and Stereochemistry, 679
 - Jing, G. See *Yin*, 113
 - . See *Li*, 739
 - Jinno, Y. See *Xin, Soejima, Higashimoto, Ya-tsuki, Zhu, Satoh, Masaki, Kaneko, Fukuzawa, Hata, and Mukai*, 847
- K
- Kabashima, T. See *Huang, Ito, and Yoshimoto*, 207
 - . See *Ito, Inoue, Kanada, Huang, Ma, Azmi, Azab, and Yoshimoto*, 673
 - Kadota, N., Suzuki, A., Nakagami, Y., Izumi, T., and Endo, T. Endogenous Meltrin α Is Ubiquitously Expressed and Associated

K (cont'd)

with the Plasma Membrane but Exogenous Meltrin α Is Retained in the Endoplasmic Reticulum, 941

Kadowaki, T., Nakayama, K., Okamoto, K., Abe, N., Baba, A., Shi, Y., Ratnayake, D.B., and Yamamoto, K. *Porphyromonas gingivalis* Proteinases as Virulence Determinants in Progression of Periodontal Diseases, 153

—. See *Abe, Baba, Okamoto, Okazaki, Asao, and Yamamoto*, 877

Kageyama, R. See *Wakabayashi, Habu, Doi, Morita, Nozaki, Yamamoto, and Nishimune*, 1087

Kai, Y. See *Uemura, Shibata, Anwaruzzaman, Fujiwara, Higuchi, Kobayashi, and Yokota*, 591

Kakinuma, M., Hatanaka, A., Fukushima, H., Nakaya, M., Maeda, K., Doi, Y., Ooi, T., and Watabe, S. Differential Scanning Calorimetry of Light Meromyosin Fragments Having Various Lengths of Carp Fast Skeletal Muscle Isoforms, 11

Kamauchi, S., Fudemoto, T., Miki, J., Inoue, H., and Kanazawa, H. Monoclonal Antibodies Recognizing Surface Residues of the β Subunit of *Escherichia coli* F₁ ATPase: Functional Importance of the Epitope Residues, 629

Kamei, K. See *Wato, Arakawa, Philo, Wen, Hara, and Yamaguchi*, 139

Kamiyama, T. See *Gekko, Ohmae, and Katayanagi*, 21

Kanada, N. See *Ito, Inoue, Kabashima, Huang, Ma, Azmi, Azab, and Yoshimoto*, 673

Kanamori, Y. See *Hishiki, Shimada, Nagano, Egawa, Makino, Park, Adachi, Shiro, and Ishimura*, 965

Kanazawa, H. See *Kamauchi, Fudemoto, Miki, and Inoue*, 629

Kaneda, S., Yura, T., and Yanagi, H. Production of Three Distinct mRNAs of 150 kDa Oxygen-Regulated Protein (ORP150) by Alternative Promoters: Preferential Induction of One Species under Stress Conditions, 529

Kaneda, Y. See *Hao, Yang, Fujii, Yamauchi, Suzuki, Kikuchi, and Nakamura*, 989

Kaneko, H., Obuchi, K., and Horikoshi, K. Differential Scanning Calorimetry Study on the Inner Membrane Lipids Prepared from Barotolerant *Pseudomonas* sp. BT1, 727

Kaneko, Yasuhiko. See *Xin, Soejima, Higashimoto, Yatsuki, Zhu, Satoh, Masaki, Jinno, Fukuzawa, Hata, and Mukai*, 847

Kaneko, Yoshinobu. See *Kunoh, Sakuno, Furukawa, and Harashima*, 575

Kanematsu, T. See *Takashima, Kono, Kurokawa, Yoshida, Tachida, Inoue, and Tsuji*, 1033

Karaki, H. See *Yoshimoto, Hori, and Ozaki*, 1045

Karlsson, N. See *Ciopraga, Ångström, Bergström, Larsson, Motas, Gozia, and Töneberg*, 856

Kasahara, M. See *Kobayashi, Kasano, Maeda, Hori, Motojima, Suzuki, Fujiwara, Takahashi, Yabe, Tanaka, Yamaguchi, and Maeda*, 711

Kasai, K. See *Futatsumori, Takatsu, Shin, and Nakayama*, 793

Kasano, M. See *Kobayashi, Maeda, Hori, Motojima, Suzuki, Fujiwara, Takahashi, Yabe, Tanaka, Kasahara, Yamaguchi, and Maeda*, 711

Katagiri, Y. See *Yamamoto, Nozaki, Shintani, Ishikura, and Hara*, 121

Kataoka, M. See *Iwasaki, Sekiguchi, Shimazaki, Sato, and Takahashi*, 407

Katashima, R. See *Kondo, Yamaoka, Honda, Miwa, Moritani, Yoshimoto, Hayashi, and Itakura*, 57

Katayanagi, K. See *Gekko, Kamiyama, and Ohmae*, 21

Kato, Hiroaki., Chen, S., Kiyama, H., Ikeda, K., Kimura, N., Nakashima, K., and Taga, T. Identification of a Novel WD Repeat-Containing Gene Predominantly Expressed in Developing and Regenerating Neurons, 923

Kato, Hisao. See *Itoh, Inuzuka, Kohno, Wada, Shiku, and Ohkura*, 1017

Kato, T. See *Zhang, Ito, and Yokoyama*, 837

Kato, Y. See *Ishida, Shirai, Matsuda, Ohno, Isaji, and Yamane*, 561

Kawabata, T. See *Tanaka, Tanaka, Noguchi, and Himeno*, 39

Kawabe, T., Fujihira, E., and Yamaguchi, A. Molecular Construction of a Multidrug Exporter System, AcrAB: Molecular Interaction between AcrA and AcrB, and Cleavage of the N-Terminal Signal Sequence of AcrA, 195

Kawakami, T., Toda, C., Akaji, K., Nishimura, T., Nakatsuji, T., Ueno, K., Sonobe, M., Sonobe, H., and Aimoto, S. Synthesis of a Molt-Inhibiting Hormone of the American Crayfish, *Procambarus clarkii*, and Determination of the Location of Its Disulfide Linkages, 455

Kawakita, M. See *Segawa, Yamashita, and Taira*, 65

Kawamura, Y. See *Takahashi, Kumagai, Shindo, and Saito*, 951

Kawasaki, T. See *Ohtsubo, Imajo, Ishiguro, Nakatani, and Oka*, 283

Kawashima, S. See *Inomata, Hayashi, Shumiya, and Ito*, 771

Kawata, Y. See *Jhee, Yoshimura, Miles, Takeida, Miyahara, Hirotsu, Soda, and Esaki*, 679

Kayasuga, A. See *Takeuchi, Nakamura, Isa, and Sato*, 1025

Ketudat Cairns, J.R., Champattanachai, V., Srisomsap, C., Wittman-Liebold, B., Thiede, B., and Svasti, J. Sequence and Expression of Thai Rosewood β -Glucosidase/ β -Fucosidase, a Family 1 Glycosyl Hydrolase Glycoprotein, 999

Kikuchi, A. See *Murata-Hori, Fumoto, Fukuta, Iwasaki, Tatsuka, and Hosoya*, 903

Kikuchi, H. See *Hao, Yang, Fujii, Yamauchi, Suzuki, Kaneda, and Nakamura*, 989

Kikuchi, T., Ichikawa, M., Arai, J., Tateiwa, H., Fu, L., Higuchi, K., and Yoshimura, N. Molecular Cloning and Characterization of a New Neuron-Specific Homologue of Rat Polypyrimidine Tract Binding Protein, 811

Kikuchi, Y. See *Takahashi, Mizoi, and Tb-h-e*, 723

Kim, B.-T., Kim, W.-S., Kim, Y.S., Linhardt, R.J., and Kim, D.-H. Purification and Characterization of a Novel Heparinase from *Bacteroides stercoris* HJ-15, 323

Kim, D.-H. See *Kim, Kim, Kim, and Linhardt*, 323

Kim, K.-J., Chi, P.-Y., Hwang, K.-W., Stark, B.C., and Webster, D.A. Study of Cytochrome *bo* Function in *Vitreoscilla* Using a *cyo*-Knockout Mutant, 49

Kim, K.-R. See *Mitsumoto, Oshima, Kunimoto, Okawa, Iwamatsu, and Nakagawa*, 647

Kim, S.T. and Byun, S.M. Modulation of the Peptide-Binding Specificity of a Single-Chain Class II Major Histocompatibility Complex, 449

Kim, W.-S. See *Kim, Kim, Linhardt, and Kim*, 323

Kim, Y.S. See *Kim, Kim, Linhardt, and Kim*, 323

Kimoto, E. See *Fujimura, Oshikawa, and Terada*, 167

Kimura, E. See *Saito, Naito, Seki, Oohashi, Momota, Kishiro, Sado, Yoshioka, and Ninomiya*, 427

Kimura, M. See *Kouzuma, Inanaga, Doi-Kawano, and Yamasaki*, 161

Kimura, N. See *Kato, Chen, Kiyama, Ikeda, Nakashima, and Taga*, 923

Kimura, S. See *Fujii, Urano, Ushio, Satomi, Iida, and Ushio-Sata*, 909

Kishi, H., Bao, J., and Kohama, K. Inhibitory Effects of ML-9, Wortmannin, and Y-27632 on the Chemotaxis of Vascular Smooth Muscle Cells in Response to Platelet-Derived Growth Factor-BB, 719

Kishiro, Y. See *Saito, Naito, Seki, Oohashi, Kimura, Momota, Sado, Yoshioka, and Ninomiya*, 427

Kitatani, K. See *Hattori, Matsumoto, Miyazawa, Rogi, Tsuruoka, Mizutani, Natori, and Tsujimoto*, 755

Kiyama, H. See *Kato, Chen, Ikeda, Kimura, Nakashima, and Taga*, 923

Kobayashi, A., Kasano, M., Maeda, T., Hori, S., Motojima, K., Suzuki, M., Fujiwara, T., Takahashi, E., Yabe, T., Tanaka, K., Kasahara, M., Yamaguchi, Y., and Maeda, M. A Half-Type ABC Transporter TAP1 Is Highly Conserved between Rodent and Man, and the Human Gene Is Not Responsive to Interferon- γ in Contrast to TAP1 and TAP2, 711

Kobayashi, H. See *Uemura, Shibata, Anwaruzzaman, Fujiwara, Higuchi, Kai, and Yokota*, 591

Kodama, T., Takamatsu, H., Asai, K., Ogasawara, N., Sadaie, Y., and Watabe, K. Synthesis and Characterization of the Spore Proteins of *Bacillus subtilis* YdhD, YkuD, and YkvP, Which Carry a Motif Conserved among Cell Wall Binding Proteins, 655

Koga, S., Yoshioka, I., Sakuraba, H., Takahashi, M., Sakasegawa, S., Shimizu, S., and Ohshima, T. Biochemical Characterization, Cloning, and Sequencing of ADP-Dependent (AMP-Forming) Glucokinase from Two Hyperthermophilic Archaea, *Pyrococcus furiosus* and *Thermococcus litoralis*, 1079

Kohama, K. See *Kishi and Bao*, 719

Kohno, I. See *Itoh, Inuzuka, Wada, Shiku, Ohkura, and Kato*, 1017

Koide, T. See *Wakabayashi, Yoshida, and Shigejiyo*, 201

Koizumi, N. See *Ojima, Ueyama, Inoue, and Nishita*, 803

K (cont'd)

- Kojima, K. See *Sato, Miwa, Hirabayashi, and Matsumoto*, 377
 Kojima, N. See *Matsumoto, Shikata, Takeuchi, and Mizuochi*, 621
 —. See *Matsumoto, Takeuchi, and Mizuochi*, 1009
 Kokubo, T. See *Uchiyama, Inaoka, Ohkuma-Soyejima, Togame, Shibanaka, and Yoshimoto*, 441
 Komatsu, N., Nakagawa, M., Oda, T., and Muramatsu, T. Depletion of Intracellular NAD⁺ and ATP Levels during Ricin-Induced Apoptosis through the Specific Ribosomal Inactivation Results in the Cytolysis of U937 Cells, 463
 Komatsu, S. See *Zhang*, 383
 Kominami, E. See *Ezaki and Takeda-Ezaki*, 509
 Komiyama, S. See *Makishima, Yoshimi, Hara, and Nishimoto*, 399
 Kondo, M., Yamaoka, T., Honda, S., Miwa, Y., Katashima, R., Moritani, M., Yoshimoto, K., Hayashi, Y., and Itakura, M. The Rate of Cell Growth Is Regulated by Purine Biosynthesis via ATP Production and G₁ to S Phase Transition, 57
 Kono, M. See *Takashima, Kurosawa, Yoshida, Tachida, Inoue, Kanematsu, and Tsuji*, 1033
 Korekane, H. See *Ikeda, Koyota, Ihara, Yamaguchi, Tsuda, Sasai, and Taniguchi*, 609
 Kouzuma, Y., Inanaga, H., Doi-Kawano, K., Yamasaki, N., and Kimura, M. Molecular Cloning and Functional Expression of cDNA Encoding the Cysteine Proteinase Inhibitor with Three Cystatin Domains from Sunflower Seeds, 161
 Koyama, T. See *Fujikura, Zhang, Yoshizaki, and Nishino*, 917
 Koyanagi, S., Nagata, K., Tamura, T., Tsukita, S., and Sone, N. Purification and Characterization of Cytochrome c-553 from *Helicobacter pylori*, 371
 Koyota, S. See *Ikeda, Ihara, Yamaguchi, Korekane, Tsuda, Sasai, and Taniguchi*, 609
 Kudo, M. See *Yamashita, Ishida, Noshiro, Aoyama, and Yoshida*, 93
 Kumagai, M. See *Takahashi, Shindo, Saito, and Kawamura*, 951
 Kumaki, Y. See *Yoshida, Matsushima, Nakata, and Hikichi*, 271
 Kumanishi, T. See *Yamaguchi, Takei, Araki, Ishii, Nagano, Ichikawa, and Nawa*, 101
 Kumasaka, T. See *Motoshima, Inagaki, Furuchi, Inoue, Tamura, Esaki, Soda, Tanaka, Yamamoto, and Tanaka*, 349
 Kunimoto, M. See *Mitsumoto, Kim, Oshima, Okawa, Iwamatsu, and Nakagawa*, 647
 Kunoh, T., Sakuno, T., Furukawa, T., Kaneko, Y., and Harashima, S. Genetic Characterization of *rbt* Mutants That Enhance Basal Transcription from Core Promoters in *Saccharomyces cerevisiae*, 575
 Kuraya, N. See *Makino, Omichi, Ogawa, Nishimura, Iwanaga, and Hase*, 175
 Kuroiwa, A. See *Okuda, Mita, Yamauchi, Matsubara, Yagi, Yamamori, Fukuta, Kuroiwa, and Habuchi*, 763
 Kurosawa, N. See *Takashima, Kono, Yoshida, Tachida, Inoue, Kanematsu, and Tsuji*, 1033

- Kusunose, E. See *Imai, Matsunaga, and Ichihara*, 189
 Kuwasako, K. See *Taguchi, Suenaga, Okada, and Momose*, 745
 Kyogoku, Y. See *Otomo, Yamazaki, Murakami, and Ishihama*, 337

L

- Larsson, T. See *Ciopraga, Ångström, Bergström, Karlsson, Motas, Gozia, and Teneberg*, 855
 Lee, C.H. See *Lee, Cho, Lee, Bae, and Maeng*, 1059
 Lee, H.-J. See *Takaki, Iwata, Tsubuki, Taniguchi, Toyoshima, Lu, Gerard, Gerard, Shirotan, and Saito*, 897
 Lee, H.S. See *Lee, Cho, Lee, Bae, and Maeng*, 1059
 Lee, J.G., Cho, S.P., Lee, H.S., Lee, C.H., Bae, K.S., and Maeng, P.J. Identification of a Cryptic N-Terminal Signal in *Saccharomyces cerevisiae* Peroxisomal Citrate Synthase That Functions in Both Peroxisomal and Mitochondrial Targeting, 1059
 Lethias, C. See *Cluzel, Garrone, and Exposito*, 957
 Li, C. See *Lin, Hsieh, Li, Li, Pearson, and Pollard*, 493
 Li, S.-Y. See *Lin, Hsieh, Li, Pearson, Pollard, and Li*, 493
 Li, Y. and Jing, G. Double Point Mutant F34W/W140F of Staphylococcal Nuclease Is in a Molten Globule State but Highly Competent to Fold into a Functional Conformation, 739
 Li, Y.-C. See *Lin, Hsieh, Li, Pearson, Pollard, and Li*, 493
 Lin, C.-H., Hsieh, M., Li, Y.-C., Li, S.-Y., Pearson, D.L., Pollard, K.M., and Li, C. Protein N-Arginine Methylation in Subcellular Fractions of Lymphoblastoid Cells, 493
 Linares, A. See *Martínez-Cayuela, García-Pelayo, and García-Peregrín*, 545
 Linhardt, R.J. See *Kim, Kim, Kim, and Kim*, 323
 Liu, M.-C. See *Shurani Ranasinghe, Sakakibara, and Suiko*, 477
 Lu, B. See *Takaki, Iwata, Tsubuki, Taniguchi, Toyoshima, Gerard, Gerard, Lee, Shirotan, and Saito*, 897
 Liu, Y.-M. See *Iwatsuki, Yamaguchi, Ichikawa, and Hashimoto*, 553
 Luo, D., Qi, W., Ma, J., Wang, Y.J., and Wishart, D. Molecular Mimicry of Human Tumor Antigen by Heavy Chain CDR3 Sequence of the Anti-Idiotype Antibody, 345

M

- Ma, J. See *Luo, Qi, Wang, and Wishart*, 345
 Ma, X. See *Ito, Inoue, Kabashima, Kanada, Huang, Azmi, Azab, and Yoshimoto*, 673
 Maeda, M. See *Kobayashi, Kasano, Maeda, Hori, Motojima, Suzuki, Fujiwara, Takahashi, Yabe, Tanaka, Kasahara, and Yamaguchi*, 711
 Maeda, K. See *Kakinuma, Hatanaka, Fukushima, Nakaya, Doi, Ooi, and Watabe*, 11
 Maeda, T. See *Kobayashi, Kasano, Hori, Motojima, Suzuki, Fujiwara, Takahashi, Yabe, Tanaka, Kasahara, Yamaguchi, and Maeda*, 711
 Maeng, P.J. See *Lee, Cho, Lee, Lee, and Bae*, 1059

- Maki, M. See *Takano, Watanabe, and Hitomi*, 83
 Makino, R. See *Hishiki, Shimada, Nagano, Egawa, Kanamori, Park, Adachi, Shiro, and Ishimura*, 965
 Makino, Y., Omichi, K., Kuraya, N., Ogawa, H., Nishimura, H., Iwanaga, S., and Hase, S. Structural Analysis of N-Linked Sugar Chains of Human Blood Clotting Factor IX, 175
 Makishima, T., Yoshimi, M., Komiyama, S., Hara, N., and Nishimoto, T. A Subunit of the Mammalian Oligosaccharyltransferase, DAD1, Interacts with Md-1, One of the bd-2 Protein Family, 399
 Martínez-Cayuela, M., García-Pelayo, M.C., Linares, A., and García-Peregrín, E. Metabolism of Palmitic and Docosahexaenoic Acids in Reuber H35 Hepatoma Cells, 545
 Maruta, S., Aihara, T., Uyehara, Y., Homma, K., Sugimoto, Y., and Wakabayashi, K. Solution Structure of Myosin-ADP-MgFn Ternary Complex by Fluorescent Probes and Small-Angle Synchrotron X-Ray Scattering, 687
 — and Homma, K. Conformational Changes in the Unique Loops Bordering the ATP Binding Cleft of Skeletal Muscle Myosin Mediate Energy Transduction, 695
 Maruyama, H. See *Ayabe, Park, Takenaka, Takenaka, Sumida, Onitsuka, and Hamada*, 181
 Masaki, Z. See *Xin, Soejima, Higashimota, Yatsuki, Zhu, Sato, Kaneko, Jinno, Fukuzawa, Hata, and Mukai*, 847
 Matsubara, T. See *Okuda, Mita, Yamauchi, Yagi, Yamamori, Fukuta, Kuroiwa, Matsuda, and Habuchi*, 763
 Matsuda, Yoichi. See *Okuda, Mita, Yamauchi, Matsubara, Yagi, Yamamori, Fukuta, Kuroiwa, and Habuchi*, 763
 Matsuda, Yoshiko. See *Ishida, Shirai, Kato, Ohno, Isaji, and Yamane*, 561
 Matsumoto, A., Shikata, K., Takeuchi, F., Kojima, N., and Mizuochi, T. Autoantibody Activity of IgG Rheumatoid Factor Increases with Decreasing Levels of Galactosylation and Sialylation, 621
 —, Kojima, N., Takeuchi, F., and Mizuochi, T. Kinetic Analysis of Interaction of Different Types of Rheumatoid Factors with Immobilized IgG Using Surface Plasmon Resonance, 1009
 Matsumoto, H. See *Hattori, Kitatani, Miyazawa, Rogi, Tsuruoka, Mizutani, Natori, and Tsujimoto*, 755
 Matsumoto, I. See *Sato, Miwa, Kojima, and Hirabayashi*, 377
 Matsunaga, I. See *Imai, Kusunose, and Ichihara*, 189
 Matsushima, A., Fujita, T., Nose, T., and Shimohigashi, Y. Edge-to-Face CH/π Interaction between Ligand Phe-Phenyl and Receptor Aromatic Group in the Thrombin Receptor Activation, 225
 Matsushima, N. See *Yoshida, Kumaki, Nakata, and Hikichi*, 271
 Miki, J. See *Kamauchi, Fudemoto, Inoue, and Kanazawa*, 629
 Mikoshiba, K. See *Fukuda*, 637
 Miles, E.W. See *Jhee, Yoshimura, Takeda, Miyahara, Hirotsu, Soda, Kawata, and*

M (cont'd)

- Esaki*, 679
- Mita, S. See *Okuda, Yamauchi, Matsubara, Yagi, Yamamori, Fukuta, Kuroiwa, Matsuda, and Habuchi*, 763
- Mitsumoto, A., Kim, K.-R., Oshima, G., Kumimoto, M., Okawa, K., Iwamatsu, A., and Nakagawa, Y. Nitric Oxide Inactivates Glyoxalase I in Cooperation with Glutathione, 647
- Miura, R. See *Mizutani, Miyahara, Hirotsu, Nishina, Shiga, and Setoyama*, 73
- . See *Nishina, Sato, and Shiga*, 213
- Miwa, H.E. See *Satoh, Kojima, Hirabayashi, and Matsumoto*, 377
- Miwa, Y. See *Kondo, Yamaoka, Honda, Katashima, Moritani, Yoshimoto, Hayashi, and Itakura*, 57
- Miyahara, I. See *Nakai, Mizutani, Hirotsu, Takeda, Jhee, Yoshimura, and Esaki*, 29
- . See *Mizutani, Hirotsu, Nishina, Shiga, Setoyama, and Miura*, 73
- . See *Jhee, Yoshimura, Miles, Takeda, Hirotsu, Soda, Kawata, and Esaki*, 679
- Miyake, Y. See *Inano, Suetake, Ueda, Nakamura, Okada, and Tajima*, 315
- Miyazawa, S. See *Hattori, Kitatani, Matsumoto, Rogi, Tsuruoka, Mizutani, Natori, and Tsujimoto*, 755
- Mizoi, J. See *Takahashi, Toh-e, and Kikuchi*, 723
- Mizuguchi, J. See *Suehiro, Nishiyama, Iwanaga, Farrell, and Ohtaki*, 705
- Mizuno, S. See *Harata, Oma, Tabuchi, Zhang, and Stillman*, 665
- Mizuuchi, T. See *Matsumoto, Shikata, Takeuchi, and Kojima*, 621
- . See *Matsumoto, Kojima, and Takeuchi*, 1009
- Mizutani, H. See *Nakai, Miyahara, Hirotsu, Takeda, Jhee, Yoshimura, and Esaki*, 29
- . Miyahara, I., Hirotsu, K., Nishina, Y., Shiga, K., Setoyama, C., and Miura, R. Three-Dimensional Structure of the Purple Intermediate of Porcine Kidney D-Amino Acid Oxidase. Optimization of the Oxidative Half-Reaction through Alignment of the Product with Reduced Flavin, 73
- Mizutani, S. See *Hattori, Kitatani, Matsumoto, Miyazawa, Rogi, Tsuruoka, Natori, and Tsujimoto*, 755
- Momose, H. See *Taguchi, Nishihama, Igi, Ito, Taira, and Motoki*, 415
- . See *Taguchi, Kuwasako, Suenaga, and Okada*, 745
- Momota, R. See *Saito, Naito, Seki, Oohashi, Kimura, Kishiro, Sado, Yoshioka, and Ninomiya*, 427
- Moniaux, N. See *Choudhury, Winpenny, Hollingsworth, Aubert, and Batra*, 233
- Monti, F. See *Barbieri, Valbonesi, Righi, Zuccheri, Gorini, Samorì, and Stirpe*, 883
- Moraes, L.M.P. See *Andrade, Albuquerque, Brígido, and Santos-Silva*, 891
- Morishita, R. See *Ogata, Ohno, Enda, and Wada*, 309
- Morita, T. See *Wakabayashi, Kageyama, Habu, Doi, Nozaki, Yamamoto, and Nishimune*, 1087
- Moritani, M. See *Kondo, Yamaoka, Honda, Miwa, Katashima, Yoshimoto, Hayashi, and Itakura*, 57
- Motas, C. See *Ciopraga, Ångström, Bergström, Larsson, Karlsson, Gozia, and Teneberg*, 855
- Motojima, K. See *Kobayashi, Kasano, Maeda, Hori, Suzuki, Fujiwara, Takahashi, Yabe, Tanaka, Kasahara, Yamaguchi, and Maeda*, 711
- Motoki, M. See *Taguchi, Nishihama, Igi, Ito, Taira, and Momose*, 415
- Motoshima, H., Inagaki, K., Kumasaki, T., Furuchi, M., Inoue, H., Tamura, T., Esaki, N., Soda, K., Tanaka, N., Yamamoto, M., and Tanaka, H. Crystal Structure of the Pyridoxal 5-phosphate Dependent L-Methionine γ-Lyase from *Pseudomonas putida*, 349
- Mukai, T. See *Xin, Soejima, Higashimoto, Yatsuki, Zhu, Satoh, Masaki, Kaneko, Jinno, Fukuzawa, and Hata*, 847
- Murakami, K. See *Otomo, Yamazaki, Ishihama, and Kyogoku*, 337
- Muramatsu, T. See *Komatsu, Nakagawa, and Oda*, 463
- Murasugi, A. See *Asami, Nagano, Ikematsu*, 823
- Murata-Hori, M. See *Suizu, Ueda, Iwasaki, and Hosoya*, 435
- . Fumoto, K., Fukuta, Y., Iwasaki, T., Kikuchi, A., Tatsuka, M., and Hosoya, H. Myosin II Regulatory Light Chain as a Novel Substrate for AIM-1, an Aurora/Ipl1p-Related Kinase from Rat, 903
- N
- Nagamori, S., Nishiyama, K., and Tokuda, H. Two SecG Molecules Present in a Single Protein Translocation Machinery Are Functional Even after Crosslinking, 129
- Nagano, H. See *Asami, Ikematsu, Murasugi*, 823
- Nagano, S. See *Hishiki, Shumada, Egawa, Kanamori, Makino, Park, Adachi, Shiro, and Ishimura*, 965
- Nagano, T. See *Yamaguchi, Takei, Araki, Ishii, Ichikawa, Kumanishi, and Nawa*, 101
- Nagata, K. See *Koyanagi, Tamura, Tsukita, and Sone*, 371
- Nagata, T. See *Itaya, Shiroishi, Fujita, and Tsuge*, 869
- Naimuddin, M. See *Nishigaki and Hamano*, 107
- Naito, I. See *Saito, Seki, Oohashi, Kimura, Momota, Kishiro, Sado, Yoshioka, and Ninomiya*, 427
- Nakagami, Y. See *Kadota, Suzuki, Izumi, and Endo*, 941
- Nakagawa, M. See *Komatsu, Oda, and Muramatsu*, 463
- Nakagawa, Y. See *Mitsumoto, Kim, Oshima, Kunimoto, Okawa, and Iwanatsu*, 647
- Nakai, T., Mizutani, H., Miyahara, I., Hirotsu, K., Takeda, S., Jhee, K.-H., Yoshimura, T., and Esaki, N. Three-Dimensional Structure of 4-Amino-4-Deoxychorismate Lyase from *Escherichia coli*, 29
- Nakajima, K. See *Takizawa, Tatematsu, Watanabe, and Yoshida*, 471
- Nakamori, S. See *Takagi, Hirai, and Wada*, 585
- Nakamura, H. See *Xue, Zhao, Suda, Uchida, Oda, Chida, and Ichiyama*, 329
- Nakamura, Masahiko. See *Inano, Suetake, Ueda, Miyake, Okada, and Tajima*, 315
- Nakamura, Michio. See *Hao, Yang, Fujii, Yamauchi, Suzuki, Kikuchi, and Kaneda*, 989
- Nakamura, Mihoko. See *Suzuki, Asao, Nakamura, Ohnishi, and Fukuda*, 293
- Nakamura, S. See *Takeuchi, Kayasuga, Isa, and Sato*, 1025
- Nakamura, Y. See *Suzuki, Asao, Nakamura, Ohnishi, and Fukuda*, 293
- Nakashima, K. See *Kulu, Chen, Kiyunii, Ikeda, Kimura, and Taga*, 923
- Nakata, M. See *Yoshida, Matsushima, Kumaki, and Hikichi*, 271
- Nakatani, T. See *Ohtsubo, Imajo, Ishiguro, Oka, and Kawasaki*, 283
- Nakatsuji, T. See *Kawakami, Toda, Akaji, Nishimura, Ueno, Sonobe, Sonobe, and Aimoto*, 455
- Nakaya, M. See *Kakinuma, Hatanaka, Fukushima, Maeda, Doi, Ooi, and Watabe*, 11
- Nakayama, Kazuhisa. See *Futatsumori, Kasai, Takatsu, and Shin*, 793
- Nakayama, Koji. See *Kadowaki, Okamoto, Abe, Baba, Shi, Ratnayake, and Yamamoto*, 153
- Namba, Y. See *Odani, Ishii, Ono, and Fujii*, 355
- Namiki, H. See *Suhara, Yoneyama, Iwamura, Yoshimura, Tamura, Aimoto, and Fujita*, 301
- Narita, T. See *Fujii, Agematu, Agata, and Isshiki*, 391, 975
- Natori, S. See *Fujii-Taira, Tanaka, and Homma*, 539
- Natori, Y. See *Hattori, Kitatani, Matsumoto, Miyazawa, Rogi, Tsuruoka, Mizutani, and Tsujimoto*, 755
- Nawa, H. See *Yamaguchi, Takei, Araki, Ishii, Nagano, Ichikawa, and Kumanishi*, 101
- Nawata, H. See *Oba, Yanase, Ichino, Goto, and Takayanagi*, 517
- Ninomiya, Y. See *Saito, Naito, Seki, Oohashi, Kimura, Momota, Kishiro, Sado, and Yoshioka*, 427
- Nishigaki, K., Naimuddin, M., and Hamano, K. Genome Profiling: A Realistic Solution for Genotype-Based Identification of Species, 107
- Nishihama, K. See *Taguchi, Igi, Ito, Taira, Motoki, and Momose*, 415
- Nishimoto, T. See *Makishima, Yoshimi, Komiyama, and Hara*, 399
- Nishimune, Y. See *Wakabayashi, Kageyama, Habu, Doi, Morita, Nozaki, and Yamamoto*, 1087
- Nishimura, H. See *Makino, Omichi, Kuraya, Ogawa, Iwanaga, and Hase*, 175
- Nishimura, T. See *Kawakami, Toda, Akaji, Nakatsuji, Ueno, Sonobe, Sonobe, and Aimoto*, 455
- Nishina, Y. See *Mizutani, Miyahara, Hirotsu, Shiga, Setoyama, and Miura*, 73
- . Sato, K., Miura, R., and Shiga, K. Substrate Recognition and Activation Mechanism of D-Amino Acid Oxidase: A Study Using Substrate Analogs, 213
- Nishino, T. See *Fujikura, Zhang, Yoshizaki, and Koyama*, 917
- Nishita, K. See *Ojima, Koizumi, Ueyama, and Inoue*, 803
- Nishiyama, Ken-ichi. See *Nagamori and Tokuda*, 129

N (cont'd)

- Nishiyama, Kiyoko. See Suehiro, Mizuguchi, Iwanaga, Farrell, and Ohtaki, 705
 Noguchi, Y. See Tanaka, Tanaka, Kawabata, and Himeno, 39
 Nose, T. See Matsushima, Fujita, and Shimo-higashi, 225
 Noshiro, M. See Yamashita, Kudo, Ishida, Ao-yama, and Yoshida, 93
 Nozaki, A. See Yamamoto, Shintani, Ishikura, Katagiri, and Hara, 121
 Nozaki, M. See Wakabayashi, Kageyama, Habu, Doi, Morita, Yamamoto, and Nishimune, 1087

O

- Oba, K., Yanase, T., Ichino, I., Goto, K., Takanayagi, R., and Nawata, H. Transcriptional Regulation of the Human *FTZ-F1* Gene Encoding Ad4BP/SF-1, 517
 Obuchi, K. See Kaneko and Horikoshi, 727
 Oda, K., Ogasawara, S., Oyama, H., and Dunn, B.M. Subsite Preferences of Pepstatin-Insensitive Carboxyl Proteinases from Prokaryotes: Kumamolysin, a Thermostable Pepstatin-Insensitive Carboxyl Proteinase, 499
 Oda, Tatsuya. See Komatsu, Nakagawa, and Muramatsu, 463
 Oda, Toshiaki. See Xue, Zhao, Suda, Uchida, Chida, Ichiyama, and Nakamura, 329
 Odani, S., Namba, Y., Ishii, A., Ono, T., and Fujii, H. Disulfide Bonds in Rat Cutaneous Fatty Acid-Binding Protein, 355
 Ogasawara, N. See Kodama, Takamatsu, Asai, Sadaie, and Watabe, 655
 Ogasawara, S. See Oda, Oyama, and Dunn, 499
 Ogata, K., Ohno, R., Terao, K., and Endo, Y. An ATPase Center of Rat Liver 30S-5SRNP Particles, 1
 —, Ohno, R., Morishita, R., Endo, Y., and Wada, A. Studies on ATPase(GTPase) Intrinsic to *E. coli* Ribosomes (1), 309
 Ogawa, H. See Makino, Omichi, Kuraya, Nishimura, Iwanaga, and Hase, 175
 Ohkuma-Soyejima, T. See Uchiyama, Inouka, Togame, Shibanaka, Yoshimoto, and Koku-bo, 441
 Ohkura, N. See Itoh, Inuzuka, Kohno, Wada, Shiku, and Kato, 1017
 Ohmae, E. See Gekko, Kamiyama, and Katayanagi, 21
 Ohnishi, K. See Suzuki, Asao, Nakamura, Nakamura, and Fukuda, 293
 Ohno, M. See Ishida, Shirai, Matsuda, Kato, Isaji, and Yamane, 561
 Ohno, R. See Ogata, Terao, and Endo, 1
 —. See Ogata, Morishita, Endo, and Wada, 309
 Ohshima, T. See Koga, Yoshioka, Sakuraba, Takahashi, Sakasegawa, and Shimizu, 1079

- Ohtaki, S. See Suehiro, Mizuguchi, Nishiyama, Iwanaga, and Farrell, 705
 Ohtsubo, K., Imajo, S., Ishiguro, M., Nakatani, T., Oka, S., and Kawasaki, T. Studies on the Structure-Function Relationship of the HNK-1 Associated Glucuronyltransferase, GICAT-P, by Computer Modeling and Site-Directed Mutagenesis, 283
 Ojima, T., Koizumi, N., Ueyama, K., Inoue, A.,

- and Nishita, K. Functional Role of Ca^{2+} -Binding Site IV of Scallop Troponin C, 803
 Oka, S. See Ohtsubo, Imajo, Ishiguro, Nakatani, and Kawasaki, 283
 Okada, Masahiko. See Inano, Suetake, Ueda, Miyake, Nakamura, and Tajima, 315
 Okada, Miyuki. See Taguchi, Kuwasako, Sue-naga, and Momose, 745
 Okamoto, K. See Kadokami, Nakayama, Abe, Baba, Shi, Ratnayake, and Yamamoto, 153
 —. See Abe, Baba, Kadokami, Okazaki, Asao, and Yamamoto, 877
 Okawa, K. See Mitsumoto, Kim, Oshima, Kunimoto, Iwamatsu, and Nakagawa, 647
 Okazaki, S. See Abe, Baba, Kadokami, Okamoto, Asao, and Yamamoto, 877
 Okino, N. See Sakaguchi, Sueyoshi, Izu, and Ito, 145
 Okuda, T., Mita, S., Yamauchi, S., Matsubara, T., Yagi, F., Yamamori, D., Fukuta, M., Kuroiwa, A., Matsuda, Y., and Habuchi, O. Molecular Cloning, Expression, and Chromosomal Mapping of Human Chondroitin 4-Sulfotransferase, Whose Expression Pattern in Human Tissues Is Different from That of Chondroitin 6-Sulfotransferase, 763
 Oma, Y. See Harata, Tabuchi, Zhang, Stillman, and Mizuno, 665
 Omichi, K. See Makino, Kuraya, Ogawa, Nishimura, Iwanaga, and Hase, 175
 Oneda, H. See Inouye and Tanaka, 363
 — and Inouye, K. Effects of Dimethyl Sulfoxide, Temperature, and Sodium Chloride on the Activity of Human Matrix Metalloproteinase 7 (MatriLysin), 785
 Onitsuka, T. See Ayabe, Park, Takenaka, Takenaka, Maruyama, Sumida, and Hamada, 181
 Ono, T. See Odani, Namba, Ishii, and Fujii, 355
 Oohashi, T. See Saito, Naito, Seki, Kimura, Momota, Kishiro, Sado, Yoshioka, and Ninomiya, 427
 Ooi, T. See Kakinuma, Hatanaka, Fukushima, Nakaya, Maeda, Doi, and Watabe, 11
 Oshikawa, K. See Fujimura, Terada, and Kimoto, 167
 Oshima, G. See Mitsumoto, Kim, Kunimoto, Okawa, Iwamatsu, and Nakagawa, 647
 Otomo, T., Yamazaki, T., Murakami, K., Ishihama, A., and Kyogoku, Y. Structural Study of the N-Terminal Domain of the Alpha Subunit of *Escherichia coli* RNA Polymerase Sulubilized with Non-Denaturing Detergents, 337
 Oyama, H. See Oda, Ogasawara, and Dunn, 499
 Ozaki, H. See Yoshimoto, Hori, and Karaki, 1045

P

- Park, S.K. See Ayabe, Takenaka, Takenaka, Maruyama, Sumida, Onitsuka, and Hamada, 181
 Park, S.-Y. See Hishiki, Shimada, Nagano, Egawa, Kanamori, Makino, Adachi, Shiro, and Shimura, 965
 Pearson, D.L. See Lin, Hsieh, Li, Li, Pollard, and Li, 493
 Philo, J.S. See Wato, Kamei, Arakawa, Wen, Hara, and Yamaguchi, 139
 Pollard, K.M. See Lin, Hsieh, Li, Li, Pearson,

- and Li, 493

Q

- Qi, W. See Luo, Ma, Wang, and Wishart, 345

R

- Ratnayake, D.B. See Kadokami, Nakayama, Okamoto, Abe, Baba, Shi, and Yamamoto, 153
 Righi, F. See Barbieri, Valbonesi, Zuccheri, Monti, Gorini, Samori, and Stirpe, 883
 Rogi, T. See Hattori, Kitatani, Matsumoto, Miyazawa, Tsuruoka, Mizutani, Natori, and Tsujimoto, 755

S

- Sadaie, Y. See Kodama, Takamatsu, Asai, Ogasawara, and Watabe, 655
 Sado, Y. See Saito, Naito, Seki, Oohashi, Kimura, Momota, Kishiro, Yoshioka, and Ninomiya, 427
 Sagami, H. See Sakaihara, Honda, and Tateyama, 1073
 Saito, T.C. See Takaki, Iwata, Tsubuki, Tanguichi, Toyoshima, Lu, Gerard, Gerard, Lee, and Shirotan, 897
 Saito, Kenji, Naito, I., Seki, T., Oohashi, T., Kimura, E., Momota, R., Kishiro, Y., Sado, Y., Yoshioka, H., and Ninomiya, Y. Differential Expression of Mouse $\alpha 5(\text{IV})$ and $\alpha 6(\text{IV})$ Collagen Genes in Epithelial Basement Membranes, 427
 Saito, Kyuichi. See Takahashi, Kumagai, Shindo, and Kawamura, 951

- Sakaguchi, K., Okino, N., Sueyoshi, N., Izu, H., and Ito, M. Cloning and Expression of Gene Encoding a Novel Endoglycosidase of *Rhodococcus* sp. Strain C9, 145

- Sakaihara, T., Honda, A., Tateyama, S., and Sagami, H. Subcellular Fractionation of Polyprenyl Diphosphate Synthase Activities Responsible for the Syntheses of Polyprenols and Dolichols in Spinach Leaves, 1073

- Sakakibara, Y. See Shirani Ranasinghe, Liu, and Suiko, 477

- Sakasegawa, S. See Koga, Yoshioka, Sakuraba, Takahashi, Shimizu, and Ohshima, 1079

- Sakuraba, H. See Koga, Yoshioka, Takahashi, Sakasegawa, Shimizu, and Ohshima, 1079

- Samori, B. See Barbieri, Valbonesi, Righi, Zuccheri, Monti, Gorini, and Stirpe, 883

- Santos-Silva, M.A. See Andrade, Albuquerque, Moreira, and Brígido, 891

- Sasai, K. See Iheda, Koyota, Ihara, Yamaguchi, Korekane, Tsuda, and Tuniguchi, 609

- Sato, Kazuki. See Iwasaki, Kataoka, Sekiguchi, Shimazaki, and Takahashi, 407

- Sato, Kenzo. See Takeuchi, Nakamura, Kaya-suga, and Isa, 1025

- Sato, Kyosuke. See Nishina, Miura, and Shiga, 213

- Satoh, A., Miwa, H.E., Kojima, K., Hirabayashi, J., and Matsumoto, I. Ligand-Binding Properties of Annexin from *Caenorhabditis elegans* (Annexin XVI, Nex-1), 377

- Satoh, Y. See Xin, Soejima, Higashimoto, Yatsuki, Zhu, Masaki, Kaneko, Jinno, Fukuzawa, Hata, and Mukai, 847

- Satomii, M. See Fujii, Urano, Ushio, Iida,

- S (cont'd)
- Ushio-Sata, and Kimura*, 909
Schneider-Mergener, J. See *Hilpert, Hansen, Wessner, and Höhne*, 1051
Segawa, H., Yamashita, T., Kawakita, M., and Taira, H. Functional Analysis of the Individual Oligosaccharide Chains of Sendai Virus Fusion Protein, 65
Seki, T. See *Saito, Naito, Oohashi, Kimura, Momota, Kishiro, Sato, Yoshioka, and Ninomiya*, 427
Sekiguchi, M. See *Iwasaki, Kataoka, Shimazaki, Sato, and Takahashi*, 407
Seno, M. See *Futami, Tada, Ishikami, and Yamada*, 245
Setoyama, C. See *Mizutani, Miyahara, Hirotsu, Nishina, Shiga, and Miura*, 73
Shi, Y. See *Kadowaki, Nakayama, Okamoto, Abe, Baba, Ratnayake, and Yamamoto*, 153
Shibanaka, Y. See *Uchiyama, Inaoka, Ohkuma-Soyejima, Togame, Yoshimoto, and Kokubo*, 441
Shibata, N. See *Uemura, Anwaruzzaman, Fujiwara, Higuchi, Kobayashi, Kai, and Yokota*, 591
Shiga, K. See *Mizutani, Miyahara, Hirotsu, Nishina, Setoyama, and Miura*, 73
—. See Nishina, Sato, and Miura, 213
Shigekiyo, T. See *Wakabayashi, Yoshida, and Koide*, 201
Shikata, K. See *Matsumoto, Takeuchi, Kojima, and Mizuochi*, 621
Shiku, H. See *Itoh, Inuzuka, Kohno, Wada, Ohkura, and Kato*, 1017
Shimada, H. See *Hishiki, Nagano, Egawa, Kanamori, Makino, Park, Adachi, Shiro, and Ishimura*, 965
Shimazaki, Y. See *Iwasaki, Kataoka, Sekiguchi, Sato, and Takahashi*, 407
Shimizu, S. See *Koga, Yoshioka, Sakuraba, Takahashi, Sakasegawa, and Ohshima*, 1079
Shimohigashi, Y. See *Matsushima, Fujita, and Nose*, 225
Shimoyama, M. See *Hara, Terashima, and Tsuchiya*, 601
Shin, H.-W. See *Futatsumori, Kasai, Takatsu, and Nakayama*, 793
Shindo, S. See *Takahashi, Kumagai, Saito, and Kawamura*, 951
Shintani, S. See *Yamamoto, Nozaki, Ishikura, Katagiri, and Hara*, 121
Shirai, T. See *Ishida, Matsuda, Kato, Ohno, Isaji, and Yamane*, 561
Shirai Ranasinghe, J.G., Liu, M.-C., Sakakibara, Y., and Suiko, M. Manganese Administration Induces the Increased Production of Dopamine Sulfate and Depletion of Dopamine in Sprague-Dawley Rats, 477
Shiro, Y. See *Hishiki, Shimada, Nagano, Egawa, Kanamori, Makino, Park, Adachi, and Ishimura*, 965
Shiroishi, T. See *Itaya, Nagata, Fujita, and Tsuge*, 869
Shirotan, K. See *Takaki, Iwata, Tsubuki, Taniguchi, Toyoshima, Lu, Gerard, Gerard, Lee, and Saido*, 897
Shiuan, D. See *Chung, Farh, and Chen*, 261
Shumiya, S. See *Inomata, Hayashi, Kawashima, and Ito*, 771
Soda, K. See *Motoshima, Inagaki, Kumasaki, Furuichi, Inoue, Tamura, Esaki, Tanaka, Yamamoto, and Tanaka*, 349
—. See Jhee, Yoshimura, Miles, Takeda, Miyahara, Hirotsu, Kawata, and Esaki, 679
Soejima, H. See *Xin, Higashimura, Yatsuki, Zhu, Sato, Masaki, Kaneko, Jinno, Fukushima, Hata, and Mukai*, 847
Sone, N. See *Koyanagi, Nagata, Tamura, and Tsukita*, 371
Sonobe, H. See *Kawakami, Toju, Akaji, Nishimura, Nakatsuji, Ueno, Sonobe, and Aimoto*, 455
Sonobe, M. See *Kawakami, Toda, Akaji, Nishimura, Nakatsuji, Ueno, Sonobe, and Aimoto*, 455
Srisomsap, C. See *Ketudat Cairns, Champattanachai, Wittman-Liebold, Thiede, and Svasti*, 999
Stark, B.C. See *Kim, Chi, Hwang, and Webster*, 49
Stillman, D.J. See *Harata, Oma, Tabuchi, Zhang, and Mizuno*, 665
Stirpe, F. See *Barbieri, Valbonesi, Righi, Zuccheri, Monti, Gorini, and Samorì*, 883
Suda, T. See *Xue, Zhao, Uchida, Oda, Chida, Ichiyama, and Nakamura*, 329
Suehiro, K., Mizuguchi, J., Nishiyama, K., Iwanaga, S., Farrell, D.H., and Ohtaki, S. Fibrinogen Binds to Integrin $\alpha_5\beta_1$ via the Carboxyl-Terminal RGD Site of the α_2 -Chain, 705
Suenaga, A. See *Taguchi, Kuwasaka, Okada, and Momose*, 745
Suetake, I. See *Inano, Ueda, Miyake, Nakamura, Okada, and Tajima*, 315
Sueyoshi, N. See *Sakaguchi, Okino, Izu, and Ito*, 145
Sugimoto, Y. See *Maruta, Aihara, Uyehara, Horiba, and Wakabayashi*, 687
Suhara, W., Yoneyama, M., Iwamura, T., Yoshimura, S., Tamura, K., Namiki, H., Aimoto, S., and Fujita, T. Analyse of Virus-Induced Homomeric and Heteromeric Protein Associations between IRF-3 and Coactivator CBP/p300, 301
Suiko, M. See *Shirani Ranasinghe, Liu, and Sakakibara*, 477
Suizu, F., Ueda, K., Iwasaki, T., Murata-Hori, M., and Hosoya, H. Activation of Actin-Activated MgATPase Activity of Myosin II by Phosphorylation with MAPK-Activated Protein Kinase-1b (RSK-2), 435
Sumida, M. See *Ayabe, Park, Takenaka, Takenaka, Maruyama, Onitsuka, and Hamada*, 181
Suzuki, A. See *Kadota, Nakagami, Izumi, and Endo*, 941
Suzuki, K., Asao, E., Nakamura, Y., Nakamura, M., Ohnishi, K., and Fukuda, S. Overexpression of Salicylate Hydroxylase and the Crucial Role of Lys¹⁶³ as Its NADH Binding Site, 293
Suzuki, M. See *Kobayashi, Kasano, Maeda, Hori, Motojima, Fujiwara, Takahashi, Yabe, Tanaka, Kasahara, Yamaguchi, and Maeda*, 711
Suzuki, N. See *Hao, Yang, Fujii, Yamauchi, Kikuchi, Kaneda, and Nakamura*, 989
Svasti, J. See *Ketudat Cairns, Champattanachai, Srisomsap, Wittman-Liebold, and Thiede*, 999
- T
- Tabuchi, T.* See *Harata, Oma, Zhang, Stillman, and Mizuno*, 665
Tachida, Y. See *Takashima, Kono, Kurosawa, Yoshida, Inoue, Kanematsu, and Tsuji*, 1033
Tada, H. See *Futami, Seno, Ishikami, and Yamada*, 245
Taga, T. See *Kato, Chen, Kiyama, Ikeda, Kimura, and Nakashima*, 923
Taguchi, S., Nishihama, K., Igi, K., Ito, K., Taira, H., Motoki, M., and Momose, H. Substrate Specificity Analysis of Microbial Transglutaminase Using Proteinaceous Protease Inhibitors as Natural Model Substrates, 415
—, Kuwasako, K., Suenaga, A., Okada, M., and Momose, H. Functional Mapping against *Escherichia coli* for the Broad-Spectrum Antimicrobial Peptide, Thanatin, Based on an *In Vivo* Monitoring Assay System, 745
Taira, Hideharu. See *Segawa, Yamashita, and Kawakita*, 65
Taira, Hiroko. See *Taguchi, Nishihama, Igi, Ito, Motoki, and Momose*, 415
Tajima, S. See *Inano, Suetake, Ueda, Miyake, Nakamura, and Okada*, 315
Takagi, H., Hirai, K., Wada, M., and Nakamori, S. Enhanced Thermostability of the Single-Cys Mutant Subtilisin E under Oxidizing Conditions, 585
Takahashi, E. See *Kobayashi, Kasano, Maeda, Hori, Motojima, Suzuki, Fujiwara, Yabe, Tanaka, Kasahara, Yamaguchi, and Maeda*, 711
Takahashi, Mamoru. See *Koga, Yoshioka, Sakuraba, Sakasegawa, Shimizu, and Ohshima*, 1079
Takahashi, Masami. See *Iwasaki, Kataoka, Sekiguchi, Shimazaki, and Sato*, 407
Takahashi, S., Kumagai, M., Shindo, S., Saito, K., and Kawamura, Y. Renin Inhibits *N*-Acetyl-D-Glucosamine 2-Epimerase (Renin-Binding Protein), 951
Takahashi, Y., Mizoi, J., Toh-e, A., and Kikuchi, Y. Yeast Ulp1, an Smt3-Specific Protease, Associates with Nucleoporins, 723
Takaki, Y., Iwata, N., Tsubuki, S., Taniguchi, S., Toyoshima, S., Lu, B., Gerard, N.P., Gerard, C., Lee, H.-J., Shirotan, K., and Saido, T.C. Biochemical Identification of the Neutral Endopeptidase Family Member Responsible for the Catabolism of Amyloid β Peptide in the Brain, 897
Takamatsu, H. See *Kodama, Asai, Ogawa, Sadaie, and Watabe*, 655
Takano, J., Watanabe, M., Hitomi, K., and Maki, M. Four Types of Calpastatin Isoforms with Distinct Amino-Terminal Sequences Are Specified by Alternative First Exons and Differentially Expressed in Mouse Tissues, 83
Takashima, S., Kono, M., Kurosawa, N., Yoshida, Y., Tachida, Y., Inoue, M., Kanematsu, T., and Tsuji, S. Genomic Organization and Transcriptional Regulation of the Mouse GD3 Synthase Gene (ST8Sia I): Comparison of Genomic Organization of the Mouse Sialyltransferase Genes, 1033
Takatsu, H. See *Futatsumori, Kasai, Shin, and Nakayama*, 793

- T (cont'd)
- Takanagi, R. See Oba, Yanase, Ichino, Goto, and Nawata, 517
- Takeda, S. See Nakai, Mizutani, Miyahara, Hirotsu, Jhee, Yoshimura, and Esaki, 29
—. See Jhee, Yoshimura, Miles, Miyahara, Hirotsu, Soda, Kawata, and Esaki, 679
- Takeda-Ezaki, M. See Ezaki and Kominami, 509
- Takei, N. See Yamaguchi, Araki, Ishii, Nagano, Ichikawa, Kumanishi, and Nawa, 101
- Takenaka, H. See Ayabe, Park, Takenaka, Maruyama, Sumida, Onitsuka, and Hamada, 181
- Takenaka, O. See Ayabe, Park, Takenaka, Maruyama, Sumida, Onitsuka, and Hamada, 181
- Takeuchi, F. See Matsumoto, Shikata, Kojima, and Mizuochi, 621
—. See Matsumoto, Kojima, and Mizuochi, 1009
- Takeuchi, T., Nakamura, S., Kayasuga, A., Isa, S., and Sato, K. Multiple Elements for Negative Regulation of the Rat Catalase Gene Expression in Dedifferentiated Hepatoma Cells, 1025
- Takizawa, T., Tatematsu, C., Watanabe, M., Yoshida, M., and Nakajima, K. Three Leucine-Rich Sequences and the N-Terminal Region of Double-Stranded RNA-Activated Protein Kinase (PKR) Are Responsible for Its Cytoplasmic Localization, 471
- Tamura, K. See Suhara, Yoneyama, Iwamura, Yoshimura, Namiki, Aimoto, and Fujita, 301
- Tamura, Takashi. See Motoshima, Inagaki, Kumasaki, Furuchi, Inoue, Esaki, Soda, Tanaka, Yamamoto and Tanaka, 349
- Tamura, Toshihide. See Koyanagi, Nagata, Tsukita, and Sone, 371
- Tanaka, Hidehiko. See Motoshima, Inagaki, Kumasaki, Furuchi, Inoue, Tamura, Esaki, Soda, Tanaka, and Yamamoto, 349
- Tanaka, Hiromi. See Inouye and Oneda, 363
- Tanaka, K. See Kobayashi, Kasano, Maeda, Hori, Motojima, Suzuki, Fujiwara, Takahashi, Yabe, Kasahara, Yamaguchi, and Maeda, 711
- Tanaka, N. See Motoshima, Inagaki, Kumasaki, Furuchi, Inoue, Tamura, Esaki, Soda, Yamamoto, and Tanaka, 349
- Tanaka, R. See Tanaka, Kawabata, Noguchi, and Himeno, 39
- Tanaka, Yasuhiro. See Fujii-Taira, Homma, and Natori, 539
- Tanaka, Yoshitaka, Tanaka, R., Kawabata, T., Noguchi, Y., and Himeno, M. Lysosomal Cysteine Protease, Cathepsin B, Is Targeted to Lysosomes by the Mannose 6-Phosphate-Independent Pathway in Rat Hepatocytes: Site-Specific Phosphorylation in Oligosaccharides of the Proregion, 39
- Taniguchi, N. See Ikeda, Koyota, Ihara, Yamaguchi, Korekane, Tsuda, and Sasai, 609
- Taniguchi, S. See Takaki, Iwata, Tsubuki, Toyoshima, Lu, Gerard, Gerard, Lee, Shirotani, and Saido, 897
- Tateiwa, H. See Kikuchi, Ichikawa, Arai, Fu, Higuchi, and Yoshimura, 811
- Tatematsu, C. See Takizawa, Watanabe, Yoshida, and Nakajima, 471
- Tateyama, S. See Sakaihara, Honda, and Sagami, 1073
- Tatsuka, M. See Murata-Hori, Fumoto, Fukuta, Iwasaki, Kikuchi, and Hosoya, 903
- Teneberg, S., Berntsson, A., and Ångström, J. Common Architecture of the Primary Galactose Binding Sites of *Erythrina corallodendron* Lectin and Heat-Labile Enterotoxin from *Escherichia coli* in Relation to the Binding of Branched Neolactohexaosylceramide, 481
—. See Ciopraga, Ångström, Bergström, Larsson, Karlsson, Mötas, and Gozia, 855
- Terada, S. See Fujimura, Oshikawa, and Kimoto, 167
- Terao, K. See Ogata, Ohno, and Endo, 1
- Terashima, M. See Hara, Shimoyama, and Tsuchiya, 601
- Thiede, B. See Ketudat Cairns, Champattanachai, Srisomsap, Wittman-Liebold, and Svasti, 999
- Toda, C. See Kawakami, Akaji, Nishimura, Nakatsuji, Ueda, Sonobe, Sonobe, and Aimoto, 455
- Togame, H. See Uchiyama, Inaoka, Ohkuma, Soyejima, Shibanaka, Yoshimoto, and Kurobo, 441
- Toh-e, A. See Takahashi, Mizoi, and Kikuchi, 723
- Tokuda, H. See Nagamori and Nishiyama, 129
- Toyoda, T., Itai, T., Arakawa, T., Aoki, K.H., and Yamaguchi, H. Stabilization of Human Recombinant Erythropoietin through Interactions with the Highly Branched N-Glycans, 731
- Toyoshima, S. See Takaki, Iwata, Tsubuki, Taniguchi, Lu, Gerard, Gerard, Lee, Shirotani, and Saido, 897
- Tsubuki, S. See Takaki, Iwata, Taniguchi, Toyoshima, Lu, Gerard, Gerard, Lee, Shirotani, and Saido, 897
- Tsuchiya, M. See Hara, Terashima, and Shimoyama, 601
- Tsuda, T. See Ikeda, Koyota, Ihara, Yamaguchi, Korekane, Sasai, and Taniguchi, 609
- Tsuge, K. See Itaya, Nagata, Shiroishi, and Fujita, 869
- Tsuji, S. See Takashima, Kono, Kurosawa, Yoshida, Tachida, Inoue, and Kanematsu, 1033
- Tsujimoto, M. See Hattori, Kitatani, Matsu-moto, Miyazawa, Rogi, Tsuruoka, Mizutani, and Natori, 755
- Tsukita, S. See Koyanagi, Nagata, Tamura, and Sone, 371
- Tsunawaki, S. and Yoshikawa, K. Relationships of p40^{tar} with p67^{tar} in the Activation and Expression of the Human Respiratory Burst NADPH Oxidase, 777
- Tsuruoka, N. See Hattori, Kitatani, Matsu-moto, Miyazawa, Rogi, Mizutani, Natori, and Tsujimoto, 755
- U
- Uchida, C. See Xue, Zhao, Suda, Oda, Chida, Ichiyama, and Nakamura, 329
- Uchiyama, H., Inaoka, T., Ohkuma-Soyejima, T., Togame, H., Shibanaka, Y., Yoshimoto, T., and Kokubo, T. Directed Evolution to Improve the Thermostability of Prolyl Endopeptidase, 441
- Ueda, K. See Suizu, Iwasaki, Murata-Hori, and Hosoya, 435
- Ueda, T. See Inano, Suetake, Miyake, Nakamura, Okada, and Tajima, 315
- Uemura, K., Shibata, N., Anwaruzzaman, Fujiwara, M., Higuchi, T., Kobayashi, H., Kai, Y., and Yokota, A. The Role of Structural Intersubunit Microheterogeneity in the Regulation of the Activity in Hysteresis of Ribulose 1,5-Bisphosphate Carboxylase/Oxygenase, 591
- Ueno, K. See Kawakami, Toda, Akaji, Nishimura, Nakatsuji, Sonobe, Sonobe, and Aimoto, 455
- Ueyama, K. See Ojima, Koizumi, Inoue, and Nishita, 803
- Urano, N. See Fujii, Ushio, Satomi, Iida, Ushio-Sata, and Kimura, 909
- Ushio, H. See Fujii, Urano, Satomi, Iida, Ushio-Sata, and Kimura, 909
- Ushio-Sata, N. See Fujii, Urano, Ushio, Satomi, Iida, and Kimura, 909
- Uyehara, Y. See Maruta, Aihara, Homma, Sugimoto, and Wakabayashi, 687
- V
- Valbonesi, P. See Barbieri, Righi, Zuccheri, Monti, Gorini, Samorì, and Stirpe, 883
- W
- Wada, A. See Ogata, Ohno, Morishita, and Endo, 309
- Wada, H. See Itoh, Inuzuka, Kohno, Shiku, Ohkura, and Kato, 1017
- Wada, M. See Takagi, Hirai, and Nakamori, 585
- Wakabayashi, K. See Maruta, Aihara, Uyehara, Homma, and Sugimoto, 687
- Wakabayashi, N., Kageyama, R., Habu, T., Doi, T., Morita, T., Nozaki, M., Yamamoto, M., and Nishimune, Y. A Novel Cis-Acting Element Regulates *HES-1* Gene Expression in P19 Embryonal Carcinoma Cells Treated with Retinoic Acid, 1087
- Wakabayashi, S., Yoshida, H., Shigekiyo, T., and Koide, T. Intracellular Degradation of Histidine-Rich Glycoprotein Mutants: Tokushima-1 and 2 Mutants Are Degraded by Different Proteolytic Systems, 201
- Wang, Y.J. See Luo, Qi, Ma, and Wishart, 345
- Watabe, K. See Kodama, Takamatsu, Asai, Ogasawara, and Sadaue, 655
- Watabe, S. See Kakinuma, Hatanaka, Fukushima, Nakaya, Maeda, Doi, and Ooi, 11
- Watanabe, Masami. See Takizawa, Tatematsu, Yoshida, and Nakajima, 471
- Watanabe, Masanori. See Takano, Hitomi, and Maki, 83
- Wato, S., Kamei, K., Arakawa, T., Philo, J.S., Wen, J., Hara, S., and Yamaguchi, H. A Chimeric α-Amylase Inhibitor Suggesting the Evolution of *Phaseolus vulgaris* α-Amylase Inhibitor, 139
- Webster, D.A. See Kim, Chi, Hwang, and Stark, 49
- Wen, J. See Wato, Kamei, Arakawa, Philo, Hara, and Yamaguchi, 139
- Wessner, H. See Hilpert, Hansen, Schneider-Mergener, and Höhne, 1051
- Winpenny, J.P. See Choudhury, Moniaux, Hollingsworth, Aubert, and Batra, 233
- Wishart, D. See Luo, Qi, Ma, and Wang, 345
- Wittman-Liebold, B. See Ketudat Cairns, Champattanachai, Srisomsap, Thiede, and

W (cont'd)

Svasti, 999

X

Xin, Z., Soejima, H., Higashimoto, K., Yatsuki, H., Zhu, X., Satoh, Y., Masaki, Z., Kaneko, Y., Jinno, Y., Fukuzawa, R., Hata, J., and Mukai, T. A Novel Imprinted Gene, *KCNQ1DN*, within the WT2 Critical Region of Human Chromosome 11p15.5 and Its Reduced Expression in Wilms Tumors, 847
 Xue, H.-H., Zhao, D.-M., Suda, T., Uchida, C., Oda, T., Chida, K., Ichiyama, A., and Nakamura, H. Store Depletion by Caffeine/Ryanodine Activates Capacitative Ca²⁺ Entry in Nonexcitable A549 Cells, 329

Y

Yabe, T. See *Kobayashi, Kasano, Maeda, Hori, Motojima, Suzuki, Fujiwara, Takahashi, Tanaka, Kasahara, Yamaguchi, and Maeda*, 711
 Yagi, F. See *Okuda, Mita, Yamauchi, Matsubara, Yamamori, Fukuta, Kuroiwa, Matsuda, and Habuchi*, 763
 Yamada, H. See *Futami, Tada, Seno, and Ishikami*, 245
 Yamaguchi, A. See *Kawabe and Fujihira*, 195
 Yamaguchi, H. See *Wato, Kamei, Arakawa, Philo, Wen, and Hara*, 139
 —. See *Toyoda, Itai, Arakawa, and Aoki*, 731
 Yamaguchi, K. See *Iwatsuki, Lu, Ichikawa, and Hashimoto*, 553
 Yamaguchi, T., Takei, N., Araki, K., Ishii, K., Nagano, T., Ichikawa, T., Kumanishi, T., and Nawa, H. Molecular Characterization of a Novel Gamma-Glutamyl Transpeptidase Homologue Found in Rat Brain, 101
 Yamaguchi, Yoko. See *Kobayashi, Kasano, Maeda, Hori, Motojima, Suzuki, Fujiwara, Takahashi, Yabe, Tanaka, Kasahara, and Maeda*, 711
 Yamaguchi, Yukihiko. See *Ikeda, Koyota, Ihara, Korekane, Tsuda, Sasai, and Tanguchi*, 609
 Yamamori, D. See *Okuda, Mita, Yamauchi, Matsubara, Yagi, Fukuta, Kuroiwa, Matsuda, and Habuchi*, 763
 Yamamoto, K. See *Kadowaki, Nakayama, Okamoto, Abe, Baba, Shi, and Ratnayake*, 153
 —. See *Abe, Baba, Kadowaki, Okamoto, Okazaki, and Asao*, 877
 Yamamoto, Masaki. See *Motoshima, Inagaki, Kumasaki, Furuchi, Inoue, Tamura, Esaki, Soda, Tanaka, and Tanaka*, 349
 Yamamoto, Masayuki. See *Wakabayashi, Kageyama, Habu, Doi, Morita, Nozaki, and Nishimune*, 1087

Yamamoto, T., Nozaki, A., Shintani, S., Ishikura, S., Katagiri, Y., and Hara, A. Structure-Specific Effects of Thyroxine Analogs on Human Liver 3 α -Hydroxysteroid Dehydrogenase, 121
 Yamane, M. and Abe, A. ω -Hydroxylation Activity toward Leukotriene B₄ and Polyunsaturated Fatty Acids in the Human Hepatoblastoma Cell Line, HepG2, and Human Lung Adenocarcinoma Cell Line, A549, 827
 Yamane, T. See *Ishida, Shirai, Matsuda, Kato, Ohno, and Isaji*, 561
 Yamaoka, T. See *Kondo, Honda, Miwa, Katashima, Moritani, Yoshimoto, Hayashi, and Itakura*, 57
 Yamasaki, N. See *Kouzuma, Inanaga, Doi, Kawano, and Kimura*, 161
 Yamashita, C., Kudo, M., Ishida, H., Noshiro, M., Aoyama, Y., and Yoshida, Y. Insulin Is the Essential Factor Maintaining the Constitutive Expression of Hepatic Sterol 14-Demethylase P450 (CYP51), 93
 Yamashita, T. See *Segawa, Kawakita, and Taira*, 65
 Yamauchi, A. See *Hao, Yang, Fujii, Suzuki, Kikuchi, Kaneda, and Nakamura*, 989
 Yamauchi, S. See *Okuda, Mita, Matsubara, Yagi, Yamamori, Fukuta, Kuroiwa, Matsuda, and Habuchi*, 763
 Yamazaki, T. See *Otomo, Murakami, Ishihama, and Kyogoku*, 337
 Yanagi, H. See *Kaneda and Yura*, 529
 Yanase, T. See *Oba, Ichino, Goto, Takayanagi, and Nawata*, 517
 Yang, D. See *Hao, Fujii, Yamauchi, Suzuki, Kikuchi, Kaneda, and Nakamura*, 989
 Yatsuki, H. See *Xin, Soejima, Higashimoto, Zhu, Satoh, Masaki, Kaneko, Jinno, Fukuzawa, Hata, and Mukai*, 847
 Yin, J. and Jing, G. Tryptophan 140 Is Important, but Serine 141 Is Essential for the Formation of the Integrated Conformation of Staphylococcal Nuclease, 113
 Yokota, A. See *Uemura, Shibata, Anwaruzzaman, Fujiwara, Higuchi, Kobayashi, and Kai*, 591
 Yokoyama, S. See *Zhang, Ito, and Kato*, 837
 Yoneyama, M. See *Suhara, Iwamura, Yoshimura, Tamura, Namiki, Aimoto, and Fujita*, 301
 Yoshida, Hidemasa. See *Wakabayashi, Shigekiyo, and Koide*, 201
 Yoshida, Hitoshi, Matsushima, N., Kumaki, Y., Nakata, M., and Hikichi, K. NMR Studies of Model Peptides of PHGGWGQ Repeats within the N-Terminus of Prion Proteins: A Loop Conformation with Histidine and Tryptophan in Close Proximity, 271
 Yoshida, M. See *Takizawa, Tatematsu, Watanabe, and Nakajima*, 471

Yoshida, Yukiko. See *Takashima, Kono, Kurosawa, Tachida, Inoue, Kanematsu, and Tsuji*, 1033

Yoshida, Yuzo. See *Yamashita, Kudo, Ishida, Noshiro, and Aoyama*, 93

Yoshikawa, K. See *Tsunawaki*, 777

Yoshimi, M. See *Makishima, Komiyama, Hara, and Nishimoto*, 399

Yoshimoto, K. See *Kondo, Yamaoka, Honda, Miwa, Katashima, Moritani, Hayashi, and Itakura*, 57

Yoshimoto, R., Hori, M., Ozaki, H., and Karaki, H. Proteolysis of Acidic Calponin by μ -Calpain, 1045

Yoshimoto, T. See *Huang, Ito, and Kabashima*, 207

—. See *Uchiyama, Inaoka, Ohkuma-Soyejima, Togame, Shibanaka, and Kokubo*, 441

—. See *Ito, Inoue, Kabashima, Kanada, Huang, Ma, Azmi, and Azab*, 673

Yoshimura, N. See *Kikuchi, Ichikawa, Arai, Tateiwa, Fu, and Higuchi*, 811

Yoshimura, S. See *Suhara, Yoneyama, Iwamura, Tamura, Namiki, Aimoto, and Fujita*, 301

Yoshimura, T. See *Nakai, Mizutani, Miyahara, Hirotsu, Takeda, Jhee, and Esaki*, 29

—. See *Jhee, Miles, Takeda, Miyahara, Hirotsu, Soda, Kawata, and Esaki*, 679

Yoshioka, H. See *Saito, Naito, Seki, Oohashi, Kimura, Momota, Kishiro, Sado, and Nino-miya*, 427

Yoshioka, I. See *Koga, Sakuraba, Takahashi, Sakasegawa, Shimizu, and Ohshima*, 1079

Yoshizaki, H. See *Fujikura, Zhang, Nishino, and Koyama*, 917

Yura, T. See *Kaneda and Yanagi*, 529

Z

Zhang, L.-Y., Ito, J., Kato, T., and Yokoyama, S. Cholesterol Homeostasis in Rat Astrocytoma Cells GA-1, 837

Zhang, Y. See *Harata, Oma, Tabuchi, Stillman, and Mizuno*, 665

Zhang, Y.-W. See *Fujikura, Yoshizaki, Nishino, and Koyama*, 917

Zhang, Z. and Komatsu, S. Molecular Cloning and Characterization of cDNAs Encoding Two Isoforms of Ribulose-1,5-Bisphosphate Carboxylase/Oxygenase Activase in Rice (*Oryza sativa* L.), 383

Zhao, D.-M. See *Xue, Suda, Uchida, Oda, Chida, Ichiyama, and Nakamura*, 329

Zhu, X. See *Xin, Soejima, Higashimoto, Yatsuki, Satoh, Masaki, Kaneko, Jinno, Fukuzawa, Hata, and Mukai*, 847

Zuccheri, G. See *Barbieri, Valbonesi, Righi, Monti, Gorini, Samorì, and Stirpe*, 883

INDEX TO KEY WORDS

A

L- α -aminoacidic acid (L-AAA), *Flavobacterium lutescens* IFO3084, *lat*, *pcd*, Δ' -piperideine-6-carboxylate (P6C), *Fujii*, *Narita*, *Agematsu*, *Agata*, *Isshiki*, 975
 α -amylase inhibitor, α -amylase inhibitor-like protein, evolution, *Phaseolus vulgaris*, subunit structure, *Wato*, *Kamei*, *Arakawa*, *Philo*, *Wen*, *Hara*, *Yamaguchi*, 139
 α -amylase inhibitor-like protein, α -amylase inhibitor, evolution, *Phaseolus vulgaris*, subunit structure, *Wato*, *Kamei*, *Arakawa*, *Philo*, *Wen*, *Hara*, *Yamaguchi*, 139
 α -chymotrypsin, domain conformational change, glycerol kinase, site-directed mutagenesis, *Thermus aquaticus*, *Huang*, *Ito*, *Kabashima*, *Yoshimoto*, 207
 α -helix, carp, differential scanning calorimetry, light meromyosin, recombinant DNA, *Kakinuma*, *Hatanaka*, *Fukushima*, *Nakaya*, *Maeda*, *Doi*, *Ooi*, *Watabe*, 11
 3α -hydroxysteroid dehydrogenase, activation, aldo-keto reductase family, binding site, thyroxine, triiodothyronine, *Yamamoto*, *Nozaki*, *Shintani*, *Ishikura*, *Katagiri*, *Hara*, 121
A549 cell, cytochrome P450 4F2, fatty acid ω -hydroxylation, HepG2 cell, nuclear envelope, *Yamane*, *Abe*, 827
ABC transporter, chromosome, GFP, interferon- γ , peptide transport, TAPL, *Kobayashi*, *Kasano*, *Maeda*, *Hori*, *Motojima*, *Suzuki*, *Fujiwara*, *Takahashi*, *Yabe*, *Tanaka*, *Kasahara*, *Yamaguchi*, *Maeda*, 711
acidic calponin, actin, calmodulin, calpain, proteolysis, *Yoshimoto*, *Hori*, *Ozaki*, *Karaki*, 1045
AcrAB, drug efflux, multidrug resistance, site-directed mutagenesis, TolC, *Kawabe*, *Fujihira*, *Yamaguchi*, 195
actin, acidic calponin, calmodulin, calpain, proteolysis, *Yoshimoto*, *Hori*, *Ozaki*, *Karaki*, 1045
actin-activated MgATPase activity, MAPK, MRLC, myosin II, RSK, *Siizu*, *Ueda*, *Iwasaki*, *Murata-Hori*, *Miyazawa*, 435
actin-related protein, chromatin, nuclear localization, protein complex, transcriptional regulation, *Harata*, *Oma*, *Tabuchi*, *Zhang*, *Stillman*, *Mizuno*, 665
activation, aldo-keto reductase family, binding site, 3α -hydroxysteroid dehydrogenase, thyroxine, triiodothyronine, *Yamamoto*, *Nozaki*, *Shintani*, *Ishikura*, *Katagiri*, *Hara*, 121
active staining, directed evolution, prolyl endopeptidase, thermostability, *Uchiyama*, *Inaoka*, *Ohkuma-Soyejima*, *Togame*, *Shibamura*, *Yoshimoto*, *Kokubo*, 441
ADAM (MDC) family, endoplasmic reticulum, meltrin α (ADAM12), plasma membrane, proteolytic processing, *Kadota*, *Suzuki*, *Nakagami*, *Izumi*, *Endo*, 941
Ad4BP/SF-1, FTZ-F1, gene regulation, *Oba*, *Yanase*, *Ichino*, *Goto*, *Takayanagi*, *Nawata*,

517

adenosine dialdehyde, arginine methyltransferase, lymphoblastoid cell, protein methylation, *Lin*, *Hsieh*, *Li*, *Li*, *Pearson*, *Pollard*, *Li*, 493
AICA riboside, ATP, cell cycle, growth rate, purine biosynthesis, *Kondo*, *Yamaoka*, *Honda*, *Miwa*, *Katashima*, *Moritani*, *Yoshimoto*, *Hayashi*, *Itakura*, 57
AIM-1, cytokinesis, myosin II regulatory light chain (MRLC), myosin light chain kinase (MLCK), phosphorylation, *Murata-Hori*, *Fumoto*, *Fukuta*, *Iwasaki*, *Kikuchi*, *Tatsuka*, *Hosoya*, 903
alanine-scan, glucuronyltransferase, HNK-1 carbohydrate epitope, Rossmann-fold motif, 3D-model, *Ohtsubo*, *Imajo*, *Ishiguro*, *Nakatani*, *Oka*, *Kawasaki*, 283
aldo-keto reductase family, activation, binding site, 3α -hydroxysteroid dehydrogenase, thyroxine, triiodothyronine, *Yamamoto*, *Nozaki*, *Shintani*, *Ishikura*, *Katagiri*, *Hara*, 121
Alzheimer's disease, amyloid β peptide, catabolism, neprilysin, neutral endopeptidase, *Takaki*, *Iwata*, *Tsubuki*, *Taniguchi*, *Toyoshima*, *Lu*, *Gerard*, *Gerard*, *Lee*, *Shirotan*, *Saido*, 897
amine-donor, ELISA-based assay, microbial transglutaminase, site-specific mutagenesis, *Streptomyces* protease inhibitor, substrate specificity, *Taguchi*, *Nishihama*, *Igi*, *Ito*, *Tura*, *Motoki*, *Momose*, 415
D-amino acid oxidase, flavoenzyme, oxidative half-reaction, purple intermediate, X-ray crystallography, *Mizutani*, *Miyahara*, *Hirotsu*, *Nishina*, *Shiga*, *Setoyama*, *Miura*, 73
—, enzyme-ligand interaction, flavoenzyme, nuclear magnetic resonance, Raman spectra, *Nishina*, *Sato*, *Miura*, *Shiga*, 213
amino acid sequence, autoproteolysis, calcium ion, *Glycydium halys brevicaudus*, metalloprotease, *Fujimura*, *Oshikawa*, *Terada*, *Kumoto*, 167
amino acid substitution, compressibility, dihydrofolate reductase, flexible loops, structural flexibility, *Gekko*, *Kamiyama*, *Ohmae*, *Katayanagi*, 21
amino-propeptide, collagen, fibril, homotrimer, recombinant protein, *Cluzel*, *Lethias*, *Garrone*, *Exposito*, 957
3-aminobenzamide, apoptosis, cytolysis, poly(ADP-ribose) polymerase, ricin, *Komatsu*, *Nakagawa*, *Oda*, *Muramatsu*, 463
aminodeoxychorismate lyase, pyridoxal enzyme, reaction mechanism, tertiary structure, X-ray structure, *Nakai*, *Mizutani*, *Miyahara*, *Hirotsu*, *Takeda*, *Jhee*, *Yoshimura*, *Esaki*, 29
—, molecular evolution, pyridoxal 5'-phosphate, stereochemistry, transamination, *Jhee*, *Yoshimura*, *Miles*, *Takeda*, *Miyahara*, *Hirotsu*, *Soda*, *Kawata*, *Esaki*, 679
aminoguanidine, calpain, crystallin, hereditary cataract, inducible nitric oxide synthase, *Inomata*, *Hayashi*, *Shumiya*, *Kawa*, *shima*, *Ito*, 771
aminopeptidase, peptidase, proline, prolyl aminopeptidase, *Serratia marcescens*, substrate recognition, *Ito*, *Inoue*, *Kabashima*, *Kanada*, *Huang*, *Ma*, *Azmi*, *Azab*, *Yoshimoto*, 673
—, angiotensin, bradykinin, kallidin, metallopeptidase, *Hattori*, *Kitatani*, *Matsumoto*, *Miyazawa*, *Rogi*, *Tsuruoka*, *Mizutani*, *Natori*, *Tsujimoto*, 755
amyloid β peptide, Alzheimer's disease, catabolism, neprilysin, neutral endopeptidase, *Takaki*, *Iwata*, *Tsubuki*, *Taniguchi*, *Toyoshima*, *Lu*, *Gerard*, *Gerard*, *Lee*, *Shirotan*, *Saido*, 897
angiotensin, aminopeptidase, bradykinin, kallidin, metallopeptidase, *Hattori*, *Kitatani*, *Matsumoto*, *Miyazawa*, *Rogi*, *Tsuruoka*, *Mizutani*, *Natori*, *Tsujimoto*, 755
annexin, glycosaminoglycan, phospholipid, *Satoh*, *Miwa*, *Kojima*, *Hirabayashi*, *Matsu*, *moto*, 377
—, caspase, caspase inhibitor, phosphatidylserine externalization, zinc, *Hamatake*, *Iguchi*, *Hirano*, *Ishida*, 933
anti-idiotype antibody, molecular mimicry, MUC-1 antigen, *Luo*, *Qi*, *Ma*, *Wang*, *Wishart*, 345
anti-phospholipid antibody syndrome, β_2 -glycoprotein I, lupus anticoagulant, monoclonal antibody, thrombosis, *Itoh*, *Inuzuka*, *Kohna*, *Wada*, *Shiku*, *Ohkura*, *Kato*, 1017
antibody engineering, antibody fragment, antigen binding, *Pichia pastoris*, single-chain Fv, *Andrade*, *Albuquerque*, *Moraes*, *Brígido*, *Santos-Silva*, 891
antibody fragment, antibody engineering, antigen binding, *Pichia pastoris*, single-chain Fv, *Andrade*, *Albuquerque*, *Moraes*, *Brígido*, *Santos-Silva*, 891
antigen binding, antibody engineering, antibody fragment, *Pichia pastoris*, single-chain Fv, *Andrade*, *Albuquerque*, *Moraes*, *Brígido*, *Santos-Silva*, 891
antimicrobial peptide, molecular dynamics simulation, NMR solution structure, PCR random mutagenesis, structure-function relationship, thanatin, *Taguchi*, *Kuwasaki*, *Suenaga*, *Okada*, *Momose*, 745
apoE, astrocyte, astrocytoma, cholesterol, HDL, *Zhang*, *Ito*, *Kato*, *Yokoyama*, 837
apoptosis, DAD1, Mcl-1, N-linked glycosylation, tsBN7, *Makishima*, *Yoshimi*, *Komi*, *yama*, *Hara*, *Nishimoto*, 399
—, 3-aminobenzamide, cytolysis, poly(ADP-ribose) polymerase, ricin, *Komatsu*, *Nakagawa*, *Oda*, *Muramatsu*, 463
archaea, glucokinase, hexokinase, hyperthermophiles, *Pyrococcus furiosus*, *Thermococcus litoralis*, *Koga*, *Yoshioka*, *Sakuraba*, *Takahashi*, *Sakasegawa*, *Shimizu*, *Ohshima*, 1079
Arg-gingipain, cysteine proteinases, Lys-gingipain, periodontal diseases, *Porphyromonas gingivalis*, *Kadowaki*, *Nakayama*, *Okamoto*, *Abe*, *Baba*, *Shi*, *Ratnayake*,

A (cont'd)

- Yamamoto*, 153
 arginine methyltransferase, adenosine dialdehyde, lymphoblastoid cell, protein methylation, *Lin, Hsieh, Li, Li, Pearson, Pollard, Li*, 493
 astrocyte, apoE, astrocytoma, cholesterol, HDL, *Zhang, Ito, Kato, Yokoyama*, 837
 astrocytoma, apoE, astrocyte, cholesterol, HDL, *Zhang, Ito, Kato, Yokoyama*, 837
 atomic force microscopy, polynucleotide:adenosine glycosidase, Red-Sepharose®, ribosome-inactivating protein, scanning force microscopy, *Barbieri, Valbonesi, Righi, Zuccheri, Monti, Gorini, Sanori, Stirpe*, 883
 ATP, AICA riboside, cell cycle, growth rate, purine biosynthesis, *Kondo, Yamaoka, Honda, Miwa, Katahima, Moritani, Yoshimoto, Hayashi, Itakura*, 57
 ATP analogues, energy transduction, fluorescence, myosin, photoaffinity labeling, *Maruta, Homma*, 695
 ATP synthesis, ATPase inhibitor, F₁FoATPase, localized proton theory, membrane potential, *Iwatsuki, Lu, Yamaguchi, Ichikawa, Hashimoto*, 553
 ATPase, CsS-particles, elongation factors, mRNA, 30S-5SRNP, *Ogata, Ohno, Terao, Endo*, 1
 —, *E. coli*, GTPase, 70S ribosome, *Ogata, Ohno, Morishita, Endo, Wada*, 309
 ATPase inhibitor, ATP synthesis, F₁FoAase, localized proton theory, membrane potential, *Iwatsuki, Lu, Yamaguchi, Ichikawa, Hashimoto*, 553
 autoantibodies, glycosylation, IgG, rheumatoid arthritis, rheumatoid factor, *Matsu moto, Shikata, Takeuchi, Kojima, Mizu ochi*, 621
 autoproteolysis, amino acid sequence, calcium ion, *Glycidius halys brevicaudus*, metalloprotease, *Fujimura, Oshikawa, Terada, Kimoto*, 167

B

- β -fucosidase, β -glucosidase, glycosylation, recombinant expression, plant, *Ketutad Cairns, Champattanachai, Srisomsap, Wittman-Liebold, Thiede, Svasti*, 999
 β -glucosidase, β -fucosidase, glycosylation, recombinant expression, plant, *Ketutad Cairns, Champattanachai, Srisomsap, Wittman-Liebold, Thiede, Svasti*, 999
 β_2 -glycoprotein I, anti-phospholipid antibody syndrome, lupus anticoagulant, monoclonal antibody, thrombosis, *Itoh, Inuzuka, Kohno, Wada, Shiku, Ohkura, Kato*, 1017
 β -turn, histidine-tryptophan interaction, N-terminus, octapeptide repeat, prion protein, *Yoshida, Matsushima, Kumaki, Nakata, Hikichi*, 271
B. subtilis, cell wall binding motif, spore protein, *Kodama, Takamatsu, Asai, Ogawara, Sadaie, Watabe*, 655
 bacteria, bioremediation, bioreactor, endocrine disrupter chemicals, nonylphenol, *Fujii, Urano, Ushio, Satomi, Iida, Ushio-Sata, Kimura*, 909
Bacteroides stercoris HJ-15, heparinase, heparan sulfate, purification, *Kim, Kim, Kim, Linhardt, Kim*, 323

- barotolerant *Pseudomonas*, barotropic phase transition, differential scanning calorimetry, hydrostatic pressure, membrane lipids, *Kaneko, Obuchi, Horikoshi*, 727
 barotropic phase transition, barotolerant *Pseudomonas*, differential scanning calorimetry, hydrostatic pressure, membrane lipids, *Kaneko, Obuchi, Horikoshi*, 727
 basal transcription, general repressor Tup1-Ssn6, mediator, *Saccharomyces cerevisiae*, *Sin4, Kunoh, Sakuno, Furukawa, Kaneko, Harashima*, 575
 basement membrane, collagen IV, epithelium, gene expression, testis, *Saito, Naito, Seki, Oohashi, Kimura, Momota, Kishiro, Sado, Yoshioka, Ninomiya*, 427
 —, cathepsin L, 20-hydroxyecdysone, neural remodeling, *Sarcophaga peregrina, Fujii-Taira, Tanaka, Homma, Natori*, 539
 binding protein, dimer, GlcNAc 2-epimerase, high molecular weight, renin, *Takahashi, Kumagai, Shinda, Saito, Kawamura*, 951
 binding site, activation, aldo-keto reductase family, 3 α -hydroxysteroid dehydrogenase, thyroxine, triiodothyronine, *Yamamoto, Nozaki, Shintani, Ishikura, Katagiri, Hara*, 121
 binding site structural motifs, docking studies, *Erythrina corallodendron* lectin, *Escherichia coli* heat-labile enterotoxin, N-acetyllactosamine binding, *Teneberg, Bern tsson, Ångström*, 481
 bioreactor, bacteria, bioremediation, endocrine disrupter chemicals, nonylphenol, *Fujii, Urano, Ushio, Satomi, Iida, Ushio-Sata, Kimura*, 909
 bioremediation, bacteria, bioreactor, endocrine disrupter chemicals, nonylphenol, *Fujii, Urano, Ushio, Satomi, Iida, Ushio-Sata, Kimura*, 909
 bisecting GlcNAc, N-acetylglucosaminyltransferase, GnT-III, nucleotide-sugar, substrate specificity, *Ikeda, Koyota, Ihara, Yamaguchi, Korekane, Tsuda, Sasai, Taniguchi*, 609
 bradykinin, aminopeptidase, angiotensin, kallidin, metallopeptidase, *Hattori, Kitatani, Matsumoto, Miyazawa, Ragi, Tsuruoka, Mizutani, Natori, Tsujimoto*, 755
 brain, γ -glutamyl transpeptidase, glutamyl moiety, glutathione, membrane enzyme, *Yamaguchi, Takei, Araki, Ishii, Nagano, Ichikawa, Kumanishi, Nawa*, 101

C

- C2 domain, Ca²⁺ sensor, exocytosis, self-oligomerization, synaptotagmin, *Fukuda, Mikoshiba*, 637
 C-terminal α -helix, human adenylate kinase, hydrophobicity, *Ayabe, Park, Takenaka, Takenaka, Maruyama, Sumida, Onitsuka, Hamada*, 181
 Ca²⁺-regulatory function, scallop troponin C, recombinants, Mg-ATPase activity, *Ojima, Koizumi, Ueyama, Inoue, Nishita*, 803
 Ca²⁺ sensor, C2 domain, exocytosis, self-oligomerization, synaptotagmin, *Fukuda, Mikoshiba*, 637
 calcium ion, amino acid sequence, autoproteolysis, *Glycidius halys brevicaudus*, metalloprotease, *Fujimura, Oshikawa, Terada, Kimoto*, 167
 cell cycle, AICA riboside, ATP, growth rate, purine biosynthesis, *Kondo, Yamaoka, Honda, Miwa, Katahima, Moritani, Yoshimoto, Hayashi, Itakura*, 57
 cell fusion, fusion protein, intracellular transport, N-linked oligosaccharide chain, *Sendai virus, Segawa, Yamashita, Kawakita, Taira*, 65
 cell wall binding motif, *B. subtilis*, spore protein, *Kodama, Takamatsu, Asai, Ogawara, Sadaie, Watabe*, 655
 CH/ π interaction, fluorophenylalanine, phe-

C (cont'd)

nylalanine, thrombin receptor, Matsushima, Fujita, Nose, Shimohigashi, 225
chain entropy, disulfide, proteolysis, RNase, stabilization, Futami, Tada, Seno, Ishikami, Yamada, 245
chemical synthesis, disulfide linkage, molt-inhibiting hormone, peptide thioester, *Procambarus clarkii*, Kawakami, Toda, Akaji, Nishimura, Nakatsuji, Ueno, Sonobe, Sonobe, Aimoto, 455
chemotaxis, kinase inhibitors, myosin light-chain kinase, Rho kinase, vascular smooth muscle cells, Kishimoto, Bao, Kohama, 719
chloroplast, dolichol, microsomes, polyprenol, prenyltransferase, spinach, Sakaihara, Honda, Tateyama, Sagami, 1073
cholesterol, apoE, astrocyte, astrocytoma, HDL, Zhang, Ito, Kato, Yokoyama, 837
cholesterol efflux, high-density lipoprotein, macrophage, pregnenolone, reverse cholesterol transport, Ikemoto, Furuchi, Arai, Inoue, 251
chondroitin sulfate, chromosome mapping, molecular cloning, proteoglycan, sulfotransferase, Okuda, Mita, Yamauchi, Matsubara, Yagi, Yamamori, Fukuta, Kuroiwa, Matsuda, Habuchi, 763
chromatin, actin-related protein, nuclear localization, protein complex, transcriptional regulation, Harata, Oma, Tabuchi, Zhang, Stillman, Mizuno, 665
chromosome, ABC transporter, GFP, interferon- γ , peptide transport, TAP1, Kobayashi, Kasano, Maeda, Hori, Motojima, Suzuki, Fujiwara, Takahashi, Yabe, Tanaka, Kasahara, Yamaguchi, Maeda, 711
chromosome mapping, chondroitin sulfate, molecular cloning, proteoglycan, sulfotransferase, Okuda, Mita, Yamauchi, Matsubara, Yagi, Yamamori, Fukuta, Kuroiwa, Matsuda, Habuchi, 763
citrate synthase, mitochondria, peroxisomes, *Saccharomyces cerevisiae*, targeting signal, Lee, Cho, Lee, Lee, Bae, Maeng, 1059
class II MHC, HLA-DR, peptide-binding affinity, pocket engineering, Kim, Byun, 449
CLN2, lysosomes, neuronal ceroid lipofuscinosis, subunit c, tripeptidyl peptidase I, Ezaki, Takeda-Ezaki, Kominami, 509
cloning, mantle, nonmuscle myosin, pallial cell layer, scallop, Hasegawa, 983
collagen, amino-propeptide, fibril, homotrimer, recombinant protein, Cluzel, Lethias, Garrone, Exposito, 957
collagen IV, basement membrane, epithelium, gene expression, testis, Saito, Naito, Seki, Oohashi, Kimura, Momota, Kishiro, Sado, Yoshioka, Ninomiya, 427
compressibility, amino acid substitution, dihydrofolate reductase, flexible loops, structural flexibility, Gekko, Kamiyama, Ohmae, Katayanagi, 21
computer program, peptide drug, protein evolution, rational drug design, Ishida, Shirai, Matsuda, Kato, Ohno, Isaji, Yamane, 561
COP I-coated vesicle, two-hybrid analysis, vesicular transport, Futaiumori, Kasai, Takatsu, Shin, Nakayama, 793
core sequence, catalase gene, hepatocarcino-

genesis, silencer, transcriptional regulation, Takeuchi, Nakamura, Kayasuga, Isa, Sato, 1025
CpG island, imprinted genes, genomic imprinting, KCNQ1DN, Wilms' tumors, Xin, Soejima, Higashimoto, Yatsuki, Zhu, Satoh, Masaki, Kaneko, Jinno, Fukuzawa, Hata, Mukai, 847
crystal structure, MAD, L-methionine γ -lyase, PLP enzyme, *Pseudomonas putida*, Motomshima, Inagaki, Kumasaka, Furuichi, Inoue, Tamura, Esaki, Soda, Tanaka, Yamamoto, Tanaka, 349
crystallin, aminoguanidine, calpain, hereditary cataract, inducible nitric oxide synthase, Inomata, Hayashi, Shumiya, Kawashima, Ito, 771
CsS-particles, ATPase, elongation factors, mRNA, 30S-5SRNP, Ogata, Ohno, Terao, Endo, 1
CYP51, regulation, insulin, sterol 14-demethylase P450, sterol regulatory element binding protein (SREBP), streptozotocin, Yamashita, Kudo, Ishida, Noshiro, Aoyama, Yoshida, 93
cysteine mutagenesis, *E. coli*, protein translocation, SecG, sulphydryl reagent, Nagamori, Nishiyama, Tokuda, 129
cysteine proteinase, cDNA cloning, overexpression, phytocystatin, sunflower, Kouzuma, Inanaga, Doi-Kawano, Yamasaki, Kimura, 161
—, fluorogenic substrate, Lys-gingipain, periodontitis, *Porphyromonas gingivalis*, Abe, Baba, Kadokami, Okamoto, Okazaki, Asao, Yamamoto, 877
—, Arg-gingipain, Lys-gingipain, periodontal diseases, *Porphyromonas gingivalis*, Kadokami, Nakayama, Okamoto, Abe, Baba, Shi, Ratnayake, Yamamoto, 153
cytochrome bd, NADH-oxidase, Na⁺ transport, ubiquinol oxidase, Kim, Chi, Hwang, Stark, Webster, 49
cytochrome c-553, cytochrome c oxidase, cytochrome cbb₃, *Helicobacter pylori* Koyanagi, Nagata, Tamura, Tsukita, Sone, 371
cytochrome c oxidase, cytochrome c-553, cytochrome cbb₃, *Helicobacter pylori* Koyanagi, Nagata, Tamura, Tsukita, Sone, 371
cytochrome cbb₃, cytochrome c-553, cytochrome c oxidase, *Helicobacter pylori* Koyanagi, Nagata, Tamura, Tsukita, Sone, 371
cytochrome P450, fatty acid α -hydroxylase, heme-ligand interaction, peroxygenase, *Sphingomonas paucimobilis*, Imai, Matsunaga, Kusunose, Ichihara, 189
cytochrome P450 4F2, A549 cell, fatty acid ω -hydroxylation, HepG2 cell, nuclear envelope, Yamane, Abe, 827
cytochrome P450cam, oxygen activation, proton transfer, site-directed mutagenesis, X-ray crystallography, Hishiki, Shimada, Nagano, Egawa, Kanamori, Makino, Park, Adachi, Shiro, Ishimura, 965
cytokinesis, AIM-1, myosin II regulatory light chain (MLRC), myosin light chain kinase (MLCK), phosphorylation, Murata-Hori, Fumoto, Fukuta, Iwasaki, Kikuchi, Tatsuka, Hosoya, 903
cytolysis, 3-aminobenzamide, apoptosis, poly-(ADP-ribose) polymerase, ricin, Komatsu, Nakagawa, Oda, Muramatsu, 463

D

DAD1, apoptosis, Mcl-1, N-linked glycosylation, tsBN7, Makishima, Yoshimi, Komiyama, Hara, Nishimoto, 399
deficiency, histidine-rich glycoprotein, intracellular degradation, proteasome, Wakabayashi, Yoshida, Shigekiyo, Koide, 201
denaturation, fluorescence quenching, matrin-1, matrix metalloproteinase, protein stability, Inouye, Tanaka, Oneda, 363
detergent, deuteration, diffusion coefficient, NMR, RNA polymerase, Otomo, Yamazaki, Murakami, Ishihama, Kyogoku, 337
deuteration, detergent, diffusion coefficient, NMR, RNA polymerase, Otomo, Yamazaki, Murakami, Ishihama, Kyogoku, 337
differential scanning calorimetry, α -helix, carp, light meromyosin, recombinant DNA, Kakinuma, Hatanaka, Fukushima, Nakaya, Maeda, Doi, Ooi, Watabe, 11
—, barotolerant *Pseudomonas*, barotropic phase transition, hydrostatic pressure, membrane lipids, Kaneko, Obuchi, Horikoshi, 727
diffusion coefficient, detergent, deuteration, NMR, RNA polymerase, Otomo, Yamazaki, Murakami, Ishihama, Kyogoku, 337
dihydrofolate reductase, amino acid substitution, compressibility, flexible loops, structural flexibility, Gekko, Kamiyama, Ohmae, Katayanagi, 21
dimer, binding protein, GlcNAc 2-epimerase, high molecular weight, renin, Takahashi, Kumagai, Shindo, Saito, Kawamura, 951
dimethyl sulfoxide, enzyme activity, matrin-1, matrix metalloproteinase, salt activation, temperature, Oneda, Inouye, 785
directed evolution, active staining, prolyl endopeptidase, thermostability, Uchiyama, Inaoka, Ohkuma-Soyejima, Togame, Shibana, Yoshimoto, Kokubo, 441
disulfide, chain entropy, proteolysis, RNase, stabilization, Futami, Tada, Seno, Ishikami, Yamada, 245
disulfide bond, epidermis, fatty acid-binding protein, mass spectrometry, skin, Odani, Namba, Ishii, Ono, Fujii, 355
disulfide linkage, chemical synthesis, molybdate, inhibiting hormone, peptide thioester, *Procambarus clarkii*, Kawakami, Toda, Akaji, Nishimura, Nakatsuji, Ueno, Sonobe, Sonobe, Aimoto, 455
divalent cations, fibrinogen, fibronectin receptor, integrin, RGD, Suehiro, Mizuguchi, Nishiyama, Iwanaga, Farrell, Ohtaki, 705
Dnmt1, neurons, subcellular localization, Inano, Suetake, Ueda, Miyake, Nakamura, Okada, Tajima, 315
docking studies, binding site structural motifs, *Erythrina corallodendron* lectin, *Escherichia coli* heat-labile enterotoxin, N-acetylglucosamine binding, Teneberg, Bernthoffer, Ångström, 481
dolichol, chloroplast, microsomes, polyprenol, prenyltransferase, spinach, Sakaihara, Honda, Tateyama, Sagami, 1073
domain conformational change, α -chymotrypsin, glycerol kinase, site-directed mutagenesis, *Thermus aquaticus*, Huang, Ito, Kamiyama, Yoshimoto, 207
dopa, dopamine, dopamine sulfate, manga-

D (cont'd)

- nese, tyrosine, Shirani Ranasinghe, Liu, Sakakibara, Suiko, 477
dopamine, dopa, dopamine sulfate, manganese, tyrosine, Shirani Ranasinghe, Liu, Sakakibara, Suiko, 477
dopamine sulfate, dopa, dopamine, manganese, tyrosine, Shirani Ranasinghe, Liu, Sakakibara, Suiko, 477
drug efflux, AcrAB, multidrug resistance, site-directed mutagenesis, TolC, Kawabe, Fujihira, Yamaguchi, 195

E

- E. coli*, cysteine mutagenesis, protein translocation, SecG, sulphydryl reagent, Nagamori, Nishiyama, Tokuda, 129
—, ATPase, GTPase, 70S ribosome, Ogata, Ohno, Morishita, Endo, Wada, 309
EGFP, Leptomycin B, NES, NLS, PKR, Takizawa, Tatematsu, Watanabe, Yoshida, Nakajima, 471
electrophoretic mobility shift assay, neural differentiation, retinoic acid, P19 embryonic carcinoma cells, transcription factor, Wakabayashi, Kageyama, Habu, Doi, Morita, Nozaki, Yamamoto, Nishimune, 1087
ELISA-based assay, amine-donor, microbial transglutaminase, site-specific mutagenesis, *Streptomyces* protease inhibitor, substrate specificity, Taguchi, Nishihama, Igi, Ito, Thira, Motoki, Momose, 415
elongation factors, ATPase, CsS-particles, mRNA, 30S-5SRNP, Ogata, Ohno, Terao, Endo, 1

endocrine disrupter chemicals, bacteria, bioremediation, bioreactor, nonylphenol, Fujii, Urano, Ushio, Satomi, Iida, Ushio-Sata, Kimura, 909

endoglycoceramidase, gangliosides, glycosphingolipids, homology cloning, NEP sequence, substrate specificity, Sakaguchi, Okino, Sueyoshi, Izu, Ito, 145

endoplasmic reticulum, ADAM (MDC) family, meltrin α (ADAM12), plasma membrane, proteolytic processing, Kadota, Suzuki, Nakagami, Izumi, Endo, 941

endothelial cells, glutathione, glyoxalase I, nitrosative stress, S-nitrosoglutathione, Mitsumoto, Kim, Oshima, Kunimoto, Okawa, Iwamatsu, Nakagawa, 647

energy transduction, fluorescent probe, myosin ATPase, transition state complex, X-ray scattering, Maruta, Aihara, Uyehara, Homma, Sugimoto, Wakabayashi, 687

—, ATP analogues, fluorescence, myosin, photoaffinity labeling, Maruta, Homma, 695

enzyme activity, dimethyl sulfoxide, matrix metalloproteinase, salt activation, temperature, Oneda, Inouye, 785

enzyme-ligand interaction, D-amino acid oxidase, flavoenzyme, nuclear magnetic resonance, Raman spectra, Nishina, Sato, Miura, Shiga, 213

epidermis, disulfide bond, fatty acid-binding protein, mass spectrometry, skin, Odani, Namba, Ishii, Ono, Fujii, 355

epithelium, basement membrane, collagen IV, gene expression, testis, Saito, Naito, Seki, Oohashi, Kimura, Momota, Kishiro, Sada, Yoshioka, Niromiya, 427

epitope mapping, F₁-ATPase, monoclonal antibodies, site directed mutagenesis, Kamauchi, Fudemoto, Miki, Inoue, Kanazawa, 629

ER stress, ER stress response element, hypoxia, multiple transcription start sites, ORP150, Kaneda, Yura, Yanagi, 529
ER stress response element, ER stress, hypoxia, multiple transcription start sites, ORP150, Kaneda, Yura, Yanagi, 529

Erythrina corallodendron lectin, binding site structural motifs, docking studies, *Escherichia coli* heat-labile enterotoxin, N-acetyl-lactosamine binding, Teneberg, Berntsson, Ångström, 481

erythropoietin, glycoprotein, N-glycan, N-glycan function, N-glycan-protein interaction, Toyoda, Itai, Arakawa, Aoki, Yamaguchi, 731

Escherichia coli heat-labile enterotoxin, binding site structural motifs, docking studies, *Erythrina corallodendron* lectin, N-acetyl-lactosamine binding, Teneberg, Berntsson, Ångstrom, 481

evolution, α -amylase inhibitor, α -amylase inhibitor-like protein, *Phaseolus vulgaris*, subunit structure, Wato, Kamei, Arakawa, Philo, Wen, Hara, Yamaguchi, 139

exocytosis, Ca²⁺ sensor, C2 domain, self-oligomerization, synaptotagmin, Fukuda, Mikoshiba, 637

exon, calpastatin, isoform, multiple promoters, protease inhibitor, Takano, Watanabe, Hitomi, Maki, 83

F

F₁-ATPase, epitope mapping, monoclonal antibodies, site directed mutagenesis, Kamauchi, Fudemoto, Miki, Inoue, Kanazawa, 629

fatty acid α -hydroxylase, cytochrome P450, heme-ligand interaction, peroxygenase, *Sphingomonas paucimobilis*, Imai, Matsunaga, Kusunose, Ichihara, 189

fatty acid-binding protein, epidermis, disulfide bond, mass spectrometry, skin, Odani, Namba, Ishii, Ono, Fujii, 355

fatty acid composition, hepatoma cells, phospholipids, total lipids, Martínez-Cayuela, García-Pelayo, Linares, García-Peregrín, 545

fatty acid ω -hydroxylation, A549 cell, cytochrome P450 4F2, HepG2 cell, nuclear envelope, Yamane, Abe, 827

F₁F₀ATPase, ATPase inhibitor, ATP synthesis, localized proton theory, membrane potential, Iwatsuki, Lu, Yamaguchi, Ichikawa, Hashimoto, 553

fibril, amino-propeptide, collagen, homotrimer, recombinant protein, Cluzel, Lethias, Garrone, Exposito, 957

fibrinogen, divalent cations, fibronectin receptor, integrin, RGD, Suehiro, Mizuguchi, Nishiyama, Iwanaga, Farrell, Ohtaki, 705

fibronectin receptor, divalent cations, fibrinogen, integrin, RGD, Suehiro, Mizuguchi, Nishiyama, Iwanaga, Farrell, Ohtaki, 705

Flavobacterium lutescens IFO3084, homodimer, LAT, lat, Fujii, Narita, Agematu, Agata, Isshiki, 391
—, L- α -aminoacidipic acid (L-AAA), lat, pcd, Δ' -piperideine-6-carboxylate (P6C), Fujii,

Narita, Agematu, Agata, Isshiki, 975

flavoenzyme, D-amino acid oxidase, oxidative half-reaction, purple intermediate, X-ray crystallography, Mizutani, Miyahara, Hirotsu, Nishina, Shiga, Setoyama, Miura, 73
—, D-amino acid oxidase, enzyme-ligand interaction, nuclear magnetic resonance, Raman spectra, Nishina, Sato, Miura, Shiga, 213

flexible loops, amino acid substitution, compressibility, dihydrofolate reductase, structural flexibility, Gekko, Kamiyama, Ohmae, Katayanagi, 21

fluorescence, ATP analogues, energy transduction, myosin, photoaffinity labeling, Maruta, Homma, 695

fluorescence quenching, denaturation, matrix metalloproteinase, protein stability, Inouye, Tanaka, Oneda, 363

fluorescent probe, energy transduction, myosin ATPase, transition state complex, X-ray scattering, Maruta, Aihara, Uyehara, Homma, Sugimoto, Wakabayashi, 687

fluorogenic substrate, cysteine proteinase, Lys-gingipain, periodontitis, *Porphyromonas gingivalis*, Abe, Baba, Kadowaki, Okamoto, Okazaki, Asao, Yamamoto, 877

fluorophenylalanine, CH/ π interaction, phenylalanine, thrombin receptor, Matsushima, Fujita, Nose, Shimohigashi, 225

folding, ligands-binding, molten globule, mutant, staphylococcal nuclease, Li, Jing, 739

FTZ-F1, Ad4BP/SF-1, gene regulation, Oba, Yanase, Ichino, Goto, Takayanagi, Nawata, 517

fusion protein, cell fusion, intracellular transport, N-linked oligosaccharide chain, Sendai virus, Segawa, Yamashita, Kawakita, Taira, 65

G

γ -glutamyl transpeptidase, brain, glutamyl moiety, glutathione, membrane enzyme, Yamaguchi, Takei, Araki, Ishii, Nagano, Ichikawa, Kumanishi, Nawa, 101

gangliosides, endoglycoceramidase, glycosphingolipids, homology cloning, NEP sequence, substrate specificity, Sakaguchi, Okino, Sueyoshi, Izu, Ito, 145

GD3 synthase, genomic organization, molecular cloning, sialyltransferase, transcriptional regulation, Takashima, Kono, Kurosawa, Yoshida, Tachida, Inoue, Kanematsu, Tsuji, 1033

gene expression, basement membrane, collagen IV, epithelium, testis, Saito, Naito, Seki, Oohashi, Kimura, Momota, Kishiro, Sada, Yoshioka, Niromiya, 427

gene regulation, Ad4BP/SF-1, FTZ-F1, Oba, Yanase, Ichino, Goto, Takayanagi, Nawata, 517

general repressor Tup1-Ssn6, basal transcription, mediator, *Saccharomyces cerevisiae*, Sin4, Kunoh, Sakuno, Furukawa, Kaneko, Harashima, 575

Genome Profiling, random PCR, species identification and information amount, TGGE, Nishigaki, Naimuddin, Hamano, 107

genome vector, positive selection, recombination, transformation, Itaya, Nagata, Shirōishi, Fujita, Tsuge, 869

genomic imprinting, CpG island, imprinted

G (cont'd)

genes, KCNQ1DN, Wilms' tumors, *Xin, Soejima, Higashimoto, Yatsuki, Zhu, Satoh, Masaki, Kaneko, Jinno, Fukuzawa, Hata, Mukai*, 847
 genomic organization, GD3 synthase, molecular cloning, sialyltransferase, transcriptional regulation, *Takahshima, Kono, Kurocawa, Yoshida, Tsuchida, Inoue, Kanematsu, Tsuji*, 1033
 GFP, ABC transporter, chromosome, interferon- γ , peptide transport, TAPL, *Kobayashi, Kasano, Maeda, Hori, Motojima, Suzuki, Fujiwara, Takahashi, Yabe, Tanaka, Kasahara, Yamaguchi, Maeda*, 711
 GlcNAc 2-epimerase, binding protein, dimer, high molecular weight, renin, *Takahashi, Kumagai, Shindo, Saito, Kawamura*, 951
Gloydius halys brevicaudus, amino acid sequence, autoproteolysis, calcium ion, metalloprotease, *Fujimura, Oshikawa, Terada, Kimoto*, 167
 glucokinase, archaea, hexokinase, hyperthermophiles, *Pyrococcus furiosus, Thermococcus litoralis, Koga, Yoshioka, Sakuraba, Takahashi, Sakasegawa, Shimizu, Ohshima*, 1079
 glucose transport, *Mycoplasma hyopneumoniae*, phosphotransferase enzyme I, *Chung, Farh, Chen, Shiuan*, 261
 glucuronyltransferase, alanine-scan, HNK-1 carbohydrate epitope, Rossmann-fold motif, 3D-model, *Ohtsubo, Imajo, Ishiguro, Nakatani, Oka, Kawasaki*, 283
 glutamyl moiety, brain, γ -glutamyl transpeptidase, glutathione, membrane enzyme, *Yamaguchi, Takei, Araki, Ishii, Nagano, Ichikawa, Kumanishi, Nawa*, 101
 glutathione, brain, γ -glutamyl transpeptidase, glutamyl moiety, membrane enzyme, *Yamaguchi, Takei, Araki, Ishii, Nagano, Ichikawa, Kumanishi, Nawa*, 101
 —, endothelial cells, glyoxalase I, nitrosative stress, S-nitrosoglutathione, *Mitsumoto, Kim, Oshima, Kunimoto, Okawa, Iwamatsu, Nakagawa*, 647
 glycerol kinase, α -chymotrypsin, domain conformational change, site-directed mutagenesis, *Thermus aquaticus, Huang, Ito, Kabashima, Yoshimoto*, 207
 glycoprotein, erythropoietin, N-glycan, N-glycan function, N-glycan–protein interaction, *Toyoda, Itai, Arakawa, Aoki, Yamaguchi*, 731
 glycosaminoglycan, annexin, phospholipid, *Satoh, Miwa, Kojima, Hirabayashi, Matsu-moto*, 377
 glycosphingolipid recognition, N-acetyl-lactosamine-binding, lactosylceramide, molecular modeling, *Solanum tuberosum* lectins, *Ciopraga, Ångström, Bergström, Larsson, Karlsson, Motas, Gozla, Teneberg*, 855
 glycosphingolipids, endoglycosidase, gangliosides, homology cloning, NEP sequence, substrate specificity, *Sakaguchi, Okino, Sueyoshi, Izu, Ito*, 145
 glycosylation, autoantibodies, IgG, rheumatoid arthritis, rheumatoid factor, *Matsu-moto, Shikata, Takeuchi, Kojima, Mizuochi*, 621
 —, β -fucosidase, β -glucosidase, recombinant

expression, plant, *Ketudat Cairns, Cham-pattanachai, Srivatsa, Wittman-Liebold, Thiede, Svasti*, 999

glyoxalase I, endothelial cells, glutathione, nitrosative stress, S-nitrosoglutathione, *Mitsumoto, Kim, Oshima, Kunimoto, Okawa, Iwamatsu, Nakagawa*, 647
 GnT-III, N-acetylglucosaminyltransferase, bisecting GlcNAc, nucleotide-sugar, substrate specificity, *Ikeda, Koyota, Ihara, Yamaguchi, Korekane, Tsuda, Sasai, Tani-guchi*, 609

growth rate, AICA riboside, ATP, cell cycle, purine biosynthesis, *Kondo, Yamaoka, Honda, Miwa, Katashima, Moritani, Yoshimoto, Hayashi, Itakura*, 57
 GTPase, ATPase, *E. coli*, 70S ribosome, *Ogata, Ohno, Morishita, Endo, Wada*, 309

H

HDL, apoE, astrocyte, astrocytoma, cholesterol, *Zhang, Ito, Kato, Yokoyama*, 837

Helicobacter pylori, cytochrome c-553, cytochrome c oxidase, cytochrome cbb₃, *Koyanagi, Nagata, Tamura, Tsukita, Sone*, 371
 heme-ligand interaction, cytochrome P450, fatty acid α -hydroxylase, peroxygenase, *Sphingomonas paucimobilis, Imai, Matsunaga, Kusunose, Ichihara*, 189

heparan sulfate, *Bacteroides stercoris* HJ-15, heparinase, purification, *Kim, Kim, Kim, Linhardt, Kim*, 323

heparinase, *Bacteroides stercoris* HJ-15, heparan sulfate, purification, *Kim, Kim, Kim, Linhardt, Kim*, 323

hepatocarcinogenesis, catalase gene, core sequence, silencer, transcriptional regulation, *Takeuchi, Nakamura, Kayasuga, Isa, Sato*, 1025

hepatocyte, cathepsin B, lysosome, mannose 6-phosphate, protein sorting, *Tanaka, Tanaka, Kawabata, Noguchi, Himeno*, 39

hepatoma cells, fatty acid composition, phospholipids, total lipids, *Martínez-Cayuela, García-Pelayo, Linares, García-Peregrín*, 545

HepG2 cell, A549 cell, cytochrome P450 4F2, fatty acid ω -hydroxylation, nuclear envelope, *Yamane, Abe*, 827

hereditary cataract, aminoguanidine, capsaicin, crystallin, inducible nitric oxide synthase, *Inomata, Hayashi, Shumiya, Kawashima, Ito*, 771

hexokinase, archaea, glucokinase, hyperthermophiles, *Pyrococcus furiosus, Thermococcus litoralis, Koga, Yoshioka, Sakuraba, Takahashi, Sakasegawa, Shimizu, Ohshima*, 1079

high-density lipoprotein, cholesterol efflux, macrophage, pregnenolone, reverse cholesterol transport, *Ikemoto, Furuchi, Arai, Inoue*, 251

high molecular weight, binding protein, dimer, GlcNAc 2-epimerase, renin, *Takahashi, Kumagai, Shindo, Saito, Kawamura*, 951

histidine-rich glycoprotein, deficiency, intracellular degradation, proteasome, *Wakabayashi, Yoshida, Shigekiyo, Koide*, 201

histidine-tryptophan interaction, β -turn, N-terminus, octapeptide repeat, prion protein, *Yoshida, Matsushima, Kumaki*, —, β -fucosidase, β -glucosidase, recombinant

Nakata, Hikichi, 271

HLA-DR, class II MHC, peptide-binding affinity, pocket engineering, *Kim, Byun*, 449

HNK-1 carbohydrate epitope, alanine-scan, glucuronyltransferase, Rossmann-fold motif, 3D-model, *Ohtsubo, Imajo, Ishiguro, Nakatani, Oka, Kawasaki*, 283

homodimer, *Flavobacterium lutescens* IFO-3084, LAT, lat, *Fujii, Narita, Agematsu, Agata, Isshiki*, 391

homology cloning, endoglycosidase, gangliosides, glycosphingolipids, NEP sequence, substrate specificity, *Sakaguchi, Okina, Sueyoshi, Izu, Ito*, 145

homotrimer, amino-propeptide, collagen, fibril, recombinant protein, *Cluzel, Lethias, Garrone, Exposito*, 957

human adenylate kinase, hydrophobicity, C-terminal α -helix, *Ayabe, Park, Takenaka, Takenaka, Maruyama, Sumida, Onitsuka, Hamada*, 181

human factor IX, N-linked sugar chains, pyridylamination, two-dimensional sugar mapping, *Makino, Omichi, Kuraya, Ogawa, Nishimura, Iwanaga, Hase*, 175

human midkine, O-mannosylation, *Pichia pastoris*, secretion, site-specific mutagenesis, *Asami, Nagano, Ikematsu, Murasugi*, 823

hydrolase, nucleoporins, Smt3, SUMO-1, Ulp1, *Takahashi, Mizoi, Tb-e, Kikuchi*, 723

hydrophobicity, human adenylate kinase, C-terminal α -helix, *Ayabe, Park, Takenaka, Takenaka, Maruyama, Sumida, Onitsuka, Hamada*, 181

hydrostatic pressure, barotolerant *Pseudomonas*, barotropic phase transition, differential scanning calorimetry, membrane lipids, *Kaneko, Obuchi, Horikoshi*, 727

20-hydroxyecdysone, basement membrane, cathepsin L, neural remodeling, *Sarcophaga peregrina, Fujii-Taira, Tanaka, Homma, Natori*, 539

hyperthermophiles, archaea, glucokinase, hexokinase, *Pyrococcus furiosus, Thermococcus litoralis, Koga, Yoshioka, Sakuraba, Takahashi, Sakasegawa, Shimizu, Ohshima*, 1079

hypoxia, ER stress, ER stress response element, multiple transcription start sites, ORP150, *Kaneda, Yura, Yanagi*, 529

hysteresis, RuBisCO, structural microheterogeneity, *Uemura, Shibata, Anwaruzzaman, Fujiwara, Higuchi, Kobayashi, Kai, Yokota, 591*

I

IgG, autoantibodies, glycosylation, rheumatoid arthritis, rheumatoid factor, *Matsu-moto, Shikata, Takeuchi, Kojima, Mizuochi*, 621

immunoglobulin G, rheumatoid arthritis, rheumatoid factor, surface plasmon resonance, *Matsumoto, Kojima, Takeuchi, Mizuochi*, 1009

imprinted genes, CpG island, genomic imprinting, KCNQ1DN, Wilms' tumors, *Xin, Soejima, Higashimoto, Yatsuki, Zhu, Satoh, Masaki, Kaneko, Jinno, Fukuzawa, Hata, Mukai*, 847

I (cont'd)

inclusion body, Lys, NADH binding site, salicylate hydroxylase, site-directed mutagenesis, Suzuki, Asao, Nakamura, Nakamura, Ohnishi, Fukuda, 293
 inducible nitric oxide synthase, aminoguanidine, calpain, crystallin, hereditary cataract, Inomata, Hayashi, Shumiya, Kawashima, Ito, 771
 inhibitor characterization, ovomuroid inhibitor, optimizing specificity, porcine pancreatic elastase, spot synthesis, Hilpert, Hansen, Wessner, Schneider-Mergener, Höhne, 1051
 inositol 1,4,5-trisphosphate receptor, capacitative Ca^{2+} entry, ryanodine receptor, transient receptor potential protein, Xue, Zhao, Suda, Uchida, Oda, Chida, Ichiyama, Nakamura, 329
 insulin, CYP51, regulation, sterol 14-demethylase P450, sterol regulatory element binding protein (SREBP), streptozotocin, Yamashita, Kudo, Ishida, Noshiro, Aoyama, Yoshida, 93
 integrin, divalent cations, fibrinogen, fibronectin receptor, RGD, Suehiro, Mizuguchi, Nishiyama, Iwanaga, Farrell, Ohtaki, 705
 interferon- γ , ABC transporter, chromosome, GFP, peptide transport, TAP1, Kobayashi, Kasano, Maeda, Hori, Motojima, Suzuki, Fujiwara, Takahashi, Yabe, Tanaka, Kasahara, Yamaguchi, Maeda, 711
 intracellular degradation, deficiency, histidine-rich glycoprotein, proteasome, Wakabayashi, Yoshida, Shigeikiyo, Koide, 201
 intracellular transport, cell fusion, fusion protein, *N*-linked oligosaccharide chain, Sendai virus, Segawa, Yamashita, Kawakita, Taira, 65
 IRF-3, CBP/p300, phosphorylation, type I interferon, virus infection, Suhara, Yoneyama, Iwamura, Yoshimura, Tamura, Namiki, Aimoto, Fujita, 301
 isoform, calpastatin, exon, multiple promoters, protease inhibitor, Takano, Watanabe, Hitomi, Maki, 83
 isoprenoid, prenyltransferase, undecaprenyl diphosphate synthase, site-directed mutagenesis, substrate recognition, Fujikura, Zhang, Yoshizaki, Nishina, Koyama, 917

K

kallidin, aminopeptidase, angiotensin, bradykinin, metallopeptidase, Hattori, Kitatani, Matsumoto, Miyazawa, Rogi, Tsuruoka, Mizutani, Natori, Tsujimoto, 755
 KCNQ1DN, CpG island, imprinted genes, genomic imprinting, Wilms' tumors, Xin, Soejima, Higashimoto, Yatsuki, Zhu, Satoh, Masaki, Kaneko, Jinno, Fukuzawa, Hata, Mukai, 847
 kinase inhibitors, chemotaxis, myosin light-chain kinase, Rho kinase, vascular smooth muscle cells, Kishi, Bao, Kohama, 719

L

lactosylceramide, *N*-acetyllactosamine-binding, glycosphingolipid recognition, molecular modeling, *Solanum tuberosum* lectins, Ciopraga, Angström, Bergström, Larsson, Karlsson, Mota, Gozia, Teneberg, 855

LAT, *Flavobacterium lutescens* IFO3084, homodimer, lat, Fujii, Narita, Agematsu, Agata, Isshiki, 391
 —, *Flavobacterium lutescens* IFO3084, homodimer, LAT, Fujii, Narita, Agematsu, Agata, Isshiki, 391
lat, L- α -amino adipic acid (L-AAA), *Flavobacterium lutescens* IFO3084, *pcd*, Δ' -piperidine-6-carboxylate (P6C), Fujii, Narita, Agematsu, Agata, Isshiki, 975
 Leptomyycin B, EGFP, NES, NLS, PKR, Takizawa, Tatematsu, Watanabe, Yoshida, Nakajima, 471
 ligands-binding, folding, molten globule, mutant, staphylococcal nuclease, Li, Jing, 739
 light meromyosin, α -helix, carp, differential scanning calorimetry, recombinant DNA, Kakinuma, Hatanaka, Fukushima, Nakaya, Maeda, Doi, Ooi, Watabe, 11
 localized proton theory, ATPase inhibitor, ATP synthesis, F₁F₀ATPase, membrane potential, Iwatsuki, Lu, Yamaguchi, Ichikawa, Hashimoto, 553
 lupus anticoagulant, anti-phospholipid antibody syndrome, β_2 -glycoprotein I, monoclonal antibody, thrombosis, Itoh, Inuzuka, Kohno, Wada, Shiku, Ohkura, Kato, 1017
 lymphoblastoid cell, adenosine dialdehyde, arginine methyltransferase, protein methylation, Lin, Hsieh, Li, Li, Pearson, Pollard, Li, 493
 Lys, inclusion body, NADH binding site, salicylate hydroxylase, site-directed mutagenesis, Suzuki, Asao, Nakamura, Nakamura, Ohnishi, Fukuda, 293
 Lys-gingipain, Arg-gingipain, cysteine proteinases, periodontal diseases, *Porphyromonas gingivalis*, Kadoura, Nakayama, Okamoto, Abe, Baba, Shi, Ratnayake, Yamamoto, 153
 —, cysteine proteinase, fluorogenic substrate, periodontitis, *Porphyromonas gingivalis*, Abe, Baba, Kadoura, Okamoto, Okazaki, Asao, Yamamoto, 877
 lysosome, cathepsin B, hepatocyte, mannose 6-phosphate, protein sorting, Tanaka, Tanaka, Kawabata, Noguchi, Himeno, 39
 —, CLN2, neuronal ceroid lipofuscinosis, subunit c, tripeptidyl peptidase I, Ezaki, Takeada-Ezaki, Kominami, 509

M

macrophage, cholesterol efflux, high-density lipoprotein, pregnenolone, reverse cholesterol transport, Ikemoto, Furuchi, Arai, Inoue, 251
 —, NAD glycohydrolase, Rt6.1, site-directed mutagenesis, thiol, Hara, Terashima, Shimoyama, Tsuchiya, 601
 MAD, L-methionine γ -lyase, crystal structure, PLP enzyme, *Pseudomonas putida*, Motoshima, Inagaki, Kumasaki, Furuichi, Inoue, Tamura, Esaki, Soda, Tanaka, Yamamoto, Tanaka, 349
 manganese, dopa, dopamine, dopamine sulfate, tyrosine, Shirani Ranasinghe, Liu, Sakakibara, Suiko, 477
 mannose 6-phosphate, cathepsin B, hepatocyte, lysosome, protein sorting, Tanaka, Tanaka, Kawabata, Noguchi, Himeno, 39
 mantle, cloning, nonmuscle myosin, pallial cell layer, scallop, Hasegawa, 983

MAPK, actin-activated MgATPase activity, MRLC, myosin II, RSK, Suzu, Ueda, Iwasa, Murata-Hori, Hosoya, 435
 mass spectrometry, epidermis, disulfide bond, fatty acid-binding protein, skin, Odani, Namba, Ishii, Ono, Fujii, 355
 matrilysin, denaturation, fluorescence quenching, matrix metalloproteinase, protein stability, Inouye, Tanaka, Oneda, 363
 —, dimethyl sulfoxide, enzyme activity, matrix metalloproteinase, salt activation, temperature, Oneda, Inouye, 785
 matrix metalloproteinase, denaturation, fluorescence quenching, matrilysin, protein stability, Inouye, Tanaka, Oneda, 363
 —, dimethyl sulfoxide, enzyme activity, matrilysin, salt activation, temperature, Oneda, Inouye, 785
 McI-1, apoptosis, DAD1, N-linked glycosylation, tsBN7, Makishima, Yoshimi, Komiyama, Hara, Nishimoto, 399
 mediator, basal transcription, general repressor Tup1-Ssn6, *Saccharomyces cerevisiae*, Sin4, Kunoh, Sakuno, Furukawa, Kaneko, Harashima, 575
 meltrin α (ADAM12), ADAM (MDC) family, endoplasmic reticulum, plasma membrane, proteolytic processing, Kadota, Suzuki, Nakagami, Izumi, Endo, 941
 membrane enzyme, brain, γ -glutamyl transpeptidase, glutamyl moiety, glutathione, Yamaguchi, Takei, Araki, Ishii, Nagano, Ichikawa, Kumanishi, Nawa, 101
 membrane lipids, barotolerant *Pseudomonas*, barotropic phase transition, differential scanning calorimetry, hydrostatic pressure, Kaneko, Obuchi, Horikoshi, 727
 membrane potential, ATPase inhibitor, ATP synthesis, F₁F₀ATPase, localized proton theory, Iwatsuki, Lu, Yamaguchi, Ichikawa, Hashimoto, 553
 metallopeptidase, aminopeptidase, angiotensin, bradykinin, kallidin, Hattori, Kitatani, Matsumoto, Miyazawa, Rogi, Tsuruoka, Mizutani, Natori, Tsujimoto, 755
 metalloprotease, amino acid sequence, autoproteolysis, calcium ion, *Glycidius halys brevicaudus*, Fujimura, Oshikawa, Terada, Kimoto, 167
 L-methionine γ -lyase, MAD, crystal structure, PLP enzyme, *Pseudomonas putida*, Motoshima, Inagaki, Kumasaki, Furuichi, Inoue, Tamura, Esaki, Soda, Tanaka, Yamamoto, Tanaka, 349
 Mg-ATPase activity, scallop troponin C, Ca^{2+} -regulatory function, recombinants, Ojima, Koizumi, Ueyama, Inoue, Nishita, 803
 microbial transglutaminase, amine-donor, ELISA-based assay, site-specific mutagenesis, *Streptomyces protease* inhibitor, substrate specificity, Taguchi, Nishihama, Igi, Ito, Taira, Motoki, Momose, 415
 microsomes, chloroplast, dolichol, polyprenol, prenyltransferase, spinach, Sakaihara, Honda, Tateyama, Sagami, 1073
 mitochondria, citrate synthase, peroxisomes, *Saccharomyces cerevisiae*, targeting signal, Lee, Cho, Lee, Bae, Maeng, 1059
 molecular cloning, chondroitin sulfate, chromosome mapping, proteoglycan, sulfotransferase, Okuda, Mita, Yamauchi, Matsubara, Yagi, Yamamoto, Fukuta,

- M (cont'd)
- Kuroiwa, Matsuda, Habuchi*, 763
—, GD3 synthase, genomic organization, sialyltransferase, transcriptional regulation, *Takashima, Kono, Kurosawa, Yoshida, Tachida, Inoue, Kanematsu, Tsuji*, 1033
molecular dynamics simulation, antimicrobial peptide, NMR solution structure, PCR random mutagenesis, structure-function relationship, thanatin, *Taguchi, Kuwasako, Suenaga, Okada, Momose*, 745
molecular evolution, aminodeoxychorismate lyase, pyridoxal 5'-phosphate, stereochemistry, transamination, *Jhee, Yoshimura, Miles, Takeda, Miyahara, Hirotsu, Soda, Kawata, Esaki*, 679
molecular mimicry, anti-idiotype antibody, MUC-1 antigen, *Luo, Qi, Ma, Wang, Wishart*, 345
molecular modeling, *N-acetyllactosamine-binding, glycosphingolipid recognition, lactosylceramide, Solanum tuberosum lectins, Ciopraga, Ångström, Bergström, Larsson, Karlsson, Motas, Gozia, Teneberg*, 855
molting hormone, chemical synthesis, disulfide linkage, peptide thioester, *Procambarus clarkii, Kawakami, Toda, Akaji, Nishimura, Nakatsuij, Ueno, Sonobe, Sonobe, Aimoto*, 455
molten globule, folding, ligands-binding, mutant, staphylococcal nuclease, *Li, Jing*, 739
monoclonal antibody, epitope mapping, F-ATPase, site directed mutagenesis, *Kamachi, Fudemoto, Miki, Inoue, Kanazawa*, 629
—, anti-phospholipid antibody syndrome, β_2 -glycoprotein I, lupus anticoagulant, thrombosis, *Itoh, Inuzuka, Kohno, Wada, Shiku, Ohkura, Kato*, 1017
motor neuron, nerve regeneration, neural development, sensory neuron, WD repeats, *Kato, Chen, Kiyama, Ikeda, Kimura, Nakashima, Taga*, 923
MRLC, actin-activated MgATPase activity, MAPK, myosin II, RSK, *Suizu, Ueda, Iwasaki, Murata-Hori, Hosoya*, 435
mRNA, ATPase, CsS-particles, elongation factors, 30S-5SRNP, *Ogata, Ohno, Terao, Endo*, 1
MUC-1 antigen, anti-idiotype antibody, molecular mimicry, *Luo, Qi, Ma, Wang, Wishart*, 345
MUC4 mucin, pancreatic carcinoma, polymorphism, variants, *Choudhury, Moniaux, Winpenny, Hollingsworth, Aubert, Batra*, 233
multidrug resistance, AcrAB, drug efflux, site-directed mutagenesis, TolC, *Kawabe, Fujihira, Yamaguchi*, 195
multiple promoters, calpastatin, exon, isoform, protease inhibitor, *Tukana, Watanabe, Hitomi, Maki*, 83
multiple transcription start sites, ER stress, ER stress response element, hypoxia, ORP-150, *Kaneda, Yura, Yanagi*, 529
mutant, folding, ligands-binding, molten globule, staphylococcal nuclease, *Li, Jing*, 739
Mycoplasma hyopneumoniae, glucose transport, phosphotransferase enzyme I, *Chung*, 261
Farh, Chen, Shiuian, 261
myosin, ATP analogues, energy transduction, fluorescence, photoaffinity labeling, *Maruta, Homma*, 695
myosin ATPase, energy transduction, fluorescent probe, transition state complex, X-ray scattering, *Maruta, Aihara, Uyehara, Homma, Sugimoto, Wakabayashi*, 687
myosin II, actin-activated MgATPase activity, MAPK, MRLC, RSK, *Suizu, Ueda, Iwasaki, Murata-Hori, Hosoya*, 435
myosin II regulatory light chain (MRLC), AIM-1, cytokinesis, myosin light chain kinase (MLCK), phosphorylation, *Murata-Hori, Fumoto, Fukuta, Iwasaki, Kikuchi, Tatsuka, Hosoya*, 903
myosin light-chain kinase, chemotaxis, kinase inhibitors, Rho kinase, vascular smooth muscle cells, *Kishi, Bao, Kohama*, 719
—, AIM-1, cytokinesis, myosin II regulatory light chain (MRLC), phosphorylation, *Murata-Hori, Fumoto, Fukuta, Iwasaki, Kikuchi, Tatsuka, Hosoya*, 903
- N
- N-acetylglucosaminyltransferase*, bisecting GlcNAc, GnT-III, nucleotide-sugar, substrate specificity, *Ikeda, Koyota, Ihara, Yamaguchi, Korekane, Tsuda, Sasai, Taniguchi*, 609
N-acetyllactosamine binding, binding site structural motifs, docking studies, *Erythrina corallodendron lectin, Escherichia coli heat-labile enterotoxin, Teneberg, Berntsson, Ångström*, 481
—, glycosphingolipid recognition, lactosylceramide, molecular modeling, *Solanum tuberosum lectins, Ciopraga, Ångström, Bergström, Larsson, Karlsson, Motas, Gozia, Teneberg*, 855
N-glycan, erythropoietin, glycoprotein, *N-glycan function, N-glycan-protein interaction, Toyoda, Itai, Arakawa, Aoki, Yamaguchi*, 731
N-glycan, erythropoietin, glycoprotein, *N-glycan, N-glycan-protein interaction, Toyoda, Itai, Arakawa, Aoki, Yamaguchi*, 731
N-glycan-protein interaction, erythropoietin, glycoprotein, *N-glycan, N-glycan function, Toyoda, Itai, Arakawa, Aoki, Yamaguchi*, 731
N-linked glycosylation, apoptosis, DAD1, Mcl-1, tsBN7, *Makishima, Yoshimi, Komiyama, Hara, Nishimoto*, 399
N-linked oligosaccharide chain, cell fusion, fusion protein, intracellular transport, *Sendai virus, Segawa, Yamashita, Kawakita, Taira*, 65
N-linked sugar chains, human factor IX, pyridylation, two-dimensional sugar mapping, *Makino, Omichi, Kuraya, Ogawa, Nishimura, Iwanaga, Hase*, 175
N-terminal fragment, peptide folding, staphylococcal nuclease, *Yin, Jing*, 113
N-terminus, β -turn, histidine-tryptophan interaction, octapeptide repeat, prion protein, *Yoshida, Matsushima, Kumaki, Nakata, Hikichi*, 271
 Na^+ transport, cytochrome *bd*, NADH-oxidase, ubiquinol oxidase, *Kim, Chi, Hwang*, 777
Stark, Webster, 49
NAD glycohydrolase, macrophage, Rt6.1, site-directed mutagenesis, thiol, *Hara, Terashima, Shimoyama, Tsuchiya*, 601
NADH binding site, inclusion body, Lys, salicylate hydroxylase, site-directed mutagenesis, *Suzuki, Asao, Nakamura, Nakamura, Ohnishi, Fukuda*, 293
NADH-oxidase, cytochrome *bd*, Na^+ transport, ubiquinol oxidase, *Kim, Chi, Hwang, Stark, Webster*, 49
—, neutrophils, $p40^{\text{phox}}$, $p67^{\text{phox}}$, superoxide anion, *Tsunawaki, Yoshikawa*, 777
NEP sequence, endoglycoceramidase, gangliosides, glycosphingolipids, homology cloning, substrate specificity, *Sakaguchi, Okino, Sueyoshi, Izu, Ito*, 145
neprilysin, Alzheimer's disease, amyloid β peptide, catabolism, neutral endopeptidase, *Takaki, Iwata, Tsubuki, Taniguchi, Toyoshima, Lu, Gerard, Gerard, Lee, Shirotan, Saido*, 897
nerve regeneration, motor neuron, neural development, sensory neuron, WD repeats, *Kato, Chen, Kiyama, Ikeda, Kimura, Nakashima, Taga*, 923
NES, EGFP, Leptomycin B, NLS, PKR, *Takizawa, Tatematsu, Watanabe, Yoshida, Nakajima*, 471
neural development, motor neuron, nerve regeneration, sensory neuron, WD repeats, *Kato, Chen, Kiyama, Ikeda, Kimura, Nakashima*, 923
neural differentiation, electrophoretic mobility shift assay, retinoic acid, P19 embryonic carcinoma cells, transcription factor, *Wakabayashi, Kageyama, Habu, Doi, Morita, Nozaki, Yamamoto, Nishimune*, 1087
neural remodeling, basement membrane, cathepsin L, 20-hydroxyecdysone, *Sarcophaga peregrina, Fujii-Taira, Tanaka, Homma, Natori*, 539
neuron-specific protein, cancer-associated retinopathy, paraneoplastic syndromes, poly-pyrimidine tract binding protein, PTB-like protein, *Kikuchi, Ichikawa, Arai, Tateiwa, Fu, Higuchi, Yoshimura*, 811
neuronal ceroid lipofuscinosis, CLN2, lysosomes, subunit c, tripeptidyl peptidase I, *Ezaki, Takeda-Ezaki, Kominami*, 509
neurons, Dmrt1, subcellular localization, *Inano, Suetake, Ueda, Miyake, Nakamura, Okada, Tajima*, 315
neurotransmitter release, phorbol ester, phosphorylation, PKC, SNAP-25, *Iwasaki, Kataoka, Sekiguchi, Shimazaki, Sato, Takahashi*, 407
neutral endopeptidase, Alzheimer's disease, amyloid β peptide, catabolism, neprilysin, *Takaki, Iwata, Tsubuki, Taniguchi, Toyoshima, Lu, Gerard, Gerard, Lee, Shirotan, Saido*, 897
neutrophils, NADPH oxidase, $p40^{\text{phox}}$, $p67^{\text{phox}}$, superoxide anion, *Tsunawaki, Yoshikawa*, 777
nitrosative stress, endothelial cells, glutathione, glyoxalase I, S-nitrosothiolthione, *Mitsumoto, Kim, Oshima, Kunimoto, Okawa, Iwamatsu, Nakagawa*, 647
NLS, EGFP, Leptomycin B, NES, PKR, *Takizawa, Tatematsu, Watanabe, Yoshida, Nakajima*, 471

N (cont'd)

NMR, detergent, deuteration, diffusion coefficient, RNA polymerase, *Otomo, Yamazaki, Murakami, Ishihama, Kyogoku*, 337

NMR solution structure, antimicrobial peptide, molecular dynamics simulation, PCR random mutagenesis, structure-function relationship, thanatin, *Taguchi, Kuwasako, Suenaga, Okada, Momose*, 745

nonmuscle myosin, cloning, mantle, pallial cell layer, scallop, *Hasegawa*, 983

nonylphenol, bacteria, bioremediation, bioreactor, endocrine disrupter chemicals, *Fujii, Urano, Ushio, Satomi, Iida, Ushio-Sata, Kimura*, 909

nuclear envelope, A549 cell, cytochrome P450 4F2, fatty acid ω -hydroxylation, HepG2 cell, *Yamane, Abe*, 827

nuclear localization, actin-related protein, chromatin, protein complex, transcriptional regulation, *Harata, Oma, Tabuchi, Zhang, Stillman, Mizuno*, 665

nuclear magnetic resonance, D-amino acid oxidase, enzyme-ligand interaction, flavoenzyme, Raman spectra, *Nishina, Sato, Miura, Shiga*, 213

nucleoporins, hydrolase, Smt3, SUMO-1, Ulp1, *Takahashi, Mizoi, Toh-e, Kikuchi*, 723

nucleotide-sugar, N-acetylglucosaminyltransferase, bisecting GlcNAc, GnT-III, substrate specificity, *Ikeda, Koyota, Ihara, Yamaguchi, Korekane, Tsuda, Sasai, Taniguchi*, 609

O

O-mannosylation, human midkine, *Pichia pastoris*, secretion, site-specific mutagenesis, *Asami, Nagano, Ikematsu, Murasugi*, 823

octapeptide repeat, β -turn, histidine-tryptophan interaction, N-terminus, prion protein, *Yoshida, Matsushima, Kumaki, Nakata, Hikichi*, 271

optimizing specificity, inhibitor characterization, ovomuvoid inhibitor, porcine pancreatic elastase, spot synthesis, *Hilpert, Hansen, Wessner, Schneider-Mergener, Höhne*, 1051

ORP150, ER stress, ER stress response element, hypoxia, multiple transcription start sites, *Kaneda, Yura, Yanagi*, 529

overexpression, cDNA cloning, cysteine proteinase, phytocystatin, sunflower, *Kouzuma, Inanaga, Doi-Kawano, Yamasaki, Kimura*, 161

ovomuvoid inhibitor, inhibitor characterization, optimizing specificity, porcine pancreatic elastase, spot synthesis, *Hilpert, Hansen, Wessner, Schneider-Mergener, Höhne*, 1051

oxidative half-reaction, D-amino acid oxidase, flavoenzyme, purple intermediate, X-ray crystallography, *Mizutani, Miyahara, Hirotsu, Nishina, Shiga, Setoyama, Miura*, 73

oxidizing conditions, site-directed mutagenesis, subtilisin E, sulphydryl modification, thermostability, *Takagi, Hirai, Wada, Nakamori*, 585

oxygen activation, cytochrome P450cam, proton transfer, site-directed mutagenesis, X-

ray crystallography, *Hishiki, Shimada, Nagano, Egawa, Kanamori, Makino, Park, Adachi, Shiro, Ishimura*, 965

P

p40^{phox}, NADPH oxidase, neutrophils, p67^{phox}, superoxide anion, *Tsunawaki, Yoshikawa*, 777

p67^{phox}, NADPH oxidase, neutrophils, p40^{phox}, superoxide anion, *Tsunawaki, Yoshikawa*, 777

P19 embryonic carcinoma cells, electrophoretic mobility shift assay, neural differentiation, retinoic acid, transcription factor, *Wakabayashi, Kageyama, Habu, Doi, Morita, Nozaki, Yamamoto, Nishimune*, 1087

pallial cell layer, cloning, mantle, nonmuscle myosin, scallop, *Hasegawa*, 983

pancreatic carcinoma, MUC4 mucin, polymorphism, variants, *Choudhury, Moniaux, Winpenny, Hollingsworth, Aubert, Batra*, 233

paraneoplastic syndromes, cancer-associated retinopathy, neuron-specific protein, poly-pyrimidine tract binding protein, PTB-like protein, *Kikuchi, Ichikawa, Arai, Tateiwa, Fu, Higuchi, Yoshimura*, 811

pcd, L- α -amino adipic acid (L-AAA), *Flavobacterium lutescens* IFO3084, lat, Δ' -piperideine-6-carboxylate (P6C), *Fujii, Narita, Agematu, Agata, Ishikiri*, 975

PCR random mutagenesis, antimicrobial peptide, molecular dynamics simulation, NMR solution structure, structure-function relationship, thanatin, *Taguchi, Kuwasako, Suenaga, Okada, Momose*, 745

peptastin-insensitive, carboxyl proteinase, subsite preferences, substrate specificity, thermostable enzyme, *Oda, Ogasawara, Oyama, Dunn*, 499

peptidase, aminopeptidase, proline, prolyl aminopeptidase, *Serratia marcescens*, substrate recognition, *Ito, Inoue, Kabashima, Kanada, Huang, Ma, Azmi, Azab, Yoshimoto*, 673

peptide-binding affinity, class II MHC, HLA-DR, pocket engineering, *Kim, Byun*, 449

peptide drug, computer program, protein evolution, rational drug design, *Ishida, Shirai, Matsuda, Kato, Ohno, Isaji, Yamane*, 561

peptide folding, N-terminal fragment, staphylococcal nuclease, *Yin, Jing*, 113

peptide thioester, chemical synthesis, disulfide linkage, molt-inhibiting hormone, *Procambarus clarkii, Kawakami, Toda, Akaji, Nishimura, Nakatsuij, Ueno, Sonobe, Sonobe, Aimoto*, 455

peptide transport, ABC transporter, chromosome, GFP, interferon- γ , TAPI, *Kobayashi, Kasano, Maeda, Hori, Motojima, Suzuki, Fujiwara, Takahashi, Yabe, Tanaka, Kasahara, Yamaguchi, Maeda*, 711

periodontal diseases, Arg-gingipain, cysteine proteinases, Lys-gingipain, *Porphyromonas gingivalis*, *Kadowaki, Nakayama, Okamoto, Abe, Baba, Shi, Ratnayake, Yamamoto*, 153

periodontitis, cysteine proteinase, fluorogenic substrate, Lys-gingipain, *Porphyromonas gingivalis*, *Abe, Baba, Kadowaki, Okamoto, Okazaki, Asao, Yamamoto*, 877

peroxisomes, citrate synthase, mitochondria,

Saccharomyces cerevisiae, targeting signal, *Lee, Cho, Lee, Lee, Bae, Maeng*, 1059

peroxygenase, cytochrome P450, fatty acid α -hydroxylase, heme-ligand interaction, *Sphingomonas paucimobilis*, *Imai, Matsunaga, Kusunose, Ichihara*, 189

Phaseolus vulgaris, α -amylase inhibitor, α -amylase inhibitor-like protein, evolution, subunit structure, *Wato, Kamei, Arakawa, Philo, Wen, Hara, Yamaguchi*, 139

phenylalanine, CH/n interaction, fluorophenylalanine, thrombin receptor, *Matsushima, Fujita, Nose, Shimohigashi*, 225

phorbol ester, neurotransmitter release, phosphorylation, PKC, SNAP-25, *Iwasaki, Kataoka, Sekiguchi, Shimazaki, Sato, Takahashi*, 407

phosphatidylserine externalization, annexin, caspase, caspase inhibitor, zinc, *Hamatake, Iguchi, Hirano, Ishida*, 933

phospholipid, annexin, glycosaminoglycan, *Satoh, Miwa, Kojima, Hirabayashi, Matsuzono*, 377

—, fatty acid composition, hepatoma cells, total lipids, *Martínez-Cayuela, García-Peláez, Linares, García-Peregrín*, 545

phosphorylation, CBP/p300, IRF-3, type I interferon, virus infection, *Suhara, Yoneyama, Iwamura, Yoshimura, Tamura, Namiki, Aimoto, Fujita*, 301

—, neurotransmitter release, phorbol ester, PKC, SNAP-25, *Iwasaki, Kataoka, Sekiguchi, Shimazaki, Sato, Takahashi*, 407

—, AIM-1, cytokinesis, myosin II regulatory light chain (MLRC), myosin light chain kinase (MLCK), *Murata-Hori, Fumoto, Fukuta, Iwasaki, Kikuchi, Tatsuka, Hosoya*, 903

phototransferase enzyme I, glucose transport, *Mycoplasma hyopneumoniae*, *Chung, Farh, Chen, Shiu*, 261

photoaffinity labeling, ATP analogues, energy transduction, fluorescence, myosin, *Maruta, Homma*, 695

phytocystatin, cDNA cloning, cysteine protease, overexpression, sunflower, *Kouzuma, Inanaga, Doi-Kawano, Yamasaki, Kimura*, 161

Pichia pastoris, human midkine, O-mannosylation, secretion, site-specific mutagenesis, *Asami, Nagano, Ikematsu, Murasugi*, 823

—, antibody engineering, antibody fragment, antigen binding, single-chain Fv, *Andrade, Albuquerque, Moraes, Brígido, Santos-Silva*, 891

Δ' -piperideine-6-carboxylate (P6C), L- α -amino adipic acid (L-AAA), *Flavobacterium lutescens* IFO3084, lat, pcd, *Fujii, Narita, Agematu, Agata, Ishikiri*, 975

PKC, neurotransmitter release, phorbol ester, phosphorylation, SNAP-25, *Iwasaki, Kataoka, Sekiguchi, Shimazaki, Sato, Takahashi*, 407

—, PLB-985 cells, TPA, transfection, *Hao, Yang, Fujii, Yamauchi, Suzuki, Kikuchi, Kaneda, Nakamura*, 989

PKR, EGFP, Leptomycin B, NES, NLS, *Takizawa, Tatematsu, Watanabe, Yoshida, Nakajima*, 471

plant, β -fucosidase, β -glucosidase, glycosylation, recombinant expression, *Ketudat Cairns, Champattanachai, Srisomsap*,

P (cont'd)

Wittman-Liebold, Thiede, Svasti, 999
 plasma membrane, ADAM (MDC) family, endoplasmic reticulum, meltrin α (ADAM-12), proteolytic processing, *Kadota, Suzuki, Nakagami, Izumi, Endo*, 941
 PLB-985 cells, PKC, TFL-01, TPA, transfection, *Hao, Yang, Fujii, Yamauchi, Suzuki, Kikuchi, Kaneda, Nakamura*, 989
 PLP enzyme, crystal structure, MAD, L-methionine γ -lyase, *Pseudomonas putida, Motoshima, Inagaki, Kumasaka, Furuchi, Inoue, Tamura, Esaki, Soda, Tanaka, Yamamoto, Tanaka*, 349
 pocket engineering, class II MHC, HLA-DR, peptide-binding affinity, *Kim, Byun*, 449
 poly(ADP-ribose) polymerase, 3-aminobenzamide, apoptosis, cytolysis, ricin, *Komatsu, Nakagawa, Oda, Muramatsu*, 463
 polymorphism, MUC4 mucin, pancreatic carcinoma, variants, *Choudhury, Moniaux, Winpenny, Hollingsworth, Aubert, Batra, 233*
 polynucleotide:adenosine glycosidase, atomic force microscopy, Red-Sepharose[®], ribosome-inactivating protein, scanning force microscopy, *Barbieri, Valbonesi, Righi, Zuccheri, Monti, Gorini, Samori, Stirpe*, 883
 polyprenol, chloroplast, dolichol, microsomes, prenyltransferase, spinach, *Sakaihara, Honda, Tateyama, Sagami*, 1073
 polypyrimidine tract binding protein, cancer-associated retinopathy, neuron-specific protein, paraneoplastic syndromes, PTB-like protein, *Kikuchi, Ichikawa, Arai, Tateiwa, Fu, Higuchi, Yoshimura*, 811
 porcine pancreatic elastase, inhibitor characterization, ovomuvoid inhibitor, optimizing specificity, spot synthesis, *Hilpert, Hansen, Wessner, Schneider-Mergener, Höhne*, 1051
Porphyromonas gingivalis, Arg-gingipain, cysteine proteinases, Lys-gingipain, periodontal diseases, *Kadowaki, Nakayama, Okamoto, Abe, Baba, Shi, Ratnayake, Yamamoto*, 153
 —, cysteine proteinase, fluorogenic substrate, Lys-gingipain, periodontitis, *Abe, Baba, Kadowaki, Okamoto, Okazaki, Asao, Yamamoto*, 877
 positive selection, genome vector, recombination, transformation, *Itaya, Nagata, Shiroishi, Fujita, Tsuge*, 869
 pregnenolone, cholesterol efflux, high-density lipoprotein, macrophage, reverse cholesterol transport, *Ikemoto, Furuchi, Arai, Inoue*, 251
 prenyltransferase, isoprenoid, undecaprenyl diphosphate synthase, site-directed mutagenesis, substrate recognition, *Fujikura, Zhang, Yoshizaki, Nishino, Koyama*, 917
 —, chloroplast, dolichol, microsomes, polyprenol, spinach, *Sakaihara, Honda, Tateyama, Sagami*, 1073
 prion protein, β -turn, histidineryptophan interaction, N-terminus, octapeptide repeat, *Yoshida, Matsushima, Kumaki, Nakata, Hikichi*, 271
Procambiarus clarkii, chemical synthesis, disulfide linkage, molt-inhibiting hormone, peptide thioester, *Kawakami, Toda, Akaji, Nishimura, Nakatsuji, Ueno, Sonobe, Sono-*

be, Aimoto, 455

proline, aminopeptidase, peptidase, prolyl aminopeptidase, *Serratia marcescens*, substrate recognition, *Ito, Inoue, Kabashima, Kanada, Huang, Ma, Azmi, Azab, Yoshimoto*, 673
 prolyl aminopeptidase, aminopeptidase, peptidase, proline, *Serratia marcescens*, substrate recognition, *Ito, Inoue, Kabashima, Kanada, Huang, Ma, Azmi, Azab, Yoshimoto*, 673
 prolyl endopeptidase, active staining, directed evolution, thermostability, *Uchiyama, Inaoka, Ohkuma-Soyejima, Togame, Shibana, Yoshimoto, Kokubo*, 441
 protease inhibitor, calpastatin, exon, isoform, multiple promoters, *Takano, Watanabe, Hitomi, Maki*, 83
 proteasome, deficiency, histidine-rich glycoprotein, intracellular degradation, *Wakabayashi, Yoshida, Shigeikiyo, Koide*, 201
 protein complex, actin-related protein, chromatin, nuclear localization, transcriptional regulation, *Harata, Oma, Tabuchi, Zhang, Stillman, Mizuno*, 665
 protein evolution, computer program, peptide drug, rational drug design, *Ishida, Shirai, Matsuda, Kato, Ohno, Isaji, Yamane*, 561
 protein methylation, adenosine dialdehyde, arginine methyltransferase, lymphoblastoid cell, *Lin, Hsieh, Li, Li, Pearson, Pollard, Li*, 493
 protein sorting, cathepsin B, hepatocyte, lysosome, mannose 6-phosphate, *Tanaka, Tanaka, Kawabata, Noguchi, Himeni*, 39
 protein stability, denaturation, fluorescence quenching, matrilysin, matrix metalloproteinase, *Inouye, Tanaka, Oneda*, 363
 protein translocation, cysteine mutagenesis, *E. coli*, SecG, sulphydryl reagent, *Nagamori, Nishiyama, Tokuda*, 129
 proteoglycan, chondroitin sulfate, chromosome mapping, molecular cloning, sulfotransferase, *Okuda, Mita, Yamauchi, Matsubara, Yagi, Yamamori, Fukuta, Kuroiwa, Matsuda, Habuchi*, 763
 proteolysis, chain entropy, disulfide, RNase, stabilization, *Futami, Tada, Sena, Ishikami, Yamada*, 245
 —, acidic calponin, actin, calmodulin, calpain, *Yoshimoto, Hor, Ozaki, Karaki*, 1045
 proteolytic processing, ADAM (MDC) family, endoplasmic reticulum, meltrin α (ADAM-12), plasma membrane, *Kadota, Suzuki, Nakagami, Izumi, Endo*, 941
 proton transfer, cytochrome P450cam, oxygen activation, site-directed mutagenesis, X-ray crystallography, *Hishiki, Shimada, Nagano, Egawa, Kanamori, Makino, Park, Adachi, Shiro, Ishimura*, 965
Pseudomonas putida, crystal structure, MAD, L-methionine γ -lyase, PLP enzyme, *Motoshima, Inagaki, Kumasaka, Furuchi, Inoue, Tamura, Esaki, Soda, Tanaka, Yamamoto, Tanaka*, 349
 PTB-like protein, cancer-associated retinopathy, neuron-specific protein, paraneoplastic syndromes, polypyrimidine tract binding protein, *Kikuchi, Ichikawa, Arai, Tateiwa, Fu, Higuchi, Yoshimura*, 811
 purification, *Bacteroides stercoris* HJ-15, heparinase, heparan sulfate, *Kim, Kim, Kim*,

Linhardt, Kim, 323

purine biosynthesis, AICA riboside, ATP, cell cycle, growth rate, *Kondo, Yamaoka, Honda, Miwa, Katashima, Moritani, Yoshimoto, Hayashi, Itakura*, 57
 purple intermediate, D-amino acid oxidase, flavoenzyme, oxidative half-reaction, X-ray crystallography, *Mizutani, Miyahara, Hirotsu, Nishina, Shiga, Setoyama, Miura*, 73
 pyridoxal enzyme, aminodeoxychorismate lyase, reaction mechanism, tertiary structure, X-ray structure, *Nakai, Mizutani, Miyahara, Hirotsu, Takeda, Jhee, Yoshimura, Esaki*, 29
 pyridoxal 5'-phosphate, aminodeoxychorismate lyase, molecular evolution, stereochemistry, transamination, *Jhee, Yoshimura, Miles, Takeda, Miyahara, Hirotsu, Soda, Kawata, Esaki*, 679
 pyridylation, human factor IX, N-linked sugar chains, two-dimensional sugar mapping, *Makino, Omichi, Kuraya, Ogawa, Nishimura, Iwanaga, Hase*, 175
Pyrococcus furiosus, archaea, glucokinase, hexokinase, hyperthermophiles, *Thermococcus litoralis, Koga, Yoshioka, Sakuraba, Takahashi, Sakasegawa, Shimizu, Ohshima*, 1079

R

Raman spectra, D-amino acid oxidase, enzyme-ligand interaction, flavoenzyme, nuclear magnetic resonance, *Nishina, Sato, Miura, Shiga*, 213
 random PCR, Genome Profiling, species identification and information amount, TGGE, *Nishigaki, Naimuddin, Hamano*, 107
 rational drug design, computer program, peptide drug, protein evolution, *Ishida, Shirai, Matsuda, Kato, Ohno, Isaji, Yamane*, 561
 reaction mechanism, aminodeoxychorismate lyase, pyridoxal enzyme, tertiary structure, X-ray structure, *Nakai, Mizutani, Miyahara, Hirotsu, Takeda, Jhee, Yoshimura, Esaki*, 29
 recombinant DNA, α -helix, carp, differential scanning calorimetry, light meromyosin, *Kakinuma, Hatanaka, Fukushima, Nakaya, Maeda, Doi, Ooi, Watabe*, 11
 recombinant expression, β -fucosidase, β -glucuronidase, glycosylation, plant, *Ketudat Cairns, Champattanachai, Srivatsav, Wittman-Liebold, Thiede, Svasti*, 999
 recombinant protein, amino-propeptide, collagen, fibril, homotrimer, *Cluzel, Lethias, Garrone, Exposito*, 957
 recombinants, scallop troponin C, Ca^{2+} -regulatory function, Mg-ATPase activity, *Ojima, Koizumi, Ueyama, Inoue, Nishita*, 803
 recombination, genome vector, positive selection, transformation, *Itaya, Nagata, Shiroishi, Fujita, Tsuge*, 869
 Red-Sepharose[®], atomic force microscopy, polynucleotide:adenosine glycosidase, ribosome-inactivating protein, scanning force microscopy, *Barbieri, Valbonesi, Righi, Zuccheri, Monti, Gorini, Samori, Stirpe*, 883
 regulation, CYP51, insulin, sterol 14-demethylase P450, sterol regulatory element binding protein (SREBP), streptozotocin, *Yamashita, Kudo, Ishida, Noshiro, Aoyama, Yoshida*, 93

R (cont'd)

renin, binding protein, dimer, GlcNAc 2-epimerase, high molecular weight, *Takahashi, Kumagai, Shindo, Saito, Kawamura*, 951
 retinoic acid, electrophoretic mobility shift assay, neural differentiation, P19 embryonic carcinoma cells, transcription factor, *Wakabayashi, Kageyama, Habu, Doi, Morita, Nozaki, Yamamoto, Nishimune*, 1087
 reverse cholesterol transport, cholesterol efflux, high-density lipoprotein, macrophage, pregnenolone, *Ikemoto, Furuchi, Arai, Inoue*, 251
 RGD, divalent cations, fibrinogen, fibronectin receptor, integrin, *Suehiro, Mizuguchi, Nishiyama, Iwanaga, Farrell, Ohtaki*, 705
 rheumatoid arthritis, autoantibodies, glycosylation, IgG, rheumatoid factor, *Matsumoto, Shikata, Takeuchi, Kojima, Mizuochi*, 621
 —, immunoglobulin G, rheumatoid factor, surface plasmon resonance, *Matsumoto, Kojima, Takeuchi, Mizuochi*, 1009
 rheumatoid factor, autoantibodies, glycosylation, IgG, rheumatoid arthritis, *Matsumoto, Shikata, Takeuchi, Kojima, Mizuochi*, 621
 —, immunoglobulin G, rheumatoid arthritis, surface plasmon resonance, *Matsumoto, Kojima, Takeuchi, Mizuochi*, 1009
 Rho kinase, chemotaxis, kinase inhibitor, myosin light-chain kinase, vascular smooth muscle cells, *Kishi, Bao, Kohama*, 719
 ribosome-inactivating protein, atomic force microscopy, polynucleotide:adenosine glycosidase, Red-Sepharose®, scanning force microscopy, *Barbieri, Valbonesi, Righi, Zuccheri, Monti, Gorini, Samori, Stirpe*, 883
 rice, RuBisCO, RuBisCO activase, *Zhang, Komatsu*, 383
 ricin, 3-aminobenzamide, apoptosis, cytolysis, poly(ADP-ribose) polymerase, *Komatsu, Nakagawa, Oda, Muramatsu*, 463
 RNA polymerase, detergent, deuteration, diffusion coefficient, NMR, *Otomo, Yamazaki, Murakami, Ishihama, Kyogoku*, 337
 RNase, chain entropy, disulfide, proteolysis, stabilization, *Futami, Tada, Seno, Ishikami, Yamada*, 245
 Rossmann-fold motif, alanine-scan, glucuronyltransferase, HNK-1 carbohydrate epitope, 3D-model, *Ohtsubo, Imajo, Ishiguro, Nakatani, Oka, Kawasaki*, 283
 RSK, actin-activated Mg-ATPase activity, MAPK, MRLC, myosin II, *Suzu, Ueda, Iwasaki, Murata-Hori, Hosoya*, 435
 Rt6.1, macrophage, NAD glycohydrolase, site-directed mutagenesis, thiol, *Hara, Terashima, Shimoyama, Tsuchiya*, 601
 RuBisCO, rice, RuBisCO activase, *Zhang, Komatsu*, 383
 —, hysteresis, structural microheterogeneity, *Uemura, Shibata, Anwaruzzaman, Fujiwara, Higuchi, Kobayashi, Kai, Yokota*, 591
 RuBisCO activase, rice, RuBisCO, *Zhang, Komatsu*, 383
 ryanodine receptor, capacitative Ca^{2+} entry, inositol 1,4,5-trisphosphate receptor, transient receptor potential protein, *Xue, Zhao, Suda, Uchida, Oda, Chida, Ichiyama, Nakamura*, 329

S

S-nitrosoglutathione, endothelial cells, glutathione, glyoxalase I, nitrosative stress, *Mitsumoto, Kim, Oshima, Kunimoto, Okawa, Iwamatsu, Nakagawa*, 647
 70S ribosome, ATPase, *E. coli*, GTPase, *Ogata, Ohno, Morishita, Endo, Wada*, 309
 30S-5SRNP, ATPase, CsS-particles, elongation factors, mRNA, *Ogata, Ohno, Terao, Endo*, 1
Saccharomyces cerevisiae, basal transcription, general repressor Tup1-Ssn6, mediator, Sin4, *Kunoh, Sakuno, Furukawa, Kaneko, Harashima*, 575
 —, citrate synthase, mitochondria, peroxisomes, targeting signal, *Lee, Cho, Lee, Lee, Bae, Maeng*, 1059
 salicylate hydroxylase, inclusion body, Lys, NADH binding site, site-directed mutagenesis, *Suzuki, Asao, Nakamura, Nakamura, Ohnishi, Fukuda*, 293
 salt activation, dimethyl sulfoxide, enzyme activity, matrilysin, matrix metalloproteinase, temperature, *Oneda, Inouye*, 785
Sarcophaga peregrina, basement membrane, cathepsin L, 20-hydroxyecdysone, neural remodeling, *Fujii-Taira, Tanaka, Homma, Natori*, 539
 scallop, cloning, mantle, nonmuscle myosin, pallial cell layer, *Hasegawa*, 983
 scallop trponin C, Ca^{2+} -regulatory function, recombinants, Mg-ATPase activity, *Ojima, Koizumi, Ueyama, Inoue, Nishita*, 803
 scanning force microscopy, atomic force microscopy, polynucleotide:adenosine glycosidase, Red-Sepharose®, ribosome-inactivating protein, *Barbieri, Valbonesi, Righi, Zuccheri, Monti, Gorini, Samori, Stirpe*, 883
 SecG, cysteine mutagenesis, *E. coli*, protein translocation, sulfhydryl reagent, *Nagamori, Nishiyama, Fukuda*, 129
 secretion, human midkine, O -mannosylation, *Pichia pastoris*, site-specific mutagenesis, *Asami, Nagano, Ikematsu, Murasugi*, 823
 self-oligomerization, Ca^{2+} sensor, C2 domain, exocytosis, synaptotagmin, *Fukuda, Mikoshiba*, 637
 Sendai virus, cell fusion, fusion protein, intracellular transport, N-linked oligosaccharide chain, *Segawa, Yamashita, Kawakita, Taira*, 65
 sensory neuron, motor neuron, nerve regeneration, neural development, WD repeats, *Kato, Chen, Kiyama, Ikeda, Kimura, Nakashima, Taga*, 923
Serratia marcescens, aminopeptidase, peptidase, proline, prolyl aminopeptidase, substrate recognition, *Ito, Inoue, Kabashima, Kanada, Huang, Ma, Azmi, Azab, Yoshimoto*, 673
 sialyltransferase, GD3 synthase, genomic organization, molecular cloning, transcriptional regulation, *Takashima, Kono, Kurosawa, Yoshida, Tachida, Inoue, Kanematsu, Tsuji*, 1033
 silencer, catalase gene, core sequence, hepatocarcinogenesis, transcriptional regulation, *Takeuchi, Nakamura, Kayasuga, Isa, Sato*, 1025
 Sin4, basal transcription, general repressor Tup1-Ssn6, mediator, *Saccharomyces cerevisiae, Kunoh, Sakuno, Furukawa, Kaneko, Harashima*, 575
 single-chain Fv, antibody engineering, antibody fragment, antigen binding, *Pichia pastoris, Andrade, Albuquerque, Moraes, Brígido, Santos-Silva*, 891
 site-directed mutagenesis, AcrAB, drug efflux, multidrug resistance, TolC, *Kawabe, Fujihira, Yamaguchi*, 195
 —, α -chymotrypsin, domain conformational change, glycerol kinase, *Thermus aquaticus, Huang, Ito, Kabashima, Yoshimoto*, 207
 —, inclusion body, Lys, NADH binding site, salicylate hydroxylase, *Suzuki, Asao, Nakamura, Nakamura, Ohnishi, Fukuda*, 293
 —, oxidizing conditions, subtilisin E, sulfhydryl modification, thermostability, *Takagi, Hirai, Wada, Nakamori*, 585
 —, macrophage, NAD glycohydrolase, Rt6.1, thiol, *Hara, Terashima, Shimoyama, Tsuchiya*, 601
 —, epitope mapping, F₁-ATPase, monoclonal antibodies, *Kamauchi, Fudemoto, Miki, Inoue, Kanazawa*, 629
 —, isoprenoid, prenyltransferase, undecaprenyl diphosphate synthase, substrate recognition, *Fujikura, Zhang, Yoshizaki, Nishino, Koyama*, 917
 —, cytochrome P450cam, oxygen activation, proton transfer, X-ray crystallography, *Hishiki, Shimada, Nagano, Egawa, Kamamori, Makino, Park, Adachi, Shiro, Ishimura*, 965
 site-specific mutagenesis, amine-donor, ELISA-based assay, microbial transglutaminase, *Streptomyces protease inhibitor*, substrate specificity, *Taguchi, Nishihama, Igi, Ito, Taira, Motoki, Momose*, 415
 —, human midkine, O -mannosylation, *Pichia pastoris, secretion, Asami, Nagano, Ikematsu, Murasugi*, 823
 skin, epidermis, disulfide bond, fatty acid-binding protein, mass spectrometry, *Odani, Namba, Ishii, Ono, Fuji*, 355
 Smt3, hydrolase, nucleoporins, SUMO-1, Ulp1, *Takahashi, Mizoi, Toh-e, Kikuchi*, 723
 SNAP-25, neurotransmitter release, phorbol ester, phosphorylation, PKC, *Iwasaki, Kataoka, Sekiguchi, Shimazaki, Sato, Takahashi*, 407
Solanum tuberosum lectins, N-acetyllactosamine-binding, glycosphingolipid recognition, lactosylceramide, molecular modeling, *Ciopraga, Ångström, Bergström, Larsson, Karlsson, Motas, Gozia, Teneberg*, 855
 species identification and information amount, Genome Profiling, random PCR, TGGE, *Nishigaki, Nainuddin, Hamano*, 107
Sphingomonas paucimobilis, cytochrome P450, fatty acid α -hydroxylase, heme-ligand interaction, peroxygenase, *Imai, Matsunaga, Kusunose, Ichihara*, 189
 spinach, chloroplast, dolichol, microsomes, polyprenol, prenyltransferase, *Sakaihara, Honda, Takeyama, Sagami*, 1073
 spore protein, *B. subtilis*, cell wall binding

S (cont'd)

- motif, *Kodama, Takamatsu, Asai, Ogasawara, Sadaie, Watabe*, 655
- spot synthesis, inhibitor characterization, ovomucoid inhibitor, optimizing specificity, porcine pancreatic elastase, *Hilpert, Hansen, Wessner, Schneider-Mergener, Höhne*, 1051
- stabilization, chain entropy, disulfide, proteolysis, RNase, *Futami, Tada, Seno, Ishikami, Yamada*, 245
- staphylococcal nuclease, N-terminal fragment, peptide folding, *Yin, Jing*, 113
- , folding, ligands-binding, molten globule, mutant, *Li, Jing*, 739
- stereochemistry, aminodeoxychorismate lyase, molecular evolution, pyridoxal 5'-phosphate, transamination, *Jhee, Yoshimura, Miles, Takeda, Miyahara, Hirotsu, Soda, Kawata, Esaki*, 679
- sterol 14-demethylase P450, CYP51, regulation, insulin, sterol regulatory element binding protein (SREBP), streptozotocin, *Yamashita, Kudo, Ishida, Noshira, Aoyama, Yoshida*, 93
- sterol regulatory element binding protein (SREBP), CYP51, regulation, insulin, sterol 14-demethylase P450, streptozotocin, *Yamashita, Kudo, Ishida, Noshira, Aoyama, Yoshida*, 93
- Streptomyces* protease inhibitor, amine-donor, ELISA-based assay, microbial transglutaminase, site-specific mutagenesis, substrate specificity, *Taguchi, Nishihama, Igi, Ito, Taira, Motoki, Momose*, 415
- streptozotocin, CYP51, regulation, insulin, sterol 14-demethylase P450, sterol regulatory element binding protein (SREBP), *Yamashita, Kudo, Ishida, Noshira, Aoyama, Yoshida*, 93
- structural flexibility, amino acid substitution, compressibility, dihydrofolate reductase, flexible loops, *Gekko, Kamiyama, Ohmae, Katayanagi*, 21
- structural microheterogeneity, hysteresis, RuBisCO, *Uemura, Shibata, Anwaruzzaman, Fujiwara, Higuchi, Kobayashi, Kai, Yokota*, 591
- structure-function relationship, antimicrobial peptide, molecular dynamics simulation, NMR solution structure, PCR random mutagenesis, thanatin, *Taguchi, Kuwasako, Suenaga, Okada, Momose*, 745
- subcellular localization, Dnmt1, neurons, *Inano, Suetake, Ueda, Miyake, Nakamura, Okada, Tajima*, 315
- subsite preferences, carboxyl proteinase, pepstatin-insensitive, substrate specificity, thermostable enzyme, *Oda, Ogasawara, Oyama, Dunn*, 499
- substrate recognition, aminopeptidase, peptidase, proline, prolyl aminopeptidase, *Seratia marcescens*, *Ito, Inoue, Kabashima, Kanada, Huang, Ma, Azmi, Azab, Yoshimoto*, 673
- , isoprenoid, prenyltransferase, undecaprenyl diphosphate synthase, site-directed mutagenesis, *Fujikura, Zhang, Yoshizaki, Nishino, Koyama*, 917
- substrate specificity, endoglycosidase, gangliosides, glycosphingolipids, homology cloning, NEP sequence, *Sakaguchi, Okino, Sueyoshi, Izu, Ito*, 145
- , amine-donor, ELISA-based assay, microbial transglutaminase, site-specific mutagenesis, *Streptomyces* protease inhibitor, *Taguchi, Nishihama, Igi, Ito, Taira, Motoki, Momose*, 415
- , carboxyl proteinase, pepstatin-insensitive, subsite preferences, thermostable enzyme, *Oda, Ogasawara, Oyama, Dunn*, 499
- , *N*-acetylglucosaminyltransferase, bisecting GlcNAc, GnT-III, nucleotide-sugar, *Ieda, Koyota, Ihara, Yamaguchi, Korekane, Tsuda, Sasai, Taniguchi*, 609
- subtilisin E, oxidizing conditions, site-directed mutagenesis, sulphydryl modification, thermostability, *Takagi, Hirai, Wada, Nakamori*, 585
- subunit c, CLN2, lysosomes, neuronal ceroid lipofuscinosis, tripeptidyl peptidase I, *Ezaki, Takeda-Ezaki, Kominami*, 509
- subunit structure, α -amylase inhibitor, α -amylase inhibitor-like protein, evolution, *Phaseolus vulgaris*, *Wato, Kamei, Arakawa, Philo, Wen, Hara, Yamaguchi*, 139
- sulphydryl modification, oxidizing conditions, site-directed mutagenesis, subtilisin E, thermostability, *Takagi, Hirai, Wada, Nakamori*, 585
- sulphydryl reagent, cysteine mutagenesis, *E. coli*, protein translocation, *SecG, Nagamori, Nishiyama, Tokuda*, 129
- sulfotransferase, chondroitin sulfate, chromosome mapping, molecular cloning, proteoglycan, *Okuda, Mita, Yamauchi, Matsubara, Yagi, Yamamori, Fukuta, Kuroiwa, Matsuda, Habuchi*, 763
- SUMO-1, hydrolase, nucleoporins, *Smt3, Ulp1, Takahashi, Mizoi, Toh-e, Kikuchi*, 723
- sunflower, cDNA cloning, cysteine proteinase, overexpression, phytocystatin, *Kouzuma, Inanaga, Doi-Kawano, Yamasaki, Kimura*, 161
- superoxide anion, NADPH oxidase, neutrophils, *p40^{phox}, p67^{phox}*, *Tsunawaki, Yoshikawa*, 777
- surface plasmon resonance, immunoglobulin G, rheumatoid arthritis, rheumatoid factor, *Matsumoto, Kojima, Takeuchi, Mizuochi*, 1009
- synaptotagmin, Ca^{2+} sensor, C2 domain, exocytosis, self-oligomerization, *Fukuda, Mikoshiba*, 637
- T
- TAPL, ABC transporter, chromosome, GFP, interferon- γ , peptide transport, *Kobayashi, Kasano, Maeda, Hori, Motojima, Suzuki, Fujiwara, Takahashi, Yabe, Tanaka, Kasahara, Yamaguchi, Maeda*, 711
- targeting signal, citrate synthase, mitochondria, peroxisomes, *Saccharomyces cerevisiae*, *Lee, Cho, Lee, Lee, Bae, Maeng*, 1059
- temperature, dimethyl sulfoxide, enzyme activity, matrix metalloproteinase, salt activation, *Oneda, Inouye*, 785
- tertiary structure, aminodeoxychorismate lyase, pyridoxal 5'-phosphate, stereochemistry, *Jhee, Yoshimura, Miles, Takeda, Miyahara, Hirotsu, Soda, Kawata, Esaki*, 679
- transamination, aminodeoxychorismate lyase, molecular evolution, pyridoxal 5'-phosphate, stereochemistry, *Jhee, Yoshimura, Miles, Takeda, Miyahara, Hirotsu, Soda, Kawata, Esaki*, 679
- transcription factor, electrophoretic mobility shift assay, neural differentiation, retinoic acid, P19 embryonic carcinoma cells, testis, basement membrane, collagen IV, epithelium, gene expression, *Saito, Naito, Seki, Oohashi, Kimura, Momota, Kishiro, Sada, Yoshioka, Ninomiya*, 427
- TFL-01, PKC, PLB-985 cells, TPA, transfection, *Hao, Yang, Fujii, Yamauchi, Suzuki, Kikuchi, Kaneda, Nakamura*, 989
- TGGE, Genome Profiling, random PCR, species identification and information amount, *Nishigaki, Naimuddin, Hamano*, 107
- thanatin, antimicrobial peptide, molecular dynamics simulation, NMR solution structure, PCR random mutagenesis, structure-function relationship, *Taguchi, Kuwasako, Suenaga, Okada, Momose*, 745
- Thermococcus litoralis*, archaea, glucokinase, hexokinase, hyperthermophiles, *Pyrococcus furiosus*, *Koga, Yoshioka, Sakuraba, Takahashi, Sakasegawa, Shimizu, Ohshima*, 1079
- thermostability, active staining, directed evolution, prolyl endopeptidase, *Uchiyama, Inaoka, Ohkuma-Soyejima, Togame, Shibana, Yoshimoto, Kokubo*, 441
- , oxidizing conditions, site-directed mutagenesis, subtilisin E, sulphydryl modification, *Takagi, Hirai, Wada, Nakamori*, 585
- thermostable enzyme, carboxyl proteinase, pepstatin-insensitive, subsite preferences, substrate specificity, *Oda, Ogasawara, Oyama, Dunn*, 499
- Thermus aquaticus*, α -chymotrypsin, domain conformational change, glycerol kinase, site-directed mutagenesis, *Huang, Ito, Kabashima, Yoshimoto*, 207
- thiol, macrophage, NAD glycohydrolase, R16.1, site-directed mutagenesis, *Hara, Terashima, Shimoyama, Tsuchiya*, 601
- 3D-model, alanine-scan, glucuronyltransferase, HNK-1 carbohydrate epitope, Rossmann-fold motif, *Ohtsubo, Imao, Ishiguro, Nakatani, Oka, Kawasaki*, 283
- thrombin receptor, CH/ π interaction, fluorophenylalanine, phenylalanine, *Matsuhashima, Fujita, Nose, Shimohigashi*, 225
- thrombosis, anti-phospholipid antibody syndrome, β_2 -glycoprotein I, lupus anticoagulant, monoclonal antibody, *Itoh, Inuzuka, Kohno, Wada, Shiku, Ohkura, Kato*, 1017
- thyroxine, activation, aldo-keto reductase family, binding site, 3 α -hydroxysteroid dehydrogenase, triiodothyronine, *Yamamoto, Nozaki, Shintani, Ishikura, Katagiri, Hara*, 121
- TolC, AcrAB, drug efflux, multidrug resistance, site-directed mutagenesis, *Kawabe, Fujihira, Yamaguchi*, 195
- total lipids, fatty acid composition, hepatoma cells, phospholipids, *Martínez-Cayuela, García-Pelayo, Linares, García-Peregrín*, 545
- TPA, PKC, PLB-985 cells, TFL-01, transfection, *Hao, Yang, Fujii, Yamauchi, Suzuki, Kikuchi, Kaneda, Nakamura*, 989
- transamination, aminodeoxychorismate lyase, molecular evolution, pyridoxal 5'-phosphate, stereochemistry, *Jhee, Yoshimura, Miles, Takeda, Miyahara, Hirotsu, Soda, Kawata, Esaki*, 679
- transcription factor, electrophoretic mobility shift assay, neural differentiation, retinoic acid, P19 embryonic carcinoma cells,

T (cont'd)

Wakabayashi, Kageyama, Habu, Doi, Moriguchi, Nozaki, Yamamoto, Nishimune, 1087
transcriptional regulation, actin-related protein, chromatin, nuclear localization, protein complex, *Harata, Oma, Tabuchi, Zhang, Stillman, Mizuno*, 665
—, catalase gene, core sequence, hepatocarcinogenesis, silencer, *Takeuchi, Nakamura, Kayasuga, Isa, Sato*, 1025
—, GD3 synthase, genomic organization, molecular cloning, sialyltransferase, *Takahashi, Kono, Kurosawa, Yoshida, Tachida, Inoue, Kanematsu, Tsuji*, 1033
transfection, PKC, PLB-985 cells, TFL-01, TPA, *Hao, Yang, Fujii, Yamauchi, Suzuki, Kikuchi, Kaneda, Nakamura*, 989
transformation, genome vector, positive selection, recombination, *Itaya, Nagata, Shiroishi, Fujita, Tsuge*, 869
transient receptor potential protein, capacitative Ca^{2+} entry, inositol 1,4,5-trisphosphate receptor, ryanodine receptor, *Xue, Zhao, Suda, Uchida, Oda, Chida, Ichiyama, Nakamura*, 329
transition state complex, energy transduction, fluorescent probe, myosin ATPase, X-ray scattering, *Maruta, Aihara, Uyehara, Homma, Sugimoto, Wakabayashi*, 687
triiodothyronine, activation, aldo-keto reductase family, binding site, 3 α -hydroxysteroid dehydrogenase, thyroxine, *Yamamoto, Nozaki, Shintani, Ishikura, Katagiri, Hara*, 121
tripeptidyl peptidase I, CLN2, lysosomes, neuronal ceroid lipofuscinosis, subunit c, *Ezaki, Takeda-Ezaki, Kominami*, 509
tsBN7, apoptosis, DAD1, Mcl-1, N-linked glycosylation, *Makishima, Yoshimi, Komi-*

yama, Hara, Nishimoto, 399
two-dimensional sugar mapping, human factor IX, N-linked sugar chains, pyridylation, *Makino, Omichi, Kuraya, Ogawa, Nishimura, Iwanaga, Hase*, 175
two-hybrid analysis, COP I-coated vesicle, vesicular transport, *Futatsumori, Kasai, Takatsu, Shin, Nakayama*, 793
type I interferon, CBP/p300, IRF-3, phosphorylation, virus infection, *Suhara, Yoneyama, Iwamura, Yoshimura, Tamura, Namiki, Aimoto, Fujita*, 301
tyrosine, dopa, dopamine, dopamine sulfate, manganese, *Shirani Ranasinghe, Liu, Sakakibara, Suiko*, 477

U

ubiquinol oxidase, cytochrome bd, NADH-oxidase, Na^+ transport, *Kim, Chi, Hwang, Stark, Webster*, 49

Ulp1, hydrolase, nucleoporins, Smt3, SUMO-1, *Takahashi, Mizoi, Toh-e, Kikuchi*, 723
undecaprenyl diphosphate synthase, isoprenoid, prenyltransferase, site-directed mutagenesis, substrate recognition, *Fujikura, Zhang, Yoshizaki, Nishina, Koyama*, 917

V

variants, MUC4 mucin, pancreatic carcinoma, polymorphism, *Choudhury, Moniaux, Winpenny, Hollingsworth, Aubert, Batra*, 233

vascular smooth muscle cells, chemotaxis, kinase inhibitors, myosin light-chain kinase, Rho kinase, *Kishi, Bao, Kohama*, 719
vesicular transport, COP I-coated vesicle, two-hybrid analysis, *Futatsumori, Kasai, Takatsu, Shin, Nakayama*, 793
virus infection, CBP/p300, IRF-3, phosphory-

lation, type I interferon, *Suhara, Yoneyama, Iwamura, Yoshimura, Tamura, Namiki, Aimoto, Fujita*, 301

W

WD repeats, motor neuron, nerve regeneration, neural development, sensory neuron, *Kato, Chen, Kiyama, Ikeda, Kimura, Nakashima, Taga*, 923

Wilms' tumors, CpG island, imprinted genes, genomic imprinting, KCNQ1DN, *Xin, Soejima, Higashimoto, Yatsuki, Zhu, Satoh, Masaki, Kaneko, Jinno, Fukuzawa, Hata, Mukai*, 847

X

X-ray crystallography, D-amino acid oxidase, flavoenzyme, oxidative half-reaction, purple intermediate, *Mizutani, Miyahara, Hirotsu, Nishina, Shiga, Setoyama, Miura*, 73

—, cytochrome P450cam, oxygen activation, proton transfer, site-directed mutagenesis, *Hishiki, Shimada, Nagano, Egawa, Kanamori, Makino, Park, Adachi, Shiro, Ishimura*, 965

X-ray scattering, energy transduction, fluorescent probe, myosin ATPase, transition state complex, *Maruta, Aihara, Uyehara, Homma, Sugimoto, Wakabayashi*, 687

X-ray structure, aminodeoxychorismate lyase, pyridoxal enzyme, reaction mechanism, tertiary structure, *Nakai, Mizutani, Miyahara, Hirotsu, Takeda, Jhee, Yoshimura, Esaki*, 29

Z

zinc, annexin, caspase, caspase inhibitor, phosphatidylserine externalization, *Hamatate, Iguchi, Hirano, Ishida*, 933

THE JOURNAL OF BIOCHEMISTRY

EDITED FOR
THE JAPANESE BIOCHEMICAL SOCIETY
VOLUME 128, 2000

EDITORIAL BOARD

Editor-in-Chief
Koichi SUZUKI (Tokyo)

Editors

<i>Biochemistry (I)</i>	Toshisuke KAWASAKI (Kyoto)
<i>Biochemistry (II)</i>	Eiki KOMINAMI (Tokyo)
<i>Molecular Biology</i>	Yoshiaki FUJI-KURIYAMA (Sendai)
<i>Cell</i>	Toshiaki KATADA (Tokyo)
<i>Biotechnology</i>	Izumi KUMAGAI (Sendai)

Managing Editors

Toshiaki KATADA (Tokyo) Tadaomi TAKENAWA (Tokyo)

Associate Editors

<i>Biochemistry (I)</i>	Katsura IZUI (Kyoto) Hisao KATO (Suita) Shuichi TSUJI (Hadano)	Hideo KANO (Sapporo) Tadaomi TAKENAWA (Tokyo) Akihito YAMAGUCHI (Ibaraki)
<i>Biochemistry (II)</i>	Kuniyo INOUYE (Kyoto) Masaru TANOKURA (Tokyo)	Taiji KATO (Nagoya) Tomofusa TSUCHIYA (Okayama)
<i>Molecular Biology</i>	Kenji YAMAMOTO (Fukuoka) Fumio HANAOKA (Suita) Motoya KATSUKI (Tokyo)	Kenshi HAYASHI (Fukuoka) Kunihiro MATSUMOTO (Nagoya) Masayuki YAMAMOTO (Tsukuba)
<i>Cell</i>	Hiroyuki SASAKI (Mishima) Tatsuya HAGA (Tokyo) Akihiko NAKANO (Wako)	Atsushi MIYAJIMA (Tokyo) Shigeo OHNO (Yokohama)
<i>Biotechnology</i>	Kenji SOBUE (Suita) Shinji IJIMA (Nagoya) Yasufumi KANEDA (Suita)	Masahiro IWAKURA (Tsukuba) Eiichi TAMIYA (Ishikawa)

Advisory Board

Biochemistry (I)
Kurt DRICKAMER (Oxford)
Yoshimi HOMMA (Fukushima)
Kiyoshi KITA (Tokyo)
Masatomo MAEDA (Suita)
Takaaki NISHIOKA (Kyoto)
Yukio SUGIURA (Uji)
Tetsuro YAMAMOTO (Kumamoto)
Shinji YOKOYAMA (Nagoya)

Kiyoshi FURUKAWA (Tokyo)
Tatsuro IRIMURA (Tokyo)
Hisatake KONDO (Sendai)
Alfred H. MERRILL, Jr. (Atlanta)
Fumihiko SATO (Kyoto)
Koji SUZUKI (Tsu)
Hirohei YAMAMURA (Kobe)

Saburo HARA (Kyoto)
Makoto ITO (Fukuoka)
Ta-Hsui LIAO (Taipei)
Taeko MIYAGI (Natori)
Kazuyuki SUGAHARA (Kobe)
Dennis E. VANCE (Edmonton)
Satoshi YAMASHITA (Maebashi)

Biochemistry (II)

Elinor T. ADMAN (Seattle)
Masaaki HIROSE (Uji)
Akio ITO (Fukuoka)
Ushio KIKKAWA (Kobe)
Kunihiro KUWAJIMA (Tokyo)
Norio MUTO (Shobara)
Noriaki TAKEGUCHI (Toyama)

Shoei FURUKAWA (Gifu)
Michio HOMMA (Nagoya)
Keiichi KAWANO (Toyama)
Takehiko KOIDE (Hyogo)
Peter MALONEY (Baltimore)
Hideaki NAGASE (London)
Koji YODA (Tokyo)

Seisuke HATTORI (Kodaira)
Tokuji IKEDA (Kyoto)
Seiichi KAWASHIMA (Tokyo)
Konosuke KUMAKURA (Tokyo)
Tomonari MURAMATSU (Tokyo)
Toru SHIMIZU (Sendai)
Tadashi YOSHIMOTO (Nagasaki)

Molecular Biology

Hiroyuki ARAKI (Mishima)
Akira HORII (Sendai)
Hidetoshi INOKO (Isehara)
Daisuke KITAMURA (Noda)
Ken-ichirou MOROHASHI (Okazaki)
Lorenz POELLINGER (Stockholm)
Takashi TODA (London)
Hideyo YASUDA (Hachioji)

James D. ENGEL (Evanston)
Nobumichi HOZUMI (Noda)
Tetsuro ISHII (Tsukuba)
Hisao MASAI (Tokyo)
Tsunehiro MUKAI (Saga)
Tomokazu SUZUKI (Itami)
Morimasa WADA (Fukuoka)
Yoshihiro YONEDA (Suita)

Akiyoshi FUKAMIZU (Tsukuba)
Toshinori IDE (Hiroshima)
Takeo KISHIMOTO (Yokohama)
Takeshi MIZUNO (Nagoya)
Yusaku NAKABEPPU (Fukuoka)
Shoji TAJIMA (Suita)
Masao YAMADA (Tokyo)

Cell

Toshiya ENDO (Nagoya)
Haruhiro HIGASHIDA (Kanazawa)
Kozo KAIBUCHI (Ikoma)
Eisuke MEKADA (Kurume)
Toru NAKANO (Suita)
Hiroshi OHNO (Kanazawa)
Mamoru SANO (Kyoto)
Mitsuo TAGAYA (Hachioji)

Yukio FUJIKI (Fukuoka)
Masaki INAGAKI (Nagoya)
Akira KIKUCHI (Hiroshima)
Takashi MURAMATSU (Nagoya)
Kazuhisa NAKAYAMA (Tsukuba)
Harumasa OKAMOTO (Tsukuba)
Hiroyuki SUGIYAMA (Fukuoka)
Takashi YOKOTA (Tokyo)

Yasuhide FUKUI (Tokyo)
Makoto INUI (Ube)
Toshio KITAMURA (Tokyo)
Shigekazu NAGATA (Suita)
Masuo OBINATA (Sendai)
David SAFFEN (Tokyo)
Tetsuya TAGA (Tokyo)
Akihiko YOSHIMURA (Kurume)

Biotechnology

Yoshiharu DOI (Wako)
Patricia A. JENNINGS (San Diego)
Izumi KUBO (Hachioji)
Fumio MIZUTANI (Tsukuba)
Shigemi NORIOKA (Suita)
Kiyotaka SHIBA (Tokyo)
Toshifumi TAKEUCHI (Hiroshima)

Nobuyoshi ESAKI (Uji)
Makoto KIMURA (Fukuoka)
Isamu MATSUMOTO (Tokyo)
Teruyuki NAGAMUNE (Tokyo)
Takahiro OCHIYA (Tokyo)
Masayasu SUZUKI (Iizuka)
Norihiro TSUKAGOSHI (Nagoya)

Shigehisa HIROSE (Yokohama)
Kazukiyo KOBAYASHI (Nagoya)
Kohnosuke MITANI (Los Angeles)
Satoshi NISHIKAWA (Tsukuba)
Teruo OKANO (Tokyo)
Yoshinobu TAKAKURA (Kyoto)

COPYRIGHT, 2000 © BY THE JAPANESE BIOCHEMICAL SOCIETY

PUBLISHED

BY

THE JAPANESE BIOCHEMICAL SOCIETY

CONTENTS OF VOLUME 128

No. 1, July, 2000

	PAGE
Regular Papers	
An ATPase Center of Rat Liver 30S-5SRNP Particles	K. Ogata, R. Ohno, K. Terao, and Y. Endo 1
Differential Scanning Calorimetry of Light Meromyosin Fragments Having Various Lengths of Carp Fast Skeletal Muscle Isoforms	M. Kakinuma, A. Hatanaka, H. Fukushima, M. Nakaya, K. Maeda, Y. Doi, T. Ooi, and S. Watabe 11
Single Amino Acid Substitutions in Flexible Loops Can Induce Large Compressibility Changes in Dihydrofolate Reductase	K. Gekko, T. Kamiyama, E. Ohmae, and K. Katayanagi 21
Three-Dimensional Structure of 4-Amino-Deoxychorismate Lyase from <i>Escherichia coli</i>	T. Nakai, H. Mizutani, I. Miyahara, K. Hirotsu, S. Takeda, K.-H. Jhee, T. Yoshimura, and N. Esaki 29
Lysosomal Cysteine Protease, Cathepsin B, Is Targeted to Lysosomes by the Mannose 6-Phosphate-Independent Pathway in Rat Hepatocytes: Site-Specific Phosphorylation in Oligosaccharides of the Proregion	Y. Tanaka, R. Tanaka, T. Kawabata, Y. Noguchi, and M. Himeno 39
Study of Cytochrome <i>b</i> _o Function in <i>Vitreoscilla</i> Using a <i>cyo⁻</i> Knockout Mutant	K.-J. Kim, P.-Y. Chi, K.-W. Hwang, B.C. Stark, and D.A. Webster 49
The Rate of Cell Growth Is Regulated by Purine Biosynthesis via ATP Production and G ₁ to S Phase Transition	M. Kondo, T. Yamaoka, S. Honda, Y. Miwa, R. Katashima, M. Moritani, K. Yoshimoto, Y. Hayashi, and M. Itakura 57
Functional Analysis of the Individual Oligosaccharide Chains of Sendai Virus Fusion Protein	H. Segawa, T. Yamashita, M. Kawakita, and H. Taira 65
Three-Dimensional Structure of the Purple Intermediate of Porcine Kidney D-Amino Acid Oxidase. Optimization of the Oxidative Half-Reaction through Alignment of the Product with Reduced Flavin	H. Mizutani, I. Miyahara, K. Hirotsu, Y. Nishina, K. Shiga, C. Setoyama, and R. Miura 73
Four Types of Calpastatin Isoforms with Distinct Amino-Terminal Sequences Are Specified by Alternative First Exons and Differentially Expressed in Mouse Tissues	J. Takano, M. Watanabe, K. Hitomi, and M. Maki 83
Insulin Is the Essential Factor Maintaining the Constitutive Expression of Hepatic Sterol 14-Demethylase P450 (CYP51)	C. Yamashita, M. Kudo, H. Ishida, M. Noshiro, Y. Aoyama, and Y. Yoshida 93
Molecular Characterization of a Novel Gamma-Glutamyl Transpeptidase Homologue Found in Rat Brain	T. Yamaguchi, N. Takei, K. Araki, K. Ishii, T. Nagano, T. Ichikawa, T. Kumanishi, and H. Nawa 101
Genome Profiling: A Realistic Solution for Genotype-Based Identification of Species	K. Nishigaki, M. Naimuddin, and K. Hamano 107
Tryptophan 140 Is Important, but Serine 141 Is Essential for the Formation of the Integrated Conformation of Staphylococcal Nuclease	J. Yin and G. Jing 113
Structure-Specific Effects of Thyroxine Analogs on Human Liver 3 α -Hydroxysteroid Dehydrogenase	T. Yamamoto, A. Nozaki, S. Shintani, S. Ishikura, Y. Katagiri, and A. Hara 121
Two SecG Molecules Present in a Single Protein Translocation Machinery Are Functional Even after Crosslinking	S. Nagamori, K. Nishiyama, and H. Tokuda 129
A Chimera-Like α -Amylase Inhibitor Suggesting the Evolution of <i>Phaseolus vulgaris</i> α -Amylase Inhibitor	S. Wato, K. Kamei, T. Arakawa, J.S. Philo, J. Wen, S. Hara, and H. Yamaguchi 139
Cloning and Expression of Gene Encoding a Novel Endoglycoceramidase of <i>Rhodococcus</i> sp. Strain C9	K. Sakaguchi, N. Okino, N. Sueyoshi, H. Izu, and M. Ito 145

No. 2, August, 2000

JB Review

JB Review	PAGE	
<i>Porphyromonas gingivalis</i> Proteinases as Virulence Determinants in Progression of Periodontal Diseases	T. Kadokami, K. Nakayama, K. Okamoto, N. Abe, A. Baba, Y. Shi, D.B. Ratnayake, and K. Yamamoto	153
Regular Papers		
Molecular Cloning and Functional Expression of cDNA Encoding the Cysteine Proteinase Inhibitor with Three Cystatin Domains from Sunflower Seeds	Y. Kouzuma, H. Inanaga, K. Doi-Kawano, N. Yamasaki, and M. Kimura	161
Primary Structure and Autoproteolysis of Brevilysin H6 from the Venom of <i>Gloydius halys brevicaudus</i>	S. Fujimura, K. Oshikawa, S. Terada, and E. Kimoto	167
Structural Analysis of N-Linked Sugar Chains of Human Blood Clotting Factor IX	Y. Makino, K. Omichi, N. Kuraya, H. Ogawa, H. Nishimura, S. Iwanaga, and S. Hase	175
The Steady-State Kinetics of the Enzyme Reaction Tested by Site-Directed Mutagenesis of Hydrophobic Residues (Val, Leu, and Cys) in the C-Terminal α -Helix of Human Adenylate Kinase	T. Ayabe, S.K. Park, H. Takenaka, O. Takenaka, H. Maruyama, M. Sumida, T. Onitsuka, and M. Hamada	181
Unique Heme Environment at the Putative Distal Region of Hydrogen Peroxide-Dependent Fatty Acid α -Hydroxylase from <i>Sphingomonas paucimobilis</i> (Peroxygenase P450 _{SPa})	Y. Imai, I. Matsunaga, E. Kusunose, and K. Ichihara	189
Molecular Construction of a Multidrug Exporter System, AcrAB: Molecular Interaction between AcrA and AcrB, and Cleavage of the N-Terminal Signal Sequence of AcrA	T. Kawabe, E. Fujihira, and A. Yamaguchi	195
Intracellular Degradation of Histidine-Rich Glycoprotein Mutants: Tokushima-1 and 2 Mutants Are Degraded by Different Proteolytic Systems	S. Wakabayashi, H. Yoshida, T. Shigekiyo, and T. Koide	201
Glutamate 83 Is Important for Stabilization of Domain-Domain Conformation of <i>Thermus aquaticus</i> Glycerol Kinase	H.-S. Huang, K. Ito, T. Kabashima, and T. Yoshimoto	207
Substrate Recognition and Activation Mechanism of D-Amino Acid Oxidase: A Study Using Substrate Analogs	Y. Nishina, K. Sato, R. Miura, and K. Shiga	213
Edge-to-Face CH/ π Interaction between Ligand Phe-Phenyl and Receptor Aromatic Group in the Thrombin Receptor Activation	A. Matsushima, T. Fujita, T. Nose, and Y. Shimohigashi	225
Human <i>MUC4</i> Mucin cDNA and Its Variants in Pancreatic Carcinoma	A. Choudhury, N. Moniaux, J.P. Winpenny, M.A. Hollingsworth, J.-P. Aubert, and S.K. Batra	233
Stabilization of Human RNase 1 by Introduction of a Disulfide Bond between Residues 4 and 118	J. Futami, H. Tada, M. Seno, S. Ishikami, and H. Yamada	245
Dual Pathways for the Secretion of Lysosomal Cholesterol into a Medium from Cultured Macrophages	M. Ikemoto, T. Furuchi, H. Arai, and K. Inoue	251
Molecular Cloning and Characterization of a Unique 60 kDa/72 kDa Antigen Gene Encoding Enzyme I of the Phosphoenolpyruvate: Sugar Phosphotransferase System (PTS) of <i>Mycoplasma hyopneumoniae</i>	T.-L. Chung, L. Farh, Y.-L. Chen, and D. Shiu	261
NMR Studies of Model Peptides of PHGGGWGQ Repeats within the N-Terminus of Prion Proteins: A Loop Conformation with Histidine and Tryptophan in Close Proximity	H. Yoshida, N. Matsushima, Y. Kumaki, M. Nakata, and K. Hikichi	271
Studies on the Structure-Function Relationship of the HNK-1 Associated Glucuronyltransferase, GlcAT-P, by Computer Modeling and Site-Directed Mutagenesis	K. Ohtsubo, S. Imajo, M. Ishiguro, T. Nakatani, S. Oka, and T. Kawasaki	283

	PAGE
Overexpression of Salicylate Hydroxylase and the Crucial Role of Lys ¹⁶³ as Its NADH Binding Site	K. Suzuki, E. Asao, Y. Nakamura, M. Nakamura, K. Ohnishi, and S. Fukuda 293
Analyses of Virus-Induced Homomeric and Heteromeric Protein Associations between IRF-3 and Coactivator CBP/p300	W. Suhara, M. Yoneyama, T. Iwamura, S. Yoshimura, K. Tamura, H. Namiki, S. Aimoto, and T. Fujita 301
Studies on ATPase(GTPase) Intrinsic to <i>E. coli</i> Ribosomes (1)	K. Ogata, R. Ohno, R. Morishita, Y. Endo, and A. Wada 309
Maintenance-Type DNA Methyltransferase Is Highly Expressed in Post-Mitotic Neurons and Localized in the Cytoplasmic Compartment	K. Inano, I. Suetake, T. Ueda, Y. Miyake, M. Nakamura, M. Okada, and S. Tajima 315
Purification and Characterization of a Novel Heparinase from <i>Bacteroides stercoris</i> HJ-15	B.-T. Kim, W.-S. Kim, Y.S. Kim, R.J. Linhardt, and D.-H. Kim 323
Store Depletion by Caffeine/Ryanodine Activates Capacitative Ca ²⁺ Entry in Nonexcitable A549 Cells	H.-H. Xue, D.-M. Zhao, T. Suda, C. Uchida, T. Oda, K. Chida, A. Ichiyama, and H. Nakamura 329
Structural Study of the N-Terminal Domain of the Alpha Subunit of <i>Escherichia coli</i> RNA Polymerase Sulubilized with Non-Denaturing Detergents	T. Otomo, T. Yamazaki, K. Murakami, A. Ishihama, and Y. Kyogoku 337

No. 3, September, 2000

Rapid Communications

Molecular Mimicry of Human Tumor Antigen by Heavy Chain CDR3 Sequence of the Anti-Idiotypic Antibody	D. Luo, W. Qi, J. Ma, Y.J. Wang, and D. Wishart 345
Crystal Structure of the Pyridoxal 5'-phosphate Dependent L-Methionine γ -Lyase from <i>Pseudomonas putida</i>	H. Motoshima, K. Inagaki, T. Kumasaki, M. Furuichi, H. Inoue, T. Tamura, N. Esaki, K. Soda, N. Tanaka, M. Yamamoto, and H. Tanaka 349

Regular Papers

Disulfide Bonds in Rat Cutaneous Fatty Acid-Binding Protein	S. Odani, Y. Namba, A. Ishii, T. Ono, and H. Fujii 355
States of Tryptophyl Residues and Stability of Recombinant Human Matrix Metalloproteinase 7 (Matrilysin) as Examined by Fluorescence	K. Inouye, H. Tanaka, and H. Oneda 363
Purification and Characterization of Cytochrome c-553 from <i>Helicobacter pylori</i>	S. Koyanagi, K. Nagata, T. Tamura, S. Tsukita, and N. Sone 371
Ligand-Binding Properties of Annexin from <i>Caenorhabditis elegans</i> (Annexin XVI, Nex-1)	A. Satoh, M. Hazuki, K. Kojima, J. Hirabayashi, and I. Matsumoto 377
Molecular Cloning and Characterization of cDNAs Encoding Two Isoforms of Ribulose-1,5-Bisphosphate Carboxylase/Oxygenase Activase in Rice (<i>Oryza sativa</i> L.)	Z. Zhang and S. Komatsu 383
Characterization of L-Lysine 6-Aminotransferase and Its Structural Gene from <i>Flavobacterium lutescens</i> IFO3084	T. Fujii, T. Narita, H. Agematu, N. Agata, and K. Isshiki 391
A Subunit of the Mammalian Oligosaccharyltransferase, DAD1, Interacts with Mcl-1, One of the bcl-2 Protein Family	T. Makishima, M. Yoshimi, S. Komiyama, N. Hara, and T. Nishimoto 399
Two Distinct Mechanisms Underlie the Stimulation of Neurotransmitter Release by Phorbol Esters in Clonal Rat Pheochromocytoma PC12 Cells	S. Iwasaki, M. Kataoka, M. Sekiguchi, Y. Shimazaki, K. Sato, and M. Takahashi 407
Substrate Specificity Analysis of Microbial Transglutaminase Using Proteinaceous Protease Inhibitors as Natural Model Substrates	S. Taguchi, K. Nishihama, K. Igi, K. Ito, H. Taira, M. Motoki, and H. Momose 415

	PAGE
Differential Expression of Mouse $\alpha 5(IV)$ and $\alpha 6(IV)$ Collagen Genes in Epithelial Basement Membranes	K. Saito, I. Naito, T. Seki, T. Oohashi, E. Kimura, R. Momota, Y. Kishiro, Y. Sado, H. Yoshioka, and Y. Ninomiya 427
Activation of Actin-Activated MgATPase Activity of Myosin II by Phosphorylation with MAPK-Activated Protein Kinase-1b (RSK-2)	F. Suizu, K. Ueda, T. Iwasaki, M. Murata-Hori, and H. Hosoya 435
Directed Evolution to Improve the Thermostability of Prolyl Endopeptidase	H. Uchiyama, T. Inaoka, T. Ohkuma-Soyejima, H. Togame, Y. Shibanaka, T. Yoshimoto, and T. Kokubo 441
Modulation of the Peptide-Binding Specificity of a Single-Chain Class II Major Histocompatibility Complex	S.T. Kim and S.M. Byun 449
Synthesis of a Molt-Inhibiting Hormone of the American Crayfish, <i>Procambarus clarkii</i> , and Determination of the Location of Its Disulfide Linkages	T. Kawakami, C. Toda, K. Akaji, T. Nishimura, T. Nakatsuji, K. Ueno, M. Sonobe, H. Sonobe, and S. Aimoto 455
Depletion of Intracellular NAD ⁺ and ATP Levels during Ricin-Induced Apoptosis through the Specific Ribosomal Inactivation Results in the Cytolysis of U937 Cells	N. Komatsu, M. Nakagawa, T. Oda, and T. Muramatsu 463
Three Leucine-Rich Sequences and the N-Terminal Region of Double-Stranded RNA-Activated Protein Kinase (PKR) Are Responsible for Its Cytoplasmic Localization	T. Takizawa, C. Tatematsu, M. Watanabe, M. Yoshida, and K. Nakajima 471
Manganese Administration Induces the Increased Production of Dopamine Sulfate and Depletion of Dopamine in Sprague-Dawley Rats	J.G. Shirani Ranasinghe, M.-C. Liu, Y. Sakakibara, and M. Suiko 477
Common Architecture of the Primary Galactose Binding Sites of <i>Erythrina corallodendron</i> Lectin and Heat-Labile Enterotoxin from <i>Escherichia coli</i> in Relation to the Binding of Branched Neolactohexaosylceramide	S. Teneberg, A. Berntsson, and J. Ångström 481
Protein N-Arginine Methylation in Subcellular Fractions of Lymphoblastoid Cells	C.-H. Lin, M. Hsieh, Y.-C. Li, S.-Y. Li, D.L. Pearson, K.M. Pollard, and C. Li 493
Subsite Preferences of Pepstatin-Insensitive Carboxyl Proteinases from Prokaryotes: Kumamolysin, a Thermostable Pepstatin-Insensitive Carboxyl Proteinase	K. Oda, S. Ogasawara, H. Oyama, and B.M. Dunn 499
Tripeptidyl Peptidase I, the Late Infantile Neuronal Ceroid Lipofuscinosis Gene Product, Initiates the Lysosomal Degradation of Subunit c of ATP Synthase	J. Ezaki, M. Takeda-Ezaki, and E. Kominami 509
Transcriptional Regulation of the Human <i>FTZ-F1</i> Gene Encoding Ad4BP/SF-1	K. Oba, T. Yanase, I. Ichino, K. Goto, R. Takayanagi, and H. Nawata 517
Production of Three Distinct mRNAs of 150 kDa Oxygen-Regulated Protein (ORP150) by Alternative Promoters: Preferential Induction of One Species under Stress Conditions	S. Kaneda, T. Yura, and H. Yanagi 529
Hydrolysis and Synthesis of Substrate Proteins for Cathepsin L in the Brain Basement Membranes of <i>Sarcophaga</i> during Metamorphosis	I. Fujii-Taira, Y. Tanaka, K.J. Homma, and S. Natori 539
Corrections	543

No. 4, October, 2000

Regular Papers

Metabolism of Palmitic and Docosahexaenoic Acids in Reuber H35 Hepatoma Cells	M. Martínez-Cayuela, M.C. García-Pelayo, A. Linares, and E. García-Peregrín 545
Binding of an Intrinsic ATPase Inhibitor to the F ₁ F ₀ ATPase in Phosphorylating Conditions of Yeast Mitochondria	H. Iwatsuki, Y.-M. Lu, K. Yamaguchi, N. Ichikawa, and T. Hashimoto 553

	PAGE
EmPLiCS: An Empirical Approach for Structure-Based Design of Natural Peptide Drugs	H. Ishida, T. Shirai, Y. Matsuda, Y. Kato, M. Ohno, T. Isaji, and T. Yamane 561
Genetic Characterization of <i>rbt</i> Mutants That Enhance Basal Transcription from Core Promoters in <i>Saccharomyces cerevisiae</i>	T. Kunoh, T. Sakuno, T. Furukawa, Y. Kaneko, and S. Harashima 575
Enhanced Thermostability of the Single-Cys Mutant Subtilisin E under Oxidizing Conditions	H. Takagi, K. Hirai, M. Wada, and S. Nakamori 585
The Role of Structural Intersubunit Microheterogeneity in the Regulation of the Activity in Hysteresis of Ribulose 1,5-Bisphosphate Carboxylase/Oxygenase	K. Uemura, N. Shibata, Anwaruzzaman, M. Fujiwara, T. Higuchi, H. Kobayashi, Y. Kai, and A. Yokota 591
Mouse T-Cell Antigen Rt6.1 Has Thiol-Dependent NAD Glycohydrolase Activity	N. Hara, M. Terashima, M. Shimoyama, and M. Tsuchiya 601
Kinetic Basis for the Donor Nucleotide-Sugar Specificity of β 1,4-N-Acetylglucosaminyltransferase III	Y. Ikeda, S. Koyota, H. Ihara, Y. Yamaguchi, H. Korekane, T. Tsuda, K. Sasai, and N. Taniguchi 609
Autoantibody Activity of IgG Rheumatoid Factor Increases with Decreasing Levels of Galactosylation and Sialylation	A. Matsumoto, K. Shikata, F. Takeuchi, N. Kojima, and T. Mizuochi 621
Monoclonal Antibodies Recognizing Surface Residues of the β Subunit of <i>Escherichia coli</i> F ₁ ATPase: Functional Importance of the Epitope Residues	S. Kamauchi, T. Fudemoto, J. Miki, H. Inoue, and H. Kanazawa 629
Calcium-Dependent and -Independent Hetero-Oligomerization in the Synaptotagmin Family	M. Fukuda and K. Mikoshiba 637
Nitric Oxide Inactivates Glyoxalase I in Cooperation with Glutathione	A. Mitsumoto, K.-R. Kim, G. Oshima, M. Kunimoto, K. Okawa, A. Iwamatsu, and Y. Nakagawa 647
Synthesis and Characterization of the Spore Proteins of <i>Bacillus subtilis</i> YdhD, YkuD, and YkvP, Which Carry a Motif Conserved among Cell Wall Binding Proteins	T. Kodama, H. Takamatsu, K. Asai, N. Ogasawara, Y. Sadaie, and K. Watabe 655
Multiple Actin-Related Proteins of <i>Saccharomyces cerevisiae</i> Are Present in the Nucleus	M. Harata, Y. Oma, T. Tabuchi, Y. Zhang, D.J. Stillman, and S. Mizuno 665
Substrate Recognition Mechanism of Prolyl Aminopeptidase from <i>Serratia marcescens</i>	K. Ito, T. Inoue, T. Kabashima, N. Kanada, H.-S. Huang, X. Ma, N. Azmi, E. Azab, and T. Yoshimoto 673
Stereochemistry of the Transamination Reaction Catalyzed by Aminodeoxychorismate Lyase from <i>Escherichia coli</i> : Close Relationship between Fold Type and Stereochemistry	K.-H. Jhee, T. Yoshimura, E.W. Miles, S. Takeda, I. Miyahara, K. Hirotsu, K. Soda, Y. Kawata, and N. Esaki 679
Solution Structure of Myosin-ADP-MgFn Ternary Complex by Fluorescent Probes and Small-Angle Synchrotron X-Ray Scattering	S. Maruta, T. Aihara, Y. Uyehara, K. Homma, Y. Sugimoto, and K. Wakabayashi 687
Conformational Changes in the Unique Loops Bordering the ATP Binding Cleft of Skeletal Muscle Myosin Mediate Energy Transduction	S. Maruta and K. Homma 695
Fibrinogen Binds to Integrin $\alpha_5\beta_1$ via the Carboxyl-Terminal RGD Site of the α -Chain	K. Suehiro, J. Mizuguchi, K. Nishiyama, S. Iwanaga, D.H. Farrell, and S. Ohtaki 705
A Half-Type ABC Transporter TAPL Is Highly Conserved between Rodent and Man, and the Human Gene Is Not Responsive to Interferon- γ in Contrast to TAP1 and TAP2	A. Kobayashi, M. Kasano, T. Maeda, S. Hori, K. Motojima, M. Suzuki, T. Fujiwara, E. Takahashi, T. Yabe, K. Tanaka, M. Kasahara, Y. Yamaguchi, and M. Maeda 711

No. 5, November, 2000

Rapid Communications

- Inhibitory Effects of ML-9, Wortmannin, and Y-27632 on the Chemo-taxis of Vascular Smooth Muscle Cells in Response to Platelet-Derived Growth Factor-BB H. Kishi, J. Bao, and K. Kohama 719

- Yeast Ulp1, an Smt3-Specific Protease, Associates with Nucleoporins Y. Takahashi, J. Mizoi, A. Toh-e, and Y. Kikuchi 723

- Differential Scanning Calorimetry Study on the Inner Membrane Lipids Prepared from Barotolerant *Pseudomonas* sp. BT1 H. Kaneko, K. Obuchi, and K. Horikoshi 727

Regular Papers

- Stabilization of Human Recombinant Erythropoietin through Interactions with the Highly Branched *N*-Glycans T. Toyoda, T. Itai, T. Arakawa, K.H. Aoki, and H. Yamaguchi 731

- Double Point Mutant F34W/W140F of Staphylococcal Nuclease Is in a Molten Globule State but Highly Competent to Fold into a Functional Conformation Y. Li and G. Jing 739

- Functional Mapping against *Escherichia coli* for the Broad-Spectrum Antimicrobial Peptide, Thanatin, Based on an *In Vivo* Monitoring Assay System S. Taguchi, K. Kuwasako, A. Suenaga, M. Okada, and H. Momose 745

- Characterization of Recombinant Human Adipocyte-Derived Leucine Aminopeptidase Expressed in Chinese Hamster Ovary Cells A. Hattori, K. Kitatani, H. Matsumoto, S. Miyazawa, T. Rogi, N. Tsuruoka, S. Mizutani, Y. Natori, and M. Tsujimoto 755

- Molecular Cloning, Expression, and Chromosomal Mapping of Human Chondroitin 4-Sulfotransferase, Whose Expression Pattern in Human Tissues Is Different from That of Chondroitin 6-Sulfotransferase T. Okuda, S. Mita, S. Yamauchi, T. Matsubara, F. Yagi, D. Yamamori, M. Fukuta, A. Kuroiwa, Y. Matsuda, and O. Habuchi 763

- Aminoguanidine-Treatment Results in the Inhibition of Lens Opacification and Calpain-Mediated Proteolysis in Shumiya Cataract Rats (SCR) M. Inomata, M. Hayashi, S. Shumiya, S. Kawashima, and Y. Ito 771

- Relationships of p40^{phox} with p67^{phox} in the Activation and Expression of the Human Respiratory Burst NADPH Oxidase S. Tsunawaki and K. Yoshikawa 777

- Effects of Dimethyl Sulfoxide, Temperature, and Sodium Chloride on the Activity of Human Matrix Metalloproteinase 7 (Matrilysin) H. Oneda and K. Inouye 785

- Identification and Characterization of Novel Isoforms of COP I Subunits M. Futatsumori, K. Kasai, H. Takatsu, H.-W. Shin, and K. Nakayama 793

- Functional Role of Ca²⁺-Binding Site IV of Scallop Troponin C T. Ojima, N. Koizumi, K. Ueyama, A. Inoue, and K. Nishita 803

- Molecular Cloning and Characterization of a New Neuron-Specific Homologue of Rat Polypyrimidine Tract Binding Protein T. Kikuchi, M. Ichikawa, J. Arai, H. Tateiwa, L. Fu, K. Higuchi, and N. Yoshimura 811

- An Approach to the Removal of Yeast Specific O-Linked Oligo-Mannoses from Human Midkine Expressed in *Pichia pastoris* Using Site-Specific Mutagenesis Y. Asami, H. Nagano, S. Ikematsu, A. Murasugi 823

- ω -Hydroxylation Activity toward Leukotriene B₄ and Polyunsaturated Fatty Acids in the Human Hepatoblastoma Cell Line, HepG2, and Human Lung Adenocarcinoma Cell Line, A549 M. Yamane and A. Abe 827

- Cholesterol Homeostasis in Rat Astrocytoma Cells GA-1 L.-Y. Zhang, J. Ito, T. Kato, and S. Yokoyama 837

	PAGE
A Novel Imprinted Gene, <i>KCNQ1DN</i> , within the WT2 Critical Region of Human Chromosome 11p15.5 and Its Reduced Expression in Wilms' Tumor	Z. Xin, H. Soejima, K. Higashimoto, H. Yatsuki, X. Zhu, Y. Satoh, Z. Masaki, Y. Kaneko, Y. Jinno, R. Fukuzawa, J. Hata, and T. Mukai 847
Isolectins from <i>Solanum tuberosum</i> with Different Detailed Carbohydrate Binding Specificities: Unexpected Recognition of Lactosylceramide by N-Acetyllactosamine-Binding Lectins	J. Ciopraga, J. Ångström, J. Bergström, T. Larsson, N. Karlsson, C. Motas, O. Gozia, and S. Teneberg 855
Efficient Cloning and Engineering of Giant DNAs in a Novel <i>Bacillus subtilis</i> Genome Vector	M. Itaya, T. Nagata, T. Shiroishi, K. Fujita, and K. Tsuge 869
Design and Synthesis of Sensitive Fluorogenic Substrates Specific for Lys-Gingipain	N. Abe, A. Baba, T. Kadokami, K. Okamoto, S. Okazaki, T. Asao, and K. Yamamoto 877
Polynucleotide:Adenosine Glycosidase Is the Sole Activity of Ribosome-Inactivating Proteins on DNA	L. Barbieri, P. Valbonesi, F. Righi, G. Zuccheri, F. Monti, P. Gorini, B. Samori, and F. Stirpe 883

No. 6, December, 2000

Rapid Communications

Single-Chain Fv with Fc Fragment of the Human IgG1 Tag: Construction, <i>Pichia pastoris</i> Expression and Antigen Binding Characterization	E.V. Andrade, F.C. Albuquerque, L.M.P. Moraes, M.M. Brígido, and M.A. Santos-Silva 891
Biochemical Identification of the Neutral Endopeptidase Family Member Responsible for the Catabolism of Amyloid β Peptide in the Brain	Y. Takaki, N. Iwata, S. Tsubuki, S. Taniguchi, S. Toyoshima, B. Lu, N.P. Gerard, C. Gerard, H.-J. Lee, K. Shirotani, and T.C. Saido 897
Myosin II Regulatory Light Chain as a Novel Substrate for AIM-1, an Aurora/Ipl1p-Related Kinase from Rat	M. Murata-Hori, K. Fumoto, Y. Fukuta, T. Iwasaki, A. Kikuchi, M. Tatsuka, and H. Hosoya 903

Regular Papers

Profile of a Nonylphenol-Degrading Microflora and Its Potential for Bioremedial Applications	K. Fujii, N. Urano, H. Ushio, M. Satomi, H. Iida, N. Ushio-Sata, and S. Kimura 909
Significance of Asn-77 and Trp-78 in the Catalytic Function of Undecaprenyl Diphosphate Synthase of <i>Micrococcus luteus</i> B-P 26	K. Fujikura, Y.-W. Zhang, H. Yoshizaki, T. Nishino, and T. Koyama 917
Identification of a Novel WD Repeat-Containing Gene Predominantly Expressed in Developing and Regenerating Neurons	H. Kato, S. Chen, H. Kiyama, K. Ikeda, N. Kimura, K. Nakashima, and T. Taga 923
Zinc Induces Mixed Types of Cell Death, Necrosis, and Apoptosis, in Molt-4 Cells	M. Hamatake, K. Iguchi, K. Hirano, and R. Ishida 933
Endogenous Meltrin α Is Ubiquitously Expressed and Associated with the Plasma Membrane but Exogenous Meltrin α Is Retained in the Endoplasmic Reticulum	N. Kadota, A. Suzuki, Y. Nakagami, T. Izumi, and T. Endo 941
Renin Inhibits N-Acetyl-D-Glucosamine 2-Epimerase (Renin-Binding Protein)	S. Takahashi, M. Kumagai, S. Shindo, K. Saito, and Y. Kawamura 951
Production in Mammalian Cells of Chimeric Human/Sea Urchin Procollagen Molecules Displaying Distinct Versions of the Minor Triple Helix	C. Cluzel, C. Lethias, R. Garrone, and J.-Y. Exposito 957
X-Ray Crystal Structure and Catalytic Properties of Thr252Ile Mutant of Cytochrome P450cam: Roles of Thr252 and Water in the Active Center	T. Hishiki, H. Shimada, S. Nagano, T. Egawa, Y. Kanamori, R. Makino, S.-Y. Park, S. Adachi, Y. Shiro, and Y. Ishimura 965
Cloning and Characterization of <i>ped</i> Encoding Δ' -Piperideine-6-Carboxylate Dehydrogenase from <i>Flavobacterium lutescens</i> IFO3084	T. Fujii, T. Narita, H. Agematsu, N. Agata, and K. Isshiki 975

	PAGE
Isolation of a cDNA Encoding the Motor Domain of Nonmuscle Myosin Which Is Specifically Expressed in the Mantle Pallial Cell Layer of Scallop (<i>Patinopecten yessoensis</i>) Y. Hasegawa	983
Phorbol Ester-Potentiated Liposomal Transfection to Monocytic PLB-985 Cells L.J. Hao, D. Yang, Y. Fujii, A. Yamauchi, N. Suzuki, H. Kikuchi, Y. Kaneda, and M. Nakamura	989
Sequence and Expression of Thai Rosewood β -Glucosidase/ β -Fucosidase, a Family 1 Glycosyl Hydrolase Glycoprotein J.R. Ketudat Cairns, V. Champattanachai, C. Srisomsap, B. Wittman-Liebold, B. Thiede, and J. Svasti	999
Kinetic Analysis of Interaction of Different Types of Rheumatoid Factors with Immobilized IgG Using Surface Plasmon Resonance A. Matsumoto, N. Kojima, F. Takeuchi, and T. Mizuochi	1009
Highly Increased Plasma Concentrations of the Nicked Form of β_2 Glycoprotein I in Patients with Leukemia and with Lupus Anticoagulant: Measurement with a Monoclonal Antibody Specific for a Nicked Form of Domain V Y. Itoh, K. Inuzuka, I. Kohno, H. Wada, H. Shiku, N. Ohkura, and H. Kato	1017
Multiple Elements for Negative Regulation of the Rat Catalase Gene Expression in Dedifferentiated Hepatoma Cells T. Takeuchi, S. Nakamura, A. Kayasuga, S. Isa, and K. Sato	1025
Genomic Organization and Transcriptional Regulation of the Mouse GD3 Synthase Gene (ST8Sia I): Comparison of Genomic Organization of the Mouse Sialyltransferase Genes S. Takashima, M. Kono, N. Kurosawa, Y. Yoshida, Y. Tachida, M. Inoue, T. Kanematsu, and S. Tsuji	1033
Proteolysis of Acidic Calponin by μ -Calpain R. Yoshimoto, M. Hori, H. Ozaki, and H. Karaki	1045
Characterizing and Optimizing Protease/Peptide Inhibitor Interactions, a New Application for Spot Synthesis K. Hilpert, G. Hansen, H. Wessner, J. Schneider-Mergener, and W. Höhne	1051
Identification of a Cryptic N-Terminal Signal in <i>Saccharomyces cerevisiae</i> Peroxisomal Citrate Synthase That Functions in Both Peroxisomal and Mitochondrial Targeting J.G. Lee, S.P. Cho, H.S. Lee, C.H. Lee, K.S. Bae, and P.J. Maeng	1059
Subcellular Fractionation of Polyprenyl Diphosphate Synthase Activities Responsible for the Syntheses of Polyprenols and Dolichols in Spinach Leaves T. Sakaihara, A. Honda, S. Tateyama, and H. Sagami	1073
Biochemical Characterization, Cloning, and Sequencing of ADP-Dependent (AMP-Forming) Glucokinase from Two Hyperthermophilic Archaea, <i>Pyrococcus furiosus</i> and <i>Thermococcus litoralis</i> S. Koga, I. Yoshioka, H. Sakuraba, M. Takahashi, S. Sakasegawa, S. Shimizu, and T. Ohshima	1079
A Novel Cis-Acting Element Regulates <i>HES-1</i> Gene Expression in P19 Embryonal Carcinoma Cells Treated with Retinoic Acid N. Wakabayashi, R. Kageyama, T. Habu, T. Doi, T. Morita, M. Nozaki, M. Yamamoto, and Y. Nishimune	1087

Multiple Elements for Negative Regulation of the Rat Catalase Gene Expression in Dedifferentiated Hepatoma Cells	T. Takeuchi, S. Nakamura, A. Kayasuga, S. Isa, and K. Sato	1025
A Novel Cis-Acting Element Regulates <i>HES-1</i> Gene Expression in P19 Embryonal Carcinoma Cells Treated with Retinoic Acid	N. Wakabayashi, R. Kageyama, T. Habu, T. Doi, T. Morita, M. Nozaki, M. Yamamoto, and Y. Nishimune	1087
CELL		
Extracellular Matrices and Cell Adhesion Molecules		
Production in Mammalian Cells of Chimeric Human/Sea Urchin Procollagen Molecules Displaying Distinct Versions of the Minor Triple Helix	C. Cluzel, C. Lethias, R. Garrone, and J.-Y. Exposito	957
Muscles, Cell Motility, and Cytoskeleton		
Myosin II Regulatory Light Chain as a Novel Substrate for AIM-1, an Aurora/Ipl1p-Related Kinase from Rat <i>Rapid Communication</i>	M. Murata-Hori, K. Fumoto, Y. Fukuta, T. Iwasaki, A. Kikuchi, M. Tatsuka, and H. Hosoya	903
Endogenous Meltrin α Is Ubiquitously Expressed and Associated with the Plasma Membrane but Exogenous Meltrin α Is Retained in the Endoplasmic Reticulum	N. Kadota, A. Suzuki, Y. Nakagami, T. Izumi, and T. Endo	941
Isolation of a cDNA Encoding the Motor Domain of Nonmuscle Myosin Which Is Specifically Expressed in the Mantle Pallial Cell Layer of Scallop (<i>Patinopecten yessoensis</i>)	Y. Hasegawa	983
Protein Targeting and Sorting		
Identification of a Cryptic N-Terminal Signal in <i>Saccharomyces cerevisiae</i> Peroxisomal Citrate Synthase That Functions in Both Peroxisomal and Mitochondrial Targeting	J.G. Lee, S.P. Cho, H.S. Lee, C.H. Lee, K.S. Bae, and P.J. Maeng	1059
Cell Death		
Zinc Induces Mixed Types of Cell Death, Necrosis, and Apoptosis, in Molt-4 Cells	M. Hamatake, K. Iguchi, K. Hirano, and R. Ishida	933
BIOTECHNOLOGY		
Immunological Engineering		
Single-Chain Fv with Fc Fragment of the Human IgG1 Tag: Construction, <i>Pichia pastoris</i> Expression and Antigen Binding Characterization <i>Rapid Communication</i>	E.V. Andrade, F.C. Albuquerque, L.M.P. Moraes, M.M. Brígido, and M.A. Santos-Silva	891
Environmental Technology		
Profile of a Nonylphenol-Degrading Microflora and Its Potential for Bioremediation Applications	K. Fujii, N. Urano, H. Ushio, M. Satomi, H. Iida, N. Ushio-Sata, and S. Kimura	909

CONTENTS Rearranged According to Subject Categories, Vol. 128, No. 6

BIOCHEMISTRY

Glycobiology and Carbohydrate Biochemistry

- Sequence and Expression of Thai Rosewood β -Glucosidase/ β -Fucosidase, a Family 1 Glycosyl Hydrolase Glycoprotein J.R. Ketudat Cairns, V. Champattanachai, C. Srisomsap, B. Wittman-Liebold, B. Thiede, and J. Svasti 999

- Kinetic Analysis of Interaction of Different Types of Rheumatoid Factors with Immobilized IgG Using Surface Plasmon Resonance A. Matsumoto, N. Kojima, F. Takeuchi, and T. Mizuochi 1009

- Genomic Organization and Transcriptional Regulation of the Mouse GD3 Synthase Gene (ST8Sia I): Comparison of Genomic Organization of the Mouse Sialyltransferase Genes S. Takashima, M. Kono, N. Kurosawa, Y. Yoshida, Y. Tachida, M. Inoue, T. Kanematsu, and S. Tsuji 1033

Lipid Biochemistry

- Subcellular Fractionation of Polyprenyl Diphosphate Synthase Activities Responsible for the Syntheses of Polyprenols and Dolichols in Spinach Leaves T. Sakaihara, A. Honda, S. Tateyama, and H. Sagami 1073

Enzymology

- Significance of Asn-77 and Trp-78 in the Catalytic Function of Undecaprenyl Diphosphate Synthase of *Micrococcus luteus* B-P 26 K. Fujikura, Y.-W. Zhang, H. Yoshizaki, T. Nishino, and T. Koyama 917

- X-Ray Crystal Structure and Catalytic Properties of Thr252Ile Mutant of Cytochrome P450cam: Roles of Thr252 and Water in the Active Center T. Hishiki, H. Shimada, S. Nagano, T. Egawa, Y. Kanamori, R. Makino, S.-Y. Park, S. Adachi, Y. Shiro, and Y. Ishimura 965

- Biochemical Characterization, Cloning, and Sequencing of ADP-Dependent (AMP-Forming) Glucokinase from Two Hyperthermophilic Archaea, *Pyrococcus furiosus* and *Thermococcus litoralis* S. Koga, I. Yoshioka, H. Sakuraba, M. Takahashi, S. Sakasegawa, S. Shimizu, and T. Ohshima 1079

Biochemistry of Proteolysis

- Biochemical Identification of the Neutral Endopeptidase Family Member Responsible for the Catabolism of Amyloid β Peptide in the Brain *Rapid Communication* Y. Takaki, N. Iwata, S. Tsubuki, S. Taniguchi, S. Toyoshima, B. Lu, N.P. Gerard, C. Gerard, H.-J. Lee, K. Shirotani, and T.C. Saido 897

- Renin Inhibits N-Acetyl-D-Glucosamine 2-Epimerase (Renin-Binding Protein)

- S. Takahashi, M. Kumagai, S. Shindo, K. Saito, and Y. Kawamura 951

- Proteolysis of Acidic Calponin by μ -Calpain

- R. Yoshimoto, M. Hori, H. Ozaki, and H. Karaki 1045

- Characterizing and Optimizing Protease/Peptide Inhibitor Interactions, a New Application for Spot Synthesis K. Hilpert, G. Hansen, H. Wessner, J. Schneider-Mergener, and W. Höhne 1051

Biochemistry in Diseases and Aging

- Highly Increased Plasma Concentrations of the Nicked Form of β_2 Glycoprotein I in Patients with Leukemia and with Lupus Anticoagulant: Measurement with a Monoclonal Antibody Specific for a Nicked Form of Domain V Y. Itoh, K. Inuzuka, I. Kohno, H. Wada, H. Shiku, N. Ohkura, and H. Kato 1017

MOLECULAR BIOLOGY

Structure and Function of Genes and Other Genetic Materials

- Identification of a Novel WD Repeat-Containing Gene Predominantly Expressed in Developing and Regenerating Neurons H. Kato, S. Chen, H. Kiyama, K. Ikeda, N. Kimura, K. Nakashima, and T. Taga 923

- Cloning and Characterization of *pcd* Encoding Δ' -Piperideine-6-Carboxylate Dehydrogenase from *Flavobacterium lutescens* IFO3084 T. Fujii, T. Narita, H. Agematu, N. Agata, and K. Isshiki 975

Regulation of Gene Expression

- Phorbol Ester-Potentiated Liposomal Transfection to Monocytic PLB-985 Cells L.J. Hao, D. Yang, Y. Fujii, A. Yamauchi, N. Suzuki, H. Kikuchi, Y. Kaneda, and M. Nakamura 989