

## INDEX TO AUTHORS

### A

- Adachi, H. See *Ohkouchi, Nishio, Maeda, Hitomi, and Maki*, 207  
 Aimoto, S. See *Shi, Suetake, Kawakami, and Tajima*, 359  
 Aizawa, H. See *Hama, Shirotani, Masumoto, Sekine-Aizawa, and Saido*, 721  
 Akagi, Y. See *Degenaar, Le Pioufle, Griscom, Tixier, Morita, Murakami, Yokoyama, Fujita, and Tamiya*, 367  
 Akino, T. See *Sohma, Ohkawa, and Kuroki*, 449  
 Akiyama, A. See *Kurimoto, Harada, Sakai, and Kato*, 295  
 Akutsu, H. See *Tozawa, Yagi, Hisamatsu, Ozawa, and Yoshida*, 527  
 Aoki, N., Aoyama, K., Nagata, M., and Matsuda, T. A Growing Family of Dual Specificity Phosphatases with Low Molecular Masses, 133  
 Aoshima, H., Hossain, S.J., Hamamoto, K., Yokoyama, T., Yamada, M., and Shingai, R. Kinetic Analyses of Alcohol-Induced Potentiation of the Response of GABA<sub>A</sub> Receptors Composed of  $\alpha_1$  and  $\beta_1$  Subunits, 703  
 Aotsuka, S. See *Takekoshi, Maeda, Nagatsuka, Ono, and Ihara*, 299  
 Aoyama, K. See *Aoki, Nagata, and Matsuda*, 133  
 Aoyama, T. See *Tsuji, Takeuchi, Homma, Takahashi, Nakajima, Shimada, and Natori*, 313  
 Aoyama, Y. See *Yamashita, Noshiro, and Yoshida*, 849  
 Artaud, I. See *Bonnet, Stevens, de Sousa, Sari, and Mansuy*, 227  
 Asada, A. See *Yamada, Suzuki, Mizutani, Matozaki, Ikeuchi, Koizumi, and Hatanaka*, 157  
 Asai, Y. See *Okabe, Yakushi, and Homma*, 879  
 Athauda, S.B.P. See *Kishi, Yamazaki, Yasuda, Yahagi, Ichinose, Tsuchiya, Inoue, and Takanashi*, 425  
 Atsumi, S. See *Ikawa, Nohmi, Shiraishi, and Inoue*, 251  
 Azakami, H. See *Song, Sata, Saito, Usui, and Kato*, 757

### B

- Bandyopadhyay, K., Karmakar, S., Ghosh, A., and Das, P.K. Role of 67 kDa Cell Surface Laminin Binding Protein of *Leishmania donovani* in Pathogenesis, 141  
 Bonnet, D., Stevens, J.M., de Sousa, R.A., Sari, M.-A., Mansuy, D., and Artaud, I. New Inhibitors of Iron-Containing Nitrile Hydrolases, 227  
 Brzezinski, R. See *Tremblay, Yamaguchi, and Fukamizo*, 679  
 Bussière, M., Vance, J.E., Campenot, R.B., and Vance, D.E. Compartmentalization of Choline and Acetylcholine Metabolism in Cultured Sympathetic Neurons, 561

### C

- Campenot, R.B. See *Bussière, Vance, and Vance*, 561  
 Cesare, N.D. See *D'Auria, Gryczynski, Rossi, and Lakowicz*, 13  
 Chatake, T. See *Hossain, Hikima, Tsunoda, Sunami, Ueno, Matsuda, and Takénaka*, 9  
 Che, W. See *Koh, Higashiyama, Takahashi, Miyamoto, Suzuki, and Taniguchi*, 351  
 Chiang, H.-J. See *Farh, Hwang, Steinrauf, and Shiuhan*, 627  
 Chinami, M. See *Tanaka, Mizushima, Ogashahara, Ota, Tsukihara, and Yutani*, 107  
 Choi, J.G. See *Kim, Lee, and Kang*, 431  
 Chono, H., Yoshioka, H., Ueno, M., and Kato, I. Removal of Inhibitory Substances with Recombinant Fibronectin-CH-296 Plates Enhances the Retroviral Transduction Efficiency of CD34<sup>+</sup>CD38<sup>-</sup> Bone Marrow Cells, 331  
 Cosper, N.J., Scott, R.A., Hori, H., Nishino, T., and Iwasaki, T. X-Ray Absorption Spectroscopic Analysis of the High-Spin Ferriheme Site in Substrate-Bound Neuronal Nitric-Oxide Synthase, 191

### D

- Das, P.K. See *Bandyopadhyay, Karmakar, and Ghosh*, 141  
 D'Auria, S., Cesare, N.D., Gryczynski, I., Rossi, M., and Lakowicz, J.R. On the Effect of Sodium Dodecyl Sulfate on the Structure of  $\beta$ -Galactosidase from *Escherichia coli*. A Fluorescence Study, 13  
 de Sousa, R.A. See *Bonnet, Stevens, Sari, Mansuy, and Artaud*, 227  
 Degenaar, P., Le Pioufle, B., Griscom, L., Tixier, A., Akagi, Y., Morita, Y., Murakami, Y., Yokoyama, K., Fujita, H., and Tamiya, E. A Method for Micrometer Resolution Patterning of Primary Culture Neurons for SPM Analysis, 367

### E

- Eda, M. See *Tbraya, Kamachi, and Yoshizawa*, 865  
 Eguchi, T., Kubota, S., Kondo, S., Shimo, T., Hattori, T., Nakanishi, T., Kuboki, T., Yatani, H., and Takigawa, M. Regulatory Mechanism of Human Connective Tissue Growth Factor (CTGF/Hcs24) Gene Expression in a Human Chondrocytic Cell Line, HCS-2/8, 79  
 Ehara, T. See *Hara, Komada, Higashimura, Yamaguchi, Jelokhani-Niaraki, and Kondo*, 749  
 Ejiri, Y. See *Yamauchi, Sugimoto, Sueyoshi, Oji, and Tanaka*, 257

### F

- Farh, L., Hwang, S.-Y., Steinrauf, L., Chiang, H.-J., and Shiuhan, D. Structure-Function Studies of *Escherichia coli* Biotin Synthase via a Chemical Modification and Site-Directed Mutagenesis Approach, 627  
 Fueki, T. and Yamaguchi, K. The Structure

and Function of the Replication Initiator Protein (Rep) of pSC101: An Analysis Based on a Novel Positive-Selection System for the Replication-Deficient Mutants, 399

Fujisawa, H. See *Okuno and Kitani*, 503

—. See *Kitani and Okuno*, 515

—. See *Takeuchi, Ishida, Kameshita, Kitani, and Okuno*, 833

Fujita, H. See *Degenaar, Le Pioufle, Griscom, Tixier, Akagi, Morita, Murakami, Yokoyama, and Tamiya*, 367

Fujita, N. and Yoshida, M. Efficient Folding of the Insect Neuropeptide Ecdision Hormone by Protein Disulfide Isomerase, 575

Fukamizo, T. See *Tremblay, Yamaguchi, and Brzezinski*, 679

Fukui, T. See *Wada, Kubo, and Takahashi*, 457

Furuichi, Y. See *Umekawa, Sato, Takemura, Watanabe, Usui, Takahashi, Yoshida, and Olson*, 199

Futagawa, J. See *Takeuchi, Tsubaki, Masuya, and Hori*, 789

Futai, M. See *Nakamura, Sun-Wada, Yamamoto, and Wada*, 765

### G

Gekko, K. See *Ohmae and Sasaku*, 439

Ghobadi, S., Safarian, S., Moosavi-Movahedi, A.A., and Ranjbar, B. Octyl Glucoside Induced Formation of the Molten Globule-Like State of Glutamate Dehydrogenase, 671

Ghosh, A. See *Bandyopadhyay, Karmakar, and Das*, 141

Gouda, T., Kuroda, M., Hiramatsu, T., Nozaki, K., Kuroda, T., Mizushima, T., and Tsuchiya, T. *nhaG* Na<sup>+</sup>/H<sup>+</sup> Antiporter Gene of *Bacillus subtilis* ATCC9372, Which Is Missing in the Complete Genome Sequence of Strain 168, and Properties of the Antiporter, 711

Griscom, L. See *Degenaar, Le Pioufle, Tixier, Akagi, Morita, Murakami, Yokoyama, Fujita, and Tamiya*, 367

Gryczynski, I. See *D'Auria, Cesare, Rossi, and Lakowicz*, 13

Guo, C.-T. See *Takahashi, Suzuki, Nishinaka, Kawase, Kobayashi, Jwa Hidari, Miyamoto, Shortridge, and Suzuki*, 279

—. Ohta, S., Yoshimoto, A., Nakata, K., Shortridge, K.F., Takahashi, T., Suzuki, T., Miyamoto, D., Jwa Hidari, K.I.-P., and Suzuki, Y. A Unique Phosphatidylinositol Bearing a Novel Branched-Chain Fatty Acid from *Rhodococcus equi* Binds to Influenza Virus Hemagglutinin and Inhibits the Infection of Cells, 377

### H

Hama, E., Shirotani, K., Masumoto, H., Sekine-Aizawa, Y., Aizawa, H., and Saido, T.C. Clearance of Extracellular and Cell-Associated Amyloid  $\beta$  Peptide through Viral Expression of Neprilysin in Primary Neurons, 721

Hamada, Y. See *Tonomura, Wang, Mitsui, Saito, and Tsurugi*, 589

Hamamoto, K. See *Aoshima, Hossain, Yoko-*

- H (cont'd)
- yama, Yamada, and Shingai, 703  
 Hamamoto, T. See Soejima, Mimura, Hirashima, Maeda, Nakagaki, and Nozaki, 475  
 Hanaoka, F. See Ito, Nureki, Shirouzu, and Yokoyama, 727  
 Hara, T., Komada, H., Higashimoto, Y., Yamaguchi, H., Jelokhani-Niaraki, M., Ehara, T., and Kondo, M. Side Chain Effect on Ion Channel Characters of Aib Rich Peptides, 749  
 Harada, T. See Kurimoto, Akiyama, Sakai, and Kato, 295  
 Harigai, M., Yasuda, S., Imamoto, Y., Yoshihara, K., Tokunaga, F., and Kataoka, M. Amino Acids in the N-Terminal Region Regulate the Photocycle of Photoactive Yellow Protein, 51  
 Hase, S. See Wakabayashi, Natsuka, Honda, Naotsuka, Ito, and Kajihara, 543  
 Hasegawa, K. See Ikeda, Masaki, Moriguchi, Nishida, Kozutsumi, Oka, and Kawasaki, 773  
 Hashimoto, T. See Ichikawa, Karaki, Kawabata, Ushida, and Mizushima, 687  
 —. See Lu, Miyazawa, Yamaguchi, Nowaki, Iwatsuki, Wakamatsu, and Ichikawa, 873  
 Hasuura, Y. See Takahashi, Nakamori, and Takagi, 99  
 Hatada, I., Morita, S., Obata, Y., Sotomaru, Y., Shimoda, M., and Kono, T. Identification of a New Imprinted Gene, *Rian*, on Mouse Chromosome 12 by Fluorescent Differential Display Screening, 187  
 Hatanaka, H. See Yamada, Suzuki, Mizutani, Asada, Matozaki, Ikeuchi, and Koizumi, 157  
 Hattori, A., Matsumoto, K., Mizutani, S., and Tsujimoto, M. Genomic Organization of the Human Adipocyte-Derived Leucine Aminopeptidase Gene and Its Relationship to the Placental Leucine Aminopeptidase/Oxytocinase Gene, 235  
 Hattori, T. See Eguchi, Kubota, Kondo, Shuma, Nakanishi, Kuboki, Yatani, and Takigawa, 79  
 Hayakawa, S. See Miyoshi, Koyama, Katsuno, Mita, Ohta, Kaji, and Isemura, 799  
 Hayashi, H. See Onda and Mita, 613  
 Hayashi, N. See Sun, Muto, Hoshino, Kobayashi, Nishimura, Yamamoto, Ito, and Igarrashi, 385  
 Higashi, H. See Horibata and Ito, 263  
 Higashimoto, Y. See Hara, Komada, Yamaguchi, Jelokhani-Niaraki, Ehara, and Kondo, 749  
 Higashino, Y., Matsui, A., and Ohki, K. Membrane Fusion between Liposomes Composed of Acidic Phospholipids and Neutral Phospholipids Induced by Melittin: A Differential Scanning Calorimetric Study, 393  
 Higashiyama, S. See Koh, Che, Takahashi, Miyamoto, Suzuki, and Taniguchi, 351  
 Hikima, T. See Hossain, Chatake, Tsunoda, Sunami, Ueno, Masuda, and Takéna, 9  
 Hinata, M. See Kikkawa, Keng, Myint, Sato, Yamada, Tanaka, and Noguchi, 885  
 Hiramatsu, T. See Gouda, Kuroda, Nozaki, Kuroda, Mizushima, and Tsuchiya, 711  
 Hirano, K. See Matsunaga, Nakajima, Sonoda, Koyama, Kawai, Inoue, Katayama, Hokari, and Komoda, 285  
 Hirashima, M. See Soejima, Mimura, Maeda, Hamamoto, Nakagaki, and Nozaki, 475  
 Hirotsu, K. See Ura, Nakai, Kawaguchi, Miyahara, and Kuramitsu, 89  
 Hisamatsu, K. See Tozawa, Yagi, Ozawa, Yoshida, and Akutsu, 527  
 Hitomi, K. See Ohkouchi, Nishio, Maeda, Adachi, and Maki, 207  
 Hokari, and T. Komada. See Matsunaga, Nakajima, Sonoda, Koyama, Kawai, Inoue, Katayama, Hirano, and Komoda, 285  
 Hokari, S. See Matsunaga, Nakajima, Sonoda, Koyama, Kawai, Inoue, Katayama, Hirano, and Komoda, 285  
 Homma, K. See Tsuji, Aoyama, Takeuchi, Takahashi, Nakajima, Shimada, and Natori, 313  
 Homma, M. See Okabe, Yakushi, and Asai, 879  
 Honda, M. See Wakabayashi, Natsuka, Naotsuka, Ito, Kajihara, and Hase, 543  
 Honkura, N. See Wakayama and Miura, 737  
 Hori, Hiroshi. See Takeuchi, Tsubaki, Futagawa, and Masuya, 789  
 Hori, Hiroyuki. See Cosper, Scott, Nishino, and Iwasaki, 191  
 Hori, K. See Takahashi, Takahashi, Ogawara, Tomatsu, and Saito, 815  
 Horibata, Y., Higashi, H., and Ito, M. Transglycosylation and Reverse Hydrolysis Reactions of Endoglycoceramidase from the Jellyfish, *Cyanea nozakii*, 263  
 Hosaka, H., Yao, M., Kimura, M., and Tanaka, I. The Structure of the Archaeabacterial Ribosomal Protein S7 and Its Possible Interaction with 16S rRNA, 695  
 Hoshino, H. See Sun, Muto, Kobayashi, Nishimura, Yamamoto, Hayashi, Ito, and Igarrashi, 385  
 Hossain, M.T., Chatake, T., Hikima, T., Tsunoda, M., Sunami, T., Ueno, Y., Matsuda, A., and Takéna, A. Crystallographic Studies on Damaged DNAs: III. N<sup>4</sup>-Methoxycytosine Can Form Both Watson-Crick Type and Wobbled Base Pairs in a B-Form Duplex, 9  
 Hossain, S.J. See Aoshima, Hamamoto, Yokoyama, Yamada, and Shingai, 703  
 Hsu, H.-P. See Lee and Shaw, 569  
 Hwang, S.-Y. See Farh, Steinrauf, Chiang, and Shiuan, 627
- I
- Ichijo, H. See Matsuzawa, 1  
 Ichikawa, N., Karaki, A., Kawabata, M., Ushida, S., Mizushima, M., and Hashimoto, T. The Region from Phenylalanine-17 to Phenylalanine-28 of a Yeast Mitochondrial ATPase Inhibitor Is Essential for Its ATPase Inhibitory Activity, 687  
 —. See Lu, Miyazawa, Yamaguchi, Nowaki, Iwatsuki, Wakamatsu, and Hashimoto, 873  
 Ichinose, M. See Kishi, Yamazaki, Yasuda, Yahagi, Tsuchiya, Athauda, Inoue, and Takahashi, 425  
 Igarashi, K. See Sun, Muto, Hoshino, Kobayashi, Nishimura, Yamamoto, Hayashi, and Ito, 385  
 Ihara, S. See Takekoshi, Maeda, Nagatsuka, Aotsuka, and Ono, 299  
 Iida, A. See Mizushima, Kasai, Sugawara, Yoshida, and Sakaguchi, 657  
 Ikawa, Y., Nohmi, K., Atsumi, S., Shiraishi, H., and Inoue, T. A Comparative Study on Two GNRA-Tetraloop Receptors: 11-nt and IC3 Motifs, 251  
 Ikeda, A., Hasegawa, K., Masaki, M., Moriguchi, T., Nishida, E., Kozutsumi, Y., Oka, S., and Kawasaki, T. Mixed Lineage Kinase LZK Forms a Functional Signaling Complex with JIP-1, a Scaffold Protein of the c-Jun NH<sub>2</sub>-Terminal Kinase Pathway, 773  
 Ikeuchi, T. See Yamada, Suzuki, Mizutani, Asada, Matozaki, Koizumi, and Hatanaka, 157  
 Ikezawa, H. See Imai, Taguchi, Ogawara, Ohmori, Yamakura, and Urushiyama, 649  
 Ikura, K. See Natsuka, Takubo, and Seki, 731  
 Imai, T., Taguchi, K., Ogawara, Y., Ohmori, D., Yamakura, F., Ikezawa, H., and Urushiyama, A. Characterization and Cloning of an Extremely Thermostable, *Pyrococcus furiosus*-Type 4Fe Ferredoxin from *Thermococcus profundus*, 649  
 Imai, Y., Matsuura, Y., Ono, Y., Ishikawa, T., and Ito, Y. Demonstration of the pH Sensitive Binding of Multivalent Carbohydrate Ligands to Immobilized Shiga-Like Toxin 1 B Subunits, 665  
 Imamoto, Y. See Harigai, Yasuda, Yoshihara, Tokunaga, and Kataoka, 51  
 Imamura, T. See Soejima, Mimura, Yonemura, Nakatake, and Nozaki, 269  
 Imoto, T. See Ueda and Nagata, 491  
 Inoue, Hideshi. See Kishi, Yamazaki, Yasuda, Yahagi, Ichinose, Tsuchiya, Athauda, and Takahashi, 425  
 Inoue, Hiroki. See Matsumoto, Miyake, Nagita, Shitakubo, Takemoto, Ohtsuka, Murakami, Nakamura, and Kanazawa, 217  
 Inoue, I. See Matsunaga, Nakajima, Sonoda, Koyama, Kawai, Katayama, Hirano, Hokari, and Komoda, 285  
 Inoue, N. See Tsujimura, Nunoue, Shida, Kurita-Taniguchi, Matsumoto, Nomura, Takeya, and Seya, 841  
 Inoue, T. See Ikawa, Nohmi, Atsumi, and Shiraishi, 251  
 Inouye, K. See Kuzuya, 783  
 Irazoqui, F.J., Jansson, B., Lopez, P.H.H., and Nores, G.A. Correlative Fine Specificity of Several Thomsen-Friedenreich Disaccharide-Binding Proteins with an Effect on Tumor Cell Proliferation, 33  
 Isemura, M. See Miyoshi, Koyama, Katsuno, Hayakawa, Mita, Ohta, and Kaji, 799  
 Ishida, A. See Takeuchi, Kameshita, Kitani, Okuno, and Fujisawa, 833  
 Ishikawa, T. See Imai, Matsuura, Ono, and Ito, 665  
 Ishiura, S. See Umeda, Kouchi, Kawahara, Tomioka, Sasagawa, Maeda, Sorimachi, and Suzuki, 535  
 —. See Takahashi, Sasagawa, Usuki, Kino, Kawahara, Sorimachi, Maeda, and Suzuki, 581  
 Ito, A. See Kojima, Yamasaki, Kitada, and Ogishima, 497  
 Ito, E. See Sun, Muto, Hoshino, Kobayashi, Nishimura, Yamamoto, Hayashi, and Igarrashi, 385  
 Ito, M. See Horibata and Higashi, 263  
 Ito, N., Nureki, O., Shirouzu, M., Yokoyama, S., and Hanaoka, F. Crystallization and Preliminary X-Ray Analysis of a DNA Primase from Hyperthermophilic Archaeon *Pyrococ-*

## I (cont'd)

- cus horikoshii*, 727  
 Ito, Yae. See *Wakabayashi, Natsuka, Honda, Naotsuka, Kajihara, and Hase*, 543  
 Ito, Yukishige. See *Imai, Matsuura, Ono, and Ishikawa*, 665  
 Iwasaki, T. See *Casper, Scott, Hori, and Nishino*, 191  
 Iwatsuki, H. See *Lu, Miyazawa, Yamaguchi, Nowaki, Wakamatsu, Ichikawa, and Hashimoto*, 873  
 Iyanagi, T. See *Kimura and Nishida*, 481

## J

- Jansson, B. See *Irazoqui, Lopez, and Nores*, 33  
 Jelokhani-Niaraki, M. See *Hara, Komada, Higashimoto, Yamaguchi, Ehara, and Kondo*, 749  
 Jwa Hidari, K.I.-P. See *Takahashi, Suzuki, Nishinaka, Kawase, Kobayashi, Miyamoto, Guo, Shortridge, and Suzuki*, 279  
 —. See *Guo, Ohta, Yoshimoto, Nakata, Shortridge, Takahashi, Suzuki, Miyamoto, and Suzuki*, 377

## K

- Kaji, K. See *Miyoshi, Koyama, Katsuno, Hayakawa, Mita, Ohta, and Isemura*, 799  
 Kajihara, J. See *Wakabayashi, Natsuka, Honda, Naotsuka, Ito, and Hase*, 543  
 Kamachi, T. See *Toraya, Eda, and Yoshizawa*, 865  
 Kameshita, I. See *Takeuchi, Ishida, Kitani, Okuno, and Fujisawa*, 833  
 Kameyama, K. See *Yamashiro, Kanzawa, Tamai, Mabuchi, and Tsuchiya*, 243  
 Kanazawa, H. See *Matsumoto, Miyake, Nagita, Inoue, Shitakubo, Takemoto, Ohtsuka, Murakami, and Nakamura*, 217  
 Kang, K.W. See *Kim, Choi, and Lee*, 431  
 Kanzawa, N. See *Yamashiro, Kameyama, Tamai, Mabuchi, and Tsuchiya*, 243  
 Karaki, A. See *Ichikawa, Kawabata, Ushida, Mizushima, and Hashimoto*, 687  
 Karmakar, S. See *Bandyopadhyay, Ghosh, and Das*, 141  
 Kasai, N. See *Mizushima, Sugawara, Iida, Yoshida, and Sakaguchi*, 657  
 Katada, T. See *Kurosu*, 73  
 Kataoka, M. See *Harigai, Yasuda, Imamoto, Yoshihara, and Tokunaga*, 51  
 Katayama, S. See *Matsunaga, Nakajima, Sonoda, Koyama, Kawai, Inoue, Hirano, Hokari, and Komoda*, 285  
 Kato, A. See *Song, Sata, Saito, Usui, and Azakami*, 757  
 Kato, I. See *Chono, Yoshioka, and Ueno*, 331  
 Kato, K. See *Kurimoto, Harada, Akiyama, and Sakai*, 295  
 Kato, Y. See *Sakai, Miyamoto, Okamoto, Yamamoto, and Sakai*, 823  
 Katsuno, Y. See *Miyoshi, Koyama, Hayakawa, Mita, Ohta, Kaji, and Isemura*, 799  
 Kawabata, M. See *Ichikawa, Karaki, Ushida, Mizushima, and Hashimoto*, 687  
 Kawaguchi, S. See *Ura, Nakai, Miyahara, Hirotsu, and Kuramitsu*, 89  
 Kawahara, H. See *Umeda, Kouchi, Tomioka, Sasagawa, Maeda, Sorimachi, Ishiura, and Suzuki*, 535  
 —. See *Takahashi, Sasagawa, Usuki, Kino*,

- Sorimachi, Maeda, Suzuki, and Ishiura*, 581  
 Kawahara, M., Ueda, H., Tsumoto, K., Kumagai, I., Mahoney, W., and Nagamune, T. A Growth Signal with an Artificially Induced Erythropoietin Receptor-gp130 Cytoplasmic Domain Heterodimer, 305  
 Kawai, S. See *Matsunaga, Nakajima, Sonoda, Koyama, Inoue, Katayama, Hirano, Hokari, and Komoda*, 285  
 Kawakami, T. See *Shi, Suetake, Aimoto, and Tajima*, 359  
 Kawasaki, T. See *Ikeda, Hasegawa, Masaki, Moriguchi, Nishida, Kozutsumi, and Oka*, 773  
 Kawase, N. See *Takahashi, Suzuki, Nishinaka, Kobayashi, Jwa Hidari, Miyamoto, Guo, Shortridge, and Suzuki*, 279  
 Keng, V.W. See *Kikkawa, Hinata, Myint, Sato, Yamada, Tanaka, and Noguchi*, 885  
 Kikkawa, E., Hinata, M., Keng, V.W., Myint, Z., Sato, A., Yamada, K., Tanaka, T., and Noguchi, T. Sp Family Members Stimulate Transcription of the *Hex* Gene via Interactions with GC Boxes, 885  
 Kim, Y.H., Choi, J.G., Lee, G.M., and Kang, K.W. Domain and Genomic Sequence Analysis of Bdellin-KL, a Leech-Derived Trypsin-Plasmin Inhibitor, 431  
 Kim, Y.S. See *Lee, Na, and Koo*, 807  
 Kimura, M. See *Numata*, 621  
 —. See *Hosaka, Yao, and Tanaka*, 695  
 Kimura, S., Nishida, H., and Iyanagi, T. Effects of Flavin-Binding Motif Amino Acid Mutations in the NADH-Cytochrome *b*<sub>5</sub> Reductase Catalytic Domain on Protein Stability and Catalysis, 481  
 Kino, Y. See *Takahashi, Sasagawa, Usuki, Kawahara, Sorimachi, Maeda, Suzuki, and Ishiura*, 581  
 Kishi, K., Yamazaki, K., Yasuda, I., Yahagi, N., Ichinose, M., Tsuchiya, Y., Athauda, S.B.P., Inoue, H., and Takahashi, K. Characterization of a Membrane-Bound Arginine-Specific Serine Protease from Rat Intestinal Mucosa, 425  
 Kitada, S. See *Kojima, Yamasaki, Ogishima, and Ito*, 497  
 Kitani, T. See *Okuno and Fujisawa*, 503  
 —. Okuno, S., and Fujisawa, H. Regulation of Ca<sup>2+</sup>/Calmodulin-Dependent Protein Kinase Kinase  $\alpha$  by cAMP-Dependent Protein Kinase: II. Mutational Analysis, 515  
 —. See *Takeuchi, Ishida, Kameshita, Okuno, and Fujisawa*, 833  
 Kobayashi, A. See *Sun, Muto, Hoshino, Nishimura, Yamamoto, Hayashi, Ito, and Igashiri*, 385  
 Kobayashi, Y. See *Takahashi, Suzuki, Nishinaka, Kawase, Jwa Hidari, Miyamoto, Guo, Shortridge, and Suzuki*, 279  
 Koh, Y.H., Che, W., Higashiyama, S., Takahashi, M., Miyamoto, Y., Suzuki, K., and Taniguchi, N. Osmotic Stress Induces HB-EGF Gene Expression via Ca<sup>2+</sup>/Pyk2/JNK Signal Cascades in Rat Aortic Smooth Muscle Cells, 351  
 Kohsaka, S. See *Nakajima*, 169  
 Koizumi, S. See *Yamada, Suzuki, Mizutani, Asada, Matozaki, Ikeuchi, and Hatanaka*, 157  
 Kojima, K., Yamasaki, E., Kitada, S., Ogishima, T., and Ito, A. Recognition of Mitochondrial Protein Precursor Lacking Arginine at Position -2 by Mitochondrial Processing Peptidase: Processing of Bovine Cytochrome P450(SCC) Precursor, 497  
 Kojima, S., Yanai, H., and Miura, K. Accelerated Refolding of Subtilisin BPN' by Tertiary-Structure-Forming Mutants of Its Propeptide, 471  
 Komada, H. See *Hara, Higashimoto, Yamaguchi, Jelokhani-Niaraki, Ehara, and Kondo*, 749  
 Kondo, M. See *Hara, Komada, Higashimoto, Yamaguchi, Jelokhani-Niaraki, and Ehara*, 749  
 Kondo, S. See *Eguchi, Kubota, Shimo, Hattori, Nakanishi, Kuboki, Yatani, and Takigawa*, 79  
 Kono, T. See *Hatada, Morita, Obata, Sotomaru, and Shumoda*, 187  
 Koo, H.M. See *Lee, Na, and Kim*, 807  
 Kouchi, Z. See *Umeda, Kawahara, Tomioka, Sasagawa, Maeda, Sorimachi, Ishiura, and Suzuki*, 535  
 Koyama, I. See *Matsunaga, Nakajima, Sonoda, Kawai, Inoue, Katayama, Hirano, Hokari, and Komoda*, 285  
 Koyama, Y. See *Miyoshi, Katsuno, Hayakawa, Mita, Ohta, Kaji, and Isemura*, 799  
 Kozutsumi, Y. See *Ikeda, Hasegawa, Masaki, Moriguchi, Nishida, Oka, and Kawasaki*, 773  
 Krishna, N.R. See *Rodriguez*, 19  
 Kubo, Y. See *Wada, Fukui, and Takahashi*, 457  
 Kuboki, T. See *Eguchi, Kubota, Kondo, Shimo, Hattori, Nakanishi, Yatani, and Takigawa*, 79  
 Kubota, S. See *Eguchi, Kondo, Shimo, Hattori, Nakanishi, Kuboki, Yatani, and Takigawa*, 79  
 Kumagai, I. See *Kawahara, Ueda, Tsumoto, Mahoney, and Nagamune*, 305  
 Kuramitsu, S. See *Ura, Nakai, Kawaguchi, Miyahara, and Hirotsu*, 89  
 Kurata, M., Yamamoto, Y., Watabe, S., Makino, Y., Ogawa, K., and Takahashi, S.Y. Bombyx Cysteine Proteinase Inhibitor (BCPI) Homologous to Propeptide Regions of Cysteine Proteinases Is a Strong, Selective Inhibitor of Cathepsin L-Like Cysteine Proteinases, 857  
 Kurimoto, E., Harada, T., Akiyama, A., Sakai, T., and Kato, K. In Vitro Refolding of Porcine Pepsin Immobilized on Agarose Beads, 295  
 Kurita-Taniguchi, M. See *Tsujimura, Nunoue, Inoue, Shida, Matsumoto, Nomura, Takeya, and Seya*, 841  
 Kuroda, M. See *Gouda, Hiramatsu, Nozaki, Kuroda, Mizushima, and Tsuchiya*, 711  
 Kuroda, T. See *Gouda, Kuroda, Hiramatsu, Nozaki, Mizushima, and Tsuchiya*, 711  
 Kuroki, Y. See *Sohma, Ohkawa, and Akino*, 449  
 Kurosu, H. and Katada, T. Association of Phosphatidylinositol 3-Kinase Composed of p110 $\beta$ -Catalytic and p85-Regulatory Subunits with the Small GTPase Rab5, 73  
 Kuzuya, K. and Inouye, K. Effects of Cobalt-Substitution of the Active Zinc Ion in Thermolysin on Its Activity and Active-Site Microenvironment, 783  
 Kyogoku, Y. See *Lee, Won, Park, and Lee*, 57

- L
- Lakowicz, J.R. See *D'Auria, Cesare, Gryczynski, and Rossi*, 13
- Le Pioffe, B. See *Degenaar, Griscom, Tixier, Akagi, Morita, Murakami, Yokoyama, Fujita, and Tamya*, 367
- Lee, B.-J. See *Lee, Won, Park, and Kyogoku*, 57
- Lee, G.M. See *Kim, Choi, and Kang*, 431
- Lee, H.Y., Na, K.B., Koo, H.M., and Kim, Y.S. Identification of Active Site Residues in *Bradyrhizobium japonicum* Acetyl-CoA Synthetase, 807
- Lee, T.-R., Hsu, H.-P., and Shaw, G.-C. Transcriptional Regulation of the *Bacillus subtilis bscR-CYP102A3* Operon by the BscR Repressor and Differential Induction of Cytochrome CYP102A3 Expression by Oleic Acid and Palmitate, 569
- Lee, T.-W., Won, H.-S., Park, S.-H., Kyogoku, Y., and Lee, B.-J. Detection of the Protein-Protein Interaction between Cyclic AMP Receptor Protein and RNA Polymerase, by  $^{13}\text{C}$ -Carbonyl NMR, 57
- Lopez, P.H.H. See *Irazoqui, Jansson, and Nores*, 33
- Lu, Y.-M., Miyazawa, K., Yamaguchi, K., Nowaki, K., Iwatsuki, H., Wakamatsu, Y., Ichikawa, N., and Hashimoto, T. Deletion of Mitochondrial ATPase Inhibitor in the Yeast *Saccharomyces cerevisiae* Decreased Cellular and Mitochondrial ATP Levels under Non-Nutritional Conditions and Induced a Respiration-Deficient Cell-Type, 873
- Luo, J., Zhou, J., Zou, W., and Shen, P. Antibody-Antigen Interactions Measured by Surface Plasmon Resonance: Global Fitting of Numerical Integration Algorithms, 553
- M
- Mabuchi, I. See *Yanashiro, Kameyama, Kanazawa, Tamya, and Tsuchiya*, 243
- Maeda, F. See *Takekoshi, Nagatsuka, Aotsuka, Ono, and Ihara*, 299
- Maeda, H. See *Soejima, Mimura, Hirashima, Hamamoto, Nakagaki, and Nozaki*, 475
- Maeda, M. See *Ohkouchi, Nishio, Hitomi, Adachi, and Maki*, 207
- Maeda, T. See *Umeda, Kouchi, Kawahara, Tomioka, Sasagawa, Sorimachi, Ishiura, and Suzuki*, 535
- . See *Takahashi, Sasagawa, Usuki, Kino, Kawahara, Sorimachi, Suzuki, and Ishiura*, 581
- Mahoney, W. See *Kawahara, Ueda, Tsumoto, Kumagai, and Nagamune*, 305
- Maki, M. See *Ohkouchi, Nishio, Maeda, Hitomi, and Adachi*, 207
- Makino, Yasushi. See *Narahara and Omichi*, 465
- Makino, Yumiko. See *Kurata, Yamamoto, Watabe, Ogawa, and Takahashi*, 857
- Mansuy, D. See *Bonnet, Stevens, de Sousa, Sari, and Artaud*, 227
- Masaki, M. See *Ikeda, Hasegawa, Moriguchi, Nishida, Kozutsumi, Oka, and Kawasaki*, 773
- Masumoto, H. See *Nakagawa, Sorimachi, and Suzuki*, 605
- . See *Hama, Shirotani, Sekine-Aizawa, Aizawa, and Saito*, 721
- Masuya, F. See *Takeuchi, Tsubaki, Futagawa, and Hori*, 789
- Matozaki, T. See *Yamada, Suzuki, Mizutani, Asada, Ikeuchi, Koizumi, and Hatanaka*, 157
- Matsuda, A. See *Hossain, Chatake, Hikima, Tsunoda, Sunami, Ueno, and Takénaka*, 9
- Matsuda, T. See *Aoki, Aoyama, and Nagata*, 133
- Matsui, A. See *Higashino and Ohki*, 393
- Matsumoto, K. See *Hattori, Mizutani, and Tsujimoto*, 235
- Matsumoto, Miho, Miyake, Y., Nagita, M., Inoue, H., Shitakubo, D., Takemoto, K., Ohtsuka, C., Murakami, H., Nakamura, N., and Kanazawa, H. A Serine/Threonine Kinase Which Causes Apoptosis-Like Cell Death Interacts with a Calcineurin B-Like Protein Capable of Binding  $\text{Na}^+/\text{H}^+$  Exchanger, 217
- Matsumoto, Mikiko. See *Shibata, Oishi, Yamagawa, Mukai, and Ono*, 23
- Matsumoto, Misako. See *Tsujimura, Nunoue, Inoue, Shida, Kurita-Taniguchi, Nomura, Takeya, and Seya*, 841
- Matsunaga, T., Nakajima, T., Sonoda, M., Koyama, I., Kawai, S., Inoue, I., Katayama, S., Hirano, K., Hokari, S., and Komoda, T. Modulation of Reactive Oxygen Species in Endothelial Cells by Peroxynitrite-Treated Lipoproteins, 285
- Matsuo, Y. See *Shitashige, Toi, Yano, Shibata, and Shibasaki*, 741
- Matsuura, Y. See *Imai, Ono, Ishikawa, and Ito*, 665
- Matsuzawa, A. and Ichijo, H. Molecular Mechanisms of the Decision between Life and Death: Regulation of Apoptosis by Apoptosis Signal-Regulating Kinase 1, 1
- Miki, K. See *Nogi*, 319
- Mimura, N. See *Soejima, Yonemura, Nakatake, Imamura, and Nozaki*, 269
- . See *Soejima, Hirashima, Maeda, Hamamoto, Nakagaki, and Nozaki*, 475
- Mita, Takashi. See *Miyoshi, Koyama, Katsuno, Hayakawa, Ohta, Kaji, and Isemura*, 799
- Mita, Tomoyoshi. See *Onda and Hayashi*, 613
- Mitsui, K. See *Tonozuka, Wang, Saito, Hamada, and Tsurugi*, 589
- Miura, K. See *Kojima and Yanai*, 471
- . See *Wakayama and Honkura*, 737
- Miura, R. See *Nishina, Sato, Shi, Setoyama, and Shiga*, 637
- Miyahara, I. See *Ura, Nakai, Kawaguchi, Hirotsu, and Kuramitsu*, 89
- Miyake, Y. See *Matsumoto, Nagita, Inoue, Shitakubo, Takemoto, Ohtsuka, Murakami, Nakamura, and Kanazawa*, 217
- Miyamoto, D. See *Takahashi, Suzuki, Nishinaka, Kawase, Kobayashi, Jwa Hidari, Guo, Shortridge, and Suzuki*, 279
- . See *Guo, Ohta, Yoshimoto, Nakata, Shortridge, Takahashi, Suzuki, Jwa Hidari, and Suzuki*, 377
- Miyamoto, H. See *Sakai, Okamoto, Kato, Yamamoto, and Sakai*, 823
- Miyamoto, J. See *Yamaguchi and Terada*, 597
- Miyamoto, Y. See *Koh, Che, Higashiyama, Takahashi, Suzuki, and Taniguchi*, 351
- Miyazawa, K. See *Lu, Yamaguchi, Nowaki, Iwatsuki, Wakamatsu, Ichikawa, and Hashimoto*, 873
- Miyoshi, N., Koyama, Y., Katsuno, Y., Hayakawa, S., Mita, T., Ohta, T., Kaji, K., and Isomura, M. Apoptosis Induction Associated with Cell Cycle Dysregulation by Rice Bran Agglutinin, 799
- Mizushima, M. See *Ichikawa, Karaki, Kawabata, Ushida, and Hashimoto*, 687
- Mizushima, Tohru. See *Gouda, Kuroda, Hiramatsu, Nozaki, Kuroda, and Tsuchiya*, 711
- Mizushima, Tsunehiro. See *Tanaka, Chinami, Ogasahara, Ota, Tsukihara, and Yutani*, 107
- Mizushina, Y., Kasai, N., Sugawara, F., Iida, A., Yoshida, H., and Sakaguchi, K. Three-Dimensional Structural Model Analysis of the Binding Site of Lithocholic Acid, an Inhibitor of DNA Polymerase  $\alpha$  and DNA Topoisomerase II, 657
- Mizutani, M. See *Yamada, Suzuki, Asada, Matozaki, Ikeuchi, Koizumi, and Hatanaka*, 157
- Mizutani, S. See *Hattori, Matsumoto, and Tsujimoto*, 235
- Moosavi-Movahedi, A.A. See *Ghobadi, Safarian, and Ranjbar*, 671
- Moriguchi, T. See *Ikeda, Hasegawa, Masaki, Nishida, Kozutsumi, Oka, and Kawasaki*, 773
- Morimoto, S. See *Takahashi-Yanaga and Otsuki*, 127
- Morita, S. See *Hatada, Obata, Sotomaru, Shimoda, and Kono*, 187
- Morita, T. See *Okuda*, 407
- Morita, Y. See *Degenaar, Le Pioffe, Griscom, Tixier, Akagi, Murakami, Yokoyama, Fujita, and Tamya*, 367
- Mukai, H. See *Shubata, Oishi, Yamagawa, Matsumoto, and Ono*, 23
- Murakami, H. See *Matsumoto, Miyake, Nagita, Inoue, Shitakubo, Takemoto, Ohtsuka, Nakamura, and Kanazawa*, 217
- Murakami, Y. See *Degenaar, Le Pioffe, Griscom, Tixier, Akagi, Morita, Yokoyama, Fujita, and Tamya*, 367
- Muto, A. See *Sun, Hoshino, Kobayashi, Nishimura, Yamamoto, Hayashi, Ito, and Igarashi*, 385
- Myint, Z. See *Kikkawa, Hinata, Keng, Sato, Yamada, Tanaka, and Noguchi*, 885
- N
- Na, K.B. See *Lee, Koo, and Kim*, 807
- Nagamune, T. See *Kawahara, Ueda, Tsumoto, Kumagai, and Mahoney*, 305
- Nagao, T. See *Sugihara, Shimada, Sugihara, Watanabe, and Tominaga*, 119
- Nagata, Makiko. See *Ueda and Imoto*, 491
- Nagata, Miyuki. See *Aoki, Aoyama, and Matsuda*, 133
- Nagatsuka, Y. See *Takekoshi, Maeda, Aotsuka, Ono, and Ihara*, 299
- Nagita, M. See *Matsumoto, Miyake, Inoue, Shitakubo, Takemoto, Ohtsuka, Murakami, Nakamura, and Kanazawa*, 217
- Nakagaki, T. See *Soejima, Mimura, Hirashima, Maeda, Hamamoto, and Nozaki*, 475
- Nakagawa, K., Masumoto, H., Sorimachi, H., and Suzuki, K. Dissociation of m-Calpain Subunits Occurs after Autolysis of the N-Terminus of the Catalytic Subunit, and Is Not Required for Activation, 605
- Nakai, T. See *Ura, Kawaguchi, Miyahara, Hirotsu, and Kuramitsu*, 89

- N (cont'd)
- Nakajima, K. and Kohsaka, S. Microglia: Activation and Their Significance in the Central Nervous System, 169
- Nakajima, T. See Matsunaga, Sonoda, Koyama, Kawai, Inoue, Katayama, Hirano, Hokari, and omoda, 285
- Nakajima, Y. See Tsuji, Aoyama, Takeuchi, Homma, Takahashi, Shimada, and Natori, 313
- Nakamori, S. See Takahashi, Hasuura, and Takagi, 99
- Nakamura, N. See Matsumoto, Miyake, Nagita, Inoue, Shitakubo, Takemoto, Ohtsuka, Murakami, and Kanazawa, 217
- , Sun-Wada, G.-H., Yamamoto, A., Wada, Y., and Futai, M. Association of Mouse Sorting Nexin 1 with Early Endosomes, 765
- Nakanishi, T. See Eguchi, Kubota, Kondo, Shimo, Hattori, Kuboki, Yatani, and Taki-gawa, 79
- Nakata, K. See Guo, Ohta, Yoshimoto, Short ridge, Takahashi, Suzuki, Miyamoto, Jwa Hidari, and Suzuki, 377
- Nakatake, H. See Soejima, Mimura, Yonemura, Imamura, and Nozaki, 269
- Naotsuka, M. See Wakabayashi, Natsuka, Honda, Ito, Kajihara, and Hase, 543
- Narahara, E., Makino, Y., and Omichi, K. Glycogen Debranching Enzyme in Bovine Brain, 465
- Natori, S. See Tsuji, Aoyama, Takeuchi, Homma, Takahashi, Nakajima, and Shimada, 313
- Natsuka, S. See Wakabayashi, Honda, Naotsuka, Ito, Kajihara, and Hase, 543
- , Takubo, R., Seki, R., and Ikura, K. Molecular Cloning and Expression of *Caenorhabditis elegans* ERp57-Homologue with Trans-glutaminase Activity, 731
- Nidetzky, B. See Petzelbauer and Splechtna, 341
- Nishida, E. See Ikeda, Hasegawa, Masaki, Moriguchi, Kozutsumi, Oka, and Kawasaki, 773
- Nishida, H. See Kimura and Iyanagi, 481
- Nishikawa, K. See Ohno and Yokogawa, 417
- Nishimura, S. See Sun, Muto, Hoshino, Kobayashi, Yamamoto, Hayashi, Ito, and Igashiki, 385
- Nishina, Y., Sato, K., Shi, R., Setoyama, C., Miura, R., and Shiga, K. On the Ligands in Charge-Transfer Complexes of Porcine Kidney Flavoenzyme D-Amino Acid Oxidase in Three Redox States: A Resonance Raman Study, 637
- Nishinaka, D. See Takahashi, Suzuki, Kawase, Kobayashi, Jwa Hidari, Miyamoto, Guo, Shortridge, and Suzuki, 279
- Nishino, T. See Cosper, Scott, Hori, and Iwasaki, 191
- Nishio, K. See Ohkouchi, Maeda, Hitomi, Adachi, and Maki, 207
- Nogi, T. and Mikl, K. Structural Basis of Bacterial Photosynthetic Reaction Centers, 319
- Noguchi, T. See Kikkawa, Hinata, Keng Myint, Sato, Yamada, and Tanaka, 885
- Nohmi, K. See Ikawa, Atsumi, Shiraishi, and Inoue, 251
- Nomura, M. See Tsujimura, Nunoue, Inoue, Shida, Kurita-Taniguchi, Matsumoto, Take-
- ya, and Seya, 841
- Nores, G.A. See Irazoqui, Jansson, and Lopez, 33
- Noshiro, M. See Yamashita, Aoyama, and Yoshida, 849
- Nowaki, K. See Lu, Miyazawa, Yamaguchi, Iwatsuki, Wakamatsu, Ichikawa, and Hashimoto, 873
- Nozaki, C. See Soejima, Mimura, Hirashima, Maeda, Hamamoto, and Nakagaki, 475
- Nozaki, C. See Soejima, Mimura, Yonemura, Nakatake, and Imamura, 269
- Nozaki, K. See Gouda, Kuroda, Hiramatsu, Kuroda, Mizushima, and Tsuchiya, 711
- Numata, T. and Kimura, M. Contribution of Gln9 and Phe80 to the Substrate Binding in Ribonuclease MC1 from Bitter Gourd Seeds, 621
- Nunoue, K. See Tsujimura, Inoue, Shida, Kurita-Taniguchi, Matsumoto, Nomura, Takeya, and Seya, 841
- Nureki, O. See Ito, Shirouzu, Yokoyama, and Hanaoka, 727
- O
- Obata, Y. See Hatada, Morita, Sotomaru, Shumoda, and Kono, 187
- Ogasahara, K. See Tanaka, Chinami, Mizushima, Ota, Tsukihara, and Yutani, 107
- Ogasawara, H. See Takahashi, Hori, Takahashi, Tomatsu, and Saito, 815
- Ogawa, K. See Kurata, Yamamoto, Watabe, Makino, and Takahashi, 857
- Ogawara, Y. See Imai, Taguchi, Ohmori, Yamakura, Ikezawa, and Urushiyama, 649
- Ogishima, T. See Kojima, Yamasaki, Kitada, and Ito, 497
- Ohkawa, H. See Sohma, Akino, and Kuroki, 449
- Ohki, K. See Higashino and Matsui, 393
- Ohkouchi, S., Nishio, K., Maeda, M., Hitomi, K., Adachi, H., and Maki, M. Identification and Characterization of Two Penta-EF-Hand  $\text{Ca}^{2+}$ -Binding Proteins in *Dictyostelium discoideum*, 207
- Ohmae, E., Sasaki, Y., and Gekko, K. Effects of Five-Tryptophan Mutations on Structure, Stability and Function of *Escherichia coli* Dihydrofolate Reductase, 439
- Ohmori, D. See Imai, Taguchi, Ogawara, Yamakura, Ikezawa, and Urushiyama, 649
- Ohno, S., Yokogawa, T., and Nishikawa, K. Changing the Amino Acid Specificity of Yeast Tyrosyl-tRNA Synthetase by Genetic Engineering, 417
- Ohta, S. See Guo, Yoshimoto, Nakata, Short-ridge, Takahashi, Suzuki, Miyamoto, Jwa Hidari, and Suzuki, 377
- Ohta, T. See Miyoshi, Koyama, Katsuno, Hayakawa, Mita, Kaji, and Isemura, 799
- Otsuka, C. See Matsumoto, Miyake, Nagita, Inoue, Shitakubo, Takemoto, Murakami, Nakamura, and Kanazawa, 217
- Otsuki, I. See Takahashi-Yanaga and Morimoto, 127
- Oishi, K. See Shibata, Yamagiwa, Matsumoto, Mukai, and Ono, 23
- Oji, Y. See Yamauchi, Ejiri, Sugimoto, Sueyoshi, and Tanaka, 257
- Oka, S. See Ikeda, Hasegawa, Masaki, Moriguchi, Nishida, Kozutsumi, and Kawasaki, 773
- Okabe, M., Yakushi, T., Asai, Y., and Homma, M. Cloning and Characterization of *motX*, a *Vibrio alginolyticus* Sodium-Driven Flagellar Motor Gene, 879
- Okamoto, K. See Sakai, Miyamoto, Kato, Yamamoto, and Sakai, 823
- Okuda, D. and Morita, T. Purification and Characterization of a New RGD/KGD-Containing Dimeric Disintegrin, Piscivostatin, from the Venom of *Agiistrodon piscivorus piscivorus*: The Unique Effect of Piscivostatin on Platelet Aggregation, 407
- Okuno, S., Kitani, T., and Fujisawa, H. Regulation of  $\text{Ca}^{2+}$ /Calmodulin-Dependent Protein Kinase by cAMP-Dependent Protein Kinase I: Biochemical Analysis, 503
- . See Kitani and Fujisawa, 515
- . See Takeuchi, Ishida, Kameshita, Kitani, and Fujisawa, 833
- Olson, M.O.J. See Umekawa, Sato, Takemura, Watanabe, Usui, Takahashi, Yoshida, and Furuchi, 199
- Omichi, K. See Narahara and Makino, 465
- Onda, M., Hayashi, H., and Mita, T. Interaction of Gramicidin with Lysophosphatidylcholine as Revealed by Calorimetry and Fluorescence Spectroscopy, 613
- Ono, Yasushi. See Takekoshi, Maeda, Nagatsuka, Aotsuka, and Ihara, 299
- Ono, Yoshitaka. See Shibata, Oishi, Yamagawa, Matsumoto, and Mukai, 23
- Ono, Yousuke. See Imai, Matsuura, Ishikawa, and Ito, 665
- Ota, M. See Tanaka, Chinami, Mizushima, Ogasahara, Tsukihara, and Yutani, 107
- Ozawa, K. See Tozawa, Yagi, Hisamatsu, Yoshida, and Akutsu, 527
- P
- Park, S.-H. See Lee, Won, Kyogoku, and Lee, 57
- Petzelbauer, I., Splechtna, B., and Nidetzky, B. Galactosyl Transfer Catalyzed by Thermo-stable  $\beta$ -Glycosidases from *Sulfolobus solfataricus* and *Pyrococcus furiosus*: Kinetic Studies of the Reactions of Galactosylated Enzyme Intermediates with a Range of Nucleophiles, 341
- R
- Ranjbar, B. See Ghobadi, Safarian, and Moosavi-Movahedi, 671
- Rodriguez, E. and Krishna, N.R. An Economical Method for  $^{15}\text{N}/^{13}\text{C}$  Isotopic Labeling of Proteins Expressed in *Pichia pastoris*, 19
- Rossi, M. See D'Auria, Cesare, Gryczynski, and Lakowicz, 13
- S
- Sada, K., Takano, T., Yanagi, S., and Yamamura, H. Structure and Function of Syk Protein-Tyrosine Kinase, 177
- Safarian, S. See Ghobadi, Moosavi-Movahedi, and Ranjbar, 671
- Saido, T.C. See Hama, Shirotani, Masumoto, Sekine-Aizawa, and Aizawa, 721
- Saito, A. See Song, Sata, Usui, Azakami, and Kato, 757
- Saito, K. See Takahashi, Hori, Takahashi, Ogasawara, and Tomatsu, 815
- Saito, T. See Tonozuka, Wang, Mitsui, Hamada, and Tsurugi, 589
- Sakaguchi, K. See Mizushina, Kasai, Suga-

- S (cont'd)
- wara, Iida, and Yoshida*, 657
- Sakai, E., Miyamoto, H., Okamoto, K., Kato, Y., Yamamoto, K., and Sakai, H. Characterization of Phagosomal Subpopulations along Endocytic Routes in Osteoclasts and Macrophages, 823
- Sakai, H. See *Sakai, Miyamoto, Okamoto, Kato, and Yamamoto*, 823
- Sakai, T. See *Kurimoto, Harada, Akiyama, and Kato*, 295
- Sari, M.-A. See *Bonnet, Stevens, de Sousa, Mansuy, and Artaud*, 227
- Sasagawa, N. See *Umeda, Kouchi, Kawahara, Tomioka, Maeda, Sorimachi, Ishiura, and Suzuki*, 535
- . See *Takahashi, Usuki, Kino, Kawahara, Sorimachi, Maeda, Suzuki, and Ishiura*, 581
- Sasaki, Y. See *Ohmoe and Gekko*, 439
- Sata, J. See *Song, Saito, Usui, Azakami, and Kato*, 757
- Sato, A. See *Kikkawa, Hinata, Keng, Myint, Yamada, Tanaka, and Noguchi*, 885
- Sato, Keiji. See *Umekawa, Takemura, Watanabe, Usui, Takahashi, Yoshida, Olson, and Furuchi*, 199
- Sato, Kyosuke. See *Nishina, Shi, Setoyama, Miura, and Shiga*, 637
- Scott, R.A. See *Casper, Hori, Nishuno, and Iwasaki*, 191
- Seki, R. See *Natsuka, Takubo, and Ikura*, 731
- Sekine-Aizawa, Y. See *Hama, Shirotani, Masumoto, Aizawa, and Saido*, 721
- Setoyama, C. See *Nishina, Sato, Shi, Miura, and Shiga*, 637
- Seya, T. See *Tsujimura, Nunoue, Inoue, Shida, Kurita-Taniguchi, Matsumoto, Nomura, and Takeya*, 841
- Shaw, G.-C. See *Lee and Hsu*, 569
- Shen, P. See *Luo, Zhou, and Zou*, 553
- Shi, L., Suetake, I., Kawakami, T., Aimoto, S., and Tajima, S. *Xenopus* Eggs Express an Identical DNA Methyltransferase, Dnmt1, to Somatic Cells, 359
- Shi, R. See *Nishina, Sato, Setoyama, Miura, and Shiga*, 637
- Shibasaki, F. See *Shitashige, Tbi, Yano, Shibata, and Matsuo*, 741
- Shibata, H., Oishi, K., Yamagiwa, A., Matsumoto, M., Mukai, H., and Ono, Y. PKN $\beta$  Interacts with the SH3 Domains of Graf and a Novel Graf Related Protein, Graf2, Which Are GTPase Activating Proteins for Rho Family, 23
- Shibata, M. See *Shitashige, Tbi, Yano, Matsuo, and Shibasaki*, 741
- Shichida, Y. See *Yamashita and Terakita*, 149
- Shida, K. See *Tsujimura, Nunoue, Inoue, Kurita-Taniguchi, Matsumoto, Nomura, Takeya, and Seya*, 841
- Shiga, K. See *Nishina, Sato, Shi, Setoyama, and Miura*, 637
- Shimada, I. See *Tsuji, Aoyama, Takeuchi, Homma, Takahashi, Nakajima, and Natori*, 313
- Shimada, Y. See *Sugihara, Sugihara, Nagao, Watanabe, and Tominaga*, 119
- Shimo, T. See *Eguchi, Kubota, Kondo, Hattori, Nakanishi, Kuboki, Yatani, and Takigawa*, 79
- Shimoda, M. See *Hatada, Morita, Obata, Soto-*
- maru, and Kono*, 187
- Shimoyama, M. See *Yamada, Terashima, and Tsuchiya*, 335
- Shingai, R. See *Aoshima, Hossain, Hamamoto, Yokoyama, and Yamada*, 703
- Shiraishi, H. See *Ikawa, Nohmi, Atsumi, and Inoue*, 251
- Shirotani, K. See *Hama, Masumoto, Sekine-Aizawa, Aizawa, and Saido*, 721
- Shirouzu, M. See *Ito, Nureki, Yokoyama, and Hanaoka*, 727
- Shitakubo, D. See *Matsumoto, Miyake, Nagita, Inoue, Takemoto, Ohtsuka, Murakami, Nakamura, and Kanazawa*, 217
- Shitashige, M., Tbi, M., Yano, T., Shibata, M., Matsuo, Y., and Shibasaki, F. Dissociation of Bax from a Bcl-2/Bax Heterodimer Triggered by Phosphorylation of Serine 70 of Bcl-2, 741
- Shiuan, D. See *Farh, Hwang, Steinrauf, and Chiang*, 627
- Shortridge, K.F. See *Takahashi, Suzuki, Nishinaka, Kawase, Kobayashi, Jwa Hidari, Miyamoto, Guo, and Suzuki*, 279
- . See *Guo, Ohta, Yoshimoto, Nakata, Takahashi, Suzuki, Miyamoto, Jwa Hidari, and Suzuki*, 377
- Soejima, K., Mimura, N., Yonemura, H., Nakatake, H., Imamura, T., and Nozaki, C. An Efficient Refolding Method for the Preparation of Recombinant Human Prethrombin-2 and Characterization of the Recombinant Derived  $\alpha$ -Thrombin, 269
- , Mimura, N., Hirashima, M., Maeda, H., Hamamoto, T., Nakagaki, T., and Nozaki, C. A Novel Human Metalloprotease Synthesized in the Liver and Secreted into the Blood: Possibly, the von Willebrand Factor-Cleaving Protease?, 475
- Sohma, H., Ohkawa, H., Akino, T., and Kuroki, Y. Binding of Annexins to Lung Lamellar Bodies and the PMA-Stimulated Secretion of Annexin V from Alveolar Type II Cells, 449
- Song, Y., Sata, J., Saito, A., Usui, M., Azakami, H., and Kato, A. Effects of Calnexin Deletion in *Saccharomyces cerevisiae* on the Secretion of Glycosylated Lysozymes, 757
- Sonoda, M. See *Matsunaga, Nakajima, Koyama, Kawai, Inoue, Katayama, Hirano, Hokari, and Komoda*, 285
- Sorimachi, H. See *Umeda, Kouchi, Kawahara, Tomioka, Sasagawa, Maeda, Ishiura, and Suzuki*, 535
- . See *Takahashi, Sasagawa, Usuki, Kino, Kawahara, Maeda, Suzuki, and Ishiura*, 581
- . See *Nakagawa, Masumoto, and Suzuki*, 605
- Sotomaru, Y. See *Hatada, Morita, Obata, Shimoda, and Kono*, 187
- Splechtna, B. See *Petzelbauer and Nidetzky*, 341
- Steinrauf, L. See *Farh, Hwang, Chiang, and Shiuan*, 627
- Stevens, J.M. See *Bonnet, de Sousa, Sari, Mansuy, and Artaud*, 227
- Suetake, I. See *Shi, Kawakami, Aimoto, and Tajima*, 359
- Sueyoshi, K. See *Yamauchi, Ejiri, Sugimoto, Oji, and Tanaka*, 257
- Sugawara, F. See *Mizushina, Kasai, Iida, Yoshida, and Sakaguchi*, 657
- Sugihara, A., Shimada, Y., Sugihara, S., Nagao, T., Watanabe, Y., and Tominaga, Y. A Novel  $\alpha$ -Amino-Acid Esterase from *Bacillus mycoides* Capable of Forming Peptides of DD- and DL-Configurations, 119
- Sugihara, S. See *Sugihara, Shimada, Nagao, Watanabe, and Tominaga*, 119
- Sugimoto, T. See *Yamauchi, Ejiri, Sueyoshi, Oji, and Tanaka*, 257
- Sun, J., Muto, A., Hoshino, H., Kobayashi, A., Nishimura, S., Yamamoto, M., Hayashi, N., Ito, E., and Igarashi, K. Promoter of Mouse Transcription Repressor *bach1* Is Regulated by Sp1 and Trans-Activated by Bach1, 385
- Sun-Wada, G.-H. See *Nakamura, Yamamoto, Wada, and Futai*, 765
- Sunami, T. See *Hossain, Chatake, Hikima, Tsunoda, Ueno, Matsuda, and Takénaka*, 9
- Suzuki, Keiichiro. See *Koh, Che, Higashiyama, Takahashi, Miyamoto, and Taniguchi*, 351
- Suzuki, Kensuke. See *Yamagami and Suzuki*, 39
- Suzuki, Kenji. See *Yamada, Mizutani, Asada, Matozaki, Ikeuchi, Koizumi, and Hatanaka*, 157
- Suzuki, Koichi. See *Umeda, Kouchi, Kawahara, Tomioka, Sasagawa, Maeda, Sorimachi, and Ishiura*, 535
- . See *Takahashi, Sasagawa, Usuki, Kino, Kawahara, Sorimachi, Maeda, and Ishiura*, 581
- . See *Nakagawa, Masumoto, and Sorimachi*, 605
- Suzuki, N. See *Yamagami and Suzuki*, 39
- Suzuki, T. See *Takahashi, Suzuki, Nishinaka, Kawase, Kobayashi, Jwa Hidari, Miyamoto, Guo, and Shortridge*, 279
- . See *Guo, Ohta, Yoshimoto, Nakata, Shortridge, Takahashi, Miyamoto, Jwa Hidari, and Suzuki*, 377
- Suzuki, Y. See *Takahashi, Nishinaka, Kawase, Kobayashi, Jwa Hidari, Miyamoto, Guo, Shortridge, and Suzuki*, 279
- . See *Guo, Ohta, Yoshimoto, Nakata, Shortridge, Takahashi, Suzuki, Miyamoto, and Jwa Hidari*, 377
- T
- Taguchi, K. See *Imai, Ogawara, Ohmori, Yamakura, Ikezawa, and Urushiyama*, 649
- Tajima, S. See *Shi, Suetake, Kawakami, and Aimoto*, 359
- Takagi, H. See *Takahashi, Hasuura, and Nakamori*, 99
- Takahashi, N. See *Wada, Fukui, and Kubo*, 457
- Takahashi, H. See *Tsuji, Aoyama, Takeuchi, Homma, Nakajima, Shimada, and Natori*, 313
- Takahashi, Keitaro. See *Takahashi, Hori, Ogasawara, Tomatsu, and Saito*, 815
- Takahashi, Kenji. See *Kishi, Yamazaki, Yasuda, Yahagi, Ichinose, Tsuchiya, Athauda, and Inoue*, 425
- Takahashi, Masakazu, Hasuura, Y., Nakamori, S., and Takagi, H. Improved Autoprocessing Efficiency of Mutant Subtilisins E with Altered Specificity by Engineering of the Pro-Region, 99
- Takahashi, Motoko. See *Koh, Che, Higashi-*

- T (cont'd)
- yama, Miyamoto, Suzuki, and Taniguchi, 351*
- Takahashi, N., Sasagawa, N., Usuki, F., Kino, Y., Kawahara, H., Sorimachi, H., Maeda, T., Suzuki, K., and Ishiura, S. Coexpression of the CUG-Binding Protein Reduces DM Protein Kinase Expression in COS Cells, 581
- Takahashi, S., Hori, K., Takahashi, K., Ogawara, H., Tomatsu, M., and Saito, K. Effects of Nucleotides on *N*-Acetyl-D-Glucosamine 2-Epimerases (Renin-Binding Proteins): Comparative Biochemical Studies, 815
- Takahashi, S.Y. See *Kurata, Yamamoto, Watabe, Makino, and Ogawa*, 857
- Takahashi, Tadanobu, Suzuki, Y., Nishinaka, D., Kawase, N., Kobayashi, Y., Jwa Hidari, K.I.-P., Miyamoto, D., Guo, C.-T., Shortridge, K.F., and Suzuki, T. Duck and Human Pandemic Influenza A Viruses Retain Sialidase Activity under Low pH Conditions, 279
- . See *Guo, Ohta, Yoshimoto, Nakata, Shortridge, Suzuki, Miyamoto, Jwa Hidari, and Suzuki*, 377
- Takahashi, Takao. See *Umekawa, Sato, Take-mura, Watanabe, Usui, Yoshida, Olson, and Furuchi*, 199
- Takahashi, Y. See *Tokumoto*, 63
- Takahashi-Yanaga, F., Ohtsuki, I., and Morimoto, S. Effects of Troponin T Mutations in Familial Hypertrophic Cardiomyopathy on Regulatory Functions of Other Troponin Subunits, 127
- Takano, T. See *Sada, Yanagi, and Yamamura*, 177
- Takekoshi, M., Maeda, F., Nagatsuka, Y., Aotsuka, S., Ono, Y., and Ihara, S. Cloning and Expression of Human Anti-Tumor Necrosis Factor- $\alpha$  Monoclonal Antibodies from Epstein-Barr Virus Transformed Oligoclonal Libraries, 299
- Takemoto, K. See *Matsumoto, Miyake, Nagita, Inoue, Shitakubo, Ohtsuka, Murakami, Nakamura, and Kanazawa*, 217
- Takemura, M. See *Umekawa, Sato, Watanabe, Usui, Takahashi, Yoshida, Olson, and Furuchi*, 199
- Takénaka, A. See *Hossain, Chatake, Hikima, Tsunoda, Sunami, Ueno, and Matsuda*, 9
- Takeuchi, Koh. See *Tsuji, Aoyama, Homma, Takahashi, Nakajima, Shimada, and Natori*, 313
- Takeuchi, Kohji, Tsubaki, M., Futagawa, J., Masuya, F., and Hori, H. Adrenodoxin-Cytochrome P450cc Interaction as Revealed by EPR Spectroscopy: Comparison with the Putidaredoxin-Cytochrome P450cam System, 789
- Takeuchi, M., Ishida, A., Kameshita, I., Kitani, T., Okuno, S., and Fujisawa, H. Identification and Characterization of CaMKP-N, Nuclear Calmodulin-Dependent Protein Kinase Phosphatase, 833
- Takeya, T. See *Tsujimura, Nunoue, Inoue, Shida, Kurita-Taniguchi, Matsumoto, Nomura, and Seya*, 841
- Takigawa, M. See *Eguchi, Kubota, Kondo, Shimo, Hattori, Nakanishi, Kuboki, and Yatani*, 79
- Takubo, R. See *Natsuka, Seki, and Ikura*, 731
- Tamiya, E. See *Degenaar, Le Pioufle, Griscom, Tixer, Akagi, Morita, Murakami, Yokoyama, and Fujita*, 367
- Tamiya, T. See *Yamashiro, Kameyama, Kan-zawa, Mabuchi, and Tsuchiya*, 243
- Tanaka, H., Chinami, M., Mizushima, T., Ogasahara, K., Ota, M., Tsukihara, T., and Yutani, K. X-Ray Crystalline Structures of Pyrrolidone Carboxyl Peptidase from a Hyperthermophile, *Pyrococcus furiosus*, and Its Cys-Free Mutant, 107
- Tanaka, I. See *Hosaka, Yao, and Kimura*, 695
- Tanaka, K. See *Yamauchi, Ejiri, Sugimoto, Sueyoshi, and Oji*, 257
- Tanaka, T. See *Kikkawa, Hinata, Keng, Myint, Sato, Yamada, and Noguchi*, 885
- Taniguchi, N. See *Koh, Che, Higashiyama, Takahashi, Miyamoto, and Suzuki*, 351
- Terada, S. See *Yamaguchi and Miyamoto*, 597
- Terakita, A. See *Yamashita and Shichida*, 149
- Terashima, M. See *Yamada, Shimoyama, and Tsuchiya*, 335
- Tixer, A. See *Degenaar, Le Pioufle, Griscom, Akagi, Morita, Murakami, Yokoyama, Fujita, and Tamiya*, 367
- Toi, M. See *Shitashige, Yano, Shibata, Matsuo, and Shibasaki*, 741
- Tokumoto, U. and Takahashi, Y. Genetic Analysis of the *isc* Operon in *Escherichia coli* Involved in the Biogenesis of Cellular Iron-Sulfur Proteins, 63
- Tokunaga, F. See *Harigai, Yasuda, Imamoto, Yoshihara, and Kataoka*, 51
- Tomatsu, M. See *Takahashi, Horn, Takahashi, Ogawara, and Saito*, 815
- Tominaga, Y. See *Sugihara, Shimada, Sugihara, Nagao, and Watanabe*, 119
- Tomioka, S. See *Umeda, Kouchi, Kawahara, Sasagawa, Maeda, Sorimachi, Ishiura, and Suzuki*, 535
- Tonozuka, H., Wang, J., Mitsui, K., Saito, T., Hamada, Y., and Tsurugi, K. Analysis of the Upstream Regulatory Region of the *GTS1* Gene Required for Its Oscillatory Expression, 589
- Toraya, T., Eda, M., Kamachi, T., and Yoshihara, K. Energetic Feasibility of Hydrogen Abstraction and Recombination in Coenzyme B<sub>12</sub>-Dependent Diol Dehydratase Reaction, 865
- Tozawa, K., Yagi, H., Hisamatsu, K., Ozawa, K., Yoshida, M., and Akutsu, H. Functions and ATP-Binding Responses of the Twelve Histidine Residues in the TF<sub>1</sub>-ATPase Subunit, 527
- Tremblay, H., Yamaguchi, T., Fukamizo, T., and Brzezinski, R. Mechanism of Chitosanase-Oligosaccharide Interaction: Subsite Structure of *Streptomyces* sp. N174 Chitosanase and the Role of Asp57 Carboxylate, 679
- Tsubaki, M. See *Takeuchi, Futagawa, Masuya, and Hori*, 789
- Tsuchiya, M. See *Yamada, Terashima, and Shimoyama*, 335
- Tsuchiya, Takahide. See *Yamashiro, Kameyama, Kan-zawa, Tumiya, and Mabuchi*, 243
- Tsuchiya, Tomofusa. See *Gouda, Kuroda, Hiramatsu, Nozaki, Kuroda, and Mizushima*, 711
- Tsuchiya, Y. See *Kishi, Yamazaki, Yasuda, Yahagi, Ichinose, Athauda, Inoue, and Takahashi*, 425
- Tsuji, Y., Aoyama, T., Takeuchi, K., Homma, K., Takahashi, H., Nakajima, Y., Shimada, I., and Natori, S. Identification and Characterization of an Antibacterial Peptide of the 26-kDa Protease of *Sarcophaga peregrina* with Antibacterial Activity, 313
- Tsujimoto, M. See *Hattori, Matsumoto, and Mizutani*, 235
- Tsujimura, A., Nunoue, K., Inoue, N., Shida, K., Kurita-Taniguchi, M., Matsumoto, M., Nomura, M., Takeya, T., and Seya, T. Three Soluble Form Messages of Murine CD46 Are Produced through Alternative mRNA Splicing, 841
- Tsukihara, T. See *Tanaka, Chinami, Mizushima, Ogasahara, Ota, and Yutani*, 107
- Tsumoto, K. See *Kawahara, Ueda, Kumagai, Mahoney, and Nagamune*, 305
- Tsunoda, M. See *Hossain, Chatake, Hikima, Sunami, Ueno, Matsuda, and Takénaka*, 9
- Tsurugi, K. See *Tonozuka, Wang, Mitsui, Saito, and Hamada*, 589
- U
- Ueda, H. See *Kawahara, Tsumoto, Kumagai, Mahoney, and Nagamune*, 305
- Ueda, T., Nagata, M., and Imoto, T. Aggregation and Chemical Reaction in Hen Lysozyme Caused by Heating at pH 6 Are Depressed by Osmolytes, Sucrose and Trehalose, 491
- Ueno, M. See *Chono, Yoshioka, and Kato*, 331
- Ueno, Y. See *Hossain, Chatake, Hikima, Tsunoda, Sunami, Matsuda, and Takénaka*, 9
- Umeda, T., Kouchi, Z., Kawahara, H., Tomioka, S., Sasagawa, N., Maeda, T., Sorimachi, H., Ishiura, S., and Suzuki, K. Limited Proteolysis of Filamin Is Catalyzed by Caspase-3 in U937 and Jurkat Cells, 535
- Umekawa, H., Sato, K., Takemura, M., Watanabe, Y., Usui, S., Takahashi, T., Yoshida, S., Olson, M.O.J., and Furuchi, Y. The Carboxyl Terminal Sequence of Nucleolar Protein B23.1 Is Important in Its DNA Polymerase  $\alpha$ -Stimulatory Activity, 199
- Ura, H., Nakai, T., Kawaguchi, S., Miyahara, I., Hirotsu, K., and Kuramitsu, S. Substrate Recognition Mechanism of Thermophilic Dual-Substrate Enzyme, 89
- Urushiyama, A. See *Imai, Taguchi, Ogawara, Ohmori, Yamakura, and Ikezawa*, 649
- Ushida, S. See *Ichikawa, Karaki, Kawabata, Mizushima, and Hashimoto*, 687
- Usui, M. See *Song, Sata, Saito, Azakami, and Kato*, 757
- Usui, S. See *Umekawa, Sato, Takemura, Watanabe, Takahashi, Yoshida, Olson, and Furuchi*, 199
- Usuki, F. See *Takahashi, Sasagawa, Kino, Kawahara, Sorimachi, Maeda, Suzuki, and Ishiura*, 581
- V
- Vance, D.E. See *re, Vance, and Campenot*, 561
- Vance, J.E. See *re, Campenot, and Vance*, 561
- W
- Wada, M., Fukui, T., Kubo, Y., and Takahashi, N. Formation of Retinoyl-CoA in Rat Tissues, 457
- Wada, Y. See *Nakamura, Sun-Wada, Yamamoto, and Futai*, 765

- W (cont'd)
- Wakabayashi, H., Natsuka, S., Honda, M., Naotsuka, M., Ito, Y., Kajihara, J., and Hase, S. Structural Analysis of the Sugar Chains of Human Urinary Thrombomodulin, 543
- Wakamatsu, Y. See *Lu, Miyazawa, Yamaguchi, Nowaki, Iwatsuki, Ichikawa, and Hashimoto*, 873
- Wakiyama, M., Honkura, N., and Miura, K. Interference with Interaction between Eukaryotic Translation Initiation Factor 4G and Poly(A)-Binding Protein in *Xenopus* Oocytes Leads to Inhibition of Polyadenylated mRNA Translation and Oocyte Maturation, 737
- Wang, J. See *Tonozuka, Mitsui, Saito, Hamada, and Tsurugi*, 589
- Watabe, S. See *Kurata, Yamamoto, Makino, Ogawa, and Takahashi*, 857
- Watanabe, Yomi. See *Sugihara, Shimada, Sugihara, Nagao, and Tominaga*, 119
- Watanabe, Yoshinori. See *Umekawa, Sato, Takemura, Usui, Takahashi, Yoshida, Olson, and Furuichi*, 199
- Won, H.-S. See *Lee, Park, Kyogoku, and Lee*, 57
- Y
- Yagi, H. See *Tozawa, Hisamatsu, Ozawa, Yoshida, and Akutsu*, 527
- Yahagi, N. See *Kishi, Yamazaki, Yasuda, Ichinose, Tsuchiya, Athauda, Inoue, and Takahashi*, 425
- Yakushi, T. See *Okabe, Asai, and Homma*, 879
- Yamada, Kazuo, Terashima, M., Shimoyama, M., and Tsuchiya, M. Arginine-Specific ADP-Ribosyltransferase on the Surface of Gizzard Smooth Muscle Cells and the Involvement of Phosphatidylinositol 3-Kinase in Maintaining the Activity of This Transferase, 335
- Yamada, Kazuya. See *Kikkawa, Hinata, Keng, Myint, Sato, Tanaka, and Noguchi*, 885
- Yamada, Mamoru. See *Aoshima, Hossain, Hamamoto, Yokoyama, and Shingai*, 703
- Yamada, Masashi, Suzuki, K., Mizutani, M., Asada, A., Matozaki, T., Ikeuchi, T., Koizumi, S., and Hatanaka, H. Analysis of Tyrosine Phosphorylation-Dependent Protein-Protein Interactions in TrkB-Mediated Intracellular Signaling Using Modified Yeast Two-Hybrid System, 157
- Yamagami, S., Suzuki, K., and Suzuki, N. Expression and Exon/Intron Organization of Two Medaka Fish Homologs of the Mammalian Guanylyl Cyclase A, 39
- Yamagawa, A. See *Shibata, Oishi, Matsumoto, Mukai, and Ono*, 23
- Yamaguchi, H. See *Hara, Komada, Higashimoto, Jelokhani-Niaraki, Ehara, and Kondo*, 749
- Yamaguchi, Kazuo. See *Fueki*, 399
- Yamaguchi, Kou. See *Lu, Miyazawa, Nowaki, Iwatsuki, Wakamatsu, Ichikawa, and Hashimoto*, 873
- Yamaguchi, Takeo, Miyamoto, J., and Terada, S. Suppression of High-Pressure-Induced Hemolysis of Human Erythrocytes by Preincubation at 49°C, 597
- Yamaguchi, Tsugihisa. See *Tremblay, Fukamizo, and Brzezinski*, 679
- Yamakura, F. See *Imai, Taguchi, Ogawara, Ohmori, Ikezawa, and Urushiyama*, 649
- Yamamoto, A. See *Nakamura, Sun-Wada, Wada, and Futai*, 765
- Yamamoto, K. See *Sakai, Miyamoto, Okamoto, Kato, and Sakai*, 823
- Yamamoto, M. See *Sun, Muta, Hoshino, Kobayashi, Nishimura, Hayashi, Ito, and Igarashi*, 385
- Yamamoto, Y. See *Kurata, Watabe, Makino, Ogawa, and Takahashi*, 857
- Yamamura, H. See *Sada, Takano, and Yanagi*, 177
- Yamasaki, E. See *Kojima, Kitada, Ogishima, and Ito*, 497
- Yamashiro, S., Kameyama, K., Kanzawa, N., Tamiya, T., Mabuchi, I., and Tsuchiya, T. The Gelsolin/Fragmin Family Protein Identified in the Higher Plant *Mimosa pudica*, 243
- Yamashita, C., Aoyama, Y., Noshiro, M., and Yoshida, Y. Gonadotropin-Dependent Expression of Sterol 14-Demethylase P450 (CYP51) in Rat Ovaries and Its Contribution to the Production of a Meiosis-Activating Steroid, 849
- Yamashita, T., Terakita, A., and Shichida, Y. The Second Cytoplasmic Loop of Metabotropic Glutamate Receptor Functions at the Third Loop Position of Rhodopsin, 149
- Yamauchi, Y., Ejiri, Y., Sugimoto, T., Sueyoshi, K., Oji, Y., and Tanaka, K. A High Molecular Weight Glutamyl Endopeptidase and Its Endogenous Inhibitors from Cucumber Leaves, 257
- Yamazaki, K. See *Kishi, Yasuda, Yahagi, Ichinose, Tsuchiya, Athauda, Inoue, and Takahashi*, 425
- Yanagi, S. See *Sada, Takano, and Yamamura*, 177
- Yanai, H. See *Kojima and Miura*, 471
- Yano, T. See *Shitashige, Tbi, Shubata, Matsuo, and Shibasaki*, 741
- Yao, M. See *Hosaka, Kimura, and Tanaka*, 695
- Yasuda, I. See *Kishi, Yamazaki, Yahagi, Ichinose, Tsuchiya, Athauda, Inoue, and Takahashi*, 425
- Yasuda, S. See *Harigai, Imamoto, Yoshihara, Tokunaga, and Kataoka*, 51
- Yatani, H. See *Eguchi, Kubota, Kondo, Shimo, Hattori, Nakanishi, Kuboki, and Takigawa*, 79
- Yokogawa, T. See *Ohno and Nishikawa*, 417
- Yokoyama, K. See *Degenaar, Le Pioufle, Griscom, Tixier, Akagi, Morita, Murakami, Fujita, and Tamiya*, 367
- Yokoyama, S. See *Ito, Nureki, Shirouzu, and Hanaoka*, 727
- Yokoyama, T. See *Aoshima, Hossain, Hamamoto, Yamada, and Shingai*, 703
- Yonemura, H. See *Soejima, Mimura, Nakatake, Imamura, and Nozaki*, 269
- Yoshida, H. See *Mizushima, Kasai, Sugawara, Iida, and Sakaguchi*, 657
- Yoshida, Masanori. See *Fujita*, 575
- Yoshida, Masasuke. See *Tozawa, Yagi, Hisamatsu, Ozawa, and Akutsu*, 527
- Yoshida, S. See *Umekawa, Sato, Takemura, Watanabe, Usui, Takahashi, Olson, and Furuichi*, 199
- Yoshida, Y. See *Yamashita, Aoyama, and Nohiro*, 849
- Yoshihara, K. See *Harigai, Yasuda, Imamoto, Tokunaga, and Kataoka*, 51
- Yoshimoto, A. See *Guo, Ohta, Nakata, Shortridge, Takahashi, Suzuki, Miyamoto, Jwa Hidari, and Suzuki*, 377
- Yoshioka, H. See *Chono, Ueno, and Kato*, 331
- Yoshizawa, K. See *Toraya, Eda, and Kamachi*, 865
- Yutani, K. See *Tanaka, Chinami, Mizushima, Ogasahara, Ota, and Tsukihara*, 107
- Z
- Zhou, J. See *Luo, Zou, and Shen*, 553
- Zou, W. See *Luo, Zhou, and Shen*, 553

## INDEX TO KEY WORDS

### A

$\alpha$ -amino acid ester hydrolase,  $\alpha$ -amino-acid esterase, *Bacillus mycoides*, D-amino acid-containing peptide, enzymatic peptide synthesis, *Sugihara, Shimada, Sugihara, Nagao, Watanabe, Tominaga*, 119  
 $\alpha$ -amino-acid esterase,  $\alpha$ -amino acid ester hydrolase, *Bacillus mycoides*, D-amino acid-containing peptide, enzymatic peptide synthesis, *Sugihara, Shimada, Sugihara, Nagao, Watanabe, Tominaga*, 119  
 $\alpha$ -thrombin, inclusion body, prethrombin-2, recombinant, refolding, *Soejima, Mimura, Yonemura, Nakatake, Imamura, Nozaki*, 269  
acetyl-CoA, synthetase, active site residue, *Bradyrhizobium japonicum*, site-directed mutagenesis, steady-state kinetics, *Lee, Na, Koo, Kim*, 807  
acetylcholine, choline acetyltransferase, high affinity choline transport, phosphatidylcholine, retinoic acid, *Bussière, Vance, Campenot, Vance*, 561  
actin, actin-modulating protein, F-actin severing protein, gelsolin/fragmin, *Mimosa pudica, Yamashiro, Kameyama, Kanazawa, Tamya, Mabuchi, Tsuchiya*, 243  
actin-modulating protein, actin, F-actin severing protein, gelsolin/fragmin, *Mimosa pudica, Yamashiro, Kameyama, Kanazawa, Tamya, Mabuchi, Tsuchiya*, 243  
activation, autolysis, calpain, dissociation, EF-hand, *Nakagawa, Masumoto, Sorimachi, Suzuki*, 605  
active site residue, acetyl-CoA, synthetase, *Bradyrhizobium japonicum*, site-directed mutagenesis, steady-state kinetics, *Lee, Na, Koo, Kim*, 807  
ADAMTS, disintegrin-like, metalloprotease, thrombospondin type-1, thrombotic thrombocytopenic purpura, von Willebrand factor, vWF-cleaving protease, *Soejima, Mimura, Hirashima, Maeda, Hamamoto, Nakagaki, Nozaki*, 475  
additive, *Momordica charantia*, RNase MC1, site-directed mutagenesis, substrate binding, *Numata, Kimura*, 621  
adenosylcobalamin, coenzyme B<sub>12</sub>, density-functional-theory computation, diol dehydratase, enzymatic radical catalysis, *Toraya, Eda, Kamachi, Yoshizawa*, 865  
adenylate kinase, inhomogeneity, monoclonal antibody, optical biosensor, sensorgram, *Luo, Zhou, Zou, Shen*, 553  
adhesion, extracellular matrix, infection, laminin-binding protein, *Leishmania donovani, Bandyopadhyay, Karmakar, Ghosh, Das*, 141  
adipocyte-derived leucine aminopeptidase, exon, genomic organization, intron, placental leucine aminopeptidase/oxytocinase, *Hattori, Matsumoto, Mizutani, Tsujimoto*, 235  
ADP-induced platelet aggregation, disintegrin, laser-light scattering, platelet shape

change, snake venom, *Okuda, Morita*, 407  
adrenodoxin, cytochrome P450cam, cytochrome P450cc, EPR, putidaredoxin, *Takeuchi, Tsubaki, Futagawa, Masuya, Hori*, 789  
aggregation, deamidation, hen lysozyme, racemization, sucrose, trehalose, *Ueda, Nagata, Imoto*, 491  
Aib, channel-forming peptide, frequency of channel formation, ion selectivity, *Hara, Komada, Higashimoto, Yamaguchi, Jelokhani-Niaraki, Ehara, Kondo*, 749  
ALG-2, calcium-binding protein, calpain, *Dicytostelium*, penta-EF-hand, *Ohkouchi, Nishio, Maeda, Hitomi, Adachi, Maki*, 207  
alveolar type II cell, annexin, lamellar body, pulmonary surfactant, secretion, *Sohma, Ohkawa, Akino, Kuroki*, 449  
Alzheimer's disease, amyloid  $\beta$  peptide, neprilysin, neutral endopeptidase, Sindbis virus, *Hama, Shirotan, Masumoto, Sekine-Aizawa, Aizawa, Saito*, 721  
D-amino acid-containing peptide,  $\alpha$ -amino-acid esterase,  $\alpha$ -amino acid ester hydrolase, *Bacillus mycoides*, enzymatic peptide synthesis, *Sugihara, Shimada, Sugihara, Nagao, Watanabe, Tominaga*, 119  
D-amino acid oxidase, charge-transfer complex, enzyme-ligand interaction, flavoenzyme, Raman spectra, *Nishina, Sato, Shi, Setoyama, Miura, Shiga*, 637  
amino acid replacement, intramolecular chaperone, propeptide, refolding, subtilisin, tertiary-structure-forming mutant, *Kojima, Yanai, Miura*, 471  
—, ATPase activity, nuclear magnetic resonance (NMR), nucleotide binding, reconstitution of the  $\alpha_3\beta_3\gamma$  complex, *Tozawa, Yagi, Hisamatsu, Ozawa, Yoshida, Akutsu*, 527  
amino acid specificity, aminoacylation, non-canonical amino acid, site-directed mutagenesis, tyrosyl-tRNA synthetase, *Ohno, Yokogawa, Nishikawa*, 417  
aminoacylation, amino acid specificity, non-canonical amino acid, site-directed mutagenesis, tyrosyl-tRNA synthetase, *Ohno, Yokogawa, Nishikawa*, 417  
aminotransferase, dual-substrate enzyme, ping-pong bi-bi mechanism, substrate specificity, *Thermus thermophilus, Ura, Nakai, Kawaguchi, Miyahara, Hirotsu, Kuramitsu*, 89  
amphiphilic  $\alpha$ -helix, antibacterial peptide, bacterial membrane, insect, serine protease, *Tsuji, Aoyama, Takeuchi, Homma, Takahashi, Nakajima, Shimada, Natori*, 313  
amyloid  $\beta$  peptide, Alzheimer's disease, neprilysin, neutral endopeptidase, Sindbis virus, *Hama, Shirotan, Masumoto, Sekine-Aizawa, Aizawa, Saito*, 721  
androgenetic embryo, imprinting, imprinted gene, parthenogenetic embryo, *Hatada, Morita, Obata, Sotomaru, Shimoda, Kono*, 187  
annexin, alveolar type II cell, lamellar body, pulmonary surfactant, secretion, *Sohma, Ohkawa, Akino, Kuroki*, 449  
antibacterial peptide, amphiphilic  $\alpha$ -helix, bacterial membrane, insect, serine protease, *Tsuji, Aoyama, Takeuchi, Homma, Takahashi, Nakajima, Shimada, Natori*, 313  
antibody variable region, chimeric receptor, erythropoietin receptor, gp130, heterodimer, *Kawahara, Ueda, Tsumoto, Kumagai, Mahoney, Nagamune*, 305  
antioxidant enzyme, endothelial cell, lipoprotein, peroxy nitrite, reactive oxygen species, *Matsunaga, Nakajima, Sonoda, Koyama, Kawai, Inoue, Katayama, Hirano, Hokari, Hokari, and Komoda*, 285  
apoptosis, ASK1, death receptor, MAP kinase, mitochondria, *Matsuzawa, Ichijo*, 1  
—, calcineurin B-like protein, NHE, serine/threonine kinase, *Matsumoto, Miyake, Nagita, Inoue, Shitakubo, Takemoto, Ohtsuka, Murakami, Nakamura, Kanazawa*, 217  
—, caspase-3, cytoskeleton, filamin, proteolysis, *Umeda, Kouchi, Kawahara, Tomooka, Sasagawa, Maeda, Sorimachi, Ishiura, Suzuki*, 535  
—, Bcl-2, breast cancer, paclitaxel (Taxol), phosphorylation, *Shitashige, Toi, Yano, Shiba, Matsuo, Shibusaki*, 741  
—, cell cycle arrest, rice lectin, mistletoe, tumor cells, wheat germ, *Miyoshi, Koyama, Katsuno, Hayakawa, Mita, Ohta, Kaji, Isamura*, 799  
aquatic bacterium, branched-chain fatty acid, hemagglutinin, influenza virus, phosphatidylinositol, *Guo, Ohta, Yoshimoto, Nakata, Shortridge, Takahashi, Suzuki, Miyamoto, Jwa Hidari, Suzuki*, 377  
arginine-specific ADP-ribosyltransferase, gizzard, GPI-anchor, PI3-kinase, smooth muscle cell, *Yamada, Terashima, Shimoyama, Tsuchiya*, 335  
aromatherapy, fragrance, GABA<sub>A</sub> receptor, potentiation, *Xenopus oocyte, Aoshima, Hossain, Hamamoto, Yokoyama, Yamada, Shingai*, 703  
ASK1, apoptosis, death receptor, MAP kinase, mitochondria, *Matsuzawa, Ichijo*, 1  
ATP synthase, ATPase inhibitor (IF<sub>1</sub>), F<sub>1</sub>F<sub>0</sub>-ATPase, mitochondria, regulation, *Ichikawa, Karaki, Kawabata, Ushida, Mizushima, Hashimoto*, 687  
ATPase, calcium, cardiac muscle, hypertrophy, troponin, *Takahashi-Yanaga, Ohtsuki, Morimoto*, 127  
ATPase activity, amino acid replacement, nuclear magnetic resonance (NMR), nucleotide binding, reconstitution of the  $\alpha_3\beta_3\gamma$  complex, *Tozawa, Yagi, Hisamatsu, Ozawa, Yoshida, Akutsu*, 527  
ATPase inhibitor, F<sub>1</sub>F<sub>0</sub>-ATPase, intramitochondrial ATP, mitochondrial membrane potential, respiration-deficient mutant, *Lu, Miyazawa, Yamaguchi, Nowaki, Iwatsuki, Wakamatsu, Ichikawa, Hashimoto*, 873  
ATPase inhibitor (IF<sub>1</sub>), ATP synthase, F<sub>1</sub>F<sub>0</sub>-ATPase, mitochondria, regulation, *Ichikawa, Karaki, Kawabata, Ushida, Mizushima, Hashimoto*, 687

## A (cont'd)

- shima, Hashimoto*, 687  
 autolysis, activation, calpain, dissociation, EF-hand, *Nakagawa, Masumoto, Sorimachi, Suzuki*, 605  
 autoprocessing enzyme, pro-region, protein engineering, substrate specificity, subtilisin E, *Takahashi, Hasuura, Nakamori, Takagi*, 99

## B

- $\beta$ -galactosidase, frequency-domain fluorometry, protein stability, SDS, *D'Auria, Cesare, Gryczynski, Rossi, Lakowicz*, 13  
*Bacillus mycoides*,  $\alpha$ -amino-acid esterase,  $\alpha$ -amino acid ester hydrolase, D-amino acid-containing peptide, enzymatic peptide synthesis, *Sugihara, Shimada, Sugihara, Nagao, Watanabe, Tominaga*, 119  
*Bacillus subtilis*, cloning, missing gene, Na $^+$ /H $^+$  antiporter, *nhaG, Gouda, Kuroda, Hiramatsu, Nozaki, Kuroda, Mizushima, Tsuchiya*, 711  
 bacterial membrane, amphiphilic  $\alpha$ -helix, antibacterial peptide, insect, serine protease, *Tsuji, Aoyama, Takeuchi, Homma, Takahashi, Nakajima, Shimada, Natori*, 313  
 bacterial photosynthetic reaction center, electron transfer, membrane protein, three-dimensional structure, X-ray crystallography, *Nogi, Miki*, 319

- Bcl-2, apoptosis, breast cancer, paclitaxel (Taxol), phosphorylation, *Shitashige, Tbi, Yano, Shibata, Matsuo, Shibasaki*, 741  
 bdellin, *Hirudo nipponia*, leech genomic library, plasmin inhibitor, trypsin inhibitor, *Kim, Choi, Lee, Kang*, 431  
 binding, nucleophile, kinetic partitioning, reactivity, transgalactosylation, *Petzelbauer, Splechtna, Nidetzky*, 341  
 binding protein, GlcNAc 2-epimerase, nucleotides, renin, *Takahashi, Hori, Takahashi, Ogasawara, Tomatsu, Saito*, 815  
 biological rhythm, budding yeast, *GTS1* gene, oscillatory expression, promoter, *Tonozuka, Wang, Mitsui, Saito, Hamada, Tsurugi*, 589  
 biotin synthase, chemical modification, iron-sulfur cluster, site-directed mutagenesis, *Farh, Hwang, Steinrauf, Chiang, Shiuian*, 627

- blocking antibodies, carbohydrate recognition, enzyme-linked immunosorbent assay, *Escherichia coli, Shiga toxin, Imai, Matsura, Ono, Ishikawa, Ito*, 665  
*Bombyx*, cathepsin L, cysteine proteinase, inhibitor, propeptide, *Kurata, Yamamoto, Watabe, Makino, Ogawa, Takahashi*, 857  
 bone marrow cells, CH-296, gene transfer, gibbon ape leukemia virus, retrovirus vector, *Chono, Yoshioka, Ueno, Kato*, 331

- bovine liver glutamate dehydrogenase, mild denaturation, molten globule state, octyl glucoside, *Ghobadi, Safarian, Moosavi-Movahedi, Ranjbar*, 671  
*Bradyrhizobium japonicum*, acetyl-CoA, synthetase, active site residue, site-directed mutagenesis, steady-state kinetics, *Lee, Na, Koo, Kim*, 807

- brain, glycogen debranching enzyme, enzyme purification, glycogen, *Narahara, Makino*,

*Omichi*, 465

- brain-derived neurotrophic factor, FRS2/SNT, neurotrophin, receptor tyrosine kinase, signal transduction, *Yamada, Suzuki, Mizutani, Asada, Matozaki, Ikeuchi, Koizumi, Hatanaka*, 157

- branched-chain fatty acid, aquatic bacterium, hemagglutinin, influenza virus, phosphatidylinositol, *Guo, Ohta, Yoshimoto, Nakata, Shortridge, Takahashi, Suzuki, Miyamoto, Jwa Hidari, Suzuki*, 377

- breast cancer, apoptosis, Bcl-2, paclitaxel (Taxol), phosphorylation, *Shitashige, Tbi, Yano, Shibata, Matsuo, Shibasaki*, 741

- brushborder membrane, intestinal mucosa, serine protease, subcellular localization, substrate specificity, *Kishi, Yamazaki, Yasuda, Yahagi, Ichinose, Tsuchiya, Athauda, Inoue, Takahashi*, 425

- budding yeast, biological rhythm, *GTS1* gene, oscillatory expression, promoter, *Tonozuka, Wang, Mitsui, Saito, Hamada, Tsurugi*, 589

## C

- $^{13}$ C-carbonyl NMR, CRP, protein-protein interaction, RNA polymerase, transcription regulation, *Lee, Won, Park, Kyogoku, Lee*, 57

- Ca $^{2+}$ /calmodulin, cAMP-dependent protein kinase, CaM-kinase kinase, phosphorylation site, protein phosphorylation, *Okuno, Kitani, Fujisawa*, 503

- , cAMP-dependent protein kinase, CaM-kinase kinase, phosphorylation site, protein phosphorylation, *Kitani, Okuno, Fujisawa*, 515

- Caenorhabditis elegans*, cloning, ERp57, transglutaminase, *Natsuka, Kubota, Seki, Ikura*, 731

- calcineurin B-like protein, apoptosis, NHE, serine/threonine kinase, *Matsuhashi, Miyake, Nagita, Inoue, Shitakubo, Takemoto, Ohtsuka, Murakami, Nakamura, Kanazawa*, 217

- calcium, ATPase, cardiac muscle, hypertrophy, troponin, *Takahashi-Yanaga, Ohtsuki, Morimoto*, 127

- calcium-binding protein, ALG-2, calpain, *Dictyostelium*, penta-EF-hand, *Ohkouchi, Nishio, Maeda, Hitomi, Adachi, Maki*, 207

- calnexin, glycosylation of lysozyme, quality control, *Saccharomyces cerevisiae, Song, Sata, Saito, Usui, Azakami, Kato*, 757

- calpain, ALG-2, calcium-binding protein, *Dictyostelium*, penta-EF-hand, *Ohkouchi, Nishio, Maeda, Hitomi, Adachi, Maki*, 207

- , activation, autolysis, dissociation, EF-hand, *Nakagawa, Matsuhashi, Sorimachi, Suzuki*, 605

- CaM-kinase, cDNA sequence, nuclear protein, protein kinase phosphatase, protein phosphatase, *Takeuchi, Ishida, Kameshita, Kitani, Okuno, Fujisawa*, 833

- CaM-kinase kinase, cAMP-dependent protein kinase, Ca $^{2+}$ /calmodulin, phosphorylation site, protein phosphorylation, *Okuno, Kitani, Fujisawa*, 503

- , cAMP-dependent protein kinase, Ca $^{2+}$ /calmodulin, phosphorylation site, protein phosphorylation, *Kitani, Okuno, Fujisawa*, 515

- cAMP-dependent protein kinase, Ca $^{2+}$ /calmodulin, CaM-kinase kinase, phosphorylation

- site, protein phosphorylation, *Okuno, Kitani, Fujisawa*, 503

- , Ca $^{2+}$ /calmodulin, CaM-kinase kinase, phosphorylation site, protein phosphorylation, *Kitani, Okuno, Fujisawa*, 515

- carbohydrate-binding proteins, cell proliferation, Thomsen-Friedenreich disaccharide, *Irazoqui, Jansson, Lopez, Norres*, 33

- carbohydrate recognition, blocking antibodies, enzyme-linked immunosorbent assay, *Escherichia coli, Shiga toxin, Imai, Matsura, Ono, Ishikawa, Ito*, 665

- cardiac muscle, ATPase, calcium, hypertrophy, troponin, *Takahashi-Yanaga, Ohtsuki, Morimoto*, 127

- caspase-3, apoptosis, cytoskeleton, filamin, proteolysis, *Umeda, Kouchi, Kawahara, Tomioka, Sasagawa, Maeda, Sorimachi, Ishiiura, Suzuki*, 535

- cathepsin L, *Bombyx*, cysteine proteinase, inhibitor, propeptide, *Kurata, Yamamoto, Watabe, Makino, Ogawa, Takahashi*, 857

- CCN family, chondrocyte, CTGF, HCS-2/8, transcription, *Eguchi, Kubota, Kondo, Shiro, Hattori, Nakanishi, Kuboki, Yatani, Takigawa*, 79

- cDNA sequence, CaM-kinase, nuclear protein, protein kinase phosphatase, protein phosphatase, *Takeuchi, Ishida, Kameshita, Kitani, Okuno, Fujisawa*, 833

- cell cycle arrest, apoptosis, rice lectin, mistletoe, tumor cells, wheat germ, *Miyoshi, Koyama, Katsuno, Hayakawa, Mita, Ohta, Kaji, Isemura*, 799

- cell proliferation, carbohydrate-binding proteins, Thomsen-Friedenreich disaccharide, *Irazoqui, Jansson, Lopez, Norres*, 33

- CH-296, bone marrow cells, gene transfer, gibbon ape leukemia virus, retrovirus vector, *Chono, Yoshioka, Ueno, Kato*, 331

- channel-forming peptide, Aib, frequency of channel formation, ion selectivity, *Hara, Komada, Higashimoto, Yamaguchi, Jelokhani-Niaraki, Ehara, Kondo*, 749

- charge-transfer complex, D-amino acid oxidase, enzyme-ligand interaction, flavoenzyme, Raman spectra, *Nishina, Sato, Shi, Setoyama, Miura, Shiga*, 637

- chemical modification, biotin synthase, iron-sulfur cluster, site-directed mutagenesis, *Farh, Hwang, Steinrauf, Chiang, Shiuian*, 627

- chimeric mutant, G protein, G protein-coupled receptor, metabotropic glutamate receptor, rhodopsin, *Yamashita, Terakita, Shichida*, 149

- chimeric receptor, antibody variable region, erythropoietin receptor, gp130, heterodimer, *Kawahara, Ueda, Tsunoto, Kumagai, Mahoney, Nagamune*, 305

- chitooligosaccharide, chitosanase, subsite, substrate binding, unfolding, *Tremblay, Yamaguchi, Fukamizo, Brzezinski*, 679

- chitosanase, chitooligosaccharide, subite, substrate binding, unfolding, *Tremblay, Yamaguchi, Fukamizo, Brzezinski*, 679

- choline acetyltransferase, acetylcholine, high affinity choline transport, phosphatidylcholine, retinoic acid, *Bussière, Vance, Campenot, Vance*, 561

- chondrocyte, CCN family, CTGF, HCS-2/8, transcription, *Eguchi, Kubota, Kondo*,

## C (cont'd)

*Shimo, Hattori, Nakanishi, Kuboki, Yatani, Takigawa*, 79  
 chymotrypsin, N-terminus, photoactive yellow protein, photocycle, pK<sub>a</sub>, *Harigai, Yasuda, Imamoto, Yoshihara, Tokunaga, Kataoka*, 51  
 cloning, *Bacillus subtilis*, missing gene, Na<sup>+</sup>/H<sup>+</sup> antiporter, *nhaG*, Gouda, Kuroda, Hiramatsu, Nozaki, Kuroda, Mizushima, Tsuchiya, 711  
 —, *Caenorhabditis elegans*, ERp57, transglutaminase, *Natsuka, Takubo, Seki, Ikura*, 731  
 cobalt, halophilicity, metalloproteinase, thermolysin, zinc, *Kuzuya, Inouye*, 783  
 coenzyme B<sub>12</sub>, adenosylcobalamin, density-functional-theory computation, diol dehydratase, enzymatic radical catalysis, *Toraya, Eda, Kamachi, Yoshizawa*, 865  
 complement regulatory protein, mouse membrane cofactor protein (CD46), short consensus repeats (SCR), soluble isoforms, transcriptome, *Tsujimura, Nunoue, Inoue, Shida, Kurita-Taniguchi, Matsumoto, Nomura, Takeya, Seya*, 841  
 CRP, <sup>13</sup>C-carbonyl NMR, protein–protein interaction, RNA polymerase, transcription regulation, *Lee Won, Park, Kyogoku, Lee*, 57  
 crystallization, DNA primase, DNA replication, hyperthermophilic archaeon, X-ray crystallography, *Ito, Nureki, Shirouzu, Yokoyama, Hanaoka*, 727  
 CTGF, CCN family, chondrocyte, HCS-2/8, transcription, *Eguchi, Kubota, Kondo, Shimo, Hattori, Nakanishi, Kuboki, Yatani, Takigawa*, 79  
 cucumber, glutamyl endopeptidase, inhibitor, *Yamauchi, Ejiri, Sugimoto, Sueyoshi, Oji, Tanaka*, 257  
 CUG-BP, DMPK, myotonic dystrophy, triplex repeat, *Takahashi, Sasagawa, Usuki, Kino, Kawahara, Sorimachi, Maeda, Suzuki, Ishiura*, 581  
 CYP51, cytochrome P450, gonadotropin, meiosis-activating steroid, ovary, *Yamashita, Aoyama, Noshiro, Yoshida*, 849  
 cysteine desulfurase, *Escherichia coli*, gene disruption, iron-sulfur cluster, *IscS, Tokumoto, Takahashi*, 63  
 cysteine proteinase, *Bombyx*, cathepsin L, inhibitor, propeptide, *Kurata, Yamamoto, Watabe, Makino, Ogawa, Takahashi*, 857  
 cytochrome P450, CYP51, gonadotropin, meiosis-activating steroid, ovary, *Yamashita, Aoyama, Noshiro, Yoshida*, 849  
 cytochrome P450cam, adrenodoxin, cytochrome P450ccc, EPR, putidaredoxin, *Takeuchi, Tsubaki, Futagawa, Masuya, Hori*, 789  
 cytochrome P450ccc, adrenodoxin, cytochrome P450cam, EPR, putidaredoxin, *Takeuchi, Tsubaki, Futagawa, Masuya, Hori*, 789  
 cytoskeleton, apoptosis, caspase-3, filamin, proteolysis, *Umeda, Kouchi, Kawahara, Tomioka, Sasagawa, Maeda, Sorimachi, Ishiura, Suzuki*, 535  
 cytotoxic molecules, microglia, neurotrophic molecules, pathology, phagocytes, *Nakajima, Kohsaka*, 169

## D

damaged DNA, N<sup>4</sup>-methoxycytosine, mutagenesis, Watson-Crick type pairing with non-complementary bases, X-ray structure, *Hossain, Chatake, Hikima, Tsunoda, Sunami, Ueno, Matsuda, Takénaka*, 9  
 deamidation, aggregation, hen lysozyme, racemization, sucrose, trehalose, *Ueda, Nagata, Imoto*, 491  
 death receptor, apoptosis, ASK1, MAP kinase, mitochondria, *Matsuzawa, Ichijo*, 1  
 decoding center, protein-RNA interactions, ribosome, RNA-binding protein, X-ray structure, *Hosaka, Yao, Kimura, Tanaka*, 695  
 density-functional-theory computation, adenosylcobalamin, coenzyme B<sub>12</sub>, diol dehydratase, enzymatic radical catalysis, *Toraya, Eda, Kamachi, Yoshizawa*, 865  
*Dictyostelium*, ALG-2, calcium-binding protein, calpain, penta-EF-hand, *Ohkouchi, Nishio, Maeda, Hitomi, Adachi, Maki*, 207  
 differential scanning calorimetry, hydrophobic interaction electrostatic interaction, melittin, membrane fusion, *Higashina, Matsui, Ohki*, 393  
 differentiation, hematopoietic cell, hepatocyte, homeobox gene, transcription factor, *Kikkawa, Hinata, Keng, Myint, Sato, Yamada, Tanaka, Noguchi*, 885  
 dihydrofolate reductase, enzyme function, point mutations, structural stability, tryptophan residues, *Ohmae, Sasaki, Gekko*, 439  
 diol dehydratase, adenosylcobalamin, coenzyme B<sub>12</sub>, density-functional-theory computation, enzymatic radical catalysis, *Toraya, Eda, Kamachi, Yoshizawa*, 865  
 disintegrin, ADP-induced platelet aggregation, laser-light scattering, platelet shape change, snake venom, *Okuda, Morita*, 407  
 disintegrin-like, ADAMTS, metalloprotease, thrombospondin type-1, thrombotic thrombocytopenic purpura, von Willebrand factor, vWF-cleaving protease, *Soejima, Mimura, Hirashima, Maeda, Hamamoto, Nakagaki, Noguchi*, 475  
 dissociation, activation, autolysis, calpain, EF-hand, *Nakagawa, Masumoto, Sorimachi, Suzuki*, 605  
 DMPK, CUG-BP, myotonic dystrophy, triplex repeat, *Takahashi, Sasagawa, Usuki, Kino, Kawahara, Sorimachi, Maeda, Suzuki, Ishiura*, 581  
 DNA methylation, DNA methyltransferase, mature eggs, monoclonal antibody, *Xenopus laevis, Shi, Suetake, Kawakami, Aimoto, Tajima*, 359  
 DNA methyltransferase, DNA methylation, mature eggs, monoclonal antibody, *Xenopus laevis, Shi, Suetake, Kawakami, Aimoto, Tajima*, 359  
 DNA polymerase a, protein B23, protein isoforms, *Umekawa, Sato, Takemura, Watanabe, Usui, Takahashi, Yoshida, Olson, Furuichi*, 199  
 DNA polymerase β, DNA topoisomerase II, docking simulation, enzyme inhibitor, interaction interface, lithocholic acid, *Mizushima, Kasai, Sugawara, Iida, Yoshida, Sakaguchi*, 657

DNA primase, crystallization, DNA replication, hyperthermophilic archaeon, X-ray crystallography, *Ito, Nureki, Shirouzu, Yokoyama, Hanaoka*, 727

DNA replication, initiator protein, plasmid, positive selection of mutants, pSC101, *Fueki, Yamaguchi*, 399  
 —, crystallization, DNA primase, hyperthermophilic archaeon, X-ray crystallography, *Ito, Nureki, Shirouzu, Yokoyama, Hanaoka*, 727

DNA topoisomerase II, DNA polymerase β, docking simulation, enzyme inhibitor, interaction interface, lithocholic acid, *Mizushima, Kasai, Sugawara, Iida, Yoshida, Sakaguchi*, 657

docking simulation, DNA polymerase β, DNA topoisomerase II, enzyme inhibitor, interaction interface, lithocholic acid, *Mizushima, Kasai, Sugawara, Iida, Yoshida, Sakaguchi*, 657

DSC, fluorescence, gramicidin, interdigitation, lysophosphatidylcholine, *Onda, Hayashi, Mita*, 613

dual specificity phosphatase, MAP kinase, protein dephosphorylation, testis, *Aoki, Aoyama, Nagata, Matsuda*, 133

dual-substrate enzyme, aminotransferase, ping-pong bi-bi mechanism, substrate specificity, *Thermus thermophilus, Ura, Nakai, Kawaguchi, Miyahara, Hirotsu, Kuramitsu*, 89

## E

early endosome, membrane trafficking, self-assembly, sorting nexin 1, *Nakamura, Sun-Wada, Yamamoto, Wada, Futai*, 765

EBV, Fab, human monoclonal antibody, oligo clone, TNFa, *Takekoshi, Maeda, Nagatsuka, Aotsuka, Ono, Ihara*, 299

eclosion hormone, folding, GroE, molecule chaperone, protein disulfide isomerase, *Fujita, Yoshida*, 575

EF-hand, activation, autolysis, calpain, dissociation, *Nakagawa, Masumoto, Sorimachi, Suzuki*, 605

electron paramagnetic resonance spectroscopy, heme, neuronal nitric oxide synthase, nitric oxide synthase, X-ray absorption spectroscopy, *Casper, Scott, Hori, Nishina, Iwasaki*, 191

electron transfer, bacterial photosynthetic reaction center, membrane protein, three-dimensional structure, X-ray crystallography, *Nogi, Miki*, 319

—, flavin-binding motif, NADH-cytochrome b<sub>5</sub> reductase, protein stability, site-directed mutagenesis, *Kimura, Nishida, Iyanagi*, 481

endocytosis, macrophage, osteoclast, phagosome, *Sakai, Miyamoto, Okamoto, Kato, Yamamoto, Sakai*, 823

endoglycocalyx, fluorescence-labeling, glycosphingolipids, reverse hydrolysis, transglycosylation, *Horibata, Higashi, Ito*, 263

endothelial cell, antioxidant enzyme, lipoprotein, peroxynitrite, reactive oxygen species, *Matsunaga, Nakajima, Sonoda, Koyama, Kawai, Inoue, Katayama, Hirano, Hokari, Hokari, and Komoda*, 285

enzymatic peptide synthesis, α-amino-acid

## E (cont'd)

esterase,  $\alpha$ -amino acid ester hydrolase, *Bacillus mycoides*, D-amino acid-containing peptide, *Sugihara, Shimada, Sugihara, Nagao, Watanabe, Tominaga*, 119  
 enzymatic radical catalysis, adenosylcobalamin, coenzyme B<sub>12</sub>, density-functional-theory computation, diol dehydratase, *Toraya, Eda, Kamachi, Yoshizawa*, 865  
 enzyme function, dihydrofolate reductase, point mutations, structural stability, tryptophan residues, *Ohmae, Sasaki, Gekko*, 439  
 enzyme inhibitor, DNA polymerase  $\beta$ , DNA topoisomerase II, docking simulation, interaction interface, lithocholic acid, *Mizushima, Kasai, Sugawara, Iida, Yoshida, Sakaguchi*, 657  
 enzyme-ligand interaction, charge-transfer complex, D-amino acid oxidase, flavoenzyme, Raman spectra, *Nishina, Sato, Shi, Setoyama, Miura, Shiga*, 637  
 enzyme-linked immunosorbent assay, blocking antibodies, carbohydrate recognition, *Escherichia coli, Shiga toxin, Imai, Matsura, Ono, Ishikawa, Ito*, 665  
 enzyme purification, brain, glycogen debranching enzyme, glycogen, *Narahara, Makino, Omichi*, 465  
 EPR, adrenodoxin, cytochrome P450cam, cytochrome P450sec, putidaredoxin, *Takeuchi, Tsubaki, Futagawa, Masuya, Hori, 789*  
 ERp57, *Caenorhabditis elegans* cloning, transglutaminase, *Natsuka, Takubo, Seki, Ikura*, 731  
 erythropoietin receptor, antibody variable region, chimeric receptor, gp130, heterodimer, *Kawahara, Ueda, Tsumoto, Kumagai, Mahoney, Nagamune*, 305  
*Escherichia coli*, cysteine desulfurase, gene disruption, iron-sulfur cluster, *IscS, Tokumoto, Takahashi*, 63  
 —, blocking antibodies, carbohydrate recognition, enzyme-linked immunosorbent assay, Shiga toxin, *Imai, Matsura, Ono, Ishikawa, Ito*, 665  
 eukaryotic translation initiation factor 4G, oocyte maturation, poly(A)-binding protein, *Xenopus, Wakayama, Honkura, Miura*, 737  
 evolution, GNRA loop, intron, ribozyme, RNA motif, *Ikawa, Nohmi, Atsumi, Shiraishi, Inoue*, 251  
 exon, adipocyte-derived leucine aminopeptidase, genomic organization, intron, placental leucine aminopeptidase/oxytocinase, *Hattori, Matsumoto, Mizutani, Tsujimoto*, 235  
 exon-intron organization, gene expression, receptor, medaka fish, membrane guanylyl cyclase, repeated sequence, *Yamagami, Suzuki, Suzuki*, 39  
 extracellular matrix, adhesion, infection, laminin-binding protein, *Leishmania donovani, Bandypadhyay, Karmakar, Ghosh, Das*, 141

## F

F-actin severing protein, actin, actin-modulating protein, gelsolin/fragmin, *Mimosa pudica, Yamashiro, Kameyama, Kanazawa, Ta-*

*miya, Mabuchi, Tsuchiya*, 243  
 Fab, EBV, human monoclonal antibody, oligo clone, TNF $\alpha$ , *Takekoshi, Maeda, Nagatsuka, Aotsuka, Ono, Ihara*, 299  
 4Fe ferredoxin, interconversion, non-cysteinyl ligand, *Thermococcus profundus*, thermostable, *Imai, Taguchi, Ogawara, Ohmori, Yamakura, Ikezawa, Urushiyama*, 649  
 F<sub>1</sub>F<sub>0</sub>-ATPase, ATPase inhibitor (IF<sub>1</sub>), ATP synthase, mitochondria, regulation, *Ichikawa, Karaki, Kawabata, Ushida, Mizushima, Hashimoto*, 687  
 —, ATPase inhibitor, intramitochondrial ATP, mitochondrial membrane potential, respiration-deficient mutant, *Lu, Miyazawa, Yamaguchi, Nowaki, Iwatsuki, Wakamatsu, Ichikawa, Hashimoto*, 873  
 filamin, apoptosis, caspase-3, cytoskeleton, proteolysis, *Umeda, Kouchi, Kawahara, Tomioka, Sasagawa, Maeda, Sorimachi, Ishiura, Suzuki*, 535  
 flagella, motor, sodium-motive force, torque generation, *Vibrio, Okabe, Yakushi, Asai, Homma*, 879  
 flavin-binding motif, electron transfer, NADH-cytochrome b<sub>5</sub> reductase, protein stability, site-directed mutagenesis, *Kimura, Nishida, Iyanagi*, 481  
 flavoenzyme, charge-transfer complex, D-amino acid oxidase, enzyme-ligand interaction, Raman spectra, *Nishina, Sato, Shi, Setoyama, Miura, Shiga*, 637  
 fluorescence, DSC, gramicidin, interdigitation, lysophosphatidylcholine, *Onda, Hayashi, Mita*, 613  
 fluorescence-labeling, endoglycoceramidase, glycosphingolipids, reverse hydrolysis, transglycosylation, *Horibata, Higashi, Ito*, 263  
 folding, eclosion hormone, GroE, molecule chaperone, protein disulfide isomerase, *Fujita, Yoshida*, 575  
 fragrance, aromatherapy, GABA<sub>A</sub> receptor, potentiation, *Xenopus oocyte, Aoshima, Hossain, Hamamoto, Yokoyama, Yamada, Shingai*, 703  
 frequency-domain fluorometry,  $\beta$ -galactosidase, protein stability, SDS, *D'Auria, Cesare, Gryczynski, Rossi, Lakowicz*, 13  
 frequency of channel formation, Aib, channel-forming peptide, ion selectivity, *Hara, Komada, Higashimoto, Yamaguchi, Jelokhani-Niaraki, Ehara, Kondo*, 749  
 FRS2/SNT, brain-derived neurotrophic factor, neurotrophin, receptor tyrosine kinase, signal transduction, *Yamada, Suzuki, Mizutani, Asada, Matozaki, Ikeuchi, Koizumi, Hatanaka*, 157

G

G protein, phosphatidylinositol 3-kinase, phosphatidylinositol 3,4,5-triphosphate, protein kinase B, Rab5, *Kurosawa, Katada*, 73  
 —, chimeric mutant, G protein-coupled receptor, metabotropic glutamate receptor, rhodopsin, *Yamashita, Terakita, Shichida*, 149  
 G protein-coupled receptor, chimeric mutant, G protein, metabotropic glutamate receptor, rhodopsin, *Yamashita, Terakita, Shichida*, 149  
 GABA<sub>A</sub> receptor, aromatherapy, fragrance,

potentiation, *Xenopus oocyte, Aoshima, Hossain, Hamamoto, Yokoyama, Yamada, Shingai*, 703  
 gelsolin/fragmin, actin, actin-modulating protein, F-actin severing protein, *Mimosa pudica, Yamashiro, Kameyama, Kanazawa, Tamai, Mabuchi, Tsuchiya*, 243  
 gene disruption, cysteine desulfurase, *Escherichia coli*, iron-sulfur cluster, *IscS, Tokumoto, Takahashi*, 63  
 gene expression, exon-intron organization, receptor, medaka fish, membrane guanylyl cyclase, repeated sequence, *Yamagami, Suzuki, Suzuki*, 39  
 gene transfer, bone marrow cells, CH-296, gibbon ape leukemia virus, retrovirus vector, *Chono, Yoshioka, Ueno, Kato*, 331  
 genetic analysis, ITAM, PTK, Syk, ZAP-70, *Sada, Takano, Yanagi, Yamamura*, 177  
 genomic organization, adipocyte-derived leucine aminopeptidase, exon, intron, placental leucine aminopeptidase/oxytocinase, *Hattori, Matsumoto, Mizutani, Tsujimoto*, 235  
 gibbon ape leukemia virus, bone marrow cells, CH-296, gene transfer, retrovirus vector, *Chono, Yoshioka, Ueno, Kato*, 331  
 gizzard, arginine-specific ADP-ribosyltransferase, GPI-anchor, PI3-kinase, smooth muscle cell, *Yamada, Terashima, Shimo-yama, Tsuchiya*, 335  
 GlcNAc 2-epimerase, binding protein, nucleotides, renin, *Takahashi, Hori, Takahashi, Ogasawara, Tomatsu, Saito*, 815  
 glutamyl endopeptidase, cucumber, inhibitor, *Yamauchi, Ejiri, Sugimoto, Sueyoshi, Oji, Tanaka*, 257  
 glycogen, brain, glycogen debranching enzyme, enzyme purification, *Narahara, Makino, Omichi*, 465  
 glycogen debranching enzyme, brain, enzyme purification, glycogen, *Narahara, Makino, Omichi*, 465  
 glycosphingolipids, endoglycoceramidase, fluorescence-labeling, reverse hydrolysis, transglycosylation, *Horibata, Higashi, Ito*, 263  
 glycosylation of lysozyme, calnexin, quality control, *Saccharomyces cerevisiae, Song, Saito, Saito, Usui, Azakami, Kato*, 757  
 GNRNA loop, evolution, intron, ribozyme, RNA motif, *Ikawa, Nohmi, Atsumi, Shiraishi, Inoue*, 251  
 gonadotropin, CYP51, cytochrome P450, meiosis-activating steroid, ovary, *Yamashita, Aoyama, Nohiro, Yoshida*, 849  
 gp130, antibody variable region, chimeric receptor, erythropoietin receptor, heterodimer, *Kawahara, Ueda, Tsumoto, Kumagai, Mahoney, Nagamune*, 305  
 GPI-anchor, arginine-specific ADP-ribosyltransferase, gizzard, PI3-kinase, smooth muscle cell, *Yamada, Terashima, Shimo-yama, Tsuchiya*, 335  
 gramicidin, DSC, fluorescence, interdigitation, lysophosphatidylcholine, *Onda, Hayashi, Mita*, 613  
 GroE, eclosion hormone, folding, molecule chaperone, protein disulfide isomerase, *Fujita, Yoshida*, 575  
 GTPase activating protein, PKN, protein kinase, protein-protein interaction, *Rho, Shibaia, Oishi, Yamagawa, Matsumoto, Mukai, Ono*, 23

## G (cont'd)

*GTS1* gene, biological rhythm, budding yeast, oscillatory expression, promoter, *Tonozuka, Wang, Mitsui, Saito, Hamada, Tsurugi*, 589

## H

haematopoietic cell, differentiation, hepatocyte, homeobox gene, transcription factor, *Kikkawa, Hinata, Keng, Myint, Sato, Yama-da, Tanaka, Noguchi*, 885

halophilicity, cobalt, metalloproteinase, thermolysin, zinc, *Kuzuya, Inouye*, 783

HB-EGF, hyperosmotic stress, JNK, Src, *Koh, Che, Higashiyama, Takahashi, Miyamoto, Suzuki, Taniguchi*, 351

HCS-2/8, CCN family, chondrocyte, CTGF, transcription, *Eguchi, Kubota, Kondo, Shimo, Hattori, Nakanishi, Kuboki, Yatanu, Takigawa*, 79

hemagglutinin, aquatic bacterium, branched-chain fatty acid, influenza virus, phosphatidylinositol, *Guo, Ohta, Yoshimoto, Nakata, Shortridge, Takahashi, Suzuki, Miyamoto, Jwa Hidari, Suzuki*, 377

heme, electron paramagnetic resonance spectroscopy, neuronal nitric oxide synthase, nitric oxide synthase, X-ray absorption spectroscopy, *Casper, Scott, Hori, Nishina, Iwasaki*, 191

hemolysis, high pressure, human erythrocyte, spectrin, vesicle, *Yamaguchi, Miyamoto, Terada*, 597

hen lysozyme, aggregation, deamidation, racemization, sucrose, trehalose, *Ueda, Nagata, Imoto*, 491

hepatocyte, differentiation, haematopoietic cell, homeobox gene, transcription factor, *Kikkawa, Hinata, Keng, Myint, Sato, Yama-da, Tanaka, Noguchi*, 885

heterodimer, antibody variable region, chimeric receptor, erythropoietin receptor, gp130, *Kawahara, Ueda, Tsumoto, Kumagai, Mahoney, Nagamune*, 305

high affinity choline transport, acetylcholine, choline acetyltransferase, phosphatidylcholine, retinoic acid, *Bussière, Vance, Campenot, Vance*, 561

high pressure, hemolysis, human erythrocyte, spectrin, vesicle, *Yamaguchi, Miyamoto, Terada*, 597

*Hirudo nipponia*, bdellin, leech genomic library, plasmin inhibitor, trypsin inhibitor, *Kim, Choi, Lee, Kang*, 431

homeobox gene, differentiation, haematopoietic cell, hepatocyte, transcription factor, *Kikkawa, Hinata, Keng, Myint, Sato, Yama-da, Tanaka, Noguchi*, 885

human erythrocyte, hemolysis, high pressure, spectrin, vesicle, *Yamaguchi, Miyamoto, Terada*, 597

human monoclonal antibody, EBV, Fab, oligo clone, *TNF $\alpha$ , Takekoshi, Maeda, Nagatsuka, Aotsuka, Ono, Ihara*, 299

hydrophobic interaction electrostatic interaction, differential scanning calorimetry, melittin, membrane fusion, *Higashino, Matsui, Ohki*, 393

hyperosmotic stress, HB-EGF, JNK, Src, *Koh, Che, Higashiyama, Takahashi, Miyamoto, Suzuki, Taniguchi*, 351

hyperthermophile, *Pyrococcus furiosus*, pyr-

olidone carboxyl peptidase, thermal stability, X-ray structure, *Tanaka, Chinami, Mizushima, Ogasahara, Ota, Tsukihara, Yutani*, 107

hyperthermophilic archaeon, crystallization, DNA primase, DNA replication, X-ray crystallography, *Ita, Nureki, Shirouzu, Yokoyama, Hanaoka*, 727

hypertrophy, ATPase, calcium, cardiac muscle, troponin, *Takahashi-Yanaga, Ohtsuki, Morimoto*, 127

## I

immobilization, multidomain protein, pepsin, pro-peptide, protein refolding, *Kurimoto, Harada, Akiyama, Sakai, Kata*, 295

imprinted gene, androgenetic embryo, imprinting, parthenogenetic embryo, *Hatada, Morita, Obata, Sotomaru, Shimoda, Kono*, 187

imprinting, androgenetic embryo, imprinted gene, parthenogenetic embryo, *Hatada, Morita, Obata, Sotomaru, Shimoda, Kono*, 187

inclusion body,  $\alpha$ -thrombin, prethrombin-2, recombinant, refolding, *Soejima, Mimura, Yonemura, Nakatake, Imamura, Nozaki*, 269

inducer, operator, promoter, repressor, transcriptional regulation, *Lee, Hsu, Shaw*, 569

infection, adhesion, extracellular matrix, laminin-binding protein, *Leishmania donovani, Bandyopadhyay, Karmakar, Ghosh, Das*, 141

influenza virus, neuraminidase, pH stability, sialidase, *Takahashi, Suzuki, Nishinaka, Kawase, Kobayashi, Jwa Hidari, Miyamoto, Guo, Shortridge, Suzuki*, 279

—, aquatic bacterium, branched-chain fatty acid, hemagglutinin, phosphatidylinositol, *Guo, Ohta, Yoshimoto, Nakata, Shortridge, Takahashi, Suzuki, Miyamoto, Jwa Hidari, Suzuki*, 377

inhibitor, NBD-Cl, nitrile hydratase, sulfenic acid, thiocyanate, *Bonnet, Stevens, de Sousa, Sari, Mansuy, Artaud*, 227

—, cucumber glutamyl endopeptidase, *Yamuchi, Ejiri, Sugimoto, Sueyoshi, Oji, Tanaka*, 257

—, *Bombyx*, cathepsin L, cysteine proteinase, propeptide, *Kurata, Yamamoto, Watabe, Makino, Ogawa, Takahashi*, 857

inhomogeneity, adenylate kinase, monoclonal antibody, optical biosensor, sensorgram, *Luo, Zhou, Zou, Shen*, 553

initiator protein, DNA replication, plasmid, positive selection of mutants, pSC101, *Fueki, Yamaguchi*, 399

insect, amphiphilic  $\alpha$ -helix, antibacterial peptide, bacterial membrane, serine protease, *Tsuji, Aoyama, Takeuchi, Homma, Takahashi, Nakajima, Shimada, Natori*, 313

interaction interface, DNA polymerase  $\beta$ , DNA topoisomerase II, docking simulation, enzyme inhibitor, lithocholic acid, *Mizushima, Kasai, Sugawara, Iida, Yoshida, Sakaguchi*, 657

interconversion, 4Fe ferredoxin, non-cysteinyl ligand, *Thermococcus profundus*, thermostable, *Imai, Taguchi, Ogawara, Ohmori, Yamakura, Ikezawa, Urushiyama*, 649

interdigititation, DSC, fluorescence, gramicidin,

lysophosphatidylcholine, *Onda, Hayashi, Mita*, 613

intestinal mucosa, brushborder membrane, serine protease, subcellular localization, substrate specificity, *Kishi, Yamazaki, Yasuda, Yahagi, Ichinose, Tsuchiya, Athauda, Inoue, Takahashi*, 425

intramitochondrial ATP, ATPase inhibitor,  $F_1F_0$ ATPase, mitochondrial membrane potential, respiration-deficient mutant, *Lu, Miyazawa, Yamaguchi, Nowaki, Iwatsuki, Wakamatsu, Ichikawa, Hashimoto*, 873

intramolecular chaperone, amino acid replacement, propeptide, refolding, subtilisin, tertiary-structure-forming mutant, *Kojima, Yanai, Miura*, 471

intron, adipocyte-derived leucine aminopeptidase, exon, genomic organization, placental leucine aminopeptidase/oxytocinase, *Hattori, Matsumoto, Mizutani, Tsujimoto*, 235

—, evolution, CNRA loop, ribozyme, RNA motif, *Ikawa, Nohmi, Atsumi, Shiraishi, Inoue*, 251

ion selectivity, Aib, channel-forming peptide, frequency of channel formation, *Hara, Komada, Higashimoto, Yamaguchi, Jelokhani-Niaraki, Ehara, Kondo*, 749

iron-sulfur cluster, cysteine desulfurase, *Escherichia coli*, gene disruption, *IscS, Tokumoto, Takahashi*, 63

—, biotin synthase, chemical modification, site-directed mutagenesis, *Farh, Hwang, Steinrauf, Chiang, Shiuian*, 627

*IscS*, cysteine desulfurase, *Escherichia coli*, gene disruption, iron-sulfur cluster, *Toku-moto, Takahashi*, 63

ITAM, genetic analysis, PTK, Syk, ZAP-70, *Sada, Takano, Yanagi, Yamamura*, 177

## J

JNK, HB-EGF, hyperosmotic stress, Src, *Koh, Che, Higashiyama, Takahashi, Miyamoto, Suzuki, Taniguchi*, 351

JNK/SAPK pathway, MLK family, scaffold protein, signal transduction, *Ikeda, Hasegawa, Masaki, Moriguchi, Nishida, Ko-zutsumi, Oka, Kawasaki*, 773

## K

kinetic partitioning, binding, nucleophile, reactivity, transgalactosylation, *Petzelbauer, Splechtna, Nidetzky*, 341

## L

lamellar body, alveolar type II cell, annexin, pulmonary surfactant, secretion, *Sohma, Ohkawa, Akino, Kuroki*, 449

laminin-binding protein, adhesion, extracellular matrix, infection, *Leishmania donovani, Bandyopadhyay, Karmakar, Ghosh, Das*, 141

laser-light scattering, ADP-induced platelet aggregation, disintegrin, platelet shape change, snake venom, *Okuda, Morita*, 407

leech genomic library, bdellin, *Hirudo nipponia*, plasmin inhibitor, trypsin inhibitor, *Kim, Choi, Lee, Kang*, 431

*Leishmania donovani*, adhesion, extracellular matrix, infection, laminin-binding protein, *Bandyopadhyay, Karmakar, Ghosh, Das*, 141

ligase, rat liver, retinyl-CoA, retinoic acid,

- L (cont'd)
- retinoylation, *Wada, Fukui, Kubo, Takahashi*, 457
- lipoprotein, antioxidant enzyme, endothelial cell, peroxy nitrite, reactive oxygen species, *Matsuura, Nakajima, Sonoda, Koyama, Kawai, Inoue, Katayama, Hirano, Hokari, Hokari, and Komoda*, 285
- lithocholic acid, DNA polymerase  $\beta$ , DNA topoisomerase II, docking simulation, enzyme inhibitor, interaction interface, *Mizushina, Kasai, Sugawara, Iida, Yoshida, Sakaguchi*, 657
- lysophosphatidylcholine, DSC, fluorescence, gramicidin, interdigititation, *Onda, Hayashi, Mita*, 613
- M**
- macrophage, endocytosis, osteoclast, phagosome, *Sakai, Miyamoto, Okamoto, Kato, Yamamoto, Sakai*, 823
- Maf, oncogene, promoter, transcription factor, transcription repression, *Sun, Muto, Hoshino, Kobayashi, Nishimura, Yamamoto, Hayashi, Ito, Igarashi*, 385
- MAP kinase, apoptosis, ASK1, death receptor, mitochondria, *Matsuzawa, Ichijo*, 1
- , dual specificity phosphatase, protein dephosphorylation, testis, *Aoki, Aoyama, Nagata, Matsuda*, 133
- mature eggs, DNA methylation, DNA methyltransferase, monoclonal antibody, *Xenopus laevis, Shi, Suetake, Kawakami, Aimoto, Tajima*, 359
- medaka fish, exon-intron organization, gene expression, receptor, membrane guanylyl cyclase, repeated sequence, *Yamagami, Suzuki, Suzuki*, 39
- meiosis-activating steroid, CYP51, cytochrome P450, gonadotropin, ovary, *Yamashita, Aoyama, Noshiro, Yoshida*, 849
- melittin, differential scanning calorimetry, hydrophobic interaction electrostatic interaction, membrane fusion, *Higashino, Matsui, Ohki*, 393
- membrane fusion, differential scanning calorimetry, hydrophobic interaction electrostatic interaction, melittin, *Higashino, Matsui, Ohki*, 393
- membrane guanylyl cyclase, exon-intron organization, gene expression, receptor, medaka fish, repeated sequence, *Yamagami, Suzuki, Suzuki*, 39
- membrane protein, bacterial photosynthetic reaction center, electron transfer, three-dimensional structure, X-ray crystallography, *Nogi, Miki*, 319
- membrane trafficking, early endosome, self-assembly, sorting nexin 1, *Nakamura, Sun-Wada, Yamamoto, Wada, Futai*, 765
- metabotropic glutamate receptor, chimeric mutant, G protein, G protein-coupled receptor, rhodopsin, *Yamashita, Terakita, Shichida*, 149
- metallopeptidase, ADAMTS, disintegrin-like, thrombospondin type-1, thrombotic thrombocytopenic purpura, von Willebrand factor, vWF-cleaving protease, *Soejima, Minura, Hirashima, Maeda, Hamamoto, Nakagaki, Nozaki*, 475
- metalloproteinase, cobalt, halophilicity, ther-
- molysin, zinc, *Kuzuya, Inouye*, 783
- microglia, cytotoxic molecules, neurotrophic molecules, pathology, phagocytes, *Nakajima, Kohsaka*, 169
- mild denaturation, bovine liver glutamate dehydrogenase, molten globule state, octyl glucoside, *Ghobadi, Safarian, Moosavi-Movahedi, Ranjbar*, 671
- Mimosa pudica*, actin, actin-modulating protein, F-actin severing protein, gelsolin/fragmin, *Yamashiro, Kameyama, Kanbara, Tamaiya, Mabuchi, Tsuchiya*, 243
- missing gene, *Bacillus subtilis*, cloning,  $\text{Na}^+/\text{H}^+$  antiporter, *nhaG, Gouda, Kuroda, Hiramatsu, Nozaki, Kuroda, Mizushima, Tsuchiya*, 711
- mistletoe, apoptosis, cell cycle arrest, rice lectin, tumor cells, wheat germ, *Miyoshi, Koyama, Katsuna, Hayakawa, Mita, Ohta, Kaji, Isemura*, 799
- mitochondria, apoptosis, ASK1, death receptor, MAP kinase, *Matsuzawa, Ichijo*, 1
- , ATPase inhibitor (IF<sub>1</sub>), ATP synthase, F<sub>1</sub>F<sub>0</sub>-ATPase, regulation, *Ichikawa, Karaki, Kawabata, Ushida, Mizushima, Hashimoto*, 687
- mitochondrial membrane potential, ATPase inhibitor, F<sub>1</sub>F<sub>0</sub>-ATPase, intramitochondrial ATP, respiration-deficient mutant, *Lu, Miyazawa, Yamaguchi, Nouaki, Iwatsuki, Wakamatsu, Ichikawa, Hashimoto*, 873
- mitochondrial processing peptidase, mitochondrial protein precursor, presequence, processing, substrate recognition, *Kojima, Yamasaki, Kitada, Ogishima, Ito*, 497
- mitochondrial protein precursor, mitochondrial processing peptidase, presequence, processing, substrate recognition, *Kojima, Yamasaki, Kitada, Ogishima, Ito*, 497
- MLK family, JNK/SAPK pathway, scaffold protein, signal transduction, *Ikeda, Hasegawa, Masaki, Moriguchi, Nishida, Kozutsumi, Oka, Kawasaki*, 773
- molecule chaperone, eclosin hormone, folding, GroE, protein disulfide isomerase, *Fujita, Yoshida*, 575
- molten globule state, bovine liver glutamate dehydrogenase, mild denaturation, octyl glucoside, *Ghobadi, Safarian, Moosavi-Movahedi, Ranjbar*, 671
- Momordica charantia*, additive, RNase MC1, site-directed mutagenesis, substrate binding, *Numata, Kimura*, 621
- monoclonal antibody, DNA methylation, DNA methyltransferase, mature eggs, *Xenopus laevis, Shi, Suetake, Kawakami, Aimoto, Tajima*, 359
- , adenylate kinase, inhomogeneity, optical biosensor, sensorgram, *Luo, Zhou, Zou, Shen*, 553
- motor, flagella, sodium-motive force, torque generation, *Vibrio, Okabe, Yakushi, Asai, Homma*, 879
- mouse membrane cofactor protein (CD46), complement regulatory protein, short consensus repeats (SCR), soluble isoforms, transcriptome, *Tsujimura, Nunoue, Inoue, Shida, Kurita-Taniguchi, Matsumoto, Nomura, Takeya, Seya*, 841
- multidomain protein, immobilization, pepsin, pro-peptide, protein refolding, *Kurimoto, Harada, Akiyama, Sakai, Kato*, 295
- mutagenesis, damaged DNA,  $N^4$ -methoxycytosine, Watson-Crick type pairing with non-complementary bases, X-ray structure, *Hossain, Chatake, Hikima, Tsunoda, Sunami, Ueno, Matsuda, Takénaka*, 9
- myotonic dystrophy, CUG-BP, DMPK, triplex repeat, *Takahashi, Sasagawa, Usuki, Kino, Kawahara, Sorimachi, Maeda, Suzuki, Ishiura*, 581
- N**
- $^{14}\text{N}/^{13}\text{C}$  isotopic labeling, NMR, ovine interferon-tau, *Pichia pastoris*, protein expression, *Rodriguez, Krishna*, 19
- N-linked sugar chain, O-linked sugar chain, thrombomodulin, *Wakabayashi, Natsuka, Honda, Naotsuka, Ito, Kajihara, Hase*, 543
- $N^4$ -methoxycytosine, damaged DNA, mutagenesis, Watson-Crick type pairing with non-complementary bases, X-ray structure, *Hossain, Chatake, Hikima, Tsunoda, Sunami, Ueno, Matsuda, Takénaka*, 9
- N-terminus, chymotrypsin, photoactive yellow protein, photocycle,  $\text{pK}_a$ , *Harigai, Yasuda, Imamoto, Yoshihara, Tokunaga, Kataoka*, 51
- $\text{Na}^+/\text{H}^+$  antiporter, *Bacillus subtilis*, cloning, missing gene, *nhaG, Gouda, Kuroda, Hiramatsu, Nozaki, Kuroda, Mizushima, Tsuchiya*, 711
- NADH-cytochrome  $b_5$  reductase, electron transfer, flavin-binding motif, protein stability, site-directed mutagenesis, *Kimura, Nishida, Iyanagi*, 481
- NBD-Cl, inhibitor, nitrile hydratase, sulfenic acid, thiocyanate, *Bonnet, Stevens, de Sousa, Sari, Mansuy, Artaud*, 227
- neprilysin, Alzheimer's disease, amyloid  $\beta$  peptide, neutral endopeptidase, Sindbis virus, *Hama, Shirotani, Masumoto, Sekine-Aizawa, Aizawa, Saido*, 721
- neuraminidase, influenza virus, pH stability, sialidase, *Takahashi, Suzuki, Nishinaka, Kawase, Kobayashi, Jwa Hidari, Miyamoto, Guo, Shortridge, Suzuki*, 279
- neuron, patterning, SPM, SNOM, SNOAM, *Degenaar, Le Pioufle, Griscom, Tixier, Akagi, Morita, Murakami, Yokoyama, Fujita, Tamaiya*, 367
- neuronal nitric oxide synthase, electron paramagnetic resonance spectroscopy, heme, nitric oxide synthase, X-ray absorption spectroscopy, *Cosper, Scott, Hori, Nishino, Iwasaki*, 191
- neurotrophic molecules, cytotoxic molecules, microglia, pathology, phagocytes, *Nakajima, Kohsaka*, 169
- neurotrophin, brain-derived neurotrophic factor, FRS2/SNT, receptor tyrosine kinase, signal transduction, *Yamada, Suzuki, Mizutani, Asada, Matozaki, Ikeuchi, Koizumi, Hatanaka*, 157
- neutral endopeptidase, Alzheimer's disease, amyloid  $\beta$  peptide, neprilysin, Sindbis virus, *Hama, Shirotani, Masumoto, Sekine-Aizawa, Aizawa, Saido*, 721
- nhaG*, *Bacillus subtilis*, cloning, missing gene,  $\text{Na}^+/\text{H}^+$  antiporter, *Gouda, Kuroda, Hiramatsu, Nozaki, Kuroda, Mizushima, Tsuchiya*, 711
- NHE, apoptosis, calcineurin B-like protein, serine/threonine kinase, *Matsumoto, Miya-*

- N (cont'd)
- ke, Nagita, Inoue, Shitakubo, Takemoto, Ohtsuka, Murakami, Nakamura, Kanazawa, 217*
- nitric oxide synthase, electron paramagnetic resonance spectroscopy, heme, neuronal nitric oxide synthase, X-ray absorption spectroscopy, Cosper, Scott, Hori, Nishino, Iwasaki, 191
- nitrile hydratase, inhibitor, NBD-Cl, sulfenic acid, thiocyanate, Bonnet, Stevens, de Sousa, Sari, Mansuy, Artaud, 227
- NMR,  $^{15}\text{N}/^{13}\text{C}$  isotopic labeling, ovine interferon-tau, *Pichia pastoris*, protein expression, Rodriguez, Krishna, 19
- non-canonical amino acid, amino acid specificity, aminoacetylation, site-directed mutagenesis, tyrosyl-tRNA synthetase, Ohno, Yokogawa, Nishikawa, 417
- non-cysteinyl ligand, 4Fe ferredoxin, interconversion, *Thermococcus profundus*, thermostable, Imai, Taguchi, Ogawara, Ohmori, Yamakura, Ikezawa, Urushiyama, 649
- nuclear magnetic resonance (NMR), amino acid replacement, ATPase activity, nucleotide binding, reconstitution of the  $\alpha_3\beta_3\gamma$  complex, Tozawa, Yagi, Hisamatsu, Ozawa, Yoshida, Akutsu, 527
- nuclear protein, CaM-kinase, cDNA sequence, protein kinase phosphatase, protein phosphatase, Takeuchi, Ishida, Kameshita, Kitani, Okuno, Fujisawa, 833
- nucleophile, binding, kinetic partitioning, reactivity, transgalactosylation, Petzelbauer, Splechtna, Nudetzky, 341
- nucleotide binding, amino acid replacement, ATPase activity, nuclear magnetic resonance (NMR) reconstitution of the  $\alpha_3\beta_3\gamma$  complex, Tozawa, Yagi, Hisamatsu, Ozawa, Yoshida, Akutsu, 527
- nucleotides, binding protein, GlcNAc 2-epimerase, renin, Takahashi, Hori, Takahashi, Ogasawara, Tomatsu, Saito, 815
- O
- O-linked sugar chain, N-linked sugar chain, thrombomodulin, Wakabayashi, Natsuka, Honda, Naotsuka, Ito, Kajihara, Hase, 543
- octyl glucoside, bovine liver glutamate dehydrogenase, mild denaturation, molten globule state, Ghobadi, Safarian, Moosavi-Movahedi, Ranjbar, 671
- oligo clone, EBV, Fab, human monoclonal antibody, TNFa, Takekoshi, Maeda, Nagatsuka, Aotsuka, Ono, Ihara, 299
- oncogene, Maf, promoter, transcription factor, transcription repression, Sun, Muto, Hoshino, Kobayashi, Nishimura, Yamamoto, Hayashi, Ito, Igashiki, 385
- oocyte maturation, eukaryotic translation initiation factor 4G, poly(A)-binding protein, Xenopus, Wakiyama, Honkura, Miura, 737
- operator, inducer, promoter, repressor, transcriptional regulation, Lee, Hsu, Shaw, 569
- optical biosensor, adenylate kinase, inhomogeneity, monoclonal antibody, sensorgram, Luo, Zhou, Zou, Shen, 553
- oscillatory expression, biological rhythm, budding yeast, GTS1 gene, promoter, Tonozuka, Wang, Mitsui, Saito, Hamada, Tsurugi, 589
- osteoclast, endocytosis, macrophage, phago-
- some, Sakai, Miyamoto, Okamoto, Kato, Yamamoto, Sakai, 823
- ovary, CYP51, cytochrome P450, gonadotropin, meiosis-activating steroid, Yamashita, Aoyama, Noshira, Yoshida, 849
- ovine interferon-tau, NMR,  $^{15}\text{N}/^{13}\text{C}$  isotopic labeling, *Pichia pastoris*, protein expression, Rodriguez, Krishna, 19
- P
- paclitaxel (Taxol), apoptosis, Bcl-2, breast cancer, phosphorylation, Shitashige, Toi, Yano, Shibata, Matsuo, Shibasaki, 741
- parthenogenetic embryo, androgenetic embryo, imprinting, imprinted gene, Hatada, Morita, Obata, Sotomaru, Shimoda, Kono, 187
- pathology, cytotoxic molecules, microglia, neurotrophic molecules, phagocytes, Nakajima, Kohsaka, 169
- patterning, neuron, SPM, SNOM, SNOAM, Degenar, Le Pioufle, Griscom, Tixier, Akagi, Morita, Murakami, Yokoyama, Fujita, Tamaya, 367
- penta-EF-hand, ALG-2, calcium-binding protein, calpain, *Dictyostelium*, Ohkouchi, Nishio, Maeda, Hitomi, Adachi, Maki, 207
- pepsin, immobilization, multidomain protein, pro-peptide, protein refolding, Kurimoto, Harada, Akiyama, Sakai, Kato, 295
- peroxynitrite, antioxidant enzyme, endothelial cell, lipoprotein, reactive oxygen species, Matsunaga, Nakajima, Sonoda, Koyama, Kawai, Inoue, Katayama, Hirano, Hokari, Hokari, and Komoda, 285
- pH stability, influenza virus, neuraminidase, sialidase, Takahashi, Suzuki, Nishinaka, Kawase, Kobayashi, Jwa Hidari, Miyamoto, Guo, Shortridge, Suzuki, 279
- phagocytes, cytotoxic molecules, microglia, neurotrophic molecules, pathology, Nakajima, Kohsaka, 169
- phagosome, endocytosis, macrophage, osteoclast, Sakai, Miyamoto, Okamoto, Kato, Yamamoto, Sakai, 823
- phosphatidylcholine, acetylcholine, choline acetyltransferase, high affinity choline transport, retinoic acid, Bussière, Vance, Campenot, Vance, 561
- phosphatidylinositol, aquatic bacterium, branched-chain fatty acid, hemagglutinin, influenza virus, Guo, Ohta, Yoshimoto, Nakata, Shortridge, Takahashi, Suzuki, Miyamoto, Jwa Hidari, Suzuki, 377
- phosphatidylinositol 3-kinase, G protein, phosphatidylinositol 3,4,5-triphosphate, protein kinase B, Rab5, Kurosu, Katada, 73
- phosphatidylinositol 3,4,5-triphosphate, G protein, phosphatidylinositol 3-kinase, protein kinase B, Rab5, Kurosu, Katada, 73
- phosphorylation, apoptosis, Bcl-2, breast cancer, paclitaxel (Taxol), Shitashige, Toi, Yano, Shibata, Matsuo, Shibasaki, 741
- phosphorylation site, cAMP-dependent protein kinase,  $\text{Ca}^{2+}$ /calmodulin, CaM-kinase kinase, protein phosphorylation, Okuno, Kitani, Fujisawa, 503
- , cAMP-dependent protein kinase,  $\text{Ca}^{2+}$ /calmodulin, CaM-kinase kinase, protein phosphorylation, Kitani, Okuno, Fujisawa, 515
- photoactive yellow protein, chymotrypsin, N-
- terminus, photocycle, pK<sub>a</sub>, Harigai, Yasuda, Immamoto, Yoshihara, Tokunaga, Kataoka, 51
- photocycle, chymotrypsin, N-terminus, photoactive yellow protein, pK<sub>a</sub>, Harigai, Yasuda, Immamoto, Yoshihara, Tokunaga, Kataoka, 51
- PI3-kinase, arginine-specific ADP-ribosyl-transferase, gizzard, GPI-anchor, smooth muscle cell, Yamada, Terashima, Shimoymaya, Tsuchiya, 335
- Pichia pastoris*, NMR,  $^{15}\text{N}/^{13}\text{C}$  isotopic labeling, ovine interferon-tau, protein expression, Rodriguez, Krishna, 19
- ping-pong bi-bi mechanism, aminotransferase, dual-substrate enzyme, substrate specificity, *Thermus thermophilus*, Ura, Nakai, Kawaguchi, Miyahara, Hirotsu, Kuramitsu, 89
- pK<sub>a</sub>, chymotrypsin, N-terminus, photoactive yellow protein, photocycle, Harigai, Yasuda, Immamoto, Yoshihara, Tokunaga, Kataoka, 51
- PKN, GTPase activating protein, protein kinase, protein-protein interaction, Rho, Shibata, Oishi, Yamagawa, Matsumoto, Mukai, Ono, 23
- placental leucine aminopeptidase/oxytocinase, adipocyte-derived leucine aminopeptidase, exon, genomic organization, intron, Hattori, Matsumoto, Mizutani, Tsujimoto, 235
- plasmid, DNA replication, initiator protein, positive selection of mutants, pSC101, Fueki, Yamaguchi, 399
- plasmin inhibitor, bdellin, *Hirudo nipponica*, leech genomic library, trypsin inhibitor, Kim, Choi, Lee, Kang, 431
- platelet shape change, ADP-induced platelet aggregation, disintegrin, laser-light scattering, snake venom, Okuda, Morita, 407
- point mutations, dihydrofolate reductase, enzyme function, structural stability, tryptophan residues, Ohmae, Sasahi, Gekko, 439
- poly(A)-binding protein, eukaryotic translation initiation factor 4G, oocyte maturation, *Xenopus*, Wakiyama, Honkura, Miura, 737
- positive selection of mutants, DNA replication, initiator protein, plasmid, pSC101, Fueki, Yamaguchi, 399
- potentiation, aromatherapy, fragrance, GABA<sub>A</sub> receptor, *Xenopus* oocyte, Aoshima, Hosseini, Hamamoto, Yokoyama, Yamada, Shingai, 703
- presequence, mitochondrial processing peptidase, mitochondrial protein precursor, processing, substrate recognition, Kojima, Yamasaki, Kitada, Ogishima, Ito, 497
- prethrombin-2,  $\alpha$ -thrombin, inclusion body, recombinant, refolding, Soejima, Mimura, Yonemura, Nakatake, Imamura, Nozaki, 269
- pro-peptide, immobilization, multidomain protein, pepsin, protein refolding, Kurimoto, Harada, Akiyama, Sakai, Kato, 295
- pro-region, autoprocessing enzyme, protein engineering, substrate specificity, subtilisin E, Takahashi, Hasuura, Nakamori, Takagi, 99
- processing, mitochondrial processing peptidase, mitochondrial protein precursor, pre-

## P (cont'd)

sequence, substrate recognition, *Kojima, Yamasaki, Kitada, Ogishima, Ito*, 497  
 promoter, *Maf*, oncogene, transcription factor, transcription repression, *Sun, Muto, Hoshina, Kobayashi, Nishimura, Yamamoto, Hayashi, Ito, Igarashi*, 385  
 —, inducer, operator, repressor, transcriptional regulation, *Lee, Hsu, Shaw*, 569  
 —, biological rhythm, budding yeast, *GTS1* gene, oscillatory expression, *Tonozuka, Wang, Mitsui, Saito, Hamada, Tsurugi*, 589  
 propeptide, amino acid replacement, intramolecular chaperone, refolding, subtilisin, tertiary-structure-forming mutant, *Kojima, Yanai, Miura*, 471  
 —, *Bombyx*, cathepsin L, cysteine proteinase, inhibitor, *Kurata, Yamamoto, Watabe, Makino, Ogawa, Takahashi*, 857  
 protein B23, DNA polymerase  $\alpha$ , protein isoforms, *Umekawa, Sato, Takemura, Watanabe, Usui, Takahashi, Yoshida, Olson, Furuchi*, 199  
 protein dephosphorylation, dual specificity phosphatase, MAP kinase, testis, *Aoki, Aoyama, Nagata, Matsuda*, 133  
 protein disulfide isomerase, eclosion hormone, folding, *GroE*, molecule chaperone, *Fujita, Yoshida*, 575  
 protein engineering, autoprocessing enzyme, pro-region, substrate specificity, subtilisin E, *Takahashi, Hasuura, Nakamori, Takagi*, 99  
 protein expression, NMR,  $^{15}\text{N}/^{13}\text{C}$  isotopic labeling, ovine interferon-tau, *Pichia pastoris, Rodriguez, Krishna*, 19  
 protein isoforms, DNA polymerase  $\alpha$ , protein B23, *Umekawa, Sato, Takemura, Watanabe, Usui, Takahashi, Yoshida, Olson, Furuchi*, 199  
 protein kinase, GTPase activating protein, PKN, protein-protein interaction, *Rho, Shubata, Oishi, Yamagawa, Matsumoto, Mukai, Ono*, 23  
 protein kinase B, G protein, phosphatidylinositol 3-kinase, phosphatidylinositol 3,4,5-triphosphate, *Rab5, Kurosu, Katada*, 73  
 protein kinase phosphatase, CaM-kinase, cDNA sequence, nuclear protein, protein phosphatase, *Takeuchi, Ishida, Kameshita, Kitani, Okuno, Fujisawa*, 833  
 protein phosphatase, CaM-kinase, cDNA sequence, nuclear protein, protein kinase phosphatase, *Takeuchi, Ishida, Kameshita, Kitani, Okuno, Fujisawa*, 833  
 protein phosphorylation, cAMP-dependent protein kinase,  $\text{Ca}^{2+}$ /calmodulin, CaM-kinase kinase, phosphorylation site, *Okuno, Kitani, Fujisawa*, 503  
 —, cAMP-dependent protein kinase,  $\text{Ca}^{2+}$ /calmodulin, CaM-kinase kinase phosphorylation site, *Kitani, Okuno, Fujisawa*, 515  
 protein-protein interaction, GTPase activating protein, PKN, protein kinase, *Rho, Shubata, Oishi, Yamagawa, Matsumoto, Mukai, Ono*, 23  
 —,  $^{13}\text{C}$ -carbonyl NMR, CRP, RNA polymerase, transcription regulation, *Lee, Won, Park, Kyogoku, Lee*, 57  
 protein refolding, immobilization, multidomain protein, pepsin, pro-peptide, *Kuri-*

*moto, Harada, Akiyama, Sakai, Kato*, 295  
 protein-RNA interactions, decoding center, ribosome, RNA-binding protein, X-ray structure, *Hosaka, Yao, Kimura, Tanaka*, 695  
 protein stability,  $\beta$ -galactosidase, frequency-domain fluorometry, SDS, *D'Auria, Cesare, Gryczynski, Rossi, Lakowicz*, 13  
 —, electron transfer, flavin-binding motif, NADH-cytochrome  $b_5$  reductase, site-directed mutagenesis, *Kimura, Nishida, Iyanagi*, 481  
 proteolysis, apoptosis, caspase-3, cytoskeleton, filamen, *Umeda, Kouchi, Kawahara, Tomioka, Sasagawa, Maeda, Sorimachi, Ishura, Suzuki*, 535  
 pSC101, DNA replication, initiator protein, plasmid, positive selection of mutants, *Fueki, Yamaguchi*, 399  
 PTK, genetic analysis, ITAM, Syk, ZAP-70, *Sada, Takano, Yanagi, Yamamura*, 177  
 pulmonary surfactant, alveolar type II cell, annexin, lamellar body, secretion, *Sohma, Ohkawa, Akino, Kuroki*, 449  
 putidaredoxin, adrenodoxin, cytochrome P450cam, cytochrome P450ccc, EPR, *Takeuchi, Tsubaki, Futagawa, Masuya, Hori*, 789  
*Pyrococcus furiosus*, hyperthermophile, pyrrolidone carboxyl peptidase, thermal stability, X-ray structure, *Tanaka, Chinami, Mizushima, Ogasahara, Ota, Tsukihara, Yutani*, 107  
 pyrrolidone carboxyl peptidase, hyperthermophile, *Pyrococcus furiosus*, thermal stability, X-ray structure, *Tanaka, Chinami, Mizushima, Ogasahara, Ota, Tsukihara, Yutani*, 107

## Q

quality control, calnexin, glycosylation of lysozyme, *Saccharomyces cerevisiae, Song, Sato, Saito, Usui, Azakami, Kato*, 757

## R

Rab5, G protein, phosphatidylinositol 3-kinase, phosphatidylinositol 3,4,5-triphosphate, protein kinase B, *Kurosu, Katada*, 73  
 racemization, aggregation, deamidation, hen lysozyme, sucrose, trehalose, *Ueda, Nagata, Imota*, 491  
 Raman spectra, charge-transfer complex,  $\Delta$ -amino acid oxidase, enzyme-ligand interaction, flavoenzyme, *Nishina, Sato, Shi, Setoyama, Miura, Shiga*, 637  
 rat liver, ligase, retinoyl-CoA, retinoic acid, retinylation, *Wada, Fukui, Kubo, Takahashi*, 457  
 reactive oxygen species, antioxidant enzyme, endothelial cell, lipoprotein, peroxynitrite, *Matsunaga, Nakajima, Sonoda, Koyama, Kawai, Inoue, Katayama, Hirano, Hokari, Hokari, and Komoda*, 285

reactivity, binding, nucleophile, kinetic partitioning, transgalactosylation, *Petzelbauer, Splechtna, Nidetzky*, 341  
 receptor, exon-intron organization, gene expression, medaka fish, membrane guanylyl cyclase, repeated sequence, *Yamagami, Suzuki, Suzuki*, 39  
 receptor tyrosine kinase, brain-derived neurotrophic factor, FRS2/SNT, neurotrophin,

signal transduction, *Yamada, Suzuki, Mizutani, Asada, Matozaki, Ikeuchi, Koizumi, Hatanaka*, 157

recombinant,  $\alpha$ -thrombin, inclusion body, pre-thrombin-2, refolding, *Soejima, Mimura, Yonemura, Nakatake, Imamura, Nozaki*, 269

reconstitution of the  $\alpha_3\beta_3\gamma$  complex, amino acid replacement, ATPase activity, nuclear magnetic resonance (NMR), nucleotide binding, *Tozawa, Yagi, Hisamatsu, Ozawa, Yoshida, Akutsu*, 527

refolding,  $\alpha$ -thrombin, inclusion body, pre-thrombin-2, recombinant, *Soejima, Mimura, Yonemura, Nakatake, Imamura, Nozaki*, 269

—, amino acid replacement, intramolecular chaperone, propeptide, subtilisin, tertiary-structure-forming mutant, *Kojima, Yanai, Miura*, 471

regulation, ATPase inhibitor (IF<sub>1</sub>), ATP synthase,  $\text{F}_1\text{F}_0$ -ATPase, mitochondria, *Ichikawa, Karaku, Kawabata, Ushida, Mizushima, Hashimoto*, 687

renin, binding protein, GlcNAc 2-epimerase, nucleotides, *Takahashi, Hori, Takahashi, Ogasawara, Tomatsu, Saito*, 815

repeated sequence, exon-intron organization, gene expression, receptor, medaka fish, membrane guanylyl cyclase, *Yamagami, Suzuki, Suzuki*, 39

repressor, inducer, operator, promoter, transcriptional regulation, *Lee, Hsu, Shaw*, 569

respiration-deficient mutant, ATPase inhibitor,  $\text{F}_1\text{F}_0$ -ATPase, intramitochondrial ATP, mitochondrial membrane potential, *Lu, Miyazawa, Yamaguchi, Nowaki, Iwatsuki, Wakamatsu, Ichikawa, Hashimoto*, 873

retinoic acid, ligase, rat liver, retinoyl-CoA, retinylation, *Wada, Fukui, Kubo, Takahashi*, 457

—, acetylcholine, choline acetyltransferase, high affinity choline transport, phosphatidylcholine, *Bussière, Vance, Campenot, Vance*, 561

retinoyl-CoA, ligase, rat liver, retinoic acid, retinylation, *Wada, Fukui, Kubo, Takahashi*, 457

retinylation, ligase, rat liver, retinoyl-CoA, retinoic acid, *Wada, Fukui, Kubo, Takahashi*, 457

retrovirus vector, bone marrow cells, CH-296, gene transfer, gibbon ape leukemia virus, *Chono, Yoshioka, Ueno, Kato*, 331

reverse hydrolysis, endoglycosidase, fluorescence-labeling, glycosphingolipids, trans-glycosylation, *Horibata, Higashi, Ito*, 263

Rho, GTPase activating protein, PKN, protein kinase, protein-protein interaction, *Shubata, Oishi, Yamagawa, Matsumoto, Mukai, Ono*, 23

rhodopsin, chimeric mutant, G protein, G protein-coupled receptor, metabotropic glutamate receptor, *Yamashita, Terakita, Shichida*, 149

ribosome, decoding center, protein-RNA interactions, RNA-binding protein, X-ray structure, *Hosaka, Yao, Kimura, Tanaka*, 695

ribozyme, evolution, GNRA loop, intron, RNA motif, *Ikawa, Nohmi, Atsumi, Shiraishi, Inoue*, 251

rice lectin, apoptosis, cell cycle arrest, mistle-

## R (cont'd)

toe, tumor cells, wheat germ, Miyoshi, Koyama, Katsuno, Hayakawa, Mita, Ohta, Kaji, Isenura, 799

RNA-binding protein, decoding center, protein-RNA interactions, ribosome, X-ray structure, Hosaka, Yao, Kimura, Tanaka, 695

RNA motif, evolution, GNRA loop, intron, ribozyme, Ikawa, Nohmi, Atsumi, Shiraishi, Inoue, 251

RNA polymerase, <sup>13</sup>C-carbonyl NMR, CRP, protein-protein interaction, transcription regulation, Lee, Won, Park, Kyogoku, Lee, 57

RNase MC1, additive, *Momordica charantia*, site-directed mutagenesis, substrate binding, Numata, Kimura, 621

## S

*Saccharomyces cerevisiae*, calnexin, glycosylation of lysozyme, quality control, Song, Sato, Saito, Usui, Azakami, Kato, 757 scaffold protein, JNK/SAPK pathway, MLK family, signal transduction, Ikeda, Hasegawa, Masaki, Moriguchi, Nishida, Kozutsumi, Oka, Kawasaki, 773

SDS, β-galactosidase, frequency-domain fluorometry, protein stability, D'Auria, Cesare, Gryczynski, Rossi, Lakowicz, 13

secretion, alveolar type II cell, annexin, lamellar body, pulmonary surfactant, Sohma, Ohkawa, Akino, Kuroki, 449

self-assembly, early endosome, membrane trafficking, sorting nexin 1, Nakamura, Sun-Wada, Yamamoto, Wada, Futai, 765

sensorgram, adenylate kinase, inhomogeneity, monoclonal antibody, optical biosensor, Luo, Zhou, Zou, Shen, 553

serine protease, amphiphilic α-helix, antibacterial peptide, bacterial membrane, insect, Tsuji, Aoyama, Takeuchi, Homma, Takahashi, Nakajima, Shimada, Natori, 313

—, brushborder membrane, intestinal mucosa, subcellular localization, substrate specificity, Kishi, Yamazaki, Yasuda, Yahagi, Ichinose, Tsuchiya, Athauda, Inoue, Takahashi, 425

serine/threonine kinase, apoptosis, calcineurin B-like protein, NHE, Matsumoto, Miyake, Nagita, Inoue, Shitakubo, Takemoto, Ohtsuka, Murakami, Nakamura, Kanazawa, 217

Shiga toxin, blocking antibodies, carbohydrate recognition, enzyme-linked immunosorbent assay, *Escherichia coli*, Imai, Matsuura, Ono, Ishikawa, Ito, 665

short consensus repeats (SCR), complement regulatory protein, mouse membrane cofactor protein (CD46), soluble isoforms, transcriptome, Tsujimura, Nunoue, Inoue, Shida, Kurita-Taniguchi, Matsumoto, Nomura, Takeya, Seya, 841

sialidase, influenza virus, neuraminidase, pH stability, Takahashi, Suzuki, Nishinaka, Kawase, Kobayashi, Jwa Hidari, Miyamoto, Guo, Shortridge, Suzuki, 279

signal transduction, brain-derived neurotrophic factor, FRS2/SNT, neurotrophin, receptor tyrosine kinase, Yamada, Suzuki, Mizutani, Asada, Matozaki, Ikeuchi, Koizumi, Hatanaka, 157

—, JNK/SAPK pathway, MLK family, scaffold protein, Ikeda, Hasegawa, Masaki, Moriguchi, Nishida, Kozutsumi, Oka, Kawasaki, 773

Sindbis virus, Alzheimer's disease, amyloid β peptide, neprilysin, neutral endopeptidase, Hama, Shirotani, Masumoto, Sekine-Aizawa, Aizawa, Saito, 721

site-directed mutagenesis, amino acid specificity, aminoacylation, non-canonical amino acid, tyrosyl-tRNA synthetase, Ohno, Yokogawa, Nishikawa, 417

—, electron transfer, flavin-binding motif, NADH-cytochrome *b*<sub>6</sub> reductase, protein stability, Kimura, Nishida, Iyanagi, 481

—, additive, *Momordica charantia*, RNase MC1, substrate binding, Numata, Kimura, 621

—, biotin synthase, chemical modification, iron-sulfur cluster, Farh, Hwang, Steinrauf, Chiang, Shuan, 627

—, acetyl-CoA, synthetase, active site residue, *Bradyrhizobium japonicum*, steady-state kinetics, Lee, Na, Koo, Kim, 807

smooth muscle cell, arginine-specific ADP-ribosyltransferase, gizzard, GPI-anchor, PI3-kinase, Yamada, Terashima, Shimoyma, Tsuchiya, 335

snake venom, ADP-induced platelet aggregation, disintegrin, laser-light scattering, platelet shape change, Okuda, Morita, 407

SNOAM, neuron, patterning, SPM, SNOM, Degenaar, Le Poulle, Griscom, Tixier, Akagi, Morita, Murakami, Yokoyama, Fujita, Tamaya, 367

SNOM, neuron, patterning, SPM, SNOAM, Degenaar, Le Poulle, Griscom, Tixier, Akagi, Morita, Murakami, Yokoyama, Fujita, Tamaya, 367

sodium-motive force, flagella, motor, torque generation, Vibrio, Okabe, Yakushi, Asai, Homma, 879

soluble isoforms, complement regulatory protein, mouse membrane cofactor protein (CD46), short consensus repeats (SCR), transcriptome, Tsujimura, Nunoue, Inoue, Shida, Kurita-Taniguchi, Matsumoto, Nomura, Takeya, Seya, 841

sorting nexin 1, early endosome, membrane trafficking, self-assembly, Nakamura, Sun-Wada, Yamamoto, Wada, Futai, 765

spectrin, hemolysis, high pressure, human erythrocyte, vesicle, Yamaguchi, Miyamoto, Terada, 597

SPM, neuron, patterning, SNOM, SNOAM, Degenaar, Le Poulle, Griscom, Tixier, Akagi, Morita, Murakami, Yokoyama, Fujita, Tamaya, 367

Src, HB-EGF, hyperosmotic stress, JNK, Koh, Che, Higashiyama, Takahashi, Miyamoto, Suzuki, Taniguchi, 351

steady-state kinetics, acetyl-CoA, synthetase, active site residue, *Bradyrhizobium japonicum*, site-directed mutagenesis, Lee, Na, Koo, Kim, 807

structural stability, dihydrofolate reductase, enzyme function, point mutations, tryptophan residues, Ohmae, Sasaki, Gekko, 439

subcellular localization, brushborder membrane, intestinal mucosa, serine protease, substrate specificity, Kishi, Yamazaki, Yasuda, Yahagi, Ichinose, Tsuchiya, Athauda,

Inoue, Takahashi, 425

subsite, chitooligosaccharide, chitosanase, substrate binding, unfolding, Tremblay, Yamaguchi, Fukamizo, Brzezinski, 679

substrate binding, additive, *Momordica charantia*, RNase MC1, site-directed mutagenesis, Numata, Kimura, 621

—, chitooligosaccharide, chitosanase, subsite, unfolding, Tremblay, Yamaguchi, Fukamizo, Brzezinski, 679

substrate recognition, mitochondrial processing peptidase, mitochondrial protein precursor, presequence, processing, Kojima, Yamamoto, Kitada, Ogishima, Ito, 497

substrate specificity, aminotransferase, dual-substrate enzyme, ping-pong bi-bi mechanism, *Thermus thermophilus*, Ura, Nakai, Kawaguchi, Miyahara, Hirotsu, Kuramitsu, 89

—, autoprocessing enzyme, pro-region, protein engineering, subtilisin E, Takahashi, Hasuura, Nakamori, Takagi, 99

—, brushborder membrane, intestinal mucosa, serine protease, subcellular localization, Kishi, Yamazaki, Yasuda, Yahagi, Ichinose, Tsuchiya, Athauda, Inoue, Takahashi, 425

subtilisin, amino acid replacement, intramolecular chaperone, propeptide, refolding, tertiary-structure-forming mutant, Kojima, Yanai, Miura, 471

subtilisin E, autoprocessing enzyme, pro-region, protein engineering, substrate specificity, Takahashi, Hasuura, Nakamori, Takagi, 99

sucrose, aggregation, deamidation, hen lysozyme, racemization, trehalose, Ueda, Nagata, Imota, 491

sulfenic acid, inhibitor, NBD-Cl, nitrile hydrolase, thiocyanate, Bonnet, Stevens, de Sousa, Sari, Mansuy, Artaud, 227

Syk, genetic analysis, ITAM, PTK, ZAP-70, Sada, Takano, Yanagi, Yamamura, 177

synthetase, acetyl-CoA, active site residue, *Bradyrhizobium japonicum*, site-directed mutagenesis, steady-state kinetics, Lee, Na, Koo, Kim, 807

## T

tertiary-structure-forming mutant, amino acid replacement, intramolecular chaperone, propeptide, refolding, subtilisin, Kojima, Yanai, Miura, 471

testis, dual specificity phosphatase, MAP kinase, protein dephosphorylation, Aoki, Aoyama, Nagata, Matsuda, 133

thermal stability, hyperthermophile, *Pyrococcus furiosus*, pyrrolidone carboxyl peptidase, X-ray structure, Tanaka, Chinami, Mizushima, Ogasahara, Ota, Tsukihara, Yutani, 107

*Thermococcus profundus*, 4Fe ferredoxin, interconversion, non-cysteinyl ligand, thermostable, Imai, Taguchi, Ogawara, Ohmori, Yamakura, Ikezawa, Urushiyama, 649

thermolysin, cobalt, halophilicity, metalloproteinase, zinc, Kuzuya, Inouye, 783

thermostable, 4Fe ferredoxin, interconversion, non-cysteinyl ligand, *Thermococcus profundus*, Imai, Taguchi, Ogawara, Ohmori, Yamakura, Ikezawa, Urushiyama, 649

*Thermus thermophilus*, aminotransferase,

## T (cont'd)

- dual-substrate enzyme, ping-pong bi-bi mechanism, substrate specificity, *Ura, Nakai, Kawaguchi, Miyahara, Hirotsu, Kuramitsu*, 89
- thiocyanate, inhibitor, NBD-Cl, nitrile hydratase, sulfenic acid, *Bonnet, Stevens, de Sousa, Sari, Mansuy, Artaud*, 227
- Thomsen-Friedenreich disaccharide, carbohydrate-binding proteins, cell proliferation, *Irazoqui, Jansson, Lopez, Noreas*, 33
- three-dimensional structure, bacterial photosynthetic reaction center, electron transfer, membrane protein, X-ray crystallography, *Nogi, Miki*, 319
- thrombomodulin, *N*-linked sugar chain, O-linked sugar chain, *Wakabayashi, Natsuka, Honda, Naotsuka, Ito, Kayihara, Hase*, 543
- thrombospondin type-1, ADAMTS, disintegrin-like, metalloprotease, thrombotic thrombocytopenic purpura, von Willebrand factor, vWF-cleaving protease, *Soejima, Mimura, Hirashima, Maeda, Hamamoto, Nakagaki, Nozaki*, 475
- thrombotic thrombocytopenic purpura, ADAMTS, disintegrin-like, metalloprotease, thrombospondin type-1, von Willebrand factor, vWF-cleaving protease, *Soejima, Mimura, Hirashima, Maeda, Hamamoto, Nakagaki, Nozaki*, 475
- TNF<sub>α</sub>, EBV, Fab, human monoclonal antibody, oligo clone, *Takekoshi, Maeda, Nagatsuka, Aotsuka, Ono, Ihara*, 299
- torque generation, flagella, motor, sodium-motive force, *Vibrio, Okabe, Yakushi, Asai, Homma*, 879
- transcription, CCN family, chondrocyte, CTGF, HCS-2/8, *Eguchi, Kubota, Kondo, Shimo, Hattori, Nakanishi, Kuboki, Yatani, Takigawa*, 79
- transcription factor, Maf, oncogene, promoter, transcription repression, *Sun, Muto, Hoshino, Kobayashi, Nishimura, Yamamoto, Hayashi, Ito, Igarashi*, 385
- , differentiation, haematopoietic cell, hepatocyte, homeobox gene, *Kikkawa, Hinata, Keng Myint, Sato, Yamada, Tanaka, Noguchi*, 885
- transcription regulation, <sup>13</sup>C-carbonyl NMR, CRP, protein-protein interaction, RNA polymerase, *Lee, Won, Park, Kyogoku, Lee*, 57
- transcription repression, Maf, oncogene, promoter, transcription factor, *Sun, Muto, Hoshino, Kobayashi, Nishimura, Yamamoto, Hayashi, Ito, Igarashi*, 385
- transcriptional regulation, inducer, operator, promoter, repressor, *Lee, Hsu, Shaw*, 569
- transcriptome, complement regulatory pro-

tein, mouse membrane cofactor protein (CD46), short consensus repeats (SCR), soluble isoforms, *Tsujimura, Nunoue, Inoue, Shida, Kurita-Taniguchi, Matsumoto, Nomura, Takeya, Seya*, 841

transgalactosylation, binding, nucleophile, kinetic partitioning, reactivity, *Petzelbauer, Splechtna, Nidetzky*, 341

transglutaminase, *Caenorhabditis elegans*, cloning, ERp57, *Natsuka, Takubo, Seki, Ikura*, 731

transglycosylation, endoglycosidase, fluorescence-labeling, glycosphingolipids, reverse hydrolysis, *Horibata, Higashi, Ito*, 263

trehalose, aggregation, deamidation, hen lysozyme, racemization, sucrose, *Ueda, Nagata, Imoto*, 491

triplex repeat, CUG-BP, DMPK, myotonic dystrophy, *Takahashi, Sasagawa, Usuki, Kino, Kawahara, Sorimachi, Maeda, Suzuki, Ishiura*, 581

troponin, ATPase, calcium, cardiac muscle, hypertrophy, *Takahashi-Yanaga, Ohtsuki, Morimoto*, 127

trypsin inhibitor, bdellin, *Hirudo nipponia*, leech genomic library, plasmin inhibitor, *Kim, Choi, Lee, Kang*, 431

tryptophan residues, dihydrofolate reductase, enzyme function, point mutations, structural stability, *Ohmae, Sasaki, Gekko*, 439

tumor cells, apoptosis, cell cycle arrest, rice lectin, mistletoe, wheat germ, *Miyoshi, Kobayama, Katsuno, Hayakawa, Mita, Ohta, Kaji, Isemura*, 799

tyrosyl-tRNA synthetase, amino acid specificity, aminoacylation, non-canonical amino acid, site-directed mutagenesis, *Ohno, Yokogawa, Nishikawa*, 417

## U

unfolding, chitooligosaccharide, chitosanase, subsite, substrate binding, *Tremblay, Yamaguchi, Fukamizo, Brzezinski*, 679

## V

vesicle, hemolysis, high pressure, human erythrocyte, spectrin, *Yamaguchi, Miyamoto, Terada*, 597

*Vibrio*, flagella, motor, sodium-motive force, torque generation, *Okabe, Yakushi, Asai, Homma*, 879

von Willebrand factor, ADAMTS, disintegrin-like, metalloprotease, thrombospondin type-1, thrombotic thrombocytopenic purpura, vWF-cleaving protease, *Soejima, Mimura, Hirashima, Maeda, Hamamoto, Nakagaki, Nozaki*, 475

vWF-cleaving protease, ADAMTS, disintegrin-like, metalloprotease, thrombospondin type-

1, thrombotic thrombocytopenic purpura, von Willebrand factor, *Soejima, Mimura, Hirashima, Maeda, Hamamoto, Nakagaki, Nozaki*, 475

## W

Watson-Crick type pairing with non-complementary bases, damaged DNA, N<sup>1</sup>-methoxyctosine, mutagenesis, X-ray structure, *Hossain, Chatake, Hikima, Tsunoda, Sunami, Ueno, Matsuda, Takénaka*, 9

wheat germ, apoptosis, cell cycle arrest, rice lectin, mistletoe, tumor cells, *Miyoshi, Kobayama, Katsuno, Hayakawa, Mita, Ohta, Kaji, Isemura*, 799

## X

X-ray absorption spectroscopy, electron paramagnetic resonance spectroscopy, heme, neuronal nitric oxide synthase, nitric oxide synthase, *Casper, Scott, Hori, Nishino, Iwasaki*, 191

X-ray crystallography, bacterial photosynthetic reaction center, electron transfer, membrane protein, three-dimensional structure, *Nogi, Miki*, 319

—, crystallization, DNA primase, DNA replication, hyperthermophilic archaeon, *Ito, Nureki, Shirouzu, Yokoyama, Hanaoka*, 727

X-ray structure, damaged DNA, N<sup>1</sup>-methoxyctosine, mutagenesis, Watson-Crick type pairing with non-complementary bases, *Hossain, Chatake, Hikima, Tsunoda, Sunami, Ueno, Matsuda, Takénaka*, 9

—, hyperthermophile, *Pyrococcus furiosus*, pyrrolidone carboxyl peptidase, thermal stability, *Tanaka, Chinami, Mizushima, Ogashara, Ota, Tsukihara, Yutani*, 107

—, decoding center, protein-RNA interactions, ribosome, RNA-binding protein, *Hosaka, Yao, Kimura, Tanaka*, 695

*Xenopus*, eukaryotic translation initiation factor 4G, oocyte maturation, poly(A)-binding protein, *Wakiyama, Honkura, Miura*, 737

*Xenopus laevis*, DNA methylation, DNA methyltransferase, mature eggs, monoclonal antibody, *Shi, Suetake, Kawakami, Aimoto, Tajima*, 359

*Xenopus* oocyte, aromatherapy, fragrance, GABA<sub>A</sub> receptor, potentiation, *Aoshima, Hossain, Hamamoto, Yokoyama, Yamada, Shingai*, 703

## Z

ZAP-70, genetic analysis, ITAM, PTK, Syk, *Sada, Takano, Yanagi, Yamamura*, 177

zinc, cobalt, halophilicity, metalloproteinase, thermolysin, *Kuzuya, Inouye*, 783

# THE JOURNAL OF BIOCHEMISTRY

EDITED FOR  
THE JAPANESE BIOCHEMICAL SOCIETY  
VOLUME 130, 2001

## *E D I T O R I A L   B O A R D*

*Editor-in-Chief*

Koichi SUZUKI (Tokyo)

*Editors*

*JB Reviews*

*Biochemistry*

*Molecular Biology*

*Cell*

*Biotechnology*

Tadaomi TAKENAWA (Tokyo)

Toshisuke KAWASAKI (Kyoto)

Eiki KOMINAMI (Tokyo)

Yoshiaki FUJII-KURIYAMA (Sendai)

Toshiaki KATADA (Tokyo)

Izumi KUMAGAI (Sendai)

*Managing Editors*

Toshiaki KATADA (Tokyo)

Naoyuki TANIGUCHI (Suita)

*Associate Editors*

*Biochemistry*

Kuniyo INOUYE (Kyoto)

Hideo KANO (Sapporo)

Shinichi KOHSAKA (Kodaira)

Masaru TANOKURA (Tokyo)

Shuichi TSUJI (Hadano)

Kenji YAMAMOTO (Fukuoka)

Fumio HANAOKA (Suita)

Motoya KATSUKI (Okazaki)

Hiroyuki SASAKI (Mishima)

Tatsuya HAGA (Tokyo)

Akihiko NAKANO (Wako)

Kenji SOBUE (Suita)

Shinji IJIMA (Nagoya)

Yasufumi KANEDA (Suita)

Katsura IZUI (Kyoto)

Hisao KATO (Suita)

Masataka MORI (Kumamoto)

Tomofusa TSUCHIYA (Okayama)

Akihito YAMAGUCHI (Ibaraki)

Kenshi HAYASHI (Fukuoka)

Kunihiro MATSUMOTO (Nagoya)

Masayuki YAMAMOTO (Tsukuba)

Atsushi MIYAJIMA (Tokyo)

Shigeo OHNO (Yokohama)

Masahiro IWAKURA (Tsukuba)

Eiichi TAMIYA (Ishikawa)

## Advisory Board

### *Biochemistry*

Elinor T. ADMAN (Seattle)  
Shohei FURUKAWA (Gifu)  
Masaaki HIROSE (Uji)  
Tokuji IKEDA (Kyoto)  
Makoto ITO (Fukuoka)  
Ushio KIKKAWA (Kobe)  
Hisatake KONDO (Sendai)  
Ta-Hsiu LIAO (Taipei)  
Alfred H. MERRILL, Jr. (Atlanta)  
Norio MUTO (Shobara)  
Fumihiko SATO (Kyoto)  
Yukio SUGIURA (Uji)  
Dennis E. VANCE (Edmonton)  
Satoshi YAMASHITA (Maebashi)  
Tadashi YOSHIMOTO (Nagasaki)

Kurt DRICKAMER (Oxford)  
Saburo HARA (Kyoto)  
Michio HOMMA (Nagoya)  
Tatsuro IRIMURA (Tokyo)  
Keiichi KAWANO (Toyama)  
Kiyoshi KITA (Tokyo)  
Konosuke KUMAKURA (Tokyo)  
Masatomo MAEDA (Suita)  
Taeko MIYAGI (Natori)  
Hideaki NAGASE (London)  
Toru SHIMIZU (Sendai)  
Koji SUZUKI (Tsu)  
Tetsuro YAMAMOTO (Kumamoto)  
Koji YODA (Tokyo)

Kiyoshi FURUKAWA (Tokyo)  
Seisuke HATTORI (Kodaira)  
Yoshimi HOMMA (Fukushima)  
Akio ITO (Fukuoka)  
Seiichi KAWASHIMA (Tokyo)  
Takehiko KOIDE (Hyogo)  
Kunihiro KUWAJIMA (Tokyo)  
Peter MALONEY (Baltimore)  
Tomonari MURAMATSU (Tokyo)  
Takaaki NISHIOKA (Kyoto)  
Kazuyuki SUGAHARA (Kobe)  
Noriaki TAKEGUCHI (Toyama)  
Hirohei YAMAMURA (Kobe)  
Shinji YOKOYAMA (Nagoya)

### *Molecular Biology*

Hiroyuki ARAKI (Mishima)  
Akira HORII (Sendai)  
Hidetoshi INOKO (Isehara)  
Daisuke KITAMURA (Noda)  
Ken-ichirou MOROHASHI (Okazaki)  
Lorenz POELLINGER (Stockholm)  
Takashi TODA (London)  
Hideyo YASUDA (Hachioji)

James D. ENGEL (Evanston)  
Nobumichi HOZUMI (Noda)  
Tetsuro ISHII (Tsukuba)  
Hisao MASAI (Tokyo)  
Tsunehiro MUKAI (Saga)  
Tomokazu SUZUKI (Itami)  
Morimasa WADA (Fukuoka)  
Yoshihiro YONEDA (Suita)

Akiyoshi FUKAMIZU (Tsukuba)  
Toshinori IDE (Hiroshima)  
Takeo KISHIMOTO (Yokohama)  
Takeshi MIZUNO (Nagoya)  
Yusaku NAKABEPPU (Fukuoka)  
Shoji TAJIMA (Suita)  
Masao YAMADA (Tokyo)

### *Cell*

Toshiya ENDO (Nagoya)  
Haruhiro HIGASHIDA (Kanazawa)  
Kozo KAIBUCHI (Nagoya)  
Eisuke MEKADA (Suita)  
Toru NAKANO (Suita)  
Hiroshi OHNO (Kanazawa)  
Mamoru SANO (Kyoto)  
Mitsuo TAGAYA (Hachioji)

Yukio FUJIKI (Fukuoka)  
Masaki INAGAKI (Nagoya)  
Akira KIKUCHI (Hiroshima)  
Takashi MURAMATSU (Nagoya)  
Kazuhisa NAKAYAMA (Tsukuba)  
Harumasa OKAMOTO (Tsukuba)  
Hiroyuki SUGIYAMA (Fukuoka)  
Takashi YOKOTA (Tokyo)

Yasuhisa FUKUI (Tokyo)  
Makoto INUI (Ube)  
Toshio KITAMURA (Tokyo)  
Shigekazu NAGATA (Suita)  
Masuo OBINATA (Sendai)  
David SAFFEN (Tokyo)  
Tetsuya TAGA (Tokyo)  
Akihiko YOSHIMURA (Kurume)

### *Biotechnology*

Yoshiharu DOI (Wako)  
Patricia A. JENNINGS (San Diego)  
Izumi KUBO (Hachioji)  
Fumio MIZUTANI (Tsukuba)  
Shigemi NORIOKA (Suita)  
Kiyotaka SHIBA (Tokyo)  
Toshifumi TAKEUCHI (Hiroshima)

Nobuyoshi ESAKI (Uji)  
Makoto KIMURA (Fukuoka)  
Isamu MATSUMOTO (Tokyo)  
Teruyuki NAGAMUNE (Tokyo)  
Takahiro OCHIYA (Tokyo)  
Masayasu SUZUKI (Iizuka)  
Norihiro TSUKAGOSHI (Nagoya)

Shigehisa HIROSE (Yokohama)  
Kazukiyo KOBAYASHI (Nagoya)  
Kohnosuke MITANI (Los Angeles)  
Satoshi NISHIKAWA (Tsukuba)  
Teruo OKANO (Tokyo)  
Yoshinobu TAKAKURA (Kyoto)

COPYRIGHT, 2001 © BY THE JAPANESE BIOCHEMICAL SOCIETY

PUBLISHED

BY

THE JAPANESE BIOCHEMICAL SOCIETY

## CONTENTS OF VOLUME 130

---

**No. 1, July, 2001**

	PAGE
<b>JB Review</b>	
Molecular Mechanisms of the Decision between Life and Death: Regulation of Apoptosis by Apoptosis Signal-Regulating Kinase 1	A. Matsuzawa and H. Ichijo 1
<b>Rapid Communication</b>	
Crystallographic Studies on Damaged DNAs: III. N <sup>4</sup> -Methoxycytosine Can Form Both Watson-Crick Type and Wobbled Base Pairs in a B-Form Duplex	M.T. Hossain, T. Chatake, T. Hikima, M. Tsunoda, T. Sunami, Y. Ueno, A. Matsuda, and A. Takénaka 9
<b>Regular Papers</b>	
On the Effect of Sodium Dodecyl Sulfate on the Structure of β-Galactosidase from <i>Escherichia coli</i> . A Fluorescence Study	S. D'Auria, N.D. Cesare, I. Gryczynski, M. Rossi, and J.R. Lakowicz 13
An Economical Method for <sup>15</sup> N/ <sup>13</sup> C Isotopic Labeling of Proteins Expressed in <i>Pichia pastoris</i>	E. Rodriguez and N.R. Krishna 19
PKNβ Interacts with the SH3 Domains of Graf and a Novel Graf Related Protein, Graf2, Which Are GTPase Activating Proteins for Rho Family	H. Shibata, K. Oishi, A. Yamagiwa, M. Matsumoto, H. Mukai, and Y. Ono 23
Correlative Fine Specificity of Several Thomsen-Friedenreich Disaccharide-Binding Proteins with an Effect on Tumor Cell Proliferation	F.J. Irazoqui, B. Jansson, P.H.H. Lopez, and G.A. Nores 33
Expression and Exon/Intron Organization of Two Medaka Fish Homologs of the Mammalian Guanylyl Cyclase A	S. Yamagami, K. Suzuki, and N. Suzuki 39
Amino Acids in the N-Terminal Region Regulate the Photocycle of Photoactive Yellow Protein	M. Harigai, S. Yasuda, Y. Imamoto, K. Yoshihara, F. Tokunaga, and M. Kataoka 51
Detection of the Protein-Protein Interaction between Cyclic AMP Receptor Protein and RNA Polymerase, by <sup>13</sup> C-Carbonyl NMR	T.-W. Lee, H.-S. Won, S.-H. Park, Y. Kyogoku, and B.-J. Lee 57
Genetic Analysis of the <i>isc</i> Operon in <i>Escherichia coli</i> Involved in the Biogenesis of Cellular Iron-Sulfur Proteins	U. Tokumoto and Y. Takahashi 63
Association of Phosphatidylinositol 3-Kinase Composed of p110β-Catalytic and p85-Regulatory Subunits with the Small GTPase Rab5	H. Kurosu and T. Katada 73
Regulatory Mechanism of Human Connective Tissue Growth Factor (CTGF/Hcs24) Gene Expression in a Human Chondrocytic Cell Line, HCS-2/8	T. Eguchi, S. Kubota, S. Kondo, T. Shimo, T. Hattori, T. Nakanishi, T. Kuboki, H. Yatani, and M. Takigawa 79
Substrate Recognition Mechanism of Thermophilic Dual-Substrate Enzyme	H. Ura, T. Nakai, S. Kawaguchi, I. Miyahara, K. Hirotsu, and S. Kuramitsu 89
Improved Autoprocessing Efficiency of Mutant Subtilisins E with Altered Specificity by Engineering of the Pro-Region	M. Takahashi, Y. Hasuura, S. Nakamori, and H. Takagi 99
X-Ray Crystalline Structures of Pyrrolidone Carboxyl Peptidase from a Hyperthermophile, <i>Pyrococcus furiosus</i> , and Its Cys-Free Mutant	H. Tanaka, M. Chinami, T. Mizushima, K. Ogasahara, M. Ota, T. Tsukihara, and K. Yutani 107
A Novel α-Amino-Acid Esterase from <i>Bacillus mycoides</i> Capable of Forming Peptides of DD- and DL-Configurations	A. Sugihara, Y. Shimada, S. Sugihara, T. Nagao, Y. Watanabe, and Y. Tominaga 119

	PAGE	
Effects of Troponin T Mutations in Familial Hypertrophic Cardiomyopathy on Regulatory Functions of Other Troponin Subunits	F. Takahashi-Yanaga, I. Ohtsuki, and S. Morimoto	127
A Growing Family of Dual Specificity Phosphatases with Low Molecular Masses	N. Aoki, K. Aoyama, M. Nagata, and T. Matsuda	133
Role of 67 kDa Cell Surface Laminin Binding Protein of <i>Leishmania donovani</i> in Pathogenesis	K. Bandyopadhyay, S. Karmakar, A. Ghosh, and P.K. Das	141
The Second Cytoplasmic Loop of Metabotropic Glutamate Receptor Functions at the Third Loop Position of Rhodopsin	T. Yamashita, A. Terakita, and Y. Shichida	149
Analysis of Tyrosine Phosphorylation-Dependent Protein-Protein Interactions in TrkB-Mediated Intracellular Signaling Using Modified Yeast Two-Hybrid System	M. Yamada, K. Suzuki, M. Mizutani, A. Asada, T. Matozaki, T. Ikeuchi, S. Koizumi, and H. Hatanaka	157
<b>Corrections</b>		<b>167</b>

No. 2, August, 2001

**JB Reviews**

Microglia: Activation and Their Significance in the Central Nervous System	K. Nakajima and S. Kohsaka	169
Structure and Function of Syk Protein-Tyrosine Kinase	K. Sada, T. Takano, S. Yanagi, and H. Yamamura	177

**Rapid Communication**

Identification of a New Imprinted Gene, <i>Rian</i> , on Mouse Chromosome 12 by Fluorescent Differential Display Screening	I. Hatada, S. Morita, Y. Obata, Y. Sotomaru, M. Shimoda, and T. Kono	187
--	--	-----

**Regular Papers**

X-Ray Absorption Spectroscopic Analysis of the High-Spin Ferriheme Site in Substrate-Bound Neuronal Nitric-Oxide Synthase	N.J. Cosper, R.A. Scott, H. Hori, T. Nishino, and T. Iwasaki	191
The Carboxyl Terminal Sequence of Nucleolar Protein B23.1 Is Important in Its DNA Polymerase $\alpha$ -Stimulatory Activity	H. Umekawa, K. Sato, M. Takemura, Y. Watanabe, S. Usui, T. Takahashi, S. Yoshida, M.O.J. Olson, and Y. Furuichi	199
Identification and Characterization of Two Penta-EF-Hand $\text{Ca}^{2+}$ -Binding Proteins in <i>Dictyostelium discoideum</i>	S. Ohkouchi, K. Nishio, M. Maeda, K. Hitomi, H. Adachi, and M. Maki	207
A Serine/Threonine Kinase Which Causes Apoptosis-Like Cell Death Interacts with a Calcineurin B-Like Protein Capable of Binding $\text{Na}^+$ / $\text{H}^+$ Exchanger	M. Matsumoto, Y. Miyake, M. Nagita, H. Inoue, D. Shitakubo, K. Takemoto, C. Ohtsuka, H. Murakami, N. Nakamura, and H. Kanazawa	217
New Inhibitors of Iron-Containing Nitrile Hydratases	D. Bonnet, J.M. Stevens, R.A. de Sousa, M.-A. Sari, D. Mansuy, and I. Artaud	227
Genomic Organization of the Human Adipocyte-Derived Leucine Amino-peptidase Gene and Its Relationship to the Placental Leucine Amino-peptidase/Oxytocinase Gene	A. Hattori, K. Matsumoto, S. Mizutani, and M. Tsujimoto	235
The Gelsolin/Fragmin Family Protein Identified in the Higher Plant <i>Mimosa pudica</i>	S. Yamashiro, K. Kameyama, N. Kanzawa, T. Tamiya, I. Mabuchi, and T. Tsuchiya	243

	PAGE
A Comparative Study on Two GNRA-Tetraloop Receptors: 11-nt and IC3 Motifs	Y. Ikawa, K. Nohmi, S. Atsumi, H. Shiraishi, and T. Inoue 251
A High Molecular Weight Glutamyl Endopeptidase and Its Endogenous Inhibitors from Cucumber Leaves	Y. Yamauchi, Y. Ejiri, T. Sugimoto, K. Sueyoshi, Y. Oji, and K. Tanaka 257
Transglycosylation and Reverse Hydrolysis Reactions of Endoglycoceramidase from the Jellyfish, <i>Cyanea nozakii</i>	Y. Horibata, H. Higashi, and M. Ito 263
An Efficient Refolding Method for the Preparation of Recombinant Human Prethrombin-2 and Characterization of the Recombinant-Derived $\alpha$ -Thrombin	K. Soejima, N. Mimura, H. Yonemura, H. Nakatake, T. Imamura, and C. Nozaki 269
Duck and Human Pandemic Influenza A Viruses Retain Sialidase Activity under Low pH Conditions	T. Takahashi, Y. Suzuki, D. Nishinaka, N. Kawase, Y. Kobayashi, K.I.-P. Jwa Hidari, D. Miyamoto, C.-T. Guo, K.F. Shortridge, and T. Suzuki 279
Modulation of Reactive Oxygen Species in Endothelial Cells by Peroxynitrite-Treated Lipoproteins	T. Matsunaga, T. Nakajima, M. Sonoda, I. Koyama, S. Kawai, I. Inoue, S. Katayama, K. Hirano, S. Hokari, and T. Komoda 285
<i>In Vitro</i> Refolding of Porcine Pepsin Immobilized on Agarose Beads	E. Kurimoto, T. Harada, A. Akiyama, T. Sakai, and K. Kato 295
Cloning and Expression of Human Anti-Tumor Necrosis Factor- $\alpha$ Monoclonal Antibodies from Epstein-Barr Virus Transformed Oligoclonal Libraries	M. Takekoshi, F. Maeda, Y. Nagatsuka, S. Aotsuka, Y. Ono, and S. Ihara 299
A Growth Signal with an Artificially Induced Erythropoietin Receptor-gp130 Cytoplasmic Domain Heterodimer	M. Kawahara, H. Ueda, K. Tsumoto, I. Kumagai, W. Mahoney, and T. Nagamune 305
Identification and Characterization of an Antibacterial Peptide of the 26-kDa Protease of <i>Sarcophaga peregrina</i> with Antibacterial Activity	Y. Tsuji, T. Aoyama, K. Takeuchi, K. Homma, H. Takahashi, Y. Nakajima, I. Shimada, and S. Natori 313

No. 3, September, 2001

**JB Review**

Structural Basis of Bacterial Photosynthetic Reaction Centers	T. Nogi and K. Miki 319
---	----------------------------

**Rapid Communication**

Removal of Inhibitory Substances with Recombinant Fibronectin-CH-296 Plates Enhances the Retroviral Transduction Efficiency of CD34 $^+$ CD38 $^-$ Bone Marrow Cells	H. Chono, H. Yoshioka, M. Ueno, and I. Kato 331
--	--

**Regular Papers**

Arginine-Specific ADP-Ribosyltransferase on the Surface of Gizzard Smooth Muscle Cells and the Involvement of Phosphatidylinositol 3-Kinase in Maintaining the Activity of This Transferase	K. Yamada, M. Terashima, M. Shimoyama, and M. Tsuchiya 335
---	---

Galactosyl Transfer Catalyzed by Thermostable $\beta$ -Glycosidases from <i>Sulfolobus solfataricus</i> and <i>Pyrococcus furiosus</i> : Kinetic Studies of the Reactions of Galactosylated Enzyme Intermediates with a Range of Nucleophiles	I. Petzelbauer, B. Splechtna, and B. Nidetzky 341
---	--

Osmotic Stress Induces HB-EGF Gene Expression via Ca $^{2+}$ /Pyk2/JNK Signal Cascades in Rat Aortic Smooth Muscle Cells	Y.H. Koh, W. Che, S. Higashiyama, M. Takahashi, Y. Miyamoto, K. Suzuki, and N. Taniguchi 351
--	---

<i>Xenopus</i> Eggs Express an Identical DNA Methyltransferase, Dnmt1, to Somatic Cells	L. Shi, I. Suetake, T. Kawakami, S. Aimoto, and S. Tajima 359
---	--

	PAGE	
<b>A Method for Micrometer Resolution Patterning of Primary Culture Neurons for SPM Analysis</b>	P. Degenaar, B. Le Pioufle, L. Griscom, A. Tixier, Y. Akagi, Y. Morita, Y. Murakami, K. Yokoyama, H. Fujita, and E. Tamiya	367
<b>A Unique Phosphatidylinositol Bearing a Novel Branched-Chain Fatty Acid from <i>Rhodococcus equi</i> Binds to Influenza Virus Hemagglutinin and Inhibits the Infection of Cells</b>	C.-T. Guo, S. Ohta, A. Yoshimoto, K. Nakata, K.F. Shortridge, T. Takahashi, T. Suzuki, D. Miyamoto, K.I.-P. Jwa Hidari, and Y. Suzuki	377
<b>The Promoter of Mouse Transcription Repressor <i>bach1</i> Is Regulated by Sp1 and <i>Trans</i>-Activated by Bach1</b>	J. Sun, A. Muto, H. Hoshino, A. Kobayashi, S. Nishimura, M. Yamamoto, N. Hayashi, E. Ito, and K. Igarashi	385
<b>Membrane Fusion between Liposomes Composed of Acidic Phospholipids and Neutral Phospholipids Induced by Melittin: A Differential Scanning Calorimetric Study</b>	Y. Higashino, A. Matsui, and K. Ohki	393
<b>The Structure and Function of the Replication Initiator Protein (Rep) of pSC101: An Analysis Based on a Novel Positive-Selection System for the Replication-Deficient Mutants</b>	T. Fueki and K. Yamaguchi	399
<b>Purification and Characterization of a New RGD/KGD-Containing Dimeric Disintegrin, Piscivostatin, from the Venom of <i>Aghistrodon piscivorus piscivorus</i>: The Unique Effect of Piscivostatin on Platelet Aggregation</b>	D. Okuda and T. Morita	407
<b>Changing the Amino Acid Specificity of Yeast Tyrosyl-tRNA Synthetase by Genetic Engineering</b>	S. Ohno, T. Yokogawa, and K. Nishikawa	417
<b>Characterization of a Membrane-Bound Arginine-Specific Serine Protease from Rat Intestinal Mucosa</b>	K. Kishi, K. Yamazaki, I. Yasuda, N. Yahagi, M. Ichinose, Y. Tsuchiya, S.B.P. Athauda, H. Inoue, and K. Takahashi	425
<b>Domain and Genomic Sequence Analysis of Bdellin-KL, a Leech-Derived Trypsin-Plasmin Inhibitor</b>	Y.H. Kim, J.G. Choi, G.M. Lee, and K.W. Kang	431
<b>Effects of Five-Tryptophan Mutations on Structure, Stability and Function of <i>Escherichia coli</i> Dihydrofolate Reductase</b>	E. Ohmae, Y. Sasaki, and K. Gekko	439
<b>Binding of Annexins to Lung Lamellar Bodies and the PMA-Stimulated Secretion of Annexin V from Alveolar Type II Cells</b>	H. Sohma, H. Ohkawa, T. Akino, and Y. Kuroki	449
<b>Formation of Retinoyl-CoA in Rat Tissues</b>	M. Wada, T. Fukui, Y. Kubo, and N. Takahashi	457
<b>Glycogen Debranching Enzyme in Bovine Brain</b>	E. Narahara, Y. Makino, and K. Omichi	465
<b>No. 4, October, 2001</b>		
<b>Rapid Communications</b>		
<b>Accelerated Refolding of Subtilisin BPN' by Tertiary-Structure-Forming Mutants of Its Propeptide</b>	S. Kojima, H. Yanai, and K. Miura	471
<b>A Novel Human Metalloprotease Synthesized in the Liver and Secreted into the Blood: Possibly, the von Willebrand Factor-Cleaving Protease?</b>	K. Soejima, N. Mimura, M. Hirashima, H. Maeda, T. Hamamoto, T. Nakagaki, and C. Nozaki	475
<b>Regular Papers</b>		
<b>Effects of Flavin-Binding Motif Amino Acid Mutations in the NADH-Cytochrome <i>b</i><sub>5</sub> Reductase Catalytic Domain on Protein Stability and Catalysis</b>	S. Kimura, H. Nishida, and T. Iyanagi	481

	PAGE	
Aggregation and Chemical Reaction in Hen Lysozyme Caused by Heating at pH 6 Are Depressed by Osmolytes, Sucrose and Trehalose	T. Ueda, M. Nagata, and T. Imoto	491
Recognition of Mitochondrial Protein Precursor Lacking Arginine at Position -2 by Mitochondrial Processing Peptidase: Processing of Bovine Cytochrome P450(SCC) Precursor	K. Kojima, E. Yamasaki, S. Kitada, T. Ogishima, and A. Ito	497
Regulation of $\text{Ca}^{2+}$ /Calmodulin-Dependent Protein Kinase Kinase $\alpha$ by cAMP-Dependent Protein Kinase: I. Biochemical Analysis	S. Okuno, T. Kitani, and H. Fujisawa	503
Regulation of $\text{Ca}^{2+}$ /Calmodulin-Dependent Protein Kinase Kinase $\alpha$ by cAMP-Dependent Protein Kinase: II. Mutational Analysis	T. Kitani, S. Okuno, and H. Fujisawa	515
Functions and ATP-Binding Responses of the Twelve Histidine Residues in the $\text{TF}_1\text{-ATPase}$ $\beta$ Subunit	K. Tozawa, H. Yagi, K. Hisamatsu, K. Ozawa, M. Yoshida, and H. Akutsu	527
Limited Proteolysis of Filamin Is Catalyzed by Caspase-3 in U937 and Jurkat Cells	T. Umeda, Z. Kouchi, H. Kawahara, S. Tomioka, N. Sasagawa, T. Maeda, H. Sorimachi, S. Ishiura, and K. Suzuki	535
Structural Analysis of the Sugar Chains of Human Urinary Thrombomodulin	H. Wakabayashi, S. Natsuka, M. Honda, M. Naotsuka, Y. Ito, J. Kajihara, and S. Hase	543
Antibody–Antigen Interactions Measured by Surface Plasmon Resonance: Global Fitting of Numerical Integration Algorithms	J. Luo, J. Zhou, W. Zou, and P. Shen	553
Compartmentalization of Choline and Acetylcholine Metabolism in Cultured Sympathetic Neurons	M. Bussière, J.E. Vance, R.B. Campenot, and D.E. Vance	561
Transcriptional Regulation of the <i>Bacillus subtilis</i> <i>bscR-CYP102A3</i> Operon by the BscR Repressor and Differential Induction of Cytochrome CYP102A3 Expression by Oleic Acid and Palmitate	T.-R. Lee, H.-P. Hsu, and G.-C. Shaw	569

No. 5, November, 2001

**Regular Papers**

Efficient Folding of the Insect Neuropeptide Ecdision Hormone by Protein Disulfide Isomerase	N. Fujita and M. Yoshida	575
Coexpression of the CUG-Binding Protein Reduces DM Protein Kinase Expression in COS Cells	N. Takahashi, N. Sasagawa, F. Usuki, Y. Kino, H. Kawahara, H. Sorimachi, T. Maeda, K. Suzuki, and S. Ishiura	581
Analysis of the Upstream Regulatory Region of the <i>GTS1</i> Gene Required for Its Oscillatory Expression	H. Tonozuka, J. Wang, K. Mitsui, T. Saito, Y. Hamada, and K. Tsurugi	589
Suppression of High-Pressure-Induced Hemolysis of Human Erythrocytes by Preincubation at 49°C	T. Yamaguchi, J. Miyamoto, and S. Terada	597
Dissociation of m-Calpain Subunits Occurs after Autolysis of the N-Terminus of the Catalytic Subunit, and Is Not Required for Activation	K. Nakagawa, H. Masumoto, H. Sorimachi, and K. Suzuki	605
Interaction of Gramicidin with Lysophosphatidylcholine as Revealed by Calorimetry and Fluorescence Spectroscopy	M. Onda, H. Hayashi, and T. Mita	613
Contribution of Gln9 and Phe80 to the Substrate Binding in Ribonuclease MC1 from Bitter Gourd Seeds	T. Numata and M. Kimura	621
Structure–Function Studies of <i>Escherichia coli</i> Biotin Synthase via a Chemical Modification and Site-Directed Mutagenesis Approach	L. Farh, S.-Y. Hwang, L. Steinrauf, H.-J. Chiang, and D. Shiuan	627
On the Ligands in Charge-Transfer Complexes of Porcine Kidney Flavoenzyme D-Amino Acid Oxidase in Three Redox States: A Resonance Raman Study	Y. Nishina, K. Sato, R. Shi, C. Setoyama, R. Miura, and K. Shiga	637

	PAGE	
Characterization and Cloning of an Extremely Thermostable, <i>Pyrococcus furiosus</i> -Type 4Fe Ferredoxin from <i>Thermococcus profundus</i>	T. Imai, K. Taguchi, Y. Ogawara, D. Ohmori, F. Yamakura, H. Ikezawa, and A. Urushiyama	649
Three-Dimensional Structural Model Analysis of the Binding Site of Lithocholic Acid, an Inhibitor of DNA Polymerase $\beta$ and DNA Topoisomerase II	Y. Mizushina, N. Kasai, F. Sugawara, A. Iida, H. Yoshida, and K. Sakaguchi	657
Demonstration of the pH Sensitive Binding of Multivalent Carbohydrate Ligands to Immobilized Shiga-Like Toxin 1 B Subunits	Y. Imai, Y. Matsuura, Y. Ono, T. Ishikawa, and Y. Ito	665
Octyl Glucoside Induced Formation of the Molten Globule-Like State of Glutamate Dehydrogenase	S. Ghobadi, S. Safarian, A.A. Moosavi-Movahedi, and B. Ranjbar	671
Mechanism of Chitosanase-Oligosaccharide Interaction: Subsite Structure of <i>Streptomyces</i> sp. N174 Chitosanase and the Role of Asp57 Carboxylate	H. Tremblay, T. Yamaguchi, T. Fukamizo, and R. Brzezinski	679
The Region from Phenylalanine-17 to Phenylalanine-28 of a Yeast Mitochondrial ATPase Inhibitor Is Essential for Its ATPase Inhibitory Activity	N. Ichikawa, A. Karaki, M. Kawabata, S. Ushida, M. Mizushima, and T. Hashimoto	687
The Structure of the Archaeabacterial Ribosomal Protein S7 and Its Possible Interaction with 16S rRNA	H. Hosaka, M. Yao, M. Kimura, and I. Tanaka	695
Kinetic Analyses of Alcohol-Induced Potentiation of the Response of GABA <sub>A</sub> Receptors Composed of $\alpha_1$ and $\beta_1$ Subunits	H. Aoshima, S.J. Hossain, K. Hamamoto, T. Yokoyama, M. Yamada, and R. Shingai	703
<i>nhaG</i> Na <sup>+</sup> /H <sup>+</sup> Antiporter Gene of <i>Bacillus subtilis</i> ATCC9372, Which Is Missing in the Complete Genome Sequence of Strain 168, and Properties of the Antiporter	T. Gouda, M. Kuroda, T. Hiramatsu, K. Nozaki, T. Kuroda, T. Mizushima, and T. Tsuchiya	711
<b>Corrections</b>		719
<b>No. 6, December, 2001</b>		
<b>Rapid Communications</b>		
Clearance of Extracellular and Cell-Associated Amyloid $\beta$ Peptide through Viral Expression of Neprilysin in Primary Neurons	E. Hama, K. Shirotani, H. Masumoto, Y. Sekine-Aizawa, H. Aizawa, and T.C. Saido	721
Crystallization and Preliminary X-Ray Analysis of a DNA Primase from Hyperthermophilic Archaeon <i>Pyrococcus horikoshii</i>	N. Ito, O. Nureki, M. Shirouzu, S. Yokoyama, and F. Hanaoka	727
<b>Regular Papers</b>		
Molecular Cloning and Expression of <i>Caenorhabditis elegans</i> ERp57-Homologue with Transglutaminase Activity	S. Natsuka, R. Takubo, R. Seki, and K. Ikura	731
Interference with Interaction between Eukaryotic Translation Initiation Factor 4G and Poly(A)-Binding Protein in <i>Xenopus</i> Oocytes Leads to Inhibition of Polyadenylated mRNA Translation and Oocyte Maturation	M. Wakiyama, N. Honkura, and K. Miura	737
Dissociation of Bax from a Bcl-2/Bax Heterodimer Triggered by Phosphorylation of Serine 70 of Bcl-2	M. Shitashige, M. Toi, T. Yano, M. Shibata, Y. Matsuo, and F. Shibasaki	741
Side Chain Effect on Ion Channel Characters of Aib Rich Peptides	T. Hara, H. Komada, Y. Higashimoto, H. Yamaguchi, M. Jelokhani-Niaraki, T. Ehara, and M. Kondo	749
Effects of Calnexin Deletion in <i>Saccharomyces cerevisiae</i> on the Secretion of Glycosylated Lysozymes	Y. Song, J. Sata, A. Saito, M. Usui, H. Azakami, and A. Kato	757

	PAGE	
Association of Mouse Sorting Nexin 1 with Early Endosomes	N. Nakamura, G.-H. Sun-Wada, A. Yamamoto, Y. Wada, and M. Futai	765
Mixed Lineage Kinase LZK Forms a Functional Signaling Complex with JIP-1, a Scaffold Protein of the c-Jun NH <sub>2</sub> -Terminal Kinase Pathway	A. Ikeda, K. Hasegawa, M. Masaki, T. Moriguchi, E. Nishida, Y. Kozutsumi, S. Oka, and T. Kawasaki	773
Effects of Cobalt-Substitution of the Active Zinc Ion in Thermolysin on Its Activity and Active-Site Microenvironment	K. Kuzuya and K. Inouye	783
Adrenodoxin-Cytochrome P450scc Interaction as Revealed by EPR Spectroscopy: Comparison with the Putidaredoxin-Cytochrome P450cam System	K. Takeuchi, M. Tsubaki, J. Futagawa, F. Masuya and H. Hori	789
Apoptosis Induction Associated with Cell Cycle Dysregulation by Rice Bran Agglutinin	N. Miyoshi, Y. Koyama, Y. Katsuno, S. Hayakawa, T. Mita, T. Ohta, K. Kaji, and M. Isemura	799
Identification of Active Site Residues in <i>Bradyrhizobium japonicum</i> Acetyl-CoA Synthetase	H.Y. Lee, K.B. Na, H.M. Koo, and Y.S. Kim	807
Effects of Nucleotides on N-Acetyl-D-Glucosamine 2-Epimerases (Renin-Binding Proteins): Comparative Biochemical Studies	S. Takahashi, K. Hori, K. Takahashi, H. Ogasawara, M. Tomatsu, and K. Saito	815
Characterization of Phagosomal Subpopulations along Endocytic Routes in Osteoclasts and Macrophages	E. Sakai, H. Miyamoto, K. Okamoto, Y. Kato, K. Yamamoto, and H. Sakai	823
Identification and Characterization of CaMKP-N, Nuclear Calmodulin-Dependent Protein Kinase Phosphatase	M. Takeuchi, A. Ishida, I. Kameshita, T. Kitani, S. Okuno, and H. Fujisawa	833
Three Soluble Form Messages of Murine CD46 Are Produced through Alternative mRNA Splicing	A. Tsujimura, K. Nunoue, N. Inoue, K. Shida, M. Kurita-Taniguchi, M. Matsumoto, M. Nomura, T. Takeya, and T. Seya	841
Gonadotropin-Dependent Expression of Sterol 14-Demethylase P450 (CYP51) in Rat Ovaries and Its Contribution to the Production of a Meiosis-Activating Steroid	C. Yamashita, Y. Aoyama, M. Noshiro, and Y. Yoshida	849
<i>Bombyx</i> Cysteine Proteinase Inhibitor (BCPI) Homologous to Propeptide Regions of Cysteine Proteinases Is a Strong, Selective Inhibitor of Cathepsin L-Like Cysteine Proteinases	M. Kurata, Y. Yamamoto, S. Watabe, Y. Makino, K. Ogawa, and S.Y. Takahashi	857
Energetic Feasibility of Hydrogen Abstraction and Recombination in Coenzyme B <sub>12</sub> -Dependent Diol Dehydratase Reaction	T. Toraya, M. Eda, T. Kamachi, and K. Yoshizawa	865
Deletion of Mitochondrial ATPase Inhibitor in the Yeast <i>Saccharomyces cerevisiae</i> Decreased Cellular and Mitochondrial ATP Levels under Non-Nutritional Conditions and Induced a Respiration-Deficient Cell-Type	Y.-M. Lu, K. Miyazawa, K. Yamaguchi, K. Nowaki, H. Iwatsuki, Y. Wakamatsu, N. Ichikawa, and T. Hashimoto	873
Cloning and Characterization of <i>motX</i> , a <i>Vibrio alginolyticus</i> Sodium-Driven Flagellar Motor Gene	M. Okabe, T. Yakushi, Y. Asai, and M. Homma	879
Sp Family Members Stimulate Transcription of the <i>Hex</i> Gene via Interactions with GC Boxes	E. Kikkawa, M. Hinata, V.W. Keng, Z. Myint, A. Sato, K. Yamada, T. Tanaka, and T. Noguchi	885



**Physiological Chemistry**

- Gonadotropin-Dependent Expression of Sterol 14-Demethylase P450(CYP51) in Rat Ovaries and Its Contribution to the Production of a Meiosis-Activating Steroid C. Yamashita, Y. Aoyama, M. Noshiro, and Y. Yoshida 849

**MOLECULAR BIOLOGY****Molecular Biology General**

- Identification and Characterization of CaMKP-N, Nuclear Calmodulin-Dependent Protein Kinase Phosphatase M. Takeuchi, A. Ishida, I. Kameshita, T. Kitani, S. Okuno, and H. Fujisawa 833

**Gene Expression**

- Sp Family Members Stimulate Transcription of the *Hex* Gene via Interactions with GC Boxes E. Kikkawa, M. Hinata, V.W. Keng, Z. Myint, A. Sato, K. Yamada, T. Tanaka, and T. Noguchi 885

**Protein Synthesis**

- Interference with Interaction between Eukaryotic Translation Initiation Factor 4G and Poly(A)-Binding Protein in *Xenopus* Oocytes Leads to Inhibition of Polyadenylated mRNA Translation and Oocyte Maturation M. Wakiyama, N. Honkura, and K. Miura 737

**CELL****Biomembranes, Organelles, and Protein Sorting**

- Association of Mouse Sorting Nexin 1 with Early Endosomes N. Nakamura, G.-H. Sun-Wada, A. Yamamoto, Y. Wada, and M. Futai 765

**Receptors and Signal Transduction**

- Mixed Lineage Kinase LZK Forms a Functional Signaling Complex with JIP-1, a Scaffold Protein of the c-Jun NH<sub>2</sub>-Terminal Kinase Pathway A. Ikeda, K. Hasegawa, M. Masaki, T. Moriguchi, E. Nishida, Y. Kozutsumi, S. Oka, and T. Kawasaki 773

**Stress Proteins and Molecular Chaperones**

- Effects of Calnexin Deletion in *Saccharomyces cerevisiae* on the Secretion of Glycosylated Lysozymes Y. Song, J. Sata, A. Saito, M. Usui, H. Azakami, and A. Kato 757

**Cell Death**

- Dissociation of Bax from a Bcl-2/Bax Heterodimer Triggered by Phosphorylation of Serine 70 of Bcl-2 M. Shitashige, M. Toi, T. Yano, M. Shibata, Y. Matsuo, and F. Shibasaki 741

MILLERSVILLE UNIV PERIODICALS GANSER LIBRARY  
PO BOX 1002 MILLERSVILLE, PA 17551-0302  
U.S.A.

130008 01 Sub # 471-590-1502 (1)  
(The Journal of Biochemistry)

## CONTENTS Rearranged According to Subject Categories, Vol. 130, No. 6

### BIOCHEMISTRY

#### Protein Structure

- Crystallization and Preliminary X-Ray Analysis of a DNA Primase from Hyperthermophilic Archaeon *Pyrococcus horikoshii* *Rapid Communication* N. Ito, O. Nureki, M. Shirouzu, S. Yokoyama, and F. Hanaoka 727
- Adrenodoxin–Cytochrome P450ccc Interaction as Revealed by EPR Spectroscopy: Comparison with the Putidaredoxin–Cytochrome P450cam System K. Takeuchi, M. Tsubaki, J. Futagawa, F. Masuya, and H. Hori 789

#### Nucleic Acid and Peptide Biochemistry

- Side Chain Effect on Ion Channel Characters of Aib Rich Peptides T. Hara, H. Komada, Y. Higashimoto, H. Yamaguchi, M. Jelokhani-Niaraki, T. Ehara, and M. Kondo 749

#### Glycobiology and Carbohydrate Biochemistry

- Effects of Cobalt-Substitution of the Active Zinc Ion in Thermolysin on Its Activity and Active-Site Microenvironment K. Kuzuya and K. Inouye 783
- Apoptosis Induction Associated with Cell Cycle Dysregulation by Rice Bran Agglutinin N. Miyoshi, Y. Koyama, Y. Katsuno, S. Hayakawa, T. Mita, T. Ohta, K. Kaji, and M. Isemura 799

#### Enzymology

- Molecular Cloning and Expression of *Caenorhabditis elegans* ERp57-Homologue with Transglutaminase Activity S. Natsuka, R. Takubo, R. Seki, and K. Ikura 731
- Identification of Active Site Residues in *Bradyrhizobium japonicum* Acetyl-CoA Synthetase H.Y. Lee, K.B. Na, H.M. Koo, and Y.S. Kim 807
- Energetic Feasibility of Hydrogen Abstraction and Recombination in Coenzyme B<sub>12</sub>-Dependent Diol Dehydratase Reaction T. Toraya, M. Eda, T. Kamachi, and K. Yoshizawa 865

#### Biochemistry of Proteolysis

- Clearance of Extracellular and Cell-Associated Amyloid  $\beta$  Peptide through Viral Expression of Neprilysin in Primary Neurons *Rapid Communication* E. Hama, K. Shirotani, H. Masumoto, Y. Sekine-Aizawa, H. Aizawa, and T.C. Saido 721
- Effects of Nucleotides on N-Acetyl-D-Glucosamine 2-Epimerases (Renin-Binding Proteins): Comparative Biochemical Studies S. Takahashi, K. Hori, K. Takahashi, H. Ogasawara, M. Tomatsu, and K. Saito 815
- Characterization of Phagosomal Subpopulations along Endocytic Routes in Osteoclasts and Macrophages E. Sakai, H. Miyamoto, K. Okamoto, Y. Kato, K. Yamamoto, and H. Sakai 823
- Bombyx* Cysteine Proteinase Inhibitor (BCPI) Homologous to Propeptide Regions of Cysteine Proteinases Is a Strong, Selective Inhibitor of Cathepsin L-Like Cysteine Proteinases M. Kurata, Y. Yamamoto, S. Watabe, Y. Makino, K. Ogawa, and S.Y. Takahashi 857

#### Metabolism and Bioenergetics

- Deletion of Mitochondrial ATPase Inhibitor in the Yeast *Saccharomyces cerevisiae* Decreased Cellular and Mitochondrial ATP Levels under Non-Nutritional Conditions and Induced a Respiration-Deficient Cell-Type Y.-M. Lu, K. Miyazawa, K. Yamaguchi, K. Nowaki, H. Iwatsuki, Y. Wakamatsu, N. Ichikawa, and T. Hashimoto 873

#### Biochemistry in Cell Membranes

- Cloning and Characterization of *motX*, a *Vibrio alginolyticus* Sodium-Driven Flagellar Motor Gene M. Okabe, T. Yakushi, Y. Asai, and M. Homma 879

#### Immunochemistry

- Three Soluble Form Messages of Murine CD46 Are Produced through Alternative mRNA Splicing A. Tsujimura, K. Nunoue, N. Inoue, K. Shida, M. Kurita-Taniguchi, M. Matsumoto, M. Nomura, T. Takeya, and T. Seya 841