

INDEX TO AUTHORS

A

- Abe-Yoshizumi, R. See *Terashima, Kojima, and Homma*, 411
 Abe, H. See *Yoshikawa, and Okada*, 249
 Abe, S. See *Chiba, Tokuhara, and Morita*, 403
 Akbar, B.K. See *Osada, Shimizu, Kanamori, and Ueda*, 693
 Amano, K. See *Hirata, Miyashita, Yasunaga, Nakanishi, and Sato*, 51
 Ansell, C.M. See *Yang, Wood, Ohmori, Oh, Xiong, Berger, Peña, and Hrushesky*, 289
 Aoyama, E. See *Maeda, Nishida, Kubota, Lyons, Kuboki, and Takigawa*, 207
 Aoyama, T. See *Matsuyama, Satoh, Nakata, and Inoue*, 445
 Arima, N. See *Muraoka, Ito, Kamimura, Baba, Suda, Hashiguchi, Torikai, Nakashima, and Sugimura*, 799
 Arnórðóttir, J., Sigtryggssdóttir, Á.R., Thorbjarnardóttir, S.H., and Kristjánsson, M.M. Effect of Proline Substitutions on Stability and Kinetic Properties of a Cold Adapted Subtilase, 325
 Atoda, H. See *Ishikawa, Kumashiro, Yamazaki, and Morita*, 123

B

- Baba, M. See *Muraoka, Ito, Kamimura, Arima, Suda, Hashiguchi, Torikai, Nakashima, and Sugimura*, 799
 Ban, C. See *Kim, Cha, Lee, Heo, Choi, and Ku*, 199
 Barciszewska, M.Z. See *Fedoruk-Wyszomirska, Szymański, Wyszko, and Barciszewski*, 451
 Barciszewski, J. See *Fedoruk-Wyszomirska, Szymański, Wyszko, and Barciszewska*, 451
 Bargo, A.M. See *Krishnamoorthy, Heimburg-Molinaro, Nash, and Nash*, 177
 Berger, F.G. See *Yang, Wood, Ansell, Ohmori, Oh, Xiong, Peña, and Hrushesky*, 289
 Bhakuni, V. See *Singh*, 721

C

- Cha, H.J. See *Kim, Lee, Heo, Choi, Ku, and Ban*, 199
 Chen, D.-J. See *Lu, Wang, Yan, Wang, and Gao*, 309
 Chen, Z.-T. See *Yang, Yue, Huang, Zhuang, and Xing*, 355
 Chi, Y. See *Wang, Zong, Hong, Yang, Zou, Yun, and Gu*, 331
 Chiba, S., Tokuhara, M., Morita, E.H., and Abe, S. TTP at Ser²⁴⁵ Phosphorylation by AKT is Required for Binding to 14-3-3, 403

- Choi, K.Y. See *Kim, Cha, Lee, Heo, Ku, and Ban*, 199
 Chuman, Y., Kurihashi, W., Mizukami, Y., Nashimoto, T., Yagi, H., and Sakaguchi, K. PPM1D430, a Novel Alternative Splicing Variant of the Human PPM1D, can Dephosphorylate p53 and Exhibits Specific Tissue Expression, 1

- Croce, C.M. See *Iuliano, Raso, Quintiero, Pera, Pichiorri, Palumbo, Palmieri, Pattarozzi, Florio, Viglietto, Trapasso, and Fusco*, 377

D

- Duché, D., Issouf, M., and Lloubès, R. Immunity Protein Protects Colicin E2 from OmpT Protease, 95

E

- Esaki, N. See *Yamauchi, Goto, Wu, Uo, Yoshimura, Miura, Kurihara, Miyahara, and Hirotsu*, 421
 Esterly, N. See *Yang, Zhang, Klaassen, and Wan*, 609

F

- Fedoruk-Wyszomirska, A., Szymański, M., Wyszko, E., Barciszewska, M.Z., and Barciszewski, J. Highly Active Low Magnesium Hammerhead Ribozyme, 451
 Florio, T. See *Iuliano, Raso, Quintiero, Pera, Pichiorri, Palumbo, Palmieri, Pattarozzi, Viglietto, Trapasso, Croce, and Fusco*, 377
 Fujigaki, Y. See *Imamura, Oomori, Ouryouji, Yanagisawa, Miyazawa, and Wang*, 279

- Fujihara, A. See *Ujiie, Matsutani, Tomatsu, Ushida, Miwa, Fujita, Himeno, and Muto*, 59
 Fujimoto, A. See *Suwa, Nagai, Kikuchi, and Tanaka*, 151
 Fujisawa, M. See *Yokochi, Yoshikane, Matsumoto, Ohnishi, and Yagi*, 493
 Fujita, Yasutaro. See *Ujiie, Matsutani, Tomatsu, Fujihara, Ushida, Miwa, Himeno, and Muto*, 59

- Fujita, Yuki. See *Okade, Miyamoto, Tomoo, Muto, Miyoshi, Natsuaki, Rhoads, and Ishida*, 299
 Fukatsu, R. See *Yamamoto, Inoue, Ohta, Maeda, Yoshida, and Yuasa*, 437
 Fukuda, H. See *Ishii, Izawa, Matsumura, Wakamura, Tanino, Tanaka, Ogino, and Kondo*, 701
 Fukuda, T. See *Wang, Li, Gao, Kondo, Matsumoto, Miyoshi, Taniguchi, and Gu*, 643

- Fukumura, E., Sugimoto, H., Misumi, Y., Ogura, T., and Shiro, Y. Cooperative Binding of L-Trp to Human Tryptophan 2,3-Dioxygenase: Resonance Raman Spectroscopic Analysis, 505
 Fusco, A. See *Iuliano, Raso, Quintiero, Pera, Pichiorri, Palumbo, Palmieri, Pattarozzi, Florio, Viglietto, Trapasso, and Croce*, 377
 Fushiki, T. See *Kojima, Tsuzuki, and Inouye*, 783

G

- Gao, C.-x. See *Wang, Fukuda, Li, Kondo, Matsumoto, Miyoshi, Taniguchi, and Gu*, 643

- Gao, S.-H. See *Lu, Wang, Yan, Chen, and Wang*, 309

- Girón, M.D. See *Sevillano, Salido, Vargas, Vilches, and Salto*, 21

- Goso, Y., Tsubokawa, D., and Ishihara, K. Evaluation of Conditions for Release of Mucin-Type Oligosaccharides from Glycoproteins by Hydrazine Gas Treatment, 739

- Goswami, P. See *Kumar*, 259

- Goto, M. See *Yamauchi, Wu, Uo, Yoshimura, Miura, Kurihara, Miyahara, Hirotsu, and Esaki*, 421

- Guérardel, Y. See *Maes, Mille, Trivelli, Janbon, and Poulain*, 413

- Gu, Jianguo. See *Wang, Fukuda, Li, Gao, Kondo, Matsumoto, Miyoshi, and Taniguchi*, 643

- Gu, Jianxin. See *Wang, Zong, Chi, Hong, Yang, Zou, and Yun*, 331

- Gull, N., Sen, P., Khan, R.H., and Kabirud-Din Spectroscopic Studies on the Comparative Interaction of Cationic Single-Chain and Gemini Surfactants with Human Serum Albumin, 67

H

- Hamadeh, M.J. See *Seevaratnam, and Patel*, 791

- Hamano, K. See *Morimoto, Kawabata, Kunii, Saito, and Tonomura*, 677

- Harada, Y. See *Kishimoto, Nakamura, Hattori, Nakamura, Oonuma, Kanatani, Tanaka, Mori, Tagawa, and Ishihara*, 275

- Hasegawa, T. See *Tsuchiya*, 635

- Hashiguchi, S. See *Muraoka, Ito, Kamimura, Baba, Arima, Suda, Torikai, Nakashima, and Sugimura*, 799

- Hata, M. See *Kawahara, Mogi, Tanaka, Miyoshi, and Kita*, 229

- Hatakeyama, K. See *Mitsui, Matsushita, and Kanazawa*, 709

- Hatayama, T. See *Saito, and Yamagishi*, 185

- Hattori, H. See *Kishimoto, Nakamura, Nakamura, Oonuma, Kanatani*,

- Tanaka, Mori, Harada, Tagawa, and Ishihara, 275
- Hattori, M. See Nakajima, Moriyama, Minato, and Nakanishi, 811
- Hazeki, K., Inoue, K., Nigorikawa, K., and Hazeki, O. Negative Regulation of Class IA Phosphoinositide 3-kinase by Protein Kinase C δ Limits Fc γ Receptor-Mediated Phagocytosis in Macrophages, 87
- Hazeki, O. See Hazeki, Inoue, and Nigorikawa, 87
- Heimburg-Molinaro, J. See Krishnamoorthy, Bargo, Nash, and Nash, 177
- Heo, S.-D. See Kim, Cha, Lee, Choi, Ku, and Ban, 199
- Hidaka, M. See Ogawa, Kohno, and Masaki, 461
- Higashi, R. See Takano, Okada, Mukaiyama, Tadokoro, Koga, and Kanaya, 79
- Himeno, H. See Ujiie, Matsutani, Tomatsu, Fujihara, Ushida, Miwa, Fujita, and Moto, 59
- Hirata, M., Amano, K., Miyashita, A., Yasunaga, M., Nakanishi, T., and Sato, K. Establishment and Characterization of Hepatic Stem-like Cell lines from Normal Adult Rat Liver, 51
- Hirotsu, K. See Yamauchi, Goto, Wu, Uo, Yoshimura, Miura, Kurihara, Miyahara, and Esaki, 421
- Homma, M. See Terashima, Abe-Yoshizumi, and Kojima, 411
- Hong, Y. See Wang, Zong, Chi, Yang, Zou, Yun, and Gu, 331
- Horiuchi, N. See Maeda, 771
- Hrushesky, W.J. See Yang, Wood, Ansell, Ohmori, Oh, Xiong, Berger, and Peña, 289
- Huang, W.-C. See Yang, Yue, Zhuang, Chen, and Xing, 355
- Hyodo, F. See Matsunaga, Yamazaki, Sugiyama, Nozaki, and Morita, 365
- I**
- Ichiki, M. See Shiratsuchi, Okamoto, Ueda, Sugimoto, Takuwa, and Nakanishi, 43
- Ikawa, Y., Shiohara, T., Ohuchi, S., and Inoue, T. Conceted Effects of Two Activator Modules on the Group I Ribozyme Reaction, 429
- Imamura, Y., Fujigaki, Y., Oomori, Y., Ouryouji, K., Yanagisawa, S., Miyazawa, H., and Wang, P.-L. Transcriptional Regulation of the Salivary Histatin Gene: Finding of a Strong Positive Regulatory Element and Its Binding Protein, 279
- Inoue, Hideo. See Sanada, Nakanishi, and Kitamura, 525
- Inoue, Hiroyasu. See Matsuyama, Satoh, Nakata, and Aoyama, 445
- Inoue, K., Yagi, N., Urade, Y., and Inui, T. Compact Packing of Lipocalin-type Prostaglandin D Synthase Induced by Binding of Lipophilic Ligands, 169
- Inoue, Katsuhisa. See Yamamoto, Ohta, Fukatsu, Maeda, Yoshida, and Yuasa, 437
- Inoue, Kazumi. See Hazeki, Nigorikawa, and Hazeki, 87
- Inoue, T. See Ikawa, Shiohara, and Ohuchi, 429
- Inouye, K. See Kojima, Tsuzuki, and Fushiki, 783
- . See Kusano, and Yasukawa, 103
- . See Sakurama, Takita, Mikami, Itoh, and Yasukawa, 555
- . See Yasukawa, and Mizuno, 315
- Inui, T. See Inoue, Yagi, and Urade, 169
- Ishida, T. See Okade, Fujita, Miyamoto, Tomoo, Muto, Miyoshi, Natsuaki, and Rhoads, 299
- Ishihara, K. See Goso, and Tsubokawa, 739
- Ishihara, M. See Kishimoto, Nakamura, Hattori, Nakamura, Oonuma, Kanatani, Tanaka, Mori, Harada, and Tagawa, 275
- Ishii, J., Izawa, K., Matsumura, S., Wakamura, K., Tanino, T., Tanaka, T., Ogino, C., Fukuda, H., and Kondo, A. A Simple and Immediate Method for Simultaneously Evaluating Expression Level and Plasmid Maintenance in Yeast, 701
- Ishii, N. See Yamaguchi, Takagawa, Iwakaji, Miyagawa, and Wang, 533
- Ishikawa, M., Kumashiro, M., Yamazaki, Y., Atoda, H., and Morita, T. Anticoagulant Mechanism of Factor IX/factor X-binding Protein Isolated from the Venom of *Trimeresurus flavoviridis*, 123
- Issouf, M. See Duché, and Lloubès, 95
- Ito, K. See Nakashima, Nakajima, Yamazawa, Miyakawa, and Yoshimoto, 467
- Ito, Y. See Muraoka, Kamimura, Baba, Arima, Suda, Hashiguchi, Torikai, Nakashima, and Sugimura, 799
- Itoh, F. See Tanaka, Itoh, and Kato, 129
- Itoh, S. See Tanaka, Itoh, and Kato, 129
- Itoh, T. See Sakurama, Takita, Mikami, Yasukawa, and Inouye, 555
- Iuliano, R., Rasò, C., Quintiero, A., Pera, I.L., Pichiorri, F., Palumbo, T., Palmieri, D., Pattarozzi, A., Florio, T., Viglietto, G., Trapasso, F., Croce, C.M., and Fusco, A. The Eighth Fibronectin Type III Domain of Protein Tyrosine Phosphatase Receptor J Influences the Formation of Protein Complexes and Cell Localization, 377
- Iwakaji, H. See Yamaguchi, Takagawa, Miyagawa, Wang, and Ishii, 533
- Iwakura, M. See Takahashi, Yokota, and Takenawa, 751
- . See Takenawa, Yokota, Oda, and Takahashi, 517
- Izawa, K. See Ishii, Matsumura, Wakamura, Tanino, Tanaka, Ogino, Fukuda, and Kondo, 701
- J**
- Janbon, G. See Maes, Mille, Trivelli, Poulain, and Guérardel, 413
- Jeon, C.O. See Yeom, Madsen, and Park, 481
- K**
- Kabir-ud-Din. See Gull, Sen, and Khan, 67
- Kabututu, Z., Manin, M., Pointud, J.-C., Maruyama, T., Nagata, N., Lambert, S., Lefrançois-Martinez, A.-M., Martinez, A., and Urade, Y. Prostaglandin F_{2 α} Synthase Activities of Aldo-Keto Reductase 1B1, 1B3 and 1B7, 161
- Kadowaki, T. See Tsukuba, Yanagawa, Okamoto, Okamoto, Yasuda, Nakayama, and Yamamoto, 565
- Kaifu, T. See Li, Obinata, and Takai, 425
- Kajihō, H. See Tanemura, Momose, Shimizu, Kitagawa, Seo, Yamasaki, Nakagawa, Penninger, Katada, and Nishina, 345
- Kamimura, M. See Muraoka, Ito, Baba, Arima, Suda, Hashiguchi, Torikai, Nakashima, and Sugimura, 799
- Kanamori, T. See Osada, Shimizu, Akbar, and Ueda, 693
- Kanatani, Y. See Kishimoto, Nakamura, Hattori, Nakamura, Oonuma, Tanaka, Mori, Harada, Tagawa, and Ishihara, 275
- Kanaya, S. See Takano, Higashi, Okada, Mukaiyama, Tadokoro, and Koga, 79
- Kanazawa, H. See Mitsui, Hatakeyama, and Matsushita, 709
- Katada, T. See Tanemura, Momose, Shimizu, Kitagawa, Seo, Yamasaki, Nakagawa, Kajihō, Penninger, and Nishina, 345
- Kataoka, T. See Sakaino, and Taketani, 733
- Kato, M. See Tanaka, Itoh, and Itoh, 129
- Katoh, R. See Satoh, Li, Yokota, Osada, Ozaki, and Yatomi, 31
- Kawabata, K. See Morimoto, Kunii, Hamano, Saito, and Tonomura, 677
- Kawahara, K., Mogi, T., Tanaka, T.Q., Hata, M., Miyoshi, H., and Kita, K. Mitochondrial Dehydrogenases in the Aerobic Respiratory Chain of the Rodent Malaria Parasite *Plasmodium yoelii yoelii*, 229
- Kawahara, M. See Liu, Ueda, and Nagamune, 575
- Khan, R.H. See Gull, Sen, and Kabir-ud-Din, 67
- Kidoya, H. See Naito, Sato, and Takakura, 653
- Kikuchi, Y. See Suwa, Nagai, Fujimoto, and Tanaka, 151
- Kim, I.-S. See Osada, Sunatani, Nakanishi, and Shiratsuchi, 387

- Kim, T.G., Cha, H.J., Lee, H.J., Heo, S.-D., Choi, K.Y., Ku, J.K., and Ban, C. Structural Insights of the Nucleotide-Dependent Conformational Changes of *Thermotoga maritima* MutL Using Small-Angle X-ray Scattering Analysis, 199
- Kinoshita, T. See *Kondoh, Watanabe, Tashima, and Maeda*, 115
- Kishimoto, S., Nakamura, S., Hattori, H., Nakamura, S.-i., Oonuma, F., Kanatani, Y., Tanaka, Y., Mori, Y., Harada, Y., Tagawa, M., and Ishihara, M. Human Stem Cell Factor (SCF) is a Heparin-Binding Cytokine, 275
- Kita, K. See *Kawahara, Mogi, Tanaka, Hata, and Miyoshi*, 229
- Kitagawa, D. See *Tanemura, Momose, Shimizu, Seo, Yamasaki, Nakagawa, Kajih, Penninger, Katada, and Nishina*, 345
- Kitamura, M. See *Sanada, Nakanishi, and Inoue*, 525
- Klaassen, C.D. See *Yang, Zhang, Esterly, and Wan*, 609
- Kobayashi, K., Tagawa, S., and Mogi, T. Intramolecular Electron Transfer Processes in Cu_B-deficient Cytochrome *bo* Studied by Pulse Radiolysis, 685
- Koga, Y. See *Takano, Higashi, Okada, Mukaiyama, Tadokoro, and Kanaya*, 79
- Kohno, K. See *Ogawa, Hidaka, and Masaki*, 461
- Koide, T. See *Yabe*, 217
- Kojima, K., Tsuzuki, S., Fushiki, T., and Inouye, K. Role of the Stem Domain of Matriptase in the Interaction with its Physiological Inhibitor, Hepatocyte Growth Factor Activator Inhibitor Type I, 783
- Kojima, S. See *Terashima, Abe-Yoshizumi, and Homma*, 411
- Kondo, Akihiko. See *Ishii, Izawa, Matsumura, Wakamura, Tanino, Tanaka, Ogino, and Fukuda*, 701
- Kondo, Akihiro. See *Wang, Fukuda, Li, Gao, Matsumoto, Miyoshi, Taniguchi, and Gu*, 643
- Kondoh, G., Watanabe, H., Tashima, Y., Maeda, Y., and Kinoshita, T. Testicular Angiotensin-Converting Enzyme with Different Glycan Modification: Characterization on Glycosylphosphatidylinositol-Anchored Protein Releasing and Dipeptidase Activities, 115
- Krishnamoorthy, M., Heimborg-Molinaro, J., Bargo, A.M., Nash, R.J., and Nash, R.J. Heparin Binding Epidermal Growth Factor-Like Growth Factor and PD169316 Prevent Apoptosis in Mouse Embryonic Stem Cells, 177
- Kristjánsson, M.M. See *Arnórsdóttir, Sigtryggssdóttir, and Thorbjarnardóttir*, 325
- Ku, J.K. See *Kim, Cha, Lee, Heo, Choi, and Ban*, 199
- Kuboki, T. See *Maeda, Nishida, Aoyama, Kubota, Lyons, and Takigawa*, 207
- Kubota, S. See *Maeda, Nishida, Aoyama, Lyons, Kuboki, and Takigawa*, 207
- Kumar, A.K., and Goswami, P. Dissociation and Reconstitution Studies of a Broad Substrate Specific Multimeric Alcohol Oxidase Protein Produced by *Aspergillus terreus*, 259
- Kumashiro, M. See *Ishikawa, Yamazaki, Atoda, and Morita*, 123
- Kunii, S. See *Morimoto, Kawabata, Hamano, Saito, and Tonomura*, 677
- Kurihara, T. See *Yamauchi, Goto, Wu, Uo, Yoshimura, Miura, Miyahara, Hirotsu, and Esaki*, 421
- Kurihashi, W. See *Chuman, Mizukami, Nashimoto, Yagi, and Sakaguchi*, 1
- Kusano, M., Yasukawa, K., and Inouye, K. Insights into the Catalytic Roles of the Polypeptide Regions in the Active Site of Thermolysin and Generation of the Thermolysin Variants with High Activity and Stability, 103
- Kuwabara, N. See *Tateno, Toyooka, Shikano, Takeda, Sezutsu, and Tamura*, 37
- L**
- Lambert, S. See *Kabututu, Manin, Pointud, Maruyama, Nagata, Lefrançois-Martinez, Martinez, and Urade*, 161
- Lee, H.J. See *Kim, Cha, Heo, Choi, Ku, and Ban*, 199
- Lefrançois-Martinez, A.-M. See *Kabututu, Manin, Pointud, Maruyama, Nagata, Lambert, Martinez, and Urade*, 161
- Li, L., Kaifu, T., Obinata, M., and Takai, T. Peroxiredoxin III-deficiency Sensitizes Macrophages to Oxidative Stress, 425
- Li, W. See *Wang, Fukuda, Gao, Kondo, Matsumoto, Miyoshi, Taniguchi, and Gu*, 643
- Li, X. See *Satoh, Yokota, Osada, Ozaki, Kato, and Yatomi*, 31
- Li, W., Kawahara, M., Ueda, H., and Nagamune, T. The Influence of Domain Structures on the Signal Transduction of Chimeric Receptors Derived from the Erythropoietin Receptor, 575
- Lloubès, R. See *Duché, and Issouf*, 95
- Lu, Y., Wang, G.-K., Yan, C.-L., Chen, D.-J., Wang, Y.-L., and Gao, S.-H. Study on the Binding of Fluoride, Bromide and Iodide to Ovalbumin by Using Ion-Selective Electrodes, 309
- Lyons, K.M. See *Maeda, Nishida, Aoyama, Kubota, Kuboki, and Takigawa*, 207
- M**
- Madsen, E.L. See *Yeom, Jeon, and Park*, 481
- Maeda, A., Nishida, T., Aoyama, E., Kubota, S., Lyons, K.M., Kuboki, T., and Takigawa, M. CCN Family 2/Connective Tissue Growth Factor Modulates BMP Signalling as a Signal Conductor, Which Action Regulates the Proliferation and Differentiation of Chondrocytes, 207
- Maeda, J.-y. See *Yamamoto, Inoue, Ohta, Fukatsu, Yoshida, and Yuasa*, 437
- Maeda, Takayuki. See *Murakami, Yokota, and Wada*, 661
- Maeda, Toyonobu., and Horiuchi, N. Simvastatin Suppresses Leptin Expression in 3T3-L1 Adipocytes via Activation of the Cyclic AMP-PKA Pathway Induced by Inhibition of Protein Prenylation, 771
- Maeda, Y. See *Kondoh, Watanabe, Tashima, and Kinoshita*, 115
- Maes, E., Mille, C., Trivelli, X., Janbon, G., Poulaire, D., and Guérardel, Y. Molecular Phenotyping of Mannosyltransferases-Deficient *Candida albicans* Cells by High-Resolution Magic Angle Spinning NMR, 413
- Makino, Y. See *Yamamoto, Watanabe, and Omichi*, 585
- Manin, M. See *Kabututu, Pointud, Maruyama, Nagata, Lambert, Lefrançois-Martinez, Martinez, and Urade*, 161
- Martinez, A. See *Kabututu, Manin, Pointud, Maruyama, Nagata, Lambert, Lefrançois-Martinez, Martinez, and Urade*, 161
- Maruyama, K. See *Oka, Toshida, Nakajima, Yamashita, and Sugiura*, 13
- Maruyama, T. See *Kabututu, Manin, Pointud, Nagata, Lambert, Lefrançois-Martinez, Martinez, and Urade*, 161
- Masaki, H. See *Ogawa, Hidaka, and Kohno*, 461
- Matsumoto, A. See *Wang, Fukuda, Li, Gao, Kondo, Miyoshi, Taniguchi, and Gu*, 643
- Matsumoto, S. See *Yokochi, Yoshikane, Fujisawa, Ohnishi, and Yagi*, 493
- Matsumura, S. See *Ishii, Izawa, Wakamura, Tanino, Tanaka, Ogino, Fukuda, and Kondo*, 701
- Matsunaga, Y., Yamazaki, Y., Hyodo, F., Sugiyama, Y., Nozaki, M., and Morita, T. Structural Divergence of Cysteine-Rich Secretory Proteins in Snake Venoms, 365
- Matsushita, M. See *Mitsui, Hatakeyama, and Kanazawa*, 709
- Matsutani, T. See *Ujiie, Tomatsu, Fujihara, Ushida, Miwa, Fujita, Himeno, and Muto*, 59
- Matsuyama, T., Satoh, M., Nakata, R., Aoyama, T., and Inoue, H. Functional Expression of Miraculin, a Taste-Modifying Protein in *Escherichia Coli*, 445

- Mihara, H. See *Yamauchi, Goto, Wu, Uo, Yoshimura, Kurihara, Miyahara, Hirotsu, and Esaki*, 421
- Mikami, B. See *Sakurama, Takita, Itoh, Yasukawa, and Inouye*, 555
- Mikami, Y., Somei, M., and Takagi, M. A New Synthetic Compound, SST-VEDI-1, Inhibits Osteoblast Differentiation with a Down-Regulation of the Osterix Expression, 239
- Mille, C. See *Maes, Trivelli, Janbon, Poulain, and Guérardel*, 413
- Minato, N. See *Nakajima, Moriyama, Hattori, and Nakanishi*, 811
- Misumi, Y. See *Fukumura, Sugimoto, Ogura, and Shiro*, 505
- Mitsui, K., Hatakeyama, K., Matsushita, M., and Kanazawa, H. *Saccharomyces cerevisiae* Na⁺/H⁺ Antiporter Nha1p Associates with Lipid Rafts and Requires Sphingolipid for Stable Localization to the Plasma Membrane, 709
- Miura, T. See *Otomo, Toyama, and Takeuchi*, 543
- Miwa, Y. See *Ujiiie, Matsutani, Tomatsu, Fujihara, Ushida, Fujita, Himeno, and Muto*, 59
- Miyagawa, S. See *Yamaguchi, Takagawa, Iwakaji, Wang, and Ishii*, 533
- Miyahara, I. See *Yamauchi, Goto, Wu, Uo, Yoshimura, Miura, Kurihara, Hirotsu, and Esaki*, 421
- Miyakawa, S. See *Nakashima, Ito, Nakajima, Yamazawa, and Yoshimoto*, 467
- Miyamoto, S. See *Okade, Fujita, Tomoo, Muto, Miyoshi, Natsuaki, Rhoads, and Ishida*, 299
- Miyashita, A. See *Hirata, Amano, Yasunaga, Nakanishi, and Sato*, 51
- Miyata, H. See *Senju*, 137
- Miyazawa, H. See *Imamura, Fujigaki, Oomori, Ouryouji, Yanagisawa, and Wang*, 279
- Miyoshi, E. See *Wang, Fukuda, Li, Gao, Kondo, Matsumoto, Taniguchi, and Gu*, 643
- Miyoshi, H. See *Kawahara, Mogi, Tanaka, Hata, and Kita*, 229
- . See *Mogi*, 395
- Miyoshi, H. See *Okade, Fujita, Miyamoto, Tomoo, Muto, Natsuaki, Rhoads, and Ishida*, 299
- Mizukami, Y. See *Chuman, Kurihashi, Nashimoto, Yagi, and Sakaguchi*, 1
- Mizuno, M. See *Yasukawa, and Inouye*, 315
- Mogi, T. Effects of Replacement of Low-Spin Haem b by Haem O on *Escherichia coli* Cytochromes bo and bd Quinol Oxidases, 599
- . Over-Expression and Characterization of *Bacillus subtilis* Heme O Synthase, 669
- . Probing Structure of Heme A Synthase from *Bacillus subtilis* by Site-Directed Mutagenesis, 625
- . Probing the haem d-binding site in cytochrome bd quinol oxidase by site-directed mutagenesis, 763
- . and Miyoshi, H. Properties of Cytochrome bd Plastoquinol Oxidase from the Cyanobacterium *Synechocystis* sp. PCC 6803, 395
- . See *Kawahara, Tanaka, Hata, Miyoshi, and Kita*, 229
- . See *Kobayashi, and Tagawa*, 685
- Momose, H. See *Tanemura, Shimizu, Kitagawa, Seo, Yamasaki, Nakagawa, Kajiho, Penninger, Katada, and Nishina*, 345
- Mori, Y. See *Kishimoto, Nakamura, Hattori, Nakamura, Oonuma, Kanatani, Tanaka, Harada, Tagawa, and Ishihara*, 275
- Morimoto, K., Kawabata, K., Kunii, S., Hamano, K., Saito, T., and Tonomura, B. Characterization of Type I Collagen Fibril Formation Using Thioflavin T Fluorescent Dye, 677
- Morita, E.H. See *Chiba, Tokuhara, and Abe*, 403
- Morita, T. See *Ishikawa, Kumashiro, Yamazaki, and Atoda*, 123
- . See *Matsunaga, Yamazaki, Hyodo, Sugiyama, and Nozaki*, 365
- Moriyama, M. See *Nakajima, Hattori, Minato, and Nakanishi*, 811
- Motojima, K. See *Ohno, Okano, and Taniguchi*, 591
- Mukaiyama, A. See *Takano, Higashi, Okada, Tadokoro, Koga, and Kanaya*, 79
- Murakami, T., Maeda, T., Yokota, A., and Wada, M. Gene Cloning and Expression of Pyridoxal 5'-Phosphate-Dependent L-threo-3-Hydroxyaspartate Dehydratase from *Pseudomonas* sp. T62, and Characterization of the Recombinant Enzyme, 661
- Muraoka, S., Ito, Y., Kamimura, M., Baba, M., Arima, N., Suda, Y., Hashiguchi, S., Torikai, M., Nakashima, T., and Sugimura, K. Effective Induction of Cell Death on Adult T-Cell Leukaemia Cells by HLA-DR β -Specific Small Antibody Fragment Isolated from Human Antibody Phage Library, 799
- Muto, A. See *Ujiiie, Matsutani, Tomatsu, Fujihara, Ushida, Miwa, Fujita, and Himeno*, 59
- Muto, S. See *Okade, Fujita, Miyamoto, Tomoo, Miyoshi, Natsuaki, Rhoads, and Ishida*, 299
- N
- Nagai, Y. See *Suwa, Fujimoto, Kikuchi, and Tanaka*, 151
- Nagamune, T. See *Liu, Kawahara, and Ueda*, 575
- Nagata, N. See *Kabututu, Manin, Pointud, Maruyama, Lambert, Lefrançois-Martinez, Martinez, and Urade*, 161
- Naito, H., Kidoya, H., Sato, Y., and Takakura, N. Induction and Expression of Anti-Angiogenic Vasohibins in the Hematopoietic Stem/Progenitor Cell Population, 653
- Nakagawa, K. See *Tanemura, Momose, Shimizu, Kitagawa, Seo, Yamasaki, Kajiho, Penninger, Katada, and Nishina*, 345
- Nakajima, K. See *Oka, Toshida, Maruyama, Yamashita, and Sugiura*, 13
- Nakajima, Yoshiaki. Moriyama, M., Hattori, M., Minato, N., and Nakanishi, S. Isolation of ON Bipolar Cell Genes via hrGFP-coupled Cell Enrichment Using the mGluR6 Promoter, 811
- Nakajima, Yoshitaka. See *Nakashima, Ito, Yamazawa, Miyakawa, and Yoshimoto*, 467
- Nakamura, S. See *Kishimoto, Hattori, Nakamura, Oonuma, Kanatani, Tanaka, Mori, Harada, Tagawa, and Ishihara*, 275
- Nakamura, S.-i. See *Kishimoto, Nakamura, Hattori, Oonuma, Kanatani, Tanaka, Mori, Harada, Tagawa, and Ishihara*, 275
- Nakanishi, S. See *Nakajima, Moriyama, Hattori, and Minato*, 811
- Nakanishi, Takeshi. See *Sanada, Inoue, and Kitamura*, 525
- Nakanishi, Tomoko. See *Hirata, Amano, Miyashita, Yasunaga, and Sato*, 51
- Nakanishi, Y. See *Osada, Sunatani, Kim, and Shiratsuchi*, 387
- . See *Shiratsuchi, Ichiki, Okamoto, Ueda, Sugimoto, and Takuwa*, 43
- Nakashima, K., Ito, K., Nakajima, Y., Yamazawa, R., Miyakawa, S., and Yoshimoto, T. Closed Complex of the D-3-Hydroxybutyrate Dehydrogenase Induced by an Enantiomeric Competitive Inhibitor, 467
- Nakashima, T. See *Muraoka, Ito, Kamimura, Baba, Arima, Suda, Hashiguchi, Torikai, and Sugimura*, 799
- Nakata, R. See *Matsuyama, Satoh, Aoyama, and Inoue*, 445
- Nakayama, K.I. See *Tsukuba, Yanagawa, Okamoto, Okamoto, Yasuda, Kadowaki, and Yamamoto*, 565
- Nash, Rachel J. See *Krishnamoorthy, Heimburg-Molinaro, Bargo, and Nash*, 177
- Nash, Rodney J. See *Krishnamoorthy, Heimburg-Molinaro, Bargo, and Nash*, 177
- Nashimoto, T. See *Chuman, Kurihashi, Mizukami, Yagi, and Sakaguchi*, 1

Natsuaki, T. See *Okade, Fujita, Miyamoto, Tomoo, Muto, Miyoshi, Rhoads, and Ishida*, 299

Nigorikawa, K. See *Hazeki, Inoue, and Hazeki*, 87

Nishida, T. See *Maeda, Aoyama, Kubota, Lyons, Kuboki, and Takigawa*, 207

Nishina, H. See *Tanemura, Momose, Shimizu, Kitagawa, Seo, Yamasaki, Nakagawa, Kajih, Penninger, and Katada*, 345

Nozaki, M. See *Matsunaga, Yamazaki, Hyodo, Sugiyama, and Morita*, 365

O

Obinata, M. See *Li, Kaifu, and Takai*, 425

Oda, M. See *Takenawa, Yokota, Takahashi, and Iwakura*, 517

Ogawa, T., Hidaka, M., Kohno, K., and Masaki, H. Colicin E5 Ribonuclease Domain Cleaves *Saccharomyces cerevisiae* tRNAs Leading to Impairment of the Cell Growth, 461

Ogino, C. See *Ishii, Izawa, Matsumura, Wakamura, Tanino, Tanaka, Fukuda, and Kondo*, 701

Ogura, T. See *Fukumura, Sugimoto, Misumi, and Shiro*, 505

Oh, E.-Y. See *Yang, Wood, Ansell, Ohmori, Xiong, Berger, Peña, and Hrushesky*, 289

Ohmori, M. See *Yang, Wood, Ansell, Oh, Xiong, Berger, Peña, and Hrushesky*, 289

Ohnishi, K. See *Yokochi, Yoshikane, Matsumoto, Fujisawa, and Yagi*, 493

Ohno, M., Motojima, K., Okano, T., and Taniguchi, A. Maturation of the Extracellular Matrix and Cell Adhesion Molecules in Layered Co-cultures of HepG2 and Endothelial Cells, 591

Ohta, K.-y. See *Yamamoto, Inoue, Fukatsu, Maeda, Yoshida, and Yuasa*, 437

Ohuchi, S. See *Ikawa, Shiohara, and Inoue*, 429

Oka, S., Toshida, T., Maruyama, K., Nakajima, K., Yamashita, A., and Sugiura, T. 2-Arachidonoyl-sn-glycerol-3-phosphoinositol: A Possible Natural Ligand for GPR55, 13

Okada, J. See *Takano, Higashi, Mukaiyama, Tadokoro, Koga, and Kanaya*, 79

Okada, S. See *Yoshikawa, and Abe*, 249

Okade, H., Fujita, Y., Miyamoto, S., Tomoo, K., Muto, S., Miyoshi, H., Natsuaki, T., Rhoads, R.E., and Ishida, T. Turnip Mosaic Virus Genome-Linked Protein VPg Binds C-Terminal Region of Cap-Bound Initiation Factor 4E Orthologue Without Exhibiting Host Cellular Specificity, 299

Okamoto, K. See *Tsukuba, Yanagawa, Okamoto, Yasuda, Nakayama, Kadowaki, and Yamamoto*, 565

Okamoto, Yasuo. See *Shiratsuchi, Ichiki, Ueda, Sugimoto, Takuwa, and Nakanishi*, 43

Okamoto, Yoshiro. See *Tsukuba, Yanagawa, Okamoto, Yasuda, Nakayama, Kadowaki, and Yamamoto*, 565

Okano, T. See *Ohno, Motojima, and Taniguchi*, 591

Omichi, K. See *Yamamoto, Watanabe, and Makino*, 585

Oomori, Y. See *Imamura, Fujigaki, Ouryouji, Yanagisawa, Miyazawa, and Wang*, 279

Oonuma, F. See *Kishimoto, Nakamura, Hattori, Nakamura, Kanatani, Tanaka, Mori, Harada, Tagawa, and Ishihara*, 275

Osada, E., Shimizu, Y., Akbar, B.K., Kanamori, T., and Ueda, T. Epitope Mapping Using Ribosome Display in a Reconstituted Cell-Free Protein Synthesis System, 693

Osada, M. See *Satoh, Li, Yokota, Ozaki, Katoh, and Yatomi*, 31

Osada, Y., Sunatani, T., Kim, I.-S., Nakanishi, Y., and Shiratsuchi, A. Signalling pathway involving GULP, MAPK and Rac1 for SR-BI-induced phagocytosis of apoptotic cells, 387

Otomo, K., Toyama, A., Miura, T., and Takeuchi, H. Interactions Between Histidine and Tryptophan Residues in the BM2 Proton Channel from Influenza B Virus, 543

Ouryouji, K. See *Imamura, Fujigaki, Oomori, Yanagisawa, Miyazawa, and Wang*, 279

Ozaki, Y. See *Satoh, Li, Yokota, Osada, Katoh, and Yatomi*, 31

P

Palmieri, D. See *Iuliano, Raso, Quintiero, Pera, Pichiorri, Palumbo, Pattarozzi, Florio, Viglietto, Trapasso, Croce, and Fusco*, 377

Palumbo, T. See *Iuliano, Raso, Quintiero, Pera, Pichiorri, Palmieri, Pattarozzi, Florio, Viglietto, Trapasso, Croce, and Fusco*, 377

Park, W. See *Yeom, Jeon, and Madsen*, 481

Patel, B.P. See *Sevaratnam, and Hamadeh*, 791

Pattarozzi, A. See *Iuliano, Raso, Quintiero, Pera, Pichiorri, Palumbo, Palmieri, Florio, Viglietto, Trapasso, Croce, and Fusco*, 377

Peña, M.M.O. See *Yang, Wood, Ansell, Ohmori, Oh, Xiong, Berger, and Hrushesky*, 289

Penninger, J.M. See *Tanemura, Momose, Shimizu, Kitagawa, Seo, Yamasaki*,

Nakagawa, Kajih, Katada, and Nishina, 345

Pera, I.L. See *Iuliano, Raso, Quintiero, Pichiorri, Palumbo, Palmieri, Pattarozzi, Florio, Viglietto, Trapasso, Croce, and Fusco*, 377

Pichiorri, F. See *Iuliano, Raso, Quintiero, Pera, Palumbo, Palmieri, Pattarozzi, Florio, Viglietto, Trapasso, Croce, and Fusco*, 377

Pointud, J.-C. See *Kabututu, Manin, Maruyama, Nagata, Lambert, Lefrançois-Martinez, Martinez, and Urade*, 161

Poulain, D. See *Maes, Mille, Trivelli, Janbon, and Guérardel*, 413

Q

Quintiero, A. See *Iuliano, Raso, Pera, Pichiorri, Palumbo, Palmieri, Pattarozzi, Florio, Viglietto, Trapasso, Croce, and Fusco*, 377

Raso, C. See *Iuliano, Quintiero, Pera, Pichiorri, Palumbo, Palmieri, Pattarozzi, Florio, Viglietto, Trapasso, Croce, and Fusco*, 377

Rhoads, R.E. See *Okade, Fujita, Miyamoto, Tomoo, Muto, Miyoshi, Natsuaki, and Ishida*, 299

Robinson, R.C. See *Sirirapetawee, Thammasirirak, and Yuvariyyama*, 193

S

Saito, T. See *Morimoto, Kawabata, Kunit, Hamano, and Tonomura*, 677

Saito, Y., Yamagishi, N., and Hatayama, T. Nuclear Localization Mechanism of Hsp105 β and its Possible Function in Mammalian Cells, 185

Sakaguchi, K. See *Chuman, Kurihashi, Mizukami, Nashimoto, and Yagi*, 1

Sakaino, M., Kataoka, T., and Taketani, S. Post-Transcriptional Regulation of the Expression of Ferrochelatase by Its Variant mRNA, 733

Sakurama, H., Takita, T., Mikami, B., Itoh, T., Yasukawa, K., and Inouye, K. Two Crystal Structures of Lysyl-tRNA Synthetase from *Bacillus stearothermophilus* in Complex with Lysyladenylate-Like Compounds: Insights into the Irreversible Formation of the Enzyme-Bound Adenylate of L-Lysine Hydroxamate, 555

Salido, M. See *Sevillano, Girón, Vargas, Vilches, and Salto*, 21

Salto, R. See *Sevillano, Girón, Salido, Vargas, and Vilches*, 21

Sanada, H., Nakanishi, T., Inoue, H., and Kitamura, M. Cloning and Expression of the MutM Gene from Obligate Anaerobic Bacterium *Desulfovibrio vulgaris* (Miyazaki F), 525

- Sato, K. See *Hirata, Amano, Miyashita, Yasunaga, and Nakanishi*, 51
- Sato, Y. See *Naito, Kidoya, and Takakura*, 653
- Satoh, M. See *Matsuyama, Nakata, Aoyama, and Inoue*, 445
- Satoh, Y., Li, X., Yokota, H., Osada, M., Ozaki, Y., Katoh, R., and Yatomi, Y. Regulation by Sphingolipids of the Fate of FRTL-5 Cells, 31
- Seevaratnam, R., Patel, B.P., and Hamadeh, M.J. Comparison of Total Protein Concentration in Skeletal Muscle as Measured by the Bradford and Lowry Assays, 791
- Sen, P. See *Gull, Khan, and Kabir-ud-Din*, 67
- Senju, Y., and Miyata, H. The Role of Actomyosin Contractility in the Formation and Dynamics of Actin Bundles During Fibroblast Spreading, 137
- Seo, J. See *Tanemura, Momose, Shimizu, Kitagawa, Yamasaki, Nakagawa, Kajiho, Penninger, Katada, and Nishina*, 345
- Sevillano, N., Girón, M.D., Salido, M., Vargas, A.M., Vilches, J., and Salto, R. Internalization of the Receptor for Advanced Glycation End Products (RAGE) is Required to Mediate Intracellular Responses, 21
- Sezutsu, H. See *Tateno, Toyooka, Shikano, Takeda, Kuwabara, and Tamura*, 37
- Shikano, Y. See *Tateno, Toyooka, Takeda, Kuwabara, Sezutsu, and Tamura*, 37
- Shimizu, N. See *Tanemura, Momose, Kitagawa, Seo, Yamasaki, Nakagawa, Kajiho, Penninger, Katada, and Nishina*, 345
- Shimizu, Y. See *Osada, Akbar, Kanamori, and Ueda*, 693
- Shiohara, T. See *Ikawa, Ohuchi, and Inoue*, 429
- Shiratsuchi, A., Ichiki, M., Okamoto, Y., Ueda, N., Sugimoto, N., Takuwa, Y., and Nakanishi, Y. Inhibitory effect of *N*-palmitoylphosphatidylethanolamine on macrophage phagocytosis through inhibition of Rac1 and Cdc42, 43
- . See *Osada, Sunatani, Kim, and Nakanishi*, 387
- Shiro, Y. See *Fukumura, Sugimoto, Misumi, and Ogura*, 505
- Sigtryggsdóttir, Á.R. See *Arnórðóttir, Thorbjarnardóttir, and Kristjánsson*, 325
- Singh, K., and Bhakuni, V. Guanidine Hydrochloride- and Urea-Induced Unfolding of *Toxoplasma gondii* Ferredoxin-NADP⁺ Reductase: Stabilization of a Functionally Inactive Holo-Intermediate, 721
- Siritapetawee, J., Thammasirirak, S., Robinson, R.C., and Yuvaniyama, J. The 1.9 Å X-Ray Structure of Egg-white Lysozyme from Taiwanese Soft-Shelled Turtle (*Trionyx Sinensis Wiegmann*) Exhibits Structural Differences from the Standard Chicken-Type Lysozyme, 193
- Somei, M. See *Mikami, and Takagi*, 239
- Suda, Y. See *Muraoka, Ito, Kamimura, Baba, Arima, Hashiguchi, Torikai, Nakashima, and Sugimura*, 799
- Sugimoto, H. See *Fukumura, Misumi, Ogura, and Shiro*, 505
- Sugimoto, N. See *Shiratsuchi, Ichiki, Okamoto, Ueda, Takuwa, and Nakanishi*, 43
- Sugimura, K. See *Muraoka, Ito, Kamimura, Baba, Arima, Suda, Hashiguchi, Torikai, and Nakashima*, 799
- Sugiura, T. See *Oka, Toshida, Maruyama, Nakajima, and Yamashita*, 13
- Sugiyama, Y. See *Matsunaga, Yamazaki, Hyodo, Nozaki, and Morita*, 365
- Sunatani, T. See *Osada, Kim, Nakanishi, and Shiratsuchi*, 387
- Suwa, S., Nagai, Y., Fujimoto, A., Kikuchi, Y., and Tanaka, T. Analysis on Substrate Specificity of *Escherichia coli* Ribonuclease P Using Shape Variants of pre-tRNA: Proposal of Subsites Model for Substrate Shape Recognition, 151
- Szymański, M. See *Fedoruk-Wyszomirska, Wyszko, Barciszewska, and Barciszewski*, 451
- T
- Tadokoro, T. See *Takano, Higashi, Okada, Mukaiyama, Koga, and Kanaya*, 79
- Tagawa, M. See *Kishimoto, Nakamura, Hattori, Nakamura, Oonuma, Kanatani, Tanaka, Mori, Harada, and Ishihara*, 275
- Tagawa, S. See *Kobayashi, and Mogi*, 685
- Takagawa, H. See *Yamaguchi, Iwakaji, Miyagawa, Wang, and Ishii*, 533
- Takagi, M. See *Mikami, and Somei*, 239
- Takahashi, H. See *Takenawa, Yokota, Oda, and Iwakura*, 517
- . Yokota, A., Takenawa, T., and Iwakura, M. Sequence Perturbation Analysis: Addressing Amino Acid Indices to Elucidate the C-Terminal Role of *Escherichia Coli* Dihydrofolate Reductase, 751
- Takai, T. See *Li, Kaifu, and Obinata*, 425
- Takakura, N. See *Naito, Kidoya, and Sato*, 653
- Takano, K., Higashi, R., Okada, J., Mukaiyama, A., Tadokoro, T., Koga, Y., and Kanaya, S. Proline Effect on the Thermostability and Slow Unfolding of a Hyperthermophilic Protein, 79
- Takeda, S. See *Tateno, Toyooka, Shikano, Kuwabara, Sezutsu, and Tamura*, 37
- Takenawa, T., Yokota, A., Oda, M., Takahashi, H., and Iwakura, M. Protein Oxidation During Long Storage: Identification of the Oxidation Sites in Dihydrofolate Reductase from *Escherichia coli* through LC-MS and Fragment Studies, 517
- . See *Takahashi, Yokota, and Iwakura*, 751
- Taketani, S. See *Sakaino, and Kataoka*, 733
- Takeuchi, H. See *Otomo, Toyama, and Miura*, 543
- Takigawa, M. See *Maeda, Nishida, Aoyama, Kubota, Lyons, and Kuboki*, 207
- Takita, T. See *Sakurama, Mikami, Itoh, Yasukawa, and Inouye*, 555
- Takuwa, Y. See *Shiratsuchi, Ichiki, Okamoto, Ueda, Sugimoto, and Nakanishi*, 43
- Tamura, T. See *Tateno, Toyooka, Shikano, Takeda, Kuwabara, and Sezutsu*, 37
- Tanaka, A., Itoh, F., Itoh, S., and Kato, M. TAL1/SCL Relieves the E2-2-Mediated Repression of VEGFR2 Promoter Activity, 129
- Tanaka, Terumichi. See *Suwa, Nagai, Fujimoto, and Kikuchi*, 151
- Tanaka, Tsutomu. See *Ishii, Izawa, Matsumura, Wakamura, Tanino, Ogino, Fukuda, and Kondo*, 701
- Tanaka, T.Q. See *Kawahara, Mogi, Hata, Miyoshi, and Kita*, 229
- Tanaka, Y. See *Kishimoto, Nakamura, Hattori, Nakamura, Oonuma, Kanatani, Mori, Harada, Tagawa, and Ishihara*, 275
- Tanemura, S., Momose, H., Shimizu, N., Kitagawa, D., Seo, J., Yamasaki, T., Nakagawa, K., Kajiho, H., Penninger, J.M., Katada, T., and Nishina, H. Blockage by SP600125 of Fcε Receptor-Induced Degranulation and Cytokine Gene Expression in Mast Cells is Mediated Through Inhibition of Phosphatidylinositol 3-Kinase Signalling Pathway, 345
- Taniguchi, A. See *Ohno, Motojima, and Okano*, 591
- Taniguchi, N. See *Wang, Fukuda, Li, Gao, Kondo, Matsumoto, Miyoshi, and Gu*, 643
- Tanino, T. See *Ishii, Izawa, Matsumura, Wakamura, Tanaka, Ogino, Fukuda, and Kondo*, 701
- Tashima, Y. See *Kondoh, Watanabe, Maeda, and Kinoshita*, 115
- Tateno, M., Toyooka, M., Shikano, Y., Takeda, S., Kuwabara, N., Sezutsu, H., and Tamura, T. Production and Characterization of the Recombinant Human μ-Opioid Receptor from Transgenic Silkworms, 37

- Terashima, H., Abe-Yoshizumi, R., Kojima, S., and Homma, M. Cell-free Synthesis of the Torque-Generating Membrane Proteins, PomA and PomB, of the Na^+ -driven Flagellar Motor in *Vibrio alginolyticus*, 411
- Thammasirirak, S. See *Siritapetawee, Robinson, and Yuvaniyama*, 193
- Thorbjarnardóttir, S.H. See *Arnórsdóttir, Sigtryggsdóttir, and Kristjánsson*, 325
- Tohyama, Y., and Yamamura, H. Protein Tyrosine Kinase, Syk: A Key Player in Phagocytic Cells, 267
- Tokuhara, M. See *Chiba, Morita, and Abe*, 403
- Tomatsu, H. See *Ujiie, Matsutani, Fujihara, Ushida, Miwa, Fujita, Himeno, and Muto*, 59
- Tomoo, K. See *Okade, Fujita, Miyamoto, Muto, Miyoshi, Natsuaki, Rhoads, and Ishida*, 299
- Tonomura, B. See *Morimoto, Kawabata, Kunii, Hamano, and Saito*, 677
- Torikai, M. See *Muraoka, Ito, Kamimura, Baba, Arima, Suda, Hashiguchi, Nakashima, and Sugimura*, 799
- Toshida, T. See *Oka, Maruyama, Nakajima, Yamashita, and Sugiura*, 13
- Toyama, A. See *Otomo, Miura, and Takeuchi*, 543
- Toyooka, M. See *Tateno, Shikano, Takeda, Kuwabara, Sezutsu, and Tamura*, 37
- Trapasso, F. See *Iuliano, Raso, Quintiero, Pera, Pichiorri, Palumbo, Palmieri, Pattarozzi, Florio, Viglietto, Croce, and Fusco*, 377
- Trivelli, X. See *Maes, Mille, Janbon, Poulaire, and Guérardel*, 413
- Tsubokawa, D. See *Goso, and Ishihara*, 739
- Tsuchiya, W., and Hasegawa, T. Molecular Recognition of Tryptophan tRNA by Tryptophanyl-tRNA Synthetase from *Aeropyrum pernix* K1, 635
- Tsukuba, T., Yanagawa, M., Okamoto, K., Okamoto, Y., Yasuda, Y., Nakayama, K.I., Kadokawa, T., and Yamamoto, K. Impaired chemotaxis and cell adhesion due to decrease in several cell-surface receptors in cathepsin E-deficient macrophages, 565
- Tsuzuki, S. See *Kojima, Fushiki, and Inouye*, 783
- U
- Ueda, H. See *Liu, Kawahara, and Nagamune*, 575
- Ueda, N. See *Shiratsuchi, Ichiki, Okamoto, Sugimoto, Takuwa, and Nakanishi*, 43
- Ueda, T. See *Osada, Shimizu, Akbar, and Kanamori*, 693
- Ujiie, H., Matsutani, T., Tomatsu, H., Fujihara, A., Ushida, C., Miwa, Y., Fujita, Y., Himeno, H., and Muto, A. Trans-Translation is Involved in the CcpA-Dependent Tagging and Degradation of TreP in *Bacillus subtilis*, 59
- Uo, T. See *Yamauchi, Goto, Wu, Yoshimura, Miura, Kurihara, Miyahara, Hirotsu, and Esaki*, 421
- Urade, Y. See *Inoue, Yagi, and Inui*, 169
- . See *Kabututu, Manin, Pointud, Maruyama, Nagata, Lambert, Lefrançois-Martinez, and Martinez*, 161
- Ushida, C. See *Ujiie, Matsutani, Tomatsu, Fujihara, Miwa, Fujita, Himeno, and Muto*, 59
- V
- Vargas, A.M. See *Sevillano, Girón, Salido, Vilches, and Salto*, 21
- Viglietto, G. See *Iuliano, Raso, Quintiero, Pera, Pichiorri, Palumbo, Palmieri, Pattarozzi, Florio, Trapasso, Croce, and Fusco*, 377
- Vilches, J. See *Sevillano, Girón, Salido, Vargas, and Salto*, 21
- W
- Wada, M. See *Murakami, Maeda, and Yokota*, 661
- Wakamura, K. See *Ishii, Izawa, Matsumura, Tanino, Tanaka, Ogino, Fukuda, and Kondo*, 701
- Wan, Y.-J.Y. See *Yang, Zhang, Esterly, and Klaassen*, 609
- Wang, G.-K. See *Lu, Yan, Chen, Wang, and Gao*, 309
- Wang, P.-C. See *Yamaguchi, Takagawa, Iwakaji, Miyagawa, and Ishii*, 533
- Wang, P.-L. See *Imamura, Fujigaki, Oomori, Ouryouji, Yanagisawa, and Miyazawa*, 279
- Wang, X., Fukuda, T., Li, W., Gao, C.-x., Kondo, A., Matsumoto, A., Miyoshi, E., Taniguchi, N., and Gu, J. Requirement of Fut8 for the expression of vascular endothelial growth factor receptor-2: a new mechanism for the emphysema-like changes observed in Fut8-deficient mice, 643
- Wang, Y., Zong, H., Chi, Y., Hong, Y., Yang, Y., Zou, W., Yun, X., and Gu, J. Repression of Estrogen Receptor alpha by CDK11^{p58} Through Promoting its Ubiquitin-Proteasome Degradation, 331
- Wang, Y.-L. See *Lu, Wang, Yan, Chen, and Gao*, 309
- Watanabe, H. See *Kondoh, Tashima, Maeda, and Kinoshita*, 115
- Watanabe, Y. See *Yamamoto, Makino, and Omichi*, 585
- Wood, P.A. See *Yang, Ansell, Ohmori, Oh, Xiong, Berger, Peña, and Hrushesky*, 289
- Wu, H.-Y. See *Yamauchi, Goto, Uo, Yoshimura, Miura, Kurihara, Miyahara, Hirotsu, and Esaki*, 421
- Wyszko, E. See *Fedoruk-Wyszomska, Szymański, Barciszewska, and Barciszewski*, 451
- X
- Xing, M. See *Yang, Yue, Huang, Zhuang, and Chen*, 355
- Xiong, Y. See *Yang, Wood, Ansell, Ohmori, Oh, Berger, Peña, and Hrushesky*, 289
- Y
- Yabe, K., and Koide, T. Inhibition of the 20S Proteasome by a Protein Proteinase Inhibitor: Evidence That a Natural Serine Proteinase Inhibitor Can Inhibit a Threonine Proteinase, 217
- Yagi, H. See *Chuman, Kurihashi, Mizukami, Nashimoto, and Sakaguchi*, 1
- Yagi, N. See *Inoue, Urade, and Inui*, 169
- Yagi, T. See *Yokochi, Yoshikane, Matsumoto, Fujisawa, and Ohnishi*, 493
- Yamagishi, N. See *Saito, and Hatayama*, 185
- Yamaguchi, A., Takagawa, H., Iwakaji, H., Miyagawa, S., Wang, P.-C., and Ishii, N. Construction of the Plasmid, Expression by Chinese Hamster Ovary Cell, Purification and Characterization of the First Three Short Consensus Repeat Modules of Human Complement Receptor Type 1, 533
- Yamamoto, E., Watanabe, Y., Makino, Y., and Omichi, K. Inspection of the Activator Binding Site for 4- α -Glucanotransferase in Porcine Liver Glycogen Debranching Enzyme with Fluorogenic Dextrins, 585
- Yamamoto, K. See *Tsukuba, Yanagawa, Okamoto, Okamoto, Yasuda, Nakayama, and Kadowaki*, 565
- Yamamoto, S., Inoue, K., Ohta, K.-y., Fukatsu, R., Maeda, J.-y., Yoshida, Y., and Yuasa, H. Identification and Functional Characterization of Rat Riboflavin Transporter 2, 437
- Yamamura, H. See *Tohyama*, 267
- Yamasaki, T. See *Tanemura, Momose, Shimizu, Kitagawa, Seo, Nakagawa, Kajihira, Penninger, Katada, and Nishina*, 345
- Yamashita, A. See *Oka, Toshida, Maruyama, Nakajima, and Sugiura*, 13
- Yamauchi, T., Goto, M., Wu, H.-Y., Uo, T., Yoshimura, T., Miura, H., Kurihara, T., Miyahara, I., Hirotsu, K., and Esaki, N. Serine Racemase with Catalytically Active Lysinoalanyl Residue, 421
- Yamazaki, Y. See *Ishikawa, Kumashiro, Atoda, and Morita*, 123
- . See *Matsunaga, Hyodo, Sugiyama, Nozaki, and Morita*, 365

- Yamazawa, R. See *Nakashima, Ito, Nakajima, Miyakawa, and Yoshimoto*, 467
- Yan, C.-L. See *Lu, Wang, Chen, Wang, and Gao*, 309
- Yanagawa, M. See *Tsukuba, Okamoto, Okamoto, Yasuda, Nakayama, Kadowaki, and Yamamoto*, 565
- Yanagisawa, S. See *Imamura, Fujigaki, Oomori, Ouryouji, Miyazawa, and Wang*, 279
- Yang, X., Wood, P.A., Ansell, C.M., Ohmori, M., Oh, E.-Y., Xiong, Y., Berger, F.G., Peña, M.M.O., and Hrushesky, W.J. β -Catenin Induces β -TrCP-Mediated PER2 Degradation Altering Circadian Clock Gene Expression in Intestinal Mucosa of *Apc^{Min/+}* Mice, 289
- Yang, X., Zhang, Y.-K.J.-, Esterly, N., Klaassen, C.D., and Wan, Y.-J.Y. Gender Disparity of Hepatic Lipid Homoeostasis Regulated by the Circadian Clock, 609
- Yang, Y. See *Wang, Zong, Chi, Hong, Zou, Yun, and Gu*, 331
- Yang, Z., Yue, Y.-J., Huang, W.-C., Zhuang, X.-M., Chen, Z.-T., and Xing, M. Importance of the Ionic Nature of Ionic Liquids in Affecting Enzyme Performance, 355
- Yasuda, Y. See *Tsukuba, Yanagawa, Okamoto, Okamoto, Nakayama, Kadowaki, and Yamamoto*, 565
- Yasukawa, K., Mizuno, M., and Inouye, K. Characterization of Moloney Murine Leukaemia Virus/Avian Myeloblastosis Virus Chimeric Reverse Transcriptases, 315
- . See *Kusano, and Inouye*, 103
- . See *Sakurama, Takita, Mikami, Itoh, and Inouye*, 555
- Yasunaga, M. See *Hirata, Amano, Miyashita, Nakanishi, and Sato*, 51
- Yatomi, Y. See *Satoh, Li, Yokota, Osada, Ozaki, and Katoh*, 31
- Yeom, J., Jeon, C.O., Madsen, E.L., and Park, W. *In Vitro* and *In Vivo* Interactions of Ferredoxin-NADP⁺ Reductases in *Pseudomonas putida*, 481
- Yokochi, N., Yoshikane, Y., Matsumoto, S., Fujisawa, M., Ohnishi, K., and Yagi, T. Gene Identification and Characterization of 5-Formyl-3-Hydroxy-2-Methylpyridine 4-Carboxylic Acid 5-Dehydrogenase, an NAD⁺-Dependent Dismutase, 493
- Yokota, A. See *Takenawa, Oda, Takahashi, and Iwakura*, 517
- . See *Takahashi, Takenawa, and Iwakura*, 751
- Yokota, A. See *Murakami, Maeda, and Wada*, 661
- Yokota, H. See *Satoh, Li, Osada, Ozaki, Katoh, and Yatomi*, 31
- Yoshida, Y. See *Yamamoto, Inoue, Ohta, Fukatsu, Maeda, and Yuasa*, 437
- Yoshikane, Y. See *Yokochi, Matsumoto, Fujisawa, Ohnishi, and Yagi*, 493
- Yoshikawa, N., Okada, S., and Abe, H. Molecular Characterization of Alanine Racemase in the Kuruma Prawn *Marsupenaeus japonicus*, 249
- Yoshimoto, T. See *Nakashima, Ito, Nakajima, Yamazawa, and Miyakawa*, 467
- Yoshimura, T. See *Yamauchi, Goto, Wu, Uo, Miura, Kurihara, Miyahara, Hirotsu, and Esaki*, 421
- Yuasa, H. See *Yamamoto, Inoue, Ohta, Fukatsu, Maeda, and Yoshida*, 437
- Yue, Y.-J. See *Yang, Huang, Zhuang, Chen, and Xing*, 355
- Yun, X. See *Wang, Zong, Chi, Hong, Yang, Zou, and Gu*, 331
- Yuvaniyama, J. See *Siripetawee, Thammasirirak, and Robinson*, 193
- Z
- Zhang, Y.-K.J.-. See *Yang, Esterly, Klaassen, and Wan*, 609
- Zhuang, X.-M. See *Yang, Yue, Huang, Chen, and Xing*, 355
- Zong, H. See *Wang, Chi, Hong, Yang, Zou, Yun, and Gu*, 331
- Zou, W. See *Wang, Zong, Chi, Hong, Yang, Yun, and Gu*, 331

INDEX TO KEY WORDS

A

- α_1 -antitrypsin, 20S proteasome, BPTI, cross-class inhibition, proteinase inhibitor, *Yabe, Koide*, 217
 β -catenin, circadian, colon cancer, *Per2*, β -TrCP, *Yang, Wood, Ansell, Ohmori, Oh, Xiong, Berger, Peña, Hrushesky*, 289
 β -mannosylation, *Candida albicans*, high-resolution magic angle NMR, mannosyltransferase, *Maes, Mille, Trivelli, Janbon, Poulain, Guérardel*, 413
 β -mercaptoethanol, alcohol oxidase, deflavination, dissociation, reactivation, *Kumar, Goswami*, 259
 β -TrCP, circadian, colon cancer, *Per2*, β -catenin, *Yang, Wood, Ansell, Ohmori, Oh, Xiong, Berger, Peña, Hrushesky*, 289
14-3-3, AKT, phosphorylation, interaction, *Chiba, Tokuhara, Morita, Abe*, 403
2-arachidonoyl-sn-glycero-3-phosphoinositol, cannabinoid, G protein-coupled receptor, GPR55, lysophosphatidylinositol, *Oka, Toshida, Maruyama, Nakajima, Yamashita, Sugiura*, 13
20S proteasome, α_1 -antitrypsin, BPTI, cross-class inhibition, proteinase inhibitor, *Yabe, Koide*, 217
3D structure prediction, eIF4E, surface plasmon resonance, turnip mosaic virus, VPg, *Okade, Fujita, Miyamoto, Tomoo, Muto, Miyoshi, Natsuaki, Rhoads, Ishida*, 299
4- α -glucanotransferase, activation of enzyme, branched dextrin, glycogen, glycogen debranching enzyme, *Yamamoto, Watanabe, Makino, Omichi*, 585
5-formyl-3-hydroxy-2-methylpyridine 4-carboxylic acid (FHMPc) dehydrogenase, NAD⁺-dependent dismutase, *Mesorhizobium loti*, vitamin B₆-degradation pathway, *Yokochi, Yoshikane, Matsumoto, Fujisawa, Ohnishi, Yagi*, 493
5-FU, bone marrow ablation, haematopoietic progenitor cells, haematopoietic stem cell, vasohibin, *Naito, Kidoya, Sato, Takakura*, 653
Aeropyrum pernix K1, tRNA identity, tryptophan tRNA, tryptophanyl-tRNA synthetase, archaea, *Tsuchiya, Hasegawa*, 635
absorption spectra, cyanobacteria, cytochrome *bd*, kinetics, plastoquinol oxidase, *Mogi, Miyoshi*, 395
absorption, intestine, riboflavin, RFT2, transporter, *Yamamoto, Inoue, Ohta, Fukatsu, Maeda, Yoshida, Yuasa*, 437
actin, adhesion, dynamics, myosin, polarity, *Senju, Miyata*, 137

- activation of enzyme, branched dextrin, 4- α -glucanotransferase, glycogen, glycogen debranching enzyme, *Yamamoto, Watanabe, Makino, Omichi*, 585
activator, group I, intron, modular engineering, ribozyme, *Ikawa, Shiohara, Ohuchi, Inoue*, 429
active site, metalloproteinase, site-directed mutagenesis, stability, thermolysin, *Kusano, Yasukawa, Inouye*, 103
adhesion, actin, dynamics, myosin, polarity, *Senju, Miyata*, 137
adipocyte differentiation, statins, leptin, HMG-CoA reductase, prenylation, protein kinase A, *Maeda, Horiechi*, 771
adult T-cell leukaemia, human antibody, scFv, phage library, diabody, *Muraoka, Ito, Kamimura, Baba, Arima, Suda, Hashiguchi, Torikai, Nakashima, Sugimura*, 799
aggregation, circular dichroism, gemini surfactants, human serum albumin, fluorescence spectroscopy, *Gull, Sen, Khan, Kabir-ud-Din*, 67
AKT, 14-3-3, phosphorylation, interaction, *Chiba, Tokuhara, Morita, Abe*, 403
Akt, Fc γ receptor, Phagocytosis, Phosphoinositide 3-kinase, PKC δ , *Hazeki, Inoue, Nigorikawa, Hazeki*, 87
alanine racemase, aquatic invertebrate, D-alanine, D-amino acid, *Marsupenaeus japonicus, Yoshikawa, Okada, Abe*, 249
alcohol oxidase, β -mercaptoethanol, deflavination, dissociation, reactivation, *Kumar, Goswami*, 259
allosteric regulation, heam, tryptophan, Raman spectra, *Fukumura, Sugimoto, Misumi, Ogura, Shiro*, 505
alternative splicing variant, p53, phosphatase, PPM1D, tissue-specific expression, *Chuman, Kurihashi, Mizukami, Nashimoto, Yagi, Sakaguchi*, 1
amino acid indices, C-terminal role, dihydrofolate reductase, mutational sensitivity, sequence perturbation analysis, *Takahashi, Yokota, Takenawa, Iwakura*, 751
aminoacyl-tRNA synthetase, crystal structure, L-lysine hydroxamate, lysyl-tRNA synthetase, seryl-tRNA synthetase, *Sakurama, Takita, Mikami, Itoh, Yasukawa, Inouye*, 555
angiogenesis, E2-2, endothelial cell, SCL/TAL1, VEGFR2, *Tanaka, Itoh, Itoh, Kato*, 129
angiotensin-converting enzyme, enzyme activity, glycan, gpi-anchored protein, post-translational modification, *Kondoh, Watanabe, Tashima, Maeda, Kinoshita*, 115
anthranilic acid, fetuin, hydrazine, mucin-type oligosaccharide, porcine gastric

- mucin, rat gastric mucin, *Goso, Tsubokawa, Ishihara*, 739
antibody, cell-free protein synthesis system, epitope mapping, in vitro selection, ribosome display, *Osada, Shimizu, Akbar, Kanamori, Ueda*, 693
anticoagulant protein, coagulation factor IX, factor X, IX/X-bp, prothrombinase, *Ishikawa, Kumashiro, Yamazaki, Atoda, Morita*, 123
apoptosis, CD9, EGFR, HB-EGF, PD169316, *Krishnamoorthy, Heimburg-Molinaro, Bargo, Nash, Nash*, 177
—, emphysema, fucosylation, Fut8, VEGFR-2 expression, *Wang, Fukuda, Li, Gao, Kondo, Matsumoto, Miyoshi, Taniguchi, Gu*, 643
—, phagocytosis, phosphatidylserine, scavenger receptor, small G protein, *Osada, Sunatani, Kim, Nakanishi, Shiratsuchi*, 387
aquatic invertebrate, alanine racemase, D-alanine, D-amino acid, *Marsupenaeus japonicus, Yoshikawa, Okada, Abe*, 249
archaea, tRNA identity, tryptophan tRNA, tryptophanyl-tRNA synthetase, *Aeropyrum pernix* K1, *Tsuchiya, Hasegawa*, 635
aspartic proteinase, cathepsin E, knockout, macrophages, chemotaxis, cell adhesion, *Tsukuba, Yanagawa, Okamoto, Okamoto, Yasuda, Nakayama, Kadowaki, Yamamoto*, 565
avian myeloblastosis virus, chimeric enzyme, Moloney murine leukaemia virus, reverse transcriptase, RNase H, *Yasukawa, Mizuno, Inouye*, 315
axial ligand, cyanide, *Escherichia coli*, haem d, quinol oxidase, *Mogi*, 763

B

- Bacillus subtilis*, CcpA, tmRNA, translation, TreP, *Ujiiie, Matsutani, Tomatsu, Fujihara, Ushida, Miwa, Fujita, Himeno, Muto*, 59
—, CtaB, heme A biosynthesis, heme O synthase, His-tag, *Mogi*, 669
—, heme A synthase, terminal oxidase, dioxygen reduction, mitochondria, *Mogi*, 625
bacterial terminal oxidase, CytoE, haem O synthase, low-spin haem b, quinol oxidation site, *Mogi*, 599
binding, halide ion, interaction, ion-selective electrode, ovalbumin, *Lu, Wang, Yan, Chen, Wang, Gao*, 309
bipolar cells, Ca²⁺/calmodulin, mGluR6, RGS11, TRPM1, *Nakajima, Moriyama, Hattori, Minato, Nakanishi*, 811
BMP signalling, chondrocytes, CCN family 2/connective tissue growth factor

INDEX TO KEY WORDS

- (CCN2/CTGF), BMP-2, endochondral ossification, *Maeda, Nishida, Aoyama, Kubota, Lyons, Kuboki, Takigawa*, 207
- BMP-2, chondrocytes, CCN family 2/connective tissue growth factor (CCN2/CTGF), BMP signalling, endochondral ossification, *Maeda, Nishida, Aoyama, Kubota, Lyons, Kuboki, Takigawa*, 207
- bone marrow ablation, 5-FU, haematopoietic progenitor cells, haematopoietic stem cell, vasohibin, *Naito, Kidoya, Sato, Takakura*, 653
- BPTI, 20S proteasome, α_1 -antitrypsin, cross-class inhibition, proteinase inhibitor, *Yabe, Koide*, 217
- Bradford assay, Lowry assay, total protein concentration, skeletal muscle, Spectrophotometry, *Seeveratnam, Patel, Hamadeh*, 791
- branched dextrin, activation of enzyme, 4- α -glucanotransferase, glycogen, glycogen debranching enzyme, *Yamamoto, Watanabe, Makino, Omichi*, 585
- broad selectivity, compact packing, conformational change, radius of gyration, SAXS, *Inoue, Yagi, Urade, Inui*, 169
- BtuB protein, colicin, immunity protein, OmpT protease, translocation, *Duché, Issouf, Lloubès*, 95
- C**
- C-terminal role, amino acid indices, dihydrofolate reductase, mutational sensitivity, sequence perturbation analysis, *Takahashi, Yokota, Takenawa, Iwakura*, 751
- C5 protein, M1 RNA, ribozyme, RNase P, subsite, *Suwa, Nagai, Fujimoto, Kikuchi, Tanaka*, 151
- Cacna2d3, bipolar cells, mGluR6, RGS11, TRPM1, *Nakajima, Moriyama, Hattori, Minato, Nakanishi*, 811
- Candida albicans*, high-resolution magic angle NMR, β -mannosylation, mannosyltransferase, *Maes, Mille, Trivelli, Janbon, Poulaïn, Guérardel*, 413
- cannabinoid, 2-arachidonoyl-sn-glycerol-3-phosphoinositol, G protein-coupled receptor, GPR55, lysophosphatidylinositol, *Oka, Toshida, Maruyama, Nakajima, Yamashita, Sugiura*, 13
- cathepsin E, aspartic proteinase, knockout, macrophages, chemotaxis, cell adhesion, *Tsukuba, Yanagawa, Okamoto, Kubota, Lyons, Kuboki, Takigawa*, 207
- cation- π interaction, histidine, influenza virus, proton channel, tryptophan, *Otomo, Toyama, Miura, Takeuchi*, 543
- CCN family 2/connective tissue growth factor (CCN2/CTGF), chondrocytes, BMP signalling, BMP-2, endochondral ossification, *Maeda, Nishida, Aoyama, Kubota, Lyons, Kuboki, Takigawa*, 207
- CcpA, *Bacillus subtilis*, tmRNA, translation, TreP, *Ujie, Matsutani, Tomatsu, Fujihara, Ushida, Miwa, Fujita, Himeno, Muto*, 59
- CD9, apoptosis, EGFR, HB-EGF, PD169316, *Krishnamoorthy, Heimburg-Molinaro, Bargo, Nash, Nash*, 177
- CDK11p58, degradation, estrogen receptor α , steroid, ubiquitin-proteasome, *Wang, Zong, Chi, Hong, Yang, Zou, Yun, Gu*, 331
- cell adhesion, aspartic proteinase, cathepsin E, knockout, macrophages, chemotaxis, *Tsukuba, Yanagawa, Okamoto, Yasuda, Nakayama, Kadokawa, Yamamoto*, 565
- cell localization, disulfide bonds, fibronectin domain, protein complexes, protein tyrosine phosphatase, *Iuliano, Raso, Quintiero, Pera, Pichiorri, Palumbo, Palmieri, Pattarozzi, Florio, Viglietto, Trapasso, Croce, Fusco*, 377
- cell-free protein synthesis system, antibody, epitope mapping, in vitro selection, ribosome display, *Osada, Shimizu, Akbar, Kanamori, Ueda*, 693
- cell-sheet technology, co-culture, ECM, gene expression, hepatocyte, *Ohno, Motojima, Okano, Taniguchi*, 591
- ceramide, FRTL-5, sphingosine, sphingosine 1-phosphate, thymocyte, *Satoh, Li, Yokota, Osada, Ozaki, Katoh, Yatomi, Kadokawa, Yamamoto*, 565
- chimeric enzyme, avian myeloblastosis virus, Moloney murine leukaemia virus, reverse transcriptase, RNase H, *Yasukawa, Mizuno, Inouye*, 315
- chimeric receptor, conformational change, erythropoietin receptor, ligand, signal transduction, *Liu, Kawahara, Ueda, Nagamune*, 575
- CHO cell, complement control activity, complement receptor type 1 (CR1), short consensus repeat (SCR1-3), sugar chain, *Yamaguchi, Takagawa, Iwakaji, Miyagawa, Wang, Ishii*, 533
- complex II, inhibitor, mitochondria, NDH-II, rodent malaria, *Kawahara, Mogi, Tanaka, Hata, Miyoshi, Kita*, 229
- conformational change, SAXS, *Inoue, Yagi, Urade, Inui*, 169
- chimeric receptor, erythropoietin receptor, ligand, signal transduction, *Liu, Kawahara, Ueda, Nagamune*, 575
- crystal structure, hydroxybutyrate dehydrogenase, short-chain dehydrogenase/reductase family, substrate recognition, *Nakashima, Ito, Nakajima, Yamazawa, Miyakawa, Yoshimoto*, 467
- copper B mutant, cytochrome bo, electron transfer, pulse radiolysis, quinol oxidase, *Kobayashi, Tagawa, Mogi*, 685
- CRISP, *Naja kaouthia*, pathogenesis-related protein, cysteine-rich domain, ion channel, *Matsunaga, Yamazaki, Hyodo, Sugiyama, Nozaki, Morita*, 365
- cross-class inhibition, 20S proteasome, α_1 -antitrypsin, BPTI, proteinase inhibitor, *Yabe, Koide*, 217
- fluorescence spectroscopy, *Gull, Sen, Khan, Kabir-ud-Din*, 67
- co-culture, cell-sheet technology, ECM, gene expression, hepatocyte, *Ohno, Motojima, Okano, Taniguchi*, 591
- coagulation factor IX, anticoagulant protein, factor X, IX/X-bp, prothrombinase, *Ishikawa, Kumashiro, Yamazaki, Atoda, Morita*, 123
- colicin, BtuB protein, immunity protein, OmpT protease, translocation, *Duché, Issouf, Lloubès*, 95
- , transfer RNA, ribonuclease, *Saccharomyces cerevisiae*, growth arrest, *Ogawa, Hidaka, Kohno, Masaki*, 461
- collagen, fibril formation, thioflavin T, fluorescence, *Morimoto, Kawabata, Kuniti, Hamano, Saito, Tonomura*, 677
- colon cancer, circadian, Per2, β -catenin, β -TrCP, Yang, Wood, Ansell, Ohmori, Oh, Xiong, Berger, Peña, Hrushesky, 289
- compact packing, broad selectivity, conformational change, radius of gyration, SAXS, *Inoue, Yagi, Urade, Inui*, 169
- complement control activity, complement receptor type 1 (CR1), short consensus repeat (SCR1-3), CHO cell, sugar chain, *Yamaguchi, Takagawa, Iwakaji, Miyagawa, Wang, Ishii*, 533
- complement receptor type 1 (CR1), complement control activity, short consensus repeat (SCR1-3), CHO cell, sugar chain, *Yamaguchi, Takagawa, Iwakaji, Miyagawa, Wang, Ishii*, 533
- complex II, inhibitor, mitochondria, NDH-II, rodent malaria, *Kawahara, Mogi, Tanaka, Hata, Miyoshi, Kita*, 229
- conformational change, *Escherichia coli* MutL, Methyl-directed mismatch repair, Small-angle X-ray scattering, *Thermotoga maritima* MSB8 MutL, Kim, Cha, Lee, Heo, Choi, Ku, Ban, 199
- , broad selectivity, compact packing, radius of gyration, SAXS, *Inoue, Yagi, Urade, Inui*, 169
- , chimeric receptor, erythropoietin receptor, ligand, signal transduction, *Liu, Kawahara, Ueda, Nagamune*, 575
- , crystal structure, hydroxybutyrate dehydrogenase, short-chain dehydrogenase/reductase family, substrate recognition, *Nakashima, Ito, Nakajima, Yamazawa, Miyakawa, Yoshimoto*, 467

- crystal structure, aminoacyl-tRNA synthetase, L-lysine hydroxamate, lysyl-tRNA synthetase, seryl-tRNA synthetase, *Sakurama, Takita, Mikami, Itoh, Yasukawa, Inouye*, 555
- , conformational change, hydroxybutyrate dehydrogenase, short-chain dehydrogenase/reductase family, substrate recognition, *Nakashima, Ito, Nakajima, Yamazawa, Miyakawa, Yoshimoto*, 467
- , lysozyme, soft-shelled turtle, transglycosylation, X-ray crystallography, *Siripatetawee, Thammasirirak, Robinson, Yuvaniyama*, 193
- CtaB, *Bacillus subtilis*, heme A biosynthesis, heme O synthase, His-tag, *Mogi*, 669
- cyanide, axial ligand, *Escherichia coli*, haem d, quinol oxidase, *Mogi*, 763
- cyanobacteria, absorption spectra, cytochrome *bd*, kinetics, plastoquinol oxidase, *Mogi, Miyoshi*, 395
- CyoE, bacterial terminal oxidase, haem O synthase, low-spin haem b, quinol oxidation site, *Mogi*, 599
- cysteine-rich domain, CRISP, *Naja kaouthia*, pathogenesis-related protein, ion channel, *Matsunaga, Yamazaki, Hyodo, Sugiyama, Nozaki, Morita*, 365
- cytochrome *bd*, absorption spectra, cyanobacteria, kinetics, plastoquinol oxidase, *Mogi, Miyoshi*, 395
- cytochrome *bo*, copper B mutant, electron transfer, pulse radiolysis, quinol oxidase, *Kobayashi, Tagawa, Mogi*, 685
- D**
- D-alanine, alanine racemase, aquatic invertebrate, D-amino acid, *Marsupenaeus japonicus, Yoshikawa, Okada, Abe*, 249
- D-amino acid, alanine racemase, aquatic invertebrate, D-alanine, *Marsupenaeus japonicus, Yoshikawa, Okada, Abe*, 249
- D-serine, modification, pyridoxal 5'-phosphate, racemase, *Schizosaccharomyces pombe, Yamauchi, Goto, Wu, Uo, Yoshimura, Mihara, Kurihara, Miyahara, Hirotsu, Esaki*, 421
- deflavination, alcohol oxidase, β-mercaptoethanol, dissociation, reactivation, *Kumar, Goswami*, 259
- degradation, CDK11p58, estrogen receptor α, steroid, ubiquitin-proteasome, *Wang, Zong, Chi, Hong, Yang, Zou, Yun, Gu*, 331
- diabody, adult T-cell leukaemia, human antibody, scFv, phage library, *Muraoka, Ito, Kamimura, Baba, Arima, Suda, Hashiguchi, Torikai, Nakashima, Sugimura*, 799
- differentiation, mineralization, osteoblast, osterix, SST-VEDI-1, *Mikami, Somei, Takagi*, 239
- dihydrofolate reductase, amino acid indices, C-terminal role, mutational sensitivity, sequence perturbation analysis, *Takahashi, Yokota, Takenawa, Iwakura*, 751
- , fragment studies, liquid chromatography-mass spectrometry (LC-MS), protein aging, protein oxidation, *Takenawa, Yokota, Oda, Takahashi, Iwakura*, 517
- dioxygen reduction, *Bacillus subtilis*, heme A synthase, terminal oxidase, mitochondria, *Mogi*, 625
- dissociation, alcohol oxidase, β-mercaptoethanol, deflavination, reactivation, *Kumar, Goswami*, 259
- disulfide bonds, cell localization, fibronectin domain, protein complexes, protein tyrosine phosphatase, *Iuliano, Raso, Quintiero, Pera, Pichiorri, Palumbo, Palmieri, Pattarozzi, Florio, Viglietto, Trapasso, Croce, Fusco*, 377
- DNA-binding proteins, histatin, positive regulatory element, saliva, transcriptional regulation, *Imamura, Fujigaki, Oomori, Ouryouji, Yanagisawa, Miyazawa, Wang*, 279
- DNAzyme, hammerhead ribozyme, HIV, RNA, tetraloop receptor, *Fedoruk-Wyszomirska, Szymański, Wyszko, Barciszewska, Barciszewski*, 451
- dynamics, actin, adhesion, myosin, polarity, *Senju, Miyata*, 137
- E**
- E2-2, angiogenesis, endothelial cell, SCL/TAL1, VEGFR2, *Tanaka, Itoh, Itoh, Kato*, 129
- ECM, cell-sheet technology, co-culture, gene expression, hepatocyte, *Ohno, Motojima, Okano, Taniguchi*, 591
- EGFR, apoptosis, CD9, HB-EGF, PD169316, *Krishnamoorthy, Heimburg-Molinaro, Bargo, Nash, Nash*, 177
- eIF4E, 3D structure prediction, surface plasmon resonance, turnip mosaic virus, VPg, *Okade, Fujita, Miyamoto, Tomoo, Muto, Miyoshi, Natsuaki, Rhoads, Ishida*, 299
- electron transfer, copper B mutant, cytochrome *bo*, pulse radiolysis, quinol oxidase, *Kobayashi, Tagawa, Mogi*, 685
- emphysema, apoptosis, fucosylation, Fut8, VEGFR-2 expression, *Wang, Fukuda, Li, Gao, Kondo, Matsumoto, Miyoshi, Taniguchi, Gu*, 643
- endochondral ossification, chondrocytes, CCN family 2/connective tissue growth factor (CCN2/CTGF), BMP signalling, BMP-2, *Maeda, Nishida, Aoyama, Kubota, Lyons, Kuboki, Takigawa*, 207
- endothelial cell, angiogenesis, E2-2, SCL/TAL1, VEGFR2, *Tanaka, Itoh, Itoh, Kato*, 129
- enhanced green fluorescent protein, ERK1/2, NF-κB, receptor for advanced glycation end products, receptor internalization, *Sevillano, Girón, Salido, Vargas, Vilches, Salto*, 21
- enzyme activity, angiotensin-converting enzyme, glycan, gpi-anchored protein, post-translational modification, *Kondoh, Watanabe, Tashima, Maeda, Kinoshita*, 115
- enzyme-linked immunosorbent assay (ELISA), fragmin/protamine microparticles (F/P MPs), heparin-binding cytokine, heparinoids, human stem cell factor (SCF), *Kishimoto, Nakamura, Hattori, Nakamura, Oonuma, Kanatani, Tanaka, Mori, Harada, Tagawa, Ishihara*, 275
- epitope mapping, antibody, cell-free protein synthesis system, in vitro selection, ribosome display, *Osada, Shimizu, Akbar, Kanamori, Ueda*, 693
- ERK1/2, enhanced green fluorescent protein, NF-κB, receptor for advanced glycation end products, receptor internalization, *Sevillano, Girón, Salido, Vargas, Vilches, Salto*, 21
- erythropoietin receptor, chimeric receptor, conformational change, ligand, signal transduction, *Liu, Kawahara, Ueda, Nagamune*, 575
- Escherichia coli* MutL, conformational change, Methyl-directed mismatch repair, Small-angle X-ray scattering, *Thermotoga maritima MSB8 MutL, Kim, Cha, Lee, Heo, Choi, Ku, Ban*, 199
- Escherichia coli*, axial ligand, cyanide, haem d, quinol oxidase, *Mogi*, 763
- , glycosylation, homodimer, miraculin, taste-modifying protein, *Matsuyama, Satoh, Nakata, Aoyama, Inoue*, 445
- estrogen receptor α, CDK11p58, degradation, steroid, ubiquitin-proteasome, *Wang, Zong, Chi, Hong, Yang, Zou, Yun, Gu*, 331
- expression system, yeast, plasmid maintenance, green fluorescent protein, flow cytometry, *Ishii, Izawa, Matsumura, Wakamura, Tanino, Tanaka, Ogino, Fukuda, Kondo*, 701
- F**
- factor X, anticoagulant protein, coagulation factor IX, IX/X-bp, prothrombinase, *Ishikawa, Kumashiro, Yamazaki, Atoda, Morita*, 123
- far-western blot, homology modelling, oxidative stress, protein-protein interaction, *Pseudomonas putida KT2440, Yeom, Jeon, Madsen, Park*, 481
- Fcγ receptor, Akt, Phagocytosis, Phosphoinositide 3-kinase, PKCδ, Hazeki, *Inoue, Nigorikawa, Hazeki*, 87
- ferrochelatase, haem biosynthesis, hemin, mRNA variant, post-transcription, *Sakaino, Kataoka, Taketani*, 733

fetuin, anthranilic acid, hydrazine, mucin-type oligosaccharide, porcine gastric mucin, rat gastric mucin, *Goso, Tsubokawa, Ishihara*, 739
fibril formation, collagen, thioflavin T, fluorescence, *Morimoto, Kawabata, Kunii, Hamano, Saito, Tonomura*, 677
fibronectin domain, cell localization, disulfide bonds, protein complexes, protein tyrosine phosphatase, *Iuliano, Raso, Quintiero, Pera, Pichiorri, Palumbo, Palmieri, Pattarozzi, Florio, Viglietto, Trapasso, Croce, Fusco*, 377
flavin adenine dinucleotide, flavoproteins, folding/unfolding, holo-intermediate, protein stabilization/destabilization, *Singh, Bhakuni*, 721
flavoproteins, flavin adenine dinucleotide, folding/unfolding, holo-intermediate, protein stabilization/destabilization, *Singh, Bhakuni*, 721
flow cytometry, yeast, expression system, plasmid maintenance, green fluorescent protein, *Ishii, Izawa, Matsumura, Wakamura, Tanino, Tanaka, Ogino, Fukuda, Kondo*, 701
fluorescence spectroscopy, aggregation, circular dichroism, gemini surfactants, human serum albumin, *Gull, Sen, Khan, Kabir-ud-Din*, 67
fluorescence, collagen, fibril formation, thioflavin T, *Morimoto, Kawabata, Kunii, Hamano, Saito, Tonomura*, 677
folding/unfolding, flavin adenine dinucleotide, flavoproteins, holo-intermediate, protein stabilization/destabilization, *Singh, Bhakuni*, 721
folding, hyperthermophilic protein, proline residue, ribonuclease HII, stability, *Takano, Higashi, Okada, Mukaiyama, Tadokoro, Koga, Kanaya*, 79
fragment studies, dihydrofolate reductase, liquid chromatography-mass spectrometry (LC-MS), protein aging, protein oxidation, *Takenawa, Yokota, Oda, Takahashi, Iwakura*, 517
fragmin/protamine microparticles (F/P MPs), enzyme-linked immunosorbent assay (ELISA), heparin-binding cytokine, heparinoids, human stem cell factor (SCF), *Kishimoto, Nakamura, Hattori, Nakamura, Oonuma, Kanatani, Tanaka, Mori, Harada, Tagawa, Ishihara*, 275
FRTL-5, ceramide, sphingosine, sphingosine 1-phosphate, thyrocyte, *Satoh, Li, Yokota, Osada, Ozaki, Katoh, Yatomi*, 31
fucosylation, apoptosis, emphysema, *Fut8, VEGFR-2 expression, Wang, Fukuda, Li, Gao, Kondo, Matsumoto, Miyoshi, Taniguchi, Gu*, 643
Fut8, apoptosis, emphysema, fucosylation, VEGFR-2 expression, *Wang, Fukuda, Li, Gao, Kondo, Matsumoto, Miyoshi, Taniguchi, Gu*, 643

G

G protein-coupled receptor, 2-arachidonoyl-sn-glycero-3-phosphoinositol, cannabinoid, GPR55, lysophosphatidylinositol, *Oka, Toshida, Maruyama, Nakajima, Yamashita, Sugiura*, 13
—, opioid receptor, *piggyBac transposon elements, transgenic silkworm, UAS-Gal4 system, Tateno, Toyooka, Shikano, Takeda, Kuwabara, Sezutsu, Tamura*, 37
gemini surfactants, aggregation, circular dichroism, human serum albumin, fluorescence spectroscopy, *Gull, Sen, Khan, Kabir-ud-Din*, 67
gender, Circadian rhythm, lipid homoeostasis, liver, nuclear receptor, *Yang, Zhang, Esterly, Klaassen, Wan*, 609
gene expression, cell-sheet technology, co-culture, ECM, hepatocyte, *Ohno, Motojima, Okano, Taniguchi*, 591
glycan, angiotensin-converting enzyme, enzyme activity, gpi-anchored protein, post-translational modification, *Kondoh, Watanabe, Tashima, Maeda, Kinoshita*, 115
glycogen debranching enzyme, activation of enzyme, branched dextrin, 4- α -glucanotransferase, glycogen, *Yamamoto, Watanabe, Makino, Omichi*, 585
glycogen, activation of enzyme, branched dextrin, 4- α -glucanotransferase, glycogen debranching enzyme, *Yamamoto, Watanabe, Makino, Omichi*, 585
glycosylation, *Escherichia coli*, homodimer, miraculin, taste-modifying protein, *Matsuyama, Satoh, Nakata, Aoyama, Inoue*, 445
gpi-anchored protein, angiotensin-converting enzyme, enzyme activity, glycan, post-translational modification, *Kondoh, Watanabe, Tashima, Maeda, Kinoshita*, 115
GPR55, 2-arachidonoyl-sn-glycero-3-phosphoinositol, cannabinoid, G protein-coupled receptor, lysophosphatidylinositol, *Oka, Toshida, Maruyama, Nakajima, Yamashita, Sugiura*, 13
green fluorescent protein, yeast, expression system, plasmid maintenance, flow cytometry, *Ishii, Izawa, Matsumura, Wakamura, Tanino, Tanaka, Ogino, Fukuda, Kondo*, 701
group I, activator, intron, modular engineering, ribozyme, *Ikawa, Shiohara, Ohuchi, Inoue*, 429
growth arrest, transfer RNA, ribonuclease, *Saccharomyces cerevisiae*, colicin, *Ogawa, Hidaka, Kohno, Masaki*, 461

H

haem *d*, axial ligand, cyanide, *Escherichia coli*, quinol oxidase, *Mogi*, 763

haem biosynthesis, ferrochelatase, hemin, mRNA variant, post-transcription, *Sakaino, Kataoka, Taketani*, 733
haem O synthase, bacterial terminal oxidase, CyoE, low-spin haem *b*, quinol oxidation site, *Mogi*, 599
haematopoietic progenitor cells, 5-FU, bone marrow ablation, haematopoietic stem cell, vasohibin, *Naito, Kidoya, Sato, Takakura*, 653
haematopoietic stem cell, 5-FU, bone marrow ablation, haematopoietic progenitor cells, vasohibin, *Naito, Kidoya, Sato, Takakura*, 653
halide ion, binding, interaction, ion-selective electrode, ovalbumin, *Lu, Wang, Yan, Chen, Wang, Gao*, 309
hammerhead ribozyme, DNAzyme, HIV, RNA, tetraloop receptor, *Fedoruk-Wyszomirska, Szymanski, Wyszko, Barciszewska, Barciszewska*, 451
HB-EGF, apoptosis, CD9, EGFR, PD169316, *Krishnamoorthy, Heimburg-Molinaro, Bargo, Nash, Nash*, 177
heam, allosteric regulation, tryptophan, Raman spectra, *Fukumura, Sugimoto, Misumi, Ogura, Shiro*, 505
heme A biosynthesis, *Bacillus subtilis*, CtaB, heme O synthase, His-tag, *Mogi*, 669
heme A synthase, *Bacillus subtilis*, terminal oxidase, dioxygen reduction, mitochondria, *Mogi*, 625
heme O synthase, *Bacillus subtilis*, CtaB, heme A biosynthesis, His-tag, *Mogi*, 669
hemin, ferrochelatase, haem biosynthesis, mRNA variant, post-transcription, *Sakaino, Kataoka, Taketani*, 733
heparin-binding cytokine, enzyme-linked immunosorbent assay (ELISA), fragmin/protamine microparticles (F/P MPs), heparinoids, human stem cell factor (SCF), *Kishimoto, Nakamura, Hattori, Nakamura, Oonuma, Kanatani, Tanaka, Mori, Harada, Tagawa, Ishihara*, 275
heparinoids, enzyme-linked immunosorbent assay (ELISA), fragmin/protamine microparticles (F/P MPs), heparin-binding cytokine, human stem cell factor (SCF), *Kishimoto, Nakamura, Hattori, Nakamura, Oonuma, Kanatani, Tanaka, Mori, Harada, Tagawa, Ishihara*, 275
hepatic differentiation, hepatic stem cell, type I collagen, TGF- β 1, HGF, *Hirata, Amano, Miyashita, Yasunaga, Nakanishi, Sato*, 51
hepatic stem cell, hepatic differentiation, type I collagen, TGF- β 1, HGF, *Hirata, Amano, Miyashita, Yasunaga, Nakanishi, Sato*, 51
hepatocyte growth factor activator inhibitor type I, inhibitory interaction, matrilipase, membrane-type serine protease,

- stem domain, *Kojima, Tsuzuki, Fushiki, Inouye*, 783
- hepatocyte, cell-sheet technology, co-culture, ECM, gene expression, *Ohno, Motajima, Okano, Taniguchi*, 591
- HGF, hepatic stem cell, hepatic differentiation, type I collagen, TGF- β 1, *Hirata, Amano, Miyashita, Yasunaga, Nakanishi, Sato*, 51
- high-resolution magic angle NMR, *Candida albicans*, β -mannosylation, mannosyltransferase, *Maes, Mille, Trivelli, Janbon, Poulain, Guérardel*, 413
- His-tag, *Bacillus subtilis*, CtaB, heme A biosynthesis, heme O synthase, *Mogi*, 669
- histatin, DNA-binding proteins, positive regulatory element, saliva, transcriptional regulation, *Imamura, Fujigaki, Oomori, Ouryouji, Yanagisawa, Miyazawa, Wang*, 279
- histidine, cation- π interaction, influenza virus, proton channel, tryptophan, *Otomo, Toyama, Miura, Takeuchi*, 543
- HIV, DNAAzyme, hammerhead ribozyme, RNA, tetraloop receptor, *Fedoruk-Wyszomirska, Szymaniski, Wyszko, Barciszewska, Barciszewski*, 451
- HMG-CoA reductase, statins, leptin, adipocyte differentiation, prenylation, protein kinase A, *Maeda, Horiuchi*, 771
- Hofmeister series, ionic liquids, ionic nature, kosmotropicity, tyrosinase, *Yang, Yue, Huang, Zhuang, Chen, Xing*, 355
- holo-intermediate, flavin adenine dinucleotide, flavoproteins, folding/unfolding, protein stabilization/destabilization, *Singh, Bhakuni*, 721
- homodimer, *Escherichia coli*, glycosylation, miraculin, taste-modifying protein, *Matsuyama, Satoh, Nakata, Aoyama, Inoue*, 445
- homology modelling, far-western blot, oxidative stress, protein-protein interaction, *Pseudomonas putida* KT2440, *Yeom, Jeon, Madsen, Park*, 481
- Hsp105 Hsc70, Hsp70, nuclear export signal, nuclear localization signal, *Saito, Yamagishi, Hatayama*, 185
- Hsp70, Hsp105 Hsc70, nuclear export signal, nuclear localization signal, *Saito, Yamagishi, Hatayama*, 185
- human antibody, adult T-cell leukaemia, scFv, phage library, diabody, *Muraoka, Ito, Kamimura, Baba, Arima, Suda, Hashiguchi, Torikai, Nakanishi, Sugimura*, 799
- human serum albumin, aggregation, circular dichroism, gemini surfactants, fluorescence spectroscopy, *Gull, Sen, Khan, Kabir-ud-Din*, 67
- human stem cell factor (SCF), enzyme-linked immunosorbent assay (ELISA), fragmin/protamine microparticles (F/P
- MPs), heparin-binding cytokine, heparinoids, *Kishimoto, Nakamura, Hattori, Nakamura, Oonuma, Kanatani, Tanaka, Mori, Harada, Tagawa, Ishihara*, 275
- hydrazine, anthranilic acid, fetuin, mucin-type oligosaccharide, porcine gastric mucin, rat gastric mucin, *Goso, Tsubokawa, Ishihara*, 739
- hydroxybutyrate dehydrogenase, conformational change, crystal structure, short-chain dehydrogenase/reductase family, substrate recognition, *Nakashima, Ito, Nakajima, Yamazawa, Miyakawa, Yoshimoto*, 467
- hyperthermophilic protein, folding, proline residue, ribonuclease HII, stability, *Takano, Higashi, Okada, Mukaiyama, Tadokoro, Koga, Kanaya*, 79
- I
- IgE, JNK, mast cell, PI3K, SP600125, *Tanemura, Momose, Shimizu, Kitagawa, Seo, Yamasaki, Nakagawa, Kajih, Penninger, Katada, Nishina*, 345
- immunity protein, BtuB protein, colicin, OmpT protease, translocation, *Duché, Issouf, Lloubès*, 95
- in vitro selection, antibody, cell-free protein synthesis system, epitope mapping, ribosome display, *Osada, Shimizu, Akbar, Kanamori, Ueda*, 693
- influenza virus, cation- π interaction, histidine, proton channel, tryptophan, *Otomo, Toyama, Miura, Takeuchi*, 543
- inhibitor, complex II, mitochondria, NDH-II, rodent malaria, *Kawahara, Mogi, Tanaka, Hata, Miyoshi, Kita*, 229
- inhibitory interaction, hepatocyte growth factor activator inhibitor type I, matrix-tase, membrane-type serine protease, stem domain, *Kojima, Tsuzuki, Fushiki, Inouye*, 783
- integrin, ITAM, macrophage, phagocytosis, Syk, *Tohyama, Yamamura*, 267
- interaction, 14-3-3, AKT, phosphorylation, *Chiba, Tokuhara, Morita, Abe*, 403
- , binding, halide ion, ion-selective electrode, ovalbumin, *Lu, Wang, Yan, Chen, Wang, Gao*, 309
- intestine, absorption, riboflavin, RFT2, transporter, *Yamamoto, Inoue, Ohta, Fukatsu, Maeda, Yoshida, Yuasa*, 437
- intron, activator, group I, modular engineering, ribozyme, *Ikawa, Shiohara, Ohuchi, Inoue*, 429
- ion channel, CRISP, *Naja kaouthia*, pathogenesis-related protein, cysteine-rich domain, *Matsunaga, Yamazaki, Hyodo, Sugiyama, Nozaki, Morita*, 365
- ion-selective electrode, binding, halide ion, interaction, ovalbumin, *Lu, Wang, Yan, Chen, Wang, Gao*, 309
- ionic liquids, Hofmeister series, ionic nature, kosmotropicity, tyrosinase,
- Yang, Yue, Huang, Zhuang, Chen, Xing*, 355
- ionic nature, Hofmeister series, ionic liquids, kosmotropicity, tyrosinase, *Yang, Yue, Huang, Zhuang, Chen, Xing*, 355
- ITAM, integrin, macrophage, phagocytosis, Syk, *Tohyama, Yamamura*, 267
- IX/X-bp, anticoagulant protein, coagulation factor IX, factor X, prothrombinase, *Ishikawa, Kumashiro, Yamazaki, Atoda, Morita*, 123
- J
- JNK, IgE, mast cell, PI3K, SP600125, *Tanemura, Momose, Shimizu, Kitagawa, Seo, Yamasaki, Nakagawa, Kajih, Penninger, Katada, Nishina*, 345
- K
- kinetic properties, psychrophilic, proline, site-directed mutagenesis, stability, Arnórsdóttir, *Sigtryggssdóttir, Thorbjarnardóttir, Kristjánsson*, 325
- kinetics, absorption spectra, cyanobacteria, cytochrome bd, plastoquinol oxidase, *Mogi, Miyoshi*, 395
- knockout, aspartic proteinase, cathepsin E, macrophages, chemotaxis, cell adhesion, *Tsukuba, Yanagawa, Okamoto, Okamoto, Yasuda, Nakayama, Kadowaki, Yamamoto*, 565
- kosmotropicity, Hofmeister series, ionic liquids, ionic nature, tyrosinase, *Yang, Yue, Huang, Zhuang, Chen, Xing*, 355
- L
- L-lysine hydroxamate, aminoacyl-tRNA synthetase, crystal structure, lysyl-tRNA synthetase, seryl-tRNA synthetase, *Sakurama, Takita, Mikami, Itoh, Yasukawa, Inouye*, 555
- L-threo-3-hydroxyaspartate dehydratase, serine racemase, pyridoxal 5'-phosphate, *Pseudomonas* sp. T62, serine/threonine dehydratase, *Murakami, Maeda, Yokota, Wada*, 661
- leptin, statins, adipocyte differentiation, HMG-CoA reductase, prenylation, protein kinase A, *Maeda, Horiuchi*, 771
- ligand, chimeric receptor, conformational change, erythropoietin receptor, signal transduction, *Liu, Kawahara, Ueda, Nagamune*, 575
- lipid homoeostasis, Circadian rhythm, gender, liver, nuclear receptor, *Yang, Zhang, Esterly, Klaassen, Wan*, 609
- lipid mediator, N-acylphosphatidylethanolamine, macrophage, phagocytosis, Rho GTPase, *Shiratsuchi, Ichiki, Okamoto, Ueda, Sugimoto, Takuwa, Nakanishi*, 43

lipid rafts, membrane traffic, Na^+/H^+ antiporter, *Saccharomyces cerevisiae*, sphingolipid, *Mitsui*, *Hatakeyama*, *Matsushita*, *Kanazawa*, 709
 lipopolysaccharide, macrophage, mouse, peroxiredoxin III, reactive oxygen species, *Li*, *Kaifu*, *Obinata*, *Takai*, 425
 liquid chromatography-mass spectrometry (LC-MS), dihydrofolate reductase, fragment studies, protein aging, protein oxidation, *Takenawa*, *Yokota*, *Oda*, *Takahashi*, *Iwakura*, 517
 liver, Circadian rhythm, gender, lipid homeostasis, nuclear receptor, *Yang*, *Zhang*, *Esterly*, *Klaassen*, *Wan*, 609
 low-spin haem b, bacterial terminal oxidase, CyoE, haem O synthase, quinol oxidation site, *Mogi*, 599
 Lowry assay, Bradford assay, total protein concentration, skeletal muscle, Spectrophotometry, *Seevaratnam*, *Patel*, *Hamadeh*, 791
 lysophosphatidylinositol, 2-arachidonoyl-sn-glycero-3-phosphoinositol, cannabinoid, G protein-coupled receptor, GPR55, *Oka*, *Toshida*, *Maruyama*, *Nakajima*, *Yamashita*, *Sugiura*, 13
 lysozyme, crystal structure, soft-shelled turtle, transglycosylation, X-ray crystallography, *Siritapetawee*, *Thammasirirak*, *Robinson*, *Yuvaniyama*, 193
 lysyl-tRNA synthetase, aminoacyl-tRNA synthetase, crystal structure, L-lysine hydroxamate, seryl-tRNA synthetase, *Sakurama*, *Takita*, *Mikami*, *Itoh*, *Yasukawa*, *Inouye*, 555

M

M1 RNA, C5 protein, ribozyme, RNase P, subsite, *Suwa*, *Nagai*, *Fujimoto*, *Kikuchi*, *Tanaka*, 151
 macrophage, N-acylphosphatidylethanolamine, lipid mediator, phagocytosis, Rho GTPase, *Shiratsuchi*, *Ichiki*, *Okamoto*, *Ueda*, *Sugimoto*, *Takuwa*, *Nakanishi*, 43
 —, ITAM, integrin, phagocytosis, Syk, *Tohyama*, *Yamamura*, 267
 —, lipopolysaccharide, mouse, peroxiredoxin III, reactive oxygen species, *Li*, *Kaifu*, *Obinata*, *Takai*, 425
 macrophages, aspartic proteinase, cathepsin E, knockout, chemotaxis, cell adhesion, *Tsukuba*, *Yanagawa*, *Okamoto*, *Okamoto*, *Yasuda*, *Nakayama*, *Kadowaki*, *Yamamoto*, 565
 mannosyltransferase, *Candida albicans*, high-resolution magic angle NMR, β -mannosylation, *Maes*, *Mille*, *Trivelli*, *Janbon*, *Poulain*, *Guérardel*, 413
Marsupenaeus japonicus, alanine racemase, aquatic invertebrate, D-alanine, D-amino acid, *Yoshikawa*, *Okada*, *Abe*, 249

mast cell, IgE, JNK, PI3K, SP600125, *Tanemura*, *Momose*, *Shimizu*, *Kitagawa*, *Seo*, *Yamasaki*, *Nakagawa*, *Kajiho*, *Penninger*, *Katada*, *Nishina*, 345

matriptase, hepatocyte growth factor activator inhibitor type I, inhibitory interaction, membrane-type serine protease, stem domain, *Kojima*, *Tsuzuki*, *Fushiki*, *Inouye*, 783

membrane traffic, lipid rafts, Na^+/H^+ antiporter, *Saccharomyces cerevisiae*, sphingolipid, *Mitsui*, *Hatakeyama*, *Matsushita*, *Kanazawa*, 709

membrane-type serine protease, hepatocyte growth factor activator inhibitor type I, inhibitory interaction, matriptase, stem domain, *Kojima*, *Tsuzuki*, *Fushiki*, *Inouye*, 783

Mesorhizobium loti, 5-formyl-3-hydroxy-2-methylpyridine 4-carboxylic acid (FHMPC) dehydrogenase, NAD⁺-dependent dismutase, vitamin B₆-degradation pathway, *Yokochi*, *Yoshikane*, *Matsumoto*, *Fujisawa*, *Ohnishi*, *Yagi*, 493

metallopeptidase, active site, site-directed mutagenesis, stability, thermolysin, *Kusano*, *Yasukawa*, *Inouye*, 103

Methyl-directed mismatch repair, conformational change, *Escherichia coli* MutL, Small-angle X-ray scattering, *Thermotoga maritima* MSB8 MutL, *Kim*, *Cha*, *Lee*, *Heo*, *Choi*, *Ku*, *Ban*, 199 mGluR6, bipolar cells, *Cacna2d3*, *RGS11*, *TRPM1*, *Nakajima*, *Moriyama*, *Hattori*, *Minato*, *Nakanishi*, 811

mineralization, differentiation, osteoblast, osterix, SST-VEDI-1, *Mikami*, *Somei*, *Takagi*, 239

miraculin, *Escherichia coli*, glycosylation, homodimer, taste-modifying protein, *Matsuyama*, *Satoh*, *Nakata*, *Aoyama*, *Inouye*, 445

mitochondria, *Bacillus subtilis*, heme A synthase, terminal oxidase, dioxygen reduction, *Mogi*, 625

—, complex II, inhibitor, NDH-II, rodent malaria, *Kawahara*, *Mogi*, *Tanaka*, *Hata*, *Miyoshi*, *Kita*, 229

modification, D-serine, pyridoxal 5'-phosphate, racemase, *Schizosaccharomyces pombe*, *Yamauchi*, *Goto*, *Wu*, *Uo*, *Yoshimura*, *Mihara*, *Kurihara*, *Miyahara*, *Hirotsu*, *Esaki*, 421

modular engineering, activator, group I, intron, ribozyme, *Ikawa*, *Shiohara*, *Ohuchi*, *Inouye*, 429

Moloney murine leukaemia virus, avian myeloblastosis virus, chimeric enzyme, reverse transcriptase, RNase H, *Yasukawa*, *Mizuno*, *Inouye*, 315

mouse, lipopolysaccharide, macrophage, peroxiredoxin III, reactive oxygen species, *Li*, *Kaifu*, *Obinata*, *Takai*, 425

mRNA variant, ferrochelatase, haem biosynthesis, hemin, post-transcription, *Sakaino*, *Kataoka*, *Taketani*, 733

mucin-type oligosaccharide, anthranilic acid, fetuin, hydrazine, porcine gastric mucin, rat gastric mucin, *Goso*, *Tsubokawa*, *Ishihara*, 739

mutational sensitivity, amino acid indices, C-terminal role, dihydrofolate reductase, sequence perturbation analysis, *Takahashi*, *Yokota*, *Takenawa*, *Iwakura*, 751

MutM, obligate anaerobe, oxidative stress, recombinant, sulfate-reducing bacteria, *Sanada*, *Nakanishi*, *Inouye*, *Kitamura*, 525

myosin, actin, adhesion, dynamics, polarity, *Senju*, *Miyata*, 137

N

N-acylphosphatidylethanolamine, lipid mediator, macrophage, phagocytosis, Rho GTPase, *Shiratsuchi*, *Ichiki*, *Okamoto*, *Ueda*, *Sugimoto*, *Takuwa*, *Nakanishi*, 43

Na^+/H^+ antiporter, lipid rafts, membrane traffic, *Saccharomyces cerevisiae*, sphingolipid, *Mitsui*, *Hatakeyama*, *Matsushita*, *Kanazawa*, 709

NAD⁺-dependent dismutase, 5-formyl-3-hydroxy-2-methylpyridine 4-carboxylic acid (FHMPC) dehydrogenase, *Mesorhizobium loti*, vitamin B₆-degradation pathway, *Yokochi*, *Yoshikane*, *Matsumoto*, *Fujisawa*, *Ohnishi*, *Yagi*, 493

Naja kaouthia, CRISP, pathogenesis-related protein, cysteine-rich domain, ion channel, *Matsunaga*, *Yamazaki*, *Hyodo*, *Sugiyama*, *Nozaki*, *Morita*, 365

NDH-II, complex II, inhibitor, mitochondria, rodent malaria, *Kawahara*, *Mogi*, *Tanaka*, *Hata*, *Miyoshi*, *Kita*, 229

NF- κ B, enhanced green fluorescent protein, ERK1/2, receptor for advanced glycation end products, receptor internalization, *Sevillano*, *Girón*, *Salido*, *Vargas*, *Vilches*, *Salto*, 21

nuclear export signal, Hsp105 Hsc70, Hsp70, nuclear localization signal, *Saito*, *Yamagishi*, *Hatayama*, 185

nuclear localization signal, Hsp105 Hsc70, Hsp70, nuclear export signal, *Saito*, *Yamagishi*, *Hatayama*, 185

nuclear receptor, Circadian rhythm, gender, lipid homeostasis, liver, *Yang*, *Zhang*, *Esterly*, *Klaassen*, *Wan*, 609

O

obligate anaerobe, MutM, oxidative stress, recombinant, sulfate-reducing bacteria, *Sanada*, *Nakanishi*, *Inouye*, *Kitamura*, 525

OmpT protease, BtuB protein, colicin, immunity protein, translocation, *Duché, Issouf, Lloubès*, 95

opioid receptor, G protein-coupled receptor, *piggyBac* transposon elements, transgenic silkworm, UAS-Gal4 system, *Tateno, Toyooka, Shikano, Takeda, Kuwabara, Sezutsu, Tamura*, 37

osteoblast, differentiation, mineralization, osterix, SST-VEDI-1, *Mikami, Somei, Takagi*, 239

osterix, differentiation, mineralization, osteoblast, SST-VEDI-1, *Mikami, Somei, Takagi*, 239

ovalbumin, binding, halide ion, interaction, ion-selective electrode, *Lu, Wang, Yan, Chen, Wang, Gao*, 309

oxidative stress, far-western blot, homology modelling, protein-protein interaction, *Pseudomonas putida* KT2440, *Yeom, Jeon, Madsen, Park*, 481

—, MutM, obligate anaerobe, recombinant, sulfate-reducing bacteria, *Sanada, Nakanishi, Inoue, Kitamura*, 525

P

p53, alternative splicing variant, phosphatase, PPM1D, tissue-specific expression, *Chuman, Kurihashi, Mizukami, Nashimoto, Yagi, Sakaguchi*, 1

pathogenesis-related protein, CRISP, *Naja kaouthia*, cysteine-rich domain, ion channel, *Matsunaga, Yamazaki, Hyodo, Sugiyama, Nozaki, Morita*, 365

PD169316, apoptosis, CD9, EGFR, HB-EGF, Krishnamoorthy, Heimborg-Molinaro, Bargo, Nash, Nash, 177

Per2, circadian, colon cancer, β -catenin, β -TrCP, Yang, Wood, Ansell, Ohmori, Oh, Xiong, Berger, Peña, Hrushesky, 289

peroxiredoxin III, lipopolysaccharide, macrophage, mouse, reactive oxygen species, *Li, Kaifu, Obinata, Takai*, 425

phage library, adult T-cell leukaemia, human antibody, scFv, diabody, *Muraoka, Ito, Kamimura, Baba, Arima, Suda, Hashiguchi, Torikai, Nakashima, Sugimura*, 799

phagocytosis, *N*-acylphosphatidylethanolamine, lipid mediator, macrophage, Rho GTPase, *Shiratsuchi, Ichiki, Okamoto, Ueda, Sugimoto, Takuwa, Nakanishi*, 43

Phagocytosis, Akt, Fc γ receptor, Phosphoinositide 3-kinase, PKC δ , *Hazeki, Inoue, Nigorikawa, Hazeki*, 87

phagocytosis, apoptosis, phosphatidylserine, scavenger receptor, small G protein, *Osada, Sunatani, Kim, Nakanishi, Shiratsuchi*, 387

—, ITAM, integrin, macrophage, Syk, *Tohyama, Yamamura*, 267

phosphatase, alternative splicing variant, p53, PPM1D, tissue-specific

expression, *Chuman, Kurihashi, Mizukami, Nashimoto, Yagi, Sakaguchi*, 1

phosphatidylserine, apoptosis, phagocytosis, scavenger receptor, small G protein, *Osada, Sunatani, Kim, Nakanishi, Shiratsuchi*, 387

Phosphoinositide 3-kinase, Akt, Fc γ receptor, Phagocytosis, PKC δ , *Hazeki, Inoue, Nigorikawa, Hazeki*, 87

phosphorylation, 14-3-3, AKT, interaction, *Chiba, Tokuhara, Morita, Abe*, 403

PI3K, IgE, JNK, mast cell, SP600125, *Tanemura, Momose, Shimizu, Kitagawa, Seo, Yamasaki, Nakagawa, Kajihira, Penninger, Katada, Nishina*, 345

piggyBac transposon elements, G protein-coupled receptor, opioid receptor, transgenic silkworm, UAS-Gal4 system, *Tateno, Toyooka, Shikano, Takeda, Kuwabara, Sezutsu, Tamura*, 37

PKC δ , Akt, Fc γ receptor, Phagocytosis, Phosphoinositide 3-kinase, *Hazeki, Inoue, Nigorikawa, Hazeki*, 87

plasmid maintenance, yeast, expression system, green fluorescent protein, flow cytometry, *Ishii, Izawa, Matsumura, Wakamura, Tanino, Tanaka, Ogino, Fukuda, Kondo*, 701

plastoquinol oxidase, absorption spectra, cyanobacteria, cytochrome bd, kinetics, *Mogi, Miyoshi*, 395

polarity, actin, adhesion, dynamics, myosin, *Senju, Miyata*, 137

porcine gastric mucin, anthranilic acid, fetuin, hydrazine, mucin-type oligosaccharide, rat gastric mucin, *Goso, Tsubokawa, Ishihara*, 739

positive regulatory element, DNA-binding proteins, histatin, saliva, transcriptional regulation, *Imamura, Fujigaki, Oomori, Ouryouji, Yanagisawa, Miyazawa, Wang*, 279

post-transcription, ferrochelatase, haem biosynthesis, hemin, mRNA variant, *Sakaino, Kataoka, Taketani*, 733

post-translational modification, angiotensin-converting enzyme, enzyme activity, glycan, gpi-anchored protein, *Kondoh, Watanabe, Tashima, Maeda, Kinoshita*, 115

PPM1D, alternative splicing variant, p53, phosphatase, tissue-specific expression, *Chuman, Kurihashi, Mizukami, Nashimoto, Yagi, Sakaguchi*, 1

prenylation, statins, leptin, adipocyte differentiation, HMG-CoA reductase, protein kinase A, *Maeda, Horiuchi*, 771

proline residue, folding, hyperthermophilic protein, ribonuclease HII, stability, *Takano, Higashi, Okada, Mukaiyama, Tadokoro, Koga, Kanaya*, 79

proline, kinetic properties, psychrophilic, site-directed mutagenesis, stability,

Arnórsdóttir, Sigtryggssdóttir, Thorbjarnardóttir, Kristjánsson, 325

prostaglandin F_{2 α} , prostaglandin H₂, prostaglandin H₂ F_{2 α} -reductase, tolrestat, sorbinil, *Kabututu, Manin, Pointud, Maruyama, Nagata, Lambert, Lefrançois-Martinez, Martinez, Urade*, 161

prostaglandin H₂ F_{2 α} -reductase, prostaglandin F_{2 α} , prostaglandin H₂, tolrestat, sorbinil, *Kabututu, Manin, Pointud, Maruyama, Nagata, Lambert, Lefrançois-Martinez, Martinez, Urade*, 161

prostaglandin H₂, prostaglandin F_{2 α} , prostaglandin H₂ F_{2 α} -reductase, tolrestat, sorbinil, *Kabututu, Manin, Pointud, Maruyama, Nagata, Lambert, Lefrançois-Martinez, Martinez, Urade*, 161

protein aging, dihydrofolate reductase, fragment studies, liquid chromatography-mass spectrometry (LC-MS), protein oxidation, *Takenawa, Yokota, Oda, Takahashi, Iwakura*, 517

protein complexes, cell localization, disulfide bonds, fibronectin domain, protein tyrosine phosphatase, *Iuliano, Raso, Quintiero, Pera, Pichiorri, Palumbo, Palmieri, Pattarozzi, Florio, Viglietto, Trapasso, Croce, Fusco*, 377

protein kinase A, statins, leptin, adipocyte differentiation, HMG-CoA reductase, prenylation, *Maeda, Horiuchi*, 771

protein oxidation, dihydrofolate reductase, fragment studies, liquid chromatography-mass spectrometry (LC-MS), protein aging, *Takenawa, Yokota, Oda, Takahashi, Iwakura*, 517

protein stabilization/destabilization, flavin adenine dinucleotide, flavoproteins, folding/unfolding, holo-intermediate, *Singh, Bhakuni*, 721

protein tyrosine phosphatase, cell localization, disulfide bonds, fibronectin domain, protein complexes, *Iuliano, Raso, Quintiero, Pera, Pichiorri, Palumbo, Palmieri, Pattarozzi, Florio, Viglietto, Trapasso, Croce, Fusco*, 377

protein-protein interaction, far-western blot, homology modelling, oxidative stress, *Pseudomonas putida* KT2440, *Yeom, Jeon, Madsen, Park*, 481

proteinase inhibitor, 20S proteasome, α_1 -antitrypsin, BPTI, cross-class inhibition, *Yabe, Koide*, 217

prothrombinase, anticoagulant protein, coagulation factor IX, factor X, IX/X-bp, *Ishikawa, Kumashiro, Yamazaki, Atoda, Morita*, 123

proton channel, cation- π interaction, histidine, influenza virus, tryptophan, *Otomo, Toyama, Miura, Takeuchi*, 543

Pseudomonas putida KT2440, far-western blot, homology modelling, oxidative

- stress, protein-protein interaction, *Yeom, Jeon, Madsen, Park*, 481
- Pseudomonas* sp. T62, L-threo-3-hydroxyaspartate dehydratase, serine racemase, pyridoxal 5'-phosphate, serine/threonine dehydratase, *Murakami, Maeda, Yokota, Wada*, 661
- psychrophilic, kinetic properties, proline, site-directed mutagenesis, stability, *Arnórsdóttir, Sigtryggsdóttir, Thorbjarnardóttir, Kristjánsson*, 325
- pulse radiolysis, copper B mutant, cytochrome bo, electron transfer, quinol oxidase, *Kobayashi, Tagawa, Mogi*, 685
- pyridoxal 5'-phosphate, D-serine, modification, racemase, *Schizosaccharomyces pombe, Yamauchi, Goto, Wu, Uo, Yoshimura, Mihara, Kurihara, Miyahara, Hirotsu, Esaki*, 421
- , L-threo-3-hydroxyaspartate dehydratase, serine racemase, *Pseudomonas* sp. T62, serine/threonine dehydratase, *Murakami, Maeda, Yokota, Wada*, 661
- Q**
- quinol oxidase, axial ligand, cyanide, *Escherichia coli*, haem d, *Mogi*, 763
- , copper B mutant, cytochrome bo, electron transfer, pulse radiolysis, *Kobayashi, Tagawa, Mogi*, 685
- quinol oxidation site, bacterial terminal oxidase, CytoE, haem O synthase, low-spin haem b, *Mogi*, 599
- R**
- racemase, D-serine, modification, pyridoxal 5'-phosphate, *Schizosaccharomyces pombe, Yamauchi, Goto, Wu, Uo, Yoshimura, Mihara, Kurihara, Miyahara, Hirotsu, Esaki*, 421
- radius of gyration, broad selectivity, compact packing, conformational change, SAXS, *Inoue, Yagi, Urade, Inui*, 169
- Raman spectra, haem, allosteric regulation, tryptophan, *Fukumura, Sugimoto, Misumi, Ogura, Shiro*, 505
- rat gastric mucin, antranilic acid, fetuin, hydrazine, mucin-type oligosaccharide, porcine gastric mucin, *Goso, Tsubokawa, Ishihara*, 739
- reactivation, alcohol oxidase, β-mercaptoethanol, deflavination, dissociation, *Kumar, Goswami*, 259
- reactive oxygen species, lipopolysaccharide, macrophage, mouse, peroxiredoxin III, *Li, Kaifu, Obinata, Takai*, 425
- receptor for advanced glycation end products, enhanced green fluorescent protein, ERK1/2, NF-κB, receptor internalization, *Sevillano, Girón, Salido, Vargas, Vilches, Salto*, 21
- receptor internalization, enhanced green fluorescent protein, ERK1/2, NF-κB, receptor for advanced glycation end products, *Sevillano, Girón, Salido, Vargas, Vilches, Salto*, 21
- recombinant, MutM, obligate anaerobe, oxidative stress, sulfate-reducing bacteria, *Sanada, Nakanishi, Inoue, Kitamura*, 525
- reverse transcriptase, avian myeloblastosis virus, chimeric enzyme, Moloney murine leukaemia virus, RNase H, *Yasukawa, Mizuno, Inouye*, 315
- RFT2, absorption, intestine, riboflavin transporter, *Yamamoto, Inoue, Ohta, Fukatsu, Maeda, Yoshida, Yuasa*, 437
- RGS11, bipolar cells, Cacna2d3, mGluR6, TRPM1, *Nakajima, Moriyama, Hattori, Minato, Nakanishi*, 811
- Rho GTPase, N-acylphosphatidylethanolamine, lipid mediator, macrophage, phagocytosis, *Shiratsuchi, Ichiki, Okamoto, Ueda, Sugimoto, Takuwa, Nakanishi*, 43
- riboflavin, absorption, intestine, RFT2, transporter, *Yamamoto, Inoue, Ohta, Fukatsu, Maeda, Yoshida, Yuasa*, 437
- ribonuclease HII, folding, hyperthermophilic protein, proline residue, stability, *Takano, Higashi, Okada, Mukaiyama, Tadokoro, Koga, Kanaya*, 79
- ribonuclease, transfer RNA, *Saccharomyces cerevisiae*, colicin, growth arrest, *Ogawa, Hidaka, Kohno, Masaki*, 461
- ribosome display, antibody, cell-free protein synthesis system, epitope mapping, in vitro selection, *Osada, Shimizu, Akbar, Kanamori, Ueda*, 693
- ribozyme, activator, group I, intron, modular engineering, *Ikawa, Shiohara, Ohuchi, Inoue*, 429
- , C5 protein, M1 RNA, RNase P, subsite, *Suwa, Nagai, Fujimoto, Kikuchi, Tanaka*, 151
- RNA, DNAzyme, hammerhead ribozyme, HIV, tetraloop receptor, *Fedoruk-Wyszomirska, Szymański, Wyszko, Barciszewska, Barciszewski*, 451
- RNase H, avian myeloblastosis virus, chimeric enzyme, Moloney murine leukaemia virus, reverse transcriptase, *Yasukawa, Mizuno, Inouye*, 315
- RNase P, C5 protein, M1 RNA, ribozyme, subsite, *Suwa, Nagai, Fujimoto, Kikuchi, Tanaka*, 151
- rodent malaria, complex II, inhibitor, mitochondria, NDH-II, *Kawahara, Mogi, Tanaka, Hata, Miyoshi, Kita*, 229
- S**
- Saccharomyces cerevisiae*, lipid rafts, membrane traffic, Na^+/H^+ antiporter, sphingolipid, *Mitsui, Hatakeyama, Matsushita, Kanazawa*, 709
- Saccharomyces cerevisiae*, transfer RNA, ribonuclease, colicin, growth arrest, *Ogawa, Hidaka, Kohno, Masaki*, 461
- saliva, DNA-binding proteins, histatin, positive regulatory element, transcriptional regulation, *Imamura, Fujigaki, Omori, Ouryouji, Yanagisawa, Miyazawa, Wang*, 279
- SAXS, broad selectivity, compact packing, conformational change, radius of gyration, *Inoue, Yagi, Urade, Inui*, 169
- scavenger receptor, apoptosis, phagocytosis, phosphatidylserine, small G protein, *Osada, Sunatani, Kim, Nakanishi, Shiratsuchi*, 387
- scFv, adult T-cell leukaemia, human antibody, phage library, diabody, *Muraoka, Ito, Kamimura, Baba, Arima, Suda, Hashiguchi, Torikai, Nakashima, Sugimura*, 799
- Schizosaccharomyces pombe*, D-serine, modification, pyridoxal 5'-phosphate, racemase, *Yamauchi, Goto, Wu, Uo, Yoshimura, Mihara, Kurihara, Miyahara, Hirotsu, Esaki*, 421
- SCL/TAL1, angiogenesis, E2-2, endothelial cell, VEGFR2, *Tanaka, Itoh, Itoh, Kato*, 129
- sequence perturbation analysis, amino acid indices, C-terminal role, dihydrofolate reductase, mutational sensitivity, *Takahashi, Yokota, Takenawa, Iwakura*, 751
- serine racemase, L-threo-3-hydroxyaspartate dehydratase, pyridoxal 5'-phosphate, *Pseudomonas* sp. T62, serine/threonine dehydratase, *Murakami, Maeda, Yokota, Wada*, 661
- serine/threonine dehydratase, L-threo-3-hydroxyaspartate dehydratase, serine racemase, pyridoxal 5'-phosphate, *Pseudomonas* sp. T62, *Murakami, Maeda, Yokota, Wada*, 661
- seryl-tRNA synthetase, aminoacyl-tRNA synthetase, crystal structure, L-lysine hydroxamate, lysyl-tRNA synthetase, *Sakurama, Takita, Mikami, Itoh, Yasukawa, Inouye*, 555
- short consensus repeat (SCR1-3), complement control activity, complement receptor type 1 (CR1), CHO cell, sugar chain, *Yamaguchi, Takagawa, Iwakaji, Miyagawa, Wang, Ishii*, 533
- short-chain dehydrogenase/reductase family, conformational change, crystal structure, hydroxybutyrate dehydrogenase, substrate recognition, *Nakashima, Ito, Nakajima, Yamazawa, Miyakawa, Yoshimoto*, 467
- signal transduction, chimeric receptor, conformational change, erythropoietin receptor, ligand, *Liu, Kawahara, Ueda, Nagamune*, 575
- site-directed mutagenesis, active site, metalloproteinase, stability, thermolysin, *Kusano, Yasukawa, Inouye*, 103
- , kinetic properties, psychrophilic, proline, stability, *Arnórsdóttir*,

- Sigtryggsdóttir, Thorbjarnardóttir, Kristjánsson*, 325
- skeletal muscle, Lowry assay, Bradford assay, total protein concentration, Spectrophotometry, *Seeveratnam, Patel, Hamadeh*, 791
- small G protein, apoptosis, phagocytosis, phosphatidylserine, scavenger receptor, *Osada, Sunatani, Kim, Nakanishi, Shiratsuchi*, 387
- Small-angle X-ray scattering, conformational change, *Escherichia coli* MutL, Methyl-directed mismatch repair, *Thermotoga maritima* MSB8 MutL, *Kim, Cha, Lee, Heo, Choi, Ku, Ban*, 199
- soft-shelled turtle, crystal structure, lysozyme, transglycosylation, X-ray crystallography, *Sirapatetawee, Thammasirirak, Robinson, Yuvaniyama*, 193
- sorbinil, prostaglandin F_{2α}, prostaglandin H₂, prostaglandin H₂ F_{2α}-reductase, tolrestat, *Kabututu, Manin, Pointud, Maruyama, Nagata, Lambert, Lefrançois-Martinez, Martinez, Urade, 161*
- SP600125, IgE, JNK, mast cell, PI3K, *Tanemura, Momose, Shimizu, Kitagawa, Seo, Yamasaki, Nakagawa, Kajih, Penninger, Katada, Nishina, 345*
- Spectrophotometry, Lowry assay, Bradford assay, total protein concentration, skeletal muscle, *Seeveratnam, Patel, Hamadeh*, 791
- sphingolipid, lipid rafts, membrane traffic, Na⁺/H⁺ antiporter, *Saccharomyces cerevisiae*, *Mitsui, Hatakeyama, Matsushita, Kanazawa*, 709
- sphingosine 1-phosphate, ceramide, FRTL-5, sphingosine, thyrocyte, *Satoh, Li, Yokota, Osada, Ozaki, Katoh, Yatomi, 31*
- sphingosine, ceramide, FRTL-5, sphingosine 1-phosphate, thyrocyte, *Satoh, Li, Yokota, Osada, Ozaki, Katoh, Yatomi, 31*
- SST-VEDI-1, differentiation, mineralization, osteoblast, osterix, *Mikami, Somei, Takagi*, 239
- stability, active site, metalloproteinase, site-directed mutagenesis, thermolysin, *Kusano, Yasukawa, Inouye, 103*
- , folding, hyperthermophilic protein, proline residue, ribonuclease HII, *Takano, Higashi, Okada, Mukaiyama, Tadokoro, Koga, Kanaya*, 79
- , kinetic properties, psychrophilic, proline, site-directed mutagenesis, *Arnórðóttir, Sigtryggsdóttir, Thorbjarnardóttir, Kristjánsson*, 325
- statins, leptin, adipocyte differentiation, HMG-CoA reductase, prenylation, protein kinase A, *Maeda, Horiuchi*, 771
- stem domain, hepatocyte growth factor activator inhibitor type I, inhibitory interaction, matriptase, membrane-type serine protease, *Kojima, Tsuzuki, Fushiki, Inouye*, 783
- steroid, CDK11p58, degradation, estrogen receptor α, ubiquitin-proteasome, *Wang, Zong, Chi, Hong, Yang, Zou, Yun, Gu*, 331
- subsite, C5 protein, M1 RNA, ribozyme, RNase P, *Suwa, Nagai, Fujimoto, Kikuchi, Tanaka*, 151
- substrate recognition, conformational change, crystal structure, hydroxybutyrate dehydrogenase, short-chain dehydrogenase/reductase family, *Nakashima, Ito, Nakajima, Yamazawa, Miyakawa, Yoshimoto*, 467
- sugar chain, complement control activity, complement receptor type 1 (CR1), short consensus repeat (SCR1-3), CHO cell, *Yamaguchi, Takagawa, Iwakaji, Miyagawa, Wang, Ishii*, 533
- sulfate-reducing bacteria, MutM, obligate anaerobe, oxidative stress, recombinant, *Sanada, Nakanishi, Inoue, Kitamura*, 525
- surface plasmon resonance, 3D structure prediction, eIF4E, turnip mosaic virus, VPg, *Okade, Fujita, Miyamoto, Tomoo, Muto, Miyoshi, Natsuaki, Rhoads, Ishida*, 299
- Syk, ITAM, integrin, macrophage, phagocytosis, *Tohyama, Yamamura*, 267
- T
- taste-modifying protein, *Escherichia coli*, glycosylation, homodimer, miraculin, *Matsuyama, Satoh, Nakata, Aoyama, Inoue*, 445
- terminal oxidase, *Bacillus subtilis*, heme A synthase, dioxygen reduction, mitochondria, *Mogi*, 625
- tetraloop receptor, DNAzyme, hammerhead ribozyme, HIV, RNA, *Fedoruk-Wyszomirska, Szymański, Wyszko, Barciszewska, Barciszewski*, 451
- TGF-β1, hepatic stem cell, hepatic differentiation, type I collagen, HGF, *Hirata, Amano, Miyashita, Yasunaga, Nakanishi, Sato*, 51
- thermolysin, active site, metalloproteinase, site-directed mutagenesis, stability, *Kusano, Yasukawa, Inouye*, 103
- Thermotoga maritima* MSB8 MutL, conformational change, *Escherichia coli* MutL, Methyl-directed mismatch repair, Small-angle X-ray scattering, *Kim, Cha, Lee, Heo, Choi, Ku, Ban*, 199
- thioflavin T, collagen, fibril formation, fluorescence, *Morimoto, Kawabata, Kunii, Hamano, Saito, Tonomura*, 677
- thyrocyte, ceramide, FRTL-5, sphingosine, sphingosine 1-phosphate, *Satoh, Li, Yokota, Osada, Ozaki, Katoh, Yatomi, 31*
- tissue-specific expression, alternative splicing variant, p53, phosphatase, PPM1D, *Chuman, Kurihashi, Mizukami, Nashimoto, Yagi, Sakaguchi*, 1
- tmRNA, *Bacillus subtilis*, CcpA, translation, TreP, *Ujiie, Matsutani, Tomatsu, Fujihara, Ushida, Miwa, Fujita, Himeno, Muto*, 59
- tolrestat, prostaglandin F_{2α}, prostaglandin H₂, prostaglandin H₂ F_{2α}-reductase, sorbinil, *Kabututu, Manin, Pointud, Maruyama, Nagata, Lambert, Lefrançois-Martinez, Martinez, Urade, 161*
- total protein concentration, Lowry assay, Bradford assay, skeletal muscle, Spectrophotometry, *Seeveratnam, Patel, Hamadeh*, 791
- trans-translation, *Bacillus subtilis*, CcpA, tmRNA, TreP, *Ujiie, Matsutani, Tomatsu, Fujihara, Ushida, Miwa, Fujita, Himeno, Muto*, 59
- transcriptional regulation, DNA-binding proteins, histatin, positive regulatory element, saliva, *Imamura, Fujigaki, Oomori, Ouryouji, Yanagisawa, Miyazawa, Wang*, 279
- transfer RNA, ribonuclease, *Saccharomyces cerevisiae*, colicin, growth arrest, *Ogawa, Hidaka, Kohno, Masaki*, 461
- transgenic silkworm, G protein-coupled receptor, opioid receptor, *piggyBac* transposon elements, UAS-Gal4 system, *Tateno, Toyooka, Shikano, Takeda, Kuwabara, Sezutsu, Tamura, 37*
- transglycosylation, crystal structure, lysozyme, soft-shelled turtle, X-ray crystallography, *Sirapatetawee, Thammasirirak, Robinson, Yuvaniyama*, 193
- translocation, BtuB protein, colicin, immunity protein, OmpT protease, *Duché, Issouf, Lloubès*, 95
- transporter, absorption, intestine, riboflavin, RFT2, *Yamamoto, Inoue, Ohta, Fukatsu, Maeda, Yoshida, Yuasa*, 437
- TreP, *Bacillus subtilis*, CcpA, tmRNA, trans-translation, *Ujiie, Matsutani, Tomatsu, Fujihara, Ushida, Miwa, Fujita, Himeno, Muto*, 59
- tRNA identity, tryptophan tRNA, tryptophanyl-tRNA synthetase, archaea, *Aeropyrum pernix* K1, *Tsuchiya, Hasegawa*, 635
- TRPM1, bipolar cells, Cacna2d3, mGluR6, RGS11, *Nakajima, Moriyama, Hattori, Minato, Nakanishi*, 811
- tryptophan tRNA, tRNA identity, tryptophanyl-tRNA synthetase, archaea, *Aeropyrum pernix* K1, *Tsuchiya, Hasegawa*, 635
- tryptophan, cation-π interaction, histidine, influenza virus, proton channel, *Otomo, Toyama, Miura, Takeuchi*, 543

INDEX TO KEY WORDS

—, heam, allosteric regulation, Raman spectra, *Fukumura, Sugimoto, Misumi, Ogura, Shiro*, 505

tryptophanyl-tRNA synthetase, tRNA identity, tryptophan tRNA, archaea, *Aeropyrum pernix K1, Tsuchiya, Hasegawa*, 635

turnip mosaic virus, 3D structure prediction, eIF4E, surface plasmon resonance, VPg, *Okade, Fujita, Miyamoto, Tomoo, Muto, Miyoshi, Natsuaki, Rhoads, Ishida*, 299

type I collagen, hepatic stem cell, hepatic differentiation, TGF- β 1, HGF, *Hirata, Amano, Miyashita, Yasunaga, Nakanishi, Sato*, 51

tyrosinase, Hofmeister series, ionic liquids, ionic nature, kosmotropicity, *Yang, Yue, Huang, Zhuang, Chen, Xing*, 355

U

UAS-Gal4 system, G protein-coupled receptor, opioid receptor, *piggyBac*

transposon elements, transgenic silkworm, *Tateno, Toyooka, Shikano, Takeda, Kuwabara, Sezutsu, Tamura, 37*

ubiquitin–proteasome, CDK11p58, degradation, estrogen receptor α , steroid, *Wang, Zong, Chi, Hong, Yang, Zou, Yun, Gu*, 331

V

vasohibin, 5-FU, bone marrow ablation, haematopoietic progenitor cells, haematopoietic stem cell, *Naito, Kidoya, Sato, Takakura*, 653

VEGFR-2 expression, apoptosis, emphysema, fucosylation, *Fut8, Wang, Fukuda, Li, Gao, Kondo, Matsumoto, Miyoshi, Taniguchi, Gu*, 643

VEGFR2, angiogenesis, E2-2, endothelial cell, SCL/TAL1, *Tanaka, Itoh, Itoh, Kato*, 129

vitamin B₆-degradation pathway, 5-formyl-3-hydroxy-2-methylpyridine

4-carboxylic acid (FHMPc) dehydrogenase, NAD⁺-dependent dismutase, *Mesorhizobium loti, Yokochi, Yoshikane, Matsumoto, Fujisawa, Ohnishi, Yagi*, 493

VPg, 3D structure prediction, eIF4E, surface plasmon resonance, turnip mosaic virus, *Okade, Fujita, Miyamoto, Tomoo, Muto, Miyoshi, Natsuaki, Rhoads, Ishida*, 299

X-ray crystallography, crystal structure, lysozyme, soft-shelled turtle, trans-glycosylation, *Siritapetawee, Thammasirirak, Robinson, Yuvaniyama*, 193

Y

yeast, expression system, plasmid maintenance, green fluorescent protein, flow cytometry, *Ishii, Izawa, Matsumura, Wakamura, Tanino, Tanaka, Ogino, Fukuda, Kondo*, 701

THE JOURNAL OF BIOCHEMISTRY

EDITED FOR
THE JAPANESE BIOCHEMICAL SOCIETY
VOLUME 145, 2009

EDITORIAL BOARD

Editor-in-Chief

Naoyuki TANIGUCHI (Suita)

Editors

<i>JB Reviews</i>	Sen-itiroh HAKOMORI (Seattle) Atsushi MIYAJIMA (Tokyo)
<i>Biochemistry</i>	Gerald W. HART (Baltimore) Seiki KURAMITSU (Toyonaka)
<i>Molecular Biology</i>	Bettie Sue MASTERS (San Antonio) Akemi SUZUKI (Hiratsuka)
<i>Cell</i>	Walter NEUPERT (München) Yoshihide TSUJIMOTO (Suita)
<i>Biotechnology</i>	Frank D. BÖHMER (Jena) Kohei MIYAZONO (Tokyo)
	Chris Y. H. TAN (Vancouver, Canada) Takuya UEDA (Tokyo)

Managing Editors

Kensaku MIZUNO (Sendai) Yoshinobu NAKANISHI (Kanazawa)

Associate Editors

<i>JB Reviews</i>	Anindya DUTTA (Charlottesville) Tatsuro IRIMURA (Tokyo) Shigeaki KATO (Tokyo)	Hisao MASAI (Tokyo) Hiroshi OHNO (Yokohama)
<i>Biochemistry</i>	Fumio ARISAKA (Yokohama) Vytas A. BANKAITIS (Chapel Hill) Junichi FUJII (Yamagata) Yuji Goto (Suita) Koichi HONKE (Nankoku) Shoichi ISHIURA (Tokyo)	Nobuo KAMIYA (Osaka) Makoto KIMURA (Fukuoka) Ken KITAJIMA (Nagoya) Katsuyuki TANIZAWA (Ibaraki) Masato UMEDA (Uji) Yuriko YAMAGATA (Kumamoto)
<i>Molecular Biology</i>	Johannis P. KAMERLING (Utrecht) Yukio FUJIKI (Fukuoka) Kenji KOHNO (Ikoma) Bok Luel LEE (Busan) Shoko NISHIHARA (Hachioji) Suk-Chul BAE (Gaesindong)	Takehiko YOKOMIZO (Fukuoka) Pradman K. QASBA (Frederick) Takashi SUDA (Kanazawa) Takeshi TODO (Suita)
<i>Cell</i>	Nils BROSE (Gottingen) Yutaka HATA (Tokyo) Shigeki HIGASHIYAMA (Toon) Takeshi IWATSUBO (Tokyo) Akira KIKUCHI (Hiroshima) Yo KIKUCHI (Toyohashi) Sunghoon KIM (Seoul)	Eunjoon KIM (Daejeon) Tohru KOZASA (Chicago) Aristidis MOUSTAKAS (Uppsala) Atsuko SEHARA-FUJISAWA (Kyoto) Toshiyuki TAKAI (Sendai)
<i>Biotechnology</i>	Wlodzimierz J. KRZYZOSIAK (Poznan) Keiko MIZUTA (Higashihiroshima)	Ken-ichi NISHIYAMA (Tokyo) Kouhei TSUMOTO (Kashiwa) Kazuo YAMAMOTO (Tokyo)

Advisory Board

Biochemistry

Junken AOKI (Sendai)
Jin Won CHO (Seoul)
Catherine E. COSTELLO (Boston)
Jeffrey D. ESKO (La Jolla)
Jianguo GU (Sendai)
Yann GUÉRARDÉL (Villeneuve d'Ascq)
Robert S. HALTIWANGER (Stony Brook)
Toshiharu HASE (Suita)
Yasuhiro HASHIMOTO (Fukushima)
Kihachiro HORIIKE (Otsu)
Yoshizumi ISHINO (Fukuoka)
Makoto ITO (Fukuoka)
Kenji KADOMATSU (Nagoya)

Molecular Biology

Masato ENARI (Tokyo)
Toshiya ENDO (Nagoya)
Masatoshi FUJITA (Tokyo)
Tetsuro KOKUBO (Yokohama)
Won-Jae LEE (Seoul)
Roland LILL (Marburg)

Cell

Tomoichiro ASANO (Hiroshima)
Mitsunori FUKUDA (Sendai)
Masato HASEGAWA (Tokyo)
Thorsten HEINZEL (Jena)
Hidenori ICHIRO (Tokyo)
Yasuki ISHIZAKI (Maebashi)
Bong-Kiun KAANG (Seoul)
Dimitris KARDASSIS (Heraklion)

Biotechnology

Toshihiko EKI (Toyohashi)
Yoshihisa HAGIHARA (Ikeda)
Jun HIRABAYASHI (Tsukuba)

Reiji KANNAGI (Nagoya)
Shun-ichiro KAWABATA (Fukuoka)
Ikuro KAWAGISHI (Koganei)
Gota KAWAI (Narashino)
Hiroshi KITAGAWA (Kobe)
Masayasu KOJIMA (Kurume)
Hiroti KONDO (Iizuka)
Michiko KONNO (Tokyo)
Yasunori KOZUTSUMI (Kyoto)
Ryoji MASUI (Toyonaka)
Catharina Taiko MIGITA (Yamaguchi)
Toru NAKAYAMA (Sendai)
Hisashi NARIMATSU (Tsukuba)

Katsuyoshi MIHARA (Fukuoka)
Masayuki MIURA (Tokyo)
Masamichi MURAMATSU (Kanazawa)
Kazuhiro NAGATA (Kyoto)
Kunihiro OHTA (Tokyo)
Takashi OSUMI (Hyogo)

Michael KLAGSBURN (Boston)
Hitoshi KUROSE (Fukuoka)
Noboru MIZUSHIMA (Tokyo)
Tatsushi MUTA (Sendai)
Hideaki NAGASE (London)
Koh-ichi NAGATA (Kasugai)
Kazuhide NAKAYAMA (Kyoto)
Hitoshi OHMORI (Okayama)

Mitsuhiro ITAYA (Tsuruoka)
Yasushi KAWATA (Tottori)
Katsumi MAENAKA (Fukuoka)

Takeshi NIKAWA (Tokushima)
Haruko OGAWA (Tokyo)
Toshihisa OHSHIMA (Fukuoka)
Michael PIERCE (Athens)
Yoshihiro SAMBONGI
(Higashi-Hiroshima)
Ryo TAGUCHI (Tokyo)
Yoshinao WADA (Izumi)
Keisuke WAKASUGI (Tokyo)
Akihiko YOSHIMURA (Fukuoka)
Tohru YOSHIMURA (Nagoya)
Junn YANAGISAWA (Tsukuba)

Kazuhiro SAKAMAKI (Kyoto)
Shigeomi SHIMIZU (Tokyo)
Kaoru SUGASAWA (Kobe)
Minoru TAKATA (Kyoto)
Tohru YOSHIHISA (Nagoya)

Chie SAKANAKA
(South San Francisco)
Takuya SASAKI (Tokushima)
Kiyotoshi SEKIGUCHI (Suita)
Roger K. SUNAHARA (Ann Arbor)
Kazuma TANAKA (Sapporo)
Keiko UDAKA (Nankoku)
Tamotsu YOSHIMORI (Suita)

Makoto MAKISHIMA (Tokyo)
Tomoaki MATSUURA (Suita)
Hiroshi UEDA (Tokyo)

COPYRIGHT, 2009 © BY THE JAPANESE BIOCHEMICAL SOCIETY

PUBLISHED

BY

THE JAPANESE BIOCHEMICAL SOCIETY

CONTENTS OF VOLUME 145

No. 1, January, 2009

Regular Papers

	PAGE
PPM1D430, a Novel Alternative Splicing Variant of the Human PPM1D, can Dephosphorylate p53 and Exhibits Specific Tissue Expression	Y. Chuman, W. Kurihashi, Y. Mizukami, T. Nashimoto, H. Yagi and K. Sakaguchi 1
2-Arachidonoyl-sn-glycero-3-phosphoinositol: A Possible Natural Ligand for GPR55	S. Oka, T. Toshida, K. Maruyama, K. Nakajima, A. Yamashita and T. Sugiura 13
Internalization of the Receptor for Advanced Glycation End Products (RAGE) is Required to Mediate Intracellular Responses	N. Sevillano, M.D. Girón, M. Salido, A.M. Vargas, J. Vilches and R. Salto 21
Regulation by Sphingolipids of the Fate of FRTL-5 Cells	Y. Satoh, X. Li, H. Yokota, M. Osada, Y. Ozaki, R. Katoh and Y. Yatomi 31
Production and Characterization of the Recombinant Human μ -Opioid Receptor from Transgenic Silkworms	M. Tateno, M. Toyooka, Y. Shikano, S. Takeda, N. Kuwabara, H. Sezutsu and T. Tamura 37
Inhibitory effect of <i>N</i> -palmitoylphosphatidylethanolamine on macrophage phagocytosis through inhibition of Rac1 and Cdc42	A. Shiratsuchi, M. Ichiki, Y. Okamoto, N. Ueda, N. Sugimoto, Y. Takuwa and Y. Nakanishi 43
Establishment and Characterization of Hepatic Stem-like Cell lines from Normal Adult Rat Liver	M. Hirata, K. Amano, A. Miyashita, M. Yasunaga, T. Nakanishi and K. Sato 51
<i>Trans</i> -Translation is Involved in the CcpA-Dependent Tagging and Degradation of TreP in <i>Bacillus subtilis</i>	H. Ujiie, T. Matsutani, H. Tomatsu, A. Fujihara, C. Ushida, Y. Miwa, Y. Fujita, H. Himeno and A. Muto 59
Spectroscopic Studies on the Comparative Interaction of Cationic Single-Chain and Gemini Surfactants with Human Serum Albumin	N. Gull, P. Sen, R.H. Khan and Kabir-ud-Din 67
Proline Effect on the Thermostability and Slow Unfolding of a Hyperthermophilic Protein	K. Takano, R. Higashi, J. Okada, A. Mukaiyama, T. Tadokoro, Y. Koga and S. Kanaya 79
Negative Regulation of Class IA Phosphoinositide 3-kinase by Protein Kinase C δ Limits Fc γ Receptor-Mediated Phagocytosis in Macrophages	K. Hazeki, K. Inoue, K. Nigorikawa and O. Hazeki 87
Immunity Protein Protects Colicin E2 from OmpT Protease	D. Duché, M. Issouf and R. Lloubès 95
Insights into the Catalytic Roles of the Polypeptide Regions in the Active Site of Thermolysin and Generation of the Thermolysin Variants with High Activity and Stability	M. Kusano, K. Yasukawa and K. Inouye 103
Testicular Angiotensin-Converting Enzyme with Different Glycan Modification: Characterization on Glycosylphosphatidylinositol-Anchored Protein Releasing and Dipeptidase Activities	G. Kondoh, H. Watanabe, Y. Tashima, Y. Maeda and T. Kinoshita 115

Anticoagulant Mechanism of Factor IX/factor X-binding Protein Isolated from the Venom of <i>Trimeresurus flavoviridis</i>	M. Ishikawa, M. Kumashiro, Y. Yamazaki, H. Atoda and T. Morita	123
---	--	-----

No. 2, February, 2009

Rapid Communication

TAL1/SCL Relieves the E2-2-Mediated Repression of VEGFR2 Promoter Activity	A. Tanaka, F. Itoh, S. Itoh and M. Kato	129
--	---	-----

Regular Papers

The Role of Actomyosin Contractility in the Formation and Dynamics of Actin Bundles During Fibroblast Spreading	Y. Senju and H. Miyata	137
---	------------------------	-----

Analysis on Substrate Specificity of <i>Escherichia coli</i> Ribonuclease P Using Shape Variants of pre-tRNA: Proposal of Subsites Model for Substrate Shape Recognition	S. Suwa, Y. Nagai, A. Fujimoto, Y. Kikuchi and T. Tanaka	151
--	--	-----

Prostaglandin F _{2α} Synthase Activities of Aldo-Keto Reductase 1B1, 1B3 and 1B7	Z. Kabututu, M. Manin, J.-C. Pointud, T. Maruyama, N. Nagata, S. Lambert, A.-M. Lefrançois-Martinez, A. Martinez and Y. Urade	161
---	---	-----

Compact Packing of Lipocalin-type Prostaglandin D Synthase Induced by Binding of Lipophilic Ligands	K. Inoue, N. Yagi, Y. Urade and T. Inui	169
---	---	-----

Heparin Binding Epidermal Growth Factor-Like Growth Factor and PD169316 Prevent Apoptosis in Mouse Embryonic Stem Cells	M. Krishnamoorthy, J. Heimburg-Molinaro, A.M. Bargo, R.J. Nash and R.J. Nash	177
---	--	-----

Nuclear Localization Mechanism of Hsp105β and its Possible Function in Mammalian Cells	Y. Saito, N. Yamagishi and T. Hatayama	185
--	--	-----

The 1.9 Å X-Ray Structure of Egg-white Lysozyme from Taiwanese Soft-Shelled Turtle (<i>Trionyx Sinensis</i> Wiegmann) Exhibits Structural Differences from the Standard Chicken-Type Lysozyme	J. Siripetawee, S. Thammasirirak, R.C. Robinson and J. Yuvaniyama	193
--	---	-----

Structural Insights of the Nucleotide-Dependent Conformational Changes of <i>Thermotoga maritima</i> MutL Using Small-Angle X-ray Scattering Analysis	T.G. Kim, H.J. Cha, H.J. Lee, S.-D. Heo, K.Y. Choi, J.K. Ku and C. Ban	199
---	--	-----

CCN Family 2/Connective Tissue Growth Factor Modulates BMP Signalling as a Signal Conductor, Which Action Regulates the Proliferation and Differentiation of Chondrocytes	A. Maeda, T. Nishida, E. Aoyama, S. Kubota, K.M. Lyons, T. Kuboki and M. Takigawa	207
---	---	-----

Inhibition of the 20S Proteasome by a Protein Proteinase Inhibitor: Evidence That a Natural Serine Proteinase Inhibitor Can Inhibit a Threonine Proteinase	K. Yabe and T. Koide	217
--	----------------------	-----

Mitochondrial Dehydrogenases in the Aerobic Respiratory Chain of the Rodent Malaria Parasite <i>Plasmodium yoelii yoelii</i>	K. Kawahara, T. Mogi, T.Q. Tanaka, M. Hata, H. Miyoshi and K. Kita	229
A New Synthetic Compound, SST-VEDI-1, Inhibits Osteoblast Differentiation with a Down-Regulation of the Osterix Expression	Y. Mikami, M. Somei and M. Takagi	239
Molecular Characterization of Alanine Racemase in the Kuruma Prawn <i>Marsupenaeus japonicus</i>	N. Yoshikawa, S. Okada and H. Abe	249
Dissociation and Reconstitution Studies of a Broad Substrate Specific Multimeric Alcohol Oxidase Protein Produced by <i>Aspergillus terreus</i>	A.K. Kumar and P. Goswami	259

No. 3, March, 2009

JB Review

Protein Tyrosine Kinase, Syk: A Key Player in Phagocytic Cells	Y. Tohyama and H. Yamamura	267
--	----------------------------	-----

Rapid Communication

Human Stem Cell Factor (SCF) is a Heparin-Binding Cytokine	S. Kishimoto, S. Nakamura, H. Hattori, S.-i. Nakamura, F. Oonuma, Y. Kanatani, Y. Tanaka, Y. Mori, Y. Harada, M. Tagawa and M. Ishihara	275
--	---	-----

Regular Papers

Transcriptional Regulation of the Salivary Histatin Gene: Finding of a Strong Positive Regulatory Element and Its Binding Protein	Y. Imamura, Y. Fujigaki, Y. Oomori, K. Ouryouji, S. Yanagisawa, H. Miyazawa and P.-L. Wang	279
β -Catenin Induces β -TrCP-Mediated PER2 Degradation Altering Circadian Clock Gene Expression in Intestinal Mucosa of <i>Apc</i> ^{Min/+} Mice	X. Yang, P.A. Wood, C.M. Ansell, M. Ohmori, E.-Y. Oh, Y. Xiong, F.G. Berger, M.M.O. Peña and W.J.M. Hrushesky	289
Turnip Mosaic Virus Genome-Linked Protein VPg Binds C-Terminal Region of Cap-Bound Initiation Factor 4E Orthologue Without Exhibiting Host Cellular Specificity	H. Okade, Y. Fujita, S. Miyamoto, K. Tomoo, S. Muto, H. Miyoshi, T. Natsuaki, R.E. Rhoads and T. Ishida	299
Study on the Binding of Fluoride, Bromide and Iodide to Ovalbumin by Using Ion-Selective Electrodes	Y. Lu, G.-K. Wang, C.-L. Yan, D.-J. Chen, Y.-L. Wang and S.-H. Gao	309
Characterization of Moloney Murine Leukaemia Virus/Avian Myeloblastosis Virus Chimeric Reverse Transcriptases	K. Yasukawa, M. Mizuno and K. Inouye	315
Effect of Proline Substitutions on Stability and Kinetic Properties of a Cold Adapted Subtilase	J. Arnórsdóttir, Á.R. Sigtryggssdóttir, S.H. Thorbjarnardóttir and M.M. Kristjánsson	325
Repression of Estrogen Receptor alpha by CDK11 ^{p58} Through Promoting its Ubiquitin-Proteasome Degradation	Y. Wang, H. Zong, Y. Chi, Y. Hong, Y. Yang, W. Zou, X. Yun and J. Gu	331

	PAGE
Blockage by SP600125 of Fc ϵ Receptor-Induced Degranulation and Cytokine Gene Expression in Mast Cells is Mediated Through Inhibition of Phosphatidylinositol 3-Kinase Signalling Pathway	345 S. Tanemura, H. Momose, N. Shimizu, D. Kitagawa, J. Seo, T. Yamasaki, K. Nakagawa, H. Kajihara, J.M. Penninger, T. Katada and H. Nishina
Importance of the Ionic Nature of Ionic Liquids in Affecting Enzyme Performance	355 Z. Yang, Y.-J. Yue, W.-C. Huang, X.-M. Zhuang, Z.-T. Chen and M. Xing
Structural Divergence of Cysteine-Rich Secretory Proteins in Snake Venoms	365 Y. Matsunaga, Y. Yamazaki, F. Hyodo, Y. Sugiyama, M. Nozaki and T. Morita
The Eighth Fibronectin Type III Domain of Protein Tyrosine Phosphatase Receptor J Influences the Formation of Protein Complexes and Cell Localization	377 R. Iuliano, C. Raso, A. Quintiero, I.L. Pera, F. Pichiorri, T. Palumbo, D. Palmieri, A. Pattarozzi, T. Florio, G. Viglietto, F. Trapasso, C.M. Croce and A. Fusco
Signalling Pathway Involving GULP, MAPK and Rac1 for SR-BI-Induced Phagocytosis of Apoptotic Cells	387 Y. Osada, T. Sunatani, I.-S. Kim, Y. Nakanishi and A. Shiratsuchi
Properties of Cytochrome <i>bd</i> Plastoquinol Oxidase from the Cyanobacterium <i>Synechocystis</i> sp. PCC 6803	395 T. Mogi and H. Miyoshi
TPP at Ser ²⁴⁵ Phosphorylation by AKT is Required for Binding to 14-3-3	403 S. Chiba, M. Tokuhara, E.H. Morita and S. Abe

CORRIGENDUM

No. 4, April, 2009

Rapid Communication

Molecular Phenotyping of Mannosyltransferases-Deficient <i>Candida albicans</i> Cells by High-Resolution Magic Angle Spinning NMR	413 E. Maes, C. Mille, X. Trivelli, G. Janbon, D. Poulain and Y. Guérardel
---	---

Serine Racemase with Catalytically Active Lysinoalanyl Residue	421 T. Yamauchi, M. Goto, H.-Y. Wu, T. Uo, T. Yoshimura, H. Mihara, T. Kurihara, I. Miyahara, K. Hirotsu and N. Esaki
--	---

Peroxiredoxin III-deficiency Sensitizes Macrophages to Oxidative Stress	425 L. Li, T. Kaifu, M. Obinata and T. Takai
---	--

Regular Papers

Concerted Effects of Two Activator Modules on the Group I Ribozyme Reaction	429 Y. Ikawa, T. Shiohara, S. Ohuchi and T. Inoue
Identification and Functional Characterization of Rat Riboflavin Transporter 2	437 S. Yamamoto, K. Inoue, K.-y. Ohta, R. Fukatsu, J.-y. Maeda, Y. Yoshida and H. Yuasa
Functional Expression of Miraculin, a Taste-Modifying Protein in <i>Escherichia Coli</i>	445 T. Matsuyama, M. Satoh, R. Nakata, T. Aoyama and H. Inoue

Highly Active Low Magnesium Hammerhead Ribozyme	A. Fedoruk-Wyszomirska, M. Szymański, E. Wyszko, M.Z. Barciszewska and J. Barciszewski	451
Colicin E5 Ribonuclease Domain Cleaves <i>Saccharomyces cerevisiae</i> tRNAs Leading to Impairment of the Cell Growth	T. Ogawa, M. Hidaka, K. Kohno and H. Masaki	461
Closed Complex of the D-3-Hydroxybutyrate Dehydrogenase Induced by an Enantiomeric Competitive Inhibitor	K. Nakashima, K. Ito, Y. Nakajima, R. Yamazawa, S. Miyakawa and T. Yoshimoto	467
<i>In Vitro</i> and <i>In Vivo</i> Interactions of Ferredoxin-NADP ⁺ Reductases in <i>Pseudomonas putida</i>	J. Yeom, C.O. Jeon, E.L. Madsen and W. Park	481
Gene Identification and Characterization of 5-Formyl-3-Hydroxy-2-Methylpyridine 4-Carboxylic Acid 5-Dehydrogenase, an NAD ⁺ -Dependent Dismutase	N. Yokochi, Y. Yoshikane, S. Matsumoto, M. Fujisawa, K. Ohnishi and T. Yagi	493
Cooperative Binding of L-Trp to Human Tryptophan 2,3-Dioxygenase: Resonance Raman Spectroscopic Analysis	E. Fukumura, H. Sugimoto, Y. Misumi, T. Ogura and Y. Shiro	505
Protein Oxidation During Long Storage: Identification of the Oxidation Sites in Dihydrofolate Reductase from <i>Escherichia coli</i> through LC-MS and Fragment Studies	T. Takenawa, A. Yokota, M. Oda, H. Takahashi and M. Iwakura	517
Cloning and Expression of the MutM Gene from Obligate Anaerobic Bacterium <i>Desulfovibrio vulgaris</i> (Miyazaki F)	H. Sanada, T. Nakanishi, H. Inoue and M. Kitamura	525
Construction of the Plasmid, Expression by Chinese Hamster Ovary Cell, Purification and Characterization of the First Three Short Consensus Repeat Modules of Human Complement Receptor Type 1	A. Yamaguchi, H. Takagawa, H. Iwakaji, S. Miyagawa, P.-C. Wang and N. Ishii	533
Interactions Between Histidine and Tryptophan Residues in the BM2 Proton Channel from Influenza B Virus	K. Otomo, A. Toyama, T. Miura and H. Takeuchi	543

No. 5, May, 2009

Regular Papers

Two Crystal Structures of Lysyl-tRNA Synthetase from <i>Bacillus stearothermophilus</i> in Complex with Lysyladenylate-Like Compounds: Insights into the Irreversible Formation of the Enzyme-Bound Adenylate of L-Lysine Hydroxamate	H. Sakurama, T. Takita, B. Mikami, T. Itoh, K. Yasukawa and K. Inouye	555
Impaired chemotaxis and cell adhesion due to decrease in several cell-surface receptors in cathepsin E-deficient macrophages	T. Tsukuba, M. Yanagawa, K. Okamoto, Y. Okamoto, Y. Yasuda, K.I. Nakayama, T. Kadokawa and K. Yamamoto	565
The Influence of Domain Structures on the Signal Transduction of Chimeric Receptors Derived from the Erythropoietin Receptor	W. Liu, M. Kawahara, H. Ueda and T. Nagamune	575

	PAGE	
Inspection of the Activator Binding Site for 4- α -Glucanotransferase in Porcine Liver Glycogen Debranching Enzyme with Fluorogenic Dextrans	E. Yamamoto, Y. Watanabe, Y. Makino and K. Omichi	585
Maturation of the Extracellular Matrix and Cell Adhesion Molecules in Layered Co-cultures of HepG2 and Endothelial Cells	M. Ohno, K. Motojima, T. Okano and A. Taniguchi	591
Effects of Replacement of Low-Spin Haem <i>b</i> by Haem O on <i>Escherichia coli</i> Cytochromes <i>bo</i> and <i>bd</i> Quinol Oxidases	T. Mogi	599
Gender Disparity of Hepatic Lipid Homoeostasis Regulated by the Circadian Clock	X. Yang, Y.-K.J. Zhang, N. Esterly, C.D. Klaassen and Y.-J.Y. Wan	609
Probing Structure of Heme A Synthase from <i>Bacillus subtilis</i> by Site-Directed Mutagenesis	T. Mogi	625
Molecular Recognition of Tryptophan tRNA by Tryptophanyl-tRNA Synthetase from <i>Aeropyrum pernix</i> K1	W. Tsuchiya and T. Hasegawa	635
Requirement of Fut8 for the expression of vascular endothelial growth factor receptor-2: a new mechanism for the emphysema-like changes observed in Fut8-deficient mice	X. Wang, T. Fukuda, W. Li, C.-x. Gao, A. Kondo, A. Matsumoto, E. Miyoshi, N. Taniguchi and J. Gu	643
Induction and Expression of Anti-Angiogenic Vasohibins in the Hematopoietic Stem/Progenitor Cell Population	H. Naito, H. Kidoya, Y. Sato and N. Takakura	653
Gene Cloning and Expression of Pyridoxal 5'-Phosphate-Dependent L- <i>threo</i> -3-Hydroxyaspartate Dehydratase from <i>Pseudomonas</i> sp. T62, and Characterization of the Recombinant Enzyme	T. Murakami, T. Maeda, A. Yokota and M. Wada	661
Over-Expression and Characterization of <i>Bacillus subtilis</i> Heme O Synthase	T. Mogi	669
Characterization of Type I Collagen Fibril Formation Using Thioflavin T Fluorescent Dye	K. Morimoto, K. Kawabata, S. Kunii, K. Hamano, T. Saito and B. Tonomura	677
Intramolecular Electron Transfer Processes in Cu _B -deficient Cytochrome <i>bo</i> Studied by Pulse Radiolysis	K. Kobayashi, S. Tagawa and T. Mogi	685
Epitope Mapping Using Ribosome Display in a Reconstituted Cell-Free Protein Synthesis System	E. Osada, Y. Shimizu, B.K. Akbar, T. Kanamori and T. Ueda	693
A Simple and Immediate Method for Simultaneously Evaluating Expression Level and Plasmid Maintenance in Yeast	J. Ishii, K. Izawa, S. Matsumura, K. Wakamura, T. Tanino, T. Tanaka, C. Ogino, H. Fukuda and A. Kondo	701

No. 6, June, 2009

Regular Papers

A Simple and Immediate Method for Simultaneously Evaluating Expression Level and Plasmid Maintenance in Yeast

J. Ishii, K. Izawa, S. Matsumura,
K. Wakamura, T. Tanino, T. Tanaka,
C. Ogino, H. Fukuda and A. Kondo

	PAGE
<i>Saccharomyces cerevisiae</i> Na ⁺ /H ⁺ Antiporter Nha1p Associates with Lipid Rafts and Requires Sphingolipid for Stable Localization to the Plasma Membrane	K. Mitsui, K. Hatakeyama, M. Matsushita and H. Kanazawa 709
Guanidine Hydrochloride- and Urea-Induced Unfolding of <i>Toxoplasma gondii</i> Ferredoxin-NADP ⁺ Reductase: Stabilization of a Functionally Inactive Holo-Intermediate	K. Singh and V. Bhakuni 721
Post-Transcriptional Regulation of the Expression of Ferrochelatase by Its Variant mRNA	M. Sakaino, T. Kataoka and S. Taketani 733
Evaluation of Conditions for Release of Mucin-Type Oligosaccharides from Glycoproteins by Hydrazine Gas Treatment	Y. Goso, D. Tsubokawa and K. Ishihara 739
Sequence Perturbation Analysis: Addressing Amino Acid Indices to Elucidate the C-Terminal Role of <i>Escherichia Coli</i> Dihydrofolate Reductase	H. Takahashi, A. Yokota, T. Takenawa and M. Iwakura 751
Probing the haem <i>d</i> -binding site in cytochrome <i>bd</i> quinol oxidase by site-directed mutagenesis	T. Mogi 763
Simvastatin Suppresses Leptin Expression in 3T3-L1 Adipocytes <i>via</i> Activation of the Cyclic AMP-PKA Pathway Induced by Inhibition of Protein Prenylation	T. Maeda and N. Horiuchi 771
Role of the Stem Domain of Matriptase in the Interaction with its Physiological Inhibitor, Hepatocyte Growth Factor Activator Inhibitor Type I	K. Kojima, S. Tsuzuki, T. Fushiki and K. Inouye 783
Comparison of Total Protein Concentration in Skeletal Muscle as Measured by the Bradford and Lowry Assays	R. Seevaratnam, B.P. Patel and M.J. Hamadeh 791
Effective Induction of Cell Death on Adult T-Cell Leukaemia Cells by HLA-DR β -Specific Small Antibody Fragment Isolated from Human Antibody Phage Library	S. Muraoka, Y. Ito, M. Kamimura, M. Baba, N. Arima, Y. Suda, S. Hashiguchi, M. Torikai, T. Nakashima and K. Sugimura 799
Isolation of ON Bipolar Cell Genes <i>via</i> hrGFP-coupled Cell Enrichment Using the mGluR6 Promoter	Y. Nakajima, M. Moriyama, M. Hattori, N. Minato and S. Nakanishi 811

CONTENTS Rearranged According to Subject Categories, Vol. 145, No. 6

BIOCHEMISTRY

Biochemistry General

- Post-Transcriptional Regulation of the Expression of Ferrochelatase by Its Variant mRNA M. Sakaino, T. Kataoka and S. Taketani 733

Protein Structure

- Guanidine Hydrochloride- and Urea-Induced Unfolding of *Toxoplasma gondii* Ferredoxin-NADP⁺ Reductase: Stabilization of a Functionally Inactive Holo-Intermediate K. Singh and V. Bhakuni 721

Glycobiology and Carbohydrate Biochemistry

- Evaluation of Conditions for Release of Mucin-Type Oligosaccharides from Glycoproteins by Hydrazine Gas Treatment Y. Goso, D. Tsubokawa and K. Ishihara 739

Enzymology

- Role of the Stem Domain of Matriptase in the Interaction with its Physiological Inhibitor, Hepatocyte Growth Factor Activator Inhibitor Type I K. Kojima, S. Tsuzuki, T. Fushiki and K. Inouye 783

Metabolism and Bioenergetics

- Probing the haem *d*-binding site in cytochrome *bd* quinol oxidase by site-directed mutagenesis T. Mogi 763

Biochemical Pharmacology

- Simvastatin Suppresses Leptin Expression in 3T3-L1 Adipocytes via Activation of the Cyclic AMP–PKA Pathway Induced by Inhibition of Protein Prenylation T. Maeda and N. Horiuchi 771

Analytical Biochemistry

- Comparison of Total Protein Concentration in Skeletal Muscle as Measured by the Bradford and Lowry Assays R. Seevaratnam, B.P. Patel and M.J. Hamadeh 791

CELL

Biomembranes, Organelles, and Protein Sorting

- Saccharomyces cerevisiae* Na⁺/H⁺ Antiporter Nha1p Associates with Lipid Rafts and Requires Sphingolipid for Stable Localization to the Plasma Membrane K. Mitsui, K. Hatakeyama, M. Matsushita and H. Kanazawa 709

Receptors and Signal Transduction

- Isolation of ON Bipolar Cell Genes via hrGFP-coupled Cell Enrichment Using the mGluR6 Promoter Y. Nakajima, M. Moriyama, M. Hattori, N. Minato and S. Nakanishi 811

BIOTECHNOLOGY

Biotechnology General

- A Simple and Immediate Method for Simultaneously Evaluating Expression Level and Plasmid Maintenance in Yeast J. Ishii, K. Izawa, S. Matsumura, K. Wakamura, T. Tanino, T. Tanaka, C. Ogino, H. Fukuda and A. Kondo 701

Sequence Perturbation Analysis: Addressing Amino Acid Indices to Elucidate the C-Terminal Role of *Escherichia coli* Dihydrofolate Reductase H. Takahashi, A. Yokota, T. Takenawa and M. Iwakura 751

- Effective Induction of Cell Death on Adult T-Cell Leukaemia Cells by HLA-DR β -Specific Small Antibody Fragment Isolated from Human Antibody Phage Library S. Muraoka, Y. Ito, M. Kamimura, M. Baba, N. Arima, Y. Suda, S. Hashiguchi, M. Torikai, T. Nakashima and K. Sugimura 799