

## INDEX TO AUTHORS

- Abe, E. See *Matsuda, Sakaguchi, Kobayashi, Kurano, Sato, Okita, Sugimoto, Hama, Hayashi, Okino, and Ito*, 375
- Abe, T., Oka, T., Nakagome, A., Tsukada, Y., Yasunaga, T., and Yohda, M. StHsp14.0, a small heat shock protein of *Sulfolobus tokodaii* strain 7, protects denatured proteins from aggregation in the partially dissociated conformation, 403
- Adachi, S. See *Iwamori, Sakai, Minamimoto, Iwamori, Tanaka, Aoki, and Nomura*, 515
- Agari, Y. See *Morita, Hishinuma, Ohyama, Mega, Ohta, Nakagawa, Fukui, Shinkai, Kuramitsu, and Masui*, 327
- Ahn, K.H. See *Bach, Jung, Choi, Jung, Chin, Kim, and Kim*, 385
- Aida, J., Higuchi, S., Hasegawa, Y., Nagano-Ito, M., Hirabayashi, Y., Banba, A., Shimizu, T., Kikuchi, A., Saga, M., and Ichikawa, S. Up-regulation of ceramide glucosyltransferase during the differentiation of U937 cells, 303
- Aigaki, T. See *Amano, Handa, Shigemoto, Maruyama, and Ishigami*, 671
- Akimoto, Y. See *Morimoto, Yamamoto, and Obinata*, 61
- Amano, A., Handa, S., Aigaki, T., Shigemoto, K., Maruyama, N., and Ishigami, A. Establishment and characterization of hepatocytes from an Immortomouse/SMP30/GNL knockout mouse hybrid lacking vitamin C to study vitamin C transport, 671
- Amin, A., Ando, T., Saijo, S., and Yamato, I. Role of Asp187 and Gln190 in the Na<sup>+</sup>/proline symporter (PutP) of *Escherichia coli*, 395
- Ando, T. See *Amin, Saijo, and Yamato*, 395
- Anzai, H. See *Yabu, Toda, Shibasaki, Araki, Yamashita, Mano, Masuhiro, Hanazawa, Shiba, Moritomo, and Nakanishi*, 635
- Aoki, D. See *Iwamori, Sakai, Minamimoto, Iwamori, Tanaka, Adachi, and Nomura*, 515
- Aoki, W., Kitahara, N., Miura, N., Morisaka, H., Yamamoto, Y., Kuroda, K., and Ueda, M. Comprehensive characterization of secreted aspartic proteases encoded by a virulence gene family in *Candida albicans*, 431
- Aparna, H.S. See *Chougule*, 279
- Arai, K., Ichikawa, J., Nonaka, S., Miyanaga, A., Uchikoba, H., Fushinobu, S., and Taguchi, H. A molecular design that stabilizes active state in bacterial allosteric L-lactate dehydrogenases, 579
- Araki, K. See *Tsutsui, Komatsu, Sugiura, and Nakamura*, 501
- . See *Yabu, Toda, Shibasaki, Yamashita, Anzai, Mano, Masuhiro, Hanazawa, Shiba, Moritomo, and Nakanishi*, 635
- Asakura, T., Iwaki, S., Okada, H., Sobel, B.E., and Fujii, S. Posttranscriptional regulation of expression of plasminogen activator inhibitor type-1 by cAMP in HepG2 liver cells, 687
- Bach, J.H., Jung, K.M., Choi, J.S., Jung, S.Y., Chin, M.R., Ahn, K.H., Kim, S.K., and Kim, D.K. Identification of a 42-kDa Group IV cPLA<sub>2</sub>-activating protein, cPLAP $\gamma$ , as a GTP-binding protein in the bovine brain, 385
- Banba, A. See *Aida, Higuchi, Hasegawa, Nagano-Ito, Hirabayashi, Shimizu, Kikuchi, Saga, and Ichikawa*, 303
- Bannai, S. See *Yoshiba-Suzuki, Sagara, and Makino*, 95
- Bao, Y., Nakagawa, K., Yang, Z., Ikeda, M., Withanage, K., Ishigami-Yuasa, M., Okuno, Y., Hata, S., Nishina, H., and Hata, Y. A cell-based assay to screen stimulators of the Hippo pathway reveals the inhibitory effect of dobutamine on the YAP-dependent gene transcription, 199
- Barbiroli, A. See *Colombo, Ricagno, Santambrogio, Giorgetti, Raimondi, Bonomi, Grandori, Bellotti, and Bolognesi*, 39
- Bartels, M. See *Reboll, Schweda, Franke, Frank, and Nourbakhsh*, 553
- Bellotti, V. See *Colombo, Ricagno, Barbiroli, Santambrogio, Giorgetti, Raimondi, Bonomi, Grandori, and Bolognesi*, 39
- Berkova, N. See *Delage, Dutertre, Le Guével, and Frolova*, 49
- Böhmer, F.-D. See *Östman, Frijhoff, and Sandin*, 345
- Bolognesi, M. See *Colombo, Ricagno, Barbiroli, Santambrogio, Giorgetti, Raimondi, Bonomi, Grandori, and Bellotti*, 39
- Bonomi, F. See *Colombo, Ricagno, Barbiroli, Santambrogio, Giorgetti, Raimondi, Grandori, Bellotti, and Bolognesi*, 39
- Chen, S. See *Matsumoto-Takasaki, Yuasa, Katagiri, Koyama, Sakai, Zamri, Phung, Nakada, Nakata, and Fujita-Yamaguchi*, 439
- Chin, M.R. See *Bach, Jung, Choi, Jung, Ahn, Kim, and Kim*, 385
- Choi, J.S. See *Bach, Jung, Jung, Chin, Ahn, Kim, and Kim*, 385
- Chougule, R.A., and Aparna, H.S. Characterization of  $\beta$ -lactoglobulin from buffalo (*Bubalus bubalis*) colostrum and its possible interaction with erythrocyte lipocalin-interacting membrane receptor, 279
- Chow, C.R. See *Kozasa, Hajicek, and Suzuki*, 357
- Chuman, Y., Iizuka, K., Honda, T., Onoue, H., Shimohigashi, Y., and Sakaguchi, K. Phosphatase assay for multi-phosphorylated substrates using phosphatase specific-motif antibody, 319
- Colombo, M., Ricagno, S., Barbiroli, A., Santambrogio, C., Giorgetti, S., Raimondi, S., Bonomi, F., Grandori, R., Bellotti, V., and Bolognesi, M. The effects of an ideal  $\beta$ -turn on  $\beta$ -2 microglobulin fold stability, 39
- Crimmins, D.L., and Kao, J.L.-F. A 68 residue N-terminal fragment of pro-atrial natriuretic peptide is a monomeric intrinsically unstructured protein, 157
- Dai, J. See *Mu, Feng, Su, Zhang, Jin, Liu, He, Qi, Wang, and Wang*, 491
- Delage, M.-M., Dutertre, S., Le Guével, R., Frolova, L., and Berkova, N. Monoclonal antibodies against human translation termination factor eRF3 and their utilization for sub-cellular localization of eRF3, 49
- Dutertre, S. See *Delage, Le Guével, Frolova, and Berkova*, 49
- Ebihara, A. See *Iino, Shimizu, Goto, Fukui, Hirotsu, and Kuramitsu*, 295
- Eguchi, T. See *Nango, Yamamoto, and Kumazaka*, 607
- Emoto, K. The growing role of the Hippo-NDR kinase signalling in neuronal development and disease, 133
- Endoh, S. See *Horie, Nishio, Kato, Fujita, Nakamura, Miyauchi, Kinugasa, Yamamoto, Niki, Yoshida, Hagihara, and Iwashashi*, 461
- Feng, D. See *Mu, Su, Zhang, Dai, Jin, Liu, He, Qi, Wang, and Wang*, 491
- Frank, R. See *Reboll, Schweda, Bartels, Franke, and Nourbakhsh*, 553
- Franke, R. See *Reboll, Schweda, Bartels, Frank, and Nourbakhsh*, 553
- Frijhoff, J. See *Östman, Sandin, and Böhmer*, 345
- Frolova, L. See *Delage, Dutertre, Le Guével, and Berkova*, 49
- Fujii, S. See *Asakura, Iwaki, Okada, and Sobel*, 687
- Fujisawa, Y. See *Tsuji, Mino, and Yuasa*, 525
- Fujishima, K. See *Komasa, Hiraoka, Shinhara, Lee, Tomita, and Kanai*, 289
- Fujita, K. See *Horie, Nishio, Kato, Endoh, Nakamura, Miyauchi, Kinugasa, Yamamoto, Niki, Yoshida, Hagihara, and Iwashashi*, 461
- Fujita-Yamaguchi, Y. See *Matsumoto-Takasaki, Yuasa, Katagiri, Koyama, Sakai, Zamri, Phung, Chen, Nakada, and Nakata*, 439
- Fukamizo, T. See *Shinya, Ohnuma, Kawamura, Torikata, Nishimura, and Katoh*, 569
- Fukamizu, A. See *Ishida, Matsuoka, Saito-Fujita, Inaba, Kunita, Sugiyama, and Yagami*, 5
- Fukuda, S. See *Higashiyama, Nanba, Nakayama, and Inoue*, 15
- Fukui, K. See *Iino, Shimizu, Goto, Ebihara, Hirotsu, and Kuramitsu*, 295
- . See *Morita, Hishinuma, Ohyama, Mega, Ohta, Nakagawa, Agari, Shinkai, Kuramitsu, and Masui*, 327
- Fushinobu, S. See *Arai, Ichikawa, Nonaka, Miyanaga, Uchikoba, and Taguchi*, 579
- Gao, Xiangcui. See *Li, Liu, Kang, Guan, Wang, and Sun*, 371
- Gao, Xiaoli. See *Zhang, and Garavito*, 627
- Garavito, R.M. See *Zhang, and Gao*, 627

## Index to Authors

- Giorgetti, S. See *Colombo, Ricagno, Barbiroli, Santambrogio, Raimondi, Bonomi, Grandori, Bellotti, and Bolognesi*, 39
- Gohda, J. See *Shibata, Tanaka, and Inoue*, 679
- Goryo, K., Torii, S., Yasumoto, K.-i., and Sogawa, K. Tumour necrosis factor- $\alpha$  suppresses the hypoxic response by NF- $\kappa$ B-dependent induction of inhibitory PAS domain protein in PC12 cells, 311
- Goshima, N. See *Hirose, Kawamura, Yokota, Kuroita, Natsume, Komiya, Tsutsumi, Suwa, Isogai, and Noguchi*, 73
- Goto, E. See *Maemoto, Osako, Nozawa, Shibata, and Maki*, 411
- Goto, M. See *Iino, Shimizu, Ebihara, Fukui, Hirotsu, and Kuramitsu*, 295
- Grandori, R. See *Colombo, Ricagno, Barbiroli, Santambrogio, Giorgetti, Raimondi, Bonomi, Bellotti, and Bolognesi*, 39
- Guan, W. See *Li, Liu, Kang, Gao, Wang, and Sun*, 371
- Héroux, A. See *Ravindran, and Ye*, 535
- Hagihara, Y. See *Horie, Nishio, Kato, Fujita, Endoh, Nakamura, Miyauchi, Kinugasa, Yamamoto, Niki, Yoshida, and Iwahashi*, 461
- Hajicek, N. See *Kozasa, Chow, and Suzuki*, 357
- Hama, Y. See *Matsuda, Sakaguchi, Kobayashi, Abe, Kurano, Sato, Okita, Sugimoto, Hayashi, Okino, and Ito*, 375
- Hanazawa, S. See *Yabu, Toda, Shibusaki, Araki, Yamashita, Anzai, Mano, Masuhiro, Shiba, Moritomo, and Nakanishi*, 635
- Handa, S. See *Amano, Aigaki, Shigemoto, Maruyama, and Ishigami*, 671
- Harada, N. See *Mimura, Kosaka, Maruyama, Satoh, Yoshida, Satoh, Yamamoto, and Itoh*, 209
- Harashima, S. See *Sugiyama, Nugroho, Iida, Sakai, and Kaneko*, 103
- Hasegawa, Y. See *Aida, Higuchi, Nagano-Ito, Hirabayashi, Banba, Shimizu, Kikuchi, Saga, and Ichikawa*, 303
- Hashiguchi, K. See *Sanada, Yonekura, Kikuchi, Nakamura, Yonei, and Zhang-Akiyama*, 649
- Hata, S. See *Sorimachi, and Ono*, 23
- . See *Bao, Nakagawa, Yang, Ikeda, Withanage, Ishigami-Yuasa, Okuno, Nishina, and Hata*, 199
- Hata, Y. See *Bao, Nakagawa, Yang, Ikeda, Withanage, Ishigami-Yuasa, Okuno, Hata, and Nishina*, 199
- Hayashi, M. See *Matsuda, Sakaguchi, Kobayashi, Abe, Kurano, Sato, Okita, Sugimoto, Hama, Okino, and Ito*, 375
- He, Y. See *Mu, Feng, Su, Zhang, Dai, Liu, Qi, Wang, and Wang*, 491
- Higashiyama, S., Nanba, D., Nakayama, H., Inoue, H., and Fukuda, S. Ectodomain shedding and remnant peptide signalling of EGFRs and their ligands, 15
- Higuchi, S. See *Aida, Hasegawa, Nagano-Ito, Hirabayashi, Banba, Shimizu, Kikuchi, Saga, and Ichikawa*, 303
- Hirabayashi, J. See *Imamura, Takeuchi, Yabe, and Tateno*, 545
- Hirabayashi, Y. See *Aida, Higuchi, Hasegawa, Nagano-Ito, Banba, Shimizu, Kikuchi, Saga, and Ichikawa*, 303
- Hirano, A. See *Takai, and Shiraki*, 165
- Hiraoka, K. See *Komasa, Fujishima, Shinhabara, Lee, Tomita, and Kanai*, 289
- Hirose, S., Kawamura, Y., Yokota, K., Kuroita, T., Natsume, T., Komiya, K., Tsutsumi, T., Suwa, Y., Isogai, T., Goshima, N., and Noguchi, T. Statistical analysis of features associated with protein expression/solubility in an *in vivo* *Escherichia coli* expression system and a wheat germ cell-free expression system, 73
- Hirotsu, K. See *Iino, Shimizu, Goto, Ebihara, Fukui, and Kuramitsu*, 295
- Hishinuma, H. See *Morita, Ohyama, Mega, Ohta, Nakagawa, Agari, Fukui, Shinkai, Kuramitsu, and Masui*, 327
- Honda, T. See *Chuman, Iizuka, Onoue, Shimohigashi, and Sakaguchi*, 319
- Horie, M., Nishio, K., Kato, H., Fujita, K., Endoh, S., Nakamura, A., Miyauchi, A., Kinugasa, S., Yamamoto, K., Niki, E., Yoshida, Y., Hagihara, Y., and Iwahashi, H. Cellular responses induced by cerium oxide nanoparticles: induction of intracellular calcium level and oxidative stress on culture cells, 461
- Ichikawa, J. See *Arai, Nonaka, Miyanaga, Uchikoba, Fushinobu, and Taguchi*, 579
- Ichikawa, S. See *Aida, Higuchi, Hasegawa, Nagano-Ito, Hirabayashi, Banba, Shimizu, Kikuchi, and Saga*, 303
- Ida, K., Suguro, M., and Suzuki, H. High resolution X-ray crystal structures of L-phenylalanine oxidase (deaminating and decarboxylating) from *Pseudomonas* sp. P-501. Structures of the enzyme-ligand complex and catalytic mechanism, 659
- Iida, N. See *Sugiyama, Nugroho, Sakai, Kaneko, and Harashima*, 103
- Iino, H., Shimizu, N., Goto, M., Ebihara, A., Fukui, K., Hirotsu, K., and Kuramitsu, S. Crystal structure of the tandem-type universal stress protein TTHA0350 from *Thermus thermophilus* HB8, 295
- Iizuka, K. See *Chuman, Honda, Onoue, Shimohigashi, and Sakaguchi*, 319
- Ijuin, T. See *Wang, Itoh, and Takenawa*, 83
- Ikeda, M. See *Bao, Nakagawa, Yang, Withanage, Ishigami-Yuasa, Okuno, Hata, Nishina, and Hata*, 199
- Ikeuchi, T. See *Maruoka, Sasaya, Sugihara, and Shimoke*, 473
- Imamura, K., Takeuchi, H., Yabe, R., Tateno, H., and Hirabayashi, J. Engineering of the glycan-binding specificity of *Agrocybe cylindracea* galectin towards  $\alpha$ (2,3)-linked sialic acid by saturation mutagenesis, 545
- Imataka, H. See *Kobayashi, Machida, Mikami, and Masutani*, 423
- Inaba, S. See *Ishida, Matsuoka, Saito-Fujita, Kunita, Sugiyama, Yagami, and Fukamizu*, 5
- Inaka, K. See *Okamoto, Yamaguchi, Mizohata, Tokuoka, Uchiyama, Sugiyama, Matsumura, Urade, and Inoue*, 563
- Inoue, H. See *Higashiyama, Nanba, Nakayama, and Fukuda*, 15
- Inoue, J.-i. See *Shibata, Tanaka, and Gohda*, 679
- Inoue, T. See *Okamoto, Yamaguchi, Mizohata, Tokuoka, Uchiyama, Sugiyama, Matsumura, Inaka, and Urade*, 563
- Inouye, K. See *Kojima*, 123
- . See *Muta*, 183
- Irimura, T. See *Yamamoto*, 477
- Ishida, J., Matsuoka, T., Saito-Fujita, T., Inaba, S., Kunita, S., Sugiyama, F., Yagami, K.-i., and Fukamizu, A. Pregnancy-associated homeostasis and dysregulation: lessons from genetically modified animal models, 5
- Ishigami, A. See *Amano, Handa, Aigaki, Shigemoto, and Maruyama*, 671
- Ishigami-Yuasa, M. See *Bao, Nakagawa, Yang, Ikeda, Withanage, Okuno, Hata, Nishina, and Hata*, 199
- Ishii, S. See *Yanagida*, 223
- Isogai, T. See *Hirose, Kawamura, Yokota, Kuroita, Natsume, Komiya, Tsutsumi, Suwa, Goshima, and Noguchi*, 73
- Ito, M. See *Matsuda, Sakaguchi, Kobayashi, Abe, Kurano, Sato, Okita, Sugimoto, Hama, Hayashi, and Okino*, 375
- Itoh, K. See *Mimura, Kosaka, Maruyama, Satoh, Harada, Yoshida, Satoh, and Yamamoto*, 209
- Itoh, T. See *Wang, Ijuin, and Takenawa*, 83
- Iwahashi, H. See *Horie, Nishio, Kato, Fujita, Endoh, Nakamura, Miyauchi, Kinugasa, Yamamoto, Niki, Yoshida, and Hagihara*, 461
- Iwaki, S. See *Asakura, Okada, Sobel, and Fujii*, 687
- Iwamori, M., Sakai, A., Minamimoto, N., Iwamori, Y., Tanaka, K., Aoki, D., Adachi, S., and Nomura, T. Characterization of novel glycolipid antigens with an  $\alpha$ -galactose epitope in lactobacilli detected with rabbit anti-*Lactobacillus* antisera and occurrence of antibodies against them in human sera, 515
- Iwamori, Y. See *Iwamori, Sakai, Minamimoto, Tanaka, Aoki, Adachi, and Nomura*, 515
- Jin, H. See *Mu, Feng, Su, Zhang, Dai, Liu, He, Qi, Wang, and Wang*, 491
- Jung, K.M. See *Bach, Choi, Jung, Chin, Ahn, Kim, and Kim*, 385
- Jung, S.Y. See *Bach, Jung, Choi, Chin, Ahn, Kim, and Kim*, 385
- Kaikai, S., Yuchen, S., Lili, J., and Zhengtao, W. Critical role of c-Jun N-terminal kinase in regulating bFGF-induced angiogenesis *in vitro*, 189
- Kanai, A. See *Komasa, Fujishima, Hiraoka, Shinhabara, Lee, and Tomita*, 289
- Kaneko, Y. See *Sugiyama, Nugroho, Iida, Sakai, and Harashima*, 103
- Kang, F. See *Li, Liu, Guan, Gao, Wang, and Sun*, 371
- Kao, J.L.-F. See *Crimmins*, 157
- Katagiri, D. See *Matsumoto-Takasaki, Yuasa, Koyama, Sakai, Zamri, Phung, Chen, Nakada, Nakata, and Fujita-Yamaguchi*, 439

- Kato, H. See *Horie, Nishio, Fujita, Endoh, Nakamura, Miyauchi, Kinugasa, Yamamoto, Niki, Yoshida, Hagihara, and Iwahashi*, 461
- Katoh, E. See *Shinya, Ohnuma, Kawamura, Torikata, Nishimura, and Fukamizo*, 569
- Kawamura, S. See *Shinya, Ohnuma, Torikata, Nishimura, Katoh, and Fukamizo*, 569
- Kawamura, Y. See *Hirose, Yokota, Kuroita, Natsume, Komiya, Tsutsumi, Suwa, Isogai, Goshima, and Noguchi*, 73
- Kikuchi, A. See *Aida, Higuchi, Hasegawa, Nagano-Ito, Hirabayashi, Banba, Shimizu, Saga, and Ichikawa*, 303
- Kikuchi, K. See *Miyagi, and Tamura*, 483
- Kikuchi, M. See *Sanada, Yonekura, Hashiguchi, Nakamura, Yonei, and Zhang-Akiyama*, 649
- Kim, D.K. See *Bach, Jung, Choi, Jung, Chin, Ahn, and Kim*, 385
- Kim, S.K. See *Bach, Jung, Choi, Jung, Chin, Ahn, and Kim*, 385
- Kinugasa, S. See *Horie, Nishio, Kato, Fujita, Endoh, Nakamura, Miyauchi, Yamamoto, Niki, Yoshida, Hagihara, and Iwahashi*, 461
- Kitahara, N. See *Aoki, Miura, Morisaka, Yamamoto, Kuroda, and Ueda*, 431
- Kobayashi, Takumi. See *Matsuda, Sakaguchi, Abe, Kurano, Sato, Okita, Sugimoto, Hama, Hayashi, Okino, and Ito*, 375
- Kobayashi, Tominari., Machida, K., Mikami, S., Masutani, M., and Imataka, H. Cell-free RNA replication systems based on a human cell extracts-derived *in vitro* translation system with the encephalomyocarditisvirus RNA, 423
- Kohama, K. See *Zhang, Tang, and Lin*, 267
- Kohno, M. See *Sato, Mokudai, and Niwano*, 173
- Kojima, K., and Inouye, K. Activation of matriptase zymogen, 123
- Komasa, M., Fujishima, K., Hiraoka, K., Shinbara, A., Lee, B.-S., Tomita, M., and Kanai, A. A screening system for artificial small RNAs that inhibit the growth of *Escherichia coli*, 289
- Komatsu, Y. See *Tsutsui, Sugiura, Araki, and Nakamura*, 501
- Komiya, K. See *Hirose, Kawamura, Yokota, Kuroita, Natsume, Tsutsumi, Suwa, Isogai, Goshima, and Noguchi*, 73
- Kosaka, K. See *Mimura, Maruyama, Satoh, Harada, Yoshida, Satoh, Yamamoto, and Itoh*, 209
- Koyama, T. See *Matsumoto-Takasaki, Yuasa, Katagiri, Sakai, Zamri, Phung, Chen, Nakada, Nakata, and Fujita-Yamaguchi*, 439
- Kozasa, T., Hajicek, N., Chow, C.R., and Suzuki, N. Signalling mechanisms of RhoGTPase regulation by the heterotrimeric G proteins G12 and G13, 357
- Kumasaka, T. See *Nango, Yamamoto, and Eguchi*, 607
- Kunita, S. See *Ishida, Matsuoka, Saito-Fujita, Inaba, Sugiyama, Yagami, and Fukamizu*, 5
- Kuramitsu, S. See *Iino, Shimizu, Goto, Ebihara, Fukui, and Hirotsu*, 295
- . See *Morita, Hishinuma, Ohyama, Mega, Ohta, Nakagawa, Agari, Fukui, Shinkai, and Masui*, 327
- Kurano, N. See *Matsuda, Sakaguchi, Kobayashi, Abe, Sato, Okita, Sugimoto, Hama, Hayashi, Okino, and Ito*, 375
- Kurata, S. See *Yano*, 143
- Kuroda, K. See *Aoki, Kitahara, Miura, Morisaka, Yamamoto, and Ueda*, 431
- Kuroita, T. See *Hirose, Kawamura, Yokota, Natsume, Komiya, Tsutsumi, Suwa, Isogai, Goshima, and Noguchi*, 73
- Le Guével, R. See *Delage, Dutertre, Frolova, and Berkova*, 49
- Lee, B.-S. See *Komasa, Fujishima, Hiraoka, Shinbara, Tomita, and Kanai*, 289
- Li, D., Liu, J., Kang, F., Guan, W., Gao, X., Wang, Y., and Sun, D. Core-APOBEC3C chimerical protein inhibits hepatitis B virus replication, 371
- Lili, J. See *Kaikai, Yuchen, and Zhengtao*, 189
- Lin, Y. See *Zhang, Tang, and Kohama*, 267
- Liu, B. See *Mu, Feng, Su, Zhang, Dai, Jin, He, Qi, Wang, and Wang*, 491
- Liu, J. See *Li, Kang, Guan, Gao, Wang, and Sun*, 371
- Machida, K. See *Kobayashi, Mikami, Masutani, and Imataka*, 423
- Maeda, S. An impact of CCN2-BMP-2 complex upon chondrocyte biology: evoking a signalling pathway bypasses ERK and Smads?, 219
- Maemoto, Y., Osako, Y., Goto, E., Nozawa, E., Shibata, H., and Maki, M. Calpain-7 binds to CHMP1B at its second  $\alpha$ -helical region and forms a ternary complex with IST1, 411
- Maki, M. See *Maemoto, Osako, Goto, Nozawa, and Shibata*, 411
- Makino, N. See *Yoshiba-Suzuki, Sagara, and Bannai*, 95
- Mano, N. See *Yabu, Toda, Shibasaki, Araki, Yamashita, Anzai, Masuhiro, Hanazawa, Shiba, Moritomo, and Nakanishi*, 635
- Maruoka, H., Sasaya, H., Sugihara, K., Shimoke, K., and Ikeuchi, T. Low-molecular-weight compounds having neurotrophic activity in cultured PC12 cells and neurons, 473
- Maruyama, A. See *Mimura, Kosaka, Satoh, Harada, Yoshida, Satoh, Yamamoto, and Itoh*, 209
- Maruyama, N. See *Amano, Handa, Aigaki, Shigemoto, and Ishigami*, 671
- Masuhiro, Y. See *Yabu, Toda, Shibasaki, Araki, Yamashita, Anzai, Mano, Hanazawa, Shiba, Moritomo, and Nakanishi*, 635
- Masui, R. See *Morita, Hishinuma, Ohyama, Mega, Ohta, Nakagawa, Agari, Fukui, Shinkai, and Kuramitsu*, 327
- Masutani, M. See *Kobayashi, Machida, Mikami, and Imataka*, 423
- Matsuda, T., Sakaguchi, K., Kobayashi, T., Abe, E., Kurano, N., Sato, A., Okita, Y., Sugimoto, S., Hama, Y., Hayashi, M., Okino, N., and Ito, M. Molecular cloning of a *Pinguicula pyriformis* oleate-specific microsomal  $\Delta 12$ -fatty acid desaturase and functional analysis in yeasts and thraustochytrids, 375
- Matsumoto-Takasaki, A., Yuasa, N., Katagiri, D., Koyama, T., Sakai, K., Zamri, N., Phung, S., Chen, S., Nakada, H., Nakata, M., and Fujita-Yamaguchi, Y. Characterization of three different single chain antibodies recognizing non-reducing terminal mannose residues expressed in *Escherichia coli* by an inducible T7 expression system, 439
- Matsumura, H. See *Okamoto, Yamaguchi, Mizohata, Tokuoka, Uchiyama, Sugiyama, Inaka, Urade, and Inoue*, 563
- Matsuoka, T. See *Ishida, Saito-Fujita, Inaba, Kumita, Sugiyama, Yagami, and Fukamizu*, 5
- Mega, R. See *Morita, Hishinuma, Ohyama, Ohta, Nakagawa, Agari, Fukui, Shinkai, Kuramitsu, and Masui*, 327
- Mikami, S. See *Kobayashi, Machida, Masutani, and Imataka*, 423
- Mimura, J., Kosaka, K., Maruyama, A., Satoh, T., Harada, N., Yoshida, H., Satoh, K., Yamamoto, M., and Itoh, K. Nrf2 regulates NGF mRNA induction by carnosic acid in T98G glioblastoma cells and normal human astrocytes, 209
- Minamimoto, N. See *Iwamori, Sakai, Iwamori, Tanaka, Aoki, Adachi, and Nomura*, 515
- Mino, T. See *Tsuji, Fujisawa, and Yuasa*, 525
- Mitaku, S. See *Negishi*, 113
- Miura, N. See *Aoki, Kitahara, Morisaka, Yamamoto, Kuroda, and Ueda*, 431
- Miyagi, T., Kikuchi, K., and Tamura, S. Shigeru Tsuiki: a pioneer in the research fields of complex carbohydrates and protein phosphatases, 483
- Miyanaga, A. See *Arai, Ichikawa, Nonaka, Uchikoba, Fushinobu, and Taguchi*, 579
- Miyauchi, A. See *Horie, Nishio, Kato, Fujita, Endoh, Nakamura, Kinugasa, Yamamoto, Niki, Yoshida, Hagihara, and Iwahashi*, 461
- Miyazawa, K. Encountering unpredicted off-target effects of pharmacological inhibitors, 1
- Mizohata, E. See *Okamoto, Yamaguchi, Tokuoka, Uchiyama, Sugiyama, Matsumura, Inaka, Urade, and Inoue*, 563
- Mokudai, T. See *Sato, Niwano, and Kohno*, 173
- Mori, N. See *Sone, and Tsuda*, 451
- Morimoto, R., Yamamoto, A., Akimoto, Y., and Obinata, A. Homeoprotein Hex is expressed in mouse developing chondrocytes, 61
- Morisaka, H. See *Aoki, Kitahara, Miura, Yamamoto, Kuroda, and Ueda*, 431
- Morita, R., Hishinuma, H., Ohyama, H., Mega, R., Ohta, T., Nakagawa, N., Agari, Y., Fukui, K., Shinkai, A., Kuramitsu, S., and Masui, R. An alkyl-transferase-like protein from *Thermus thermophilus* HB8 affects the regulation of gene expression in alkylation response, 327
- Moritomo, T. See *Yabu, Toda, Shibasaki, Araki, Yamashita, Anzai, Mano*

## Index to Authors

- Masuhiro, Hanazawa, Shiba, and Nakanishi, 635
- Moriyama, Y. Riboflavin transporter is finally identified, 341
- Mu, P., Feng, D., Su, J., Zhang, Y., Dai, J., Jin, H., Liu, B., He, Y., Qi, K., Wang, H., and Wang, J. Cu<sup>2+</sup> triggers reversible aggregation of a disordered His-rich dehydrin MpDhn12 from *Musa paradisiaca*, 491
- Murakami, M., Taketomi, Y., Sato, H., and Yamamoto, K. Secreted phospholipase A<sub>2</sub> revisited, 233
- Muta, Y., and Inouye, K. Tyr219 of human matrix metalloproteinase 7 is not critical for catalytic activity, but is involved in the broad pH-dependence of the activity, 183
- Nagano-Ito, M. See *Aida, Higuchi, Hasegawa, Hirabayashi, Banba, Shimizu, Kikuchi, Saga, and Ichikawa*, 303
- Nakada, H. See *Matsumoto-Takasaki, Yuasa, Katagiri, Koyama, Sakai, Zamri, Phung, Chen, Nakada, and Fujita-Yamaguchi*, 439
- Nakagawa, K. See *Bao, Yang, Ikeda, Withanage, Ishigami-Yuasa, Okuno, Hata, Nishina, and Hata*, 199
- Nakagawa, N. See *Morita, Hishinuma, Ohyama, Mega, Ohta, Agari, Fukui, Shinkai, Kuramitsu, and Masui*, 327
- Nakagome, A. See *Abe, Oka, Tsukada, Yasunaga, and Yohda*, 403
- Nakamura, A. See *Horie, Nishio, Kato, Fujita, Endoh, Miyauchi, Kinugasa, Yamamoto, Niki, Yoshida, Hagihara, and Iwahashi*, 461
- Nakamura, N. See *Sanada, Yonekura, Kikuchi, Hashiguchi, Yonei, and Zhang-Akiyama*, 649
- Nakamura, O. See *Tsutsui, Komatsu, Sugiura, and Araki*, 501
- Nakanishi, T. See *Yabu, Toda, Shibasaki, Araki, Yamashita, Anzai, Mano, Masuhiro, Hanazawa, Shiba, and Moritomo*, 635
- Nakata, M. See *Matsumoto-Takasaki, Yuasa, Katagiri, Koyama, Sakai, Zamri, Phung, Chen, Nakada, and Fujita-Yamaguchi*, 439
- Nakayama, H. See *Higashiyama, Nanba, Inoue, and Fukuda*, 15
- Nanba, D. See *Higashiyama, Nakayama, Inoue, and Fukuda*, 15
- Nango, E., Yamamoto, T., Kumadasa, T., and Eguchi, T. Structure of *Thermus thermophilus* homoisocitrate dehydrogenase in complex with a designed inhibitor, 607
- Natsume, T. See *Hirose, Kawamura, Yokota, Kuroita, Komiya, Tsutsumi, Suwa, Isogai, Goshima, and Noguchi*, 73
- Negishi, L., and Mitaku, S. Electrostatic effects influence the formation of two-dimensional crystals of bacteriorhodopsin reconstituted into dimyristoylphosphatidylcholine membranes, 113
- Niki, E. See *Horie, Nishio, Kato, Fujita, Endoh, Nakamura, Miyauchi, Kinugasa, Yamamoto, Yoshida, Hagihara, and Iwahashi*, 461
- Nishimura, S. See *Shinya, Ohnuma, Kawamura, Torikata, Katoh, and Fukamizo*, 569
- Nishina, H. See *Bao, Nakagawa, Yang, Ikeda, Withanage, Ishigami-Yuasa, Okuno, Hata, and Hata*, 199
- Nishio, K. See *Horie, Kato, Fujita, Endoh, Nakamura, Miyauchi, Kinugasa, Yamamoto, Niki, Yoshida, Hagihara, and Iwahashi*, 461
- Nishiura, H., Zhao, R., and Yamamoto, T. The role of the ribosomal protein S19 C-terminus in altering the chemotaxis of leucocytes by causing functional differences in the C5a receptor response, 271
- Niwano, Y. See *Sato, Mokudai, and Kohno*, 173
- Noguchi, T. See *Hirose, Kawamura, Yokota, Kuroita, Natsume, Komiya, Tsutsumi, Suwa, Isogai, and Goshima*, 73
- Nomura, T. See *Iwamori, Sakai, Minamimoto, Iwamori, Tanaka, Aoki, and Adachi*, 515
- Nonaka, S. See *Arai, Ichikawa, Miyanaga, Uchikoba, Fushinobu, and Taguchi*, 579
- Nourbakhsh, M. See *Reboll, Schweda, Bartels, Franke, and Frank*, 553
- Nozawa, E. See *Maemoto, Osako, Goto, Shibata, and Maki*, 411
- Nugroho, S. See *Sugiyama, Iida, Sakai, Kaneko, and Harashima*, 103
- Obinata, A. See *Morimoto, Yamamoto, and Akimoto*, 61
- Ogura, M. ZnABC and ZosA zinc transporters are differently involved in competence development in *Bacillus subtilis*, 615
- Ohno, K. Kunihiko Suzuki and sphingolipid doses, 597
- Ohnuma, T. See *Shinya, Kawamura, Torikata, Nishimura, Katoh, and Fukamizo*, 569
- Ohta, T. See *Morita, Hishinuma, Ohyama, Mega, Nakagawa, Agari, Fukui, Shinkai, Kuramitsu, and Masui*, 327
- Ohyama, H. See *Morita, Hishinuma, Mega, Ohta, Nakagawa, Agari, Fukui, Shinkai, Kuramitsu, and Masui*, 327
- Oka, T. See *Abe, Nakagome, Tsukada, Yasunaga, and Yohda*, 403
- Okada, H. See *Asakura, Iwaki, Sobel, and Fujii*, 687
- Okamoto, N., Yamaguchi, K., Mizohata, E., Tokuoka, K., Uchiyama, N., Sugiyama, S., Matsumura, H., Inaka, K., Urade, Y., and Inoue, T. Structural insight into the stereoselective production of PGF<sub>2α</sub> by Old Yellow Enzyme from *Trypanosoma cruzi*, 563
- Okino, N. See *Matsuda, Sakaguchi, Kobayashi, Abe, Kurano, Sato, Okita, Sugimoto, Hama, Hayashi, and Ito*, 375
- Okita, Y. See *Matsuda, Sakaguchi, Kobayashi, Abe, Kurano, Sato, Sugimoto, Hama, Hayashi, Okino, and Ito*, 375
- Okuno, Y. See *Bao, Nakagawa, Yang, Ikeda, Withanage, Ishigami-Yuasa, Hata, Nishina, and Hata*, 199
- Ono, Y. See *Sorimachi, and Hata*, 23
- Onoue, H. See *Chuman, Iizuka, Honda, Shimohigashi, and Sakaguchi*, 319
- Osako, Y. See *Maemoto, Goto, Nozawa, Shibata, and Maki*, 411
- Östman, A., Frijhoff, J., Sandin, Å., and Böhmer, F.-D. Regulation of protein tyrosine phosphatases by reversible oxidation, 345
- Phung, S. See *Matsumoto-Takasaki, Yuasa, Katagiri, Koyama, Sakai, Zamri, Chen, Nakada, Nakata, and Fujita-Yamaguchi*, 439
- Qi, K. See *Mu, Feng, Su, Zhang, Dai, Jin, Liu, He, Wang, and Wang*, 491
- Qin, L., Wang, Y., Tao, L., and Wang, Z. AKT down-regulates insulin-like growth factor-1 receptor as a negative feedback, 151
- Raimondi, S. See *Colombo, Ricagno, Barbiroli, Santambrogio, Giorgetti, Bonomi, Grandori, Bellotti, and Bolognesi*, 39
- Ravindran, P.P., Héroux, A., and Ye, J.-D. Improvement of the crystallizability and expression of an RNA crystallization chaperone, 535
- Reboll, M.R., Schweda, A.T., Bartels, M., Franke, R., Frank, R., and Nourbakhsh, M. Mapping of NRF binding motifs of NF-κappaB p65 subunit, 553
- Ricagno, S. See *Colombo, Barbiroli, Santambrogio, Giorgetti, Raimondi, Bonomi, Grandori, Bellotti, and Bolognesi*, 39
- Saga, M. See *Aida, Higuchi, Hasegawa, Nagano-Ito, Hirabayashi, Banba, Shimizu, Kikuchi, and Ichikawa*, 303
- Sagara, J.-i. See *Yoshiba-Suzuki, Bannai, and Makino*, 95
- Saijo, S. See *Amin, Ando, and Yamato*, 395
- Saito-Fujita, T. See *Ishida, Matsuoka, Inaba, Kumita, Sugiyama, Yagami, and Fukamizu*, 5
- Sakaguchi, Kazuyasu. See *Chuman, Iizuka, Honda, Onoue, and Shimohigashi*, 319
- Sakaguchi, Keishi. See *Matsuda, Kobayashi, Abe, Kurano, Sato, Okita, Sugimoto, Hama, Hayashi, Okino, and Ito*, 375
- Sakai, A. See *Iwamori, Minamimoto, Iwamori, Tanaka, Aoki, Adachi, and Nomura*, 515
- Sakai, K. See *Matsumoto-Takasaki, Yuasa, Katagiri, Koyama, Zamri, Phung, Chen, Nakada, Nakata, and Fujita-Yamaguchi*, 439
- Sakai, T. See *Sugiyama, Nugroho, Iida, Kaneko, and Harashima*, 103
- Sanada, U., Yonekura, S.-I., Kikuchi, M., Hashiguchi, K., Nakamura, N., Yonei, S., and Zhang-Akiyama, Q.-M. NDX-1 protein hydrolyzes 8-oxo-7, 8-dihydrodeoxyguanosine-5'-diphosphate to sanitize oxidized nucleotides and prevent oxidative stress in *Caenorhabditis elegans*, 649
- Sandin, Å. See *Östman, Frijhoff, and Böhmer*, 345
- Santambrogio, C. See *Colombo, Ricagno, Barbiroli, Giorgetti, Raimondi, Bonomi, Grandori, Bellotti, and Bolognesi*, 39
- Sasaya, H. See *Maruoka, Sugihara, Shimoke, and Ikeuchi*, 473
- Sato, A. See *Matsuda, Sakaguchi, Kobayashi, Abe, Kurano, Okita, Sugimoto, Hama, Hayashi, Okino, and Ito*, 375

- Sato, E., Mokudai, T., Niwano, Y., and Kohno, M. Kinetic analysis of reactive oxygen species generated by the in vitro reconstituted NADPH oxidase and xanthine oxidase systems, 173
- Sato, H. See Murakami, Taketomi, and Yamamoto, 233
- Satoh, K. See Mimura, Kosaka, Maruyama, Satoh, Harada, Yoshida, Yamamoto, and Itoh, 209
- Satoh, T. See Mimura, Kosaka, Maruyama, Harada, Yoshida, Satoh, Yamamoto, and Itoh, 209
- Schweda, A.T. See Reboll, Bartels, Franke, Frank, and Nourbakhsh, 553
- Shiba, H. See Yabu, Toda, Shibasaki, Araki, Yamashita, Anzai, Mano, Masuhiro, Hanazawa, Moritomo, and Nakanishi, 635
- Shibasaki, Y. See Yabu, Toda, Araki, Yamashita, Anzai, Mano, Masuhiro, Hanazawa, Shiba, Moritomo, and Nakanishi, 635
- Shibata, H. See Maemoto, Osako, Goto, Nozawa, and Maki, 411
- Shibata, Y., Tanaka, Y., Gohda, J., and Inoue, J.-i. Activation of the I $\kappa$ B kinase complex by HTLV-1 Tax requires cytosolic factors involved in Tax-induced polyubiquitination, 679
- Shigemoto, K. See Amano, Handa, Aigaki, Maruyama, and Ishigami, 671
- Shimizu, N. See Iino, Goto, Ebihara, Fukui, Hirotsu, and Kuramitsu, 295
- Shimizu, T. See Aida, Higuchi, Hasegawa, Nagano-Ito, Hirabayashi, Banba, Kikuchi, Saga, and Ichikawa, 303
- Shimohigashi, Y. See Chuman, Iizuka, Honda, Onoue, and Sakaguchi, 319
- Shimoke, K. See Maruoka, Sasaya, Sugihara, and Ikeuchi, 473
- Shinhara, A. See Komasa, Fujishima, Hiraoka, Lee, Tomita, and Kanai, 289
- Shinkai, A. See Morita, Hishinuma, Ohyama, Mega, Ohta, Nakagawa, Agari, Fukui, Kuramitsu, and Masui, 327
- Shinya, S., Ohnuma, T., Kawamura, S., Torikata, T., Nishimura, S., Katoh, E., and Fukamizo, T. Interaction of a goose-type lysozyme with chitin oligosaccharides as determined by NMR spectroscopy, 569
- Shiraki, K. See Takai, and Hirano, 165
- Shirasu, M., and Touhara, K. The scent of disease: volatile organic compounds of the human body related to disease and disorder, 257
- Sobel, B.E. See Asakura, Iwaki, Okada, and Fujii, 687
- Sogawa, K. See Goryo, Torii, and Yasumoto, 311
- Sone, K., Tsuda, M., and Mori, N. Position-dependent effect of a neural-restrictive silencer-like element present in the promoter downstream of the SCG10-like protein gene, 451
- Sorimachi, H., Hata, S., and Ono, Y. Impact of genetic insights into calpain biology, 23
- Su, J. See Mu, Feng, Zhang, Dai, Jin, Liu, He, Qi, Wang, and Wang, 491
- Sugihara, K. See Maruoka, Sasaya, Shimoke, and Ikeuchi, 473
- Sugimoto, S. See Matsuda, Sakaguchi, Kobayashi, Abe, Kurano, Sato, Okita, Hama, Hayashi, Okino, and Ito, 375
- Sugiura, T. See Tsutsui, Komatsu, Araki, and Nakamura, 501
- Sugiyama, F. See Ishida, Matsuoka, Saito-Fujita, Inaba, Kunita, Yagami, and Fukamizu, 5
- Sugiyama, M., Nugroho, S., Iida, N., Sakai, T., Kaneko, Y., and Harashima, S. Genetic interactions of ribosome maturation factors Yvh1 and Mrt4 influence mRNA decay, glycogen accumulation, and the expression of early meiotic genes in *Saccharomyces cerevisiae*, 103
- Sugiyama, S. See Okamoto, Yamaguchi, Mizohata, Tokuoka, Uchiyama, Matsumura, Inaka, Urade, and Inoue, 563
- Suguro, M. See Ida, and Suzuki, 659
- Sun, D. See Li, Liu, Kang, Guan, Gao, and Wang, 371
- Suwa, Y. See Hirose, Kawamura, Yokota, Kuroita, Natsume, Komiya, Tsutsumi, Isogai, Goshima, and Noguchi, 73
- Suzuki, H. See Ida, and Suguro, 659
- Suzuki, N. See Kozasa, Hajicek, and Chow, 357
- Suzuki-Inoue, K. Essential *in vivo* roles of the platelet activation receptor CLEC-2 in tumour metastasis, lymphangiogenesis and thrombus formation, 127
- Taguchi, H. See Arai, Ichikawa, Nonaka, Miyanaga, Uchikoba, and Fushinobu, 579
- Takai, E., Hirano, A., and Shiraki, K. Effects of alkyl chain length of gallate on self-association and membrane binding, 165
- Takenawa, T. See Wang, Ijuin, and Itoh, 83
- Taketomi, Y. See Murakami, Sato, and Yamamoto, 233
- Takeuchi, H. See Imamura, Yabe, Tateno, and Hirabayashi, 545
- Tamura, S. See Miyagi, and Kikuchi, 483
- Tanaka, K. See Iwamori, Sakai, Minamimoto, Iwamori, Aoki, Adachi, and Nomura, 515
- Tanaka, Y. See Shibata, Gohda, and Inoue, 679
- Tang, Z.-Y. See Zhang, Kohama, and Lin, 267
- Tao, L. See Qin, Wang, and Wang, 151
- Tateno, H. See Imamura, Takeuchi, Yabe, and Hirabayashi, 545
- Toda, H. See Yabu, Shibasaki, Araki, Yamashita, Anzai, Mano, Masuhiro, Hanazawa, Shiba, Moritomo, and Nakanishi, 635
- Tokuoka, K. See Okamoto, Yamaguchi, Mizohata, Uchiyama, Sugiyama, Matsumura, Inaka, Urade, and Inoue, 563
- Tomita, M. See Komasa, Fujishima, Hiraoka, Shinhara, Lee, and Kanai, 289
- Torii, S. See Goryo, Yasumoto, and Sogawa, 311
- Torikata, T. See Shinya, Ohnuma, Kawamura, Nishimura, Katoh, and Fukamizo, 569
- Touhara, K. See Shirasu, 257
- Tsuda, M. See Sone, and Mori, 451
- Tsuji, A., Fujisawa, Y., Mino, T., and Yuasa, K. Identification of a plant amino-peptidase with preference for aromatic amino acid residues as a novel member of the prolyl oligopeptidase family of serine proteases, 525
- Tsukada, Y. See Abe, Oka, Nakagome, Yasunaga, and Yohda, 403
- Tsutsui, S., Komatsu, Y., Sugiura, T., Araki, K., and Nakamura, O. A unique epidermal mucus lectin identified from catfish (*Silurus asotus*): first evidence of intelectin in fish skin slime, 501
- Tsutsumi, T. See Hirose, Kawamura, Yokota, Kuroita, Natsume, Komiya, Suwa, Isogai, Goshima, and Noguchi, 73
- Uchikoba, H. See Arai, Ichikawa, Nonaka, Miyanaga, Fushinobu, and Taguchi, 579
- Uchiyama, N. See Okamoto, Yamaguchi, Mizohata, Tokuoka, Sugiyama, Matsumura, Inaka, Urade, and Inoue, 563
- Ueda, M. See Aoki, Kitahara, Miura, Morisaka, Yamamoto, and Kuroda, 431
- Urade, Y. See Okamoto, Yamaguchi, Mizohata, Tokuoka, Uchiyama, Sugiyama, Matsumura, Inaka, and Inoue, 563
- Wang, F., Ijuin, T., Itoh, T., and Takenawa, T. Regulation of IGF-1/PI3K/Akt signalling by the phosphoinositide phosphatase pharbin, 83
- Wang, H. See Mu, Feng, Su, Zhang, Dai, Jin, Liu, He, Qi, and Wang, 491
- Wang, J. See Mu, Feng, Su, Zhang, Dai, Jin, Liu, He, Qi, and Wang, 491
- Wang, Y. See Li, Liu, Kang, Guan, Gao, and Sun, 371
- Wang, Y. See Qin, Tao, and Wang, 151
- Wang, Z. See Qin, Wang, and Tao, 151
- Watanabe, K. Recent reports about enzymes related to the synthesis of prostaglandin (PG) F<sub>2</sub> (PGF<sub>2 $\alpha$</sub>  and 9 $\alpha$ , 11 $\beta$ -PGF<sub>2</sub>), 593
- Withanage, K. See Bao, Nakagawa, Yang, Ikeda, Ishigami-Yuasa, Okuno, Hata, Nishina, and Hata, 199
- Yabe, R. See Imamura, Takeuchi, Tateno, and Hirabayashi, 545
- Yabu, T., Toda, H., Shibasaki, Y., Araki, K., Yamashita, M., Anzai, H., Mano, N., Masuhiro, Y., Hanazawa, S., Shiba, H., Moritomo, T., and Nakanishi, T. Antiviral protection mechanisms mediated by ginsbuna crucian carp interferon gamma isoforms 1 and 2 through two distinct interferon gamma-receptors, 635
- Yagami, K.-i. See Ishida, Matsuoka, Saito-Fujita, Inaba, Kunita, Sugiyama, and Fukamizu, 5
- Yamaguchi, K. See Okamoto, Mizohata, Tokuoka, Uchiyama, Sugiyama, Matsumura, Inaka, Urade, and Inoue, 563
- Yamamoto, A. See Morimoto, Akimoto, and Obinata, 61
- Yamamoto, Kazuhiro. See Horie, Nishio, Kato, Fujita, Endoh, Nakamura, Miyauchi, Kinugasa, Niki, Yoshida, Hagihara, and Iwashashi, 461
- Yamamoto, Kazuo, and Irimura, T. Toshiaki Osawa: biochemistry of lectins and their applications in immunochemistry and cellular biology, 477
- Yamamoto, Kei. See Murakami, Taketomi, and Sato, 233

## Index to Authors

- Yamamoto, M. See *Mimura, Kosaka, Maruyama, Satoh, Harada, Yoshida, Satoh, and Itoh*, 209
- Yamamoto, Takashi. See *Nango, Kumasaka, and Eguchi*, 607
- Yamamoto, Tetsuro. See *Nishiura, and Zhao*, 271
- Yamamoto, Y. See *Aoki, Kitahara, Miura, Morisaka, Kuroda, and Ueda*, 431
- Yamashita, M. See *Yabu, Toda, Shibusaki, Araki, Anzai, Mano, Masuhiro, Hanazawa, Shiba, Moritomo, and Nakanishi*, 635
- Yamato, I. See *Amin, Ando, and Saito*, 395
- Yanagida, K., and Ishii, S. Non-Edg family LPA receptors: the cutting edge of LPA research, 223
- Yang, Z. See *Bao, Nakagawa, Ikeda, Withanage, Ishigami-Yuasa, Okuno, Hata, Nishina, and Hata*, 199
- Yano, T., and Kurata, S. Intracellular recognition of pathogens and autophagy as an innate immune host defence, 143
- Yasumoto, K.-i. See *Goryo, Torii, and Sogawa*, 311
- Yasunaga, T. See *Abe, Oka, Nakagome, Tsukada, and Yohda*, 403
- Ye, J.-D. See *Ravindran, and Héroux*, 535
- Yohda, M. See *Abe, Oka, Nakagome, Tsukada, and Yasunaga*, 403
- Yokota, K. See *Hirose, Kawamura, Kuroita, Natsume, Komiya, Tsutsumi, Suwa, Isogai, Goshima, and Noguchi*, 73
- Yonei, S. See *Sanada, Yonekura, Kikuchi, Hashiguchi, Nakamura, and Zhang-Akiyama*, 649
- Yonekura, S.-I. See *Sanada, Kikuchi, Hashiguchi, Nakamura, Yonei, and Zhang-Akiyama*, 649
- Yoshiba-Suzuki, S., Sagara, J.-i., Bannai, S., and Makino, N. The dynamics of cysteine, glutathione and their disulphides in astrocyte culture medium, 95
- Yoshida, H. See *Mimura, Kosaka, Maruyama, Satoh, Harada, Satoh, Yamamoto, and Itoh*, 209
- Yoshida, Y. See *Horie, Nishio, Kato, Fujita, Endoh, Nakamura, Miyauchi, Kinugasa, Yamamoto, Niki, Hagihara, and Iwahashi*, 461
- Yuasa, K. See *Tsuji, Fujisawa, and Mino*, 525
- Yuasa, N. See *Matsumoto-Takasaki, Katagiri, Koyama, Sakai, Zamri, Phung, Chen, Nakada, Nakata, and Fujita-Yamaguchi*, 439
- Yuchen, S. See *Kaikai, Lili, and Zhengtao*, 189
- Zamri, N. See *Matsumoto-Takasaki, Yuasa, Katagiri, Koyama, Sakai, Phung, Chen, Nakada, Nakata, and Fujita-Yamaguchi*, 439
- Zhang-Akiyama, Q.-M. See *Sanada, Yonekura, Kikuchi, Hashiguchi, Nakamura, and Yonei*, 649
- Zhang, Yanfeng., Gao, X., and Garavito, R.M. Biochemical characterization of human dynamin-like protein 1, 627
- Zhang, Yang. See *Mu, Feng, Su, Dai, Jin, Liu, He, Qi, Wang, and Wang*, 491
- Zhang, Ying., Tang, Z.-Y., Kohama, K., and Lin, Y. Interaction between myosin and a trace amount of caldesmon, 267
- Zhao, R. See *Nishiura, and Yamamoto*, 271
- Zhengtao, W. See *Kaikai, Yuchen, and Lili*, 189

# INDEX TO KEY WORDS

## A

- $\alpha$ -aminoacid pathway, crystal structure, homoisocitrate dehydrogenase, inhibitor, lysine biosynthesis, *Nango, Yamamoto, Kumasaka, Eguchi*, 607  
 $\beta$ -lactoglobulin, *Bubalus bubalis*, colostrum, immunoblot, lipocalin, mass spectrometry, *Chougule, Aparna*, 279  
 $\Delta$ 12-fatty acid desaturase, fatty acid, gene expression, PUFA, thraustochytrid, *Matsuda, Sakaguchi, Kobayashi, Abe, Kurano, Sato, Okita, Sugimoto, Hama, Hayashi, Okino, Ito*, 375  
13, G protein, Galphai2, Rho, RhoGEF, *Kozasa, Hajicek, Chow, Suzuki*, 357  
3'-untranslated region, cAMP, mRNA stability, PAI-1, posttranscriptional regulation, *Asakura, Iwaki, Okada, Sobel, Fujii*, 687  
8-oxo-dGDPase, *Caenorhabditis elegans*, NDX-1, mutations, oxidative stress, sanitization, *Sanada, Yonekura, Kikuchi, Hashiguchi, Nakamura, Yonei, Zhang-Akiyama*, 649  
ABC transporter, genetic competence, P-type ATPase, zinc homoeostasis, *Ogura*, 615  
Absorption, Intestine, Energy drink, Riboflavin, Transporter, *Moriyama*, 341  
activation, HAI-1, inhibition, matriptase, type II transmembrane serine protease, *Kojima, Inouye*, 123  
acylpeptide hydrolase-like protein, daikon radish, POP family, S9 protease, tyrosyl aminopeptidase, *Tsuji, Fujisawa, Mino, Yuasa*, 525  
ADAM, ectodomain shedding, EGFR, EGFR ligand, remnant peptide signalling, *Higashiyama, Nanba, Nakayama, Inoue, Fukuda*, 15  
adhesion, ceramide, differentiation, glucosylceramide, leukaemia, *Aida, Higuchi, Hasegawa, Nagano-Ito, Hirabayashi, Banba, Shimizu, Kikuchi, Saga, Ichikawa*, 303  
aggregation, copper homoeostasis, Cu<sup>2+</sup> binding, dehydrin, disorder, *Mu, Feng, Su, Zhang, Dai, Jin, Liu, He, Qi, Wang, Wang*, 491  
*Agrocybe cylindracea* galectin, frontal affinity chromatography, hydrogen bond, saturation mutagenesis, sialo-binding lectin, *Imamura, Takeuchi, Yabe, Tateno, Hirabayashi*, 545  
AKR1B, aldo-keto reductase (AKR) family, AKR1C, PGF synthase, prostaglandin (PG) F<sub>2</sub> (PGF<sub>2 $\alpha$</sub> , 9 $\alpha$ , 11 $\beta$ -PGF<sub>2</sub>), *Watanabe*, 593  
AKR1C, aldo-keto reductase (AKR) family, AKR1B, PGF synthase, prostaglandin (PG) F<sub>2</sub> (PGF<sub>2 $\alpha$</sub> , 9 $\alpha$ , 11 $\beta$ -PGF<sub>2</sub>), *Watanabe*, 593  
Akt, IGF-1, Pharbin, PI3 kinase, protein synthesis, *Wang, Ijuin, Itoh, Takenawa*, 83  
AKT, IGF1, IGF1R, IRS1, mTOR, *Qin, Wang, Tao, Wang*, 151

aldo-keto reductase (AKR) family, AKR1B, AKR1C, PGF synthase, prostaglandin (PG) F<sub>2</sub> (PGF<sub>2 $\alpha$</sub> , 9 $\alpha$ , 11 $\beta$ -PGF<sub>2</sub>), *Watanabe*, 593

alkyl gallate, lipid membrane, partition constant, self-association, solubility, *Takai, Hirano, Shiraki*, 165

allosteric regulation, bacteria, catalysis, glycolysis, site-directed mutagenesis, *Arai, Ichikawa, Nonaka, Miyanaga, Uchikoba, Fushinobu, Taguchi*, 579

angiogenesis, bFGF, HUVECs, JNK, SAPK, *Kaikai, Yuchen, Lili, Zhengtao*, 189

anti-mannotriose, single chain Fv, phage display, human antibody, breast cancer cells, *Matsumoto-Takasaki, Yuasa, Katagiri, Koyama, Sakai, Zamri, Phung, Chen, Nakada, Nakata, Fujita-Yamaguchi*, 439

antigenic determinants, carbohydrate structure, glycoglycerolipids, Gram-positive bacteria, human antibodies, *Iwamori, Sakai, Minamimoto, Iwamori, Tanaka, Aoki, Adachi, Nomura*, 515

APOBEC3C (A3C), hepatitis B virus (HBV) core protein, recombinant HBV vector, capsid targeted viral inactivation (CTVI), *Li, Liu, Kang, Guan, Gao, Wang, Sun*, 371  
ascorbic acid, hepatocyte, Immortomouse, senescence marker protein 30, simian virus 40, *Amano, Handa, Aigaki, Shigemoto, Maruyama, Ishigami*, 671  
assembly and dissociation, chaperone, small angle X-ray scattering, small heat shock protein, *Sulfolobus tokodaii, Abe, Oka, Nakagome, Tsukada, Yasunaga, Yohda*, 403

astrocyte, cysteine, glutathione, high-performance liquid chromatography, mathematical model, *Yoshiba-Suzuki, Sagara, Bannai, Makino*, 95  
—, carnosic acid, NGF, Nrf2, oxidative stress, *Mimura, Kosaka, Maruyama, Satoh, Harada, Yoshida, Satoh, Yamamoto, Itoh*, 209

ATL protein, DNA microarray, nucleotide excision repair, O<sup>6</sup>-methylguanine, transcriptional regulation, *Morita, Hishinuma, Ohyama, Mega, Ohta, Nakagawa, Agari, Fukui, Shinkai, Kuramitsu, Masui*, 327

atrial natriuretic peptide, intrinsically unstructured protein, monomer, natriuretic peptide, N-terminal atrial natriuretic peptide, *Crimmins, Kao*, 157

autophagy, inflammatory disease, innate immunity, intracellular pathogens, pattern recognition molecules, *Yano, Kurata*, 143

## B

bacteria, allosteric regulation, catalysis, glycolysis, site-directed mutagenesis, *Arai, Ichikawa, Nonaka, Miyanaga, Uchikoba, Fushinobu, Taguchi*, 579

bacterial growth, biotechnology, *Escherichia coli*, screening system, small RNA, *Komasa, Fujishima, Hiraoka, Shinbara, Lee, Tomita, Kanai*, 289

bacteriorhodopsin, circular dichroic spectrum, crystalline lattice, electrostatic repulsion, membrane protein, *Negishi, Mitaku*, 113

Beta-2-microglobulin, dialysis-related amyloidosis, fold stability, crystal structure, disulphide bond, *Colombo, Ricagno, Barbioli, Santambrogio, Giorgetti, Raimondi, Bonomi, Grandori, Bellotti, Bolognesi*, 39

bFGF, angiogenesis, HUVECs, JNK, SAPK, *Kaikai, Yuchen, Lili, Zhengtao*, 189

biomarker, disease, disorder, metabolism, odour, olfactory, volatile organic compound, *Shirasu, Touhara*, 257

biotechnology, bacterial growth, *Escherichia coli*, screening system, small RNA, *Komasa, Fujishima, Hiraoka, Shinbara, Lee, Tomita, Kanai*, 289

BMP-2, CCN2, chondrocytes, ERK, Smad, *Maeda*, 219

breast cancer cells, anti-mannotriose, single chain Fv, phage display, human antibody, *Matsumoto-Takasaki, Yuasa, Katagiri, Koyama, Sakai, Zamri, Phung, Chen, Nakada, Nakata, Fujita-Yamaguchi*, 439

*Bubalus bubalis*, colostrum,  $\beta$ -lactoglobulin, immunoblot, lipocalin, mass spectrometry, *Chougule, Aparna*, 279

## C

C5a receptor, chemotaxis, intracellular signal pathway, macrophages, ribosomal protein S19, *Nishiura, Zhao, Yamamoto*, 271

*Caenorhabditis elegans*, NDX-1, 8-oxo-dGDPase, mutations, oxidative stress, sanitization, *Sanada, Yonekura, Kikuchi, Hashiguchi, Nakamura, Yonei, Zhang-Akiyama*, 649

calcium ion, calpain, intracellular proteolysis, muscular dystrophy, stomach ulcer, *Sorimachi, Hata, Ono*, 23

calcium, cPLA<sub>2</sub>-activating protein, Group IV cytosolic phospholipase A<sub>2</sub>, GTP-binding protein, purification, *Bach, Jung, Choi, Jung, Chin, Ahn, Kim, Kim*, 385

caldesmon, domino-like cascade, myosin, phosphorylation, protein interaction, *Zhang, Tang, Kohama, Lin*, 267

calpain, calcium ion, intracellular proteolysis, muscular dystrophy, stomach ulcer, *Sorimachi, Hata, Ono*, 23

—, CHMP, ESCRT, IST1, MIT domain, *Maemoto, Osako, Goto, Nozawa, Shibata, Maki*, 411

cAMP, 3'-untranslated region, mRNA stability, PAI-1, posttranscriptional regulation, *Asakura, Iwaki, Okada, Sobel, Fujii*, 687

cancer research, complex carbohydrate, protein phosphatase, sialidase, *Miyagi, Kikuchi, Tamura*, 483

## Index to Key Words

- Candida albicans*, secreted aspartic proteases (SAP), substrate specificity, virulence factor, yeast-hyphae transition, *Aoki, Kitahara, Miura, Morisaka, Yamamoto, Kuroda, Ueda*, 431
- capsid targeted viral inactivation (CTVI), APOBEC3C (A3C), hepatitis B virus (HBV) core protein, recombinant HBV vector, *Li, Liu, Kang, Guan, Gao, Wang, Sun*, 371
- carbohydrate structure, antigenic determinants, glyco-glycerolipids, Gram-positive bacteria, human antibodies, *Iwamori, Sakai, Minamimoto, Iwamori, Tanaka, Aoki, Adachi, Nomura*, 515
- carnosic acid, astrocyte, NGF, Nrf2, oxidative stress, *Mimura, Kosaka, Maruyama, Satoh, Harada, Yoshida, Satoh, Yamamoto, Itoh*, 209
- , forskolin, HDAC inhibitor, neurite outgrowth, PC12 cell, *Maruoka, Sasaya, Sugihara, Shimoke, Ikeuchi*, 473
- cartilage formation, chondrocyte, hematopoietically expressed homeoprotein (Hex), homeobox gene, nucleocytoplasmic transport, *Morimoto, Yamamoto, Akimoto, Obinata*, 61
- catalysis, allosteric regulation, bacteria, glycolysis, site-directed mutagenesis, *Arai, Ichikawa, Nonaka, Miyanga, Uchikoba, Fushinobu, Taguchi*, 579
- catalytic mechanism, crystal structure, enzyme specificity, flavoprotein, putative tryptophan monooxygenase, *Ida, Suguro, Suzuki*, 659
- catfish, intelectin, lectin, self-defence, skin mucus, *Tsutsui, Komatsu, Sugiura, Araki, Nakamura*, 501
- CCN2, BMP-2, chondrocytes, ERK, Smad, *Maeda*, 219
- cell-free system, encephalomyocarditisvirus, RNA replicon, RNA virus, translation, *Kobayashi, Machida, Mikami, Masutani, Imataka*, 423
- ceramide, adhesion, differentiation, glucosylceramide, leukaemia, *Aida, Higuchi, Hasegawa, Nagano-Ito, Hirabayashi, Bamba, Shimizu, Kikuchi, Saga, Ichikawa*, 303
- chaperone assisted RNA crystallography, Fab, protein engineering, shake flask expression, surface entropy reduction, *Ravindran, Héroux, Ye*, 535
- chaperone, assembly and dissociation, small angle X-ray scattering, small heat shock protein, *Sulfolobus tokodaii, Abe, Oka, Nakagome, Tsukada, Yasunaga, Yohda*, 403
- chemotaxis, C5a receptor, intracellular signal pathway, macrophages, ribosomal protein S19, *Nishiura, Zhao, Yamamoto*, 271
- CHMP, calpain, ESCRT, IST1, MIT domain, *Maemoto, Osako, Goto, Nozawa, Shibata, Maki*, 411
- chondrocyte, cartilage formation, hematopoietically expressed homeoprotein (Hex), homeobox gene, nucleocytoplasmic transport, *Morimoto, Yamamoto, Akimoto, Obinata*, 61
- chondrocytes, BMP-2, CCN2, ERK, Smad, *Maeda*, 219
- circular dichroic spectrum, bacteriorhodopsin, crystalline lattice, electrostatic repulsion, membrane protein, *Negishi, Mitaku*, 113
- CLEC-2, lymphangiogenesis, platelets, podoplanin, tumour metastasis, *Suzuki-Inoue*, 127
- colostrum, *Bubalus bubalis*,  $\beta$ -lactoglobulin, immunoblot, lipocalin, mass spectrometry, *Chougule, Aparna*, 279
- complex carbohydrate, cancer research, protein phosphatase, sialidase, *Miyagi, Kikuchi, Tamura*, 483
- copper homoeostasis, aggregation, Cu<sup>2+</sup> binding, dehydrin, disorder, *Mu, Feng, Su, Zhang, Dai, Jin, Liu, He, Qi, Wang, Wang*, 491
- coupling-ion binding, *Escherichia coli*, homology modelling, Na<sup>+</sup>, proline symporter, transport activity, *Amin, Ando, Saijo, Yamato*, 395
- cPLA<sub>2</sub>-activating protein, calcium, Group IV cytosolic phospholipase A<sub>2</sub>, GTP-binding protein, purification, *Bach, Jung, Choi, Jung, Chin, Ahn, Kim, Kim*, 385
- crystal structure, Beta-2-microglobulin, dialysis-related amyloidosis, fold stability, disulphide bond, *Colombo, Ricagno, Barbioli, Santambrogio, Giorgetti, Raimondi, Bonomi, Grandori, Bellotti, Bolognesi*, 39
- ,  $\alpha$ -amino adipate pathway, homoisocitrate dehydrogenase, inhibitor, lysine biosynthesis, *Nango, Yamamoto, Kumasaki, Eguchi*, 607
- , catalytic mechanism, enzyme specificity, flavoprotein, putative tryptophan monooxygenase, *Ida, Suguro, Suzuki*, 659
- crystalline lattice, bacteriorhodopsin, circular dichroic spectrum, electrostatic repulsion, membrane protein, *Negishi, Mitaku*, 113
- Cu<sup>2+</sup> binding, aggregation, copper homoeostasis, dehydrin, disorder, *Mu, Feng, Su, Zhang, Dai, Jin, Liu, He, Qi, Wang, Wang*, 491
- cysteine, astrocyte, glutathione, high-performance liquid chromatography, mathematical model, *Yoshiba-Suzuki, Sagara, Bannai, Makino*, 95
- cytokines, interferon, fish immunology, receptor, signal transduction, *Yabu, Toda, Shibusaki, Araki, Yamashita, Anzai, Mano, Masuhiro, Hanazawa, Shiba, Moritomo, Nakanishi*, 635
- D**
- daikon radish, acylpeptide hydrolase-like protein, POP family, S9 protease, tyrosyl aminopeptidase, *Tsuji, Fujisawa, Mino, Yuasa*, 525
- dehydrin, aggregation, copper homoeostasis, Cu<sup>2+</sup> binding, disorder, *Mu, Feng, Su, Zhang, Dai, Jin, Liu, He, Qi, Wang, Wang*, 491
- dephosphorylation motif, ELISA, PPM1D, p53, phosphatase assay, phosphatase-specific motif antibody, *Chuman, Iizuka*,
- Honda, Onoue, Shimohigashi, Sakaguchi*, 319
- dialysis-related amyloidosis, Beta-2-microglobulin, fold stability, crystal structure, disulphide bond, *Colombo, Ricagno, Barbioli, Santambrogio, Giorgetti, Raimondi, Bonomi, Grandori, Bellotti, Bolognesi*, 39
- differentiation, adhesion, ceramide, glucosylceramide, leukaemia, *Aida, Higuchi, Hasegawa, Nagano-Ito, Hirabayashi, Bamba, Shimizu, Kikuchi, Saga, Ichikawa*, 303
- disease, biomarker, disorder, metabolism, odour, olfactory, volatile organic compound, *Shirasu, Touhara*, 257
- disorder, biomarker, disease, metabolism, odour, olfactory, volatile organic compound, *Shirasu, Touhara*, 257
- , aggregation, copper homoeostasis, Cu<sup>2+</sup> binding, dehydrin, *Mu, Feng, Su, Zhang, Dai, Jin, Liu, He, Qi, Wang, Wang*, 491
- disulphide bond, Beta-2-microglobulin, dialysis-related amyloidosis, fold stability, crystal structure, *Colombo, Ricagno, Barbioli, Santambrogio, Giorgetti, Raimondi, Bonomi, Grandori, Bellotti, Bolognesi*, 39
- DLP-1, dynamin, GTPase activity, middle domain, mitochondrial fission, *Zhang, Gao, Garavito*, 627
- DNA microarray, ATL protein, nucleotide excision repair, O<sup>6</sup>-methylguanine, transcriptional regulation, *Morita, Hishinuma, Ohyama, Mega, Ohta, Nakagawa, Agari, Fukui, Shinkai, Kuramitsu, Masui*, 327
- domino-like cascade, caldesmon, myosin, phosphorylation, protein interaction, *Zhang, Tang, Kohama, Lin*, 267
- Down's Syndrome, Mps one binder, mammalian sterile 20-kinase, nuclear Dbf2-related, Target of rapamycin, warts, *Emoto*, 133
- dynamin, DLP-1, GTPase activity, middle domain, mitochondrial fission, *Zhang, Gao, Garavito*, 627
- E**
- ectodomain shedding, ADAM, EGFR, EGFR ligand, remnant peptide signalling, *Higashiyama, Nanba, Nakayama, Inoue, Fukuda*, 15
- Edg family LPA receptors, G protein-coupled receptor, lysophosphatidic acid, non-Edg family LPA receptors, orphan receptor, *Yanagida, Ishii*, 223
- EGFR ligand, ADAM, ectodomain shedding, EGFR, remnant peptide signalling, *Higashiyama, Nanba, Nakayama, Inoue, Fukuda*, 15
- EGFR, ADAM, ectodomain shedding, EGFR ligand, remnant peptide signalling, *Higashiyama, Nanba, Nakayama, Inoue, Fukuda*, 15
- electrostatic repulsion, bacteriorhodopsin, circular dichroic spectrum, crystalline lattice, membrane protein, *Negishi, Mitaku*, 113

- ELISA, dephosphorylation motif, PPM1D, p53, phosphatase assay, phosphatase-specific motif antibody, *Chuman, Iizuka, Honda, Onoue, Shimohigashi, Sakaguchi, 319*
- encephalomyocarditisvirus, cell-free system, RNA replicon, RNA virus, translation, *Kobayashi, Machida, Mikami, Masutani, Imatake, 423*
- Endocytosis, Oxidative stress, New Effects of Biomaterials, Radicals, Toxicity, *Horie, Nishio, Kato, Fujita, Endoh, Nakamura, Miyauchi, Kinugasa, Yamamoto, Niki, Yoshida, Hagiwara, Iwashashi, 461*
- endoplasmic reticulum localization, eRF3, monoclonal antibody, plasmid construction, *Delage, Dutertre, Le Guével, Frolova, Berkova, 49*
- Energy drink, Absorption, Intestine, Riboflavin, Transporter, *Moriyama, 341*
- enzyme specificity, catalytic mechanism, crystal structure, flavoprotein, putative tryptophan monooxygenase, *Ida, Suguro, Suzuki, 659*
- eRF3, endoplasmic reticulum localization, monoclonal antibody, plasmid construction, *Delage, Dutertre, Le Guével, Frolova, Berkova, 49*
- ERK, BMP-2, CCN2, chondrocytes, Smad, *Maeda, 219*
- Escherichia coli*, protein expression, protein solubility, statistical analysis, wheat germ cell-free, *Hirose, Kawamura, Yokota, Kuroita, Natsume, Komiya, Tsutsumi, Suwa, Isogai, Goshima, Noguchi, 73*
- , bacterial growth, biotechnology, screening system, small RNA, *Komasa, Fujishima, Hiraoka, Shinbara, Lee, Tomita, Kanai, 289*
- , coupling-ion binding, homology modelling,  $\text{Na}^+$ , proline symporter, transport activity, *Amin, Ando, Saito, Yamato, 395*
- ESCRT, calpain, CHMP, IST1, MIT domain, *Maemoto, Osako, Goto, Nozawa, Shibata, Maki, 411*
- ESR spin trapping, hydrogen peroxide, NADPH oxidase, reactive oxygen species, xanthine oxidase, *Sato, Mokudai, Niwano, Kohno, 173*
- F**
- Fab, chaperone assisted RNA crystallography, protein engineering, shake flask expression, surface entropy reduction, *Ravindran, Héroux, Ye, 535*
- fatty acid,  $\Delta 12$ -fatty acid desaturase, gene expression, PUFA, thraustochytrid, *Matsuda, Sakaguchi, Kobayashi, Abe, Kurano, Sato, Okita, Sugimoto, Hama, Hayashi, Okino, Ito, 375*
- fish immunology, cytokines, interferon, receptor, signal transduction, *Yabu, Toda, Shibusaki, Araki, Yamashita, Anzai, Mano, Masuhiro, Hanazawa, Shiba, Moritomo, Nakanishi, 635*
- flavoprotein, catalytic mechanism, crystal structure, enzyme specificity, putative tryptophan monooxygenase, *Ida, Suguro, Suzuki, 659*
- fold stability, Beta-2-microglobulin, dialysis related amyloidosis, crystal structure, disulphide bond, *Colombo, Ricagno, Barbiroli, Santambrogio, Giorgetti, Raimondi, Bonomi, Grandori, Bellotti, Bolognesi, 39*
- forskolin, carnosic acid, HDAC inhibitor, neurite outgrowth, PC12 cell, *Maruoka, Sasaya, Sugihara, Shimoike, Ikeuchi, 473*
- frontal affinity chromatography, *Agrocybe cylindracea* galectin, hydrogen bond, saturation mutagenesis, sialo-binding lectin, *Imamura, Takeuchi, Yabe, Tateno, Hirabayashi, 545*
- G**
- G protein-coupled receptor, Edg family LPA receptors, lysophosphatidic acid, non-Edg family LPA receptors, orphan receptor, *Yanagida, Ishii, 223*
- G protein, Galpha12, 13, Rho, RhoGEF, *Kozasa, Hajicek, Chow, Suzuki, 357*
- Galpha12, G protein, 13, Rho, RhoGEF, *Kozasa, Hajicek, Chow, Suzuki, 357*
- gene expression,  $\Delta 12$ -fatty acid desaturase, fatty acid, PUFA, thraustochytrid, *Matsuda, Sakaguchi, Kobayashi, Abe, Kurano, Sato, Okita, Sugimoto, Hama, Hayashi, Okino, Ito, 375*
- , gene regulation, neuron, repressor, silencer, transcription, *Sone, Tsuda, Mori, 451*
- gene regulation, gene expression, neuron, repressor, silencer, transcription, *Sone, Tsuda, Mori, 451*
- gene transcription, green fluorescent protein, signal transduction, tumour suppressor, *Bao, Nakagawa, Yang, Ikeda, Withanage, Ishigami-Yuasa, Okuno, Hata, Nishina, Hata, 199*
- genetic competence, ABC transporter, P-type ATPase, zinc homeostasis, *Ogura, 615*
- Genetically modified animal models, pregnancy-associated homeostasis, placenta, pre-eclampsia, renin–angiotensin system, *Ishida, Matsuoka, Saito-Fujita, Inaba, Kunita, Sugiyama, Yagami, Fukamizu, 5*
- glucosylceramide, adhesion, ceramide, differentiation, leukaemia, *Aida, Higuchi, Hasegawa, Nagano-Ito, Hirabayashi, Banba, Shimizu, Kikuchi, Saga, Ichikawa, 303*
- glutathione, astrocyte, cysteine, high-performance liquid chromatography, mathematical model, *Yoshida-Suzuki, Sagara, Bannai, Makino, 95*
- glycogen, Mrt4, *Saccharomyces cerevisiae*, sporulation, *Yvh1, Sugiyama, Nugroho, Iida, Sakai, Kaneko, Harashima, 103*
- glycoglycerolipids, antigenic determinants, carbohydrate structure, Gram-positive bacteria, human antibodies, *Iwamori, Sakai, Minamimoto, Iwamori, Tanaka, Aoki, Adachi, Nomura, 515*
- glycolysis, allosteric regulation, bacteria, catalysis, site-directed mutagenesis, *Arai, Ichikawa, Nonaka, Miyanaga, Uchikoba, Fushinobu, Taguchi, 579*
- goose-type lysozyme, ITC, NMR, oligosaccharide, protein–carbohydrate interaction, *Shinya, Ohnuma, Kawamura, Torikata, Nishimura, Katoh, Fukamizo, 569*
- Gram-positive bacteria, antigenic determinants, carbohydrate structure, glycerolipids, human antibodies, *Iwamori, Sakai, Minamimoto, Iwamori, Tanaka, Aoki, Adachi, Nomura, 515*
- green fluorescent protein, gene transcription, signal transduction, tumour suppressor, *Bao, Nakagawa, Yang, Ikeda, Withanage, Ishigami-Yuasa, Okuno, Hata, Nishina, Hata, 199*
- Group IV cytosolic phospholipase A<sub>2</sub>, calcium, cPLA<sub>2</sub>-activating protein, GTP-binding protein, purification, *Bach, Jung, Choi, Jung, Chin, Ahn, Kim, Kim, 385*
- GTP-binding protein, calcium, cPLA<sub>2</sub>-activating protein, Group IV cytosolic phospholipase A<sub>2</sub>, purification, *Bach, Jung, Choi, Jung, Chin, Ahn, Kim, Kim, 385*
- GTPase activity, DLP-1, dynamin, middle domain, mitochondrial fission, *Zhang, Gao, Garavito, 627*
- H**
- HAI-1, activation, inhibition, matrix metalloproteinase, *Kojima, Inouye, 123*
- HDAC inhibitor, carnosic acid, forskolin, neurite outgrowth, PC12 cell, *Maruoka, Sasaya, Sugihara, Shimoike, Ikeuchi, 473*
- hematopoietically expressed homeoprotein (Hex), cartilage formation, chondrocyte, homeobox gene, nucleocytoplasmic transport, *Morimoto, Yamamoto, Akimoto, Obinata, 61*
- hepatitis B virus (HBV) core protein, APOBEC3C (A3C), recombinant HBV vector, capsid targeted viral inactivation (CTVI), *Li, Liu, Kang, Guan, Gao, Wang, Sun, 371*
- hepatocyte, ascorbic acid, Immortomouse, senescence marker protein 30, simian virus 40, *Amano, Handa, Aigaki, Shigemoto, Maruyama, Ishigami, 671*
- HIF-1, hypoxic response, IPAS, NF- $\kappa$ B, TNF- $\alpha$ , *Goryo, Torii, Yasumoto, Sogawa, 311*
- high-performance liquid chromatography, astrocyte, cysteine, glutathione, mathematical model, *Yoshida-Suzuki, Sagara, Bannai, Makino, 95*
- homeobox gene, cartilage formation, chondrocyte, hematopoietically expressed homeoprotein (Hex), nucleocytoplasmic transport, *Morimoto, Yamamoto, Akimoto, Obinata, 61*
- homoisocitrate dehydrogenase,  $\alpha$ -amino adipate pathway, crystal structure, inhibitor, lysine biosynthesis, *Nango, Yamamoto, Kumasaki, Eguchi, 607*
- homology modelling, coupling-ion binding, *Escherichia coli*,  $\text{Na}^+$ , proline symporter, transport activity, *Amin, Ando, Saito, Yamato, 395*
- human antibodies, antigenic determinants, carbohydrate structure, glycerolipids,

## Index to Key Words

Gram-positive bacteria, *Iwamori, Sakai, Minamimoto, Iwamori, Tanaka, Aoki, Adachi, Nomura*, 515  
human antibody, anti-mannotriose, single chain Fv, phage display, breast cancer cells, *Matsumoto-Takasaki, Yuasa, Katagiri, Koyama, Sakai, Zamri, Phung, Chen, Nakada, Nakata, Fujita-Yamaguchi*, 439  
Human T cell leukaemia virus type 1, I $\kappa$ B kinase, NF- $\kappa$ B, polyubiquitination, Tax, *Shibata, Tanaka, Gohda, Inoue*, 679  
HUVECs, angiogenesis, bFGF, JNK, SAPK, *Kaikai, Yuchen, Lili, Zhengtao*, 189  
hydrogen bond, *Agrocybe cylindracea* galectin, frontal affinity chromatography, saturation mutagenesis, sialo-binding lectin, *Imamura, Takeuchi, Yabe, Tateno, Hirabayashi*, 545  
hydrogen peroxide, ESR spin trapping, NADPH oxidase, reactive oxygen species, xanthine oxidase, *Sato, Mokudai, Niwano, Kohno*, 173  
hypoxic response, HIF-1, IPAS, NF- $\kappa$ B, TNF- $\alpha$ , *Goryo, Torii, Yasumoto, Sogawa*, 311

### I

I $\kappa$ B kinase, Human T cell leukaemia virus type 1, NF- $\kappa$ B, polyubiquitination, Tax, *Shibata, Tanaka, Gohda, Inoue*, 679

IGF-1, Akt, Pharbin, PI3 kinase, protein synthesis, *Wang, Ijuin, Itoh, Takenawa*, 83

IGF1, AKT, IGF1R, IRS1, mTOR, *Qin, Wang, Tao, Wang*, 151

IGF1R, AKT, IGF1, IRS1, mTOR, *Qin, Wang, Tao, Wang*, 151

Immortalmouse, ascorbic acid, hepatocyte, senescence marker protein 30, simian virus 40, *Amano, Handa, Aigaki, Shigemoto, Maruyama, Ishigami*, 671

immunoblot, *Bubalus bubalis*, colostrum,  $\beta$ -lactoglobulin, lipocalin, mass spectrometry, *Chougule, Aparna*, 279

inflammatory disease, autophagy, innate immunity, intracellular pathogens, pattern recognition molecules, *Yano, Kurata*, 143

inhibition, activation, HAI-1, matriptase, type II transmembrane serine protease, *Kojima, Inouye*, 123

inhibitor,  $\alpha$ -aminoadipate pathway, crystal structure, homoisocitrate dehydrogenase, lysine biosynthesis, *Nango, Yamamoto, Kumasaka, Eguchi*, 607

Inhibitor, Kinase, JNK, off-target, PI3K, *Miyazawa*, 1

innate immunity, autophagy, inflammatory disease, intracellular pathogens, pattern recognition molecules, *Yano, Kurata*, 143

intelectin, catfish, lectin, self-defence, skin mucus, *Tsutsui, Komatsu, Sugiura, Araki, Nakamura*, 501

interferon, cytokines, fish immunology, receptor, signal transduction, *Yabu, Toda, Shibasaki, Araki, Yamashita, Anzai, Mano, Masuhiro, Hanazawa, Shiba, Moritomo, Nakanishi*, 635

Intestine, Absorption, Energy drink, Riboflavin, Transporter, *Moriyama*, 341  
intracellular pathogens, autophagy, inflammatory disease, innate immunity, pattern recognition molecules, *Yano, Kurata*, 143  
intracellular proteolysis, calcium ion, calpain, muscular dystrophy, stomach ulcer, *Sorimachi, Hata, Ono*, 23

intracellular signal pathway, C5a receptor, chemotaxis, macrophages, ribosomal protein S19, *Nishiura, Zhao, Yamamoto*, 271

mammalian sterile 20-kinase, Down's Syndrome, Mps one binder, nuclear Dbf2-related, Target of rapamycin, warts, *Emoto*, 133

massspectrometry, *Bubalus bubalis*, colostrum,

### M

$\beta$ -lactoglobulin, immunoblot, lipocalin, *Chougule, Aparna*, 279

mathematical model, astrocyte, cysteine, glutathione, high-performance liquid chromatography, *Yoshiba-Suzuki, Sagara, Barnai, Makino*, 95

matriptase, activation, HAI-1, inhibition, type II transmembrane serine protease, *Kojima, Inouye*, 123

matrix metalloproteinase, MMP-7, pH-activity profile, site-directed mutagenesis, tyrosyl residue, *Muta, Inouye*, 183

membrane protein, bacteriorhodopsin, circular dichroic spectrum, crystalline lattice, electrostatic repulsion, *Negishi, Mitaku*, 113

metabolism, biomarker, disease, disorder, odour, olfactory, volatile organic compound, *Shirasu, Touhara*, 257

middle domain, DLP-1, dynamin, GTPase activity, mitochondrial fission, *Zhang, Gao, Garavito*, 627

MIT domain, calpain, CHMP, ESCRT, IST1, *Maemoto, Osako, Goto, Nozawa, Shibata, Maki*, 411

mitochondrial fission, DLP-1, dynamin, GTPase activity, middle domain, *Zhang, Gao, Garavito*, 627

mitogen, lectin, lymphocyte, sugar structure, T-cell hybridoma, *Yamamoto, Irimura*, 477

—, catfish, intelectin, self-defence, skin mucus, *Tsutsui, Komatsu, Sugiura, Araki, Nakamura*, 501

leukaemia, adhesion, ceramide, differentiation, glucosylceramide, *Aida, Higuchi, Hasegawa, Nagano-Ito, Hirabayashi, Banba, Shimizu, Kikuchi, Saga, Ichikawa*, 303

lipid membrane, alkyl gallate, partition constant, self-association, solubility, *Takai, Hirano, Shiraki*, 165

lipocalin, *Bubalus bubalis*, colostrum,  $\beta$ -lactoglobulin, immunoblot, mass spectrometry, *Chougule, Aparna*, 279

lymphangiogenesis, CLEC-2, platelets, podoplanin, tumour metastasis, *Suzuki-Inoue*, 127

lymphocyte, lectin, mitogen, sugar structure, T-cell hybridoma, *Yamamoto, Irimura*, 477

lysine biosynthesis,  $\alpha$ -aminoadipate pathway, crystal structure, homoisocitrate dehydrogenase, inhibitor, *Nango, Yamamoto, Kumasaka, Eguchi*, 607

lysophosphatidic acid, Edg family LPA receptors, Gprotein-coupled receptor, non-Edg family LPA receptors, orphan receptor, *Yanagida, Ishii*, 223

### J

JNK, Inhibitor, Kinase, off-target, PI3K, *Miyazawa*, 1

—, angiogenesis, bFGF, HUVECs, SAPK, *Kaikai, Yuchen, Lili, Zhengtao*, 189

### K

Kinase, Inhibitor, JNK, off-target, PI3K, *Miyazawa*, 1

### L

lectin, lymphocyte, mitogen, sugar structure, T-cell hybridoma, *Yamamoto, Irimura*, 477

—, catfish, intelectin, self-defence, skin mucus, *Tsutsui, Komatsu, Sugiura, Araki, Nakamura*, 501

leukaemia, adhesion, ceramide, differentiation, glucosylceramide, *Aida, Higuchi, Hasegawa, Nagano-Ito, Hirabayashi, Banba, Shimizu, Kikuchi, Saga, Ichikawa*, 303

lipid membrane, alkyl gallate, partition constant, self-association, solubility, *Takai, Hirano, Shiraki*, 165

lipocalin, *Bubalus bubalis*, colostrum,  $\beta$ -lactoglobulin, immunoblot, mass spectrometry, *Chougule, Aparna*, 279

lymphangiogenesis, CLEC-2, platelets, podoplanin, tumour metastasis, *Suzuki-Inoue*, 127

lymphocyte, lectin, mitogen, sugar structure, T-cell hybridoma, *Yamamoto, Irimura*, 477

lysine biosynthesis,  $\alpha$ -aminoadipate pathway, crystal structure, homoisocitrate dehydrogenase, inhibitor, *Nango, Yamamoto, Kumasaka, Eguchi*, 607

Mrt4, glycogen, *Saccharomyces cerevisiae*, sporulation, *Yvh1, Sugiyama, Nugroho, Iida, Sakai, Kaneko, Harashima*, 103

mTOR, AKT, IGF1, IGF1R, IRS1, *Qin, Wang, Tao, Wang*, 151

muscular dystrophy, calcium ion, calpain, intracellular proteolysis, stomach ulcer, *Sorimachi, Hata, Ono*, 23

mutations, *Caenorhabditis elegans*, NDX-1, 8-oxo-dGDPase, oxidative stress,

- sanitization, *Sanada, Yonekura, Kikuchi, Hashiguchi, Nakamura, Yonei, Zhang-Akiyama*, 649
- myosin, caldesmon, domino-like cascade, phosphorylation, protein interaction, *Zhang, Tang, Kohama, Lin*, 267
- N**
- N-terminal atrial natriuretic peptide, atrial natriuretic peptide, intrinsically unstructured protein, monomer, natriuretic peptide, *Crimmins, Kao*, 157
- $\text{Na}^+$ , coupling-ion binding, *Escherichia coli*, homology modelling, proline symporter, transport activity, *Amin, Ando, Saito, Yamato*, 395
- NADPH oxidase, ESR spin trapping, hydrogen peroxide, reactive oxygen species, xanthine oxidase, *Sato, Mokudai, Niwano, Kohno*, 173
- natriuretic peptide, atrial natriuretic peptide, intrinsically unstructured protein, monomer, N-terminal atrial natriuretic peptide, *Crimmins, Kao*, 157
- NDX-1, *Caenorhabditis elegans*, 8-oxodGDPase, mutations, oxidative stress, sanitization, *Sanada, Yonekura, Kikuchi, Hashiguchi, Nakamura, Yonei, Zhang-Akiyama*, 649
- neurite outgrowth, carnosic acid, forskolin, HDAC inhibitor, PC12 cell, *Maruoka, Sasaya, Sugihara, Shimoke, Ikeuchi*, 473
- neuron, gene expression, gene regulation, repressor, silencer, transcription, *Sone, Tsuda, Mori*, 451
- New Effects of Biomaterials, Oxidative stress, Endocytosis, Radicals, Toxicity, *Horie, Nishio, Kato, Fujita, Endoh, Nakamura, Miyauchi, Kinugasa, Yamamoto, Niki, Yoshida, Hagiwara, Iwahashi*, 461
- NF- $\kappa$ B, HIF-1, hypoxic response, IPAS, TNF- $\alpha$ , *Goryo, Torii, Yasumoto, Sogawa*, 311
- , Human T cell leukaemia virus type 1, IkB kinase, polyubiquitination, Tax, *Shibata, Tanaka, Gohda, Inoue*, 679
- NF-kappaB, NRF, peptidearray, protein-protein interaction, transcriptional regulation, *Reboll, Schweda, Bartels, Franke, Frank, Nourbakhsh*, 553
- NGF, astrocyte, carnosic acid, Nrf2, oxidative stress, *Mimura, Kosaka, Maruyama, Satoh, Harada, Yoshida, Satoh, Yamamoto, Itoh*, 209
- NMR, goose-type lysozyme, ITC, oligosaccharide, protein-carbohydrate interaction, *Shinya, Ohnuma, Kawamura, Torikata, Nishimura, Katoh, Fukamizo*, 569
- non-Edg family LPA receptors, Edg family LPA receptors, G protein-coupled receptor, lysophosphatidic acid, orphan receptor, *Yanagida, Ishii*, 223
- P
- P-type ATPase, ABC transporter, genetic competence, zinc homeostasis, *Ogura*, 615
- p53, dephosphorylation motif, ELISA, PPM1D, phosphatase assay, phosphatase-specific motif antibody, *Chuman*,
- regulation, *Reboll, Schweda, Bartels, Franke, Frank, Nourbakhsh*, 553
- nuclear Dbf2-related, Down's Syndrome, Mps one binder, mammalian sterile 20-kinase, Target of rapamycin, warts, *Emoto*, 133
- nucleocytoplasmic transport, cartilage formation, chondrocyte, hematopoietically expressed homeoprotein (Hex), homeobox gene, *Morimoto, Yamamoto, Akimoto, Obinata*, 61
- nucleotide excision repair, ATL protein, DNA microarray,  $O^6$ -methylguanine, transcriptional regulation, *Morita, Hishinuma, Ohyama, Mega, Ohta, Nakagawa, Agari, Fukui, Shinkai, Kuramitsu, Masui*, 327
- O**
- odour, biomarker, disease, disorder, metabolism, olfactory, volatile organic compound, *Shirasu, Touhara*, 257
- off-target, Inhibitor, Kinase, JNK, PI3K, *Miyazawa*, 1
- Old yellow enzyme, prostaglandin synthase, ternary complex, X-ray structure, *Okamoto, Yamaguchi, Mizohata, Tokuoka, Uchiyama, Sugiyama, Matsumura, Inaka, Urade, Inoue*, 563
- olfactory, biomarker, disease, disorder, metabolism, odour, volatile organic compound, *Shirasu, Touhara*, 257
- oligosaccharide, goose-type lysozyme, ITC, NMR, protein-carbohydrate interaction, *Shinya, Ohnuma, Kawamura, Torikata, Nishimura, Katoh, Fukamizo*, 569
- $O^6$ -methylguanine, ATL protein, DNA microarray, nucleotide excision repair, transcriptional regulation, *Morita, Hishinuma, Ohyama, Mega, Ohta, Nakagawa, Agari, Fukui, Shinkai, Kuramitsu, Masui*, 327
- orphan receptor, Edg family LPA receptors, G protein-coupled receptor, lysophosphatidic acid, non-Edg family LPA receptors, *Yanagida, Ishii*, 223
- oxidant, Protein-tyrosine phosphatase, signal transduction, reversible oxidation, reactive oxygen species, redox state, *Östman, Frijhoff, Sandin, Böhmer*, 345
- oxidative stress, astrocyte, carnosic acid, NGF, Nrf2, *Mimura, Kosaka, Maruyama, Satoh, Harada, Yoshida, Satoh, Yamamoto, Itoh*, 209
- , *Caenorhabditis elegans*, NDX-1, 8-oxodGDPase, mutations, sanitization, *Sanada, Yonekura, Kikuchi, Hashiguchi, Nakamura, Yonei, Zhang-Akiyama*, 649
- Oxidative stress, Endocytosis, New Effects of Biomaterials, Radicals, Toxicity, *Horie, Nishio, Kato, Fujita, Endoh, Nakamura, Miyauchi, Kinugasa, Yamamoto, Niki, Yoshida, Hagiwara, Iwahashi*, 461
- platelets, CLEC-2, lymphangiogenesis, podoplanin, tumour metastasis, *Suzuki-Inoue*, 127
- podoplanin, CLEC-2, lymphangiogenesis, platelets, tumour metastasis, *Suzuki-Inoue*, 127
- Iizuka, Honda, Onoue, Shimohigashi, Sakaguchi, 319
- PAI-1, 3'-untranslated region, cAMP, mRNA stability, posttranscriptional regulation, *Asakura, Iwaki, Okada, Sobel, Fujii*, 687
- partition constant, alkyl gallate, lipid membrane, self-association, solubility, *Takai, Hirano, Shiraki*, 165
- pattern recognition molecules, autophagy, inflammatory disease, innate immunity, intracellular pathogens, *Yano, Kurata*, 143
- PC12 cell, carnosic acid, forskolin, HDAC inhibitor, neurite outgrowth, *Maruoka, Sasaya, Sugihara, Shimoke, Ikeuchi*, 473
- peptidearray, NF-kappaB, NRF, protein-protein interaction, transcriptional regulation, *Reboll, Schweda, Bartels, Franke, Frank, Nourbakhsh*, 553
- pfam00582, structural genomics, thermophile, TTNA0350, universal stress protein, *Inoue, Shimizu, Goto, Ebihara, Fukui, Hirotsu, Kuramitsu*, 295
- PGF synthase, aldo-keto reductase (AKR) family, AKR1B, AKR1C, prostaglandin (PG)  $F_2$  ( $PGF_{2\alpha}$ ,  $9\alpha$ ,  $11\beta$ -PGF $_2$ ), *Watanabe*, 593
- pH-activity profile, matrix metalloproteinase, MMP-7, site-directed mutagenesis, tyrosyl residue, *Muta, Inouye*, 183
- phage display, anti-mannotriose, single chain Fv, human antibody, breast cancer cells, *Matsumoto-Takasaki, Yuasa, Katagiri, Koyama, Sakai, Zamri, Phung, Chen, Nakada, Nakata, Fujita-Yamaguchi*, 439
- Pharbin, Akt, IGF-1, PI3 kinase, protein synthesis, *Wang, Ijuin, Itoh, Takenawa*, 83
- phosphatase assay, dephosphorylation motif, ELISA, PPM1D, p53, phosphatase-specific motif antibody, *Chuman, Iizuka, Honda, Onoue, Shimohigashi, Sakaguchi*, 319
- phosphatase-specific motif antibody, dephosphorylation motif, ELISA, PPM1D, p53, phosphatase assay, *Chuman, Iizuka, Honda, Onoue, Shimohigashi, Sakaguchi*, 319
- phosphorylation, caldesmon, domino-like cascade, myosin, protein interaction, *Zhang, Tang, Kohama, Lin*, 267
- PI3 kinase, Akt, IGF-1, Pharbin, protein synthesis, *Wang, Ijuin, Itoh, Takenawa*, 83
- PI3K, Inhibitor, Kinase, JNK, off-target, *Miyazawa*, 1
- placenta, Genetically modified animal models, pregnancy-associated homeostasis, pre-eclampsia, renin-angiotensin system, *Ishida, Matsuoka, Saito-Fujita, Inaba, Kunita, Sugiyama, Yagami, Fukamizu*, 5
- plasmid construction, eRF3, endoplasmic reticulum localization, monoclonal antibody, *Delage, Dutertre, Le Guével, Frolova, Berkova*, 49
- platelets, CLEC-2, lymphangiogenesis, podoplanin, tumour metastasis, *Suzuki-Inoue*, 127
- podoplanin, CLEC-2, lymphangiogenesis, platelets, tumour metastasis, *Suzuki-Inoue*, 127

## Index to Key Words

- polyubiquitination, Human T cell leukaemia virus type 1, IkB kinase, NF- $\kappa$ B, Tax, *Shibata, Tanaka, Gohda, Inoue*, 679
- POP family, acylpeptide hydrolase-like protein, daikon radish, S9 protease, tyrosyl aminopeptidase, *Tsuji, Fujisawa, Mino, Yuasa*, 525
- posttranscriptional regulation, 3'-untranslated region, cAMP, mRNA stability, PAI-1, *Asakura, Iwaki, Okada, Sobel, Fujii*, 687
- PPM1D, dephosphorylation motif, ELISA, p53, phosphatase assay, phosphatase-specific motif antibody, *Chuman, Iizuka, Honda, Onoue, Shimohigashi, Sakaguchi*, 319
- pre-eclampsia, Genetically modified animal models, pregnancy-associated homeostasis, placenta, renin–angiotensin system, *Ishida, Matsuoka, Saito-Fujita, Inaba, Kunita, Sugiyama, Yagami, Fukamizu*, 5
- pregnancy-associated homeostasis, Genetically modified animal models, placenta, pre-eclampsia, renin–angiotensin system, *Ishida, Matsuoka, Saito-Fujita, Inaba, Kunita, Sugiyama, Yagami, Fukamizu*, 5
- proline symporter, coupling-ion binding, *Escherichia coli*, homology modelling,  $\text{Na}^+$ , transport activity, *Amin, Ando, Saito, Yamato*, 395
- prostaglandin(PG)F<sub>2</sub>(PGF<sub>2 $\alpha$</sub> , 9 $\alpha$ , 11 $\beta$ -PGF<sub>2</sub>), aldo-keto reductase (AKR) family, AKR1B, AKR1C, PGF synthase, *Watanabe*, 593
- prostaglandin synthase, Old yellow enzyme, ternary complex, X-ray structure, *Okamoto, Yamaguchi, Mizohata, Tokuoka, Uchiyama, Sugiyama, Matsumura, Inaka, Urade, Inoue*, 563
- protein engineering, chaperone assisted RNA crystallography, Fab, shake flask expression, surface entropy reduction, *Ravindran, Héroux, Ye*, 535
- protein expression, *Escherichia coli*, protein solubility, statistical analysis, wheat germ cell-free, *Hirose, Kawamura, Yokota, Kuroita, Natsume, Komiya, Tsutsumi, Suwa, Isogai, Goshima, Noguchi*, 73
- protein interaction, caldesmon, domino-like cascade, myosin, phosphorylation, *Zhang, Tang, Kohama, Lin*, 267
- protein phosphatase, cancer research, complex carbohydrate, sialidase, *Miyagi, Kikuchi, Tamura*, 483
- protein solubility, *Escherichia coli*, protein expression, statistical analysis, wheat germ cell-free, *Hirose, Kawamura, Yokota, Kuroita, Natsume, Komiya, Tsutsumi, Suwa, Isogai, Goshima, Noguchi*, 73
- protein synthesis, Akt, IGF-1, Pharbin, PI3 kinase, *Wang, Ijuin, Itoh, Takenawa*, 83
- protein–carbohydrate interaction, goose-type lysozyme, ITC, NMR, oligosaccharide, *Shinya, Ohnuma, Kawamura, Torikata, Nishimura, Katoh, Fukamizo*, 569
- protein–protein interaction, NF- $\kappa$ B, NRF, peptide array, transcriptional regulation, *Reboll, Schweda, Bartels, Franke, Frank, Nourbakhsh*, 553
- Protein-tyrosine phosphatase, signal transduction, reversible oxidation, oxidant, reactive oxygen species, redox state, *Östman, Frijhoff, Sandin, Böhmer*, 345
- PUFA,  $\Delta$ 12-fatty acid desaturase, fatty acid, gene expression, thraustochytrid, *Matsuda, Sakaguchi, Kobayashi, Abe, Kurano, Sato, Okita, Sugimoto, Hama, Hayashi, Okino, Ito*, 375
- purification, calcium, cPLA<sub>2</sub>-activating protein, Group IV cytosolic phospholipase A<sub>2</sub>, GTP-binding protein, *Bach, Jung, Choi, Jung, Chin, Ahn, Kim, Kim*, 385
- putative tryptophan monooxygenase, catalytic mechanism, crystal structure, enzyme specificity, flavoprotein, *Ida, Suguro, Suzuki*, 659
- R**
- Radicals, Oxidative stress, Endocytosis, New Effects of Biomaterials, Toxicity, *Horie, Nishio, Kato, Fujita, Endoh, Nakamura, Miyauchi, Kinugasa, Yamamoto, Niki, Yoshida, Hagiwara, Iwahashi*, 461
- reactive oxygen species, ESR spin trapping, hydrogen peroxide, NADPH oxidase, xanthine oxidase, *Sato, Mokudai, Niwano, Kohno*, 173
- , Protein-tyrosine phosphatase, signal transduction, reversible oxidation, oxidant, redox state, *Östman, Frijhoff, Sandin, Böhmer*, 345
- receptor, cytokines, interferon, fish immunology, signal transduction, *Yabu, Toda, Shibusaki, Araki, Yamashita, Anzai, Mano, Masuhiro, Hanazawa, Shiba, Moritomo, Nakanishi*, 635
- recombinant HBV vector, APOBEC3C(A3C), hepatitis B virus (HBV) core protein, capsid targeted viral inactivation (CTVI), *Li, Liu, Kang, Guan, Gao, Wang, Sun*, 371
- redox state, Protein-tyrosine phosphatase, signal transduction, reversible oxidation, oxidant, reactive oxygen species, *Östman, Frijhoff, Sandin, Böhmer*, 345
- remnant peptide signalling, ADAM, ectodomain shedding, EGFR, EGFR ligand, *Higashiyama, Nanba, Nakayama, Inoue, Fukuda*, 15
- renin–angiotensin system, Genetically modified animal models, pregnancy-associated homeostasis, placenta, pre-eclampsia, *Ishida, Matsuoka, Saito-Fujita, Inaba, Kunita, Sugiyama, Yagami, Fukamizu*, 5
- reppressor, gene expression, gene regulation, neuron, silencer, transcription, *Sone, Tsuda, Mori*, 451
- reversible oxidation, Protein-tyrosine phosphatase, signal transduction, oxidant, reactive oxygen species, redox state, *Östman, Frijhoff, Sandin, Böhmer*, 345
- Rho, G protein, Galpha12, 13, RhoGEF, *Kozasa, Hajicek, Chow, Suzuki*, 357
- RhoGEF, G protein, Galpha12, 13, Rho, *Kozasa, Hajicek, Chow, Suzuki*, 357
- Riboflavin, Absorption, Intestine, Energy drink, Transporter, *Moriyama*, 341
- ribosomal protein S19, C5a receptor, chemotaxis, intracellular signal pathway, macrophages, *Nishiura, Zhao, Yamamoto*, 271
- RNA replicon, cell-free system, encephalomyocarditisvirus, RNA virus, translation, *Kobayashi, Machida, Mikami, Masutani, Imataka*, 423
- RNA virus, cell-free system, encephalomyocarditisvirus, RNA replicon, translation, *Kobayashi, Machida, Mikami, Masutani, Imataka*, 423
- S**
- S9 protease, acylpeptide hydrolase-like protein, daikon radish, POP family, tyrosyl aminopeptidase, *Tsuji, Fujisawa, Mino, Yuasa*, 525
- Saccharomyces cerevisiae*, glycogen, Mrt4, sporulation, *Yvh1, Sugiyama, Nugroho, Iida, Sakai, Kaneko, Harashima*, 103
- sanitization, *Caenorhabditis elegans*, NDX-1, 8-oxo-dGDPase, mutations, oxidative stress, *Sanada, Yonekura, Kikuchi, Hashiguchi, Nakamura, Yonei, Zhang-Akiyama*, 649
- SAPK, angiogenesis, bFGF, HUVECs, JNK, *Kaikai, Yuchen, Lili, Zhengtao*, 189
- saturation mutagenesis, *Agrocybe cylindracea* galectin, frontal affinity chromatography, hydrogen bond, sialo-binding lectin, *Imamura, Takeuchi, Yabe, Tateno, Hirabayashi*, 545
- screening system, bacterial growth, biotechnology, *Escherichia coli*, small RNA, *Komasa, Fujishima, Hiraoka, Shinbara, Lee, Tomita, Kanai*, 289
- secreted aspartic proteases (SAP), *Candida albicans*, substrate specificity, virulence factor, yeast-hyphae transition, *Aoki, Kitahara, Miura, Morisaka, Yamamoto, Kuroda, Ueda*, 431
- self-association, alkyl gallate, lipid membrane, partition constant, solubility, *Takai, Hirano, Shiraki*, 165
- self-defence, catfish, intelectin, lectin, skin mucus, *Tsutsui, Komatsu, Sugiyura, Araki, Nakamura*, 501
- senescence marker protein 30, ascorbic acid, hepatocyte, Immortomouse, simian virus 40, *Amano, Handa, Aigaki, Shigemoto, Maruyama, Ishigami*, 671
- shake flask expression, chaperone assisted RNA crystallography, Fab, protein engineering, surface entropy reduction, *Ravindran, Héroux, Ye*, 535
- sialidase, cancer research, complex carbohydrate, protein phosphatase, *Miyagi, Kikuchi, Tamura*, 483
- sialo-binding lectin, *Agrocybe cylindracea* galectin, frontal affinity chromatography, hydrogen bond, saturation mutagenesis, *Imamura, Takeuchi, Yabe, Tateno, Hirabayashi*, 545

- signal transduction, gene transcription, green fluorescent protein, tumour suppressor, *Bao, Nakagawa, Yang, Ikeda, Withanage, Ishigami-Yuasa, Okuno, Hata, Nishina, Hata*, 199
- , Protein-tyrosine phosphatase, reversible oxidation, oxidant, reactive oxygen species, redox state, *Östman, Frijhoff, Sandin, Böhmer*, 345
- , cytokines, interferon, fish immunology, receptor, *Yabu, Toda, Shibasaki, Araki, Yamashita, Anzai, Mano, Masuhiro, Hanazawa, Shiba, Moritomo, Nakanishi*, 635
- silencer, gene expression, gene regulation, neuron, repressor, transcription, *Sone, Tsuda, Mori*, 451
- simian virus 40, ascorbic acid, hepatocyte, Immortomouse, senescence marker protein 30, *Amano, Handa, Aigaki, Shigemoto, Maruyama, Ishigami*, 671
- single chain Fv, anti-mannotriose, phage display, human antibody, breast cancer cells, *Matsumoto-Takasaki, Yuasa, Katagiri, Koyama, Sakai, Zamri, Phung, Chen, Nakada, Nakata, Fujita-Yamaguchi*, 439
- site-directed mutagenesis, matrix metallo-proteinase, MMP-7, pH-activity profile, tyrosyl residue, *Muta, Inouye*, 183
- , allosteric regulation, bacteria, catalysis, glycolysis, *Arai, Ichikawa, Nonaka, Miyagawa, Uchikoba, Fushinobu, Taguchi*, 579
- skin mucus, catfish, intelectin, lectin, self-defence, *Tsutsui, Komatsu, Sugiura, Araki, Nakamura*, 501
- Smad, BMP-2, CCN2, chondrocytes, ERK, *Maeda*, 219
- small angle X-ray scattering, assembly and dissociation, chaperone, small heat shock protein, *Sulfolobus tokodaii, Abe, Oka, Nakagome, Tsukada, Yasunaga, Yohda*, 403
- small heat shock protein, assembly and dissociation, chaperone, small angle X-ray scattering, *Sulfolobus tokodaii, Abe, Oka, Nakagome, Tsukada, Yasunaga, Yohda*, 403
- small RNA, bacterial growth, biotechnology, *Escherichia coli*, screening system, *Komasa, Fujishima, Hiraoka, Shinbara, Lee, Tomita, Kanai*, 289
- solubility, alkyl gallate, lipid membrane, partition constant, self-association, *Takai, Hirano, Shiraki*, 165
- sporulation, glycogen, Mrt4, *Saccharomyces cerevisiae, Yvh1, Sugiyama, Nugroho, Iida, Sakai, Kaneko, Harashima*, 103
- statistical analysis, *Escherichia coli*, protein expression, protein solubility, wheat germ cell-free, *Hirose, Kawamura, Yokota, Kuroita, Natsume, Komiya, Tsutsumi, Suwa, Isogai, Goshima, Noguchi*, 73
- stomach ulcer, calcium ion, calpain, intracellular proteolysis, muscular dystrophy, *Sorimachi, Hata, Ono*, 23
- structural genomics, pfam00582, thermophile, TTHA0350, universal stress protein, *Iino, Shimizu, Goto, Ebihara, Fukui, Hirotsu, Kuramitsu*, 295
- substrate specificity, *Candida albicans*, secreted aspartic proteases (SAP), virulence factor, yeast-hyphae transition, *Aoki, Kitahara, Miura, Morisaka, Yamamoto, Kuroda, Ueda*, 431
- sugar structure, lectin, lymphocyte, mitogen, T-cell hybridoma, *Yamamoto, Irimura*, 477
- Sulfolobus tokodaii*, assembly and dissociation, chaperone, small angle X-ray scattering, small heat shock protein, *Abe, Oka, Nakagome, Tsukada, Yasunaga, Yohda*, 403
- surface entropy reduction, chaperone assisted RNA crystallography, Fab, protein engineering, shake flask expression, *Ravindran, Héroux, Ye*, 535
- T**
- T-cell hybridoma, lectin, lymphocyte, mitogen, sugar structure, *Yamamoto, Irimura*, 477
- Target of rapamycin, Down's Syndrome, Mps one binder, mammalian sterile 20-kinase, nuclear Dbf2-related, warts, *Emoto*, 133
- Tax, Human T cell leukaemia virus type 1, IkB kinase, NF-κB, polyubiquitination, *Shibata, Tanaka, Gohda, Inoue*, 679
- ternary complex, Old yellow enzyme, prostaglandin synthase, X-ray structure, *Okamoto, Yamaguchi, Mizohata, Tokuoka, Uchiyama, Sugiyama, Matsumura, Inaka, Urade, Inoue*, 563
- thermophile, pfam00582, structural genomics, TTHA0350, universal stress protein, *Iino, Shimizu, Goto, Ebihara, Fukui, Hirotsu, Kuramitsu*, 295
- thraustochytrid, Δ12-fatty acid desaturase, fatty acid, gene expression, PUFA, *Matsuda, Sakaguchi, Kobayashi, Abe, Kurano, Sato, Okita, Sugimoto, Hama, Hayashi, Okino, Ito*, 375
- TNF-α, HIF-1, hypoxic response, IPAS, NF-κB, *Goryo, Torii, Yasumoto, Sogawa*, 311
- Toxicity, Oxidative stress, Endocytosis, New Effects of Biomaterials, Radicals, *Horie, Nishio, Kato, Fujita, Endoh, Nakamura, Miyauchi, Kinugasa, Yamamoto, Niki, Yoshida, Hagiwara, Iwashashi*, 461
- transcription, gene expression, gene regulation, neuron, repressor, silencer, *Sone, Tsuda, Mori*, 451
- transcriptional regulation, ATL protein, DNA microarray, nucleotide excision repair, O<sup>6</sup>-methylguanine, *Morita, Hishimura, Ohyama, Mega, Ohta, Nakagawa, Agari, Fukui, Shinkai, Kuramitsu, Masui*, 327
- , NF-kappaB, NRF, peptide array, protein-protein interaction, *Reboll, Schweda, Bartels, Franke, Frank, Nourbakhsh*, 553
- translation, cell-free system, encephalomyocarditisvirus, RNA replicon, RNA virus, *Kobayashi, Machida, Mikami, Masutani, Imataka*, 423
- transport activity, coupling-ion binding, *Escherichia coli*, homology modelling, Na<sup>+</sup>, proline symporter, *Amin, Ando, Saito, Yamato*, 395
- Transporter, Absorption, Intestine, Energy drink, Riboflavin, *Moriyama*, 341
- TTHA0350, pfam00582, structural genomics, thermophile, universal stress protein, *Iino, Shimizu, Goto, Ebihara, Fukui, Hirotsu, Kuramitsu*, 295
- tumour metastasis, CLEC-2, lymphangiogenesis, platelets, podoplanin, *Suzuki-Inoue*, 127
- tumour suppressor, gene transcription, green fluorescent protein, signal transduction, *Bao, Nakagawa, Yang, Ikeda, Withanage, Ishigami-Yuasa, Okuno, Hata, Nishina, Hata*, 199
- type II transmembrane serine protease, activation, HAI-1, inhibition, matriptase, *Kojima, Inouye*, 123
- tyrosyl aminopeptidase, acylpeptide hydrolase-like protein, daikon radish, POP family, S9 protease, *Tsuji, Fujisawa, Mino, Yuasa*, 525
- tyrosyl residue, matrix metalloproteinase, MMP-7, pH-activity profile, site-directed mutagenesis, *Muta, Inouye*, 183
- U**
- universal stress protein, pfam00582, structural genomics, thermophile, TTHA0350, *Iino, Shimizu, Goto, Ebihara, Fukui, Hirotsu, Kuramitsu*, 295
- V**
- virulence factor, *Candida albicans*, secreted aspartic proteases (SAP), substrate specificity, yeast-hyphae transition, *Aoki, Kitahara, Miura, Morisaka, Yamamoto, Kuroda, Ueda*, 431
- volatile organic compound, biomarker, disease, disorder, metabolism, odour, olfactory, *Shirasu, Touhara*, 257
- W**
- warts, Down's Syndrome, Mps one binder, mammalian sterile 20-kinase, nuclear Dbf2-related, Target of rapamycin, *Emoto*, 133
- wheat germ cell-free, *Escherichia coli*, protein expression, protein solubility, statistical analysis, *Hirose, Kawamura, Yokota, Kuroita, Natsume, Komiya, Tsutsumi, Suwa, Isogai, Goshima, Noguchi*, 73
- X**
- X-ray structure, Old yellow enzyme, prostaglandin synthase, ternary complex,

## Index to Key Words

*Okamoto, Yamaguchi, Mizohata,  
Tokuoka, Uchiyama, Sugiyama,  
Matsumura, Inaka, Urade, Inoue,  
563  
xanthine oxidase, ESR spin trapping,  
hydrogen peroxide, NADPH oxidase,  
reactive oxygen species, Sato, Mokudai,  
Niwano, Kohno, 173*

**Y**  
yeast-hyphae transition, *Candida albicans*,  
secreted aspartic proteases (SAP), sub-  
strate specificity, virulence factor, Aoki,  
Kitahara, Miura, Morisaka, Yamamoto,  
Kuroda, Ueda, 431  
Yvh1, glycogen, Mrt4, *Saccharomyces  
cerevisiae*, sporulation, Sugiyama,

Nugroho, Iida, Sakai, Kaneko,  
Harashima, 103

**Z**  
zinc homoeostasis, ABC transporter, genetic  
competence, P-type ATPase, Ogura, 615

# THE JOURNAL OF BIOCHEMISTRY

EDITED FOR  
THE JAPANESE BIOCHEMICAL SOCIETY  
**VOLUME 150, 2011**

## *E D I T O R I A L   B O A R D*

### *Editor-in-Chief*

Kohei MIYAZONO (Tokyo)

### *Editors*

*JB Reviews*  
*Biochemistry*

Keiji MIYAZAWA (Chuo)  
Koichi HONKE (Nankoku)  
Katsuyuki TANIZAWA (Ibaraki)  
Yukio FUJIKI (Fukuoka)  
Akira KIKUCHI (Suita)  
Takuya UEDA (Kashiwa)

*Molecular Biology*  
*Cell*  
*Biotechnology*

### *Managing Editors*

Kensaku MIZUNO (Sendai) Kazumitsu UEDA (Kyoto)

### *Associate Editors*

*JB Reviews*

Junken AOKI (Sendai)  
Shigeaki KATO (Tokyo)  
Hiroshi OHNO (Yokohama)

*Biochemistry*

Fumio ARISAKA (Yokohama)  
Hiroko BABA (Hachioji)  
Kiyoshi FUKUI (Tokushima)  
Jules Mitchell GUSSE (Sydney)  
Hideyuki HAYASHI (Takatsuki)  
Michael A. HOLLINGSWORTH (Omaha)  
Hiroshi ICHINOSE (Yokohama)  
Shoichi ISHIURA (Tokyo)  
Hiroyuki ITABE (Tokyo)  
Makoto Ito (Fukuoka)  
Kazuhiro IWAI (Suita)

*Molecular Biology*

Koichi FURUKAWA (Nagoya)  
Fuyuki ISHIKAWA (Kyoto)  
Thomas LANGER (Köln)  
Kazutoshi MORI (Kyoto)  
Matthias MULLER (Freiburg)  
Juergen BEHRENS (Erlangen)  
Kang-Yell CHOI (Seoul)  
Kazuhiko IGARASHI (Sendai)  
Takeshi IWATSUBO (Tokyo)  
Peter S. KLEIN (Philadelphia)  
Munehito ARAI (Tokyo)

*Cell*

Dominique FOURMY (Gif-sur-Yvette)  
Itaru HAMACHI (Kyoto)  
Yo KIKUCHI (Toyohashi)

Arne ÖSTMAN (Stockholm)  
Hiroyuki SORIMACHI (Tokyo)  
Kaoru SUGASAWA (Kobe)  
Kenji KADOMATSU (Nagoya)  
Yasushi KAWATA (Tottori)  
Ken KITAJIMA (Nagoya)  
Atsushi NAKAGAWA (Suita)  
Toru NAKAYAMA (Sendai)  
Ryuichiro SATO (Tokyo)  
Hideki SUMIMOTO (Fukuoka)  
Natsuo UEDA (Kagawa)  
Takehiko YOKOMIZO (Fukuoka)  
Tohru YOSHIMURA (Nagoya)

Masao SAKAGUCHI (Hyogo)  
Takashi SUDA (Kanazawa)  
Takeshi TODO (Suita)  
Toshiki TSURIMOTO (Fukuoka)  
Tamotsu YOSHIMORI (Suita)  
Yasuhiro MINAMI (Kobe)  
Patricia C. SALINAS (London)  
Toshiyuki TAKAI (Sendai)  
Kazuma TANAKA (Sapporo)

Ken-ichi NISHIYAMA (Morioka)  
Hiroshi UEDA (Tokyo)  
Kazuo YAMAMOTO (Kashiwa)

### *Editorial Assistants*

Daizo KOINUMA (Tokyo) Tetsuro WATABE (Tokyo)

## *Advisory Board*

### *Biochemistry*

Vytas A. BANKAITIS (Chapel Hill)  
Jin Won CHO (Seoul)  
Jeffrey D. ESKO (La Jolla)  
Junichi FUJII (Yamagata)  
Jianguo GU (Sendai)  
Yann GUÉRARDÉL (Villeneuve d'Ascq)  
Robert S. HALTIWANGER (Stony Brook)  
Gerald W. HART (Baltimore)  
Toshiharu HASE (Suita)  
Yasuhiro HASHIMOTO (Fukushima)  
Kihachiro HORIKE (Otsu)  
Tatsuro IRIMURA (Tokyo)  
Yoshizumi ISHINO (Fukuoka)  
Johannis P. KAMERLING (Utrecht)

### *Molecular Biology*

Masato ENARI (Tokyo)  
Toshiya ENDO (Nagoya)  
Masatoshi FUJITA (Tokyo)  
Kenji KOHNO (Ikoma)  
Tetsuro KOKUBO (Yokohama)  
Bok Luel LEE (Busan)  
Won-Jae LEE (Seoul)  
Roland LILL (Marburg)

### *Cell*

Tomoichiro ASANO (Hiroshima)  
Suk-Chul BAE (Gaesindong)  
Frank D. BÖHMER (Jena)  
Nils BROSE (Göttingen)  
Mitsunori FUKUDA (Sendai)  
Masato HASEGAWA (Tokyo)  
Yutaka HATA (Tokyo)  
Thorsten HEINZEL (Jena)  
Shigeki HIGASHIYAMA (Toon)  
Hidenori ICHIJO (Tokyo)

### *Biotechnology*

Toshihiko EKI (Toyohashi)  
Yoshihisa HAGIHARA (Ikeda)  
Jun HIRABAYASHI (Tsukuba)  
Mitsuhiro ITAYA (Tsuruoka)

Reiji KANNAGI (Nagoya)  
Shun-ichiro KAWABATA (Fukuoka)  
Ikuro KAWAGISHI (Koganei)  
Gota KAWAI (Narashino)  
Makoto KIMURA (Fukuoka)  
Hiroshi KITAGAWA (Kobe)  
Masayasu KOJIMA (Kurume)  
Hiroti KONDO (Iizuka)  
Michiko KONNO (Tokyo)  
Yasunori KOZUTSUMI (Kyoto)  
Seiki KURAMITSU (Toyonaka)  
Bettie Sue MASTERS (San Antonio)  
Ryoji MASUI (Toyonaka)  
Catharina Taiko MIGITA (Yamaguchi)

Hisao MASAI (Tokyo)  
Katsuoshi MIHARA (Fukuoka)  
Masayuki MIURA (Tokyo)  
Masamichi MURAMATSU (Kanazawa)  
Kazuhiro NAGATA (Kyoto)  
Walter NEUPERT (München)  
Shoko NISHIHARA (Hachioji)  
Kunihiro OHTA (Tokyo)

Yasuki ISHIZAKI (Maebashi)  
Bong-Kiun KAANG (Seoul)  
Dimitris KARDASSIS (Heraklion)  
Eunjoon KIM (Daejeon)  
Tohru KOZASA (Chicago)  
Hitoshi KUROSE (Fukuoka)  
Atsushi MIYAJIMA (Tokyo)  
Noboru MIZUSHIMA (Tokyo)  
Aristidis MOUSTAKAS (Uppsala)  
Tatsushi MUTA (Sendai)

Sunghoon KIM (Seoul)  
Włodzimierz J. KRZYZOSIAK (Poznan)  
Katsumi MAENAKA (Fukuoka)  
Makoto MAKISHIMA (Tokyo)

Hisashi NARIMATSU (Tsukuba)  
Takeshi NIKAWA (Tokushima)  
Haruko OGAWA (Tokyo)  
Toshihisa OHSHIMA (Fukuoka)  
Yoshihiro SAMBONGI (Higashi-Hiroshima)  
Ryo TAGUCHI (Tokyo)  
Masato UMEDA (Uji)  
Yoshinao WADA (Izumi)  
Keisuke WAKASUGI (Tokyo)  
Yuriko YAMAGATA (Kumamoto)  
Junn YANAGISAWA (Tsukuba)  
Akihiko YOSHIMURA (Tokyo)

Takashi OSUMI (Hyogo)  
Pradman K. QASBA (Frederick)  
Kazuhiro SAKAMAKI (Kyoto)  
Shigeomi SHIMIZU (Tokyo)  
Minoru TAKATA (Kyoto)  
Yoshihide TSUJIMOTO (Suita)  
Tohru YOSHIHISA (Nagoya)

Hideaki NAGASE (London)  
Koh-ichi NAGATA (Kasugai)  
Kazuhsia NAKAYAMA (Kyoto)  
Hitoshi OHMORI (Okayama)  
Chie SAKANAKA (South San Francisco)  
Takuya SASAKI (Tokushima)  
Kiyotoshi SEKIGUCHI (Suita)  
Roger K. SUNAHARA (Ann Arbor)  
Keiko UDAKA (Nankoku)

Tomoaki MATSUURA (Suita)  
Chris Y. H. TAN (Vancouver, Canada)  
Kouhei TSUMOTO (Kashiwa)

COPYRIGHT, 2011 © BY THE JAPANESE BIOCHEMICAL SOCIETY

PUBLISHED

BY

THE JAPANESE BIOCHEMICAL SOCIETY

## CONTENTS OF VOLUME 150

---

No. 1, July, 2011

|   | PAGE  |
|---|---|
| <b>JB Commentary</b>  |   |
| Encountering unpredicted off-target effects of pharmacological inhibitors   | K. Miyazawa 1   |
| <b>JB Reviews</b>   |   |
| <b>Featured article of the month.</b> Pregnancy-associated homeostasis and dysregulation: lessons from genetically modified animal models   | J. Ishida, T. Matsuoka, T. Saito-Fujita, S. Inaba, S. Kunita, F. Sugiyama, K.-i. Yagami and A. Fukamizu 5                                 |
| <b>Featured article of the month.</b> Ectodomain shedding and remnant peptide signalling of EGFRs and their ligands   | S. Higashiyama, D. Nanba, H. Nakayama, H. Inoue and S. Fukuda 15  |
| <b>Featured article of the month.</b> Impact of genetic insights into calpain biology   | H. Sorimachi, S. Hata and Y. Ono 23   |
| <b>Regular Papers</b>   |   |
| The effects of an ideal $\beta$ -turn on $\beta$ -2 microglobulin fold stability  | M. Colombo, S. Ricagno, A. Barbiroli, C. Santambrogio, S. Giorgetti, S. Raimondi, F. Bonomi, R. Grandori, V. Bellotti and M. Bolognesi 39 |
| Monoclonal antibodies against human translation termination factor eRF3 and their utilization for sub-cellular localization of eRF3   | M.-M. Delage, S. Dutertre, R. Le Guével, L. Frolova and N. Berkova 49   |
| Homeoprotein Hex is expressed in mouse developing chondrocytes  | R. Morimoto, A. Yamamoto, Y. Akimoto and A. Obinata 61  |
| Statistical analysis of features associated with protein expression/solubility in an <i>in vivo</i> <i>Escherichia coli</i> expression system and a wheat germ cell-free expression system  | S. Hirose, Y. Kawamura, K. Yokota, T. Kuroita, T. Natsume, K. Komiya, T. Tsutsumi, Y. Suwa, T. Isogai, N. Goshima and T. Noguchi 73       |
| Regulation of IGF-1/PI3K/Akt signalling by the phosphoinositide phosphatase pharbin   | F. Wang, T. Ijuin, T. Itoh and T. Takenawa 83   |
| The dynamics of cysteine, glutathione and their disulphides in astrocyte culture medium   | S. Yoshioka-Suzuki, J.-i. Sagara, S. Bannai and N. Makino 95  |
| Genetic interactions of ribosome maturation factors Yvh1 and Mrt4 influence mRNA decay, glycogen accumulation, and the expression of early meiotic genes in <i>Saccharomyces cerevisiae</i> | M. Sugiyama, S. Nugroho, N. Iida, T. Sakai, Y. Kaneko and S. Harashima 103  |
| Electrostatic effects influence the formation of two-dimensional crystals of bacteriorhodopsin reconstituted into dimyristoylphosphatidylcholine membranes                                  | L. Negishi and S. Mitaku 113  |
| <b>Erratum</b>  | 121   |

## CONTENTS OF VOLUME 150

|  | PAGE   |
|--|--|
| <b>No. 2, August, 2011</b>   |  |
| <b>JB Commentary</b>   |  |
| Activation of matriptase zymogen   | K. Kojima and K. Inouye 123  |
| <b>JB Reviews</b>  |  |
| <i>Featured article of the month.</i> Essential <i>in vivo</i> roles of the platelet activation receptor CLEC-2 in tumour metastasis, lymphangiogenesis and thrombus formation | K. Suzuki-Inoue 127  |
| <i>Featured article of the month.</i> The growing role of the Hippo–NDR kinase signalling in neuronal development and disease  | K. Emoto 133   |
| <i>Featured article of the month.</i> Intracellular recognition of pathogens and autophagy as an innate immune host defence  | T. Yano and S. Kurata 143  |
| <b>Regular Papers</b>  |  |
| AKT down-regulates insulin-like growth factor-1 receptor as a negative feedback  | L. Qin, Y. Wang, L. Tao and Z. Wang 151  |
| A 68 residue N-terminal fragment of pro-atrial natriuretic peptide is a monomeric intrinsically unstructured protein   | D.L. Crimmins and J.L.-F. Kao 157  |
| Effects of alkyl chain length of gallate on self-association and membrane binding  | E. Takai, A. Hirano and K. Shiraki 165   |
| Kinetic analysis of reactive oxygen species generated by the <i>in vitro</i> reconstituted NADPH oxidase and xanthine oxidase systems  | E. Sato, T. Mokudai, Y. Niwano and M. Kohno 173  |
| Tyr219 of human matrix metalloproteinase 7 is not critical for catalytic activity, but is involved in the broad pH-dependence of the activity                                  | Y. Muta and K. Inouye 183  |
| Critical role of c-Jun N-terminal kinase in regulating bFGF-induced angiogenesis <i>in vitro</i>   | S. Kaikai, S. Yuchen, J. Lili and W. Zhengtao 189  |
| A cell-based assay to screen stimulators of the Hippo pathway reveals the inhibitory effect of dobutamine on the YAP-dependent gene transcription                              | Y. Bao, K. Nakagawa, Z. Yang, M. Ikeda, K. Withanage, M. Ishigami-Yuasa, Y. Okuno, S. Hata, H. Nishina and Y. Hata 199 |
| Nrf2 regulates NGF mRNA induction by carnosic acid in T98G glioblastoma cells and normal human astrocytes  | J. Mimura, K. Kosaka, A. Maruyama, T. Satoh, N. Harada, H. Yoshida, K. Satoh, M. Yamamoto and K. Itoh 209              |

## CONTENTS OF VOLUME 150

PAGE

No. 3, September, 2011

**JB Commentary**

An impact of CCN2–BMP-2 complex upon chondrocyte biology:  
evoking a signalling pathway bypasses ERK and Smads?

S. Maeda

219

**JB Reviews**

**Featured article of the month.** Non-Edg family LPA receptors: the cutting edge of LPA research

K. Yanagida and S. Ishii

223

**Featured article of the month.** Secreted phospholipase A<sub>2</sub> revisited

M. Murakami, Y. Taketomi, H. Sato  
and K. Yamamoto

233

**Featured article of the month.** The scent of disease: volatile organic compounds of the human body related to disease and disorder

M. Shirasu and K. Touhara

257

**Rapid Communication**

Interaction between myosin and a trace amount of caldesmon

Y. Zhang, Z.-Y. Tang, K. Kohama and  
Y. Lin

267

**Regular Papers**

The role of the ribosomal protein S19 C-terminus in altering the chemotaxis of leucocytes by causing functional differences in the C5a receptor response

H. Nishiura, R. Zhao and T. Yamamoto

271

Characterization of β-lactoglobulin from buffalo (*Bubalus bubalis*) colostrum and its possible interaction with erythrocyte lipocalin-interacting membrane receptor

R.A. Chougule and H.S. Aparna

279

A screening system for artificial small RNAs that inhibit the growth of *Escherichia coli*

M. Komasa, K. Fujishima, K. Hiraoka,  
A. Shinbara, B.-S. Lee, M. Tomita and  
A. Kanai

289

Crystal structure of the tandem-type universal stress protein TTHA0350 from *Thermus thermophilus* HB8

H. Iino, N. Shimizu, M. Goto,  
A. Ebihara, K. Fukui, K. Hirotsu and  
S. Kuramitsu

295

Up-regulation of ceramide glucosyltransferase during the differentiation of U937 cells

J. Aida, S. Higuchi, Y. Hasegawa,  
M. Nagano-Ito, Y. Hirabayashi,  
A. Banba, T. Shimizu, A. Kikuchi,  
M. Saga and S. Ichikawa

303

Tumour necrosis factor-α suppresses the hypoxic response by NF-κB-dependent induction of inhibitory PAS domain protein in PC12 cells

K. Goryo, S. Torii, K.-i. Yasumoto and  
K. Sogawa

311

Phosphatase assay for multi-phosphorylated substrates using phosphatase specific-motif antibody

Y. Chuman, K. Iizuka, T. Honda,  
H. Onoue, Y. Shimohigashi and  
K. Sakaguchi

319

An alkyltransferase-like protein from *Thermus thermophilus* HB8 affects the regulation of gene expression in alkylation response

R. Morita, H. Hishinuma, H. Ohyama,  
R. Mega, T. Ohta, N. Nakagawa,  
Y. Agari, K. Fukui, A. Shinkai,  
S. Kuramitsu and R. Masui

327

No. 4, October, 2011

**JB Commentary**

Riboflavin transporter is finally identified

Y. Moriyama

341

**JB Reviews****Featured article of the month.** Regulation of protein tyrosine phosphatases by reversible oxidation

A. Östman, J. Frijhoff, Å. Sandin and F.-D. Böhmer

345

**Featured article of the month.** Signalling mechanisms of RhoGTPase regulation by the heterotrimeric G proteins G12 and G13

T. Kozasa, N. Hajicek, C.R. Chow and N. Suzuki

357

**Rapid communication**

Core-APOBEC3C chimerical protein inhibits hepatitis B virus replication

D. Li, J. Liu, F. Kang, W. Guan, X. Gao, Y. Wang and D. Sun

371

**Regular Papers**Molecular cloning of a *Pinguiochrysis pyriformis* oleate-specific microsomal Δ12-fatty acid desaturase and functional analysis in yeasts and thraustochytrids

T. Matsuda, K. Sakaguchi, T. Kobayashi, E. Abe, N. Kurano, A. Sato, Y. Okita, S. Sugimoto, Y. Hama, M. Hayashi, N. Okino and M. Ito

375

Identification of a 42-kDa Group IV cPLA<sub>2</sub>-activating protein, cPLAPγ, as a GTP-binding protein in the bovine brain

J.H. Bach, K.M. Jung, J.S. Choi, S.Y. Jung, M.R. Chin, K.H. Ahn, S.K. Kim and D.K. Kim

385

Role of Asp187 and Gln190 in the Na<sup>+</sup>/proline symporter (PutP) of *Escherichia coli*

A. Amin, T. Ando, S. Saito and I. Yamato

395

StHsp14.0, a small heat shock protein of *Sulfolobus tokodaii* strain 7, protects denatured proteins from aggregation in the partially dissociated conformation

T. Abe, T. Oka, A. Nakagome, Y. Tsukada, T. Yasunaga and M. Yohda

403

Calpain-7 binds to CHMP1B at its second α-helical region and forms a ternary complex with IST1

Y. Maemoto, Y. Osako, E. Goto, E. Nozawa, H. Shibata and M. Maki

411

Cell-free RNA replication systems based on a human cell extracts-derived *in vitro* translation system with the encephalomyocarditisvirus RNA

T. Kobayashi, K. Machida, S. Mikami, M. Masutani and H. Imataka

423

Comprehensive characterization of secreted aspartic proteases encoded by a virulence gene family in *Candida albicans*

W. Aoki, N. Kitahara, N. Miura, H. Morisaka, Y. Yamamoto, K. Kuroda and M. Ueda

431

Characterization of three different single chain antibodies recognizing non-reducing terminal mannose residues expressed in *Escherichia coli* by an inducible T7 expression system

A. Matsumoto-Takasaki, N. Yuasa, D. Katagiri, T. Koyama, K. Sakai, N. Zamri, S. Phung, S. Chen, H. Nakada, M. Nakata and Y. Fujita-Yamaguchi

439

Position-dependent effect of a neural-restrictive silencer-like element present in the promoter downstream of the SCG10-like protein gene

K. Sone, M. Tsuda and N. Mori

451

Cellular responses induced by cerium oxide nanoparticles: induction of intracellular calcium level and oxidative stress on culture cells

M. Horie, K. Nishio, H. Kato, K. Fujita, S. Endoh, A. Nakamura, A. Miyauchi, S. Kinugasa, K. Yamamoto, E. Niki, Y. Yoshida, Y. Hagiwara and H. Iwahashi

461

No. 5, November, 2011

**JB Commentary**

Low-molecular-weight compounds having neurotrophic activity in cultured PC12 cells and neurons

H. Maruoka, H. Sasaya, K. Sugihara,  
K. Shimoke and T. Ikeuchi

473

**JB Reflections and Perspectives**

Toshiaki Osawa: biochemistry of lectins and their applications in immunochemistry and cellular biology

K. Yamamoto and T. Irimura

477

Shigeru Tsuiki: a pioneer in the research fields of complex carbohydrates and protein phosphatases

T. Miyagi, K. Kikuchi and S. Tamura

483

**Regular Papers**

$\text{Cu}^{2+}$  triggers reversible aggregation of a disordered His-rich dehydrin MpDhn12 from *Musa paradisiaca*

P. Mu, D. Feng, J. Su, Y. Zhang, J. Dai,  
H. Jin, B. Liu, Y. He, K. Qi, H. Wang  
and J. Wang

491

A unique epidermal mucus lectin identified from catfish (*Silurus asotus*): first evidence of intelectin in fish skin slime

S. Tsutsui, Y. Komatsu, T. Sugiura,  
K. Araki and O. Nakamura

501

Characterization of novel glycolipid antigens with an  $\alpha$ -galactose epitope in lactobacilli detected with rabbit anti-*Lactobacillus* antisera and occurrence of antibodies against them in human sera

M. Iwamori, A. Sakai, N. Minamimoto,  
Y. Iwamori, K. Tanaka, D. Aoki,  
S. Adachi and T. Nomura

515

Identification of a plant aminopeptidase with preference for aromatic amino acid residues as a novel member of the prolyl oligopeptidase family of serine proteases

A. Tsuji, Y. Fujisawa, T. Mino and  
K. Yuasa

525

Improvement of the crystallizability and expression of an RNA crystallization chaperone

P.P. Ravindran, A. Héroux and J.-D. Ye

535

Engineering of the glycan-binding specificity of *Agrocybe cylindracea* galectin towards  $\alpha$ (2,3)-linked sialic acid by saturation mutagenesis

K. Imamura, H. Takeuchi, R. Yabe,  
H. Tateno and J. Hirabayashi

545

Mapping of NRF binding motifs of NF-kappaB p65 subunit

M.R. Reboll, A.T. Schweda, M. Bartels,  
R. Franke, R. Frank and  
M. Nourbakhsh

553

Structural insight into the stereoselective production of PGF<sub>2 $\alpha$</sub>  by Old Yellow Enzyme from *Trypanosoma cruzi*

N. Okamoto, K. Yamaguchi,  
E. Mizohata, K. Tokuoka,  
N. Uchiyama, S. Sugiyama,  
H. Matsumura, K. Inaka, Y. Urade and  
T. Inoue

563

Interaction of a goose-type lysozyme with chitin oligosaccharides as determined by NMR spectroscopy

S. Shinya, T. Ohnuma, S. Kawamura,  
T. Torikata, S. Nishimura, E. Katoh and  
T. Fukamizo

569

A molecular design that stabilizes active state in bacterial allosteric L-lactate dehydrogenases

K. Arai, J. Ichikawa, S. Nonaka,  
A. Miyanaga, H. Uchikoba,  
S. Fushinobu and H. Taguchi

579

## CONTENTS OF VOLUME 150

|  | PAGE  |
|--|---|
| <b>No. 6, December, 2011</b>   |   |
| <b>JB Commentary</b>   |   |
| Recent reports about enzymes related to the synthesis of prostaglandin (PG) F <sub>2</sub> (PGF <sub>2<math>\alpha</math></sub> and 9 $\alpha$ , 11 $\beta$ -PGF <sub>2</sub> )                          | K. Watanabe 593   |
| <b>JB Reflections and Perspectives</b>   |   |
| Kunihiko Suzuki and sphingolipidoses   | K. Ohno 597   |
| <b>Regular Papers</b>  |   |
| Structure of <i>Thermus thermophilus</i> homoisocitrate dehydrogenase in complex with a designed inhibitor   | E. Nango, T. Yamamoto, T. Kumasaka and T. Eguchi 607  |
| ZnuABC and ZosA zinc transporters are differently involved in competence development in <i>Bacillus subtilis</i>   | M. Ogura 615  |
| Biochemical characterization of human dynamin-like protein 1   | Y. Zhang, X. Gao and R.M. Garavito 627  |
| Antiviral protection mechanisms mediated by ginbuna crucian carp interferon gamma isoforms 1 and 2 through two distinct interferon gamma-receptors   | T. Yabu, H. Toda, Y. Shibasaki, K. Araki, M. Yamashita, H. Anzai, N. Mano, Y. Masuhiro, S. Hanazawa, H. Shiba, T. Moritomo and T. Nakanishi 635 |
| NDX-1 protein hydrolyzes 8-oxo-7, 8-dihydrodeoxyguanosine-5'-diphosphate to sanitize oxidized nucleotides and prevent oxidative stress in <i>Caenorhabditis elegans</i>                                  | U. Sanada, S.-I. Yonekura, M. Kikuchi, K. Hashiguchi, N. Nakamura, S. Yonei and Q.-M. Zhang-Akiyama 649   |
| High resolution X-ray crystal structures of L-phenylalanine oxidase (deaminating and decarboxylating) from <i>Pseudomonas</i> sp. P-501. Structures of the enzyme-ligand complex and catalytic mechanism | K. Ida, M. Suguro and H. Suzuki 659   |
| Establishment and characterization of hepatocytes from an Immortomouse/SMP30/GNL knockout mouse hybrid lacking vitamin C to study vitamin C transport  | A. Amano, S. Handa, T. Aigaki, K. Shigemoto, N. Maruyama and A. Ishigami 671  |
| Activation of the I $\kappa$ B kinase complex by HTLV-1 Tax requires cytosolic factors involved in Tax-induced polyubiquitination  | Y. Shibata, Y. Tanaka, J. Gohda and J.-i. Inoue 679   |
| Posttranscriptional regulation of expression of plasminogen activator inhibitor type-1 by cAMP in HepG2 liver cells  | T. Asakura, S. Iwaki, H. Okada, B.E. Sobel and S. Fujii 687   |

# CONTENTS Rearranged According to Subject Categories, Vol. 150, No. 6

## JB COMMENTARY

- Recent reports about enzymes related to the synthesis of prostaglandin (PG) F<sub>2</sub> (PGF<sub>2α</sub> and 9α, 11β-PGF<sub>2</sub>) K. Watanabe 593

## JB REFLECTIONS AND PERSPECTIVES

- Kunihiro Suzuki and sphingolipidoses K. Ohno 597

## BIOCHEMISTRY

### Biochemistry General

- Biochemical characterization of human dynamin-like protein 1 Y. Zhang, X. Gao and R.M. Garavito 627

### Protein Structure

- Structure of *Thermus thermophilus* homoisocitrate dehydrogenase in complex with a designed inhibitor E. Nango, T. Yamamoto, T. Kumasaka and T. Eguchi 607

### Enzymology

- High resolution X-ray crystal structures of L-phenylalanine oxidase (deaminating and decarboxylating) from *Pseudomonas* sp. P-501. Structures of the enzyme-ligand complex and catalytic mechanism K. Ida, M. Suguro and H. Suzuki 659

## MOLECULAR BIOLOGY

### Molecular Biology General

- Posttranscriptional regulation of expression of plasminogen activator inhibitor type-1 by cAMP in HepG2 liver cells T. Asakura, S. Iwaki, H. Okada, B.E. Sobel and S. Fujii 687

### Gene Expression

- ZnuABC and ZosA zinc transporters are differently involved in competence development in *Bacillus subtilis* M. Ogura 615

### Molecular Genetics

- NDX-1 protein hydrolyzes 8-oxo-7, 8-dihydrodeoxyguanosine-5'-diphosphate to sanitize oxidized nucleotides and prevent oxidative stress in *Caenorhabditis elegans* U. Sanada, S.-I. Yonekura, M. Kikuchi, K. Hashiguchi, N. Nakamura, S. Yonei and Q.-M. Zhang-Akiyama 649

## CELL

### Cell General

- Establishment and characterization of hepatocytes from an Immortomouse/SMP30/GNL knockout mouse hybrid lacking vitamin C to study vitamin C transport A. Amano, S. Handa, T. Aigaki, K. Shigemoto, N. Maruyama and A. Ishigami 671

### Receptors and Signal Transduction

- Antiviral protection mechanisms mediated by ginbuna crucian carp interferon gamma isoforms 1 and 2 through two distinct interferon gamma-receptors T. Yabu, H. Toda, Y. Shibasaki, K. Araki, M. Yamashita, H. Anzai, N. Mano, Y. Masuhiro, S. Hanazawa, H. Shiba, T. Moritomo and T. Nakanishi 635

- Activation of the IκB kinase complex by HTLV-1 Tax requires cytosolic factors involved in Tax-induced polyubiquitination Y. Shibata, Y. Tanaka, J. Gohda and J.-i. Inoue 679