

CONTENTS Rearranged According to Subject Categories, Vol. 151, No. 5

JB COMMENTARY

- Phosphorylation in the activation loop as the finishing touch in c-Kit activation K. Miyazawa 457

JB REFLECTIONS AND PERSPECTIVES

- Ikuo Yamashina: a pioneer who established the basis of current glycobiology H. Nakada 461

JB REVIEWS

- Featured article of the month.** Pleiotropic functions of the CXC-type chemokine CXCL14 in mammals T. Hara and K. Tanegashima 469
- Featured article of the month.** Roles of stromal microenvironment in colon cancer progression M.M. Taketo 477

BIOCHEMISTRY

Protein Structure

- Crystal structure of non-phosphorylated MAP2K6 in a putative auto-inhibition state T. Matsumoto, T. Kinoshita, H. Matsuzaka, R. Nakai, Y. Kirii, K. Yokota and T. Tada 541

Protein Interaction and Recognition

- A new structural insight into differential interaction of cyanobacterial and plant ferredoxins with nitrite reductase as revealed by NMR and X-ray crystallographic studies Y. Sakakibara, H. Kimura, A. Iwamura, T. Saitoh, T. Ikegami, G. Kurisu and T. Hase 483

Lipid Biochemistry

- GPR34 is a receptor for lysophosphatidylserine with a fatty acid at the *sn*-2 position H. Kitamura, K. Makide, A. Shuto, M. Ikubo, A. Inoue, K. Suzuki, Y. Sato, S. Nakamura, Y. Otani, T. Ohwada and J. Aoki 511

Enzymology

- Matrix metalloproteinase-9 activity detected in body fluids is the result of two different enzyme forms T. Bellini, A. Trentini, M.C. Manfrinato, C. Tamborino, C.A. Volta, V. Di Foggia, E. Fainardi, F. Dalocchio and M. Castellazzi 493

A possibility of a protein-bound water molecule as the ionizable group responsible for pK_e at the alkaline side in human matrix metalloproteinase 7 activity

Interaction of 8-anilinonaphthalene 1-sulphonate (ANS) and human matrix metalloproteinase 7 (MMP-7) as examined by MMP-7 activity and ANS fluorescence

MOLECULAR BIOLOGY

Molecular Biology General

- Translational regulation by the 5'-UTR of thyroid hormone receptor α mRNA M. Okada, K. Nakajima and Y. Yaoita 519

BIOTECHNOLOGY

Biotechnology General

- Membrane-displayed peptide ligand activates the pheromone response pathway in *Saccharomyces cerevisiae* K. Hara, T. Ono, K. Kuroda and M. Ueda 551