

INDEX TO AUTHORS

- Akasaka, K. See *Takagi, Inai, Watanabe, Tatemoto, Yajima, Yamamoto, and Sakamoto*, 75
- Akatsu, Y. See *Mihira, Suzuki, Yoshimatsu, Igarashi, Miyazono, and Watabe*, 145
- Akita, K. See *Kitagawa, Gouda, Kirii, Sugiyama, Ishihama, Fujii, Narumi, and Yokota*, 47
- Aoki, A. See *Matsumoto-Takasaki, Hanashima, Yuasa, Ogawa, Sato, Kawakami, Mizuno, Nakada, Yamaguchi, and Fujita-Yamaguchi*, 273
- Aoki, J. See *Hashimoto, Okudaira, Igarashi, Hama, and Yatomi*, 89
- . See *Kitamura, Makide, Shuto, Ikubo, Inoue, Suzuki, Sato, Nakamura, Otani, and Ohwada*, 511
- Arakawa, T. See *Ariki, Hirano, and Shiraki*, 27
- Ariki, R., Hirano, A., Arakawa, T., and Shiraki, K. Drug solubilization effect of lauroyl-L-glutamate, 27
- Aritake, K. See *Kado, Uodome, Okano, Okazaki, Matsumura, Urade, and Inoue*, 447
- Ariumi, Y. See *Osugi, Suzuki, Nomura, Shibata, and Maki*, 657
- Asanuma, H. See *Yuasa, Ogawa, Koizumi, Tsukamoto, Matsumoto-Takasaki, Nakada, and Fujita-Yamaguchi*, 371
- Banno, Y. See *Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Mizutani, Takagi, Kojima, Sobue, Ichihara, Suzuki, Tamiya-Koizumi, Nakamura, Nozawa, and Murate*, 599
- . See *Tanaka, Tamiya-Koizumi, Hagiwara, Ito, Takagi, Kojima, Suzuki, Iwaki, Fujii, Nakamura, Kannagi, Tsurumi, Kyogashima, and Murate*, 611
- Barker, A., Epis, M.R., Porter, C.J., Hopkins, B.R., Wilce, M.C.J., Wilce, J.A., Giles, K.M., and Leedman, P.J. Sequence requirements for RNA binding by HuR and AUFI, 423
- Bekier II, M.E. See *Date, Dreier, Borton, and Taylor*, 361
- Bellini, T., Trentini, A., Manfrinato, M.C., Tamborino, C., Volta, C.A., Di Foggia, V., Fainardi, E., Dalloccchio, F., and Castellazzi, M. Matrix metalloproteinase-9 activity detected in body fluids is the result of two different enzyme forms, 493
- Borton, M.T. See *Date, Dreier, Bekier II, and Taylor*, 361
- Castellazzi, M. See *Bellini, Trentini, Manfrinato, Tamborino, Volta, Di Foggia, Fainardi, and Dalloccchio*, 493
- Chiba, T. See *Tojo, Takebe, Takahashi, Tanaka, Imamura, and Miyazono*, 621
- Chino, M. See *Sugiyama, Tsurimoto, Nozaki, and Ishimi*, 129
- Cho, K.-H. See *Park, Park, Jang, Hwang, Kim, Kim, and Lee*, 291
- Costa, T. See *Liu, Matsushima, Nakamura, Nose, and Shimohigashi*, 403
- Dallocchio, F. See *Bellini, Trentini, Manfrinato, Tamborino, Volta, Di Foggia, Fainardi, and Castellazzi*, 493
- Date, D., Dreier, M.R., Borton, M.T., Bekier II, M.E., and Taylor, W.R. Effects of phosphatase and proteasome inhibitors on Borealin phosphorylation and degradation, 361
- Di Foggia, V. See *Bellini, Trentini, Manfrinato, Tamborino, Volta, Fainardi, Dalloccchio, and Castellazzi*, 493
- Dohmae, N. See *Hirano, Suzuki, Matsumoto, Ishihara, Takaki, Kono, and Tsuji*, 197
- Dreier, M.R. See *Date, Borton, Bekier II, and Taylor*, 361
- Duvet, S. See *Mehdy, Morelle, Rosnoblet, Legrand, Lefebvre, and Foulquier*, 439
- Endo, H., Ikeda, K., Urano, T., Horie-Inoue, K., and Inoue, S. Terf/TRIM17 stimulates degradation of kinetochore protein ZWINT and regulates cell proliferation, 139
- Epis, M.R. See *Barker, Porter, Hopkins, Wilce, Wilce, Giles, and Leedman*, 423
- Fainardi, E. See *Bellini, Trentini, Manfrinato, Tamborino, Volta, Di Foggia, Dalloccchio, and Castellazzi*, 493
- Foulquier, F. See *Mehdy, Morelle, Rosnoblet, Legrand, Lefebvre, and Duvet*, 439
- Fujii, I. See *Kitagawa, Gouda, Kirii, Sugiyama, Ishihama, Narumi, Akita, and Yokota*, 47
- Fujii, S. See *Tanaka, Tamiya-Koizumi, Hagiwara, Ito, Takagi, Kojima, Suzuki, Iwaki, Nakamura, Banno, Kannagi, Tsurumi, Kyogashima, and Murate*, 611
- Fujita-Yamaguchi, Y. See *Matsumoto-Takasaki, Hanashima, Aoki, Yuasa, Ogawa, Sato, Kawakami, Mizuno, Nakada, and Yamaguchi*, 273
- . See *Yuasa, Ogawa, Koizumi, Tsukamoto, Matsumoto-Takasaki, Asanuma, and Nakada*, 371
- Fujiwara, K. See *Ohtomo, and Ikeguchi*, 329
- Fukuda, M. See *Ohbayashi*, 343
- Fukui, Y. See *Tokuda, Kawai, Lee, Ikegami, Yamaguchi, Yagisawa, and Tuzi*, 391
- Funato, Y. See *Miki*, 255
- Furukawa, Keiko. See *Furukawa, Ohkawa, Yamauchi, Hamamura, and Ohmi*, 573
- Furukawa, Koichi., Ohkawa, Y., Yamauchi, Y., Hamamura, K., Ohmi, Y., and Furukawa, K. Fine tuning of cell signals by glycosylation, 573
- Giles, K.M. See *Barker, Epis, Porter, Hopkins, Wilce, Wilce, and Leedman*, 423
- Gotoh, A. See *Hidaka, Koga, Sanada, Hirose, and Uchida*, 593
- Gouda, M. See *Kitagawa, Kirii, Sugiyama, Ishihama, Fujii, Narumi, Akita, and Yokota*, 47
- Hagiwara, H. See *Ohno, Hashimoto, Mitsui, and Nishimura*, 109
- Hagiwara, K. See *Ito, Tanaka, Kobayashi, Hoshikawa, Mizutani, Takagi, Kojima, Sobue, Ichihara, Suzuki, Tamiya-Koizumi, Ito, Takagi, Kojima, Suzuki, Iwaki, Fujii, Nakamura, Banno, Kannagi, Tsurumi, Kyogashima, and Murate*, 599
- Hirano, A. See *Ariki, Arakawa, and Shiraki*, 27
- Hirano, Y., Suzuki, T., Matsumoto, T., Ishihara, Y., Takaki, Y., Kono, M., Dohmae, N., and Tsuji, S. Disulphide linkage in mouse ST6Gal-I: determination of linkage positions and mutant analysis, 197
- Hirose, K. See *Hidaka, Koga, Gotoh, Sanada, and Uchida*, 593

Index to Authors

- Hongo, K., Itai, H., Mizobata, T., and Kawata, Y. Varied effects of *Pyrococcus furiosus* prefoldin and *P. furiosus* chaperonin on the refolding reactions of substrate proteins, 383
- Hopkins, B.R. See Barker, Epis, Porter, Wilce, Wilce, Giles, and Leedman, 423
- Horie-Inoue, K. See Endo, Ikeda, Urano, and Inoue, 139
- Hoshikawa, A. See Ito, Tanaka, Hagiwara, Kobayashi, Mizutani, Takagi, Kojima, Sobue, Ichihara, Suzuki, Tamiya-Koizumi, Nakamura, Banno, Nozawa, and Murate, 599
- Hwang, I.-K. See Park, Park, Jang, Kim, Kim, Cho, and Lee, 291
- Ichihara, M. See Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Mizutani, Takagi, Kojima, Sobue, Suzuki, Tamiya-Koizumi, Nakamura, Banno, Nozawa, and Murate, 599
- Igarashi, K. See Hashimoto, Okudaira, Hama, Yamomi, and Aoki, 89
- Igarashi, T. See Mihira, Suzuki, Akatsu, Yoshimatsu, Miyazono, and Watabe, 145
- Iida, T. See Miyamoto, Noda, Yamaguchi, Nishimura, Tanaka, Segawa, and Inui, 335
- Ikeda, K. See Endo, Urano, Horie-Inoue, and Inoue, 139
- Ikegami, T. See Tokuda, Kawai, Lee, Yamaguchi, Yagisawa, Fukui, and Tuzi, 391
- . See Sakakibara, Kimura, Iwamura, Saitoh, Kurisu, and Hase, 483
- Ikeguchi, M. See Ohtomo, and Fujiwara, 329
- Ikubo, M. See Kitamura, Makide, Shuto, Inoue, Suzuki, Sato, Nakamura, Otani, Ohwada, and Aoki, 511
- Imamura, T. See Tojo, Takebe, Takahashi, Tanaka, Miyazono, and Chiba, 621
- Imaoka, S. See Hashimoto, Shiromoto, and Okada, 35
- Inai, Y. See Takagi, Watanabe, Tatemoto, Yajima, Akasaka, Yamamoto, and Sakamoto, 75
- Inaoka, D.K. See Shimizu, Osanai, Sakamoto, Shiba, Harada, and Kita, 589
- Inoue, A. See Kitamura, Makide, Shuto, Ikubo, Suzuki, Sato, Nakamura, Otani, Ohwada, and Aoki, 511
- Inoue, S. See Endo, Ikeda, Urano, and Horie-Inoue, 139
- Inoue, T. See Kado, Aritake, Uodome, Okano, Okazaki, Matsumura, and Urade, 447
- Inouye, K. See Morishima, and Yasukawa, 501
- . See Samukange, and Yasukawa, 533
- Inui, T. See Miyamoto, Noda, Iida, Yamaguchi, Nishimura, Tanaka, and Segawa, 335
- Ishihama, Y. See Kitagawa, Gouda, Kirii, Sugiyama, Fujii, Narumi, Akita, and Yokota, 47
- Ishihara, Y. See Hirano, Suzuki, Matsumoto, Takaki, Kono, Dohmae, and Tsuji, 197
- Ishimi, Y. See Sugiyama, Chino, Tsurimoto, and Nozaki, 129
- Ishino, S. See Yang, Yamagami, Kumamaru, Satoh, and Ishino, 317
- Ishino, Y. See Yang, Ishino, Yamagami, Kumamaru, and Satoh, 317
- Itai, H. See Hongo, Mizobata, and Kawata, 383
- Ito, H., Tanaka, K., Hagiwara, K., Kobayashi, M., Hoshikawa, A., Mizutani, N., Takagi, A., Kojima, T., Sobue, S., Ichihara, M., Suzuki, M., Tamiya-Koizumi, K., Nakamura, M., Banno, Y., Nozawa, Y., and Murate, T. Transcriptional regulation of neutral sphingomyelinase 2 in all-trans retinoic acid-treated human breast cancer cell line, MCF-7, 599
- . See Tanaka, Tamiya-Koizumi, Hagiwara, Takagi, Kojima, Suzuki, Iwaki, Fujii, Nakamura, Banno, Kannagi, Tsurumi, Kyogashima, and Murate, 611
- Itoh, A. See Saito, and Suzuki, 633
- Itoh, F. See Itoh, 559
- Itoh, S., and Itoh, F. Implication of TGF- β as a survival factor during tumour development, 559
- Iwaki, S. See Tanaka, Tamiya-Koizumi, Hagiwara, Ito, Takagi, Kojima, Suzuki, Fujii, Nakamura, Banno, Kannagi, Tsurumi, Kyogashima, and Murate, 611
- Iwamura, A. See Sakakibara, Kimura, Saitoh, Ikegami, Kurisu, and Hase, 483
- Itaya, C. See Kawata, Koinuma, Ogami, Umezawa, Watabe, and Miyazono, 205
- Itaya, J.-i. See Okamoto, Okamoto, Kawakubo, Yasuda, Tsukuba, and Yamamoto, 263
- Jang, S.-J. See Yoshizaki, Ohtani, Motomura, Mori, Kitamoto, Yoshida, Suzuki, and Wakamiya, 57
- Jang, W. See Park, Park, Hwang, Kim, Kim, Cho, and Lee, 291
- Jiang, Z., Hama, Y., Yamaguchi, K., and Oda, T. Inhibitory effect of sulphated polysaccharide porphyrin on nitric oxide production in lipopolysaccharide-stimulated RAW264.7 macrophages, 65
- Kado, Y., Aritake, K., Uodome, N., Okano, Y., Okazaki, N., Matsumura, H., Urade, Y., and Inoue, T. Human hematopoietic prostaglandin D₂ synthase inhibitor complex structures, 447
- Kangawa, K. See Sato, Nakamura, Shiromura, Ohgusu, and Kojima, 119
- Kannagi, R. See Tanaka, Tamiya-Koizumi, Hagiwara, Ito, Takagi, Kojima, Suzuki, Iwaki, Fujii, Nakamura, Banno, Tsurumi, Kyogashima, and Murate, 611
- Kataoka, H. See Kato, Hashimoto, Shimomura, Ohi, and Kitamura, 179
- Kato, M., Hashimoto, T., Shimomura, T., Kataoka, H., Ohi, H., and Kitamura, N. Hepatocyte growth factor activator inhibitor type 1 inhibits protease activity and proteolytic activation of human airway trypsin-like protease, 179
- Kawai, K. See Tokuda, Lee, Ikegami, Yamaguchi, Yagisawa, Fukui, and Tuzi, 391
- Kawakami, H. See Matsumoto-Takasaki, Hanashima, Aoki, Yuasa, Ogawa, Sato, Mizuno, Nakada, Yamaguchi, and Fujita-Yamaguchi, 273
- Kawakubo, T. See Okamoto, Okamoto, Iwata, Yasuda, Tsukuba, and Yamamoto, 263
- Kawano, Y. See Murakawa, Hayashi, Taki, Yamamoto, Tanizawa, and Okajima, 167
- Kawata, M., Koinuma, D., Ogami, T., Umezawa, K., Iwata, C., Watabe, T., and Miyazono, K. TGF- β -induced epithelial-mesenchymal transition of A549 lung adenocarcinoma cells is enhanced by pro-inflammatory cytokines derived from RAW 264.7 macrophage cells, 205
- Kawata, Y. See Hongo, Itai, and Mizobata, 383
- Kim, H.-J. See Park, Park, Jang, Hwang, Kim, Cho, and Lee, 291
- Kim, I.J. See Park, Park, Jang, Hwang, Kim, Cho, and Lee, 291
- Kimura, H. See Sakakibara, Iwamura, Saitoh, Ikegami, Kurisu, and Hase, 483
- Kinoshita, T. See Matsumoto, Matsuzaka, Nakai, Kirii, Yokota, and Tada, 541
- Kirii, Y. See Kitagawa, Gouda, Sugiyama, Ishihama, Fujii, Narumi, Akita, and Yokota, 47
- . See Matsumoto, Kinoshita, Matsuzaka, Nakai, Yokota, and Tada, 541
- Kita, K. See Shimizu, Osanai, Sakamoto, Inaoka, Shiba, and Harada, 589
- Kitagawa, D., Gouda, M., Kirii, Y., Sugiyama, N., Ishihama, Y., Fujii, I., Narumi, Y., Akita, K., and Yokota, K. Characterization of kinase inhibitors using different phosphorylation states of colony stimulating factor-1 receptor tyrosine kinase, 47
- Kitamoto, N. See Yoshizaki, Ohtani, Motomura, Jang, Mori, Yoshida, Suzuki, and Wakamiya, 57
- Kitamura, F. See Hata, Ueno, and Sorimachi, 417
- Kitamura, H., Makide, K., Shuto, A., Ikubo, M., Inoue, A., Suzuki, K., Sato, Y., Nakamura, S., Otani, Y., Ohwada, T., and Aoki, J. GPR34 is a receptor for lysophosphatidylserine with a fatty acid at the sn-2 position, 511
- Kitamura, N. See Kato, Hashimoto, Shimomura, Kataoka, and Ohi, 179
- Kobayashi, M. See Ito, Tanaka, Hagiwara, Hoshikawa, Mizutani, Takagi, Kojima, Sobue, Ichihara, Suzuki, Tamiya-Koizumi, Nakamura, Banno, Nozawa, and Murate, 599
- Kobayashi, T. See Takaesu, and Yoshimura, 157
- Koga, T. See Hidaka, Gotoh, Sanada, Hirose, and Uchida, 593
- Koinuma, D. See Kawata, Ogami, Umezawa, Itaya, Watabe, and Miyazono, 205
- Koizumi, T. See Yuasa, Ogawa, Tsukamoto, Matsumoto-Takasaki, Asanuma, Nakada, and Fujita-Yamaguchi, 371
- Kojima, M. See Sato, Nakamura, Shiromura, Ohgusu, and Kangawa, 119
- Kojima, T. See Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Mizutani, Takagi, Sobue, Ichihara, Suzuki, Tamiya-Koizumi, Nakamura, Banno, Nozawa, and Murate, 599
- . See Tanaka, Tamiya-Koizumi, Hagiwara, Ito, Takagi, Suzuki, Iwaki, Fujii, Nakamura, Banno, Kannagi, Tsurumi, Kyogashima, and Murate, 611

- Kono, M. See *Hirano, Suzuki, Matsumoto, Ishihara, Takaki, Dohmae, and Tsuji*, 197
- Kotani, S. See *Matsushima, Tokuraku, and Hasan*, 99
- Kumamaru, T. See *Yang, Ishino, Yamagami, Satoh, and Ishino*, 317
- Kurisu, G. See *Sakakibara, Kimura, Iwamura, Saitoh, Ikegami, and Hase*, 483
- Kuroda, K. See *Hara, Ono, and Ueda*, 551
- Kyogashima, M. See *Tanaka, Tamiya-Koizumi, Hagiwara, Ito, Takagi, Kojima, Suzuki, Iwaki, Fujii, Nakamura, Banno, Kannagi, Tsurumi, and Murate*, 611
- Lee, S.-T. See *Park, Park, Jang, Hwang, Kim, Kim, and Cho*, 291
- Lee, Y.-H. See *Tokuda, Kawai, Ikegami, Yamaguchi, Yagisawa, Fukui, and Tuzi*, 391
- Leedman, P.J. See *Barker, Epis, Porter, Hopkins, Wilce, Wilce, and Giles*, 423
- Lefebvre, T. See *Mehdy, Morelle, Rosnoblet, Legrand, Duvet, and Foulquier*, 439
- Legrand, D. See *Mehdy, Morelle, Rosnoblet, Lefebvre, Duvet, and Foulquier*, 439
- Liu, X., Matsushima, A., Nakamura, M., Costa, T., Nose, T., and Shimohigashi, Y. Fine spatial assembly for construction of the phenol-binding pocket to capture bisphenol A in the human nuclear receptor estrogen-related receptor γ , 403
- Maki, M. See *Osugi, Suzuki, Nomura, Ariumi, and Shibata*, 657
- Makide, K. See *Kitamura, Shuto, Ikubo, Inoue, Suzuki, Sato, Nakamura, Otani, Ohwada, and Aoki*, 511
- Manfrinato, M.C. See *Bellini, Trentini, Tamborino, Volta, Di Foglia, Fainardi, Dalocchio, and Castellazzi*, 493
- Masutani, M. The pioneering spirit of Takashi Sugimura: his studies of the biochemistry of poly(ADP-ribosylation) and of cancer, 221
- Matsubara, T. See *Nishimura, Hata, Wakabayashi, and Yoneda*, 247
- Matsumoto-Takasaki, A., Hanashima, S., Aoki, A., Yuasa, N., Ogawa, H., Sato, R., Kawakami, H., Mizuno, M., Nakada, H., Yamaguchi, Y., and Fujita-Yamaguchi, Y. Surface plasmon resonance and NMR analyses of anti Tn-antigen MLS128 monoclonal antibody binding to two or three consecutive Tn-antigen clusters, 273
- . See *Yuasa, Ogawa, Koizumi, Tsukamoto, Asanuma, Nakada, and Fujita-Yamaguchi*, 371
- Matsumoto, M. See *Oshiumi, and Seya*, 5
- Matsumoto, Takashi., Kinoshita, T., Matsuzaka, H., Nakai, R., Kirii, Y., Yokota, K., and Tada, T. Crystal structure of non-phosphorylated MAP2K6 in a putative auto-inhibition state, 541
- Matsumoto, Takumi. See *Hirano, Suzuki, Ishihara, Takaki, Kono, Dohmae, and Tsuji*, 197
- Matsumura, H. See *Kado, Aritake, Uodome, Okano, Okazaki, Urade, and Inoue*, 447
- Matsushima, A. See *Liu, Nakamura, Costa, Nose, and Shimohigashi*, 403
- Matsushima, K., Tokuraku, K., Hasan, M.R., and Kotani, S. Microtubule-associated protein 4 binds to actin filaments and modulates their properties, 99
- Matsuzaka, H. See *Matsumoto, Kinoshita, Nakai, Kirii, Yokota, and Tada*, 541
- Mehdy, A., Morelle, W., Rosnoblet, C., Legrand, D., Lefebvre, T., Duvet, S., and Foulquier, F. PUGNAc treatment leads to an unusual accumulation of free oligosaccharides in CHO cells, 439
- Mihira, H., Suzuki, H.I., Akatsu, Y., Yoshimatsu, Y., Igarashi, T., Miyazono, K., and Watabe, T. TGF- β -induced mesenchymal transition of MS-1 endothelial cells requires Smad-dependent cooperative activation of Rho signals and MRTF-A, 145
- Miki, H., and Funato, Y. Regulation of intracellular signalling through cysteine oxidation by reactive oxygen species, 255
- Mitaku, S. See *Sawada*, 189
- Mitsui, K. See *Ohno, Hashimoto, Nishimura, and Hagiwara*, 109
- Miyamoto, Y., Noda, Y., Iida, T., Yamaguchi, K., Nishimura, S., Tanaka, A., Segawa, S.-i., and Inui, T. NMR and CD analysis of an intermediate state in the thermal unfolding process of mouse lipocalin-type prostaglandin D synthase, 335
- Miyazawa, K. Phosphorylation in the activation loop as the finishing touch in c-Kit activation, 457
- . See *Saitoh*, 563
- Miyazono, K. Ectodomain shedding of HB-EGF: A potential target for cancer therapy, 1
- . See *Mihira, Suzuki, Akatsu, Yoshimatsu, Igarashi, and Watabe*, 145
- . See *Kawata, Koinuma, Ogami, Umezawa, Iwata, and Watabe*, 205
- . See *Tojo, Takebe, Takahashi, Tanaka, Imamura, and Chiba*, 621
- Mizobata, T. See *Hongo, Itai, and Kawata*, 383
- Mizuno, M. See *Matsumoto-Takasaki, Hanashima, Aoki, Yuasa, Ogawa, Sato, Kawakami, Nakada, Yamaguchi, and Fujita-Yamaguchi*, 273
- Mizutani, N. See *Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Takagi, Kojima, Sobue, Ichihara, Suzuki, Tamiya-Koizumi, Nakamura, Banno, Nozawa, and Murate*, 599
- Morelle, W. See *Mehdy, Rosnoblet, Legrand, Lefebvre, Duvet, and Foulquier*, 439
- Mori, K.-i. See *Yoshizaki, Ohtani, Motomura, Jang, Kitamoto, Yoshida, Suzuki, and Wakamiya*, 57
- Morishima, A., Yasukawa, K., and Inouye, K. A possibility of a protein-bound water molecule as the ionizable group responsible for pK_a at the alkaline side in human matrix metalloproteinase 7 activity, 501
- Motomura, W. See *Yoshizaki, Ohtani, Jang, Mori, Kitamoto, Yoshida, Suzuki, and Wakamiya*, 57
- Murakawa, T., Hayashi, H., Taki, M., Yamamoto, Y., Kawano, Y., Tanizawa, K., and Okajima, T. Structural insights into the substrate specificity of bacterial copper amine oxidase obtained by using irreversible inhibitors, 167
- Murate, T. See *Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Mizutani, Takagi, Kojima, Sobue, Ichihara, Suzuki, Tamiya-Koizumi, Nakamura, Banno, and Nozawa*, 599
- . See *Tanaka, Tamiya-Koizumi, Hagiwara, Ito, Takagi, Kojima, Suzuki, Iwaki, Fujii, Nakamura, Banno, Kannagi, Tsurumi, and Kyogashima*, 611
- Nakada, H. See *Matsumoto-Takasaki, Hanashima, Aoki, Yuasa, Ogawa, Sato, Kawakami, Mizuno, Yamaguchi, and Fujita-Yamaguchi*, 273
- . See *Yuasa, Ogawa, Koizumi, Tsukamoto, Matsumoto-Takasaki, Asanuma, and Fujita-Yamaguchi*, 371
- . Ikuo Yamashina: a pioneer who established the basis of current glycobiology, 461
- Nakai, R. See *Matsumoto, Kinoshita, Matsuzaka, Kirii, Yokota, and Tada*, 541
- Nakajima, K. See *Okada, and Yaoita*, 519
- Nakamura, M. See *Liu, Matsushima, Costa, Nose, and Shimohigashi*, 403
- Nakamura, M. See *Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Mizutani, Takagi, Kojima, Sobue, Ichihara, Suzuki, Tamiya-Koizumi, Banno, Nozawa, and Murate*, 599
- . See *Tanaka, Tamiya-Koizumi, Hagiwara, Ito, Takagi, Kojima, Suzuki, Iwaki, Fujii, Banno, Kannagi, Tsurumi, Kyogashima, and Murate*, 611
- Nakamura, S. See *Kitamura, Makide, Shuto, Ikubo, Inoue, Suzuki, Sato, Otani, Ohwada, and Aoki*, 511
- Nakamura, Y. See *Sato, Shiimura, Ohgusu, Kangawa, and Kojima*, 119
- Narumi, Y. See *Kitagawa, Gouda, Kirii, Sugiyama, Ishihama, Fujii, Akita, and Yokota*, 47
- Nishimura, H. See *Ohno, Hashimoto, Mitsui, and Hagiwara*, 109
- Nishimura, R., Hata, K., Matsubara, T., Wakabayashi, M., and Yoneda, T. Regulation of bone and cartilage development by network between BMP signalling and transcription factors, 247
- Nishimura, S. See *Miyamoto, Noda, Iida, Yamaguchi, Tanaka, Segawa, and Inui*, 335
- Nishitoh, H. CHOP is a multifunctional transcription factor in the ER stress response, 217
- Noda, Y. See *Miyamoto, Iida, Yamaguchi, Nishimura, Tanaka, Segawa, and Inui*, 335
- Nomura, T. See *Osugi, Suzuki, Ariumi, Shibata, and Maki*, 657
- Nose, T. See *Liu, Matsushima, Nakamura, Costa, and Shimohigashi*, 403
- Nozaki, N. See *Sugiyama, Chino, Tsurimoto, and Ishimi*, 129
- Nozawa, Y. See *Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Mizutani*

Index to Authors

- Takagi, Kojima, Sobue, Ichihara, Suzuki, Tamiya-Koizumi, Nakamura, Banno, and Murate, 599
- Oda, K. New families of carboxyl peptidases: serine-carboxyl peptidases and glutamic peptidases, 13
- Oda, T. See Jiang, Hama, and Yamaguchi, 65
- Ogami, T. See Kawata, Koinuma, Umezawa, Iwata, Watabe, and Miyazono, 205
- Ogawa, H. See Matsumoto-Takasaki, Hanashima, Aoki, Yuasa, Sato, Kawakami, Mizuno, Nakada, Yamaguchi, and Fujita-Yamaguchi, 273
- . See Yuasa, Koizumi, Tsukamoto, Matsumoto-Takasaki, Asanuma, Nakada, and Fujita-Yamaguchi, 371
- Ogura, M., and Tsukahara, K. SwrA regulates assembly of *Bacillus subtilis* DegU via its interaction with N-terminal domain of DegU, 643
- Ohbayashi, N., and Fukuda, M. Role of Rab family GTPases and their effectors in melanosomal logistics, 343
- Ohgusu, H. See Sato, Nakamura, Shiimura, Kangawa, and Kojima, 119
- Ohi, H. See Kato, Hashimoto, Shimomura, Kataoka, and Kitamura, 179
- Ohkawa, Y. See Furukawa, Yamauchi, Hamamura, Ohmi, and Furukawa, 573
- Ohmi, Y. See Furukawa, Ohkawa, Yamauchi, Hamamura, and Furukawa, 573
- Ohno, T., Hashimoto, N., Mitsui, K., Nishimura, H., and Hagiwara, H. Iron overload inhibits calcification and differentiation of ATDC5 cells, 109
- Ohtani, K. See Yoshizaki, Motomura, Jang, Mori, Kitamoto, Yoshida, Suzuki, and Wakamiya, 57
- Ohtomo, H., Fujiwara, K., and Ikeguchi, M. Important role of methionine 145 in dimerization of bovine β -lactoglobulin, 329
- Ohwada, T. See Kitamura, Makide, Shuto, Ikubo, Inoue, Suzuki, Sato, Nakamura, Otani, and Aoki, 511
- Okada, K. See Hashimoto, Shiomoto, and Imaoka, 35
- Okada, M., Nakajima, K., and Yaoita, Y. Translational regulation by the 5'-UTR of thyroid hormone receptor α mRNA, 519
- Okajima, T. See Murakawa, Hayashi, Taki, Yamamoto, Kawano, and Tanizawa, 167
- Okamoto, K., Okamoto, Y., Kawakubo, T., Iwata, J.-i., Yasuda, Y., Tsukuba, T., and Yamamoto, K. Role of the transcription factor Sp1 in regulating the expression of the murine cathepsin E gene, 263
- Okamoto, Y. See Okamoto, Kawakubo, Iwata, Yasuda, Tsukuba, and Yamamoto, 263
- Okano, Y. See Kado, Aritake, Uodome, Okazaki, Matsumura, Urade, and Inoue, 447
- Okazaki, N. See Kado, Aritake, Uodome, Okano, Matsumura, Urade, and Inoue, 447
- Okudaira, S. See Hashimoto, Igashira, Hama, Yatomi, and Aoki, 89
- Ono, T. See Hara, Kuroda, and Ueda, 551
- Osanai, A. See Shimizu, Sakamoto, Inaoka, Shiba, Harada, and Kita, 589
- Oshiumi, H., Matsumoto, M., and Seya, T. Ubiquitin-mediated modulation of the cytoplasmic viral RNA sensor RIG-I, 5
- Osugi, K., Suzuki, H., Nomura, T., Ariumi, Y., Shibata, H., and Maki, M. Identification of the P-body component PATL1 as a novel ALG-2-interacting protein by *in silico* and far-Western screening of proline-rich proteins, 657
- Otani, Y. See Kitamura, Makide, Shuto, Ikubo, Inoue, Suzuki, Sato, Nakamura, Ohwada, and Aoki, 511
- Park, J.H. See Park, Jang, Hwang, Kim, Kim, Cho, and Lee, 291
- Park, J.Y., Park, J.H., Jang, W., Hwang, I.-K., Kim, I.J., Kim, H.-J., Cho, K.-H., and Lee, S.-T. Apolipoprotein A-IV is a novel substrate for matrix metalloproteinases, 291
- Porter, C.J. See Barker, Epis, Hopkins, Wilce, Wilce, Giles, and Leedman, 423
- Prudnikov, I.M., and Smirnov, A.N. Short peptide tools for monitoring caspase and proteasome activities in embryonal and adult rat brain lysates: an approach for the differential identification of proteases, 299
- Rosnoblet, C. See Mehdy, Morelle, Legrand, Lefebvre, Duvet, and Foulquier, 439
- Ryu, S.E. Structural mechanism of disulphide bond-mediated redox switches, 579
- Saito, M., Itoh, A., and Suzuki, H. Deuterium kinetic isotope effects in heterotetrameric sarcosine oxidase from *Corynebacterium* sp. U-96: the anionic form of the substrate in the enzyme–substrate complex is a reactive species, 633
- Saitoh, M., and Miyazawa, K. Transcriptional and Post-transcriptional Regulation in TGF- β -mediated epithelial-mesenchymal transition, 563
- Saitoh, T. See Sakakibara, Kimura, Iwamura, Ikegami, Kurisu, and Hase, 483
- Sakakibara, Y., Kimura, H., Iwamura, A., Saitoh, T., Ikegami, T., Kurisu, G., and Hase, T. A new structural insight into differential interaction of cyanobacterial and plant ferredoxins with nitrite reductase as revealed by NMR and X-ray crystallographic studies, 483
- Sakamoto, K. See Shimizu, Osanai, Inaoka, Shiba, Harada, and Kita, 589
- Sakamoto, N. See Takagi, Inai, Watanabe, Tatemoto, Yajima, Akasaka, and Yamamoto, 75
- Samukange, V., Yasukawa, K., and Inouye, K. Interaction of 8-anilinonaphthalene 1-sulfphonate (ANS) and human matrix metalloproteinase 7 (MMP-7) as examined by MMP-7 activity and ANS fluorescence, 533
- Sanada, M. See Hidaka, Koga, Gotoh, Hirose, and Uchida, 593
- Sato, R. See Matsumoto-Takasaki, Hanashima, Aoki, Yuasa, Ogawa, Kawakami, Mizuno, Nakada, Yamaguchi, and Fujita-Yamaguchi, 273
- Sato, T., Nakamura, Y., Shiimura, Y., Ohgusu, H., Kangawa, K., and Kojima, M. Structure, regulation and function of ghrelin, 119
- Sato, Y. See Kitamura, Makide, Shuto, Ikubo, Inoue, Suzuki, Nakamura, Otani, Ohwada, and Aoki, 511
- Satoh, H. See Yang, Ishino, Yamagami, Kumamaru, and Ishino, 317
- Sawada, R., and Mitaku, S. Biological meaning of DNA compositional biases evaluated by ratio of membrane proteins, 189
- Segawa, S.-i. See Miyamoto, Noda, Iida, Yamaguchi, Nishimura, Tanaka, and Inui, 335
- Seya, T. See Oshiumi, and Matsumoto, 5
- Shiba, T. See Shimizu, Osanai, Sakamoto, Inaoka, Harada, and Kita, 589
- Shibata, H. See Osugi, Suzuki, Nomura, Ariumi, and Maki, 657
- Shiimura, Y. See Sato, Nakamura, Ohgusu, Kangawa, and Kojima, 119
- Shimizu, H., Osanai, A., Sakamoto, K., Inaoka, D.K., Shiba, T., Harada, S., and Kita, K. Crystal structure of mitochondrial quinol-fumarate reductase from the parasitic nematode *Ascaris suum*, 589
- Shimohigashi, Y. See Liu, Matsushima, Nakamura, Costa, and Nose, 403
- Shimomura, T. See Kato, Hashimoto, Kataoka, Ohi, and Kitamura, 179
- Shiomoto, K. See Hashimoto, Okada, and Imaoka, 35
- Shiraki, K. See Ariki, Hirano, and Arakawa, 27
- Shuto, A. See Kitamura, Makide, Ikubo, Inoue, Suzuki, Sato, Nakamura, Otani, Ohwada, and Aoki, 511
- Smirnov, A.N. See Prudnikov, 299
- Sobue, S. See Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Mizutani, Takagi, Kojima, Ichihara, Suzuki, Tamiya-Koizumi, Nakamura, Banno, Nozawa, and Murate, 599
- Sorimachi, H. See Hata, Ueno, and Kitamura, 417
- Sugiyama, N. See Kitagawa, Gouda, Kirii, Ishihama, Fujii, Narumi, Akita, and Yokota, 47
- Sugiyama, T., Chino, M., Tsurimoto, T., Nozaki, N., and Ishimi, Y. Interaction of helquinomycin with single-stranded DNA inhibits MCM4/6/7 helicase, 129
- Suzuki, Haruo. See Saito, and Itoh, 633
- Suzuki, Hironori. See Osugi, Nomura, Ariumi, Shibata, and Maki, 657
- Suzuki, H.I. See Mihira, Akatsu, Yoshimatsu, Igashira, Miyazono, and Watabe, 145
- Suzuki, K. See Kitamura, Makide, Shuto, Ikubo, Inoue, Sato, Nakamura, Otani, Ohwada, and Aoki, 511
- Suzuki, M. See Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Mizutani, Takagi, Kojima, Sobue, Ichihara,

- Tamiya-Koizumi, Nakamura, Banno, Nozawa, and Murate, 599
—. See *Tanaka, Tamiya-Koizumi, Hagiwara, Ito, Takagi, Kojima, Iwaki, Fujii, Nakamura, Banno, Kannagi, Tsurumi, Kyogashima, and Murate*, 611
- Suzuki, T. See *Hirano, Matsumoto, Ishihara, Takaki, Kono, Dohmae, and Tsuji*, 197
- Suzuki, Y. See *Yoshizaki, Ohtani, Motomura, Jang, Mori, Kitamoto, Yoshida, and Wakamiya*, 57
- Tada, T. See *Matsumoto, Kinoshita, Matsuzaka, Nakai, Kirii, and Yokota*, 541
- Takaesu, G., Kobayashi, T., and Yoshimura, A. TGF β -activated kinase 1 (TAK1)-binding proteins (TAB) 2 and 3 negatively regulate autophagy, 157
- Takagi, A. See *Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Mizutani, Kojima, Sobue, Ichihara, Suzuki, Tamiya-Koizumi, Nakamura, Banno, Nozawa, and Murate*, 599
—. See *Tanaka, Tamiya-Koizumi, Hagiwara, Ito, Kojima, Suzuki, Iwaki, Fujii, Nakamura, Banno, Kannagi, Tsurumi, Kyogashima, and Murate*, 611
- Takagi, H., Inai, Y., Watanabe, S.-i., Tatemoto, S., Yajima, M., Akasaka, K., Yamamoto, T., and Sakamoto, N. Nucleosome exclusion from the interspecies-conserved central AT-rich region of the *ars* insulator, 75
- Takahashi, S. See *Tojo, Takebe, Tanaka, Imamura, Miyazono, and Chiba*, 621
- Takaki, Y. See *Hirano, Suzuki, Matsumoto, Ishihara, Kono, Dohmae, and Tsuji*, 197
- Takebe, A. See *Tojo, Takahashi, Tanaka, Imamura, Miyazono, and Chiba*, 621
- Taketo, M.M. Roles of stromal microenvironment in colon cancer progression, 477
- Taki, M. See *Murakawa, Hayashi, Yamamoto, Kawano, Tanizawa, and Okajima*, 167
- Tamborino, C. See *Bellini, Trentini, Manfrinato, Volta, Di Foggia, Fainardi, Dallocchio, and Castellazzi*, 493
- Tamiya-Koizumi, K. See *Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Mizutani, Takagi, Kojima, Sobue, Ichihara, Suzuki, Nakamura, Banno, Nozawa, and Murate*, 599
—. See *Tanaka, Hagiwara, Ito, Takagi, Kojima, Suzuki, Iwaki, Fujii, Nakamura, Banno, Kannagi, Tsurumi, Kyogashima, and Murate*, 611
- Tanaka, A. See *Miyamoto, Noda, Iida, Yamaguchi, Nishimura, Segawa, and Inui*, 335
- Tanaka, Keiji. See *Tojo, Takebe, Takahashi, Imamura, Miyazono, and Chiba*, 621
- Tanaka, Kouji. See *Ito, Hagiwara, Kobayashi, Hoshikawa, Mizutani, Takagi, Kojima, Sobue, Ichihara, Suzuki, Tamiya-Koizumi, Nakamura, Banno, Nozawa, and Murate*, 599
—, Tamiya-Koizumi, K., Hagiwara, K., Ito, H., Takagi, A., Kojima, T., Suzuki, M., Iwaki, S., Fujii, S., Nakamura, M., Banno, Y., Kannagi, R., Tsurumi, T., Kyogashima, M., and Murate, T. Role of down-regulated neutral ceramidase during all-trans retinoic acid-induced neuronal differentiation in SH-SY5Y neuroblastoma cells, 611
- Tanegashima, K. See *Hara*, 469
- Tang, W. See *Wang, Zhang, and Wei*, 283
- Tanizawa, K. See *Murakawa, Hayashi, Taki, Yamamoto, Kawano, and Okajima*, 167
- Tatemoto, S. See *Takagi, Inai, Watanabe, Yajima, Akasaka, Yamamoto, and Sakamoto*, 75
- Taylor, W.R. See *Date, Dreier, Borton, and Bekier II*, 361
- Tezuka, T. See *Yamanashi, and Yokoyama*, 353
- Tojo, M., Takebe, A., Takahashi, S., Tanaka, K., Imamura, T., Miyazono, K., and Chiba, T. *Smad7*-deficient mice show growth retardation with reduced viability, 621
- Tokuda, N., Kawai, K., Lee, Y.-H., Ikegami, T., Yamaguchi, S., Yagisawa, H., Fukui, Y., and Tuzi, S. Membrane-induced alteration of the secondary structure in the SWAP-70 and pleckstrin homology domain, 391
- Tokuraku, K. See *Matsushima, Hasan, and Kotani*, 99
- Trentini, A. See *Bellini, Manfrinato, Tamborino, Volta, Di Foggia, Fainardi, Dallocchio, and Castellazzi*, 493
- Tsuji, S. See *Hirano, Suzuki, Matsumoto, Ishihara, Takaki, Kono, and Dohmae*, 197
- Tsukada, Y.-i. Hydroxylation mediates chromatin demethylation, 229
- Tsukahara, K. See *Ogura*, 643
- Tsukamoto, K. See *Yuasa, Ogawa, Koizumi, Matsumoto-Takasaki, Asanuma, Nakada, and Fujita-Yamaguchi*, 371
- Tsukuba, T. See *Okamoto, Okamoto, Kawakubo, Iwata, Yasuda, and Yamamoto*, 263
- Tsurimoto, T. See *Sugiyama, Chino, Nozaki, and Ishimi*, 129
- Tsurumi, T. See *Tanaka, Tamiya-Koizumi, Hagiwara, Ito, Takagi, Kojima, Suzuki, Iwaki, Fujii, Nakamura, Banno, Kannagi, Kyogashima, and Murate*, 611
- Tuzi, S. See *Tokuda, Kawai, Lee, Ikegami, Yamaguchi, Yagisawa, and Fukui*, 391
- Uchida, T. See *Hidaka, Koga, Gotoh, Sanada, and Hirose*, 593
- Ueda, M. See *Hara, Ono, and Kuroda*, 551
- Ueno, M. See *Hata, Kitamura, and Sorimachi*, 417
- Umezawa, K. See *Kawata, Koinuma, Ogami, Iwata, Watabe, and Miyazono*, 205
- Uodome, N. See *Kado, Aritake, Okano, Okazaki, Matsumura, Urade, and Inoue*, 447
- Urade, Y. See *Kado, Aritake, Uodome, Okano, Okazaki, Matsumura, and Inoue*, 447
- Urano, T. See *Endo, Ikeda, Horie-Inoue, and Inoue*, 139
- Volta, C.A. See *Bellini, Trentini, Manfrinato, Tamborino, Di Foggia, Fainardi, Dallocchio, and Castellazzi*, 493
- Wakabayashi, M. See *Nishimura, Hata, Matsubara, and Yoneda*, 247
- Wakamiya, N. See *Yoshizaki, Ohtani, Motomura, Jang, Mori, Kitamoto, Yoshida, and Suzuki*, 57
- Wang, B.J., Tang, W., Zhang, P., and Wei, Q. Regulation of the catalytic domain of protein phosphatase 1 by the terminal region of protein phosphatase 2B, 283
- Watabe, T. See *Mihira, Suzuki, Akatsu, Yoshimatsu, Igarashi, and Miyazono*, 145
—. See *Kawata, Koinuma, Ogami, Umezawa, Iwata, and Miyazono*, 205
- Watanabe, S.-i. See *Takagi, Inai, Tatemoto, Yajima, Akasaka, Yamamoto, and Sakamoto*, 75
- Wei, Q. See *Wang, Tang, and Zhang*, 283
- Wilce, J.A. See *Barker, Epis, Porter, Hopkins, Wilce, Giles, and Leedman*, 423
- Wilce, M.C.J. See *Barker, Epis, Porter, Hopkins, Wilce, Giles, and Leedman*, 423
- Yagisawa, H. See *Tokuda, Kawai, Lee, Ikegami, Yamaguchi, Fukui, and Tuzi*, 391
- Yajima, M. See *Takagi, Inai, Watanabe, Tatemoto, Akasaka, Yamamoto, and Sakamoto*, 75
- Yamagami, T. See *Yang, Ishino, Kumamaru, Satoh, and Ishino*, 317
- Yamaguchi, K. See *Miyamoto, Noda, Iida, Nishimura, Tanaka, Segawa, and Inui*, 335
- Yamaguchi, K. See *Jiang, Hama, and Oda*, 65
- Yamaguchi, S. See *Tokuda, Kawai, Lee, Ikegami, Yagisawa, Fukui, and Tuzi*, 391
- Yamaguchi, Y. See *Matsumoto-Takasaki, Hanashima, Aoki, Yuasa, Ogawa, Sato, Kawakami, Mizuno, Nakada, and Fujita-Yamaguchi*, 273
- Yamamoto, K. See *Okamoto, Okamoto, Kawakubo, Iwata, Yasuda, and Tsukuba*, 263
- Yamamoto, T. See *Takagi, Inai, Watanabe, Tatemoto, Yajima, Akasaka, and Sakamoto*, 75
- Yamamoto, Y. See *Murakawa, Hayashi, Taki, Kawano, Tanizawa, and Okajima*, 167
- Yamanashi, Y., Tezuka, T., and Yokoyama, K. Activation of receptor protein-tyrosine kinases from the cytoplasmic compartment, 353
- Yamauchi, Y. See *Furukawa, Ohkawa, Hamamura, Ohmi, and Furukawa*, 573
- Yang, Y., Ishino, S., Yamagami, T., Kumamaru, T., Satoh, H., and Ishino, Y. The OsGEN-L protein from *Oryza sativa* possesses Holliday junction resolvase activity as well as 5'-flap endonuclease activity, 317
- Yaoita, Y. See *Okada, and Nakajima*, 519
- Yasuda, Y. See *Okamoto, Okamoto, Kawakubo, Iwata, Tsukuba, and Yamamoto*, 263
- Yasukawa, K. See *Morishima, and Inouye*, 501
—. See *Samukange, and Inouye*, 533

Index to Authors

- Yatomi, Y. See *Hashimoto, Okudaira, Igarashi, Hama, and Aoki*, 89
- Yokota, K. See *Kitagawa, Gouda, Kirii, Sugiyama, Ishihama, Fujii, Narumi, and Akita*, 47
- . See *Matsumoto, Kinoshita, Matsuzaka, Nakai, Kirii, and Tada*, 541
- Yokoyama, K. See *Yamanashi, and Tezuka*, 353
- Yoneda, T. See *Nishimura, Hata, Matsubara, and Wakabayashi*, 247
- Yoshida, I. See *Yoshizaki, Ohtani, Motomura, Jang, Mori, Kitamoto, Suzuki, and Wakamiya*, 57
- Yoshimatsu, Y. See *Mihira, Suzuki, Akatsu, Igarashi, Miyazono, and Watabe*, 145
- Yoshimura, A. See *Takaesu, and Kobayashi*, 157
- Yoshizaki, T., Ohtani, K., Motomura, W., Jang, S.-J., Mori, K.-i., Kitamoto, N., Yoshida, I., Suzuki, Y., and Wakamiya, N. Comparison of human blood concentrations of collectin kidney 1 and mannan-binding lectin, 57
- Yuasa, N., Ogawa, H., Koizumi, T., Tsukamoto, K., Matsumoto-Tasaki, A., Asanuma, H., Nakada, H., and Fujita-Yamaguchi, Y. Construction and expression of anti-Tn-antigen-specific single-chain antibody genes from hybridoma producing MLS128 monoclonal antibody, 371
- . See *Matsumoto-Tasaki, Hanashima, Aoki, Ogawa, Sato, Kawakami, Mizuno, Nakada, Yamaguchi, and Fujita-Yamaguchi*, 273
- Zhang, P. See *Wang, Tang, and Wei*, 283

INDEX TO KEY WORDS

A

α -SMA, TGF- β 2, Rho, MRTF-A, EndMT, *Mihira, Suzuki, Akatsu, Yoshimatsu, Igarashi, Miyazono, Watabe*, 145

β -strand, analytical ultracentrifuge, circular dichroism, gel filtration, site-directed mutagenesis, *Ohtomo, Fujiwara, Ikeguchi*, 329

5'-UTR, thyroid hormone receptor, translation, uORF, *Xenopus, Okada, Nakajima, Yaoita*, 519

5-hydroxymethylcytosine, JmjC, TET, demethylation, 5-methylcytosine, *Tsukada*, 229

5-methylcytosine, JmjC, TET, demethylation, 5-hydroxymethylcytosine, *Tsukada*, 229

actin-binding protein, MAPs, MAP4, microtubule-associated protein, proline-rich, *Matsushima, Tokuraku, Hasan, Kotani*, 99

activation helices, auto-inhibition state, MAP2K6, MAP2K, X-ray crystal structure, *Matsumoto, Kinoshita, Matsuzaka, Nakai, Kirii, Yokota, Tada*, 541

activity assay, biological markers, metalloproteinase, MMP-9, zymography, *Bellini, Trentini, Manfrinato, Tamborino, Volta, Di Foggia, Fainardi, Dalocchio, Castellazzi*, 493

acyl ghrelin, des-acyl ghrelin, GHSs, GHS-R, GOAT, *Sato, Nakamura, Shiumura, Ohgusu, Kangawa, Kojima*, 119

alkyl gallates, arginine, detergent, lauroyl-L-glutamate, solubility, *Ariki, Hirano, Arakawa, Shiraki*, 27

all-trans retinoic acid, chromatin remodelling, MCF-7 cell, neutral sphingomyelinase 2, promoter analysis, *Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Mizutani, Takagi, Kojima, Sobue, Ichihara, Suzuki, Tamaiya-Koizumi, Nakamura, Banno, Nozawa, Murate*, 599

alternative splicing, autotoxin, lysophosphatidic acid, lysophosphatidylcholine, lysophospholipase D, *Hashimoto, Okudaira, Igarashi, Hama, Yatomi, Aoki*, 89

analytical ultracentrifuge, β -strand, circular dichroism, gel filtration, site-directed mutagenesis, *Ohtomo, Fujiwara, Ikeguchi*, 329

androgen receptor, AU-rich element, hnRNP D, HuR, metastasis-associated protein-1, prostate carcinoma, *Barker, Epis, Porter, Hopkins, Wilce, Wilce, Giles, Leedman*, 423

angiotensin, redox switch, disulfide bond, OxyR, INAD, *Ryu*, 579

ANS, fluorescence, inhibition, matrix metalloproteinase, MMP-7, *Samukange, Yasukawa, Inouye*, 533

anti-allergy, crystal structure, hematopoietic prostaglandin (PG) D synthase (H-PGDS), inhibitor, structure-function relationship, *Kado, Aritake, Uodome, Okano, Okazaki, Matsumura, Urade, Inoue*, 447

anti-oxidant activity, apolipoprotein A-IV (ApoA-IV), lipid metabolism, matrix metalloproteinase (MMP), substrate, *Park, Park, Jang, Hwang, Kim, Kim, Cho, Lee*, 291

antibody engineering, phage display, protein refolding, single-chain Fv, Tn-antigen, *Yuasa, Ogawa, Koizumi, Tsukamoto, Matsumoto-Takasaki, Asanuma, Nakada, Fujita-Yamaguchi*, 371

antibody, isothermal titration calorimetry, surface plasmon resonance, Tn-antigen, thermodynamic, *Matsumoto-Takasaki, Hanashima, Aoki, Yuasa, Ogawa, Sato, Kawakami, Mizuno, Nakada, Yamaguchi, Fujita-Yamaguchi*, 273

apolipoprotein A-IV (ApoA-IV), anti-oxidant activity, lipid metabolism, matrix metalloproteinase (MMP), substrate, *Park, Park, Jang, Hwang, Kim, Kim, Cho, Lee*, 291

apoptosis, brain, caspase, inhibitor, protease, rat, substrate, *Prudnikov, Smirnov, Nishitoh*, 217

arginine, alkyl gallates, detergent, lauroyl-L-glutamate, solubility, *Ariki, Hirano, Arakawa, Shiraki*, 27

Ascaris suum, crystal structure, mitochondrial respiratory complex II, rhoquinol-fumarate reductase (QFR), reaction mechanism, *Shimizu, Osanai, Sakamoto, Inaoka, Shiba, Harada, Kita*, 589

aspartic proteinase, cathepsin E, promoter, Sp1, *Okamoto, Okamoto, Kawakubo, Iwata, Yasuda, Tsukuba, Yamamoto*, 263

ATDC5 cells, calcification, differentiation, ferritin, iron, *Ohno, Hashimoto, Mitsui, Nishimura, Hagiwara*, 109

AU-rich element, androgen receptor, hnRNP D, HuR, metastasis-associated protein-1, prostate carcinoma, *Barker, Epis, Porter, Hopkins, Wilce, Wilce, Giles, Leedman*, 423

auto-inhibition state, activation helices, MAP2K6, MAP2K, X-ray crystal structure, *Matsumoto, Kinoshita, Matsuzaka, Nakai, Kirii, Yokota, Tada*, 541

autophagy, Beclin1, TAK1-binding proteins, *Takaesu, Kobayashi, Yoshimura*, 157

autotoxin, alternative splicing, lysophosphatidic acid, lysophosphatidylcholine, lysophospholipase D, *Hashimoto, Okudaira, Igarashi, Hama, Yatomi, Aoki*, 89

B

bacterial expression, Gly-rich region, high yield, human m-calpain, large-scale purification, *Hata, Ueno, Kitamura, Sorimachi*, 417

Beclin1, autophagy, TAK1-binding proteins, *Takaesu, Kobayashi, Yoshimura*, 157

Bim, Foxc1, metastatic breast cancer, *Itoh, Itoh*, 559

biochemistry, enzyme inhibitors, molecular biology, replication and recombination, *Sugiyama, Chino, Tsurimoto, Nozaki, Ishimi*, 129

biological markers, activity assay, metalloproteinase, MMP-9, zymography, *Bellini, Trentini, Manfrinato, Tamborino, Volta, Di Foggia, Fainardi, Dalocchio, Castellazzi*, 493

bisphenol A, circular dichroism spectra, fluorescence analysis, protein disulphide isomerase (PDI), surface plasmon resonance, *Hashimoto, Shiromoto, Okada, Imaoka*, 35

—, estrogen-related receptor γ , receptor-binding mode, receptor-binding assay, *Liu, Matsushima, Nakamura, Costa, Nose, Shimohigashi*, 403

blood coagulation, complement, lectin, carbohydrate, genetic, *Yoshizaki, Ohtani, Motomura, Jang, Mori, Kitamoto, Yoshida, Suzuki, Wakamiya*, 57

BMP, bone, cartilage, transcription factors, *Nishimura, Hata, Matsubara, Wakabayashi, Yoneda*, 247

bone, BMP, cartilage, transcription factors, *Nishimura, Hata, Matsubara, Wakabayashi, Yoneda*, 247

brain, apoptosis, caspase, inhibitor, protease, rat, substrate, *Prudnikov, Smirnov, Nishitoh*, 217

C

C-terminus, PP1, PP2B, chimera, stability, metal ions, inhibitor, *Wang, Tang, Zhang, Wei*, 283

calcification, ATDC5 cells, differentiation, ferritin, iron, *Ohno, Hashimoto, Mitsui, Nishimura, Hagiwara*, 109

calcium-binding protein, motif, P-body, proline-rich, protein-protein interaction, *Osugi, Suzuki, Nomura, Ariumi, Shibata, Maki*, 657

cancer, carcinogenesis, mutagenesis, piersin, poly(ADP-ribose), tumour promoter, *Masutani*, 221

—, cytohesin, Dok-7, myasthenia, neuromuscular junction, *Yamanashi, Tezuka, Yokoyama*, 353

carbohydrate, complement, blood coagulation, lectin, genetic, *Yoshizaki, Ohtani, Motomura, Jang, Mori, Kitamoto, Yoshida, Suzuki, Wakamiya*, 57

—, glycosylation, lipid raft, microdomain, glycolipid, *Furukawa, Ohkawa, Yamauchi, Hamamura, Ohmi, Furukawa*, 573

carcinogenesis, cancer, mutagenesis, piersin, poly(ADP-ribose), tumour promoter, *Masutani*, 221

cartilage, BMP, bone, transcription factors, *Nishimura, Hata, Matsubara, Wakabayashi, Yoneda*, 247

caspase, apoptosis, brain, inhibitor, protease, rat, substrate, *Prudnikov, Smirnov, Nishitoh*, 217

Index to Key Words

catalytic mechanism, glutamic peptidase, pepstatin, serine-carboxyl peptidase, structure, substrate specificity, *Oda*, 13
cathepsin E, aspartic proteinase, promoter, *Sp1*, *Okamoto*, *Kawakubo*, *Iwata*, *Yasuda*, *Tsukuba*, *Yamamoto*, 263
cell proliferation, Terf, ZWINT, kinetochore, protein degradation, *Endo*, *Ikeda*, *Urano*, *Horie-Inoue*, *Inoue*, 139
Cellular logistics, melanocyte, membrane traffic, Rab effector, small GTPase, *Ohbayashi*, *Fukuda*, 343
centromere, checkpoint, chromosomal passenger complex, mitosis, PP2A, *Date*, *Dreier*, *Borton*, *Bekier II*, *Taylor*, 361
chaperonin, citrate synthase, prefoldin, protein folding, *Pyrococcus furiosus*, *Hongo*, *Itai*, *Mizobata*, *Kawata*, 383
checkpoint, centromere, chromosomal passenger complex, mitosis, PP2A, *Date*, *Dreier*, *Borton*, *Bekier II*, *Taylor*, 361
chemokine, CXCL14, feeding behaviour, glucose metabolism, tumuorigenesis, *Hara*, *Tanegashima*, 469
chemokines, COX2, invasion, metastasis, Notch signalling, *Taketo*, 477
chimera, PP1, PP2B, C-terminus, stability, metal ions, inhibitor, *Wang*, *Tang*, *Zhang*, *Wei*, 283
CHOP, apoptosis, inflammation, ER stress, UPR, *Nishitoh*, 217
chromatin remodelling, all-trans retinoic acid, MCF-7 cell, neutral sphingomyelinase 2, promoter analysis, *Ito*, *Tanaka*, *Hagiwara*, *Kobayashi*, *Hoshikawa*, *Mizutani*, *Takagi*, *Kojima*, *Sobue*, *Ichihara*, *Suzuki*, *Tamiya-Koizumi*, *Nakamura*, *Banno*, *Nozawa*, *Murate*, 599
chromosomal passenger complex, centromere, checkpoint, mitosis, PP2A, *Date*, *Dreier*, *Borton*, *Bekier II*, *Taylor*, 361
circular dichroism spectra, bisphenol A, fluorescence analysis, protein disulphide isomerase (PDI), surface plasmon resonance, *Hashimoto*, *Shiomoto*, *Okada*, *Imaoka*, 35
circular dichroism, analytical ultracentrifuge, β-strand, gel filtration, site-directed mutagenesis, *Ohtomo*, *Fujii*, *Ikeguchi*, 329
citrate synthase, chaperonin, prefoldin, protein folding, *Pyrococcus furiosus*, *Hongo*, *Itai*, *Mizobata*, *Kawata*, 383
complement, blood coagulation, lectin, carbohydrate, genetic, *Yoshizaki*, *Ohtani*, *Motomura*, *Jang*, *Mori*, *Kitamoto*, *Yoshida*, *Suzuki*, *Wakamiya*, 57
conformational change, intermediate state, lipocalin-type prostaglandin D synthase, NMR spectroscopy, thermal unfolding, *Miyamoto*, *Noda*, *Iida*, *Yamaguchi*, *Nishimura*, *Tanaka*, *Segawa*, *Inui*, 335
copper amine oxidase, irreversible inhibitor, substrate specificity, topa quinone, X-ray crystal structure, *Murakawa*, *Hayashi*, *Taki*, *Yamamoto*, *Kawano*, *Tanizawa*, *Okajima*, 167
COX2, chemokines, invasion, metastasis, Notch signalling, *Taketo*, 477

cryo-EM, hGas7b, kinesin, motility, microtubule, *Hidaka*, *Koga*, *Gotoh*, *Sanada*, *Hirose*, *Uchida*, 593

crystal structure, anti-allergy, hematopoietic prostaglandin (PG) D synthase (H-PGDS), inhibitor, structure-function relationship, *Kado*, *Aritake*, *Uodome*, *Okano*, *Okazaki*, *Matsumura*, *Urade*, *Inoue*, 447

—, *Ascaris suum*, mitochondrial respiratory complex II, rhoquinol-fumarate reductase (QFR), reaction mechanism, *Shimizu*, *Osanai*, *Sakamoto*, *Inaoka*, *Shiba*, *Harada*, *Kita*, 589

CSF-1R, drug design, kinase inhibitor, phosphorylation, tyrosine kinase, *Kitagawa*, *Gouda*, *Kirii*, *Sugiyama*, *Ishihama*, *Fujii*, *Narumi*, *Akita*, *Yokota*, 47

CXCL14, chemokine, feeding behaviour, glucose metabolism, tumuorigenesis, *Hara*, *Tanegashima*, 469

cytohesin, cancer, Dok-7, myasthenia, neuromuscular junction, *Yamanashi*, *Tezuka*, *Yokoyama*, 353

D

degradation, lysosomes, mass spectrometry, oligosaccharide, *Mehdy*, *Morelle*, *Rosnoblet*, *Legrand*, *Lefebvre*, *Duvet*, *Foulquier*, 439

demethylation, JmjC, TET, 5-hydroxymethylcytosine, 5-methylcytosine, *Tsukada*, 229

des-acyl ghrelin, acyl ghrelin, GHSs, GHS-R, GOAT, *Sato*, *Nakamura*, *Shiimura*, *Ohgusu*, *Kangawa*, *Kojima*, 119

detergent, alkyl gallates, arginine, lauroyl-L-glutamate, solubility, *Ariki*, *Hirano*, *Arakawa*, *Shiraki*, 27

developmental factors, growth factors, knockout, mouse, protein kinases, *Tojo*, *Takebe*, *Takahashi*, *Tanaka*, *Imamura*, *Miyazono*, *Chiba*, 621

differentiation, ATDC5 cells, calcification, ferritin, iron, *Ohno*, *Hashimoto*, *Mitsui*, *Nishimura*, *Hagiwara*, 109

Differentiation, Vitamin A, Regulation, Transcription, Sphingolipids, *Tanaka*, *Tamiya-Koizumi*, *Hagiwara*, *Ito*, *Takagi*, *Kojima*, *Suzuki*, *Iwaki*, *Fujii*, *Nakamura*, *Banno*, *Kannagi*, *Tsurumi*, *Kyogashima*, *Murate*, 611

diphtheria toxin, EGF, EGF receptor, ectodomain shedding, HB-EGF, *Miyazono*, 1

disulfide bond, redox switch, OxyR, INAD, angiotensin, *Ryu*, 579

DNA repair, flap endonuclease, Holliday junction, PCNA, *Yang*, *Ishino*, *Yamagami*, *Kumamaru*, *Satoh*, *Ishino*, 317

Dok-7, cancer, cytohesin, myasthenia, neuromuscular junction, *Yamanashi*, *Tezuka*, *Yokoyama*, 353

domain interaction, flagella, motility, multimerization, swarming, two-component system, *Ogura*, *Tsukahara*, 643

drug design, CSF-1R, kinase inhibitor, phosphorylation, tyrosine kinase, *Kitagawa*, *Gouda*, *Kirii*, *Sugiyama*, *Ishihama*, *Fujii*, *Narumi*, *Akita*, *Yokota*, 47

E

ectodomain shedding, EGF, EGF receptor, HB-EGF, diphtheria toxin, *Miyazono*, 1

EGF, EGF receptor, ectodomain shedding, HB-EGF, diphtheria toxin, *Miyazono*, 1

EGF receptor, EGF, ectodomain shedding, HB-EGF, diphtheria toxin, *Miyazono*, 1

electron transfer, Ferredoxin, nitrite reductase, protein-protein interaction, *Sakakibara*, *Kimura*, *Iwamura*, *Saitoh*, *Ikegami*, *Kurisu*, *Hase*, 483

EMT, lung adenocarcinoma, NFκB, TGF-β/TNF-α, *Kawata*, *Koinuma*, *Ogami*, *Umezawa*, *Iwata*, *Watabe*, *Miyazono*, 205

—, TGF-β, ESRP alternative splicing, *Saitoh*, *Miyazawa*, 563

EndMT, TGF-β2, Rho, MRTF-A, α-SMA, *Mihira*, *Suzuki*, *Akatsu*, *Yoshimatsu*, *Igarashi*, *Miyazono*, *Watabe*, 145

enzyme inhibitors, biochemistry, molecular biology, replication and recombination, *Sugiyama*, *Chino*, *Tsurimoto*, *Nozaki*, *Ishimi*, 129

ER stress, apoptosis, CHOP, inflammation, UPR, *Nishitoh*, 217

ESRP alternative splicing, TGF-β, EMT, *Saitoh*, *Miyazawa*, 563

estrogen-related receptor γ, bisphenol A, receptor-binding mode, receptor-binding assay, *Liu*, *Matsushima*, *Nakamura*, *Costa*, *Nose*, *Shimohigashi*, 403

F

fatty acid, G-protein coupled receptor, phospholipase, phospholipid, trimeric G proteins, *Kitamura*, *Makide*, *Shuto*, *Ikubo*, *Inoue*, *Suzuki*, *Sato*, *Nakamura*, *Otani*, *Ohwada*, *Aoki*, 511

feeding behaviour, chemokine, CXCL14, glucose metabolism, tumuorigenesis, *Hara*, *Tanegashima*, 469

Ferrodoxin, nitrite reductase, protein-protein interaction, electron transfer, *Sakakibara*, *Kimura*, *Iwamura*, *Saitoh*, *Ikegami*, *Kurisu*, *Hase*, 483

ferritin, ATDC5 cells, calcification, differentiation, iron, *Ohno*, *Hashimoto*, *Mitsui*, *Nishimura*, *Hagiwara*, 109

flagella, domain interaction, motility, multimerization, swarming, two-component system, *Ogura*, *Tsukahara*, 643

flap endonuclease, DNA repair, Holliday junction, PCNA, *Yang*, *Ishino*, *Yamagami*, *Kumamaru*, *Satoh*, *Ishino*, 317

fluorescence analysis, bisphenol A, circular dichroism spectra, protein disulphide isomerase (PDI), surface plasmon resonance, *Hashimoto*, *Shiomoto*, *Okada*, *Imaoka*, 35

fluorescence, ANS, inhibition, matrix metalloproteinase, MMP-7, *Samukange*, *Yasukawa*, *Inouye*, 533

Foxc1, Bim, metastatic breast cancer, *Itoh*, *Itoh*, 559

G

G-protein coupled receptor, fatty acid, phospholipase, phospholipid, trimeric G proteins, *Kitamura*, *Makide*, *Shuto*, *Ikubo*,

- Inoue, Suzuki, Sato, Nakamura, Otani, Ohwada, Aoki*, 511
- GC content, membrane protein, nucleotide compositional bias, nucleotide sequence simulation, prokaryote genome, *Sawada, Mitaku*, 189
- gel filtration, analytical ultracentrifuge, β -strand, circular dichroism, site-directed mutagenesis, *Ohtomo, Fujiwara, Ikeguchi*, 329
- genetic, complement, blood coagulation, lectin, carbohydrate, *Yoshizaki, Ohtani, Motomura, Jang, Mori, Kitamoto, Yoshida, Suzuki, Wakamiya*, 57
- GHS-R, acyl ghrelin, des-acyl ghrelin, GHSs, GOAT, *Sato, Nakamura, Shiimura, Ohgusu, Kangawa, Kojima*, 119
- GHSs, acyl ghrelin, des-acyl ghrelin, GHS-R, GOAT, *Sato, Nakamura, Shiimura, Ohgusu, Kangawa, Kojima*, 119
- glucose metabolism, chemokine, CXCL14, feeding behaviour, tumuorigenesis, *Hara, Tanegashima*, 469
- glutamic peptidase, catalytic mechanism, peptidase, serine-carboxyl peptidase, structure, substrate specificity, *Oda*, 13
- Gly-rich region, bacterial expression, high yield, human m-calpain, large-scale purification, *Hata, Ueno, Kitamura, Sorimachi*, 417
- glycolipid, glycosylation, carbohydrate, lipid raft, microdomain, *Furukawa, Ohkawa, Yamauchi, Hamamura, Ohmi, Furukawa*, 573
- glycosylation, carbohydrate, lipid raft, microdomain, glycolipid, *Furukawa, Ohkawa, Yamauchi, Hamamura, Ohmi, Furukawa*, 573
- GOAT, acyl ghrelin, des-acyl ghrelin, GHSs, GHS-R, *Sato, Nakamura, Shiimura, Ohgusu, Kangawa, Kojima*, 119
- GPI-anchored plasma membrane protein, ligand-GPCR interaction, membrane-displayed ligand, yeast GPCR assay, yeast pheromone response pathway, *Hara, Ono, Kuroda, Ueda*, 551
- growth factors, developmental factors, knockout, mouse, protein kinases, *Tojo, Takebe, Takahashi, Tanaka, Imamura, Miyazono, Chiba*, 621
- H**
- HB-EGF, EGF, EGF receptor, ectodomain shedding, diphtheria toxin, *Miyazono*, 1
- hematopoietic prostaglandin (PG) D synthase (H-PGDS), anti-allergy, crystal structure, inhibitor, structure-function relationship, *Kado, Aritake, Uodome, Okano, Okazaki, Matsumura, Urade, Inoue*, 447
- hepatocyte growth factor activator inhibitor type 1 (HAI-1), Kunitz-type inhibitor, human airway trypsin-like protease (HAT), type-II transmembrane serine protease, proteolytic activation, *Kato, Hashimoto, Shimomura, Kataoka, Ohi, Kitamura*, 179
- heterotetrameric sarcosine oxidase, substrate dehydrogenation, kinetic isotope effect, low p K_a Lys, substrate ionization, *Saito, Itoh, Suzuki*, 633
- hGas7b, cryo-EM, kinesin, motility, microtubule, *Hidaka, Koga, Gotoh, Sanada, Hirose, Uchida*, 593
- high yield, bacterial expression, Gly-rich region, human m-calpain, large-scale purification, *Hata, Ueno, Kitamura, Sorimachi*, 417
- hnRNP D, androgen receptor, AU-rich element, HuR, metastasis-associated protein-1, prostate carcinoma, *Barker, Epis, Porter, Hopkins, Wilce, Wilce, Giles, Leedman*, 423
- Holliday junction, DNA repair, flap endonuclease, PCNA, *Yang, Ishino, Yamagami, Kumamaru, Saitoh, Ishino*, 317
- human airway trypsin-like protease (HAT), hepatocyte growth factor activator inhibitor type 1 (HAI-1), Kunitz-type inhibitor, type-II transmembrane serine protease, proteolytic activation, *Kato, Hashimoto, Shimomura, Kataoka, Ohi, Kitamura*, 179
- human m-calpain, bacterial expression, Gly-rich region, high yield, large-scale purification, *Hata, Ueno, Kitamura, Sorimachi*, 417
- HuR, androgen receptor, AU-rich element, hnRNP D, metastasis-associated protein-1, prostate carcinoma, *Barker, Epis, Porter, Hopkins, Wilce, Wilce, Giles, Leedman*, 423
- I**
- IKK, K63, NF- κ B, Tax, ubiquitin, *Hayakawa*, 115
- INAD, redox switch, disulfide bond, OxyR, angiotensin, *Ryu*, 579
- inflammation, apoptosis, CHOP, ER stress, UPR, *Nishitoh*, 217
- inhibition, ANS, fluorescence, matrix metalloproteinase, MMP-7, *Samukange, Yasukawa, Inouye*, 533
- inhibitor, PP1, PP2B, C-terminus, chimera, stability, metal ions, *Wang, Tang, Zhang, Wei*, 283
- , apoptosis, brain, caspase, proteasome, rat, substrate, *Prudnikov, Smirnov*, 299
- , anti-allergy, crystal structure, hematopoietic prostaglandin (PG) D synthase (H-PGDS), structure-function relationship, *Kado, Aritake, Uodome, Okano, Okazaki, Matsumura, Urade, Inoue*, 447
- iNOS, nitric oxide, NF- κ B, porphyrin, sulphated polysaccharide, *Jiang, Hama, Yamaguchi, Oda*, 65
- insulator, nuclease-hypersensitive site, nucleosome, sea urchin development, *Takagi, Inai, Watanabe, Tatemoto, Yajima, Akasaki, Yamamoto, Sakamoto*, 75
- intermediate state, conformational change, lipocalin-type prostaglandin D synthase, NMR spectroscopy, thermal unfolding, *Miyamoto, Noda, Iida, Yamaguchi, Nishimura, Tanaka, Segawa, Inui*, 335
- intracellular signalling, peroxiredoxin, protein tyrosine phosphatase, reactive oxygen species, thioredoxin, *Miki, Funato*, 255
- invasion, COX2, chemokines, metastasis, Notch signalling, *Taketo*, 477
- ionizable group, matrix metalloproteinase, matrix metalloproteinase (MMP)-7; site-directed mutagenesis, water molecule, *Morishima, Yasukawa, Inouye*, 501
- iron, ATDC5 cells, calcification, differentiation, ferritin, *Ohno, Hashimoto, Mitsui, Nishimura, Hagiwara*, 109
- irreversible inhibitor, copper amine oxidase, substrate specificity, topa quinone, X-ray crystal structure, *Murakawa, Hayashi, Taki, Yamamoto, Kawano, Tanizawa, Okajima*, 167
- isothermal titration calorimetry, antibody, surface plasmon resonance, Tn-antigen, thermodynamic, *Matsumoto-Takasaki, Hanashima, Aoki, Yuasa, Ogawa, Sato, Kawakami, Mizuno, Nakada, Yamaguchi, Fujita-Yamaguchi*, 273
- J**
- JmjC, TET, demethylation, 5-hydroxymethylcytosine, 5-methylcytosine, *Tsukada*, 229
- juxtamembrane domain; c-Kit, tyrosine kinase, the A-loop, *Miyazawa*, 457
- K**
- K63, IKK, NF- κ B, Tax, ubiquitin, *Hayakawa*, 115
- kinase inhibitor, CSF-1R, drug design, phosphorylation, tyrosine kinase, *Kitagawa, Gouda, Kirii, Sugiyama, Ishihama, Fujii, Narumi, Akita, Yokota*, 47
- kinesin, cryo-EM, hGas7b, motility, microtubule, *Hidaka, Koga, Gotoh, Sanada, Hirose, Uchida*, 593
- kinetic isotope effect, substrate dehydrogenation, heterotetrameric sarcosine oxidase, low p K_a Lys, substrate ionization, *Saito, Itoh, Suzuki*, 633
- kinetochore, Terf, ZWINT, cell proliferation, protein degradation, *Endo, Ikeda, Urano, Horie-Inoue, Inoue*, 139
- knockout, developmental factors, growth factors, mouse, protein kinases, *Tojo, Takebe, Takahashi, Tanaka, Imamura, Miyazono, Chiba*, 621
- Kunitz-type inhibitor, hepatocyte growth factor activator inhibitor type 1 (HAI-1), human airway trypsin-like protease (HAT), type-II transmembrane serine protease, proteolytic activation, *Kato, Hashimoto, Shimomura, Kataoka, Ohi, Kitamura*, 179
- L**
- large-scale purification, bacterial expression, Gly-rich region, high yield, human m-calpain, *Hata, Ueno, Kitamura, Sorimachi*, 417
- lauroyl-L-glutamate, alkyl gallates, arginine, detergent, solubility, *Araki, Hirano, Arakawa, Shiraki*, 27
- lectin, complement, blood coagulation, carbohydrate, genetic, *Yoshizaki, Ohtani, Motomura, Jang, Mori, Kitamoto, Yoshida, Suzuki, Wakamiya*, 57

Index to Key Words

ligand-GPCR interaction, GPI-anchored plasma membrane protein, membrane-displayed ligand, yeast GPCR assay, yeast pheromone response pathway, *Hara, Ono, Kuroda, Ueda*, 551
lipid metabolism, anti-oxidant activity, apolipoprotein A-IV (ApoA-IV), matrix metalloproteinase (MMP), substrate, *Park, Park, Jang, Hwang, Kim, Kim, Cho, Lee*, 291
lipid raft, glycosylation, carbohydrate, microdomain, glycolipid, *Furukawa, Ohkawa, Yamauchi, Hamamura, Ohmi, Furukawa*, 573
lipocalin-type prostaglandin D synthase, conformational change, intermediate state, NMR spectroscopy, thermal unfolding, *Miyamoto, Noda, Iida, Yamaguchi, Nishimura, Tanaka, Segawa, Inui*, 335
low p_{Ka} Lys, substrate dehydrogenation, heterotetrameric sarcosine oxidase, kinetic isotope effect, substrate ionization, *Saito, Itoh, Suzuki*, 633
lung adenocarcinoma, EMT, NFκB, TGF-β/TNF-α, *Kawata, Koinuma, Ogami, Umezawa, Iwata, Watabe, Miyazono*, 205
lysophosphatidic acid, alternative splicing, autotoxin, lysophosphatidylcholine, lysophospholipase D, *Hashimoto, Okudaira, Igarashi, Hama, Yatomi, Aoki*, 89
lysophosphatidylcholine, alternative splicing, autotoxin, lysophosphatidic acid, lysophospholipase D, *Hashimoto, Okudaira, Igarashi, Hama, Yatomi, Aoki*, 89
lysophospholipase D, alternative splicing, autotoxin, lysophosphatidic acid, lysophosphatidylcholine, *Hashimoto, Okudaira, Igarashi, Hama, Yatomi, Aoki*, 89
lysosomes, degradation, mass spectrometry, oligosaccharide, *Mehdy, Morelle, Rosnoble, Legrand, Lefebvre, Duvet, Foulquier*, 439

M

MAP2K6, activation helices, auto-inhibition state, MAP2K, X-ray crystal structure, *Matsumoto, Kinoshita, Matsuzaka, Nakai, Kirii, Yokota, Tada*, 541
MAP2K, activation helices, auto-inhibition state, MAP2K6, X-ray crystal structure, *Matsumoto, Kinoshita, Matsuzaka, Nakai, Kirii, Yokota, Tada*, 541
MAP4, actin-binding protein, MAPs, microtubule-associated protein, proline-rich, *Matsushima, Tokuraku, Hasan, Kotani*, 99
MAPs, actin-binding protein, MAP4, microtubule-associated protein, proline-rich, *Matsushima, Tokuraku, Hasan, Kotani*, 99
mass spectrometry, degradation, lysosomes, oligosaccharide, *Mehdy, Morelle, Rosnoble, Legrand, Lefebvre, Duvet, Foulquier*, 439
matrix metalloproteinase (MMP)-7; site-directed mutagenesis, ionizable group, matrix metalloproteinase, water molecule, *Morishima, Yasukawa, Inouye*, 501
matrix metalloproteinase (MMP), anti-oxidant activity, apolipoprotein A-IV

(ApoA-IV), lipid metabolism, substrate, *Park, Park, Jang, Hwang, Kim, Kim, Cho, Lee*, 291
matrix metalloproteinase, ionizable group, matrix metalloproteinase (MMP)-7; site-directed mutagenesis, water molecule, *Morishima, Yasukawa, Inouye*, 501
—, ANS, fluorescence, inhibition, MMP-7, *Samukange, Yasukawa, Inouye*, 533
MCF-7 cell, all-trans retinoic acid, chromatin remodelling, neutral sphingomyelinase 2, promoter analysis, *Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Mizutani, Takagi, Kojima, Sobue, Ichihara, Suzuki, Tamiya-Koizumi, Nakamura, Banno, Nozawa, Murate*, 599
melanocyte, Cellular logistics, membrane traffic, Rab effector, small GTPase, *Ohbayashi, Fukuda*, 343
membrane protein, GC content, nucleotide compositional bias, nucleotide sequence simulation, prokaryote genome, *Sawada, Mitaku*, 189
membrane surface, nuclear localization signal, PH domain, phosphatidylinositol 3,4,5-trisphosphate, switch-associated protein-70, *Tokuda, Kawai, Lee, Ikegami, Yamaguchi, Yagisawa, Fukui, Tuzi*, 391
membrane traffic, Cellular logistics, melanocyte, Rab effector, small GTPase, *Ohbayashi, Fukuda*, 343
membrane-displayed ligand, GPI-anchored plasma membrane protein, ligand-GPCR interaction, yeast GPCR assay, yeast pheromone response pathway, *Hara, Ono, Kuroda, Ueda*, 551
metal ions, PP1, PP2B, C-terminus, chimera, stability, inhibitor, *Wang, Tang, Zhang, Wei*, 283
metalloproteinase, activity assay, biological markers, MMP-9, zymography, *Bellini, Trentini, Manfrinato, Tamborino, Volta, Di Foggia, Fainardi, Dalloccchio, Castellazzi*, 493
metastasis-associated protein-1, androgen receptor, AU-rich element, hnRNP D, HuR, prostate carcinoma, *Barker, Epis, Porter, Hopkins, Wilce, Wilce, Giles, Leedman*, 423
metastasis, COX2, chemokines, invasion, Notch signalling, *Taketo*, 477
metastatic breast cancer, Bim, Foxc1, *Itoh, Itoh*, 559
microdomain, glycosylation, carbohydrate, lipid raft, glycolipid, *Furukawa, Ohkawa, Yamauchi, Hamamura, Ohmi, Furukawa*, 573
microtubule-associated protein, actin-binding protein, MAPs, MAP4, proline-rich, *Matsushima, Tokuraku, Hasan, Kotani*, 99
microtubule, cryo-EM, hGas7b, kinesin, motility, *Hidaka, Koga, Gotoh, Sanada, Hirose, Uchida*, 593
mitochondrial respiratory complex II, *Ascaris suum*, crystal structure, rhodoquinol-fumarate reductase (QFR), reaction mechanism, *Shimizu, Osanai, Sakamoto, Inaoka, Shiba, Harada, Kita*, 589
mitosis, centromere, checkpoint, chromosomal passenger complex, PP2A, *Date, Dreier, Borton, Bekier II, Taylor*, 361
MMP-7, ANS, fluorescence, inhibition, matrix metalloproteinase, *Samukange, Yasukawa, Inouye*, 533
MMP-9, activity assay, biological markers, metalloproteinase, zymography, *Bellini, Trentini, Manfrinato, Tamborino, Volta, Di Foggia, Fainardi, Dalloccchio, Castellazzi*, 493
molecular biology, biochemistry, enzyme inhibitors, replication and recombination, *Sugiyama, Chino, Tsurimoto, Nozaki, Ishimi*, 129
motif, calcium-binding protein, P-body, proline-rich, protein–protein interaction, *Osugi, Suzuki, Nomura, Ariumi, Shibata, Maki*, 657
motility, cryo-EM, hGas7b, kinesin, microtubule, *Hidaka, Koga, Gotoh, Sanada, Hirose, Uchida*, 593
—, domain interaction, flagella, multimerization, swarming, two-component system, *Ogura, Tsukahara*, 643
mouse, developmental factors, growth factors, knockout, protein kinases, *Tojo, Takebe, Takahashi, Tanaka, Imamura, Miyazono, Chiba*, 621
MRTF-A, TGF-β2, Rho, EndMT, α-SMA, *Mihira, Suzuki, Akatsu, Yoshimatsu, Igarashi, Miyazono, Watabe*, 145
mucin, N-glycan, N-glycosidic linkage, O-glycan, tumour-associated carbohydrate antigen, *Nakada*, 461
multimerization, domain interaction, flagella, motility, swarming, two-component system, *Ogura, Tsukahara*, 643
mutagenesis, cancer, carcinogenesis, pierisin, poly(ADP-ribose), tumour promoter, *Masutani*, 221
myasthenia, cancer, cytohesin, Dok-7, neuromuscular junction, *Yamanashi, Tezuka, Yokoyama*, 353

N

neuromuscular junction, cancer, cytohesin, Dok-7, myasthenia, *Yamanashi, Tezuka, Yokoyama*, 353
neutral sphingomyelinase 2, all-trans retinoic acid, chromatin remodelling, MCF-7 cell, promoter analysis, *Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Mizutani, Takagi, Kojima, Sobue, Ichihara, Suzuki, Tamiya-Koizumi, Nakamura, Banno, Nozawa, Murate*, 599
NFκB, EMT, lung adenocarcinoma, TGF-β/TNF-α, *Kawata, Koinuma, Ogami, Umezawa, Iwata, Watabe, Miyazono*, 205
NF-κB, iNOS, nitric oxide, porphyrin, sulphated polysaccharide, *Jiang, Hama, Yamaguchi, Oda*, 65
—, IKK, K63, Tax, ubiquitin, *Hayakawa*, 115
N-glycan, N-glycosidic linkage, O-glycan, mucin, tumour-associated carbohydrate antigen, *Nakada*, 461
N-glycosidic linkage, N-glycan, O-glycan, mucin, tumour-associated carbohydrate antigen, *Nakada*, 461

- nitric oxide, iNOS, NF- κ B, porphyran, sulphated polysaccharide, Jiang, Hama, Yamaguchi, Oda, 65
- nitrite reductase, Ferredoxin, protein–protein interaction, electron transfer, Sakakibara, Kimura, Iwamura, Saitoh, Ikegami, Kurisu, Hase, 483
- NMR spectroscopy, conformational change, intermediate state, lipocalin-type prostanoid D synthase, thermal unfolding, Miyamoto, Noda, Iida, Yamaguchi, Nishimura, Tanaka, Segawa, Inui, 335
- Notch signalling, COX2, chemokines, invasion, metastasis, Takeo, 477
- nuclear localization signal, membrane surface, PH domain, phosphatidylinositol 3,4,5-trisphosphate, switch-associated protein-70, Tokuda, Kawai, Lee, Ikegami, Yamaguchi, Yagisawa, Fukui, Tuzi, 391
- nuclease-hypersensitive site, insulator, nucleosome, sea urchin development, Takagi, Inai, Watanabe, Tatemoto, Yajima, Akasaka, Yamamoto, Sakamoto, 75
- nucleosome, insulator, nuclease-hypersensitive site, sea urchin development, Takagi, Inai, Watanabe, Tatemoto, Yajima, Akasaka, Yamamoto, Sakamoto, 75
- nucleotide compositional bias, GC content, membrane protein, nucleotide sequence simulation, prokaryote genome, Sawada, Mitaku, 189
- nucleotide sequence simulation, GC content, membrane protein, nucleotide compositional bias, prokaryote genome, Sawada, Mitaku, 189
- O**
- O*-glycan, *N*-glycan, *N*-glycosidic linkage, mucin, tumour-associated carbohydrate antigen, Nakada, 461
- oligosaccharide, degradation, lysosomes, mass spectrometry, Mehdy, Morelle, Rosnoble, Legrand, Lefebvre, Duvet, Foulquier, 439
- OxyR, redox switch, disulfide bond, INAD, angiotensin, Ryu, 579
- P**
- P-body, calcium-binding protein, motif, proline-rich, protein–protein interaction, Osugi, Suzuki, Nomura, Ariumi, Shibata, Maki, 657
- PCNA, DNA repair, flap endonuclease, Holliday junction, Yang, Ishino, Yamagami, Kumamaru, Satoh, Ishino, 317
- pepstatin, catalytic mechanism, glutamic peptidase, serine-carboxyl peptidase, structure, substrate specificity, Oda, 13
- peroxiredoxin, intracellular signalling, protein tyrosine phosphatase, reactive oxygen species, thioredoxin, Miki, Funato, 255
- PH domain, membrane surface, nuclear localization signal, phosphatidylinositol 3,4,5-trisphosphate, switch-associated protein-70, Tokuda, Kawai, Lee, Ikegami, Yamaguchi, Yagisawa, Fukui, Tuzi, 391
- phage display, antibody engineering, protein refolding, single-chain Fv, Tn-antigen, Yuasa, Ogawa, Koizumi, Tsukamoto, 391
- Matsumoto-Takasaki, Asanuma, Nakada, Fujita-Yamaguchi, 371
- phosphatidylinositol 3,4,5-trisphosphate, membrane surface, nuclear localization signal, PH domain, switch-associated protein-70, Tokuda, Kawai, Lee, Ikegami, Yamaguchi, Yagisawa, Fukui, Tuzi, 391
- phospholipase, fatty acid, G-protein coupled receptor, phospholipid, trimeric G proteins, Kitamura, Makide, Shuto, Ikubo, Inoue, Suzuki, Sato, Nakamura, Otani, Ohwada, Aoki, 511
- phospholipid, fatty acid, G-protein coupled receptor, phospholipase, trimeric G proteins, Kitamura, Makide, Shuto, Ikubo, Inoue, Suzuki, Sato, Nakamura, Otani, Ohwada, Aoki, 511
- phosphorylation, CSF-1R, drug design, kinase inhibitor, tyrosine kinase, Kitagawa, Gouda, Kirii, Sugiyama, Ishihama, Fujii, Narumi, Akita, Yokota, 47
- pierisin, cancer, carcinogenesis, mutagenesis, poly(ADP-ribose), tumour promoter, Masutani, 221
- poly(ADP-ribose), cancer, carcinogenesis, mutagenesis, pierisin, tumour promoter, Masutani, 221
- porphyran, iNOS, nitric oxide, NF- κ B, sulphated polysaccharide, Jiang, Hama, Yamaguchi, Oda, 65
- PP1, PP2B, C-terminus, chimera, stability, metal ions, inhibitor, Wang, Tang, Zhang, Wei, 283
- PP2A, centromere, checkpoint, chromosomal passenger complex, mitosis, Date, Dreier, Borton, Bekier II, Taylor, 361
- PP2B, PP1, C-terminus, chimera, stability, metal ions, inhibitor, Wang, Tang, Zhang, Wei, 283
- prefoldin, chaperonin, citrate synthase, protein folding, Pyrococcus furiosus, Hongo, Itai, Mizobata, Kawata, 383
- prokaryote genome, GC content, membrane protein, nucleotide compositional bias, nucleotide sequence simulation, Sawada, Mitaku, 189
- proline-rich, actin-binding protein, MAPs, MAP4, microtubule-associated protein, Matsushima, Tokuraku, Hasan, Kotani, 99
- , calcium-binding protein, motif, P-body, protein–protein interaction, Osugi, Suzuki, Nomura, Ariumi, Shibata, Maki, 657
- promoter analysis, all-trans retinoic acid, chromatin remodelling, MCF-7 cell, neutral sphingomyelinase 2, Ito, Tanaka, Hagiwara, Kobayashi, Hoshikawa, Mizutani, Takagi, Kojima, Sobue, Ichihara, Suzuki, Tamiya-Koizumi, Nakamura, Banno, Nozawa, Murate, 599
- promoter, aspartic proteinase, cathepsin E, Spi, Okamoto, Okamoto, Kawakubo, Iwata, Yasuda, Tsukuba, Yamamoto, 263
- prostate carcinoma, androgen receptor, AU-rich element, hnRNP D, HuR, metastasis-associated protein-1, Barker, Epis, Porter, Hopkins, Wilce, Wilce, Giles, Leedman, 423
- proteasome, apoptosis, brain, caspase, inhibitor, rat, substrate, Prudnikov, Smirnov, 299
- protein degradation, Terf, ZWINT, kinetochore, cell proliferation, Endo, Ikeda, Urano, Horie-Inoue, Inoue, 139
- protein disulphide isomerase (PDI), bisphenol A, circular dichroism spectra, fluorescence analysis, surface plasmon resonance, Hashimoto, Shiromoto, Okada, Imaoka, 35
- protein folding, chaperonin, citrate synthase, prefoldin, Pyrococcus furiosus, Hongo, Itai, Mizobata, Kawata, 383
- protein kinases, developmental factors, growth factors, knockout, mouse, Tojo, Takebe, Takahashi, Tanaka, Imamura, Miyazono, Chiba, 621
- protein refolding, antibody engineering, phage display, single-chain Fv, Tn-antigen, Yuasa, Ogawa, Koizumi, Tsukamoto, Matsumoto-Takasaki, Asanuma, Nakada, Fujita-Yamaguchi, 371
- protein tyrosine phosphatase, intracellular signalling, peroxiredoxin, reactive oxygen species, thioredoxin, Miki, Funato, 255
- protein–protein interaction, calcium-binding protein, motif, P-body, proline-rich, Osugi, Suzuki, Nomura, Ariumi, Shibata, Maki, 657
- , Ferredoxin, nitrite reductase, electron transfer, Sakakibara, Kimura, Iwamura, Saitoh, Ikegami, Kurisu, Hase, 483
- proteolytic activation, hepatocyte growth factor activator inhibitor type 1 (HAI-1), Kunitz-type inhibitor, human airway trypsin-like protease (HAT), type-II transmembrane serine protease, Kato, Hashimoto, Shimomura, Kataoka, Ohi, Kitamura, 179
- Pyrococcus furiosus, chaperonin, citrate synthase, prefoldin, protein folding, Hongo, Itai, Mizobata, Kawata, 383
- R**
- Rab effector, Cellular logistics, melanocyte, membrane traffic, small GTPase, Ohbayashi, Fukuda, 343
- rat, apoptosis, brain, caspase, inhibitor, proteasome, substrate, Prudnikov, Smirnov, 299
- reaction mechanism, *Ascaris suum*, crystal structure, mitochondrial respiratory complex II, rhodoquinol–fumarate reductase (QFR), Shimizu, Osanai, Sakamoto, Inaoka, Shiba, Harada, Kita, 589
- reactive oxygen species, intracellular signalling, peroxiredoxin, protein tyrosine phosphatase, thioredoxin, Miki, Funato, 255
- receptor-binding assay, bisphenol A, estrogen-related receptor γ , receptor-binding mode, Liu, Matsushima, Nakamura, Costa, Nose, Shimohigashi, 403
- receptor-binding mode, bisphenol A, estrogen-related receptor γ , receptor-binding assay, Liu, Matsushima, Nakamura, Costa, Nose, Shimohigashi, 403
- redox switch, disulfide bond, OxyR, INAD, angiotensin, Ryu, 579
- Regulation, Differentiation, Vitamin A, Transcription, Sphingolipids, Tanaka,

Index to Key Words

- Tamiya-Koizumi, Hagiwara, Ito, Takagi, Kojima, Suzuki, Iwaki, Fujii, Nakamura, Banno, Kannagi, Tsurumi, Kyogashima, Murate, 611
- replication and recombination, biochemistry, enzyme inhibitors, molecular biology, Sugiyama, Chino, Tsurimoto, Nozaki, Ishimi, 129
- Rho, TGF- β 2, MRTF-A, EndMT, α -SMA, Mihira, Suzuki, Akatsu, Yoshimatsu, Igarashi, Miyazono, Watabe, 145
- rhodoquinol-fumarate reductase (QFR), *Ascaris suum*, crystal structure, mitochondrial respiratory complex II, reaction mechanism, Shimizu, Osanai, Sakamoto, Inaoka, Shiba, Harada, Kita, 589
- RIG-I, type I interferon, ubiquitin, virus, Oshiumi, Matsumoto, Seya, 5
- S**
- sea urchin development, insulator, nuclelease-hypersensitive site, nucleosome, Takagi, Inai, Watanabe, Tatemoto, Yajima, Akasaka, Yamamoto, Sakamoto, 75
- serine-carboxyl peptidase, catalytic mechanism, glutamic peptidase, pepstatin, structure, substrate specificity, Oda, 13
- single-chain Fv, antibody engineering, phage display, protein refolding, Tn-antigen, Yuasa, Ogawa, Koizumi, Tsukamoto, Matsumoto-Takasaki, Asanuma, Nakada, Fujita-Yamaguchi, 371
- site-directed mutagenesis, analytical ultracentrifuge, β -strand, circular dichroism, gel filtration, Ohtomo, Fujiwara, Ikeguchi, 329
- small GTPase, Cellular logistics, melanocyte, membrane traffic, Rab effector, Ohbayashi, Fukuda, 343
- solubility, alkyl gallates, arginine, detergent, lauroyl-L-glutamate, Arikai, Hirano, Arakawa, Shiraki, 27
- Sp1, aspartic proteinase, cathepsin E, promoter, Okamoto, Okamoto, Kawakubo, Iwata, Yasuda, Tsukuba, Yamamoto, 263
- Sphingolipids, Differentiation, Vitamin A, Regulation, Transcription, Tanaka, Tamiya-Koizumi, Hagiwara, Ito, Takagi, Kojima, Suzuki, Iwaki, Fujii, Nakamura, Banno, Kannagi, Tsurumi, Kyogashima, Murate, 611
- stability, PP1, PP2B, C-terminus, chimera, metal ions, inhibitor, Wang, Tang, Zhang, Wei, 283
- structure-function relationship, anti-allergy, crystal structure, hematopoietic prostaglandin (PG) D synthase (H-PGDS), inhibitor, Kado, Aritake, Uodome, Okano, Okazaki, Matsumura, Urade, Inoue, 447
- structure, catalytic mechanism, glutamic peptidase, pepstatin, serine-carboxyl peptidase, substrate specificity, Oda, 13
- substrate dehydrogenation, heterotetrameric sarcosine oxidase, kinetic isotope effect, low pK_a Lys, substrate ionization, Saito, Itoh, Suzuki, 633
- substrate ionization, substrate dehydrogenation, heterotetrameric sarcosine oxidase, kinetic isotope effect, low pK_a Lys, Saito, Itoh, Suzuki, 633
- substrate specificity, catalytic mechanism, glutamic peptidase, pepstatin, serine-carboxyl peptidase, structure, Oda, 13
- , copper amine oxidase, irreversible inhibitor, topa quinone, X-ray crystal structure, Murakawa, Hayashi, Taki, Yamamoto, Kawano, Tanizawa, Okajima, 167
- substrate, anti-oxidant activity, apolipoprotein A-IV (ApoA-IV), lipid metabolism, matrix metalloproteinase (MMP), Park, Park, Jang, Hwang, Kim, Kim, Cho, Lee, 291
- , apoptosis, brain, caspase, inhibitor, protease, rat, Prudnikov, Smirnov, 299
- sulphated polysaccharide, iNOS, nitric oxide, NF- κ B, porphyrin, Jiang, Hama, Yamaguchi, Oda, 65
- surface plasmon resonance, bisphenol A, circular dichroism spectra, fluorescence analysis, protein disulphide isomerase (PDI), Hashimoto, Shiromoto, Okada, Imaoka, 35
- , antibody, isothermal titration calorimetry, Tn-antigen, thermodynamic, Matsumoto-Takasaki, Hanashima, Aoki, Yuasa, Ogawa, Sato, Kawakami, Mizuno, Nakada, Yamaguchi, Fujita-Yamaguchi, 273
- swarming, domain interaction, flagella, motility, multimerization, two-component system, Ogura, Tsukahara, 643
- switch-associated protein-70, membrane surface, nuclear localization signal, PH domain, phosphatidylinositol 3,4,5-trisphosphate, Tokuda, Kawai, Lee, Ikegami, Yamaguchi, Yagisawa, Fukui, Tuzi, 391
- T**
- TAK1-binding proteins, autophagy, Beclin1, Takaesu, Kobayashi, Yoshimura, 157
- Tax, I KK, K63, NF- κ B, ubiquitin, Hayakawa, 115
- Terf, ZWINT, kinetochore, cell proliferation, protein degradation, Endo, Ikeda, Urano, Horie-Inoue, Inoue, 139
- TET, JmjC, demethylation, 5-hydroxymethylcytosine, 5-methylcytosine, Tsukada, 229
- TGF- β /TNF- α , EMT, lung adenocarcinoma, NF κ B, Kawata, Koinuma, Ogami, Umezawa, Iwata, Watabe, Miyazono, 205
- TGF- β 2, Rho, MRTF-A, EndMT, α -SMA, Mihira, Suzuki, Akatsu, Yoshimatsu, Igarashi, Miyazono, Watabe, 145
- TGF- β , EMT, ESRP alternative splicing, Saitoh, Miyazawa, 563
- the A-loop, tyrosine kinase, juxtamembrane domain; c-Kit, Miyazawa, 457
- thermal unfolding, conformational change, intermediate state, lipocalin-type prostaglandin D synthase, NMR spectroscopy,
- Miyamoto, Noda, Iida, Yamaguchi, Nishimura, Tanaka, Segawa, Inui, 335
- thermodynamic, antibody, isothermal titration calorimetry, surface plasmon resonance, Tn-antigen, Matsumoto-Takasaki, Hanashima, Aoki, Yuasa, Ogawa, Sato, Kawakami, Mizuno, Nakada, Yamaguchi, Fujita-Yamaguchi, 273
- thioredoxin, intracellular signalling, peroxiredoxin, protein tyrosine phosphatase, reactive oxygen species, Miki, Funato, 255
- thyroid hormone receptor, translation, 5'-UTR, uORF, Xenopus, Okada, Nakajima, Yaoita, 519
- Tn-antigen, antibody, isothermal titration calorimetry, surface plasmon resonance, thermodynamic, Matsumoto-Takasaki, Hanashima, Aoki, Yuasa, Ogawa, Sato, Kawakami, Mizuno, Nakada, Yamaguchi, Fujita-Yamaguchi, 273
- , antibody engineering, phage display, protein refolding, single-chain Fv, Yuasa, Ogawa, Koizumi, Tsukamoto, Matsumoto-Takasaki, Asanuma, Nakada, Fujita-Yamaguchi, 371
- topa quinone, copper amine oxidase, irreversible inhibitor, substrate specificity, X-ray crystal structure, Murakawa, Hayashi, Taki, Yamamoto, Kawano, Tanizawa, Okajima, 167
- transcription factors, BMP, bone, cartilage, Nishimura, Hata, Matsubara, Wakabayashi, Yoneda, 247
- Transcription, Differentiation, Vitamin A, Regulation, Sphingolipids, Tanaka, Tamiya-Koizumi, Hagiwara, Ito, Takagi, Kojima, Suzuki, Iwaki, Fujii, Nakamura, Banno, Kannagi, Tsurumi, Kyogashima, Murate, 611
- translation, thyroid hormone receptor, 5'-UTR, uORF, Xenopus, Okada, Nakajima, Yaoita, 519
- trimeric G proteins, fatty acid, G-protein coupled receptor, phospholipase, phospholipid, Kitamura, Makide, Shuto, Ikubo, Inoue, Suzuki, Sato, Nakamura, Otani, Ohwada, Aoki, 511
- tumour promoter, cancer, carcinogenesis, mutagenesis, pierisin, poly(ADP-ribose), Masutani, 221
- tumour-associated carbohydrate antigen, N-glycan, N-glycosidic linkage, O-glycan, mucin, Nakada, 461
- tumuorigenesis, chemokine, CXCL14, feeding behaviour, glucose metabolism, Hara, Tanegashima, 469
- two-component system, domain interaction, flagella, motility, multimerization, swarming, Ogura, Tsukahara, 643
- type I interferon, RIG-I, ubiquitin, virus, Oshiumi, Matsumoto, Seya, 5
- type-II transmembrane serine protease, hepatocyte growth factor activator inhibitor type 1 (HAI-1), Kunitz-type inhibitor, human airway trypsin-like protease

(HAT), proteolytic activation, *Kato, Hashimoto, Shimomura, Kataoka, Ohi, Kitamura*, 179
 tyrosine kinase, CSF-1R, drug design, kinase inhibitor, phosphorylation, *Kitagawa, Gouda, Kirii, Sugiyama, Ishihama, Fujii, Narumi, Akita, Yokota*, 47
 —, the A-loop, juxtamembrane domain; c-Kit, *Miyazawa*, 457

U

ubiquitin, RIG-I, type I interferon, virus, *Oshiumi, Matsumoto, Seya*, 5
 —, IKK, K63, NF- κ B, Tax, *Hayakawa*, 115
 uORF, thyroid hormone receptor, translation, 5'-UTR, *Xenopus, Okada, Nakajima, Yaoita*, 519
 UPR, apoptosis, CHOP, inflammation, ER stress, *Nishitoh*, 217

V

virus, RIG-I, type I interferon, ubiquitin, *Oshiumi, Matsumoto, Seya*, 5

Vitamin A, Differentiation, Regulation, Transcription, Sphingolipids, *Tanaka, Tamiya-Koizumi, Hagiwara, Ito, Takagi, Kojima, Suzuki, Iwaki, Fujii, Nakamura, Banno, Kannagi, Tsurumi, Kyogashima, Murate*, 611

W

water molecule, ionizable group, matrix metalloproteinase, matrix metalloproteinase (MMP)-7; site-directed mutagenesis, *Morishima, Yasukawa, Inouye*, 501

X

Xenopus, thyroid hormone receptor, translation, 5'-UTR, uORF, *Okada, Nakajima, Yaoita*, 519
 X-ray crystal structure, activation helices, auto-inhibition state, MAP2K6, MAP2K, *Matsumoto, Kinoshita, Matsuzaka, Nakai, Kirii, Yokota, Tada*, 541
 —, copper amine oxidase, irreversible inhibitor, substrate specificity, topa quinone,

Murakawa, Hayashi, Taki, Yamamoto, Kawano, Tanizawa, Okajima, 167

Y

yeast GPCR assay, GPI-anchored plasma membrane protein, ligand-GPCR interaction, membrane-displayed ligand, yeast pheromone response pathway, *Hara, Ono, Kuroda, Ueda*, 551

yeast pheromone response pathway, GPI-anchored plasma membrane protein, ligand-GPCR interaction, membrane-displayed ligand, yeast GPCR assay, *Hara, Ono, Kuroda, Ueda*, 551

Z

ZWINT, Terf, kinetochore, cell proliferation, protein degradation, *Endo, Ikeda, Urano, Horie-Inoue, Inoue*, 139

zymography, activity assay, biological markers, metalloproteinase, MMP-9, *Bellini, Trentini, Manfrinato, Tamborino, Volta, Di Foggia, Fainardi, Dallocchio, Castellazzi*, 493

THE JOURNAL OF BIOCHEMISTRY

EDITED FOR
THE JAPANESE BIOCHEMICAL SOCIETY
VOLUME 151, 2012

E D I T O R I A L B O A R D

Editor-in-Chief

Kohei MIYAZONO (Tokyo)

Editors

JB Reviews
Biochemistry

Keiji MIYAZAWA (Chuo)
Koichi HONKE (Nankoku)
Katsuyuki TANIZAWA (Ibaraki)
Yukio FUJIKI (Fukuoka)
Akira KIKUCHI (Suita)
Haruhiko MASAKI (Tokyo)

Molecular Biology
Cell
Biotechnology

Managing Editors

Kiyoko FUKAMI (Hachioji) Noboru MIZUSHIMA (Tokyo)

Associate Editors

JB Reviews

Junken AOKI (Sendai)
Naotada ISHIHARA (Kurume)
Daisuke KOHDA (Fukuoka)
Hiroko BABA (Hachioji)
Kiyoshi FUKUI (Tokushima)
J. Mitchell GUSS (Sydney)
Hideyuki HAYASHI (Takatsuki)
Michael A. HOLLINGSWORTH (Omaha)
Hiroshi ICHINOSE (Yokohama)
Hiroyuki ITABE (Tokyo)
Makoto ITO (Fukuoka)
Kazuhiro IWAI (Suita)
Kenji KADOMATSU (Nagoya)
Yasushi KAWATA (Tottori)

Arne ÖSTMAN (Stockholm)
Hiroyuki SORIMACHI (Tokyo)
Kaoru SUGASAWA (Kobe)
Akio KIHARA (Sapporo)
Shun'ichi KURODA (Nagoya)
Yoshinori MORIYAMA (Okayama)
Atsushi NAKAGAWA (Suita)
Toru NAKAYAMA (Sendai)
Shoko NISHIHARA (Hachioji)
Ryuichiro SATO (Tokyo)
Hideki SUMIMOTO (Fukuoka)
Natsuo UEDA (Kagawa)
Tohru YOSHIMURA (Nagoya)

Molecular Biology

Koichi FURUKAWA (Nagoya)
Hidenori ICHIJO (Tokyo)
Fuyuki ISHIKAWA (Kyoto)
Thomas LANGER (Köln)
Kazutoshi MORI (Kyoto)
Juergen BEHRENS (Erlangen)
Kang-Yell CHOI (Seoul)
Masato HASEGAWA (Tokyo)
Kazuhiko IGARASHI (Sendai)
Peter KLEIN (Philadelphia)
Munehito ARAI (Tokyo)

Matthias MÜLLER (Freiburg)
Masao SAKAGUCHI (Hyogo)
Minoru TAKATA (Kyoto)
Toshiki TSURIMOTO (Fukuoka)
Tamotsu YOSHIMORI (Suita)
Yasuhiro MINAMI (Kobe)
Akira NAKAMURA (Ishikawa)
Patricia C. SALINAS (London)
Kazuma TANAKA (Sapporo)

Cell

Dominique FOURMY (Gif-sur-Yvette)
Shinya FUSHINOBU (Tokyo)
Itaru HAMACHI (Kyoto)

Hyouta HIMENO (Hirosaki)
Kentaro SHIMIZU (Tokyo)
Hiroshi UEDA (Tokyo)

Biotechnology

Editorial Assistants
Daizo KOINUMA (Tokyo) Tetsuro WATABE (Tokyo)

Advisory Board

Biochemistry

Fumio ARISAKA (Yokohama)
Vytas A. BANKAITIS (Chapel Hill)
Junichi FUJII (Yamagata)
Yuji Goto (Suita)
Jianxin GU (Shanghai)
Gerald W. HART (Baltimore)
Mitsuharu HATTORI (Nagoya)
Toru HISABORI (Yokohama)
Seiji HITOSHI (Otsu)
Yoshitaka IKEDA (Saga)
Tsuneo IMANAKA (Toyama)
Tetsuo ISHIDA (Otsu)
Johannis P. KAMERLING (Utrecht)

Molecular Biology

Kenji KOHNO (Ikoma)
Bok Luel LEE (Busan)

Cell

Suk-Chul BAE (Gaesindong)
Frank D. BÖHMER (Jena)
Nils BROSE (Gottingen)
Mikio FURUSE (Kobe)
Yutaka HATA (Tokyo)
Shigeki HIGASHIYAMA (Toon)
Takeshi IWATSUBO (Tokyo)

Biotechnology

Yo KIKUCHI (Toyohashi)
Shohei KOIDE (Chicago)
Sungsoon KIM (Seoul)

Nobuo KAMIYA (Osaka)
Dongchon KANG (Fukuoka)
Kai-Hooi KHOO (Taipei)
Koji KIMATA (Aichi)
Makoto KIMURA (Fukuoka)
Ken KITAJIMA (Nagoya)
Seiki KURAMITSU (Toyonaka)
Masami KUSUNOKI (Kofu)
Masayoshi MAESHIMA (Nagoya)
Bettie Sue MASTERS (San Antonio)
Eiji MIYOSHI (Suita)
Takanori NAKAMURA (Kagawa)
Takashi NAKAZAWA (Nara)

Hisao MASAI (Tokyo)
Pradman K. QASBA (Frederick)

Eunjoon KIM (Daejeon)
Tohru KOZASA (Tokyo)
Issei MABUCHI (Tokyo)
Atsushi MIYAJIMA (Tokyo)
Aristidis MOUSTAKAS (Uppsala)
Yoshitaka NAGAI (Kodaira)
Osamu NUMATA (Tsukuba)

Włodzimierz J. KRZYZOSIAK (Poznan)
Ken-ichi NISHIYAMA (Morioka)
Chris Y. H. TAN (Vancouver, Canada)

Yasuko NISHINA (Kumamoto)
Kazuya NOMURA (Fukuoka)
Kohei ODA (Kyoto)
Yukihiro SUGIMOTO (Kumamoto)
Hisaaki TANIGUCHI (Tokushima)
Koji UCHIDA (Nagoya)
Masato UMEDA (Kyoto)
Hideto WATANABE (Aichi)
Yuriko YAMAGATA (Kumamoto)
Takehiko YOKOMIZO (Fukuoka)
Kazushige YOKOTA (Matsue)

Yoshihide TSUJIMOTO (Suita)

Kouetsu OGASAWARA (Sendai)
Yoshiro OHARA (Ishikawa)
Nobuyuki SHIINA (Okazaki)
Toshiyuki TAKAI (Sendai)
Yuji YAMANASHI (Tokyo)

Kouhei TSUMOTO (Kashiwa)
Mamoru YAMADA (Yamaguchi)
Kazuo YAMAMOTO (Kashiwa)

COPYRIGHT, 2012 © BY THE JAPANESE BIOCHEMICAL SOCIETY

PUBLISHED

BY

THE JAPANESE BIOCHEMICAL SOCIETY

CONTENTS OF VOLUME 151

No. 1, January, 2012

	PAGE
JB Commentary	
Ectodomain shedding of HB-EGF: A potential target for cancer therapy	K. Miyazono 1
JB Reviews	
<i>Featured article of the month.</i> Ubiquitin-mediated modulation of the cytoplasmic viral RNA sensor RIG-I	H. Oshiumi, M. Matsumoto and T. Seya 5
<i>Featured article of the month.</i> New families of carboxyl peptidases: serine-carboxyl peptidases and glutamic peptidases	K. Oda 13
Regular Papers	
Drug solubilization effect of lauroyl-L-glutamate	R. Ariki, A. Hirano, T. Arakawa and K. Shiraki 27
The binding site of bisphenol A to protein disulphide isomerase	S. Hashimoto, K. Shiromoto, K. Okada and S. Imaoka 35
Characterization of kinase inhibitors using different phosphorylation states of colony stimulating factor-1 receptor tyrosine kinase	D. Kitagawa, M. Gouda, Y. Kirii, N. Sugiyama, Y. Ishihama, I. Fujii, Y. Narumi, K. Akita and K. Yokota 47
Comparison of human blood concentrations of collectin kidney 1 and mannan-binding lectin	T. Yoshizaki, K. Ohtani, W. Motomura, S.-J. Jang, K.-i. Mori, N. Kitamoto, I. Yoshida, Y. Suzuki and N. Wakamiya 57
Inhibitory effect of sulphated polysaccharide porphyran on nitric oxide production in lipopolysaccharide-stimulated RAW264.7 macrophages	Z. Jiang, Y. Hama, K. Yamaguchi and T. Oda 65
Nucleosome exclusion from the interspecies-conserved central AT-rich region of the <i>Ars</i> insulator	H. Takagi, Y. Inai, S.-i. Watanabe, S. Tatemoto, M. Yajima, K. Akasaka, T. Yamamoto and N. Sakamoto 75
Identification and biochemical characterization of a novel autotaxin isoform, ATX δ , with a four-amino acid deletion	T. Hashimoto, S. Okudaira, K. Igarashi, K. Hama, Y. Yatomi and J. Aoki 89
Microtubule-associated protein 4 binds to actin filaments and modulates their properties	K. Matsushima, K. Tokuraku, M.R. Hasan and S. Kotani 99
Iron overload inhibits calcification and differentiation of ATDC5 cells	T. Ohno, N. Hashimoto, K. Mitsui, H. Nishimura and H. Hagiwara 109

CONTENTS OF VOLUME 151

PAGE

No. 2, February, 2012

JB Commentary

Role of K63-linked polyubiquitination in NF- κ B signalling: which ligase catalyzes and what molecule is targeted?

M. Hayakawa

115

JB Review

Featured article of the month. Structure, regulation and function of ghrelin

T. Sato, Y. Nakamura, Y. Shiimura,
H. Ohgusu, K. Kangawa and
M. Kojima

119

Regular Papers

Interaction of heliquinomycin with single-stranded DNA inhibits MCM4/6/7 helicase

T. Sugiyama, M. Chino, T. Tsurimoto,
N. Nozaki and Y. Ishimi

129

Terf/TRIM17 stimulates degradation of kinetochore protein ZWINT and regulates cell proliferation

H. Endo, K. Ikeda, T. Urano,
K. Horie-Inoue and S. Inoue

139

TGF- β -induced mesenchymal transition of MS-1 endothelial cells requires Smad-dependent cooperative activation of Rho signals and MRTF-A

H. Mihira, H.I. Suzuki, Y. Akatsu,
Y. Yoshimatsu, T. Igarashi,
K. Miyazono and T. Watabe

145

TGF β -activated kinase 1 (TAK1)-binding proteins (TAB) 2 and 3 negatively regulate autophagy

G. Takaesu, T. Kobayashi and
A. Yoshimura

157

Structural insights into the substrate specificity of bacterial copper amine oxidase obtained by using irreversible inhibitors

T. Murakawa, H. Hayashi, M. Taki,
Y. Yamamoto, Y. Kawano,
K. Tanizawa and T. Okajima

167

Hepatocyte growth factor activator inhibitor type 1 inhibits protease activity and proteolytic activation of human airway trypsin-like protease

M. Kato, T. Hashimoto, T. Shimomura,
H. Kataoka, H. Ohi and N. Kitamura

179

Biological meaning of DNA compositional biases evaluated by ratio of membrane proteins

R. Sawada and S. Mitaku

189

Disulphide linkage in mouse ST6Gal-I: determination of linkage positions and mutant analysis

Y. Hirano, T. Suzuki, T. Matsumoto,
Y. Ishihara, Y. Takaki, M. Kono,
N. Dohmae and S. Tsuji

197

TGF- β -induced epithelial-mesenchymal transition of A549 lung adenocarcinoma cells is enhanced by pro-inflammatory cytokines derived from RAW 264.7 macrophage cells

M. Kawata, D. Koinuma, T. Ogami,
K. Umezawa, C. Iwata, T. Watabe and
K. Miyazono

205

CONTENTS OF VOLUME 151

PAGE

No. 3, March, 2012

JB Commentary

CHOP is a multifunctional transcription factor in the ER stress response

H. Nishitoh

217

JB Reflections and Perspectives

The pioneering spirit of Takashi Sugimura: his studies of the biochemistry of poly(ADP-ribosylation) and of cancer

M. Masutani

221

JB Reviews

Featured article of the month. Hydroxylation mediates chromatin demethylation

Y.-i. Tsukada

229

Featured article of the month. Regulation of bone and cartilage development by network between BMP signalling and transcription factors

R. Nishimura, K. Hata, T. Matsubara,
M. Wakabayashi and T. Yoneda

247

Featured article of the month. Regulation of intracellular signalling through cysteine oxidation by reactive oxygen species

H. Miki and Y. Funato

255

Regular Papers

Role of the transcription factor Sp1 in regulating the expression of the murine cathepsin E gene

K. Okamoto, Y. Okamoto,
T. Kawakubo, J.-i. Iwata, Y. Yasuda,
T. Tsukuba and K. Yamamoto

263

Surface plasmon resonance and NMR analyses of anti Tn-antigen MLS128 monoclonal antibody binding to two or three consecutive Tn-antigen clusters

A. Matsumoto-Takasaki, S. Hanashima,
A. Aoki, N. Yuasa, H. Ogawa, R. Sato,
H. Kawakami, M. Mizuno, H. Nakada,
Y. Yamaguchi and Y. Fujita-Yamaguchi

273

Regulation of the catalytic domain of protein phosphatase 1 by the terminal region of protein phosphatase 2B

B.J. Wang, W. Tang, P. Zhang and
Q. Wei

283

Apolipoprotein A-IV is a novel substrate for matrix metalloproteinases

J.Y. Park, J.H. Park, W. Jang,
I.-K. Hwang, I.J. Kim, H.-J. Kim,
K.-H. Cho and S.-T. Lee

291

Short peptide tools for monitoring caspase and proteasome activities in embryonal and adult rat brain lysates: an approach for the differential identification of proteases

I.M. Prudnikov and A.N. Smirnov

299

The OsGEN-L protein from *Oryza sativa* possesses Holliday junction resolvase activity as well as 5'-flap endonuclease activity

Y. Yang, S. Ishino, T. Yamagami,
T. Kumamaru, H. Satoh and Y. Ishino

317

Important role of methionine 145 in dimerization of bovine β -lactoglobulin

H. Ohtomo, K. Fujiwara and
M. Ikeguchi

329

NMR and CD analysis of an intermediate state in the thermal unfolding process of mouse lipocalin-type prostaglandin D synthase

Y. Miyamoto, Y. Noda, T. Iida,
K. Yamaguchi, S. Nishimura,
A. Tanaka, S.-i. Segawa and T. Inui

335

CONTENTS OF VOLUME 151

No. 4, April, 2012	PAGE
JB Reviews	
Featured article of the month. Role of Rab family GTPases and their effectors in melanosomal logistics	N. Ohbayashi and M. Fukuda 343
Featured article of the month. Activation of receptor protein-tyrosine kinases from the cytoplasmic compartment	Y. Yamanashi, T. Tezuka and K. Yokoyama 353
Regular Papers	
Effects of phosphatase and proteasome inhibitors on Borealin phosphorylation and degradation	D. Date, M.R. Dreier, M.T. Borton, M.E. Bekier II and W.R. Taylor 361
Construction and expression of anti-Tn-antigen-specific single-chain antibody genes from hybridoma producing MLS128 monoclonal antibody	N. Yuasa, H. Ogawa, T. Koizumi, K. Tsukamoto, A. Matsumoto-Takasaki, H. Asanuma, H. Nakada and Y. Fujita-Yamaguchi 371
Varied effects of <i>Pyrococcus furiosus</i> prefoldin and <i>P. furiosus</i> chaperonin on the refolding reactions of substrate proteins	K. Hongo, H. Itai, T. Mizobata and Y. Kawata 383
Membrane-induced alteration of the secondary structure in the SWAP-70 pleckstrin homology domain	N. Tokuda, K. Kawai, Y.-H. Lee, T. Ikegami, S. Yamaguchi, H. Yagisawa, Y. Fukui and S. Tuzi 391
Fine spatial assembly for construction of the phenol-binding pocket to capture bisphenol A in the human nuclear receptor estrogen-related receptor γ	X. Liu, A. Matsushima, M. Nakamura, T. Costa, T. Nose and Y. Shimohigashi 403
Efficient expression and purification of recombinant human m-calpain using an <i>Escherichia coli</i> expression system at low temperature	S. Hata, M. Ueno, F. Kitamura and H. Sorimachi 417
Sequence requirements for RNA binding by HuR and AU β 1	A. Barker, M.R. Epis, C.J. Porter, B.R. Hopkins, M.C.J. Wilce, J.A. Wilce, K.M. Giles and P.J. Leedman 423
PUGNAc treatment leads to an unusual accumulation of free oligosaccharides in CHO cells	A. Mehdy, W. Morelle, C. Rosnoblet, D. Legrand, T. Lefebvre, S. Duvet and F. Foulquier 439
Human hematopoietic prostaglandin D synthase inhibitor complex structures	Y. Kado, K. Aritake, N. Uodome, Y. Okano, N. Okazaki, H. Matsumura, Y. Urade and T. Inoue 447

CONTENTS OF VOLUME 151

PAGE

No. 5, May, 2012

JB Commentary

- Phosphorylation in the activation loop as the finishing touch in c-Kit activation K. Miyazawa 457

JB Reflections and Perspectives

- Ikuo Yamashina: a pioneer who established the basis of current glycobiology H. Nakada 461

JB Reviews

- Featured article of the month.** Pleiotropic functions of the CXC-type chemokine CXCL14 in mammals T. Hara and K. Tanegashima 469

- Featured article of the month.** Roles of stromal microenvironment in colon cancer progression M.M. Taketo 477

Regular Papers

- A new structural insight into differential interaction of cyanobacterial and plant ferredoxins with nitrite reductase as revealed by NMR and X-ray crystallographic studies Y. Sakakibara, H. Kimura, A. Iwamura, T. Saitoh, T. Ikegami, G. Kurisu and T. Hase 483

- Matrix metalloproteinase-9 activity detected in body fluids is the result of two different enzyme forms T. Bellini, A. Trentini, M.C. Manfrinato, C. Tamborino, C.A. Volta, V. Di Foggia, E. Fainardi, F. Dallocchio and M. Castellazzi 493

- A possibility of a protein-bound water molecule as the ionizable group responsible for pK_e at the alkaline side in human matrix metalloproteinase 7 activity A. Morishima, K. Yasukawa and K. Inouye 501

- GPR34 is a receptor for lysophosphatidylserine with a fatty acid at the *sn*-2 position H. Kitamura, K. Makide, A. Shuto, M. Ikubo, A. Inoue, K. Suzuki, Y. Sato, S. Nakamura, Y. Otani, T. Ohwada and J. Aoki 511

- Translational regulation by the 5'-UTR of thyroid hormone receptor α mRNA M. Okada, K. Nakajima and Y. Yaoita 519

- Interaction of 8-anilinonaphthalene 1-sulphonate (ANS) and human matrix metalloproteinase 7 (MMP-7) as examined by MMP-7 activity and ANS fluorescence V. Samukange, K. Yasukawa and K. Inouye 533

- Crystal structure of non-phosphorylated MAP2K6 in a putative auto-inhibition state T. Matsumoto, T. Kinoshita, H. Matsuzaka, R. Nakai, Y. Kirii, K. Yokota and T. Tada 541

- Membrane-displayed peptide ligand activates the pheromone response pathway in *Saccharomyces cerevisiae* K. Hara, T. Ono, K. Kuroda and M. Ueda 551

CONTENTS OF VOLUME 151

	PAGE
No. 6, June, 2012	
JB Commentary	
Implication of TGF- β as a survival factor during tumour development	S. Itoh and F. Itoh 559
JB Reviews	
Featured article of the month. Transcriptional and Post-transcriptional Regulation in TGF- β -mediated epithelial-mesenchymal transition	M. Saitoh and K. Miyazawa 563
Featured article of the month. Fine tuning of cell signals by glycosylation	K. Furukawa, Y. Ohkawa, Y. Yamauchi, K. Hamamura, Y. Ohmi and K. Furukawa 573
Featured article of the month. Structural mechanism of disulphide bond-mediated redox switches	S.E. Ryu 579
Rapid communication	
Crystal structure of mitochondrial quinol-fumarate reductase from the parasitic nematode <i>Ascaris suum</i>	H. Shimizu, A. Osanai, K. Sakamoto, D. Ken Inaoka, T. Shiba, S. Harada and K. Kita 589
Regular Papers	
Alzheimer's disease-related protein hGas7b interferes with kinesin motility	M. Hidaka, T. Koga, A. Gotoh, M. Sanada, K. Hirose and T. Uchida 593
Transcriptional regulation of neutral sphingomyelinase 2 in all- <i>trans</i> retinoic acid-treated human breast cancer cell line, MCF-7	H. Ito, K. Tanaka, K. Hagiwara, M. Kobayashi, A. Hoshikawa, N. Mizutani, A. Takagi, T. Kojima, S. Sobue, M. Ichihara, M. Suzuki, K. Tamiya-Koizumi, M. Nakamura, Y. Banno, Y. Nozawa and T. Murate 599
Role of down-regulated neutral ceramidase during all- <i>trans</i> retinoic acid-induced neuronal differentiation in SH-SY5Y neuroblastoma cells	K. Tanaka, K. Tamiya-Koizumi, K. Hagiwara, H. Ito, A. Takagi, T. Kojima, M. Suzuki, S. Iwaki, S. Fujii, M. Nakamura, Y. Banno, R. Kannagi, T. Tsurumi, M. Kyogashima and T. Murate 611
<i>Smad7</i> -deficient mice show growth retardation with reduced viability	M. Tojo, A. Takebe, S. Takahashi, K. Tanaka, T. Imamura, K. Miyazono and T. Chiba 621
Deuterium kinetic isotope effects in heterotetrameric sarcosine oxidase from <i>Corynebacterium</i> sp. U-96: the anionic form of the substrate in the enzyme-substrate complex is a reactive species	M. Saito, A. Itoh and H. Suzuki 633
SwrA regulates assembly of <i>Bacillus subtilis</i> DegU via its interaction with N-terminal domain of DegU	M. Ogura and K. Tsukahara 643
Identification of the P-body component PATL1 as a novel ALG-2-interacting protein by <i>in silico</i> and far-Western screening of proline-rich proteins	K. Osugi, H. Suzuki, T. Nomura, Y. Ariumi, H. Shibata and M. Maki 657

CONTENTS Rearranged According to Subject Categories, Vol. 151, No. 6

JB COMMENTARY

- Implication of TGF- β as a survival factor during tumour development S. Itoh and F. Itoh 559

JB REVIEWS

- Featured article of the month.** Transcriptional and Post-transcriptional Regulation in TGF- β -mediated epithelial-mesenchymal transition M. Saitoh and K. Miyazawa 563

- Featured article of the month.** Fine tuning of cell signals by glycosylation K. Furukawa, Y. Ohkawa, Y. Yamauchi, K. Hamamura, Y. Ohmi and K. Furukawa 573

- Featured article of the month.** Structural mechanism of disulphide bond-mediated redox switches S.E. Ryu 579

BIOCHEMISTRY

Biochemistry General

- Alzheimer's disease-related protein hGas7b interferes with kinesin motility M. Hidaka, T. Koga, A. Gotoh, M. Sanada, K. Hirose and T. Uchida 593

Protein Structure

- Crystal structure of mitochondrial quinol-fumarate reductase from the parasitic nematode *Ascaris suum* H. Shimizu, A. Osanai, K. Sakamoto, D.K. Inaoka, T. Shiba, S. Harada and K. Kita 589

Protein Interaction and Recognition

- SwrA regulates assembly of *Bacillus subtilis* DegU via its interaction with N-terminal domain of DegU M. Ogura and K. Tsukahara 643

- Identification of the P-body component PATL1 as a novel ALG-2-interacting protein by *in silico* and far-Western screening of proline-rich proteins K. Osugi, H. Suzuki, T. Nomura, Y. Ariumi, H. Shibata and M. Maki 657

Lipid Biochemistry

- Transcriptional regulation of neutral sphingomyelinase 2 in all-trans retinoic acid-treated human breast cancer cell line, MCF-7 H. Ito, K. Tanaka, K. Hagiwara, M. Kobayashi, A. Hoshikawa, N. Mizutani, A. Takagi, T. Kojima, S. Sobue, M. Ichihara, M. Suzuki, K. Tamiya-Koizumi, M. Nakamura, Y. Banno, Y. Nozawa and T. Murate 599

- Role of down-regulated neutral ceramidase during all-trans retinoic acid-induced neuronal differentiation in SH-SY5Y neuroblastoma cells K. Tanaka, K. Tamiya-Koizumi, K. Hagiwara, H. Ito, A. Takagi, T. Kojima, M. Suzuki, S. Iwaki, S. Fujii, M. Nakamura, Y. Banno, R. Kannagi, T. Tsurumi, M. Kyogashima and T. Murate 611

Enzymology

- Deuterium kinetic isotope effects in heterotetrameric sarcosine oxidase from *Corynebacterium* sp. U-96: the anionic form of the substrate in the enzyme-substrate complex is a reactive species M. Saito, A. Itoh and H. Suzuki 633

MOLECULAR BIOLOGY

Molecular Genetics

- Smad7*-deficient mice show growth retardation with reduced viability M. Tojo, A. Takebe, S. Takahashi, K. Tanaka, T. Imamura, K. Miyazono and T. Chiba 621