

18. Parker, A. J., Kharasch, N. 1959. The scission of the sulfur-sulfur bond. *Chem. Rev.* **59**:583.
19. Rosenberg, S. A., Guidotti, G. 1968. The protein of human erythrocyte membranes. I. Preparation, solubilization and partial characterization. *J. Biol. Chem.* **243**:1985.
20. Sandberg, H. E., Bryant, R. G., Piette, L. H. 1969. Studies on the location of sulfhydryl groups in erythrocyte membranes with magnetic resonance spin probes. *Arch. Biochim. Biophys.* **133**:144.
21. Schrier, S. L., Godin, D., Gould, R. G., Swyryd, B., Junga, I., Seeger, M. 1971. Characterization of microvesicles produced by shearing of human erythrocyte membranes. *Biochim. Biophys. Acta* **233**:26.
22. Schwartz, A., Laseter, A. H. 1964. A sodium and potassium-stimulated adenosine triphosphatase from cardiac tissues. II. The effects of ouabain and other agents that modify enzyme activity. *Biochem. Pharmacol.* **13**:337.
23. Scott, K. M., Knight, V. A., Settlemire, C. T., Brierley, G. P. 1970. Differential effects of mercurial reagents on membrane thiols and on the permeability of the heart mitochondrion. *Biochemistry* **9**:714.
24. Skou, J. C., Hilberg, C. 1965. The effect of sulfhydryl-blocking reagents and of urea on the (Na^+ and K^+)-activated enzyme system. *Biochim. Biophys. Acta* **110**:359.
25. Smith, F. M., Verpoorte, J. A. 1970. Mg^{++} -activated ATP hydrolysis and sulfhydryl groups in membranes from human erythrocytes. *Canad. J. Biochem.* **48**:604.
26. Smyth, D. G., Nagamatsu, A., Fruton, J. S. 1960. Some reactions of N-ethyl-maleimide. *J. Amer. Oil. Chem. Soc.* **82**:4600.
27. Sutherland, R. M., Rothstein, A., Weed, R. I. 1967. Erythrocyte membrane sulfhydryl groups and cation permeability. *J. Cell. Physiol.* **69**:185.
28. Weed, R. I., Berg, G. G. 1963. Membrane sulfhydryl groups and ATPase. *Fed. Proc.* **22**:213.
29. Weed, R. I., LaCelle, P. L., Merrill, E. W. 1969. Metabolic dependence of red cell deformability. *J. Clin. Invest.* **48**:795.
30. Van Steveninck, J., Weed, R. I., Rothstein, A. 1965. Localization of erythrocyte membrane sulfhydryl groups essential for glucose transport. *J. Gen. Physiol.* **48**:617.
31. Wins, P., Schoffeniels, E. 1966. Studies on red-cell ghost ATPase systems: Properties of a (Mg^{++} and Ca^{++})-dependent ATPase. *Biochim. Biophys. Acta* **120**:341.

Errata

- M. Kasai and J.-P. Changeux. *In Vitro* Excitation of Purified Membrane Fragments by Cholinergic Agonists. *J. Membrane Biol.*, Vol. 6, pp. 1-88, 1971.
- p. 38: The value for the permeability of the liposomes of 3.3×10^{-13} has been measured with K not with Na as indicated on the Table.
- p. 60, line 16: should read 8.1×10^{-8} moles of AcChE per liter instead of per g protein.
- p. 74, line 29: should read 10 to 4×10^5 ml/sec instead of ml · sec.
- p. 77: the second equation should read

$$\langle S \rangle \left(\frac{k_s - k_T}{k_T + k_L} \right) \text{ instead of } \langle S \rangle \left(\frac{k_s - k_T}{k_T + k_L} \right) - 1.$$