

Author Index—Volumes 191–200

- Abdulkadir, L., *see* Cui, N., et al. 192:111
Abedin, M.Z., *see* Narins, S.C., et al. 197:123
Abshagen-Keunecke, M., *see* Hansen, U.P., et al. 192:45
Albermann, L., *see* Oberleithner, H., et al. 196:163
Albermann, L., *see* Schäfer, C., et al. 196:157
Albrecht, P., *see* Momayezi, M., et al. 200:15
Altmann, B., *see* Ngezahayo, A., et al. 194:165
Ambudkar, I.S., *see* Liu, X., et al. 200:93
Anderson, J.M., *see* Van Itallie, C.M., et al. 199:29
Anderson, R.A., *see* Doughman, R.L., et al. 194:77
Andreoli, T.E., *see* Winters, C.J. 195:63
Andreoli, T.E., *see* Winters, C.J., et al. 195:73
Antonenko, Y.N., *see* Sobko, A.A., et al. 199:51
Apell, H.-J., *see* Killig, F., et al. 200:133
Argüello, J.M.: Identification of Ion-Selectivity Determinants in Heavy-Metal Transport P_{1B} -type ATPases 195:93
Arispe, N.: Architecture of the Alzheimer's α B β P Ion Channel Pore 197:33
Arnadottir, J., *see* Tosteson, M.T., et al. 192:181
Arnold, K., *see* Müller, M., et al. 192:33
Arreola, J., *see* Perez-Cornejo, P., et al. 198:125
Arruda, J.A.L., *see* Bernardo, A.A., et al. 191:141
Arruda, J.A.L., *see* Espiritu, D.J.D., et al. 199:39
Arsov, Z., *see* Štrancar, J., et al. 196:135
Artigas, P., Ferreira, G., Reyes, N., Brum, G., Pizarro, G.: Effects of the Enantiomers of BayK 8644 on the Charge Movement of L-type Ca Channels in Guinea-pig Ventricular Myocytes 193:215
Ayudhya, C.I.N., *see* Prachayasittikul, V., et al. 200:47

Babiychuk, E.B., Smith, R.D., Burdyga, T., Babiychuk, V.S., Wray, S., Draeger, A.: Membrane Cholesterol Regulates Smooth Muscle Phasic Contraction 198:95
Babiychuk, V.S., *see* Babiychuk, E.B., et al. 198:95
Bader, P., Weingart, R.: Conductive and Kinetic Properties of Connexin45 Hemichannels Expressed in Transfected HeLa Cells 199:143
Baeza, I., *see* Zazueta, C., et al. 191:113
Balcerzyk, A., *see* Rychlik, B., et al. 193:79
Baldwin, S.A., *see* Szkotak, A.J., 192:169
Balin, B.J., *see* Narins, S.C., et al. 197:123
Balloch, K.J.D., Hartley, J.A., Millar, I.D., Kibble, J.D., Robson, L.: A Hypertonicity-activated Nonselective Conductance in Single Proximal Tubule Cells Isolated from Mouse Kidney 192:191
Bao, X., *see* Vergara, L., et al. 196:173
Barber, A., *see* Pinilla-Tenias, J., et al. 195:27
Barfull, A., *see* Garriga, C., et al. 197:71
Barfull, A., *see* Mate, A., et al. 199:173
Barhanin, J., *see* Barrière, H., et al. 193:153
Barhanin, J., *see* Warth, R. 193:67
Barnham, K.J., *see* Kourie, J.L., et al. 193:35
Barrière, H., Rubera, I., Belfodil, R., Tauc, M., Tonnerieux, N., Poujeol, C., Barhanin, J., Poujeol, P.: Swelling-activated Chloride and Potassium Conductance in Primary Cultures of Mouse Proximal Tubules. Implication of KCNE1 Protein 193:153
Barrière, H., Tauc, M., Poujeol, P.: Use of Knock-out Mouse Models for the Study of Renal Ion Channels 198:113
Bartosz, G., *see* Rychlik, B., et al. 193:79
Bashi, E., *see* Kuroda, T., et al. 198:177
Bauer, C., *see* Bogdanova, A.Y., et al. 195:33
Becq, F., *see* Dérand, R., et al. 194:109
Bednarczyk, P., Kicińska, A., Kominkova, V., Ondrias, K., Dolowy, K., Szewczyk, A.: Quinine Inhibits Mitochondrial ATP-regulated Potassium Channel from Bovine Heart 199:63

Belfodil, R., *see* Barrière, H., et al. 193:153
Bell, J.D., *see* Wilson-Ashworth, H.A., et al. 200:25
Bellido, J.A., *see* Ramírez-Ponce, M.P., et al. 196:129
Bello-Ruess, E., *see* Vergara, L., et al. 196:173
Benindorf, K., *see* Scholle, S., et al. 198:103
Bennekou, P., Kristensen, B.I., Christophersen, P.: The Human Red Cell Voltage-regulated Cation Channel. The Interplay with the Chloride Conductance, the Ca^{2+} -activated K^+ Channel and Ca^{2+} Pump 195:1
Bennett, E.S.: Channel Activation Voltage Alone Is Directly Altered in an Isoform-specific Manner by $\text{Na}_{\text{v}1.4}$ and $\text{Na}_{\text{v}1.5}$ Cytoplasmic Linkers 197:155
Bernard, K., Bogliolo, S., Soriani, O., Ehrenfeld, J.: Modulation of Calcium-dependent Chloride Secretion by Basolateral SK4-like Channels in a Human Bronchial Cell Line 196:15
Bernardo, A.A., Espiritu, D.J.D., Ruiz, O.S., Robey, R.B., Arruda, J.A.L.: The Role of Phosphatidylinositol 3-Kinase (PI3 K) in CO_2 Stimulation of the $\text{Na}^+/\text{HCO}_3^-$ Cotransporter (NBC) 191:141
Bernardo, A.A., *see* Espiritu, D.J.D., et al. 199:39
Berteloot, A.: Kinetic Mechanism of Na^+ -Glucose Cotransport through the Rabbit Intestinal SGLT1 Protein 192:89
Biber, J., *see* Radanovic, T., et al. 194:91
Bihler, H., *see* Kuroda, T., et al. 198:177
Bilbaut, A., *see* Dupré-Aucouturier, S., et al. 199:99
Bildin, V.N., Wang, Z., Iserovich, P., Reinach, P.S.: Hypertonicity-induced p38MAPK Activation Elicits Recovery of Corneal Epithelial Cell Volume and Layer Integrity 193:1
Binder, K.-A., Wegner, L.H., Heidecker, M., Zimmermann, U.: Gating of Cl^- Currents in Protoplasts from the Marine Alga *Valonia utricularis* Depends on the Transmembrane Cl^- Gradient and Is Affected by Enzymatic Cell Wall Degradation 191:165
Birkelund, S., *see* Kristensen, B., et al. 191:25; Erratum 192:73
Bogdanova, A.Y., Ogunshola, O.O., Bauer, C., Gassmann, M.: Pivotal Role of Reduced Glutathione in Oxygen-induced Regulation of the Na^+/K^+ Pump in Mouse Erythrocyte Membranes 195:33
Bogliolo, S., *see* Bernard, K., et al. 196:15
Boonpangrak, S., *see* Prachayasittikul, V., et al. 200:47
Borstlap, A.C., Schuurmans, J.A.M.J.: Sucrose Transport into Plasma Membrane Vesicles from Tobacco Leaves by H^+ Symport or Counter Exchange Does not Display a Linear Component 198:31
Bortolato, M., *see* Morandat, S., et al. 191:215
Bortolato, M., *see* Ronzon, F., et al. 197:169
Botelho, R.J., *see* Scott, C.C., et al. 193:137
Boucherot, A., *see* Schreiber, R., et al. 199:85
Boyd, C.M., *see* Boyd, J., et al. 195:109
Boyd, J., Gradmann, D., Boyd, C.M.: Transinhibition and Voltage-gating in a Fungal Nitrate Transporter 195:109
Brachmann, J., *see* Kodirov, S.A., et al. 197:145
Brooker, R.J., *see* Johnson, J.L. 198:135
Brum, G., *see* Artigas, P., et al. 193:215
Buchholz, I., Enss, K., Schafer, C., Schlune, A., Shahin, V., Oberleithner, H.: Transient Permeability Leak of Nuclear Envelope Induced by Aldosterone 199:135
Buchholz, I., *see* Enss, K., et al. 196:147
Bulteau-Pignoux, L., *see* Dérand, R., et al. 194:109
Buratta, M., *see* Piccotti, L., et al. 198:43
Burdyga, T., *see* Babiychuk, E.B., et al. 198:95
Burgess, S.W., *see* Cherezov, V., et al. 195:165

Caffrey, M., *see* Cherezov, V., et al. 195:165
Cakan, O., *see* Hansen, U.P., et al. 192:45

- Cappai, R., *see* Kourie, J.L., et al. 193:35
- Carillo, E., Galindo, J.M., García, M.C., Sánchez, J.A.: Regulation of Muscle Cav1.1 Channels by Long-term Depolarization Involves Proteolysis of the α_1 s Subunit 199:155
- Carreras, O., *see* García-Delgado, M., et al. 198:89
- Cass, C.E., *see* Szkołak, A.J., 192:169
- Castelli, L., Tanzi, F., Taglietti, V., Magistretti, J.: Cu^{2+} , Co^{2+} , and Mn^{2+} Modify the Gating Kinetics of High-Voltage-Activated Ca^{2+} Channels in Rat Palaeocortical Neurons 195:121
- Cerejido, M., *see* Contreras, R.G., et al. 198:147
- Cha, B., Oh, S., Shanmugaratnam, J., Donowitz, M., Yun, C.C.: Two Histidine Residues in the Juxta-Membrane Cytoplasmic Domain of Na^+/H^+ Exchanger Isoform 3 (NHE3) Determine the Set Point 191:49
- Chan, J., *see* Zheng, J.-Y., et al. 194:187
- Chang, A.B., *see* Hua, V.B., et al. 194:59
- Chang, P.Y., Jackson, M.B.: Interpretation and Optimization of Absorbance and Fluorescence Signals from Voltage-sensitive Dyes 196:105
- Chappe, V., *see* Marcket, B., et al. 194:21
- Chen, J.T., *see* Peracchia, C., et al. 200:105
- Cherezov, V., Siegel, D.P., Shaw, W., Burgess, S.W., Caffrey, M.: The Kinetics of Non-Lamellar Phase Formation in DOPE-Me: Relevance to Biomembrane Fusion 195:165
- Chiu, R., *see* Zheng, J.-Y., et al. 194:187
- Christophersen, P., *see* Bennekou, P., et al. 195:1
- Christophersen, P., *see* Hélix, N., et al. 196:83
- Civan, M.M., *see* Do, C.W. 200:1
- Civan, M.M., *see* Fleischhauer, J.C., et al. 193:121
- Clauss, W., *see* Fronius, M., et al. 195:43
- Cohen, F.S., Melikyan, G.B.: The Energetics of Membrane Fusion from Binding, through Hemifusion, Pore Formation, and Pore Enlargement 199:1
- Colegio, O.R., *see* Van Itallie, C.M., et al. 199:29
- Contreras, R.G., Flores-Maldonado, C., Lázaro, A., Shoshani, L., Flores-Benitez, D., Larré, I., Cerejido, M.: Ouabain Binding to Na^+/K^+ -ATPase Relaxes Cell Attachment and Sends a Specific Signal (NACos) to the Nucleus 198:147
- Cooper, M., *see* Vergara, L., et al. 196:173
- Corazzi, L., *see* Piccotti, L., et al. 198:43
- Corbett, A.M., *see* Kramer, J.W., et al. 195:9
- Coste, T.C., *see* Djemli-Shipkolye, A., et al. 191:37
- Courtay, P.J., *see* Tyteca, D., et al. 192:203
- Cox, G.B., *see* Premkumar, A., et al. 197:135
- Cramer, W.A., *see* Sobko, A.A., et al. 199:51
- Cromar, K.R., *see* Wilson-Ashworth, H.A., et al. 200:25
- Cucu, D., Simaels, J., Van Driessche, W., Zeiske, W.: External Ni^{2+} and ENaC in A6 Cells: Na^+ Current Stimulation by Competition at a Binding Site for Amiloride and Na^+ 194:33
- Cui, N., Wu, J., Xu, H., Wang, R., Rojas, A., Piao, H., Mao, J., Abdulkadir, L., Li, L., Jiang, C.: A Threonine Residue (Thr71) at the Intracellular End of the M1 Helix Plays a Critical Role in the Gating of the Kir6.2 Channels by Intracellular ATP and Protons 192:111
- Cumming, J.R., *see* Etherton, B., et al. 198:15
- Curtain, C.C., *see* Kourie, J.L., et al. 193:35
- Dahl, B.H., *see* Hélix, N., et al. 196:83
- Dahms, N.M., *see* Yammani, R.R., et al. 193:57
- Danker, T., *see* Enss, K., et al. 196:147
- Danithi, S., Enyeart, J.A., Enyeart, J.J.: Modulation of Native TREK-1 and Kv1.4 K^+ Channels by Polyunsaturated Fatty Acids and Lysophospholipids 195:147
- Davies, N.W., *see* Lippiat, J.D., et al. 192:141
- de Boer, A.H., *see* Miedema, H., et al. 194:11
- De Santiago, J.A., *see* Perez-Cornejo, P., et al. 198:125
- Defoe, D.M., *see* Jin, M., et al. 191:77
- Degan, M., *see* Delva, P., et al. 199:163
- Del Corso, C., Varanda, W.A.: The Resting Potential of Mouse Leydig Cells: Role of an Electrogenic Na^+/K^+ Pump 191:123
- Delbono, O., *see* Zheng, Z., et al. 197:101
- Deleu, M., *see* Tyteca, D., et al. 192:203
- Delisle, B.P., Satin, J.: Monovalent Cations Contribute to T-type Calcium Channel ($\text{Ca}_{\text{v}}3.1$ and $\text{Ca}_{\text{v}}3.2$) Selectivity 193:185
- Delmas, P., *see* Marcket, B., et al. 194:21
- Delva, P., Pastori, C., Degan, M., Montesi, G., Lechi, A.: Catecholamine-induced Regulation in Vitro and ex Vivo of Intra-lymphocyte Ionized Magnesium 199:163
- Dérard, R., Bulteau-Pignoux, L., Becq, F.: Comparative Pharmacology of the Activity of Wild-type and G551D Mutated CFTR Chloride Channel: Effect of the Benzimidazolone Derivative NS004 194:109
- Diener, M., *see* Schultheiss, G., et al. 195:183
- Diven, J.N., *see* Narins, S.C., et al. 197:123
- Djemli-Shipkolye, A., Raccah, D., Pieroni, G., Vague, P., Coste, T.C., Gerbi, A.: Differential Effect of $\omega 3$ PUFA Supplementation on Na,K -ATPase and Mg-ATPase Activities: Possible Role of the Membrane $\omega 6/\omega 3$ Ratio 191:37
- Do, C.W., Civan, M.M.: Basis of Chloride Transport in Ciliary Epithelium 200:1
- Dolowy, K., *see* Bednarczyk, P., et al. 199:63
- Donowitz, M., *see* Cha, B., et al. 191:49
- Doughman, R.L., Firestone, A.J., Anderson, R.A.: Phosphatidylinositol Phosphate Kinases Put PI4,5P₂ in Its Place 194:77
- Draeger, A., *see* Babiychuk, E.B., et al. 198:95
- Dufrêne, Y.F., *see* Tyteca, D., et al. 192:203
- Dugarmaa, S., *see* Scholle, S., et al. 198:103
- Dunina-Barkovskaya, A.Y., Levina, N.N., Lew, R.R., Heath, I.B.: Gadolinium Effects on Gigaseal Formation and the Adhesive Properties of a Fungal Amoeboid Cell, the *Slime* Mutant of *Neurospora crassa* 198:77
- Dupré-Aucouturier, S., Penhoat, A., Rougier, O., Bilbaut, A.: Volume-sensitive Cl^- Current in Bovine Adrenocortical Cells: Comparison with the ACTH-induced Cl^- Current 199:99
- Duszyk, M., *see* Szkołak, A.J., 192:169
- Edwards, J.M., *see* Saslawsky, D.E., et al. 194:153
- Egger, M., *see* Keller, M., et al. 198:159
- Ehrenfeld, J., *see* Bernard, K., et al. 196:15
- Ehrhart, F., *see* Reuss, R., et al. 200:67
- Engeland, B., *see* Scholle, S., et al. 198:103
- Enss, K., Danker, T., Schlüne, A., Buchholz, I., Oberleithner, H.: Passive Transport of Macromolecules through *Xenopus laevis* Nuclear Envelope 196:147
- Enss, K., *see* Buchholz, I., et al. 199:135
- Enyeart, J.A., *see* Danithi, S., et al. 195:147
- Enyeart, J.J., *see* Danithi, S., et al. 195:147
- Epand, R.F., Maekawa, S., Epand, R.M.: Specificity of Membrane Binding of the Neuronal Protein NAP-22 193:171
- Epand, R.M., *see* Epand, R.F., et al. 193:171
- Espirito, D.J.D., *see* Bernardo, A.A., et al. 191:141
- Espirito, D.J.D., Yang, V.L., Bernardo, A.A., Arruda, J.A.L.: Regulation of Renal $\text{Na}^+/\text{HCO}_3^-$ Cotransporter Stimulation by CO_2 : Role of Phosphorylation, Exocytosis and Protein Synthesis 199:39
- Etherton, B., Heppner, T.J., Cumming, J.R., Nelson, M.T.: Opposing Effects of Aluminum on Inward-Rectifier Potassium Currents in Bean Root-Tip Protoplasts 198:15
- Ewart, G.D., *see* Premkumar, A., et al. 197:135
- Fambrough, D.M., *see* Okamura, H., et al. 191:13
- Farías, R.N., *see* Isse, B., et al. 191:209

- Farokhi, A., *see* Hansen, U.P., et al. 192:45
Ferguson, D.G., *see* Kramer, J.W., et al. 195:9
Ferreira, G., *see* Artigas, P., et al. 193:215
Fidelio, G., *see* Isse, B., et al. 191:209
Firestone, A.J., *see* Doughman, R.L., et al. 194:77
Flanagan, T.D., *see* Ohki, S., et al. 199:73
Fleischhauer, J.C., Mitchell, C.H., Stamer, W.D., Karl, M.O., Peterson-Yantorno, K., Civan, M.M.: Common Actions of Adenosine Receptor Agonists in Modulating Human Trabecular Meshwork Cell Transport 193:121
Flores-Benitez, D., *see* Contreras, R.G., et al. 198:147
Flores-Maldonado, C., *see* Contreras, R.G., et al. 198:147
Foroohar, M., *see* Zheng, J.-Y., et al. 194:187
Freestone, B.D., *see* Wilson-Ashworth, H.A., et al. 200:25
Friedrichson, T., *see* Lucius, H., et al. 194:97
Frokiaer, J., *see* Praetorius, H.A., et al. 191:193
Fronius, M., Clauss, W., Schnizler, M.: Stimulation of Transepithelial Na^+ Current by Extracellular Gd^{3+} in *Xenopus laevis* Alveolar Epithelium 195:43
Furuichi, K., *see* Inamura, K., et al. 191:201

Gage, P.W., *see* Premkumar, A., et al. 197:135
Galindo, J.M., *see* Carillo, E., et al. 199:155
Galla, H.-J., *see* Prachayasittikul, V., et al. 200:47
Garber, S.S., *see* Hoffman, M.M. 197:193
Garcia, F.U., *see* Narins, S.C., et al. 197:123
García, M.C., *see* Carillo, E., et al. 199:155
García, N., *see* Zazueta, C., et al. 191:113
García-Benítez, O., *see* García-Delgado, M., et al. 198:89
García-Delgado, M., Peral, M.J., García-Benítez, O., Carreras, O., Ilundáin, A.A.: Prolonged Ethanol Ingestion Increases Renal AQP2 and AQP3 Expression in Adult Rats and in Their Offspring 198:89
Garriga, C., Barfull, A., Planas, J.M.: Kinetic Characterization of Apical D-Fructose Transport in Chicken Jejunum 197:71
Gassmann, M., *see* Bogdanova, A.Y., et al. 195:33
Gerbi, A., *see* Djemli-Shipkolye, A., et al. 191:37
Giannini, S., *see* Piccotti, L., et al. 198:43
Ginsburg, H., Stein, W.D.: The New Permeability Pathways Induced by the Malaria Parasite in the Membrane of the Infected Erythrocyte: Comparison of Results Using Different Experimental Techniques 197:113
Gola, M., *see* Marcket, B., et al. 194:21
Goldstein, L., *see* Guizouarn, H., et al. 193:109
Goldstein, L., *see* Koomoa, D.-L.T., et al. 198:23
Gorboulev, V., *see* Veyhl, M., et al. 196:71
Gradmann, D., *see* Boyd, J., et al. 195:109
Greeff, N.G., *see* Kühn, F.J.P. 193:23
Green, R.M., *see* Hoda, F. 196:9
Gresele, P., *see* Piccotti, L., et al. 198:43
Griessner, M., Obermeyer, G.: Characterization of Whole-cell K^+ Currents across the Plasma Membrane of Pollen Grain and Tube Protoplasts of *Lilium longiflorum* 193:99
Grinstein, S., *see* Scott, C.C., et al. 193:137
Groschner, K., *see* Liu, X., et al. 200:93
Gualix, J., *see* Miras-Portugal, M.T., et al. 194:1
Guizouarn, H., Musch, M.W., Goldstein, L.: Evidence for the Presence of Three Different Anion Exchangers in a Red Cell. Functional Expression Studies in *Xenopus* Oocytes 193:109

Hammond, C.J., *see* Narins, S.C., et al. 197:123
Hansen, U.P., Cakan, O., Abshagen-Keunecke, M., Farokhi, A.: Gating Models of the Anomalous Mole-Fraction Effect of Single-Channel Current in *Chara* 192:45
Hansen, U.P., *see* Schröder, I., et al. 197:49
Harrow, I.D., *see* Lippiat, J.D., et al. 192:141

Hartley, J.A., *see* Balloch, K.J.D., et al. 192:191
Hasegawa, T., Sugawara, Y., Suzuki, M., Tanaka, S.: Spatial and Temporal Expression of the Ventral Pelvic Skin Aquaporins during Metamorphosis of the Tree Frog, *Hyla japonica* 199:119
Heath, I.B., *see* Dunina-Barkovskaya, A.Y., et al. 198:77
Hediger, M.A., *see* Marciani, P., et al. 197:91
Heidecker, M., Mimietz, S., Wegner, L.H., Zimmermann, U.: Structural Peculiarities Dominate the Turgor Pressure Response of the Marine Alga *Valonia utricularis* upon Osmotic Challenges 192:123
Heidecker, M., *see* Binder, K.-A., et al. 191:165
Hélix, N., Strøbaek, D., Dahl, B.H., Christoffersen, P.: Inhibition of the Endogenous Volume-regulated Anion Channel (VRAC) in HEK293 Cells by Acidic Di-Aryl-Ureas 196:83
Henderson, R.M., *see* Saslawsky, D.E., et al. 194:153
Henriquez, M., Riquelme, G.: 17β -Estradiol and Tamoxifen Regulate a Maxi-Chloride Channel from Human Placenta 191:59
Heppner, T.J., *see* Etherton, B., et al. 198:15
Hermosa, Á.M., *see* Mate, A., et al. 199:173
Hill, A.E., Shachar-Hill, B., Shachar-Hill, Y.: What Are Aquaporins For? 197:1
Hillebrand, U., *see* Oberleithner, H., et al. 196:163
Hoda, F., Green, R.M.: Hepatic Canalicular Membrane Transport of Bile Salt in C57L/J and AKR/J Mice: Implications for Cholesterol Gallstone Formation 196:9
Hoffman, M.M., Garber, S.S.: Volume-dependent Glutamate Permeation Depends on Transmembrane Ionic Strength and Extracellular Cl^- 197:193
Honan, B.N., Saint, D.A., Laver, D.R.: Suppression of Calcium Sparks in Rat Ventricular Myocytes and Direct Inhibition of Sheep Cardiac RyR Channels by EPA, DHA and Oleic Acid 196:95
Hosein-Sooklal, A., *see* Kargol, A. 199:113
Hua, V.B., Chang, A.B., Tchieu, J.H., Kumar, N.M., Nielsen, P.A., Saier, M.H., Jr.: Sequence and Phylogenetic Analysis of 4 TMS Junctional Proteins of Animals: Connexins, Innexins, Claudins and Occludins 194:59
Hug, M.J., *see* Schäfer, C., et al. 196:157
Huth, T., *see* Schröder, I., et al. 197:49
Hütt, M.-T., *see* Wacke, M., et al. 191:179

Ilundáin, A.A., *see* García-Delgado, M., et al. 198:89
Imai, M., *see* Matsumoto, N., et al. 193:195
Inamura, K., Sano, Y., Mochizuki, S., Yokoi, H., Miyake, A., Nozawa, K., Kitada, C., Matsushima, H., Furuichi, K.: Response to ADP-Ribose by Activation of TRPM2 in the CRI-G1 Insulinoma Cell Line 191:201
Ingbar, D.H., *see* Lee, S.Y., et al. 191:133
Iserovich, P., *see* Bildin, V.N., et al. 193:1
Isse, B., Fidelio, G., Farias, R.N.: Thyroid Hormones Affect the Membrane Dipolar Organization. Is It a General Event in Their Non-genomic Action? 191:209
Ito, K., *see* Matsumoto, N., et al. 193:195
Iwamoto, T., *see* Matsumoto, N., et al. 193:195

Jackson, M.B., *see* Chang, P.Y. 196:105
Jarosik, J., *see* Schröder, I., et al. 197:49
Jiang, C., *see* Cui, N., et al. 192:111
Jiang, C., *see* Li, L., et al. 196:61
Jiang, C., *see* Wu, J., et al. 197:179
Jiang, G., *see* Yin, W., et al. 193:177
Jin, M., Defoe, D.M., Wondergem, R.: Hepatocyte Growth Factor/Scatter Factor Stimulates Ca^{2+} -Activated Membrane K^+ Current Migration of MDCK II Cells 191:77
Jobling, M.F., *see* Kourie, J.L., et al. 193:35

- Johnson, J.L., Brooker, R.J.: Control of H⁺/Lactose Coupling by Ionic Interactions in the Lactose Permease of *Escherichia coli* 198:135
- Jorgensen, P.L., *see* Kristensen, B., et al. 191:25; Erratum 192:73
- Judd, A.M., *see* Wilson-Ashworth, H.A., et al. 200:25
- Kargol, A., Hosein-Sooklal, A.: Optimal-Sensitivity Analysis of Ion Channel Gating Kinetics 199:113
- Karl, M.O., *see* Fleischhauer, J.C., et al. 193:121
- Kasianowicz, J.J., *see* Misakian, M. 195:137
- Keller, M., Pignier, C., Niggli, E., Egger, M.: Mechanisms of Na⁺-Ca²⁺ Exchange Inhibition by Amphiphiles in Cardiac Myocytes: Importance of Transbilayer Movement 198:159
- Kenna, B.L., *see* Kourie, J.L., et al. 193:35
- Khater, K., *see* Vasilyev, A., et al. 198:65
- Kibble, J.D., *see* Balloch, K.J.D., et al. 192:191
- Kicińska, A., *see* Bednarczyk, P., et al. 199:63
- Killig, F., Stark, G., Apell, H.-J.: Photodynamic Inactivation of the Na,K-ATPase Occurs via Different Pathways 200:133
- Kim, N., *see* Zheng, J.-Y., et al. 194:187
- Kirouac, M., Vachon, V., Rivest, S., Schwartz, J.-L., Laprade, R.: Analysis of the Properties of *Bacillus thuringiensis* Insecticidal Toxins Using a Potential-sensitive Fluorescent Probe 196:51
- Kitada, C., *see* Inamura, K., et al. 191:201
- Klimczak, A., *see* Rychlik, B., et al. 193:79
- Ko, E., *see* Zheng, J.-Y., et al. 194:187
- Kodirov, S.A., Zhuravlev, V.L., Pavlenko, V.K., Safonova, T.A., Brachmann, J.: K⁺ Channels in Cardiomyocytes of the Pulmonary Snail *Helix* 197:145
- Koepsell, H., *see* Veyhl, M., et al. 196:71
- Koklić, T., *see* Štrancar, J., et al. 196:135
- Kolb, H.-A., *see* Negezahayo, A., et al. 194:165
- Kominkova, V., *see* Bednarczyk, P., et al. 199:63
- Kong, J., *see* Yang, H., et al. 194:47
- König, J., *see* Schreiber, R., et al. 192:101
- Koomoa, D.-L.T., Musch, M.W., Myers, D.E., Goldstein, L.: Expression of the Skate (*Raja erinacea*) AE1 Osmolyte Channel in *Xenopus laevis* Oocytes: Monovalent Cation Permeability 198:23
- Koopman, R., *see* Scholle, S., et al. 198:103
- Kotova, E.A., *see* Sobko, A.A., et al. 199:51
- Kourie, J.I., Kenna, B.L., Tew, D., Jobling, M.F., Curtain, C.C., Masters, C.L., Barnham, K.J., Cappai, R.: Copper Modulation of Ion Channels of PrP[106–126] Mutant Prion Peptide Fragments 193:35
- Kramer, J.W., Ferguson, D.G., Corbett, A.M.: Enrichment of Triadic and Terminal Cisternae Vesicles from Rabbit Skeletal Muscle 195:9
- Kristensen, B., Birkelund, S., Jorgensen, P.L.: Trafficking of Na,K-ATPase Fused to Enhanced Green Fluorescent Protein Is Mediated by Protein Kinase A or C 191:25; Erratum 192:73
- Kristensen, B.I., *see* Bennekou, P., et al. 195:1
- Kühn, F.J.P., Greeff, N.G.: Gating Properties of a Sodium Channel with Three Arginines Substituted by Histidines in the Central Part of Voltage Sensor S4D4, 193:23
- Kumar, N.M., *see* Hua, V.B., et al. 194:59
- Kunzelmann, K., *see* Oceandy, D., et al. 192:159
- Kunzelmann, K., *see* Schreiber, R., et al. 192:101; 199:85
- Kuroda, T., Bihler, H., Bashi, E., Slayman, C.L., Rivetta, A.: Chloride Channel Function in the Yeast TRK-Potassium Transporters 198:177
- Kurtz, I., Petrasek, D., Tatishchev, S.: Molecular Mechanisms of Electrogenic Sodium Bicarbonate Cotransport: Structural and Equilibrium Thermodynamic Considerations 197:77
- Kurzchalia, T.V., *see* Lucius, H., et al. 194:97
- Lacaz-Vieira, F., Marques, M.M.: Pulses of Cell Ca²⁺ and the Dynamics of Tight Junction Opening and Closing 196:117
- Ladias, J.A.A.: Structural Insights into the CFTR-NHERF Interaction 192:79
- Lambert, I.H.: Reactive Oxygen Species Regulate Swelling-induced Taurine Efflux in NIH3T3 Mouse Fibroblasts 192:19
- Lang, F., *see* Veyhl, M., et al. 196:71
- Laprade, R., *see* Kirouac, M., et al. 196:51
- Larré, I., *see* Contreras, R.G., et al. 198:147
- Laver, D.R., *see* Honen, B.N., et al. 196:95
- Law, R.M., *see* Wilson-Ashworth, H.A., et al. 200:25
- Lawrence, J.C., *see* Saslawsky, D.E., et al. 194:153
- Lázaro, A., *see* Contreras, R.G., et al. 198:147
- Lechi, A., *see* Delva, P., et al. 199:163
- Lee, S.Y., Maniak, P.J., Rhodes, R., Ingbar, D.H., O'Grady, S.M.: Basolateral Cl⁻ Transport Is Stimulated by Terbutaline in Adult Rat Alveolar Epithelial Cells 191:133
- Leonhardt, M., *see* Scholle, S., et al. 198:103
- Levina, N.N., *see* Dunina-Barkovskaya, A.Y., et al. 198:77
- Levitin, I., *see* Sun, A.C. 192:9
- Lew, R.R., *see* Dunina-Barkovskaya, A.Y., et al. 198:77
- Lewin, G.R., *see* Lucius, H., et al. 194:97
- Li, L., *see* Cui, N., et al. 192:111
- Li, L., Wu, J., Jiang, C.: Differential Expression of Kir6.1 and SUR2B mRNAs in the Vasculature of Various Tissues in Rats 196:61
- Lippiat, J.D., Standen, N.B., Harrow, I.D., Phillips, S.C., Davies, N.W.: Properties of BK_{Ca} Channels Formed by Bicistronic Expression of hSloα and β1-4 Subunits in HEK293 Cells 192:141
- Liu, X., Groschner, K., Ambudkar, I.S.: Distinct Ca²⁺-permeable Cation Currents Are Activated by Internal Ca²⁺-Store Depletion in RBL-2H3 Cells and Human Salivary Gland Cells, HSG and HSY 200:93
- Liu, X., *see* Ransom, C.B., et al. 193:201
- Lostao, M.P., *see* Pinilla-Tenas, J., et al. 195:27
- Lu, L., *see* Roderick, C., et al. 196:41
- Lu, L., *see* Yang, H., et al. 194:47
- Lucius, H., Friedrichson, T., Kurzchalia, T.V., Lewin, G.R.: Identification of Caveolae-like Structures on the Surface of Intact Cells using Scanning Force Microscopy 194:97
- Ludwig, J., *see* Reuss, R., et al. 200:67
- Ludwig, T., *see* Oberleithner, H., et al. 196:163
- Lutsenko, S., Petris, M.J.: Function and Regulation of the Mammalian Copper-transporting ATPases: Insights from Biochemical and Cell Biological Approaches 191:1
- MacDonald, R.C., *see* Pantazatos, D.P., et al. 194:129
- MacDonald, R.C., *see* Pantazatos, S.P. 191:99
- MacDonald, R.C., *see* Rakhmanova, V.A., et al. 200:35
- Maekawa, S., *see* Epand, R.F., et al. 193:171
- Magistretti, J., *see* Castelli, L., et al. 195:121
- Man, S.F.P., *see* Szkotak, A.J., 192:169
- Maniak, P.J., *see* Lee, S.Y., et al. 191:133
- Mao, J., *see* Cui, N., et al. 192:111
- Marcket, B., Chappe, V., Delmas, P., Gola, M., Verrier, B.: Negative Regulation of CFTR Activity by Extracellular ATP Involves P2Y2 Receptors in CFTR-expressing CHO Cells 194:21
- Marciani, P., Trottì, D., Hediger, M.A., Monticelli, G.: Modulation of DMT1 Activity by Redox Compounds 197:91
- Markovich, D., *see* Schreiber, R., et al. 192:101
- Marques, M.M., *see* Lacaz-Vieira, F. 196:117
- Masters, C.L., *see* Kourie, J.L., et al. 193:35
- Mate, A., Barfull, A., Hermosa, Á.M., Planas, J.M., Vázquez, C.M.: Regulation of D-Fructose Transporter GLUT5 in the Ileum of Spontaneously Hypertensive Rats 199:173
- Mateos, J.C., *see* Ramírez-Ponce, M.P., et al. 196:129

- Matsumoto, N., Tsuruoka, S., Iwamoto, T., Tomich, J.M., Ito, K., Imai, M., Suzuki, M.: Expression of an Artificial Cl⁻ Channel in Microperfused Renal Proximal Tubules 193:195
- Matsushima, H., *see* Inamura, K., et al. 191:201
- McCarty, N.A., *see* Zhang, Z.-R., et al. 199:15
- McMorran, B., *see* Oceandy, D., et al. 192:159
- Mears, D.: Regulation of Insulin Secretion in Islets of Langerhans by Ca²⁺ Channels 200:57
- Mears, D., Zimliki, C.L.: Muscarinic Agonists Activate Ca²⁺ Store-operated and -independent Ionic Currents in Insulin-secreting HIT-T15 Cells and Mouse Pancreatic β -Cells 197:59
- Melikyan, G.B., *see* Cohen, F.S. 199:1
- Mergler, S., Wiedenmann, B., Prada, J.: R-Type Ca²⁺-Channel Activity Is Associated with Chromogranin A Secretion in Human Neuroendocrine Tumor BON Cells 194:177
- Miedema, H., de Boer, A.H., Pantoja, O.: The Gating Kinetics of the Slow Vacuolar Channel. A Novel Mechanism for SV Channel Functioning? 194:11
- Mikhailova, M.V., *see* Winters, C.J., et al. 195:73
- Millar, I.D., *see* Balloch, K.J.D., et al. 192:191
- Mimietz, S., *see* Heidecker, M., et al. 192:123
- Mingeot-Leclercq, M.P., *see* Tyteca, D., et al. 192:203
- Miras-Portugal, M.T., Pintor, J., Gualix, J.: Ca²⁺ Signaling in Brain Synaptosomes Activated by Dinucleotides 194:1
- Misakian, M., Kasianowicz, J.J.: Electrostatic Influence on Ion Transport through the α HL Channel 195:137
- Mitchell, C.H., *see* Fleischhauer, J.C., et al. 193:121
- Miyake, A., *see* Inamura, K., et al. 191:201
- Mizukawa, M.K., *see* Wilson-Ashworth, H.A., et al. 200:25
- Mochizuki, S., *see* Inamura, K., et al. 191:201
- Momayez, M., Albrecht, P., Plattner, H., Schmidt, H.J.: Temperature-Induced Change of Variant Surface Antigen Expression in *Paramecium* Involves Antigen Release into the Culture Medium with Considerable Delay between Transcription and Surface Expression 200:15
- Monnard, P.-A.: Liposome-entrapped Polymerases as Models for Microscale/Nanoscale Bioreactors 191:87
- Montesi, G., *see* Delva, P., et al. 199:163
- Monticelli, G., *see* Marciani, P., et al. 197:91
- Morandat, S., Bortolato, M., Roux, B.: Role of GPI-anchored Enzyme in Liposome Detergent-Resistance 191:215
- Morandat, S., *see* Ronzon, F., et al. 197:169
- Morera, F.J., Wolff, D., Vergara, C.: External Copper Inhibits the Activity of the Large-Conductance Calcium- and Voltage-sensitive Potassium Channel from Skeletal Muscle 192:65
- Müller, M., Zschörnig, O., Ohki, S., Arnold, K.: Fusion, Leakage and Surface Hydrophobicity of Vesicles Containing Phosphoinositides: Influence of Steric and Electrostatic Effects 192:33
- Murer, H., *see* Radanovic, T., et al. 194:91
- Mürle, B., *see* Schreiber, R., et al. 199:85
- Musch, M.W., *see* Guizouarn, H., et al. 193:109
- Musch, M.W., *see* Koomoa, D.-L.T., et al. 198:23
- Myers, D.E., *see* Koomoa, D.-L.T., et al. 198:23
- Nagata, Y., *see* Sato, D., et al. 196:33
- Nakamura, J., *see* Sato, D., et al. 196:33
- Narins, S.C., Park, E.H., Ramakrishnan, R., Garcia, F.U., Diven, J.N., Balin, B.J., Hammond, C.J., Sodam, B.R., Smith, P.R., Abedin, M.Z.: Functional Characterization of Na⁺/H⁺ Exchangers in Primary Cultures of Prairie Dog Gallbladder 197:123
- Naruse, K., *see* Tang, Q.Y., et al. 196:185
- Nattel, S., *see* Pourrier, M., et al. 194:141
- Nelson, M.T., *see* Etherton, B., et al. 198:15
- Ng, A.M.L., *see* Szkołak, A.J., 192:169
- Ngezahayo, A., Altmann, B., Kolb, H.-A.: Regulation of Ion Fluxes, Cell Volume and Gap Junctional Coupling by cGMP in GFSHR-17 Granulosa Cells 194:165
- Nielsen, P.A., *see* Hua, V.B., et al. 194:59
- Nielsen, S., *see* Praetorius, H.A., et al. 191:193
- Niggli, E., *see* Keller, M., et al. 198:159
- Nilius, B., *see* Voets, T. 192:1
- Ning, G., *see* Yang, H., et al. 194:47
- Nir, S., *see* Nunes-Correia, I., et al. 195:21
- Nozawa, K., *see* Inamura, K., et al. 191:201
- Nunes-Correia, I., Nir, S., Pedroso de Lima, M.C.: Kinetics of Influenza Virus Fusion with the Endosomal and Plasma Membranes of Cultured Cells. Effect of Temperature 195:21
- O'Grady, S.M., *see* Lee, S.Y., et al. 191:133
- O'Reilly, J.P., Wang, S.Y., Wang, G.K.: Methanethiosulfonate-modification Alters Local Anesthetic Block in rNav1.4 Cysteine-substituted Mutants S1276C and L1280C 193:47
- Oami, K., Takahashi, M.: K⁺-induced Ca²⁺ Conductance Responsible for the Prolonged Backward Swimming in K⁺-agitated Mutant of *Paramecium caudatum* 195:85
- Oberleithner, H.: Nuclear Envelope: Nanoarray Responsive to Aldosterone 199:127
- Oberleithner, H., Schneider, S.W., Albermann, L., Hillebrand, U., Ludwig, T., Riethmüller, C., Shahin, V., Schäfer, C., Schillers, H.: Endothelial Cell Swelling by Aldosterone 196:163
- Oberleithner, H., *see* Buchholz, I., et al. 199:135
- Oberleithner, H., *see* Enss, K., et al. 196:147
- Oberleithner, H., *see* Schäfer, C., et al. 196:157
- Obermeyer, G., *see* Griessner, M., et al. 193:99
- Oceandy, D., McMorran, B., Schreiber, R., Wainwright, B.J., Kunzelmann, K.: GFP-Tagged CFTR Transgene is Functional in the G551D Cystic Fibrosis Mouse Colon 192:159
- Ogunshola, O.O., *see* Bogdanova, A.Y., et al. 195:33
- Oh, S., *see* Cha, B., et al. 191:49
- Ohki, S., *see* Müller, M., et al. 192:33
- Ohki, S., Thacore, H., Flanagan, T.D.: Effects of Temperature on Viral Glycoprotein Mobility and a Possible Role of Internal "Viroskelton" Proteins in Sendai Virus Fusion 199:73
- Okamura, H., Yasuhara, J.C., Fambrough, D.M., Takeyasu, K.: P-type ATPases in *Caenorhabditis* and *Drosophila*: Implications for Evolution of the P-type ATPase Subunit Families with Special Reference to the Na,K-ATPase and H,K-ATPase Subgroup 191:13
- Ondrias, K., *see* Bednarczyk, P., et al. 199:63
- Paajanen, V., Vornanen, M.: Effects of Chronic Hypoxia on Inward Rectifier K⁺ Current (I_{K1}) in Ventricular Myocytes of Crucian Carp (*Carassius carassius*) Heart 194:119
- Pang, S., *see* Zheng, J.-Y., et al. 194:187
- Pantazatos, D.P., Pantazatos, S.P., MacDonald, R.C.: Bilayer Mixing, Fusion and Lysis Following the Interaction of Populations of Cationic and Anionic Phospholipid Bilayer Vesicles 194:129
- Pantazatos, S.P., MacDonald, R.C.: Real-time Observation of Lipoplex Formation and Interaction with Anionic Bilayer Vesicles 191:99
- Pantazatos, S.P., *see* Pantazatos, D.P., et al. 194:129
- Pantoja, O., *see* Miedema, H., et al. 194:11
- Park, E.H., *see* Narins, S.C., et al. 197:123
- Pastori, C., *see* Delva, P., et al. 199:163
- Pavlenko, V.K., *see* Kodirov, S.A., et al. 197:145
- Pečar, S., *see* Štrancar, J. 193:15
- Pedroso de Lima, M.C., *see* Nunes-Correia, I., et al. 195:21
- Penhoat, A., *see* Dupré-Aucouturier, S., et al. 199:99
- Peracchia, C., Chen, J.T., Peracchia, L.L.: CO₂ Sensitivity of Voltage Gating and Gating Polarity of Gap Junction Channels

- Connexin40 and its COOH-Terminus-Truncated Mutant 200:105
- Peracchia, C., Young, K.C., Wang, X.G., Peracchia, L.L.: Is the Voltage Gate of Connexins CO₂-sensitive? Cx45 Channels and Inhibition of Calmodulin Expression 195:53
- Peracchia, L.L., *see* Peracchia, C., et al. 195:53; 200:105
- Peral, M.J., *see* García-Delgado, M., et al. 198:89
- Perez-Cornejo, P., De Santiago, J.A., Arreola, J.: Permeant Anions Control Gating of Calcium-dependent Chloride Channels 198:125
- Peterson-Yantorno, K., *see* Fleischhauer, J.C., et al. 193:121
- Petrasek, D., *see* Kurtz, I., et al. 197:77
- Petrus, M.J., *see* Lutsenko, S. 191:1
- Phillips, S.C., *see* Lippiat, J.D., et al. 192:141
- Piao, H., *see* Cui, N., et al. 192:111
- Piccotti, L., Buratta, M., Giannini, S., Gresele, P., Roberti, R., Corazzi, L.: Binding and Release of Cytochrome c in Brain Mitochondria Is Influenced by Membrane Potential and Hydrophobic Interactions with Cardiolipin 198:43
- Pieroni, G., *see* Djemli-Shipkolye, A., et al. 191:37
- Pignier, C., *see* Keller, M., et al. 198:159
- Pinilla-Tenás, J., Barber, A., Lostao, M.P.: Transport of Proline and Hydroxyproline by the Neutral Amino-acid Exchanger ASCT1 195:27
- Pintor, J., *see* Miras-Portugal, M.T., et al. 194:1
- Pizarro, G., *see* Artigas, P., et al. 193:215
- Planas, J.M., *see* Garriga, C., et al. 197:71
- Planas, J.M., *see* Mate, A., et al. 199:173
- Plattner, H., *see* Momayez, M., et al. 200:15
- Pongs, O., *see* Scholle, S., et al. 198:103
- Poujol, C., *see* Barrière, H., et al. 193:153
- Poujol, P., *see* Barrière, H., et al. 193:153; 198:113
- Pourrier, M., Schram, G., Nattel, S.: Properties, Expression and Potential Roles of Cardiac K⁺ Channel Accessory Subunits: MinK, MiRPs, KChIP, and KChAP 194:141
- Pozharski, E.V., *see* Rakhamanova, V.A., et al. 200:35
- Prachayasittikul, V., Ayudhya, C.I.N., Boonpangrak, S., Galla, H.-J.: Lipid-Membrane Affinity of Chimeric Metal-binding Green Fluorescent Protein 200:47
- Prada, J., *see* Mergler, S., et al. 194:177
- Praetorius, H.A., Frokiaer, J., Nielsen, S., Spring, K.R.: Bending the Primary Cilium Opens Ca²⁺-sensitive Intermediate-Conductance K⁺ Channels in MDCK Cells 191:193
- Praetorius, H.A., Spring, K.R.: Removal of the MDCK Cell Primary Cilium Abolishes Flow Sensing 191:69
- Premkumar, A., Ewart, G.D., Cox, G.B., Gage, P.W.: An Amino-Acid Substitution in the Influenza-B NB Protein Affects Ion-Channel Gating 197:135
- Qi, Z., *see* Tang, Q.Y., et al. 196:185
- Raccah, D., *see* Djemli-Shipkolye, A., et al. 191:37
- Radanovic, T., Murer, H., Biber, J.: Expression of the Na/P_i-co-transporter Type IIb in Sf9 Cells: Functional Characterization and Purification 194:91
- Rakhamanova, V.A., Pozharski, E.V., MacDonald, R.C.: Mechanisms of Lipoplex Formation: Dependence of the Biological Properties of Transfection Complexes on Formulation Procedures 200:35
- Rakowski, R.F., *see* Vasilyev, A., et al. 198:65
- Ramakrishnan, R., *see* Narins, S.C., et al. 197:123
- Ramírez, J., *see* Zazueta, C., et al. 191:113
- Ramírez-Ponce, M.P., Mateos, J.C., Bellido, J.A.: Human Adipose Cells Have Voltage-dependent Potassium Currents 196:129
- Ransom, C.B., Liu, X., Sontheimer, H.: Current Transients Associated with BK Channels in Human Glioma Cells 193:201
- Recio-Pinto, E., *see* Thornhill, W.B., et al. 196:1
- Reinach, P.S., *see* Bildin, V.N., et al. 193:1
- Reinach, P.S., *see* Roderick, C., et al. 196:41
- Reinach, P.S., *see* Yang, H., et al. 194:47
- Reuss, L., *see* Vergara, L., et al. 196:173
- Reuss, R., Ludwig, J., Shirakashi, R., Ehrhart, F., Zimmermann, H., Schneider, S., Weber, M.M., Zimmermann, U., Schneider, H., Sukhorukov, V.L.: Intracellular Delivery of Carbohydrates into Mammalian Cells through Swelling-activated Pathways 200:67
- Reyes, N., *see* Artigas, P., et al. 193:215
- Rhodes, R., *see* Lee, S.Y., et al. 191:133
- Ribeiro, R., *see* Schultheiss, G., et al. 195:183
- Riethmüller, C., *see* Oberleithner, H., et al. 196:163
- Riquelme, G., *see* Henriquez, M. 191:59
- Rivest, S., *see* Kirouac, M., et al. 196:51
- Rivetta, A., *see* Kuroda, T., et al. 198:177
- Roberti, R., *see* Piccotti, L., et al. 198:43
- Robey, R.B., *see* Bernardo, A.A., et al. 191:141
- Robson, L., *see* Balloch, K.J.D., et al. 192:191
- Roderick, C., Reinach, P.S., Wang, L., Lu, L.: Modulation of Rabbit Corneal Epithelial Cell Proliferation by Growth Factor-regulated K⁺ Channel Activity 196:41
- Rojas, A., *see* Cui, N., et al. 192:111
- Rokitskaya, T.I., *see* Sobko, A.A., et al. 199:51
- Ronzon, F., Morandat, S., Roux, B., Bortolato, M.: Insertion of a Glycosylphosphatidylinositol-Anchored Enzyme into Liposomes 197:169
- Rougier, O., *see* Dupré-Aucouturier, S., et al. 199:99
- Roux, B., *see* Morandat, S., et al. 191:215
- Roux, B., *see* Ronzon, F., et al. 197:169
- Rubera, I., *see* Barrière, H., et al. 193:153
- Ruiz, O.S., *see* Bernardo, A.A., et al. 191:141
- Rychlik, B., Balcerzyk, A., Klimczak, A., Bartosz, G.: The Role of Multidrug Resistance Protein 1 (MRP1) in Transport of Fluorescent Anions across the Human Erythrocyte Membrane 193:79
- Safonova, T.A., *see* Kodirov, S.A., et al. 197:145
- Saier, M.H., Jr., *see* Hua, V.B., et al. 194:59
- Saint, D.A., *see* Honen, B.N., et al. 196:95
- Sánchez, J.A., *see* Carillo, E., et al. 199:155
- Sands, J.M.: Molecular Mechanisms of Urea Transport 191:149
- Sano, Y., *see* Inamura, K., et al. 191:201
- Santos-Sacchi, J., Wu, M.: Protein- and Lipid-reactive Agents Alter Outer Hair Cell Lateral Membrane Motor Charge Movement 200:83
- Saslawsky, D.E., Lawrence, J.C., Henderson, R.M., Edwardson, J.M.: Syntaxin Is Efficiently Excluded from Sphingomyelin-enriched Domains in Supported Lipid Bilayers Containing Cholesterol 194:153
- Satin, J., *see* Delisle, B.P. 193:185
- Sato, C., *see* Sato, D., et al. 196:33
- Sato, D., Takahashi, T., Tajima, G., Sato, C., Nagata, Y., Yamamoto, T., Nakamura, J.: The Ca²⁺-ATPase of the Scallop Sarcoplasmic Reticulum Is of a Cold-adapted Type 196:33
- Schafer, C., *see* Buchholz, I., et al. 199:135
- Schäfer, C., *see* Oberleithner, H., et al. 196:163
- Schäfer, C., Shahin, V., Albermann, L., Schillers, H., Hug, M.J., Oberleithner, H.: Intracellular Calcium: A Prerequisite for Aldosterone Action 196:157
- Schäfer, K.H., *see* Schultheiss, G., et al. 195:183
- Schanck, A., *see* Tytela, D., et al. 192:203
- Schara, M., *see* Štrancar, J. 193:15
- Schillers, H., *see* Oberleithner, H., et al. 196:163
- Schillers, H., *see* Schäfer, C., et al. 196:157
- Schlune, A., *see* Buchholz, I., et al. 199:135

- Schlune, A., *see* Enss, K., et al. 196:147
 Schmidt, H.J., *see* Momayez, M., et al. 200:15
 Schmitt, B.M., *see* Veyhl, M., et al. 196:71
 Schneider, H., *see* Reuss, R., et al. 200:67
 Schneider, S., *see* Reuss, R., et al. 200:67
 Schneider, S.W., *see* Oberleithner, H., et al. 196:163
 Schnell, S., *see* Schröder, I., et al. 197:49
 Schnizler, M., *see* Fronius, M., et al. 195:43
 Scholle, S., Dugarmaa, S., Zimmer, T., Leonhardt, M., Koopman, R., Engeland, B., Pongs, O., Benndorf, K.: Rate-limiting Reactions Determining Activation Kinetics of Kv1.2 and Kv2.1 Channels 198:103
 Schram, G., *see* Pourrier, M., et al. 194:141
 Schreiber, R., Boucherot, A., Mürlé, B., Sun, J., Kunzelmann, K.: Control of Epithelial Ion Transport by Cl⁻ and PDZ Proteins 199:85
 Schreiber, R., König, J., Sun, J., Markovich, D., Kunzelmann, K.: Effects of Purinergic Stimulation, CFTR and Osmotic Stress on Amiloride-sensitive Na⁺ Transport in Epithelia and *Xenopus* Oocytes 192:101
 Schreiber, R., *see* Oceandy, D., et al. 192:159
 Schröder, I., Huth, T., Suitchmezian, V., Jarosik, J., Schnell, S., Hansen, U.P.: Distributions-per-Level: A Means of Testing Level Detectors and Models of Patch-Clamp Data 197:49
 Schultheiss, G., Ribeiro, R., Schäfer, K.H., Diener, M.: Activation of Apical K⁺ Conductances by Muscarinic Receptor Stimulation in Rat Distal Colon: Fast and Slow Components 195:183
 Schuurmans, J.A.M.J., *see* Borstlap, A.C. 198:31
 Schwartz, J.-L., *see* Kirouac, M., et al. 196:51
 Scott, C.C., Botelho, R.J., Grinstein, S.: Phagosome Maturation: A Few Bugs in the System 193:137
 Seetharam, B., *see* Yammani, R.R., et al. 193:57
 Seetharam, S., *see* Yammani, R.R., et al. 193:57
 Shachar-Hill, B., *see* Hill, A.E., et al. 197:1
 Shachar-Hill, Y., *see* Hill, A.E., et al. 197:1
 Shahin, V., *see* Buchholz, I., et al. 199:135
 Shahin, V., *see* Oberleithner, H., et al. 196:163
 Shahin, V., *see* Schäfer, C., et al. 196:157
 Shanmugaratnam, J., *see* Cha, B., et al. 191:49
 Shaw, W., *see* Cherezov, V., et al. 195:165
 Shen, W., *see* Wu, J., et al. 197:179
 Shirakashi, R., *see* Reuss, R., et al. 200:67
 Shoshani, L., *see* Contreras, R.G., et al. 198:147
 Siegel, D.P., *see* Cherezov, V., et al. 195:165
 Sinaeels, J., *see* Cucu, D., et al. 194:33
 Slayman, C.L., *see* Kuroda, T., et al. 198:177
 Smith, P.R., *see* Narins, S.C., et al. 197:123
 Smith, R.D., *see* Babiychuk, E.B., et al. 198:95
 Sobko, A.A., Vigasina, M.A., Rokitskaya, T.I., Kotova, E.A., Zakharov, S.D., Cramer, W.A., Antonenko, Y.N.: Chemical and Photochemical Modification of Colicin E1 and Gramicidin A in Bilayer Lipid Membranes 199:51
 Sodam, B.R., *see* Narins, S.C., et al. 197:123
 Sokabe, M., *see* Tang, Q.Y., et al. 196:185
 Sontheimer, H., *see* Ransom, C.B., et al. 193:201
 Soriani, O., *see* Bernard, K., et al. 196:15
 Spring, K.R., *see* Praetorius, H.A. 191:69
 Spring, K.R., *see* Praetorius, H.A., et al. 191:193
 Stamer, W.D., *see* Fleischhauer, J.C., et al. 193:121
 Standen, N.B., *see* Lippiat, J.D., et al. 192:141
 Stark, G., *see* Killig, F., et al. 200:133
 Stein, W.D., *see* Ginsberg, H. 197:113
 Stokes, D.L., *see* Young, H.S. 198:55
 Štrancar, J., Koklič, T., Arsov, Z.: Soft Picture of Lateral Heterogeneity in Biomembranes 196:135
 Štrancar, J., Schara, M., Pečar, S.: New EPR Method for Cellular Surface Characterization 193:15
 Strøbaek, D., *see* Hélix, N., et al. 196:83
 Sudweeks, S., *see* Wilson-Ashworth, H.A., et al. 200:25
 Sugawara, Y., *see* Hasegawa, T., et al. 199:119
 Suitchmezian, V., *see* Schröder, I., et al. 197:49
 Sukhorukov, V.L., *see* Reuss, R., et al. 200:67
 Sun, A.C., Levitan, I.: Osmotic Stress Alters the Intracellular Distribution of Non-erythroidal Spectrin (Fodrin) in Bovine Aortic Endothelial Cells 192:9
 Sun, J., *see* Schreiber, R., et al. 192:101; 199:85
 Sun, X., *see* Yang, H., et al. 194:47
 Sutachan, J.J., *see* Thornhill, W.B., et al. 196:1
 Suzuki, M., *see* Hasegawa, T., et al. 199:119
 Suzuki, M., *see* Matsumoto, N., et al. 193:195
 Szewczyk, A., *see* Bednarczyk, P., et al. 199:63
 Szkotak, A.J., Ng, A.M.L., Man, S.F.P., Baldwin, S.A., Cass, C.E., Young, J.D., Duszyk, M.: Coupling of CFTR-Mediated Anion Secretion to Nucleoside Transporters and Adenosine Homeostasis in Calu-3 Cells 192:169
 Taglietti, V., *see* Castelli, L., et al. 195:121
 Tajima, G., *see* Sato, D., et al. 196:33
 Takahashi, M., *see* Oami, K. 195:85
 Takahashi, T., *see* Sato, D., et al. 196:33
 Takeyasu, K., *see* Okamura, H., et al. 191:13
 Takeyasu, K., *see* Yin, W., et al. 193:177
 Tanaka, S., *see* Hasegawa, T., et al. 199:119
 Tang, Q.Y., Qi, Z., Naruse, K., Sokabe, M.: Characterization of a Functionally Expressed Stretch-activated BKca Channel Cloned from Chick Ventricular Myocytes 196:185
 Tanzi, F., *see* Castelli, L., et al. 195:121
 Tatishchev, S., *see* Kurtz, I., et al. 197:77
 Tauc, M., *see* Barrière, H., et al. 193:153; 198:113
 Taylor, S., *see* Wilson-Ashworth, H.A., et al. 200:25
 Tchieu, J.H., *see* Hua, V.B., et al. 194:59
 Tew, D., *see* Kourie, J.L., et al. 193:35
 Thacore, H., *see* Ohki, S., et al. 199:73
 Thiel, G., *see* Wacke, M., et al. 191:179
 Thomas, J., *see* Tosteson, M.T., et al. 192:181
 Thornhill, W.B., Watanabe, I., Sutachan, J.J., Wu, M.B., Wu, X., Zhu, J., Recio-Pinto, E.: Molecular Cloning and Expression of a Kv1.1-like Potassium Channel from the Electric Organ of *Electrophorus electricus* 196:1
 Tomich, J.M., *see* Matsumoto, N., et al. 193:195
 Tonnerieux, N., *see* Barrière, H., et al. 193:153
 Tosteson, D.C., *see* Tosteson, M.T., et al. 192:181
 Tosteson, M.T., Thomas, J., Arnadottir, J., Tosteson, D.C.: Effects of Palytoxin on Cation Occlusion and Phosphorylation of the (Na⁺,K⁺)-ATPase 192:181
 Trotté, D., *see* Marciani, P., et al. 197:91
 Tsuji, T.: Physiological and Pathological Roles of $\alpha\beta\gamma$ Integrin 200:115
 Tsuruoka, S., *see* Matsumoto, N., et al. 193:195
 Tulkens, P.M., *see* Tyteca, D., et al. 192:203
 Turner, R.J.: Understanding the Biogenesis of Polytopic Integral Membrane Proteins 192:149
 Tyteca, D., Schanck, A., Dufrêne, Y.F., Deleu, M., Courtoy, P.J., Tulkens, P.M., Mingeot-Leclercq, M.P.: The Macrolide Antibiotic Azithromycin Interacts with Lipids and Affects Membrane Organization and Fluidity: Studies on Langmuir-Blodgett Monolayers, Liposomes and J774 Macrophages 192:203
 Vachon, V., *see* Kirouac, M., et al. 196:51
 Vague, P., *see* Djemli-Shipkolye, A., et al. 191:37
 Van Driessche, W., *see* Cucu, D., et al. 194:33

- Van Itallie, C.M., Colegio, O.R., Anderson, J.M.: The Cytoplasmic Tails of Claudins Can Influence Tight Junction Barrier Properties through Effects on Protein Stability 199:29
- Varanda, W.A., *see* Del Corso, C. 191:123
- Vasilyev, A., Khater, K., Rakowski, R.F.: Effect of Extracellular pH on Presteady-State and Steady-State Current Mediated by the Na^+/K^+ Pump 198:65
- Vázquez, C.M., *see* Mate, A., et al. 199:173
- Vergara, C., *see* Morera, F.J., et al. 192:65
- Vergara, L., Bao, X., Cooper, M., Bello-Reuss, E., Reuss, L.: Gap-junctional Hemichannels Are Activated by ATP Depletion in Human Renal Proximal Tubule Cells 196:173
- Verrier, B., *see* Marcket, B., et al. 194:21
- Veyhl, M., Wagner, C.A., Gorboulev, V., Schmitt, B.M., Lang, F., Koepsell, H.: Downregulation of the Na^+ -D-Glucose Cotransporter SGLT1 by Protein RS1 (RSC1A1) is Dependent on Dynamin and Protein Kinase C 196:71
- Vigasina, M.A., *see* Sobko, A.A., et al. 199:51
- Voets, T., Nilius, B.: TRPs Make Sense 192:1
- Vornanen, M., *see* Paajanen, V. 194:119
- Wacke, M., Thiel, G., Hütt, M.-T.: Ca^{2+} Dynamics during Membrane Excitation of Green Alga *Chara*: Model Simulations and Experimental Data 191:179
- Wagner, C.A., *see* Veyhl, M., et al. 196:71
- Wainwright, B.J., *see* Oceandy, D., et al. 192:159
- Wang, G.K., *see* O'Reilly, J.P., et al. 193:47
- Wang, L., *see* Roderick, C., et al. 196:41
- Wang, R., *see* Cui, N., et al. 192:111
- Wang, S.Y., *see* O'Reilly, J.P., et al. 193:47
- Wang, X.G., *see* Peracchia, C., et al. 195:53
- Wang, Z., *see* Bildin, V.N., et al. 193:1
- Wang, Z., *see* Yang, H., et al. 194:47
- Wang, Z.M., *see* Zheng, Z., et al. 197:101
- Warth, R., Barhanin, J.: Function of K^+ Channels in the Intestinal Epithelium 193:67
- Watanabe, I., *see* Thornhill, W.B., et al. 196:1
- Weber, M.M., *see* Reuss, R., et al. 200:67
- Wegner, L.H., *see* Binder, K.-A., et al. 191:165
- Wegner, L.H., *see* Heidecker, M., et al. 192:123
- Weidenmann, B., *see* Mergler, S., et al. 194:177
- Weingart, R., *see* Bader, P. 199:143
- Wilson-Ashworth, H.A., Judd, A.M., Law, R.M., Freestone, B.D., Taylor, S., Mizukawa, M.K., Cromar, K.R., Sudweeks, S., Bell, J.D.: Formation of Transient Non-Protein Calcium Pores by Lysophospholipids in S49 Lymphoma Cells 200:25
- Winters, C.J., Andreoli, T.E.: Chloride Channels in Basolateral TAL Membranes. XVIII. Phenylglyoxal Induces Functional mcC1C-Ka Activity in Basolateral MTAL Membranes 195:63
- Winters, C.J., Mikhailova, M.V., Andreoli, T.E.: Cl^- Channels in Basolateral TAL Membranes. XIX. Cytosolic Cl^- Regulates mmC1C-Ka and mcC1C-Ka Channels 195:73
- Wolff, D., *see* Morera, F.J., et al. 192:65
- Wondergem, R., *see* Jin, M., et al. 191:77
- Wray, S., *see* Babiyuk, E.B., et al. 198:95
- Wu, J., *see* Cui, N., et al. 192:111
- Wu, J., *see* Li, L., et al. 196:61
- Wu, J., Xu, H., Shen, W., Jiang, C.: Expression and Coexpression of CO_2 -sensitive Kir Channels in Brainstem Neurons of Rats 197:179
- Wu, M., *see* Santos-Sacchi, J. 200:83
- Wu, M.B., *see* Thornhill, W.B., et al. 196:1
- Wu, X., *see* Thornhill, W.B., et al. 196:1
- Xu, H., *see* Cui, N., et al. 192:111
- Xu, H., *see* Wu, J., et al. 197:179
- Yamamoto, T., *see* Sato, D., et al. 196:33
- Yammani, R.R., Seetharam, S., Dahms, N.M., Seetharam, B.: Transcobalamin II Receptor Interacts with Megalin in the Renal Apical Brush Border Membrane 193:57
- Yang, H., Sun, X., Wang, Z., Ning, G., Zhang, F., Kong, J., Lu, L., Reinach, P.S.: EGF Stimulates Growth by Enhancing Capacitative Calcium Entry in Corneal Epithelial Cells 194:47
- Yang, V.L., *see* Espiritu, D.J.D., et al. 199:39
- Yasuhera, J.C., *see* Okamura, H., et al. 191:13
- Yin, W., Jiang, G., Takeyasu, K., Zhou, X.: Stimulation of Na,K -ATPase by Low Potassium Is Dependent on Transferrin 193:177
- Yokoi, H., *see* Inamura, K., et al. 191:201
- Young, H.S., Stokes, D.L.: The Mechanics of Calcium Transport 198:55
- Young, J.D., *see* Szkotak, A.J., 192:169
- Young, K.C., *see* Peracchia, C., et al. 195:53
- Young, W.W., Jr.: Organization of Golgi Glycosyltransferases in Membranes: Complexity via Complexes 198:1
- Yu, D., *see* Zheng, J.-Y., et al. 194:187
- Yun, C.C., *see* Cha, B., et al. 191:49
- Zakharov, S.D., *see* Sobko, A.A., et al. 199:51
- Zazueta, C., Ramírez, J., García, N., Baeza, I.: Cardiolipin Regulates the Activity of the Reconstituted Mitochondrial Calcium Uniporter by Modifying the Structure of the Liposome Bilayer 191:113
- Zeiske, W., *see* Cucu, D., et al. 194:33
- Zeltwanger, S., *see* Zhang, Z.-R., et al. 199:15
- Zhainazarov, A.B.: Ca^{2+} -activated Nonselective Cation Channels in Rat Neonatal Atrial Myocytes 193:91
- Zhang, F., *see* Yang, H., et al. 194:47
- Zhang, Z.-R., Zeltwanger, S., McCarty, N.A.: Steady-State Interactions of Glibenclamide with CFTR: Evidence for Multiple Sites in the Pore 199:15
- Zheng, J.-Y., Yu, D., Foroohar, M., Ko, E., Chan, J., Kim, N., Chiu, R., Pang, S.: Regulation of the Expression of the Prostate-specific Antigen by Claudin-7 194:187
- Zheng, Z., Wang, Z.M., Delbono, O.: Ca^{2+} Calmodulin Kinase and Calcineurin Mediate IGF-1-induced Skeletal Muscle Dihydropyridine Receptor $\alpha_1\text{s}$ Transcription 197:101
- Zhou, X., *see* Yin, W., et al. 193:177
- Zhu, J., *see* Thornhill, W.B., et al. 196:1
- Zhuravlev, V.L., *see* Kodirov, S.A., et al. 197:145
- Zimliki, C.L., *see* Mears, D. 197:59
- Zimmer, T., *see* Scholle, S., et al. 198:103
- Zimmermann, H., *see* Reuss, R., et al. 200:67
- Zimmermann, U., *see* Binder, K.-A., et al. 191:165
- Zimmermann, U., *see* Heidecker, M., et al. 192:123
- Zimmermann, U., *see* Reuss, R., et al. 200:67
- Zschörnig, O., *see* Müller, M., et al. 192:33

Subject Index—Volumes 191–200

A6 cells

- , external Ni^{2+} and ENaC in A6 cells: Na^+ current stimulation by competition at a binding site for amiloride and Na^+ , Cucu, D., Simaels, J., Van Driessche, W., Zeiske, W. 194:33

Abcb11 gene

- , hepatic canalicular membrane transport of bile salt in C57L/J and AKR/J mice: implications for cholesterol gallstone formation, Hoda, F., Green, R.M. 196:9

Absorbance signal

- , interpretation and optimization of absorbance and fluorescence signals from voltage-sensitive dyes, Chang, P.Y., Jackson, M.B. 196:105

Access channel

- , effect of extracellular pH on presteady-state and steady-state current mediated by the Na^+/K^+ pump, Vasilyev, A., Khater, K., Rakowski, R.F. 198:65

Acetylcholine

- , muscarinic agonists activate Ca^{2+} store-operated and -independent ionic currents in insulin-secreting HIT-T15 cells and mouse pancreatic β -cells, Mears, D., Zimliki, C.L. 197:59

Acidic di-aryl-ureas

- , inhibition of the endogenous volume-regulated anion channel (VRAC) in HEK293 cells by acidic di-aryl-ureas, Hélix, N., Strøbaek, D., Dahl, B.H., Christophersen, P. 196:83

Acinar cells

- , permeant anions control gating of calcium-dependent chloride channels, Perez-Cornejo, P., De Santiago, J.A., Arreola, J. 198:125

ACTH-induced Cl^- current

- , volume-sensitive Cl^- current in bovine adrenocortical cells: comparison with the ACTH-induced Cl^- current, Dupré-Aucouturier, S., Penhoat, A., Rougier, O., Bilbaut, A. 199:99

Actin

- , osmotic stress alters the intracellular distribution of non-erythroidal spectrin (fodrin) in bovine aortic endothelial cells, Sun, A.C., Levitan, I. 192:9

Actinomycin D

- , intracellular calcium: a prerequisite for aldosterone action, Schäfer, C., Shahin, V., Albermann, L., Schillers, H., Hug, M.J., Oberleithner, H. 196:157

Action potential

- , Ca^{2+} dynamics during membrane excitation of green alga *Chara*: Model simulations and experimental data, Wacke, M., Thiel, G., Hütt, M.-T. 191:179

Activation kinetics

- , Cu^{2+} , Co^{2+} , and Mn^{2+} modify the gating kinetics of high-voltage-activated Ca^{2+} channels in rat palaeocortical neurons, Castelli, L., Tanzi, F., Taglietti, V., Magistretti, J. 195:121
- , permeant anions control gating of calcium-dependent chloride channels, Perez-Cornejo, P., De Santiago, J.A., Arreola, J. 198:125
- , rate-limiting reactions determining different activation kinetics of Kv1.2 and Kv2.1 channels, Scholle, A., Dugarmaa, S., Zimmer, T., Leonhardt, M., Koopmann, R., Engeland, B., Pongs, O., Benndorf, K. 198:103

Acuator domain

- , the mechanics of calcium transport, Young, H.S., Stokes, D.L. 198:55

Adenosine

- , basis of chloride transport in ciliary epithelium, Do, C.W., Civan, M.M. 200:1

Adenosine metabolism

- , coupling of CFTR-mediated anion secretion to nucleoside transporters and adenosine homeostasis in Calu-3 cells, Szkołtak, A.J., Ng, A.M.L., Man, S.F.P., Baldwin, S.A., Cass, C.E., Young, J.D., Duszyk, M. 192:169

Adenosine receptor agonists

- , common actions of adenosine receptor agonists in modulating human trabecular meshwork cell transport, Fleischhauer, J.C., Mitchell, C.H., Stamer, W.D., Karl, M.O., Peterson-Yantorno, K., Civan, M.M. 193:121

Adhesion mechanism

- , gadolinium effects on gigaseal formation and the adhesive properties of a fungal amoeboid cell, the *Slime* mutant of *Neurospora crassa*, Dunina-Barkovskaya, A.Y., Levina, N.N., Lew, R.R., Heath, I.B. 198:77

Adipocyte cells

- , human adipose cells have voltage-dependent potassium currents, Ramírez-Ponce, M.P., Mateos, J.C., Bellido, J.A. 196:129

ADP ribose

- , response to ADP-ribose by activation of TRPM2 in the CRI-G1 insulinoma cell line, Inamura, K., Sano, Y., Mochizuki, S., Yokoi, H., Miyake, A., Nozawa, K., Kitada, C., Matsushime, H., Furuichi, K. 191:201

ADP ribosylation factors (Arf)

- , phosphatidylinositol phosphate kinases put PI4,5P₂ in its place, Doughman, R.L., Firestone, A.J., Anderson, R.A. 194:77

Adrenal zona fasciculata (AZF) cells

- , modulation of native TREK-1 and Kv1.4 K^+ channels by polyunsaturated fatty acids and lysophospholipids, Danthi, S., Enyeart, J.A., Enyeart, J.J. 195:147

Airway transport

- , coupling of CFTR-mediated anion secretion to nucleoside transporters and adenosine homeostasis in Calu-3 cells, Szkołtak, A.J., Ng, A.M.L., Man, S.F.P., Baldwin, S.A., Cass, C.E., Young, J.D., Duszyk, M. 192:169

Airways

- , GFP-tagged CFTR transgene is functional in the G551D cystic fibrosis mouse colon, Oceandy, D., McMorran, B., Schreiber, R., Wainwright, B.J., Kunzelmann, K. 192:159

AKR/J mice

- , hepatic canalicular membrane transport of bile salt in C57L/J and AKR/J mice: implications for cholesterol gallstone formation, Hoda, F., Green, R.M. 196:9

Aldosterone

- , endothelial cell swelling by aldosterone, Oberleithner, H., Schneider, S.W., Albermann, L., Hillebrand U., Ludwig, T., Riethmüller, C., Shahin, V., Schäfer, C., Schillers, H. 196:163

- , intracellular calcium: a prerequisite for aldosterone action, Schäfer, C., Shahin, V., Albermann, L., Schillers, H., Hug, M.J., Oberleithner, H. 196:157

- , nuclear envelope: nanoarray responsive to aldosterone, Oberleithner, H. 199:127

Alkaline phosphatase

- , insertion of a glycosylphosphatidylinositol-anchored enzyme into liposomes, Ronzon, F., Morandat, S., Roux, B., Bortolato, M. 197:169

- , role of GPI-anchored enzyme in liposome detergent-resistance, Morandat, S., Bortolato, M., Roux, B. 191:215

Allosteric sites

- , gating models of the anomalous mole-fraction effect of single-channel current in *Chara*, Hansen, U.P., Cakan, O., Abshagen-Keunecke, M., Farokhi, A. 192:45

- α -hemolysin channel**
- , electrostatic influence on ion transport through the α HL channel, Misakian, M., Kasianowicz, J.J. 195:137
- $\alpha\beta\gamma$ integrin**
- , physiological and pathological roles of $\alpha\beta\gamma$ integrin, Tsuji, T. 200:115
- Aluminum**
- , opposing effects of aluminum on inward-rectifier potassium currents in bean root-tip protoplasts, Etherton, B., Heppner, T.J., Cumming, J.R., Nelson, M.T. 198:15
- Alveolar epithelial cells**
- , basolateral Cl^- transport is stimulated by terbutaline in adult rat alveolar epithelial cells, Lee, S.Y., Maniak, P.J., Rhodes, R., Ingbar, D.H., O'Grady, S.M. 191:133
- Alzheimer's disease**
- , architecture of the Alzheimer's A β P ion channel pore, Arispe, N. 197:33
- Amiloride**
- , endothelial cell swelling by aldosterone, Oberleithner, H., Schneider, S.W., Albermann, L., Hillebrand U., Ludwig, T., Riethmüller, C., Shahin, V., Schäfer, C., Schillers, H. 196:163
 - , external Ni^{2+} and ENaC in A6 cells: Na^+ current stimulation by competition at a binding site for amiloride and Na^+ , Cucu, D., Simaels, J., Van Driessche, W., Zeiske, W. 194:33
- Amiloride-sensitive Na^+ current**
- , stimulation of transepithelial Na^+ current by extracellular Gd^{3+} in *Xenopus laevis* alveolar epithelium, Fronius, M., Clauss, W., Schnizler, M. 195:43
- Amiloride-sensitive Na^+ transport**
- , effects of purinergic stimulation, CFTR and osmotic stress on amiloride-sensitive Na^+ transport in epithelia and *Xenopus* oocytes, Schreiber, R., König, J., Sun, J., Markovich, D., Kunzelmann, K. 192:101
- Amino acid exchange**
- , transport of proline and hydroxyproline by the neutral amino-acid exchanger ASCT1, Pinilla-Tenas, J., Barber, A., Lostao, M.P. 195:27
- Amino acid substitution**
- , an amino-acid substitution in the influenza-B NB protein affects ion-channel gating, Premkumar, A., Ewart, G.D., Cox, G.B., Gage, P.W. 197:135
- 2-Aminoethyl methanethiosulfonate (MTSEA)**
- , methanethiosulfate modification alters local anesthetic block in rNav1.4 cysteine-substituted mutants S1276C and L1280C, O'Reilly, J.P., Wang, S.Y., Wang, G.K. 193:47
- 4-Aminopyridine**
- , modulation of rabbit corneal epithelial cell proliferation by growth factor-regulated K^+ channel activity, Roderick, C., Reinach, P.S., Wang, L., Lu, L. 196:41
- Amoeboid cells**
- , gadolinium effects on gigaseal formation and the adhesive properties of a fungal amoeboid cell, the *Slime* mutant of *Neurospora crassa*, Dunina-Barkovskaya, A.Y., Levina, N.N., Lew, R.R., Heath, I.B. 198:77
- Amphiphiles**
- , mechanisms of $\text{Na}^+ \text{-Ca}^{2+}$ exchange inhibition by amphiphiles in cardiac myocytes: importance of transbilayer movement, Keller, M., Pignier, C., Niggli, E., Egger, M. 198:159
- Amyloid- β -peptide**
- , architecture of the Alzheimer's A β P ion channel pore, Arispe, N. 197:33
- Amyloids**
- , copper modulation of ion channels of PrP[106-126] mutant prion peptide fragments, Kourie, J.I., Kenna, B.L., Tew, D., Jobling, M.F., Curtain, C.C., Masters, C.L., Barnham, K.J., Cappai, R. 193:35
- Androgen**
- , regulation of the expression of the prostate-specific antigen by claudin-7, Zheng, J.-Y., Yu, D., Foroohar, M., Ko, E., Chan, J., Kim, N., Chiu, R., Pang, S. 194:187
- Anion channel activity**
- , volume-dependent glutamate permeation depends on transmembrane ionic strength and extracellular Cl^- , Hoffman, M.M., Garber, S.S. 197:193
- Anion exchanger 1 (AE1)**
- , expression of the skate (*Raja erinacea*) AE1 osmolyte channel in *Xenopus laevis* oocytes: monovalent cation permeability, Koomoa, D.-L.T., Musch, M.W., Myers, D.E., Goldstein, L. 198:23
- Anion exchangers**
- , evidence for the presence of three different anion exchangers in a red cell. Functional expression studies in *Xenopus* oocytes, Guizouarn, H., Musch, M.W., Goldstein, L. 193:109
- Anion secretion**
- , coupling of CFTR-mediated anion secretion to nucleoside transporters and adenosine homeostasis in Calu-3 cells, Szkotak, A.J., Ng, A.M.L., Man, S.F.P., Baldwin, S.A., Cass, C.E., Young, J.D., Duszyk, M. 192:169
- Anion selectivity**
- , permeant anions control gating of calcium-dependent chloride channels, Perez-Cornejo, P., De Santiago, J.A., Arreola, J. 198:125
- Anionic bilayer vesicles**
- , bilayer mixing, fusion, and lysis following the interaction of populations of cationic and anionic phospholipid bilayer vesicles, Pantazatos, D.P., Pantazatos, S.P., MacDonald, R.C. 194:129
 - , real-time observation of lipoplex formation and interaction with anionic bilayer vesicles, Pantazatos, S.P., MacDonald, R.C. 191:99
- Anomalous mole-fraction effect**
- , gating models of the anomalous mole-fraction effect of single-channel current in *Chara*, Hansen, U.P., Cakan, O., Abshagen-Kueynecke, M., Farokhi, A. 192:45
- Antiarrhythmic drug therapy**
- , properties, expression and potential roles of cardiac K^+ channel accessory subunits: MinK, MiRPs, KChIP, and KChAP, Pourrier, M., Schram, G., Nattel, S. 194:141
- Apical brush border membrane**
- , transcobalamin II receptor interacts with megalin in the renal apical brush border membrane, Yammani, R.R., Seetharam, S., Dahms, N.M., Seetharam, B. 193:57
- Apical membrane**
- , 17 β -estradiol and tamoxifen regulate a maxi-chloride channel from human placenta, Henriquez, M., Riquelme, G. 191:59
 - , activation of apical K^+ conductances by muscarinic receptor stimulation in rat distal colon: fast and slow components, Schultheiss, G., Ribeiro, R., Schäfer, K.H., Diener, M. 195:183
- Apical transport**
- , kinetic characterization of apical D-fructose transport in chicken jejunum, Garriga, C., Barfull, A., Planas, J.M. 197:71
- Apoptosis**
- , regulation of ion fluxes, cell volume and gap junctional coupling by cGMP in GFSHR-17 granulosa cells, Ngezahayo, A., Altmann, B., Kolb, H.-A. 194:165
- Aquaporins**
- , prolonged ethanol ingestion increases renal AQP2 and AQP3 expression in adult rats and in their offspring, García-Delgado, M., Peral, M.J., García-Benítez, O., Carreras, O., Ilundáin, A.A. 198:89

- , spatial and temporal expression of the ventral pelvic skin aquaporins during metamorphosis of the tree frog, *Hyla japonica*, Hasegawa, T., Sugawara, Y., Suzuki, M., Tanaka, S. 199:119
- , what are aquaporins for? Hill, A.E., Shachar-Hill, B., Shachar-Hill, Y. 197:1
- Aqueous humor inflow**
 - , basis of chloride transport in ciliary epithelium, Do, C.W., Civan, M.M. 200:1
- Aqueous humor outflow**
 - , common actions of adenosine receptor agonists in modulating human trabecular meshwork cell transport, Fleischhauer, J.C., Mitchell, C.H., Stamer, W.D., Karl, M.O., Peterson-Yantorno, K., Civan, M.M. 193:121
- Arachidonic acid**
 - , modulation of native TREK-1 and Kv1.4 K^+ channels by polyunsaturated fatty acids and lysophospholipids, Danthi, S., Enyeart, J.A., Enyeart, J.J. 195:147
- Arginine vasopressin**
 - , prolonged ethanol ingestion increases renal AQP2 and AQP3 expression in adult rats and in their offspring, García-Delgado, M., Peral, M.J., García-Benítez, O., Carreras, O., Ilundáin, A.A. 198:89
- Artificial Cl^- channel**
 - , expression of an artificial Cl^- channel in microperfused renal proximal tubules, Matsumoto, N., Tsuruoka, S., Iwamoto, T., Tomich, J.M., Ito, K., Imai, M., Suzuki, M. 193:195
- ASCT1**
 - , transport of proline and hydroxyproline by the neutral amino-acid exchanger ASCT1, Pinilla-Tenas, J., Barber, A., Lostao, M.P. 195:27
- Atomic force microscopy**
 - , endothelial cell swelling by aldosterone, Oberleithner, H., Schneider, S.W., Albermann, L., Hillebrand U., Ludwig, T., Riethmüller, C., Shahin, V., Schäfer, C., Schillers, H. 196:163
 - , identification of caveolae-like structures on the surface of intact cells using scanning force microscopy, Lucius, H., Friedrichson, T., Kurzhalia, T.V., Lewin, G.R. 194:97
 - , nuclear envelope: nanoarray responsive to aldosterone, Oberleithner, H. 199:127
 - , syntaxin is efficiently excluded from sphingomyelin-enriched domains in supported lipid bilayers containing cholesterol, Saslowsky, D.E., Lawrence, J.C., Henderson, R.M., Edwarson, J.M. 194:153
 - , the macrolide antibiotic azithromycin interacts with lipids and affects membrane organization and fluidity: studies on Langmuir-Blodgett monolayers, liposomes and J774 macrophages, Tyteca, D., Schanck, A., Dufrêne, Y.F., Deleu, M., Courtoy, P.J., Tulkens, P.M., Mingeot-Leclercq, M.P. 192:203
- ATP**
 - , a hypertonicity-activated nonselective conductance in single proximal tubule cells isolated from mouse kidney, Balloch, K.J.D., Hartley, J.A., Millar, I.D., Kibble, J.D., Robson, L. 192:191
 - , a threonine residue (Thr71) at the intracellular end of the M1 helix plays a critical role in the gating of Kir6.2 channels by intracellular ATP and protons, Cui, N., Wu, J., Xu, H., Wang, R., Rojas, A., Piao, H., Mao, J., Abdulkadir, L., Li, L., Jiang, C. 192:111
 - , effects of palytoxin on cation occlusion and phosphorylation of the (Na^+, K^+)-ATPase, Tosteson, M.T., Thomas, J., Arnadottir, J., Tosteson, D.C. 192:181
 - , effects of purinergic stimulation, CFTR and osmotic stress on amiloride-sensitive Na^+ transport in epithelia and *Xenopus* oocytes, Schreiber, R., König, J., Sun, J., Markovich, D., Kunzelmann, K. 192:101
 - , negative regulation of CFTR activity by extracellular ATP involves P2Y2 receptors in CFTR-expressing CHO cells, Marcket, B., Chappe, V., Delmas, P., Gola, M., Verrier, B. 194:21
- ATP7A**
 - , function and regulation of the mammalian copper-transporting ATPases: Insights from biochemical and cell biological approaches, Lutsenko, S., Petris, M.J. 191:1
- ATP7B**
 - , function and regulation of the mammalian copper-transporting ATPases: Insights from biochemical and cell biological approaches, Lutsenko, S., Petris, M.J. 191:1
- ATP-binding cassette (ABC) membrane transporter**
 - , structural insights into the CFTR-NHERF interaction, Ladis, J.A.A. 192:79
- ATP-sensitive K^+ channel (K_{ATP})**
 - , a threonine residue (Thr71) at the intracellular end of the M1 helix plays a critical role in the gating of Kir6.2 channels by intracellular ATP and protons, Cui, N., Wu, J., Xu, H., Wang, R., Rojas, A., Piao, H., Mao, J., Abdulkadir, L., Li, L., Jiang, C. 192:111
 - , differential expression of Kir6.1 and SUR2B mRNAs in the vasculature of various tissues in rats, Li, L., Wu, J., Jiang, C. 196:61
- ATX-II**
 - , gating properties of a sodium channel with three arginines substituted by histidines in the central part of voltage sensor S4D4, Kühn, F.J.P., Greeff, N.G. 193:23
- Azithromycin**
 - , the macrolide antibiotic azithromycin interacts with lipids and affects membrane organization and fluidity: studies on Langmuir-Blodgett monolayers, liposomes and J774 macrophages, Tyteca, D., Schanck, A., Dufrêne, Y.F., Deleu, M., Courtoy, P.J., Tulkens, P.M., Mingeot-Leclercq, M.P. 192:203
- Bacillus thuringiensis**
 - , analysis of the properties of *Bacillus thuringiensis* insecticidal toxins using a potential-sensitive fluorescent probe, Kirouac, M., Vachon, V., Rivest, S., Schwartz, J.-L., Laprade, R. 195:51
- Basolateral Ca^{2+} concentration**
 - , pulses of cell Ca^{2+} and the dynamics of tight junction opening and closing, Lacaz-Vieira, F., Marques, M.M. 196:117
- Basolateral Cl^- channel**
 - , chloride channels in basolateral TAL membranes. XVIII. phenylglyoxal induces functional mClC-Ka activity in basolateral MTAL membranes, Winters, C.J., Andreoli, T.E. 195:63
 - , Cl^- channels in basolateral TAL membranes. XIX. cytosolic Cl^- regulates mmClC-Ka and mClC-Ka channels, Winters, C.J., Mikhailova, M.V., Andreoli, T.E. 195:73
- Basolateral Cl^- transport**
 - , basolateral Cl^- transport is stimulated by terbutaline in adult rat alveolar epithelial cells, Lee, S.Y., Maniak, P.J., Rhodes, R., Ingbar, D.H., O'Grady, S.M. 191:133
- Bean root tip protoplasts**
 - , opposing effects of aluminum on inward-rectifier potassium currents in bean root-tip protoplasts, Etherton, B., Heppner, T.J., Cumming, J.R., Nelson, M.T. 198:15
- Benzimidazolyl-guanidin (BIG)**
 - , stimulation of transepithelial Na^+ current by extracellular Gd^{3+} in *Xenopus laevis* alveolar epithelium, Fronius, M., Clauss, W., Schnizler, M. 195:43
- β blockers**
 - , catecholamine-induced regulation in vitro and ex vivo of intralymphocyte ionized magnesium, Delva, P., Pastori, C., Degan, M., Montesi, G., Lechi, A. 199:163

- β cells
 - , regulation of insulin secretion in islets of Langerhans by Ca^{2+} channels, Mears, D. 200:57
- β distributions
 - , distributions-per-level: a means of testing level detectors and models of patch-clamp data, Schröder, I., Huth, T., Suitch-mezian, V., Jarosik, J., Schnell, S., Hansen, U.P. 197:49
- β-NAD
 - , response to ADP-ribose by activation of TRPM2 in the CRI-G1 insulinoma cell line, Inamura, K., Sano, Y., Mochizuki, S., Yokoi, H., Miyake, A., Nozawa, K., Kitada, C., Matsushima, H., Furuchi, K. 191:201
- β subunits
 - , properties of BK_{Ca} channels formed by bicistronic expression of *hSloα* and β1-4 subunits in HEK293 cells, Lippiat, J.D., Standen, N.B., Harrow, I.D., Phillips, S.C., Davies, N.W. 192:141
- Bicarbonate transporter superfamily
 - , molecular mechanisms of electrogenic sodium bicarbonate cotransport: structural and equilibrium thermodynamic considerations, Kurtz, I., Petrasek, D., Tatishchev, S. 197:77
- Bicistronic expression
 - , properties of BK_{Ca} channels formed by bicistronic expression of *hSloα* and β1-4 subunits in HEK293 cells, Lippiat, J.D., Standen, N.B., Harrow, I.D., Phillips, S.C., Davies, N.W. 192:141
- Bilayer fluidity
 - , cardiolipin regulates the activity of the reconstituted mitochondrial calcium uniporter by modifying the structure of the liposome bilayer, Zazueta, C., Ramírez, J., García, N., Baeza, I. 191:113
- Bilayer lipid membrane
 - , chemical and photochemical modification of colicin E1 and gramicidin A in bilayer lipid membranes, Sobko, A.A., Vigasina, M.A., Rokitskaya, T.I., Kotova, E.A., Zakharov, S.D., Cramer, W.A., Antonenko, Y.N. 199:51
 - , quinine inhibits mitochondrial ATP-regulated potassium channel from bovine heart, Bednarczyk, P., Kicińska, A., Kominkova, V., Ondrias, K., Dolowy, K., Szewczyk, A. 199:63
- Bile salt export
 - , hepatic canalicular membrane transport of bile salt in C57L/J and AKR/J mice: implications for cholesterol gallstone formation, Hoda, F., Green, R.M. 196:9
- Biogenesis
 - , understanding the biogenesis of polytopic integral membrane proteins, Turner, R.J. 192:149
- Biomembranes
 - , soft picture of lateral heterogeneity in biomembranes, Štrancar, J., Koklič, T., Arsov, Z. 196:135
- Bioreactors
 - , liposome-entrapped polymerases as models for microscale/nanoscale bioreactors, Monnard, P.-A. 191:87
- 2',7'-Bis(2-carboxyethyl)-5/6-carboxyfluorescein (BCECF)
 - , the role of multidrug resistance protein (MRP1) in transport of fluorescent anions across the human erythrocyte membrane, Rychlik, B., Balcerzyk, A., Klimczak, A., Bartosz, G. 193:79
- Bitransgenic mice
 - , GFP-tagged CFTR transgene is functional in the G551D cystic fibrosis mouse colon, Oceandy, D., McMorran, B., Schreiber, R., Wainwright, B.J., Kunzelmann, K. 192:159
- BK channel
 - , characterization of a functionally expressed stretch-activated BK_{Ca} channel cloned from chick ventricular myocytes, Tang, Q.Y., Qi, Z., Naruse, K., Sokabe, M. 196:185
 - , current transients associated with BK channels in human glioma cells, Ransom, C.B., Liu, X., Sontheimer, H. 193:201
- Blocker peptides
 - , architecture of the Alzheimer's A β P ion channel pore, Arispé, N. 197:33
- BON cells
 - , R-type Ca^{2+} -channel activity is associated with chromogranin A secretion in human neuroendocrine tumor BON cells, Mergler, S., Wiedenmann, B., Prada, J. 194:177
- Bovine adrenal zona fasciculata (AZF) cells
 - , modulation of native TREK-1 and Kv1.4 K^+ channels by polyunsaturated fatty acids and lysophospholipids, Danthi, S., Enyeart, J.A., Enyeart, J.J. 195:147
- Bovine adrenocortical cells
 - , volume-sensitive Cl^- current in bovine adrenocortical cells: comparison with the ACTH-induced Cl^- current, Dupré-Aucourtier, S., Penhoat, A., Rougier, O., Bilbaut, A. 199:99
- Bovine aortic endothelial cells
 - , osmotic stress alters the intracellular distribution of non-erythroid spectrin (fodrin) in bovine aortic endothelial cells, Sun, A.C., Levitan, I. 192:9
- Brain mitochondria
 - , binding and release of cytochrome c in brain mitochondria is influenced by membrane potential and hydrophobic interactions with cardiolipin, Piccotti, L., Buratta, M., Giannini, S., Gresele, P., Roberti, R., Corazzi, L. 198:43
- Brain synaptosomes
 - , Ca^{2+} signalling in the brain synaptosomes activated by di-nucleotides, Miras-Portugal, M.T., Pintor, J., Gualix, J. 194:1
- Brainstem neurons
 - , expression and coexpression of CO_2 -sensitive Kir channels in brainstem neurons of rats, Wu, J., Xu, H., Shen, W., Jiang, C. 197:179
- Bronchial epithelium
 - , modulation of calcium-dependent chloride secretion by basolateral SK4-like channels in a human bronchial cell line, Bernard, K., Bogliolo, S., Soriani, O., Ehrenfeld, J. 196:15
- Brush border membrane
 - , transcobalamin II receptor interacts with megalin in the renal apical brush border membrane, Yammani, R.R., Seetharam, S., Dahms, N.M., Seetharam, B. 193:57
- Brush border membrane vesicle
 - , analysis of the properties of *Bacillus thuringiensis* insecticidal toxins using a potential-sensitive fluorescent probe, Kirouac, M., Vachon, V., Rivest, S., Schwartz, J.-L., Laprade, R. 196:51
 - , kinetic characterization of apical D-fructose transport in chicken jejunum, Garriga, C., Barfull, A., Planas, J.M. 197:71
 - , kinetic mechanism of Na^+ - glucose cotransport through the rabbit intestinal SGLT1 protein, Berteloot, A. 192:89
- Bumetanide
 - , Cl^- channels in basolateral TAL membranes. XIX. cytosolic Cl^- regulates mmCIC-Ka and mcCIC-Ka channels, Winters, C.J., Mikhailova, M.V., Andreoli, T.E. 195:73
- Bupivacaine
 - , methanethiosulfate modification alters local anesthetic block in rNav1.4 cysteine-substituted mutants S1276C and L1280C, O'Reilly, J.P., Wang, S.Y., Wang, G.K. 193:47
- C57L/J mice
 - , hepatic canalicular membrane transport of bile salt in C57L/J and AKR/J mice: implications for cholesterol gallstone formation, Hoda, F., Green, R.M. 196:9
- Ca^{2+} -activated K^+ channel (BK_{Ca})
 - , characterization of a functionally expressed stretch-activated BK_{Ca} channel cloned from chick ventricular myocytes, Tang, Q.Y., Qi, Z., Naruse, K., Sokabe, M. 196:185

- , external copper inhibits the activity of the large-conductance calcium- and voltage-sensitive potassium channel from skeletal muscle, Morera, F.J., Wolff, D., Vergara, C. 192:65
- , hepatocyte growth factor/scatter factor stimulates Ca^{2+} -activated membrane K^+ current and migration of MDCK II cells, Jin, M., Defoe, D.M., Wondergem, R. 191:77
- , properties of BK_{Ca} channels formed by bicistronic expression of *hSlo α* and $\beta 1-4$ subunits in HEK293 cells, Lippiat, J.D., Standen, N.B., Harrow, I.D., Phillips, S.C., Davies, N.W. 192:141
- , the human red cell voltage-regulated cation channel, the interplay with the chloride conductance, the Ca^{2+} -activated K^+ channel and the Ca^{2+} pump, Bennekou, P., Kristensen, B.I., Christoffersen, P. 195:1
- Ca^{2+} -activated nonselective cation channels
 - , Ca^{2+} -activated nonselective cation channels in rat neonatal atrial myocytes, Zhainazarov, A.B. 193:91
- Ca^{2+} -ATPase
 - , the Ca^{2+} -ATPase of the scallop sarcoplasmic reticulum is of a cold-adapted type, Sato, D., Takahashi, T., Tajima, G., Sato, C., Nagata, Y., Yamamoto, T., Nakamura, J. 196:33
 - , the mechanics of calcium transport, Young, H.S., Stokes, D.L. 198:55
- Ca^{2+} calmodulin kinase
 - , Ca^{2+} calmodulin kinase and calcineurin mediate IGF-1-induced skeletal muscle dihydropyridine receptor $\alpha_{1\text{s}}$ transcription, Zheng, Z., Wang, Z.M., Delbono, O. 197:101
- Ca^{2+} channel
 - , regulation of insulin secretion in islets of Langerhans by Ca^{2+} channels, Mears, D. 200:57
 - , regulation of muscle Cav1.1 channels by long-term depolarization involves proteolysis of the $\alpha_{1\text{s}}$ subunit, Carrillo, E., Galindo, J.M., García, M.C., Sánchez, J.A. 199:155
- Ca^{2+} -dependent Cl^- channel
 - , permeant anions control gating of calcium-dependent chloride channels, Perez-Cornejo, P., De Santiago, J.A., Arreola, J. 198:125
- Ca^{2+} -dependent Cl^- secretion
 - , modulation of calcium-dependent chloride secretion by basolateral SK4-like channels in a human bronchial cell line, Bernard, K., Bogliolo, S., Soriani, O., Ehrenfeld, J. 196:15
- Ca^{2+} mobilization
 - , Ca^{2+} dynamics during membrane excitation of green alga *Chara*: Model simulations and experimental data, Wacke, M., Thiel, G., Hütt, M.-T. 191:179
- Ca^{2+} release
 - , the gating kinetics of the slow vacuolar channel. A novel mechanism for SV channel functioning? Miedema, H., de Boer, A.H., Pantoja, O. 194:11
- Ca^{2+} response
 - , Ca^{2+} dynamics during membrane excitation of green alga *Chara*: Model simulations and experimental data, Wacke, M., Thiel, G., Hütt, M.-T. 191:179
 - , removal of the MDCK cell primary cilium abolishes flow sensing, Praetorius, H.A., Spring, K.R. 191:69
- Ca^{2+} -sensitive K^+ channel
 - , bending the primary cilium opens Ca^{2+} -sensitive intermediate-conductance K^+ channels in MDCK cells, Praetorius, H.A., Frokiaer, J., Nielsen, S., Spring, K.R. 191:193
- Ca^{2+} signaling
 - , Ca^{2+} signalling in the brain synaptosomes activated by dinucleotides, Miras-Portugal, M.T., Pintor, J., Gualix, J. 194:1
- Ca^{2+} transport
 - , the mechanics of calcium transport, Young, H.S., Stokes, D.L. 198:55
- CadA
 - , identification of ion-selectivity determinants in heavy-metal transport $\text{P}_{1\text{B}}$ -type ATPase, Argüello, J.M. 195:93
- Cadmium
 - , identification of ion-selectivity determinants in heavy-metal transport $\text{P}_{1\text{B}}$ -type ATPase, Argüello, J.M. 195:93
- Cadmium-binding peptide
 - , lipid-membrane affinity of chimeric metal-binding green fluorescent protein, Prachayasittikul, V., Ayudhya, C.I.N., Boonpangrak, S., Galla, H.-J. 200:47
- Caenorhabditis elegans*
 - , P-type ATPases in *Caenorhabditis* and *Drosophila*: implications for evolution of the P-type ATPase subunit families with special reference to the Na,K-ATPase and H,K-ATPase subgroup, Okamura, H., Yasuhara, J.C., Fambrough, D.M., Takeyasu, K. 191:13
- Caged calcium
 - , mechanisms of $\text{Na}^+ \cdot \text{Ca}^{2+}$ exchange inhibition by amphiphiles in cardiac myocytes: importance of transbilayer movement, Keller, M., Pignier, C., Niggli, E., Egger, M. 198:159
- Calcein
 - , the role of multidrug resistance protein (MRP1) in transport of fluorescent anions across the human erythrocyte membrane, Rychlik, B., Balcerzyk, A., Klimczak, A., Bartosz, G. 193:79
- Calcineurin
 - , Ca^{2+} calmodulin kinase and calcineurin mediate IGF-1-induced skeletal muscle dihydropyridine receptor $\alpha_{1\text{s}}$ transcription, Zheng, Z., Wang, Z.M., Delbono, O. 197:101
- Calcium-activated chloride conductance
 - , modulation of calcium-dependent chloride secretion by basolateral SK4-like channels in a human bronchial cell line, Bernard, K., Bogliolo, S., Soriani, O., Ehrenfeld, J. 196:15
- Calcium-induced Ca^{2+} release
 - , the gating kinetics of the slow vacuolar channel. A novel mechanism for SV channel functioning? Miedema, H., de Boer, A.H., Pantoja, O. 194:11
- Calcium pores
 - , formation of transient non-protein calcium pores by lyso-phospholipids in S49 lymphoma cells, Wilson-Ashworth, H.A., Judd, A.M., Law, R.M., Freestone, B.D., Taylor, S., Mizukawa, M.K., Cromar, K.R., Sudweeks, S., Bell, J.D. 200:25
- Calcium release channel
 - , suppression of calcium sparks in rat ventricular myocytes and direct inhibition of sheep cardiac RyR channels by EPA, DHA and oleic acid, Honen, B.N., Saint, D.A., Laver, D.R. 196:95
- Calcium signaling
 - , EGF stimulates growth by enhancing capacitative calcium entry in corneal epithelial cells, Yang, H., Sun, X., Wang, Z., Ning, G., Zhang, F., Kong, J., Lu, L., Reinach, P.S. 194:47
- Calcium sparks
 - , suppression of calcium sparks in rat ventricular myocytes and direct inhibition of sheep cardiac RyR channels by EPA, DHA and oleic acid, Honen, B.N., Saint, D.A., Laver, D.R. 196:95
- Calcium uptake
 - , cardiolipin regulates the activity of the reconstituted mitochondrial calcium uniporter by modifying the structure of the liposome bilayer, Zazueta, C., Ramírez, J., García, N., Baeza, I. 191:113
- Calu-3 cells
 - , coupling of CFTR-mediated anion secretion to nucleoside transporters and adenosine homeostasis in Calu-3 cells, Szkotak, A.J., Ng, A.M.L., Man, S.F.P., Baldwin, S.A., Cass, C.E., Young, J.D., Duszyk, M. 192:169
- cAMP
 - , basis of chloride transport in ciliary epithelium, Do, C.W., Civan, M.M. 200:1

- Canicular liver membrane vesicles
–, hepatic canalicular membrane transport of bile salt in C57L/J and AKR/J mice: implications for cholesterol gallstone formation, Hoda, F., Green, R.M. 196:9
- Capacitative calcium entry
–, EGF stimulates growth by enhancing capacitative calcium entry in corneal epithelial cells, Yang, H., Sun, X., Wang, Z., Ning, G., Zhang, F., Kong, J., Lu, L., Reinach, P.S. 194:47
- Carbachol
–, activation of apical K^+ conductances by muscarinic receptor stimulation in rat distal colon: fast and slow components, Schultheiss, G., Ribeiro, R., Schäfer, K.H., Diener, M. 195:183
- Carbohydrates
–, intracellular delivery of carbohydrates into mammalian cells through swelling-activated pathways, Reuss, R., Ludwig, J., Shirakashi, R., Ehrhart, F., Zimmermann, H., Schneider, S., Weber, M.M., Zimmermann, U., Schneider, H., Sukhorukov, V.L. 200:67
–, new EPR method for cellular surface characterization, Štrancar, J., Schara, M., Pečar, S. 193:15
- Carbon dioxide
–, CO_2 sensitivity of voltage gating and gating polarity of gap junction channels-connexin40 and its COOH-terminus-truncated mutant, Peracchia, C., Chen, J.T., Peracchia, L.L. 200:105
–, is the voltage gate of connexins CO_2 -sensitive? Cx45 channels and inhibition of calmodulin expression, Peracchia, C., Young, K.C., Wang, X.G., Peracchia, L.L. 195:53
–, regulation of renal Na^+/HCO_3^- cotransporter stimulation by CO_2 : role of phosphorylation, exocytosis and protein synthesis, Espiritu, D.J.D., Yang, V.L., Bernardo, A.A., Arruda, J.A.L. 199:39
- Carbon dioxide chemosensitivity
–, expression and coexpression of CO_2 -sensitive Kir channels in brainstem neurons of rats, Wu, J., Xu, H., Shen, W., Jiang, C. 197:179
- Carbon dioxide stimulation
–, the role of phosphatidylinositol 3-kinase (PI3K) in CO_2 stimulation of the Na^+/HCO_3^- cotransporter (NBC), Bernardo, A.A., Espiritu, D.J.D., Ruiz, O.S., Robey, R.B., Arruda, J.A.L. 191:141
- Carboxyfluorescein
–, the role of multidrug resistance protein (MRP1) in transport of fluorescent anions across the human erythrocyte membrane, Rychlik, B., Balcerzyk, A., Klimczak, A., Bartosz, G. 193:79
- Cardiac calcium release channel
–, suppression of calcium sparks in rat ventricular myocytes and direct inhibition of sheep cardiac RyR channels by EPA, DHA and oleic acid, Honen, B.N., Saint, D.A., Laver, D.R. 196:95
- Cardiac K^+ channel accessory subunits
–, properties, expression and potential roles of cardiac K^+ channel accessory subunits: MinK, MiRPs, KChIP, and KChAP, Pourrier, M., Schram, G., Nattel, S. 194:141
- Cardiac myocytes
–, Ca^{2+} -activated nonselective cation channels in rat neonatal atrial myocytes, Zhainazarov, A.B. 193:91
–, effects of chronic hypoxia on inward rectifier K^+ current (I_{K1}) in ventricular myocytes of crucian carp (*Carassius carassius*) heart, Paajanen, V., Vornanen, M. 194:119
–, effects of the enantiomers of BayK 8644 on the charge movement of L-type Ca channels in guinea-pig ventricular myocytes, Artigas, P., Ferreira, G., Reyes, N., Brum, G., Pi-zarro, G. 193:215
–, K^+ channels in cardiomyocytes of the pulmonate snail *Helix*, Kodirov, S.A., Zhuravlev, V.L., Pavlenko, V.K., Safonova, T.A., Brachmann, J. 197:145
- , mechanisms of Na^+-Ca^{2+} exchange inhibition by amphiphiles in cardiac myocytes: importance of transbilayer movement, Keller, M., Pignier, C., Niggli, E., Egger, M. 198:159
- Cardiolipin
–, binding and release of cytochrome c in brain mitochondria is influenced by membrane potential and hydrophobic interactions with cardiolipin, Piccotti, L., Buratta, M., Giannini, S., Gresele, P., Roberti, R., Corazzi, L. 198:43
–, cardiolipin regulates the activity of the reconstituted mitochondrial calcium uniporter by modifying the structure of the liposome bilayer, Zazueta, C., Ramirez, J., García, N., Baeza, I. 191:113
- Cardiorespiratory control
–, expression and coexpression of CO_2 -sensitive Kir channels in brainstem neurons of rats, Wu, J., Xu, H., Shen, W., Jiang, C. 197:179
- Catecholamines
–, catecholamine-induced regulation in vitro and ex vivo of intralymphocyte ionized magnesium, Delva, P., Pastori, C., Degan, M., Montesi, G., Lechi, A. 199:163
- Cation channels
–, TRPs make sense, Voets, T., Nilius, B. 192:1
- Cation occlusion
–, effects of palytoxin on cation occlusion and phosphorylation of the (Na^+, K^+) -ATPase, Tosteson, M.T., Thomas, J., Arnadottir, J., Tosteson, D.C. 192:181
- Cationic bilayer vesicles
–, bilayer mixing, fusion, and lysis following the interaction of populations of cationic and anionic phospholipid bilayer vesicles, Pantazatos, D.P., Pantazatos, S.P., MacDonald, R.C. 194:129
- Cationic lipid
–, real-time observation of lipoplex formation and interaction with anionic bilayer vesicles, Pantazatos, S.P., MacDonald, R.C. 191:99
- Cav1.1 channels
–, regulation of muscle Cav1.1 channels by long-term depolarization involves proteolysis of the α_{1s} subunit, Carrillo, E., Galindo, J.M., García, M.C., Sánchez, J.A. 199:155
- Caveolae
–, identification of caveolae-like structures on the surface of intact cells using scanning force microscopy, Lucius, H., Friedrichson, T., Kurzhalia, T.V., Lewin, G.R. 194:97
–, membrane cholesterol regulates smooth muscle phasic contraction, Babiychuk, E.B., Smith, R.D., Burdyga, T., Babiychuk, V.S., Wray, S., Draeger, A. 198:95
- Caveolin-1
–, identification of caveolae-like structures on the surface of intact cells using scanning force microscopy, Lucius, H., Friedrichson, T., Kurzhalia, T.V., Lewin, G.R. 194:97
- Cell adhesion
–, gadolinium effects on gigaseal formation and the adhesive properties of a fungal amoeboid cell, the *Slime* mutant of *Neurospora crassa*, Dunina-Barkovskaya, A.Y., Levina, N.N., Lew, R.R., Heath, I.B. 198:77
–, ouabain binding to Na^+, K^+ -ATPase relaxes cell attachment and sends a specific signal (NACos) to the nucleus, Contreras, R.G., Flores-Maldonado, C., Lázaro, A., Shoshani, L., Flores-Benitez, D., Larré, I., Cereijido, M. 198:147
- Cell adhesion molecule
–, physiological and pathological roles of $\alpha 3\beta 1$ integrin, Tsuji, T. 200:115
- Cell Ca^{2+}
–, pulses of cell Ca^{2+} and the dynamics of tight junction opening and closing, Lacaz-Vieira, F., Marques, M.M. 196:117

Cell migration

- , hepatocyte growth factor/scatter factor stimulates Ca^{2+} -activated membrane K^+ current and migration of MDCK II cells, Jin, M., Defoe, D.M., Wondergem, R. 191:77
- , physiological and pathological roles of $\alpha 3\beta 1$ integrin, Tsuji, T. 200:115

Cell shrinkage

- , effects of purinergic stimulation, CFTR and osmotic stress on amiloride-sensitive Na^+ transport in epithelia and *Xenopus* oocytes, Schreiber, R., König, J., Sun, J., Markovich, D., Kunzelmann, K. 192:101

Cell swelling

- , effects of purinergic stimulation, CFTR and osmotic stress on amiloride-sensitive Na^+ transport in epithelia and *Xenopus* oocytes, Schreiber, R., König, J., Sun, J., Markovich, D., Kunzelmann, K. 192:101
- , endothelial cell swelling by aldosterone, Oberleithner, H., Schneider, S.W., Albermann, L., Hillebrand U., Ludwig, T., Riethmüller, C., Shahin, V., Schäfer, C., Schillers, H. 196:163
- , osmotic stress alters the intracellular distribution of non-erythroidal spectrin (fodrin) in bovine aortic endothelial cells, Sun, A.C., Levitan, I. 192:9
- , reactive oxygen species regulate swelling-induced taurine efflux in NIH3T3 mouse fibroblasts, Lambert, I.H. 192:19

Cell volume

- , common actions of adenosine receptor agonists in modulating human trabecular meshwork cell transport, Fleischhauer, J.C., Mitchell, C.H., Stamer, W.D., Karl, M.O., Peterson-Yantorno, K., Civan, M.M. 193:121
- , endothelial cell swelling by aldosterone, Oberleithner, H., Schneider, S.W., Albermann, L., Hillebrand U., Ludwig, T., Riethmüller, C., Shahin, V., Schäfer, C., Schillers, H. 196:163
- , volume-sensitive Cl^- current in bovine adrenocortical cells: comparison with the ACTH-induced Cl^- current, Dupré-Aucouturier, S., Penhoat, A., Rougier, O., Bilbaut, A. 199:99

Cell volume regulation

- , effects of purinergic stimulation, CFTR and osmotic stress on amiloride-sensitive Na^+ transport in epithelia and *Xenopus* oocytes, Schreiber, R., König, J., Sun, J., Markovich, D., Kunzelmann, K. 192:101
- , hypertonicity-induced p38MAPK activation elicits recovery of corneal epithelial cell volume and layer integrity, Bildin, V.N., Wang, Z., Iserovich, P., Reinach, P.S. 193:1
- , intracellular delivery of carbohydrates into mammalian cells through swelling-activated pathways, Reuss, R., Ludwig, J., Shirakashi, R., Ehrhart, F., Zimmermann, H., Schneider, S., Weber, M.M., Zimmermann, U., Schneider, H., Sukhorukov, V.L. 200:67
- , osmotic stress alters the intracellular distribution of non-erythroidal spectrin (fodrin) in bovine aortic endothelial cells, Sun, A.C., Levitan, I. 192:9
- , reactive oxygen species regulate swelling-induced taurine efflux in NIH3T3 mouse fibroblasts, Lambert, I.H. 192:19
- , swelling-activated chloride and potassium conductance in primary cultures of mouse proximal tubules. Implication of KCNE1 protein, Barrière, H., Rubera, I., Belfodil, R., Tauc, M., Tonnerieux, N., Poujol, C., Barhanin, J., Poujol, P. 193:153
- , volume-dependent glutamate permeation depends on transmembrane ionic strength and extracellular Cl^- , Hoffman, M.M., Garber, S.S. 197:193
- , What are aquaporins for? Hill, A.E., Shachar-Hill, B., Shachar-Hill, Y. 197:1

Cell volume shrinkage

- , regulation of ion fluxes, cell volume and gap junctional coupling by cGMP in GFSHR-17 granulosa cells, Ngezahayo, A., Altmann, B., Kolb, H.-A. 194:165

Cell wall degradation

- , gating of Cl^- currents in protoplasts from the marine alga *Valonia utricularis* depends on the transmembrane Cl^- gradient and is affected by enzymatic cell wall degradation, Binder, K.-A., Wegner, L.H., Heidecker, M., Zimmermann, U. 191:165

Central nervous system

- , Ca^{2+} signalling in the brain synaptosomes activated by dinucleotides, Miras-Portugal, M.T., Pintor, J., Gualix, J. 194:1

Centrifugation

- , enrichment of triadic and terminal cisternae vesicles from rabbit skeletal muscle, Kramer, J.W., Ferguson, D.G., Corbett, A.M. 195:9

cGMP

- , regulation of ion fluxes, cell volume and gap junctional coupling by cGMP in GFSHR-17 granulosa cells, Ngezahayo, A., Altmann, B., Kolb, H.-A. 194:165

Channel activation

- , channel activation voltage alone is directly altered in an isoform-specific manner by $\text{Na}_{v1.4}$ and $\text{Na}_{v1.5}$ cytoplasmic linkers, Bennett, E.S. 197:155
- , distinct Ca^{2+} -permeable cation currents are activated by internal Ca^{2+} -store depletion in RBL-2H3 cells and human salivary gland cells, HSG and HSY, Liu, X., Groschner, K., Ambudkar, I.S. 200:93
- , gating properties of a sodium channel with three arginines substituted by histidines in the central part of voltage sensor S4D4, Kühn, F.J.P., Greeff, N.G. 193:23
- , modulation of rabbit corneal epithelial cell proliferation by growth factor-regulated K^+ channel activity, Roderick, C., Reinach, P.S., Wang, L., Lu, L. 196:41

Channel activity

- , external copper inhibits the activity of the large-conductance calcium- and voltage-sensitive potassium channel from skeletal muscle, Morera, F.J., Wolff, D., Vergara, C. 192:65

Channel arrest

- , effects of chronic hypoxia on inward rectifier K^+ current ($I_{\text{K}1}$) in ventricular myocytes of crucian carp (*Carassius carassius*) heart, Paajanen, V., Vornanen, M. 194:119

Channel blockade

- , architecture of the Alzheimer's A β P ion channel pore, Arispe, N. 197:33
- , characterization of a functionally expressed stretch-activated BKca channel cloned from chick ventricular myocytes, Tang, Q.Y., Qi, Z., Naruse, K., Sokabe, M. 196:185

Channel blockers

- , Cu^{2+} , Co^{2+} , and Mn^{2+} modify the gating kinetics of high-voltage-activated Ca^{2+} channels in rat palaeocortical neurons, Castelli, L., Tanzi, F., Taglietti, V., Magistretti, J. 195:121
- , inhibition of the endogenous volume-regulated anion channel (VRAC) in HEK293 cells by acidic di-aryl-ureas, Hélix, N., Strøbaek, D., Dahl, B.H., Christoffersen, P. 196:83
- , modulation of rabbit corneal epithelial cell proliferation by growth factor-regulated K^+ channel activity, Roderick, C., Reinach, P.S., Wang, L., Lu, L. 196:41

Channel deactivation

- , current transients associated with BK channels in human glioma cells, Ransom, C.B., Liu, X., Sontheimer, H. 193:201

Channel-forming peptide

- , expression of an artificial Cl^- channel in microperfused renal proximal tubules, Matsumoto, N., Tsuruoka, S., Iwamoto, T., Tomich, J.M., Ito, K., Imai, M., Suzuki, M. 193:195

Channel gating

- , CO_2 sensitivity of voltage gating and gating polarity of gap junction channels-connexin40 and its COOH-terminus-truncated mutant, Peracchia, C., Chen, J.T., Peracchia, L.L. 200:105

- , Cu^{2+} , Co^{2+} , and Mn^{2+} modify the gating kinetics of high-voltage-activated Ca^{2+} channels in rat palaeocortical neurons, Castelli, L., Tanzi, F., Taglietti, V., Magistretti, J. 195:121
- , is the voltage gate of connexins CO_2 -sensitive? Cx45 channels and inhibition of calmodulin expression, Peracchia, C., Young, K.C., Wang, X.G., Peracchia, L.L. 195:53
- , permeant anions control gating of calcium-dependent chloride channels, Perez-Cornejo, P., De Santiago, J.A., Arreola, J. 198:125
- , the gating kinetics of the slow vacuolar channel. A novel mechanism for SV channel functioning? Miedema, H., de Boer, A.H., Pantoja, O. 194:11
- Channel gating currents**
 - , effects of the enantiomers of BayK 8644 on the charge movement of L-type Ca channels in guinea-pig ventricular myocytes, Artigas, P., Ferreira, G., Reyes, N., Brum, G., Pi-zarro, G. 193:215
- Channel gating kinetics**
 - , optimal-sensitivity analysis of ion channel gating kinetics, Kargol, A., Hosein-Sooklal, A. 199:113
- Channel inactivation**
 - , effects of the enantiomers of BayK 8644 on the charge movement of L-type Ca channels in guinea-pig ventricular myocytes, Artigas, P., Ferreira, G., Reyes, N., Brum, G., Pi-zarro, G. 193:215
 - , gating properties of a sodium channel with three arginines substituted by histidines in the central part of voltage sensor S4D4, Kühn, F.J.P., Greeff, N.G. 193:23
- Channel modulation**
 - , modulation of native TREK-1 and Kv1.4 K^+ channels by polyunsaturated fatty acids and lysophospholipids, Danthi, S., Enyeart, J.A., Enyeart, J.J. 195:147
- Chara corallina**
 - , Ca^{2+} dynamics during membrane excitation of green alga *Chara*: Model simulations and experimental data, Wacke, M., Thiel, G., Hütt, M.-T. 191:179
 - , gating models of the anomalous mole-fraction effect of single-channel current in *Chara*, Hansen, U.P., Cakan, O., Abshagen-Kueynecke, M., Farokhi, A. 192:45
 - , structural peculiarities dominate the turgor pressure response of the marine alga *Valonia utricularis* upon osmotic challenges, Heidecker, M., Mimietz, S., Wegner, L.H., Zimmermann, U. 192:123
- Charge movement**
 - , effects of the enantiomers of BayK 8644 on the charge movement of L-type Ca channels in guinea-pig ventricular myocytes, Artigas, P., Ferreira, G., Reyes, N., Brum, G., Pi-zarro, G. 193:215
- Charybdotoxin**
 - , bending the primary cilium opens Ca^{2+} -sensitive intermediate-conductance K^+ channels in MDCK cells, Praetorius, H.A., Frokiaer, J., Nielsen, S., Spring, K.R. 191:193
 - , hepatocyte growth factor/scatter factor stimulates Ca^{2+} -activated membrane K^+ current and migration of MDCK II cells, Jin, M., Defoe, D.M., Wondergem, R. 191:77
- Chemoreception**
 - , K^+ -induced Ca^{2+} conductance responsible for the prolonged backward swimming in K^+ -agitated mutant of *Paramecium caudatum*, Oami, K., Takahashi, M. 195:85
- Chick ventricular myocytes**
 - , characterization of a functionally expressed stretch-activated BKca channel cloned from chick ventricular myocytes, Tang, Q.Y., Qi, Z., Naruse, K., Sokabe, M. 196:185
- Chicken jejunum**
 - , kinetic characterization of apical D-fructose transport in chicken jejunum, Garriga, C., Barfull, A., Planas, J.M. 197:71
- Chinese hamster ovary (CHO) cells**
 - , identification of caveolae-like structures on the surface of intact cells using scanning force microscopy, Lucius, H., Friedrichson, T., Kurzchalia, T.V., Lewin, G.R. 194:97
 - , negative regulation of CFTR activity by extracellular ATP involves P2Y2 receptors in CFTR-expressing CHO cells, Marcket, B., Chappe, V., Delmas, P., Gola, M., Verrier, B. 194:21
- Chloral hydrate**
 - , removal of the MDCK cell primary cilium abolishes flow sensing, Praetorius, H.A., Spring, K.R. 191:69
- Chloride channel**
 - , 17β -estradiol and tamoxifen regulate a maxi-chloride channel from human placenta, Henriquez, M., Riquelme, G. 191:59
- Chloride ion channel**
 - , basis of chloride transport in ciliary epithelium, Do, C.W., Civan, M.M. 200:1
 - , basolateral Cl^- transport is stimulated by terbutaline in adult rat alveolar epithelial cells, Lee, S.Y., Maniak, P.J., Rhodes, R., Ingbar, D.H., O'Grady, S.M. 191:133
 - , chloride channels in basolateral TAL membranes. XVIII. phenylglyoxal induces functional mCIC-Ka activity in basolateral MTAL membranes, Winters, C.J., Andreoli, T.E. 195:63
 - , Cl^- channels in basolateral TAL membranes. XIX. cytosolic Cl^- regulates mmCIC-Ka and mCIC-Ka channels, Winters, C.J., Mikhailova, M.V., Andreoli, T.E. 195:73
- Chloride ion channel blockers**
 - , inhibition of the endogenous volume-regulated anion channel (VRAC) in HEK293 cells by acidic di-aryl-ureas, Hélix, N., Strøbaek, D., Dahl, B.H., Christoffersen, P. 196:83
- Chloride ion conductance**
 - , expression of an artificial Cl^- channel in microperfused renal proximal tubules, Matsumoto, N., Tsuruoka, S., Iwamoto, T., Tomich, J.M., Ito, K., Imai, M., Suzuki, M. 193:195
 - , permeant anions control gating of calcium-dependent chloride channels, Perez-Cornejo, P., De Santiago, J.A., Arreola, J. 198:125
 - , swelling-activated chloride and potassium conductance in primary cultures of mouse proximal tubules. Implication of KCNE1 protein, Barrière, H., Rubera, I., Belfodil, R., Tauc, M., Tonnerieux, N., Poujeol, C., Barhanin, J., Poujeol, P. 193:153
- Chloride ion current**
 - , volume-sensitive Cl^- current in bovine adrenocortical cells: comparison with the ACTH-induced Cl^- current, Dupré-Aucourier, S., Penhoat, A., Rougier, O., Bilbaut, A. 199:99
- Chloride ion exchange**
 - , expression of the skate (*Raja erinacea*) AE1 osmolyte channel in *Xenopus laevis* oocytes: monovalent cation permeability, Koomoa, D.-L.T., Musch, M.W., Myers, D.E., Goldstein, L. 198:23
- Chloride ion gradient**
 - , gating of Cl^- currents in protoplasts from the marine alga *Valonia utricularis* depends on the transmembrane Cl^- gradient and is affected by enzymatic cell wall degradation, Binder, K.-A., Wegner, L.H., Heidecker, M., Zimmermann, U. 191:165
- Chloride ion permeation**
 - , volume-dependent glutamate permeation depends on transmembrane ionic strength and extracellular Cl^- , Hoffman, M.M., Garber, S.S. 197:193
- Chloride ion secretion**
 - , control of epithelial ion transport by Cl^- and PDZ proteins, Schreiber, R., Boucherot, A., Mürlle, B., Sun, J., Kunzelmann, K. 199:85

Chloroform

- , protein and lipid reactive agents alter outer hair cell lateral membrane motor charge movement, Santos-Sacchi, J., Wu, M. 200:83

Cholesterol

- , identification of caveolae-like structures on the surface of intact cells using scanning force microscopy, Lucius, H., Friedrichson, T., Kurzhalia, T.V., Lewin, G.R. 194:97
- , membrane cholesterol regulates smooth muscle phasic contraction, Babiychuk, E.B., Smith, R.D., Burdya, T., Babiychuk, V.S., Wray, S., Draeger, A. 198:95
- , role of GPI-anchored enzyme in liposome detergent-resistance, Morandat, S., Bortolato, M., Roux, B. 191:215
- , specificity of membrane binding of the neuronal protein NAP-22, Epand, R.F., Maekawa, S., Epand, R.M. 193:171
- , syntaxin is efficiently excluded from sphingomyelin-enriched domains in supported lipid bilayers containing cholesterol, Saslowsky, D.E., Lawrence, J.C., Henderson, R.M., Edwarson, J.M. 194:153

Cholesterol gallstone formation

- , hepatic canalicular membrane transport of bile salt in C57L/J and AKR/J mice: implications for cholesterol gallstone formation, Hoda, F., Green, R.M. 196:9

Chromogranin A

- , R-type Ca^{2+} -channel activity is associated with chromogranin A secretion in human neuroendocrine tumor BON cells, Mergler, S., Wiedenmann, B., Prada, J. 194:177

CIC-5 knockout mice

- , use of knock-out mouse models for the study of renal ion channels, Barrière, H., Tauc, M., Poujeol, P. 198:113

CIC-K1 knockout mice

- , use of knock-out mouse models for the study of renal ion channels, Barrière, H., Tauc, M., Poujeol, P. 198:113

Cilia

- , K^+ -induced Ca^{2+} conductance responsible for the prolonged backward swimming in K^+ -agitated mutant of *Paramecium caudatum*, Oami, K., Takahashi, M. 195:85
- , temperature-induced change of variant surface antigen expression in *Paramecium* involves antigen release into the culture medium with considerable delay between transcription and surface expression, Momayez, M., Albrecht, P., Plattner, H., Schmidt, H.J. 200:15

Ciliary epithelium

- , basis of chloride transport in ciliary epithelium, Do, C.W., Civan, M.M. 200:1

Claudin-2

- , the cytoplasmic tails of claudins can influence tight junction barrier properties through effects on protein stability, Van Itallie, C.M., Colegio, O.R., Anderson, J.M. 199:29

Claudin-4

- , the cytoplasmic tails of claudins can influence tight junction barrier properties through effects on protein stability, Van Itallie, C.M., Colegio, O.R., Anderson, J.M. 199:29

Claudin-7

- , regulation of the expression of the prostate-specific antigen by claudin-7, Zheng, J.-Y., Yu, D., Foroohar, M., Ko, E., Chan, J., Kim, N., Chiu, R., Pang, S. 194:187

Claudins

- , sequence and phylogenetic analyses of 4 TMS junctional proteins of animals: connexins, innexins, claudins, and occludins, Hua, V.B., Chang, A.B., Tchieu, J.H., Kumar, N.M., Nielsen, P.A., Saier, P.A., Jr. 194:59

Clotrimazole

- , hepatocyte growth factor/scatter factor stimulates Ca^{2+} -activated membrane K^+ current and migration of MDCK II cells, Jin, M., Defoe, D.M., Wondergem, R. 191:77

Cobalt

- , formation of transient non-protein calcium pores by lysophospholipids in S49 lymphoma cells, Wilson-Ashworth, H.A., Judd, A.M., Law, R.M., Freestone, B.D., Taylor, S., Mizukawa, M.K., Cromar, K.R., Sudweeks, S., Bell, J.D. 200:25
- , identification of ion-selectivity determinants in heavy-metal transport $\text{P}_{1\beta}$ -type ATPase, Argüello, J.M. 195:93

Cobalt ion

- , Cu^{2+} , Co^{2+} , and Mn^{2+} modify the gating kinetics of high-voltage-activated Ca^{2+} channels in rat paleocortical neurons, Castelli, L., Tanzi, F., Taglietti, V., Magistretti, J. 195:121

Cold adaptation

- , the Ca^{2+} -ATPase of the scallop sarcoplasmic reticulum is of a cold-adapted type, Sato, D., Takahashi, T., Tajima, G., Sato, C., Nagata, Y., Yamamoto, T., Nakamura, J. 196:33

Colicin E1

- , chemical and photochemical modification of colicin E1 and gramicidin A in bilayer lipid membranes, Sobko, A.A., Viganina, M.A., Rokitskaya, T.I., Kotova, E.A., Zakharov, S.D., Cramer, W.A., Antonenko, Y.N. 199:51

Colon

- , GFP-tagged CFTR transgene is functional in the G551D cystic fibrosis mouse colon, Oceandy, D., McMorrin, B., Schreiber, R., Wainwright, B.J., Kunzelmann, K. 192:159

Colored distribution of EPR spectral parameters (CODE)

- , soft picture of lateral heterogeneity in biomembranes, Štrancar, J., Koklič, T., Arsov, Z. 196:135

Compartmentation

- , liposome-entrapped polymerases as models for microscale/nanoscale bioreactors, Monnard, P.-A. 191:87

Concentrative nucleoside transporters (CNTs)

- , coupling of CFTR-mediated anion secretion to nucleoside transporters and adenosine homeostasis in Calu-3 cells, Szkołak, A.J., Ng, A.M.L., Man, S.F.P., Baldwin, S.A., Cass, C.E., Young, J.D., Duszyk, M. 192:169

Conductance

- , conductive and kinetic properties of connexin45 hemichannels expressed in transfected HeLa cells, Bader, P., Weingart, R. 199:143

Conformational changes

- , gating models of the anomalous mole-fraction effect of single-channel current in *Chara*, Hansen, U.P., Cakan, O., Abshagen-Keunecke, M., Farokhi, A. 192:45

Connexin 40

- , CO_2 sensitivity of voltage gating and gating polarity of gap junction channels-connexin40 and its COOH-terminus-truncated mutant, Peracchia, C., Chen, J.T., Peracchia, L.L. 200:105

Connexin 43

- , gap-junctional hemichannels are activated by ATP depletion in human renal proximal tubule cells, Vergara, L., Bao, X., Cooper, M., Bello-Reuss, E., Reuss, L. 196:173

Connexin 45

- , conductive and kinetic properties of connexin45 hemichannels expressed in transfected HeLa cells, Bader, P., Weingart, R. 199:143

Connexins

- , CO_2 sensitivity of voltage gating and gating polarity of gap junction channels-connexin40 and its COOH-terminus-truncated mutant, Peracchia, C., Chen, J.T., Peracchia, L.L. 200:105

- , is the voltage gate of connexins CO_2 -sensitive? Cx45 channels and inhibition of calmodulin expression, Peracchia, C., Young, K.C., Wang, X.G., Peracchia, L.L. 195:53

- , sequence and phylogenetic analyses of 4 TMS junctional proteins of animals: connexins, innexins, claudins, and occludins, Hua, V.B., Chang, A.B., Tchieu, J.H., Kumar, N.M., Nielsen, P.A., Saier, P.A., Jr. 194:59

- dins, Hua, V.B., Chang, A.B., Tchieu, J.H., Kumar, N.M., Nielsen, P.A., Saier, P.A., Jr. 194:59
- ω -Conotoxin
–, R-type Ca^{2+} -channel activity is associated with chromogranin A secretion in human neuroendocrine tumor BON cells, Mergler, S., Wiedenmann, B., Prada, J. 194:177
- COOH terminus-truncated mutant
–, CO_2 sensitivity of voltage gating and gating polarity of gap junction channels-connexin40 and its COOH-terminus-truncated mutant, Peracchia, C., Chen, J.T., Peracchia, L.L. 200:105
- CopA
–, identification of ion-selectivity determinants in heavy-metal transport $\text{P}_{1\text{B}}$ -type ATPase, Argüello, J.M. 195:93
- CopB
–, identification of ion-selectivity determinants in heavy-metal transport $\text{P}_{1\text{B}}$ -type ATPase, Argüello, J.M. 195:93
- Copper
–, external copper inhibits the activity of the large-conductance calcium- and voltage-sensitive potassium channel from skeletal muscle, Morera, F.J., Wolff, D., Vergara, C. 192:65
–, identification of ion-selectivity determinants in heavy-metal transport $\text{P}_{1\text{B}}$ -type ATPase, Argüello, J.M. 195:93
- Copper ion
–, Cu^{2+} , Co^{2+} , and Mn^{2+} modify the gating kinetics of high-voltage-activated Ca^{2+} channels in rat palaeocortical neurons, Castelli, L., Tanzi, F., Taglietti, V., Magistretti, J. 195:121
- Copper modulation
–, copper modulation of ion channels of PrP[106–126] mutant prion peptide fragments, Kourie, J.I., Kenna, B.L., Tew, D., Jobling, M.F., Curtain, C.C., Masters, C.L., Barnham, K.J., Cappai, R. 193:35
- Copper regulation
–, function and regulation of the mammalian copper-transporting ATPases: Insights from biochemical and cell biological approaches, Lutsenko, S., Petris, M.J. 191:1
- Copper transport
–, function and regulation of the mammalian copper-transporting ATPases: Insights from biochemical and cell biological approaches, Lutsenko, S., Petris, M.J. 191:1
- Corneal epithelial cells
–, hypertonicity-induced p38MAPK activation elicits recovery of corneal epithelial cell volume and layer integrity, Bildin, V.N., Wang, Z., Iserovich, P., Reinach, P.S. 193:1
- Cortisol secretion
–, volume-sensitive Cl^- current in bovine adrenocortical cells: comparison with the ACTH-induced Cl^- current, Dupré-Aucourtier, S., Penhoat, A., Rougier, O., Bilbaut, A. 199:99
- COS-1 cells
–, trafficking of Na,K-ATPase fused to enhanced green fluorescent protein is mediated by protein kinase A or C, Kristensen, B., Birkelund, S., Jorgensen, P.L. 191:25, 192:73
- Cotransport models
–, kinetic mechanism of Na^+ -glucose cotransport through the rabbit intestinal SGLT1 protein, Berteloot, A. 192:89
- Counterexchange
–, sucrose transport into plasma membrane vesicles from tobacco leaves by H^+ symport or counter exchange does not display a linear component, Borstlap, A.C., Schuurmans, J.A.M.J. 198:31
- Coupled feedback-regulated system
–, the human red cell voltage-regulated cation channel, the interplay with the chloride conductance, the Ca^{2+} -activated K^+ channel and the Ca^{2+} pump, Bennekou, P., Kristensen, B.I., Christophersen, P. 195:1
- CPx-ATPase
–, identification of ion-selectivity determinants in heavy-metal transport $\text{P}_{1\text{B}}$ -type ATPase, Argüello, J.M. 195:93
- CRI-G1 insulinoma cell line
–, response to ADP-ribose by activation of TRPM2 in the CRI-G1 insulinoma cell line, Inamura, K., Sano, Y., Mochizuki, S., Yokoi, H., Miyake, A., Nozawa, K., Kitada, C., Matsushime, H., Furuchi, K. 191:201
- Crucian carp
–, effects of chronic hypoxia on inward rectifier K^+ current ($I_{\text{K}1}$) in ventricular myocytes of crucian carp (*Carassius carassius*) heart, Paajanen, V., Vornanen, M. 194:119
- Crude microsomes
–, enrichment of triadic and terminal cisternae vesicles from rabbit skeletal muscle, Kramer, J.W., Ferguson, D.G., Corbett, A.M. 195:9
- Cu-ATPase
–, identification of ion-selectivity determinants in heavy-metal transport $\text{P}_{1\text{B}}$ -type ATPase, Argüello, J.M. 195:93
- Cubic (Q_11) phase
–, the kinetics of non-lamellar phase formation in DOPE-Me: relevance to biomembrane fusion, Cherezov, V., Siegel, D.P., Shaw, W., Burgess, S.W., Caffrey, M. 195:165
- Cx45 channel
–, is the voltage gate of connexins CO_2 -sensitive? Cx45 channels and inhibition of calmodulin expression, Peracchia, C., Young, K.C., Wang, X.G., Peracchia, L.L. 195:53
- Cyclic AMP response element binding protein (CREB)
–, Ca^{2+} calmodulin kinase and calcineurin mediate IGF-1-induced skeletal muscle dihydropyridine receptor $\alpha_1\text{s}$ transcription, Zheng, Z., Wang, Z.M., Delbono, O. 197:101
- Cyclic state diagram
–, the gating kinetics of the slow vacuolar channel. A novel mechanism for SV channel functioning? Miedema, H., de Boer, A.H., Pantoja, O. 194:11
- Cystic fibrosis
–, GFP-tagged CFTR transgene is functional in the G551D cystic fibrosis mouse colon, Oceandy, D., McMoran, B., Schreiber, R., Wainwright, B.J., Kunzelmann, K. 192:159
–, structural insights into the CFTR-NHERF interaction, Ladis, J.A.A. 192:79
- Cystic fibrosis transmembrane conductance regulator (CFTR)
–, basolateral Cl^- transport is stimulated by terbutaline in adult rat alveolar epithelial cells, Lee, S.Y., Maniak, P.J., Rhodes, R., Ingbar, D.H., O'Grady, S.M. 191:133
–, control of epithelial ion transport by Cl^- and PDZ proteins, Schreiber, R., Boucherot, A., Mürlé, B., Sun, J., Kunzelmann, K. 199:85
–, coupling of CFTR-mediated anion secretion to nucleoside transporters and adenosine homeostasis in Calu-3 cells, Szkotak, A.J., Ng, A.M.L., Man, S.F.P., Baldwin, S.A., Cass, C.E., Young, J.D., Duszyk, M. 192:169
–, effects of purinergic stimulation, CFTR and osmotic stress on amiloride-sensitive Na^+ transport in epithelia and *Xenopus* oocytes, Schreiber, R., König, J., Sun, J., Markovich, D., Kunzelmann, K. 192:101
–, GFP-tagged CFTR transgene is functional in the G551D cystic fibrosis mouse colon, Oceandy, D., McMoran, B., Schreiber, R., Wainwright, B.J., Kunzelmann, K. 192:159
–, modulation of calcium-dependent chloride secretion by basolateral SK4-like channels in a human bronchial cell line, Bernard, K., Bogliolo, S., Soriani, O., Ehrenfeld, J. 196:15
–, steady-state interactions of glibenclamide with CFTR: evidence for multiple sites in the pore, Zhang, Z.-R., Zeltwanger, S., McCarty, N.A. 199:15

- , structural insights into the CFTR-NHERF interaction, Ladis, J.A.A. 192:79
- , use of knock-out mouse models for the study of renal ion channels, Barriere, H., Tauc, M., Poujol, P. 198:113
- Cystic fibrosis transmembrane conductance regulator (CFTR) channel
 - , negative regulation of CFTR activity by extracellular ATP involves P2Y2 receptors in CFTR-expressing CHO cells, Marcket, B., Chappe, V., Delmas, P., Gola, M., Verrier, B. 194:21
- Cystic fibrosis transmembrane conductance regulator (CFTR) chloride channel
 - , comparative pharmacology of the activity of wild-type and G551D mutated CFTR chloride channel: effect of the benzimidazolone derivative NS004, Dérard, R., Bulteau-Pignoux, L., Becq, F. 194:109
 - , identification of caveolae-like structures on the surface of intact cells using scanning force microscopy, Lucius, H., Friedrichson, T., Kurzhalia, T.V., Lewin, G.R. 194:97
- Cytochrome c
 - , binding and release of cytochrome c in brain mitochondria is influenced by membrane potential and hydrophobic interactions with cardiolipin, Piccotti, L., Buratta, M., Giannini, S., Gresele, P., Roberti, R., Corazzi, L. 198:43
- Cytoplasmic loops
 - , channel activation voltage alone is directly altered in an isoform-specific manner by $\text{Na}_{\text{v}1.4}$ and $\text{Na}_{\text{v}1.5}$ cytoplasmic linkers, Bennett, E.S. 197:155
- Deferoxamine
 - , stimulation of Na,K -ATPase by low potassium is dependent on transferrin, Yin, W., Jiang, G., Takeyasu, K., Zhou, X. 193:177
- Depolarization
 - , regulation of muscle Cav1.1 channels by long-term depolarization involves proteolysis of the α_{1s} subunit, Carrillo, E., Galindo, J.M., García, M.C., Sánchez, J.A. 199:155
- Detergent resistance
 - , role of GPI-anchored enzyme in liposome detergent-resistance, Morandat, S., Bortolato, M., Roux, B. 191:215
- DHPR α_{1s} gene transcription
 - , Ca^{2+} calmodulin kinase and calcineurin mediate IGF-1-induced skeletal muscle dihydropyridine receptor α_{1s} transcription, Zheng, Z., Wang, Z.M., Delbono, O. 197:101
- Diabetes
 - , differential effect of $\omega 3$ PUFA supplementations on Na,K -ATPase and Mg-ATPase activities: possible role of the membrane $\omega 6/\omega 3$ ratio, Djemli-Shipkolye, A., Raccah, D., Pieroni, G., Vague, P., Coste, T.C., Gerbi, A. 191:37
- Diabetes mellitus
 - , regulation of insulin secretion in islets of Langerhans by Ca^{2+} channels, Mears, D. 200:57
- Diadenosine polyphosphates
 - , Ca^{2+} signalling in the brain synaptosomes activated by dinucleotides, Miras-Portugal, M.T., Pintor, J., Gualix, J. 194:1
- DiBAC₄₍₃₎
 - , bending the primary cilium opens Ca^{2+} -sensitive intermediate-conductance K^+ channels in MDCK cells, Praetorius, H.A., Frokiaer, J., Nielsen, S., Spring, K.R. 191:193
- Dichlorobenzamil
 - , activation of apical K^+ conductances by muscarinic receptor stimulation in rat distal colon: fast and slow components, Schultheiss, G., Ribeiro, R., Schäfer, K.H., Diener, M. 195:183
- DIDS
 - , inhibition of the endogenous volume-regulated anion channel (VRAC) in HEK293 cells by acidic di-aryl-ureas, Hélix, N., Strøbaek, D., Dahl, B.H., Christoffersen, P. 196:83
- Dielectric constant
 - , fusion, leakage and surface hydrophobicity of vesicles containing phosphoinositides: influence of steric and electrostatic effects, Müller, M., Zschörnig, O., Ohki, S., Arnold, K. 192:33
- Diencephalon
 - , prolonged ethanol ingestion increases renal AQP2 and AQP3 expression in adult rats and in their offspring, García-Delgado, M., Peral, M.J., García-Benítez, O., Carreras, O., Ilundáin, A.A. 198:89
- Diet
 - , differential effect of $\omega 3$ PUFA supplementations on Na,K -ATPase and Mg-ATPase activities: possible role of the membrane $\omega 6/\omega 3$ ratio, Djemli-Shipkolye, A., Raccah, D., Pieroni, G., Vague, P., Coste, T.C., Gerbi, A. 191:37
- Dihydropyridine receptor
 - , Ca^{2+} calmodulin kinase and calcineurin mediate IGF-1-induced skeletal muscle dihydropyridine receptor α_{1s} transcription, Zheng, Z., Wang, Z.M., Delbono, O. 197:101
 - , enrichment of triadic and terminal cisternae vesicles from rabbit skeletal muscle, Kramer, J.W., Ferguson, D.G., Corbett, A.M. 195:9
- Dihydropyridines
 - , effects of the enantiomers of BayK 8644 on the charge movement of L-type Ca channels in guinea-pig ventricular myocytes, Artigas, P., Ferreira, G., Reyes, N., Brum, G., Piñarro, G. 193:215
- Dinucleotides
 - , Ca^{2+} signalling in the brain synaptosomes activated by dinucleotides, Miras-Portugal, M.T., Pintor, J., Gualix, J. 194:1
- Dioleoylphosphatidylglycerol (DOPG)
 - , bilayer mixing, fusion, and lysis following the interaction of populations of cationic and anionic phospholipid bilayer vesicles, Pantazatos, D.P., Pantazatos, S.P., MacDonald, R.C. 194:129
- Dioleoylphosphatidylcholine (DOPC)
 - , real-time observation of lipoplex formation and interaction with anionic bilayer vesicles, Pantazatos, S.P., MacDonald, R.C. 191:99
- Dioleoylphosphatidylethanolamine (DOPE-Me)
 - , the kinetics of non-lamellar phase formation in DOPE-Me: relevance to biomembrane fusion, Cherezov, V., Siegel, D.P., Shaw, W., Burgess, S.W., Caffrey, M. 195:165
- 1,6-Diphenyl-1,3,5-hexatriene (DPH)
 - , cardiolipin regulates the activity of the reconstituted mitochondrial calcium uniporter by modifying the structure of the liposome bilayer, Zazueta, C., Ramírez, J., García, N., Baeza, I. 191:113
- 3,3'-Dipropylthiadicarbocyanine iodide (diS-C₃(5))
 - , analysis of the properties of *Bacillus thuringiensis* insecticidal toxins using a potential-sensitive fluorescent probe, Kirouac, M., Vachon, V., Rivest, S., Schwartz, J.-L., Laprade, R. 196:51
- Discriminatory criteria
 - , kinetic mechanism of Na^+ -glucose cotransport through the rabbit intestinal SGLT1 protein, Berteloot, A. 192:89
- Dithiothreitol
 - , external copper inhibits the activity of the large-conductance calcium- and voltage-sensitive potassium channel from skeletal muscle, Morera, F.J., Wolff, D., Vergara, C. 192:65
- Divalent metal transporter DMT1
 - , modulation of DMT1 activity by redox compounds, Marciani, P., Trott, D., Hediger, M.A., Monticelli, G. 197:91
- DNA-cationic lipid complexes
 - , real-time observation of lipoplex formation and interaction with anionic bilayer vesicles, Pantazatos, S.P., MacDonald, R.C. 191:99

DNA-lipid complexes

- , mechanisms of lipoplex formation: dependence of the biological properties of transfection complexes on formulation procedures, Rakhmanova, V.A., Pozharski, E.V., MacDonald, R.C. 200:35

Docosahexaenoic acid (DHA)

- , differential effect of $\omega 3$ PUFA supplementations on Na,K-ATPase and Mg-ATPase activities: possible role of the membrane $\omega 6/\omega 3$ ratio, Djemli-Shipkolye, A., Raccah, D., Pieroni, G., Vague, P., Coste, T.C., Gerbi, A. 191:37
- , suppression of calcium sparks in rat ventricular myocytes and direct inhibition of sheep cardiac RyR channels by EPA, DHA and oleic acid, Honen, B.N., Saint, D.A., Laver, D.R. 196:95

Downregulation

- , regulation of muscle Cav1.1 channels by long-term depolarization involves proteolysis of the α_1s subunit, Carrillo, E., Galindo, J.M., García, M.C., Sánchez, J.A. 199:155

Drosophila melanogaster

- , P-type ATPases in *Caenorhabditis* and *Drosophila*: implications for evolution of the P-type ATPase subunit families with special reference to the Na,K-ATPase and H,K-ATPase subgroup, Okamura, H., Yasuhara, J.C., Fambrough, D.M., Takeyasu, K. 191:13

Dynamin

- , downregulation of the Na^+ -D-glucose cotransporter (SGLT1) by protein RS1 (RSC1A1) is dependent on dynamin and protein kinase C, Veyhl, M., Wagner, C.A., Gorboulev, V., Schmitt, B.M., Lang, F., Koepsell, H. 196:71

EDOPC (1,2-dioleoyl-sn-glycero-3-ethylphosphocholine)

- , mechanisms of lipoplex formation: dependence of the biological properties of transfection complexes on formulation procedures, Rakhmanova, V.A., Pozharski, E.V., MacDonald, R.C. 200:35

Eicosapentanoic acid (EPA)

- , suppression of calcium sparks in rat ventricular myocytes and direct inhibition of sheep cardiac RyR channels by EPA, DHA and oleic acid, Honen, B.N., Saint, D.A., Laver, D.R. 196:95

Electric organ

- , molecular cloning and expression of a Kv1.1-like potassium channel from the electric organ of *Electrophorus electricus*, Thornhill, W.B., Watanabe, I., Sutachan, J.J., Wu, M.B., Wu, X., Zhu, J., Recio-Pinto, E. 196:1

Electrical properties

- , human adipose cells have voltage-dependent potassium currents, Ramírez-Ponce, M.P., Mateos, J.C., Bellido, J.A. 196:129

Electrochromic dyes

- , interpretation and optimization of absorbance and fluorescence signals from voltage-sensitive dyes, Chang, P.Y., Jackson, M.B. 196:105

Electrocytes

- , molecular cloning and expression of a Kv1.1-like potassium channel from the electric organ of *Electrophorus electricus*, Thornhill, W.B., Watanabe, I., Sutachan, J.J., Wu, M.B., Wu, X., Zhu, J., Recio-Pinto, E. 196:1

Electrogenic pump

- , the resting potential of mouse Leydig cells: role of an electrogenic Na^+/K^+ pump, del Corso, C., Varanda, W.A. 191:123

Electron cryomicroscopy

- , insertion of a glycosylphosphatidylinositol-anchored enzyme into liposomes, Ronzon, F., Morandat, S., Roux, B., Bortolato, M. 197:169

Electron paramagnetic resonance (EPR)

- , new EPR method for cellular surface characterization, Štrancar, J., Schara, M., Pečar, S. 193:15

- , soft picture of lateral heterogeneity in biomembranes, Štrancar, J., Koklić, T., Arsov, Z. 196:135

Electrophorus electricus

- , molecular cloning and expression of a Kv1.1-like potassium channel from the electric organ of *Electrophorus electricus*, Thornhill, W.B., Watanabe, I., Sutachan, J.J., Wu, M.B., Wu, X., Zhu, J., Recio-Pinto, E. 196:1

Electrophysiology

- , Ca^{2+} -activated nonselective cation channels in rat neonatal atrial myocytes, Zhainazarov, A.B. 193:91
- , characterization of a functionally expressed stretch-activated BK α channel cloned from chick ventricular myocytes, Tang, Q.Y., Qi, Z., Naruse, K., Sokabe, M. 196:185
- , functional characterization of Na^+/H^+ exchangers in primary cultures of prairie dog gallbladder, Narins, S.C., Park, E.H., Ramakrishnan, R., Garcia, F.U., Diven, J.N., Balin, B.J., Hammond, C.J., Sodam, B.R., Smith, P.R., Abedin, M.Z. 197:123
- , mechanisms of $\text{Na}^+-\text{Ca}^{2+}$ exchange inhibition by amphiphiles in cardiac myocytes: importance of transbilayer movement, Keller, M., Pignier, C., Niggli, E., Egger, M. 198:159
- , modulation of DMT1 activity by redox compounds, Marciani, P., Trott, D., Hediger, M.A., Monticelli, G. 197:91

Electrostatics

- , electrostatic influence on ion transport through the α HL channel, Misakian, M., Kasianowicz, J.J. 195:137

Emericella nidulans

- , transinhibition and voltage-gating in a fungal nitrate transporter, Boyd, J., Gradmann, D., Boyd, C.M. 195:109

Endocytosis

- , kinetics of influenza virus fusion with endosomal and plasma membranes of cultured cells. effect of temperature, Nunes-Correia, I., Nir, S., Pedroso de Lima, M.C. 195:21
- , regulation of renal $\text{Na}^+/\text{HCO}_3^-$ cotransporter stimulation by CO_2 : role of phosphorylation, exocytosis and protein synthesis, Espiritu, D.J.D., Yang, V.L., Bernardo, A.A., Arruda, J.A.L. 199:39
- , the macrolide antibiotic azithromycin interacts with lipids and affects membrane organization and fluidity: studies on Langmuir-Blodgett monolayers, liposomes and J774 macrophages, Tyteca, D., Schanck, A., Dufrêne, Y.F., Deleu, M., Courtoy, P.J., Tulkens, P.M., Mingeot-Leclercq, M.P. 192:203

Endosomal membrane

- , kinetics of influenza virus fusion with endosomal and plasma membranes of cultured cells. effect of temperature, Nunes-Correia, I., Nir, S., Pedroso de Lima, M.C. 195:21

Endothelin-1

- , modulation of rabbit corneal epithelial cell proliferation by growth factor-regulated K^+ channel activity, Roderick, C., Reinach, P.S., Wang, L., Lu, L. 196:41

Enhanced green fluorescent protein

- , trafficking of Na,K-ATPase fused to enhanced green fluorescent protein is mediated by protein kinase A or C, Kristensen, B., Birkeland, S., Jorgensen, P.L. 191:25, 192:73

Entrapped polymerases

- , liposome-entrapped polymerases as models for microscale/nanoscale bioreactors, Monnard, P.-A. 191:87

Enzyme activity inactivation

- , photodynamic inactivation of the Na,K-ATPase occurs via different pathways, Killig, F., Stark, G., Apell, H.-J. 200:133

Epidermal growth factor (EGF)

- , EGF stimulates growth by enhancing capacitative calcium entry in corneal epithelial cells, Yang, H., Sun, X., Wang, Z., Ning, G., Zhang, F., Kong, J., Lu, L., Reinach, P.S. 194:47

- , modulation of rabbit corneal epithelial cell proliferation by growth factor-regulated K^+ channel activity, Roderick, C., Reinach, P.S., Wang, L., Lu, L. 196:41
- Epithelial Na^+ channel (ENaC)**
 - , control of epithelial ion transport by Cl^- and PDZ proteins, Schreiber, R., Boucherot, A., Mürle, B., Sun, J., Kunzelmann, K. 199:85
 - , effects of purinergic stimulation, CFTR and osmotic stress on amiloride-sensitive Na^+ transport in epithelia and *Xenopus* oocytes, Schreiber, R., König, J., Sun, J., Markovich, D., Kunzelmann, K. 192:101
 - , external Ni^{2+} and ENaC in A6 cells: Na^+ current stimulation by competition at a binding site for amiloride and Na^+ , Cucu, D., Simaels, J., Van Diressche, W., Zeiske, W. 194:33
 - , stimulation of transepithelial Na^+ current by extracellular Gd^{3+} in *Xenopus laevis* alveolar epithelium, Fronius, M., Clauss, W., Schnizler, M. 195:43
- Epithelial sodium transport**
 - , functional characterization of Na^+/H^+ exchangers in primary cultures of prairie dog gallbladder, Narins, S.C., Park, E.H., Ramakrishnan, R., Garcia, F.U., Diven, J.N., Balin, B.J., Hammond, C.J., Sodam, B.R., Smith, P.R., Abedin, M.Z. 197:123
- Epithelial transport**
 - , GFP-tagged CFTR transgene is functional in the G551D cystic fibrosis mouse colon, Oceandy, D., McMorran, B., Schreiber, R., Wainwright, B.J., Kunzelmann, K. 192:159
 - , what are aquaporins for? Hill, A.E., Shachar-Hill, B., Shachar-Hill, Y. 197:1
- Equilibrative nucleoside transporters (ENTs)**
 - , coupling of CFTR-mediated anion secretion to nucleoside transporters and adenosine homeostasis in Calu-3 cells, Szkotak, A.J., Ng, A.M.L., Man, S.F.P., Baldwin, S.A., Cass, C.E., Young, J.D., Duszyk, M. 192:169
- Equilibrium thermodynamics**
 - , molecular mechanisms of electrogenic sodium bicarbonate cotransport: structural and equilibrium thermodynamic considerations, Kurtz, I., Petrasek, D., Tatishchev, S. 197:77
- Equivalent gating charge**
 - , rate-limiting reactions determining different activation kinetics of Kv1.2 and Kv2.1 channels, Scholle, A., Dugarmaa, S., Zimmer, T., Leonhardt, M., Koopmann, R., Engelhard, B., Pongs, O., Benndorf, K. 198:103
- Erythrocytes**
 - , differential effect of $\omega 3$ PUFA supplementations on Na,K-ATPase and Mg-ATPase activities: possible role of the membrane $\omega 6/\omega 3$ ratio, Djemli-Shipkolye, A., Raccah, D., Pieroni, G., Vague, P., Coste, T.C., Gerbi, A. 191:37
 - , evidence for the presence of three different anion exchangers in a red cell. Functional expression studies in *Xenopus* oocytes, Guizouarn, H., Musch, M.W., Goldstein, L. 193:109
 - , expression of the skate (*Raja erinacea*) AE1 osmolyte channel in *Xenopus laevis* oocytes: monovalent cation permeability, Koomoa, D.-L.T., Musch, M.W., Myers, D.E., Goldstein, L. 198:23
 - , molecular mechanisms of urea transport, Sands, J.M. 191:149
 - , pivotal role of reduced glutathione in oxygen-induced regulation of the Na^+/K^+ pump in mouse erythrocyte membranes, Bogdanova, A.Y., Ogunshola, O.O., Bauer, C., Gassmann, M. 195:33
 - , the human red cell voltage-regulated cation channel. the interplay with the chloride conductance, the Ca^{2+} -activated K^+ channel and the Ca^{2+} pump, Bennekou, P., Kristensen, B.I., Christophersen, P. 195:1
 - , the new permeability pathways induced by the malaria parasite in the membrane of the infected erythrocyte: comparison of results using different experimental techniques, Ginsburg, H., Stein, W.D. 197:113
- , the role of multidrug resistance protein (MRP1) in transport of fluorescent anions across the human erythrocyte membrane, Rychlik, B., Balcerzyk, A., Klimczak, A., Bartosz, G. 193:79
- Escherichia coli***
 - , control of $H^+/\text{lactose}$ coupling by ionic interactions in the lactose permease of *Escherichia coli*, Johnson, J.L., Brooker, R.J. 198:135
- 17 β -Estradiol**
 - , 17 β -estradiol and tamoxifen regulate a maxi-chloride channel from human placenta, Henriquez, M., Riquelme, G. 191:59
- Ethanol ingestion**
 - , prolonged ethanol ingestion increases renal AQP2 and AQP3 expression in adult rats and in their offspring, García-Delgado, M., Peral, M.J., García-Benítez, O., Carreras, O., Ilundáin, A.A. 198:89
- Evolution**
 - , sequence and phylogenetic analyses of 4 TMS junctional proteins of animals: connexins, innexins, claudins, and occludins, Hua, V.B., Chang, A.B., Tchieu, J.H., Kumar, N.M., Nielsen, P.A., Saier, P.A., Jr. 194:59
- Excitation-contraction coupling**
 - , mechanisms of Na^+-Ca^{2+} exchange inhibition by amphiphiles in cardiac myocytes: importance of transbilayer movement, Keller, M., Pignier, C., Niggli, E., Egger, M. 198:159
- Exocytosis**
 - , regulation of insulin secretion in islets of Langerhans by Ca^{2+} channels, Mears, D. 200:57
 - , regulation of renal Na^+/HCO_3^- cotransporter stimulation by CO_2 : role of phosphorylation, exocytosis and protein synthesis, Espiritu, D.J.D., Yang, V.L., Bernardo, A.A., Arruda, J.A.L. 199:39
- Extracellular Ca^{2+} concentration**
 - , pulses of cell Ca^{2+} and the dynamics of tight junction opening and closing, Lacaz-Vieira, F., Marques, M.M. 196:117
- Extracellular Gd^{3+}**
 - , stimulation of transepithelial Na^+ current by extracellular Gd^{3+} in *Xenopus laevis* alveolar epithelium, Fronius, M., Clauss, W., Schnizler, M. 195:43
- Extracellular matrix protein**
 - , physiological and pathological roles of $\alpha 3\beta 1$ integrin, Tsuji, T. 200:115
- Extracellular pH**
 - , effect of extracellular pH on presteady-state and steady-state current mediated by the Na^+/K^+ pump, Vasilyev, A., Khater, K., Rakowski, R.F. 198:65
- Fast inactivation**
 - , gating properties of a sodium channel with three arginines substituted by histidines in the central part of voltage sensor S4D4, Kühn, F.J.P., Greeff, N.G. 193:23
- Fatty acids**
 - , differential effect of $\omega 3$ PUFA supplementations on Na,K-ATPase and Mg-ATPase activities: possible role of the membrane $\omega 6/\omega 3$ ratio, Djemli-Shipkolye, A., Raccah, D., Pieroni, G., Vague, P., Coste, T.C., Gerbi, A. 191:37
 - , modulation of native TREK-1 and Kv1.4 K^+ channels by polyunsaturated fatty acids and lysophospholipids, Danthi, S., Enyeart, J.A., Enyeart, J.J. 195:147
- FBS**
 - , modulation of rabbit corneal epithelial cell proliferation by growth factor-regulated K^+ channel activity, Roderick, C., Reinach, P.S., Wang, L., Lu, L. 196:41

- Fish heart**
- , effects of chronic hypoxia on inward rectifier K^+ current (I_{K1}) in ventricular myocytes of crucian carp (*Carassius carassius*) heart, Paajanen, V., Vornanen, M. 194:119
- Flow cytometry**
- , cardiolipin regulates the activity of the reconstituted mitochondrial calcium uniporter by modifying the structure of the liposome bilayer, Zazueta, C., Ramírez, J., García, N., Baeza, I. 191:113
- Flow-induced K^+ secretion**
- , bending the primary cilium opens Ca^{2+} -sensitive intermediate-conductance K^+ channels in MDCK cells, Praetorius, H.A., Frokiaer, J., Nielsen, S., Spring, K.R. 191:193
- Flow sensing**
- , removal of the MDCK cell primary cilium abolishes flow sensing, Praetorius, H.A., Spring, K.R. 191:69
- Fluid transport**
- , expression of an artificial Cl^- channel in microperfused renal proximal tubules, Matsumoto, N., Tsuruoka, S., Iwamoto, T., Tomich, J.M., Ito, K., Imai, M., Suzuki, M. 193:195
- Fluorescein**
- , the role of multidrug resistance protein (MRP1) in transport of fluorescent anions across the human erythrocyte membrane, Rychlik, B., Balcerzyk, A., Klimczak, A., Bartosz, G. 193:79
- Fluorescence signal**
- , interpretation and optimization of absorbance and fluorescence signals from voltage-sensitive dyes, Chang, P.Y., Jackson, M.B. 196:105
- Fluorescent anion transport**
- , the role of multidrug resistance protein (MRP1) in transport of fluorescent anions across the human erythrocyte membrane, Rychlik, B., Balcerzyk, A., Klimczak, A., Bartosz, G. 193:79
- Fluorescent dye**
- , photodynamic inactivation of the Na,K-ATPase occurs via different pathways, Killig, F., Stark, G., Apell, H.-J. 200:133
- Fluorescence polarization**
- , cardiolipin regulates the activity of the reconstituted mitochondrial calcium uniporter by modifying the structure of the liposome bilayer, Zazueta, C., Ramírez, J., García, N., Baeza, I. 191:113
- Fodrin**
- , osmotic stress alters the intracellular distribution of non-erythroidal spectrin (fodrin) in bovine aortic endothelial cells, Sun, A.C., Levitan, I. 192:9
- Folded membrane**
- , structural peculiarities dominate the turgor pressure response of the marine alga *Valonia utricularis* upon osmotic challenges, Heidecker, M., Mimietz, S., Wegner, L.H., Zimmermann, U. 192:123
- Formulation procedures**
- , mechanisms of lipoplex formation: dependence of the biological properties of transfection complexes on formulation procedures, Rakhmanova, V.A., Pozharski, E.V., MacDonald, R.C. 200:35
- Forskolin**
- , comparative pharmacology of the activity of wild-type and G551D mutated CFTR chloride channel: effect of the benzimidazolone derivative NS004, Dérand, R., Bulteau-Pignoux, L., Becq, F. 194:109
 - , identification of caveolae-like structures on the surface of intact cells using scanning force microscopy, Lucius, H., Friedrichson, T., Kurzchalia, T.V., Lewin, G.R. 194:97
- Frog skeletal muscle**
- , regulation of muscle Cav1.1 channels by long-term depolarization involves proteolysis of the α_{1s} subunit, Carrillo, E., Galindo, J.M., García, M.C., Sánchez, J.A. 199:155
- Frog skin**
- , spatial and temporal expression of the ventral pelvic skin aquaporins during metamorphosis of the tree frog, *Hyla japonica*, Hasegawa, T., Sugawara, Y., Suzuki, M., Tanaka, S. 199:119
- D Fructose**
- , regulation of D-fructose transporter GLUT5 in the ileum of spontaneously hypertensive rats, Mate, A., Barfull, A., Hermosa, Á.M., Planas, J.M., Vázquez, C.M. 199:173
- D-Fructose transport**
- , kinetic characterization of apical D-fructose transport in chicken jejunum, Garriga, C., Barfull, A., Planas, J.M. 197:71
- Functional expression studies**
- , evidence for the presence of three different anion exchangers in a red cell. Functional expression studies in *Xenopus* oocytes, Guizouarn, H., Musch, M.W., Goldstein, L. 193:109
- Fusion**
- , fusion, leakage and surface hydrophobicity of vesicles containing phosphoinositides: influence of steric and electrostatic effects, Müller, M., Zschörnig, O., Ohki, S., Arnold, K. 192:33
- Fusion mechanism**
- , the kinetics of non-lamellar phase formation in DOPE-Me: relevance to biomembrane fusion, Cherezov, V., Siegel, D.P., Shaw, W., Burgess, S.W., Caffrey, M. 195:165
- Gadolinium**
- , gadolinium effects on gigaseal formation and the adhesive properties of a fungal amoeboid cell, the *Slime* mutant of *Neurospora crassa*, Dunina-Barkovskaya, A.Y., Levina, N.N., Lew, R.R., Heath, I.B. 198:77
 - , stimulation of transepithelial Na^+ current by extracellular Gd^{3+} in *Xenopus laevis* alveolar epithelium, Fronius, M., Clauss, W., Schnizler, M. 195:43
- Gallbladder epithelial cells**
- , functional characterization of Na^+/H^+ exchangers in primary cultures of prairie dog gallbladder, Narins, S.C., Park, E.H., Ramakrishnan, R., Garcia, F.U., Diven, J.N., Balin, B.J., Hammond, C.J., Sodam, B.R., Smith, P.R., Abedin, M.Z. 197:123
- Gallstone formation**
- , hepatic canalicular membrane transport of bile salt in C57L/J and AKR/J mice: implications for cholesterol gallstone formation, Hoda, F., Green, R.M. 196:9
- Gallstones**
- , functional characterization of Na^+/H^+ exchangers in primary cultures of prairie dog gallbladder, Narins, S.C., Park, E.H., Ramakrishnan, R., Garcia, F.U., Diven, J.N., Balin, B.J., Hammond, C.J., Sodam, B.R., Smith, P.R., Abedin, M.Z. 197:123
- Gap junction**
- , basis of chloride transport in ciliary epithelium, Do, C.W., Civan, M.M. 200:1
 - , is the voltage gate of connexins CO_2 -sensitive? Cx45 channels and inhibition of calmodulin expression, Peracchia, C., Young, K.C., Wang, X.G., Peracchia, L.L. 195:53
 - , sequence and phylogenetic analyses of 4 TMS junctional proteins of animals: connexins, innexins, claudins, and occludins, Hua, V.B., Chang, A.B., Tchieu, J.H., Kumar, N.M., Nielsen, P.A., Saier, P.A., Jr. 194:59
- Gap junction channel**
- , CO_2 sensitivity of voltage gating and gating polarity of gap junction channels-connexin40 and its COOH-terminus-truncated mutant, Peracchia, C., Chen, J.T., Peracchia, L.L. 200:105
 - , gap-junctional hemichannels are activated by ATP depletion in human renal proximal tubule cells, Vergara, L., Bao, X., Cooper, M., Bello-Reuss, E., Reuss, L. 196:173

- Gap junction coupling**
- , regulation of ion fluxes, cell volume and gap junctional coupling by cGMP in GFSHR-17 granulosa cells, Ngezahayo, A., Altmann, B., Kolb, H.-A. 194:165
- Gap junction hemichannel**
- , conductive and kinetic properties of connexin45 hemichannels expressed in transfected HeLa cells, Bader, P., Weingart, R. 199:143
 - , gap-junctional hemichannels are activated by ATP depletion in human renal proximal tubule cells, Vergara, L., Bao, X., Cooper, M., Bello-Reuss, E., Reuss, L. 196:173
- Gárdos channel**
- , the human red cell voltage-regulated cation channel. the interplay with the chloride conductance, the Ca^{2+} -activated K^+ channel and the Ca^{2+} pump, Bennekou, P., Kristensen, B.I., Christophersen, P. 195:1
- Gastrointestinal tract**
- , function of K^+ channels in the intestinal epithelium, Warth, R., Barhanin, J. 193:67
- Gating**
- , a threonine residue (Thr71) at the intracellular end of the M1 helix plays a critical role in the gating of Kir6.2 channels by intracellular ATP and protons, Cui, N., Wu, J., Xu, H., Wang, R., Rojas, A., Piao, H., Mao, J., Abdulkadir, L., Li, L., Jiang, C. 192:111
 - , gating of Cl^- currents in protoplasts from the marine alga *Valonia utricularis* depends on the transmembrane Cl^- gradient and is affected by enzymatic cell wall degradation, Binder, K.-A., Wegner, L.H., Heidecker, M., Zimmermann, U. 191:165
 - , gating properties of a sodium channel with three arginines substituted by histidines in the central part of voltage sensor S4D4, Kühn, F.J.P., Greeff, N.G. 193:23
- Gating current**
- , rate-limiting reactions determining different activation kinetics of Kv1.2 and Kv2.1 channels, Scholle, A., Dugarmaa, S., Zimmer, T., Leonhardt, M., Koopmann, R., Engelhard, B., Pongs, O., Benndorf, K. 198:103
- Gating kinetics**
- , Cu^{2+} , Co^{2+} , and Mn^{2+} modify the gating kinetics of high-voltage-activated Ca^{2+} channels in rat palaeocortical neurons, Castelli, L., Tanzi, F., Taglietti, V., Magistretti, J. 195:121
 - , the gating kinetics of the slow vacuolar channel. A novel mechanism for SV channel functioning? Miedema, H., de Boer, A.H., Pantoja, O. 194:11
- Gating models**
- , gating models of the anomalous mole-fraction effect of single-channel current in *Chara*, Hansen, U.P., Cakan, O., Abshagen-Kueynecke, M., Farokhi, A. 192:45
- Gene cloning**
- , characterization of a functionally expressed stretch-activated BKca channel cloned from chick ventricular myocytes, Tang, Q.Y., Qi, Z., Naruse, K., Sokabe, M. 196:185
- Gene delivery**
- , mechanisms of lipoplex formation: dependence of the biological properties of transfection complexes on formulation procedures, Rakhamanova, V.A., Pozharski, E.V., MacDonald, R.C. 200:35
- Gene expression**
- , expression and coexpression of CO_2 -sensitive Kir channels in brainstem neurons of rats, Wu, J., Xu, H., Shen, W., Jiang, C. 197:179
- Gene regulation**
- , regulation of the expression of the prostate-specific antigen by claudin-7, Zheng, J.-Y., Yu, D., Foroohar, M., Ko, E., Chan, J., Kim, N., Chiu, R., Pang, S. 194:187
- Gene transcription**
- , Ca^{2+} calmodulin kinase and calcineurin mediate IGF-1-induced skeletal muscle dihydropyridine receptor α_{1S} transcription, Zheng, Z., Wang, Z.M., Delbono, O. 197:101
- Genistein**
- , reactive oxygen species regulate swelling-induced taurine efflux in NIH3T3 mouse fibroblasts, Lambert, I.H. 192:19
- Giant liposomes**
- , 17 β -estradiol and tamoxifen regulate a maxi-chloride channel from human placenta, Henriquez, M., Riquelme, G. 191:59
- Gigaseal formation**
- , gadolinium effects on gigaseal formation and the adhesive properties of a fungal amoeboid cell, the *Slime* mutant of *Neurospora crassa*, Dunina-Barkovskaya, A.Y., Levina, N.N., Lew, R.R., Heath, I.B. 198:77
- Glibenclamide**
- , quinine inhibits mitochondrial ATP-regulated potassium channel from bovine heart, Bednarczyk, P., Kicińska, A., Kominkova, V., Ondrias, K., Dolowy, K., Szewczyk, A. 199:63
 - , steady-state interactions of glibenclamide with CFTR: evidence for multiple sites in the pore, Zhang, Z.-R., Zeltwanger, S., McCarty, N.A. 199:15
- Glioma cells**
- , current transients associated with BK channels in human glioma cells, Ransom, C.B., Liu, X., Sontheimer, H. 193:201
- GLUT5**
- , kinetic characterization of apical D-fructose transport in chicken jejunum, Garriga, C., Barfull, A., Planas, J.M. 197:71
 - , regulation of D-fructose transporter GLUT5 in the ileum of spontaneously hypertensive rats, Mate, A., Barfull, A., Hermosa, Á.M., Planas, J.M., Vázquez, C.M. 199:173
- Glutamate permeation**
- , volume-dependent glutamate permeation depends on transmembrane ionic strength and extracellular Cl^- , Hoffman, M.M., Garber, S.S. 197:193
- Glutathione**
- , pivotal role of reduced glutathione in oxygen-induced regulation of the Na^+/K^+ pump in mouse erythrocyte membranes, Bogdanova, A.Y., Ogunshola, O.O., Bauer, C., Gassmann, M. 195:33
- Glycine 551 mutant**
- , comparative pharmacology of the activity of wild-type and G551D mutated CFTR chloride channel: effect of the benzimidazolone derivative NS004, Dérand, R., Bulteau-Pignoux, L., Becq, F. 194:109
 - , identification of caveolae-like structures on the surface of intact cells using scanning force microscopy, Lucius, H., Friedrichson, T., Kurzchalia, T.V., Lewin, G.R. 194:97
- Glycocalyx**
- , new EPR method for cellular surface characterization, Strancar, J., Schara, M., Pečar, S. 193:15
- Glycoprotein gp62**
- , passive transport of macromolecules through *Xenopus laevis* nuclear envelope, Enss, K., Danker, T., Schlune, A., Buchholz, I., Oberleithner, H. 196:147
- Glycosylation**
- , organization of Golgi glycosyltransferases in membranes: complexity via complexes, Young, W.W., Jr. 198:1
- Glycosylphosphatidylinositol (GPI)-anchored protein**
- , role of GPI-anchored enzyme in liposome detergent-resistance, Morandat, S., Bortolato, M., Roux, B. 191:215
- Glycosylphosphatidylinositol (GPI)-linked alkaline phosphatase**
- , insertion of a glycosylphosphatidylinositol-anchored enzyme into liposomes, Ronzon, F., Morandat, S., Roux, B., Bortolato, M. 197:169

- Glycosyltransferases
–, organization of Golgi glycosyltransferases in membranes: complexity via complexes, Young, W.W., Jr. 198:1
- Golgi
–, organization of Golgi glycosyltransferases in membranes: complexity via complexes, Young, W.W., Jr. 198:1
- Gramicidin A
–, chemical and photochemical modification of colicin E1 and gramicidin A in bilayer lipid membranes, Sobko, A.A., Viganina, M.A., Rokitskaya, T.I., Kotova, E.A., Zakharov, S.D., Cramer, W.A., Antonenko, Y.N. 199:51
- Granulosa cells
–, regulation of ion fluxes, cell volume and gap junctional coupling by cGMP in GFSHR-17 granulosa cells, Ngezahayo, A., Altmann, B., Kolb, H.-A. 194:165
- Green fluorescent protein (GFP)
–, GFP-tagged CFTR transgene is functional in the G551D cystic fibrosis mouse colon, Oceandy, D., McMullan, B., Schreiber, R., Wainwright, B.J., Kunzelmann, K. 192:159
–, identification of caveolae-like structures on the surface of intact cells using scanning force microscopy, Lucius, H., Friedrichson, T., Kurzchalia, T.V., Lewin, G.R. 194:97
–, lipid-membrane affinity of chimeric metal-binding green fluorescent protein, Prachayasittikul, V., Ayudhya, C.I.N., Boonpangrak, S., Galla, H.-J. 200:47
–, trafficking of Na,K-ATPase fused to enhanced green fluorescent protein is mediated by protein kinase A or C, Kristensen, B., Birkelund, S., Jorgensen, P.L. 191:25, 192:73
–, trafficking of Na,K-ATPase fused to enhanced green fluorescent protein is mediated by protein kinase A or C, Kristensen, B., Birkelund, S., Jorgensen, P.L. 191:25, 192:73
- H/K-ATPase
–, P-type ATPases in *Caenorhabditis* and *Drosophila*: implications for evolution of the P-type ATPase subunit families with special reference to the Na,K-ATPase and H,K-ATPase subgroup, Okamura, H., Yasuhara, J.C., Fambrough, D.M., Takeyasu, K. 191:13
- H^+ /lactose coupling
–, control of H^+ /lactose coupling by ionic interactions in the lactose permease of *Escherichia coli*, Johnson, J.L., Brooker, R.J. 198:135
- $2H^+ - NO_3^-$ symporter
–, transinhibition and voltage-gating in a fungal nitrate transporter, Boyd, J., Gradmann, D., Boyd, C.M. 195:109
- HeLa cells
–, conductive and kinetic properties of connexin45 hemichannels expressed in transfected HeLa cells, Bader, P., Weingart, R. 199:143
- Heart failure
–, mechanisms of $Na^+ - Ca^{2+}$ exchange inhibition by amphiphiles in cardiac myocytes: importance of transbilayer movement, Keller, M., Pignier, C., Niggli, E., Egger, M. 198:159
- HEK293 cells
–, inhibition of the endogenous volume-regulated anion channel (VRAC) in HEK293 cells by acidic di-aryl-ureas, Hélix, N., Strobaek, D., Dahl, B.H., Christophersen, P. 196:83
–, properties of BK_{Ca} channels formed by bicistronic expression of *hSlo* α and $\beta 1\cdot 4$ subunits in HEK293 cells, Lippiat, J.D., Standen, N.B., Harrow, I.D., Phillips, S.C., Davies, N.W. 192:141
- Helix* pulmonate snail
–, K^+ channels in cardiomyocytes of the pulmonate snail *Helix*, Kodirov, S.A., Zhuravlev, V.L., Pavlenko, V.K., Safonova, T.A., Brachmann, J. 197:145
- Hemichannels
–, conductive and kinetic properties of connexin45 hemichannels expressed in transfected HeLa cells, Bader, P., Weingart, R. 199:143
- Hemifusion
–, the energetics of membrane fusion from binding, through hemifusion, pore formation, and pore enlargement, Cohen, F.S., Melikyan, G.B. 199:1
- Hepatocyte growth factor/scatter factor
–, hepatocyte growth factor/scatter factor stimulates Ca^{2+} -activated membrane K^+ current and migration of MDCK II cells, Jin, M., Defoe, D.M., Wondergem, R. 191:77
- Hexagonal (H_{II}) phase
–, the kinetics of non-lamellar phase formation in DOPE-Me: relevance to biomembrane fusion, Cherezov, V., Siegel, D.P., Shaw, W., Burgess, S.W., Caffrey, M. 195:165
- Hidden Markov models
–, gating models of the anomalous mole-fraction effect of single-channel current in *Chara*, Hansen, U.P., Cakan, O., Abshagen-Kuenecke, M., Farokhi, A. 192:45
- Hinkley detector
–, distributions-per-level: a means of testing level detectors and models of patch-clamp data, Schröder, I., Huth, T., Suitchmezian, V., Jarosik, J., Schnell, S., Hansen, U.P. 197:49
- Histidine residues
–, two histidine residues in the juxta-membrane cytoplasmic domain of Na^+/H^+ exchanger isoform 3 (NHE3) determine the set point, Cha, B., Oh, S., Shanmugaratnam, J., Donowitz, M., Yun, C.C. 191:49
- HIT-T15 cells
–, muscarinic agonists activate Ca^{2+} store-operated and –independent ionic currents in insulin-secreting HIT-T15 cells and mouse pancreatic β -cells, Mears, D., Zimliki, C.L. 197:59
- Homogenization
–, enrichment of triadic and terminal cisternae vesicles from rabbit skeletal muscle, Kramer, J.W., Ferguson, D.G., Corbett, A.M. 195:9
- hSlo* α
–, properties of BK_{Ca} channels formed by bicistronic expression of *hSlo* α and $\beta 1\cdot 4$ subunits in HEK293 cells, Lippiat, J.D., Standen, N.B., Harrow, I.D., Phillips, S.C., Davies, N.W. 192:141
- Human adipose cells
–, human adipose cells have voltage-dependent potassium currents, Ramírez-Ponce, M.P., Mateos, J.C., Bellido, J.A. 196:129
- Human adult skeletal muscle channel
–, channel activation voltage alone is directly altered in an isoform-specific manner by $Na_{v1.4}$ and $Na_{v1.5}$ cytoplasmic linkers, Bennett, E.S. 197:155
- Human bronchial cell line 16HBE14o-
–, modulation of calcium-dependent chloride secretion by basolateral SK4-like channels in a human bronchial cell line, Bernard, K., Bogliolo, S., Soriani, O., Ehrenfeld, J. 196:15
- Human cardiac channel
–, channel activation voltage alone is directly altered in an isoform-specific manner by $Na_{v1.4}$ and $Na_{v1.5}$ cytoplasmic linkers, Bennett, E.S. 197:155
- Human cornea
–, hypertonicity-induced p38MAPK activation elicits recovery of corneal epithelial cell volume and layer integrity, Bildin, V.N., Wang, Z., Iserovich, P., Reinach, P.S. 193:1
- Human embryonic kidney cells (HEK293)
–, inhibition of the endogenous volume-regulated anion channel (VRAC) in HEK293 cells by acidic di-aryl-ureas, Hélix, N., Strobaek, D., Dahl, B.H., Christophersen, P. 196:83

- , properties of BK_{Ca} channels formed by bicistronic expression of *hSlo*_x and β 1-4 subunits in HEK293 cells, Lippiat, J.D., Standen, N.B., Harrow, I.D., Phillips, S.C., Davies, N.W. 192:141
- Human parotid gland cells (HSY)**
 - , distinct Ca^{2+} -permeable cation currents are activated by internal Ca^{2+} -store depletion in RBL-2H3 cells and human salivary gland cells, HSG and HSY, Liu, X., Groschner, K., Ambudkar, I.S. 200:93
- Human renal proximal tubule cells**
 - , gap-junctional hemichannels are activated by ATP depletion in human renal proximal tubule cells, Vergara, L., Bao, X., Cooper, M., Bello-Reuss, E., Reuss, L. 196:173
 - , regulation of renal Na^+ / HCO_3^- cotransporter stimulation by CO_2 : role of phosphorylation, exocytosis and protein synthesis, Espiritu, D.J.D., Yang, V.L., Bernardo, A.A., Arruda, J.A.L. 199:39
- Human salivary gland cells**
 - , distinct Ca^{2+} -permeable cation currents are activated by internal Ca^{2+} -store depletion in RBL-2H3 cells and human salivary gland cells, HSG and HSY, Liu, X., Groschner, K., Ambudkar, I.S. 200:93
- Human submandibular gland cells (HSG)**
 - , distinct Ca^{2+} -permeable cation currents are activated by internal Ca^{2+} -store depletion in RBL-2H3 cells and human salivary gland cells, HSG and HSY, Liu, X., Groschner, K., Ambudkar, I.S. 200:93
- Human umbilical venous endothelial cells (HUVECs)**
 - , endothelial cell swelling by aldosterone, Oberleithner, H., Schneider, S.W., Albermann, L., Hillebrand U., Ludwig, T., Riethmüller, C., Shahin, V., Schäfer, C., Schillers, H. 196:163
- Hybrid evolutionary optimization (HEO)**
 - , soft picture of lateral heterogeneity in biomembranes, Štrancar, J., Koklič, T., Arsov, Z. 196:135
- Hydrogen ion transport**
 - , sucrose transport into plasma membrane vesicles from tobacco leaves by H^+ symport or counter exchange does not display a linear component, Borstlap, A.C., Schuurmans, J.A.M.J. 198:31
- Hydrophobicity**
 - , copper modulation of ion channels of PrP[106-126] mutant prion peptide fragments, Kourie, J.I., Kenna, B.L., Tew, D., Jobling, M.F., Curtain, C.C., Masters, C.L., Barnham, K.J., Cappai, R. 193:35
- p-Hydroxymercuribenzoic acid (PHMB)**
 - , stimulation of transepithelial Na^+ current by extracellular Gd^{3+} in *Xenopus laevis* alveolar epithelium, Fronius, M., Clauss, W., Schnizler, M. 195:43
- Hydroxyproline transport**
 - , transport of proline and hydroxyproline by the neutral amino-acid exchanger ASCT1, Pinilla-Tenas, J., Barber, A., Lostao, M.P. 195:27
- Hyla japonica***
 - , spatial and temporal expression of the ventral pelvic skin aquaporins during metamorphosis of the tree frog, *Hyla japonica*, Hasegawa, T., Sugawara, Y., Suzuki, M., Tanaka, S. 199:119
- Hypersecretion syndrome**
 - , R-type Ca^{2+} -channel activity is associated with chromogranin A secretion in human neuroendocrine tumor BON cells, Mergler, S., Wiedenmann, B., Prada, J. 194:177
- Hypertension**
 - , catecholamine-induced regulation in vitro and ex vivo of intralymphocyte ionized magnesium, Delva, P., Pastori, C., Degan, M., Montesi, G., Lechi, A. 199:163
- Hypertensive rats**
 - , regulation of D-fructose transporter GLUT5 in the ileum of spontaneously hypertensive rats, Mate, A., Barfull, A., Hermosa, Á.M., Planas, J.M., Vázquez, C.M. 199:173
- Hypertoncity**
 - , a hypertonicity-activated nonselective conductance in single proximal tubule cells isolated from mouse kidney, Balloch, K.J.D., Hartley, J.A., Millar, I.D., Kibble, J.D., Robson, L. 192:191
 - , hypertonicity-induced p38MAPK activation elicits recovery of corneal epithelial cell volume and layer integrity, Bildin, V.N., Wang, Z., Iserovich, P., Reinach, P.S. 193:1
- Hypoxia**
 - , effects of chronic hypoxia on inward rectifier K^+ current ($I_{\text{K}1}$) in ventricular myocytes of crucian carp (*Carassius carassius*) heart, Paajanen, V., Vornanen, M. 194:119
 - , pivotal role of reduced glutathione in oxygen-induced regulation of the Na^+/K^+ pump in mouse erythrocyte membranes, Bogdanova, A.Y., Ogunshola, O.O., Bauer, C., Gassmann, M. 195:33
- Hysteresis**
 - , the human red cell voltage-regulated cation channel. the interplay with the chloride conductance, the Ca^{2+} -activated K^+ channel and the Ca^{2+} pump, Bennekou, P., Kristensen, B.I., Christoffersen, P. 195:1
- Iberiotoxin**
 - , hepatocyte growth factor/scatter factor stimulates Ca^{2+} -activated membrane K^+ current and migration of MDCK II cells, Jin, M., Defoe, D.M., Wondergem, R. 191:77
 - , properties of BK_{Ca} channels formed by bicistronic expression of *hSlo*_x and β 1-4 subunits in HEK293 cells, Lippiat, J.D., Standen, N.B., Harrow, I.D., Phillips, S.C., Davies, N.W. 192:141
- Imidazole**
 - , photodynamic inactivation of the Na,K-ATPase occurs via different pathways, Killig, F., Stark, G., Apell, H.-J. 200:133
- Immobilization antigens**
 - , temperature-induced change of variant surface antigen expression in *Paramecium* involves antigen release into the culture medium with considerable delay between transcription and surface expression, Momayezi, M., Albrecht, P., Plattner, H., Schmidt, H.J. 200:15
- Immunohistochemistry**
 - , spatial and temporal expression of the ventral pelvic skin aquaporins during metamorphosis of the tree frog, *Hyla japonica*, Hasegawa, T., Sugawara, Y., Suzuki, M., Tanaka, S. 199:119
- In situ hybridization histochemistry**
 - , differential expression of Kir6.1 and SUR2B mRNAs in the vasculature of various tissues in rats, Li, L., Wu, J., Jiang, C. 196:61
- Infection**
 - , physiological and pathological roles of $\alpha\beta\gamma$ integrin, Tsuji, T. 200:115
- Influenza B**
 - , an amino-acid substitution in the influenza-B NB protein affects ion-channel gating, Premkumar, A., Ewart, G.D., Cox, G.B., Gage, P.W. 197:135
- Influenza virus**
 - , kinetics of influenza virus fusion with endosomal and plasma membranes of cultured cells. effect of temperature, Nunes-Correia, I., Nir, S., Pedroso de Lima, M.C. 195:21
- Innexins**
 - , sequence and phylogenetic analyses of 4 TMS junctional proteins of animals: connexins, innexins, claudins, and occludins, Hua, V.B., Chang, A.B., Tchieu, J.H., Kumar, N.M., Nielsen, P.A., Saier, P.A., Jr. 194:59

- Inositol**
- , intracellular delivery of carbohydrates into mammalian cells through swelling-activated pathways, Reuss, R., Ludwig, J., Shirakashi, R., Ehrhart, F., Zimmermann, H., Schneider, S., Weber, M.M., Zimmermann, U., Schneider, H., Sukhorukov, V.L. 200:67
- Inositol-1,4,5-trisphosphate (IP₃)**
- , activation of apical K⁺ conductances by muscarinic receptor stimulation in rat distal colon: fast and slow components, Schultheiss, G., Ribeiro, R., Schäfer, K.H., Diener, M. 195:183
 - , distinct Ca²⁺-permeable cation currents are activated by internal Ca²⁺-store depletion in RBL-2H3 cells and human salivary gland cells, HSG and HSY, Liu, X., Groschner, K., Ambudkar, I.S. 200:93
- Inositol-1,4,5-trisphosphate (IP₃) metabolism**
- , Ca²⁺ dynamics during membrane excitation of green alga *Chara*: Model simulations and experimental data, Wacke, M., Thiel, G., Hütt, M.-T. 191:179
- Insecticidal toxins**
- , analysis of the properties of *Bacillus thuringiensis* insecticidal toxins using a potential-sensitive fluorescent probe, Kirouac, M., Vachon, V., Rivest, S., Schwartz, J.-L., Laprade, R. 196:51
- Insulin-like growth factor-1 (IGF-1)**
- , Ca²⁺ calmodulin kinase and calcineurin mediate IGF-1-induced skeletal muscle dihydropyridine receptor α_{1S} transcription, Zheng, Z., Wang, Z.M., Delbono, O. 197:101
- Insulin secretion**
- , regulation of insulin secretion in islets of Langerhans by Ca²⁺ channels, Mears, D. 200:57
- Integral membrane proteins**
- , understanding the biogenesis of polytopic integral membrane proteins, Turner, R.J. 192:149
- Integrin**
- , physiological and pathological roles of α₃β₁ integrin, Tsuji, T. 200:115
- Intestinal epithelium**
- , function of K⁺ channels in the intestinal epithelium, Warth, R., Barhanin, J. 193:67
- Intraburst kinetics**
- , steady-state interactions of glibenclamide with CFTR: evidence for multiple sites in the pore, Zhang, Z.-R., Zeltwanger, S., McCarty, N.A. 199:15
- Intracellular Ca²⁺**
- , EGF stimulates growth by enhancing capacitative calcium entry in corneal epithelial cells, Yang, H., Sun, X., Wang, Z., Ning, G., Zhang, F., Kong, J., Lu, L., Reinach, P.S. 194:47
 - , intracellular calcium: a prerequisite for aldosterone action, Schäfer, C., Shahin, V., Albermann, L., Schillers, H., Hug, M.J., Oberleithner, H. 196:157
 - , negative regulation of CFTR activity by extracellular ATP involves P2Y2 receptors in CFTR-expressing CHO cells, Marcket, B., Chappe, V., Delmas, P., Gola, M., Verrier, B. 194:21
 - , regulation of ion fluxes, cell volume and gap junctional coupling by cGMP in GFSHR-17 granulosa cells, Nguezahayo, A., Altmann, B., Kolb, H.-A. 194:165
 - , R-type Ca²⁺-channel activity is associated with chromogranin A secretion in human neuroendocrine tumor BON cells, Mergler, S., Wiedenmann, B., Prada, J. 194:177
- Intracellular magnesium**
- , catecholamine-induced regulation in vitro and ex vivo of intralymphocyte ionized magnesium, Delva, P., Pastori, C., Degan, M., Montesi, G., Lechi, A. 199:163
- Intraocular pressure**
- , basis of chloride transport in ciliary epithelium, Do, C.W., Civan, M.M. 200:1
 - , common actions of adenosine receptor agonists in modulating human trabecular meshwork cell transport, Fleischhauer, J.C., Mitchell, C.H., Stamer, W.D., Karl, M.O., Peterson-Yantorno, K., Civan, M.M. 193:121
- Inward rectifying K⁺ channel (Kir)**
- , expression and coexpression of CO₂-sensitive Kir channels in brainstem neurons of rats, Wu, J., Xu, H., Shen, W., Jiang, C. 197:179
- Inward rectifying K⁺ current**
- , characterization of whole-cell K⁺ currents across the plasma membrane of pollen grain and tube protoplasts of *Lilium longiflorum*, Griessner, M., Obermeyer, G. 193:99
 - , effects of chronic hypoxia on inward rectifier K⁺ current (*I_{K1}*) in ventricular myocytes of crucian carp (*Carassius carassius*) heart, Paajanen, V., Vornanen, M. 194:119
 - , opposing effects of aluminum on inward-rectifier potassium currents in bean root-tip protoplasts, Etherton, B., Heppner, T.J., Cumming, J.R., Nelson, M.T. 198:15
- Iodide efflux technique**
- , negative regulation of CFTR activity by extracellular ATP involves P2Y2 receptors in CFTR-expressing CHO cells, Marcket, B., Chappe, V., Delmas, P., Gola, M., Verrier, B. 194:21
- Ion binding**
- , gating models of the anomalous mole-fraction effect of single-channel current in *Chara*, Hansen, U.P., Cakan, O., Abshagen-Kuehncke, M., Farokhi, A. 192:45
- Ion channel gating**
- , an amino-acid substitution in the influenza-B NB protein affects ion-channel gating, Premkumar, A., Ewart, G.D., Cox, G.B., Gage, P.W. 197:135
 - , channel activation voltage alone is directly altered in an isoform-specific manner by Na_{v1.4} and Na_{v1.5} cytoplasmic linkers, Bennett, E.S. 197:155
 - , optimal-sensitivity analysis of ion channel gating kinetics, Kargol, A., Hosein-Sooklal, A. 199:113
- Ion channel pathologies**
- , copper modulation of ion channels of PrP[106-126] mutant prion peptide fragments, Kourie, J.I., Kenna, B.L., Tew, D., Jobling, M.F., Curtain, C.C., Masters, C.L., Barnham, K.J., Cappai, R. 193:35
- Ion permeation**
- , monovalent cations contribute to T-type calcium channel (Ca_v3.1 and Ca_v3.2) selectivity, Delisle, B.P., Satin, J. 193:185
- Ion pump**
- , photodynamic inactivation of the Na,K-ATPase occurs via different pathways, Killig, F., Stark, G., Apell, H.-J. 200:133
- Ion selectivity**
- , identification of ion-selectivity determinants in heavy-metal transport P_{1B}-type ATPase, Argüello, J.M. 195:93
- Ion transport**
- , electrostatic influence on ion transport through the α_{HL} channel, Misakian, M., Kasianowicz, J.J. 195:137
- Ion transport pathway**
- , pivotal role of reduced glutathione in oxygen-induced regulation of the Na⁺/K⁺ pump in mouse erythrocyte membranes, Bogdanova, A.Y., Ogunshola, O.O., Bauer, C., Gassmann, M. 195:33
- Ion well**
- , effect of extracellular pH on presteady-state and steady-state current mediated by the Na⁺/K⁺ pump, Vasilyev, A., Khater, K., Rakowski, R.F. 198:65

- Ionic current**
- , rate-limiting reactions determining different activation kinetics of Kv1.2 and Kv2.1 channels, Scholle, A., Dugarmaa, S., Zimmer, T., Leonhardt, M., Koopmann, R., Engeland, B., Pongs, O., Benndorf, K. 198:103
- Ionophore A23187**
- , pulses of cell Ca^{2+} and the dynamics of tight junction opening and closing, Lacaz-Vieira, F., Marques, M.M. 196:117
- Iron transport**
- , stimulation of Na,K-ATPase by low potassium is dependent on transferrin, Yin, W., Jiang, G., Takeyasu, K., Zhou, X. 193:177
- Ischemia**
- , gap-junctional hemichannels are activated by ATP depletion in human renal proximal tubule cells, Vergara, L., Bao, X., Cooper, M., Bello-Reuss, E., Reuss, L. 196:173
- Islets of Langerhans**
- , regulation of insulin secretion in islets of Langerhans by Ca^{2+} channels, Mears, D. 200:57
- Isoforms**
- , P-type ATPases in *Caenorhabditis* and *Drosophila*: implications for evolution of the P-type ATPase subunit families with special reference to the Na,K-ATPase and H,K-ATPase subgroup, Okamura, H., Yasuhara, J.C., Fambrough, D.M., Takeyasu, K. 191:13
- Isoproterenol**
- , catecholamine-induced regulation in vitro and ex vivo of intralymphocyte ionized magnesium, Delva, P., Pastori, C., Degan, M., Montesi, G., Lechi, A. 199:163
- J774 macrophages**
- , the macrolide antibiotic azithromycin interacts with lipids and affects membrane organization and fluidity: studies on Langmuir-Blodgett monolayers, liposomes and J774 macrophages, Tyteca, D., Schanck, A., Dufrêne, Y.F., Deleu, M., Courtoy, P.J., Tulkens, P.M., Mingeot-Leclercq, M.P. 192:203
- Jasplakinolide**
- , effects of temperature on viral glycoprotein mobility and a possible role of internal "viroskelton" proteins in Sendai virus fusion, Ohki, S., Thacore, H., Flanagan, T.D. 199:73
 - , osmotic stress alters the intracellular distribution of non-erythroidal spectrin (fodrin) in bovine aortic endothelial cells, Sun, A.C., Levitan, I. 192:9
- Jump detector**
- , distributions-per-level: a means of testing level detectors and models of patch-clamp data, Schröder, I., Huth, T., Suitchmezian, V., Jarosik, J., Schnell, S., Hansen, U.P. 197:49
- Junctional conductance**
- , is the voltage gate of connexins CO₂-sensitive? Cx45 channels and inhibition of calmodulin expression, Peracchia, C., Young, K.C., Wang, X.G., Peracchia, L.L. 195:53
- Junctional proteins**
- , sequence and phylogenetic analyses of 4 TMS junctional proteins of animals: connexins, innexins, claudins, and occludins, Hua, V.B., Chang, A.B., Tchieu, J.H., Kumar, N.M., Nielsen, P.A., Saier, P.A., Jr. 194:59
- Jurkat cells**
- , intracellular delivery of carbohydrates into mammalian cells through swelling-activated pathways, Reuss, R., Ludwig, J., Shirakashi, R., Ehrhart, F., Zimmermann, H., Schneider, S., Weber, M.M., Zimmermann, U., Schneider, H., Sukhorukov, V.I. 200:67
- Juxtamembrane cytoplasmic domain**
- , two histidine residues in the juxta-membrane cytoplasmic domain of Na^+/H^+ exchanger isoform 3 (NHE3) determine the set point, Cha, B., Oh, S., Shanmugaratnam, J., Donowitz, M., Yun, C.C. 191:49
- K^+ -agitated *Paramecium caudatum* mutant**
- , K^+ -induced Ca^{2+} conductance responsible for the prolonged backward swimming in K^+ -agitated mutant of *Paramecium caudatum*, Oami, K., Takahashi, M. 195:85
- K^+ -induced Ca^{2+} conductance**
- , K^+ -induced Ca^{2+} conductance responsible for the prolonged backward swimming in K^+ -agitated mutant of *Paramecium caudatum*, Oami, K., Takahashi, M. 195:85
- KCl cotransport isoforms**
- , basolateral Cl^- transport is stimulated by terbutaline in adult rat alveolar epithelial cells, Lee, S.Y., Maniak, P.J., Rhodes, R., Ingbar, D.H., O'Grady, S.M. 191:133
- kene1* gene**
- , swelling-activated chloride and potassium conductance in primary cultures of mouse proximal tubules. Implication of KCNE1 protein, Barrière, H., Rubera, I., Belfodil, R., Tauc, M., Tonnerieux, N., Poujeol, C., Barhanin, J., Poujeol, P. 193:153
- KCNE1 knockout mice**
- , use of knock-out mouse models for the study of renal ion channels, Barrière, H., Tauc, M., Poujeol, P. 198:113
- KCNE1 protein**
- , swelling-activated chloride and potassium conductance in primary cultures of mouse proximal tubules. Implication of KCNE1 protein, Barrière, H., Rubera, I., Belfodil, R., Tauc, M., Tonnerieux, N., Poujeol, C., Barhanin, J., Poujeol, P. 193:153
- KCNE3/KCNQ1 channel complex**
- , function of K^+ channels in the intestinal epithelium, Warth, R., Barhanin, J. 193:67
- KCNQ1**
- , modulation of calcium-dependent chloride secretion by basolateral SK4-like channels in a human bronchial cell line, Bernard, K., Bogliolo, S., Soriano, O., Ehrenfeld, J. 196:15
- Kidney**
- , molecular mechanisms of urea transport, Sands, J.M. 191:149
 - , prolonged ethanol ingestion increases renal AQP2 and AQP3 expression in adult rats and in their offspring, García-Delgado, M., Peral, M.J., García-Benítez, O., Carreras, O., Ilundáin, A.A. 198:89
- Kinetic analysis**
- , conductive and kinetic properties of connexin45 hemichannels expressed in transfected HeLa cells, Bader, P., Weingart, R. 199:143
 - , kinetics of influenza virus fusion with endosomal and plasma membranes of cultured cells. effect of temperature, Nunes-Correia, I., Nir, S., Pedroso de Lima, M.C. 195:21
 - , transinhibition and voltage-gating in a fungal nitrate transporter, Boyd, J., Gradmann, D., Boyd, C.M. 195:109
- Kir channels**
- , expression and coexpression of CO₂-sensitive Kir channels in brainstem neurons of rats, Wu, J., Xu, H., Shen, W., Jiang, C. 197:179
- Kir6.1 channel**
- , differential expression of Kir6.1 and SUR2B mRNAs in the vasculature of various tissues in rats, Li, L., Wu, J., Jiang, C. 196:61
- Kir6.2 channel**
- , a threonine residue (Thr71) at the intracellular end of the M1 helix plays a critical role in the gating of Kir6.2 channels by intracellular ATP and protons, Cui, N., Wu, J., Xu, H., Wang, R., Rojas, A., Piao, H., Mao, J., Abdulkadir, L., Li, L., Jiang, C. 192:111
- Knockout mice models**
- , use of knock-out mouse models for the study of renal ion channels, Barrière, H., Tauc, M., Poujeol, P. 198:113

Kv1.1-like K⁺ channel

- , molecular cloning and expression of a Kv1.1-like potassium channel from the electric organ of *Electrophorus electricus*, Thornhill, W.B., Watanabe, I., Sutachan, J.J., Wu, M.B., Wu, X., Zhu, J., Recio-Pinto, E. 196:1

Kv1.2

- , rate-limiting reactions determining different activation kinetics of Kv1.2 and Kv2.1 channels, Scholle, A., Dugarmaa, S., Zimmer, T., Leonhardt, M., Koopmann, R., Engeland, B., Pongs, O., Benndorf, K. 198:103

Kv1.4

- , modulation of native TREK-1 and Kv1.4 K⁺ channels by polyunsaturated fatty acids and lysophospholipids, Danthi, S., Enyeart, J.A., Enyeart, J.J. 195:147

Kv2.1

- , K⁺ channels in cardiomyocytes of the pulmonate snail *Helix*, Kodirov, S.A., Zhuravlev, V.L., Pavlenko, V.K., Safonova, T.A., Brachmann, J. 197:145
- , rate-limiting reactions determining different activation kinetics of Kv1.2 and Kv2.1 channels, Scholle, A., Dugarmaa, S., Zimmer, T., Leonhardt, M., Koopmann, R., Engeland, B., Pongs, O., Benndorf, K. 198:103

L-type Ca channel

- , effects of the enantiomers of BayK 8644 on the charge movement of L-type Ca channels in guinea-pig ventricular myocytes, Artigas, P., Ferreira, G., Reyes, N., Brum, G., Pizarro, G. 193:215

L1280C

- , methanethiosulfate modification alters anesthetic block in rNav1.4 cysteine-substituted mutants S1276C and L1280C, O'Reilly, J.P., Wang, S.Y., Wang, G.K. 193:47

Lactose permease

- , control of H⁺/lactose coupling by ionic interactions in the lactose permease of *Escherichia coli*, Johnson, J.L., Brooker, R.J. 198:135

Lamellar phase

- , the kinetics of non-lamellar phase formation in DOPE-Me: relevance to biomembrane fusion, Cherezov, V., Siegel, D.P., Shaw, W., Burgess, S.W., Caffrey, M. 195:165

Laminin

- , physiological and pathological roles of $\alpha 3\beta 1$ integrin, Tsuji, T. 200:115

Land pulmonate snail

- , K⁺ channels in cardiomyocytes of the pulmonate snail *Helix*, Kodirov, S.A., Zhuravlev, V.L., Pavlenko, V.K., Safonova, T.A., Brachmann, J. 197:145

Langmuir-Blodgett monolayers

- , the macrolide antibiotic azithromycin interacts with lipids and affects membrane organization and fluidity: studies on Langmuir-Blodgett monolayers, liposomes and J774 macrophages, Tyteca, D., Schanck, A., Dufrêne, Y.F., Deleu, M., Courtoy, P.J., Tulkens, P.M., Mingeot-Leclercq, M.P. 192:203

Large conductance Ca²⁺-activated K⁺ channel

- , current transients associated with BK channels in human glioma cells, Ransom, C.B., Liu, X., Sontheimer, H. 193:201

Laser flash photolysis

- , mechanisms of Na⁺-Ca²⁺ exchange inhibition by amphiphiles in cardiac myocytes: importance of transbilayer movement, Keller, M., Pignier, C., Niggli, E., Egger, M. 198:159

Lateral heterogeneity

- , soft picture of lateral heterogeneity in biomembranes, Štrancar, J., Koklić, T., Arsov, Z. 196:135

Lateral membrane

- , protein and lipid reactive agents alter outer hair cell lateral membrane motor charge movement, Santos-Sacchi, J., Wu, M. 200:83

Latrunculin A

- , osmotic stress alters the intracellular distribution of non-erythroidal spectrin (fodrin) in bovine aortic endothelial cells, Sun, A.C., Levitan, I. 192:9

Lead

- , identification of ion-selectivity determinants in heavy-metal transport P_{1B}-type ATPase, Argüello, J.M. 195:93

Leakage

- , fusion, leakage and surface hydrophobicity of vesicles containing phosphoinositides: influence of steric and electrostatic effects, Müller, M., Zschörlig, O., Ohki, S., Arnold, K. 192:33

Legionella

- , phagosome maturation: a few bugs in the system, Scott, C.C., Botelho, R.J., Grinstein, S. 193:137

Level detector

- , distributions-per-level: a means of testing level detectors and models of patch-clamp data, Schröder, I., Huth, T., Suitchmezan, V., Jarosik, J., Schnell, S., Hansen, U.P. 197:49

Leydig cell

- , the resting potential of mouse Leydig cells: role of an electrogenic Na⁺/K⁺ pump, del Corso, C., Varanda, W.A. 191:123

Ligand binding

- , a threonine residue (Thr71) at the intracellular end of the M1 helix plays a critical role in the gating of Kir6.2 channels by intracellular ATP and protons, Cui, N., Wu, J., Xu, H., Wang, R., Rojas, A., Piao, H., Mao, J., Abdulkadir, L., Li, L., Jiang, C. 192:111

Lilium longiflorum

- , characterization of whole-cell K⁺ currents across the plasma membrane of pollen grain and tube protoplasts of *Lilium longiflorum*, Griessner, M., Obermeyer, G. 193:99

Lipid bilayer

- , chemical and photochemical modification of colicin E1 and gramicidin A in bilayer lipid membranes, Sobko, A.A., Vigasina, M.A., Rokitskaya, T.I., Kotova, E.A., Zakharov, S.D., Cramer, W.A., Antonenko, Y.N. 199:51

- , lipid-membrane affinity of chimeric metal-binding green fluorescent protein, Prachayasittikul, V. Ayudhya, C.I.N., Boonpangrak, S., Galla, H.-J. 200:47

- , syntaxin is efficiently excluded from sphingomyelin-enriched domains in supported lipid bilayers containing cholesterol, Saslawsky, D.E., Lawrence, J.C., Henderson, R.M., Edw ardson, J.M. 194:153

Lipid binding

- , lipid-membrane affinity of chimeric metal-binding green fluorescent protein, Prachayasittikul, V. Ayudhya, C.I.N., Boonpangrak, S., Galla, H.-J. 200:47

Lipid microdomain

- , syntaxin is efficiently excluded from sphingomyelin-enriched domains in supported lipid bilayers containing cholesterol, Saslawsky, D.E., Lawrence, J.C., Henderson, R.M., Edw ardson, J.M. 194:153

Lipid mixing

- , bilayer mixing, fusion, and lysis following the interaction of populations of cationic and anionic phospholipid bilayer vesicles, Pantazatos, D.P., Pantazatos, S.P., MacDonald, R.C. 194:129

Lipid monolayers

- , lipid-membrane affinity of chimeric metal-binding green fluorescent protein, Prachayasittikul, V. Ayudhya, C.I.N., Boonpangrak, S., Galla, H.-J. 200:47

- , thyroid hormones affect the membrane dipolar organization. is it a general event in their non-genomic action? Isse, B., Fidelio, G., Farías, R.N. 191:209

- Lipid-protein interaction**
- specificity of membrane binding of the neuronal protein NAP-22, Epand, R.F., Maekawa, S., Epand, R.M. 193:171
- Lipid reactive reagents**
- protein and lipid reactive agents alter outer hair cell lateral membrane motor charge movement, Santos-Sacchi, J., Wu, M. 200:83
- Lipid splay**
- the energetics of membrane fusion from binding, through hemifusion, pore formation, and pore enlargement, Cohen, F.S., Melikyan, G.B. 199:1
- Lipid tilt**
- the energetics of membrane fusion from binding, through hemifusion, pore formation, and pore enlargement, Cohen, F.S., Melikyan, G.B. 199:1
- Lipid vesicles**
- fusion, leakage and surface hydrophobicity of vesicles containing phosphoinositides: influence of steric and electrostatic effects, Müller, M., Zschörnig, O., Ohki, S., Arnold, K. 192:33
- Lipidic anchors**
- insertion of a glycosylphosphatidylinositol-anchored enzyme into liposomes, Ronzon, F., Morandat, S., Roux, B., Bortolato, M. 197:169
- Lipoplex**
- real-time observation of lipoplex formation and interaction with anionic bilayer vesicles, Pantazatos, S.P., MacDonald, R.C. 191:99
- Lipoplex formation**
- mechanisms of lipoplex formation: dependence of the biological properties of transfection complexes on formulation procedures, Rakhmanova, V.A., Pozharski, E.V., MacDonald, R.C. 200:35
- Liposome bilayer**
- cardiolipin regulates the activity of the reconstituted mitochondrial calcium uniporter by modifying the structure of the liposome bilayer, Zazueta, C., Ramírez, J., García, N., Baeza, I. 191:113
- Liposome membranes**
- soft picture of lateral heterogeneity in biomembranes, Štrancar, J., Koklič, T., Arsov, Z. 196:135
- Liposomes**
- insertion of a glycosylphosphatidylinositol-anchored enzyme into liposomes, Ronzon, F., Morandat, S., Roux, B., Bortolato, M. 197:169
 - liposome-entrapped polymerases as models for microscale/nanoscale bioreactors, Monnard, P.-A. 191:87
 - real-time observation of lipoplex formation and interaction with anionic bilayer vesicles, Pantazatos, S.P., MacDonald, R.C. 191:99
 - role of GPI-anchored enzyme in liposome detergent-resistance, Morandat, S., Bortolato, M., Roux, B. 191:215
 - the macrolide antibiotic azithromycin interacts with lipids and affects membrane organization and fluidity: studies on Langmuir-Blodgett monolayers, liposomes and J774 macrophages, Tyteca, D., Schanck, A., Dufrêne, Y.F., Deleu, M., Courtoy, P.J., Tulkens, P.M., Mingeot-Leclercq, M.P. 192:203
- 5-Lipoxygenase**
- reactive oxygen species regulate swelling-induced taurine efflux in NIH3T3 mouse fibroblasts, Lambert, I.H. 192:19
- Lith1 locus**
- hepatic canalicular membrane transport of bile salt in C57L/J and AKR/J mice: implications for cholesterol gallstone formation, Hoda, F., Green, R.M. 196:9
- LNCaP prostate cancer cell line**
- regulation of the expression of the prostate-specific antigen by claudin-7, Zheng, J.-Y., Yu, D., Foroohar, M., Ko, E., Chan, J., Kim, N., Chiu, R., Pang, S. 194:187
- Local anesthetic**
- methanethiosulfate modification alters local anesthetic block in rNav1.4 cysteine-substituted mutants S1276C and L1280C, O'Reilly, J.P., Wang, S.Y., Wang, G.K. 193:47
- Low-voltage-activated Ca^{2+} channel**
- monovalent cations contribute to T-type calcium channel ($\text{Ca}_{\text{V}}3.1$ and $\text{Ca}_{\text{V}}3.2$) selectivity, Delisle, B.P., Satin, J. 193:185
- Lung**
- stimulation of transepithelial Na^+ current by extracellular Gd^{3+} in *Xenopus laevis* alveolar epithelium, Fronius, M., Clauss, W., Schnizler, M. 195:43
- Lymphocytes**
- catecholamine-induced regulation in vitro and ex vivo of intralymphocyte ionized magnesium, Delva, P., Pastori, C., Degan, M., Montesi, G., Lechi, A. 199:163
- Lymphoma cells**
- formation of transient non-protein calcium pores by lysophospholipids in S49 lymphoma cells, Wilson-Ashworth, H.A., Judd, A.M., Law, R.M., Freestone, B.D., Taylor, S., Mizukawa, M.K., Cromar, K.R., Sudweeks, S., Bell, J.D. 200:25
- Lysophospholipids**
- formation of transient non-protein calcium pores by lysophospholipids in S49 lymphoma cells, Wilson-Ashworth, H.A., Judd, A.M., Law, R.M., Freestone, B.D., Taylor, S., Mizukawa, M.K., Cromar, K.R., Sudweeks, S., Bell, J.D. 200:25
 - modulation of native TREK-1 and Kv1.4 K^+ channels by polyunsaturated fatty acids and lysophospholipids, Danthi, S., Enyeart, J.A., Enyeart, J.J. 195:147
- Lysosomes**
- trafficking of Na,K -ATPase fused to enhanced green fluorescent protein is mediated by protein kinase A or C, Kristensen, B., Birkeland, S., Jorgensen, P.L. 191:25, 192:73
- Macromolecular permeability**
- transient permeability leak of nuclear envelope induced by aldosterone, Buchholz, I., Enss, K., Schafer, C., Schlune, A., Shahin, V., Oberleithner, H. 199:135
- Macromolecule transport**
- passive transport of macromolecules through *Xenopus laevis* nuclear envelope, Enss, K., Danker, T., Schlune, A., Buchholz, I., Oberleithner, H. 196:147
- Macrophages**
- the macrolide antibiotic azithromycin interacts with lipids and affects membrane organization and fluidity: studies on Langmuir-Blodgett monolayers, liposomes and J774 macrophages, Tyteca, D., Schanck, A., Dufrêne, Y.F., Deleu, M., Courtoy, P.J., Tulkens, P.M., Mingeot-Leclercq, M.P. 192:203
- Madin-Darby canine kidney (MDCK) cells**
- bending the primary cilium opens Ca^{2+} -sensitive intermediate-conductance K^+ channels in MDCK cells, Praetorius, H.A., Frokaier, J., Nielsen, S., Spring, K.R. 191:193
 - kinetics of influenza virus fusion with endosomal and plasma membranes of cultured cells. effect of temperature, Nunes-Correia, I., Nir, S., Pedroso de Lima, M.C. 195:21
 - removal of the MDCK cell primary cilium abolishes flow sensing, Praetorius, H.A., Spring, K.R. 191:69
 - stimulation of Na,K -ATPase by low potassium is dependent on transferrin, Yin, W., Jiang, G., Takeyasu, K., Zhou, X. 193:177
- Madin-Darby canine kidney (MDCK) II cells**
- hepatocyte growth factor/scatter factor stimulates Ca^{2+} -activated membrane K^+ current and migration of MDCK II cells, Jin, M., Defoe, D.M., Wondergem, R. 191:77

- Malaria**
- , the new permeability pathways induced by the malaria parasite in the membrane of the infected erythrocyte: comparison of results using different experimental techniques, Ginsburg, H., Stein, W.D. 197:113
- Manduca sexta**
- , analysis of the properties of *Bacillus thuringiensis* insecticidal toxins using a potential-sensitive fluorescent probe, Kirouac, M., Vachon, V., Rivest, S., Schwartz, J.-L., Laprade, R. 196:51
- Manganese ion**
- , Cu^{2+} , Co^{2+} , and Mn^{2+} modify the gating kinetics of high-voltage-activated Ca^{2+} channels in rat palaeocortical neurons, Castelli, L., Tanzi, F., Taglietti, V., Magistretti, J. 195:121
- Markov model**
- , distributions-per-level: a means of testing level detectors and models of patch-clamp data, Schröder, I., Huth, T., Suitchmezian, V., Jarosik, J., Schnell, S., Hansen, U.P. 197:49
 - , gating models of the anomalous mole-fraction effect of single-channel current in *Chara*, Hansen, U.P., Cakan, O., Abshagen-Kueynecke, M., Farokhi, A. 192:45
 - , optimal-sensitivity analysis of ion channel gating kinetics, Kargol, A., Hosein-Sooklal, A. 199:113
- Mass action kinetic model**
- , kinetics of influenza virus fusion with endosomal and plasma membranes of cultured cells. effect of temperature, Nunes-Correia, I., Nir, S., Pedroso de Lima, M.C. 195:21
- Maxi Cl^- channel**
- , 17 β -estradiol and tamoxifen regulate a maxi-chloride channel from human placenta, Henriquez, M., Riquelme, G. 191:59
- mcCIC-Ka**
- , chloride channels in basolateral TAL membranes. XVIII. phenylglyoxal induces functional mcCIC-Ka activity in basolateral MTAL membranes, Winters, C.J., Andreoli, T.E. 195:63
 - , Cl^- channels in basolateral TAL membranes. XIX. cytosolic Cl^- regulates mmCIC-Ka and mcCIC-Ka channels, Winters, C.J., Mikhailova, M.V., Andreoli, T.E. 195:73
- Megalin**
- , transcobalamin II receptor interacts with megalin in the renal apical brush border membrane, Yammani, R.R., Seetharam, S., Dahms, N.M., Seetharam, B. 193:57
- Melittin**
- , reactive oxygen species regulate swelling-induced taurine efflux in NIH3T3 mouse fibroblasts, Lambert, I.H. 192:19
- Membrane binding**
- , specificity of membrane binding of the neuronal protein NAP-22, Epand, R.F., Maekawa, S., Epand, R.M. 193:171
- Membrane biophysics**
- , the macrolide antibiotic azithromycin interacts with lipids and affects membrane organization and fluidity: studies on Langmuir-Blodgett monolayers, liposomes and J774 macrophages, Tyteca, D., Schanck, A., Dufréne, Y.F., Deleu, M., Courtoy, P.J., Tulkens, P.M., Mingeot-Leclercq, M.P. 192:203
- Membrane capacitance**
- , protein and lipid reactive agents alter outer hair cell lateral membrane motor charge movement, Santos-Sacchi, J., Wu, M. 200:83
- Membrane depolarization**
- , volume-sensitive Cl^- current in bovine adrenocortical cells: comparison with the ACTH-induced Cl^- current, Dupré-Aucourier, S., Penhoat, A., Rougier, O., Bilbaut, A. 199:99
- Membrane excitation**
- , Ca^{2+} dynamics during membrane excitation of green alga *Chara*: Model simulations and experimental data, Wacke, M., Thiel, G., Hütt, M.-T. 191:179
- , K^+ -induced Ca^{2+} conductance responsible for the prolonged backward swimming in K^+ -agitated mutant of *Paramecium caudatum*, Oami, K., Takahashi, M. 195:85
- Membrane fluidity**
- , the macrolide antibiotic azithromycin interacts with lipids and affects membrane organization and fluidity: studies on Langmuir-Blodgett monolayers, liposomes and J774 macrophages, Tyteca, D., Schanck, A., Dufréne, Y.F., Deleu, M., Courtoy, P.J., Tulkens, P.M., Mingeot-Leclercq, M.P. 192:203
- Membrane fusion**
- , fusion, leakage and surface hydrophobicity of vesicles containing phosphoinositides: influence of steric and electrostatic effects, Müller, M., Zschönnig, O., Ohki, S., Arnold, K. 192:33
 - , kinetics of influenza virus fusion with endosomal and plasma membranes of cultured cells. effect of temperature, Nunes-Correia, I., Nir, S., Pedroso de Lima, M.C. 195:21
 - , the energetics of membrane fusion from binding, through hemifusion, pore formation, and pore enlargement, Cohen, F.S., Melikyan, G.B. 199:1
 - , the kinetics of non-lamellar phase formation in DOPE-Me: relevance to biomembrane fusion, Cherezov, V., Siegel, D.P., Shaw, W., Burgess, S.W., Caffrey, M. 195:165
- Membrane mixing**
- , bilayer mixing, fusion, and lysis following the interaction of populations of cationic and anionic phospholipid bilayer vesicles, Pantazatos, D.P., Pantazatos, S.P., MacDonald, R.C. 194:129
- Membrane organization**
- , the macrolide antibiotic azithromycin interacts with lipids and affects membrane organization and fluidity: studies on Langmuir-Blodgett monolayers, liposomes and J774 macrophages, Tyteca, D., Schanck, A., Dufréne, Y.F., Deleu, M., Courtoy, P.J., Tulkens, P.M., Mingeot-Leclercq, M.P. 192:203
- Membrane permeability**
- , the new permeability pathways induced by the malaria parasite in the membrane of the infected erythrocyte: comparison of results using different experimental techniques, Ginsburg, H., Stein, W.D. 197:113
- Membrane pits**
- , identification of caveolae-like structures on the surface of intact cells using scanning force microscopy, Lucius, H., Friedrichson, T., Kurzchalia, T.V., Lewin, G.R. 194:97
- Membrane pores**
- , formation of transient non-protein calcium pores by lysophospholipids in S49 lymphoma cells, Wilson-Ashworth, H.A., Judd, A.M., Law, R.M., Freestone, B.D., Taylor, S., Mizukawa, M.K., Cromar, K.R., Sudweeks, S., Bell, J.D. 200:25
- Membrane potential**
- , analysis of the properties of *Bacillus thuringiensis* insecticidal toxins using a potential-sensitive fluorescent probe, Kirouac, M., Vachon, V., Rivest, S., Schwartz, J.-L., Laprade, R. 196:51
 - , thyroid hormones affect the membrane dipolar organization. is it a general event in their non-genomic action? Isse, B., Fidelio, G., Farías, R.N. 191:209
- Membrane potential difference**
- , bending the primary cilium opens Ca^{2+} -sensitive intermediate-conductance K^+ channels in MDCK cells, Praetorius, H.A., Frokiaer, J., Nielsen, S., Spring, K.R. 191:193
- Membrane protein folding**
- , understanding the biogenesis of polytopic integral membrane proteins, Turner, R.J. 192:149
- Membrane segregation**
- , membrane cholesterol regulates smooth muscle phasic contraction, Babiychuk, E.B., Smith, R.D., Burdyga, T., Babiychuk, V.S., Wray, S., Draeger, A. 198:95

- Membrane surface**
- , new EPR method for cellular surface characterization, Štrancar, J., Schara, M., Pečar, S. 193:15
- Membrane tracers**
- , the macrolide antibiotic azithromycin interacts with lipids and affects membrane organization and fluidity: studies on Langmuir-Blodgett monolayers, liposomes and J774 macrophages, Tyteca, D., Schanck, A., Dufrêne, Y.F., Deleu, M., Courtoy, P.J., Tulkens, P.M., Mingeot-Leclercq, M.P. 192:203
- Menkes disease**
- , function and regulation of the mammalian copper-transporting ATPases: Insights from biochemical and cell biological approaches, Lutsenko, S., Petris, M.J. 191:1
- Metal binding site**
- , identification of ion-selectivity determinants in heavy-metal transport P_{1B} -type ATPase, Argüello, J.M. 195:93
- Metal transport**
- , modulation of DMT1 activity by redox compounds, Marciani, P., Trott, D., Hediger, M.A., Monticelli, G. 197:91
- Metastasis**
- , physiological and pathological roles of $\alpha 3\beta 1$ integrin, Tsuji, T. 200:115
- Methanethiosulfonate (MTS)**
- , methanethiosulfate modification alters local anesthetic block in rNav1.4 cysteine-substituted mutants S1276C and L1280C, O'Reilly, J.P., Wang, S.Y., Wang, G.K. 193:47
- Mg-ATPase**
- , differential effect of $\omega 3$ PUFA supplementations on Na,K-ATPase and Mg-ATPase activities: possible role of the membrane $\omega 6/\omega 3$ ratio, Djemli-Schipkoly, A., Raccah, D., Pieroni, G., Vague, P., Coste, T.C., Gerbi, A. 191:37
- Mitochondrial ATP-regulated K channel**
- , quinine inhibits mitochondrial ATP-regulated potassium channel from bovine heart, Bednarczyk, P., Kicińska, A., Kominkova, V., Ondrias, K., Dolowy, K., Szewczyk, A. 199:63
- Mitochondrial calcium uniporter**
- , cardiolipin regulates the activity of the reconstituted mitochondrial calcium uniporter by modifying the structure of the liposome bilayer, Zazueta, C., Ramírez, J., García, N., Baeza, I. 191:113
- Mitochondrial membrane potential**
- , binding and release of cytochrome c in brain mitochondria is influenced by membrane potential and hydrophobic interactions with cardiolipin, Piccotti, L., Buratta, M., Giannini, S., Gresele, P., Roberti, R., Corazzi, L. 198:43
- Mitogen-activated protein kinase (MAPK)**
- , ouabain binding to Na^+, K^+ -ATPase relaxes cell attachment and sends a specific signal (NACos) to the nucleus, Contreras, R.G., Flores-Maldonado, C., Lázaro, A., Shoshani, L., Flores-Benitez, D., Larré, I., Cereijido, M. 198:147
- Mitogen-activated protein kinase (MAPK) activity**
- , hypertonicity-induced p38MAPK activation elicits recovery of corneal epithelial cell volume and layer integrity, Bildin, V.N., Wang, Z., Iserovich, P., Reinach, P.S. 193:1
- Mitogenesis**
- , modulation of rabbit corneal epithelial cell proliferation by growth factor-regulated K^+ channel activity, Roderick, C., Reinach, P.S., Wang, L., Lu, L. 196:41
- mmCIC-Ka**
- , chloride channels in basolateral TAL membranes. XVIII. phenylglyoxal induces functional mmCIC-Ka activity in basolateral MTAL membranes, Winters, C.J., Andreoli, T.E. 195:63
 - , Cl^- channels in basolateral TAL membranes. XIX. cytosolic Cl^- regulates mmCIC-Ka and mcCIC-Ka channels, Winters, C.J., Mikhailova, M.V., Andreoli, T.E. 195:73
- MNKP**
- , function and regulation of the mammalian copper-transporting ATPases: Insights from biochemical and cell biological approaches, Lutsenko, S., Petris, M.J. 191:1
- Model discrimination**
- , distributions-per-level: a means of testing level detectors and models of patch-clamp data, Schröder, I., Huth, T., Suitchmezian, V., Jarosik, J., Schnell, S., Hansen, U.P. 197:49
- Model simulation**
- , Ca^{2+} dynamics during membrane excitation of green alga *Chara*: Model simulations and experimental data, Wacke, M., Thiel, G., Hütt, M.-T. 191:179
- Molecular evolution**
- , P-type ATPases in *Caenorhabditis* and *Drosophila*: implications for evolution of the P-type ATPase subunit families with special reference to the Na,K-ATPase and H,K-ATPase subgroup, Okamura, H., Yasuhara, J.C., Fambrough, D.M., Takeyasu, K. 191:13
- Monovalent cations**
- , monovalent cations contribute to T-type calcium channel ($CaV3.1$ and $CaV3.2$) selectivity, Delisle, B.P., Satin, J. 193:185
- Motor protein**
- , protein and lipid reactive agents alter outer hair cell lateral membrane motor charge movement, Santos-Sacchi, J., Wu, M. 200:83
- Mouse collecting duct (M1) cells**
- , control of epithelial ion transport by Cl^- and PDZ proteins, Schreiber, R., Boucherot, A., Mürl, B., Sun, J., Kunzelmann, K. 199:85
- Mouse erythrocytes**
- , pivotal role of reduced glutathione in oxygen-induced regulation of the Na^+/K^+ pump in mouse erythrocyte membranes, Bogdanova, A.Y., Ogunshola, O.O., Bauer, C., Gassmann, M. 195:33
- Mouse kidney**
- , a hypertonicity-activated nonselective conductance in single proximal tubule cells isolated from mouse kidney, Balloch, K.J.D., Hartley, J.A., Millar, I.D., Kibble, J.D., Robson, L. 192:191
 - , use of knock-out mouse models for the study of renal ion channels, Barrière, H., Tauc, M., Poujeol, P. 198:113
- Mouse MTAL cells**
- , chloride channels in basolateral TAL membranes. XVIII. phenylglyoxal induces functional mcCIC-Ka activity in basolateral MTAL membranes, Winters, C.J., Andreoli, T.E. 195:63
 - , Cl^- channels in basolateral TAL membranes. XIX. cytosolic Cl^- regulates mmCIC-Ka and mcCIC-Ka channels, Winters, C.J., Mikhailova, M.V., Andreoli, T.E. 195:73
- Mouse pancreatic β cells**
- , muscarinic agonists activate Ca^{2+} store-operated and-independent ionic currents in insulin-secreting HIT-T15 cells and mouse pancreatic β -cells, Mears, D., Zimliki, C.L. 197:59
- Mouse renal proximal tubules**
- , swelling-activated chloride and potassium conductance in primary cultures of mouse proximal tubules. Implication of KCNE1 protein, Barrière, H., Rubera, I., Belfodil, R., Tauc, M., Tonnerieux, N., Poujeol, C., Barhanin, J., Poujeol, P. 193:153
- MTAL membranes**
- , chloride channels in basolateral TAL membranes. XVIII. phenylglyoxal induces functional mcCIC-Ka activity in basolateral MTAL membranes, Winters, C.J., Andreoli, T.E. 195:63
 - , Cl^- channels in basolateral TAL membranes. XIX. cytosolic Cl^- regulates mmCIC-Ka and mcCIC-Ka channels, Winters, C.J., Mikhailova, M.V., Andreoli, T.E. 195:73

Mucopolysaccharides

- , structural peculiarities dominate the turgor pressure response of the marine alga *Valonia utricularis* upon osmotic challenges, Heidecker, M., Mimietz, S., Wegner, L.H., Zimmermann, U. 192:123

Multidrug resistance protein 1 (MRP1)

- , the role of multidrug resistance protein (MRP1) in transport of fluorescent anions across the human erythrocyte membrane, Rychlik, B., Balcerzyk, A., Klimczak, A., Bartosz, G. 193:79

Muscarinic receptor agonist

- , muscarinic agonists activate Ca^{2+} store-operated and -independent ionic currents in insulin-secreting HIT-T15 cells and mouse pancreatic β -cells, Mears, D., Zimliki, C.L. 197:59

Mutagenesis

- , control of H^+ /lactose coupling by ionic interactions in the lactose permease of *Escherichia coli*, Johnson, J.L., Brooker, R.J. 198:135

Mycobacterium

- , phagosome maturation: a few bugs in the system, Scott, C.C., Botelho, R.J., Grinstein, S. 193:137

Myristylation

- , specificity of membrane binding of the neuronal protein NAP-22, Epand, R.F., Maekawa, S., Epand, R.M. 193:171

N-bromosuccinimide (NBS)

- , chemical and photochemical modification of colicin E1 and gramicidin A in bilayer lipid membranes, Sobko, A.A., Viginina, M.A., Rokitskaya, T.I., Kotova, E.A., Zakharov, S.D., Cramer, W.A., Antonenko, Y.N. 199:51

Na/K pump

- , trafficking of Na,K-ATPase fused to enhanced green fluorescent protein is mediated by protein kinase A or C, Kristensen, B., Birkelund, S., Jorgensen, P.L. 191:25, 192:73

Na/K-ATPase

- , differential effect of ω 3 PUFA supplementations on Na,K-ATPase and Mg-ATPase activities: possible role of the membrane ω 6/ ω 3 ratio, Djemli-Shipkolye, A., Raccah, D., Pieroni, G., Vague, P., Coste, T.C., Gerbi, A. 191:37
- , photodynamic inactivation of the Na,K-ATPase occurs via different pathways, Killig, F., Stark, G., Apell, H.-J. 200:133
- , P-type ATPases in *Caenorhabditis* and *Drosophila*: implications for evolution of the P-type ATPase subunit families with special reference to the Na,K-ATPase and H,K-ATPase sub-group, Okamura, H., Yasuhara, J.C., Fambrough, D.M., Takeyasu, K. 191:13
- , trafficking of Na,K-ATPase fused to enhanced green fluorescent protein is mediated by protein kinase A or C, Kristensen, B., Birkelund, S., Jorgensen, P.L. 191:25, 192:73

Na/K-ATPase stimulation

- , stimulation of Na,K-ATPase by low potassium is dependent on transferrin, Yin, W., Jiang, G., Takeyasu, K., Zhou, X. 193:177

Na/P_i cotransporter type IIb

- , expression of the Na/P_i-cotransporter type IIb in Sf9 cells: functional characterization and purification, Radanovic, T., Murer, H., Biber, J. 194:91

Na⁺/Ca²⁺ exchange

- , mechanisms of Na⁺-Ca²⁺ exchange inhibition by amphiphiles in cardiac myocytes: importance of transbilayer movement, Keller, M., Pignier, C., Niggli, E., Egger, M. 198:159

Na⁺/Ca²⁺ exchanger

- , activation of apical K⁺ conductances by muscarinic receptor stimulation in rat distal colon: fast and slow components, Schultheiss, G., Ribeiro, R., Schäfer, K.H., Diener, M. 195:183

Na⁺/D-glucose cotransporter (SGLT1)

- , downregulation of the Na⁺-D-glucose cotransporter (SGLT1) by protein RS1 (RSC1A1) is dependent on dynamin and

protein kinase C, Veyhl, M., Wagner, C.A., Gorboulev, V., Schmitt, B.M., Lang, F., Koepsell, H. 196:71

-, kinetic mechanism of Na⁺ - glucose cotransport through the rabbit intestinal SGLT1 protein, Berteloot, A. 192:89

Na⁺/H⁺ exchanger isoform 3 (NHE3)

-, two histidine residues in the juxta-membrane cytoplasmic domain of Na⁺/H⁺ exchanger isoform 3 (NHE3) determine the set point, Cha, B., Oh, S., Shammugaratnam, J., Donowitz, M., Yun, C.C. 191:49

Na⁺/H⁺ exchanger regulator factor (NHERF)

-, control of epithelial ion transport by Cl⁻ and PDZ proteins, Schreiber, R., Boucherot, A., Mürle, B., Sun, J., Kunzelmann, K. 199:85

-, structural insights into the CFTR-NHERF interaction, Ladis, J.A.A. 192:79

Na⁺/H⁺ exchangers (NHE1-NHE3)

-, functional characterization of Na⁺/H⁺ exchangers in primary cultures of prairie dog gallbladder, Narins, S.C., Park, E.H., Ramakrishnan, R., Garcia, F.U., Diven, J.N., Balin, B.J., Hammond, C.J., Sodam, B.R., Smith, P.R., Abedin, M.Z. 197:123

Na⁺/HCO₃⁻ cotransporter

-, regulation of renal Na⁺/HCO₃⁻ cotransporter stimulation by CO₂: role of phosphorylation, exocytosis and protein synthesis, Espiritu, D.J.D., Yang, V.L., Bernardo, A.A., Arruda, J.A.L. 199:39

Na⁺/K⁺-ATPase

-, effect of extracellular pH on presteady-state and steady-state current mediated by the Na⁺/K⁺ pump, Vasilyev, A., Khater, K., Rakowski, R.F. 198:65

-, effects of palytoxin on cation occlusion and phosphorylation of the (Na⁺,K⁺)-ATPase, Tosteson, M.T., Thomas, J., Arnaudottir, J., Tosteson, D.C. 192:181

Na⁺/K⁺ pump

-, pivotal role of reduced glutathione in oxygen-induced regulation of the Na⁺/K⁺ pump in mouse erythrocyte membranes, Bogdanova, A.Y., Ogunshola, O.O., Bauer, C., Gassmann, M. 195:33

-, the resting potential of mouse Leydig cells: role of an electrogenic Na⁺/K⁺ pump, del Corso, C., Varanda, W.A. 191:123

Na⁺/NCO₃⁻ cotransporter (NBC)

-, the role of phosphatidylinositol 3-kinase (PI3 K) in CO₂ stimulation of the Na⁺/HCO₃⁻ cotransporter (NBC), Bernardo, A.A., Espiritu, D.J.D., Ruiz, O.S., Robey, R.B., Arruda, J.A.L. 191:141

NACos

-, ouabain binding to Na⁺,K⁺-ATPase relaxes cell attachment and sends a specific signal (NACos) to the nucleus, Contreras, R.G., Flores-Maldonado, C., Lázaro, A., Shoshani, L., Flores-Benitez, D., Larré, I., Cereijido, M. 198:147

NAP-22

-, specificity of membrane binding of the neuronal protein NAP-22, Epand, R.F., Maekawa, S., Epand, R.M. 193:171

Na_{v1.4} and Na_{v1.5}

-, channel activation voltage alone is directly altered in an isoform-specific manner by Na_{v1.4} and Na_{v1.5} cytoplasmic linkers, Bennett, E.S. 197:155

NB protein

-, an amino-acid substitution in the influenza-B NB protein affects ion-channel gating, Premkumar, A., Ewart, G.D., Cox, G.B., Gage, P.W. 197:135

NBC1 structure

-, molecular mechanisms of electrogenic sodium bicarbonate cotransport: structural and equilibrium thermodynamic considerations, Kurtz, I., Petrasek, D., Tatishchev, S. 197:77

- Nernst-Planck analysis**
- , electrostatic influence on ion transport through the α HL channel, Misakian, M., Kasianowicz, J.J. 195:137
- Neurodegenerative diseases**
- , copper modulation of ion channels of PrP[106-126] mutant prion peptide fragments, Kourie, J.I., Kenna, B.L., Tew, D., Jobling, M.F., Curtain, C.C., Masters, C.L., Barnham, K.J., Cappai, R. 193:35
- Neuroendocrine tumor BON cells**
- , R-type Ca^{2+} -channel activity is associated with chromogranin A secretion in human neuroendocrine tumor BON cells, Mergler, S., Wiedenmann, B., Prada, J. 194:177
- Neurospora crassa***
- , gadolinium effects on gigaseal formation and the adhesive properties of a fungal amoeboid cell, the *Slime* mutant of *Neurospora crassa*, Dunina-Barkovskaya, A.Y., Levina, N.N., Lew, R.R., Heath, I.B. 198:77
- Neurotoxic channel conformations**
- , copper modulation of ion channels of PrP[106-126] mutant prion peptide fragments, Kourie, J.I., Kenna, B.L., Tew, D., Jobling, M.F., Curtain, C.C., Masters, C.L., Barnham, K.J., Cappai, R. 193:35
- New permeability pathway**
- , the new permeability pathways induced by the malaria parasite in the membrane of the infected erythrocyte: comparison of results using different experimental techniques, Ginsburg, H., Stein, W.D. 197:113
- Nickel ion**
- , external Ni^{2+} and ENaC in A6 cells: Na^+ current stimulation by competition at a binding site for amiloride and Na^+ , Cucu, D., Simaels, J., Van Driessche, W., Zeiske, W. 194:33
- Nicotiana tabacum L.***
- , sucrose transport into plasma membrane vesicles from tobacco leaves by H^+ symport or counter exchange does not display a linear component, Borstlap, A.C., Schuurmans, J.A.M.J. 198:31
- Nifedipine**
- , R-type Ca^{2+} -channel activity is associated with chromogranin A secretion in human neuroendocrine tumor BON cells, Mergler, S., Wiedenmann, B., Prada, J. 194:177
- NIH3T3 fibroblasts**
- , reactive oxygen species regulate swelling-induced taurine efflux in NIH3T3 mouse fibroblasts, Lambert, I.H. 192:19
- Ni-NTA affinity chromatography**
- , expression of the Na/Pi -cotransporter type IIb in Sf9 cells: functional characterization and purification, Radanovic, T., Murer, H., Biber, J. 194:91
- Nitrobenzylmercaptopurine ribonucleoside (NBMPR)**
- , coupling of CFTR-mediated anion secretion to nucleoside transporters and adenosine homeostasis in Calu-3 cells, Szkotak, A.J., Ng, A.M.L., Man, S.F.P., Baldwin, S.A., Cass, C.E., Young, J.D., Duszyk, M. 192:169
- p-Nitrophenylphosphatase**
- , effects of palytoxin on cation occlusion and phosphorylation of the $(\text{Na}^+, \text{K}^+)$ -ATPase, Tosteson, M.T., Thomas, J., Arnadottir, J., Tosteson, D.C. 192:181
- NK₄-M2GlyR peptide**
- , expression of an artificial Cl^- channel in microperfused renal proximal tubules, Matsumoto, N., Tsuruoka, S., Iwamoto, T., Tomich, J.M., Ito, K., Imai, M., Suzuki, M. 193:195
- Noise analysis**
- , external Ni^{2+} and ENaC in A6 cells: Na^+ current stimulation by competition at a binding site for amiloride and Na^+ , Cucu, D., Simaels, J., Van Driessche, W., Zeiske, W. 194:33
- Nonequilibrium response spectroscopy**
- , optimal-sensitivity analysis of ion channel gating kinetics, Kargol, A., Hosein-Sooklal, A. 199:113
- Nongenomic mechanism**
- , thyroid hormones affect the membrane dipolar organization. is it a general event in their non-genomic action? Isse, B., Fidelio, G., Farias, R.N. 191:209
- Nonselective conductance**
- , a hypertonicity-activated nonselective conductance in single proximal tubule cells isolated from mouse kidney, Balloch, K.J.D., Hartley, J.A., Millar, I.D., Kibble, J.D., Robson, L. 192:191
- Nonselective voltage-dependent cation channel**
- , the human red cell voltage-regulated cation channel. the interplay with the chloride conductance, the Ca^{2+} -activated K^+ channel and the Ca^{2+} pump, Bennekou, P., Kristensen, B.I., Christoffersen, P. 195:1
- Norepinephrine**
- , catecholamine-induced regulation in vitro and ex vivo of intralymphocyte ionized magnesium, Delva, P., Pastori, C., Degan, M., Montesi, G., Lechi, A. 199:163
- NPPB**
- , inhibition of the endogenous volume-regulated anion channel (VRAC) in HEK293 cells by acidic di-aryl-ureas, Hélix, N., Strøbaek, D., Dahl, B.H., Christoffersen, P. 196:83
- NrtA**
- , transinhibition and voltage-gating in a fungal nitrate transporter, Boyd, J., Gradmann, D., Boyd, C.M. 195:109
- NS004**
- , comparative pharmacology of the activity of wild-type and G551D mutated CFTR chloride channel: effect of the benzimidazolone derivative NS004, Dérand, R., Bulteau-Pignoux, L., Becq, F. 194:109
 - , identification of caveolae-like structures on the surface of intact cells using scanning force microscopy, Lucius, H., Friedrichson, T., Kurzchalia, T.V., Lewin, G.R. 194:97
- Nuclear envelope**
- , nuclear envelope: nanoarray responsive to aldosterone, Oberleithner, H. 199:127
 - , transient permeability leak of nuclear envelope induced by aldosterone, Buchholz, I., Enss, K., Schafer, C., Schlune, A., Shahin, V., Oberleithner, H. 199:135
- Nuclear pore complex**
- , intracellular calcium: a prerequisite for aldosterone action, Schäfer, C., Shahin, V., Albermann, L., Schillers, H., Hug, M.J., Oberleithner, H. 196:157
 - , passive transport of macromolecules through *Xenopus laevis* nuclear envelope, Enss, K., Danker, T., Schlune, A., Buchholz, I., Oberleithner, H. 196:147
- Nuclear pore complex permeability**
- , transient permeability leak of nuclear envelope induced by aldosterone, Buchholz, I., Enss, K., Schafer, C., Schlune, A., Shahin, V., Oberleithner, H. 199:135
- Nuclear pores**
- , nuclear envelope: nanoarray responsive to aldosterone, Oberleithner, H. 199:127
- Nucleoside transport**
- , coupling of CFTR-mediated anion secretion to nucleoside transporters and adenosine homeostasis in Calu-3 cells, Szkołak, A.J., Ng, A.M.L., Man, S.F.P., Baldwin, S.A., Cass, C.E., Young, J.D., Duszyk, M. 192:169
- Nucleotide receptors**
- , negative regulation of CFTR activity by extracellular ATP involves P2Y2 receptors in CFTR-expressing CHO cells, Marcket, B., Chappe, V., Delmas, P., Gola, M., Verrier, B. 194:21
- Nucleus signaling**
- , ouabain binding to Na^+, K^+ -ATPase relaxes cell attachment and sends a specific signal (NACos) to the nucleus, Contreras,

- R.G., Flores-Maldonado, C., Lázaro, A., Shoshani, L., Flores-Benitez, D., Larré, I., Cereijido, M. 198:147
- O* ethylphosphatidylcholine (EDOPC)
- , bilayer mixing, fusion, and lysis following the interaction of populations of cationic and anionic phospholipid bilayer vesicles, Pantazatos, D.P., Pantazatos, S.P., MacDonald, R.C. 194:129
 - , real-time observation of lipoplex formation and interaction with anionic bilayer vesicles, Pantazatos, S.P., MacDonald, R.C. 191:99
- Occludins
- , sequence and phylogenetic analyses of 4 TMS junctional proteins of animals: connexins, innexins, claudins, and occludins, Hua, V.B., Chang, A.B., Tchieu, J.H., Kumar, N.M., Nielsen, P.A., Saier, P.A., Jr. 194:59
- Oleic acid
- , suppression of calcium sparks in rat ventricular myocytes and direct inhibition of sheep cardiac RyR channels by EPA, DHA and oleic acid, Honen, B.N., Saint, D.A., Laver, D.R. 196:95
- Oligomers
- , organization of Golgi glycosyltransferases in membranes: complexity via complexes, Young, W.W., Jr. 198:1
- $\omega 3$ polyunsaturated fatty acids (PUFA)
- , differential effect of $\omega 3$ PUFA supplementations on Na,K-ATPase and Mg-ATPase activities: possible role of the membrane $\omega 6/\omega 3$ ratio, Djemli-Shipkolye, A., Raccah, D., Pieroni, G., Vague, P., Coste, T.C., Gerbi, A. 191:37
- $\omega 6/\omega 3$ ratio
- , differential effect of $\omega 3$ PUFA supplementations on Na,K-ATPase and Mg-ATPase activities: possible role of the membrane $\omega 6/\omega 3$ ratio, Djemli-Shipkolye, A., Raccah, D., Pieroni, G., Vague, P., Coste, T.C., Gerbi, A. 191:37
- Oocyte development
- , passive transport of macromolecules through *Xenopus laevis* nuclear envelope, Enss, K., Danker, T., Schlune, A., Buchholz, I., Oberleithner, H. 196:147
- Open channel blocker
- , steady-state interactions of glibenclamide with CFTR: evidence for multiple sites in the pore, Zhang, Z.-R., Zeltwanger, S., McCarty, N.A. 199:15
- Organic cation transport
- , downregulation of the Na⁺-D-glucose cotransporter (SGLT1) by protein RS1 (RSC1A1) is dependent on dynamin and protein kinase C, Veyhl, M., Wagner, C.A., Gorboulev, V., Schmitt, B.M., Lang, F., Koepsell, H. 196:71
- Organogenesis
- , physiological and pathological roles of $\alpha 3\beta 1$ integrin, Tsuji, T. 200:115
- Osmosensors
- , What are aquaporins for? Hill, A.E., Shachar-Hill, B., Shachar-Hill, Y. 197:1
- Osmotic pressure
- , What are aquaporins for? Hill, A.E., Shachar-Hill, B., Shachar-Hill, Y. 197:1
- Osmotic stress
- , effects of purinergic stimulation, CFTR and osmotic stress on amiloride-sensitive Na⁺ transport in epithelia and *Xenopus* oocytes, Schreiber, R., König, J., Sun, J., Markovich, D., Kunzelmann, K. 192:101
 - , intracellular delivery of carbohydrates into mammalian cells through swelling-activated pathways, Reuss, R., Ludwig, J., Shirakashi, R., Ehrhart, F., Zimmermann, H., Schneider, S., Weber, M.M., Zimmermann, U., Schneider, H., Sukhorukov, V.L. 200:67
 - , osmotic stress alters the intracellular distribution of non-erythrocytic spectrin (fodrin) in bovine aortic endothelial cells, Sun, A.C., Levitan, I. 192:9
- , structural peculiarities dominate the turgor pressure response of the marine alga *Valonia utricularis* upon osmotic challenges, Heidecker, M., Mimietz, S., Wegner, L.H., Zimmermann, U. 192:123
- , swelling-activated chloride and potassium conductance in primary cultures of mouse proximal tubules. Implication of KCNE1 protein, Barrière, H., Rubera, I., Belfodil, R., Tauc, M., Tonnerieux, N., Poujeol, C., Barhanin, J., Poujeol, P. 193:153
- Ouabain binding
- , ouabain binding to Na⁺,K⁺-ATPase relaxes cell attachment and sends a specific signal (NACos) to the nucleus, Contreras, R.G., Flores-Maldonado, C., Lázaro, A., Shoshani, L., Flores-Benitez, D., Larré, I., Cereijido, M. 198:147
 - , P-type ATPases in *Caenorhabditis* and *Drosophila*: implications for evolution of the P-type ATPase subunit families with special reference to the Na,K-ATPase and H,K-ATPase subgroup, Okamura, H., Yasuhara, J.C., Fambrough, D.M., Takeyasu, K. 191:13
- Outer hair cells
- , protein and lipid reactive agents alter outer hair cell lateral membrane motor charge movement, Santos-Sacchi, J., Wu, M. 200:83
- Oxidative stress
- , modulation of DMT1 activity by redox compounds, Marciani, P., Trott, D., Hediger, M.A., Monticelli, G. 197:91
- P-type ATPase
- , identification of ion-selectivity determinants in heavy-metal transport P_{1B}-type ATPase, Argüello, J.M. 195:93
 - , P-type ATPases in *Caenorhabditis* and *Drosophila*: implications for evolution of the P-type ATPase subunit families with special reference to the Na,K-ATPase and H,K-ATPase subgroup, Okamura, H., Yasuhara, J.C., Fambrough, D.M., Takeyasu, K. 191:13
- Palmitoyl-lysophosphatidylcholine
- , formation of transient non-protein calcium pores by lysophospholipids in S49 lymphoma cells, Wilson-Ashworth, H.A., Judd, A.M., Law, R.M., Freestone, B.D., Taylor, S., Mizukawa, M.K., Cromar, K.R., Sudweeks, S., Bell, J.D. 200:25
- Palytoxin
- , effects of palytoxin on cation occlusion and phosphorylation of the (Na⁺,K⁺)-ATPase, Tosteson, M.T., Thomas, J., Aranadottir, J., Tosteson, D.C. 192:181
- Paracellular permeability
- , the cytoplasmic tails of claudins can influence tight junction barrier properties through effects on protein stability, Van Itallie, C.M., Colegio, O.R., Anderson, J.M. 199:29
- Paramecium caudatum* mutant
- , K⁺-induced Ca²⁺ conductance responsible for the prolonged backward swimming in K⁺-agitated mutant of *Paramecium caudatum*, Oami, K., Takahashi, M. 195:85
- Paramecium primaurelia*
- , temperature-induced change of variant surface antigen expression in *Paramecium* involves antigen release into the culture medium with considerable delay between transcription and surface expression, Momayezi, M., Albrecht, P., Plattner, H., Schmidt, H.J. 200:15
- Patch clamp
- , Ca²⁺-activated nonselective cation channels in rat neonatal atrial myocytes, Zhainazarov, A.B. 193:91
 - , characterization of whole-cell K⁺ currents across the plasma membrane of pollen grain and tube protoplasts of *Lilium longiflorum*, Griessner, M., Obermeyer, G. 193:99
 - , Cu²⁺, Co²⁺, and Mn²⁺ modify the gating kinetics of high-voltage-activated Ca²⁺ channels in rat palaeocortical neurons, Castelli, L., Tanzi, F., Taglietti, V., Magistretti, J. 195:121

- distributions-per-level: a means of testing level detectors and models of patch-clamp data, Schröder, I., Huth, T., Suitchmezian, V., Jarosik, J., Schnell, S., Hansen, U.P. 197:49
- effects of chronic hypoxia on inward rectifier K⁺ current (I_{K1}) in ventricular myocytes of crucian carp (*Carassius carassius*) heart, Paajanen, V., Vornanen, M. 194:119
- stimulation of transepithelial Na⁺ current by extracellular Gd³⁺ in *Xenopus laevis* alveolar epithelium, Fronius, M., Clauss, W., Schnizler, M. 195:43
- Patch-clamp electrophysiology
 - hepatocyte growth factor/scatter factor stimulates Ca²⁺-activated membrane K⁺ current and migration of MDCK II cells, Jin, M., Defoe, D.M., Wondergem, R. 191:77
- PDZ domain
 - control of epithelial ion transport by Cl⁻ and PDZ proteins, Schreiber, R., Boucherot, A., Mürlle, B., Sun, J., Kunzelmann, K. 199:85
- Peptides
 - architecture of the Alzheimer's A β P ion channel pore, Arispe, N. 197:33
- Perinuclear Ca²⁺ store
 - passive transport of macromolecules through *Xenopus laevis* nuclear envelope, Enss, K., Danker, T., Schlune, A., Buchholz, I., Oberleithner, H. 196:147
- Permeability
 - Ca²⁺-activated nonselective cation channels in rat neonatal atrial myocytes, Zhainazarov, A.B. 193:91
 - liposome-entrapped polymerases as models for microscale/nanoscale bioreactors, Monnard, P.-A. 191:87
 - monovalent cations contribute to T-type calcium channel (Ca_V3.1 and Ca_V3.2) selectivity, Delisle, B.P., Satin, J. 193:185
 - passive transport of macromolecules through *Xenopus laevis* nuclear envelope, Enss, K., Danker, T., Schlune, A., Buchholz, I., Oberleithner, H. 196:147
 - the new permeability pathways induced by the malaria parasite in the membrane of the infected erythrocyte: comparison of results using different experimental techniques, Ginsburg, H., Stein, W.D. 197:113
 - What are aquaporins for? Hill, A.E., Shachar-Hill, B., Shachar-Hill, Y. 197:1
- Permeant anions
 - permeant anions control gating of calcium-dependent chloride channels, Perez-Cornejo, P., De Santiago, J.A., Arreola, J. 198:125
- pH sensitivity
 - a threonine residue (Thr71) at the intracellular end of the M1 helix plays a critical role in the gating of Kir6.2 channels by intracellular ATP and protons, Cui, N., Wu, J., Xu, H., Wang, R., Rojas, A., Piao, H., Mao, J., Abdulkadir, L., Li, L., Jiang, C. 192:111
- pH sensor
 - two histidine residues in the juxta-membrane cytoplasmic domain of Na⁺/H⁺ exchanger isoform 3 (NHE3) determine the set point, Cha, B., Oh, S., Shanmugaratnam, J., Donowitz, M., Yun, C.C. 191:49
- Phagosome
 - phagosome maturation: a few bugs in the system, Scott, C.C., Botelho, R.J., Grinstein, S. 193:137
- Pharmacological properties
 - characterization of a functionally expressed stretch-activated BKca channel cloned from chick ventricular myocytes, Tang, Q.Y., Qi, Z., Naruse, K., Sokabe, M. 196:185
- Phase formation
 - the kinetics of non-lamellar phase formation in DOPE-Me: relevance to biomembrane fusion, Cherezov, V., Siegel, D.P., Shaw, W., Burgess, S.W., Caffrey, M. 195:165
- Phenylglyoxal
 - chloride channels in basolateral TAL membranes. XVIII. phenylglyoxal induces functional mClC-Ka activity in basolateral MTAL membranes, Winters, C.J., Andreoli, T.E. 195:63
- Phloem loading and unloading
 - sucrose transport into plasma membrane vesicles from tobacco leaves by H⁺ symport or counter exchange does not display a linear component, Borstlap, A.C., Schuurmans, J.A.M.J. 198:31
- Phosphatidylcholine
 - specificity of membrane binding of the neuronal protein NAP-22, Epand, R.F., Maekawa, S., Epand, R.M. 193:171
- Phosphatidylethanolamine
 - specificity of membrane binding of the neuronal protein NAP-22, Epand, R.F., Maekawa, S., Epand, R.M. 193:171
- Phosphatidylinositol-3-kinase (PI3K)
 - the role of phosphatidylinositol 3-kinase (PI3K) in CO₂ stimulation of the Na⁺/HCO₃⁻ cotransporter (NBC), Bernardo, A.A., Espiritu, D.J.D., Ruiz, O.S., Robey, R.B., Arruda, J.A.L. 191:141
- Phosphatidylinositol-4,5-bisphosphate (PI4,5P₂)
 - phosphatidylinositol phosphate kinases put PI4,5P₂ in its place, Doughman, R.L., Firestone, A.J., Anderson, R.A. 194:77
- Phosphatidylinositol phosphate kinases
 - phosphatidylinositol phosphate kinases put PI4,5P₂ in its place, Doughman, R.L., Firestone, A.J., Anderson, R.A. 194:77
- Phosphatidylserine
 - specificity of membrane binding of the neuronal protein NAP-22, Epand, R.F., Maekawa, S., Epand, R.M. 193:171
- Phosphoinositides
 - fusion, leakage and surface hydrophobicity of vesicles containing phosphoinositides: influence of steric and electrostatic effects, Müller, M., Zschörring, O., Ohki, S., Arnold, K. 192:33
 - phagosome maturation: a few bugs in the system, Scott, C.C., Botelho, R.J., Grinstein, S. 193:137
- Phospholamban
 - the mechanics of calcium transport, Young, H.S., Stokes, D.L. 198:55
- Phospholipase A₂
 - reactive oxygen species regulate swelling-induced taurine efflux in NIH3T3 mouse fibroblasts, Lambert, I.H. 192:19
- Phosphorylation
 - comparative pharmacology of the activity of wild-type and G551D mutated CFTR chloride channel: effect of the benzimidazolone derivative NS004, Dérand, R., Bulteau-Pignoux, L., Becq, F. 194:109
 - effects of palytoxin on cation occlusion and phosphorylation of the (Na⁺,K⁺)-ATPase, Tosteson, M.T., Thomas, J., Arnadottir, J., Tosteson, D.C. 192:181
 - identification of caveolae-like structures on the surface of intact cells using scanning force microscopy, Lucius, H., Friedrichson, T., Kurzchalia, T.V., Lewin, G.R. 194:97
 - phosphatidylinositol phosphate kinases put PI4,5P₂ in its place, Doughman, R.L., Firestone, A.J., Anderson, R.A. 194:77
 - regulation of renal Na⁺/HCO₃⁻ cotransporter stimulation by CO₂: role of phosphorylation, exocytosis and protein synthesis, Espiritu, D.J.D., Yang, V.L., Bernardo, A.A., Arruda, J.A.L. 199:39
- Photodynamic inactivation
 - photodynamic inactivation of the Na,K-ATPase occurs via different pathways, Killig, F., Stark, G., Apell, H.-J. 200:133

- Phototoxicity**
- , interpretation and optimization of absorbance and fluorescence signals from voltage-sensitive dyes, Chang, P.Y., Jackson, M.B. 196:105
- Placenta**
- , 17 β -estradiol and tamoxifen regulate a maxi-chloride channel from human placenta, Henriquez, M., Riquelme, G. 191:59
- Plasma membrane**
- , kinetics of influenza virus fusion with endosomal and plasma membranes of cultured cells. effect of temperature, Nunes-Correia, I., Nir, S., Pedroso de Lima, M.C. 195:21
- Plasma membrane vesicles**
- , sucrose transport into plasma membrane vesicles from tobacco leaves by H⁺ symport or counter exchange does not display a linear component, Borstlap, A.C., Schuurmans, J.A.M.J. 198:31
- Plasmalemma**
- , structural peculiarities dominate the turgor pressure response of the marine alga *Valonia utricularis* upon osmotic challenges, Heidecker, M., Mimietz, S., Wegner, L.H., Zimmermann, U. 192:123
- Plasmodium falciparum***
- , the new permeability pathways induced by the malaria parasite in the membrane of the infected erythrocyte: comparison of results using different experimental techniques, Ginsburg, H., Stein, W.D. 197:113
- Pollen grains**
- , characterization of whole-cell K⁺ currents across the plasma membrane of pollen grain and tube protoplasts of *Lilium longiflorum*, Griessner, M., Obermeyer, G. 193:99
- Pollen tubes**
- , characterization of whole-cell K⁺ currents across the plasma membrane of pollen grain and tube protoplasts of *Lilium longiflorum*, Griessner, M., Obermeyer, G. 193:99
- Polyglycolethylene (PGE₂)**
- , Cl⁻ channels in basolateral TAL membranes. XIX. cytosolic Cl⁻ regulates mmCIC-Ka and mcCIC-Ka channels, Winters, C.J., Mikhailova, M.V., Andreoli, T.E. 195:73
- Polymerases**
- , liposome-entrapped polymerases as models for microscale/nanoscale bioreactors, Monnard, P.-A. 191:87
- Polytopic integral membrane protein**
- , understanding the biogenesis of polytopic integral membrane proteins, Turner, R.J. 192:149
- Polyunsaturated fatty acids (PUFA)**
- , differential effect of ω 3 PUFA supplementations on Na,K-ATPase and Mg-ATPase activities: possible role of the membrane ω 6/ ω 3 ratio, Djemli-Shipkolye, A., Raccah, D., Pieroni, G., Vague, P., Coste, T.C., Gerbi, A. 191:37
 - , modulation of native TREK-1 and Kv1.4 K⁺ channels by polyunsaturated fatty acids and lysophospholipids, Danthi, S., Enyeart, J.A., Enyeart, J.J. 195:147
 - , suppression of calcium sparks in rat ventricular myocytes and direct inhibition of sheep cardiac RyR channels by EPA, DHA and oleic acid, Honen, B.N., Saint, D.A., Laver, D.R. 196:95
- Pore enlargement**
- , the energetics of membrane fusion from binding, through hemifusion, pore formation, and pore enlargement, Cohen, F.S., Melikyan, G.B. 199:1
- Pore formation**
- , the energetics of membrane fusion from binding, through hemifusion, pore formation, and pore enlargement, Cohen, F.S., Melikyan, G.B. 199:1
- Potassium channel**
- , human adipose cells have voltage-dependent potassium currents, Ramírez-Ponce, M.P., Mateos, J.C., Bellido, J.A. 196:129
 - , quinine inhibits mitochondrial ATP-regulated potassium channel from bovine heart, Bednarczyk, P., Kicińska, A., Kominkova, V., Ondrias, K., Dolowy, K., Szewczyk, A. 199:63
- Potassium channel openers**
- , quinine inhibits mitochondrial ATP-regulated potassium channel from bovine heart, Bednarczyk, P., Kicińska, A., Kominkova, V., Ondrias, K., Dolowy, K., Szewczyk, A. 199:63
- Potassium ion channel**
- , characterization of whole-cell K⁺ currents across the plasma membrane of pollen grain and tube protoplasts of *Lilium longiflorum*, Griessner, M., Obermeyer, G. 193:99
 - , function of K⁺ channels in the intestinal epithelium, Warth, R., Barhanin, J. 193:67
 - , K⁺ channels in cardiomyocytes of the pulmonate snail *Helix*, Kodirov, S.A., Zhuravlev, V.L., Pavlenko, V.K., Safonova, T.A., Brachmann, J. 197:145
 - , modulation of native TREK-1 and Kv1.4 K⁺ channels by polyunsaturated fatty acids and lysophospholipids, Danthi, S., Enyeart, J.A., Enyeart, J.J. 195:147
 - , modulation of rabbit corneal epithelial cell proliferation by growth factor-regulated K⁺ channel activity, Roderick, C., Reinach, P.S., Wang, L., Lu, L. 196:41
 - , molecular cloning and expression of a Kv1.1-like potassium channel from the electric organ of *Electrophorus electricus*, Thornhill, W.B., Watanabe, I., Sutachan, J.J., Wu, M.B., Wu, X., Zhu, J., Recio-Pinto, E. 196:1
- Potassium ion channel accessory subunits**
- , properties, expression and potential roles of cardiac K⁺ channel accessory subunits: MinK, MiRPs, KChIP, and KChAP, Pourrier, M., Schram, G., Nattel, S. 194:141
- Potassium ion conductance**
- , activation of apical K⁺ conductances by muscarinic receptor stimulation in rat distal colon: fast and slow components, Schultheiss, G., Ribeiro, R., Schäfer, K.H., Diener, M. 195:183
 - , swelling-activated chloride and potassium conductance in primary cultures of mouse proximal tubules. Implication of KCNE1 protein, Barrière, H., Rubera, I., Belfodil, R., Tauc, M., Tonnerieux, N., Poujeol, C., Barhanin, J., Poujeol, P. 193:153
- Potassium transport**
- , chloride channel function in the yeast TRK-potassium transporters, Kuroda, T., Bihler, H., Bashi, E., Slayman, C.L., Rivetta, A. 198:177
- Prairie dog gallbladder**
- , functional characterization of Na⁺/H⁺ exchangers in primary cultures of prairie dog gallbladder, Narins, S.C., Park, E.H., Ramakrishnan, R., Garcia, F.U., Diven, J.N., Balin, B.J., Hammond, C.J., Sodam, B.R., Smith, P.R., Abedin, M.Z. 197:123
- Pre-steady-state transient current**
- , effect of extracellular pH on presteady-state and steady-state current mediated by the Na⁺/K⁺ pump, Vasilyev, A., Khater, K., Rakowski, R.F. 198:65
- Prestin**
- , protein and lipid reactive agents alter outer hair cell lateral membrane motor charge movement, Santos-Sacchi, J., Wu, M. 200:83
- Primary cilium**
- , bending the primary cilium opens Ca²⁺-sensitive intermediate-conductance K⁺ channels in MDCK cells, Praetorius, H.A., Frokiaer, J., Nielsen, S., Spring, K.R. 191:193
 - , removal of the MDCK cell primary cilium abolishes flow sensing, Praetorius, H.A., Spring, K.R. 191:69

- Prion peptide fragments**
- , copper modulation of ion channels of PrP[106–126] mutant prion peptide fragments, Kourie, J.I., Kenna, B.L., Tew, D., Jobling, M.F., Curtain, C.C., Masters, C.L., Barnham, K.J., Cappai, R. 193:35
- Proline transport**
- , transport of proline and hydroxyproline by the neutral amino-acid exchanger ASCT1, Pinilla-Tenas, J., Barber, A., Lostao, M.P. 195:27
- Propidium iodide**
- , formation of transient non-protein calcium pores by lysophospholipids in S49 lymphoma cells, Wilson-Ashworth, H.A., Judd, A.M., Law, R.M., Freestone, B.D., Taylor, S., Mizukawa, M.K., Cromar, K.R., Sudweeks, S., Bell, J.D. 200:25
- Prostate-specific antigen**
- , regulation of the expression of the prostate-specific antigen by claudin-7, Zheng, J.-Y., Yu, D., Foroohar, M., Ko, E., Chan, J., Kim, N., Chiu, R., Pang, S. 194:187
- Protease inhibitors**
- , regulation of muscle Cav1.1 channels by long-term depolarization involves proteolysis of the α_{1s} subunit, Carrillo, E., Galindo, J.M., García, M.C., Sánchez, J.A. 199:155
- Protein kinase A**
- , a hypertonicity-activated nonselective conductance in single proximal tubule cells isolated from mouse kidney, Balloch, K.J.D., Hartley, J.A., Millar, I.D., Kibble, J.D., Robson, L. 192:191
 - , trafficking of Na,K-ATPase fused to enhanced green fluorescent protein is mediated by protein kinase A or C, Kristensen, B., Birkelund, S., Jorgensen, P.L. 191:25, 192:73
- Protein kinase C**
- , downregulation of the Na^+ -D-glucose cotransporter (SGLT1) by protein RS1 (RSC1A1) is dependent on dynamin and protein kinase C, Veyhl, M., Wagner, C.A., Gorboulev, V., Schmitt, B.M., Lang, F., Koepsell, H. 196:71
 - , trafficking of Na,K-ATPase fused to enhanced green fluorescent protein is mediated by protein kinase A or C, Kristensen, B., Birkelund, S., Jorgensen, P.L. 191:25, 192:73
- Protein misfolding**
- , copper modulation of ion channels of PrP[106–126] mutant prion peptide fragments, Kourie, J.I., Kenna, B.L., Tew, D., Jobling, M.F., Curtain, C.C., Masters, C.L., Barnham, K.J., Cappai, R. 193:35
- Protein reactive reagents**
- , protein and lipid reactive agents alter outer hair cell lateral membrane motor charge movement, Santos-Sacchi, J., Wu, M. 200:83
- Protein structure**
- , molecular mechanisms of electrogenic sodium bicarbonate cotransport: structural and equilibrium thermodynamic considerations, Kurtz, I., Petrasek, D., Tatishchev, S. 197:77
- Protein synthesis**
- , regulation of renal $\text{Na}^+/\text{HCO}_3^-$ cotransporter stimulation by CO_2 : role of phosphorylation, exocytosis and protein synthesis, Espiritu, D.J.D., Yang, V.L., Bernardo, A.A., Arruda, J.A.L. 199:39
- Protein tyrosine phosphatase**
- , reactive oxygen species regulate swelling-induced taurine efflux in NIH3T3 mouse fibroblasts, Lambert, I.H. 192:19
- Proton transport**
- , control of H^+ /lactose coupling by ionic interactions in the lactose permease of *Escherichia coli*, Johnson, J.L., Brooker, R.J. 198:135
- Protoplasts**
- , characterization of whole-cell K^+ currents across the plasma membrane of pollen grain and tube protoplasts of *Lilium longiflorum*, Griessner, M., Obermeyer, G. 193:99
- , gating of Cl^- currents in protoplasts from the marine alga *Valonia utricularis* depends on the transmembrane Cl^- gradient and is affected by enzymatic cell wall degradation, Binder, K.-A., Wegner, L.H., Heidecker, M., Zimmermann, U. 191:165
- Proximal convoluted tubule**
- , swelling-activated chloride and potassium conductance in primary cultures of mouse proximal tubules. Implication of KCNE1 protein, Barrière, H., Rubera, I., Belfodil, R., Tauc, M., Tonnerieux, N., Poujeol, C., Barhanin, J., Poujeol, P. 193:153
- PrP[106–126] mutants**
- , copper modulation of ion channels of PrP[106–126] mutant prion peptide fragments, Kourie, J.I., Kenna, B.L., Tew, D., Jobling, M.F., Curtain, C.C., Masters, C.L., Barnham, K.J., Cappai, R. 193:35
- PSD-95/Discs-large/ZO-1 (PDZ)**
- , structural insights into the CFTR-NHERF interaction, Ladidas, J.A.A. 192:79
- Purification**
- , expression of the Na/Pi -cotransporter type IIb in Sf9 cells: functional characterization and purification, Radanovic, T., Murer, H., Biber, J. 194:91
- Purinergic receptors**
- , Ca^{2+} signalling in the brain synaptosomes activated by dinucleotides, Miras-Portugal, M.T., Pintor, J., Gualix, J. 194:1
 - , effects of purinergic stimulation, CFTR and osmotic stress on amiloride-sensitive Na^+ transport in epithelia and *Xenopus* oocytes, Schreiber, R., König, J., Sun, J., Markovich, D., Kunzelmann, K. 192:101
- Q_{10}**
- , the resting potential of mouse Leydig cells: role of an electrogenic Na^+/K^+ pump, del Corso, C., Varanda, W.A. 191:123
- Quinine**
- , quinine inhibits mitochondrial ATP-regulated potassium channel from bovine heart, Bednarczyk, P., Kicińska, A., Kominkova, V., Ondrias, K., Dolowy, K., Szewczyk, A. 199:63
- R-type Ca^{2+} channel**
- , R-type Ca^{2+} -channel activity is associated with chromogranin A secretion in human neuroendocrine tumor BON cells, Mergler, S., Wiedenmann, B., Prada, J. 194:177
- R(+)-BayK 8644**
- , effects of the enantiomers of BayK 8644 on the charge movement of L-type Ca channels in guinea-pig ventricular myocytes, Artigas, P., Ferreira, G., Reyes, N., Brum, G., Pi-zarro, G. 193:215
- Rab GTPases**
- , phagosome maturation: a few bugs in the system, Scott, C.C., Botelho, R.J., Grinstein, S. 193:137
- Rabbit**
- , the Ca^{2+} -ATPase of the scallop sarcoplasmic reticulum is of a cold-adapted type, Sato, D., Takahashi, T., Tajima, G., Sato, C., Nagata, Y., Yamamoto, T., Nakamura, J. 196:33
- Rabbit cornea**
- , hypertonicity-induced p38MAPK activation elicits recovery of corneal epithelial cell volume and layer integrity, Bildin, V.N., Wang, Z., Iserovich, P., Reinach, P.S. 193:1
- Rabbit corneal epithelial cells**
- , EGF stimulates growth by enhancing capacitative calcium entry in corneal epithelial cells, Yang, H., Sun, X., Wang, Z., Ning, G., Zhang, F., Kong, J., Lu, L., Reinach, P.S. 194:47
 - , modulation of rabbit corneal epithelial cell proliferation by growth factor-regulated K^+ channel activity, Roderick, C., Reinach, P.S., Wang, L., Lu, L. 196:41

- Rabbit jejunum
-, kinetic mechanism of Na^+ -glucose cotransport through the rabbit intestinal SGLT1 protein, Berteloot, A. 192:89
- Rabbit renal cortex
-, transcobalamin II receptor interacts with megalin in the renal apical brush border membrane, Yammani, R.R., Seetharam, S., Dahms, N.M., Seetharam, B. 193:57
- Rabbit renal proximal tubule
-, expression of an artificial Cl^- channel in microperfused renal proximal tubules, Matsumoto, N., Tsuruoka, S., Iwamoto, T., Tomich, J.M., Ito, K., Imai, M., Suzuki, M. 193:195
- Rabbit skeletal muscle
-, enrichment of triadic and terminal cisternae vesicles from rabbit skeletal muscle, Kramer, J.W., Ferguson, D.G., Corbett, A.M. 195:9
- Rac
-, phosphatidylinositol phosphate kinases put PI4,5P₂ in its place, Doughman, R.L., Firestone, A.J., Anderson, R.A. 194:77
- Raft microdomain
-, membrane cholesterol regulates smooth muscle phasic contraction, Babiychuk, E.B., Smith, R.D., Burdyga, T., Babiychuk, V.S., Wray, S., Draeger, A. 198:95
- Rafts
-, role of GPI-anchored enzyme in liposome detergent-resistance, Morandat, S., Bortolato, M., Roux, B. 191:215
-, specificity of membrane binding of the neuronal protein NAP-22, Epand, R.F., Maekawa, S., Epand, R.M. 193:171
- Rapid filtration technique
-, kinetic mechanism of Na^+ -glucose cotransport through the rabbit intestinal SGLT1 protein, Berteloot, A. 192:89
- Rat alveolar epithelial cells
-, basolateral Cl^- transport is stimulated by terbutaline in adult rat alveolar epithelial cells, Lee, S.Y., Maniak, P.J., Rhodes, R., Ingbar, D.H., O'Grady, S.M. 191:133
- Rat brainstem neurons
-, expression and coexpression of CO₂-sensitive Kir channels in brainstem neurons of rats, Wu, J., Xu, H., Shen, W., Jiang, C. 197:179
- Rat distal colon
-, activation of apical K^+ conductances by muscarinic receptor stimulation in rat distal colon: fast and slow components, Schultheiss, G., Ribeiro, R., Schäfer, K.H., Diener, M. 195:183
- Rat granulosa cell line GFSHR-17
-, regulation of ion fluxes, cell volume and gap junctional coupling by cGMP in GFSHR-17 granulosa cells, Ngezahayo, A., Altmann, B., Kolb, H.-A. 194:165
- Rat ileum
-, regulation of D-fructose transporter GLUT5 in the ileum of spontaneously hypertensive rats, Mate, A., Barfull, A., Hermosa, Á.M., Planas, J.M., Vázquez, C.M. 199:173
- Rat neonatal atrial myocytes
-, Ca^{2+} -activated nonselective cation channels in rat neonatal atrial myocytes, Zhainazarov, A.B. 193:91
- Rat palaeocortical neurons
-, Cu^{2+} , Co^{2+} , and Mn^{2+} modify the gating kinetics of high-voltage-activated Ca^{2+} channels in rat palaeocortical neurons, Castelli, L., Tanzi, F., Taglietti, V., Magistretti, J. 195:121
- Rat parotid acinar cells
-, permeant anions control gating of calcium-dependent chloride channels, Perez-Cornejo, P., De Santiago, J.A., Arreola, J. 198:125
- Rat renal function
-, prolonged ethanol ingestion increases renal AQP2 and AQP3 expression in adult rats and in their offspring, García-Delgado, M., Peral, M.J., García-Benítez, O., Carreras, O., Ilundáin, A.A. 198:89
- Rat ureter
-, membrane cholesterol regulates smooth muscle phasic contraction, Babiychuk, E.B., Smith, R.D., Burdyga, T., Babiychuk, V.S., Wray, S., Draeger, A. 198:95
- Rat ventricular myocytes
-, suppression of calcium sparks in rat ventricular myocytes and direct inhibition of sheep cardiac RyR channels by EPA, DHA and oleic acid, Honen, B.N., Saint, D.A., Laver, D.R. 196:95
- RBL-2H3 cells
-, distinct Ca^{2+} -permeable cation currents are activated by internal Ca^{2+} -store depletion in RBL-2H3 cells and human salivary gland cells, HSG and HSY, Liu, X., Groschner, K., Ambudkar, I.S. 200:93
- Reabsorption
-, function of K^+ channels in the intestinal epithelium, Warth, R., Barhanin, J. 193:67
- Reactive oxygen species
-, reactive oxygen species regulate swelling-induced taurine efflux in NIH3T3 mouse fibroblasts, Lambert, I.H. 192:19
-, stimulation of Na,K-ATPase by low potassium is dependent on transferrin, Yin, W., Jiang, G., Takeyasu, K., Zhou, X. 193:177
- Reconstitution
-, insertion of a glycosylphosphatidylinositol-anchored enzyme into liposomes, Ronzon, F., Morandat, S., Roux, B., Bortolato, M. 197:169
- Recycling endosomes
-, trafficking of Na,K-ATPase fused to enhanced green fluorescent protein is mediated by protein kinase A or C, Kristensen, B., Birkeland, S., Jorgensen, P.L. 191:25, 192:73
- Reflection coefficient
-, structural peculiarities dominate the turgor pressure response of the marine alga *Valonia utricularis* upon osmotic challenges, Heidecker, M., Mimietz, S., Wegner, L.H., Zimmermann, U. 192:123
- Refraction period
-, Ca^{2+} dynamics during membrane excitation of green alga *Chara*: Model simulations and experimental data, Wacke, M., Thiel, G., Hütt, M.-T. 191:179
- Regulatory protein RS1
-, downregulation of the Na^+ -D-glucose cotransporter (SGLT1) by protein RS1 (RSC1AI) is dependent on dynamin and protein kinase C, Veyhl, M., Wagner, C.A., Gorboulev, V., Schmitt, B.M., Lang, F., Koepsell, H. 196:71
- Regulatory volume decrease
-, intracellular delivery of carbohydrates into mammalian cells through swelling-activated pathways, Reuss, R., Ludwig, J., Shirakashi, R., Ehrhart, F., Zimmermann, H., Schneider, S., Weber, M.M., Zimmermann, U., Schneider, H., Sukhorukov, V.L. 200:67
-, swelling-activated chloride and potassium conductance in primary cultures of mouse proximal tubules. Implication of KCNE1 protein, Barrière, H., Rubera, I., Belfodil, R., Tauc, M., Tonnerieux, N., Poujeol, C., Barhanin, J., Poujeol, P. 193:153
- Regulatory volume increase
-, a hypertonicity-activated nonselective conductance in single proximal tubule cells isolated from mouse kidney, Balloch, K.J.D., Hartley, J.A., Millar, I.D., Kibble, J.D., Robson, L. 192:191
-, hypertonicity-induced p38MAPK activation elicits recovery of corneal epithelial cell volume and layer integrity, Bildin, V.N., Wang, Z., Iserovich, P., Reinach, P.S. 193:1

- Renal acidification**
- , the role of phosphatidylinositol 3-kinase (PI3 K) in CO₂ stimulation of the Na⁺/HCO₃⁻ cotransporter (NBC), Bernardo, A.A., Espiritu, D.J.D., Ruiz, O.S., Robey, R.B., Arruda, J.A.L. 191:141
- Renal ion channels**
- , use of knock-out mouse models for the study of renal ion channels, Barrière, H., Tauc, M., Poujol, P. 198:113
- Renal proximal tubule cells**
- , a hypertonicity-activated nonselective conductance in single proximal tubule cells isolated from mouse kidney, Balloch, K.J.D., Hartley, J.A., Millar, I.D., Kibble, J.D., Robson, L. 192:191
 - , expression of an artificial Cl⁻ channel in microperfused renal proximal tubules, Matsumoto, N., Tsuruoka, S., Iwamoto, T., Tomich, J.M., Ito, K., Imai, M., Suzuki, M. 193:195
 - , gap-junctional hemichannels are activated by ATP depletion in human renal proximal tubule cells, Vergara, L., Bao, X., Cooper, M., Bello-Reuss, E., Reuss, L. 196:173
- Respiratory acidosis**
- , the role of phosphatidylinositol 3-kinase (PI3 K) in CO₂ stimulation of the Na⁺/HCO₃⁻ cotransporter (NBC), Bernardo, A.A., Espiritu, D.J.D., Ruiz, O.S., Robey, R.B., Arruda, J.A.L. 191:141
- Resting potential**
- , the resting potential of mouse Leydig cells: role of an electrogenic Na⁺/K⁺ pump, del Corso, C., Varanda, W.A. 191:123
- Reverse transcriptase polymerase chain reaction (RT-PCR)**
- , negative regulation of CFTR activity by extracellular ATP involves P2Y2 receptors in CFTR-expressing CHO cells, Marcet, B., Chappe, V., Delmas, P., Gola, M., Verrier, B. 194:21
- Rho**
- , phosphatidylinositol phosphate kinases put PI4,5P₂ in its place, Doughman, R.L., Firestone, A.J., Anderson, R.A. 194:77
- rNav1.4**
- , methanethiosulfate modification alters anesthetic block in rNav1.4 cysteine-substituted mutants S1276C and L1280C, O'Reilly, J.P., Wang, S.Y., Wang, G.K. 193:47
- ROMK knockout mice**
- , use of knock-out mouse models for the study of renal ion channels, Barrière, H., Tauc, M., Poujol, P. 198:113
- Root tip protoplasts**
- , opposing effects of aluminum on inward-rectifier potassium currents in bean root-tip protoplasts, Etherton, B., Heppner, T.J., Cumming, J.R., Nelson, M.T. 198:15
- Rose bengal**
- , photodynamic inactivation of the Na,K-ATPase occurs via different pathways, Killig, F., Stark, G., Apell, H.-J. 200:133
- RS1**
- , downregulation of the Na⁺ - D-glucose cotransporter (SGLT1) by protein RS1 (RSC1A1) is dependent on dynamin and protein kinase C, Veyhl, M., Wagner, C.A., Gorboulev, V., Schmitt, B.M., Lang, F., Koepsell, H. 196:71
- Ryanodine receptor**
- , enrichment of triadic and terminal cisternae vesicles from rabbit skeletal muscle, Kramer, J.W., Ferguson, D.G., Corbett, A.M. 195:9
- Ryanodine receptor channel**
- , suppression of calcium sparks in rat ventricular myocytes and direct inhibition of sheep cardiac RyR channels by EPA, DHA and oleic acid, Honen, B.N., Saint, D.A., Laver, D.R. 196:95
- S(-)BayK 8644**
- , effects of the enantiomers of BayK 8644 on the charge movement of L-type Ca channels in guinea-pig ventricular myocytes, Artigas, P., Ferreira, G., Reyes, N., Brum, G., Pi-zarro, G. 193:215
- S1276C**
- , methanethiosulfate modification alters anesthetic block in rNav1.4 cysteine-substituted mutants S1276C and L1280C, O'Reilly, J.P., Wang, S.Y., Wang, G.K. 193:47
- Saccharomyces cerevisiae***
- , chloride channel function in the yeast TRK-potassium transporters, Kuroda, T., Bihler, H., Bashi, E., Slayman, C.L., Rivetta, A. 198:177
- Salmonella***
- , phagosome maturation: a few bugs in the system, Scott, C.C., Botelho, R.J., Grinstein, S. 193:137
- Sarcolemma**
- , membrane cholesterol regulates smooth muscle phasic contraction, Babiychuk, E.B., Smith, R.D., Burdya, T., Babiychuk, V.S., Wray, S., Draeger, A. 198:95
- Sarcoplasmic reticulum**
- , enrichment of triadic and terminal cisternae vesicles from rabbit skeletal muscle, Kramer, J.W., Ferguson, D.G., Corbett, A.M. 195:9
 - , the Ca²⁺-ATPase of the scallop sarcoplasmic reticulum is of a cold-adapted type, Sato, D., Takahashi, T., Tajima, G., Sato, C., Nagata, Y., Yamamoto, T., Nakamura, J. 196:33
- Scallop**
- , the Ca²⁺-ATPase of the scallop sarcoplasmic reticulum is of a cold-adapted type, Sato, D., Takahashi, T., Tajima, G., Sato, C., Nagata, Y., Yamamoto, T., Nakamura, J. 196:33
- Scanning force microscopy**
- , identification of caveolae-like structures on the surface of intact cells using scanning force microscopy, Lucius, H., Friedrichson, T., Kurzchalia, T.V., Lewin, G.R. 194:97
- Sciatic nerve**
- , differential effect of ω3 PUFA supplementations on Na,K-ATPase and Mg-ATPase activities: possible role of the membrane ω6/ω3 ratio, Djemli-Shipkolye, A., Raccah, D., Pieroni, G., Vague, P., Coste, T.C., Gerbi, A. 191:37
- Secretion**
- , activation of apical K⁺ conductances by muscarinic receptor stimulation in rat distal colon: fast and slow components, Schultheiss, G., Ribeiro, R., Schäfer, K.H., Diener, M. 195:183
 - , function of K⁺ channels in the intestinal epithelium, Warth, R., Barhanin, J. 193:67
- Secretory diarrhea**
- , structural insights into the CFTR-NHERF interaction, Ladis, J.A.A. 192:79
- Selectivity**
- , monovalent cations contribute to T-type calcium channel (Ca_V3.1 and Ca_V3.2) selectivity, Delisle, B.P., Satin, J. 193:185
- Sendai virus**
- , effects of temperature on viral glycoprotein mobility and a possible role of internal "viroskelton" proteins in Sendai virus fusion, Ohki, S., Thacore, H., Flanagan, T.D. 199:73
- Sensory signal transduction**
- , TRPs make sense, Voets, T., Nilius, B. 192:1
- Set point**
- , two histidine residues in the juxta-membrane cytoplasmic domain of Na⁺/H⁺ exchanger isoform 3 (NHE3) determine the set point, Cha, B., Oh, S., Shanmugaratnam, J., Donowitz, M., Yun, C.C. 191:49
- Sf9 cells**
- , expression of the Na/P_i-cotransporter type IIb in Sf9 cells: functional characterization and purification, Radanovic, T., Murer, H., Biber, J. 194:91

- Sheep cardiac RyR channels**
- , suppression of calcium sparks in rat ventricular myocytes and direct inhibition of sheep cardiac RyR channels by EPA, DHA and oleic acid, Honen, B.N., Saint, D.A., Laver, D.R. 196:95
- Signal transduction**
- , TRPs make sense, Voets, T., Nilius, B. 192:1
- Signaling pathways**
- , phosphatidylinositol phosphate kinases put PI4,5P₂ in its place, Doughman, R.L., Firestone, A.J., Anderson, R.A. 194:77
- Silver**
- , identification of ion-selectivity determinants in heavy-metal transport P_{1B}-type ATPase, Argüello, J.M. 195:93
- Single channel current**
- , gating models of the anomalous mole-fraction effect of single-channel current in *Chara*, Hansen, U.P., Cakan, O., Abshagen-Keunecke, M., Farokhi, A. 192:45
- Singlet oxygen scavengers**
- , photodynamic inactivation of the Na,K-ATPase occurs via different pathways, Killig, F., Stark, G., Apell, H.-J. 200:133
- Site 3 toxin**
- , gating properties of a sodium channel with three arginines substituted by histidines in the central part of voltage sensor S4D4, Kühn, F.J.P., Greeff, N.G. 193:23
- Site-directed mutagenesis**
- , methanethiosulfate modification alters local anesthetic block in rNav1.4 cysteine-substituted mutants S1276C and L1280C, O'Reilly, J.P., Wang, S.Y., Wang, G.K. 193:47
- Six helix bundle**
- , the energetics of membrane fusion from binding, through hemifusion, pore formation, and pore enlargement, Cohen, F.S., Melikyan, G.B. 199:1
- SK4**
- , modulation of calcium-dependent chloride secretion by basolateral SK4-like channels in a human bronchial cell line, Bernard, K., Bogliolo, S., Soriano, O., Ehrenfeld, J. 196:15
- Skate**
- , evidence for the presence of three different anion exchangers in a red cell. Functional expression studies in *Xenopus* oocytes, Guizouarn, H., Musch, M.W., Goldstein, L. 193:109
- Skate anion exchanger 1**
- , expression of the skate (*Raja erinacea*) AE1 osmolyte channel in *Xenopus laevis* oocytes: monovalent cation permeability, Koomoa, D.-L.T., Musch, M.W., Myers, D.E., Goldstein, L. 198:23
- Skeletal muscle**
- , Ca²⁺ calmodulin kinase and calcineurin mediate IGF-1-induced skeletal muscle dihydropyridine receptor α_1S transcription, Zheng, Z., Wang, Z.M., Delbono, O. 197:101
- Skeletal muscle**
- , channel activation voltage alone is directly altered in an isoform-specific manner by Na_{v1.4} and Na_{v1.5} cytoplasmic linkers, Bennett, E.S. 197:155
 - , enrichment of triadic and terminal cisternae vesicles from rabbit skeletal muscle, Kramer, J.W., Ferguson, D.G., Corbett, A.M. 195:9
 - , regulation of muscle Cav1.1 channels by long-term depolarization involves proteolysis of the α_1S subunit, Carrillo, E., Galindo, J.M., García, M.C., Sánchez, J.A. 199:155
- Slime mutant**
- , gadolinium effects on gigaseal formation and the adhesive properties of a fungal amoeboid cell, the *Slime* mutant of *Neurospora crassa*, Dunina-Barkovskaya, A.Y., Levina, N.N., Lew, R.R., Heath, I.B. 198:77
- Slow vacuolar (SV) channel**
- , the gating kinetics of the slow vacuolar channel. A novel mechanism for SV channel functioning? Miedema, H., de Boer, A.H., Pantoja, O. 194:11
- Small G proteins**
- , phosphatidylinositol phosphate kinases put PI4,5P₂ in its place, Doughman, R.L., Firestone, A.J., Anderson, R.A. 194:77
- Smooth muscle contraction**
- , membrane cholesterol regulates smooth muscle phasic contraction, Babiychuk, E.B., Smith, R.D., Burdyga, T., Babiychuk, V.S., Wray, S., Draeger, A. 198:95
- SNARE**
- , regulation of insulin secretion in islets of Langerhans by Ca²⁺ channels, Mears, D. 200:57
- Sodium bicarbonate cotransport**
- , molecular mechanisms of electrogenic sodium bicarbonate cotransport: structural and equilibrium thermodynamic considerations, Kurtz, I., Petrasek, D., Tatischchev, S. 197:77
- Sodium bicarbonate cotransporter (NBC)**
- , regulation of renal Na⁺/HCO₃⁻ cotransporter stimulation by CO₂: role of phosphorylation, exocytosis and protein synthesis, Espiritu, D.J.D., Yang, V.L., Bernardo, A.A., Arruda, J.A.L. 199:39
 - , the role of phosphatidylinositol 3-kinase (PI3K) in CO₂ stimulation of the Na⁺/HCO₃⁻ cotransporter (NBC), Bernardo, A.A., Espiritu, D.J.D., Ruiz, O.S., Robey, R.B., Arruda, J.A.L. 191:141
- Sodium channel**
- , gating properties of a sodium channel with three arginines substituted by histidines in the central part of voltage sensor S4D4, Kühn, F.J.P., Greeff, N.G. 193:23
- Sodium/hydrogen antiporter**
- , functional characterization of Na⁺/H⁺ exchangers in primary cultures of prairie dog gallbladder, Narins, S.C., Park, E.H., Ramakrishnan, R., Garcia, F.U., Diven, J.N., Balin, B.J., Hammond, C.J., Sodam, B.R., Smith, P.R., Abedin, M.Z. 197:123
- Sodium ion channel**
- , stimulation of transepithelial Na⁺ current by extracellular Gd³⁺ in *Xenopus laevis* alveolar epithelium, Fronius, M., Clauss, W., Schnizler, M. 195:43
- Sodium ion current**
- , external Ni²⁺ and ENaC in A6 cells: Na⁺ current stimulation by competition at a binding site for amiloride and Na⁺, Cucu, D., Simaels, J., Van Driessche, W., Zeiske, W. 194:33
- Sodium ion-dependent neutral amino acid exchanger**
- , transport of proline and hydroxyproline by the neutral amino-acid exchanger ASCT1, Pinilla-Tenas, J., Barber, A., Lostao, M.P. 195:27
- Soft characterization method**
- , soft picture of lateral heterogeneity in biomembranes, Štrancar, J., Koklič, T., Arsov, Z. 196:135
- Solubilization**
- , expression of the Na/P_i-cotransporter type IIb in Sf9 cells: functional characterization and purification, Radanovic, T., Murer, H., Biber, J. 194:91
- Soluble N-ethylmaleimide-sensitive fusion protein attachment protein receptors (SNARE)**
- , phagosome maturation: a few bugs in the system, Scott, C.C., Botelho, R.J., Grinstein, S. 193:137
 - , syntaxin is efficiently excluded from sphingomyelin-enriched domains in supported lipid bilayers containing cholesterol, Saslowsky, D.E., Lawrence, J.C., Henderson, R.M., Edvardson, J.M. 194:153
- Sorbitol**
- , intracellular delivery of carbohydrates into mammalian cells through swelling-activated pathways, Reuss, R., Ludwig, J., Shirakashi, R., Ehrhart, F., Zimmermann, H., Schneider, S., Weber, M.M., Zimmermann, U., Schneider, H., Sukhorukov, V.L. 200:67

- Specific activity**
- , enrichment of triadic and terminal cisternae vesicles from rabbit skeletal muscle, Kramer, J.W., Ferguson, D.G., Corbett, A.M. 195:9
- Spectrin**
- , osmotic stress alters the intracellular distribution of non-erythroidal spectrin (fodrin) in bovine aortic endothelial cells, Sun, A.C., Levitan, I. 192:9
- Sphingomyelin**
- , syntaxin is efficiently excluded from sphingomyelin-enriched domains in supported lipid bilayers containing cholesterol, Saslowsky, D.E., Lawrence, J.C., Henderson, R.M., Edw ardson, J.M. 194:153
- Spin probe**
- , new EPR method for cellular surface characterization, Štrancar, J., Schara, M., Pečar, S. 193:15
- Spironolactone**
- , endothelial cell swelling by aldosterone, Oberleithner, H., Schneider, S.W., Albermann, L., Hillebrand U., Ludwig, T., Riehmüller, C., Shahin, V., Schäfer, C., Schillers, H. 196:163
- Squid giant axon**
- , effect of extracellular pH on presteady-state and steady-state current mediated by the Na^+/K^+ pump, Vasilyev, A., Khater, K., Rakowski, R.F. 198:65
- Src family kinase**
- , the role of phosphatidylinositol 3-kinase (PI3K) in CO_2 stimulation of the $\text{Na}^+/\text{HCO}_3^-$ cotransporter (NBC), Bernardo, A.A., Espiritu, D.J.D., Ruiz, O.S., Robey, R.B., Arruda, J.A.L. 191:141
- Staphylococcus aureus**
- , electrostatic influence on ion transport through the α HL channel, Misakian, M., Kasianowicz, J.J. 195:137
- Steady-state kinetics**
- , kinetic mechanism of Na^+ -glucose cotransport through the rabbit intestinal SGLT1 protein, Berteloot, A. 192:89
- Steady-state ouabain-sensitive current**
- , effect of extracellular pH on presteady-state and steady-state current mediated by the Na^+/K^+ pump, Vasilyev, A., Khater, K., Rakowski, R.F. 198:65
- Steroids**
- , transient permeability leak of nuclear envelope induced by aldosterone, Buchholz, I., Enss, K., Schafer, C., Schlune, A., Shahin, V., Oberleithner, H. 199:135
- Stichodactyla toxin**
- , hepatocyte growth factor/scatter factor stimulates Ca^{2+} -activated membrane K^+ current and migration of MDCK II cells, Jin, M., Defoe, D.M., Wondergem, R. 191:77
- Store-operated channels**
- , distinct Ca^{2+} -permeable cation currents are activated by internal Ca^{2+} -store depletion in RBL-2H3 cells and human salivary gland cells, HSG and HSY, Liu, X., Groschner, K., Ambudkar, I.S. 200:#4
 - , EGF stimulates growth by enhancing capacitative calcium entry in corneal epithelial cells, Yang, H., Sun, X., Wang, Z., Ning, G., Zhang, F., Kong, J., Lu, L., Reinach, P.S. 194:47
- Store-operated ionic currents**
- , muscarinic agonists activate Ca^{2+} store-operated and -independent ionic currents in insulin-secreting HIT-T15 cells and mouse pancreatic β -cells, Mears, D., Zimliki, C.L. 197:59
- Stretch-activated BK_{Ca} channel**
- , characterization of a functionally expressed stretch-activated BK_{Ca} channel cloned from chick ventricular myocytes, Tang, Q.Y., Qi, Z., Naruse, K., Sokabe, M. 196:185
- Substrate addition order**
- , kinetic mechanism of Na^+ -glucose cotransport through the rabbit intestinal SGLT1 protein, Berteloot, A. 192:89
- Substrate specificity**
- , phosphatidylinositol phosphate kinases put PI4,5P₂ in its place, Doughman, R.L., Firestone, A.J., Anderson, R.A. 194:77
- Sucrose contrasting method**
- , new EPR method for cellular surface characterization, Štrancar, J., Schara, M., Pečar, S. 193:15
- Sucrose transport**
- , sucrose transport into plasma membrane vesicles from tobacco leaves by H^+ symport or counter exchange does not display a linear component, Borstlap, A.C., Schuurmans, J.A.M.J. 198:31
- Sugar absorption**
- , regulation of D-fructose transporter GLUT5 in the ileum of spontaneously hypertensive rats, Mate, A., Barfull, A., Hermosa, A.M., Planas, J.M., Vázquez, C.M. 199:173
- Sugar-mediated adhesion**
- , gadolinium effects on gigaseal formation and the adhesive properties of a fungal amoeboid cell, the *Slime* mutant of *Neurospora crassa*, Dunina-Barkovskaya, A.Y., Levina, N.N., Lew, R.R., Heath, I.B. 198:77
- Sulfhydryl groups**
- , external copper inhibits the activity of the large-conductance calcium- and voltage-sensitive potassium channel from skeletal muscle, Morera, F.J., Wolff, D., Vergara, C. 192:65
- Sulfonylurea**
- , steady-state interactions of glibenclamide with CFTR: evidence for multiple sites in the pore, Zhang, Z.-R., Zeltwanger, S., McCarty, N.A. 199:15
- Sulforhodamine B dye permeability**
- , hypertonicity-induced p38MAPK activation elicits recovery of corneal epithelial cell volume and layer integrity, Bildin, V.N., Wang, Z., Iserovich, P., Reinach, P.S. 193:1
- Surface balance technique**
- , thyroid hormones affect the membrane dipolar organization. is it a general event in their non-genomic action? Isse, B., Fidelio, G., Fariñas, R.N. 191:209
- Surface hydrophobicity**
- , fusion, leakage and surface hydrophobicity of vesicles containing phosphoinositides: influence of steric and electrostatic effects, Müller, M., Zschörnig, O., Ohki, S., Arnold, K. 192:33
- Swelling-activated Cl⁻ current**
- , swelling-activated chloride and potassium conductance in primary cultures of mouse proximal tubules. Implication of KCNE1 protein, Barrière, H., Rubera, I., Belfodil, R., Tauc, M., Tonnerieux, N., Poujeol, C., Barhanin, J., Poujeol, P. 193:153
- Swelling-activated K⁺ current**
- , swelling-activated chloride and potassium conductance in primary cultures of mouse proximal tubules. Implication of KCNE1 protein, Barrière, H., Rubera, I., Belfodil, R., Tauc, M., Tonnerieux, N., Poujeol, C., Barhanin, J., Poujeol, P. 193:153
- Symport**
- , control of H^+ /lactose coupling by ionic interactions in the lactose permease of *Escherichia coli*, Johnson, J.L., Brooker, R.J. 198:135
- Syncytiotrophoblast**
- , 17 β -estradiol and tamoxifen regulate a maxi-chloride channel from human placenta, Henriquez, M., Riquelme, G. 191:59
- Syntaxin**
- , syntaxin is efficiently excluded from sphingomyelin-enriched domains in supported lipid bilayers containing cholesterol, Saslowsky, D.E., Lawrence, J.C., Henderson, R.M., Edw ardson, J.M. 194:153

- T lymphocytes
–, intracellular delivery of carbohydrates into mammalian cells through swelling-activated pathways, Reuss, R., Ludwig, J., Shirakashi, R., Ehrhart, F., Zimmermann, H., Schneider, S., Weber, M.M., Zimmermann, U., Schneider, H., Sukhorukov, V.L. 200:67
- T-type Ca^{2+} channel
–, monovalent cations contribute to T-type calcium channel (Cav3.1 and Cav3.2) selectivity, Delisle, B.P., Satin, J. 193:185
- TAL membranes
–, chloride channels in basolateral TAL membranes. XVIII. phenylglyoxal induces functional mClC-Ka activity in basolateral MTAL membranes, Winters, C.J., Andreoli, T.E. 195:63
- Tamoxifen
–, 17 β -estradiol and tamoxifen regulate a maxi-chloride channel from human placenta, Henriquez, M., Riquelme, G. 191:59
–, inhibition of the endogenous volume-regulated anion channel (VRAC) in HEK293 cells by acidic di-aryl-ureas, Hélix, N., Strobaek, D., Dahl, B.H., Christophersen, P. 196:83
- Taurine
–, reactive oxygen species regulate swelling-induced taurine efflux in NIH3T3 mouse fibroblasts, Lambert, I.H. 192:19
- Taurine transport
–, expression of the skate (*Raja erinacea*) AE1 osmolyte channel in *Xenopus laevis* oocytes: monovalent cation permeability, Koomoa, D.-L.T., Musch, M.W., Myers, D.E., Goldstein, L. 198:23
- Taurocholate
–, hepatic canalicular membrane transport of bile salt in C57L/J and AKR/J mice: implications for cholesterol gallstone formation, Hoda, F., Green, R.M. 196:9
- Temperature-dependent fusion
–, effects of temperature on viral glycoprotein mobility and a possible role of internal “viroskelton” proteins in Sendai virus fusion, Ohki, S., Thacore, H., Flanagan, T.D. 199:73
- Terbutaline
–, basolateral Cl^- transport is stimulated by terbutaline in adult rat alveolar epithelial cells, Lee, S.Y., Maniak, P.J., Rhodes, R., Ingbar, D.H., O’Grady, S.M. 191:133
- Terminal cisternae
–, enrichment of triadic and terminal cisternae vesicles from rabbit skeletal muscle, Kramer, J.W., Ferguson, D.G., Corbett, A.M. 195:9
- Tetraspanin
–, physiological and pathological roles of $\alpha\beta\gamma\delta$ integrin, Tsuji, T. 200:115
- Thapsigargin
–, distinct Ca^{2+} -permeable cation currents are activated by internal Ca^{2+} -store depletion in RBL-2H3 cells and human salivary gland cells, HSG and HSY, Liu, X., Groschner, K., Ambudkar, I.S. 200:93
–, muscarinic agonists activate Ca^{2+} store-operated and –independent ionic currents in insulin-secreting HIT-T15 cells and mouse pancreatic β -cells, Mears, D., Zimliki, C.L. 197:59
–, pulses of cell Ca^{2+} and the dynamics of tight junction opening and closing, Lacaz-Vieira, F., Marques, M.M. 196:117
–, the mechanics of calcium transport, Young, H.S., Stokes, D.L. 198:55
- Three-dimensional deconvolution microscopy
–, osmotic stress alters the intracellular distribution of non-erythroidal spectrin (fodrin) in bovine aortic endothelial cells, Sun, A.C., Levitan, I. 192:9
- Threonine residue (Thr71)
–, a threonine residue (Thr71) at the intracellular end of the M1 helix plays a critical role in the gating of Kir6.2 channels by intracellular ATP and protons, Cui, N., Wu, J., Xu, H., Wang, R., Rojas, A., Piao, H., Mao, J., Abdulkadir, L., Li, L., Jiang, C. 192:111
- Thyroid hormones
–, thyroid hormones affect the membrane dipolar organization. is it a general event in their non-genomic action? Isse, B., Fidelio, G., Farías, R.N. 191:209
- Tight junctions
–, pulses of cell Ca^{2+} and the dynamics of tight junction opening and closing, Lacaz-Vieira, F., Marques, M.M. 196:117
–, sequence and phylogenetic analyses of 4 TMS junctional proteins of animals: connexins, innexins, claudins, and occludins, Hua, V.B., Chang, A.B., Tchieu, J.H., Kumar, N.M., Nielsen, P.A., Saier, P.A., Jr. 194:59
–, the cytoplasmic tails of claudins can influence tight junction barrier properties through effects on protein stability, Van Itallie, C.M., Colegio, O.R., Anderson, J.M. 199:29
- Time-resolved X-ray diffraction
–, the kinetics of non-lamellar phase formation in DOPE-Me: relevance to biomembrane fusion, Cherezov, V., Siegel, D.P., Shaw, W., Burgess, S.W., Caffrey, M. 195:165
- Tip growth
–, characterization of whole-cell K^+ currents across the plasma membrane of pollen grain and tube protoplasts of *Lilium longiflorum*, Griessner, M., Obermeyer, G. 193:99
- Tl^+/K^+ mole fraction
–, gating models of the anomalous mole-fraction effect of single-channel current in *Chara*, Hansen, U.P., Cakan, O., Abshagen-Kuenecke, M., Farokhi, A. 192:45
- Tonoplast
–, structural peculiarities dominate the turgor pressure response of the marine alga *Valonia utricularis* upon osmotic challenges, Heidecker, M., Mimietz, S., Wegner, L.H., Zimmermann, U. 192:123
- Topology
–, understanding the biogenesis of polytopic integral membrane proteins, Turner, R.J. 192:149
- Trabecular meshwork cell
–, common actions of adenosine receptor agonists in modulating human trabecular meshwork cell transport, Fleischhauer, J.C., Mitchell, C.H., Stamer, W.D., Karl, M.O., Peterson-Yantorno, K., Civan, M.M. 193:121
- Transbilayer movement
–, mechanisms of $\text{Na}^+ - \text{Ca}^{2+}$ exchange inhibition by amphiphiles in cardiac myocytes: importance of transbilayer movement, Keller, M., Pignier, C., Niggli, E., Egger, M. 198:159
- Transcobalamin II receptor
–, transcobalamin II receptor interacts with megalin in the renal apical brush border membrane, Yammani, R.R., Seetharam, S., Dahms, N.M., Seetharam, B. 193:57
- Transcription
–, intracellular calcium: a prerequisite for aldosterone action, Schäfer, C., Shahin, V., Albermann, L., Schillers, H., Hug, M.J., Oberleithner, H. 196:157
- Transepithelial Cl^- secretion
–, basis of chloride transport in ciliary epithelium, Do, C.W., Civan, M.M. 200:1
- Transepithelial resistance
–, hypertonicity-induced p38MAPK activation elicits recovery of corneal epithelial cell volume and layer integrity, Bildin, V.N., Wang, Z., Iserovich, P., Reinach, P.S. 193:1
- Transfection complexes
–, mechanisms of lipoplex formation: dependence of the biological properties of transfection complexes on formulation procedures, Rakhmanova, V.A., Pozharski, E.V., MacDonald, R.C. 200:35

- Transgenes**
- , GFP-tagged CFTR transgene is functional in the G551D cystic fibrosis mouse colon, Oceandy, D., McMorran, B., Schreiber, R., Wainwright, B.J., Kunzelmann, K. 192:159
- Transient current**
- , current transients associated with BK channels in human glioma cells, Ransom, C.B., Liu, X., Sontheimer, H. 193:201
- Transient receptor potential (TRP) channel**
- , TRPs make sense, Voets, T., Nilius, B. 192:1
- Transient receptor potential (TRP) channel TRPM2**
- , response to ADP-ribose by activation of TRPM2 in the CRI-G1 insulinoma cell line, Inamura, K., Sano, Y., Mochizuki, S., Yokoi, H., Miyake, A., Nozawa, K., Kitada, C., Matsushime, H., Furuichi, K. 191:201
- Transient receptor potential (TRP) protein isoforms**
- , EGF stimulates growth by enhancing capacitative calcium entry in corneal epithelial cells, Yang, H., Sun, X., Wang, Z., Ning, G., Zhang, F., Kong, J., Lu, L., Reinach, P.S. 194:47
- Transition kinetics**
- , the kinetics of non-lamellar phase formation in DOPE-Me: relevance to biomembrane fusion, Cherezov, V., Siegel, D.P., Shaw, W., Burgess, S.W., Caffrey, M. 195:165
- Translocon**
- , understanding the biogenesis of polytopic integral membrane proteins, Turner, R.J. 192:149
- Transmembrane dipolar organization**
- , thyroid hormones affect the membrane dipolar organization. Is it a general event in their non-genomic action? Isse, B., Fidelio, G., Farías, R.N. 191:209
- Transmembrane domain**
- , an amino-acid substitution in the influenza-B NB protein affects ion-channel gating, Premkumar, A., Ewart, G.D., Cox, G.B., Gage, P.W. 197:135
- Transmembrane helices**
- , the mechanics of calcium transport, Young, H.S., Stokes, D.L. 198:55
- Transmembrane segments**
- , sequence and phylogenetic analyses of 4 TMS junctional proteins of animals: connexins, innexins, claudins, and occludins, Hua, V.B., Chang, A.B., Tchieu, J.H., Kumar, N.M., Nielsen, P.A., Saier, P.A., Jr. 194:59
- Transmembrane topology**
- , understanding the biogenesis of polytopic integral membrane proteins, Turner, R.J. 192:149
- Transwell migration assay**
- , hepatocyte growth factor/scatter factor stimulates Ca^{2+} -activated membrane K^+ current and migration of MDCK II cells, Jin, M., Defoe, D.M., Wondergem, R. 191:77
- Trehalose**
- , intracellular delivery of carbohydrates into mammalian cells through swelling-activated pathways, Reuss, R., Ludwig, J., Shirakashi, R., Ehrhart, F., Zimmermann, H., Schneider, S., Weber, M.M., Zimmermann, U., Schneider, H., Sukhorukov, V.L. 200:67
- TREK-1**
- , modulation of native TREK-1 and Kv1.4 K^+ channels by polyunsaturated fatty acids and lysophospholipids, Danthi, S., Enyeart, J.A., Enyeart, J.J. 195:147
- Trimeric hairpin**
- , the energetics of membrane fusion from binding, through hemifusion, pore formation, and pore enlargement, Cohen, F.S., Melikyan, G.B. 199:1
- TRK proteins**
- , chloride channel function in the yeast TRK-potassium transporters, Kuroda, T., Bihler, H., Bashi, E., Slayman, C.L., Rivetta, A. 198:177
- Trout erythrocytes**
- , expression of the skate (*Raja erinacea*) AE1 osmolyte channel in *Xenopus laevis* oocytes: monovalent cation permeability, Koomoa, D.-L.T., Musch, M.W., Myers, D.E., Goldstein, L. 198:23
- trp gene**
- , TRPs make sense, Voets, T., Nilius, B. 192:1
- Tryptophan**
- , chemical and photochemical modification of colicin E1 and gramicidin A in bilayer lipid membranes, Sobko, A.A., Vigasina, M.A., Rokitskaya, T.I., Kotova, E.A., Zakharov, S.D., Cramer, W.A., Antonenko, Y.N. 199:51
- Tumor invasion**
- , physiological and pathological roles of $\alpha\beta 1$ integrin, Tsuji, T. 200:115
- Turgor pressure**
- , what are aquaporins for? Hill, A.E., Shachar-Hill, B., Shachar-Hill, Y. 197:1
- Turgor pressure response**
- , structural peculiarities dominate the turgor pressure response of the marine alga *Valonia utricularis* upon osmotic challenges, Heidecker, M., Mimietz, S., Wegner, L.H., Zimmermann, U. 192:123
- Twik-related acid-sensitive K^+ channel (TASK2) knockout mice**
- , use of knock-out mouse models for the study of renal ion channels, Barrière, H., Tauc, M., Poujeol, P. 198:113
- Urea transport**
- , molecular mechanisms of urea transport, Sands, J.M. 191:149
- Urea transporter protein regulation**
- , molecular mechanisms of urea transport, Sands, J.M. 191:149
- Urine**
- , prolonged ethanol ingestion increases renal AQP2 and AQP3 expression in adult rats and in their offspring, García-Delgado, M., Peral, M.J., García-Benítez, O., Carreras, O., Ilundáin, A.A. 198:89
- Urine-concentrating mechanism**
- , molecular mechanisms of urea transport, Sands, J.M. 191:149
- UTP**
- , negative regulation of CFTR activity by extracellular ATP involves P2Y2 receptors in CFTR-expressing CHO cells, Marcket, B., Chappe, V., Delmas, P., Gola, M., Verrier, B. 194:21
- V_2 -type AVT receptor**
- , spatial and temporal expression of the ventral pelvic skin aquaporins during metamorphosis of the tree frog, *Hyla japonica*, Hasegawa, T., Sugawara, Y., Suzuki, M., Tanaka, S. 199:119
- Vacuole**
- , the gating kinetics of the slow vacuolar channel. A novel mechanism for SV channel functioning? Miedema, H., de Boer, A.H., Pantoja, O. 194:11
- Vacuole structure**
- , structural peculiarities dominate the turgor pressure response of the marine alga *Valonia utricularis* upon osmotic challenges, Heidecker, M., Mimietz, S., Wegner, L.H., Zimmermann, U. 192:123
- Valonia* anion channel 1 (VAC1)**
- , gating of Cl^- currents in protoplasts from the marine alga *Valonia utricularis* depends on the transmembrane Cl^- gradient and is affected by enzymatic cell wall degradation, Binder, K.-A., Wegner, L.H., Heidecker, M., Zimmermann, U. 191:165
- Valonia utricularis***
- , gating of Cl^- currents in protoplasts from the marine alga *Valonia utricularis* depends on the transmembrane Cl^- gradient and is affected by enzymatic cell wall degradation, Binder,

- K.-A., Wegner, L.H., Heidecker, M., Zimmermann, U. 191:165
- , structural peculiarities dominate the turgor pressure response of the marine alga *Valonia utricularis* upon osmotic challenges, Heidecker, M., Mimietz, S., Wegner, L.H., Zimmermann, U. 192:123
- Vanadate**
- , reactive oxygen species regulate swelling-induced taurine efflux in NIH3T3 mouse fibroblasts, Lambert, I.H. 192:19
- Variant surface antigens**
- , temperature-induced change of variant surface antigen expression in *Paramecium* involves antigen release into the culture medium with considerable delay between transcription and surface expression, Momayez, M., Albrecht, P., Plattner, H., Schmidt, H.J. 200:15
- Vascular expression**
- , differential expression of Kir6.1 and SUR2B mRNAs in the vasculature of various tissues in rats, Li, L., Wu, J., Jiang, C. 196:61
- Vascular smooth muscle**
- , differential expression of Kir6.1 and SUR2B mRNAs in the vasculature of various tissues in rats, Li, L., Wu, J., Jiang, C. 196:61
- Vasculopathies**
- , endothelial cell swelling by aldosterone, Oberleithner, H., Schneider, S.W., Albermann, L., Hillebrand, U., Ludwig, T., Riethmüller, C., Shahin, V., Schäfer, C., Schillers, H. 196:163
- Vasopressin**
- , molecular mechanisms of urea transport, Sands, J.M. 191:149
- Ventral pelvic skin**
- , spatial and temporal expression of the ventral pelvic skin aquaporins during metamorphosis of the tree frog, *Hyla japonica*, Hasegawa, T., Sugawara, Y., Suzuki, M., Tanaka, S. 199:119
- Vesicle fusion**
- , bilayer mixing, fusion, and lysis following the interaction of populations of cationic and anionic phospholipid bilayer vesicles, Pantazatos, D.P., Pantazatos, S.P., MacDonald, R.C. 194:129
- Video fluorescence microscopy**
- , real-time observation of lipoplex formation and interaction with anionic bilayer vesicles, Pantazatos, S.P., MacDonald, R.C. 191:99
- Viral fusion proteins**
- , the energetics of membrane fusion from binding, through hemifusion, pore formation, and pore enlargement, Cohen, F.S., Melikyan, G.B. 199:1
- Viral glycoprotein mobility**
- , effects of temperature on viral glycoprotein mobility and a possible role of internal "viroskelton" proteins in Sendai virus fusion, Ohki, S., Thacore, H., Flanagan, T.D. 199:73
- Virosomes**
- , effects of temperature on viral glycoprotein mobility and a possible role of internal "viroskelton" proteins in Sendai virus fusion, Ohki, S., Thacore, H., Flanagan, T.D. 199:73
- Voltage-activated Ca^{2+} channels**
- , Cu^{2+} , Co^{2+} , and Mn^{2+} modify the gating kinetics of high-voltage-activated Ca^{2+} channels in rat palaeocortical neurons, Castelli, L., Tanzi, F., Taglietti, V., Magistretti, J. 195:121
- Voltage-dependent Ca^{2+} channel**
- , Ca^{2+} signalling in the brain synaptosomes activated by di-nucleotides, Miras-Portugal, M.T., Pintor, J., Gualix, J. 194:1
 - , regulation of insulin secretion in islets of Langerhans by Ca^{2+} channels, Mears, D. 200:57
- Voltage-dependent cation channel**
- , the human red cell voltage-regulated cation channel. the interplay with the chloride conductance, the Ca^{2+} -activated K^+ channel and the Ca^{2+} pump, Bennekou, P., Kristensen, B.I., Christophersen, P. 195:1
- Voltage-dependent Cl^- current**
- , gating of Cl^- currents in protoplasts from the marine alga *Valonia utricularis* depends on the transmembrane Cl^- gradient and is affected by enzymatic cell wall degradation, Binder, K.-A., Wegner, L.H., Heidecker, M., Zimmermann, U. 191:165
- Voltage-dependent inactivation**
- , effects of the enantiomers of BayK 8644 on the charge movement of L-type Ca channels in guinea-pig ventricular myocytes, Artigas, P., Ferreira, G., Reyes, N., Brum, G., Pi-zarro, G. 193:215
- Voltage-dependent potassium currents**
- , human adipose cells have voltage-dependent potassium currents, Ramírez-Ponce, M.P., Mateos, J.C., Bellido, J.A. 196:129
- Voltage-gated ion channel**
- , optimal-sensitivity analysis of ion channel gating kinetics, Kargol, A., Hosein-Sooklal, A. 199:113
- Voltage-gated Na^+ channel**
- , methanethiosulfate modification alters local anesthetic block in rNav1.4 cysteine-substituted mutants S1276C and L1280C, O'Reilly, J.P., Wang, S.Y., Wang, G.K. 193:47
- Voltage-gated sodium channel**
- , channel activation voltage alone is directly altered in an isoform-specific manner by $\text{Na}_{\text{v}1.4}$ and $\text{Na}_{\text{v}1.5}$ cytoplasmic linkers, Bennett, E.S. 197:155
- Voltage gating**
- , CO_2 sensitivity of voltage gating and gating polarity of gap junction channels-connexin40 and its COOH-terminus-truncated mutant, Peracchia, C., Chen, J.T., Peracchia, L.L. 200:105
- Voltage imaging**
- , interpretation and optimization of absorbance and fluorescence signals from voltage-sensitive dyes, Chang, P.Y., Jackson, M.B. 196:105
- Voltage-sensitive dyes**
- , interpretation and optimization of absorbance and fluorescence signals from voltage-sensitive dyes, Chang, P.Y., Jackson, M.B. 196:105
- Voltage-sensitive K^+ channel**
- , external copper inhibits the activity of the large-conductance calcium- and voltage-sensitive potassium channel from skeletal muscle, Morera, F.J., Wolff, D., Vergara, C. 192:65
- Voltage sensor S4D4**
- , gating properties of a sodium channel with three arginines substituted by histidines in the central part of voltage sensor S4D4, Kühn, F.J.P., Greeff, N.G. 193:23
- Volume-regulated anion channel (VRAC)**
- , inhibition of the endogenous volume-regulated anion channel (VRAC) in HEK293 cells by acidic di-aryl-ureas, Hélix, N., Strøbaek, D., Dahl, B.H., Christophersen, P. 196:83
- Volume-sensitive channels**
- , intracellular delivery of carbohydrates into mammalian cells through swelling-activated pathways, Reuss, R., Ludwig, J., Shirakashi, R., Ehrhart, F., Zimmermann, H., Schneider, S., Weber, M.M., Zimmermann, U., Schneider, H., Sukhorukov, V.L. 200:67
- Volume-sensitive Cl^- current**
- , volume-sensitive Cl^- current in bovine adrenocortical cells: comparison with the ACTH-induced Cl^- current, Dupré-Aucouturier, S., Penhoat, A., Rougier, O., Bilbaut, A. 199:99
- Volume-sensitive taurine release**
- , reactive oxygen species regulate swelling-induced taurine efflux in NIH3T3 mouse fibroblasts, Lambert, I.H. 192:19

- Water channel
–, What are aquaporins for? Hill, A.E., Shachar-Hill, B., Shachar-Hill, Y. 197:1
- Wavelet transform
–, optimal-sensitivity analysis of ion channel gating kinetics, Kargol, A., Hosein-Sooklal, A. 199:113
- Whole cell patch clamp
–, effects of chronic hypoxia on inward rectifier K^+ current (I_{K1}) in ventricular myocytes of crucian carp (*Carassius carassius*) heart, Paajanen, V., Vornanen, M. 194:119
–, gating of Cl^- currents in protoplasts from the marine alga *Valonia utricularis* depends on the transmembrane Cl^- gradient and is affected by enzymatic cell wall degradation, Binder, K.-A., Wegner, L.H., Heidecker, M., Zimmermann, U. 191:165
–, human adipose cells have voltage-dependent potassium currents, Ramírez-Ponce, M.P., Mateos, J.C., Bellido, J.A. 196:129
–, inhibition of the endogenous volume-regulated anion channel (VRAC) in HEK293 cells by acidic di-aryl-ureas, Hélix, N., Strøbaek, D., Dahl, B.H., Christophersen, P. 196:83
–, modulation of rabbit corneal epithelial cell proliferation by growth factor-regulated K^+ channel activity, Roderick, C., Reinach, P.S., Wang, L., Lu, L. 196:41
–, negative regulation of CFTR activity by extracellular ATP involves P2Y2 receptors in CFTR-expressing CHO cells, Marcket, B., Chappe, V., Delmas, P., Gola, M., Verrier, B. 194:21
–, volume-sensitive Cl^- current in bovine adrenocortical cells: comparison with the ACTH-induced Cl^- current, Dupré-Aucourier, S., Penhoat, A., Rougier, O., Bilbaut, A. 199:99
- Wilson's disease
–, function and regulation of the mammalian copper-transporting ATPases: Insights from biochemical and cell biological approaches, Lutsenko, S., Petris, M.J. 191:1
- Window current
–, channel activation voltage alone is directly altered in an isoform-specific manner by $Na_{v1.4}$ and $Na_{v1.5}$ cytoplasmic linkers, Bennett, E.S. 197:155
- WNDP
–, function and regulation of the mammalian copper-transporting ATPases: Insights from biochemical and cell biological approaches, Lutsenko, S., Petris, M.J. 191:1
- Wortmannin
–, the role of phosphatidylinositol 3-kinase (PI3K) in CO_2 stimulation of the Na^+/HCO_3^- cotransporter (NBC), Bernardo, A.A., Espiritu, D.J.D., Ruiz, O.S., Robey, R.B., Arruda, J.A.L. 191:141
- Wound healing
–, physiological and pathological roles of $\alpha 3\beta 1$ integrin, Tsuji, T. 200:115
- X-ray diffraction
–, the kinetics of non-lamellar phase formation in DOPE-Me: relevance to biomembrane fusion, Cherezov, V., Siegel, D.P., Shaw, W., Burgess, S.W., Caffrey, M. 195:165
- Xenopus laevis* alveolar epithelium
–, stimulation of transepithelial Na^+ current by extracellular Gd^{3+} in *Xenopus laevis* alveolar epithelium, Fronius, M., Clauss, W., Schnizler, M. 195:43
- Xenopus laevis* kidney
–, external Ni^{2+} and ENaC in A6 cells: Na^+ current stimulation by competition at a binding site for amiloride and Na^+ , Cucu, D., Simaels, J., Van Driessche, W., Zeiske, W. 194:33
- Xenopus laevis* oocytes
–, CO_2 sensitivity of voltage gating and gating polarity of gap junction channels-connexin40 and its COOH-terminus-truncated mutant, Peracchia, C., Chen, J.T., Peracchia, L.L. 200:105
–, effect of extracellular pH on presteady-state and steady-state current mediated by the Na^+/K^+ pump, Vasilyev, A., Khater, K., Rakowski, R.F. 198:65
–, effects of purinergic stimulation, CFTR and osmotic stress on amiloride-sensitive Na^+ transport in epithelia and *Xenopus* oocytes, Schreiber, R., König, J., Sun, J., Markovich, D., Kunzelmann, K. 192:101
–, evidence for the presence of three different anion exchangers in a red cell. Functional expression studies in *Xenopus* oocytes, Guizouarn, H., Musch, M.W., Goldstein, L. 193:109
–, expression of the skate (*Raja erinacea*) AE1 osmolyte channel in *Xenopus laevis* oocytes: monovalent cation permeability, Koomoa, D.-L.T., Musch, M.W., Myers, D.E., Goldstein, L. 198:23
–, intracellular calcium: a prerequisite for aldosterone action, Schäfer, C., Shahin, V., Albermann, L., Schillers, H., Hug, M.J., Oberleithner, H. 196:157
–, is the voltage gate of connexins CO_2 -sensitive? Cx45 channels and inhibition of calmodulin expression, Peracchia, C., Young, K.C., Wang, X.G., Peracchia, L.L. 195:53
–, modulation of DMT1 activity by redox compounds, Marciani, P., Trott, D., Hediger, M.A., Monticelli, G. 197:91
–, nuclear envelope: nanoarray responsive to aldosterone, Oberleithner, H. 199:127
–, passive transport of macromolecules through *Xenopus laevis* nuclear envelope, Enss, K., Danker, T., Schlune, A., Buchholz, I., Oberleithner, H. 196:147
–, transient permeability leak of nuclear envelope induced by aldosterone, Buchholz, I., Enss, K., Schafer, C., Schlune, A., Shahin, V., Oberleithner, H. 199:135
–, transinhibition and voltage-gating in a fungal nitrate transporter, Boyd, J., Gradmann, D., Boyd, C.M. 195:109
–, transport of proline and hydroxyproline by the neutral amino-acid exchanger ASCT1, Pinilla-Tenas, J., Barber, A., Lostao, M.P. 195:27
- Zinc
–, identification of ion-selectivity determinants in heavy-metal transport P_{1B} -type ATPase, Argüello, J.M. 195:93
- ZntA
–, identification of ion-selectivity determinants in heavy-metal transport P_{1B} -type ATPase, Argüello, J.M. 195:93
- Zona fasciculata cells
–, volume-sensitive Cl^- current in bovine adrenocortical cells: comparison with the ACTH-induced Cl^- current, Dupré-Aucourier, S., Penhoat, A., Rougier, O., Bilbaut, A. 199:99