

Author Index

- Adeola, O.: *See* Fan, M.Z., 299
Allen, L.A., Wingertzahn, M.A., Teichberg, S., and Wapnir, R.A. Proabsorptive effect of glycerol as a glucose substitute in oral rehydration solutions, 49
Alvarez, B.: *See* Argilés, J.M., 244
Argilés, J.M., Busquets, S., Alvarez, B., and López-Soriano, F.J. Mechanism for the increased skeletal muscle protein degradation in the obese Zucker rat, 244
Arhan, P.: *See* Bouhallab, S., 723
Arhan, P.: *See* Pérès, J.-M., 215
Arjmandi, B.H.: *See* Sohn, E., 660
Asem, E.K.: *See* Fan, M.Z., 299
Azain, M.J., Kasser, T.R., and Baile, C.A. A method for the determination of glucose synthesis in isolated bovine hepatocytes, 205
- Babineau, T.: *See* Nehra, V., 2
Babu, P.S., and Srinivasan, K. Renal lesions in streptozotocin-induced diabetic rats maintained on onion and capsaicin containing diets, 477
Baile, C.A.: *See* Azain, M.J., 205
Bamji, M.S.: *See* Brijlal, S., 728
Banerjee, R.: Nageswari, K., 338
Barbaroux, O.: *See* Galland-Irmouli, A.-V., 353
Baybutt, R.C.: *See* Heger, R.J., 518
Ben-Amotz, A.: *See* Werman, M.J., 449
Benamouzig, R.: *See* Meziani, K., 405
Benzie, I.F.F., Chung, W.Y., and Strain, J.J. "Antioxidant" (reducing) efficiency of ascorbate in plasma is not affected by concentration, 146
Berdanier, C.D.: *See* Kim, S.-B., 31
Bernardini, G.: *See* Rizzo, A.M., 44
Berner, Y.N.: *See* Stern, F., 467
Berra, B.: *See* Rizzo, A.M., 44
Bieber, L.L.: *See* Pap, M., 670
Billman, G.E.: *See* Leaf, A., 440
Bistrrian, B.R.: *See* Nehra, V., 2
Bizeau, M.E., and Hazel, J.R. Dietary fat type alters glucose metabolism in isolated rat hepatocytes, 709
Blachier, F.: *See* Chambon-Savanovitch, C., 331
Blomhoff, R.: *See* Hagen, E., 345
Blumberg, J.B.: *See* Mune, M., 539
Bobilya, D.J., Reynolds, J.T., Faia, K.L., Briske-Anderson, M., and Reeves, P.G. Zinc-related metallothionein metabolism in bovine pulmonary artery endothelial cells, 139
Bobilya, D.J.: *See* McClung, J.P., 484
Boschero, A.C.: *See* Latorraca, M.Q., 37
Bouglé, D.: *See* Pérès, J.-M., 215
Bouglé, D.L.: *See* Bouhallab, S., 723
Bouhallab, S., Oukhatar, N.A., Mollé, D., Henry, G., Maubois, J.-L., Arhan, P., and Bouglé, D.L. Sensitivity of β -casein phosphopeptide-iron complex to digestive enzymes in ligated segment of rat duodenum, 723
Bouhallab, S.: *See* Pérès, J.-M., 215
Bouras, M.: *See* Meziani, K., 405
Bourre, J.M.: *See* Gerbi, A., 230
Brijlal, S., Lakshmi, A.V., and Bamji, M.S. Mitochondrial oxidative metabolism during respiratory infection in riboflavin deficient mice, 728
Briske-Anderson, M.: *See* Bobilya, D.J., 139
Brodal, B.P., Eliassen, K.A., Rønning, H., and Osmundsen, H. Effects of dietary polyamines and clofibrate on metabolism of polyamines in the rat, 700
Broitman, S.A.: *See* Cerda, S.R., 19
Bronowicki, J.-P.: *See* Galland-Irmouli, A.-V., 353
Brooks, S.P.J., and Lampi, B.J. Effect of dietary fat on whole body fatty acid synthesis in weanling rats, 291
Bruckner, G.: *See* Ibrahim, W., 674
Brückner, J.: *See* Petzke, K.J., 268
Bureau, F.: *See* Pérès, J.-M., 215
Busquets, S.: *See* Argilés, J.M., 244
Butler, J.A.: *See* Janghorbani, M., 564
- Canfield, L.M., Taren, D.L., Kaminsky, R.G., and Mahal, Z. Short-term β -carotene supplementation of lactating mothers consuming diets low in vitamin A, 532
Carneiro, E.M.: *See* Latorraca, M.Q., 37
Carroll, K.K.: *See* Giroux, I., 166
Castillo, M., Hortal, J.H., Gil-Villarino, A., Luque, P., Iglesias, J., and García-Peregrín, E. Differential effects of dietary fat on chick plasma and liver composition and HMG-CoA reductase activity, 198
Cerda, S.R., Wilkinson, J., IV, Thorgeirsdottir, S., and Broitman, S.A. R-(+)-perillyl alcohol-induced cell cycle changes, altered actin cytoskeleton, and decreased *ras* and p34^{cdc2} expression in colonic adenocarcinoma SW480 cells, 19
Chambon-Savanovitch, C., Farges, M.-C., Raul, F., Blachier, F., Davot, P., Cynober, L., and Vasson, M.-P. Can a glutamate-enriched diet counteract glutamine depletion in endotoxemic rats?, 331
Chang, Y.: *See* Peck, M.D., 380
Charlier, A.: *See* Gaire, D., 56
Chen, C.-J.: *See* Hsu, J.-T., 510
Chesters, J.K., and Petrie, L. A possible role for cyclins in the zinc requirements during G1 and G2 phases of the cell cycle, 279
Cho, B.H.S.: *See* Xu, S., 654
Chow, C.K.: *See* Ibrahim, W., 674
- Chu, W.-c.: *See* Venkatraman, J.T., 582
Chung, W.Y.: *See* Benzie, I.F.F., 146
Chuthakorn, R.: *See* Gorinstein, S., 367
Collins, H.E.: *See* Schramm, D.D., 193
Corte, C.: *See* Johnston, C.S., 696
Coste, T., Pierlovisi, M., Leonardi, J., Dufayet, D., Gerbi, A., Lafont, H., Vague, P., and Raccach, D. Beneficial effects of gamma linolenic acid supplementation on nerve conduction velocity, Na⁺, K⁺ATPase activity, and membrane fatty acid composition in sciatic nerve of diabetic rats, 411
Craft, N.: *See* Garrett, D.A., 573
Cucciolla, V.: *See* Manna, C., 159
Cynober, L.: *See* Chambon-Savanovitch, C., 331
- Daggy, B.P.: *See* Sohn, E., 660
Dahlen, G.M.: *See* Saari, J.T., 210
Davot, P.: *See* Chambon-Savanovitch, C., 331
Debray, M.: *See* Gerbi, A., 230
Demigné, C.: *See* Lopez, H.W., 500
Devroede, G.: *See* Pérès, J.-M., 215
Dhansay, M.A.: *See* Wolmarans, P., 598
Dory, L.: *See* Fungwe, T.V., 306
Droesch, S.: *See* Gaire, D., 56
Dror, Y.: *See* Stern, F., 467
Duerksen, D.: *See* Nehra, V., 2
Dufayet, D.: *See* Coste, T., 411
Durand, G.: *See* Gerbi, A., 230
- Edwards, A.M.: *See* Silva, E., 181
Eliassen, K.A.: *See* Brodal, B.P., 700
- Faia, K.L.: *See* Bobilya, D.J., 139
Failla, M.L.: *See* Garrett, D.A., 573
Fan, M.Z., Adeola, O., and Asem, E.K. Characterization of brush border membrane-bound alkaline phosphatase activity in different segments of the porcine small intestine, 299
Farges, M.-C.: *See* Chambon-Savanovitch, C., 331
Fernandez, M.L.: *See* Sun, D., 172
Fernandez, M.L.: *See* Vergara-Jimenez, M., 118
Fleurence, J.: *See* Galland-Irmouli, A.-V., 353
Flor Zafra, M.: *See* Gil-Villarino, A., 325
Fotouhi, N.: *See* Mune, M., 539
Franck, G., Wdzieczak-Bakala, J., and Henrotte, J.-G. Modulating role of glucose on magnesium transport in rat erythrocytes, 433
Fukuda, K., Induction of tissue transglutaminase expression by propionate and n-butyrate in colon cancer cell lines, 397
Fungwe, T.V., Zapata, M., and Dory, L. Fatty acids alter time dependent loss of

- apolipoprotein E expression by primary cultures of rat hepatocytes, 306
- Furr, H.: *See* Vergara-Jimenez, M., 118
- Furukawa, Y.: *See* Sone, H., 237
- Gage, D.A.: *See* Pap, M., 670
- Gaire, D., Sponne, I., Droesch, S., Charlier, A., Nicolas, J.-P., and Lambert, D. Comparison of two methods for the measurement of rat liver methylmalonyl-coenzyme A mutase activity: HPLC and radioisotopic assays, 56
- Galland-Irmouli, A.-V., Fleurence, J., Lamghari, R., Luçon, M., Rouxel, C., Barbaroux, O., Bronowicki, J.-P., Villaume, C., and Guéant, J.-L. Nutritional value of proteins from edible seaweed *Palmaria palmata* (Dulse), 353
- Galletti, P.: *See* Manna, C., 159
- García-Fuentes, E.: *See* Gil-Villarino, A., 325
- García-Peregrín, E.: *See* Castillo, M., 198
- García-Peregrín, E.: *See* Gil-Villarino, A., 325
- Garrett, D.A., Failla, M.L., Sarama, R.J., and Craft, N. Accumulation and retention of micellar β -carotene and lutein by Caco-2 human intestinal cells, 573
- Gerbi, A., Zérouta, M., Maixent, J.-M., Debray, M., Durand, G., and Bourre, J.M. Diet deficient in α -linolenic acid alters fatty acid composition and enzymatic properties of Na^+ , K^+ -ATPase isoenzymes of brain membranes in the adult rat, 230
- Gerbi, A.: *See* Coste, T., 411
- German, J.B.: *See* Schramm, D.D., 193
- Gil-Villarino, A., García-Fuentes, E., Flor Zafra, M., and García-Peregrín, E. Coconut oil induces short-term changes in lipid composition and enzyme activity of chick hepatic mitochondria, 325
- Gil-Villarino, A.: *See* Castillo, M., 198
- Girard-Globa, A.: *See* Juhel, C., 458
- Giroux, I., Kurowska, E.M., and Carroll, K.K. Role of dietary lysine, methionine, and arginine in the regulation of hypercholesterolemia in rabbits, 166
- Goda, T.: *See* Kishi, K., 8
- Gong, J.: *See* Mune, M., 539
- Gorinstein, S., Zemser, M., Haruenkit, R., Chuthakorn, R., Grauer, F., Martin-Beloso, O. and Trakhtenberg, S. Comparative content of total polyphenols and dietary fiber in tropical fruits and persimmon, 367
- Gornati, R.: *See* Rizzo, A.M., 44
- Goto, T., Ohnami, S., Khedara, A., Kato, N., Ogawa, H., and Yanagita, T. Feeding the nitric oxide synthase inhibitor L-N^o-nitroarginine elevates serum very low density lipoprotein and hepatic triglyceride synthesis in rats, 274
- Grauer, F.: *See* Gorinstein, S., 367
- Grunwald, E.: *See* Janghorbani, M., 564
- Guéant, J.L.: *See* Galland-Irmouli, A.-V., 353
- Guidry, C.A.: *See* Schoene, N.W., 421
- Gurkin, B.E.: *See* Tipton, K.D., 89
- Guy, C.: *See* Lopez, H.W., 500
- Ha, P.: *See* Janghorbani, M., 564
- Hagen, E., Myhre, A.M., Smeland, S., Halvorsen, B., Norum, K.R., and Blomhoff, R. Uptake of vitamin A in macrophages from physiologic transport proteins: Role of retinol-binding protein and chylomicron remnants, 345
- Halvorsen, B.: *See* Hagen, E., 345
- Harris, W.S.: *See* Lu, G., 151
- Haruenkit, R.: *See* Gorinstein, S., 367
- Hazel, J.R.: *See* Bizeau, M.E., 709
- Heger, R.J., and Baybutt, R.C. Regulation of polyamine synthesis and transport by retinoic acid and epidermal growth factor in cultured adult rat type II pneumocytes, 518
- Henrotte, J.-G.: *See* Franck, G., 433
- Henry, G.: *See* Bouhallab, S., 723
- Hine, R.J.: *See* Melnyk, S., 490
- Hortal, J.H.: *See* Castillo, M., 198
- Hsu, J.-T., Hung, H.-C., Chen, C.-J., Hsu, W.-L., and Ying, C. Effects of the dietary phytoestrogen biochanin A on cell growth in the mammary carcinoma cell line MCF-7, 510
- Hsu, W.-L.: *See* Hsu, J.-T., 510
- Huang, P.-C.: *See* Tsai, P.-J., 631
- Huang, Y.-H.: *See* Wei, I.-L., 525
- Hung, H.-C.: *See* Hsu, J.-T., 510
- Ibrahim, W., Lee, U.-S., Szabo, J., Bruckner, G., and Chow, C.K. Oxidative stress and antioxidant status in mouse kidney: Effects of dietary lipid and vitamin E plus iron, 674
- Ide, N., Lau, B.H.S., Ryu, K., Matsuura, H., and Itakura, Y. Antioxidant effects of fructosyl arginine, a Maillard reaction product in aged garlic extract, 372
- Iglesias, J.: *See* Castillo, M., 198
- Iizuka, M.: *See* Yamamoto, Y., 13
- Itakura, Y.: *See* Ide, N., 372
- Ito, M.: *See* Sone, H., 237
- Jahangiri, A.: *See* Leifert, W.R., 252
- James, S.J.: *See* Melnyk, S., 490
- Janghorbani, M., Xia, Y., Ha, P., Whanger, P.D., Butler, J.A., Olesik, J.W., and Grunwald, E. Effect of dietary selenium restriction on selected parameters of selenium status in men with high life-long intake, 564
- Jansen, G.R. Effect of Δ^{22} -5 β -taurochenolic acid on hepatic cholesterol and fatty acid in gold thioglucose obese mice fed low- or high-fat diets, 638
- Jauhainen, M.: *See* Tahvanainen, E., 360
- Jeon, I.J.: *See* Noh, S.K., 110
- Johnston, C.S., and Corte, C. Tissue carnitine fluxes in vitamin C-depleted-repleted guinea pigs, 696
- Juhel, C., Senft, M., Pafumi, Y., Girard-Globa, A., Levy, E., Lafont, H., and Lairon, D. Acute ingestion of different dietary fatty acid species modulates postprandial lipid responses in New Zealand white rabbits, 458
- Kalimo, K.O.: *See* Yang, B., 622
- Kallio, H.P.: *See* Yang, B., 622
- Kallio, S.E.: *See* Yang, B., 622
- Kaminsky, R.G.: *See* Canfield, L.M., 532
- Kang, J.X.: *See* Leaf, A., 440
- Karppanen, H.: *See* Tahvanainen, E., 360
- Kasser, T.R.: *See* Azain, M.J., 205
- Katajisto, J.K.: *See* Yang, B., 622
- Kato, N.: *See* Goto, T., 274
- Kawano, M.: *See* Yamamoto, Y., 13
- Kelder, B.: *See* Prieto, P.A., 682
- Keller, W.L.: *See* Wu, D.M., 455
- Khedara, A.: *See* Goto, T., 274
- Kim, S.-B., and Berdanier, C.D. Further studies of diabetes-prone BHE/Cdb rats: Increased sensitivity to calcium ion suppression of oxidative phosphorylation, 31
- Kim, Y.-I. Folate and carcinogenesis: Evidence, mechanisms, and implications, 66
- Kishi, K., Takase, S., and Goda, T. Enhancement of sucrase-isomaltase gene expression induced by luminally administered fructose in rat jejunum, 8
- Komarnitsky, M.: *See* Stern, F., 467
- Koo, S.I.: *See* Noh, S.K., 110
- Kopchick, J.J.: *See* Prieto, P.A., 682
- Kopcsányi, G.: *See* Pap, M., 670
- Kriek, J.A.: *See* Wolmarans, P., 598
- Kumar, M.V., Sambaiah, K., and Lokesh, B.R. Effect of dietary ghee—the anhydrous milk fat, on blood and liver lipids in rats, 96
- Kurowska, E.M.: *See* Giroux, I., 166
- Laakso, J.: *See* Tahvanainen, E., 360
- Lafont, H.: *See* Coste, T., 411
- Lafont, H.: *See* Juhel, C., 458
- Lairon, D.: *See* Juhel, C., 458
- Lakshmi, A.V.: *See* Brijlal, S., 728
- Lambert, D.: *See* Gaire, D., 56
- Lamghari, R.: *See* Galland-Irmouli, A.-V., 353
- Lampi, B.J.: *See* Brooks, S.P.J., 291
- Latorraca, M.Q., Carneiro, E.M., Mello, M.A.R., and Boschero, A.C. Reduced insulin secretion in response to nutrients in islets from malnourished young rats is associated with a diminished calcium uptake, 37
- Lau, B.H.S.: *See* Ide, N., 372
- Laubscher, J.A.: *See* Wolmarans, P., 598
- Leaf, A., Kang, J.X., Xiao, Y.-F., Billman, G.E., and Voskuyl, R.A. Experimental studies on antiarrhythmic and antisei-

Author Index

- zure effects of polyunsaturated fatty acids in excitable tissues, 440
- Lee, U.-S.: *See* Ibrahim, W., 674
- Leelamma, S.: *See* Pillai, M.G., 555
- Leifert, W.R., Jahangiri, A., and McMurchie, E.J. Antiarrhythmic fatty acids and antioxidants in animal and cell studies, 252
- Leonardi, J.: *See* Coste, T., 411
- Levrat, M.-A.: *See* Lopez, H.W., 500
- Levy, E.: *See* Juhel, C., 458
- Lin, E.C.K.: *See* Sun, D., 172
- Lladó, I., Pons, A., and Palou, A. Effects of fasting on lipoprotein lipase activity in different depots of white and brown adipose tissues in diet-induced overweight rats, 609
- Lokesh, B.R.: *See* Kumar, M.V., 96
- Lombard, C.J.: *See* Wolmarans, P., 598
- Lopez, H.W., Levrat, M.-A., Guy, C., Messenger, A., Demigné, C., and Rémésy, C. Effects of soluble corn bran arabinoxylans on cecal digestion, lipid metabolism, and mineral balance (Ca, Mg) in rats, 500
- López-Soriano, F.J.: *See* Argilés, J.M., 244
- Lu, G., Windsor, S.L., Harris, W.S. Omega-3 fatty acids alter lipoprotein subfraction distributions and the in vitro conversion of very low density lipoproteins to low density lipoproteins, 151
- Luçon, M.: *See* Galland-Irmouli, A.-V., 353
- Luque, P.: *See* Castillo, M., 198
- Maebashi, M.: *See* Sone, H., 237
- Mahal, Z.: *See* Canfield, L.M., 532
- Mahé, S.: *See* Meziani, K., 405
- Maixent, J.-M.: *See* Gerbi, A., 230
- Manna, C., Galletti, P., Cucciolla, V., Montedoro, G., and Zappia, V. Olive oil hydroxytyrosol protects human erythrocytes against oxidative damages, 159
- Marais, M.: *See* Wolmarans, P., 598
- Martin, A.: *See* Meziani, K., 405
- Martin-Belloso, O.: *See* Gorinstein, S., 367
- Masanés, R.M., Rafecas, I., and Remesar, X. The hepatic amino acid system, a transport activity, is up-regulated in obese Zucker rats, 716
- Matin, S.: *See* Tipton, K.D., 89
- Matsumoto, T.: *See* Yamamoto, Y., 13
- Matsuura, H.: *See* Ide, N., 372
- Mattila, L.M.: *See* Yang, B., 622
- Maubois, J.-L.: *See* Bouhallab, S., 723
- Maubois, J.-L.: *See* Pérès, J.-M., 215
- McClung, J.P., and Bobilya, D.J. The influence of zinc status on the kinetics of zinc uptake into cultured endothelial cells, 484
- McMurchie, E.J.: *See* Leifert, W.R., 252
- McNamara, D.J.: *See* Sun, D., 172
- Melegh, B.: *See* Pap, M., 670
- Mello, M.A.R.: *See* Latorraca, M.Q., 37
- Melnyk, S., Pogribna, M., Pogribny, I., Hine, R.J., and James, S.J. A new HPLC method for the simultaneous determination of oxidized and reduced plasma aminothiols using coulometric electrochemical detection, 490
- Melo, G.E.B.A.: *See* Reen, R.K., 615
- Menon, V.P.: *See* Nageswari, K., 338
- Menon, V.P.: *See* Pillai, M.G., 555
- Messenger, A.: *See* Lopez, H.W., 500
- Metges, C.C.: *See* Petzke, K.J., 268
- Meydani, M.: *See* Mune, M., 539
- Meziani, K., Benamouzig, R., Mahé, S., Martin, A., Bouras, M., Rautureau, J., and Tomé D. Effects of a high soy protein diet on intestinal polyamines and ornithine decarboxylase activity in rats, 405
- Mittendorfer, B.: *See* Sidossis, L.S., 547
- Miyase, T.: *See* Yoshino, K., 223
- Mock, D.M.: *See* Zemleni, J., 105, 128, 427
- Mokady, S.: *See* Werman, M.J., 449
- Molin, M.: *See* Tahvanainen, E., 360
- Mollé, D.: *See* Bouhallab, S., 723
- Montedoro, G.: *See* Manna, C., 159
- Moraes-Santos, T.: *See* Reen, R.K., 615
- Mune, M., Meydani, M., Gong, J., Fotouhi, N., Ohtani, H., Smith, D., and Blumberg, J.B. Effect of dietary fish oil, vitamin E, and probucol on renal injury in the rat, 539
- Myhre, A.M.: *See* Hagen, E., 345
- Nageswari, K., Banerjee, R., and Menon, V.P. Effect of saturated, ω -3 and ω -6 polyunsaturated fatty acids on myocardial infarction, 338
- Nehra, V., Swails, W., Duerksen, D., Babineau, T., and Bistran, B.R. Indications for total parenteral nutrition in the hospitalized patient: A prospective review of evolving practice, 2
- Neuville, D.: *See* Pérès, J.-M., 215
- Newsholme, P., Curi, R., Pithon Curi, T.C., Murphy, C.J., Garcia, C., and Pires de Melo, M. Glutamine metabolism by lymphocytes, macrophages, and neutrophils: Its importance in health and disease, 316
- Nicolas, J.-P.: *See* Gaire, D., 56
- Nogowski, L. Effects of phytoestrogen-coumestrol on lipid and carbohydrate metabolism in young ovariectomized rats may be independent of its estrogenicity, 664
- Noh, S.K., Koo, S.I., and Jeon, I.J. Estradiol replacement in ovariectomized rats increases the hepatic concentration and biliary secretion of α -tocopherol and polyunsaturated fatty acids, 110
- Norum, K.R.: *See* Hagen, E., 345
- Oda, H., Suzuki, Y., Shibata, T., and Yoshida, A. Glucocorticoid-dependent induction of HMG-CoA reductase and malic enzyme gene expression by polychlorinated biphenyls in rat hepatocytes, 644
- Ogawa, H.: *See* Goto, T., 274
- Ohneda, M.: *See* Sone, H., 237
- Ohnomi, S.: *See* Goto, T., 274
- Ohtani, H.: *See* Mune, M., 539
- Olesik, J.W.: *See* Janghorbani, M., 564
- Osmundsen, H.: *See* Brodal, B.P., 700
- Oukhatar, N.A.: *See* Bouhallab, S., 723
- Pacheco, D.: *See* Silva, E., 181
- Pafumi, Y.: *See* Juhel, C., 458
- Palou, A.: *See* Lladó, I., 609
- Pap, M., Kopcsányi, G., Bieber, L.L., Gage, D.A., and Melegh, B. Cefetamet pivoxil treatment causes loss of carnitine reserves that can be prevented by exogenous carnitine administration, 670
- Park, C.S.: *See* Wu, D.M., 455
- Peck, M.D., and Chang, Y. Nutritional support for burn injuries, 380
- Peltola, O.J.: *See* Yang, B., 622
- Pérès, J.-M., Bouhallab, S., Bureau, F., Neuville, D., Maubois, J.-L., Devroede, G., Arhan, P., and Bouglé, D. Mechanisms of absorption of caseinophosphopeptide bound iron, 215
- Petrie, L.: *See* Chesters, J.K., 279
- Petzke, K.J., Proll, J., Brückner, J., and Metges, C.C. Plasma protein carbonyl concentration is not enhanced by chronic intake of high-protein diets in adult rats, 268
- Pierlovisi, M.: *See* Coste, T., 411
- Pillai, M.G., Thampi, B.S.H., Menon, V.P., and Leelamma, S. Influence of dietary fiber from coconut kernel (*Cocos nucifera*) on the 1,2-dimethylhydrazine-induced lipid preoxidation in rats, 555
- Pogribna, M.: *See* Melnyk, S., 490
- Pogribny, I.: *See* Melnyk, S., 490
- Polyak, Z.: *See* Stern, F., 467
- Pons, A.: *See* Lladó, I., 609
- Prieto, P.A., Kopchick, J.J., and Kelder, B. Transgenic animals and nutrition research, 682
- Proll, J.: *See* Petzke, K.J., 268
- Raccah, D.: *See* Coste, T., 411
- Rafecas, I.: *See* Masanés, R.M., 716
- Raul, F.: *See* Chambon-Savanovitch, C., 331
- Rautureau, J.: *See* Meziani, K., 405
- Reen, R.K., Melo, G.E.B.A., and Moraes-Santos, T. Malnutrition sequela on the drug metabolizing enzymes in male Holtzman rats, 615
- Reeves, P.G.: *See* Bobilya, D.J., 139
- Remesar, X.: *See* Masanés, R.M., 716
- Rémésy, C.: *See* Lopez, H.W., 500
- Reynolds, J.T.: *See* Bobilya, D.J., 139
- Rizzo, A.M., Gornati, R., Rossi, F., Bernardini, G., and Berra, B. Effect of maternal diet on the distribution of phospholipids and their fatty acid composition in *Xenopus laevis* embryos, 44

- Rönning, H.: *See* Brodal, B.P., 700
 Rossi, F.: *See* Rizzo, A.M., 44
 Rouxel, M.: *See* Galland-Irmouli, A.-V., 353
 Ryu, K.: *See* Ide, N., 372
- Saari, J.T., and Dahlen, G.M. Early and advanced glycation end-products are increased in dietary copper deficiency, 210
 Saeki, S.: *See* Yamamoto, Y., 13
 Sambaiah, K.: *See* Kumar, M.V., 96
 Sano, M.: *See* Yoshino, K., 223
 Sarama, R.J.: *See* Garrett, D.A., 573
 Sasaki, K.: *See* Yoshino, K., 223
 Schoene, N.W. and Guidry, C.A. Dietary soy isoflavones inhibit activation of rat platelets, 421
 Schramm, D.D., Collins, H.E., and German, J.B. Flavonoid transport by mammalian endothelial cells, 193
 Sela, B.-A.: *See* Stern, F., 467
 Senft, M.: *See* Juhel, C., 458
 Shibata, Y.: *See* Oda, H., 644
 Sidossis, L.S., Mittendorfer, B., Walser, E., and Wolfe, R.R. Regional disposal of intravenously infused glucose during prolonged hyperglycemia-hyperinsulinemia, 547
 Silva, E., Edwards, A.M., and Pacheco, D. Visible light-induced photooxidation of glucose sensitized by riboflavin, 181
 Smeland, S.: *See* Hagen, E., 345
 Smith, D.: *See* Mune, M., 539
 Sohn, E., Daggy, B.P., and Arjmandi, B.H. Ovariectomized hamster: A potential model of postmenopausal hypercholesterolemia, 660
 Sone, H., Ito, M., Sugiyama, K., Ohneda, M., Maebashi, M., and Furukawa, Y. Biotin enhances glucose-stimulated insulin secretion in the isolated perfused pancreas of the rat, 237
 Spinnler Benadé, A.J.: *See* Wolmarans, P., 598
 Sponne, I.: *See* Gaire, D., 56
 Srinivasan, K.: *See* Babu, P.S., 477
 Stern, F., Berner, Y.N., Polyak, Z., Kormarnitsky, M., Sela, B.-A., and Dror, Y. Effect of vitamin B₆ supplementation on degradation rates of short-lived proteins in human neutrophils, 467
 Strain, J.J.: *See* Benzie, I.F.F., 146
 Sugiyama, K.: *See* Sone, H., 237
 Sun, D., Fernandez, M.L., Lin, E.C.K., and McNamara, D.J. Regulation of guinea pig hepatic acyl-CoA:cholesterol acyltransferase activity by dietary fat saturation and cholesterol, 172
 Sundvall, J.: *See* Tahvanainen, E., 360
 Suzuki, M.: *See* Yoshino, K., 223
 Suzuki, Y.: *See* Oda, H., 644
 Swails, W.: *See* Nehra, V., 2
 Szabo, J.: *See* Ibrahim, W., 674
- Tahvanainen, E., Molin, M., Laakso, J., Sundvall, J., Jauhainen, M., Vaskonen, T., and Karppanen, H. Interrelationships between low density lipoprotein receptor defect, serum fatty acid composition, and serum cholesterol concentration, 360
 Takahashi, Y.: *See* Yamamoto, Y., 13
 Takase, S.: *See* Kishi, K., 8
 Taren, D.L.: *See* Canfield, L.M., 532
 Teichberg, S.: *See* Allen, L.A., 49
 Thampi, B.S.H.: *See* Pillai, M.G., 555
 Thorgeirsdottir, S.: *See* Cerda, S.R., 19
 Tichelaar, H.Y.: *See* Wolmarans, P., 598
 Tipton, K.D., Gurkin, B.E., Matin, S., and Wolfe, R.R. Nonessential amino acids are not necessary to stimulate net muscle protein synthesis in healthy volunteers, 89
 Tomé, D.: *See* Meziani, K., 405
 Trakhtenberg, S.: *See* Gorinstein, S., 367
 Tsai, P.-J., and Huang, P.-C. Effects of isoflavones containing soy protein isolate compared with fish protein on serum lipids and susceptibility of low density lipoprotein and liver lipids to in vitro oxidation in hamsters, 631
- Vague, P.: *See* Coste, T., 411
 van der Merwe, S.: *See* Wolmarans, P., 598
 Vaskonen, T.: *See* Tahvanainen, E., 360
 Vasson, M.-P.: *See* Chambon-Savanovitch, C., 331
 Venkatraman, J.T., and Chu, W.-c. Effects of dietary omega₃ and omega₆ lipids and vitamin E on proliferative response, lymphoid cell subsets, production of cytokines by spleen cells, and splenic protein levels for cytokines and oncogenes in MRL/MpJ-*lpr/lpr* mice, 582
 Vergara-Jimenez, M., Furr, H., and Fernandez, M.L. Pectin and psyllium decrease the susceptibility of LDL to oxidation in guinea pigs, 118
 Villaume, C.: *See* Galland-Irmouli, A.-V., 353
 Vorster, H.H.: *See* Wolmarans, P., 598
 Voskuyl, R.A.: *See* Leaf, A., 440
- Walser, E.: *See* Sidossis, L.S., 547
 Wang, G.-S.: *See* Wei, I.-L., 525
 Wapnir, R.A.: *See* Allen, L.A., 49
 Wdziejczak-Bakala, J.: *See* Franck, G., 433
 Wei, I.-L., Huang, Y.-H., and Wang, G.-S. Vitamin B₆ deficiency decreases the glucose utilization in cognitive brain structures of rats, 525
 Werman, M.J., Ben-Amotz, A., and Mokady, S. Availability and antiperoxidative effects of β-carotene from *Dunaliella bardawil* in alcohol-drinking rats, 449
 Whanger, P.D.: *See* Janghorbani, M., 564
 Wilkinson, J., IV: *See* Cerda, S.R., 19
- Windsor, S.L.: *See* Lu, G., 151
 Wingertzahn, M.A.: *See* Allen, L.A., 49
 Wolf, G. The function of cholesterol in embryogenesis, 188
 Wolfe, R.R.: *See* Sidossis, L.S., 547
 Wolfe, R.R.: *See* Tipton, K.D., 89
 Wolmarans, P., Laubscher, J.A., van der Merwe, S., Kriek, J.A., Lombard, C.J., Marais, M., Vorster, H.H., Tichelaar, H.Y., Dhansay, M.A., and Spinnler Benadé, A.J. Effects of a prudent diet containing either lean beef and mutton or fish and skinless chicken on the plasma lipoproteins and fatty acid composition of triacylglycerol and cholesteryl ester of hypercholesterolemic subjects, 598
 Wu, D.M., Keller, W.L., and Park, C.S. Lipotropes alter casein gene expression in bovine mammary acinar culture, 455
- Xia, Y.: *See* Janghorbani, M., 564
 Xiao, Y.-F.: *See* Leaf, A., 440
 Xu, S., and Cho, B.H.S. Allyl mercaptan, a major metabolite of garlic compounds, reduces cellular cholesterol synthesis and its secretion in Hep-G2 cells, 654
- Yamaguchi, H.: *See* Yamamoto, Y., 13
 Yamamoto, Y., Takahashi, Y., Kawano, M., Iizuka, M., Matsumoto, T., Saeki, S., and Yamaguchi, H. In vitro digestibility and fermentability of levan and its hypocholesterolemic effects in rats, 13
 Yanagita, T.: *See* Goto, T., 274
 Yang, B., Kalimo, K.O., Mattila, L.M., Kallio, S.E., Katajisto, J.K., Peltola, O.J., and Kallio, H.P. Effects of dietary supplementation with sea buckthorn (*Hippophaë rhamnoides*) seed and pulp oils on atopic dermatitis, 622
 Ying, C.: *See* Hsu, J.-T., 510
 Yoshida, A.: *See* Oda, H., 644
 Yoshino, K., Suzuki, M., Sasaki, K., Miyase, T., and Sano, M. Formation of antioxidants from (-)-epigallocatechin gallate in mild alkaline fluids, such as authentic intestinal juice and mouse plasma, 223
 Zapata, M.: *See* Fungwe, T.V., 306
 Zappia, V.: *See* Manna, C., 159
 Zemleni, J., and Mock, D.M. Biotin biochemistry and human requirements, 128
 Zemleni, J., and Mock, D.M. The efflux of biotin from human peripheral blood mononuclear cells, 105
 Zemleni, J., and Mock, D.M. Human peripheral blood mononuclear cells: Inhibition of biotin transport by reversible competition with pantothenic acid is quantitatively minor, 427
 Zemser, M.: *See* Gorinstein, S., 367
 Zéroura, M.: *See* Gerbi, A., 230

Subject Index

- Actin, 19
Activation coefficient, 467
Acyl-coA:cholesterol acyltransferase, 172
Aged garlic extract, 372
Alcohol, 449
Alkaline fluids, 223
Alkaline phosphatase, 299
All-trans retinoic acid, 518
Allyl mercaptan, 654
Amino acid, 353
Antioxidant, 146, 223, 372
Antioxidants, 159, 252, 674
Apoptosis, 397
Arginine, 166, 237
Arrhythmia, 252, 440
Ascorbate, 146
Aspartate aminotransferase, 467
Atherosclerosis, 338, 372
Atopy, 622
ATPase, 325
Autoimmunity, 582
- BHE/Cdb rat, 31
Bifidobacteria, 13
Biliary lipid, 110
Biochanin A, 510
Biotin, 105, 128, 237, 427
Biotin-deficient rat, 237
Blood lipids, 96
Bovine, 455
Brain, 230, 525
Breast milk, 532
Brush border membrane, 299
Burns, 380
- Ca²⁺ fluxes, 37
Caco-2 cells, 573
Calcium, 31, 500
Capsaicin, 477
Carbohydrate, 664
Carboxylases, 128
Carcinogenesis, 66
Cardiomyocytes, 252
Carnitine, 274, 670
Carnitine deficiency, 670
β-carotene, 449, 532, 573
Carotenoid interactions, 573
Carotenoids, 532
Casein, 405
Casein gene, 455
Caseinophosphopeptide, 215, 723
Catalase, 338, 700
cdc2, 19
Cecum, 500
Cefetamet pivoxil, 670
Cell cycle, 279
Cell proliferation, 405, 510
Cervical cancer, 66
Chemoprevention, 66
Chicken, 598
Chinese men, 565
Cholesterol, 188, 198, 325, 360, 500, 638
- Cholesterol oxidation products (COPS), 96
Cholesterol secretion, 654
Cholesterol synthesis, 654
Chylomicron remnants, 345
Clofibrate, 700
Coconut oil, 198, 325, 707
Colon cancer, 19, 66
Colon cancer cells, 397
Copper, 210
Coumestrol, 664
Cyclin, 279
Cytochrome oxidase, 325
Cytochrome P450, 615
Cytokines, 316, 582
Cytotoxicity, 654
- 2-deoxyglucose, 525
Dexamethasone, 139
Diabetes, 316, 411
Diabetes mellitus, 477
Diet, 44, 700
Dietary amino acids, 166
Dietary cholesterol, 172
Dietary fat, 172, 291
Dietary fiber, 13, 367, 555
Dietary lipids, 458
Digestibility, 13
Digestive absorption, 215
Dimerization, 223
1,2-dimethylhydrazine, 555
Docosahexaenoic acid, 151, 441
Drug metabolizing enzymes, 615
Dunaliella bardawil, 449
- Efflux, 105
EHS-gel, 644
Eicosapentaenoic acid, 151, 440
Electrochemical detection, 490
Embryo development, 44
Endocytosis, 215
Endothelial cell, 139, 193, 484
Endothelin, 193
Endotoxemic rats, 331
Enteral diet, 331
Enzymatic digestion, 723
Epidermal growth factor, 518
(-)-Epigallocatechin gallate, 223
Erythrocyte, 159
Essential amino acids, 89
Essential fatty acids, 96, 638
17β-estradiol, 139
Estrogen, 110, 660
- Familial hypercholesterolemia, 360
Fasting, 609
Fatty acid synthesis, 291
Fatty acids, 110, 338, 360, 638
ω-3 and ω-6 fatty acids, 44
Fermentation, 500
Fiber, 500
- Fish, 598
Fish oil, 151, 539, 674, 707
Fish protein, 631
Flavonoid, 193
Folate, 66
FRAP assay, 146
Fructosamine, 210
Fructose, 8
Fructosyl arginine, 372
- G2, 279
Gamma linolenic acid, 411
Gene expression, 8
Genistein, 420
Ghee, 96
Glomerulonephritis, 539
Glucocorticoid, 644
Gluconeogenesis, 205, 707
Glucose, 181, 237, 433
Glucose metabolism, 525
GLUT-1, 433
GLUT5, 8
Glutamate, 331
Glutamine, 316, 331
Glutathione, 490
Glycation, 210
Glycerol, 49
Glycogenolysis, 707
Guinea pig, 118, 172, 696
- Half-lives, 105
Hamsters, 631
Hemoglobin A₁, 210
Hepatic, 660
Hepatic triglyceride lipase, 151
Hepatic vein, 547
Hepatocytes, 205
Hep-G2 cell, 654
High selenium intake, 565
High-performance liquid chromatography, 56
High-protein diet, 268
Hippophaë rhamnoides, 622
HMG-CoA reductase, 198, 644
Holoprosencephaly, 188
Homocysteine, 490
HPLC, 490
Human, 128, 427
Hydroperoxides, 338
Hydroxytyrosol, 159
Hypercholesterolemia, 166, 598
Hydratation, 49
Hypermetabolism, 380
Hyperproteic diet, 716
Hyperthyroidism, 31
Hypertriglyceridemia, 274
Hypocholesterolemic effect, 13
- IL-6, 139
Immune response, 582
In vitro digestibility, 353

- Infant nutrition, 532
 Insulin resistance, 547, 707
 Insulin response, 237
 Insulin secretion, 37
 Intestinal juice, 223
 Intestine, 331, 405, 660
 Iron, 215, 674, 723
 Isoenzyme, 230
 Isoflavones, 420, 631
 Isolated membrane vesicles, 716
 Isolated pancreas perfusion, 237

 J774 cells, 345
 Jejunal perfusions, 49

 Kidney, 674

 L-alanine transport, 716
 Lard, 674
 LDL oxidation, 118, 631
 Lean red meat, 598
 Legume, 510
 Levan, 13
 Lipid peroxidation, 159, 449, 555
 Lipids, 664
 ω lipids, 582
 Lipogenesis, 638
 Lipoprotein clearance, 458
 Lipoprotein lipase, 151, 345, 609
 Lipoproteins, 598
 Lipotrope, 455
 Liver, 56, 172, 547, 716
 Liver and extrahepatic tissues, 615
 Liver lipids, 96
 Low density lipoprotein, 172, 372
 Low density lipoprotein receptor, 360
 Low density lipoproteins, 151
 Lutein, 573
 Lymphocytes, 316
 Lysine, 166

 Macrophages, 316, 345, 539
 Magnesium, 433, 500
 Maillard reaction product, 372
 Malic enzyme, 644
 Malnutrition sequela, 615
 Malondialdehyde, 338
 Mammary cell, 455
 Mass spectrometry, 670
 Membrane transport, 433
 Menhaden oil, 198
 Metabolic control, 291
 Metabolism, 128, 205, 291
 Metallothionein, 139
 Methionine, 166, 490
 Methodology, 56
 Methylmalonyl-coenzyme A mutase, 56
 Mice, 582
 Micelles, 573
 Mitochondrial phospholipids, 325
 Monosaccharides, 433
 Monoterpenes, 19
 Morin, 193
 Mouse plasma, 223
 Muscle carnitine, 696

 Muscle proteolysis, 244
 Muscles, 331
 Myocardial infarction, 338

 N-3, 440
 N-6, 440
 n-3 fatty acids, 252
 (n-3) polyunsaturated fatty acids, 230
 Na, K-ATPase, 230
 Na⁺, K⁺ ATPase, 411
 N-butyrate, 397
 N-end rule, 467
 Neonatal chick, 198
 Nerve conduction velocity, 411
 Neutrophil, 316, 467
 Nitric oxide, 274
 Nitrogen uptake, 89
 Nonsteroidal estrogen, 510
 Nutrition, 380, 682
 Nutritional value, 353

 Obesity, 609, 638
 Oleic acid, 306
 Olive oil, 159
 Omega-3, 440
 Omega-6, 440
 Oncogenes, 582
 Onion, 477
 Oral amino acids, 89
 Oral rehydration solutions, 49
 Ornithine decarboxylase, 405, 518
 Oxidase, 700
 β -oxidation, 728
 Oxidative hemolysis, 159
 Oxidative phosphorylation, 728
 Oxidative stress, 268, 674
 OXPPOS, 31

Palmaria palmata, 353
 Palmitoyltransferase, 274
 Pancreatic islets, 37
 Pantothenic acid, 427
 Parenteral nutrition, 547
 PCB, 644
 Pectin, 118
 Pentosidine, 210
 Peripheral blood mononuclear cells, 105, 427
 Peroxisomes, 700
 Persimmon, 367
 Phosphatases, 420
 Phosphatidate phosphohydrolase, 274
 Phospholipids, 44
 Photooxidation, 181
 Photosensitized, 181
 Pigs, 299
 Pivalate, 670
 Plasma, 490
 Plasma carnitine, 696
 Plasma fatty acids, 622
 Plasma lipids, 622
 Plasma protein oxidation, 268
 Plasma selenoprotein P, 565
 Platelets, 420
 Polyamines, 405, 700
 Postprandial, 458

 Primary hepatocyte, 644
 Probucol, 539
 Propionate, 397
 Prostacyclin, 193
 Protein, 353
 Protein degradation, 396, 467
 protein isoprenylation, 19
 Protein malnutrition, 37
 Protein metabolism, 244
 Protein tyrosine kinases, 420
 Proteoglycans, 345
 Prudent diet, 598
 Psyllium, 118

 Rabbits, 166, 458
 Radio-assay, 56
Ras, 19
 Rat, 8, 37, 56, 215, 230, 268, 411, 449, 525
 Rat duodenum, 723
 Rat erythrocyte, 433
 Reactive carbonyl derivatives, 268
 Redox status, 490
 Reductant, 146
 Remnant kidney model, 539
 Renal lesions, 477
 Requirements, 128
 Respiratory infection, 728
 Retinoids, 345
 Retinol, 532
 Retinol-binding protein, 345
 Riboflavin, 181
 Riboflavin deficiency, 728

 Saturated fatty acids, 96
 Sea buckthorn oils, 622
 Seaweed, 353
 Seizures, 44
 Selenite exchangeable pool, 565
 Selenium depletion, 565
 Serum cholesterol, 13, 631
 Serum lipoproteins, 274
 Short-chain fatty acids, 397
 Small intestine, 299
 Smith-Lemli-Opitz syndrome, 188
 Sodium absorption, 49
Sonic hedgehog gene, 188
 Soy, 420
 Soy protein, 405, 631
 Splanchnic balance, 547
 Stable isotopes of selenium, 565
 Sterol biosynthesis, 660
 Sucrase-isomaltase, 8
 Superoxide dismutase, 338
 Supplementation, 532
 Synthesis and secretion, 306

 Targeted mutants, 682
 Taurochenolic acid, 638
 Tea, 223
 Theasinensin, 223
 Thiols, 490
 Tissue transglutaminase, 397
 α -tocopherol, 118
 Total polyphenols, 367
 Transgene, 682

Subject Index

- Transgenic animals, 682
Transport, 193, 427
Triacylglycerol, 360
Tropical fruits, 367
Type II pneumocyte, 518
Tyrphostin, 518
- Ubiquitin, 244
Urine selenium, 565
- Very low density lipoproteins, 151
- Vitamin A, 345, 449, 532
Vitamin B₆, 467, 525
Vitamin C, 146
Vitamin C deficiency, 696
Vitamin E, 110, 539, 674
Vitamin E deficiency, 268
- Water absorption, 49
Weanling rats, 291
- White and brown adipose tissues, 609
Xenopus laevis, 44
- Young ovariectomized rats, 664
- Zinc, 139, 279
Zinc deficiency, 484
Zinc toxicity, 484
Zinc transport, 484
Zucker rat, 244, 716