PII: S0960-0760(98)00034-X

SUBJECT INDEX

Adrenal(s)

strain differences in, microsomal steroid metabolism in guinea pigs, 305

Androgen-dependent disorders

pharmacological profile of RU 58642, a potent systemic antiandrogen for the treatment of, 103

Anti-estrogen(s)

1-benzyl-2-phenylindole- and 1,2-phenylindole-based, and the estimation of agonist and antagonist activities in transfection assays, 277

binding characteristics of novel nonsteroidal, to the rat uterine estrogen receptors, 199

responsiveness of HEC1A endometrial adenocarcinoma cells in culture to, 287

Anti-progestin(s)

human progesterone receptor A and B isoforms in CHO cells; comparison of binding, transactivation and ED₅₀ values of several synthetic, *in vitro* in CHO and MCF-7 cells and *in vivo* in rabbits and rats, 157

human progesterone receptor A and B isoforms in CHO cells; stable transfection of receptor and receptor-responsive reporter genes: transcription modulation by, 147

Aromatase cDNAs

expression of two, in various rabbit tissues, 113

Estradiol

liver microsomal glucuronidation of, 207

monoclonal antibody to, potentiates the stimulation of the specific activity of the brain type creatine kinase by estrogen in vivo and in vitro, 297

random mutagenesis of human estrogen receptor ligand binding domain identifies mutation that decrease sensitivity to, 129

up-regulation of estrogen receptor, cyclophilin, and glyceraldehyde phosphate dehydrogenase mRNA concentrations in endometrium, and their down-regulation in liver by, 231

Estrogen(s)

-induced genes in the uterus of ovariectomized rats and their regulation by droloxifene and tamoxifen, 13 monoclonal antibody to estradiol potentiates the stimulation of the specific activity of the brain type creatine kinase by, 297

receptor(s)

binding characteristics of novel nonsteroidal anti-estrogens to uerine, in the rat, 199

coronary artery and cultured aortic smooth muscle cells express mRNA for both the classical, and the newly described, -bets, 187

mutagenesis of human, ligand binding domain identifies mutations that decrease sensitivity to estradiol and increase sensitivity to a dephenol indene-ol compound, 129

the two native, forms of 8S and 4S present in cytosol from human uterine tissues display opposite reactivities with the antiestrogen tamoxifen aziridine and the estrogen responsive element, 49

up-regulation of, in endometrium and down-regulation in liver by estradiol, 231

regulation by, of the HEM45 mRNA in human tumor lines and in the rat uterus, 25

regulation of transforming growth factor-α in ovarian cancer by, 137

responsiveness to, of HEC1A endometrial adenocarcinoma cells in culture, 287

Estrogen sulfotransferase

selenium regulates gene expression for, in rat liver, 239

Fibroblastic growth factor(s)

effects of, on steroid UPD-glucuronosyltransferase expression and activity in the LNCaP cell line, 43

Genistein

radioimmunoassay of free, in human serum, 261

X Subject Index

Glucocorticoid(s)

receptor(s)

decreased apparent affinity of corticosterone for colonic crypt, is dependent on the cellular milieu and is distinct from corticosterone metabolism, 35

modulation of hormone-dependent, function using a tetracycline-regulated expression system, 1

-recognizing and -effector sites in rat liver plasma membrane, 69

Glucuronidation

of estradiol and estrone; effects of tea polyphenols and flavonoids in liver microsomes, 207

HEC1A endometrial adenocarcinoma cells

estrogen and anti-estrogen responsiveness of, in culture, 287

Hepatocyte(s)

metabolic fate and, toxicity of reverse amide analogs of conjugated ursodeoxycholate in the rat, 91

 11β -Hydroxysteroid dehydrogenase-1

in adipocytes: expression is differentiation-dependent and hormonally regulated, 251

17α-Hydroxylase/17,20-lyase P450c17

evidence that immature rat liver is capable of participating in steroidogenesis by expressing, 121

 17β -Hydroxysteroid dehydrogenase Type I

a 6β -(thiaheptanamide) derivative of estradiol as inhibitor of, 83

Isoflavone daidzein

measurement of, by time resolved fluorescent immunoassay: a method for assessment of dietary soya exposure, 217

LNCaP cell line

effects of fibroblastic growth factors (FGF) on steroid UDP-glucuronosyltransferase expression and activity in the, 43

Mineralocorticoid(s)

receptor(s)

common polymorphisms in genes encoding the human, and the human amiloride-sensitive sodium channel, 227 Monoclonal antibody

production and characterization of group-specific, recognizing non-amidated, glycine and taurine-amidated ursodeoxycholic acid 7-N-acetylglucosaminides, 171

to estradiol potentiates the stimulation of the specific activity of the brain type creatine kinase by estrogen in vivo and in vitro, 297

mRNA expression

for both the classical estrogen receptor and the newly described estrogen receptor-beta in coronary artery and cultured aortic smooth muscle cells, 187

Ovarian Cancer

estrogen regulation of transforming growth factor- α in, 137

P-450arom

gene expression in peripheral blood lymphocytes: identification of a cryptic splice site for exon-1 after Epstein-Barr virus transformation, 245

Pituitary tumorigenesis

mechanisms in progestin antagonism of, 59

Progesterone

receptor(s)

A and B isoforms in CHO cells, 147

Progestin(s)

mechanisms in, antagonism of pituitary tumorigenesis, 59

Prostatic carcinoma

effect of the dual 5α-reductase inhibitor PNU 157706 on the growth of Dunning R3327, in the rat, 193

Receptor(s)

estrogen(s)

binding characteristics of novel nonsteroidal anti-estrogens to uterine, in the rat, 199 coronary artery and cultured aortic smooth muscle cells express mRNA for both the classical, and the newly described, beta, 187

Subject Index XI

mutagenesis of human, ligand binding domain identifies mutations that decrease sensitivity to estradiol and increase sensitivity to a diphenol indene-ol compound, 129

the two native, forms of 8S and 4S present in cytosol from human uterine tissues display opposite reactivities with the antiestrogen tamoxifen aziridine and the estrogen responsive element, 49

up-regulation of, in endometrium and down-regulation in liver by estradiol, 231

glucocoorticoid(s)

decreased apparent affinity of corticosterone for colonic crypt, is dependent on the cellular milieu and is distinct from corticosterone metabolism, 35

modulation of hormone-dependent, function using a tetracycline-regulated expression system, 1 mineralocorticoid(s)

common polymorphisms in genes encoding the human, and the human amiloride-sensitive sodium channel, 227 progesterone

A and B isoforms in CHO cells, 147

 5α -Reductase inhibitor(s)

effect of the dual, PNU 157706 on the growth of Dunning R3327 prostatic carcinoma in the rat, 193 PNU 157706: a novel dual type I and II, 179

RU 58642

pharmacological profile of, a potent systemic antiandrogen for the treatment of androgen-dependent disorders, 103

Steroid sulphatase inhibitor(s)

development of A-ring modified analogues of æstrogen-3-O-sulphamate as potent, 269

Tamoxifen aziridine

the two native estrogen receptor forms of 8S and 4S present in cytosol from human uterine tissues display opposite reactivities with the antiestrogen, and the estrogen responsive element, 49

Transforming Growth Factor-a

estrogen regulation of in ovarian cancer, 137

UDP-glucuronosyltransferase

effects of fibroblastic growth factors (FGF) on expression and activity in the LNCaP cell line, 43 Uterus

estrogen-induced genes in the, of ovariectomized rats and their regulation by droloxifene and tamoxifen, 13 expression and estrogen regulation of the HEM45 mRNA, of the rat, 25

We would like to express our deep thanks to the following persons for their kind collaboration in reviewing papers for this volume of **The Journal of Steroid Biochemistry & Molecular Biology**:

BALTHAZART J., Liege, Belgium; BELANGER A., Quebec, Canada; BRUEGGEMEIER R. W., Columbus, U.S.A.; BULUN S., Baltimore, U.S.A.; COFFER A. I., London, England, U.K.; FLINT A. P. F., Nottingham, England, U.K.; JELLINCK P. H., New York, U.S.A.; MULDER G. J., Leiden, The Netherlands; OAKLEY R., Research Triangle Park, U.S.A.; REED M. J., London, England, U.K.; SANTEN R. J., Charlottesville, U.S.A.; SIMARD J., Quebec, Canada; WELCH H. M., London, England, U.K.