

LIST OF CONTENTS

JANUARY

Vol. 64, No. 1/2

| | |
|--|--|
| Editorial Announcement | i |
| Ping Wei, Young I. Ahn, Paul R. Housley, Jawed Alam and Wayne V. Vedeckis | 1 Modulation of hormone-dependent glucocorticoid receptor function using a tetracycline-regulated expression system |
| Ramon Rivera-Gonzalez, Donna N. Petersen, George Tkalcevic, David D. Thompson and Thomas A. Brown | 13 Estrogen-induced genes in the uterus of ovariectomized rats and their regulation by droloxifene and tamoxifen |
| Brian T. Pentecost | 25 Expression and estrogen regulation of the HEM45 mRNA in human tumor lines and in the rat uterus |
| K. E. Sheppard | 35 Decreased apparent affinity of corticosterone for colonic crypt glucocorticoid receptors is dependent on the cellular milieu and is distinct from corticosterone metabolism |
| Eric Lévesque, Martin Beaulieu, Chantal Guillemette, Dean W. Hum and Alain Bélanger | 43 Effect of fibroblastic growth factors (FGF) on steroid UDP-glucuronosyltransferase expression and activity in the LNCaP cell line |
| Domingo Navarro, Laureano León, Ricardo Chirino, Leandro Fernández, José Pestano and Bonifacio N. Díaz-Chico | 49 The two native estrogen receptor forms of 8S and 4S present in cytosol from human uterine tissues display opposite reactivities with the antiestrogen tamoxifen aziridine and the estrogen responsive element |
| Gerardo Piroli, Alicia Torres, Claudia Grillo, Victoria Lux-Lantos, Agustin Aoki and Alejandro F. De Nicola | 59 Mechanisms in progestin antagonism of pituitary tumorigenesis |
| Carolyn Lackner, Sabine Daufeldt, Ludwig Wildt and Axel Alléra | 69 Glucocorticoid-recognizing and -effector sites in rat liver plasma membrane. Kinetics of corticosterone uptake by isolated membrane vesicles. III. Specificity and stereospecificity |
| Donald Poirier, Patricia Dionne and Serge Auger | 83 A 6 β -(thiaheptanamide) derivative of estradiol as inhibitor of 17 β -hydroxysteroid dehydrogenase type 1 |
| J. P. Coleman, L. C. Kirby, K. D. R. Setchell, P. B. Hylemon, M. Pandak, D. M. Heuman and Z. R. Vlahcevic | 91 Metabolic fate and hepatocyte toxicity of reverse amide analogs of conjugated ursodeoxycholate in the rat |
| T. Battmann, C. Branche, F. Bouchoux, E. Cerede, D. Philibert, F. Goubet, G. Teutsch and M. Gaillard-Kelly | 103 Pharmacological profile of RU 58642, a potent systemic antiandrogen for the treatment of androgen-dependent disorders |
| B. Delarue, E. Breard, H. Mitre and P. Leymarie | 113 Expression of two aromatase cDNAs in various rabbit tissues |
| Masanao Katagiri, Kayo Tatsuta, Susumu Imaoka, Yoshihiko Funae, Keiko Honma, Nobutake Matsuo, Hiromichi Yokoi, Kazunori Ishimura, Fumihide Ishibashi and Norio Kagawa | 121 Evidence that immature rat liver is capable of participating in steroidogenesis by expressing 17 α -hydroxylase/17,20-lyase P450c17 |
| Announcements | I |

FEBRUARY

Vol. 64, No. 3/4

| | |
|---|--|
| Nicholas Miller and James Whelan | 129 Random mutagenesis of human estrogen receptor ligand binding domain identifies mutations that decrease sensitivity to estradiol and increase sensitivity to a diphenol indene-ol compound: basis for a regulatable |
|---|--|

| | | |
|--|-----|---|
| B. J. B. Simpson, S. P. Langdon, G. J. Rabiasz, K. G. Macleod, G. L. Hirst, J. M. S. Bartlett, A. J. Crew, R. A. Hawkins, P. P. Macineira-Perez, J. F. Smyth and W. R. Miller | 137 | Estrogen regulation of transforming growth factor- α in ovarian cancer |
| R. Dijkema, W. G. E. J. Schoonen, R. Teuwen, E. van der Struik, R. J. H. de Ries, B. A. T. van der Kar and W. Olijve | 147 | Human progesterone receptor A and B isoforms in CHO cells. I. Stable transfection of receptor and receptor-responsive reporter genes: transcription modulation by (anti)progestogens |
| W. G. E. J. Schoonen, R. Dijkema, R. J. H. de Ries, J. L. Wagenaars, J. W. H. Joosten, M. E. de Gooyer, G. H. Deckers and H. J. Kloosterboer | 157 | Human progesterone receptor A and B isoforms in CHO cells. II. Comparison of binding, transactivation and ED ₅₀ values of several synthetic (anti)progestogens <i>in vitro</i> in CHO and MCF-7 cells and <i>in vivo</i> in rabbits and rats |
| Norihiko Kobayashi, Hiroyuki Oiwa and Junichi Goto | 171 | Production and characterization of group-specific monoclonal antibodies recognizing nonamidated, glycine- and taurine-amidated ursodeoxycholic acid 7- <i>N</i> acetylglucosaminides |
| E. di Salle, D. Giudici, A. Radice, T. Zaccheo, G. Ornati, M. Nesi, A. Panzeri, S. Délos and P. M. Martin | 179 | PNU 157706, a novel dual type I and II 5 α -reductase inhibitor |
| Thomas C. Register and Michael R. Adams | 187 | Coronary artery and cultured aortic smooth muscle cells express mRNA for both the classical estrogen receptor and the newly described estrogen receptor beta |
| T. Zaccheo, D. Giudici and E. di Salle | 193 | Effect of the dual 5 α -reductase inhibitor PNU 157706 on the growth of Dunning R3327 prostatic carcinoma in the rat |
| Céline Martel, Louis Provencher, Xun Li, Alain St. Pierre, Gilles Leblanc, Sylvain Gauthier, Yves Mérand and Fernand Labrie | 199 | Binding characteristics of novel nonsteroidal antiestrogens to the rat uterine estrogen receptors |
| Bao Ting Zhu, Nalin Taneja, Daniel P. Loder, Douglas A. Balentine and Allan H. Conney | 207 | Effects of tea polyphenols and flavonoids on liver microsomal glucuronidation of estradiol and estrone |
| F. Kohen, S. Lichter, B. Gayer, J. DeBoever and L. J. W. Lu | 217 | The measurement of the isoflavone daidzein by time resolved fluorescent immunoassay: a method for assessment of dietary soya exposure |
| Book Reviews | 223 | |
| Announcements | I | |

MARCH

Vol. 64, No. 5/6

| | | |
|--|-----|--|
| M. Ludwig, U. Bolkenius, L. Wickert and F. Bidlingmaier | 227 | Common polymorphisms in genes encoding the human mineralocorticoid receptor and the human amiloride-sensitive sodium channel |
| Keyong Zou and Nancy H. Ing | 231 | Oestradiol up-regulates oestrogen receptor, cyclophilin, and glyceraldehyde phosphate dehydrogenase mRNA concentrations in endometrium, but down-regulates them in liver |
| Qifeng Yang and M. J. Christensen | 239 | Selenium regulates gene expression for estrogen sulfotransferase and alpha 2u-globulin in rat liver |
| Alessandra Vottero, Lawrence S. Kirschner, Wei Yue, Angela Brodie and Constantine A. Stratakis | 245 | P450arom gene expression in peripheral blood lymphocytes: Identification of a cryptic splice site for exon-1 after Epstein-Barr virus transfor |
| Antonella Napolitano, Michael W. Voice, Christopher R. W. Edwards, Jonathan R. Seckl and Karen E. Chapman | 251 | 11 β -hydroxysteroid dehydrogenase 1 in adipocytes: expression is differentiation-dependent and hormonally regulated |
| Oldřich Lapčík, Richard Hampl, Martin Hill, Kristiina Wähälä and Herman Adlercreutz | 261 | Radioimmunoassay of free genistein in human serum |
| A. Purohit, K. A. Vernon, A. E. Wagenaar Hummelinck, L. W. L. Woo, H. A. M. Hejaz, B. V. L. Potter and M. J. Reed | 269 | The development of A-ring modified analogues of oestrone-3- <i>O</i> -sulphamate as potent steroid sulphatase inhibitors with reduced oestrogenicity |

| | | |
|--|-----|--|
| C. Biberger and E. von Angerer | 277 | 1-Benzyl-2-phenylindole- and 1,2-diphenylindole-based antiestrogens. Estimation of agonist and antagonist activities in transfection assays |
| E. Castro-Rivera and S. Safe | 287 | Estrogen- and antiestrogen-responsiveness of HEC1A endometrial adenocarcinoma cells in culture |
| D. Sömjen, Y. Amir-Zaltsman, G. Mor, B. Gayer, S. Lichter, N. Nevo and F. Kohen | 297 | A monoclonal antibody to oestradiol potentiates the stimulation of the specific activity of the brain type creatine kinase by oestrogen <i>in vivo</i> and <i>in vitro</i> |
| Yajue Huang, Qinshi Jiang, Kristine M. Debolt, Jeffrey M. Voigt and Howard D. Colby | 305 | Strain differences in adrenal microsomal steroid metabolism in guinea pigs |
| Book Reviews | 313 | |