

SUBJECT INDEX

17-Azoyl compounds

effects of novel, on androgen synthesis *in vitro* and *in vivo*, 145

Androgen(s)

differential, sensitivity is associated with clonal heterogeneity in steroid metabolism, ornithine decarboxylase regulation and IL-1 α action in mouse mammary tumor cells, 71

effects of novel 17-azoyl compounds on, synthesis *in vitro* and *in vivo*, 145

Apoptotic factor mRNAs

Gender- and androgen-related influence on the expression of proto-oncogene and, in lacrimal glands of autoimmune and non-autoimmune mice, 49

Aromatase

19-oxygenation of 3-deoxy androgens, potent competitive inhibitors of estrogen biosynthesis, with human placental, 173

Aromatase gene

expression of steroidogenic genes including, at early development stages of chicken male and female embryos, 103

Astrocytes (type 1)

interactions between, and LHRH-secreting neurons, 41

Breast cancer

single nucleotide polymorphisms in the estrogen receptor gene and, susceptibility, 21

1 α ,25-Dihydroxy-20-epi-vitamin D₃

enhanced biological activity of, is partly due to its metabolism into stable intermediary metabolites with significant biological activity, 111

4,25-Dihydroxyvitamin D₂

isolation and identification of, 63

Dehydroepiandrosterone-3-sulfate

uptake of, by isolated trophoblasts from human term placenta cells transfected with human steryl sulfatase-cDNA, 203

5-ene steroids

transformations of, in *Fusarium culmorum* culture, 83

Estrogen(s)

receptor(s)

differential cross-talk of, in two human mammary tumor cell lines, 181

role of, ligand and estrogen response element sequence on interaction with chicken ovalbumin upstream promoter transcription factor, 1

single nucleotide polymorphisms in the, gene and breast cancer susceptibility, 21

the truncated, -alpha variant lacking exon 5 is not involved in progesterone receptor expression in human meningiomas, 167

synthesis of, in human colon cancer epithelial cells, 223

Estrogen response element

role of estrogen receptor ligand and, sequence on interaction with chicken ovalbumin upstream promoter transcription factor, 1

Estrogen sulfotransferase

correlation between PAP-dependent steroid binding activity and substrate specificity of, in mouse and human, 123

Glucocorticoid(s)

receptor(s)

the nuclear receptor interacting protein 140 binds to the human, 93

Growth factor(s)

receptor(s)

differential cross-talk of, in two human mammary tumor cell lines, 181

3 α -Hydroxysteroid/dihydrodiol dehydrogenase

genomic structure of, in rat, 29

3 β -Hydroxy-DHEA

counteracts dexamethasone induced suppression of primary immune response in murine splenocytes. 133

3 β -Hydroxysteroid dehydrogenase/5-ene-4-ene isomerase

characterization and inhibition of bovine adrenal, by isoflavones, 191

7-Hydroxysteroid(s)

immunoassay, : radioimmunoassay of 7 α -hydroxy- dehydroepiandrosterone, 231

11 β -Hydroxysteroid dehydrogenase

functions reversibly as an oxidoreductase in the rat hippocampus *in vivo*, 139

LHRH

interactions between type 1 astrocytes and, -secreting neurons, 41

Mammary tumor cells

differential androgen sensitivity is associated with clonal heterogeneity in steroid metabolism, ornithine decarboxylase regulation and IL-1 α action in, of mouse, 71

differential cross-talk of estrogen and growth factor receptors in two human, 181

Meningiomas

the truncated estrogen receptor-alpha variant lacking exon 5 is not involved in progesterone receptor expression in human, 167

7 α -Methyl-19-nortestosterone

structure activity comparisons with other androgens of, a synthetic androgen with high potency, 213

Pregnenolone

metabolized to 17 α -hydroxyprogesterone in yeast, 239

Progesterone

receptor(s)

the truncated estrogen receptor-alpha variant lacking exon 5 is not involved in expression in human meningiomas, 167

Proto-oncogene

Gender- and androgen-related influence on the expression of, and apoptotic factor mRNAs in lacrimal glands of autoimmune and non-autoimmune mice, 49

transformation of, by *streptomyces roseochromogenes* - purification and characterisation of the 16 α -hydroxylase system, 153

Receptor(s)

estrogen(s)

differential cross-talk of, in two human mammary tumor cell lines 181

role of, ligand and estrogen response element sequence on interaction with chicken ovalbumin upstream promoter transcription factor, 1

single nucleotide polymorphisms in the, gene and breast cancer susceptibility, 21

truncated, -alpha variant lacking exon 5 is not involved in progesterone receptor expression in human meningiomas, 167

glucocorticoid(s)

the nuclear receptor interacting protein 140 binds to the human, 93

growth factor(s)

differential cross-talk of, in two human mammary tumor cell lines 181

progesterone

truncated estrogen receptor-alpha variant lacking exon 5 is not involved in expression in human meningiomas, 167

Spleenocytes

7 β -hydroxy-DHEA counteracts dexamethasone induced suppression of primary immune response in murine, 133

Sterylsulfatase-cDNA

uptake of dehydroepiandrosterone-3-sulfate by isolated trophoblasts from human term placenta cells transfected with human sterylsulfatase-cDNA, 203

We would like to express our deep thanks to the following persons for their kind collaboration in reviewing papers for this volume of **The Journal of Steroid Biochemistry & Molecular Biology**:

BRUEGGEMEIER R. W., Columbus, U.S.A.; **CROSS C.**, Vienna, AUSTRIA; **FIET F.**, Paris, FRANCE; **LABRIE C.**, Quebec, CANADA; **LUU-THE V.**, Quebec, CANADA; **MASON I.**, Edinburgh, Scotland, U.K.; **MATSUMOTO T.**, Tokushima, JAPAN; **MAZUR W.**, Helsinki, FINLAND; **MURPHY B. E. P.**, Montreal, CANADA; **NJAR V. C. O.**, Baltimore, U.S.A.; **PARIS J.**, MONACO; **REED M. J.**, London, ENGLAND, U.K.; **ROMAGNANI P.**, Florence, ITALY; **RUPPRECHT R.**, Munich, GERMANY; **SCHNEIDER M.**, Berlin, GERMANY; **SIMARD J.**, Quebec, CANADA; **SMITH K. E.**, London, England, U.K.; **WALLACE A.**, Research Triangle Park, U.S.A.