



PERGAMON

Journal of Steroid Biochemistry & Molecular Biology 84 (2003) VIII–XII

The Journal of
Steroid Biochemistry
&
Molecular Biology

www.elsevier.com/locate/jsbmb

Subject Index of Vol. 84, Nos. 1–5

Adrenal cortex

norbormide enhances late steps of steroid-hormone synthesis in, of rat and mouse, 479

Aldosterone

transcriptional inhibition of the human insulin receptor gene by, 543

Alzheimer's disease

estrogen-induced cell signalling in a cellular model of, 301

Anabolic-androgenic steroid abusers

reversibility of the effects on blood cells, lipids, liver function and hormones in former, 369

Androgen(s)

receptor(s)

molecular communication between, and general transcription machinery, 41

Androgenic/antiandrogenic compounds

characterisation of gene expression patterns in 22RV1 cells for determination of environmental, 231

Anti-estrogen(s)

effect of, on basal growth of the human breast cancer cell line MCF-7 in serum-free medium, 469

Apoptosis

induction of, by 1,25-dihydroxyvitamin D₃ in MCF-7 Vitamin D₃-resistant variant can be sensitized by the protein kinase C activator TPA, 199

Aromatase inhibitor

effect of antiestrogens and, on basal growth of the human breast cancer cell line MCF-7 in serum-free medium, 469

pharmacological profile of MEN 11066, a novel potent and selective, 503

Aromatase P450

differential expression of, during gonadal sex differentiation and sex reversal of the newt *Pleurodeles waltl*, 89
in skeletal muscle, 485

Breast cancer

efficacy of Vitamin D compounds to modulate estrogen receptor negative, growth and invasion, 181

Breast cancer cell(s)

effect of tamoxifen and 2-methoxyestradiol alone and in combination on, proliferation in human, 255

growth inhibition of multi-drug resistant, by 2-methoxy-oestradiol-*bis*-sulphamate and 2-ethyloestradiol-*bis*-sulphamate, 269

inhibition of MCF-7, proliferation and in vivo steroid sulphatase activity by 2-methoxy-oestradiol-*bis*-sulphamate, 351

norelgestromin as selective estrogen enzyme modulator in human, and effect on sulfatase activity in comparison to medroxyprogesterone acetate, 193

phytoestrogen regulation of a Vitamin D₃ receptor promoter and 1,25-dihydroxyvitamin D₃ actions in human, 149

Calreticulin

inhibition by, of the MEK1,2-ERK1,2-pathway in α 1-adrenergic receptor/Gh-stimulated hypertrophy of neonatal rat cardiomyocytes, 101

Canine inflammatory carcinoma

steroid hormone profile of, 211

Cardiomyocytes

calreticulin inhibits the MEK1,2-ERK1,2-pathway in α 1-adrenergic receptor/Gh-stimulated hypertrophy of neonatal rat, 101

667 Coumate

development of a sensitive high-performance liquid chromatography method for the detection of, in vivo, 337

- Cyclic nucleotides
non-genomic effects of progestins—inhibition of cell growth and increased intracellular levels of, 1
- Diethylstilbestrol
expression of perivitelline membrane glycoprotein ZP1 in the liver of Japanese quail (*Coturnix japonica*) after in vivo treatment with, 109
- 1,25-Dihydroxyvitamin D3
induction of apoptosis by, in MCF-7 Vitamin D3-resistant variant can be sensitized by the protein kinase C activator TPA, 199
molecular targets of, in HC11 normal mouse mammary cell line, 57
phytoestrogen regulation of a Vitamin D3 receptor promoter and, actions in human breast cancer cells, 149
- Endometrial adenocarcinoma cell(s)
effects of estradiol and selective estrogen receptor modulators on gene expression and messenger RNA stability in, 453
- Endometrium
oestrogen and progestin responses in human, 393
- Enzymeimmunoassay
amplified androstenedione, or the diagnosis of cryptorchidism in the male horse: comparison with testosterone and estrone sulphate methods, 377
- Equol
time-resolved fluoroimmunoassay for, in plasma and urine, 577
- Erythrocytes
binding of ovarian steroids to, in patients with sickle cell disease; effects on cell sickling and osmotic fragility, 71
- Estradiol
17 β -, and 4-hydroxytamoxifen-induced transactivation in breast, endometrial and liver cancer cells is dependent on ER-subtype, cell and promoter context, 23
effects of, on gene expression and messenger RNA stability in immortalized sheep endometrial stromal cells and human endometrial adenocarcinoma cells, 453
influence of stage of the reproductive cycle and, on thymus cell antigen presentation, 79
- Estrogen(s)
receptor(s)
efficacy of Vitamin D compounds to modulate, negative, growth and invasion, 181
4-ethoxymethylphenol: a novel phytoestrogen that acts as an agonist for, in human, 431
expression and localization of, - α , - β and progesterone receptor in the bovine oviduct in vivo and in vitro, 279
expression of, - β exon-deleted variant mRNAs in ovary and uterine endometrium, 133
functional interactions of, - α and caveolin isoforms in neuronal SK-N-MC cells, 167
homology modelling of the nuclear receptors: human, - β (hER β), the human pregnane-X-receptor (PXR), the Ah receptor (AhR) and the constitutive androstane receptor (CAR) ligand binding domains from the human, - α (hER α) crystal structure, and the human peroxisome proliferator activated receptor- α (PPAR α) ligand binding domain from the human PPAR γ crystal structure, 117
kinetic analysis of, homo- and heterodimerization in vitro, 141
limited species differences in, alpha-mediated reporter gene transactivation by xenoestrogens, 33
- 4-Ethoxymethylphenol
a novel phytoestrogen that acts as an agonist for human estrogen receptors, 431
- Gas chromatography-mass spectrometry
headspace solid-phase microextraction and, for the determination of 5 α -androst-2-en-17-one and -17 β -ol in the female Asian elephant, 383
- Genistein
inhibition by, of Vitamin D hydroxylases *CYP24* and *CYP27B1* expression in prostate cells, 423
- Glucocorticoid(s)
maturation of, -induced glycoprotein galactosylation and fucosylation processes in the rat small intestine, 411
metabolism of, by 11 β -hydroxysteroid dehydrogenase type 2 modulates human mineralocorticoid receptor transactivation activity, 239
receptor(s)
overexpressed, negatively regulates gene expression under conditions that favour accumulation of non-hormone-binding forms of the receptor, 171

- regulation of human eosinophil gene expression by, 441
- solubilization and photoaffinity labeling identification of, binding peptides in endoplasmic reticulum from rat liver, 245
- Glycoprotein ZP1
 - expression of perivitelline membrane, in the liver of Japanese quail (*Coturnix japonica*) after in vivo treatment with, 109
- Gonadal sex differentiation
 - differential expression of P450 aromatase during, and sex reversal of the newt *Pleurodeles waltl*, 89
- Hormone replacement therapy
 - comparison of hormonal activity (estrogen, androgen and progestin) of standardized plant extracts for large scale use in, 259
- 11 β -Hydroxy-4-androstene-3,17-dione
 - plasma, comparison of a time-resolved fluoroimmunoassay using a biotinylated tracer with a radioimmunoassay using a tritiated tracer, 563
- 17 α -Hydroxylase/C17,20-lyase
 - effects of novel, inhibitors on androgen biosynthesis in vitro and in vivo, 555
 - in vitro and in vivo models for the evaluation of potent inhibitors of male rat, 537
- 4-Hydroxytamoxifen
 - 17 β -estradiol and, -induced transactivation in breast, endometrial and liver cancer cells is dependent on ER-subtype, cell and promoter context, 23
- Insulin
 - receptor(s)
 - identification of a Vitamin D response element in the human, gene promoter, 223
 - transcriptional inhibition of the human, gene by aldosterone, 543
- Mammary carcinoma
 - effect of 2-methoxyestradiol on the growth of methyl-nitroso-urea (MNU)-induced, in rat, 51
 - evidence for two progesterone receptor binding sites in murine, 9
- MCF-7 cells
 - A-ginsenoside-Rh1, a component of ginseng saponin, activates estrogen receptor in human breast carcinoma, 463
 - effect of antiestrogens and aromatase inhibitor on basal growth of the human breast cancer, in serum-free medium, 469
- Medroxyprogesterone acetate
 - norelgestromin as selective estrogen enzyme modulator in human breast cancer cell lines. Effect on sulfatase activity in comparison to, 193
- 2-Methoxyestradiol
 - effect of, on the growth of methyl-nitroso-urea (MNU)-induced rat mammary carcinoma, 51
 - effect of tamoxifen and, alone and in combination on human breast cancer cell proliferation, 255
- 2-Methoxy-oestradiol-*bis*-sulphamate
 - inhibition of MCF-7 breast cancer cell proliferation and in vivo steroid sulphatase activity by, 351
- Mineralocorticoid(s)
 - receptor(s)
 - glucocorticoid metabolism by 11 β -hydroxysteroid dehydrogenase type 2 modulates human, transactivation activity, 239
- Neuronal SK-N-MC cells
 - functional interactions of estrogen receptor- α and caveolin isoforms in, 167
- Non-genomic effects
 - of progestins, 1
- Norbormide
 - enhances late steps of steroid-hormone synthesis in rat and mouse adrenal cortex, 479
- Norelgestromin
 - as selective estrogen enzyme modulator in human breast cancer cell lines. Effect on sulfatase activity in comparison to medroxyprogesterone acetate, 193
- Nuclear receptor corepressor (N-Cor)
 - modulates basal and activated transcription of genes controlled by retinoic acid, 15
- Nude mice and nude rats
 - tamoxifen administration and metabolism in, 361

Ovarian steroids

binding of, to erythrocytes in patients with sickle cell disease; effects on cell sickling and osmotic fragility, 71

Peroxisome proliferator activated receptor- α (PPAR α)

homology modelling of the nuclear receptors: human oestrogen receptor- β (hER β), the human pregnane-X-receptor (PXR), the Ah receptor (AhR) and the constitutive androstane receptor (CAR) ligand binding domains from the human oestrogen receptor- α (hER α) crystal structure, and the human, ligand binding domain from the human PPAR γ crystal structure, 117

Phytoestrogen(s)

8-prenyl naringenin is a potent estrogen receptor- α selective, present in hops and beer, 359

regulation by, of a Vitamin D3 receptor promoter and 1,25-dihydroxyvitamin D3 actions in human breast cancer cells, 149

Platelet-derived endothelial cell growth factor (PD-ECGF)

effects of various steroids on, and its mRNA expression in uterine endometrial cancer cells, 217

Progesterone

receptor(s)

evidence for two, binding sites in murine mammary carcinomas, 9

expression and localization of estrogen receptor- α , estrogen receptor- β and in the bovine oviduct in vivo and in vitro, 279

Prostate cells

genistein inhibits Vitamin D hydroxylases *CYP24* and *CYP27B1* expression in, 423

Prostate cancer cells

secretion of endogenous kallikrein 2 and 3 by androgen receptor-transfected PC-3, 493

Receptor(s)

androgen(s)

molecular communication between, and general transcription machinery, 41

estrogen(s)

efficacy of Vitamin D compounds to modulate, negative, growth and invasion, 181

4-ethoxymethylphenol: a novel phytoestrogen that acts as an agonist for, in human, 431

expression and localization of, - α , - β and progesterone receptor in the bovine oviduct in vivo and in vitro, 279

expression of, - β exon-deleted variant mRNAs in ovary and uterine endometrium, 133

functional interactions of, - α and caveolin isoforms in neuronal SK-N-MC cells, 167

homology modelling of the nuclear receptors: human, - β (hER β), the human pregnane-X-receptor (PXR), the Ah receptor (AhR) and the constitutive androstane receptor (CAR) ligand binding domains from the human, - α (hER α) crystal structure, and the human peroxisome proliferator activated receptor- α (PPAR α) ligand binding domain from the human PPAR γ crystal structure, 117

kinetic analysis of, homo- and heterodimerization in vitro, 141

limited species differences in, alpha-mediated reporter gene transactivation by xenoestrogens, 33

glucocorticoid(s)

overexpressed, negatively regulates gene expression under conditions that favour accumulation of non-hormone-binding forms of the receptor, 171

insulin

identification of a Vitamin D response element in the human, gene promoter, 223

transcriptional inhibition of the human, gene by aldosterone, 543

mineralocorticoid(s)

glucocorticoid metabolism by 11 β -hydroxysteroid dehydrogenase type 2 modulates human, transactivation activity, 239

nuclear

homology modelling of the, human oestrogen receptor- β (hER β), the human pregnane-X-receptor (PXR), the Ah receptor (AhR) and the constitutive androstane receptor (CAR) ligand binding domains from the human, - α (hER α) crystal structure, and the human peroxisome proliferator activated receptor- α (PPAR α) ligand binding domain from the human PPAR γ crystal structure, 117

progesterone

evidence for two, binding sites in murine mammary carcinomas, 9

expression and localization of estrogen receptor- α , estrogen receptor- β and in the bovine oviduct in vivo and in vitro, 279

steroid(s)

quantification of, mRNA expression in bovine gastrointestinal tract, 159

Vitamin D3

phytoestrogen regulation of a, promoter and 1,25-dihydroxyvitamin D3 actions in human breast cancer cells, 149

- Retinoic acid
nuclear receptor corepressor (N-Cor) modulates basal and activated transcription of genes controlled by, 15
- Selective estrogen receptor modulators (SERMs)
endometrial effects of, on estradiol-responsive gene expression are gene and cell-specific, 513
myometrial effects of, on estradiol-responsive gene expression are gene and cell-specific, 527
- Semen
the content of four immunomodulatory steroids and major androgens in human, 307
- Sex steroid hormone metabolism
dithioerythritol (DTE) prevents inhibitory effects of triphenyltin (TPT) on the key enzymes of the human, 569
- Steroidogenesis
during in vitro maturation of bovine cumulus oocyte complexes and possible effects of tri-butyltin on granulosa cells, 291
- Steroid sulfatase
inhibition of MCF-7 breast cancer cell proliferation and in vivo, activity by 2-methoxy-oestradiol-*bis*-sulphamate, 351
in vitro and in vivo models for the evaluation of new inhibitors of human, devoid of residual estrogenic activity, 327
novel D-ring modified steroid derivatives as potent, non-estrogenic, inhibitors with in vivo activity, 343
- 2-Substituted oestrogen sulphamates
effects of, on the growth of prostate and ovarian cancer cells, 317
- Sulfatase
norelgestromin as selective estrogen enzyme modulator in human breast cancer cell lines. Effect on, activity in comparison to medroxyprogesterone acetate, 193
- Tamoxifen
administration and metabolism of, in nude mice and nude rats, 361
effect of, and 2-methoxyestradiol alone and in combination on human breast cancer cell proliferation, 255
- Transcription machinery
molecular communication between androgen receptor and general, 41
- Thymus
influence of stage of the reproductive cycle and estradiol on, cell antigen presentation, 79
- Uterine endometrial cancer cells
effects of various steroids on platelet-derived endothelial cell growth factor (PD-ECGF) and its mRNA expression in, 217
- Uterine endometrium
expression of estrogen receptor- β exon-deleted variant mRNAs in, 133
- Vitamin D
efficacy of, compounds to modulate estrogen receptor negative breast cancer growth and invasion, 181
identification of a, response element in the human insulin receptor gene promoter, 223
- Xenoestrogen(s)
limited species differences in estrogen receptor alpha-mediated reporter gene transactivation by, 33

We would like to express our deep thanks to the following persons for their kind collaboration in reviewing papers for this volume of **The Journal of Steroid Biochemistry & Molecular Biology**:

DATSON N.A., Leiden, The NETHERLANDS

FIET J., Paris, FRANCE

FOX, Chicago, U.S.A.

LI Pui-Kai, Columbus, U.S.A.

LONG B., Baltimore, U.S.A.

LIU Hong, Chicago, U.S.A.

MERAND Y., Quebec, CANADA

POUTANEN M., Turku, FINLAND

SCHAAF M., Research Triangle Park, U.S.A.

VAUDRY H., Mont-Saint-Aignan, France

WRIGHT F., Paris, France