

Subject Index for Volume 63

(ASHG/ACMG) = American Society of Human Genetics/American College of Medical Genetics statement; (E) = editorial; (L) = letter to the editor; (R) = review article

- Abnormal splicing, 737
Acetylcholinesterase deficiency, 967
Achondroplasia, 711
Acromesomelic dysplasia, 155
Aculeiform, 921 (L)
Adenosine deaminase deficiency, 1049
Admixture, 241, 1839
African Americans, 1839
Africans, 498
Age, 1464
 At onset, 270 (L)
Alkaptonuria, 920 (L)
Allele(s)
 Common, 880
 Frequency, 664 (L)
 IBD sharing, 1243 (L), 1245 (L)
 α 4(IV) Collagen, 1329
 α -Mannosidase, 1015
 α -Mannosidosis, 1015
Alport syndrome, 1329
Altitude, 1824
Alu insertion polymorphism, 1807
Alzheimer disease, 1578 (R)
Amerindian, 1852
Aminoaciduria, 1396
Ancestral haplotypes, 1862
Anchoring fibrils, 737
Ancient DNA, 1237 (L)
Aneuploidy, 1153, 1464, 1757
Angelman syndrome, 170, 1561 (L)
Angle-closure glaucoma, 1411
Anticipation, 270 (L)
Apolipoprotein
 B, 586
 E, 200
Ascertainment, 1202
Bias, 252
Ashkenazi Jews/Ashkenazim, 45, 1224 (L), 1685
Asians, 1807
Association, 889, 1507, 1749
 Studies, 664 (L), 839
Astigmatism, 825
Atherogenic lipoprotein phenotype, 577
ATP7B, 1663
Attention-deficit hyperactivity disorder, 1767
Attitudes, 1175
Atypical Usher syndrome, 909 (L)
Austronesian(s), 1234 (L)
Prehistory, 1807
- Autoimmunity, 547, 1675, 1749
Automated microscopy, 1783
Autosomal dominant, 109, 1419
 Cone-rod dystrophy, 651 (L)
 Nocturnal frontal-lobe epilepsy, 1108
Autosomal recessive, 88
Autozygosity mapping, 541
Axenfeld-Rieger anomaly, 1316
Axial length, 1411
- Bacterial artificial chromosome, 625
Barth syndrome, 1457
Bayesian statistics, 947 (R)
Beringia, 1473
 β 4 Integrin mutations, 1376
Biological determinism, 663 (L)
Bitterness, 1271 (R)
Bivariate analysis, 831
Blistering skin diseases, 1376
BlnI restriction, 181
Blood parasitemia, 498
Bloom syndrome, 1685
Body-mass index, 831, 1130
Bone, 1694
 Neoplasms, 817
Books reviewed, author(s)/editor(s):
 Beal, M. F., 1567
 Bodis-Wollner, I., 1567
 Choo, K. H. A., 290
 Coleman, W. B., 1566
 Clarke, A., 289
 Crawford, M. H., 1566
 de la Cruz, F., 1920
 Howell, N., 1567
 Koch, J. H., 668
 Koch, R., 1920
 Parsons, E., 289
 Offit, K., 1920
 Platt, L. D., 1920
 Reik, W., 927
 Robbins, P. D., 1565
 Royall, R., 283
 Tsongalis, G. J., 1566
 Surani, A., 927
 Warren, S. T., 1921
 Wells, R. D., 1921
- Books reviewed, title:
 Centromere, The, 290

- Clinical Cancer Genetics: Risk Counseling and Management*, 1920
Culture, Kinship and Genes: Towards Cross-Cultural Genetics, 289
Gene Therapy Protocols, 1565
Genetic Disorders and Pregnancy Outcome, 1920
Genetic Instabilities and Hereditary Neurological Diseases, 1921
Genomic Imprinting, 927
Mitochondria and Free Radicals in Neurodegenerative Diseases, 1567
Molecular Diagnostics for the Clinical Laboratorian, 1566
Origins of Native Americans: Evidence from Anthropological Genetics, The, 1566
Robert Guthrie: The PKU Story, 668
Statistical Evidence: A Likelihood Paradigm, 283
Bottleneck, 769, 1910 (L)
Branch site, 390
BRCA1, 45, 1224 (L), 1341
BRCA2, 45, 272 (L), 1224 (L), 1341
Breast cancer, 45, 272 (L), 1224 (L), 1341
Caenorhabditis elegans, 955 (R)
CAG repeat, 1060, 1431
Calcium, 1694
Cancer, 1 (R), 6 (R), 1578 (R)
 Breast, 272 (L)
 Colon, 749
 Ovarian, 272 (L)
 Susceptibility, 1 (R), 125
 Therapy, 11 (R)
Candidate genes, 1767
Candidiasis, 1675
Cardiomyopathy, 1457
Cardiovascular disease, 917 (L)
Carrier risk, 45
Carrier screening, 1160, 1181
Case-control studies/test, 1531, 1872
Caucasians, 1060
Caveolin genes, 1578 (R)
Cell complementation, 1609
Cell oxyphilia, 1743
Cell transformation, viral, 648 (L)
Central Asians, 1824
Centromere instability, 803
CF (see Cystic fibrosis)
CGG repeat, 776
Child psychiatric disorder, 1767
Childhood absence epilepsy, 1117
China, 686 (E)
Chinese, 688
Chip-based microarray, 225
CHO mutants, 1898 (L)
Cholesterol biosynthesis, 55, 329
Chromosome(s)
 Deletion, 1153
 Duplication, 1240 (L)
 Mapping, 109, 717, 1419, 1743
 Translocation, 297 (R)
 Trisomy, 1912 (L)
Chromosome 1, 786
Chromosome 1p, 1073
Chromosome 1q32, 1724
Chromosome 1q42-43, 163
Chromosome 2, 1078
Chromosome 2p21, 625
Chromosome 3p, 967
Chromosome 4q35, 181
Chromosome 5, 1086
Chromosome 5q31, 1732
Chromosome 6, 88, 148, 279 (L), 1448
Chromosome 6q, 80, 274 (L)
Chromosome 8q21, 125
Chromosome 8p22-pter, 541
Chromosome 8q24, 1117
Chromosome 9, 155, 794, 905 (L), 1404
Chromosome 9q31-q33, 140
Chromosome 11, 517, 786, 1095, 1102, 1544 (L)
Chromosome 11q12-13, 55
Chromosome 11q13, 547
Chromosome 12q, 1419
Chromosome 15, 279 (L)
Chromosome 16, 135, 912 (L)
Chromosome 17p11.2, 270
Chromosome 17q21-22, 120
Chromosome 18, 1139
Chromosome 18p, 109, 1777
Chromosome 19q13, 1388
Chromosome 20, 803, 1749
Chromosome Xq27-28, 900 (L)
Cleft lip/cleft palate, 557, 1102
Clinical diagnosis, 1559 (L)
Coalescence, 1237 (L), 1517
 Time, estimation, 847
Cobalamin, 409
COD2, 1232 (L)
Coffin-Lowry syndrome, 1631
Coiled bodies, 317 (R)
COL4A4, mutations, 1329
COL5A1, 390
COL10A1, 1659
COL11A1, 1558 (L), 1559 (L)
Color blindness, 1257 (R)
Color vision, 1257 (R)
COLQ, 967
Combined immunodeficiency, 1049
COMDS program, 825
Communal discourse, 696
Comparative genome hybridization, 625

- Complementation, 409
 Group(s), 1622, 1898 (L)
- Complex diseases/genetic disorders/phenotypes, 191, 252, 577, 870, 1220 (L)
- Complex I, 1598
- Complex trait(s), 225, 547, 654 (L), 1531
- Compound heterozygote, 1224 (L)
- Computer simulation, 870
- Cone dystrophy, 900 (L), 1232 (L)
- Cone-rod dystrophy, 274 (L), 1307
- Confidentiality, 898 (L), 900 (L)
- Confined placental mosaicism, 1912 (L)
- Congenital anomalies, 322 (E)
- Congenital atrichia, 984
- Congenital cataract, 921 (L)
- Congenital chloride diarrhea, 760
- Congenital fibrosis, 517
- Congenital lactase deficiency, 1078
- Congenital malformation, 1153
- Congenital myasthenic syndrome, 967
- Consanguinity, 428
- Copper, 1663
 Transport, 1663
- Corneal dystrophy, 1073
- Cortisol, 370
- Cortisone, 370
- Cost-benefit analysis, 1160
- Cost effectiveness, 1160
- Counseling, 1910 (L)
- CpG dinucleotides, 1001
- Craniofacial anomalies, 703
- Craniosynostosis, 1282
- CREB-binding protein, 1240 (L)
- Crohn disease, 95
- CRX, 1307
- Cutaneous basement-membrane zone, 1376
- Cystic fibrosis, 656 (L), 1160, 1181
 Haplotype, 656 (L)
 Transmembrane conductance regulator, 656 (L)
- Cystinosin, 1352
- Cystinosis, 1352
- Cytochrome c oxidase, 29, 1609
- Cytochrome oxidase, 428
- Cytochrome P450, 1694
- Cytokine, 1086
- D5S436*, 101
- DAT1*, 1767
- Deafness, 1175, 1227 (L), 1263 (L)
- Dehydrated hereditary stomatocytosis, 810
- Deletion, 88
- Dentatorubral-pallidoluysian atrophy, 1060
- Dermatology, 191
- Determinism, 662 (L)
- Development, 380
- Disorder, 329
- Diabetes, 1578 (R)
 Type 1, 547
- Diabetes mellitus, 447, 1227 (L)
 Type II, 1130
- Diagnostic heterogeneity, 1767
- Diallelic markers, 1872
- Diamond-Blackfan anemia, 1388
- Dichorionic twins, 339
- Dietary preferences, 1271 (R)
- Digenic inheritance, 786
- Dihydropyrimidinuria, 717
- Dimerization domain, 651 (L)
- Discordant sib pairs, 1886
- Disease, 474
 Locus, 1396
 Mapping, 1724
 Susceptibility, 696, 1743
- Disequilibrium mapping, 1517
- Disomy 21, 1067
- Distal myopathy, 1732
- DNA
 Bending, 1573 (R)
 Mismatch repair, 63, 749
 Mutational, 648 (L)
 Polymorphism(s), 861, 917 (L)
 Pooling, 140, 839, 1732
 Repair, 474
 Replication, 474
- Dominant dystrophic epidermolysis bullosa, 737
- Dominant inheritance, 1552 (L)
- Dominant negative effect, 651 (L)
- Double heterozygote, 1224 (L)
- Down syndrome, 1067
- DRA*, 760
- Drift, mapping, 654 (L)
- Duplication(s), 207, 1227 (L)
- Duplication/deficiency, 218
- Dyslexia, 279 (L), 1448
- Dyslipidemia, 586
- Dysmorphism, 163
- Dysmorphology, 55
- Dystrophin, 436
- E6-AP, 1561 (L)
- Ectodermal dysplasia, 380, 1102, 1558 (L)
- Education, 1181
- Ehlers-Danlos syndrome, 390
- 11 β -Hydroxysteroid dehydrogenase, 370
- Endocardial fibroelastosis, 1457
- Endocrine tumors, 455
- Eosinophilia, 1086
- Epidemiology, 200
- Epidermolysis bullosa with pyloric atresia, 1376

- Epilepsy, autosomal dominant, nocturnal frontal lobe, 1108
 Epstein-Barr virus, 270 (L)
 Estimating equation, 225
 Ethics, 673 (R), 682 (E), 686 (E), 688, 696, 898 (L)
 Ethnic groups, 241, 673 (R)
 Eugenics, 686 (E), 688
 European admixture, 1793
 Evolution, 1237 (L), 1240 (L)
 Exon-intron junctions, 360
 Exon skipping, 399, 737
 "Express train" model, 1234 (L)
 Expression analysis, 717
 Extrachromosomal channels, 305 (R)
 Extraocular muscle, 517
- Facio-audio-symphalangism, 120
 Facioscapulohumeral muscular dystrophy, 181
 Factor VIII, 1001
 Familial aggregation, 252
 Familial benign hematuria, 1329
 Familial combined hyperlipidemia, 577, 586
 Familial disclosure, 898 (L), 900 (L)
 Familial isolated hyperparathyroidism, 1544 (L)
 Family-based association test, 1886
 Family-based tests, 1507
 Family data, 1202
 Family structure, 889
 Family studies, 831
 Fanconi syndrome, 1352
FBN1, 1703
 Fetal akinesia, 506
 Fetal erythroblasts, 1783
 Fetal hemoglobin, 1783
 Fetopathology, 1095
FGFR3 gene, 1001
 Fibrillin, 1703
 Fibroblast growth-factor receptor 3, 711
 Fibronectin, 1724
 Glomerulopathy, 1724
 Fine mapping, 1531
 Finns, 654 (L)
 FISH, 625, 1783
 Sperm, 218
 Sperm nuclei, 1067
 5,10-Methylenetetrahydrofolate reductase, 917 (L)
 5-Fluorouracil toxicity, 717
 Fluorescent chemical cleavage, 415
FMR1, 776
 Focal dystonia, 1777
 Forkhead, 1316
 Founder
 Haplotype, 125
 Mutations, 272 (L)
 Founder effect, 468, 760, 1341, 1685
- 4-Hydroxybutyric aciduria, 399
 46,XY females, 794
 Fragile X syndrome, 776
 French Canadians, 1341
 Functional genomics, 955 (R)
 Functional psychosis, 1139
- G-olf _{α} , 1139
 GABA metabolism, 399
 γ -Crystallin, 921 (L)
 Gaucher disease, 415
 Gelatinous drop-like corneal dystrophy, 1073
 "Gems", 317 (R)
 Gendodermatosis, 1376
 Gene dosage, 1036
 Gene mapping, 794, 817, 839, 1102, 1431
 Genetic analysis, 1202
 Genetic association, 95
 Genetic counseling, 1175, 1181, 1908 (L)
 Genetic determinism, 663 (L)
 Genetic discrimination, 682 (E)
 Genetic disease(s)/disorder(s), 329, 409
 Genetic drift, 654 (L)
 Genetic epidemiology, 252, 447
 Genetic essentialism, 663 (L)
 Genetic heterogeneity, 1095, 1388, 1439
 Genetic linkage, 95, 274 (L), 786, 880, 1108
 Analysis, 577
 Genetic mapping, 267, 1232 (L), 1425
 Genetic polymorphism, 11 (R)
 Genetic redundancy, 1240 (L)
 Genetic testing, 688, 749, 898 (L), 900 (L), 1175
 Genetic variation, 595, 696
 Genome screen/screening, 839, 1872
 Genomic deletion, 737
 Genomic DNA cloning, 717
 Genomic methylation, 803
 Genotype elimination, 259
 Genotype-phenotype correlation, 71, 415, 1049, 1651
 Genotyping, 267
 Genotyping error, 1563 (L)
 Germ cells, 1001
 Germ-line mosaicism, 37
 Glaucoma, 1316
 Adult, 1549 (L)
 Juvenile, 1549 (L)
 Gluconeogenesis, 976
 Glucose-6-phosphatase, 976
 Glycine substitution, 1329
 Glycogen-storage disease, 976
 Gonadal dysgenesis, 794, 901 (L), 1757
 Gonadal mosaicism, 1912 (L)
 Graves disease, 1749
 Growth retardation, 163, 1396

- Hair, 380
 Follicle, 984
hairless gene, 984
 Haplogroup, 1473
 Haploinsufficiency, 1282, 1651, 1757
 Haplotype, 1473
 Analysis, 912 (L), 1117
 Dating, 1793
 Hardy-Weinberg analysis, 1777
 Hardy-Weinberg disequilibrium, 1531
 Hearing, 1263 (R)
 Loss, 447, 786
 Hedgehog proteins, 322 (E)
 Hemangioblastoma, 1025
 Hemochromatosis, 1363
 Hemosiderosis, 1396
 Hereditary nonpolyposis colorectal cancer, 63
 Heteroduplex analysis, 1376
 Heterogeneity, 541, 1641
 Genetic, 1095
 Heteroplasmy, 1908 (L)
 Heterozygosity, 101
 High-prevalence population, 1067
 Histocompatibility antigens, 191
 HLA, 1448
 HMG box, 1573 (R)
hMLH1, 63
hMSH2, 63
 Hodgkin lymphoma, 270 (L)
 Holoprosencephaly, 322 (E)
 Homeobox, 1307
 Homeodomain, 1651
 Homogentisic acid, 920 (L)
 Homozygosity mapping, 148, 803, 1073, 1095, 1404
 HOX genes, 992
HOXD13, 992
 Human chromosome 1, 1216 (L)
 Human development, 1912 (L)
 Human diversity, 673 (R)
 Human-leukocyte-antigen associations, 191
 Human populations, 847
 Human subjects, 696
 Huntington disease, 1431
 Hutterites, 140
 Hyperhomocysteinemia, 409, 1541 (ASHG/ACMG)
 Hyperopia, 1411
 Hyperphenylalaninemia, 71
 Hypertension, 370, 1425
 Hypoadrenalinism, 1675
 Hypoglycemia, 976
 Hypohidrotic, 380
 Hypoparathyroidism, 163, 1675
 Hypotension, 1425
 ICF syndrome, 803
IDDM4, 547
 Idiopathic generalized epilepsy, 1117
 Image processing, 1783
 Immunocompetence, 489
 Immunodeficiency, 803
IMPG1, 274 (L)
 Importin(s), 311 (R)
 Imprinting, 170, 468, 1009
 Indonesians, 1234 (L)
 Inflammatory bowel disease, 95
 Informed consent, 673 (R), 682 (E), 898 (L), 900 (L), 1181
 Inheritance, 825
 Inherited eye disease, 1439
 Institutional review boards, 682 (E)
 Insulin resistance, 534
 Interchromosomal channels, 305 (R)
 Internal translation initiation, 1294
 Interphase FISH, 207
 Interphotoreceptor matrix gene, 274 (L)
 Interstitial deletion, 270
 Intrachromosomal insertion, 269 (L)
 Iridogoniodysgenesis, 1316
 Isodisomy, 1216 (L)
 Jamaicans, 1839
 Japanese, 489, 1060
 JC virus, 489
 Jewish genetic disease, 1685
 Juvenile onset, 88
 Kazakh, 1824
 Kirghiz, 1824
 KpnI repeats, 181
 Lactase-phlorizin hydrolase gene, 1078
 Lactic acidosis, 1396
 Language, 613
 Large-scale rearrangement, 1227 (L)
 Lariat, 390
 Leber congenital amaurosis, 651 (L), 1307
 Leber hereditary optic neuropathy, 1220 (L)
 Leigh disease/syndrome, 1594 (E), 1598, 1609
 Lens, 921 (L)
 Lethal congenital contracture syndrome, 506
 Likelihood, 259
 Analysis, 569
 Limb development, 992
 Limb malformations, 992
 Limb-girdle muscular dystrophy, 140
 Linkage, 80, 88, 120, 135, 140, 148, 225, 517, 526, 889, 921 (L), 947 (R), 1078, 1404, 1411, 1439, 1492, 1507, 1732, 1749
 Analysis, 101, 109, 125, 259, 279 (L), 498, 506, 638, 810, 870, 931 (R), 935 (R), 1073,

- 1095, 1117, 1130, 1139, 1190, 1232 (L),
1243 (L), 1419, 1425, 1431, 1724
- Disequilibrium, 191, 225, 241, 506, 547, 557, 595,
664 (L), 760, 1073, 1078, 1396, 1492,
1507, 1531, 1685, 1767, 1777, 1839, 1872,
1886
- Genetic, 880
- Map(s)/mapping, 163, 861, 1086
- Lipoprotein lipase, 595
- LKB1*, 1641
- LMX1B*, 1651
- LOD score(s), 870
- Long-distance/long-range PCR, 360, 1363
- Loss of heterozygosity, 817
- Low-density lipoprotein, 586
- Low penetrance, 1903 (L)
- LPL*, 595
- Lymphocytes, 1464
- Lysosomal storage disease, 1352
- Machado-Joseph disease, 1060
- Macular corneal dystrophy, 912 (L)
- Macular degeneration, age related, 200
- Malaria, 498
- MANB*, 1015
- Mantel extension test, 1915 (L)
- Mantel-Haenszel test, 1915 (L)
- Map(s)/mapping, 155, 810, 1839
- Drift, 654 (L)
 - Genetic, 654 (L), 905 (L)
 - Homozygosity, 1095
- Marfan syndrome, 1703
- Marker-disease association, 1531
- Markov chain, 638
- Marshall syndrome, 1558 (L), 1559 (L)
- Masking, 678 (R)
- Maximum likelihood, 638, 664 (L)
- MCPH1*, 541
- Meckel syndrome, 1095
- Media, 662 (L)
- Methylation, 1001
- Meiosis, 861
- I, 1216 (L)
- Melanesians, 613
- Membranoproliferative (mesangiocapillary)
glomerulonephritis, 1724
- MEN1*, 455, 1544 (L)
- Mendelian errors, 259
- Menin, 455
- Mental retardation, 163, 1631
- MERRF (see Myoclonic epilepsy with ragged red
fibers)
- Metastasis, 6 (R)
- Methionine synthase, 409
- Methylation, 170
- Microcephaly, 541
- Microdeletion, 1388
- 7p21.1, 1282
 - Syndrome, 1277 (E)
- Microfibril, 1703
- Micronesians, 613
- Micronucleus, 1464
- Microsatellite(s), 847, 861
- Haplotypes, 1793
 - Instability, 63
- MID1*, 703
- Midline development, 703
- Mineralocorticoid, 370
- Missense mutation(s), 984, 1015
- Mitochondria, 526, 1598, 1910 (L)
- Mitochondrial bottleneck, 1908 (L)
- Mitochondrial disorder(s), 428, 1220 (L), 1609
- Mitochondrial encephalomyopathy, 447, 526
- Mitochondriopathies, 1598
- Mixed model, 825
- MNGIE*, 526
- Mobile elements, 436
- Model organism, 955 (R)
- Modifier gene(s), 1025
- Molybdenum cofactor deficiency, 148
- Monochorionic twins, 339
- Monogenic, 1675
- Monosomy-9p syndrome, 901 (L)
- Monte Carlo likelihood, 1517
- Mosaicism, 1903 (L)
- Motoneuron disease, 506
- MSX1*, 557
- MSY1*, 1793
- mtDNA, 29, 529, 613, 769, 1220 (L), 1227 (L), 1234
(L), 1473, 1594 (E), 1807, 1824, 1908 (L)
- Control-region sequence, 1852
 - Haplogroup, 1852
- MTHFR* (see 5,10-Methylenetetrahydrofolate
reductase)
- Muir-Torre syndrome, 63
- Multifactorial control, 415
- Multiple congenital anomalies, 703
- Multiple deletions, 526
- Multiple endocrine neoplasia type 1, 1544 (L)
- Multiple-synostoses syndrome, 120
- Multipoint analysis, 638
- Linkage analysis, 1245 (L)
- Multivariate analysis, 1190
- Muscular dystrophy, 1578 (R)
- Mutant expression, 1049
- Mutation(s), 71, 380, 390, 455, 474, 711, 727, 1036,
1049, 1294, 1363, 1561 (L), 1598, 1631, 1651,
1659, 1663, 1703, 1903 (L)
- Analysis, 52, 55, 360, 717, 1352, 1549 (L)
- Detection, 415

- Missense, 984, 1015
 MTHFR, 917 (L)
 Nonsense, 1015
 Scanning, 909 (L)
 Screening, 557
 Search, 760
 Myoclonic epilepsy with ragged red fibers, 1908 (L)
 Myopia, 109, 1419
 Myosin VIIA, 909 (L)
- Nail patella, 1651
 Nanophthalmos, 1411
 Native Americans, 1473, 1852, 1862
 NDUFS8, 1598
 Neanderthals, 1237 (L)
 Nematode, 955 (R)
 Neoplasia, 455
 Nephronophthisis, 1404
 Network(s), 1234 (L)
 Analysis, 847, 1852
 Neural tube defects, 917 (L)
 Neurodegeneration/neurodegenerative disorder, 135, 200, 1431
 Neurofibromatosis type 2, 727
 Neurological disorder, 148
 Neuromuscular junction, 967
 Neutropenia, 976
 Nicotinic acetylcholine receptor, 1108
 Niemann-Pick type D, 52
 NM23-H1, 6 (R)
NNO1, 1411
 Nonchromaffin paraganglioma, 468
 Nondisjunction, 1216 (L)
 Non-insulin-dependent diabetes, 241
 Nonparametric linkage analysis, 880
 Nonparametric methods, 870
 Nonrandom sampling, 1202
 Nonsense mutation, 1015
 Nonsyndromic, 786
 NTBC (2-[2-nitro-4-trifluoromethylbenzoyl]-1,3-cyclohexanedione), 920 (L)
 Nuclear matrix, 305 (R)
 Nuclear structure, 297 (R), 317 (R)
 Nuclear transport, 311 (R)
- Obesity, 1130
 Ocular defects, 1316
 Ofactomedin, 1549 (L)
 1 α -Hydroxylase, 1694
 Oocytes, 769
 Ophthalmoplegia, 517
 Opitz G/BBB syndrome, 703
 Optic-nerve disorders, 1220 (L)
 Osteochondrodysplasia, 155
 Osteosarcoma, 817
- Ovarian cancer, 272 (L), 1224 (L), 1341
 Overreporting, 252
 p300, 1240 (L)
- Paget disease, bone, 817
 Pairwise relationship, 1563 (L)
 Paracentric inversion, 269 (L), 270
 Paralogous regions, 1240 (L)
 Parathyroid adenoma, 1544 (L)
 Parental consanguinity, 760
 Parkinson disease, 88
 Parkinsonism, juvenile, 80
 Partial lipodystrophy, 534
 Particle size, 586
 Paternal-age effect, 711
 Paternal origin, 1067
 Pathologic myopia, 1419
 Pathology, 45
 PCCB, 360
 Pedigree, 678 (R)
 Analysis, 1202
 Error, 1563 (L)
 Pelizaeus-Merzbacher disease, 207
 Penetrance, 1220 (L)
 Pericentric inversion, 218
 Peroxin Pex16p, 1622
 Peroxisome(s), 347
 Biogenesis disorder(s), 347, 1622, 1898 (L)
 Ghost, 1622
 Membrane ghost, 1898 (L)
 Membrane protein, 1622
 Protein import, 347
 Peutz-Jeghers syndrome, 1641
PEX, 1898 (L)
PEX10, 347
PEX12, 1294
PGL1, 468
 Pharmacogenetics, 11 (R)
 Phenotype, 1703
 Phenotypic spectrum, 909 (L)
 Phenylalanine hydroxylase, 71
 Phenylketonuria, 71
 Pheochromocytoma, 468
 Phonological coding, 1448
 Photoreceptor degeneration, 1439
 Phylogeny, 1237 (L)
 Physical mapping, 506
 Pima Indians, 1130
 PKU (see Phenylketonuria), 71
Plasmodium falciparum, 498
 Pleiotropy, 831
 PML bodies, 297 (R)
 Point mutation, 52
 POINTER, 825
 Polymorphism(s), 200, 648 (L)

- DNA, 861
- Polynesians, 613, 1234 (L), 1793
- Population genetics, 360, 656 (L), 673 (R), 760, 917 (L), 1807
- Population-specific alleles, 1839
- Porphyria cutanea tarda, 1363
- Power, 664 (L), 1492
- Power analysis
 - Analysis, 880
 - Studies, 870, 1507
- Prader-Willi syndrome, 170, 1009
- Predisposition, 455
- Preimplantation genetic diagnosis, 1009
- Preimplantation human embryo, 1009
- Prenatal diagnosis, 1160, 1561 (L), 1783, 1908 (L), 1910 (L)
- Primordial germ cells, 1912 (L)
- Privacy, 678 (R), 898 (L)
- Probability, 947 (R)
- Propionic acidemia, 360
- Protein C deficiency, 569
- Protein kinase C epsilon, 625
- Proteolipid protein, 207
- Proximal symphalangism, 120
- Psoriasis, 191
- Pulsed-field gel electrophoresis, 37
- Purine metabolism, 1049
- Quantitative trait, 1243 (L)
 - Loci, 1190
- Questionnaire, 1175
- Radiation
 - Hybrid map, 125
 - Sensitivity, 125
- Ran, 311 (R)
- Recombination, 861
 - Classes, 1517
 - Frequency, 218
- Reductionism, 663 (L)
- Regulation, research, 682 (E)
- Relative risk, 1492
- Renal-cell carcinoma, 1025
- Repeat-expansion detection, 648 (L)
- Respiratory chain, 428
- Retina, 900 (L)
- Retinal dystrophy, 1439
- Retinal guanylate cyclase, 651 (L)
- Retinitis pigmentosa, 1307
- Retinoblastoma, 1903 (L)
- Retinoic acid receptor, 297 (R)
- Rett syndrome, 267, 1552 (L)
- Reverse-transcription-PCR analysis, 329
- Reyes-like syndrome, 101
- Rho⁰ cells, 1609
- Rickets, 1694
- RNA splicing defect, 399
- Rogue cells, 489
- RSH syndrome, 322 (E)
- RSK2 serine/threonine kinase, 1631
- Saami, 654 (L)
- Saethre-Chotzen syndrome, 1277 (E), 1282
- Sample size, 241
- SCD locus, 101
- Schizophrenia, 1139
- Score statistic, 1492
- Screening, 688
- Segregation analysis, 569, 586, 825, 831, Complex, 942 (R)
- Selection, 474, 1457
- Selective advantage, 656 (L)
- Sephardic Jews, 1685
- Sequence analysis, 1431
- Sequence divergence, 1473
- 7-Dehydrocholesterol, 329
- Sex
 - Chromosome abnormalities, 1757
 - Determination, 794, 901 (L)
 - Ratio, 1001
 - Reversal, 794, 901 (L), 905 (L), 1573 (L)
- Short tandem repeat, 613, 861
- Sibs/siblings, 1190
 - Recurrence-risk ratio, 252
- Sib pairs, 1243 (L), 1245 (L), 1563 (L)
 - Analysis, 638
- Sibship disequilibrium test, 1886
- Sibship test, 1915 (L)
- Sign test, 1886
- Simulation, 638
- Single-nucleotide polymorphism, 225, 595
- Skeletal dysplasia, 1659
- Skeletal muscle, 436
 - Atrophy, 317 (R)
- Skeuwness, 1457
- Smith-Lemli-Opitz syndrome, 55, 322 (E), 329
- Smith-Magenis syndrome, 270
- SNRPN, 1009
- SOD2, 88
- Software, 259
- Somatic-cell hybrids, 20, 1609
- Somatic mosaicism, 727
- Spastic paraplegia, 135
- Spelling disability, 279 (L)
- Sperm
 - FISH, 218
 - Typing, 1903 (L)
- Spinal muscular atrophy, 37, 1712
- Spinocerebellar ataxia, 1060
- Splicing mutation, 436

- Spondylometaphyseal dysplasia, 1659
SRY, 1573 (R)
 Statistical genetics, 931 (R)
 Statistical methods/statistics, 241, 935 (R), 942 (R), 1190
 Steroid metabolism, 370
 Sterol Δ^7 -reductase, 55
 Stickler syndrome, 1558 (L)
 Stop codon, 29
 Strabismus, 517
 Succinic semialdehyde dehydrogenase deficiency, 399
 Survival motor neuron gene mutations, 1712
 Swyer syndrome, 901 (L)
 Symphalangism, 120
 Syndrome X, 534
 Synpolydactyly, 992
 Systemic carnitine deficiency, 101
- Taiwanese, aboriginal, 1807
 Taste perception, 1271 (R)
 Teratogens, 322 (E)
 Test statistics, 889
TGFB3, 557
 Thiopurine S-methyltransferase, 11 (R)
 Thyroid gland, 1743, 1749
 Neoplasms, 1743
 Tumors, 625
 TIGR/MYOC, 1549 (L)
 Timing, 339
 Tooth, 380
 Total plasma homocysteine, 1541 (ASHG/ACMG)
 Tourette syndrome, 839
 Tpr protein, 305 (R)
 Transcription factor, 984, 1307, 1316, 1675
 Translocation, 181
 Transmission disequilibrium, 935 (R), 1139
 Transmission/disequilibrium test, 664 (L), 1507, 1886, 1915 (L)
 Transport, 1352
 Transporter, 976
 Trichothiodystrophy, 1036
 Trinucleotide repeat, 776
 Triplication, 1227 (L)
 Tumor-suppressor gene, 817, 1544 (L)
 Tumorigenesis, 6 (R), 1025
 Turner syndrome, 1757
 Twins/twinning, 327 (E)
 MZ, 339
- TWIST*, 1277 (E), 1282
 Two-locus models, 831
 2-(2-nitro-4-trifluoromethylbenzoyl)-1,3-cyclohexanedione, 920 (L)
 Type VII collagen, 737
 Type X collagen, 1659
 Tyrosinemia, 920 (L)
UBE3A, 1561 (L)
- Ubiquitin, 1561 (L)
 Uighurs, 1824
 Ulcerative colitis, 95
 Unequal crossing-over, 270
 Uniparental disomy, 962 (E), 1216 (L)
 Universal strand-specific labeling system, 415
 Uroporphyrinogen decarboxylase, 1363
 UV sensitivity, 1036
- Venous thrombosis, 569
 Vestibular schwannoma, 727
 Viral chromosome damage, 489
 Viral oncogenesis, 489
 Vitamin B_{12} , 409
 Vitamin D, 1694
 von Hippel-Lindau disease, 1025
 Vulnerable populations, 682 (E)
- Wilson disease, 1663
- X;autosome translocation, 20
 X chromosome, 17, 20, 267, 1232 (L), 1439, 1464, 1757
 X inactivation, 17, 20, 327 (E), 339, 1457
 X linkage, 267, 1552 (L), 1631
 Dilated cardiomyopathy, 436
Xenopus, 311 (R)
 Xerocytosis, 810
 Xeroderma pigmentosum, 1036
XPD gene, 1036
- Y chromosome, 847, 1464
 Haplotypes, 1862
 Y-chromosomal lineages, 1793
 Yeast, 1663
 Yemenite Jews, 272 (L)
- Zellweger syndrome, 1622
 Zinc-finger protein, 984