

## Subject Index for Volume 65

(E) = editorial; (L) = letter to the editor; (R) = review article

- A1555G mutation, 1349
- AB variant, 77
- Abducens nerve, 1639
- Aboriginal Australian, 808
- Absolute pitch, 911 (L)
- Acetylcholinesterase deficiency, 635
- Actin cytoskeleton, 25
- Adaptive method, 1741
- ADCA, 420
- Adrenocortical, 995
- Affected sib pairs, 167, 1428
- African, 575 (L)
  - Populations, 829
  - Americans, 575 (L)
- Aftercare, 1201 (L)
- Age at onset, 265 (L)
- Aggression, 593
- Aging, 1782 (L)
- AIDS epidemiology, 1047
- Alcohol dehydrogenase, 795, 1148
- Alcoholism, 599, 795
- Aldehyde dehydrogenase, 795, 1148
- Algorithms, 1733
- Allelic association, 236
- Alopecia, 413
- $\alpha$ -Synuclein, 555 (L)
- $\alpha_1$ -Antitrypsin deficiency, 902
- Alport syndrome, 1711
- Alternative splice, 656
- Alzheimer disease, 7, 13, 664
- AMOVA, 829
- Amyloid-precursor protein, 13
- Amyloidosis, 88, 1054
- Ancient DNA, 199
- Androgen receptor gene expression, 966
- Aneuploidy, 913 (L), 1617
- Aneurysms, 1561
- Angelman syndrome, 1, 370, 1588
- Anticipation, 265 (L), 764
- Aortic aneurysm, 1007
- Aplastic anemia, 50
- APP, 664
- Ascertainment bias, 1125
- Ashkenazi
  - Jews, 921
  - Population(s), 1800 (L)
- Association, 578 (L)
  - Studies, 183, 587, 1161
- Atherosclerosis, 397
- ATR-X syndrome, 558 (L)
- Autism, 493
- Autoimmunity, 294, 1462 (L)
- Autosomal dominant, 555 (L), 1078
  - Inheritance, 735
  - Polycystic kidney disease, 345, 1561
  - Thrombocytopenia, 1401
- Autosomal recessive, 318
  - Form, 722
  - Retinitis pigmentosa (arRP), 571 (L)
- Autozygosity, 1493
- Axonal form, 722
  
- Baldness, 413
- Bardet-Biedl syndrome I, 1680
- Bare lymphocyte syndrome, 279
- Barlow syndrome, 1242
- Basement membrane, 1530
- Basques, 199, 1437
- Behavior, 593
  - Abnormalities, 1406
- Behavioral genetics, 1215, 1222
- Benign adult familial myoclonic epilepsy, 745
- Bipolar affective disorder, 508
- Blindness, 1261
- Blistering skin diseases, 1530
- Body mass index, 1501
- Bone resorption, 158
- Brain development, 1666
- BRCA1, 567 (L), 575 (L), 671, 1771 (L), 1776 (L), 1800 (L)
- BRCA1/BRCA2, 921, 1021
- BRCA2, 567 (L), 1771 (L), 1776 (L), 1800 (L)
- Breakpoints, 1387
- Breast cancer, 567 (L), 575 (L), 671, 784, 1775 (L), 1776 (L), 1779 (L)
  
- C282Y, 924 (L)
- CAG repeat(s), 192, 966
- Campomelic dysplasia, 111
- Cancer, 1775 (L), 1776 (L)
  - And aging, 1782 (L)
  - Breast, 1771 (L)
  - predisposing gene, 921
  - Risk factors, 1782 (L)
- Candidate genes, 1178
- Cardiovascular manifestations, 917 (L)
- Carrier frequency, 921
- Cartilage, 31, 974
- Case control, 220
- Case-parents triads, 229

- Cataracts, 1261, 1299  
 Causality, 1342  
 Cavernous angioma, 125  
 Cayapa Amerinds, 519  
*CBFA1*, 1268  
*CDC45L*, 562 (L)  
*CDKN2A*, 483  
 cDNA cloning, 318  
 Centenarians, 1178, 1782 (L)  
 Central Asia, 208  
 Centre d'Étude du Polymorphisme Humain, 1493  
 Centromeres, 1617  
 CEPH (see Centre d'Étude du Polymorphisme Humain), 1493  
 Cerebral  
   Calcification, 764  
   Cortex, 19  
 CGG, 1375  
 Charcot-Marie-Tooth disease, 722  
 Chemokine genes, 1047  
 Cherubism, 151, 158  
 China, 1199 (L), 1199 (L)  
 Choreoathetosis, 1406  
 Chromatin, 1342  
 Chromosomal rearrangements, 448  
 Chromosomal syndromes, 448  
 Chromosome 1, 254 (L), 1798 (L)  
 Chromosome 10, 752  
 Chromosome 10p, 1401  
 Chromosome 11q, 167  
 Chromosome 11q13-q21, 1459 (L)  
 Chromosome 11q23, 1595, 1608  
 Chromosome 15q, 420  
 Chromosome 15q11-q13, 1588  
 Chromosome 16, 427  
 Chromosome 16p, 1242  
 Chromosome 16p11.2-p12.1, 1688  
 Chromosome 17, 441  
 Chromosome 17p modifier locus, 433  
 Chromosome 19, 175, 773  
 Chromosome 19q, 926 (L)  
 Chromosome 1q, 1538  
 Chromosome 1q21.2-q21.3, 722  
 Chromosome 2, 387, 1068, 1396  
 Chromosome 20, 1462 (L)  
 Chromosome 22q, 1698  
 Chromosome 22q11, 1595, 1608  
 Chromosome 22q11 deletion, 247 (L)  
 Chromosome 22q11.2, 562 (L)  
 Chromosome 2q21-q33, 1078  
 Chromosome 2q23-24.3, 141  
 Chromosome 2q31, 1639  
 Chromosome 3q27, 728  
 Chromosome 4, 256 (L)  
 Chromosome 4p, 151  
 Chromosome 4p16, 158  
 Chromosome 4q, 1428  
 Chromosome 6, 1647  
 Chromosome 6q, 571 (L)  
 Chromosome 7, 645, 1656  
 Chromosome 7p, 249 (L)  
 Chromosome 8p, 1428  
 Chromosome 8q23.3-q24.1, 745  
 Chromosome 9p Deletion, 1387  
 Chromosome 9p13-21, 1508  
 Chromosome 9q34.3, 1666  
 Chromosome aberrations, 784  
 Chromosome inactivation, 252 (L)  
 Chromosome Xp11, 1406  
 Chromosome Xq28, 50, 1520  
 Chromosome Y, 1623, 1718  
 Chromosome(s), 1368  
   Rearrangement of, 1608  
 Chronic lymphocytic leukemia, 265 (L)  
 Cleft palate, 387, 433  
 Cleidocranial dysplasia, 1268  
 Coalescence, 858  
 COGA (see Collaborative Study on the Genetics of Alcoholism), 1148  
 Cognition, 911 (L)  
 Cognitive genetics, 1222  
 Coincident linkage, 1134  
*COL17A1*, 1530  
*COL1A1*, 336  
 Colchicine, 88  
 Collaborative Study on the Genetics of Alcoholism, 1148  
 Collagen, 308, 974, 1530  
   Q, 635  
   Type I, 336  
   Type IX, 31  
 Color karyotyping, 448  
 Complementation, 1368  
   Group, 1330  
 Complex disease(s), 847, 876, 1060  
 Complex disorders, 1096  
 Compound heterozygotes, 1279  
 Computer program, 1195 (L)  
 Conduction-system disease, 1068  
 Congenital  
   Cataract, 656  
   Myasthenic syndrome, 635  
   Nephrotic syndrome, 1785 (L)  
 Connective tissue(s), 308  
   Disorder, 735  
 Consanguinity, 1538  
 Control region, 808  
   Sequences, 1457 (L)  
 Convulsion, 1688  
 Core binding factor , 1268

- Counseling, 1201 (L), 1204 (L)  
 Covariates, 1760  
 COX (see Cytochrome *c* oxidase), 611  
 CpG hotspots, 1520  
 Craniofacial  
   Defects, 562 (L)  
   Disorders, 158  
 Critical region, 1387  
 Crohn disease, 1647  
 CTNS gene, 353  
 Culture, 1199 (L)  
 Cystathionine  $\beta$ -synthase deficiency, 59  
 Cystinosis, 353  
 Cytochrome oxidase, 611, 1030  
  
*D15S63*, 1588  
 Dating, 1437  
 Deafness, 261 (L), 1204 (L), 1207 (L)  
 Deletion(s), 370, 1330, 1588  
   2q31, 104  
   Breakpoint, 353  
 Mutation, 1785 (L)  
 ( $\Delta\mu$ )<sup>2</sup>, 1125  
 Der(22) syndrome, 1608  
 Dermatosparaxis, 308  
*DFNA16*, 141  
 DGGE, 1291  
 Diagnostics, 98  
*Dictyostelium*, 25  
 Digenic inheritance, 261 (L)  
 DiGeorge syndrome, 247 (L)  
 Dilated cardiomyopathy, 1068  
 Disclosure, 902  
 Discordant pairs, 1760  
 Disequilibrium, 1741  
   Measure, 858  
*DKC1*, 50  
*DNAI1*, 1508  
 DRPLA, 966  
 Duane retraction syndrome, 1639  
 Duplication, 1595  
 Duty of care, 1201 (L)  
 Dynein intermediate chain, 1508  
 Dyskeratosis congenita, 50  
 Dyskerin, 50  
 Dystonia, 764  
  
 Early onset, 134, 1776 (L)  
 Economics, 1199 (L)  
 Ecuador, 519  
 EGF-like domain (see Epidermal growth factor-like domain), 1007  
 Ehlers-Danlos syndrome, 308  
 EM algorithm, 1195 (L)  
 Enzyme deficiency, 318  
  
 Eosinophilic inflammation, 302  
 Eosinophils, 302  
 Epidemiology, 1725  
 Epidermal growth factor-like domain, 1007  
 Epidermolysis bullosa, 1530  
 Epigenetics, 699  
 Epilepsy, 1396, 1698  
 ERDA1 locus, 192  
 Estimating equation, 858  
 Ethics, 1199 (L), 1204 (L)  
 Eugenics, 1199 (L), 1199 (L)  
 European, 1321  
 Evolutionary sequence divergence, 1580  
 Exact *P* values, 1208 (L)  
 Exon  
   Redefinition, 336  
   Skipping, 77  
 Expression, 671  
 EXT1 gene, 689  
  
 Facial paresis, 752  
 Factor H, 1538  
 Factor IX, 1572  
 Familial  
   Combined hyperlipidemia (FCHL), 397  
   Hyperthyroidism, 1462 (L)  
   Mediterranean fever, 88  
   Parkinson disease, 555 (L)  
 Families, 1473 (L)  
 Family  
   Data, 236  
   History, 1775 (L), 1776 (L)  
*FANCA*, 1330  
 Fanconi anemia, 1330  
 Febrile seizures, 1078, 1396  
 Fechtner syndrome, 1711  
 Fibrillin, 1007  
 Fibrillinopathy, 1007  
 Fine mapping, 236  
 FISH, 387, 448, 1387  
 FMR1, 680, 1375  
 FMRP, 98  
 Founder, 575 (L)  
   Effect, 353, 728, 773  
   Mutation(s), 921, 1308, 1771 (L), 1800 (L)  
   Population, 1299, 1680  
 Foveal hypoplasia, 656  
 Fragile X, 680, 1375  
   Syndrome, 98  
 Frequency, 1785 (L)  
  
 G protein-coupled receptors, 949  
 GABA receptor genes, 571 (L)  
 Galactokinase deficiency, 1299  
 Galactosemia, 1299

- $\gamma$ -crystallins, 1261
- GEFS+, 1078
- Gene(s), 1261
  - Dosage, 933
  - Flow, 1437
  - Frequencies, 1178
  - Mapping, 545
  - Mutation, 31
  - Structure, 1252
  - Therapy, 1368
- Generalized epilepsy, 1078
- Genetic
  - Counseling, 474, 1204 (L), 1207 (L)
  - Disease(s), 308, 902
  - Distance, 1125
  - Drift, 199, 1785 (L)
  - Heterogeneity, 735, 779, 1096, 1242, 1672
  - Isolate, 1114
  - Linkage, 151, 764, 1096, 1428, 1462 (L)
  - Mapping, 722, 1104, 1672
  - Relative risk(s), 1760
  - Testing, 1204 (L), 1207 (L)
- Genome scan, 397, 876, 1060, 1760
- Genome screen, 493
- Genomewide scan, 1054
- Genomic instability, 1368
- Genomics, 545
- Genotype elimination, 1733
- Genotype/phenotype, 59
  - Correlation, 1321
- Germline, 995
  - Deletion, 345
  - Mosaicism, 68
  - Mutations, 1021, 1291
- Gibbs sampling, 885
- Gilles de la Tourette syndrome, 1428
- GK1 gene, 1299
- GLI3, 645
- Glomangioma, 125
- Glomus
  - Cell, 125
  - Tumor, 125
- Glypican, 779
- GM2
  - Activator protein, 77
  - Gangliosidosis, 77
- GM2A structure, 77
- Gonadal development, 933
- Graves disease, 1462 (L)
- Growth patterns, STAT5 signaling, 959
  
- Hair, 413
  - Roots, 98
- Hairless, 413
- Hamartomas, 1790 (L)
  
- Hand-foot-genital syndrome, 249 (L)
- Haplogroup, 1349
  - Diversity, 1457 (L)
- Haploinsufficiency, 387
- Haplotype(s), 1437, 1623, 1718, 1779 (L)
  - Analysis, 773, 1547
  - Of mtDNA, 1178
  - Sharing, 1161
- Hearing loss, 141, 1803 (L)
- Heart defect, 249 (L)
- Heberden nodes, 1060
- Hemidesmosome(s), 1530
- Hemochromatosis, 924 (L)
- Hemolytic uremic syndrome, 1538
- Hemophilia B, 1572, 1580
- Hepatic fibrosis, 709
- Hereditary
  - Multiple exostoses, 689
  - Prostate cancer, 254 (L)
  - Spastic paraplegia, 757
- Heritability, 784
- Heterogeneity, 752, 1178
- Heteroplasmy, 463
- Heterozygosity, 183
- Hidden Markov model, 858
- Hirschsprung disease, 1469 (L)
- Hispanic, 1321
- HIV-1-resistant polymorphism, 1047
- HLA, 1798 (L)
  - HLA-A* locus, 1423
  - bLHR* gene, 949
- HNPCC, 1291
- Hodgkin disease, 1413
- Homocystinuria, 59
- Homozygosity, 1489 (E)
  - Mapping, 1493, 175, 1465 (L), 1656, 1666
- HOX-gene cluster, 249 (L)
- HOXD* cluster deletion, 104
- HPC1*, 134
- bSNF5/INI1*, 1342
- Human(s), 808, 1359
  - Detrimental mutation rates, 1580
  - Genome, 1489 (E)
  - Hox* mutation, 104
  - Malformation syndrome, 1268
  - Origins, 829
  - Populations, 1125
  - Sporadic mutation rates, 1580
  - Variation, 1423
- Huntington disease, 966, 1204 (L)
- HV1/HV2, 519
- Hydrocephalus, 1086
- Hypertrophic cardiomyopathy, 1308
- Hypomethylation, 1375
- Hypothyroidism, 1462 (L)

- Hypotrichosis, 413
- Iberia, 1437
- Ichthyosis, 1547
- Identity
  - By descent, 1741, 1760
  - Of relatives, 902
- Immunodeficiency, 287, 735
- Immunogenetics, 279, 287, 302
- Immunoglobulin E, 735
- Imprinting, 1359
- Inactive X chromosome, 1617
- Inbreeding, 1493
- Incomplete penetrance, 1040
- Independent mutations, 1308
- Infertility, 463
- Inflammation, 294
- Inflammatory bowel disease, 1647
- Inheritance, 671, 1469 (L)
- Interaction, 795
- Interferon- $\gamma$ , 709
- Intergenerational instability, 192
- Interleukin-2, 287
- Interleukins, 1060
- Intestinal inflammation, 1647
- Intracytoplasmic sperm injection, 463
- Israeli population(s), 1800 (L)
- Jaw disorders, 158
- Jewish population(s), 1800 (L)
- Job syndrome, 735
- Joint sampling (block updating), 885
- Joubert syndrome, 1666
- Kallmann syndrome, 943
- Kartagener syndrome, 1508
- Kazakhs, 208
- Kidney, 1656
- Kirghiz, 208
- Knudson hypothesis, 1790 (L)
- LAMB3*, 1530
- Laminin, 1530
- Length mutation(s), 519
- Lens, 1261
- Leptin, 1501
- Leukoencephalopathy, 728
- Liability, 1134
- Likelihood-ratio statistic, 531
- Limb
  - Abnormalities, 645
  - Defects, 104
- Linear regression, 236
- Linkage, 167, 413, 420, 427, 441, 483, 578 (L), 757, 876, 1208 (L), 1413, 1501, 1639, 1656, 1688, 1711, 1741, 1798 (L)
- Analysis, 134, 256 (L), 397, 433, 493, 531, 571 (L), 728, 773, 779, 847, 885, 1114, 1449, 1459 (L), 1647, 1680, 1733
- Disequilibrium, 183, 236, 1086, 1114, 1493, 1680
- Disequilibrium mapping, 220
- Mapping, 1078, 1086, 1465 (L), 1680, 1698
- Methodology, 578 (L)
- Study, 745
- Lipid metabolism, 397
- Location estimate, 876
- Locus heterogeneity, 256 (L)
- LOD score, 1096
- Logistic regression, 1771 (L), 1775 (L)
- Long PCR, 77
- Long-range PCR, 39, 1561
- Longevity, 1782 (L)
- Loss of heterozygosity, 345, 689, 1423, 1790 (L)
- Luteinizing-hormone receptor, 949
- Lymphedema-distichiasis, 427
- Lymphocytes, 784
- Lysosomal storage disease, 773
- M-FISH (see Multiplex-FISH, 448)
- Macrothrombocytopenia, 1711
- Male breast cancer, 1800 (L)
- Malonyl-CoA decarboxylase, 318
- Malsegregation, 1595
- Manic-depressive disorder, 508
- MAO, 593
- Marenostrin/pyrin, 88
- Marfan syndrome, 917 (L), 1007
- Markov chain Monte Carlo method, 885
- Marshall syndrome, 974
- MC4-R, 1501
- MECP2*, 1520
- MEFV*, 88
- Melanocytic nevi, 483
- Melanoma, 483
- Mennonite, 1785 (L)
  - Ancestry, 327
- Mental retardation, 98, 1406, 1465 (L), 1547
- Metabolic disorder, 327
- Methylation, 1359, 1375, 1588
- MHC, 279
- Microcephaly, 1465 (L)
- Microglia, 13
- Microsatellite(s), 208, 1623
  - Analysis, 1387
  - Evolution, 1125
  - Instability, 1291
  - Markers, 728
  - Polymorphisms, 829
- Migrational movements, 199

- Missense mutation, 555 (L), 656  
 Mitochondria, 508, 1030, 1803 (L)  
 Mitochondrial  
   Disorder(s), 611, 1457 (L)  
   DNA, 256 (L), 474  
   Genome, 1230  
   Inheritance, 463  
 Mitotic recombination, 1423  
 Mitral valve prolapse, 1238 (E), 1242  
 MKase deficiency, 327  
 MMLS, 847  
 Möbius syndrome, 752  
 Molecular basis, 59  
 Monoamniotic, 570 (L)  
 Monodactyly, 104  
 Monozygotic, 570 (L)  
 Mosaicism, 913 (L), 917 (L)  
 Motility, 25  
*MSH6*, 1291  
 mtDNA, 463, 808, 1030, 1230, 1349, 1457 (L)  
   Deletions, 256 (L)  
   Haplogroup V, 199  
   Sequences, 519  
 Muckle-Wells syndrome, 1054  
 Mucopolysaccharidosis type IV, 773  
 Multilocus model(s), 1760  
 Multiple epiphyseal dysplasia, 31  
 Multiplex-FISH, 448  
 Multipoint linkage analysis, 254 (L)  
 Muscle, 1104  
 Mutation(s), 39, 68, 88, 247 (L), 567 (L), 575 (L),  
   645, 664, 974, 984, 1252, 1261, 1279, 1321,  
   1423, 1547, 1725  
   Bias, 1125  
   Deletion, 1785 (L)  
   Detection, 924 (L), 1007, 1291, 1561  
   Identification, 318  
   Length, 519  
   Rate(s), 192, 199  
   Rate estimate, 1572  
   Screening, 1501  
 Myelin disorder, 360  
 Myopathy, 1030  
 Myosin VIIA, 261 (L)  
  
 Neonatal adrenoleukodystrophy, 621  
 Neoplasms, 1342  
 Nephlin, 1785 (L)  
 Nephropathic cystinosis, 353  
 Neuroectodermal tumor, primitive, 1342  
 Neurogenetics, 7, 19, 587, 1104  
 Neuroimaging, 1215  
 Neurological disorder, 1406  
 Neutrophils, 302  
 Niemann-Pick C disease, 1321  
  
 Noggin, 441  
 Nonparametric linkage analyses, 1428  
 Nonsyndromic, 1803 (L)  
 Normal distribution, 531  
*NPC1*, 1252, 1321  
 Npc1-specific domain, 1252  
 NPL, 847  
 Nuclear localization, 1268  
 Nucleotide diversity, 183  
  
 Obesity, 1672  
 OCRL, 68  
 Oculocerebrorenal Lowe syndrome, 68  
 Olfactory and reproductive development, Kallmann  
   syndrome, 943  
 Oncogene(s), 1342, 1779 (L)  
 Ophthalmoplegia, 256 (L)  
 Order of intron removal, 336  
 Osteoarthritis, 31, 167, 1060  
 Osteocartilaginous exostose, 689  
 Osteochondrodysplasia, 31  
 Osteochondroma, 689  
 Osteogenesis imperfecta, 336  
 Otolaryngology, 141  
 Ovarian  
   Cancer, 671, 1021, 1775 (L)  
   Neoplasms, 1725  
 Overgrowth syndromes, 779  
  
*P0* gene, 722  
 p16, 483  
 p53, 1782 (L)  
 Papua New Guinea, 808  
 Parametric analysis, 1096  
 Parent-of-origin effect, 229  
 Parental origin of mutations, 360  
 Parental-genotype reconstruction, 1208 (L)  
 Parkinsonism, 764  
 Paroxysmal  
   Choreoathetosis, 1688  
   Dyskinesia, 1688  
 Patella aplasia-hypoplasia, 441  
*PAX6* gene, 656  
 PCR, 1195 (L)  
 PCR-based assay, 353  
 Pediatric, 995  
 Pedigree loops, 885  
 Pedigrees with loops, 1733  
 Pelizaeus-Merzbacher disease, 360  
 Penetrance, 671, 1771 (L), 1775 (L)  
 Periventricular heterotopia, 19  
 Permutation, 1449  
 Peroxisomal membrane protein, 621  
 Peters-Axenfeldt anomaly, 656  
 Physical mapping, 545

- PKD1*, 39  
*PKD2*, 345  
 Pleiotropy, 1134, 1148  
 Polycystic kidney disease, 39  
 Polydactyly, 645, 1086  
 Polygenic disorders, 1798 (L)  
 Polymorphism(s), 183, 699, 795, 1086, 1406, 1465  
     (L), 1469 (L), 1779 (L)  
     Biallelic, 1623, 1718  
     Single nucleotide, 1547  
 Population(s), 1725  
     Admixture, 220  
     Ashkenazi Jewish, 1771 (L)  
     Asians, Chinese, Ice Age, 1718  
     Basques, 199  
     Bedouins, 1538  
 Cayapa Amerinds, 519  
     Genetics, 1800 (L)  
     Genetics of repeat polymorphisms, 192  
     Hispanic, 1321  
     Israeli, 1800 (L)  
     Jewish, 1800 (L)  
     Mennonite, 1785 (L)  
     Newfoundlanders, 1680  
     Portuguese, 1457 (L)  
     Roma Gypsies, 1299  
     Sephardic, 1800 (L)  
     Spanish, 1457 (L)  
     World, 1047  
 Portal hypertension, 709  
 Power, 847, 1208 (L)  
*PPOX* gene, 984  
 Prader-Willi syndrome, 1, 1588, 370  
 Pre-/postnatal diagnostics, 448  
 Predisposition, 784  
 Prenatal diagnosis, 474  
 Presenilin, 7, 664  
 Prevalence, 664  
 Primary ciliary dyskinesia, 1508  
 Privacy, 902  
*PRKCG* gene, 926 (L)  
 Procollagen I N-proteinase, 308  
 Prostate cancer, 921  
     Hereditary, 134  
 Protein import, 621  
 Proteolipoprotein gene abnormalities, 360  
 Protoporphyrinogen oxidase, 984  
 Pseudoautosomal, 1413  
 Psoriasis, 1798 (L)  
 Psychiatric genetics, 593  
 Psychiatry, 1114  
 Psychopharmacogenetics, 606  
 Pulse-chase assay, 1007  
  
 Q-FISH, 1617  
  
 Qualitative trait, 1449  
 Quantitative trait(s), 1161, 1449  
     Loci, 531, 1134, 1148  
 Quasi  
     Likelihood, 858  
     Palindrome, 567 (L)  
  
 R168X mutation, 1520  
 Radiosensitivity, 784  
 Randomization, 1449  
 Recombination(s), 370, 1368, 1711  
 Recontact, 1201 (L)  
 Recurrent spontaneous abortion, 252 (L)  
 Reducibility problems, 885  
 Relationships, 1493  
 Relative risk, 1178  
 Renal tubular acidosis, 1656  
 Repeat sequences, 370  
 Repetitive elements, 1375  
 Replication, 876  
*RET* protooncogene, 1469 (L)  
 Retina, 571 (L)  
 Retinitis pigmentosa, 261 (L), 926 (L), 1672  
 Retinoblastoma, 1040  
 Retinoma, 1040  
 Rett syndrome, 1520  
 Rhabdoid tumor, 1342  
 Risk factor, 1775 (L), 1776 (L)  
 Roma Gypsies, 1299  
  
 Sahul, 808  
 SAP, 77  
 SBMA, 966  
 SCA, 420  
 Schistosomiasis, 709  
 Schizophrenia, 587, 876, 1096  
 Sensorineural deafness, 1349  
 Sephardic population(s), 1800 (L)  
 Sequencing analysis, 1279  
 Sex  
     Determination, 933  
     Difference, 1423  
     Ratio, 1473 (L)  
     -specific mutation rates, 1572  
 Sexual development, 949  
 Sexually dimorphic gene expression, STAT5 signaling,  
     959  
 SH3 domain, 621  
 Short tandem repeat, 208, 1623  
 Sibling pairs, 531  
 Simulation(s), 847, 1449  
 Single-cell analysis, 680  
 Single-nucleotide polymorphism, 183  
 Sister-chromatid exchange, 1368  
 Sjögren-Larsson syndrome, 1547

- Skewed X-inactivation, 558 (L)  
*SNRPN*, 1  
 Somatic  
   Mosaicism, 966  
   Mutations, 345  
*SOX9*, 111  
 Spanish populations, 1457 (L)  
 Spastic  
   Diplegia, 1547  
   Paraplegia, 558 (L)  
 Speech and language, 1215  
*SPG10*, 757  
 Spinal muscular atrophy with respiratory distress  
   (SMARD), 1459 (L)  
 Splice-donor-site mutation, 635  
 Splice-site mutation, 336  
 Splicing, 974  
   Aberrant, 635  
 Spondylocostal dysostosis, 175  
 Spontaneous  
   Abortion, 913 (L)  
   Tumor regression, 1040  
 Sporadic, 1473 (L)  
*STAT5*, signaling, 959  
 Statistical, 1134  
   Genetics, 1134, 1148  
   Power, 1741  
 Statistics, 229, 1170, 1489 (E), 1760  
 Sterility, 1508  
 Stickler syndrome, 974  
 Stop-codon mutation, 611  
 STR (see Short tandem repeat), 208  
 Strabismus, 1639  
 Stratified sampling, 220  
 Striatopallidodentate calcinosis, 764  
 Stuttering, 1473 (L)  
 Substance dependence, 599  
 Sudden infant death syndrome (SIDS), 1459 (L)  
 Susceptibility genes, 134  
 Susceptibility locus, 433  
 Syndrome(s)  
   Alport, 1711  
   Angelman, 1  
   ATR-X, 558 (L)  
   Bardet-Biedl I, 1680  
   Bare lymphocyte, 279  
   Barlow, 1242  
   Chromosomal, 448  
   Congenital myasthenic, 635  
   Congenital nephrotic, 1785 (L)  
   Der(22), 1608  
   DiGeorge, 247 (L)  
   Duane retraction, 1639  
   Ehlers-Danlos, 308  
   Fechtner, 1711  
   Fragile X, 98  
   Gilles de la Tourette, 1428  
   Hand-foot-genital, 249 (L)  
   Hemolytic uremic, 1538  
   Human malformation, 1268  
   Job, 735  
   Joubert, 1666  
   Kallmann, 943  
   Kartagener, 1508  
   Marfan, 917 (L)  
   Marshall, 974  
   Möbius, 752  
   Muckle-Wells, 1054  
   Oculocerebrorenal Lowe, 68  
   Overgrowth, 779  
   Prader-Willi, 1, 1588  
   Rett, 1520  
   Sjögren-Larsson, 1547  
   Stickler, 974  
   Sudden infant death (SIDS), 1459 (L)  
   Usher, 261 (L), 261 (L)  
   van der Woude, 433  
   Velocardiofacial, 247 (L)  
   Williams, 1222  
   Wiscott-Aldrich, 25  
   Wolfram, 1279  
   Zellweger, 621  
 t(11;22), 1595  
 Tay-Sachs disease, 77  
 TDT, 220  
 Telomeres, 1617  
 Temperature sensitive, 1040  
 Teratoma, 1359  
*THC2*, 1401  
 Threshold model, 1134  
 Thrombocytopenia, autosomal dominant, 1401  
 TIE-2, 125  
*TIMP1*, 699  
*TP53*, 995  
 Transcription, 370  
   Factor, 1268  
 Translocation(s), 111, 1608, 387  
   Breakpoint, 1595  
   Constitutional t(11;23), 1608  
   Reciprocal, 1608  
 Transmission/disequilibrium, 1208 (L)  
   Test, 236, 578 (L), 1161, 1170, 1741  
 Treatment, 59  
 Trinucleotide repeat  
   Diseases, 192  
   Disorders, 680  
 tRNA, 1803 (L)  
*TSC2* gene, 1790 (L)  
 Tuberous sclerosis complex (TSC), 1790 (L)



- Tumor(s), 995  
  Necrosis factor, 294  
  -suppressor gene, 689, 1779 (L)
- Twinning, 570 (L)
- Twins, 483
- Type-specific mutation rates, 1580
- UFDIL*, 562 (L)
- Uighurs, 208
- Ulcerative colitis, 1647
- Uncertain haplotype(s), 1170
- Unrelated controls, 220
- Unsolicited approach, 902
- Urticaria, 1054
- Usher syndrome  
  Type 1B (USH1B), 261 (L)  
  Type 3 (USH3), 261 (L)
- Valvular heart disease, 1242
- van der Woude syndrome, 433
- Vanishing white matter, 728
- Variance components, 531
- Variegate porphyria, 984
- Velopharyngeal insufficiency, 249 (L)
- Velocardiofacial syndrome, 247 (L)
- Venous malformation, 125
- Very-early-onset disease, 1561
- Waist-hip ratio, 1501
- Weakness, 1104
- WFS1, 1279
- Williams syndrome, 1222
- Wiscott-Aldrich syndrome, 25
- Wolfram syndrome, 1279
- World populations, 1047
- X chromosome, 360, 779  
  Inactivation, 570 (L), 699, 913 (L)
- X-linked, 1104  
  Mental retardation, 558 (L)  
  Recessive lethal inheritance, 252 (L)
- XNP, 558 (L)
- Xp22.3, 1104
- Y chromosome, 208, 1437  
  Polymorphisms, 829
- Yeast, 1230  
  Two-hybrid, 1040
- Zellweger syndrome, 621