Evaluation of Genetic Variation Contributing to Differences in Gene Expression between Populations

Wei Zhang, Shiwei Duan, Emily O. Kistner, Wasim K. Bleibel, R. Stephanie Huang, Tyson A. Clark, Tina X. Chen, Anthony C. Schweitzer, John E. Blume, Nancy J. Cox, and M. Eileen Dolan*

(American Journal of Human Genetics 82, 631-640; March 2008)

Table 1 contains an error in the " p_c " column. The adjusted p value for "cell-cell adhesion" should be 0.10 (not 0.01) after BH correction. In the sentence "With the analysis set as background, two GO biological processes were found to be enriched in the 383 transcript clusters (corresponding to 388 well-characterized genes): ribosome biogenesis (p = 3.6×10^{-3} , p_c < 0.05 after BH correction) and antimicrobial humoral response (sensu Vertebrata) (p = 2.7×10^{-3} , p_c < 0.05 after BH correction) (Table 1)", the correct p values should be "ribosome biogenesis (p = 3.6×10^{-4} , p_c < 0.05 after BH correction) and antimicrobial humoral response (sensu Vertebrata) (p = 1.1×10^{-3} , p_c < 0.05 after BH correction) and antimicrobial humoral response (sensu Vertebrata) (p = 1.1×10^{-3} , p_c < 0.05 after BH correction) and antimicrobial humoral response (sensu Vertebrata) (p = 1.1×10^{-3} , p_c < 0.05 after BH correction) and antimicrobial humoral response (sensu Vertebrata) (p = 1.1×10^{-3} , p_c < 0.05 after BH correction) and antimicrobial humoral response (sensu Vertebrata) (p = 1.1×10^{-3} , p_c < 0.05 after BH correction) and antimicrobial humoral response (sensu Vertebrata) (p = 1.1×10^{-3} , p_c < 0.05 after BH correction).

*Correspondence: edolan@medicine.bsd.uchicago.edu

DOI 10.1016/j.ajhg.2008.04.003. ©2008 by The American Society of Human Genetics. All rights reserved.