



Corrigendum

Corrigendum to “Enthalpies of dilution of formamide in aqueous alcohol solutions at 298.15 K” [Thermochim. Acta 466 (2007) 35–37]

Rui Zhang, Xu Wang, Weidong Yan*

Department of Chemistry, Zhejiang University, Hangzhou 310027, China

ARTICLE INFO

Article history:

Received 21 June 2008

Accepted 26 June 2008

Available online 9 July 2008

Dr. Diky, he works in TRC of National Institute of Standards and Technology, has found error data in Table 2 in supplementary data when he put the data into Databank. According to his comment, we have checked Table 2 and found an error when we made Table 2 in supplementary data. The enthalpy data of dilution of formamide in aqueous 1,2-propanediol solutions ($x = 0.10$ and 0.15) were put the wrong positions. Now we have rearranged the data of $x = 0.10$ and 0.15 in Table 2 (Supplement) and Table 2 in the article.

Table 2

Enthalpic interaction coefficients of formamide in aqueous 1,2-propanediol solutions at 298.15 K

$w(1,2\text{-propanediol})$	h_2^a ($\text{J}\cdot\text{kg}\cdot\text{mol}^{-2}$)	m_i ($\text{mol}\cdot\text{kg}^{-1}$)	r
0.0000	-104.68(9.88)	2.9581	0.9998
0.0500	-129.10(21.30)	3.0016	0.9997
0.1000	-283.71(27.53)	2.9921	0.9997
0.1500	-253.37(13.15)	2.9986	0.9999
0.2000	-351.24(26.02)	2.9940	0.9998
0.2500	-272.41(26.02)	3.0006	0.9998
0.3000	-237.85(22.93)	2.9913	0.9999

^aThe values in parentheses are the uncertainties of h_2 .**Appendix A. Supplementary data**Supplementary data associated with this article can be found, in the online version, at [doi:10.1016/j.tca.2008.06.011](https://doi.org/10.1016/j.tca.2008.06.011).DOI of original article: [10.1016/j.tca.2007.10.006](https://doi.org/10.1016/j.tca.2007.10.006).

* Corresponding author. Tel.: +86 571 87951430; fax: +86 571 87951895.

E-mail address: yanweidong@zju.edu.cn (W. Yan).