

Electromechanical Coupling I. Introduction

H. Ch. Lüttgau

Lehrstuhl für Zellphysiologie, Ruhr Universität, D-4630 Bochum

Z. Naturforsch. **37c**, 706 (1982); received January 18, 1982

In skeletal muscle fibres contraction is initiated by the action potential which travels inward along the transverse tubular system and causes in some way the release of Ca from the terminal cisternae of the sarcoplasmic reticulum (SR). Ca-release is probably controlled by a potential-sensor (intramembrane charge movement) in the wall of the T-system which in a triad is about 10 – 20 nm apart from the membrane of cisternae. Little is known about the (chemical?) processes which ultimately bridge this gap and which might be associated with the so-called feet or pillars observed between the two systems. Ca ions which enter the fibre during the course of an action potential are not a prerequisite for contraction activation but modify the mechanical response by improving the coupling efficiency and retarding inhi-

bition of Ca-release. During a tetanus or a depolarization the increase in internal Ca^{2+} as observed with the aequorin-method shows a complicated time course with usually two peaks. This suggests that activation occurs in two steps. The latter might probably be related to the phenomenon called Ca induced regenerative Ca-release.

Considering some structural similarities between skeletal and heart muscle cells it appears that EC coupling follows the same principle in both muscle types and that different responses upon activation are rather due to modifications of the same principle and not an expression of completely different processes in EC coupling. The situation may be different in other muscle types.

H. Ch. Lüttgau, W. Melzer, Wiltrud Spiecker: The role of external Ca^{2+} in excitation-contraction coupling. *Adv. Physiol. Sci.* **5** (Molecular and Cellular Aspects of Muscle Function), 375 – 387 (1981).

Reprint requests to Prof. H. Ch. Lüttgau.

0341-0382/82/0700-0706 \$ 01.30/0



Dieses Werk wurde im Jahr 2013 vom Verlag Zeitschrift für Naturforschung in Zusammenarbeit mit der Max-Planck-Gesellschaft zur Förderung der Wissenschaften e.V. digitalisiert und unter folgender Lizenz veröffentlicht: Creative Commons Namensnennung-Keine Bearbeitung 3.0 Deutschland Lizenz.

Zum 01.01.2015 ist eine Anpassung der Lizenzbedingungen (Entfall der Creative Commons Lizenzbedingung „Keine Bearbeitung“) beabsichtigt, um eine Nachnutzung auch im Rahmen zukünftiger wissenschaftlicher Nutzungsformen zu ermöglichen.

This work has been digitalized and published in 2013 by Verlag Zeitschrift für Naturforschung in cooperation with the Max Planck Society for the Advancement of Science under a Creative Commons Attribution-NoDerivs 3.0 Germany License.

On 01.01.2015 it is planned to change the License Conditions (the removal of the Creative Commons License condition "no derivative works"). This is to allow reuse in the area of future scientific usage.