

Contents

Contents of Number 1/2

Original Communications

Kuehneromycins A and B, Two New Biological Active Compounds from a Tasmanian *Kuehneromyces* sp. (Strophariaceae, Basidiomycetes)  
G. ERKEL, K. LORENZEN, T. ANKE, R. VELTEN, A. GIMENEZ and W. STEGLICH 1

Composition of the Epicuticular Wax Esters of *Picea abies* (L.) Karst.  
P. SÜMMCHEN, C. MARKSTÄDTER and O. WIENHAUS 11

The Role of Phytoalexins in the Seedling Resistance to *Leptosphaeria maculans* in Some Crucifers  
M. STORCK and M. D. SACRISTÁN 15

Kinetics and Regulation of the NAD(P)H-Dependent Glyoxylate-Specific Reductase from Spinach Leaves  
L. A. KLECZKOWSKI 21

Lipoxygenase Forms Located at the Plant Plasma Membrane  
A. NELLEN, B. ROJAHN and H. KINDL 29

Effect of Modification of Arginine Residues on the Activity of Soybean Lipoxygenase-1  
K. MATSUI, H. SHINTA, T. KAJIWARA and A. HATANAKA 37

Enzymatic Biosynthesis of Vomilenine, a Key Intermediate of the Ajmaline Pathway, Catalyzed by a Novel Cytochrome P450-Dependent Enzyme from Plant Cell Cultures of *Rauwolfia serpentina*  
H. FALKENHAGEN and J. STÖCKIGT 45

Anthranilate Synthase and Chorismate Mutase Activities in Stem Rust-Inoculated and Elicitor-Treated Resistant, Moderately Resistant, and Susceptible Near-Isogenic Wheat Lines  
C. BÜCKER, B. WITTE, U. WINDMÜLLER and H. J. GRAMBOW 54

Blue Light-Enhanced Photosynthetic Oxygen Evolution from Liposome-Bound Photosystem II Particles; Possible Role of the Xanthophyll Cycle in the Regulation of Cyclic Electron Flow Around Photosystem II?  
W. I. GRUSZECKI, K. STRZALKA, A. RADUNZ, J. KRUK and G. H. SCHMID 61

Changes in the Content of Chlorophyll and Redox Components of the Thylakoid Membrane during Development and Senescence of Beech (*Fagus sylvatica*) Leaves  
H. ZHU and A. WILD 69

Inhibition of State Transition and Light-Harvesting Complex II. Phosphorylation-Mediated Changes in Excitation Energy Distribution in the Thylakoids of SANDOZ 9785-Treated Plants  
M. K. JOSHI, P. MOHANTY and S. BOSE 77

Characteristics of Thermoluminescence Bands of *Euglena* Cells Belonging to 2 Lines Presenting Different Degrees of Diuron-Resistance  
J. FARINEAU and D. LAVAL-MARTIN 86

A New Clerodane Diterpenoid Isolated from Propolis  
T. MATSUNO 93

Plant Constituents Interfering with Human Sex Hormone-Binding Globulin. Evaluation of a Test Method and Its Application to *Urtica dioica* Root Extracts  
D. GANSSEER and G. SPITELLER 98



Dieses Werk wurde im Jahr 2013 vom Verlag Zeitschrift für Naturforschung in Zusammenarbeit mit der Max-Planck-Gesellschaft zur Förderung der Wissenschaften e.V. digitalisiert und unter folgender Lizenz veröffentlicht: Creative Commons Namensnennung-Keine Bearbeitung 3.0 Deutschland Lizenz.

Zum 01.01.2015 ist eine Anpassung der Lizenzbedingungen (Entfall der Creative Commons Lizenzbedingung „Keine Bearbeitung“) beabsichtigt, um eine Nachnutzung auch im Rahmen zukünftiger wissenschaftlicher Nutzungsformen zu ermöglichen.

This work has been digitalized and published in 2013 by Verlag Zeitschrift für Naturforschung in cooperation with the Max Planck Society for the Advancement of Science under a Creative Commons Attribution-NoDerivs 3.0 Germany License.

On 01.01.2015 it is planned to change the License Conditions (the removal of the Creative Commons License condition “no derivative works”). This is to allow reuse in the area of future scientific usage.

|                                                                                                                                                     |     |                                                                                                                                               |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Ribonucleosides in Human Milk. Concentration Profiles of These Minor Constituents as a Function of the Nursing Time                                 |     | <i>Original Communications</i>                                                                                                                |     |
| E. SCHLIMME and K. SCHNEEHAGEN                                                                                                                      | 105 | Chemical Composition and Antibacterial Activity of Brazilian Propolis                                                                         |     |
|                                                                                                                                                     |     | V. BANKOVA, R. CHRISTOV, A. KUJUMGIEV, M. C. MARCUCCI and S. POPOV                                                                            | 167 |
| Polyols that Accumulate in Renal Tissue Uncouple the Plasma Membrane Calcium Pump and Counteract the Inhibition by Urea and Guanidine Hydrochloride |     | Collybial, a New Antibiotic Sesquiterpenoid from <i>Collybia confluens</i> (Basidiomycetes)                                                   |     |
| M. SOLA-PENNA, A. DOS PASSOS LEMOS, M. P. FÁVERO-RETTO, J. R. MEYER-FERNANDES and A. VIEYRA                                                         | 114 | B. SIMON, T. ANKE, U. ANDERS, M. NEUHAUS and F. HANSSKE                                                                                       | 173 |
| 2,2-Dialkylacetic Acids – A New Class of Naturally Occurring Lipid Constituents                                                                     |     | Accumulation and Biosynthesis of Solanapyrone Phytotoxins by <i>Ascochyta rabiei</i>                                                          |     |
| J. JACOB and G. RAAB                                                                                                                                | 123 | G. BENNING and W. BARZ                                                                                                                        | 181 |
| Evidence for a Cardenolide Carrier in <i>Oncopeltus fasciatus</i> (Dallas) (Insecta: Hemiptera)                                                     |     | Isomerization and Peroxidizing Phytotoxicity of Thiadiazolidine-thione Compounds                                                              |     |
| A. DETZEL and M. WINK                                                                                                                               | 127 | T. IIDA, S. SENOO, Y. SATO, B. NICOLAUS, K. WAKABAYASHI and P. BÖGER                                                                          | 186 |
| The Effect of $\gamma$ -Hexachlorocyclohexane (Lindane) on the Activities of Liver Lipogenic Enzymes and on Serum Lipids in Rats                    |     | Endogenous Gibberellins from Three East Asian <i>Stenophora</i> Species of the Genus <i>Dioscorea</i> (Yams)                                  |     |
| M. BOLL, L. W. D. WEBER and A. STAMPFL                                                                                                              | 135 | N. TANNO, M. NAKAYAMA, H. KUROSAWA, M. WAKATSUKI, M. TANNO, M. ABE, N. OKAGAMI and T. YOKOTA                                                  | 193 |
| Studies on Activation of H <sub>3</sub> Histamine Receptor: A Mechanistic Model                                                                     |     | Mass Spectrometric Detection and Analysis of Nitrogen Fixation in <i>Oscillatoria chalybea</i>                                                |     |
| G. KARPIŃSKA and A. P. MAZUREK                                                                                                                      | 143 | K. P. BADER and A. RÖBEN                                                                                                                      | 199 |
| Why 4 <sup>3</sup> Codons?                                                                                                                          |     | Iron(III) Complexes with Hydrogen Peroxide which Can Discriminate Two Reaction Types; Oxidation (H-Atom Abstraction) and Oxygenation Reaction |     |
| R. FERREIRA                                                                                                                                         | 148 | Y. NISHIDA and S. ITO                                                                                                                         | 205 |
| Erratum                                                                                                                                             | 153 | Glutathione Peroxidase-Like Activity of Simple Selenium Compounds. Peroxides and the Heterocyclic N-Oxide Resazurin Acting as O-Atom Donors   |     |
|                                                                                                                                                     |     | W. A. PRÜTZ                                                                                                                                   | 209 |
| Contents of Number 3/4                                                                                                                              |     | Europium- and Dysprosium-Ions as Probes for the Study of Calcium Binding Sites in Photosystem II                                              |     |
| Adolf Butenandt zum Gedenken                                                                                                                        | 155 | K. BURDA, K. STRZAŁKA and G. H. SCHMID                                                                                                        | 220 |
| <i>Invited Trends Article</i>                                                                                                                       |     |                                                                                                                                               |     |
| Peroxidizing Herbicides (I): Mechanism of Action                                                                                                    |     |                                                                                                                                               |     |
| P. BÖGER and K. WAKABAYASHI                                                                                                                         | 159 |                                                                                                                                               |     |

|                                                                                                                                                                                                     |                                                                                                        |     |                                                                                                                                                                                               |                                                                                                                                     |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----|
| Involvement of Thiol Groups in Blue-Light-Induced Phosphorylation of a Plasma Membrane-Associated Protein from Coleoptile Tips of <i>Zea mays</i> L.                                                | W. RÜDIGER and W. R. BRIGGS                                                                            | 231 | Molecular Phylogeny of South American Screech Owls of the <i>Otus atricapillus</i> Complex (Aves: Strigidae) Inferred from Nucleotide Sequences of the Mitochondrial Cytochrome <i>b</i> Gene | P. HEIDRICH, C. KÖNIG and M. WINK                                                                                                   | 294 |
| Cell Wall Pigment Formation of <i>in vitro</i> Cultures of the Liverwort <i>Ricciocarpos natans</i>                                                                                                 | S. KUNZ and H. BECKER                                                                                  | 235 | Age Dependence of Murine Spermatogenesis                                                                                                                                                      | U. B. HACKER-KLOM                                                                                                                   | 303 |
| Further Characterization of Aspartate Amino-transferase from <i>Haloferax mediterranei</i> : Pyridoxal Phosphate as Coenzyme and Inhibitor                                                          | F. J. GARCÍA-MURIANA, M. C. ALVAREZ-OSSORIO, M. M. SÁNCHEZ-GARCÉS, F. F. DE LA ROSA and A. M. RELIMPIO | 241 | <i>Notes</i>                                                                                                                                                                                  |                                                                                                                                     |     |
| Interaction of the Antiarrhythmic Drug Procainamide with Phospholipid Bilayers                                                                                                                      | M. SUWALSKY, F. VILLENA, M. BAGNARA and C. P. SOTOMAYOR                                                | 248 | The Biflavonoid Pattern of the Moss <i>Bartramia ithyphylla</i> (Bartramiaceae, Musci)                                                                                                        | J. A. LÓPEZ-SÁEZ, M. J. PÉREZ-ALONSO and A. VELASCO-NEGUERUELA                                                                      | 311 |
| Plant Disease Resistance Inducing Activity of 7-Oxo- and 7-Hydroxysterols                                                                                                                           | H. SCHABDACH, S. JOHNE, U. STEINER and K. SEIFERT                                                      | 257 | Polyphenol and Alkaloid Changes in Glyphosate-Treated Tobacco Regenerants Selected for Herbicide Tolerance                                                                                    | V. ST. BANKOVA, N. V. HANDJIEVA, D. L. DJILIANOV, Z. Y. VASSILEVA, R. I. BACHVAROVA, A. I. ATANASOV, K. L. STEFANOV and S. S. POPOV | 313 |
| Thermodynamic and Spectroscopic Characterization of the Berenil and Pentamidine Complexes with the Dodecanucleotide d(CGCGATATCGCG) <sub>2</sub>                                                    | H.-U. SCHMITZ, W. HÜBNER and T. ACKERMANN                                                              | 263 | <i>Contents of Number 5/6</i>                                                                                                                                                                 |                                                                                                                                     |     |
| Spatial Attractors in Aggregation Patterns of <i>Dictyostelium discoideum</i>                                                                                                                       | O. STEINBOCK and S. C. MÜLLER                                                                          | 275 | <i>Views and Reviews</i>                                                                                                                                                                      |                                                                                                                                     |     |
| The Mesenchyme-Like Layer of the Fiber Cells of <i>Trichoplax adhaerens</i> (Placozoa), a Syncytium                                                                                                 | K. BUCHHOLZ and A. RUTHMANN                                                                            | 282 | Limits of Natural Science: Brain Research and Computers                                                                                                                                       | H. STIEVE                                                                                                                           | 317 |
| Effects of Pharmacological Agents on Ecdysteroid Synthesis <i>in vitro</i> in Ovaries and Abdominal Integument from Female Adult Crickets, <i>Gryllus bimaculatus</i> de Geer (Ensifera, Gryllidae) | J. LORENZ, M. LENZ and K. H. HOFFMANN                                                                  | 286 | <i>Original Communications</i>                                                                                                                                                                |                                                                                                                                     |     |
|                                                                                                                                                                                                     |                                                                                                        |     | Pyoverdine, Ferribactin, Azotobactin – a New Triade of Siderophores from <i>Pseudomonas chlororaphis</i> ATCC 9446 and Its Relation to <i>Pseudomonas fluorescens</i> ATCC 13525              | U. HOHLNEICHER, R. HARTMANN, K. TARAZ and H. BUDZIKIEWICZ                                                                           | 337 |
|                                                                                                                                                                                                     |                                                                                                        |     | Flavonoids from Some <i>Frullania</i> Species (Hepaticae)                                                                                                                                     | L. KRAUT, B. SCHERER, R. MUES and M. SIM-SIM                                                                                        | 345 |

|                                                                                                                                                                                                |                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flavonoid Aglycones from the Leaf Surfaces of Some <i>Artemisia</i> spp. (Compositae–Anthemideae)                                                                                              | <sup>1</sup> H NMR and Calorimetric Measurements on Rabbit Eye Lenses                                                                                                |
| K. M. VALANT-VETSCHERA and E. WOLLENWEBER                                                                                                                                                      | A. GUTSZE, J. BODURKA, R. OLECHNOWICZ, G. BUNTOKOWSKY and H.-H. LIMBACH                                                                                              |
| 353                                                                                                                                                                                            | 410                                                                                                                                                                  |
| Flavipucine and Brunnescin, Two Antibiotics from Cultures of the Mycophilic Fungus <i>Cladobotryum rubrobrunnescens</i>                                                                        | Secretion of Neutral and Acid DNases in Cultivated Human Lymphocytes after Incubation with DNA; Possible Consequences for Inhalation Anesthesia                      |
| CH. WAGNER, H. ANKE, H. BESL and O. STERNER                                                                                                                                                    | M. REITZ, G. LÖBER, P. KLEEMANN and W. DICK                                                                                                                          |
| 358                                                                                                                                                                                            | 419                                                                                                                                                                  |
| Properties of a Dissimilatory Nitrate Reductase from the Halophilic Archaeon <i>Haloferax volcanii</i>                                                                                         | Adipokinetic Neuropeptides and Flight Metabolism in Three Moth Species of the Families Sphingidae, Saturniidae and Bombycidae                                        |
| S. BICKEL-SANDKÖTTER and M. UFER                                                                                                                                                               | W. LIEBRICH and G. GÄDE                                                                                                                                              |
| 365                                                                                                                                                                                            | 425                                                                                                                                                                  |
| N-(3,4-Methylenedioxyphenyl)carbamates as Potent Flower-Inducing Compounds in <i>Asparagus</i> Seedlings as Well as Probes for Binding to Cytochrome P-450                                     | Periodic Current Injection (PCI) – A New Method to Image Steady-State Membrane Potential of Single Neurons <i>in situ</i> Using Extracellular Voltage-Sensitive Dyes |
| M. KUSUKAWA and H. IWAMURA                                                                                                                                                                     | A. BORST                                                                                                                                                             |
| 373                                                                                                                                                                                            | 435                                                                                                                                                                  |
| The Role of Phosphatidylglycerol as a Functional Effector and Membrane Anchor of the D1-Core Peptide from Photosystem II-Particles of the Cyanobacterium <i>Oscillatoria chalybea</i>          | Kinetics of Metabolism in Human Kidney Transplants Measured by Dynamic <sup>31</sup> P NMR Spectroscopy                                                              |
| O. KRUSE and G. H. SCHMID                                                                                                                                                                      | H. E. MÖLLER, A. GAUPP, T. VESTRING, K.-H. DIETL, P. VERMATHEN, B. BUCHHOLZ and P. E. PETERS                                                                         |
| 380                                                                                                                                                                                            | 439                                                                                                                                                                  |
| Partially N-Deacetylated Chitin Oligomers (Pentamer to Heptamer) are Potential Elicitors for (+)-Pisatin Induction in Pea Epicotyls                                                            | Notes                                                                                                                                                                |
| K. AKIYAMA, K. KAWAZU and A. KOBAYASHI                                                                                                                                                         | On the Chemical Nature of Epicuticular Waxes in Some Succulent <i>Kalanchoe</i> and <i>Senecio</i> Species                                                           |
| 391                                                                                                                                                                                            | K. SIEMS, G. JAS, F. J. ARRIAGA-GINER, E. WOLLENWEBER and M. DÖRR                                                                                                    |
| Antifungal Compounds Induced in the Dual Culture with <i>Phytolacca americana</i> Callus and <i>Botrytis fabae</i>                                                                             | 451                                                                                                                                                                  |
| A. KOBAYASHI, K. HAGIHARA, S. KAJIYAMA, H. KANZAKI and K. KAWAZU                                                                                                                               | A Plant Growth Regulator from <i>Vernonia auriculifera</i> (Asteraceae)                                                                                              |
| 398                                                                                                                                                                                            | J. M. KERIKO, S. NAKAJIMA, N. BABA, Y. ISOZAKI, K. IKEDA, J. IWASA and P. N. KARANJA                                                                                 |
| 5-Hydroxy-3-vinyl-2(5H)-furanone – a New Inhibitor of Human Synovial Phospholipase A <sub>2</sub> and Platelet Aggregation from Fermentations of a <i>Calypotella</i> Species (Basidiomycetes) | 455                                                                                                                                                                  |
| K. LORENZEN, T. ANKE, S. KONETSCHNY-RAPP and W. SCHEUER                                                                                                                                        | Differential Alterations of Glutathione S-Transferase Enzyme Activities in Three Sorghum Varieties Following Viral Infection                                         |
| 403                                                                                                                                                                                            | G. GULLNER, T. KÖMIVES and R. GÁBORJÁNYI                                                                                                                             |
|                                                                                                                                                                                                | 459                                                                                                                                                                  |

- Determination of the Cytotoxicity of *Rumex crispus* during the Vegetation Period Using a Brine Shrimp Bioassay

L. Ö. DEMIREZER and A. KURUÜZÜM 461

- Osmundalin (Lactone Glucoside) Stimulates Receptor Cells, Associated with Deterrence, of *Bombyx mori*

T. SHIMIZU, K. ASAOKA and A. NUMATA 463

### Contents of Number 7/8

#### Minireview

- The Biogenesis of Green Odour by Green Leaves and Its Physiological Functions – Past, Present and Future

A. HATANAKA, T. KAJIWARA and K. MATSUI 467

#### Original Communications

- 1,2-Dihydroxymintlactone, a New Nematicidal Monoterpene Isolated from the Basidiomycete *Cheimonophyllum candidissimum* (Berk. & Curt.) Sing.

M. STADLER, J.-Y. FOURON, O. STERNER and H. ANKE 473

- New Reactive Coenzyme Analogues for Affinity Labeling of NAD<sup>+</sup> and NADP<sup>+</sup> Dependent Dehydrogenases

R. JECK, M. SCHOLZE, A. TISCHLICH, CH. WOENCKHAUS and J. ZIMMERMANN 476

- Studies on Sporopollenin Structure during Pollen Development

A. MEUTER-GERHARDS, C. SCHWERTFEGGER, S. STEUERNAGEL, S. WILMESMEIER and R. WIERMANN 487

- A Study on Tea Aroma Formation Mechanism: Alcoholic Aroma Precursor Amounts and Glycosidase Activity in Parts of the Tea Plant

K. OGAWA, J.-H. MOON, W. GUO, A. YAGI, N. WATANABE and K. SAKATA 493

- Enzymatic and Electrochemical Reactions of Catalase Immobilized on Carbon Materials

E. HOROZOVA, Z. JORDANOVA and V. Bogdanovskaya 499

- Mutants of the Cyanobacterium *Anabaena variabilis* Altered in Hydrogenase Activities

L. E. MIKHEEVA, O. SCHMITZ, S. V. SHESTAKOV and H. BOTHE 505

- Structural Modifications of the Photosynthetic Apparatus in the Region of Photosystem I in *Nicotiana tabacum* as a Consequence of an Increased CO<sub>2</sub>-Content of the Atmosphere

A. MAKEWICZ, A. RADUNZ and G. H. SCHMID 511

- Effect of Foliar Treatment with Simulated Acid Mists on Biomass Formation and Nutrient Composition of Plants

M. MANDRE and J. KLYSHEJKO 521

- Molecular Interactions of Quinidine with Phospholipid Bilayers

M. SUWALSKY, F. VILLENA, M. BAGNARA and C. P. SOTOMAYOR 527

- Membrane Association of the Rieske Iron–Sulfur Protein

A. SZCZEPANIAK, K. FRANK and J. RYBKA 535

- Relationship between Activities of Enzymes for the Removal of O<sub>2</sub><sup>•−</sup> and H<sub>2</sub>O<sub>2</sub> and Nitrogenase in Root Nodules of *Phaseolus vulgaris* L.

B. EPPING, A. P. HANSEN and P. MARTIN 543

- Antioxidant Profile of Mono- and Dihydroxylated Flavone Derivatives in Free Radical Generating Systems

M. C. MONTESINOS, A. UBEDA, M. C. TERENCIO, M. PAYÁ and M. J. ALCARAZ 552

- Antioxidant Protection of Egg Lecithin Liposomes during Sonication

J. GABRIELSKA, J. SARAPUK and S. PRZESTALSKI 561

|                                                                                                                                                                                                               |     |                                                                                                                                                                                                                                                                             |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Pharmacokinetic Interaction between 4'-Epidoxorubicin and the Multidrug Resistance Reverting Agent Quinine<br>M. CZEJKA, S. BANDAK, D. SIMON, J. SCHÜLLER, C. WEISS and E. SCHERNHAMMER                       | 565 | Distribution and Stereochemistry of Hydroxycinnamoylmalic Acids and of Free Malic Acids in Papaveraceae and Fumariaceae<br>S. C. BOEGGE, A. NAHRSTEDT, M. LINSCHIED and W. NIGGE                                                                                            | 608 |
| Comparison on Reactivity of Fe(III) and Al(III) Compounds in the Presence of Hydrogen Peroxide: Its Relevance to Possible Origin for Central Nervous System Toxicity by Aluminum Ion<br>Y. NISHIDA and S. ITO | 571 | Dihydropyoverdin Sulfonic Acids – Intermediates in the Biogenesis? (In German)<br>H. SCHRÖDER, J. ADAM, K. TARAZ and H. BUDZIKIEWICZ                                                                                                                                        | 616 |
| Effects of Juvenile Hormone Analogues (JHA) on the Development of <i>Trypanosoma cruzi</i><br>L. FICHERA, M. ESTEVA, Z. WIMMER, J. B. RODRIGUEZ and E. G. GROS                                                | 578 | Structure and Characterization of Isopyoverdin from <i>Pseudomonas putida</i> BTP1 and Its Relation to the Biogenetic Pathway Leading to Pyoverdins<br>PH. JACQUES, M. ONGENA, I. GWOSE, D. SEINSCHKE, H. SCHRÖDER, PH. DELFOSSE, PH. THONART, K. TARAZ and H. BUDZIKIEWICZ | 622 |
| The Subcellular Distribution of Calcium in the Visual Cells of Crayfish, Observed with the Combined Oxalate-Pyroantimonate Technique, Depends on Extracellular Calcium<br>H. JARMINOWSKI and H. STIEVE        | 581 | Kinetic Characteristics, Substrate Specificity and Catalytic Properties of Phosphoserine Amino-transferase from the Green Alga <i>Scenedesmus obliquus</i> , Mutant C-2A'<br>M. STOLZ and D. DÖRNEMANN                                                                      | 630 |
| Notes                                                                                                                                                                                                         |     | Isolation and Partial Characterization of a Manganese Requiring L-Arginine Metabolizing Enzyme Being Present in Photosystem II Complexes of Spinach and Tobacco<br>A. E. GAU, H. H. THOLE and E. K. PISTORIUS                                                               | 638 |
| External Flavonoids of Three Species of <i>Viguiera</i> , Section <i>Hypargyrea</i> (Asteraceae)<br>E. WOLLENWEBER, M. DÖRR, J. N. ROITMAN and E. SCHILLING                                                   | 588 | Genes Leave Their Characteristic Marks on the Melting Profile of Plasmid DNAs<br>I. Z. ZUBRZYCKI and H. H. KLUMP                                                                                                                                                            | 652 |
| Contents of Number 9/10                                                                                                                                                                                       |     | Fusiogenic Activity of Natural Amphiphiles, 5- <i>n</i> -Alkylresorcinols in a Yeast Protoplast System<br>A. KOZUBEK and J. SKAŁA                                                                                                                                           | 656 |
| Invited Trends Article                                                                                                                                                                                        |     | Cooperative Binding of the Organophosphate Paraoxon to the (Na <sup>+</sup> + K <sup>+</sup> )-ATPase<br>J. BLASIAK                                                                                                                                                         | 660 |
| Peroxidizing Herbicides (II): Structure-Activity Relationship and Molecular Design<br>K. WAKABAYASHI and P. BÖGER                                                                                             | 591 |                                                                                                                                                                                                                                                                             |     |
| Original Communications                                                                                                                                                                                       |     |                                                                                                                                                                                                                                                                             |     |
| Caffeine Metabolism in High and Low Caffeine Containing Cultivars of <i>Camellia sinensis</i><br>H. ASHIHARA, H. SHIMIZU, Y. TAKEDA, T. SUZUKI, F. M. GILLIES and A. CROZIER                                  | 602 |                                                                                                                                                                                                                                                                             |     |

- Different Expression of Esterase Variants in Rat Hepatic and Hepatoma-Derived Cell Lines Detected by Electrophoresis  
A. S. AFIFY, Y. YAMAZAKI, Y. KAGEYAMA, S. YUSA, Y. OGAWA, T. OKADA and H. OKUNO 664
- Bioactive Alkaloids from the Tropical Marine Sponge *Axinella carteri*  
A. SUPRIYONO, B. SCHWARZ, V. WRAY, L. WITTE, W. E. G. MÜLLER, R. VAN SOEST, W. SUMARYONO and P. PROKSCH 669
- Semiochemicals of the Scarabaeinae, IV: Identification of an Attractant for the Dung Beetle *Pachylomerus femoralis* in the Abdominal Secretion of the Dung Beetle *Kheper lamarcki*  
B. V. BURGER, W. G. B. PETERSEN and G. D. TRIBE 675
- Semiochemicals of the Scarabaeinae, V: Characterization of the Defensive Secretion of the Dung Beetle *Oniticellus egregius*  
B. V. BURGER, W. G. B. PETERSEN and G. D. TRIBE 681
- Xanthine Oxidase and Xanthine Dehydrogenase from an Estivating Land Snail  
M. HERMES-LIMA and K. B. STOREY 685
- Cytochemical Localization of Guanylate and Adenylate Cyclase in Photoreceptor Cells of the Fly  
U. SCHRAERMAYER, H. STIEVE and M. RACK 695
- Homocysteine-Induced Oxidative Damage: Mechanisms and Possible Roles in Neurodegenerative and Atherogenic Processes  
E. SCHLÜSSEL, G. PREIBISCH, S. PÜTTER and E. F. ELSTNER 699
- A Receptor Interaction Model for Phenylcarbamate Local Anesthetics  
V. KETTMANN and J. SIVÝ 708
- Electron Spin Resonance Study of Semiquinones Formed during the Autoxidation of 6-Hydroxydopamine (2,4,5-Trihydroxy-phenyl-ethylamine)  
H. KÖHLE, P. SCHULER, H. B. STEGMANN, V. A. ROGINSKY and G. BRUCHELT 715
- Action of Hypochlorous Acid on Polymeric Components of Cartilage. Use of  $^{13}\text{C}$  NMR Spectroscopy  
J. SCHILLER, J. ARNHOLD and K. ARNOLD 721
- Notes
- Isolation and Characterization of an Angular-Type Dihydropyranocoumaringlycoside from the Fruits of *Ammi visnaga* (L.) LAM. (Apiaceae)  
H. SONNENBERG, M. KALOGA, N. EISENBACH and K.-K. FRÖMMING 729
- Effect of Platinum(II) Complexes of Benzoic and 3-Methoxybenzoic Acid Hydrazides on *Saccharomyces cerevisiae*  
S. TABAKOVA and N. DODOFF 732
- Specificities of Rabbit Antisera to Multiple Antigen (MAP) Peptides  
A. CHERSI, F. DI MODUGNO and G. FALASCA 735
- Self-Organized Criticality and Dynamic Instability of Microtubule Growth  
P. BABINEC and M. BABINCOVÁ 739
- Contents of Number 11/12
- Fünfzig Jahre Zeitschrift für Naturforschung  
A. KLEMM 741
- Original Communications
- Polybrominated Non-Terpenoid  $\text{C}_{15}$  Compounds from *Laurencia paniculata* and *Laurencia obtusa*  
S. IMRE, Z. AYDOĞMUŞ, H. GÜNER, H. LOTTER and H. WAGNER 743

|                                                                                                                                                                                                                                                                     |                                                                 |     |                                                                                                                                                                                    |                                                             |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-----|
| Chromanones from <i>Lentinus crinitus</i> (Basidiomycetes)                                                                                                                                                                                                          | W.-R. ABRAHAM and D. ABATE                                      | 748 | istance to the Herbicide Phosphinothricin in Transgenic Plants                                                                                                                     | J. VINNEMEIER, W. DRÖGE-LASER, E. K. PISTORIUS and I. BROER | 796 |
| Dendryol A, B, C, and D, Four New Compounds Produced by a Weed Pathogenic Fungus <i>Dendryphiella</i> sp.                                                                                                                                                           | M. TANAKA, J. OHRA, Y. TSUJINO, T. FUJIMORI H. AGO and H. TSUGE | 751 | Induction of Secondary Metabolism by Environmental Pollutants: Metabolization of Pyrene and Formation of 6,8-Dihydroxy-3-methylisocoumarin by <i>Crinipellis stipitaria</i> JK 364 | B. LANGE, ST. KREMER, O. STERNER and H. ANKE                | 806 |
| Chemical Structure-Odor Correlation in a Series of Synthetic <i>n</i> -Nonen-1-ols                                                                                                                                                                                  | Y. SAKODA, K. MATSUI, T. KAJIWARA and A. HATANAKA               | 757 | Fungal Melanin Biosynthesis Inhibitors: Introduction of a Test System Based on the Production of Dihydroxynaphthalene (DHN) Melanin in Agar Cultures                               | E. THINES, TH. DAUSSMANN, M. SEMAR, O. STERNER and H. ANKE  | 813 |
| 4-Pentadecylpyridine: A Metabolite from <i>Taphrina pruni</i>                                                                                                                                                                                                       | C. T. FUCHS and G. SPITELLER                                    | 766 | Interaction of Organophosphorus Insecticide Methylparathion with Calf Thymus DNA and a Synthetic DNA Duplex                                                                        | J. BLASIAK, V. KLEINWÄCHTER, Z. WALTER and R. ŽALUDOVÁ      | 820 |
| Sulphite as Intermediate Sulphur Compound in Anaerobic Sulphide Oxidation to Thiosulphate by Marine Cyanobacteria                                                                                                                                                   | A. RABENSTEIN, J. RETHMEIER and U. FISCHER                      | 769 | Involvement of Oxidative Burst in Isoflavonoid Metabolism in Elicited Cell Suspension Cultures of <i>Pueraria lobata</i>                                                           | H.-H. PARK, T. HAKAMATSUKA, U. SANKAWA and Y. EBIZUKA       | 824 |
| Kinetic Studies of Protochlorophyllide Reduction <i>in vitro</i> in the Greening Mutant C-2A' of the Unicellular Green Alga <i>Scenedesmus obliquus</i>                                                                                                             | TH. URBIG, R. K. C. KNAUST, H. SCHILLER and H. SENGGER          | 775 | The Effect of Weak Permanent Magnetic Fields on the Electric Properties of Lipid-Bilayers                                                                                          | A. PAZUR                                                    | 833 |
| Consequences of High CO <sub>2</sub> -Concentrations in Air on Growth and Gas-Exchange Rates in Tobacco Mutants                                                                                                                                                     | P. HE, K. P. BADER, A. RADUNZ and G. H. SCHMID                  | 781 | Protective Effect of Amphiphilic Ammonium Salts on the Oxidation of Lecithin Liposomes                                                                                             | J. GABRIELSKA, H. KLESZCZYŃSKA and S. PRZES-TALSKI          | 840 |
| Charging of Both, Plastidal tRNA <sup>gln</sup> and tRNA <sup>glu</sup> with Glutamate and Subsequent Amidation of the Misacylated tRNA <sup>gln</sup> by a Glutamyl-tRNA Amidotransferase in the Unicellular Green Alga <i>Scenedesmus obliquus</i> , Mutant C-2A' | U. C. VOTHKNECHT and D. DÖRNEMANN                               | 789 | Glycerol Inhibits or Uncouples the Plasma Membrane (Ca <sup>2+</sup> +Mg <sup>2+</sup> )ATPase of Kidney Proximal Tubules Depending on the Ca <sup>2+</sup> Concentration          | M. SOLA-PENNA, A. DOS PASSOS LEMOS and A. VIEYRA            | 845 |
| Purification and Partial Characterization of the <i>Streptomyces viridochromogenes</i> Tü494 Phosphinothricin- <i>N</i> -acetyltransferase Mediating Re-                                                                                                            |                                                                 |     |                                                                                                                                                                                    |                                                             |     |

|                                                                                                                                                                        |                                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Role of Mucus Secretion and Sulfhydryl Groups<br>in Gastroprotection Mediated by a Flavonoid<br>Fraction of <i>Bidens aurea</i>                                        | <i>Notes</i>                                                                                          |
| C. LA CASA, M. J. MARTÍN CALERO, C. ALARCÓN<br>DE LA LASTRA, V. MOTILVA, M. J. AYUSO, C. MAR-<br>TÍN CORDERO and A. LÓPEZ VERGARA                                      | The Biflavonoid Pattern of the Moss <i>Bartramia<br/>mossmanniana</i> ( <i>Bartramiaceae, Musci</i> ) |
| 854                                                                                                                                                                    | J. A. LÓPEZ-SÁEZ, M. J. PÉREZ-ALONSO and A.<br>VELASCO-NEGUERUELA                                     |
| Quantification of Ecdysteroids by Immunoassay:<br>Comparison of Enzyme Immunoassay and<br>Radioimmunoassay                                                             | 895                                                                                                   |
| N. PASCUAL, X. BELLÉS, J.-P. DELBECQUE, Y.-J.<br>HUA and J. KOOLMAN                                                                                                    | Flavonols from <i>Cryptocarya alba</i>                                                                |
| 862                                                                                                                                                                    | B. T. TIMMERMANN, S. VALCIC, Y.-L. LIU and G.<br>MONTENEGRO                                           |
| Phylogeny of Old and New World Vultures (Aves:<br>Accipitridae and Cathartidae) Inferred from<br>Nucleotide Sequences of the Mitochondrial<br>Cytochrome <i>b</i> Gene | 898                                                                                                   |
| M. WINK                                                                                                                                                                | Erratum                                                                                               |
| 868                                                                                                                                                                    | 900                                                                                                   |
| Selection and Mutation from the Informa-<br>tionstheoretical Point of View – Limits of the<br>Preservation of Genetical Information<br>(In German)                     | Subject Index                                                                                         |
| W. TIEFENBRUNNER                                                                                                                                                       | 903                                                                                                   |
| 883                                                                                                                                                                    | Authors Index                                                                                         |
|                                                                                                                                                                        | 923                                                                                                   |