

Isomeric Triterpenoids from *Peritassa campestris*

Luciano M. Lião^{a,*}, Paulo C. Vieira^b,
Edson Rodrigues-Filho^b, João B. Fernandes^b
and Maria F. G. F. Silva^b

^a Instituto de Química, Universidade Federal de Goiás,
C.P. 131, 74001-970, Goiânia, Goiás, Brazil.

Fax: +55625211167. E-mail: luciano@quimica.ufg.br

^b Departamento de Química, Universidade Federal de
São Carlos, C.P. 676, 13565-905, São Carlos,
São Paulo, Brazil

* Author for correspondence and reprint requests

Z. Naturforsch. **57c**, 403–406 (2002);

received October 31, 2001

Peritassa campestris, Hippocrateaceae, Campestrine,
Seco-Quinonemethide Triterpenoids

An investigation of the MeOH extract from the roots of *Peritassa campestris* (Hippocrateaceae) afforded two isomeric *seco*-A-ring quinonemethide triterpenoids, campestrine-I (**1**) and -II (**2**). This appears to be the first report of a C₂₆-type triterpene carbon skeleton from the Celastraceae or Hippocrateaceae families. The structures were elucidated on the basis of spectral data, particularly HMQC, HMBC and NOE experiments.