

Kartridges for Kindle

.30-06 Springfield



Load Data

Reloading data from multiple sources.

Kartridges for Kindle

.30-06 Springfield



Load Data

gunzone.comTM:

Reloading data from multiple sources.

Kartridges for Kindle

.30-06 Springfield

© Copyright gunzone.com, 1998-2011.
All rights reserved.

Kartridges for Kindle

.30-06 Springfield

Table of Contents

[Description](#)

[Warning](#)

[100 gr. bullet](#)

[100 gr. bullet](#)

[105 gr. bullet](#)

[110 gr. bullet](#)

[125 gr. bullet](#)

[130 gr. bullet](#)

[150 gr. bullet](#)

[151 gr. bullet](#)

[165 gr. bullet](#)

[167 gr. bullet](#)

[168 gr. bullet](#)

[180 gr. bullet](#)

[185 gr. bullet](#)

[190 gr. bullet](#)

[200 gr. bullet](#)

[220 gr. bullet](#)

[250 gr. bullet](#)

[References](#)

Kartridges for Kindle

.30-06 Springfield

Description

The .30-06 (pronounced "thirty-aught-six" or "thirty-oh-six") was developed in 1906 by the US Military for use with the Springfield bolt-action battle rifle and became one of the most popular sporting cartridges ever.

The .30-06 cartridge replaced the .30-03, 6 mm Lee Navy, and .30 US Army (also called .30-40 Krag.) The .30-06 remained the US Army's primary rifle cartridge for nearly 50 years before it was replaced by the 7.62X51mm NATO (.308 Winchester.)

At the turn of the 20th century, the armies of most nations were in the process of adopting the pointed spitzer bullet: France in 1898, Germany in 1905, Russia in 1908, and Britain in 1910. When the U.S. Army introduced the .30-03, it was already obsolete.

A new case was developed with a slightly shorter neck to fire a higher velocity, 150-grain (9.7 g) spitzer bullet at 2,700 ft/s (820 m/s). The M1903 Springfield rifle, introduced alongside the earlier cartridge, was quickly modified to accept the .30-06 cartridge and was designated

M1906.

Before the widespread employment of light mortars and artillery, long-range machine gun 'barrage' or indirect firing was considered an important U.S. infantry tactic. In 1926, the Ordnance Corps developed the .30 M1 Ball cartridge using a 174-grain (11.3 g) bullet with a 9 degree boat tail,

Kartridges for Kindle

.30-06 Springfield

traveling at a reduced muzzle velocity of 2,640 ft/s (800 m/s). This bullet offered significantly greater range from machine guns and rifles alike due to the increased ballistic coefficient. A gilding metal jacket was developed that eliminated excess metal fouling.

By 1936 it was discovered that the maximum range of the new M1 ammunition and its 174-grain (11.3 g), boat-tailed bullets exceeded the safety limitations of many ranges. An emergency order was made to manufacture quantities of ammunition that matched the ballistics of the older cartridge.

A new cartridge was developed in 1938 that closely matched the ballistics of the older M1906 round. The new cartridge had a flat base bullet with a gilding metal jacket and a different lead alloy, resulting in a bullet that weighed 152 grains (9.8 g) instead of 150. This cartridge, designated .30

M2 Ball had a higher muzzle velocity (2,805 ft/s) than previous .30-06 cartridges.

Warning

This reference is intended only for readers who are experienced in reloading ammunition and fully understand the procedures and factors that ensure ammunition safety and performance.

The information and data contained in this reference is for informational purposes only. The author does not assume, accept any responsibility, expressed or implied for the accuracy of the data, or for the results the reader will obtain by using any of the data on these pages.

The author has no control over variations in components, reloading tools or the reader's procedures. The reader is solely responsible for anything and everything that may occur using this data.

The information listed for MAXIMUM loads may be safe only in modern firearms of current manufacture and in excellent condition. The age and condition of the reader's firearm is the determining factor. **NEVER START WITH ANY MAXIMUM LOAD.**

Always start out with the lowest powder load listed and work

up GRADUALLY. ALWAYS REDUCE a load if signs of case failure or excessive pressure become evident.

Kartridges for Kindle

.30-06 Springfield

100 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
748	56.0 gr	CCI 500	3117 fps	22 in	(1)
748	60.0 gr	CCI 500	3313 fps	22 in	(1)
H322	48.0 gr	CCI 500	2943 fps	22 in	(1)
H322	52.0 gr	CCI 500	3216 fps	22 in	(1)
H335	54.0 gr	CCI 500	3099 fps	22 in	(1)
H335	58.0 gr	CCI 500	3326 fps	22 in	(1)
IMR3031	53.0 gr	CCI 500	3199 fps	22 in	(1)
IMR3031	57.0 gr	CCI 500	3448 fps	22 in	(1)
IMR4064	55.0 gr	CCI 500	3152 fps	22 in	(1)
IMR4064	59.0 gr	CCI 500	3390 fps	22 in	(1)
IMR4320	54.0 gr	CCI 500	3000 fps	22 in	(1)
IMR4320	58.0 gr	CCI 500	3236 fps	22 in	(1)
IMR4895	51.0 gr	CCI 500	3028 fps	22 in	(1)
IMR4895	55.0 gr	CCI 500	3268 fps	22 in	(1)
RL7	43.0 gr	CCI 500	2837 fps	22 in	(1)
RL7	47.0 gr	CCI 500	3188 fps	22 in	(1)
SR4759	16.0 gr	CCI 500	1548 fps	22 in	(1)
SR4759	20.0 gr	CCI 500	1960 fps	22 in	(1)

Kartridges for Kindle

.30-06 Springfield

105 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
N133	46.6 gr	WSP	2998 fps	24 in	(2)
N133	51.3 gr	WSP	3241 fps	24 in	(2)
N135	49.9 gr	WSP	3044 fps	24 in	(2)
N135	55.1 gr	WSP	3314 fps	24 in	(2)
N140	53.4 gr	WSP	3059 fps	24 in	(2)
N140	59.1 gr	WSP	3362 fps	24 in	(2)

Kartridges for Kindle

.30-06 Springfield

110 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
2230	46.5 gr	Rem. 1-1/2	3000 fps	26 in	(3)
2230	47.6 gr	Rem. 1-1/2	3100 fps	26 in	(3)
2230	48.7 gr	Rem. 1-1/2	3200 fps	26 in	(3)
2230	49.8 gr	Rem. 1-1/2	3300 fps	26 in	(3)
2460	46.5 gr	Rem. 1-1/2	3100 fps	26 in	(3)
2460	48.9 gr	Rem. 1-1/2	3200 fps	26 in	(3)
2460	51.0 gr	CCI 500	3082 fps	22 in	(1)
2460	51.3 gr	Rem. 1-1/2	3300 fps	26 in	(3)
2460	55.0 gr	CCI 500	3293 fps	22 in	(1)
2495BR	51.0 gr	CCI 500	2909 fps	22 in	(1)
2495BR	55.0 gr	CCI 500	3167 fps	22 in	(1)
2520	52.0 gr	CCI 500	3096 fps	22 in	(1)
2520	56.0 gr	CCI 500	3288 fps	22 in	(1)
748	44.5 gr	CCI 500	2601 fps	22 in	(1)
748	48.5 gr	CCI 500	2850 fps	22 in	(1)
748	48.7 gr	Rem. 1-1/2	3000 fps	26 in	(3)

Kartridges for Kindle

.30-06 Springfield

110 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
748	50.7 gr	Rem. 1-1/2	3100 fps	26 in	(3)
748	52.8 gr	Rem. 1-1/2	3200 fps	26 in	(3)
748	54.9 gr	Rem. 1-1/2	3300 fps	26 in	(3)
748	58.0 gr	CCI 500	3151 fps	22 in	(1)
748	62.0 gr	CCI 500	3356 fps	22 in	(1)
760	52.0 gr	CCI 500	2651 fps	22 in	(1)
760	53.9 gr	Rem. 1-1/2	3000 fps	26 in	(3)
760	56.0 gr	CCI 500	2865 fps	22 in	(1)
760	56.9 gr	Rem. 1-1/2	3100 fps	26 in	(3)
760	59.9 gr	Rem. 1-1/2	3200 fps	26 in	(3)
BLC(2)	48.0 gr	CCI 500	2511 fps	22 in	(1)
BLC(2)	48.5 gr	Rem. 1-1/2	3000 fps	26 in	(3)
BLC(2)	50.2 gr	Rem. 1-1/2	3100 fps	26 in	(3)
BLC(2)	51.0 gr	CCI 500	2779 fps	22 in	(1)
BLC(2)	51.9 gr	Rem. 1-1/2	3200 fps	26 in	(3)

BLC(2)

52.0 gr

CCI 500

2732 fps

22 in

(1)

Kartridges for Kindle

.30-06 Springfield

110 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
BLC(2)	53.6 gr	Rem. 1-1/2	3300 fps	26 in	(3)
BLC(2)	55.0 gr	CCI 500	3050 fps	22 in	(1)
H322	41.0 gr	CCI 500	2504 fps	22 in	(1)
H322	45.0 gr	CCI 500	2735 fps	22 in	(1)
H322	46.0 gr	CCI 500	2754 fps	22 in	(1)
H322	47.2 gr	Rem. 1-1/2	3000 fps	26 in	(3)
H322	48.6 gr	Rem. 1-1/2	3100 fps	26 in	(3)
H322	49.9 gr	Rem. 1-1/2	3200 fps	26 in	(3)
H322	50.0 gr	CCI 500	2901 fps	22 in	(1)
H335	50.0 gr	CCI 500	2735 fps	22 in	(1)
H335	54.0 gr	CCI 500	3027 fps	22 in	(1)
H380	50.6 gr	Rem. 1-1/2	3000 fps	26 in	(3)
H380	52.5 gr	Rem. 1-1/2	3100 fps	26 in	(3)
H380	54.4 gr	Rem. 1-1/2	3200 fps	26 in	(3)
H380	56.4 gr	Rem. 1-1/2	3300 fps	26 in	(3)

H450

59.5 gr

Rem. 1-1/2

3000 fps

26 in

(3)

Kartridges for Kindle

.30-06 Springfield

110 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
H450	61.9 gr	Rem. 1-1/2	3100 fps	26 in	(3)
H450	64.3 gr	Rem. 1-1/2	3200 fps	26 in	(3)
H4895	49.0 gr	CCI 500	2818 fps	22 in	(1)
H4895	53.0 gr	CCI 500	3076 fps	22 in	(1)
IMR3031	42.5 gr	CCI 500	2572 fps	22 in	(1)
IMR3031	46.5 gr	CCI 500	2833 fps	22 in	(1)
IMR3031	48.0 gr	Rem. 1-1/2	3000 fps	26 in	(3)
IMR3031	49.5 gr	Rem. 1-1/2	3100 fps	26 in	(3)
IMR3031	51.1 gr	Rem. 1-1/2	3200 fps	26 in	(3)
IMR4064	49.5 gr	Rem. 1-1/2	3000 fps	26 in	(3)
IMR4064	51.1 gr	Rem. 1-1/2	3100 fps	26 in	(3)
IMR4064	52.8 gr	Rem. 1-1/2	3200 fps	26 in	(3)
IMR4064	54.0 gr	CCI 500	2924 fps	22 in	(1)
IMR4064	54.5 gr	Rem. 1-1/2	3300 fps	26 in	(3)
IMR4064	58.0 gr	CCI 500	3212 fps	22 in	(1)

IMR4227

29.0 gr

CCI 500

2297 fps

22 in

(1)

Kartridges for Kindle

.30-06 Springfield

110 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4227	31.0 gr	CCI 500	2475 fps	22 in	(1)
IMR4320	51.8 gr	Rem. 1-1/2	3000 fps	26 in	(3)
IMR4320	53.0 gr	CCI 500	2891 fps	22 in	(1)
IMR4320	53.8 gr	Rem. 1-1/2	3100 fps	26 in	(3)
IMR4320	55.8 gr	Rem. 1-1/2	3200 fps	26 in	(3)
IMR4320	57.0 gr	CCI 500	3088 fps	22 in	(1)
IMR4350	54.0 gr	CCI 500	2621 fps	22 in	(1)
IMR4350	57.7 gr	Rem. 1-1/2	3000 fps	26 in	(3)
IMR4350	58.0 gr	CCI 500	2835 fps	22 in	(1)
IMR4350	59.4 gr	Rem. 1-1/2	3100 fps	26 in	(3)
IMR4350	61.1 gr	Rem. 1-1/2	3200 fps	26 in	(3)
IMR4831	60.0 gr	Rem. 1-1/2	3000 fps	26 in	(3)
IMR4831	61.8 gr	Rem. 1-1/2	3100 fps	26 in	(3)
IMR4895	44.0 gr	CCI 500	2560 fps	22 in	(1)
IMR4895	48.0 gr	CCI 500	2810 fps	22 in	(1)

IMR4895 48.8 gr Rem. 1-1/2 3000 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

110 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4895	50.5 gr	CCI 500	2869 fps	22 in	(1)
IMR4895	50.5 gr	Rem. 1-1/2	3100 fps	26 in	(3)
IMR4895	52.2 gr	Rem. 1-1/2	3200 fps	26 in	(3)
IMR4895	53.9 gr	Rem. 1-1/2	3300 fps	26 in	(3)
IMR4895	54.5 gr	CCI 500	3080 fps	22 in	(1)
N133	48.6 gr	WSP	2863 fps	24 in	(2)
N133	53.7 gr	WSP	3224 fps	24 in	(2)
N135	48.5 gr	WSP	2834 fps	24 in	(2)
N135	51.0 gr	CCI 500	3003 fps	22 in	(1)
N135	53.5 gr	WSP	3164 fps	24 in	(2)
N135	55.0 gr	CCI 500	3206 fps	22 in	(1)
N140	52.1 gr	WSP	2890 fps	24 in	(2)
N140	57.8 gr	WSP	3205 fps	24 in	(2)
N150	55.1 gr	WSP	2969 fps	24 in	(2)
N150	60.8 gr	WSP	3286 fps	24 in	(2)

RL12

45.5 gr

Rem. 1-1/2

3000 fps

26 in

(3)

Kartridges for Kindle

.30-06 Springfield

110 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
RL12	48.8 gr	Rem. 1-1/2	3100 fps	26 in	(3)
RL12	52.0 gr	CCI 500	2975 fps	22 in	(1)
RL12	52.0 gr	Rem. 1-1/2	3200 fps	26 in	(3)
RL12	56.0 gr	CCI 500	3214 fps	22 in	(1)
RL15	49.0 gr	Rem. 1-1/2	3000 fps	26 in	(3)
RL15	50.6 gr	Rem. 1-1/2	3100 fps	26 in	(3)
RL15	52.2 gr	Rem. 1-1/2	3200 fps	26 in	(3)
RL15	53.8 gr	Rem. 1-1/2	3300 fps	26 in	(3)
RL15	56.0 gr	CCI 500	3077 fps	22 in	(1)
RL15	60.0 gr	CCI 500	3307 fps	22 in	(1)
RL7	38.0 gr	CCI 500	2514 fps	22 in	(1)
RL7	42.0 gr	CCI 500	2799 fps	22 in	(1)
SR4759	17.0 gr	CCI 500	1590 fps	22 in	(1)
SR4759	21.0 gr	CCI 500	1980 fps	22 in	(1)

Kartridges for Kindle

.30-06 Springfield

125 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
2015BR	46.0 gr	CCI 500	2866 fps	22 in	(1)
2015BR	50.0 gr	CCI 500	3064 fps	22 in	(1)
2230	43.5 gr	Rem. 1-1/2	2800 fps	26 in	(3)
2230	45.5 gr	Rem. 1-1/2	2900 fps	26 in	(3)
2230	47.0 gr	CCI 500	2849 fps	22 in	(1)
2230	47.5 gr	Rem. 1-1/2	3000 fps	26 in	(3)
2230	49.4 gr	Rem. 1-1/2	3100 fps	26 in	(3)
2230	51.0 gr	CCI 500	3057 fps	22 in	(1)
2460	42.3 gr	Rem. 1-1/2	2800 fps	26 in	(3)
2460	44.5 gr	Rem. 1-1/2	2900 fps	26 in	(3)
2460	46.7 gr	Rem. 1-1/2	3000 fps	26 in	(3)
2460	48.9 gr	Rem. 1-1/2	3100 fps	26 in	(3)
2460	49.0 gr	CCI 500	2932 fps	22 in	(1)
2460	51.1 gr	Rem. 1-1/2	3200 fps	26 in	(3)
2460	53.0 gr	CCI 500	3129 fps	22 in	(1)
2460	53.5 gr	RWS 4033	3064 fps	20 in	(4)

Kartridges for Kindle

.30-06 Springfield

125 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
2495BR	50.0 gr	CCI 500	2838 fps	22 in	(1)
2495BR	54.0 gr	CCI 500	3059 fps	22 in	(1)
2520	48.0 gr	CCI 500	2829 fps	22 in	(1)
2520	52.0 gr	CCI 500	3039 fps	22 in	(1)
748	46.8 gr	Rem. 1-1/2	2800 fps	26 in	(3)
748	48.9 gr	Rem. 1-1/2	2900 fps	26 in	(3)
748	51.0 gr	Rem. 1-1/2	3000 fps	26 in	(3)
748	53.2 gr	Rem. 1-1/2	3100 fps	26 in	(3)
760	52.3 gr	Rem. 1-1/2	2800 fps	26 in	(3)
760	54.3 gr	Rem. 1-1/2	2900 fps	26 in	(3)
760	56.4 gr	Rem. 1-1/2	3000 fps	26 in	(3)
760	58.5 gr	Rem. 1-1/2	3100 fps	26 in	(3)
BLC(2)	47.6 gr	Rem. 1-1/2	2800 fps	26 in	(3)
BLC(2)	49.1 gr	Rem. 1-1/2	2900 fps	26 in	(3)
BLC(2)	50.7 gr	Rem. 1-1/2	3000 fps	26 in	(3)

BLC(2)

51.0 gr

CCI 500

2836 fps

22 in

(1)

Kartridges for Kindle

.30-06 Springfield

125 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
BLC(2)	52.2 gr	Rem. 1-1/2	3100 fps	26 in	(3)
BLC(2)	53.8 gr	Rem. 1-1/2	3200 fps	26 in	(3)
BLC(2)	55.0 gr	CCI 500	3060 fps	22 in	(1)
H322	44.0 gr	CCI 500	2687 fps	22 in	(1)
H322	45.6 gr	Rem. 1-1/2	2800 fps	26 in	(3)
H322	47.4 gr	Rem. 1-1/2	2900 fps	26 in	(3)
H322	48.0 gr	CCI 500	2877 fps	22 in	(1)
H335	51.0 gr	CCI 500	2834 fps	22 in	(1)
H335	55.0 gr	CCI 500	3047 fps	22 in	(1)
H380	47.7 gr	Rem. 1-1/2	2800 fps	26 in	(3)
H380	49.9 gr	Rem. 1-1/2	2900 fps	26 in	(3)
H380	52.1 gr	Rem. 1-1/2	3000 fps	26 in	(3)
H380	54.3 gr	Rem. 1-1/2	3100 fps	26 in	(3)
H380	56.6 gr	Rem. 1-1/2	3200 fps	26 in	(3)
H450	56.3 gr	Rem. 1-1/2	2800 fps	26 in	(3)

H450

58.4 gr

Rem. 1-1/2

2900 fps

26 in

(3)

Kartridges for Kindle

.30-06 Springfield

125 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
H450	60.5 gr	Rem. 1-1/2	3000 fps	26 in	(3)
H450	62.7 gr	Rem. 1-1/2	3100 fps	26 in	(3)
H4831	60.0 gr	Fed. 200	2322 fps	24 in	(5)
H4895	47.0 gr	CCI 500	2708 fps	22 in	(1)
H4895	51.0 gr	CCI 500	2982 fps	22 in	(1)
IMR3031	45.9 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR3031	47.3 gr	Rem. 1-1/2	2900 fps	26 in	(3)
IMR3031	48.7 gr	Rem. 1-1/2	3000 fps	26 in	(3)
IMR3031	50.0 gr	CCI 500	2824 fps	22 in	(1)
IMR3031	50.1 gr	Rem. 1-1/2	3100 fps	26 in	(3)
IMR3031	54.0 gr	CCI 500	3118 fps	22 in	(1)
IMR4064	48.6 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4064	50.1 gr	Rem. 1-1/2	2900 fps	26 in	(3)
IMR4064	51.7 gr	Rem. 1-1/2	3000 fps	26 in	(3)
IMR4064	53.2 gr	Rem. 1-1/2	3100 fps	26 in	(3)

IMR4064 54.8 gr Rem. 1-1/2 3200 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

125 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4320	49.5 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4320	51.0 gr	CCI 500	2728 fps	22 in	(1)
IMR4320	51.3 gr	Rem. 1-1/2	2900 fps	26 in	(3)
IMR4320	53.1 gr	Rem. 1-1/2	3000 fps	26 in	(3)
IMR4320	54.9 gr	Rem. 1-1/2	3100 fps	26 in	(3)
IMR4320	55.0 gr	CCI 500	2968 fps	22 in	(1)
IMR4350	55.8 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4350	57.5 gr	Rem. 1-1/2	2900 fps	26 in	(3)
IMR4350	59.2 gr	Rem. 1-1/2	3000 fps	26 in	(3)
IMR4350	60.9 gr	Rem. 1-1/2	3100 fps	26 in	(3)
IMR4831	58.0 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4831	59.8 gr	Rem. 1-1/2	2900 fps	26 in	(3)
IMR4831	61.6 gr	Rem. 1-1/2	3000 fps	26 in	(3)
IMR4895	47.3 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4895	48.0 gr	CCI 500	2742 fps	22 in	(1)

IMR4895 48.9 gr Rem. 1-1/2 2900 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

125 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4895	50.6 gr	Rem. 1-1/2	3000 fps	26 in	(3)
IMR4895	52.0 gr	CCI 500	2959 fps	22 in	(1)
IMR4895	52.3 gr	Rem. 1-1/2	3100 fps	26 in	(3)
N135	47.8 gr	WSP	2839 fps	24 in	(2)
N135	49.0 gr	CCI 500	2807 fps	22 in	(1)
N135	52.4 gr	WSP	3067 fps	24 in	(2)
N135	53.0 gr	CCI 500	3069 fps	22 in	(1)
N140	51.1 gr	WSP	2880 fps	24 in	(2)
N140	56.1 gr	WSP	3142 fps	24 in	(2)
N150	53.2 gr	WSP	2895 fps	24 in	(2)
N150	58.7 gr	WSP	3169 fps	24 in	(2)
RL12	46.7 gr	Rem. 1-1/2	2800 fps	26 in	(3)
RL12	48.3 gr	Rem. 1-1/2	2900 fps	26 in	(3)
RL12	49.9 gr	Rem. 1-1/2	3000 fps	26 in	(3)
RL12	50.0 gr	CCI 500	2784 fps	22 in	(1)

RL12

51.5 gr

Rem. 1-1/2

3100 fps

26 in

(3)

Kartridges for Kindle

.30-06 Springfield

125 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
RL12	53.1 gr	Rem. 1-1/2	3200 fps	26 in	(3)
RL12	54.0 gr	CCI 500	2979 fps	22 in	(1)
RL15	46.2 gr	Rem. 1-1/2	2800 fps	26 in	(3)
RL15	47.9 gr	Rem. 1-1/2	2900 fps	26 in	(3)
RL15	49.6 gr	Rem. 1-1/2	3000 fps	26 in	(3)
RL15	51.3 gr	Rem. 1-1/2	3100 fps	26 in	(3)
RL15	53.0 gr	Rem. 1-1/2	3200 fps	26 in	(3)

Kartridges for Kindle

.30-06 Springfield

130 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
2015BR	45.0 gr	CCI 500	2768 fps	22 in	(1)
2015BR	49.0 gr	CCI 500	2961 fps	22 in	(1)
2460	47.0 gr	CCI 500	2769 fps	22 in	(1)
2460	51.0 gr	CCI 500	2987 fps	22 in	(1)
2495BR	49.0 gr	CCI 500	2744 fps	22 in	(1)
2495BR	53.0 gr	CCI 500	2941 fps	22 in	(1)
748	51.0 gr	CCI 500	2695 fps	22 in	(1)
748	55.0 gr	CCI 500	2871 fps	22 in	(1)
BLC(2)	49.0 gr	CCI 500	2667 fps	22 in	(1)
BLC(2)	53.0 gr	CCI 500	2855 fps	22 in	(1)
H322	43.0 gr	CCI 500	2519 fps	22 in	(1)
H322	47.0 gr	CCI 500	2723 fps	22 in	(1)
H335	50.0 gr	CCI 500	2724 fps	22 in	(1)
H335	54.0 gr	CCI 500	2937 fps	22 in	(1)
H414	56.0 gr	CCI 500	2752 fps	22 in	(1)
H414	60.0 gr	CCI 500	2969 fps	22 in	(1)

Kartridges for Kindle

.30-06 Springfield

130 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
H4895	45.0 gr	CCI 500	2624 fps	22 in	(1)
H4895	49.0 gr	CCI 500	2730 fps	22 in	(1)
IMR3031	48.5 gr	CCI 500	2647 fps	22 in	(1)
IMR3031	52.5 gr	CCI 500	2960 fps	22 in	(1)
IMR4064	51.0 gr	CCI 500	2767 fps	22 in	(1)
IMR4064	55.0 gr	CCI 500	2979 fps	22 in	(1)
IMR4320	49.0 gr	CCI 500	2516 fps	22 in	(1)
IMR4320	53.0 gr	CCI 500	2737 fps	22 in	(1)
IMR4895	47.5 gr	CCI 500	2695 fps	22 in	(1)
IMR4895	51.5 gr	CCI 500	2897 fps	22 in	(1)
N140	48.0 gr	CCI 500	2640 fps	22 in	(1)
N140	52.0 gr	CCI 500	2830 fps	22 in	(1)
RL12	48.0 gr	CCI 500	2666 fps	22 in	(1)
RL12	52.0 gr	CCI 500	2864 fps	22 in	(1)

Kartridges for Kindle

.30-06 Springfield

150 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
204	59.0 gr	Fed. 200	2864 fps	23 in	(6)
2230	41.6 gr	Rem. 1-1/2	2600 fps	26 in	(3)
2230	43.7 gr	Rem. 1-1/2	2700 fps	26 in	(3)
2230	45.8 gr	Rem. 1-1/2	2800 fps	26 in	(3)
2230	48.0 gr	Rem. 1-1/2	2900 fps	26 in	(3)
2460	42.8 gr	Rem. 1-1/2	2600 fps	26 in	(3)
2460	44.5 gr	Rem. 1-1/2	2700 fps	26 in	(3)
2460	46.2 gr	Rem. 1-1/2	2800 fps	26 in	(3)
2460	47.7 gr	Rem. 1-1/2	2900 fps	26 in	(3)
2495BR	45.0 gr	CCI 500	2532 fps	22 in	(1)
2495BR	49.0 gr	CCI 500	2716 fps	22 in	(1)
2520	43.0 gr	CCI 500	2488 fps	22 in	(1)
2520	47.0 gr	CCI 500	2657 fps	22 in	(1)
748	46.5 gr	Rem. 1-1/2	2600 fps	26 in	(3)
748	48.4 gr	Rem. 1-1/2	2700 fps	26 in	(3)
748	50.2 gr	Rem. 1-1/2	2800 fps	26 in	(3)

Kartridges for Kindle

.30-06 Springfield

150 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
748	52.1 gr	Rem. 1-1/2	2900 fps	26 in	(3)
760	51.1 gr	Rem. 1-1/2	2600 fps	26 in	(3)
760	53.0 gr	CCI 500	2531 fps	22 in	(1)
760	53.1 gr	Rem. 1-1/2	2700 fps	26 in	(3)
760	55.1 gr	Rem. 1-1/2	2800 fps	26 in	(3)
760	57.0 gr	CCI 500	2778 fps	22 in	(1)
BLC(2)	43.8 gr	Rem. 1-1/2	2700 fps	26 in	(3)
BLC(2)	46.9 gr	Rem. 1-1/2	2800 fps	26 in	(3)
BLC(2)	50.0 gr	Rem. 1-1/2	2900 fps	26 in	(3)
H322	43.6 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H322	45.6 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H380	45.5 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H380	47.5 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H380	49.5 gr	Rem. 1-1/2	2800 fps	26 in	(3)
H380	51.5 gr	Rem. 1-1/2	2900 fps	26 in	(3)

H380

53.0 gr

RWS 4033

2590 fps

20 in

(4)

Kartridges for Kindle

.30-06 Springfield

150 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
H380	53.5 gr	Rem. 1-1/2	3000 fps	26 in	(3)
H380	54.0 gr	CCI 500	2658 fps	22 in	(1)
H380	58.0 gr	CCI 500	2847 fps	22 in	(1)
H414	54.0 gr	CCI 500	2603 fps	22 in	(1)
H414	58.0 gr	CCI 500	2803 fps	22 in	(1)
H4350	55.0 gr	CCI 500	2514 fps	22 in	(1)
H4350	59.0 gr	CCI 500	2765 fps	22 in	(1)
H450	53.8 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H450	55.8 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H450	57.8 gr	Rem. 1-1/2	2800 fps	26 in	(3)
H450	59.8 gr	Rem. 1-1/2	2900 fps	26 in	(3)
H4831	55.9 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H4831	57.8 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H4831	59.8 gr	Rem. 1-1/2	2800 fps	26 in	(3)
H4895	42.0 gr	CCI 500	2427 fps	22 in	(1)

H4895

46.0 gr

CCI 500

2572 fps

22 in

(1)

Kartridges for Kindle

.30-06 Springfield

150 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR3031	44.4 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR3031	45.5 gr	CCI 500	2551 fps	22 in	(1)
IMR3031	46.1 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR3031	47.8 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR3031	49.5 gr	CCI 500	2735 fps	22 in	(1)
IMR3031	49.5 gr	Rem. 1-1/2	2900 fps	26 in	(3)
IMR4064	46.5 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4064	48.0 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4064	49.6 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4064	51.2 gr	Rem. 1-1/2	2900 fps	26 in	(3)
IMR4064	52.8 gr	Rem. 1-1/2	3000 fps	26 in	(3)
IMR4320	46.5 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4320	48.0 gr	CCI 500	2480 fps	22 in	(1)
IMR4320	48.5 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4320	50.5 gr	Rem. 1-1/2	2800 fps	26 in	(3)

IMR4320 52.0 gr CCI 500 2700 fps 22 in (1)

Kartridges for Kindle

.30-06 Springfield

150 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4320	52.5 gr	Rem. 1-1/2	2900 fps	26 in	(3)
IMR4350	52.2 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4350	53.9 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4350	55.0 gr	CCI 500	2591 fps	22 in	(1)
IMR4350	55.7 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4350	57.5 gr	Rem. 1-1/2	2900 fps	26 in	(3)
IMR4350	59.0 gr	CCI 500	2834 fps	22 in	(1)
IMR4350	59.3 gr	Rem. 1-1/2	3000 fps	26 in	(3)
IMR4831	54.3 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4831	56.2 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4831	58.0 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4831	59.8 gr	Rem. 1-1/2	2900 fps	26 in	(3)
IMR4895	44.4 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4895	45.5 gr	CCI 500	2516 fps	22 in	(1)
IMR4895	46.4 gr	Rem. 1-1/2	2700 fps	26 in	(3)

IMR4895 48.4 gr Rem. 1-1/2 2800 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

150 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4895	49.5 gr	CCI 500	2722 fps	22 in	(1)
IMR4895	50.4 gr	Rem. 1-1/2	2900 fps	26 in	(3)
N135	45.0 gr	CCI 500	2529 fps	22 in	(1)
N135	45.2 gr	WSP	2590 fps	24 in	(2)
N135	49.0 gr	CCI 500	2720 fps	22 in	(1)
N135	49.9 gr	WSP	2790 fps	24 in	(2)
N140	47.0 gr	CCI 500	2548 fps	22 in	(1)
N140	48.2 gr	WSP	2630 fps	24 in	(2)
N140	51.0 gr	CCI 500	2738 fps	22 in	(1)
N140	53.2 gr	WSP	2861 fps	24 in	(2)
N150	50.2 gr	WSP	2634 fps	24 in	(2)
N150	55.3 gr	WSP	2877 fps	24 in	(2)
N160	61.0 gr	Fed. 200	2869 fps	23 in	(6)
N550	54.1 gr	WSP	2688 fps	24 in	(2)
N550	59.7 gr	WSP	3010 fps	24 in	(2)

RL15

44.3 gr

Rem. 1-1/2

2600 fps

26 in

(3)

Kartridges for Kindle

.30-06 Springfield

150 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
RL15	46.1 gr	Rem. 1-1/2	2700 fps	26 in	(3)
RL15	47.9 gr	Rem. 1-1/2	2800 fps	26 in	(3)
RL15	48.0 gr	CCI 500	2523 fps	22 in	(1)
RL15	49.7 gr	Rem. 1-1/2	2900 fps	26 in	(3)
RL15	51.3 gr	Rem. 1-1/2	3000 fps	26 in	(3)
RL15	52.0 gr	CCI 500	2728 fps	22 in	(1)
RL19	54.0 gr	Rem. 1-1/2	2600 fps	26 in	(3)
RL19	55.8 gr	Rem. 1-1/2	2700 fps	26 in	(3)
RL19	57.6 gr	Rem. 1-1/2	2800 fps	26 in	(3)
RL19	59.4 gr	Rem. 1-1/2	2900 fps	26 in	(3)
RL19	61.0 gr	Rem. 1-1/2	3000 fps	26 in	(3)
RL19	61.0 gr	RWS 5341	2874 fps	22 in	(4)
RL19	61.0 gr	Rem. 9-1/2	2874 fps	22 in	(4)
SR4759	20.0 gr	CCI 500	1620 fps	22 in	(1)
SR4759	20.0 gr	Rem. 7-1/2	1620 fps	22 in	(4)

SR4759 22.0 gr Rem. 7-1/2 1786 fps 22 in (4)

Kartridges for Kindle

.30-06 Springfield

150 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
SR4759	24.0 gr	CCI 500	1957 fps	22 in	(1)
SR4759	24.0 gr	Rem. 7-1/2	1957 fps	22 in	(4)

Kartridges for Kindle

.30-06 Springfield

151 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
700X	10.0 gr	Rem. 7-1/2	1408 fps	26 in	(4)
700X	13.5 gr	Rem. 7-1/2	1694 fps	26 in	(4)

Kartridges for Kindle

.30-06 Springfield

156 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
N135	45.8 gr	WSP	2547 fps	24 in	(2)
N135	50.8 gr	WSP	2793 fps	24 in	(2)
N140	47.8 gr	WSP	2543 fps	24 in	(2)
N140	52.7 gr	WSP	2818 fps	24 in	(2)
N150	49.1 gr	WSP	2561 fps	24 in	(2)
N150	54.5 gr	WSP	2831 fps	24 in	(2)

Kartridges for Kindle

.30-06 Springfield

165 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
2460	41.0 gr	Rem. 1-1/2	2500 fps	26 in	(3)
2460	43.0 gr	Rem. 1-1/2	2600 fps	26 in	(3)
2460	44.9 gr	Rem. 1-1/2	2700 fps	26 in	(3)
2460	46.8 gr	Rem. 1-1/2	2800 fps	26 in	(3)
2495BR	44.0 gr	CCI 500	2386 fps	22 in	(1)
2495BR	48.0 gr	CCI 500	2628 fps	22 in	(1)
2520	42.0 gr	CCI 500	2333 fps	22 in	(1)
2520	46.0 gr	CCI 500	2595 fps	22 in	(1)
748	42.6 gr	Rem. 1-1/2	2400 fps	26 in	(3)
748	44.8 gr	Rem. 1-1/2	2500 fps	26 in	(3)
748	47.0 gr	Rem. 1-1/2	2600 fps	26 in	(3)
748	49.3 gr	Rem. 1-1/2	2700 fps	26 in	(3)
760	49.3 gr	Rem. 1-1/2	2500 fps	26 in	(3)
760	51.1 gr	Rem. 1-1/2	2600 fps	26 in	(3)
760	52.9 gr	Rem. 1-1/2	2700 fps	26 in	(3)
760	53.0 gr	CCI 500	2601 fps	22 in	(1)

Kartridges for Kindle

.30-06 Springfield

165 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
760	55.0 gr	CCI 550	2834 fps	22 in	(54)
760	57.0 gr	CCI 500	2803 fps	22 in	(1)
BLC(2)	42.2 gr	Rem. 1-1/2	2400 fps	26 in	(3)
BLC(2)	43.9 gr	Rem. 1-1/2	2500 fps	26 in	(3)
BLC(2)	45.7 gr	Rem. 1-1/2	2600 fps	26 in	(3)
BLC(2)	47.5 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H322	41.4 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H322	43.2 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H335	50.0 gr	RWS 5341	2781 fps	22 in	(4)
H335	50.0 gr	Rem. 9-1/2	2781 fps	22 in	(4)
H380	43.7 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H380	45.5 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H380	47.4 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H380	49.2 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H380	51.0 gr	CCI 500	2517 fps	22 in	(1)

H380

51.1 gr

Rem. 1-1/2

2800 fps

26 in

(3)

Kartridges for Kindle

.30-06 Springfield

165 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
H380	55.0 gr	CCI 500	2707 fps	22 in	(1)
H414	52.0 gr	CCI 500	2494 fps	22 in	(1)
H414	56.0 gr	CCI 500	2723 fps	22 in	(1)
H4350	54.0 gr	CCI 500	2464 fps	22 in	(1)
H4350	58.0 gr	CCI 500	2724 fps	22 in	(1)
H450	50.7 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H450	52.7 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H450	54.7 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H450	56.7 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H450	58.7 gr	Rem. 1-1/2	2800 fps	26 in	(3)
H4831	51.9 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H4831	53.9 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H4831	55.9 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H4831	57.0 gr	CCI 500	2387 fps	22 in	(1)
H4831	57.9 gr	Rem. 1-1/2	2700 fps	26 in	(3)

H4831 59.9 gr Rem. 1-1/2 2800 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

165 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
H4831	61.0 gr	CCI 500	2632 fps	22 in	(1)
H4895	40.0 gr	CCI 500	2272 fps	22 in	(1)
H4895	44.0 gr	CCI 500	2464 fps	22 in	(1)
IMR3031	40.5 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR3031	42.3 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR3031	44.2 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR3031	46.1 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4064	42.8 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4064	44.5 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4064	46.2 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4064	46.5 gr	CCI 500	2410 fps	22 in	(1)
IMR4064	47.9 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4064	49.6 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4064	50.0 gr	RWS 4033	2615 fps	20 in	(4)
IMR4064	50.5 gr	CCI 500	2640 fps	22 in	(1)

IMR4320 42.9 gr Rem. 1-1/2 2400 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

165 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4320	44.9 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4320	46.9 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4320	48.9 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4320	50.9 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4350	48.2 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4350	50.2 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4350	52.3 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4350	54.0 gr	CCI 500	2476 fps	22 in	(1)
IMR4350	54.4 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4350	56.5 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4350	58.0 gr	CCI 500	2747 fps	22 in	(1)
IMR4831	50.1 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4831	52.3 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4831	54.5 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4831	55.0 gr	CCI 500	2419 fps	22 in	(1)

IMR4831 56.6 gr Rem. 1-1/2 2700 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

165 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4831	58.7 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4831	59.0 gr	CCI 500	2670 fps	22 in	(1)
IMR4895	41.6 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4895	43.6 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4895	45.7 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4895	47.8 gr	Rem. 1-1/2	2700 fps	26 in	(3)
MRP	53.6 gr	Rem. 1-1/2	2500 fps	26 in	(3)
MRP	55.2 gr	Rem. 1-1/2	2600 fps	26 in	(3)
MRP	56.8 gr	Rem. 1-1/2	2700 fps	26 in	(3)
MRP	58.4 gr	Rem. 1-1/2	2800 fps	26 in	(3)
N140	46.0 gr	CCI 500	2465 fps	22 in	(1)
N140	50.0 gr	CCI 500	2663 fps	22 in	(1)
RL15	40.0 gr	Rem. 1-1/2	2400 fps	26 in	(3)
RL15	42.0 gr	Rem. 1-1/2	2500 fps	26 in	(3)
RL15	44.2 gr	Rem. 1-1/2	2600 fps	26 in	(3)

RL15

46.4 gr

Rem. 1-1/2

2700 fps

26 in

(3)

Kartridges for Kindle

.30-06 Springfield

165 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
RL15	48.9 gr	Rem. 1-1/2	2800 fps	26 in	(3)
RL19	49.7 gr	Rem. 1-1/2	2400 fps	26 in	(3)
RL19	51.5 gr	Rem. 1-1/2	2500 fps	26 in	(3)
RL19	53.3 gr	Rem. 1-1/2	2600 fps	26 in	(3)
RL19	55.0 gr	CCI 500	2351 fps	22 in	(1)
RL19	55.1 gr	Rem. 1-1/2	2700 fps	26 in	(3)
RL19	56.7 gr	Rem. 1-1/2	2800 fps	26 in	(3)
RL19	59.0 gr	CCI 500	2614 fps	22 in	(1)
RL22	58.0 gr	CCI 500	2504 fps	22 in	(1)
RL22	62.0 gr	CCI 500	2725 fps	22 in	(1)
RL7	26.0 gr	Rem. 7-1/2	1776 fps	22 in	(4)
SR4759	21.0 gr	CCI 500	1616 fps	22 in	(1)
SR4759	25.0 gr	CCI 500	1941 fps	22 in	(1)
XMP	25.0 gr	Rem. 6-1/2	1902 fps	26 in	(4)

Kartridges for Kindle

.30-06 Springfield

167 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
N140	45.5 gr	WSP	2418 fps	24 in	(2)
N140	50.2 gr	WSP	2664 fps	24 in	(2)
N150	47.2 gr	WSP	2455 fps	24 in	(2)
N150	52.1 gr	WSP	2694 fps	24 in	(2)
N550	49.6 gr	WSP	2556 fps	24 in	(2)
N550	55.0 gr	WSP	2806 fps	24 in	(2)

Kartridges for Kindle

.30-06 Springfield

168 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
2460	41.0 gr	Rem. 1-1/2	2500 fps	26 in	(3)
2460	43.0 gr	Rem. 1-1/2	2600 fps	26 in	(3)
2460	45.0 gr	Rem. 1-1/2	2700 fps	26 in	(3)
2460	47.0 gr	Rem. 1-1/2	2800 fps	26 in	(3)
2520	42.1 gr	Rem. 1-1/2	2500 fps	26 in	(3)
2520	44.2 gr	Rem. 1-1/2	2600 fps	26 in	(3)
2520	46.3 gr	Rem. 1-1/2	2700 fps	26 in	(3)
2520	48.5 gr	Rem. 1-1/2	2800 fps	26 in	(3)
748	44.5 gr	Rem. 1-1/2	2400 fps	26 in	(3)
748	46.1 gr	Rem. 1-1/2	2500 fps	26 in	(3)
748	47.7 gr	Rem. 1-1/2	2600 fps	26 in	(3)
748	49.3 gr	Rem. 1-1/2	2700 fps	26 in	(3)
760	50.0 gr	CCI 500	2389 fps	22 in	(1)
760	50.3 gr	Rem. 1-1/2	2500 fps	26 in	(3)
760	52.1 gr	Rem. 1-1/2	2600 fps	26 in	(3)
760	53.9 gr	Rem. 1-1/2	2700 fps	26 in	(3)

Kartridges for Kindle

.30-06 Springfield

168 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
760	54.0 gr	CCI 500	2628 fps	22 in	(1)
BLC(2)	39.8 gr	Rem. 1-1/2	2400 fps	26 in	(3)
BLC(2)	42.1 gr	Rem. 1-1/2	2500 fps	26 in	(3)
BLC(2)	44.4 gr	Rem. 1-1/2	2600 fps	26 in	(3)
BLC(2)	46.7 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H380	42.8 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H380	44.7 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H380	46.7 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H380	48.7 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H380	50.7 gr	Rem. 1-1/2	2800 fps	26 in	(3)
H380	51.0 gr	CCI 500	2454 fps	22 in	(1)
H380	55.0 gr	CCI 500	2736 fps	22 in	(1)
H414	50.0 gr	CCI 500	2429 fps	22 in	(1)
H414	54.0 gr	CCI 500	2633 fps	22 in	(1)
H4350	56.0 gr	CCI 500	2563 fps	22 in	(1)

H4350

60.0 gr

CCI 500

2795 fps

22 in

(1)

Kartridges for Kindle

.30-06 Springfield

168 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
H450	50.7 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H450	52.7 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H450	54.7 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H450	56.7 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H450	58.7 gr	Rem. 1-1/2	2800 fps	26 in	(3)
H4831	51.6 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H4831	53.7 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H4831	55.8 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H4831	57.0 gr	CCI 500	2426 fps	22 in	(1)
H4831	57.9 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H4831	60.0 gr	Rem. 1-1/2	2800 fps	26 in	(3)
H4831	61.0 gr	CCI 500	2661 fps	22 in	(1)
H4895	47.0 gr	RWS 5337	2729 fps	22 in	(4)
IMR3031	40.9 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR3031	42.6 gr	Rem. 1-1/2	2500 fps	26 in	(3)

IMR3031 44.4 gr Rem. 1-1/2 2600 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

168 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR3031	46.1 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4064	42.1 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4064	44.0 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4064	45.0 gr	CCI 500	2367 fps	22 in	(1)
IMR4064	45.9 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4064	47.8 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4064	48.0 gr	RWS 5337	2687 fps	22 in	(4)
IMR4064	49.0 gr	CCI 500	2549 fps	22 in	(1)
IMR4064	49.7 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4320	43.6 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4320	45.4 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4320	47.2 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4320	48.0 gr	RWS 5337	2732 fps	22 in	(4)
IMR4320	49.0 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4320	50.7 gr	Rem. 1-1/2	2800 fps	26 in	(3)

IMR4350 48.7 gr Rem. 1-1/2 2400 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

168 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4350	50.4 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4350	52.2 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4350	53.9 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4350	55.0 gr	CCI 500	2558 fps	22 in	(1)
IMR4350	55.7 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4350	59.0 gr	CCI 500	2782 fps	22 in	(1)
IMR4831	50.6 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4831	52.5 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4831	54.3 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4831	56.0 gr	CCI 500	2376 fps	22 in	(1)
IMR4831	56.1 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4831	57.9 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4831	60.0 gr	CCI 500	2633 fps	22 in	(1)
IMR4895	42.2 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4895	43.9 gr	Rem. 1-1/2	2500 fps	26 in	(3)

IMR4895 44.0 gr CCI 500 2437 fps 22 in (1)

Kartridges for Kindle

.30-06 Springfield

168 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4895	45.6 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4895	47.4 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4895	48.0 gr	RWS 5337	2692 fps	22 in	(4)
IMR4895	48.0 gr	CCI 500	2605 fps	22 in	(1)
IMR7828	58.0 gr	CCI 500	2547 fps	22 in	(1)
IMR7828	62.0 gr	CCI 500	2706 fps	22 in	(1)
MRP	53.7 gr	Rem. 1-1/2	2500 fps	26 in	(3)
MRP	55.4 gr	Rem. 1-1/2	2600 fps	26 in	(3)
MRP	57.1 gr	Rem. 1-1/2	2700 fps	26 in	(3)
MRP	58.8 gr	Rem. 1-1/2	2800 fps	26 in	(3)
N160	57.0 gr	CCI 500	2581 fps	22 in	(1)
N160	61.0 gr	CCI 500	2825 fps	22 in	(1)
RL15	40.0 gr	Rem. 1-1/2	2400 fps	26 in	(3)
RL15	42.2 gr	Rem. 1-1/2	2500 fps	26 in	(3)
RL15	44.5 gr	Rem. 1-1/2	2600 fps	26 in	(3)

RL15

46.8 gr

Rem. 1-1/2

2700 fps

26 in

(3)

Kartridges for Kindle

.30-06 Springfield

168 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
RL15	47.0 gr	RWS 5337	2714 fps	22 in	(4)
RL15	49.2 gr	Rem. 1-1/2	2800 fps	26 in	(3)
RL19	50.0 gr	Rem. 1-1/2	2400 fps	26 in	(3)
RL19	51.7 gr	Rem. 1-1/2	2500 fps	26 in	(3)
RL19	53.5 gr	Rem. 1-1/2	2600 fps	26 in	(3)
RL19	55.3 gr	Rem. 1-1/2	2700 fps	26 in	(3)
RL19	57.0 gr	CCI 500	2464 fps	22 in	(1)
RL19	57.1 gr	Rem. 1-1/2	2800 fps	26 in	(3)
RL19	61.0 gr	CCI 500	2697 fps	22 in	(1)

Kartridges for Kindle

.30-06 Springfield

180 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
2230	39.5 gr	Fed. 200	2142 fps	24 in	(5)
2520	41.0 gr	CCI 500	2355 fps	22 in	(1)
2520	42.2 gr	Rem. 1-1/2	2500 fps	26 in	(3)
2520	44.8 gr	Rem. 1-1/2	2600 fps	26 in	(3)
2520	45.0 gr	CCI 500	2544 fps	22 in	(1)
2520	47.3 gr	Rem. 1-1/2	2700 fps	26 in	(3)
3100	49.9 gr	Rem. 1-1/2	2400 fps	26 in	(3)
3100	51.8 gr	Rem. 1-1/2	2500 fps	26 in	(3)
3100	53.7 gr	Rem. 1-1/2	2600 fps	26 in	(3)
3100	55.6 gr	Rem. 1-1/2	2700 fps	26 in	(3)
3100	57.6 gr	Rem. 1-1/2	2800 fps	26 in	(3)
748	44.0 gr	Rem. 1-1/2	2400 fps	26 in	(3)
748	45.7 gr	Rem. 1-1/2	2500 fps	26 in	(3)
748	47.5 gr	Rem. 1-1/2	2600 fps	26 in	(3)
760	51.0 gr	CCI 500	2540 fps	22 in	(1)
760	51.1 gr	Rem. 1-1/2	2500 fps	26 in	(3)

Kartridges for Kindle

.30-06 Springfield

180 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
760	52.6 gr	Rem. 1-1/2	2600 fps	26 in	(3)
760	54.1 gr	Rem. 1-1/2	2700 fps	26 in	(3)
760	55.0 gr	CCI 500	2677 fps	22 in	(1)
BLC(2)	43.2 gr	Rem. 1-1/2	2400 fps	26 in	(3)
BLC(2)	45.0 gr	Rem. 1-1/2	2500 fps	26 in	(3)
BLC(2)	46.9 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H380	44.3 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H380	46.3 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H380	48.0 gr	CCI 500	2453 fps	22 in	(1)
H380	48.4 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H380	50.4 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H380	52.0 gr	CCI 500	2545 fps	22 in	(1)
H414	51.0 gr	CCI 500	2545 fps	22 in	(1)
H414	55.0 gr	CCI 500	2673 fps	22 in	(1)
H4350	54.0 gr	CCI 500	2640 fps	22 in	(1)

H4350

58.0 gr

CCI 500

2756 fps

22 in

(1)

Kartridges for Kindle

.30-06 Springfield

180 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
H450	51.4 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H450	52.9 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H450	54.5 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H450	56.1 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H4831	39.0 gr	RWS 5341	2675 fps	22 in	(4)
H4831	39.0 gr	Rem. 9-1/2	2675 fps	22 in	(4)
H4831	50.7 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H4831	52.8 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H4831	54.9 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H4831	57.0 gr	CCI 500	2524 fps	22 in	(1)
H4831	57.0 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H4831	59.2 gr	Rem. 1-1/2	2800 fps	26 in	(3)
H4831	61.0 gr	CCI 500	2634 fps	22 in	(1)
IMR3031	41.3 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR3031	42.0 gr	CCI 500	2276 fps	22 in	(1)

IMR3031 42.9 gr Rem. 1-1/2 2500 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

180 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR3031	44.5 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR3031	46.0 gr	CCI 500	2476 fps	22 in	(1)
IMR3031	46.2 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4064	42.9 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4064	44.8 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4064	46.0 gr	CCI 500	2583 fps	22 in	(1)
IMR4064	46.8 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4064	48.8 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4064	50.0 gr	CCI 500	2756 fps	22 in	(1)
IMR4198	26.0 gr	CCI 500	1723 fps	22 in	(1)
IMR4198	30.0 gr	CCI 500	2000 fps	22 in	(1)
IMR4320	43.6 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4320	45.3 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4320	47.0 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4320	48.8 gr	Rem. 1-1/2	2700 fps	26 in	(3)

IMR4350 48.7 gr Rem. 1-1/2 2400 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

180 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4350	50.5 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4350	52.0 gr	CCI 500	2497 fps	22 in	(1)
IMR4350	52.3 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4350	54.1 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4350	55.0 gr	Rem. 7-1/2	2699 fps	22 in	(4)
IMR4350	56.0 gr	CCI 500	2639 fps	22 in	(1)
IMR4350	56.0 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4831	49.7 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4831	51.6 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4831	53.6 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4831	55.0 gr	CCI 500	2544 fps	22 in	(1)
IMR4831	55.5 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4831	57.6 gr	Rem. 1-1/2	2800 fps	26 in	(3)
IMR4831	59.0 gr	CCI 500	2684 fps	22 in	(1)
IMR4895	42.3 gr	Rem. 1-1/2	2400 fps	26 in	(3)

IMR4895 43.0 gr CCI 500 2365 fps 22 in (1)

Kartridges for Kindle

.30-06 Springfield

180 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4895	44.3 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4895	46.3 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4895	47.0 gr	CCI 500	2537 fps	22 in	(1)
MRP	54.3 gr	Rem. 1-1/2	2500 fps	26 in	(3)
MRP	55.8 gr	Rem. 1-1/2	2600 fps	26 in	(3)
MRP	57.3 gr	Rem. 1-1/2	2700 fps	26 in	(3)
MRP	58.7 gr	Rem. 1-1/2	2800 fps	26 in	(3)
MRP	61.0 gr	Fed. 200	2717 fps	23 in	(6)
N160	52.0 gr	CCI 500	2331 fps	22 in	(1)
N160	52.4 gr	WSP	2394 fps	24 in	(2)
N160	56.0 gr	CCI 500	2556 fps	22 in	(1)
N160	57.0 gr	Rem. 6-1/2	2661 fps	23 in	(4)
N160	57.0 gr	Fed. 200	2661 fps	23 in	(6)
N160	57.6 gr	WSP	2603 fps	24 in	(2)
RL15	41.4 gr	Rem. 1-1/2	2400 fps	26 in	(3)

RL15

43.1 gr

Rem. 1-1/2

2500 fps

26 in

(3)

Kartridges for Kindle

.30-06 Springfield

180 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
RL15	45.1 gr	Rem. 1-1/2	2600 fps	26 in	(3)
RL15	47.1 gr	Rem. 1-1/2	2700 fps	26 in	(3)
RL19	50.0 gr	Rem. 1-1/2	2400 fps	26 in	(3)
RL19	51.6 gr	Rem. 1-1/2	2500 fps	26 in	(3)
RL19	53.3 gr	Rem. 1-1/2	2600 fps	26 in	(3)
RL19	55.0 gr	Rem. 1-1/2	2700 fps	26 in	(3)
RL19	55.0 gr	CCI 500	2458 fps	22 in	(1)
RL19	56.7 gr	Rem. 1-1/2	2800 fps	26 in	(3)
RL19	59.0 gr	CCI 500	2640 fps	22 in	(1)
RL22	58.0 gr	CCI 500	2618 fps	22 in	(1)
RL22	60.8 gr	RWS 4033	2664 fps	20 in	(4)
RL22	62.0 gr	CCI 500	2721 fps	22 in	(1)

Kartridges for Kindle

.30-06 Springfield

185 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
N140	42.8 gr	WSP	2245 fps	24 in	(2)
N140	47.1 gr	WSP	2460 fps	24 in	(2)
N150	44.4 gr	WSP	2274 fps	24 in	(2)
N150	48.9 gr	WSP	2485 fps	24 in	(2)
N160	53.8 gr	WSP	2374 fps	24 in	(2)
N160	59.2 gr	WSP	2637 fps	24 in	(2)

Kartridges for Kindle

.30-06 Springfield

190 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
2520	42.0 gr	CCI 500	2316 fps	22 in	(1)
2520	42.2 gr	Rem. 1-1/2	2400 fps	26 in	(3)
2520	43.9 gr	Rem. 1-1/2	2500 fps	26 in	(3)
2520	45.6 gr	Rem. 1-1/2	2600 fps	26 in	(3)
2520	46.0 gr	CCI 500	2492 fps	22 in	(1)
3100	47.6 gr	Rem. 1-1/2	2300 fps	26 in	(3)
3100	49.7 gr	Rem. 1-1/2	2400 fps	26 in	(3)
3100	51.8 gr	Rem. 1-1/2	2500 fps	26 in	(3)
3100	53.0 gr	CCI 500	2240 fps	22 in	(1)
3100	53.9 gr	Rem. 1-1/2	2600 fps	26 in	(3)
3100	55.8 gr	Rem. 1-1/2	2700 fps	26 in	(3)
3100	57.0 gr	CCI 500	2482 fps	22 in	(1)
748	39.9 gr	Rem. 1-1/2	2300 fps	26 in	(3)
748	42.9 gr	Rem. 1-1/2	2400 fps	26 in	(3)
748	46.0 gr	Rem. 1-1/2	2500 fps	26 in	(3)
760	47.0 gr	CCI 500	2234 fps	22 in	(1)

Kartridges for Kindle

.30-06 Springfield

190 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
760	49.2 gr	Rem. 1-1/2	2400 fps	26 in	(3)
760	50.6 gr	Rem. 1-1/2	2500 fps	26 in	(3)
760	51.0 gr	CCI 500	2423 fps	22 in	(1)
760	52.0 gr	Rem. 1-1/2	2600 fps	26 in	(3)
BLC(2)	42.1 gr	Rem. 1-1/2	2300 fps	26 in	(3)
BLC(2)	44.1 gr	Rem. 1-1/2	2400 fps	26 in	(3)
BLC(2)	46.1 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H1000	59.0 gr	CCI 500	2268 fps	22 in	(1)
H1000	63.0 gr	CCI 500	2497 fps	22 in	(1)
H380	41.8 gr	Rem. 1-1/2	2300 fps	26 in	(3)
H380	43.8 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H380	45.9 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H380	46.0 gr	CCI 500	2144 fps	22 in	(1)
H380	50.0 gr	CCI 500	2417 fps	22 in	(1)
H414	47.0 gr	CCI 500	2216 fps	22 in	(1)

H414

51.0 gr

CCI 500

2410 fps

22 in

(1)

Kartridges for Kindle

.30-06 Springfield

190 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
H4350	52.0 gr	CCI 500	2356 fps	22 in	(1)
H4350	56.0 gr	CCI 500	2621 fps	22 in	(1)
H450	49.1 gr	Rem. 1-1/2	2300 fps	26 in	(3)
H450	51.0 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H450	53.0 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H450	55.0 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H4831	49.7 gr	Rem. 1-1/2	2300 fps	26 in	(3)
H4831	51.9 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H4831	54.1 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H4831	55.0 gr	CCI 500	2317 fps	22 in	(1)
H4831	56.3 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H4831	58.5 gr	Rem. 1-1/2	2700 fps	26 in	(3)
H4831	59.0 gr	CCI 500	2538 fps	22 in	(1)
IMR3031	39.8 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR3031	41.6 gr	Rem. 1-1/2	2400 fps	26 in	(3)

IMR3031 43.4 gr Rem. 1-1/2 2500 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

190 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR3031	45.2 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4064	41.8 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4064	43.5 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4064	44.0 gr	CCI 500	2263 fps	22 in	(1)
IMR4064	45.3 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4064	47.1 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4064	48.0 gr	CCI 500	2552 fps	22 in	(1)
IMR4320	43.3 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4320	45.0 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4320	46.7 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4320	48.5 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4350	46.6 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4350	48.5 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4350	50.5 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4350	51.0 gr	CCI 500	2330 fps	22 in	(1)

IMR4350 52.4 gr Rem. 1-1/2 2600 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

190 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4350	54.4 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4350	55.0 gr	CCI 500	2580 fps	22 in	(1)
IMR4831	48.5 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4831	50.6 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4831	52.0 gr	CCI 500	2254 fps	22 in	(1)
IMR4831	52.6 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4831	54.6 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4831	56.0 gr	CCI 500	2551 fps	22 in	(1)
IMR4831	56.6 gr	Rem. 1-1/2	2700 fps	26 in	(3)
IMR4895	41.2 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4895	42.8 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4895	44.4 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4895	46.1 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR7828	57.0 gr	CCI 500	2381 fps	22 in	(1)
IMR7828	61.0 gr	CCI 500	2614 fps	22 in	(1)

MRP

55.6 gr

Rem. 1-1/2

2600 fps

26 in

(3)

Kartridges for Kindle

.30-06 Springfield

190 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
MRP	57.6 gr	Rem. 1-1/2	2700 fps	26 in	(3)
N160	53.0 gr	CCI 500	2380 fps	22 in	(1)
N160	57.0 gr	CCI 500	2601 fps	22 in	(1)
RL15	40.0 gr	Rem. 1-1/2	2300 fps	26 in	(3)
RL15	42.0 gr	CCI 500	2208 fps	22 in	(1)
RL15	42.1 gr	Rem. 1-1/2	2400 fps	26 in	(3)
RL15	44.2 gr	Rem. 1-1/2	2500 fps	26 in	(3)
RL15	46.0 gr	CCI 500	2397 fps	22 in	(1)
RL15	46.2 gr	Rem. 1-1/2	2600 fps	26 in	(3)
RL19	47.8 gr	Rem. 1-1/2	2300 fps	26 in	(3)
RL19	49.5 gr	Rem. 1-1/2	2400 fps	26 in	(3)
RL19	51.2 gr	Rem. 1-1/2	2500 fps	26 in	(3)
RL19	52.9 gr	Rem. 1-1/2	2600 fps	26 in	(3)
RL19	54.6 gr	Rem. 1-1/2	2700 fps	26 in	(3)
RL19	55.0 gr	CCI 500	2376 fps	22 in	(1)

RL19

59.0 gr

CCI 500

2596 fps

22 in

(1)

Kartridges for Kindle

.30-06 Springfield

200 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
2520	40.8 gr	Rem. 1-1/2	2300 fps	26 in	(3)
2520	42.3 gr	Rem. 1-1/2	2400 fps	26 in	(3)
2520	43.9 gr	Rem. 1-1/2	2500 fps	26 in	(3)
3100	46.3 gr	Rem. 1-1/2	2200 fps	26 in	(3)
3100	48.3 gr	Rem. 1-1/2	2300 fps	26 in	(3)
3100	50.3 gr	Rem. 1-1/2	2400 fps	26 in	(3)
3100	52.3 gr	Rem. 1-1/2	2500 fps	26 in	(3)
3100	54.3 gr	Rem. 1-1/2	2600 fps	26 in	(3)
760	46.1 gr	Rem. 1-1/2	2200 fps	26 in	(3)
760	47.0 gr	CCI 500	2240 fps	22 in	(1)
760	47.4 gr	Rem. 1-1/2	2300 fps	26 in	(3)
760	48.7 gr	Rem. 1-1/2	2400 fps	26 in	(3)
760	49.9 gr	Rem. 1-1/2	2500 fps	26 in	(3)
760	51.0 gr	CCI 500	2348 fps	22 in	(1)
H1000	57.0 gr	CCI 500	2152 fps	22 in	(1)
H1000	61.0 gr	CCI 500	2371 fps	22 in	(1)

Kartridges for Kindle

.30-06 Springfield

200 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
H380	41.9 gr	Rem. 1-1/2	2200 fps	26 in	(3)
H380	43.8 gr	Rem. 1-1/2	2300 fps	26 in	(3)
H380	45.7 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H380	46.0 gr	CCI 500	2162 fps	22 in	(1)
H380	50.0 gr	CCI 500	2361 fps	22 in	(1)
H414	49.0 gr	CCI 500	2319 fps	22 in	(1)
H414	53.0 gr	RWS 4033	2507 fps	20 in	(4)
H414	53.0 gr	CCI 500	2453 fps	22 in	(1)
H4350	53.0 gr	CCI 500	2337 fps	22 in	(1)
H4350	57.0 gr	CCI 500	2554 fps	22 in	(1)
H450	47.0 gr	Rem. 1-1/2	2200 fps	26 in	(3)
H450	49.8 gr	Rem. 1-1/2	2300 fps	26 in	(3)
H450	52.6 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H450	55.5 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H4831	48.9 gr	Rem. 1-1/2	2200 fps	26 in	(3)

H4831 51.0 gr Rem. 1-1/2 2300 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

200 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
H4831	53.2 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H4831	54.0 gr	CCI 500	2205 fps	22 in	(1)
H4831	55.4 gr	Rem. 1-1/2	2500 fps	26 in	(3)
H4831	57.6 gr	Rem. 1-1/2	2600 fps	26 in	(3)
H4831	58.0 gr	CCI 500	2431 fps	22 in	(1)
IMR3031	38.3 gr	Rem. 1-1/2	2200 fps	26 in	(3)
IMR3031	40.5 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR3031	42.7 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4064	39.8 gr	Rem. 1-1/2	2200 fps	26 in	(3)
IMR4064	41.8 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4064	42.0 gr	CCI 500	2146 fps	22 in	(1)
IMR4064	43.8 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4064	45.9 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4064	46.0 gr	CCI 500	2312 fps	22 in	(1)
IMR4198	27.0 gr	CCI 500	1721 fps	22 in	(1)

IMR4198 31.0 gr CCI 500 1988 fps 22 in (1)

Kartridges for Kindle

.30-06 Springfield

200 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4320	41.0 gr	Rem. 1-1/2	2200 fps	26 in	(3)
IMR4320	43.1 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4320	45.3 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4320	47.5 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4350	45.5 gr	Rem. 1-1/2	2200 fps	26 in	(3)
IMR4350	47.4 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4350	49.4 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4350	50.0 gr	CCI 500	2247 fps	22 in	(1)
IMR4350	51.3 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4350	53.3 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4350	54.0 gr	CCI 500	2449 fps	22 in	(1)
IMR4831	47.3 gr	Rem. 1-1/2	2200 fps	26 in	(3)
IMR4831	49.4 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4831	51.4 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4831	52.0 gr	CCI 500	2283 fps	22 in	(1)

IMR4831 53.4 gr Rem. 1-1/2 2500 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

200 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4831	55.4 gr	Rem. 1-1/2	2600 fps	26 in	(3)
IMR4831	56.0 gr	CCI 500	2429 fps	22 in	(1)
IMR4895	39.6 gr	Rem. 1-1/2	2200 fps	26 in	(3)
IMR4895	41.0 gr	CCI 500	2170 fps	22 in	(1)
IMR4895	41.8 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4895	44.0 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4895	45.0 gr	CCI 500	2333 fps	22 in	(1)
IMR4895	46.2 gr	Rem. 1-1/2	2500 fps	26 in	(3)
MRP	54.0 gr	Rem. 1-1/2	2500 fps	26 in	(3)
MRP	56.5 gr	Rem. 1-1/2	2600 fps	26 in	(3)
MRP	59.0 gr	Fed. 200	2594 fps	23 in	(6)
N150	43.0 gr	WSP	2195 fps	24 in	(2)
N150	47.5 gr	WSP	2374 fps	24 in	(2)
N160	50.0 gr	CCI 500	2198 fps	22 in	(1)
N160	52.1 gr	WSP	2309 fps	24 in	(2)

N160

54.0 gr

CCI 500

2386 fps

22 in

(1)

Kartridges for Kindle

.30-06 Springfield

200 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
N160	57.6 gr	WSP	2510 fps	24 in	(2)
N160	58.0 gr	Fed. 200	2583 fps	23 in	(6)
RL15	38.8 gr	Rem. 1-1/2	2200 fps	26 in	(3)
RL15	40.8 gr	Rem. 1-1/2	2300 fps	26 in	(3)
RL15	42.8 gr	Rem. 1-1/2	2400 fps	26 in	(3)
RL15	43.0 gr	CCI 500	2203 fps	22 in	(1)
RL15	44.9 gr	Rem. 1-1/2	2500 fps	26 in	(3)
RL15	47.0 gr	CCI 500	2371 fps	22 in	(1)
RL19	46.0 gr	Rem. 1-1/2	2200 fps	26 in	(3)
RL19	47.7 gr	Rem. 1-1/2	2300 fps	26 in	(3)
RL19	49.4 gr	Rem. 1-1/2	2400 fps	26 in	(3)
RL19	51.0 gr	CCI 500	2158 fps	22 in	(1)
RL19	51.1 gr	Rem. 1-1/2	2500 fps	26 in	(3)
RL19	52.8 gr	Rem. 1-1/2	2600 fps	26 in	(3)
RL19	55.0 gr	CCI 500	2335 fps	22 in	(1)

RL22

54.0 gr

CCI 500

2263 fps

22 in

(1)

Kartridges for Kindle

.30-06 Springfield

200 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
RL22	58.0 gr	CCI 500	2499 fps	22 in	(1)

Kartridges for Kindle

.30-06 Springfield

220 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
2520	38.4 gr	Rem. 1-1/2	2100 fps	26 in	(3)
2520	40.0 gr	Rem. 1-1/2	2200 fps	26 in	(3)
2520	41.6 gr	Rem. 1-1/2	2300 fps	26 in	(3)
3100	44.0 gr	Rem. 1-1/2	2100 fps	26 in	(3)
3100	46.1 gr	Rem. 1-1/2	2200 fps	26 in	(3)
3100	48.2 gr	Rem. 1-1/2	2300 fps	26 in	(3)
3100	50.3 gr	Rem. 1-1/2	2400 fps	26 in	(3)
3100	52.5 gr	Rem. 1-1/2	2500 fps	26 in	(3)
760	48.2 gr	Rem. 1-1/2	2200 fps	26 in	(3)
760	49.3 gr	Rem. 1-1/2	2300 fps	26 in	(3)
H380	40.0 gr	Rem. 1-1/2	2100 fps	26 in	(3)
H380	42.3 gr	Rem. 1-1/2	2200 fps	26 in	(3)
H380	44.6 gr	Rem. 1-1/2	2300 fps	26 in	(3)
H450	47.9 gr	Rem. 1-1/2	2300 fps	26 in	(3)
H450	52.0 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H450	56.0 gr	Rem. 1-1/2	2500 fps	26 in	(3)

Kartridges for Kindle

.30-06 Springfield

220 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
H4831	49.2 gr	Rem. 1-1/2	2200 fps	26 in	(3)
H4831	51.4 gr	Rem. 1-1/2	2300 fps	26 in	(3)
H4831	53.6 gr	Rem. 1-1/2	2400 fps	26 in	(3)
H4831	55.7 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR3031	38.3 gr	Rem. 1-1/2	2100 fps	26 in	(3)
IMR3031	40.3 gr	Rem. 1-1/2	2200 fps	26 in	(3)
IMR3031	42.3 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4064	39.2 gr	Rem. 1-1/2	2100 fps	26 in	(3)
IMR4064	41.3 gr	Rem. 1-1/2	2200 fps	26 in	(3)
IMR4064	43.5 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4064	45.7 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4320	40.6 gr	Rem. 1-1/2	2100 fps	26 in	(3)
IMR4320	42.7 gr	Rem. 1-1/2	2200 fps	26 in	(3)
IMR4320	44.9 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4320	47.1 gr	Rem. 1-1/2	2400 fps	26 in	(3)

IMR4350 44.6 gr Rem. 1-1/2 2100 fps 26 in (3)

Kartridges for Kindle

.30-06 Springfield

220 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
IMR4350	46.7 gr	Rem. 1-1/2	2200 fps	26 in	(3)
IMR4350	48.8 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4350	50.9 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4350	53.0 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4831	45.9 gr	Rem. 1-1/2	2100 fps	26 in	(3)
IMR4831	48.1 gr	Rem. 1-1/2	2200 fps	26 in	(3)
IMR4831	50.3 gr	Rem. 1-1/2	2300 fps	26 in	(3)
IMR4831	52.5 gr	Rem. 1-1/2	2400 fps	26 in	(3)
IMR4831	54.6 gr	Rem. 1-1/2	2500 fps	26 in	(3)
IMR4895	37.5 gr	Rem. 1-1/2	2100 fps	26 in	(3)
IMR4895	40.0 gr	Rem. 1-1/2	2200 fps	26 in	(3)
IMR4895	42.6 gr	Rem. 1-1/2	2300 fps	26 in	(3)
MRP	53.0 gr	Rem. 1-1/2	2400 fps	26 in	(3)
MRP	55.5 gr	Rem. 1-1/2	2500 fps	26 in	(3)
N160	50.7 gr	WSP	2144 fps	24 in	(2)

N160

56.0 gr WSP

2368 fps

24 in

(2)

Kartridges for Kindle

.30-06 Springfield

220 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
RL15	37.2 gr	Rem. 1-1/2	2100 fps	26 in	(3)
RL15	39.3 gr	Rem. 1-1/2	2200 fps	26 in	(3)
RL15	41.4 gr	Rem. 1-1/2	2300 fps	26 in	(3)
RL15	43.5 gr	Rem. 1-1/2	2400 fps	26 in	(3)
RL19	43.6 gr	Rem. 1-1/2	2100 fps	26 in	(3)
RL19	45.6 gr	Rem. 1-1/2	2200 fps	26 in	(3)
RL19	47.6 gr	Rem. 1-1/2	2300 fps	26 in	(3)
RL19	49.6 gr	Rem. 1-1/2	2400 fps	26 in	(3)
RL19	51.6 gr	Rem. 1-1/2	2500 fps	26 in	(3)

Kartridges for Kindle

.30-06 Springfield

250 gr. bullet

<u>Powder</u>	<u>Chg.</u>	<u>Primer</u>	<u>Velocity</u>	<u>Barrel</u>	<u>Ref.</u>
H4831	54.0 gr	RWS 4033	2186 fps	20 in	(4)

References

Kartridges for Kindle

- (1) Speer Reloading Manual, 12th Ed..
- (2) Vihtavuori Oy Reloading Manual, 1st Ed..
- (3) Sierra Rifle Reloading Manual, 3rd Ed..
- (4) Shooting Times
- (5) Milek, Bob Jr.. Long-Range Handgun Hunting. Shooting Times. pg. 26-31
- (6) Simpson, Layne. Have You Fired These Hunting Rifles?. Shooting Times. pg. 56-60
- (7) Hornady Handbook 4th ed., Vol. 1.
- (8) Hercules Smokeless Powders Reloaders' Guide.
- (9) Nosler Reloading Manual.
- (10) Winchester Reloading Comp. Cat. 14th Ed.