Field Manual No. 5-105

*FM 5-105 HEADQUARTERS DEPARTMENT OF THE ARMY Washington, DC, 30 September 1993

TOPOGRAPHIC OPERATIONS

CONTENTS

Page
PREFACE iii
CHAPTER 1. TOPOGRAPHIC ENGINEER FUNCTIONS, ORGANIZATIONS,
RESPONSIBILITIES, AND RELATIONSHIPS
importance of Topographic Engineering
Topographic Functions
orrections of the topographic Eligibet
Terrain Analysis
1 roduction
Diamain Map Swrage and Distribution
THOWIEUge of the Dathe Space
Topographic Organizations.
o miled and opening Collingings and Statt
DIMIL
interingence Statis
Dignieer Statis
Topographic Engineering Center (TEC)
Corps of Engineers Laporatories
Topographic Engineer Units
- opographic responsibilities and Sillipport Relationships
140
incate Ainy Engineer,
Topographic Diffillest Dalianou Cummandar
110
Corps Engineer
Division Engineer
CHAPTER 2. TOPOGRAPHIC ENGINEER OPERATIONS
Employment of Office
Topographic Units within a Theater of Operations
Topographic Units Outside the Theater of Operations

DISTRIBUTION RESTRICTION: Approved for public release; distribution is unlimited.

^{*}This publication supersedes FM 5-105, 9 September 1987.

Command and Support Relationships	
General Relationships	
EAC	2-2
Corps	2-2
Division	2-3
Operations	2-3
Preparation for Topographic Operation	2-4
Data Bases	
Geodetic Positional Data Bases	
The Survey Information Center	2-4
Terrain Analysis Data Base	2-5
Production	2-6
Anaylsis of the Area of Operations	2-7
Mission Anaylsis	2-7
IPB	
Factors Affecting Operations	2-7
Support to Military Operations	2-8
Force Projection	2-8
Predeployment Activities	2-8
Deployment and Entry	2-9
Decisive Operations	2-10
Restoration and Redeployment	2-10
Nation Assistance	
Humanitarian and Disaster Relief	2-11
Communications	2-11
Technical Supplies	2-12
Technical Maintenance	2-12
APPENDIX. TOPOGRAPHIC OPERATIONS ANNEX TO	
CONPLANs/OPLANs/OPORDs App	endix-1
GLOGGADY Clo	
GLOSSARY Glo	ssary-1
REFERENCES Refe	rence-1
INDEX	Index-1

PREFACE

This manual provides the principal doctrine for topographic operations in support of military operations. It describes the functions of topographic operations as they relate to extended operations in terms of depth, time, synchronization, and unity of effort. It is designed to be used by Army unit commanders and staffs, primarily at corps and division levels.

Topographic operations consist of an interrelated flow of information and products through the various Department of Defense (DOD) agencies. The Defense Mapping Agency (DMA) is the primary agency involved. Through agency intelligence and other engineer channels this flow of information is passed onto the tactical units. These operations provide the commander with an effective means to evaluate the battlefield in terms of mobility, countermobility, and survivability; gain knowledge of the battlefield; visualize the terrain; and apply all available topographic information on each unit's areas of operations and interest.

The proponent for this publication is the United States Army Training and Doctrine Command (TRADOC). Submit changes and comments for improving the publication on Department of the Army (DA) Form 2028 (Recommended Changes to Publications and Blank Forms). Arrange comments in sequence by manuscript page, indicating exactly how a portion should be reworded with a brief reason for the change. Send comments to Commandant, United States (US) Army Engineer School, ATTN: ATSE-TDM-P, Fort Leonard Wood, MO 65473-6650.

Unless otherwise stated, masculine nouns and pronouns do not refer exclusively to men.

Chapter 2

TOPOGRAPHIC ENGINEER OPERATIONS

EMPLOYMENT OF UNITS

Army topographic engineer battalions provide tailored topographic products and services in support of planning and operations. Army topographic engineer battalions also have the responsibility to provide joint service support if tasked by the unified or specified command within whose area they operate.

Topographic Units Within a Theater of Operations

These are components of the theater engineer topographic battalion. The theater topographic engineer battalion is responsible for topographic planning and control of all topographic assets in support of the operation. Detachments and companies from this battalion are located at EAC, corps, and division levels. They provide rapid-response, nonstandard, and special-purpose topographic products to aid the tactical commander. The theater EAC topographic company will assume the corps topographic mission during the deployment of the corps topographic assets and vice versa. Management and validation of topographic data bases is the responsibility of all topographic units.

The primary focus of topographic support is to the tactical commander. Priority is placed on providing the forward-deployed tactical units with timely, accurate, and tailored support. Support requirements that cannot be met by forward-deployed units

because of priority workload or project complexity are done by the topographic unit at the next higher level of command.

Tactically deployed topographic units should use freed facilities such as warehouses, hangars, and barns for concealment whenever possible. Deployment considerations include—

- · Air superiority.
- Ž Enemy nuclear, biological, and chemical (NBC) capabilities.
- · Rear-area operations.

Selected facilities should provide the best protection from the effects of enemy air superiority and NBC, yet support the utilities requirements of topographic units. Dispersing the unit in wooded areas under camouflage nets degrades the unit's efforts to provide rapid, efficient support. Dispersion adversely affects production efficiency and creates a large electronic signal. Equipment configuration is constrained when power requirements are supplied by generators. The use of fixed facilities greatly reduces the battlefield signature and enhances survivability of scarce topographic resources.

The visual and electronic signatures of the topographic engineer unit must be considered when siting engineers near maneuver command headquarters. To lessen the effect of their signature, topographic commanders and staff personnel at theater, corps, and division levels should recommend appropriate employment locations of topographic units. *Figure 1-2, page 1-12,* depicts a typical employment concept for topographic units in a theater of operations.

Topographic Units Outside the Theater of Operations

These also have an important role. As they are not deployed, they have minimal force protection and sustainment requirements, As a result they can employ soldiers to maximize topographic production. While topographic units outside the theater cannot rapidly respond to immediate requirements, they may be employed in a supporting role to produce additional terrain analysis data base materials, which can be shipped to the theater. Electronic transmission of data should be used to the greatest extent possible.

COMMAND AND SUPPORT RELATIONSHIPS

General Relationships

Two kinds of relationships control topographic engineer units. They are—

- · Command relationships.
- · Support relationships.

All units within a theater of operations are assigned to the theater topographic battalion. This battalion provides topographic supply and maintenance of topographic equipment to all units within the theater. Usually a company from the battalion is placed in direct support of each of the supported corps. Terrain analysis detachments from the theater topographic battalion are placed in direct support or attached to each division in the corps. Topographic commanders, battalion S2 and S3, terrain analysts, and cartographers in the topographic company all require access to all-source intelligence information that is vital to the production of image maps and terrain data bases.

EAC

The ATTE element is assigned to the theater topographic battalion and is located with

the theater army component command. The ATTE element is attached to the G3 and G2 in the event of deployment. It provides—

- Planning for MC&G support.
- Coordination of topographic support to the theater.

The ATTE is the topographic officer at Army component command staff. He provides advice to the theater army commander and staff for the theater topographic battalion commander on topographic matters (see Figure 1-2, page 1-12). He is responsible for determining support requirements for the theater. The element coordinates with higher-level joint headquarters, the DMA, and host or allied nations for acquisition of products, source materials, and data bases.

The topographic battalion at EAC ensures the full spectrum of functional support to all theater assets. This includes—

- · Terrain analysis.
- Ž Precise positioning (geodetic) surveys.
- Production of MC&G products.
- Ž Data-base management—both hard copy and digital.
- Special product storage and distribution.
- · Supply of topographic material.
- Intermediate maintenance support of topographic equipment.

Terrain assets of the theater topographic support company will support the special operations forces.

Corps

A topographic company from the battalion at EAC is placed in direct support of each of the supported corps. Capabilities of this company include the full spectrum of topographic support as in the battalion, with personnel and equipment to provide products for corps area of operations.

Depending on the distance from the battalion and the tactical situation, the topographic company may be attached to the corps for administration and nontopographic logistics support. The topographic battalion at EAC provides topographic supply and intermediate maintenance for topographic equipment.

A terrain analysis element of the company is placed in direct support of the corps G3/G2 and another terrain element remains in general support of other customers, such as the G4, engineer, and signal. They furnish rapid-response and special-purpose topographic support to the corps staff for operations planning and IPB. The production assets remain available to all in a central location. The surveyors are normally operating throughout the corps area extending geodetic control.

Other elements of the company may be task-organized and placed in support of a supported division or task force for a limited time for a particular tactical operation. Requirements that cannot be met by the company because of priority workload or complexity are passed to the topographic battalion for completion.

The corps topographic engineer company is centrally located in the corps rear area. Selected personnel from this company provide forward support at the corps G3/G2. Terrain analysts working in the G3/G2 require routine access to all-source intelligence when preparing and updating products. Personnel require a top secret (TS) clearance and special background investigation (SBI).

Division

Division terrain teams should be in direct support or attached to their respective divisions. Tasking authority should normally be with the G2, with the advice and assistance of the Division Engineer.

Priority is placed on providing terrain analysis support to the division staff for operations planning and IPB. The terrain detachment at the division is collocated with the G3/G2 planning and operations staff. They have immediate access to all-source intelligence information that is vital when preparing updated products. Personnel require a TS/SBI clearance.

The terrain analysis detachment is typically attached to the division for administration and nontopographic logistics support. Topographic supply and intermediate maintenance of topographic equipment are provided by the topographic battalion at EAC through the company at corps level.

Other elements of the topographic company at corps level may be task-organized and placed in direct support of the division for a limited time. They provide expanded capabilities to support tactical operations as needed.

Operations

Preparation for combat begins in peacetime. To ensure success in combat, peacetime military unit operations and training have always stressed developing and maintaining a high state of readiness. The major purpose of topographic operations in peacetime is to prepare the tactical commander to execute wartime missions.

Topographic operations during peacetime are of utmost importance because of the need to gain knowledge about potential battlefield terrain. Wartime topographic operations are addressed in CON-PLANs/OPLANs/OPORDs. Joint operations plans have a separate MC&G operations annex—Annex M (see Appendix). With contingency operations more likely in the future, rapid production of image-based products, terrain data bases, and tailored topographic products becomes more critical.

Terrain analysis is the key to obtaining information about potential battlefields in any part of the world. The information collected and stored in data bases is used to prepare special-purpose topographic products and decision aids for the commander to visualize and understand the battlefield terrain. These activities assist both military planning and tactical operations.

An important facet of operations carried out by topographic engineer units is production and reproduction of topographic products (hard-copy and digital). Data bases, imagery, and other information sources are used to make topographic products such as those listed in *Table 1-1*, page 1-3.

Support efforts play a direct role in military operations. For instance, the following topographic information must be known during prebattle activities:

- Mobility corridors.
- Ž Obstacles (natural and man-made).
- · Landing zones.
- Key terrain features.
- Ž Gap crossings.
- Ž Lines of communication.

During battle, support shifts to providing tactical commanders with updated products to support the tactical operation. During postbattle, the emphasis switches to—

- Ž Updating terrain data bases.
- Ž Preparing for the next battle.
- Supporting postwar cleanup.
- Humanitarian and civic actions.

Maintaining enough stock of technical supplies to produce special topographic products in the field is a vital topographic engineer support function. This function is explained later in this chapter.

PREPARATION FOR TOPOGRAPHIC OPERATION

Data Bases

In Army topography, databases are assembled to form the basic reference material needed to produce special topographic products. Responsibility for assembly of these functional data bases lies with the topographic unit commander, other army agencies, and the DMA. Information in each topographic functional area data base may be combined or exchanged with the others. Data bases can be digital, image-based, or hard-copy information from a variety of sources.

Geodetic Positional Data Bases. This consists of a listing of geodetic control points set up within a given geographic area and keyed to standard topographic maps (trig list). In addition, the PPDB and digital point positioning data base (DPPDB) produced by the DMA is included in the survey data base.

The Survey Information Center. This center does the following:

- Ž Receives data and information from surveyors.
- Reproduces and disseminates positioning information.
- Provides technical interpretation of survey data to users.

The topographic engineer unit commander must consider all aspects of required survey data and acquire the data necessary to satisfy operational requirements. Data acquired may be used to satisfy eventual combat needs such as siting—

- · Air defense systems.
- Ž Field artillery weapons.
- Communication systems.
- Aviation inertial navigation positions.

Terrain Analysis Data Base. Terrain analysis teams acquire as much terrain data as possible for their respective areas of interest. The DMA is responsible for producing the planning terrain analysis data base (PTADB) at a scale of 1:250,000, and the tactical terrain analysis data base (TTADB) at 1:50,000 scale. Terrain teams use the data bases to support the maneuver commander's needs. The DMA produces standard DTED and ITD used by terrain teams. In any area of the world where coverage is not available and the commander's OPLAN considers the area(s) operationally significant, the terrain analysis team must prepare these digital and hard-copy data bases. Much of the peacetime operations is dedicated to this effort.

The terrain analysis data base also contains information from any source deemed appropriate by the terrain analysis supervisor at EAC, corps, or division levels. The DMA and the Army TAC of the Topographic Engineering Center provide information appropriate for this data base. Both produce transparent terrain-factor overlays for many areas throughout the world at map scales of 1:50,000 and 1:250,000. For each map sheet, the overlays depict—

- Ž Vegetation.
- Ž Surface configuration (slope).
- Surface materials (soils).
- Transportation.
- · Obstacles.
- · Surface drainage.
- Ž Bridge information tables.
- Ž Water resources (1:250,000 scale for selected arid regions only).

Standard digital data includes-

Ž DTED Level I - Contour information is equivalent to 1:250,000 scale mapping. It is the basic data base for portraying landforms, slope, line of sight, and elevation in digital format.

- Ž DTED Level II Contour information that approximates a 1:50,000 scale map.
- ITD These are six factor overlays at a scale of 1:50,000 that is the digital equivalent of TTADB, or at a scale of 1:250,000 that is the digital equivalent of a PTADB. This is designed to provide digital terrain-analysis data for systems being fielded before the production of standard tactical terrain data (TTD). The Digital Topographic-Support System (DTSS) uses this information to perform automated analysis for-
 - —Terrain visualization.
 - -Route or site selection.
 - -Mobility or countermobility planning.
 - -Intervisibility.
 - -Cover and concealment.
 - -Communication planning.
 - -Landing and drop zones.
 - -Navigation.
 - -Fire-support planning and execution.

Each unified and specified command and select federal agencies identify to the DMA (through command channels) those areas of the world that need standard terrain factor overlays and digital data. After the DMA produces these terrain analysis overlays, they are provided by automatic distribution to Army topographic units and included in their terrain-analysis data base.

Besides supporting the standard DMA program, the TAC produces various other types of standard and nonstandard, worldwide terrain products for many different users. Regional area studies and operational guides for desert, arctic, and tropical areas are examples.

Various agencies produce geographic studies and analyses. The Defense Intelligence

Agency (DIA), the US Geological Survey (USGS), allied nations, and commercial agencies maintain their own type of terrain data bases. Imagery from digital and analog sources is included in the terrain analysis data base. Sometimes imagery is more complete or more current than map overlays and can be used to augment or update overlay information. Imagery is available through Army intelligence, TEC, and the DMA channels. Additional information may be obtained through the intelligence-collection process from the tactical units. Other units involved in providing this information are from the following elements:

- Ž Reconnaissance units.
- · Engineers.
- Ž Combat and combat service support elements.

Topographic units must be prepared to rapidly create data bases to support contingency operations. By their nature, contingencies cannot be accurately forecast and standard data bases from DMA and other sources may not be available. The primary responsibility for collecting and processing data base materials in a contingency is with the topographic company and battalion.

Topographic units can prepare for likely contingencies by acquiring imagery of potential contingency areas in advance. MSI should be requested through command channels. Close coordination with intelligence staffs is required to assure access to national imagery and other intelligence data early in a crisis. Topographic units must routinely practice the production of image-based products and hasty terrain analysis from imagery and other nonstandard data sources so products can be provided to early deploying contingency units.

The TEC and the Intelligence and Threat Analysis Center (ITAC) have capabilities to quickly produce topographic data and terrain intelligence data during national emergencies. This data may be in hard-copy or digital form. Topographic battalions should maintain liaison with TEC and ITAC to ensure access to any production capabilities available.

As a contingency operation continues, topographic units will continue to produce products and continue to build, expand, and densify the data base. Topographic unit commanders must aggressively manage this dynamic, growing data base to ensure all potential data is incorporated; data is checked for validity before incorporation into the data base; old, inaccurate data is removed when superseded; copies of the current data base are pushed to subordinate topographic support units; and collection of critical terrain information is tasked to appropriate units.

Production. Topographic production includes graphic portrayal of information (usually in cartographic and photographic format) and reproduction of these graphics.

The cartographic and reproduction data base used by topographic engineer units includes at least a single copy of every available 1:250,000 and 1:50,000 scale military map or local national map in each unit's area of interest. A map may be used to produce a negative and a positive film copy. This copy is placed in the cartographic or reproduction data base. The copy is used to produce a black-and-white (monochrome) reproduction of the standard, four-color topographic map. This monochrome reproduction base can be used as the background for—

- Ž Operations or situation map overprints.
- Terrain analysis map overprints.
- Ž Crash grids.
- Other kind of map overlays or overprints.
- Route reconnaissance overprints.

The cartographic and reproduction data base may also include separate color flats used by the DMA to make a standard, multicolor topographic map. These flats, or reproducibles, represent separately each color found on the map. They can be used when a multicolor map base is required for updated or operational overprints. By using the color flats and updated graphics to print both the map base and the overlay or other information in the same press, the overprinting problems with using DMA printed products are eliminated.

Analysis of the Area of Operations

Analysis of the characteristics of the area of operations and an estimate of its effect on friendly and enemy capabilities occurs during the planning sequence as well as during the conduct of operations. It is generally presented as a document with accompanying graphics.

Mission Analysis

Topographic, particularly terrain analysis, support provides friendly staff elements with essential information used in the mission area analysis and course of action development as well as in the preparation of many of the annexes developed for an operations order (see FM 101-5). This support integrates the same aspects and graphics described below for the IPB (threat) analysis as they apply to friendly operations and equipment.

IPB. The IPB is a systematic and continuous approach to analyzing the enemy, weather, and terrain in a specific geographic area. Much IPB activity takes place before the battle, allowing commanders to make advance decisions that affect possible CONPLANs/OPLANs/OPORDs development. This approach integrates the following.

• Enemy doctrine.

- · Weather and environmental effects.
- · Terrain.
- Ž Enemy capabilities and vulnerabilities.
- Ž Courses of action.

NOTE: See FM 34-130.

Graphics are basic to IPB analysis. Staff members involved in the IPB process use—

- Ž Annotated military maps.
- · Multiple overlays.
- Annotated image maps with overprinted grids.
- · Map substitutes.
- · Textual studies.

Graphics are often digitally created and stored so current information can be integrated quickly. These graphics are the basis for many aspects of intelligence and operations planning. They serve, too, as an extension to the analysis of the area of operations and the intelligence estimate.

Ideally trained and equipped to aid in this process, topographic units are vital to the success of IPB. Engineer terrain analysts analyze the battlefield terrain and the effects of weather and environment on it. They predict the impact of terrain on military operations. Intelligence order-of-battle analysts correlate aspects of terrain with enemy combat system capabilities. Both types of analysts combine their talents to analyze the military aspects of terrain (OCOKA). Together they provide the tactical commander with more valuable information than either could provide separately.

Factors Affecting Operations

Topographic engineer operations, like all military operations, are affected by the factors of METT-T. Different types of military operations affect the type,

frequency, and amount of topographic support required. Examples of different operations include—

- · Offense.
- Defense.
- Rear-area combat.
- Military operations on urbanized terrain (MOUT).
- Special operations.

Communication networks and unique technical supplies essential for topographic support affect the degree to which and the efficiency with which this support can be provided.

Topographic engineers have little organic protection from attack and require outside assistance to maintain security. As a result, these units must carefully select battlefield locations that offer maximum unit survivability.

The ever-changing battle space of military operations may be a factor affecting the availability of topographic support. Forward-based combat units can be positioned several hundred kilometers away from rearbased support activities. Thus, it is important that these forward units have adequate topographic engineer support readily available to reduce their reliance on rear-based support.

SUPPORT TO MILITARY OPERATIONS

The topographic engineers provide support to all types of military operations. The topographic engineers perform the majority of their warfighter support in the predeployment and decisive operations phases of force projection. Topographic support is also provided in nation assistance and disaster and humanitarian relief missions.

Force Projection

Predeployment Activities. The majority of the topographic work effort occurs during the predeployment activities. During this phase, a threat to our national interest is recognized, its nature determined, and a series of options developed to resolve the threat. The primary mission of topographic engineers is to gain maximum knowledge of the potential area of operation and impart that knowledge in a quick, simple, useful format to commanders and their staffs. Topographic engineer functions are organized, support operations are initiated, terrain and survey data is collected, and initial products are produced and distributed before deployment of forces. Topographic assets are task-organized and tailored to the mission. This stage of military operations requires the largest amount of topographic preparation. Commanders use current CON-PLANs/OPLANs/OPORDs to anticipate and identify, through command channels, their topographic support requirements.

The DMA compiles, produces, stores, and supplies—

- Bulk standard maps, charts, and related products.
- Standard terrain analysis data bases (both digital and analog).
- · Digital topographic data.

Using all-source intelligence and the DMA products, topographic units develop functional data bases for specific geographic regions. Contingency operations may occur on short notice in an area where few standard DMA products or data bases exist Topographic units must be prepared to quickly access all-source intelligence and other sources to quickly build a data base. This can be used to produce hasty products to support planning and execution of the contingency missions.

The data bases provide the basic reference for the production of special-purpose topographic products to support the planning requirements of the tactical commanders. Collection and maintenance of the topographic data base is a primary function of the topographic unit.

DMA produces, maintains, and stores the bulk of standard MC&G products required during the first 60 days of combat. The products are stored in map depots throughout the world. The DMA continues to provide the bulk of standard topographic products needed for the decisive operation. Topographic units supplement and enhance the DMAs efforts by providing quick, combatoriented topographic information products to Army commanders and staffs at theater, corps, and division levels.

Information is provided orally, by quickly prepared image-based products, quick-response graphics, or by video display terminal.

The first level of topographic support will likely be collected from fixed (such as DMA, DIA, and TEC) CONUS and forward-deployed organizations, Imagery will be obtained with remote sensors. In some cases, the information may reflect data gathered during previous exercises, deployments, or nation assistance efforts. National systems need to be accessed to provide unique data to Data sources and products topographers. include, but are not limited to, multispectral imagery and image maps, local maps, climatology, geography, demographics, and digital data. Other sources of data include DMAproduced standard digital data, DTED, DFAD, ARC digitized raster graphics (ADRG), ITD, TTD, station descriptions, and trig lists.

Deployment and Entry. Deployment and entry of topographic engineer forces (terrain teams and surveyors) may be early. Early collection of local data is of primary interest.

Terrain teams will continue the collection of data to enhance analog and digital data bases. All available information from allied and local sources will be incorporated. Data may include maps, country studies, lines of communication (LOC), water resources, hydrologic information, books, pamphlets, reproducible material, and imagery. Limited reconnaissance may be required to validate the terrain information. Surveyors will establish geodetic control in the theater as soon as possible to support artillery, aviation, intelligence, and signal operations. They must be able to convert local datums to the DMA standard datum for use in our weapon systems.

Topographic support should be well established in the area by this phase. Rapid collection and production of topographic products is used to support the continuing IPB process and operational planning in a timely manner. Rapid response is paramount. Geodetic control is extended throughout the region.

Data collection and data base management continues upon the entry phase. As the operation matures, data base maintenance and topographic support will peak. Topographic units will update digital data and provide map backgrounds and tactical decision aid (TDA) support for the Army command and control system (ACCS) suite of systems as well as a multitude of other automated systems. In this situation, it is the Army topographic engineer's responsibility to supplement DMA's standard support to these systems. information may include—

- Analysis through deep-battle target interdiction.
- Ž Information on mobility and countermobility.
- · War damage.
- Ž Weather analysis impact.

Information is provided orally, by quickly prepared image-based products, or by quick-response graphics.

When resupply is interrupted or products no longer portray up-to-date conditions, topographic units also provide expedient substitutes. These products are prepared in limited quantities to meet critical needs. Topographic units are responsible for updating data bases with current information as it becomes available. Changes to these data bases are managed intently and redistributed as required by designated topographic units. Verification of these for incorporation into master data sets will be accomplished as soon as possible and normally requires the assistance of DMA.

Topographic survey units provide quick and accurate positional information needed by command, maneuver, weapon, and support systems. This is done through the establishment of a survey information center located within the topographic battalion or company.

Decisive Operations. The focus in this phase is the culmination of all previously collected topographic information with tactical and operational planning. The tactical commander is provided with expedient, tailored and updated topographic products to assist in planning and control of the battle space. Fast responses, especially at the corps and division level, allow the commander to—

- Ž Visualize the terrain.
- Ž Make rapid decisions.
- Anticipate the impact of terrain and weather on the current and future operations.

The IPB process plays a primary role m prebattle support. Engineer, weather, and intelligence personnel work together. It is important that the topographic engineer company at corps maintain direct contact with the corps all-source analysis section and SWO. This contact ensures that intelligence materials required by terrain analysts are available, such as—

- Ž Imagery.
- Ž Enemy obstacle information.

- **Ž** Target locations.
- · Enemy order of battle.
- Ž Enemy equipment characteristics.
- · Weather data.

Conventional and digitally produced material are important during this stage of operation. These products must be readily available before combat. Prior to combat actions in the decisive operations phase, tactical commanders and topographic engineers must jointly establish priorities for products and coordinate their production. Common terrain products are to be "pushed" to the customers by the topographic units. This ensures that commanders are provided with accurate and timely support.

The IPB process is continuous. Maneuver commanders will require mobility information in order to move their units on the battlefield. The data bases used, which include the latest information of the operational area, are supplemented by the topographic engineers. Quality assurance by the terrain analyst ensures that all maneuver elements are provided defined avenues of approach and that trafficability information is correct, ensuring synchronization of the force.

Maneuver forces are not the only elements that require topographic support. Combat service needs terrain information for convoy routing, cover and concealment, and storage sites.

Topographic engineers use real-time intelligence to produce tactical decision aids identifying changes on the battlefield in time to influence the battle. As the battlefield changes, topographic units must be able to respond quickly to new requests for information. Due to the dispersed nature of the force, critical topographic data must be delivered electronically across the battlefield.

Restoration and Redeployment. Combat capabilities lost during the decisive stage

must be regenerated. Restoration of the force ranges from sustainment (rearm, repair, recover, or replace) through reorganization and regeneration to redeployment.

Topographic engineers provide a variety of products to the force during restoration. Updating the topographic data bases is their most important task. This prepares the reconstituted force for the next operation.

In addition to providing support to the regenerating forces, topographic engineers must also be able to react to the reconstitution process. Sufficient special materials must be on hand to replenish exhausted stocks. Equipment must be repaired or replaced as necessary. The topographic support teams must remain flexible and be able to respond to mission or task organization changes.

The events of a military operation are cyclical. The majority of the reconstituted topographic support forces will be task organized to provide support for the next operation.

Nation Assistance. Topographic operations assist in documenting changes to the areas or provide initial information. Longterm programs can generate skills and jobs. Nation assistance can occur in areas where few standard products are available. Extensive topographic effort may be required to prepare topographic data bases which will be used to produce products in support of the forces providing nation assistance. Nation assistance missions offer opportunities to build and manage a dynamic and growing data base.

Humanitarian and Disaster Relief. Operations of this nature are likely to occur in areas where standard product coverage is not available. Topographic units must aggressively coordinate with the military head-quarters providing support and local, city, state, and national civil authorities to gain access to available data. This ensures the

widest possible dissemination of any products produced by Army topographic engineer units. Topographic products should be pushed to military forces and other relief agencies until they have an opportunity to state their specific requirements.

During contingency operations, peacetime engagement, disaster relief, or nation assistance, topographic support must be task organized to provide the required support. Allocation of topographic engineer units must be made based on an estimate of the magnitude of the topographic mission. The estimate must consider—

- The size of the operations area.
- The availability of the standard topographic products and data bases.
- The time available.
- Ž The level of backup support available from DMA, TEC and ITAC.
- ^Z The size of the unit supported.

An entire company or battalion may be required to provide rapid response to forces conducting a short-notice contingency in an area that is not well mapped. Early in the deployment it may be best for major elements of the supporting topographic company or battalion to remain at the home station, where they are assured access to source materials and no loss of productivity due to preparation for movement. Products can be produced, printed, and shipped forward until it is appropriate to deploy the topographic engineer assets.

Communications

Topographic engineer units have limited radio and wire capabilities. In order to carry out effective missions they rely upon communication networks of supported units. The unit commander must establish communications to lower headquarters and to supported units. This, along with internal communications, will effectively use all the unit's available communication assets. Topographic units will usually require additional support from supported units.

Technical Supplies

Topographic engineer units require large quantities of low-density supply items, such as—

- Map paper.
- Printing inks.
- Drafting supplies.
- Map-size photographic film.
- Ž Lithographic printing plates.
- Chemicals for photographic developing and printing.

In some topographic functional areas, it is impossible to provide support without these supplies. Because topographic technical supplies are low-density, the unit commander must start proper and adequate logistic coordination in order to get supplies from the unit providing support. This is especially important during peacetime.

Contingency stocks of wartime supplies, such as map paper, must be planned for by topographic and logistical commanders. For the contingency stocks to remain usable, perishable materials (shelf-life items) must be rotated.

Because topographic engineer units at corps level and below are not collocated with their battalions, getting supplies can become an administrative and logistical problem. The higher unit headquarters must attempt to help lower headquarters in dealing with

problems associated with providing topographic technical supplies.

Technical Maintenance

Properly scheduled and performed maintenance is the cornerstone to success in com-Failure to execute a successful maintenance program for the topographic equipment can lead to failure to meet mission requirements. The low-density topographic technical equipment usually cannot be readily repaired. Commanders must ensure that the unit has properly trained maintenance technicians and uses them in the most effective manner possible. The Defense Mapping School offers courses for additional skills in reproduction equipment repair and survey instrument repair. These courses provide units with capable repair technicians for the topographic equipment. Commanders must ensure that the repair technicians are used to the fullest extent. Additional duties and details assigned to these individuals may adversely effect the unit's topographic equipment maintenance program. Commanders are responsible to ensure that the nonmission capable (NMC) topographic equipment is properly documented and reported. A tendency to overlook a nonreportable piece of NMC topographic equipment may lead to the inability to accomplish a mission. Proper documentation and historical files on topographic equipment assist in obtaining equipment upgrades and or new items.

APPENDIX

TOPOGRAPHIC OPERATIONS ANNEX TO CONPLANS/OPLANS/OPORDS

All corps-level and higher commands prepare a topographic annex to all CON-PLANs/OPLANs/OPORDs. This annex provides the direction needed by subordinate elements of the command to obtain support from topographic units and guidance for the employment of those units. At division-level and below, this information may be in an appendix to the engineer annex or in accordance with local SOPs. The format for the topographic annex is shown on Appendix-3. This format is the same as that used by the unified and specified (U&S) commands, which is Annex M (MC&G) of the Joint Services Operations Plans (JSOPs). Note that all the references in this appendix refer to a general OPORD. Proper preparation of the annex demands detailed identification and definition of all requirements for topographic products and services, whether provided by the DMA or field units. preparation of the topographic annex is not limited to topographic products, but applies to any products and services in the MC&G field which are required to support the command's CONPLANs/OPLANs/and OPORDs.

As with the preparation of any CON-PLAN/OPLAN/OPORD, the quantity and complexity of information contained within the format of the annex or appendix will vary with the level of the unit developing the plan. For instance, preparing the annex for a brigade without a supporting topographic unit will be quite simple compared with that for

a corps. As a minimum, maps and charts required for operational support must be identified.

The types of products and services needed to carry out unit missions and the quantity and frequency of the support desired, are addressed in the Format for Topographic Annex shown on Appendix-3.

To calculate the quantity of maps required for a particular OPLAN, plot the geographical areas covered by the unit's areas of operations and interest on copies of appropriate indexes from the DMA or on a MACOM map catalog. A small-scale map of the general area may be used to plot and correlate the area to the index. Factors to be considered in setting up areas of operations and interest are given in FM 100-5. Areas of operations are designated by the next higher level of command. An alternative method is listing the stock numbers for all the sheets required. Usually a combination of both methods is done, since each has specific advantages.

The next step is to determine the size and type of units to be employed, since this defines the quantity of products required to support the OPLAN. The MACOMs usually publish supplements to AR 115-11, which contain a list of generic units and the quantities of MC&G products each is authorized to order. If a supplement has not been published, the tables found in Section IV,

Topography, of FM 101-10-1/2 provide the necessary guidance. The quantity per sheet is then the sum of authorization for all subordinate units. The quantity per sheet multiplied by the number of sheets required for the geographical area is the *basic load*. The term *days-of-supply* is meaningless for maps, since the speed with which a unit moves through any given area is determined by the mission as influenced by weather, terrain, and the enemy situation.

Planning stocks are those maps required by commanders and staffs to plan an anticipated operation. Allowances, most of the time, are no more than 20 percent of the basic load. Command guidance should define whether or not this quantity is authorized in addition to or *part* of the basic load.

Operational stocks are those consumed, through loss or destruction, during execution

of CONPLAN/OPLAN/OPORD, that must be replaced. Operational stock allowances are usually limited to no more than 20 percent of the basic load.

Overlap must be considered. A simple addition of authorizations for all units under a command is not the total number of maps required for any particular map sheet. To figure this total correctly, look at the geographic area coverage required for each unit at any level, based upon the unit's mission and employment capabilities. Questions such as "Do all brigades in a division require coverage for the entire division area?" need to be addressed. For an infantry squad or a tank platoon, the answer should be "No." On the other hand, entire coverage may be required for an attack helicopter unit in the covering force or a brigade in reserve, even though all the maps may not be in use at the same time.

(Appendix-3 through Appendix-9 is an excerpt from JCS Publication 5-03.2, Volume II).

Format for Topographic Operations Annex M

CLASSIFICATION

HEADQUARTERS, ORIGINATING UNIT ADDRESS DATE

ANNEX TO M HQ OPLAN (NUMBER) (U)

TOPOGRAPHIC OPERATIONS (U)

(U) REFERENCES:

- a. List those standard maps that are required for an understanding of this annex.
- b. List those documents which provide the guidance required for the necessary planning functions that are relevant to this annex.

1. () <u>SITUATION</u>

- a. () $\underline{MC\&G}$ Requirements. List the MC\&G products that are required to support this plan. Show desired area coverage and quantitative requirements using an appendix if necessary or by portraying them graphically using standard index bases.
- b. () <u>Available Products.</u> Provide a general statement regarding the availability and adequacy of the MC&G data and related material required to support the plan.
- c. () <u>Capabilities.</u> List those topographic engineer forces that are assigned or attached. Show latest arrival date (LAD) for each topographic engineer unit that is contained in the time-phased force deployment data (TPFDD). If this is of sufficient length, use an appendix for recording detailed transportation requirements and procedures. Reference the appendix. Take notice that the format for the appendix should follow local procedures.

CLASSIFIED	BY
DECLASSIFY	ON

d. () Supporting Capabilities. List those topographic engineer forces that are not
assigned or attached but which will be required to provide topographic support needed to
implement this plan, including units not deployed. Specify the type of command relation-
ship desired for each unit plus the type and duration of support required.

- e. () <u>Assumptions.</u> List those assumptions upon which this annex is based. The assumptions should state expected conditions over which the commander has no control.
- 2. () MISSION. Restate OPLAN mission statement.

3. () EXECUTION

- a. () Concept of Topographic Operations.
- (1) () $\underline{General.}$ Give a broad statement on how the command will provide the topographic support necessary to meet the commander's overall mission requirement. Include—
 - Time phasing of operations.
 - · Nature and purpose of topographic operations to be conducted.
 - Support that is interrelated or cross-service.
 - · Support from the DMA.
 - Support provided by agreements, coordination, and cooperation necessary for the successful implementation of this plan. Describe the scope and extent of host nation support (HNS) that is available to enhance topographic operations in support of the plan.
- (2) () <u>Deployment.</u> Summarize the requirements for deploying topographic engineer forces and depot activities from their normal peacetime locations. Include the area of operations, emphasizing careful time planning of this deployment.
- (3) () <u>Employment.</u> Describe in general terms how deployed topographic engineer forces are to be employed to conduct topographic operations.
- b. () <u>Tasks.</u> Proper planning demands that provisions be made for the effective operation of all topographic engineer units supporting the command. Effective stockage and issue of MC&G products depend upon timely knowledge of impending operations,

threats, and command movements. Explain detailed responsibilities of commanders, staff, and topographic units. In separate numbered subparagraphs, list the topographic tasks assigned to each element of the command and for those units that provide support to the plan. Each of the tasks should be spelled out in a concise statement. Every task statement should include a mission to be performed in terms of further planning or execution of the overall plan. These task assignments should be sufficiently detailed to ensure that all elements essential to the concept of the operation are described properly. Ensure that responsibilities are assigned to establish, validate, and submit MC&G requirements and to task topographic engineer units supporting the plan State responsibilities for defining and adjusting command stockage levels at map supply points. Specify map and data storage and distribution responsibilities for pick-up and storage.

<u>Coordinating Instructions.</u> The final subparagraph, lettered appropriately, c. () should be in separately numbered subparagraphs. List those instructions that apply to the entire command or to two or more elements of it that are necessary for proper coordination of the MC&G support. Specify points of contact within the command who can authorize the release of war reserve stocks held or who can resolve command MC&G problems. At division level, the DISCOM operates the map supply points; at brigade level, distribution is from forward support battalion supply company through the supply officer (US Army) (S4). You must state whether a push or pull system will be employed. You must also specify any restrictions or quantity of the special products which may be required. Also, give an explanation of the command's system for setting priority and for allocating resources to deal with demands on limited resources. Include a brief description of how notification of forces and agencies will be carried out and how notification will be time sequenced. Provide the conditions under which contacts with host nation agencies are authorized and identify those points of contact.

4. ADMINISTRATION AND LOGISTICS

a. () Supply and Storage.

(1) MC&G Products. Provide instructions on the MC&G supply and storage procedures and requirements. Give guidance for obtaining routine and emergency replenishment of MC&G products. Address any expected constraints on this replenishment Include the planned locations of command and supporting MC&G storage sites and facilities. Specify the type and quantity of MC&G products to be held by the supporting command's units. Give guidance for lead times that are required for furnishing nonstandard special-purpose product support or responding to large quantity orders.

(2	2) ()		Suppo	ort of	Topo	grap	ohic	Engineer	· U	nits.	Top	ographic	engine	er u	nits
normal	ly rely	on	suppor	rted ı	units	for	the	majority	of	logis	tics	support.	Specify	the	require-
ments	needed	for	the p	provisi	ion of	no	ntop	ographic	as	well	as	topograph	ic logis	tics	supports.

b. () <u>Transportation.</u>

- (1) MC&G Products. The MC&G products are normally provided on a supply-point basis, whereby units which need products are responsible for picking up those products from established supply points. Supply guidance for the movement of MC&G products from supporting supply points to the ultimate users. List as a minimum, the time-phased transportation requirements list (TPTRL) portion of the TPFDD reflecting movement of MC&G materials. List any transportation shortfalls in the required support of topographic operations. Also, list contingency plans to fully carry out and sustain topographic operations in the event that full transportation requirements cannot be provided. An appendix may be used, if necessary, to list detailed transportation requirements and procedures.
- (2) () <u>Topographic Engineer Units.</u> Topographic engineer units may also require assistance from supported commands to move organic equipment. Supply guidance for integrating the topographic engineer unit's transportation requirements into the command's movement plan.
- c. () $\underline{\text{MC\&G Support.}}$ Supply instructions for obtaining planned support Itemize the division of responsibilities between organic units and supporting topographic engineer units to ensure that actions to procure and stock MC\&G products are complementary. Identify points of contact for emergency procurement. Normally, access to the DMA support is only available through the supporting command.
- d. () Reports. If reports are required, specify how they are to be formatted as well as what time limits, methods, and classification apply to their submission. Enter this in the appendix. Follow local procedures for format.

5. () <u>COMMAND AND SIGNAL</u>

- a. () <u>Priorities.</u> Delineate the priority of MC&G support to supported units and the priority of production for MC&G products.
- b. () <u>Command Relationships.</u> Include primary and alternate locations of all major topographic engineer units and supporting the DMA organizations. Specify the command and control relationships between the command and its attached or supporting MC&G units and organizations if this has not previously been addressed.

c. () <u>Command and Control.</u> Provide a statement describing the scope and types of any special signal support that is required for MC&G operations. With the exception of survey units, most topographic units have few communications capabilities. Thus, explicit tasks are assigned to ensure that these units are effectively supported by the command's assets. This is especially critical in the case of distribution platoons operating map supply points. The Communications-Electronics Annex to this OPLAN must be referenced.

s/ General Commander in Chief

_			_	_		_	
0	וים	CI	\boldsymbol{C}	т.	Λ	T	٠
~	г	г 1	v	1/	٦.	ட	

(APPROPRIATE LEVEL) ENGINEER

Appendices:

- 1 Mapping, Charting, and Geodesy Requirement List
- 2 Mapping, Charting, and Geodesy Transportation Requirements (Optional)
- 3 Mapping, Charting, and Geodesy Reports (Optional)

CLASSIFIED BY _____ DECLASSIFY ON ____

(FORMAT: Mapping, Charting, and Geodesy Requirements List Appendix)

HEADQUARTERS ORIGINATING UNIT ADDRESS DATE

APPENDIX 1 TO TOPOGRAPHIC ANNEX TO HQ OPLAN (NUMBER) (U)

MAPPING, CHARTING, AND GEODESY REQUIREMENTS LIST (U)

COVERAGE COVERAGE
REQUIRED ITEMS 1/ REQUIRED 2/ AVAILABLE 3/ Quantity 4/

- 1. <u>STANDARD AEROSPACE</u> <u>PRODUCTS</u>
- 2. <u>STANDARD HYDROGRAPHIC</u> <u>PRODUCTS</u>
- 3. <u>STANDARD TOPOGRAPHIC</u> <u>PRODUCTS</u>
- 4. <u>STANDARD AIR TARGET</u> <u>MATERIALS</u>
- 5. <u>SURVEY REQUIREMENTS</u>
- 6. <u>STANDARD MULTIUSE</u> <u>DATA BASES</u>
- 1/ Generalized description such as a map series, scale, or digital data. Stock number of a specific item is not required.
- 2/ Area to be covered described by geographic coordinates, political boundaries (identified by geopolitical codes), and recognizable geographic area. Display in a TAB as a graphic or list.
- 3/ Display status in a TAB as a graphic or list related to coverage required, or source for special-purpose products.
- 4/ Number of copies of each sheet, chart, or item needed to support the OPLAN. A list by stock number is attached as a TAB.

CLASSIFIED	BY
DECLASSIFY	ON

GLOSSARY

ACE Assistant Chief of Engineers

ACCS Army command and control system

ADE Assistant Division Engineer

ADRG arc digitized raster graphics

AR Army regulation

ARAPS area requirements and products status

ATTE Assistant Theater Topographic Engineer

CAS close air support

CCM cross-country movement

CERL Construction Engineering Research Laboratory

CINCs Commander in Chiefs

COMMZ communications zone

COMSEC communications security

CONPLAN contingency plan

CONUS continental United States

CRREL Cold Region Research Engineering Laboratory

DA Department of the Army

DADMS Defense Mapping Agency Automated Distribution Management

System

DCSINT Deputy Chief of Staff for Intelligence

DCSOPS Deputy Chief of Staff Operations

dept department

det detachment

DFAD Digital Feature Analysis Data

DIA Defense Intelligence Agency

DISCOM division support command

DMA Defense Mapping Agency

DMAINST Defense Mapping Agency Instruction

DMIS Defense Mapping Agency Management Information System

DMMC division materiel management center

DPPDB digital point positioning data base

DOD Department of Defense

DTED Digital Terrain Elevation Data

DTSS Digital Topographic Support System

EAC echelon above corps

ENCOM engineer command

engr engineer

FLIP flight information publication

FM field manual

FSO field support office

G2 Assistant Chief of Staff, G2 (Intelligence)

G3 Assistant Chief of Staff, G3 (Operations and Plans)

G4 Assistant Chief of Staff, G4 (Logistics)

HNS host nation support

HQ headquarters

HQDA Headquarters, Department of the Army

HTF how to fight

IPB intelligence preparation of the battlefield

ITAC Intelligence and Threat Analysis Center

ITD interim terrain data

JCS Joint Chiefs of Staff

JOG Joint Operations Graphic

JSCP Joint Strategic Capabilities Plan

JSOP Joint Services Operations Plan

LAD latest arrival date

LOC lines of communications

MACOM major Army command

MBT main battle tank

MC&G mapping, charting, and geodesy

METT-T mission, enemy, terrain, troops, and time available

MGID military geographic information and documentation

MNS mission needs statements

MOUT military operations on urbanized terrain

MSI multi-spectual imagery

NATO North Atlantic Treaty Organization

NBC nuclear, biological, chemical

NMC nonmission capable

NOE nap-of-the-earth

OCOKA observation and fields of fire, cover and concealment, obstacles, key

terrain, and avenues of approach

OPLAN operation plan

OPORD operation order

PMS product maintenance system

PPDB point positioning data base

PTADB planning terrain analysis data base

S2 Intelligence Officer (US Army)

SAEDA subversion and espionage directed against United States Army

SBI special background investigation

SIGINT signals intelligence

SOF special operations force

SOP standing operating procedures

STANAG standard NATO agreement

SWO staff weather officer

TA theater Army

TAC terrain analysis center

TAACOM theater area commander

TAP Terrain Analysis Program

TDA tactical decision aid

TEC Topographic Engineering Center

TM technical manual

TOC tactical operations center

TOPO topographic

TPFDD time-phased force deployment data

TPTRL time-phased transportation requirements list

TRADOC United States Army Training and Doctrine Command

TS top secret

TSCM technical surveillance countermeasures

TTADB tactical terrain analysis data base

TTD tactical terrain data

(U) unclassified

US United States (of America)

U&S Unified and Specified

USACE US Army Corps of Engineers

USAES United States Army Engineer School

USGS United States Geological Survey

VOD Vertical Obstruction Data

WES Waterways Experimental Station

References

Sources Used

These are the sources quoted or paraphrased in this publication.

Army Publications

- AR 115-11. Army Topography. 1 March 1980.
- FM 5-33. Terrain Analysis. 11 July 1990 (change 1, Sept 1992).
- FM 34-1. Intelligence and Electronic Warfare Operations. 2 July 1987.
- FM 100-5. Operations. 5 May 1986.
- FM 101-10-1/1. Staff Officers Field Manual-Organizational, Technical and Logistical Data (Volume 1). 7 October 1987.
- FM 101-10-1/2. Staff Officers Field Manual: Organizational, Technical, and Logistical Data, Planning Factors (Volume 2) (Reprinted W/Basic Incl C1). 7 October 1987.
- SF-344 Multiuse Standard Requisitioning/Issue System Document. January 1972.

Joint Chiefs of Staff (JCS) Publication

- MSM-215-91. Joint Strategic Capabilities Plan (JSCP), Annex G (Mapping, Charting, and Geodesy to the Joint Strategic Capabilities Plan.) cy 1993-1995 (c).
- 5-03.2 The Joint Operation Planning and Execution System, Volume II, Supplemental Planning Formats and Guidance. 15 March 1990.

Documents Needed

These documents must be available to the intended users of this publication.

Army Regulations (AR)

- 70-1. Systems Acquisition Policy and Procedures. 10 October 1988.
- 71-9. Material Objectives and Requirements. 20 February 1987.
- 115-10. Meteorological Support for the US Army (AFR 105-3). 23 April 1990.
- 115-12. US Army Requirements for Weather and Climatological Support. 12 April 1991.
- 380-4. DA Physical Security Program in the National Capital Region. 15 April 1982.
- 380-5. Department of the Army Information Security Program. 25 February 1988.
- 380-6. Laser Guidance System Security Classification Guide. 1 December 1983.
- 380-10. (C) Disclosure of Information, Visits, and Accreditation of Foreign Nationals. 29 July 1988.

- 380-13. Acquisition and Storage of Information Concerning Nonaffiliated Persons and Organizations. 30 September 1974.
- 380-15. (C) Safeguarding Classified NATO Information (U) (S&I, ASNS-OPB, RM 1B889, Pentagon, Wash, DC 20310). 1 March 1984.
- 380-19. Information Systems Security. 1 August 1990.
- 380-28. (C) Department of the Army Special Security System. 16 September 1991.
- 380-30. (S) Reporting of Critical Intelligence Information (Critic) (U). 18 March 1977.
- 380-40. (C) Policy for Safeguarding and Controlling Communications Security (COMSEC) Material (U). 22 October 1990.
- 380-49. Industrial Security Program. 15 April 1982.
- 380-53. Communications Security Monitoring. 15 November 1984.
- 380-58. Security Classification of Airborne Sensor Imagery and Imaging Systems. 28 February 1991.
- 380-65. Security Classification Guidelines for Emerging Technologies. 30 November 1986.
- 380-66. International Technology Transfer and Security. 23 October 1987.
- 380-67. The Department of the Army Personnel Security Program. 9 September 1988.
- 380-86. Classification of Chemical Warfare and Chemical and Biological Defense Information. 15 February 1984.
- 380-90. Troop List, Manpower, and Force Structure Security Classification Guidance. 15 April 1980.
- 380-150. Access to and Dissemination of Restricted Data (Reprinted W/Basic Incl C1). 15 August 1982.
- 380-381. (C) Special Access Programs (SAPS) (U). 29 May 1992.
- 381-1. Security Controls on the Dissemination of Intelligence Information. 12 February 1990.
- 381-3. (C) Signals Intelligence (SIGINT) (U). 15 January 1982.
- 381-10. US Army Intelligence Activities. 1 July 1984.
- 381-11. Threat Support to US Army Force, Combat, and Material Development. 12 March 1986.
- 381-12. Subversion and Espionage Directed Against US Army (SAEDA). 1 July 1981.
- 381-12-1. (C) Processing of SAEDA Incidents (U.). 15 March 1984.
- 381-14. (S) Technical Surveillance Countermeasures (TSCM) (U). 3 October 1986.
- 381-19. Intelligence Dissemination and Production Support. 16 February 1988.
- 381-20. US Army Counterintelligence Activities (Reprinted W/Basic Incl Cl). 26 September 1986.
- 381-26. (SRD) Army Foreign Materiel Exploitation program (U). 27 May 1991.
- 381-45. Investigative Records Repository. 25 August 1989.
- 381-47. (S) US Army Offensive Counterespionage Activities (U) (S&I, HQDA (DAMI-CIC) RM 2D487, Wash, DC 20310-1054). 30 July 1990.
- 381-48. (S/NOFORN) SMS Policy (U) (S&I, ACSI, ATTN: DAMI-ISH Wash, DC 20310-106 1). 3 February 1986.
- 381-100. (S) Army Human Intelligence Collection Progrms (U). 15 May 1988.
- 381-102. (S) US Army Cover Support Program (U). 1990.
- 381-141. (C) Intelligence Contingency Funds (S&I, HQDA, ATTN: DAMI-PRP, RM 2E477, Wash, DC 20310-1030. 30 July 1990.
- 381-143. (C) Logistic Policies and Procedures (U) (S&I ACSI, ATTN: DAMI-ISH, Wash, DC 20310-1061. 11 April 1986.
- 381-171. (S) International Intelligence Agreements (U). 21 October 1986.

Defense Mapping Agency Instructions (DMAINST)

- 5000.20. DMA Management Information System (DMIS).
- 5160.1. Management of Service MC&G Activities 5630.1 Data Elements and Data Codes Standardization Procedures.
- 8000.2. DOD Mapping, Charting, and Geodesy (MC&G) Libraries and Related Data Acquisition, Analysis, Evaluations, and Services.
- 8002.2. Defense Mapping Agency (DMA) Policy on Processing Requests for Cartographic Aerial Imagery.
- 8010.1. Preparation and Implementation of Mapping, Charting, and Geodesy Standardization Agreements.
- 8011.1. Intragovernmental Agreements.
- 8012.1A. Negotiation of International Agreements.
- 8050.1A. DMA Systems Requirements File.
- 8050.3. DMA Area Requirements and Product Status (ARAPS) System.
- 8050.4. Submission and Validation of Mapping, Charting, and Geodesy Requirements.
- 8052.1. Validation of Requirements for New or Modified Non-Crisis Mapping, Charting, and Geodetic (MC&G) Products and Services.
- 8052.6. Procedures for Obtaining MC&G Products in Support of Crisis Situations.
- 8130.1. Defense Mapping Agency Product Specifications.
- 8358.1. Datums, Ellipsoids, Grids, and Grid Reference System.
- 8430.1. Point Positioning Data Bases (PPDB) Program.
- 8440.1. Management of Terrain Analysis Program (TAP).
- 8570.1. DMA Product Maintenance System (PMS).
- 8600.1. Automated Distribution Management System (DADMS).
- 8600.3. DMA Distribution of Maps, Charts, and Related Publications.
- 8600.4. The Defense Mapping Agency (DMA) Policy on Folding Maps and Charts.
- 8600.5. MC&G Distribution Support Policy for Crisis/Contingency Situations.

Department of Defense Regulations and Manuals (DOD)

DOD-DMAHTC. Glossary of Mapping, Charting, and Geodetric Terms.

DOD-DMAHTC. Product Specifications for the Hard Copy Planning Terrain Analysis

Data Base (PTADB) and for the Hard Copy Tactical Terrain Analysis Data Base (TTADB).

DOD-DMAHTC Manual 1-40130. Quality Control Program.

Department of Defense Publications Directives

5104.21-DIA. Defense Intelligence Agency Responsibility Relating to Terrain Analysis.
5105.40-DMA. Defense Mapping Agency Responsibility Relating to Engineer Responsibility for Mapping, Charting, and Geodesy Glossary of Mapping, Charting, and Geodetic Terms.

Field Manuals (FM)

- 5-30. Engineer Intelligence (Reprinted W/Basic Incl C1). 22 September 1967.
- 5-34. Engineer Field Data. 14 September 1987.
- 5-36. Route Reconnaissance and Classification. 10 May 1985.
- 5-100. Engineer Combat Operations. 22 November 1988.

- 5-101. Mobility. 23 January 1985.
- 5-102. Counter-mobility. 14 March 1985.
- 5-103. Survivability. 10 June 1985.
- 5-104. General Engineering. 12 November 1986.
- 5-232. Topographic Surveying. 27 September 1989.
- 5-233. Construction Surveying. 4 January 1985.
- 6-2. Field Artillery Survey. 3 November 1986.
- 6-121. Tactics, Techniques, and Procedures for Field Artillery Target Acquisition. 25 September 1990.
- 21-26. Map Reading and Land Navigation. 30 September 1987.
- 21-31. Topographic Symbols (Reprinted W/Basic Incl C1). 19 June 1961.
- 241. Signal Support in the AirLand Battle. 15 October 1990.
- 30-10A. (C) Special Applications of Terrain Intelligence (U). 22 December 1964.
- 31-71. Northern Operations. 21 June 1971.
- 3425. Corps Intelligence and Electronic Warfare Operations. 30 September 1987.
- 34130. Intelligence Preparation of the Battlefield. 23 May 1989.
- 3481. Weather Support for Army Tactical Operations (A-FM 105-4). 31 August 1989.
- 90-2. Battlefield Deception. 3 October 1988.
- 90-3 (HTF). Desert Operations (How to Fight) [FMFM 7-27]. 19 August 1977.
- 90-4. Air Assault Operators. 16 March 1987.
- 90-5 (HTF). Jungle Operations (How to Fight). 16 August 1982.
- 90-6. Mountain Operations. 30 June 1980.
- 90-10 (HTF). Military Operations on Urbanized Terrain (MOUT) (How to Fight). 15 August 1979.
- 90-10-1 (HTF). An Infantryman's Guide to Urban Combat (How to Fight). 30 September 1982.
- 90-13 (HTF). River Crossing Operations (How to Fight). 1 November 1978.
- 100-10. Combat Service Support. 18 February 1988.
- 100-15. Corps Operation. 13 September 1989.
- 101-5. Staff Organization and Operations. 25 May 1984.
- 101-5-1. Operational Terms and Symbols. 21 October 1985.

Graphic Training Aid (GTA)

5-2-14. How to Order a Map. 1984.

NATO Standardization Agreements (STANAGs)

- 1103 IGEO. Standard Procedures for the Emergency Printing of Nautical Charts Published by One NATO Nation and Reprinted by Another. 25 March 1971.
- 1113 IGEO. General Specifications for Projections Required for Nautical Charts for Polar Regions and the Higher Latitudes. 24 March 1971.
- 1120 IGEO. Code Designation System for Special Naval Charts. 15 December 1976.
- 2010 ENGR. Military Load Classification Markings. 18 November 1980.
- 2021 ENGR. *Military Computation of Bridge, Ferry, Raft, and Vehicle Classifications.* 18 September 1990.
- 2022 INT. Intelligence Reports. 29 September 1988.
- 2174 M&T. Military Routes and Route/Road Networks. 10 August 1978.

- 2201 IGEO. Standard Unit of Vertical Measure To Be Shown on Land Maps. 14 May 1970.
- 2205 IGEO. *Use of Identical Maps and Charts (Excluding Nautical Charts).* 13 October 1988.
- 2210 IGEO. Trig Lists (Lists of Geodetic Data). 9 June 1969.
- 2211 IGEO. Geodetic Datums, Spheroids, Grids, and Grid References. 4 May 1983.
- 2215 IGEO. Evaluation of Land Maps, Aeronautical Charts, and Digital Topographic Data, 18 December 1989.
- 2216 IGEO. Vertical Aerial Cartographic Photography. 26 November 1970.
- 2251 IGEO. Scope and Presentation of Military Geographic Information and Documentation (MGID). 28 January 1976.
- 2253 IGEO. MGD Roads and Road Structures. 29 January 1982.
- 2254 IGEO. MGD Navigable Inland Waterways. 12 October 1978.
- 2255 IGEO. MGD Ports. 27 September 1976.
- 2256 IGEO. MGD Inland Hydrography. 9 December 1971.
- 2257 IGEO. MGD Railways. 18 December 1979.
- 2259 IGEO. MGD Terrain. 12 June 1975.
- 2260 IGEO. MGD Electric Power. 22 February 1980.
- 2263 IGEO. MGD Coastal Areas and Landing Beaches. 27 September 1976.
- 2269 IGEO. MGD Engineer Resources. 14 May 1979.
- 2271 IGEO. MGD Urban Areas. 15 April 1975.
- 3178 REM. Rolled Air Film and Air Framing Camera Standard Image Format Sizes. 4 April 1985.
- 3189 IRI. Titling of Air Reconnaissance, Air Survey, and Mapping Imagery. 22 November 1990.
- 3205 IRI. Points Designation Template for Air Imagery. 28 September 1976.
- 3277 IRI. Air Reconnaissance Request/Task Form. 31 March 1978.
- 3408 IGEO. Position Reference Systems for Aeronautical Charts. 27 February 1967.
- 3409 MC. Projections for Aeronautical Charts. 4 February 1972.
- 3412 IGEO. Aeronautical Information on Aeronautical Charts. 1 August 1989.
- 3591 IGEO. Criteria for Maximum Elevation Figure for Aeronautical Charts. 24 November 1989.
- 3599 REM. Edge Numbering of Films Used for Air Reconnaissance. 13 June 1989.
- 3600 IGEO. Topographical Land Maps and Aeronautical Charts 1:250,000 for Joint Operations. 22 June 1979.
- 3666 IGEO. Charts and Geographic Products. No date.
- 3671 IGEO. Edition Designation System for Land Maps, Aeronautical Charts and Military Geographic Documentation. 15 November 1972.
- 3672 IGEO. Indexes to Series of Lund Maps and Aeronautical Charts and Indexes to Military Geographic Information and Documentation (MGID). 27 June 1973.
- 3673 IGEO. *Identification of Source Data on Nautical and Special Naval Charts.* 26 June 1989.
- 3675 IGEO. Symbols on Land Maps, Aeronautical Charts and Special Naval Charts. 4 June 1974.
- 3676 IGEO. Marginal Information on Land Maps, Aeronautical Charts, and Photographs. 2 April 1987.
- 3677 IGEO. Standard Scales for Land Maps and Aeronautical Charts. 7 September 1986.

- 3678 IGEO. Method of Adding the Military Grid to Nautical Charts in the NATO Area. 15 September 1971.
- 3689 IGEO. Place Name Spelling on Maps and Charts. 31 July 1984.
- 3690 IGEO. Maximum Trimmed Paper Size of Maps for Use in the Field. 24 March 1986.
- 3710 IGEO. Military City Maps. 9 June 1972.
- 3715 IGEO. General Specifications for Non-Subcontract Charts. 11 July 1974.
- 3716 IGEO. Map Series Numbering. 11 July 1974.
- 3721 IGEO. Automatic Data Processing (ADP) Master File for Land Maps and Aeronautical Charts. 26 October 1988.
- 3754 IGEO, Automatic Data Processing (ADP) War Reserve Stock File for Maps and Aeronautical Charts. 27 October 1988.
- 3764 IGEO. Exchange of Imagery. 9 February 1989.
- 3768 IRI. Guide to Security Classification of Air Reconnaissance Imagery. 26 September 1988,
- 3769 IRI. Minimum Resolved Object Sizes and Scales for Imagery Interpretation. 21 October 1976.
- 3809 IGEO. Digital Terrain Elevation Data Exchange Format. 22 April 1987.
- 3833 IGEO. Symbols for Use on Maps of Training Areas for Land Forces. 19 December 1983.
- 3884 IGEO. Air Imagery Interpretation Annotation. 13 March 1981.

Technial Manuals (TMs)

- 5-232. Elements of Surveying. 1 June 1971.
- 5-235. Special Surveys. 18 September 1964.
- 5-237. Surveying Computer's Manual (Reprinted W/Basic Incl C1). 30 October 1964.
- 5-240. Compilation and Color Separation of Topographic Maps. 15 June 1971.
- 5-241-5/2. Universal Transverse Mercator Grid Tables for Latitudes 0 Degree to 80 Degree: Bessel Spheroid (Meters): Volume II, Transformation of Coordinates From Grid to Geographic. 7 July 1958.
- 5-243. Cartographic Aerial Photography (AFM 95-6). 2 January 1970.
- 5-245. Offset Photolithography and Map Reproduction. 21 July 1970.
- 5-545. Geology. 8 July 1971.
- 9-258. Elementary Optics and Application to Fire Control Instruments. 5 December 1977.

Readings Recommended

Department of the Army Consolidated Topographic Support Program (DACONTP), OACSI, DA.

<u>INDEX</u>

Army mapping, charting, and geodesy (MC&G) community 1-12

Assistant Theater Topographic Engineer (ATTE) 1-11

Battalion commander 1-11, 1-14, 2-2

Battle 1-1, 1-2, 1-4, 1-8, 1-9, 1-11, 2-4, 2-7, 2-8, 2-9, 2-10

Battlefield iii, 1-1, 1-2, 1-8, 1-9, 1-10, 1-11, 1-14, 1-15, 2-1, 2-3, 2-4, 2-7, 2-8, 2-10 Preparation of 1-9, 2-7, Appendix-1

Command and support relationships 2-2

Communications 1-2, 1-7, 1-8, 2-2, 2-11, Appendix-7

CONPLANs/OPLANs/OPORDs 1-8, 1-11, Appendix-1, Appendix-2, Appendix-7

Corps iii, 1-4, 1-7, 1-8, 1-9, 1-10, 1-11, 1-14, 1-15, 2-1, 2-2, 2-3, 2-5, 2-9, 2-10, 2-12, Appendix-1

Corps engineer 1-9, 1-14, 1-15

Data bases 1-2, 1-4, 1-7, 1-9, 1-10, 1-11, 1-14, 2-1, 2-2, 2-3, 2-4, 2-5, 2-6 ,2-8, 2-9, 2-10, 2-11, Appendix-9

Deputy Chief of Staff for Intelligence (DCSINT) 1-9, 1-14

Description of Appendix-5

Disaster relief 2-11

Division iii, 1-4, 1-7, 1-9, 1-10, 1-11, 1-14, 1-15, 2-1, 2-2, 2-3, 2-5, 2-9, 2-10, Appendix-1, Appendix-2, Appendix-5, Appendix-6

Division engineer 1-9, 1-14, 1-15

Division staff 2-3

DMA iii, 1-2, 1-3, 1-4, 1-6, 1-7, 1-8, 1-9, 1-10, 1-11, 1-12, 1-14, 2-2, 2-4, 2-5, 2-6, 2-7, 2-8, 2-9, 2-10, 2-11, Appendix-1, Appendix-4, Appendix-6

MC&G support 1-8, 1-11, 2-2, Appendix-5, Appendix-6

Standard products 1-4, 1-11,2-11

DTED 1-3, 2-5, 2-9

EAC 1-4, 1-10, 1-11, 1-14, 2-1, 2-2, 2-3, 2-5

Employment 2-1, Appendix-1, Appendix-2, Appendix-4

Employment of units 2-1

Engineer topographic battalion 2-1

Factor overlays 1-2, 1-3, 2-5

Humanitarian relief 2-8

Information iii, 1-1, 1-2, 1-4, 1-7, 1-9, 1-10, 1-11, 1-14, 1-15, 2-2, 2-3, 2-4, 2-5, 2-6, 2-7, 2-9, 2-10,2-11, Appendix-1, Appendix-5

Intelligence preparation of the battlefield 1-9

Intelligence staff 1-8, 1-9

ITD 1-3, 2-5,2-9

Map storage and distribution 1-7 MC&G products 1-7, 1-11, 2-2, 2-9, Appendix-1, Appendix-3, Appendix-4, Appendix-5, Appendix-6

MC&G community 1-12

MC&G products 1-7, 1-11, 2-2, 2-9, Appendix-1, Appendix-3, Appendix-4, Appendix-5, Appendix-6

MC&G support 1-8, 1-11, 2-2, Appendix-5, Appendix-6

METT-T 1-1, 2-7

OCOKA 2-7

Operations iii, 1-1, 1-2, 1-4, 1-8, 1-9, 1-10, 1-11, 1-12, 1-14, 1-15, 2-1, 2-2, 2-3, 2-4, 2-5, 2-6, 2-7, 2-8, 2-9, 2-10, 2-11, Appendix-1, Appendix-3, Appendix-4, Appendix-5, Appendix-6, Appendix-7

Postbattle 1-4, 2-4

Prebattle 1-4, 1-7, 2-4, 2-10

Preparation of 1-9, 2-7, Appendix-1

Production 1-4, 1-9, 1-10, 1-11, 1-14, 1-15, 2-1, 2-2, 2-3, 2-4, 2-5, 2-6, 2-9, 2-10, Appendix-6

Reproduction data base 2-6, 2-7

Requirements 1-4, 1-8, 1-9, 1-10, 1-11, 1-12, 1-14, 1-15, 2-1, 2-2, 2-3, 2-4, 2-8, 2-9, 2-11, 2-12, Appendix-1, Appendix-3, Appendix-4, Appendix-5, Appendix-6, Appendix-8, Appendix-9

Responsibilities 1-1, 1-11, Appendix-5, Appendix-6

Special-purpose products 1-8, 1-11, Appendix-9

Standard products 1-4, 1-11,2-11

Support to military operations 2-8

Battle 1-1, 1-2, 1-4, 1-8, 1-9, 1-11, 2-4, 2-7, 2-8, 2-9, 2-10

Disaster relief 2-11

Humanitarian relief 2-11

Nation Assistance 2-11

Postbattle 1-4, 2-4

Prebattle 1-4, 1-7, 2-4, 2-10

Surveyors 1-7, 2-3, 2-4, 2-9

Tactical commander 2-1, 2-3, 2-7, 2-10

Technical supplies 1-14, 2-4, 2-8, 2-12

Terrain analysis 1-2, 1-3, 1-4, 1-7, 1-8, 1-9, 1-10, 1-11, 1-14, 1-15, 2-2, 2-3, 2-4, 2-5, 2-6, 2-7, 2-8

Description of Appendix-5

Terrain analysts 1-4,2-2,2-3,2-7,2-10 Responsibilities of Appendix-5

Theater 1-7, 1-8, 1-9, 1-11, 1-12, 1-14, 2-1, 2-2, 2-9

Corps iii, 1-4, 1-7, 1-8, 1-9, 1-10, 1-11, 1-14, 1-15, 2-1, 2-2, 2-3, 2-5, 2-10, 2-12, Appendix-1

Division iii, 1-4, 1-7, 1-9, 1-10, 1-11, 1-14, 1-15, 2-1, 2-2, 2-3, 2-5, 2-9, 2-10, Appendix-1,

Appendix-2, Appendix-5, Appendix-6

Theater Army engineer 1-11, 1-12

TOC 1-9

Topographic annex 1-8, 1-11, 1-12, Appendix-1, Appendix-9

Topographic battalion 1-11, 1-12, 2-1, 2-2, 2-3, 2-10

Topographic battalion commander 2-2

Topographic company 1-14, 2-1, 2-2, 2-3, 2-6, 2-11

Topographic engineer operations 2-1, 2-7

Topographic engineer units 1-10, 2-2, 2-4, 2-6, 2-11, 2-12, Appendix-4, Appendix-5, Appendix-6

Topographic Engineering Center (TEC) 1-10

Topographic functions 1-2

Topographic support 1-1, 1-6, 1-8, 1-9, 1-10, 1-12, 1-14, 2-1, 2-2, 2-3, 2-6, 2-8, 2-9, 2-10, 2-11, Appendix-4

Topographic support to Army systems 1-6, 1-8

Tactical commander 2-1, 2-3, 2-7, 2-10

Information iii, 1-1, 1-2, 1-4, 1-7, 1-9, 1-10, 1-11, 1-14, 1-15, 2-2, 2-3, 2-4, 2-5, 2-6, 2-7, 2-9, 2-10,2-11, Appendix-1, Appendix-5

Requirements 1-4, 1-8, 1-9, 1-10, 1-11, 1-12, 1-14, 1-15, 2-1, 2-2, 2-3, 2-4, 2-8, 2-9, 2-11, 2-12, Appendix-1, Appendix-3, Appendix-4, Appendix-5, Appendix-6, Appendix-8, Appendix-9

30 SEPTEMBER 1993

By Order of the Secretary of the Army:

Official:

MILTON H. HAMILTON
Administrative Assistant to the
Secretary of the Army

GORDON R. SULLIVAN General, United States Army Chief of Staff

DISTRIBUTION:

Active Army, USAR, and ARNG: To be distributed in accordance with DA Form 12-11-E, FM 5-105, Topographic Operations, (Qty rqr block no. 0751).