

**HAND RECEIPT**

**COVERING CONTENTS OF COMPONENTS  
OF END ITEM (COEI), BASIC ISSUE ITEMS (BII),  
AND ADDITIONAL AUTHORIZATION LIST (AAL)**

**FOR**

**MULTIPLE INTEGRATED LASER ENGAGEMENT  
SYSTEM**

**(MILES)**

**SIMULATOR SYSTEM, FIRING, LASER: M60**

**NSN 1265-01-085-1583**

**FOR**

**M16A1 AND M16A2 RIFLE**

**Approved for public release; distribution is unlimited.**

---

**H E A D Q U A R T E R S , D E P A R T M E N T O F T H E A R M Y  
O C T O B E R 1 9 8 9**

Hand Receipt

TM 9-1265-370-10-1-HR

HEADQUARTERS  
DEPARTMENT OF THE ARMY  
WASHINGTON, DC 20 October 1989

**HAND RECEIPT**

**COVERING CONTENT OF COMPONENTS OF END ITEM (COEI)  
BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL)**

**FOR**

**MULTIPLE INTEGRATED LASER ENGAGEMENT SYSTEM (MILES)**

**SIMULATOR SYSTEM, FIRING, LASER; M60**

**NSN 1265-01-085-1583**

**FOR**

**M16A1 AND M16A2 RIFLE**

**REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS**

You can help improve this manual. If you find any mistakes, or if you know of a way to improve the procedures, please let us know. Mail your letter or DA Form 2028 (Recommended Changes to Publications and Blank Forms) direct to: Commander, U.S. Army Armament, Munitions and Chemical Command, ATTN: AMSMC-MAS, Rock Island, IL 61299-6000. A reply will be furnished to you.

Approved for public release; distribution is unlimited.

**TABLE OF CONTENTS**

	<b>Page</b>
<b>Section I. Introduction .....</b>	<b>1-1</b>
<b>Section II. Hand Receipt .....</b>	<b>2-1</b>

**HAND RECEIPT FOR CONTENTS OF  
COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND  
ADDITIONAL AUTHORIZATION LIST ITEMS FOR  
MILES SYSTEM FOR THE M16A1 AND M16A2 RIFLE**

---

**Section I. INTRODUCTION**

**1. SCOPE.** This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components of End Item (COEI), Basic Issue Items (BII), and Additional Authorization List (AAL) items related to the Multiple Integrated Laser Engagement System (MILES): M16A1 and M16A2 Rifle.

**2. GENERAL**

**a.** Section II is the overprinted DA Form 2062 which lists the line item entry for System/End Item and the content of COEI, BII, and AAL extracted from TM 9-1265-370-101. The listings consist of exactly the same items and are in the same sequence as those listings in TM 9-1265-370-10-1.

**b.** The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist organizations in inventorying and accounting for property as required by DA PAM 710-2-1.

**c.** Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant, or duplicating plant facilities.

**d.** Additional copies may be requisitioned from the U.S. Army Adjutant General Publications Center, 2800 Eastern Boulevard, Baltimore, MD 21220 in accordance with chapter 12, AR 25-30.

**3. EXPLANATION OF BLOCKS AND COLUMNS (DA FORM 2062).** Refer to chapter 2, DA PAM 710-2-1. Additional information required to complete DA Form 2062 is listed below:

**a.** Hand receipts shall identify the accounting requirement status of all line item entries in column c. One of the following Accounting Requirements Codes (ARC) will apply:

- (N) for Nonexpendable: Items not consumed in use, retaining their identity during use, and requiring that accountability be maintained throughout the life of the item.
- (D) for Durable: Nonconsumable components of sets, kits, outfits, and assemblages; all tools in FSC's 5110, 5120, 5130, 5133, 5136, 5140, 5180, 5210, 5220, and 5280; and any other nonconsumable with a price in excess of \$50.00 not already "N".
- (X) for Expendable: Items regardless of type classification or price and which are consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost \$50.00 or less and not already "N" or "D".

b. Authorization documents are as follows:

- (1) Components of End Item (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).
- (2) Basic Issue Items (BII) are authorized by the applicable operator's manual.
- (3) Additional Authorization List (AAL) items are authorized by appropriate MTOE, TDA, CTA, or JTA authorization documents.

<b>HAND RECEIPT/ANNEX NUMBER</b> <i>For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.</i>		FROM:			TO:			HAND RECEIPT NUMBER			
FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 1265-01-085-1583	END ITEM DESCRIPTION MILES SYSTEM/M60 FOR M16A1/M16A2 RIFLE			PUBLICATION NUMBER TM 9-1265-370-10-1		PUBLICATION DATE		QUANTITY		
STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	★ <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6135-01-063-1978	Additional Authorization List (AAL) Battery,9 volt (80058) BA-3090/U	X			3						

★ WHEN USED AS A:  
 HAND RECEIPT, enter Hand Receipt Annex Number  
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes  
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).  
 EDITION OF JAN 58 IS OBSOLETE.

DA FORM 2062  
JAN 82

PAGE 1 OF 2 PAGES.  
CURRENT AS OF JULY 1988

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	★ <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
	Basic Issue Item (BI) Operator's Manual f/ Simulator Syste, Firing Laser: M60 f/M16A1/A2 Rifle				1						

<b>HAND RECEIPT/ANNEX NUMBER</b> <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	<b>FROM:</b>	<b>TO:</b>	<b>HAND RECEIPT NUMBER</b>
---	--------------	------------	----------------------------

<b>FOR ANNEX CR ONLY</b>	<b>END ITEM STOCK NUMBER</b> 1265-01-085-1583	<b>END ITEM DESCRIPTION</b> MILES SYSTEM/M60 FOR M16A1/M16A2 RIFLE	<b>PUBLICATION NUMBER</b> TM 9-1265-370-10-1	<b>PUBLICATION DATE</b>	<b>QUANTITY</b>
--------------------------	--	---	---	-------------------------	-----------------

<b>STOCK NUMBER</b> <small>a.</small>	<b>ITEM DESCRIPTION</b> <small>b.</small>	<small>★</small> <b>c</b>	<b>SEC</b> <small>d.</small>	<b>UI</b> <small>e.</small>	<b>QTY</b> <b>AUTH</b> <small>f</small>	<small>g.</small> <b>QUANTITY</b>					
						<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>
1265-01-236-6725  1265-01-075-4893	SIMULATOR SYSTEM, FIRING LASER: M60 FOR M16A1 AND M16A2 RIFLE (19200) 11749270  Components of End Item (COEI) M16A1 Laser Transmitter Assembly (19200) 11748801 M16A2 Laser Transmitter Assembly (alternate item) (19200) 9353050 Man Worn Laser Detector Assembly (19200) 11748808	N			1 1 1						

\*MEN USED AS A:  
 HAND RECEIPT, enter Hand Recp Annex Number  
 HAND RECEIPT FOR QUARTERS FURNITURE enter Condition Codes  
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).  
 DA FORM 2062 JAN 82 EDITION OF JAN 58 IS OBSOLETE.

PAGE 1 OF 2 PAGES  
 CURRENT AS OF JULY 1988

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	★ <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F



Ily Order of the Secretary of the Army:

**CARL E. VUONO**  
*General, United States Army*  
*Chief of Staff*

Official:

**WILLIAM J. MEEHAN II**  
*Brigadier General, United States Army*  
*The Adjutant General*

DI)STRIBUTION:

To be distributed in accordance with DA Form 12-40, Operator's Maintenance requirements for MILES Simulator Sys, Firing, Laser, M60 (for M16A1 Rifle).



## The Metric System and Equivalents

### Linear Measure

1 centimeter = 10 millimeters = .39 inch  
 1 decimeter = 10 centimeters = 3.94 inches  
 1 meter = 10 decimeters = 39.37 inches  
 1 dekameter = 10 meters = 32.8 feet  
 1 hectometer = 10 dekameters = 328.08 feet  
 1 kilometer = 10 hectometers = 3,280.8 feet

### Weights

1 centigram = 10 milligrams = .15 grain  
 1 decigram = 10 centigrams = 1.54 grains  
 1 gram = 10 decigrams = .035 ounce  
 1 decagram = 10 grams = .35 ounce  
 1 hectogram = 10 decagrams = 3.52 ounces  
 1 kilogram = 10 hectograms = 2.2 pounds  
 1 quintal = 100 kilograms = 220.46 pounds  
 1 metric ton = 10 quintals = 1.1 short tons

### Liquid Measure

1 centiliter = 10 milliliters = .34 fl. ounce  
 1 deciliter = 10 centiliters = 3.38 fl. ounces  
 1 liter = 10 deciliters = 33.81 fl. ounces  
 1 dekaliter = 10 liters = 2.64 gallons  
 1 hectoliter = 10 dekaliters = 26.42 gallons  
 1 kiloliter = 10 hectoliters = 264.18 gallons

### Square Measure

1 sq. centimeter = 100 sq. millimeters = .155 sq. inch  
 1 sq. decimeter = 100 sq. centimeters = 15.5 sq. inches  
 1 sq. meter (centare) = 100 sq. decimeters = 10.76 sq. feet  
 1 sq. dekameter (are) = 100 sq. meters = 1,076.4 sq. feet  
 1 sq. hectometer (hectare) = 100 sq. dekameters = 2.47 acres  
 1 sq. kilometer = 100 sq. hectometers = .386 sq. mile

### Cubic Measure

1 cu. centimeter = 1000 cu. millimeters = .06 cu. inch  
 1 cu. decimeter = 1000 cu. centimeters = 61.02 cu. inches  
 1 cu. meter = 1000 cu. decimeters = 35.31 cu. feet

## Approximate Conversion Factors

<i>To change</i>	<i>To</i>	<i>Multiply by</i>	<i>To change</i>	<i>To</i>	<i>Multiply by</i>
inches	centimeters	2.540	ounce-inches	Newton-meters	.007062
feet	meters	.305	centimeters	inches	.394
yards	meters	.914	meters	feet	3.280
miles	kilometers	1.609	meters	yards	1.094
square inches	square centimeters	6.451	kilometers	miles	.621
square feet	square meters	.093	square centimeters	square inches	.155
square yards	square meters	.836	square meters	square feet	10.764
square miles	square kilometers	2.590	square meters	square yards	1.196
acres	square hectometers	.405	square kilometers	square miles	.386
cubic feet	cubic meters	.028	square hectometers	acres	2.471
cubic yards	cubic meters	.765	cubic meters	cubic feet	35.315
fluid ounces	milliliters	29.573	cubic meters	cubic yards	1.308
pints	liters	.473	milliliters	fluid ounces	.034
quarts	liters	.946	liters	pints	2.113
gallons	liters	3.785	liters	quarts	1.057
ounces	grams	28.349	liters	gallons	.264
pounds	kilograms	.454	grams	ounces	.035
short tons	metric tons	.907	kilograms	pounds	2.205
pound-feet	Newton-meters	1.356	metric tons	short tons	1.102
pound-inches	Newton-meters	.11296			

### Temperature (Exact)

°F	Fahrenheit temperature	5/9 (after subtracting 32)	Celsius temperature	°C
----	------------------------	----------------------------	---------------------	----

