TECHNICAL MANUAL

UNIT MAINTENANCE MANUAL

FOR

MILITARY PYROTECHNICS

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

HEADQUARTERS, DEPARTMENT OF THE ARMY

JANUARY 1995

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, DC, 1 November 2007

Unit Maintenance Manual for Military Pyrotechnics

DISTRIBUTION STATEMENT A - Approved for public release; distribution is unlimited.

TM 9-1370-203-20, dated 19 January 1995, is changed as follows:

- 1. File this change sheet in front of the publication for reference purposes.
- 2. Remove old pages and insert new pages as indicated below.
- 3. New or changed material is indicated by a vertical bar in the outer margin of the page.
- 4. Added or revised illustrations are indicated by a vertical bar adjacent to the illustration identification number.

-
A and B
1-3 and 1-4
2-3 and 2-4
C-13 thru C-16

By Order of the Secretary of the Army:

Remove Pages

Official: House E. Morr

JOYCE E. MORROW Administrative Assistant to the Secretary of the Army 0729007 GEORGE W. CASEY, JR. General, United States Army Chief of Staff

DISTRIBUTION: To be distributed in accordance with the initial distribution number (IDN) 400321 requirements for TM 9-1370-203-20.

CHANGE

NO. 5

)

)

)

2-3 and 2-4 C-13 thru C-16 Insert Pages

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, DC, 14 September 2006

Unit Maintenance Manual for Military Pyrotechnics

DISTRIBUTION STATEMENT A - Approved for public release; distribution is unlimited.

TM 9-1370-203-20, dated 19 January 1995, is changed as follows:

CHANGE

NO. 4

)

- 1. File this change sheet in front of the publication for reference purposes.
- 2. Remove old pages and insert new pages as indicated below.
- 3. New or changed material is indicated by a vertical bar in the outer margin of the page.
- 4. Added or revised illustrations are indicated by a vertical bar adjacent to the illustration identification number.
- 5. Added or revised appendixes are indicated by a vertical bar adjacent to the appendix title.
- 6. This change implements the Army Maintenance Transformation and changes the Maintenance Allocation Chart (MAC) to support field and sustainment maintenance.

Remove Pages	Insert Pages
A and B i and ii 1-1 thru 1-4 2-9 thru 2-12 A-1 and A-2 B-1 thru B-6 C-9 and C-10	A and B i and ii 1-1 thru 1-4 2-9 thru 2-12 A-1 thru A-4 B-1 thru B-20 C-9 and C-10
None	C-17 and C-18

By Order of the Secretary of the Army:

PETER J. SCHOOMAKER General, United States Army Chief of Staff

Official

✓ JOYCE E. MORROW Administrative Assistant to the Secretary of the Army 0624801

DISTRIBUTION: To be distributed in accordance with the initial distribution number (IDN) 400321 requirements for TM 9-1370-203-20.

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, DC, 30 January 2004

Unit Maintenance Manual for Military Pyrotechnics

DISTRIBUTION STATEMENT A - Approved for public release; distribution is unlimited.

TM 9-1370-203-20, dated 19 January 1995, is changed as follows:

- 1. File this change sheet in front of the publication for reference purposes.
- 2. Remove old pages and insert new pages as indicated below.
- 3. New or changed material is indicated by a vertical bar in the outer margin of the page.
- 4. Added or revised illustrations are indicated by a vertical bar adjacent to the illustration identification number.

Remove Pages	Insert Pages
A and B i and ii 1-1 thru 1-4 2-3 and 2-4 2-9 thru 2-12 A-1 and A-2 B-1 and B-2 B-5 and B-6 C-3 and C-4 C-9 and C-10 None	A and B i thru iv 1-1 thru 1-4 2-3 and 2-4 2-9 thru 2-12 A-1 and A-2 B-1 and B-2 B-5 and B-6 C-3 and C-4 C-9 and C-10 C-13 thru C-16
DA 2028-2	DA 2028

By Order of the Secretary of the Army:

PETER J. SCHOOMAKER General, United States Army Chief of Staff

Official:

Joel B Hel 1

JOEL B. HUDSON Administrative Assistant to the Secretary of the Army 0402201

DISTRIBUTION: To be distributed in accordance with the initial distribution number (IDN) 400321 requirements for TM 9-1370-203-20.

CHANGE)) NO. 3)

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, DC, 31 JANUARY 2002

UNIT MAINTENANCE MANUAL for MILITARY PYROTECHNICS

DISTRIBUTION STATEMENT A - Approved for public release; distribution is unlimited.

TM 9-1370-203-20, dated 19 January 1995, is changed as follows:

- 1. File this change sheet in front of the publication for reference purposes.
- 2. Remove old pages and insert new pages as indicated below.
- 3. New or changed material is indicated by a vertical bar in the outer margin of the page.
- 4. Added or revised illustrations are indicated by a vertical bar adjacent to the illustration identification number.

Insert Pages
A and B
i and ii
1-3 and 1-4
2-11 and 2-12
B-5 and B-6
C-9 thru C-12

By Order of the Secretary of the Army:

Official:

CHANGE

NO. 2

)

)

)

JOEL B. HUDSON

Administrative Assistant to the Secretary of the Army 0202904 ERIC K. SHINSEKI General, United States Army Chief of Staff

DISTRIBUTION: To be distributed in accordance with the initial distribution number (IDN) 400321 requirements for TM 9-1370-203-20.

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, DC, 14 FEBRUARY 2000

UNIT MAINTENANCE MANUAL

FOR

MILITARY PYROTECHNICS

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

TM 9-1370-203-20, dated 19 January 1995, is changed as follows:

1. Remove old pages and insert new pages as indicated below.

- 2. New or changed material is indicated by a vertical bar in the margin of the page.
- 3. Added or revised illustrations are indicated by a vertical bar adjacent to the illustration identification number.

Remove pages	Insert pages
A and B	A and B
i and ii	i and ii
1-3 and 1-4	1-3 and 1-4
2-11 and 2-12	2-11 and 2-12
A-1 and A-2	A-1 and A-2
B-5 and B-6	B-5 and B-6
C-9 and C-10	C-9 and C-10

File this change sheet in front of the publication for reference purposes.

By Order of the Secretary of the Army:

Official:

JOEL B. HUDSON

Administrative Assistant to the Secretary of the Army 0004610

Distribution:

To be distributed in accordance with initial distribution number (IDN) 400321, with requirements for TM 9-1370-203-20.

ERIC K. SHINSEKI General, United States Army Chief of Staff

CHANGE

NO. 1

LIST OF EFFECTIVE PAGES

INSERT LATEST CHANGED PAGES. DESTROY SUPERSEDED PAGES.

NOTE The portion of the text affected by the changes is indicated by a vertical line in the outer margins of the page. Changes to illustrations are indicated by a vertical line adjacent to the identification number.

Date of issue for original pages is:/Dates of issue for original and changed pages are:

Original019 January 1995	Change
Change	Change
Change	Change

TOTAL NUMBER OF PAGES IN THIS PUBLICATION IS 73, CONSISTING OF THE FOLLOWING:

Page	*Change	Page	*Change	Page	*Change
No.	No.	No.	No.	No.	No.
Front Cover	0				
A					
В	0				
i and ii	4				
iii and iv					
1-1 thru 1-3					
1-4	5				
2-1 and 2-2	0				
2-3 and 2-4					
2-5 thru 2-8	0				
2-9	4				
2-10	3				
2-11	0				
2-12	4				
3-1 and 3-2	0				
A-1 thru A-4	4				
B-1 thru B-20	4				
C-1 and C-2	0				
C-3	3				
C-4 thru C-8	0				
C-9	4				
C-10	1				
C-11	2				
C-12	0				
C-13	5				
C-14	3				
C-15	5				
C-16					
C-17 and C-18	4				
D-1 thru D-6	0				

*Zero in this column indicates an original page

THIS PAGE INTENTIONALLY LEFT BLANK

Technical Manual

No. 9-1370-203-20

UNIT MAINTENANCE MANUAL FOR MILITARY PYROTECHNICS

REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. You may mail, e-mail, or FAX your response. Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms) located in the back of this manual direct to: Logistics Research and Engineering Directorate (AMSRD-AAR-AIL-LS), U.S. Army RDECOM, Armament Research, Development and Engineering Center, Picatinny, NJ 07806-5000. E-mail address is LSB@ PICA.ARMY.MIL. FAX number is Commercial (973) 724-4633, DSN 880-4633. A reply will be furnished to you.

SUPERSEDURE NOTICE - This manual supersedes TM 9-1370-203-20&P, dated 17 November 1978, including all changes.

DISTRIBUTION STATEMENT A - Approved for public release; distribution is unlimited.

Page

CHAPTER 1. INTRODUCTION

)

)

Section I.	 General 1.1 Scope 1.2 Forms, Records, and Reports 1.3 Destruction of Military Pyrotechnics to Prevent Enemy Use 1.4 Safety 1.5 Care and Handling 	1-1 1-1
Section II.	Description and Data 1.6 Types of Pyrotechnic Devices 1.7 Identification 1.8 Description 1.9 Data	
CHAPTER 2.	MAINTENANCE INSTRUCTIONS	
Section I.	 Service Upon Receipt of Materiel 2.1 General 2.2 Precautions 2.3 Inspection of Packaging Materials 2.4 Corrective Action 2.5 Unpacking Procedures 	
Section II.	Tools and Equipment 2.6 Common Tools and Equipment 2.7 Repair Parts and Special Tools	2-6 2-6

CHAPTER 2. Section III.	 MAINTENANCE INSTRUCTIONS - Continued Maintenance 2.8 General 2.9 Consumable Supplies 2.10 Maintenance of Box Hardware 2.11 Maintenance of Boxes 2.12 Marking of Boxes 2.13 Cleaning, Touch-up, and Marking of Steel Drum for M142 Atomic Explosion Simulator 2.14 Painting and Marking of Boxes with Light Loads 2.15 Repacking Procedures	2-6 2-7 2-8 2-8 2-8 2-8 2-9
CHAPTER 3.	SHIPMENT AND STORAGE	
Section I.	Shipment3.1Precautions3.2Transportation3.3Handling	3-1
Section II.	Storage 3.4 Precautions	3-1
APPENDIX A.	REFERENCES	A-1
APPENDIX B.	MAINTENANCE ALLOCATION CHART	B-1
APPENDIX C.	PACKING MATERIALS, ACCESSORIES, AND TOOLS	C-1
APPENDIX D.	EXPENDABLE AND DURABLE ITEMS LIST	D-1

LIST OF ILLUSTRATIONS

Figure	Title	Page
2-1	Atomic Explosion Simulator M142	2-4
C-1	Typical Box, Packing	C-2
C-2	Typical Ammunition Packing Box	C-2
C-3	Metal Ammunition Container	C-4
C-4	Ammunition Fiber Container	C-4
C-5	Ammunition Fiber Drum	C-6
C-6	Shipping and Storage Container, Cartridge: M548	C-8
C-7	Packing, Preformed: PA142 (for Container, Signal)	C-10
C-8	Packing and Marking for AVCPS, MGSS	C-10
C-9	Packing and Marking for AVCPS, DIFCUE	C-11
C-10	Packing and Marking for Simulator, Antitank Guided Missile Signature	C-13
C-11	Packing and Marking for Box, Pallet Type, Wirebound for Simulator,	
	Antitank Guided Missile Signature	C-14
C-12	Packing and Marking for Container, PA19	C-15
C-13	Packing and Marking for Wood Box	C-16
C-14	Packing for Simulators M34 and M35	C-17

I

LIST OF TABLES

er Title	Page
Military Pyrotechnics Data	1-2
Inspection Criteria for Packaging	2-1
Quantity-Distance for Field Storage	
	Military Pyrotechnics Data Inspection Criteria for Packaging Packing and Marking Data

THIS PAGE INTENTIONALLY LEFT BLANK

CHAPTER 1 INTRODUCTION

SECTION I GENERAL

1-1. Scope

a. These instructions apply to military pyrotechnics and are for use by unit maintenance personnel.

b. Operating instructions are contained in:

- (1) Pyrotechnic Signals (TM 9-1370-206-10).
- (2) Pyrotechnic Simulators (TM 9-1370-207-10).

(3) Photoflash Cartridges, Surface Flares, and Miscellaneous Pyrotechnic Items (TM 9-1370-208-10).

c. For operator and unit maintenance instructions on the MK 45 Mod 0 Aircraft Parachute Flare, refer to TM 9-1370-201-12.

d. For operator maintenance instructions on the M206 Aircraft Countermeasure Flare, M211 Infrared Countermeasure Decoy, and M212 Aircraft Countermeasure Flare, refer to TM 9-1095-206-12&P (M130 Launcher).

1-2. Forms, Records, and Reports

a. *Forms*. Forms required by unit maintenance personnel are listed in appendix A and in DA Pam 25-30. Department of the Army maintenance forms and reporting procedures are prescribed in DA Pam 750-8.

b. *Field Report of Accidents*. Accidents involving injury to personnel or damage to materiel will be reported on DA Form 285 in accordance with AR 385-40. Malfunctions will be reported in accordance with AR 75-1.

c. *Report of Damaged or Improper Shipment*. Material received in damaged or otherwise unsatisfactory condition because of deficiencies in preservation, packaging, marking, loading, storage, or handling, will be reported on SF 364 in accordance with AR 735-11-2. Reports of improper shipment or damage caused by transportation discrepancies will be reported on SF 361.

1-3. Destruction of Military Pyrotechnics to Prevent Enemy Use

Destruction of military pyrotechnics, when subject to capture or abandonment, will be undertaken by the user only when, in the judgment of the unit commander concerned, such action is necessary in accordance with orders of or policy established by the Army commander. (Refer to TM 43-0002-33).

1-4. Safety

a. *Requirements for Safety.* Requirements for safety, care, and handling of pyrotechnic items and accessories are included in AR 385-64, DA Pam 385-64, and TM 9-1370-201-12, as applicable.

b. Specific Safety Precautions.

(1) Pyrotechnics are more dangerous than many other types of ammunition because they are more easily initiated. Items with primers should be guarded to prevent a blow on the primer, because such a blow could activate the item.

(2) Pyrotechnics must never be exposed to moisture. Items showing any signs of moisture should be forwarded to authorized personnel for disposal.

(3) Protect pyrotechnics from temperatures below -65° F or above 140° F.

(4) Pyrotechnics (except standard emergency use items) should not be left indefinitely in aircraft. They should be removed and restored to their original condition and packing.

1-5. Care and Handling

a. Military pyrotechnics must be handled with care at all times. Besides the hazardous pyrotechnic composition, pyrotechnics are composed of sensitive elements, such as friction compositions and primers.

b. In order to keep military pyrotechnics in a serviceable condition and ready for immediate use, the following general rules apply.

(1) Store pyrotechnics in a dry, well-ventilated place, out of direct sunlight, and protect against excessive or variable temperatures.

(2) Handle pyrotechnics with care and protect against shock.

(3) Do not drop or throw boxed pyrotechnics.

(4) Place boxes containing signal cartridges which are discharged by percussion primers, flat with the top up.

(5) Handle pyrotechnics gently, especially the type which are projected, to avoid denting or deforming the barrel or case.

SECTION II DESCRIPTION AND DATA

1-6. Types of Pyrotechnic Devices

Pyrotechnic devices may be grouped as follows: photoflash cartridges, flares, signals, simulators, and miscellaneous pyrotechnics. The tabulated data in this chapter and the Maintenance Allocation Chart in appendix B is organized to reflect these divisions.

1-7. Identification

Pyrotechnic devices are identified by markings on the packaging container. These markings include, as appropriate, National Stock Number (NSN), Department of Defence Identification Code (DODIC), nomenclature and model of device, and lot number. Specific colors are painted on some of the containers as a secondary means of identification.

1-8. Description

For detailed description of items, refer to:

TM 43-0001-37; TM 9-1370-201-12; TM 9-1370-206-10; TM 9-1370-207-10; TM 9-1370-208-10.

1-9. Data

The group number listed in table 1-1 reflects authorized maintenance functions indicated in section II appendix B.

Item	Model Designation	DODIC	UNO Serial No.	Group No.
Flash Powder	M112A1:			0101
	1-second delay	L135	0094	
	2-second delay	L136	0094	
	4-second delay	L137	0094	
Flash Powder	M123A1:			
	2-second delay	L139	0094	
	4-second delay	L140	0094	
	6-second delay	L141	0094	
Cartridges, Flash	M121	L138	0050	
Flash Powder	M124	L142	0094	
Flare, Surface	M49A1	L495	0092	0201
Flares, Aerial	M206	L410	0093	0202
Flares, Aerial	MK33, Mod 0	L477	0093	0203
Flares, Aerial	M211	LA14	0454	0204
Flares, Aerial	M212	LA15	0454	0205
Cartridges, Signal				0301
Illumination, Aircraft				
Double Star,				
Red-Red	AN-M37A2	L225	0054	
Yellow-Yellow	AN-M38A2	L226	0054	
Green-Green	AN-M39A2	L227	0054	
Red-Yellow	AN-M40A2	L228	0054	
Red-Green Single Star,	AN-M41A2	L229	0054	
Red	AN-M43A2	L231		
Yellow	AN-M44A2	L232	0054	
Green	AN-M45A2	L233	0054	
			0054	

Table 1-1. Military Pyrotechnics Data .

Item	Model Designation	DODIC	UNO Serial No.	Group No.
Yellow Tracer,		1		
Double Star,				
Red-Yellow	AN-M53A2	L234	0054	
Green Tracer,				
Double Star,				
Red-Red	AN-M54A2	L235	0054	
Green-Red	AN-M55A2	L236	0054	
Red Tracer, Double Star,				
Green-Green	AN-M56A2	L237	0054	
Red-Red	AN-M57A2	L238	0054	
Signal Devices, Hand:				
Red	M185	L116	0191	0302
Various Colors	M186	L117	0191	
Flares, Aerial				
Foliage Penetrating, Red ¹		L119	0093	0310
Cartridges, Signal:				
Red	M187	L278	0054	0303
White	M188	L279	0054	
Green	M189	L280	0054	
Amber	M190	L281	0054	
Green Star, Cluster	M125A1	L314	0054	0304
Red Star, Cluster	M158	L306	0054	
White Star, Cluster	M159	L307	0054	
Red Star, Parachute	M126A1	L311	0054	
White Star, Parachute	M127A1	L312	0054	
Green Star, Parachute	M195	L305	0054	
Red Star, Parachute	M131	L277	0054	0305
Green Star, Parachute	M19A2	L310	0054	0306
Illumination Marine:				
Two Star, Red	AN-M75	L276	0254	0307
Signal Devices, Hand	AN-MK 13 Mod 0	L275	0191	0308
Cartridges, Signal:				
Red	M62	L320	0054	0306
Yellow	M64	L322	0054	
Green	M5	L318	0054	
Violet	M66	L321	0054	0306
White	M166	L340	0054	0309
Green	M167	L341	0054	
Red	M168	L342	0054	
Yellow	M169	L343	0054	
Green, Parachute	M128A1	L324	0054	0304
Red, Parachute	M129A1	L323	0054	
Yellow, Parachute	M194	L293	0054	0304
Fireworks:		1		
Atomic Explosion	M142	L605	0333	0401
Detonation Simulator, Explosive	M80	L378	0333	0402

Table 1-1.	Military	Pyrotechnics	Data -	Continued.
------------	----------	---------------------	--------	------------

Booby Trap,				0403
Flash	M117	L598	0335	
Illuminating	M118	L599	0335	
Whistling	M119	L600	0335	
Cartridge, Flash	M110	L596	0050	0404
Flash, Simulator, Artillery	M21	L602	0431	0410
Simulator, Target Hit	M25	L709	0430	0416
Simulator, Target Kill	M26	L720	0430	0417
Simulator, Tank, Main Gun Fire	M30	LA06	0403	0413
Simulator, Direct-Indirect Fire Cue	M31A1	LA07	0430	0414
Simulator, Hostile Fire	M34	LA54	0431	0418
Simulator, Target Hit, White Star	M35	LA53	0431	0419
Simulator, Antitank Guided Missile Signature	M27	L715	0430	0415
Pyrotechnic, Cartridge: 50mm ²	M800	L602	0431	0411
Fireworks:				
Hand Grenade	M116A1	L601	0335	0405
Projectile Air Burst	M27A1B1	L351	0335	0406
Projectile Air Burst	M74 or M74A1	L366	0335	0407
Projectiles, with Bursting Charge				0408
Charge, Smoke Puff, White		L373	0168	
Primer, Percussion Cap		L130	0044	
Bombs, with Bursting Charge	M115A2	L594	0034	0409
Cartridges, Flash: Simulator, Launching, Antitank Guided Missile and Rocket	M22	L367	0050	0412
Miscellaneous Pyrotechnics: Fusee, Warning	M72	L506, 10-minute L507,	0038	
Railroad		15-minute L508 20-minute	0038	0501
Cartridges, Signal: Marker, Location, Marine: Dye Igniters:	AN-M59	L582	0054	0502
Starter, Fire	M2	L621	0315	0503

 Table 1-1. Military Pyrotechnics Data - Continued.

Notes:

¹ This Signal Kit is a component of the survival kit vest type SRU-21/P. The SARVIP vest and AIRSAVE vest are also authorized.
 ² Use Simulators Flash Artillery, M21 when stocks of Pyrotechnic, Cartridge: 50mm are exhausted.

CHAPTER 2 MAINTENANCE INSTRUCTIONS

Section I. SERVICE UPON RECEIPT OF MATERIEL

2-1. General

Upon receipt of military pyrotechnics, verify items against requisition list. If markings on box conflict with nomenclature of item requisitioned, check with pyrotechnic supply personnel to determine if an issue error has been made.

2-2. Precautions

All standard precautions for care and handling of ammunition are applicable to military pyrotechnic. For specific precautions, refer to paragraphs 1-4 and 1-5.

2-3. Inspection of Packaging Materials

a. *General.* Inspection at unit level consists of a visual check of packaging materials. Do not open any moisture-proof container or barrier bag because the item must be protected from moisture until just prior to use.

b. *Packaging Defects*. Specific inspection criteria and identification of defects (as acceptable, repairable or unrepairable) are outlined in table 2-1. The most commonly encountered packaging defects are listed below: (1) Outer containers (boxes) damaged, weathered, or rotted to the extent contents are not protected.

- (2) Inner container damaged to the extent contents are not protected or cannot be readily removed.
- (3) Container cap or closure not secured to the extent contents are not protected.
- (4) Inner containers wet (except metal), rusted, moldy, or mildewed.
- (5) Hardware or banding loose, missing, broken, or ineffective.
- (6) Handle or cleat missing or broken.
- (7) Contents loose to the extent item may be damaged in handling.

Item	Acceptable	Repairable	Unrepairable	
	Wooden Boxes, Crates, a	nd Metal Containers		
Hardware	Operative and tight.	Inoperative or loose.	None.	
	Nails, screws and fasteners present and in good condition.	Nails, screws, and fasteners which can be replaced or properly sealed.	None.	
Ends	Free from damage.	Broken or missing cleats and handles.	Damage which requires disassembly of box.	
Wood	Splits less than 3 inches long no closer than 1 inch to edge	Splits over 3 inches but no closer than 1 inch to edge or	Splits closer than 1 inch to edge of board or	
	of board or adjoining split. The board must be secured by at least one nail on each side of the split when it extends to the end of the board.	adjoining split, or 1/8-inch wide, which can be repaired by use of corrugated fasteners.	adjoining split or over 1/8-inch wide.	
	Warping which does not pre- vent sealing of box or inser- tion of required ammunition.	None.	Warping which pre- vents insertion of removal of rounds and/ or sealing of the box.	

Table 2-1. Inspection Criteria for Packaging

Item	Acceptable	Repairable	Unrepairable
	Light mold which can be brushed off. Mildew stains which do not affect legility of markings.	None.	Excessive mildew and mold which cannot be removed and which render markings illegible.
	Sound tight knots the diameter which do not exceed 1/3 the width of the board.	None.	Holes or loose knots which exceed 1-1/2 inch.
	Skids securely attached to box or crate. Knots no greater than 1/4 the width of skid.	Loose skids.	Knots greater than 1/4 the width of skid.
Boxes		Bulged Container. Build-up of hydrogen gas in certain pyrotechnic munitions sealed in barrier bags (see para 2-11).	
Tie wires	Light rust, removable with fin sandpaper.	None.	Broken, excessive rust.
Strapping	Present and unweakened by rust or distortion.	Missing, rusted or distorted.	None.
Painting and	Marking legible, correct, and complete. Painted orange if light box.	Light box, reused box, marking illegible. Marking on box not in agreement with marking on inner packaging. Marking incomplete (see para 2-3c).	None.
Metal ends, wood or fiber container Body and cap, wood or fiber container	Minor rust. No opening through which moisture could penetrate to item. No hole of any kind. No mold or mildew. Slight accumulation of dirt. No mold, milder or rot. Slight accumulation of dirt. Free from wrinkles cased by looseness between layers. Blisters with combined area less than 1/2 square inch. No moisture absorption.	None.	Perforations, excessive rust or ends which are crushed or not securely crimped to body. Holes, perforations, punctures, tears, cuts, loose seals. Cuts, tears or gouges closer than 1 inch to closure, more than ½ square inch in area, or through all imprenated layers. Molded or mildewed. Heavy accumulation of dirt.
Barrier material		None.	Molded, mildewed or rotted. Heavy accumulation of dirt. Wrinkled or peeling. Blisters with combined area of more than ½ square inch. Wet or soft containers.

Item	Acceptable	Repairable	Unrepairable
Body and Cap	Minor dents.	None.	Deep dents or scoring in
			drum.
	Minor rust.	None.	Rust which has caused pit-
			ting and perforations.
	No hole of any kind.	None.	Puncture.
	Steel Drum for M142 A	tomic Explosion Simulator	
	Marking legible and com-	Marking illegible.	None.
	plete.	Marking incomplete	
		(see para 2-3c).	
Drum	Dents, not broken through.	None.	Dents broken through.
	Minor rust.	Major rust, not broken	Major rust on inside.
		through.	
	No hole of any kind.	None.	Puncture.
Metal Containers		Bulged containers (see	
		para 2-16).	
	Foam Support I	Box for M27 Sagger	
Foam Support Box	Minor dents.	None.	Deep dents.
	No hole of any kind.	None.	Puncture.
		Small cracks.	Large cracks.
	No deterioration.	None.	Signs of deterioration.

Table 2-1. Inspection Criteria for Packaging - Continued

c. The following information must be legible on each box and on steel drum of M142 Atomic Explosion Simulator (see fig. 2-1).

(1) National Stock Number (NSN).

I

(2) Department of Defense Identification Code (DODIC) (repeated on ends of box).

(3) Department of Transportation (DOT) designation.

- (4) Quantity.
- (5) Nomenclature.
- (6) Lot number (repeated on ends of box).
- (7) Month and year loaded.
- (8) Gross weight.
- (9) Cubical displacement.




Figure 2-1. Atomic Explosion Simulator M142.

2-4. Corrective Action

a. Make repairs as instructed in. the following paragraphs. If serviceable packing has been saved, it may be used instead of making repairs, provided that markings on boxes are changed to agree with contents.

b. If moisture-proof container or barrier bag is penetrated, i.e., hole, tear, perforation, puncture, or cut, forward items contained therein to authorized personnel for disposal. The items have probably been damaged by moisture.

c. Before repairing a damaged box, except for simple re-marking, remove contents.

2-5. Unpacking Procedures

CAUTION

DO NOT OPEN BARRIER BAGS OR HERMETICALLY SEALED CONTAINERS UNTIL PYROTECHNIC ITEMS ARE TO BE ISSUED. EXPOSURE TO MOISTURE IN THE AIR CAN RESULT IN DUDS OR OTHER MALFUNCTIONS.

a. *General.* Organizational maintenance personnel will save some boxes and packing material for immediate reuse. Contact the direct support unit for disposition of remaining boxes. If boxes are needed and none are available, request boxes from direct support units. For repackaging procedures, refer to paragraph 2-15.

b. Pallets.

WARNING

WEAR GLOVES AND SAFETY GLASSES OR GOGGLES WHEN CUTTING AND HANDLING METAL STRAPPING. AVOID BEING STRUCK BY ENDS OF STRAPPING WHEN TENSION IS RELEASED.

(1) Cut strapping with metal cutting shears. Never attempt to break strapping by prying or twisting, this can damage the boxes and their contents.

(2) Remove boxes from pallet.

(3) Dispose of strapping and nonrecoverable materials. Contact the direct support unit for disposition of serviceable pallets and components.

c. Wooden Ammunition Packing Boxes (fig. C-2).

WARNING

TO PREVENT INJURY, RELEASE TENSION ON STEEL STRAPPING BY PRESSING DOWN ON TOP OF BOX WHILE CUTTING STRAPS ON SIDE OF BOX IN (1) BELOW.

(1) Cut steel strapping with metal shears. Remove and dispose of strapping. Never attempt to break strapping by prying or twisting, this can damage the boxes and their contents, and cause possible injury to personnel.

(2) Cut metallic seal with pliers. Discard seal.

(3) Turn hasp catch and open hasps on hinge and hasp boxes, or pull out on spring latch to release on springlatch boxes.

(4) Lift box top and remove top padding. Note top position for reclosing on springlatch boxes.

- (5) Remove inner packs.
- d. Barrier Bag.
 - (1) Cut barrier bag open along edge with most excess material as close to sealed edge as possible.
 - (2) Cut or remove tape and open inner container.
 - (3) Remove padding, if any.

(4) Remove items. If all items are not removed, close and reseal barrier bag with adhesive tape. (Refer to appendix D for suitable size tape.)

e. Hermetically Sealed Container.

- (1) Using key attached to container, remove sealing strip.
- (2) Remove top of container.

- (3) Remove any padding pieces from container.
- (4) Remove item.
- f. Fiber Container.
 - (1) Remove adhesive tape.
 - (2) Remove top of container.
 - (3) Remove any padding pieces from container.
 - (4) Remove item.
 - (5) Save all containers-when possible-for repack.

Section II. TOOLS AND EQUIPMENT

2-6. Common Tools and Equipment

Standard and commonly use tools and equipment having general application to military pyrotechnics are authorized for issue by tables of organization and equipment (TOE).

2-7. Repair Parts and Special Tools

Repair parts and special tools required at organizational level are listed in appendix C.

Section III. MAINTENANCE

2-8. General

Organizational maintenance is performed by designated personnel in using units and is primarily preventive in nature. It is performed to prevent deterioration of pyrotechnics due to rough handling and exposure. Direct support units may be called upon to provide technical advice, assistance, packing materials, and consumable supplies for accomplishing maintenance. Responsibilities of organizational maintenance units are limited to those functions listed in Section II, appendix B.

2-9. Consumable Supplies

a. Paint, cleaning compounds, and other consumable supplies authorized for use by organizational maintenance personnel are listed in Appendix D.

b. Consumable supplies should be requisitioned through normal supply channels on an as-required basis.

2-10. Maintenance of Box Hardware

a. *Repair of Damaged Hardware*. Hardware which has been damaged to the point that is inoperable is usually irrepairable; however, minor damage can usually be corrected by straightening, as follows:

- (1) Using pliers carefully, bend damaged item unit its configuration is the same as the serviceable item.
- (2) Test repaired hardware for proper functioning.

b. *Replacement of Irrepairable Hardware.* Hardware which cannot be repaired can be replaced with a serviceable item cannibalized from an unserviceable container, as follows: (1) Using a screwdriver, remove unserviceable hardware.

- (2) Attempt to reinstall serviceable hardware in existing holes. Secure with screws.
- (3) If screws are missing or cannot be tightened in existing holes, proceed as follows:
 - (a) Replace missing screws with others obtained from an unserviceable box.

(b) If screws cannot be tightened, move hardware (with box top in place) to a different location where screws can be secured. IF necessary, carve notch to accommodate hinge pin.

- (c) Mark location for attaching screws and remove hardware.
- (d) Drive and remove a small nail at each location to provide a pilot hole.
- (e) Place hardware and screws in position and secure.
- c. Removing Rust or Corrosion from Hardware.
 - (1) Remove rust or corrosion from hardware by first brushing with a wire brush.
 - (2) Cover with primer or paint.

- d. Replacing Broken, Loose, or Deteriorated Strapping.
 - (1) Cut pieces of 5/8-inch banding of sufficient length to go around box plus about 6 to 8 inches.
 - (2) Position strap(s) under box.

(3) Insert one strap end into strap stretcher so that strap is held firmly by stretcher, with about 3 inches of strap protruding.

- (4) Place clip over strap end.
 - (5) Thread loose end of strap through clip and into stretcher head.
 - (6) Tighten strap by repeated movement of ratchet lever, until edges begin to cut into box.
 - (7) Using banding crimper, crimp clip in two places.
 - (8) Release locking pawl on stretcher and slide stretcher out.
 - (9) Cut of excess strapping.
- (10) Repeat (3) through (9) above, for each strap.

2-11. Maintenance of Boxes

- a. Repair of Cracks and Splits in Wood.
 - (1) Hold board tight so that the crack or split is closed.
 - (2) Hammer corrugated fasteners into wood at 4to 6-inch intervals. Fastener should be centered across crack.
- b. Repair of Broken Cleats or Wood Handles.
 - (1) Remove broken cleat with claw hammer or pry bar.
 - (2) Remove serviceable cleat with claw hammer or pry bar from an otherwise unserviceable box.
 - (3) Position serviceable cleat on box and secure with 3 to 5 small nails.
 - (4) Bend nails over inside of box with hammer.
- c. Repair of Rope or Strap Handles.
 - (1) Remove cleats holding handle with claw hammer or pry bar.
- (2) Remove serviceable handle from an otherwise unserviceable box by removing the holding cleats with claw hammer or pry bar.

NOTE

Do not remove nails or staples attaching handle to cleats.

- (3) Position serviceable handle and cleats and attach to box with 3 to 5 nails in each cleat.
- (4) Bend nails over inside box with hammer.

d. *Painting of Wood Boxes*. Normally, used boxes will not be painted except to obliterate previous markings or to indicate less than full pack (see para. 2-14).

e. Releasing hydrogen gas from bulged boxes.

(1) Due to possible violent expansion of wooden boxes when banding is cut, boxes must be confined prior to cutting bands.

NOTE

- Due to different types of shipping containers, holding fixture to confine boxes must be locally designed and fabricated to meet needs of the operation.
- Gas release should be conducted in a well-ventilated area free of flammables, explosives, fire, open flame and spark-producing devices, other ignition sources or chemical contaminants. All persons opening containers must wear a face shield, flame-retardant clothing, conductive sole shoes, or safety shoes with conductive straps.

(2) Remove barrier bags from boxes and use non-sparking pick to puncture bag releasing gas. Heat seal barrier bag or replace.

(3) Repair or replace wooden shipping containers and repack items.

2-12. Marking of Boxes

a. Normally, box remarking at the organizational level will be a touch-up operation. Faded or damaged box markings may be restored, using a waterproof black ink marker or a small brush and paint. Minor changes, such as a change of lot number to reflect the items actually repacked in a box, may be made by merely crossing out the incorrect number(s) and neatly printing the correct one(s) immediately adjacent, using a waterproof black ink marker or a small brush and paint.

b. If it is necessary to completely re-mark a box:

(1) Determine exactly what must be marked on the box and in what order it must be placed. Refer to paragraph 2-3c and/or copy from the original box, an identical box, or the inner packaging. Note the size of the letters used and the space between lines.

(2) Cover the old, unwanted markings with a coat of marking obliterating lacquer and allow it to dry.

(3) If possible, have a stencil cut by an ammunition company or other nearby organization having the facilities. Using masking tape, secure the stencil over the area to be marked and spray or brush black paint evenly over it to mark the box. If a stencil is not available, proceed to (4) below.

- (4) Using a pencil and any available straight edge, draw a series of parallel lines spaced as noted in (1) above.
- (5) Neatly letter the required markings, using a waterproof black ink marker or a small brush and paint.
- c. Check markings for accuracy and legibility.
- d. Allow markings to dry before handling.

2-13. Cleaning, Touch-up, and Marking of Steel Drum for M142 Atomic Explosion Simulator

a. Make diagram of markings and record all markings.

b. Remove dirt, mud, and other foreign material, using rags or brushes. Use rags dipped in alcohol to remove grease.

- c. Using wire brush, remove flaked, chipped, blistered or peeling paint.
- d. Remove rust, using wire brush or sandpaper.
- e. Allow alcohol-cleaned surfaces to dry thoroughly before painting.
- f. Apply primer to all bare metal.
- g. Allow primed surfaces to dry thoroughly
- h. Apply white enamel to primed surfaces, or brown lacquer to the band.
- i. Allow freshly painted surfaces to dry thoroughly.
- j. Mark in accordance with paragraph 2-12.
- k. Check markings for accuracy.
- I. Allow markings to dry before handling.

2-14. Painting and Marking of Boxes with Light Loads

NOTE

Organizational maintenance personnel will apply this procedure only when boxes with less than full contents are returned to storage area or transported to new location. When painting of a light box is required, re-marking (except quantity) may be avoided by applying masking tape over markings prior to painting.

a. Check contents with markings on box to verify that nomenclature and lot number are correct.

b. Make diagram of markings on box and record all markings except quantity figure (or cover markings per note above).

- c. Apply orange enamel to all outer surfaces of box. If enamel is not available, use orange lacquer.
- d. When box is dry, re-mark as diagrammed (b above) (see para 2-12), or remove masking tape.
- e. Count quantity of items in box and mark number on box in same position as original quantity figure.
- f. Print words LIGHT BOX on each side of box, using approximately the same size letters as the original markings.

2-15. Repacking Procedures

a. *General*.

(1) Repacking will depend on the availability of packaging materials. Additional packaging materials will be obtained from direct support units. Table 2-2 contains packing and marking data for standard packaging.

(2) Assure that proper nomenclature and lot number for items are marked on both inner and outer packages. Partially filled boxes must be painted and marked as instructed in paragraph 2-14.

(3) For Simulator Launching, Anti-Tank, Guided Missile and Rocket, M22 repacking, use available packing materials or original packing if possible. NSN has not been assigned to the packing materials yet.

(4) For the M796 and BBU-35/B Impulse Cartridges, ensure cartridges are packed separately when repacking.

b. Barrier Bag.

(1) Place protective materials at sensitive points of item.

- (2) Place item(s) into bag or carton.
- (3) Close carton and seal with tape.
- (4) Wrap carton in barrier material.

(5) Seal barrier material or bag with tape (refer to appendix D for correct tape type).

c. Hermetically Sealed Container.

(1) Slide item into container.

(2) Use adequate filler material to assure a tight fit.

(3) Cover any sensitive components with padding.

(4) Place top on container.

(5) Seal with plastic filament tape or black nylon tape by wrapping around the joint in a double layer and folding edges over top.

d. Wooden Box.

(1) Verify that markings on inner pack and box agree.

(2) If necessary, unit maintenance will re-mark box as instructed in paragraph 2-12 to agree with contents.

(3) Place inner pack(s) into box. Position items to balance load for carrying.

(4) Use adequate filler material to assure a tight pack.

(5) Close top.

(6) On hinge and hasp box, close hasp and rotate hasp catch to latch position.

(7) Secure latch or hasp catch with piece of metallic seal wire, if available, otherwise, use light wire.

(8) Unit maintenance personnel will mark partially filled boxes in accordance with paragraph 2-14.

e. Fiber Container.

(1) Holding container at a slight angle $(30^{\circ}-60^{\circ})$, insert item into the container and seat firmly.

(2) Place padding on item as required. Secure with tape, if necessary.

(3) Slide on end cap.

(4) Seal end cap by covering joint with two layers of plastic filament tape or black nylon tape.

2-16. Releasing Gas from PA-19 Metal Containers

a. For protection from cover flying open, a wooden box should be fabricated locally with an open front which will allow a PA-19 container to be inserted. Container handle should be accessible with a clearance of one to two inches between container lid and box.

NOTE

Gas release should be conducted in a well-ventilated area, free of flammables, explosives, fire, open flame and spark-producing devices, other ignition sources or chemical contaminants. All persons opening containers must wear a face shield, flame-retardant clothing, and conductive sole shoes or safety shoes with conductive straps.

b. For containers with an end handle, hold handle with downward force, and with a non-sparking tool shaped in the form of a "J", pull latch forward. Keep latch in constant contact with hasp, if possible.

c. For containers without an end handle, hold lower half of container body exerting a downward force and, with a non-sparking tool shaped in the form a "J", pull latch forward. Keep latch in constant contact with hasp, if possible.

d. Due to gas pressure within container, cover may open with considerable force. Be sure that PA-19 container is grounded to work bench or other source ensuring continuity to a good ground.

e. If cover does not move from container body breaking container seal, utilize "J"-shaped non-sparking tool to pry lid open releasing entrapped gas.

f. A hissing sound may accompany release of gas. If no hissing sound is detected, check to make sure lid has opened. If it has not, repeat step 5. If container is open, reseal container and remove from fabricated wooden box.

	Wood Packing Box				
	Items Items Per Total			Cube	
Item	Per Box	Inner Pack	Weight (lb)	(ft)	
CARTRIDGES					
Cartridge, Photoflash: M112A1	40	10	75	1.5	
Cartridge, Photoflash: M123A1	12	3	74.4	1.7	
Cartridge, Photoflash, Practice: M121	40	10	75	1.5	
Cartridge, Photoflash, Practice: M124	12	3	74.4	1.7	
FLARES					
Flare, Surface: Airport, M76	1	1	42	1.0	
Flare, Surface: Trip, M49A1	32	32	46.5	1.74	
Flare, Countermeasure: Aircraft, M206	100	50	67	1.3	
Flare, Countermeasure: Aircraft, M211	72	36	92	1.3	
Flare, Countermeasure: Aircraft, M212	100	50	75	1.3	
Flare, Ballistic Aerial Target; Infrared Tracking, MK 33,	50	25	55.5	0.93	
Mod 0					
SIGNAL					
Signal, Illumination, Aircraft	80	10	57.5	1.6	
Double Star,					
AN-M37A2 (Red-Red)					
AN-M38A2 (Yellow-Yellow)					
AN-M39A2 (Green-Green)	80	10	57.5	1.6	
AN-M40A2 (Red-Yellow)	80	10	57.5	1.6	
AN-M41A2 (Red-Green)	80	10	57.5	1.6	
Single Star,					
AN-M43A2 (Red)	80	10	57.5	1.6	
AN-M44A2 (Yellow)	80	10	57.5	1.6	
AN-M45A2 (Green)	80	10	57.5	1.6	
TRACERS					
Tracer, Double Star,					
AN-M53A2 (Yellow Tracer, Red-Yellow)	80	10	57.5	1.6	
AN-M54A2 (Green Tracer, Red-Red)	80	10	57.5	1.6	
AN-M55A2 (Green Tracer, Green-Red)	80	10	57.5	1.6	
AN-M56A2 (Red Tracer, Green-Green)	80	10	57.5	1.6	
AN-M57A2 (Red Tracer, Red-Red)	80	10	57.5	1.6	
SIGNALS					
Signal, Kit, Personnel Distress:					
M185 (Red)	240	60	135	5.7	
M186 (various colors)	240	60	135	5.7	
Foliage Penetrating (Red) DODIC L119	100	100	90	8	

Table 2-2. Packing and Marking Data.

	Wood Packing Box				
Item	Items Per Box	Items Per Inner Pack	Total Weight (lb)	Cube (ft)	
SIGNALS - Continued				. ,	
Signal, Illumination, Ground: M187 (red) M188 (white) M189 (green) M190 (amber)	1,250	50	81	2.1	
Signal, Smoke Ground: M166 (white) M167 (green) M168 (red) M169 (yellow)	240	6	56	1.2	
Signal, Illumination, Ground: Green Star Parachute, M19A2	30	1	62	1.8	
Signal, Smoke Ground: M62 (red) M64 (yellow) M65 (green) M66 (violet)	30	1	61	1.8	
Signal, Illumination, Ground: Green Star, Cluster, M125A1 Red Star, Cluster, M158 White Star, Cluster, M159 Red Star Parachute, M126A1 White Star, Parachute, M127A1 Green Star, Parachute, M195	36	1	55	1.5	
Signal, Smoke Ground: Yellow, Parachute, M194 Green, Parachute, M128A1 Red, Parachute, M129A1	36	1	55	1.5	
Signal, Illumination, Ground: Red Star, Parachute, M131	25	1	50	1.2	
Signal, Illumination, Marine: Two Star, AN-MK75	100	5	57	1.68	
Signal, Smoke And Illumination, Marine: AN-MK13 Mod 0 Simulators	108	12	80	3.2	
Simulator, Projectile Air Burst: Charge, Smoke, Puff, White	200	5	79	2.48	
Simulator, Projectile Air Burst: M27A1B1	36	9	51.3	2.28	
Simulator, Projectile Air Burst: M74A1	80	10	57.5	1.6	
Simulator, Booby trap: Flash, M117 Illuminating, M118 Whistling, M119	150	5	47	1.5	
Simulator, Atomic Explosion: M142	None	1	201	11.8	
Simulator, Projectile, Ground Burst: M115A2	100	5	67.35	3.8	
Simulator, Flash, Artillery: M110	30	1	55	1.8	

Table 2-2.	Packing and Marking Data - Continued.	
-------------------	---------------------------------------	--

	W	Wood Packing Box		
Item	Items Per Box	Items Per Inner Pack	Total Weight (lb)	Cube (ft)
SIMULATORS - Continued				
Simulator, Flash, Artillery: M21	162	9	94.6	4.34
Simulator, Target Hit: M25	162	9	86	4.34
Simulator, Target Kill: M26	60	2	117	4.03
Simulator, Pyrotechnic, Cartridge, 50MM: M800	162	9	94.6	4.34
Simulator, Tank, Main Gun Fire, M30	360	30	21	2.1
Simulator, Direct-Indirect Fire Cue, M31A1	360	12	4.73	2.1
Simulator, Hostile Fire, M34	216	12	37	1.75
Simulator, Target Hit, White Star, M35	216	12	39	1.75
Simulator, Antitank Guided Missile Signature: M27	12	12	478	83.9
Simulator, Hand Grenade: M116A1	150	5	65	3.1
Detonation Simulator, Explosive: M80	2,500	50	68	3.8
Simulator, Launching, Antitank, Guided Missile and Rocket, M22	240	10	40	1.5
MISCELLANEOUS PYROTECHNICS				
Fusee, Warning, Railroad: Red, M72 10-minute, 15-minute, 20-minute	40	10	46	1.3
Marker, Location, Marine: Dye, AN-M59 Starter, Fire: M2	30 500	10 1	70 35	4.4 1.12

 Table 2-2. Packing and Marking Data - Continued.

CHAPTER 3 SHIPMENT AND STORAGE

Section I. SHIPMENT

3-1. Precautions

Pyrotechnic devices must be adequately protected during shipment. Damaged, contaminated, or otherwise degraded material may be dangerous and its usefulness may be impaired.

3-2. Transportation

a. Block and brace pyrotechnic packages being transported in trucks, jeeps, and other tactical vehicles. Blocking and bracing must be adequate to withstand sudden stops and starts, as well as off-road operations.

b. If packing is broken or damaged in shipment, inspect as instructed in paragraph 2-3 and take corrective action as indicated.

3-3. Handling

CAUTION

IMPROPER HANDLING OF PYROTECHNIC MATERIALS CAN AFFECT THEIR RELIABILITY AND SAFETY, CREATING CONDITIONS HAZARDOUS TO PERSONNEL.

Do not roll, drop, throw, or subject boxes to rough handling.

Section II. STORAGE

3-4. Precautions

a. Select level, well-drained sites free from readily ignitable and flammable materials.

b. Provide nonflammable or fire-resistant overhead covers (e.g., tarpaulin) for all items. Maintain overhead space of approximately 18 inches between cover and items. Keep cover at least 6 inches from pile on the ends and at sides to permit circulation of air.

c. Temporarily store unserviceable items in a segregated area.

d. Temporarily store items returned by the using unit in a segregated area for inspection and repacking.

3-5. Data

a. Field Storage Compatibility Groups.

(1) Storage compatibility groups consist of primary groups of pyrotechnic items, with comparable storage risks grouped together for storage in the field. Storage safety procedures are based on the following: (a) A Field Storage Unit (FSU) is composed of a group of stacks. The maximum quantity of items is stored in each stack within each FSU. The minimum distance between FSU's is specified in table 3-1.

(b) Normally, only one kind of pyrotechnic material is stored in a stack. Items should be arranged in stacks in the best manner to best facilitate inventory and inspection. Where camouflage is a consideration, stacks may be stepped in toward the top (terraced or pyramid stacking) to decrease shadows.

(2) All pyrotechnic items in this technical manual are in field storage category D.

		imum distance in feet between			
Gross tons per stacks	Gross tons per FSU	Stacks unbarricaded	Stacks barricaded	FSU unbarricaded	Categories
Less than 10	400	40	30	300	750
10-20 maximum	400	50	40	300	760

Table 3-1. Quantity-Distance for Field Storage

b. *Quantity-Distance Table For Field Storage.* Data specified in table 3-1 is to be used as a guide when storing military pyrotechnics in the field only. Any reduction of distances or increase in tonnage will increase the probability of loss of life and pyrotechnic devices.

c. *Permanent Installation Storage*. For permanent storage, standard quantity-distance classes and storage compatibility groups given in TM 9-1300-206 apply.

3-6. Procedures

a. When stacking, use heavy, well-supported dunnage to prevent the stack from sinking, and to keep the bottom tier off the ground.

b. Use a hardstand of gravel and sand, when possible, rather than excessive dunnage.

- c. Allow at least a 6-inch clearance beneath the pile for air circulation.
- d. Dig suitable trenches around stacking area to prevent water from flowing under the pile.

3-2

APPENDIX A REFERENCES

A.1 SCOPE.

This appendix lists all Army regulations, forms, pamphlets, supply bulletins, and technical manuals referenced in this manual. The publication index (DA Pam 25-30) should be consulted frequently for latest changes or revisions of references given in this appendix and for new publications relating to the material covered in this manual.

A.2 ARMY REGULATIONS.

Malfunctions Involving Ammunition and Explosives	AR 75-1
Accident Reporting and Records	AR 385-40
U.S. Army Explosives Safety Program	AR 385-64
Reporting of Supply Discrepancies	AR 735-11-2

A.3 FORMS.

U.S. Army Accident Report	DA Form 285
Recommended Changes to Publications and Blank Forms	DA Form 2028
Transportation Discrepancy Report	SF Form 361
Report of Discrepancy	SF Form 364

A.4 PAMPHLETS.

Consolidated Index of Army Publications and Blank Forms	DA Pam 25-30
Ammunition and Explosives Safety Standards	DA Pam 385-64
The Army Maintenance Management System (TAMMS) Users Manual	DA Pam 750-8

A.5 <u>SUPPLY BULLETINS</u>.

Inspection of Supplies and Equipment Ammunition Surveillance Procedures	SB 742-1
Signal, Illumination, Ground: Green Star, Parachute, M19 Series; Surveillance Function Test	SB 742-1370-3
Simulator, Projectile, Air Burst, M27A1B1; surveillance Function Test	SB 742-1370-6
Simulator, Projectile, Air Burst; Charge, Smoke Puff, White; Surveillance Function Test	SB 742-1370-8
Flare, Surface: Trip, M49; Surveillance Function Test	SB 742-1370-9

A.5 <u>SUPPLY BULLETINS</u> - Continued.

Signal, Illumination, Aircraft: Double Star, Red-Red, AN-M37 Series; Double Star, Yellow-Yellow, AN-M38 Series; Double Star, Green-Green, AN-M39 Series; Double Star, Red-Yellow, AN-M40 Series; Double Star, Red-Green, AN-M41 Series; Double Star, Green-Yellow, AN-M42 Series; Surveillance Function Test	SB 742-1370-11
Signal, Illumination, Aircraft: Yellow Tracer, Red-Yellow Star, AN-M53 Series; Green Tracer, Red-Red Star, AN-M54 Series; Green Tracer, Green-Red Star, AN-M55 Series; Red Tracer, Green-Green Star, AN-M56 Series; Red Tracer, Red-Red Star, AN-M57 Series; Red Tracer, Green-Red Star, AN-M58 Series; Surveillance Function Test	SB 742-1370-12
Detonation, Simulator, Explosive: M80; Surveillance Function Test	SB 742-1370-13
Fusee, Warning Railroad: Red, 20 Minute, M72; Surveillance Function Test	SB 742-1370-14
Signal, Illumination, Ground: Star Cluster, White, M18 Series; Green, M20 Series; Amber, M22 Series; Red, M52 Series Surveillance Function Test	SB 742-1370-15
Signal, Smoke, Ground: Red, M62; Yellow, M64; Green M65 Surveillance Function Test	SB 742-1370-16
Signal, Illumination, Red Star, Distress, Parachute, M131 Surveillance Function Test	SB 742-1370-37
Simulator, Projectile Airburst, Liquid (SPAL): M9 Ammunition Surveillance Procedures	SB 742-1370-94-4
Simulator, Projectile, Ground Burst: M115 Series Ammunition Surveillance Procedure	SB 742-1370-94-418
Signal Kit, Personnel, Distress: M185 and Signal Kit, Personnel, Distress: M186 Ammunition Surveillance Procedures	SB 742-1370-94-455
Signal, Illumination Ground: Parachute, Red Star, M126 Series; White Star, M127 Series; Green Star, M195 Ammunition Surveillance Procedure	SB 742-1370-94-700
Signal, Illumination, Ground: Star Cluster, Green, M125 Series (1370-L314); Red, M158 (1370-L306); and White, M159 (1370-L307) Ammunition Surveillance Procedures	SB 742-1370-94-703
Signal, Illumination, Aircraft, Single Star: Red-AN-M43A1/A2 (1370-L231); Yellow-AN-M44A1/A2 (1370-L232); Green-AN-M45A1/A2 (1370-L233) Ammunition Surveillance Procedures	SB 742-1370-94-704
Signal, Smoke, Ground: Parachute, M128A1, Green (1370-L324); M129A1, Red (1370-L323); M194, Yellow (1370-L293) Ammunition Surveillance Procedures	SB 742-1370-94-720
Signal, Smoke and Illumination, Marine: AN-MK 13 Mod 0 (DODAC 1370-L275) Ammunition Surveillance Procedures	SB 742-1370-94-721
Simulator, Projectile, Air Burst: M74 Series Ammunition Surveillance Procedures (1370-L366)	SB 742-1370-94-740
Simulator, Booby Trap: Flash, M117; Simulator, Booby Trap: Illuminating, M118; and Simulator, Booby Trap: Whistling, M119 Ammunition Surveillance Procedures	SB 742-1370-94-741

A.5 <u>SUPPLY BULLETINS</u> - Continued.

Simulator, Flash, Artillery: M21 Ammunition Surveillance Procedure (DODAC 1370-L602)	SB 742-1370-94-742
Simulator, Hand Grenade: M116A1 (1370-L601) Ammunition Surveillance Procedures	
Flare, Surface, Trip: M49A1 (1360-L495) Ammunition Surveillance Procedure	SB 742-1370-94-760
A.6 <u>TECHNICAL MANUALS</u> .	
Army Ammunition Data Sheets for Military Pyrotechnics (Federal Supply Class 1370)	TM 43-0001-37
Destruction of Conventional Ammunition and Improved Conventional Munitions (ICM) to Prevent Enemy Use	TM 43-0002-33
Operator's and Aviation Unit Maintenance (Including Repair Parts and Special Tools List) for Dispenser, General Purpose Aircraft: M130	TM 9-1095-206-12&P
Operator's and Organizational Maintenance Manual (Including Repair Parts and Special Tools List) for Flare, Aircraft: Parachute, White, MK45 Mod 0; Flare, Aircraft: Parachute, MK 45 Mod 0 with Adapter for Dispenser XM19 and	
Dispenser, Flare: XM19	TM 9-1370-201-12
Operators Manual for Pyrotechnic Signals	TM 9-1370-206-10
Operators Manual for Pyrotechnic Simulators	TM 9-1370-207-10
Photoflash Cartridges, Surface Flares and Miscellaneous Pyrotechnic Items	TM 9-1370-208-10
Operator, Unit, Direct Support, and General Support Maintenance Manual for Enhanced Remoted Target System (ERETS) Small Arms Muzzle Flash Simulator, Gunfire Simulator, and Small Arms Sound Simulator	TM 9-6920-742-14-2

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX B MAINTENANCE ALLOCATION CHART (MAC)

SECTION I INTRODUCTION

B.1 THE ARMY MAINTENANCE SYSTEM MAC.

B.1.1 This introduction provides a general explanation of all maintenance and repair functions authorized at the two maintenance levels under the Two-Level Maintenance System concept.

B.1.2 The MAC designates overall authority and responsibility for the performance of maintenance functions on the identified end item or component. The application of the maintenance functions to the end item or component shall be consistent with the capacities and capabilities of the designated maintenance levels, which are shown on the MAC in column (4) as:

Field - includes three subcolumns, Crew (C), Service (O), and Field (F) maintenance.

Sustainment - includes two subcolumns, Below Depot (H) and Depot (D) maintenance.

B.1.3 The tools and test equipment requirements (immediately following the MAC) list the tools and test equipment (both special tools and common tool sets) required for each maintenance function as referenced from the MAC.

B.1.4 The remarks (immediately following the tools and test equipment requirements) contain supplemental instructions and explanatory notes for a particular maintenance function.

B.2 MAINTENANCE FUNCTIONS.

Maintenance functions are limited to and defined as follows:

B.2.1 <u>Inspect</u>. To determine the serviceability of an item by comparing its physical, mechanical, and/or electrical characteristics with established standards through examination (e.g., by sight, sound, or feel). This includes scheduled inspection and gagings and evaluation of cannon tubes. B.2.2 <u>Test</u>. To verify serviceability by measuring the mechanical, pneumatic, hydraulic, or electrical characteristics of an item and comparing those characteristics with prescribed standards on a scheduled basis, i.e., load testing of lift devices and hydrostatic testing of pressure hoses.

B.2.3 <u>Service</u>. Operations required periodically to keep an item in proper operating condition; e.g., to clean (includes decontaminate, when required), to preserve, to drain, to paint, or to replenish fuel, lubricants, chemical fluids, or gases. This includes scheduled exercising and purging of recoil mechanisms.

B.2.4 <u>Adjust</u>. To maintain or regulate, within prescribed limits, by bringing into proper position, or by setting the operating characteristics to specified parameters.

B.2.5 <u>Align</u>. To adjust specified variable elements of an item to bring about optimum or desired performance.

B.2.6 <u>Calibrate</u>. To determine and cause corrections to be made or to be adjusted on instruments of test, measuring, and diagnostic equipment used in precision measurement. Consists of comparisons of two instruments, one of which is a certified standard of known accuracy, to detect and adjust any discrepancy in the accuracy of the instrument being compared.

B.2.7 <u>Remove/Install</u>. To remove and install the same item when required to perform service or other maintenance functions. Install may be the act of emplacing, seating, or fixing into position a spare, repair part, or module (component or assembly) in a manner to allow the proper functioning of an equipment or system.

B.2.8 <u>Replace</u>. To remove an unserviceable item and install a serviceable counterpart in its place. "Replace" is authorized by the MAC and assigned maintenance level is shown as the third position code of the Source, Maintenance and Recoverability (SMR) code.

B.2.9 <u>Repair</u>. The application of maintenance services, including fault location/troubleshooting, removal/installation, disassembly/assembly procedures, and maintenance actions to identify troubles and restore serviceability to an item by correcting specific damage, fault, malfunction, or failure in a part, subassembly, module (component or assembly), end item, or system.

NOTE

The following definitions are applicable to the "repair" maintenance function:

Services - Inspect, test, service, adjust, align, calibrate, and/or replace.

Fault location/troubleshooting - The process of investigating and detecting the cause of equipment malfunctioning; the act of isolating a fault within a system or Unit Under Test (UUT).

Disassembly/assembly - The step-by-step breakdown (taking apart) of a spare/functional group coded item to the level of its least component, that is assigned as SMR code for the level of maintenance under consideration (i.e., identified as maintenance significant).

Actions - Welding, grinding, riveting, straightening, facing, machining, and/or resurfacing.

B.2.10 <u>Overhaul</u>. That maintenance effort (service/ action) prescribed to restore an item to a completely serviceable/operational condition as required by maintenance standards in appropriate technical publications. Overhaul is normally the highest degree of maintenance performed by the Army. Overhaul does not normally return an item to like new condition.

B.2.11 <u>Rebuild</u>. Consists of those services/actions necessary for the restoration of unserviceable equipment to a like new condition in accordance with original manufacturing standards. Rebuild is the highest degree of materiel maintenance applied to Army equipment. The rebuild operation includes the act of returning to zero those age measurements (e.g., hours/miles) considered in classifying Army equipment/components.

B.3 EXPLANATION OF COLUMNS IN THE MAC.

B.3.1 <u>Column (1) - Group Number</u>. Column (1) lists Functional Group Code (FGC) numbers, the purpose of which is to identify maintenance significant components, assemblies, subassemblies, and modules with the Next Higher Assembly (NHA). B.3.2 <u>Column (2) - Component/Assembly</u>. Column (2) contains the item names of components, assemblies, sub-assemblies, and modules for which maintenance is authorized.

B.3.3 <u>Column (3) - Maintenance Function</u>. Column (3) lists the functions to be performed on the item listed in column (2). (For a detailed explanation of these functions refer to "Maintenance Functions" outlined above.)

B.3.4 Column (4) - Maintenance Level. Column (4) specifies each level of maintenance authorized to perform each function listed in column (3), by indicating work time required (expressed as manhours in whole hours or decimals) in the appropriate subcolumn. This work time figure represents the active time required to perform that maintenance function at the indicated level of maintenance. If the number or complexity of the tasks within the listed maintenance function varies at different maintenance levels, appropriate work time figures are to be shown for each level. The work time figure represents the average time required to restore an item (assembly, subassembly, component, module, end item, or system) to a serviceable condition under typical field operating conditions. This time includes preparation time (including any necessary disassembly/assembly time), troubleshooting/fault location time, and quality assurance time in addition to the time required to perform the specific tasks identified for the maintenance functions authorized in the MAC. The symbol designations for the various maintenance levels are as follows:

Field:

C - Crew maintenance

O - Service maintenance

F - Field maintenance

Sustainment:

- L Specialized Repair Activity (SRA)
- H Below Depot maintenance
- D Depot maintenance

NOTE

The "L" maintenance level is not included in column (4) of the MAC. Functions to this level of maintenance are identified by a work time figure in the "H" column of column (4), and an associated reference code is used in column (6), Remarks Code. This code is keyed to the remarks and the SRA complete repair application is explained there.

B.3.5 <u>Column (5) - Tools and Equipment Reference</u> <u>Code</u>. Column (5) specifies, by code, those common tool sets (not individual tools), common Test, Measurement and Diagnostic Equipment (TMDE), and special tools, special TMDE and special support equipment required to perform the designated function. Codes are keyed to the entries in the tools and test equipment table.

B.3.6 <u>Column (6) - Remarks Code</u>. When applicable, this column contains a letter code, in alphabetical order, which is keyed to the remarks table entries.

B.4 <u>EXPLANATION OF COLUMNS IN THE TOOLS</u> <u>AND TEST EQUIPMENT REQUIREMENTS</u>.

B.4.1 <u>Tool or Test Equipment Reference Code</u>. The tool or test equipment reference code correlates with a code used in column (5) of the MAC.

B.4.2 Maintenance Level. The lowest level of mainte-

nance authorized to use the tool or test equipment.

B.4.3 <u>Nomenclature</u>. Name or identification of the tool or test equipment.

B.4.4 <u>National Stock Number</u>. The NSN of the tool or test equipment.

B.4.5 <u>Tool Number</u>. The manufacturer's part number, model number, or type number.

B.5 <u>EXPLANATION OF COLUMNS IN THE</u> <u>REMARKS</u>.

B.5.1 <u>Remarks Code</u>. The code recorded in column (6) of the MAC.

B.5.2 <u>Remarks</u>. This column lists information pertinent to the maintenance function being performed as indicated in the MAC.

SECTION II MAINTENANCE ALLOCATION CHART FOR MILITARY PYROTECHNICS

(1)	(2)	(3)		Maint	(4) enance L	evel		(5)	(6)
				Field		Sustain	nment		
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
0101	01 GROUP, CARTRIDGES a. Cartridge, Photoflash: M112A1 and M123A1, PRACTICE, M121 and M124	Inspect Test Unpack Repack Clean Mark Install	X X X X X		X X		Х		

Maintenance Allocation Chart for Military Pyrotechnics

(1)	(2)	(3)		Maint	(4) enance L	evel		(5)	(6)
				Field		Sustai	nment	1	
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
	b. Packaging for Cartridge (Wooden Box)	Inspect Clean Touch up Mark Paint Repair Replace	х		X X X X X X X				
	02 GROUP, FLARES								
0201	a. Flare, Surface: Trip M49A1	Inspect Test Unpack Repack Clean Touch up Mark Install Paint Repair	X X X X		X X X X		X		
	b. Packaging for Flare (Wooden Box)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				
0202	a. Flare, Aircraft, Counter- measure, M206	Inspect Test Unpack Repack Clean Touch Up Mark Install	X X X X		X X X		Х		

(1)	(2)	(3)		Maint	(4) enance L	level		(5)	(6)
				Field		Sustain	nment		
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
	 b. Packaging for Flare (Metal Container) 	Inspect Test Clean	X		X		Х		
		Touch up Mark Paint Repair Replace			X X X X		X		
0203	a. Flare Ballistic Aerial Target; Infrared Tracking MK33, Mod 0	Inspect Test Unpack	X X				Х		
		Repack Clean Mark Install	X X		X X				
	b. Packaging for Flare (Metal Container)	Inspect Test Clean	X		Х		Х		
		Touch Up Mark Paint Repair Replace			X X X X		х		
0204	a. Flare, Aircraft, Counter- measure, M211	Inspect Test	X		Λ		X		
		Unpack Repack Clean Touch up	X X		Х		X		
		Mark Install Paint	Х		X X		~~		

(1)	(2)	(3)		Maint	(4) enance L	level		(5)	(6)
				Field		Sustai	nment		
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
	b. Packaging for Flare (Metal Container)	Inspect Test Clean Touch Up Mark Paint Repair Replace	Х		X X X X X X		x x		
0205	a. Flare, Aircraft, Counter- measure, M212	Inspect Test Unpack Repack Clean Touch up Mark Install Paint	X X X X		X X X		х		
	 b. Packaging for Flare (Metal Container) 	Inspect Test Clean Touch up Mark Paint Repair Replace	Х		X X X X X		x x		
	03 GROUP, SIGNALS								
0301	a. Signal Illumination, Aircraft: All	Inspect Test Unpack Repack Clean Mark Install	X X X X		X X		Х		

(1)	(2)	(3)		Maint	(4) enance I	.evel		(5)	(6)
				Field		Sustai	nment		
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
	b. Packaging for Signal (Wooden Box)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				
0302	a. Signal Kit, Personnel Distress M185, M186	Inspect Test Unpack Repack Clean Install Repair	X X X X X X		х		Х		1
	b. Packaging of Signal (Wooden Box)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				
0303	a. Signal, Illumination, Ground: M187, M188, M189, M190	Inspect Test Unpack Repack Clan Mark Install	X X X X		X X		X		
	b. Packaging of Signal (Wooden Box)	Inspect Mark Repair Replace			X X X X				

(1)	(2)	(3)		Maint	(4) enance I	.evel		(5)	(6)
				Field		Sustain	nment		
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
0304	a. Signal, Illumination, Ground: Cluster, M125A1, M158, M159; Signal, Illu- mination, Ground, Para- chute: M126A1, M127A1, M195; Signal, Smoke, Ground: Parachute, M128A1, M129A1, M194	Inspect Test Unpack Repack Clean Install Repair Replace	X X X X X		х		X X X		
	b. Packaging of Signal (Wood Box	Inspect Clean Touch Up Mark Paint Repair Replace	Х		X X X X X X X				
	c. Packaging of Signal (Metal Container)	Inspect Test Clean Touch up Mark Paint Repair Replace	Х		X X X X X		X X		
0305	a. Signal, Illumination, Ground: Parachute, M131	Inspect Test Unpack Repack Clean Install	X X X X X		Х		Х		
	b. Packaging of Signal (Wood Box)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				

(1)	(2)	(3)		Maint	(4) enance L	level		(5)	(6)
				Field		Sustai	nment		
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
0306	a. Signal, Illumination, Ground: Green Star, Para- chute, M19A2; Signal, Smoke, Ground: M62, M64, M65, M66	Inspect Test Unpack Repack Clean Install	X X X X X		X		Х		
	b. Packaging of Signal (Wood Box)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				
0307	a. Signal, Illumination, Ground: Two Star, Red AN-M75	Inspect Test Unpack Repack Clean Install	X X X X		Х		Х		
	b. Packaging of Signal (Wood Box)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				
0308	a. Signal, Smoke and Illu- mination, Marine MK13 Mod 0	Inspect Test Unpack Repack Clean Touch Up Mark Install Paint	X X X X		X X X X		Х		

(1)	(2)	(3)		Maint	(4) enance L	evel		(5)	(6)
				Field		Sustai	nment		
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
	b. Packaging of Signal (Wood Box)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				
0309	a. Signal, Smoke, Ground: M166, M167, M168, M169		X X X X X		X X		х		
	b. Packaging of Signal (Wood Box)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				
0310	a. Signal Kit, Personnel Distress: Foliage Penetrat- ing (Red DODIC L199)	Inspect Test Unpack Repack Clean Mark Install	X X X X		X X		X		
	b. Packaging of Signal (Wood Box)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				

(1)	(2)	(3)		Maint	(4) enance L	evel		(5)	(6)
1				Field		Sustai	nment		
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
	04 GROUP, SIMULATORS								
0401	a. Simulator, Atomic Explosion: M142	Inspect Test	X				x		
		Unpack Repack	Х		Х				
l		Clean	Х						
		Mark			Х				
		Install Repair	Х				Х		
		Replace					X		
	b. Packaging of Simulator	Repack			Х				2
	(55 Gal. Drum)	Clean			X				
		Touch up Mark			X X				
		Paint			21		Х		
		Repair			Х				
		Replace			Х				
0402	a. Simulator, Detonation, Explosive, M80	Inspect Test	Х				X		
		Unpack	x				Λ		
		Repack			Х				
		Mark	v		Х				
		Install	Х						
	b. Packaging of Simulator		v		Х				
	(Wood Box)	Clean Touch up	Х		Х				
		Mark			X				
		Paint			Х				
		Repair			X				
		Replace			Х				
0403	a. Simulators, Explosive	Inspect	Х				v		
	Booby Trap: Flash, M117; Illuminating, M118; Whis-	Test Unpack	X				Х		
	tling, M119	Repack	Δ		Х				
		Mark			Х				
		Install	Х						

(1)	(2)	(3)		Maint	(4) enance L	evel		(5)	(6)
				Field		Sustai	nment		
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
	b. Packaging of Simulator (Wood Box)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				
0404	a. Simulator, Flash, Artil- lery, M110	Inspect Test Unpack Repack Clean Mark Install	X X X X		X X		Х		
	b. Packaging of Simulator (Wood Box)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				
0405	a. Simulator, Hand Gre- nade, M116A1	Inspect Test Unpack Repack Mark Install	X X X		X X		Х		
	b. Packaging of Simulator (Wood Box)	Inspect Clean Touch up Mark Paint Repair Replace	х		X X X X X X X				

(1)	(2)	(3)		Maint	(4) enance L	Level		(5)	(6)
				Field		Sustai	nment	•	
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
0406	a. Simulator, Projectile Airburst: M127A1B1	Inspect Test	Х				Х		3
		Unpack Repack Mark	X		X X				
		Install	Х						
	b. Packaging of Simulator(Wood Box)	Inspect Clean	X		Х				
		Touch up Mark Paint			X X X				
		Repair Replace			X X				
0407	a. Simulator, Projectile, Airbust: M74 or M74A1	Inspect Test	Х				Х		
		Unpack Repack Clean	X X		X				
		Mark Install	X		Х				
	b. Packaging of Simulator (Wood Box)	Inspect Clean	X		Х				
		Touch up Mark	Λ		X X				
		Paint Repair Replace			X X X				
0408	a. Simulator, Projectile Airbust: Charge, Smoke,	Inspect Test	Х				X		3
	Puff, White	Unpack Repack	Х		X X				
		Install	Х						
		Repack Mark							

(1)	(2)	(3)		Maint	(4) enance L	evel		(5)	(6)
				Field		Sustai	nment		
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Η	D	Ref Code	Code
	b. Packaging of Simulator (Wood Box)	Inspect Clean Touch up Mark Paint Repair Replace	X		X X X X X X X				
	c. Percussion Cap Primer	Inspect Test Unpack Repack	X X		X		х		
0409	a. Simulator, Projectile Groundburst, M115A2	Inspect Test Unpack Repack Mark Install	X X X		X X		X		
	b. Packaging of Simulator (Wood Box)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				
0410	a. Simulator, Flash, Artil- lery: M21	Inspect Test Unpack Repack Clean Mark Install	X X X X		X X		х		
	b. Packaging of Simulator (Wood Box)	Inspect Clean Touch up Mark Paint Repair Replace	х		X X X X X X X				

(1)	(2)	(3)		Maint	(4) enance L	level		(5)	(6)
				Field		Sustai	nment		
						Below		Tools and	
Group		Maintenance	Crew	Service	Field	Depot	Depot	Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
0411	a. Simulator, Pyrotechnic, Cartridge, 50mm: M800	Inspect Test	X				Х		3
	Cartridge, Johnn. W1000	Unpack	Х				Δ		
		Repack			X				
		Mark Install	Х		Х				
	b. Packaging of Simulator	Inspect			Х				
	(Wood Box)	Clean Touch up	Х		Х				
		Mark			Х				
		Paint Repair			X X				
		Replace			X				
0412	a. Simulator, Launching, Anti-Tank, Guided Missile	Inspect Test	Х				Х		
	and Rocket, M22	Unpack	Х				1		
		Repack	V		Х				
		Clean Mark	Х		Х				
		Install	Х						
		T .			N/				
	b. Packaging of Simulator (Wood Box)	Inspect Clean	Х		Х				
	(Touch up			Х				
		Mark Paint			X X				
		Repair			X				
		Replace			Х				
0413	a. Simulator, Tank Main	Inspect	Х						
0413	Gun Signature (MGSS):	Test	Λ				Х		
	M30	Unpack	Х		**				
		Repack Clean	Х		Х				
		Mark			Х				
		Install	Х						
I						I			

(1)	(2)	(3)		(4) Maintenance Level			(5)	(6)	
				Field		Sustain	nment		
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
	b. Packaging of Simulator (Wood Box)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				
0414	a. Simulator, Direct-Indi- rect Fire Cue (DIFCUE): M31A1	Inspect Test Unpack Repack Clean Mark Install	X X X X		X X		Х		
	b. Packaging of Simulator (Wood Box)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				
0415	a. Simulator, Anti-tank Guided Missile Signature: M27 (SAGGER)	Inspect Test Unpack Repack Mark Install	X X X		X X		Х		
	b. Packaging of Simulator (Foam Support)	Inspect Clean Touch up Mark Paint Repair Replace	Х		X X X X X X X				

(1)	(2)	(3)			(4)			(5)	(6)
					enance L	i			
				Field		Sustain	nment		
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number		Function	C	0	F	Н	D	Ref Code	Code
0416	a. Simulator, Target Hit, M25	Test Unpack Repack	Х	X X					
	b. Packaging of Simulator	Inspect Mark Repair Replace		X X X X					
0417	a. Simulator, Target Kill, M26	Test Unpack Repack	Х	X X					
	b. Packaging of Simulator	Inspect Mark Repair Replace		X X X X					
0418	a. Simulator, Hostile Fire, M34	Test Unpack Repack	х	X X					
	b. Packaging of Simulator	Inspect Mark Repair Replace		X X X X					
0419	a. Simulator, Target Hit, White Star, M35	Test Unpack Repack	X	X X					
	b. Packaging of Simulator	Inspect Mark Repair Replace		X X X X					

(1)	(2)	(3)		Maint	(4) tenance I	level		(5)	(6)
				Field		Sustai	nment		
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
	GROUP 05, MISCELLANEOUS PYROTECNICS								
0501	a. Fusees, Warning, Rail- road: Red, M72, 10, 15,	Inspect Test	Х				X		
	and 20-minutes	Unpack Repack Mark	Х		X X				
		Install	Х						
	b. Packaging of Fusees (Wood Box)	Inspect Clean	х		X				
		Touch up Mark Paint Repair Replace			X X X X X X				
0502	a. Marker, Location, Marine: Dye AN-M59	Inspect Test Unpack Repack Mark	X X		XXX		Х		
		Install	Х		Λ				
	b. Packaging of Marker(Wood Box)	Inspect Clean Touch up	Х		X X				
		Mark Paint Repair Replace			X X X X X				
0503	a. Starter, Fire: M2	Inspect Test	Х				X		
		Unpack Repack Clean	X X		x				
		Mark Install	X X		Х				

(1)	(2)	(3)		Maint	(4) enance L	level		(5)	(6)
				Field		Sustain	nment		
Group		Maintenance	Crew	Service	Field	Below Depot	Depot	Tools and Equipment	Remarks
Number	Component/Assembly	Function	С	0	F	Н	D	Ref Code	Code
	b. Packaging of Fire Starter (Wood Box)	Inspect Clean Touch Up Mark Paint Repair Replace	Х		X X X X X X X				

SECTION III TOOLS AND TEST EQUIPMENT FOR MILITARY PYROTECHNICS

Tools and Test Equipment for Military Pyrotechnics

Tool or Test Equipment Ref Code	Maintenance Level	Nomenclature	National Stock Number	Tool Number
		None		

SECTION IV REMARKS FOR MILITARY PYROTECHNICS

Remarks for Military Pyrotechnics

Remarks Code	Remarks
1	The flares are not repairable, but the launcher may be repaired at the crew level.
2	All the field returns must be inspected for proper packaging.
3	Item is obsolete.

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX C PACKING MATERIALS, ACCESSORIES, AND TOOLS

Section I. INTRODUCTION

C-1. Scope

This appendix lists packing materials, accessories, and tools required for the performance of organizational maintenance for Military Pyrotechnics.

C-2. General

This appendix is divided into the following sections:

a. <u>Section II Packing Materials.</u> A list of packing materials authorized for the performance of maintenance at the organizational level.

b. <u>Section III Special Packing Tools List</u>. A list of special tools and accessories authorized for the performance of maintenance at the organizational level.

C-3. Explanation of Columns

The following provides an explanation of columns in Section II and III.

a. <u>Part Number (Drawing Number).</u> Indicates the primary number used by the manufacturer which controls the design and characteristics of the item. Drawings can be obtained from originating source (see CAGE Code).

b. <u>Commercial and Government Entity Code (CAGEC) (Formerly known as Federal Supply Code for Manufacturers</u> (FSCM)). A five-digit code used to identify the manufacturer, distributor, or Government agency/activity that supplies the item.

c. Figure Number. This column lists the number of the figure where the item is identified/located.

d. <u>Description</u>. Indicates the federal item name and any additional description of the item required.

TM 9-1370-203-20




Figure C-1. Typical Box, Packing




Figure C-2. Typical Ammunition Packing Box

Part No. CAGE Figure Description (Dwg No.) Code No. CARTRIDGES CARTRIDGE, PHOTOFLASH: M112A1 CARTRIDGE, PHOTOFLASH, PRACTICE: M121 8860564 19203 C-1 BOX, PACKING, AMMUNITION: fiberboard 8860565 19203 C-2 BOX, PACKING, AMMUNITION: MIL-B-117 81349 C-1 ENVELOPE, PACKAGING: 9-1/8 in. wide, 15-5/8 in. lg CARTRIDGE, PHOTOFLASH: M123A1 CARTRIDGE, PHOTOFLASH, PRACTICE: M124 7548472 19203 C-1 BOX, PACKING, AMMUNITION: C-2 BOX, PACKING, AMMUNITION: 7548473 19203 MIL-B-117 81349 C-1 ENVELOPE, PACKAGING: 9-1/8 in. wide, 15-5/8 in. lg **FLARES** FLARE, SURFACE: TRIP, M49A1 8830880 19203 C-2 BOX. PACKING. AMMUNITION: 8830881 19203 C-1 BOX, PACKING, AMMUNITION: fiberboard ENVELOPE, PACKAGING: 9-1/8 in. wide, MIL-B-117 81349 C-1 15-5/8 in. lg FLARE, AIRCRAFT, COUNTERMEASURE: M211 C-12 12988805 19200 BOX, PACKING, AMMUNITION: 12988808 19200 C-13 BOX, PACKING, AMMUNITION: FLARE, AIRCRAFT, COUNTERMEASURE; M212 12988844 19200 C-12 BOX, PACKING, AMMUNITION: 12988845 19200 C-13 BOX, PACKING, AMMUNITION: **SIGNALS** SIGNAL ILLUMINATION, AIRCRAFT: 8836949 19203 C-1 BOX, PACKING, AMMUNITION: fiberboard 19203 8836950 C-2 BOX, PACKING, AMMUNITION: MIL-B-117 81349 C-1 ENVELOPE, PACKAGING: 9-1/8 in. wide, 15-5/8 in. lg SIGNAL KIT, PERSONNEL DISTRESS: M185 AND M186 9231550 19203 C-1 BOX, PACKING, AMMUNITION: 9231551 19203 C-2 BOX, PACKING, AMMUNITION: MIL-B-117 81349 C-1 ENVELOPE, PACKAGING: 9-1/8 in wide, 15-5/8 in. lg

Section II. PACKING MATERIALS




Figure C-4. Ammunition Fiber Container

Section II. PACKING MATERIALS (CONT'D)

Part No. (Dwg No.)	CAGE Code	Figure No.	Description
			SIGNALS- Cont'd
			SIGNAL, ILLUMINATION, GROUND: M187, M188, M189, AND M190
9234287 9234286	19203 19203	C-2 C-2	BOX, PACKING, AMMUNITION: BOX, PACKING, AMMUNITION: removable tray and sleeve, inner and outer
MIL-B-117	81349	C-1	ENVELOPE, PACKAGING: 9-1/8 in. wide, 15-5/8 in. Ig
7548415 7548414	19203 19203	C-2 C-3	SIGNAL, ILLUMINATION, GROUND: CLUSTER M125A1, M158, M159; PARACHUTE M126A1, M127A1, M195; SIGNAL, SMOKE, GROUND: PARACHUTE, M128A1, M129A1, M194 BOX, PACKING, AMMUNITION: CAN, HERMETIC SEALING: M492 SIGNAL, ILLUMINATION GROUND: PARACHUTE, M131
8837837 8837838	19203 19203	C-2 C-3	BOX, PACKING, AMMUNITION: CAN, HERMETIC SEALING: M291 SIGNAL, ILLUMATION, GROUND: PARACHUTE, M19A2; SIGNAL, SMOKE, GROUND: M62, M64, M65, AND M66
8866684 8866685	19203 19203	C-4 C-2	CONTAINER, AMMUNITION: M104A1, fiber BOX, PACKING, AMMUNITION: SIGNAL, ILLUMINATION, MARINE: AN-M75
76-1-870	19203	C-3	CONTAINER, PACKING ASSEMBLY: METAL; consists of: bag, packing; bag; bottom; cover; body
			SIGNAL, SMOKE, AND ILLUMINATION, MARINE: MK13 MOD 0
563246 593127	10001 10001	C-2 C-1	BOX, AMMUNITION: MK3 Mod 0 BOX, PACKING, AMMUNITION: MK3, Mod 0 fiberboard




Figure C-5. Ammunition Fiber Drum

Section II. PACKING MATERIALS (CONTD)

168,
168,
168,
30
110
119




Figure C-6. Shipping and Storage Container, Cartridge: M548

Section II. PACKING MATERIALS - Continued

Part No. (Dwg No.)	CAGE Code	Figure No.	Description
			SIMULATORS - Continued
			SIMULATOR, HAND GRENADE: M116A1
3799714	19203		BOX, PACKING, AMMUNITION:
MIL-B-117	81349	C-1	ENVELOPE, PACKAGING: 9-1/8 in. wide, 15-5/8 in. lg
			SIMULATOR, PROJECTILE AIRBURST: M27A1131
8860597	19203	C-2	BOX, PACKING AMMUNITION:
860596 MIL-B-117	19203 81349	C-1 C-1	CARTON, PACKING, AMMUNITION: ENVELOPE, PACKAGING: 9-1/8 in. wide, 15-5/8 in. lg
	010.15	01	SIMULATOR, PROJECTILE AIRBURST: M74 or M74A1
3836949	19203	C-1	BOX, PACKING, AMMUNITION: fiberboard
3836950	19203	C-2	BOX, PACKING, AMMUNITION: plywood, NN-P-530
MIL-B-117	81349	C-4	ENVELOPE, PACKAGING: 9-1/8 in. wide, 15-5/8 in. lg
			SIMULATOR, PROJECTILE AIRBURST: CHARGE, SMOKE PUFF, WHITE
20-4072 76-2-71	81361 19203	C-2 C-4	BOX, PACKING, AMMUNITION: M114 fiber containers CONTAINER, PACKING, ASSEMBLY: fiber
0-2-71	19203	U-4	SIMULATOR, PROJECTILE GROUND BURST: M115A2
3799710	19203	C-2	BOX, PACKING, AMMUNITION:
799710	19203	C-1	BOX, PACKING, AMMUNITION: B-17, paperboard
AIL-B-117	81349	C-1	ENVELOPE, PACKAGING: 9-1/8 in. wide, 15-5/8 in. lg
			SIMULATOR, FLASH ARTILLERY: M21
880487	19203		CONTAINER, AMMUNITION, FIBER: M242
			SIMULATOR, TANK MAIN GUN SIGNATURE (MGSS): M30
2975499	19200	C-8	CONTAINER, AMMUNITION, FIBERBOARD
			SIMULATOR, DIRECT-INDIRECT FIRE CUE (DIFCUE): M31A1
2978487	19200	C-9	CONTAINER, AMMUNITION, FIBERBOARD
2978484	19200	C-2	BOX, WOOD
			SIMULATOR, TARGET HIT: M25
2972823	19200	C1	BOX, PACKING, AMMUNITION: fiberboard
2972824	19200	C2	BOX, PACKING, AMMUNITION:
			SIMULATOR, TARGET KILL: M26
395639	19200	C1	BOX, PACKING, AMMUNITION: fiberboard
395638	19200	C2	BOX, PACKING, AMMUNITION:
			SIMULATOR, ANTITANK GUIDED MISSILE SIGNATURE: M27
2598324	19200	C-10	BOX, FOAM SUPPORT
2598333	19200	C-11	BOX, PALLET TYPE, WIREBOUND
			SIMULATOR, HOSTILE FIRE: M34
C.000760.01	1PRS3	C14	INNER BOX, UNIT
C.000764.01	1PRS3	C2	OUTER BOX, WIREBOUND
			SIMULATOR, TARGET HIT, WHITE STAR: M35
C.000760.01	1PRS3	C14	INNER BOX, UNIT
C.000764.01	1PRS3	C2	OUTER BOX, WIREBOUND
			SIMULATOR, PYROTECHNIC, CARTRIDGE: 50MM, M80
880487	19203		CONTAINER, AMMUNITION, FIBER: M242




Figure C-7. Packing Preformed: PA142 (for Container, Signal).




Figure C-8. Packing and Marking for AVCPS, MGSS.

I

Part No. (Dwg No.)	CAGE Code	Figure No.	Description
			SIMULATORS-Cont'd
			SIMULATOR, LAUNCHING, ANTI-TANK, GUIDED MISSILE AND ROCKET: M22
			MISCELLANEOUS PYROTECHNICS
			FUSES, WARNING, RAILROAD, RED, 20 MIN.: M72
8835158 835159 MIL-B-117	19203 19203 81349	C-1 C-2 C-1	BOX, PACKING, AMMUNITION: fiberboard BOX, PACKING, AMMUNITION: wood ENVELOPE, PACKAGING: 9-1/8 in. wide, 15-5/8 in. lg
			MARKER, LOCATION, MARINE: DYE, AN-M59
9224974 9224975 MIL-B-117	19203 19203 81349	C-1 C-2 C-1	BOX, PACKING, AMMUNITION: fiberboard BOX, PACKING, AMMUNITION: ENVELOPE, PACKAGING: 9-1/8 in. wide, 15-5/8 in. lg
			STARTER, FIRE: M2
C4-14-4	81361	C-2	BOX, WOOD:
7258943	19200	C-6	SHIPPING AND STORAGE CONTAINER, CARTRIDGE: M548
12900007	19200	C-7	PACKING PREFORMED: FOR CONTAINER, SIGNAL PA142

Section II. PACKING MATERIALS (CONT'D)




Figure C-9. Packing and Marking for AVCPS, DIFCUE.

SECTION III. SPECIAL PACKING TOOLS

Part No. (Dwg No.)	CAGE Code	Figure No.	Description
		110.	
8864731	19203		SALLEE CLOSER:
			(NSN 5120-00-319-5434)
MIL-S-43104	81349		STRAPPING AND SEALING KIT:
			type III (5/8-inch strapping)
			(NSN 3540-00-565-6244)
MIL-S-43104	81349		STRAPPING AND SEALING KIT:
			type V (I-1/4-inch strapping)
			(NSN 3540-00-565-6244)




Figure C-10. Packing and Marking for Simulator, Antitank Guided Missile Signature.




Figure C-11. Packing and Marking for Box, Pallet Type, Wirebounds for Simulator, Antitank Guided Missile Signature.




Figure C-12. Packing and Marking for Container, PA19.




Figure C-13. Packing and Marking for Wood Box.




Figure C-14. Packing for Simulators M34 and M35.

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX D

EXPENDABLE AND DURABLE ITEMS LIST

SECTION I. INTRODUCTION

D-1. SCOPE

a. This appendix lists expendable and durable items needed for Military Pyrotechnics. This listing is for information only and is not authority to requisition the listed items. These items are authorized to you by CTA 50-970, Expendable Items (except Medical, Class V, Repair Parts, and Heraldic items).

b. Expendable and Durable item supplies should be requisitioned through normal supply channels to comply with maintenance requirements.

D-2 EXPLANATION OF COLUMNS

- a. <u>Column (1) Item number</u>. This number is assigned to the entry in the listing for referencing when required.
- b. <u>Column (2) Level.</u> This column identifies the lowest level of maintenance that requires the listed item.
 - O Unit Maintenance
 - F Direct Support Maintenance
 - H General Support Maintenance

c. <u>Column (3) National Stock Number</u>. This is the national stock number (NSN) assigned to the item; use it to request or requisition the item.

d. <u>Column (4) Description</u>. Indicates the federal item name and, if required, a description to identify the item. The last line for each item indicates the Commercial and Government Entity Code (CAGEC) in parentheses followed by the part number.

e. <u>Column (5) Unit of Measure (U/M)/Unit of Issue (U/I).</u> This measure is expressed by a two character alphabetical abbreviation (e.g., EA, IN, PR). If the unit of measure differs from the unit of issue as shown in the Army Master Data File (AMDF) requisition the lowest unit of issue that will satisfy your requirement.

D-1

SECTION II. EXPENDABLE AND DURABLE ITEMS LIST

(1)	(2)	(3)	(4)	(5)
ITEM NUMBER	LEVEL	NATIONAL STOCK NUMBER	DESCRIPTION	(U/M)/ (U/I)
1	0	6810-00-184-4796	Acetone, Technical: liquid, 5 gal can	CN
2	Ο	6810-00-543-7415	(81348) O-A-51 Alcohol Denatured: grade III, liquid, 1 gal can (81348) O-E-760	GL
3	0	8020-00-597-4767	(81348) O-E-760 Brush, Artist's: flat 5/8 in. EA (81348) H-B-118	
4	0	7920-00-255-5135	Brush, Wire Scratch: wood and copper beryllium, alloy curved handle, 14in. X 15/16 in. block, 6 in. X 1-1/4 in. wire brush	EA
5	0	7920-00-269-0933	(81348) HB178 Brush, Wire Scratch: wood and copper beryllium alloy, straight handle, 7 in. X 1 in. block, 6 in. X 1-1/4 in. wire brush	EA
6	Ο	8010-00-848-9272	(81348) HB178 Enamel: olive drab, No. 34088, spray can	PT
7	Ο	8010-00-878-5761	(81348) TT-E-516 Enamel: white, No. 37875, spray can	PT
8	Ο	8010-00-910-8154	(81348) TT-E-516 Enamel: black, No. 37038, spray can	PT
9	0	8010-01-088-0096	(81348) TT-E-516 Enamel: orange, No. 32246, spray can	QT
10	Ο	8010-00-297-2114	(81348) TT-E-515 Enamel: red, No. 31136, can (06006) MS35537 10	GL
11	Ο	8010-00-297-2111	(96906) MS35527-10 Enamel: white, No. 37875 ((81348) TT-E-516	GL

SECTION II. EXPENDABLE AND DURABLE ITEMS LIST (CONT'D)

(1)	(2)	(3)	(4)	(5)
ITEM NUMBER	LEVEL	NATIONAL STOCK NUMBER	DESCRIPTION	(U/M)/ (U/I)
12	Ο	8010-00-297-2112	Enamel: yellow, No. 33538 (96906) MS35527-12	GL
13	0	8010-00-297-2116	Enamel: olive drab, No. 34088 (96906) MS35527-8	GL
14	0	8010-00-297-2118	Enamel: green, No. 34108 (81348) TT-E-516	GL
15	Ο	8010-00-297-2119	Enamel: blue, No. 35109 (96906) MS35527-3	GL
16	Ο	8010-00-297-2120	Enamel: gray, No. 36231 (96906) MS35527-4	GL
17	Ο	8010-00-297-2122	Enamel: black, No. 37038 (96906) MS35527-2	GL
18	0	8010-00-828-3193	Enamel: green, No. 34558 (81348) TT-E-516	GL
19	0	5315-00-597-9766	Fastener, Corrugated, Wood Joint: saw edge 1/2 in. deep (58536) A-A-1957	BX
20	0	8415-00-926-1674	Gloves, Barbed Tape-Wire Handlers' (58536) A-A-50054	PR
21	0	7510-00-161-0813	Ink, Marking, Stencil: black,: No. 37038 (58536) A-A-208	QT
22	Ο	7510-00-161-0811	Ink, Marking, Stencil: black, No. 37038 (58536) A-A-208	GL
23	Ο	7510-00-148-9817	Ink, Marking, Stencil: black No. 37038, for non porous surface (58536) A-A-208	QT
24	0	7510-00-469-7910	Ink, Marking, Stencil: black No. 37038 (38512) AN-1	PT
25	0	8010-00-721-9479	Lacquer: orange, No. 12215 (58536) A-A-665	PT

SECTION II. EXPENDABLE AND DURABLE ITEMS LIST (CONT'D)

(1)	(2)	(3)	(4)	(5)
ITEM NUMBER	LEVEL	NATIONAL STOCK NUMBER	DESCRIPTION	(U/M)/ (U/I)
	•		N 10107	DT DT
26	0	8010-00-584-3148	Lacquer: orange, No. 12197 (58536) A-A-665	PT
27	0	8010-00-063-8967	Lacquer: aluminum, No. 17178	GL
28	0	8010-00-527-3196	(81349) MIL-L-11195 Lacquer: brown, No. 30277	GL
20	0	0010-00-027-0190	for obibidy markings	
	_		(81348) TT-L-40	
29	0	7520-00-286-5749	Marker, Tube Type: felt tip, replaceable tip	EA
			(81348) GG-M-117	
30	0	7520-00-973-1059	Marker, Tube Type: black ink,	DZ
			nonreplaceable felt tip	
31	0	5315-00-889-2743	(81348) GG-M-00114 Nail: style 4, type II, 4d, 1-1/2	LB
51	0	3313-00-009-2743	in. long	
			(81348) FF-N-105	
32	0	5315-00-889-2744	Nail: style 4, type II, 6d, 2 in. LB	
			long (81348) FF-N-105	
33	Ο	5315-00-889-2745	Nail: style 4, type II, 8d, 2-1/2	LB
			in. long	
24	0	0040 00 000 0005	(81348) FF-N-105	
34	0	8010-00-899-8825	Primer Coating: green, pressurized spray can	PT
			(81348) TT-P-1757	
35	0	5340-00-491-7632	Seal, Antipilferage: 1/2 in. dia,	HD
			1/8 in. thk, steel, 24 in. long (96906) MS51938-5	
36	Ο	7920-00-205-1711	Rag, Wiping: unbleached	BE
			(58536) A-A-2522	
37	0	8153-00-239-5291	Seal, Strapping: 5/8 in. steel	BX
			(81346) ASTM D 3953-87	

SECTION II. EXPENDABLE AND DURABLE ITEMS LIST (CONT'D)

(1)	(2)	(3)	(4)	(5)
ITEM NUMBER	LEVEL	NATIONAL STOCK NUMBER	DESCRIPTION	(U/M)/ (U/I)
38	0	8135-00-239-5294	Seal, Strapping: 1-1/4 in. (81346) ASTM D 3953-87	BX
39	Ο	8135-00-283-0671	Strapping: stl, 1-1/4 in. wide, nailless (81346) ASTM D 3953-87	CL
40	0	7510-00-823-8073	Tape, Pressure Sensitive Adhesive: black, 1-1/2 in., 60 yd (81349) MIL-T-43036	RO
41	Ο	7510-00-266-6715	Tape, Pressure Sensitive Adhesive: 2 in., 60 yd, colorless (58536) A-A-1830	RO
42	Ο	7510-00-283-0612	Tape, Pressure Sensitive Adhesive: masking, 1 in. tan, 60 yd (19203) 8790710	RO
43	Ο	8010-00-160-5788	Thinner, Paint Products: clear, 5 gal pail (58536) A-A-857	GL
44	Ο	5350-00-242-4405	Wool, Metallic: 1 lb roll (58536) A-A-1043	LB

THIS PAGE INTENTIONALLY LEFT BLANK

D-6

By Order of the Secretary of the Army:

GORDON R. SULLIVAN General, United States Army Chief of Staff

mitte of dento

MILTON H. HAMILTON Administrative Assistant to the Secretary of the Army 57982

Distribution:

To be distributed in accordance with DA Form 12-40-E, Block 0321, requirements for TM 9-1370-203-20.

#U.S. GOVERNMENT PRINTING OFFICE: 1995-646-049/00719

RECOMMENDED CHANGES TO PUBLICATIONS BLANK FORMS For use of this form, see AR 25-30; the proponent agency is ODISC4.							Special Too	l Lists (A) for Repair Parts and (PSTL) and Supply nuals (SC/SM).	DATE
TO: (For	ward to prop							d location) (Include ZIP Cod	le)	
		F	PART I - A	LL PUBL	CATIONS		RPSTL AND		AND BLANK FORMS	
PUBLICA	TION/FORM	NUMBER				DATE		TITLE		
TM 9-	1370-20	3-20				18 Jun	99	S	SOF Demo Kit, M3	03
ITEM NO.	PAGE NO.	PARA- GRAPH	LINE NO.*	FIGURE NO.	TABLE NO.				ENDED CHANGES AND R ding of recommended chan	
1	1-2	1.2.4		2.6		Provin Reaso	ng Groun n: Wron	nd, ME ng Ado		
2	2-3			2-6		Reaso	G C	ing fr	R" to the illustration.	
			E	* Referen			in the paragr	aph or su	ubparagraph. SIGNATURE	
TYPED NAME, GRADE OR TITLE TELEPH					NGE/AUTO	OVON, PLUS	5			

This Page Intentionally Left Blank

RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS For use of this form, see AR 25-30; the proponent agency is ODISC4.							Special Too	l Lists (F) for Repair Parts and IPSTL) and Supply nuals (SC/SM).	DATE
TO: (Forward to proponent of publication or form) (Include ZIP C LRED (AMSRD-AAR-AIL-LS) U.S. Army RDECOM, ARDEC Picatinny, NJ 07806-5000									d location) (Include ZIP Coc	ie)
			PART I - A	LL PUBL	CATIONS		RPSTL AND	1	AND BLANK FORMS	
PUBLICA	TION/FORM	NUMBER				DATE		TITLE		
TM 9-′	1370-203	3-20				19 JAN			nt Manual f/Militar	
ITEM NO.	PAGE NO.	PARA- GRAPH	LINE NO.*	FIGURE NO.	TABLE NO.				ENDED CHANGES AND R ding of recommended chan	
				* Reference	ce to line n	umbers with	in the parage	aph or s	ubparagraph.	
TYPED	NAME, GRA	DE OR TITL		10.0101	TELEP	HONE			SIGNATURE	
						OVON, PLUS	;			

TO: (For	ward dire	ect to addr	essee listed in publication)		FROM:	(Activity a	nd locati	on) (Inclu	ıde ZIP C	Code)	DATE	
LRED U.S. A	(AMS Army	SRD-AA RDECC	AR-AIL-LS) DM, ARDEC 06-5000									
		PAR	T II - REPAIR PARTS AND	SPECI	AL TOOL		ID SUPP	LY CAT	ALOGS/	SUPPLY MA	NUALS	
PUBLICA	TION N	UMBER			DATE			TITLE				
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER		RENCE NO.	FIGURE NO.	ITEM NO.	OF M	AL NO. IAJOR EMS ORTED	REC	OMMENDED ACTION	
		PART III -	REMARKS (Any general blank forms, Ad	remarks ditional b	or recom	mendation: ets may be	s, or sug used if r	gestions nore spa	for impro	ovement of pul	blications and	
PART III - REMARKS (Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.) TYPED NAME, GRADE OR TITLE TELEPHONE EXCHANGE/AUTOVON, SIGNATURE												
TYPED NAME, GRADE OR TITLE TELEPH PLUS E						CHANGE/ DN	AUTOVO	ON,	SIGNAT	URE		

The Metric System and Equivalents

Linear Measure

- 1 centimeter = 10 millimeters = .39 inch
- 1 decimeter = 10 centimeters = 3.94 inches 1 meter = 10 decimeters = 39.37 inches
- 1 dekameter = 10 meters = 32.8 feet
- 1 hectometer = 10 dekameters = 328.08 feet
- 1 kilometer = 10 hectometers = 3,280.8 feet

Weights

- 1 centigram = 10 milligrams = .15 grain
- 1 decigram = 10 centigrams = 1.54 grains
- 1 gram = 10 decigram = .035 ounce
- 1 decagram = 10 grams = .35 ounce
- 1 hectogram = 10 decagrams = 3.52 ounces
- 1 kilogram = 10 hectograms = 2.2 pounds 1 quintal = 100 kilograms = 220.46 pounds
- 1 metric ton = 10 quintals = 1.1 short tons

Liquid Measure

- 1 centiliter = 10 milliters = .34 fl. ounce
- 1 deciliter = 10 centiliters = 3.38 fl. ounces
- 1 liter = 10 deciliters = 33.81 fl. ounces 1 dekaliter = 10 liters = 2.64 gallons
- 1 hectoliter = 10 dekaliters = 26.42 gallons
- 1 kiloliter = 10 hectoliters = 264.18 gallons

Square Measure

- 1 sq. centimeter = 100 sq. millimeters = .155 sq. inch
- 1 sq. decimeter = 100 sq. centimeters = 15.5 sq. inches
- 1 sq. meter (centare) = 100 sq. decimeters = 10.76 sq. feet
- 1 sq. dekameter (are) = 100 sq. meters = 1,076.4 sq. feet
- 1 sq. hectometer (hectare) = 100 sq. dekameters = 2.47 acres 1 sq. kilometer = 100 sq. hectometers = .386 sq. mile

Cubic Measure

1 cu. centimeter = 1000 cu. millimeters = .06 cu. inch 1 cu. decimeter = 1000 cu. centimeters = 61.02 cu. inches 1 cu. meter = 1000 cu. decimeters = 35.31 cu. feet

Approximate Conversion Factors

To change	То	Multiply by	To change	То	Multiply by
inches	centimeters	2.540	ounce-inches	Newton-meters	.007062
feet	meters	.305	centimeters	inches	.394
yards	meters	.914	meters	feet	3.280
miles	kilometers	1.609	meters	yards	1.094
square inches	square centimeters	6.451	kilometers	miles	.621
square feet	square meters	.093	square centimeters	square inches	.155
square yards	square meters	.836	square meters	square feet	10.764
square miles	square kilometers	2.590	square meters	square yards	1.196
acres	square hectometers	.405	square kilometers	square miles	.386
cubic feet	cubic meters	.028	square hectometers	acres	2.471
cubic yards	cubic meters	.765	cubic meters	cubic feet	35.315
fluid ounces	milliliters	29,573	cubic meters	cubic yards	1.308
pints	liters	.473	milliliters	fluid ounces	.034
quarts	liters	.946	liters	pints	2.113
gallons	liters	3.785	liters	quarts	1.057
ounces	grams	28.349	liters	gallons	.264
pounds	kilograms	.454	grams	ounces	.035
short tons	metric tons	.907	kilograms	pounds	2.205
pound-feet	Newton-meters	1.356	metric tons	short tons	1.102
pound-inches	Newton-meters	.11296			

Temperature (Exact)

°F	Fahrenheit	5/9 (after	Celsius	°C
	temperature	subtracting 32)	temperature	

PIN: 073525