

**TECHNICAL MANUAL**

**ORGANIZATIONAL MAINTENANCE MANUAL  
RADAR INTERFACE EQUIPMENT MAINTENANCE  
EXPANDED TROUBLESHOOTING  
(LOGIC DIAGRAM MAINTENANCE TABLES)**

**GUIDED MISSILE  
AIR DEFENSE SYSTEM  
AN/TSQ-73**

Change }  
No. 2 }

HEADQUARTERS  
DEPARTMENT OF THE ARMY  
Washington, D. C., 24 June 1991

**ORGANIZATIONAL MAINTENANCE MANUAL  
RADAR INTERFACE EQUIPMENT MAINTENANCE**

**EXPANDED TROUBLESHOOTING  
(LOGIC DIAGRAM MAINTENANCE TABLES)**

**GUIDED MISSILE AIR DEFENSE SYSTEM  
AN/TSQ-73**

TM 9-1430-655-20-3-2, 10 July 1984, is changed as follows:

1. Remove old pages and insert new pages as indicated below. New or changed material is indicated by the applicable change number, i.e., Change 2, at the bottom of the page adjacent to the page number. Revised text will have a vertical bar in the margin next to the changed area. Revised illustrations will have suffix change letter added to the identification number.

Remove Pages

A/(B blank)  
5-5 thru 5-16  
5-39 and 5-40  
5-93 and 5-94  
5-99 thru 5-102  
5-145 and 5-146  
5-151 thru 5-162  
5-177 and 5-178  
5-325 and 5-326  
5-329 thru 5-338  
5-341 thru 5-348  
5-371 and 5-372  
5-435 and 5-436  
5-439 and 5-440  
5-449 and 5-450  
5-473 thru 5-480  
5-495 and 5-496  
5-499 thru 5-512

Insert Pages

A/(B blank)  
5-5 thru 5-16  
5-39 and 5-40  
5-93 and 5-94  
5-99 thru 5-102  
5-145 and 5-146  
5-151 thru 5-162  
5-177 and 5-178  
5-325 and 5-326  
5-329 thru 5-338  
5-341 thru 5-348  
5-371 and 5-372  
5-435 and 5-436  
5-439 and 5-440  
5-449 and 5-450  
5-473 thru 5-480  
5-495 and 5-496  
5-499 thru 5-512

2. File this change sheet in front of the publication for reference.

By Order of the Secretary of the Army:

**CARL E. VUONO**  
*General, United States Army*  
*Chief of Staff*

Official:

**PATRICIA P. HICKERSON**  
*Colonel, United States Army*  
*The Adjutant General*

DISTRIBUTION:

To be distributed in accordance with DA Form 12-32-E, Block 2333, requirement for TM 9-1430-655-20-3-2, AN/TSQ-73.

Change  
No. 1 }  
}

HEADQUARTERS  
DEPARTMENT OF THE ARMY  
Washington, D. C., 25 October 1990

ORGANIZATIONAL MAINTENANCE MANUAL  
RADAR INTERFACE EQUIPMENT MAINTENANCE

EXPANDED TROUBLESHOOTING  
(LOGIC DIAGRAM MAINTENANCE TABLES)

GUIDED MISSILE AIR DEFENSE SYSTEM  
AN/TSQ-73

TM 9-1430-655-20-3-2, 10 July 1984, is changed as follows:

1. Remove old pages and insert new pages as indicated below. New or changed material is indicated by the applicable change number, i.e., Change 1, at the bottom of the page adjacent to the page number. Revised text will have a vertical bar in the margin next to the changed area. Revised illustrations will have suffix change letter added to the identification number.

Remove Pages

A/(B blank)  
i thru xi/(xii blank)  
5-1 thru 5-4  
5-37 thru 5-50  
5-503 and 5-504

Insert Pages

A/(B blank)  
i thru xiv  
5-1 thru 5-4  
5-37 thru 5-50  
5-503 and 5-504

2. File this change sheet in front of the publication for reference.

By Order of the Secretary of the Army:

**CARL E. VUONO**  
*General, United States Army*  
*Chief of Staff*

Official:

**THOMAS F. SIKORA**  
*Brigadier General, United States Army*  
*The Adjutant General*

Distribution:

To be distributed in accordance with DA Form 12-32, Unit Maintenance requirements for AN/TSQ-73 Missile System.

TECHNICAL MANUAL }  
 No. 9-1430-655-20-3-2 . }

HEADQUARTERS  
 DEPARTMENT OF THE ARMY  
 Washington, D. C., 10 July 1984

**ORGANIZATIONAL MAINTENANCE MANUAL  
 RADAR INTERFACE EQUIPMENT MAINTENANCE**

**EXPANDED TROUBLESHOOTING  
 (LOGIC DIAGRAM MAINTENANCE TABLES)**

**GUIDED MISSILE AIR DEFENSE SYSTEM  
 ANTSQ-73**

**REPORTING OF ERRORS**

You can help improve this publication. If you find any mistakes, or if you know of a way to improve the procedures, please let us know. Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms), or DA Form 2028-2 located in back of this manual direct to: Commander, U. S. Army Missile Command, ATTN: AMSMI-LC-ME-P, Redstone Arsenal, AL 35898-5238. A reply will be furnished to you.

**TABLE OF CONTENTS**

Chapter	Page
LIST OF ILLUSTRATIONS .....	iv
LIST OF TABLES.....	xiii
VOLUME 2 (TM 9-1430-655-20-3-2)	
5	RADAR INTERFACE EQUIPMENT EXPANDED TROUBLESHOOTING.....5-1
Section I.	INTRODUCTION .....5-1
5-1	Scope.....5-1
5-2	Expanded Troubleshooting Concept.....5-1
5-3	Troubleshooting Aids .....5-1
5-4	Physical Description.....5-1
5-5	Circuit Card Location Index Tables and Key Signal Lookup Tables.....5-3
VOLUME 3 (TM 9-1430-655-20-3-3)	
Section I.	OVERALL THEORY .....5-565
5-6	Overall Functional Description .....5-565
5-7	Logic Theory Presentation .....5-567
Section III.	VIDEO PROCESSOR UNIT 1 .....5-568
5-8	General .....5-568
5-9	Constant False Alarm Rate Unit Detailed Description .....5-569
5-10	Automatic Clutter Mapper Detailed Description .....5-574
5-11	Built-In Test Equipment Detailed Description .....5-584

TABLE OF CONTENTS-Continued

	Page
Section IV. VIDEO PROCESSOR UNIT 2 .....	5-588
5-12 General .....	5-588
5-13 Target Processor Unit.....	5-588
5-14 Memory Multiplexer.....	5-588
5-15 Report Buffer.....	5-589
5-16 Target Processor Unit Detailed Description.....	5-591
Section V. RADAR INTEGRATION UNIT 1 .....	5-608
5-17 General .....	5-608
5-18 Input/Output Buffer.....	5-608
5-19 Video Distribution Unit .....	5-613
5-20 Range Synchronizer Unit.....	5-614
5-21 Target Detection Unit.....	5-616
Section VI. RADAR INTEGRATION UNIT 2 .....	5-619
5-22 General .....	5-619
5-23 Synchro-To-Digital Converter .....	5-619
5-24 Digital Interface Unit.....	5-626
5-25 IFF Interface Unit .....	5-628
5-26 Controller Synchronizer.....	5-628
5-27 Reply Detection Unit .....	5-631
5-28 Target Start Unit.....	5-633
Section VII. 16K MEMORY UNIT .....	5-637
5-29. General .....	5-637
Section VIII. VIDEO SIMULATOR UNIT	
5-30 General .....	5-638
5-31 IOX Interface.....	5-645
5-32 VSU Bite .....	5-646
Section IX. RIE INTERFACE.....	5-646
5-33 RIE/Radar Interface .....	5-646
5-34 RIE/IFF Interface.....	5-649
5-35 RIE/Display Console Interface.....	5-651
5-36. RIE Azimuth Inputs From Radar .....	5-651
5-37. ADPE/RIE Interface .....	5-651
Section X. MESSAGE FORMATS.....	5-651
5-38. General .....	5-651
Section XI. POWER DISTRIBUTION .....	5-666
5-39. General .....	5-666

**TABLE OF CONTENTS-Continued**

	Page
Section XII. CABLING AND FRONT PANEL SCHEMATIC DIAGRAMS .....	5-753
5-40 Cabling Diagrams .....	5-753
5-41 Front Panel Schematics.....	5-753
Section XIII. GLOSSARY OF TERMS.....	5-753
5-42. General .....	5-753
VOLUME 4 (TM 9-1430-655-20-3-4)	
Section XIV. VIDEO PROCESSOR UNITS.....	5-755
5-45 General .....	5-755
5-46 Logic Diagrams.....	5-755
5-47 Using Logic Diagrams.....	5-755
VOLUME 5 (TM 9-1430-655-30-3-5)	
Section XV. RADAR INTEGRATION UNITS .....	5-775
5-48 General .....	5-775
5-49 Logic Diagrams.....	5-775
5-50 Using Logic Diagrams.....	5-775
VOLUME 6 (TM 9-1430-655-20-3-6)	
Section XVI. VIDEO PROCESSOR UNITS.....	5-789
5-51 General .....	5-789
5-52 Logic Diagrams.....	5-789
5-53 Using Logic Diagrams.....	5-789
VOLUME 7 (TM 9-1430-655-20-3-7)	
Section XIV. RADAR INTERFACE EQUIPMENT .....	5-801
5-54 General .....	5-801
5-55 Physical Description.....	5-801

LIST OF ILLUSTRATIONS

Figure	Title	Page
VOLUME 2 (TM 9-1430-655-20-3-2)		
5-1	Radar Interface Equipment Major Units and Assemblies.....	5-2
VOLUME 3 (TM 9-1430-655-20-3-3)		
FO-0.01	RIE Block Diagram .....	FP-1
FO-0.02	Logic Element Designations .....	FP-3
FO-0.03	VPU-1 Block Diagram.....	FP-9
FO-0.04	CFAR General Block Diagram.....	FP-11
FO-0.05	Modulo-Eight Timing Diagram .....	FP-13
FO-0.06	Modulo-Six Timing Diagram .....	FP-15
FO-0.07	Simplified Quantizer Operation.....	FP-17
FO-0.08	Decade Loop and Test Loop Simplified Block Diagram .....	FP-19
FO-0.09	CFAR BITE Register Input/Output.....	FP-21
FO-0.10	ACM General Diagram .....	FP-23
FO-0.11	ACM Primary Timing Flow Chart .....	FP-31
FO-0.12	Dead-Time Counter Timing .....	FP-33
FO-0.13	Live-Time Read/Write Request Generation .....	FP-35
FO-0.14	Dead-Time Read/Write Request Generation .....	FP-37
FO-0.15	Address Controller Timing Diagram (Normal Sweep) .....	FP-39
FO-0.16	Address Controller Timing Diagram (Beamwidth Change Sweep) .....	FP-41
FO-0.17	Address Controller Timing Diagram (North Pulse Change) . .....	FP-43
FO-0.18	RC/CC Ratio Generation .....	FP-45
FO-0.19	Initialize Map Timing Diagram .....	FP-47
FO-0.20	Typical Manually Mapped Sector.....	FP-49
FO-0.21	Manual Mapping Best-Fit Technique.....	FP-51
FO-0.22	Manual Gate Control Word.....	FP-53
FO-0.23	Manual Mapping Timing Diagram.....	FP-55
FO-0.24	Clutter Cell Sequential Test.....	FP-57
FO-0.25	ACM Mode States.....	FP-59
FO-0.26	State Register Processing .....	FP-65
FO-0.27	Overlap Options.....	FP-67
FO-0.28	ACM Bite Panel and Signal Register Block Diagram .....	FP-69
FO-0.29	Memory Test Controller Write/Read Cycle Timing .....	FP-71
FO-0.30	Memory Test Functional Block Diagram .....	FP-73
FO-0.31	BITE General Functional Block Diagram.....	FP-75
FO-0.32	Start/Stop Control Timing (Control Register Instruction) .....	FP-77
FO-0.33	Multiplexer Monitor Selection.....	FP-79
FO-0.34	BITE Control Instruction Word.....	FP-81
FO-0.35	Stop Conditions Timing Diagram.....	FP-83
FO-0.36	VPU-2 Block Diagram.....	FP-85
FO-0.37	Memory Multiplexer Block Diagram.....	FP-87
FO-0.38	Report Buffer Block Diagram.....	FP-89
FO-0.39	Report Buffer Control Circuit Timing Diagram.....	FP-91
FO-0.40	TPU Block Diagram .....	FP-93
FO-0.41	TPU Flow Diagram .....	FP-101
FO-0.42	Azimuth Load and Control Timing .....	FP-105
FO-0.43	IFF/Radar Sweep Offset Compare and Correction Timing .....	FP-107
FO-0.44	Mode Control Logic Sequence .....	FP-109
FO-0.45	Mode Counter and Control Timing .....	FP-111



LIST OF ILLUSTRATIONS-Continued

Figure	Title	Page
FO-0.46	Queue Timing and IFF Synchronizer.....	FP-113
FO-0.47	Read/Write Memory Timing.....	FP-115
FO-0.48	Radar and IFF Beamsplit Timing.....	FP-117
FO-0.49	Report Buffer Interface Timing.....	FP-119
FO-0.50	Multiplexer Formats (Main MUX).....	FP-121
FO-0.51	Multiplexer Formats (AUX MUX).....	FP-123
FO-0.52	RIU-I Block Diagram.....	FP-125
FO-0.53	Input/Output Buffer Functional Block Diagram.....	FP-127
FO-0.54	Input Data Timing Sequence.....	FP-129
FO-0.55	ITR Command Processing.....	FP-131
FO-0.56	OFR Command Processing.....	FP-133
FO-0.57	Video Distribution Block Diagram.....	FP-135
FO-0.58	Range Synchronizer Unit Functional Block Diagram.....	FP-137
FO-0.59	Special Clock Generator Timing.....	FP-139
FO-0.60	Pretrigger Shaper and Stretcher Timing Diagram.....	FP-141
FO-0.61	PW Selection Variables.....	FP-143
FO-0.62	Range Count Vs Range.....	FP-145
FO-0.63	Range Count Vs Pretrigger.....	FP-147
FO-0.64	Target Detection Unit Functional Block Diagram.....	FP-149
FO-0.65	TDU-A Timing.....	FP-151
FO-0.66	RIU-2 Block Diagram.....	FP-153
FO-0.67	Synchro-To-Digital Converter Block Diagram.....	FP-155
FO-0.68	Digital Interface Unit Block Diagram.....	FP-157
FO-0.69	TPS-32 Data Storage and Output Timing Diagram.....	FP-159
FO-0.70	TPS-32 Data Fields.....	FP-161
FO-0.71	TPS-43 Data Fields.....	FP-163
FO-0.72	Control Synchronizer Block Diagram.....	FP-165
FO-0.73	Reply Detection Unit Block Diagram.....	FP-167
FO-0.74	Target Start Unit Block Diagram.....	FP-169
FO-0.75	16K Memory Unit Block Diagram.....	FP-171
FO-0.76	16K Memory Unit Timing Diagram.....	FP-173
FO-0.77	Video Simulator Block Diagram.....	FP-175
FO-0.78	State Flow Diagram.....	FP-177
FO-0.79	Input Data Timing Sequence.....	FP-179
FO-0.80	ITR, DEV and OFR Output Sequence Flow Diagram.....	FP-181
FO-0.81	Power On/Off Interlocking.....	FP-183
FO-0.82	MTS Override Interconnection.....	FP-185

VOLUME 4 (TM 9-1430-655-20-3-4)

5-2	Video Processor Unit 1A1A1AS Bay 1, Component Location.....	5-755
5-3	Video Processor Unit IA1AIAS Bay 2, Component Location.....	5-756
FO-1	CFAR Modulo-Eight Counter Logic Diagram.....	
FO-2	CFAR Modulo-Six Counter Logic Diagram.....	
FO-3	CFAR Quantizers Logic Diagram.....	
FO-4	CFAR Quantizers Input Registers Logic Diagram .	
FO-5	CFAR Jam Strobe Detector Logic Diagram.....	
FO-6	CFAR 10K Counter Logic Diagram .	
FO-7	CFAR Decode Loop Read Register/LED Holding Register Logic Diagram.....	
FO-8	CFAR RAM Write Register/Multiplexer Logic Diagram.....	

LIST OF ILLUSTRATIONS-Continued

Figure	Title	Page
FO-9	CFAR RAM Logic Diagram.....	
FO-10	CFAR PROM Address Switch Multiplexer Logic Diagram.....	
FO-11	CFAR Quantizer D/A Registers Logic Diagram.....	
FO-12	CFAR D/A Loop Adder Logic Diagram.....	
FO-13	CFAR PROM Logic Diagram.....	
FO-14	CFAR BITE Register Logic Diagram .....	
FO-15	ACM Interface BUFFERS Logic Diagram.....	
FO-16	ACM Dead Time Counter Logic Diagram .....	
FO-17	ACM Read/Write Request and Clutter Cell Counter Logic Diagram .....	
FO-18	ACM Address Controller Logic Diagram.....	
FO-19	ACM Initialize Map Logic Diagram .....	
FO-20	ACM Maximum K Calculator Logic Diagram .....	
FO-21	ACM RC/CC Counter Logic Diagram .....	
FO-22	ACM F-Counter Logic Diagram .....	
FO-23	ACM Manual Gate Register Logic Diagram .....	
FO-24	ACM Azimuth Manual Gate Comparator Logic Diagram.....	
FO-25	ACM Range Manual Gate Comparator Logic Diagram .....	
FO-26	ACM Current Address Counter Logic Diagram .....	
FO-27	ACM Past and Future Address Generation Logic Diagram.....	
FO-28	ACM Last Sector-Future Address Counter Logic Diagram .....	
FO-29	ACM Last Sector Storage Logic Diagram .....	
FO-30	ACM First Sector-Past Address Counter/Register Logic Diagram .....	
FO-31	ACM Memory Address Gating Logic Diagram.....	
FO-32	Deleted .....	
FO-33	ACM Beamwidth Pulse Generator Logic Diagram .....	
FO-34	ACM Hits/Beamwidth Calculator Logic Diagram .....	
FO-35	ACM Sample/Scan Control Logic Diagram .....	
FO-36	ACM PROM Logic Diagram .....	
FO-37	ACM Map Increment/Decrement Logic Diagram.....	
FO-38	ACM Quantizers Logic Diagram.....	
FO-39	ACM Video Gating Logic Diagram .....	
FO-40	ACM State Counter Update Logic Diagram .....	
FO-41	ACM Clutter Cell Update Logic Diagram .....	
FO-42	ACM Memory Write Register Logic Diagram .....	
FO-43	ACM Current State Register Logic Diagram.....	
FO-44	ACM Future State Register Logic Diagram .....	
FO-45	ACM Past State Register Logic Diagram .....	
FO-46	ACM Read Register Logic Diagram .....	
FO-47	ACM Two-Mode Overlap Controller Logic Diagram .....	
FO-48	ACM Three-Mode Overlap Controller Logic Diagram.....	
FO-49	ACM Overlap Controller Logic Diagram .....	
FO-50	ACM Signal and Panel BITE Registers Logic Diagram.....	
FO-51	ACM Memory Test Controller Logic Diagram.....	
FO-52	BITE Start/Stop Control Logic Diagram .....	
FO-53	BITE Input Buffer Logic Diagram .....	
FO-54	BITE ITR Buffer Logic Diagram.....	
FO-55	BITE Instruction Decode Logic Diagram .....	
FO-56	BITE Monitor Timing Logic Diagram .....	
FO-57	BITE Control Register Logic Diagram .....	
FO-58	BITE Program Clock Counter Logic Diagram.....	

LIST OF ILLUSTRATIONS-Continued

Figure	Title	Page
FO-59	BITE Stop Conditions Logic Diagram .....	
FO-60	Memory Multiplexer Control Unit Logic Diagram .....	
FO-61	Memory Multiplexer Data in Buffer Logic Diagram .....	
FO-62	Memory Multiplexer Parity Generator Logic Diagram .....	
FO-63	Memory Multiplexer Address Multiplexer Logic Diagram .....	
FO-64	Memory Multiplexer Data Buffer Logic Diagram .....	
FO-65	Memory Multiplexer Parity Checker Logic Diagram .....	
FO-66	Report Buffer Input Control Logic Diagram .....	
FO-67	Report Buffer Output Control Logic Diagram .....	
FO-68	Report Buffer Data Multiplexer Logic Diagram .....	
FO-69	Report Buffer Write Counter Logic Diagram .....	
FO-70	Report Buffer Read Counter Logic Diagram .....	
FO-71	Report Buffer Address Multiplexer Logic Diagram .....	
FO-72	Report Buffer Memory Evaluation Logic Diagram .....	
FO-73	Report Buffer Target Report RAM Logic Diagram .....	
FO-74	Report Buffer Stored Data Output Register Logic Diagram .....	
FO-75	Report Buffer BITE Register Logic Diagram .....	
FO-76	TPU Azimuth Load Control Timing Counter Logic Diagram .....	
FO-77	TPU Master Clear Ground Sources and Target Loss Logic Diagram .....	
FO-78	TPU Sweep/Sample Clocks Logic Diagram .....	
FO-79	TPU Azimuth Holding Register Logic Diagram .....	
FO-80	TPU IFF/Radar Sweep Compare and Correction Logic Diagram .....	
FO-81	TPU IFF/Radar Offset and Correction Logic Diagram .....	
FO-82	TPU Mode Counter and Control Logic Diagram .....	
FO-83	TPU Queue Timing and IFF Data Synchronizer Logic Diagram .....	
FO-84	TPU Queue Register Transfer Control Logic Diagram .....	
FO-85	TPU Queue Input Multiplexing and Registers Logic Diagram .....	
FO-86	TPU IFF Range Compare Logic Diagram .....	
FO-87	TPU + Delta Generator Logic Diagram .....	
FO-88	TPU Radar Range Compare Logic Diagram .....	
FO-89	TPU Range Resolution and Memory Compare Logic Diagram .....	
FO-90	TPU Range Resolution Correlation Test and Compare Results Logic Diagram .....	
FO-91	TPU PROM Address-Encode Logic Diagram .....	
FO-92	TPU PROM Logic Diagram .....	
FO-93	TPU PROM Decoding Logic Diagram .....	
FO-94	TPU Radar Start and Restore Logic Diagram .....	
FO-95	TPU Read/Write Memory Cycle Control Logic Diagram .....	
FO-96	TPU Inhibit Normal Cycle Logic Diagram .....	
FO-97	TPU Radar/IFF Miss Logic Diagram .....	
FO-98	TPU Radar/IFF Miss Fields Logic Diagram .....	
FO-99	TPU New Code Generation Logic Diagram .....	
FO-100	TPU IFF/IF Code Validation Logic Diagram .....	
FO-101	TPU 4T Confirmation Logic Diagram .....	
FO-102	TPU C-BIT Conversion Logic Diagram .....	
FO-103	TPU Sequential Test Adders and Mode 4 Processing Logic Diagram .....	
FO-104	TPU Report Buffer Mode Validation and Mode 4 Test Results Logic Diagram .....	
FO-105	TPU Mode 4 Valid, Reject and Jam Detect Logic Diagram .....	
FO-106	TPU Radar and IFF Beamsplit Cycle Logic Diagram .....	
FO-107	TPU IFF Radar Multiplexer Logic Diagram .....	
FO-108	TPU Beamsplit Azimuth Multiplexer Subtractor Logic Diagram .....	

LIST OF ILLUSTRATIONS-Continued

Figure	Title	Page
FO-109	TPU Azimuth Min/Max Width Comparator Logic Diagram .....	
FO-110	TPU Radar/IFF Azimuth Correlation Logic Diagram .....	
FO-111	TPU Report Buffer Interface Logic Diagram .....	
FO-112	TPU Processed/Display Video Logic Diagram .....	
FO-113	TPU Memory Multiplexers Logic Diagram .....	
FO-114	TPU Data Exchange Register Logic Diagram .....	
FO-115	TPU Memory Register Logic Diagram .....	
FO-116	TPU Memory Data Register Logic Diagram .....	
FO-117	TPU Memory Register Extension Bits and Cancel Target Logic Diagram .....	
FO-118	TPU Memory Address Logic Diagram .....	
FO-119	TPU Memory Full and Error Logic Diagram .....	
FO-120	TPU Azimuth Compare Logic Diagram .....	
FO-121	TPU Radar/IFF Range Compare Logic Diagram .....	
FO-122	TPU Test Control Logic Diagram .....	
FO-123	TPU Sweep/Azimuth Test Logic Diagram .....	
FO-124	TPU Sweep Miss/Garble Control Test Logic Diagram .....	
FO-125	TPU BITE Registers and Output Multiplexers Logic Diagram .....	

VOLUME 5 (TM 9-1430-655-20-3-5)

5-4	Radar Integration Unit 1A1A1A4 Bay 1, Component Location .....	5-775
5-5	Radar Integration Unit 1A1A1A4 Bay 2, Component Location .....	5-776
FO-126	IOB Input Register and Interface Circuits Logic Diagram .....	
FO-127	IOB Function Commands Logic Diagram .....	
FO-128	IOB Parity Generation Checker Logic Diagram .....	
FO-129	IOB Command Control Logic Diagram .....	
FO-130	IOB Data Output Strobe Generator Logic Diagram .....	
FO-131	IOB Interrupt Register Logic Diagram .....	
FO-132	IOB I/O Logic Diagram .....	
FO-133	IOB OFR Data, Address and Clock Logic Diagram .....	
FO-134	IOB Devise Interrupt and Reset Control Logic Diagram .....	
FO-135	IOB Status 1 Error Register and Control Logic Diagram .....	
FO-136	IOB Status 2,3, and 4 Error Register Logic Diagram .....	
FO-137	IOB Automatic Gate Multiplexer Logic Diagram .....	
FO-138	IOB Input/Output Data Multiplexer Logic Diagram .....	
FO-139	VDU Holding Registers Logic Diagram .....	
FO-140	VDU Special Video Select and IFF Decode Logic Diagram .....	
FO-141	VDU Video Selection and Decoding Logic Diagram .....	
FO-142	VDU Video Mixers Logic Diagram .....	
FO-143	RSU Special Clock Generator .....	
FO-144	RSU Pretrigger/Range Zero Stretcher Logic Diagram .....	
FO-145	RSU Pretrigger Alignment Logic Diagram .....	
FO-146	RSU Range Zero/Range Max Decode Logic Diagram .....	
FO-147	RSU Variable Frequency Divider Logic Diagram .....	
FO-148	RSU Range Counter Logic Diagram .....	
FO-149	RSU Radar Clock Generator Logic Diagram .....	
FO-150	RSU TPS-32/Clutter Clock Generator Logic Diagram .....	
FO-151	TDU-A Timing Logic Diagram .....	
FO-152	TDU-B Timing Logic Diagram .....	
FO-153	TDU MTI/Normal Matrix Gating Logic Diagram .....	

LIST OF ILLUSTRATIONS-Continued

Figure	Title	Page
FO-154	TDU-A Write Register Logic Diagram . . . . .	
FO-155	TDU-B Write Register Logic Diagram . . . . .	
FO-156	TDU-A RAM Address Counter Logic Diagram . . . . .	
FO-157	TDU-A RAM Chip Selection Logic Diagram . . . . .	
FO-158	TDU-B RAM Chip Selection Logic Diagram . . . . .	
FO-159	TDU-B RAM. Addressing Counter Logic Diagram . . . . .	
FO-160	TDU PROM Logic Diagram . . . . .	
FO-161	TDU Channel A RAM Logic Diagram . . . . .	
FO-162	TDU Channel B RAM Logic Diagram . . . . .	
FO-163	TDU-A Start/Stop Comparators Logic Diagram . . . . .	
FO-164	TDU-B Start/Stop Comparators Logic Diagram . . . . .	
FO-165	TDU BITE Register Logic Diagram . . . . .	
FO-166	SDC Interface Logic Diagram . . . . .	
FO-167	SDC Clock Generator Circuit Logic Diagram . . . . .	
FO-168	SDC Phase Logic Diagram . . . . .	
FO-169	SDC ANP/ACP Select Logic Diagram . . . . .	
FO-170	SDC Frequency Doubler Logic Diagram . . . . .	
FO-171	SDC BAMS Counter and Adder Logic Diagram . . . . .	
FO-172	SDC ANP/ACP Logic Diagram . . . . .	
FO-173	SDC Angle Mark Generator Logic Diagram . . . . .	
FO-174	SDC Memory Address and Enable Logic Diagram . . . . .	
FO-175	SDC BAMS Memory Logic Diagram . . . . .	
FO-176	SDC Sine/Cosine Select Logic Diagram . . . . .	
FO-177	SDC Sine Add/Subtract Logic Diagram . . . . .	
FO-178	SDC Cosine Add/Subtract Logic Diagram . . . . .	
FO-179	SDC Sine/Cosine Serial Output Logic Diagram . . . . .	
FO-180	SDC BITE Register Logic Diagram . . . . .	
FO-181	DIU Radar/Simulator Data Selection and Control Logic Diagram . . . . .	
FO-182	DIU Module-26 Counter Logic Diagram . . . . .	
FO-183	DIU Data Receive Detector Logic Diagram . . . . .	
FO-184	DIU Data Registers Logic Diagram . . . . .	
FO-185	IIU Clock and Initialization Logic Diagram . . . . .	
FO-186	IIU Range and Azimuth Compare Logic Diagram . . . . .	
FO-187	IIU Mode Sequencer and Gating Logic Diagram . . . . .	
FO-188	IIU Adjustable Precision Time Delay Logic Diagram . . . . .	
FO-189	IIU IFF Interface Circuit Logic Diagram . . . . .	
FO-190	IIU Video Quantizer Logic Diagram . . . . .	
FO-191	IIU Delay Lines Logic Diagram . . . . .	
FO-192	IIU Emergency Decoders Logic Diagram . . . . .	
FO-193	IIU Before and After Density PROM Logic Diagram . . . . .	
FO-194	IIU Mode 4 Density Logic and Test Gate Generator Logic Diagram . . . . .	
FO-195	IIU IFF Input Queue Logic Diagram . . . . .	
FO-196	IIU IFF Range Comparator Logic Diagram . . . . .	
FO-197	IIU Radar Range Comparator Logic Diagram . . . . .	
FO-198	IIU Range and History Correlator Logic Diagram . . . . .	
FO-199	IIU Memory Control Logic Diagram . . . . .	
FO-200	IIU Target Start RAM Logic Diagram . . . . .	
FO-201	IIU IFF Output Queue Logic Diagram . . . . .	
FO-202	IIU Pulse Generator Logic Diagram . . . . .	
FO-203	IIU Radar Output Queue Logic Diagram . . . . .	

LIST OF ILLUSTRATIONS-Continued

Figure	Title	Page
FO-204	IIU Input/Output Control Logic Diagram .....	
FO-205	IIU BITE Register and Control Logic Diagram .....	
VOLUME 6 (TM 9-1430-655-20-3-6)		
5-6	Single-Port 8K Memory Units 1A1A1A7 and 1A1A1A8, Component Location.....	5-790
5-7	Video Simulator Unit 1A1A1A3, Component Location .....	5-792
FO-206	16K Memory Logic Diagram .....	
FO-207	VSU Azimuth Digitizer Logic Diagram .....	
FO-208	VSU Range Digitizer Logic Diagram.....	
FO-209	VSU Temporary Storage Register Logic Diagram .....	
FO-210	VSU Target Generator Load Recirculate Control Logic Diagram.....	
FO-211	VSU Target Generator Azimuth Compare Logic Diagram .....	
FO-212	VSU Target Generator Range Compare Logic Diagram .....	
FO-213	VSU Temporary Storage Register Logic Diagram.....	
FO-214	VSU Target Generator Beam Shaping and Hit/Miss Control Logic Diagram .....	
FO-215	VSU Target Generator Pulse Width Output Control Logic Diagram .....	
FO-216	VSU ECM and Chaff Generator Load Control and Analog Output Gating Logic..... Diagram.....	
FO-217	VSU ECM and Chaff Generator Azimuth Storage Logic Diagram .....	
FO-218	VSU ECM and Chaff Generator Azimuth Compare Logic Diagram .....	
FO-219	VSU Chaff Generator Feather Control Logic Diagram .....	
FO-220	VSU Chaff Generator Range Storage and Control Logic Diagram .....	
FO-221	VSU Chaff Generation Output Amplitude Control Logic Diagram .....	
FO-222	VSU ECM Generator Output Gating Control Logic Diagram.....	
FO-223	VSU ECM Generator Output Amplitude Control Logic Diagram .....	
FO-224	VSU Pseudo Random Sequence Generator Logic Diagram.....	
FO-225	VSU Receiver Noise Generator Logic Diagram . .....	
FO-226	VSU Filter Control Logic Diagram .....	
FO-227	VSU Timing and Logic Grounds Diagram . .....	
FO-228	VSU Digital-to-Analog Converter and Mixing Logic Diagram .....	
FO-229	VSU IFF Simulation Range Digitizer and Common Timing Logic Diagram.....	
FO-230	VSU IFF Simulation Azimuth Compare Logic Diagram .....	
FO-231	VSU IFF Simulation Range Compare Target I Logic Diagram .....	
FO-232	VSU IFF Simulation Mod N and Mod 16 Sweep Counter Target 1 Logic Diagram.....	
FO-233	VSU IFF Simulation Mod 16 Code Bit Counter Target I Logic Diagram.....	
FO-234	VSU IFF Simulation Tag Generation Target 1 Logic Diagram .....	
FO-235	VSU IFF Simulation IFF Code Data and Hit/Miss Pattern Bits Target 1 Logic..... Diagram .....	
FO-236	VSU IFF Simulation Range Compare Target 2 Logic Diagram.....	
FO-237	VSU IFF Simulation Mod N and Mod 16 Sweep Counter Target 2 Logic Diagram.....	
FO-238	VSU IFF Simulation Mod 16 Code Bit Counter Target 2 Logic Diagram .....	
FO-239	VSU IFF Simulation IFF Tag Generation Target 2 Logic Diagram.....	
FO-240	VSU IFF Simulation IFF Code Data and Hit/Miss Pattern Bits Target 2 Logic Diagram.....	
FO-241	VSU IFF Simulation Range Compare Target 3 Logic Diagram.....	
FO-242	VSU IFF Simulation Mod N and Mod 16 Sweep Counter Target 3 Logic Diagram.....	
FO-243	VSU IFF Simulation Mod 16 Code Bit Counter Target 3 Logic Diagram.....	
FO-244	VSU IFF Simulation IFF Tag Generation Target 3 Logic Diagram.....	

LIST OF ILLUSTRATIONS-Continued

Figure	Title	Page
FO-245	VSU IFF Simulation IFF Code Data and Hit/Miss Pattern Bits Target 3 Logic Diagram.....	
FO-246	VSU IFF Simulation Range Compare Target 4 Logic Diagram.....	
FO-247	VSU IFF Simulation Mod N and Mod 16 Sweep Counter Target 4 Logic Diagram.....	
FO-248	VSU IFF Simulation Mod 16 Code Bit Counter Target 4 Logic Diagram.....	
FO-249	VSU IFF Simulation IFF Tag Generation Target 4 Logic Diagram.....	
FO-250	VSU IFF Simulation IFF Code Data and Hit/Miss Pattern Bits Target 4 Logic Diagram.....	
FO-251	VSU IOX Interface Data Receive Logic Diagram.....	
FO-252	VSU IOX Interface Data Receive Control Logic Diagram.....	
FO-253	VSU IOX Interface State Counter Logic Diagram.....	
FO-254	VSU IOX Interface Data Request Control Logic Diagram.....	
FO-255	VSU IOX Interface Parity Generator Logic Diagram.....	
FO-256	VSU IOX Interface Clock Generator Logic Diagram.....	
FO-257	VSU IOX Interface Command Storage Logic Diagram.....	
FO-258	VSU IOX Interface Reset, Indicator, and Range Azimuth Buffers Logic Diagram.....	
FO-259	VSU BITE Multiplexing and Storage Logic Diagram.....	
FO-260	VSU BITE Strobe Generators Logic Diagram.....	

VOLUME 7 (TM 9-1430-655-20-3-7)

FO-261	Radar Interface Equipment Power Distribution Diagram.....	
FO-262	Signal Cabling Diagram.....	
FO-263	Video Simulator Unit/Radar Interface Equipment Cabling Interface Diagram.....	
FO-264	Power Cabling Diagram.....	
FO-265	RIE Front Panel I Schematic Diagram.....	
FO-266	RIE Front Panel II Schematic Diagram.....	
FO-267	Radar/Simulator Front Panel Schematic Diagram.....	
FO-268	Radar Interface Equipment Indiscriminate Connector Pins Diagram.....	
FO-269	Radar Interface Panel Connectors J001 and J020 Interconnection Diagram.....	
FO-270	Radar Interface Panel Connector J002 Interconnection Diagram.....	
FO-271	Radar Interface Panel Connector J003 Interconnection Diagram.....	
FO-272	Radar Interface Panel Connectors J004 and J058 Interconnection Diagram.....	
FO-273	Radar Interface Panel Connectors J005 and J086 Interconnection Diagram.....	
FO-274	Radar Interface Panel Connectors J006 and J009 Interconnection Diagram.....	
FO-275	Radar Interface Panel Connectors J012 and J072 Interconnection Diagram.....	
FO-276	Radar Interface Panel Connectors J013 and J043 Interconnection Diagram.....	
FO-277	Radar Interface Panel Connectors J014 and J044 Interconnection Diagram.....	
FO-278	Radar Interface Panel Connector J015 Interconnection Diagram.....	
FO-279	Radar Interface Panel Connector J016 Interconnection Diagram.....	
FO-280	Radar Interface Panel Connector J021 Interconnection Diagram.....	
FO-281	Radar Interface Panel Connector J023 Interconnection Diagram.....	
FO-282	Radar Interface Panel Connectors J024 and J084 Interconnection Diagram.....	
FO-283	Radar Interface Panel Connector J025 Interconnection Diagram.....	
FO-284	Radar Interface Panel Connectors J026 and J059 Interconnection Diagram.....	
FO-285	Radar Interface Panel Connectors J027 and J087 Interconnection Diagram.....	
FO-286	Radar Interface Panel Connector J028 Interconnection Diagram.....	
FO-287	Radar Interface Panel Connector J029 Interconnection Diagram.....	
FO-288	Radar Interface Panel Connector J030 Interconnection Diagram.....	
FO-289	Radar Interface Panel Connector J031 Interconnection Diagram.....	
FO-290	Radar Interface Panel Connectors J032 and J068 Interconnection Diagram.....	

**LIST OF ILLUSTRATIONS-Continued**

Figure	Title	Page
FO-291	Radar Interface Panel Connectors J033 and J067 Interconnection Diagram .....	
FO-292	Radar Interface Panel Connector J034 Interconnection Diagram .....	
FO-293	Radar Interface Panel Connector J035 Interconnection Diagram .....	
FO-294	Radar Interface Panel Connector J036 Interconnection Diagram .....	
FO-295	Radar Interface Panel Connector J040 Interconnection Diagram .....	
FO-296	Radar Interface Panel Connectors J041 and J075 Interconnection Diagram .....	
FO-297	Radar Interface Panel Connectors J042 and J083 Interconnection Diagram .....	
FO-298	Radar Interface Panel Connector J045 Interconnection Diagram .....	
FO-299	Radar Interface Panel Connector J046 Interconnection Diagram .....	
FO-300	Radar Interface Panel Connector J047 Interconnection Diagram .....	
FO-301	Radar Interface Panel Connector J048 Interconnection Diagram .....	
FO-302	Radar Interface Panel Connectors J051 and J061 Interconnection Diagram .....	
FO-303	Radar Interface Panel Connectors J052 and J060 Interconnection Diagram .....	
FO-304	Radar Interface Panel Connectors J053 and J102 Interconnection Diagram .....	
FO-305	Radar Interface Panel Connectors J054 and J071 Interconnection Diagram .....	
FO-306	Radar Interface Panel Connectors J055 and J070 Interconnection Diagram .....	
FO-307	Radar Interface Panel Connector J057 Interconnection Diagram .....	
FO-308	Radar Interface Panel Connectors J062 and J028 Interconnection Diagram .....	
FO-309	Radar Interface Panel Connector J065 Interconnection Diagram .....	
FO-310	Radar Interface Panel Connectors J066 and J094 Interconnection Diagram .....	
FO-311	Radar Interface Panel Connector J069 Interconnection Diagram .....	
FO-312	Radar Interface Panel Connectors J072 and J012 Interconnection Diagram .....	
FO-313	Radar Interface Panel Connector J073 Interconnection Diagram .....	
FO-314	Radar Interface Panel Connectors J074 and J040 Interconnection Diagram .....	
FO-315	Radar Interface Panel Connector J076 Interconnection Diagram .....	
FO-316	Radar Interface Panel Connector J077 Interconnection Diagram .....	
FO-317	Radar Interface Panel Connector J079 Interconnection Diagram .....	
FO-318	Radar Interface Panel Connector J080 Interconnection Diagram .....	
FO-319	Radar Interface Panel Connector J082 Interconnection Diagram .....	
FO-320	Radar Interface Panel Connector J085 Interconnection Diagram .....	
FO-321	Radar Interface Panel Connector J090 Interconnection Diagram .....	
FO-322	Radar Interface Panel Connectors J093 and J077 Interconnection Diagram .....	
FO-323	Radar Interface Panel Connectors J095 and J065 Interconnection Diagram .....	
FO-324	Radar Interface Panel Connector J098 Interconnection Diagram .....	
FO-325	Radar Interface Panel Connectors J099 and J106 Interconnection Diagram .....	
FO-326	Radar Interface Panel Connectors J105 and J110 Interconnection Diagram .....	
FO-327	Radar Interface Panel Connectors J107 and J098 Interconnection Diagram .....	
FO-328	Radar Interface Panel Connector J109 Interconnection Diagram .....	
FO-329	Radar Interface Panel Connector J1 10 Interconnection Diagram .....	
FO-330	Radar Interface Panel Connectors J111 and J025 Interconnection Diagram .....	
FO-331	Radar Interface Panel Connector J112 Interconnection Diagram .....	
FO-332	Radar Interface Panel Connectors J114 and J079 Interconnection Diagram .....	



**LIST OF TABLES**

Figure	Title	Page
VOLUME 2 (TM 9-1430-655-20-3-2)		
5-1	Card Location In Logic Diagrams Index .....	5-5
5-2	Key Signal Lookup Listing .....	5-39
VOLUME 3 (TM 9-1430-655-20-3-3)		
5-3	Memory Multiplexers Input/Output and Selection .....	5-601
5-4	RIE/Radar Interface .....	5-647
5-5	Radar Junction Box Adjustments and Test Point for Trigger/Video and ANP/ACP Data .....	5-649
5-6	RIE/IFF Interface .....	5-650
5-7	RIE/Display Console Interface .....	5-652
5-8	RIE Azimuth Inputs From Radar .....	5-654
5-9	ADPE/RIE Interface .....	5-657
5-10	IIU OFR Control Word .....	5-662
5-11	VDU Control Word .....	5-663
5-12	ACM Control Word I .....	5-664
5-13	ACM Control Word 2 .....	5-665
5-14	ITR Status Word .....	5-667
5-15	TPU Test Word 1 .....	5-668
5-16	TPU Test Word 2 .....	5-669
5-17	TPU Test Word 3 .....	5-670
5-18	BITE Control Register Word .....	5-671
5-19	BITE Stop Control Word .....	5-672
5-20	RIE Target Report Word 1 .....	5-673
5-21	RIE Target Report Word 2 .....	5-674
5-22	RIE Target Report Word 3 .....	5-675
5-23	RIE Target Report Word 4 .....	5-676
5-24	Monitor OFR Codes .....	5-677
5-25	Monitor OFR Word Formats .....	5-679
5-26	DC/DC Converter (Type II) Output Characteristics .....	5-750
5-27	DC/DC Converter (Type IV) Output Characteristics .....	5-750
5-28	Series Regulator Card Input and Output Characteristics .....	5-751
5-29	Variable Lamp Supply Output Characteristics .....	5-751
5-30	DC/DC Converter (Type I) Output Characteristics .....	5-752
5-31	DC/DC Converter (Type II) Output Characteristics .....	5-752
VOLUME 4 (TM 9-1430-655-20-3-4)		
5-37	Video Processor Unit 1IAAIAS, Circuit Card Location .....	5-757
5-38	Card Pin to Test Point Correlation .....	5-772
VOLUME 5 (TM 9-1430-655-20-3-5)		
5-39	Radar Integration Unit 1A1AIA4, Circuit Card Location .....	5-777
5-40	Card Pin Card to Test Point Correlation .....	5-786

**LIST OF TABLES-Continued**

Figure	Title	Page
VOLUME 6 (TM 9-1430-655-20-3-6)		
5-40.1	Single Port 16K Memory Unit 1A1A1A7, Circuit Card Location.....	5-791
5-41	Video Simulator Unit 1A1A1A3, Circuit Card Location.....	5-793
5-42	Card Pin to Test Point Correlation.....	5-799

**LIST OF EFFECTIVE PAGES**

Insert latest change pages, dispose of superseded pages in accordance with applicable regulations.

**NOTE: On a changed page, the portion of the text affected by the changes is indicated by a vertical line in the outer margins of the page.**

Dates of issue for original and change pages are:

Original .....0 ..... 10Jul 84  
 Change .....1 ..... 25 Oct 90  
 Change .....2 ..... 24 Jun 91

TOTAL NUMBER OS PAGES IN THIS PUBLICATION IS 578, CONSISTING OF THE FOLLOWING:

Page No	*Change No	Page No	*Change No	Page No	*Change No.
A	2	5-156	0	5-449	2
B Blank	2	5-157-5-159	2	5-450-5-472	0
i-xiv	1	5-160	0	5-473	2
5-1-5-4	1	5-161	2	5-474	0
5-5	2	5-162 - 5-176	0	5-475	2
5-6-5-7	0	5-177	2	5-476-5-477	0
5-8-5-9	2	5-178-5-325	0	5-478-5-480	2
5-10	0	5-326	2	5-481-5-495	0
5-11-5-12	2	5-327-5-329	0	5-496	2
5-13	0	5-330-5-333	2	5-497-5-498	0
5-14-5-16	2	5-334	0	5-499-5-500	2
5-17-5-37	0	5-335-5-338	2	5-501	0
5-38	1	5-339-5-341	0	5-502-5-503	2
5-39	2	5-342-5-345	2	5-504	1
5-40-5-50	1	5-346-5-347	0	5-505	2
5-51-5-92	0	5-348	2	5-506	0
5-93	2	5-349-5-370	0	5-507	2
5-94-5-99	0	5-371-5-372	2	5-508	0
5-100-501	2	5-373-5-435	0	5-509-5-512	2
5-102-5-144	0	5-436	2	5-513-5-563	0
5-145-5-146	2	5-437-5-439	0	5-564 Blank	0
5-147-5-151	0	5-440	2		
5-152-5-155	2	5-441-5-448	0		

\*Zero in this column indicates an original page.

**Change 2 A/(B blank)**

**CHAPTER 5  
RADAR INTERFACE EQUIPMENT EXPANDED TROUBLESHOOTING**

**Section I. INTRODUCTION**

**5-1. Scope.** The expanded troubleshooting part of TM 9-1430-655-20-3 of Radar Interface Equipment (RIE) Maintenance for Guided Missile Air Defense System AN/TSQ-73 is contained in volumes 2 through 7. It provides supplemental information for the use and guidance of advanced personnel responsible for repair of the RIE beyond the scope of organizational maintenance covered in the basic TM 9-1430-655-20 series of technical manuals.

**5-2. Expanded Troubleshooting Concept.** Expanded troubleshooting is required when existing fault isolation procedures in the basic manuals fail to isolate and correct a malfunction. The troubleshooting covered in this manual is based on the use of existing onsite equipment (tapes, tools, test equipment, spare parts, and publications). Isolation of malfunctions is based on the fault analysis of normal system operating conditions and the use of built-in maintenance and diagnostic (M&D) software programs.






**5-3. Troubleshooting Aids.** Volume 2, TM 9-1430655-20-3-2, contains the circuit card locations in logic diagrams index and the key signal lookup listing. Volume 3, TM 9-1430-655-20-3-3, contains overall functional descriptions, detailed descriptions, and the related functional block diagrams. Reference to the applicable logic diagram number is made in each detailed description paragraph. Power distribution diagrams, cabling diagrams, and front-panel schematic diagrams are also supplied in volume 7. Volumes 4 through 6 contain the logic diagrams for the functional systems of the RIE. The TM numbers and content are:

TM 9-1430-655-20-3-4	Video Processor Unit 1 and 2
TM 9-1430-655-20-3-5	Radar Integration Unit 1 and 2
TM 9-1430-655-20-3-6	16K Memory Unit, Video Simulator Unit
TM 9-1430-655-20-3-7	RIE Front Panel, Power Distribution, Interconnect Diagrams

Logic diagrams for the Radar Simulator Unit are functionally located for circuit analysis throughout volumes 4 through 6.

*a. Input/Output Tables.* Input and output tables are provided, as applicable, for each figure and sheet to enable easy access to signals referenced to other diagrams.

*b. Input/Output Symbols.* Symbols used on diagrams to indicate input and output signals include the following:

-  Indicates input from another figure.
-  Indicates input from the same figure.
-  Indicates output to another figure.
-  Indicates output to the same figure.
-  Indicates output to the same and another figure.

*c. Equipment Interface.* The troubleshooting diagrams may reference inputs and outputs interfacing between other pieces of equipment. When a notation shows that external equipment is involved, it is assumed that the user will refer to the applicable troubleshooting information provided for that equipment.

*d. Logic Symbols.* Logic symbols depend on card types. For discrete circuit cards containing conventional integrated circuits, conventional logic symbols are used. These symbols are used independently, with card locations and card pin numbers notated with the symbol. For analog circuits, circuit card details are provided only to functional level.

**5-4. Physical Description (fig. 5-1).** The RIE includes all the electronic components in electrical equipment rack 1, a panel located adjacent to rack I and a radar junction box located external to the electrical equipment shelter. (The radar junction box is not physically or functionally covered in this manual.) The RIE consists of RIE I panel 1A1A4, RIE II panel 1A1A1A1, radar integration unit (RIU) 1A1A1A4, video processor unit (VPU) 1A1A1A5, single-port 16K memory unit 1A1A1A7, connector assembly 1A1A1A8, dc/dc converters 1A1A1PS1 thru 1A1A1PS10, dc/dc converter 1A1A1A7PS1, radar interface panel 1A1A5, radar simulator panel 1A1A1A2 and video simulator unit (VSU) 1A1A1A3.




Figure 5-1. Radar Interface Equipment Major Units and Assemblies

Components of the RIE are also located in radar simulator unit (RSU) 1A1A1A6. Refer to TM 9-1430-655-20-1 for a cross-reference list of part and drawing number for the AN/TSQ-73 system in wire list designation order.

*a. RIE Panels I and II.* The RIE panels mount all the controls and indicators required for operating and monitoring the RIE.

*b. Radar Interface Unit (RIU).* The RIU consists of two bays of circuit cards mounted back-to-back on the upper part of rack 1, door A. The bays are hinged to permit access to the circuit card backplanes for maintenance purposes. Communications between the RIU and other units is by means of ribbon cables which plug into circuit card slots. A standard cable and connector supplies dc power to the RIU.

*c. Video Processor Unit (VPU).* The VPU consists of two bays of circuit cards mounted back-to-back on the lower part of rack 1, door A. The bays are hinged and cabled in the same manner as the RIU.

*d. Single-Port 16K Memory Unit (MU).* The single port 16K MU is located in the lower half of rack 1, door B. The unit consists of a card cage with an integral power supply, and uses CMPS Random Access Memories (RAMs) as the storage medium. The unit is functionally organized into two 8K sections, selectable by the 8K SELECT switch on the RIE II panel.

*e. DC/DC Converters.* The dc/dc converters are located in the center section of the rack 1, door A and the single port 16K MU. The dc/dc converters provide all the necessary dc voltage to the RIE and the simulation equipment. The dc/dc converters are of modular construction.

*f. Connector Assembly.* The connector assembly is located in the lower half of rack 1, door B. The assembly consists of a card cage with six card slots. Two ribbon cables connect to the single-port 16K MU; four cables connect to the radar interface panel.

*g. Radar Simulator Unit (RSU).* The RSU is located in the upper section of rack 1, door B and consists of one bay of circuit cards. The circuit cards making up the RSU are functionally a part of the RIE and the simulation equipment. The RSU is hinged and cabled the same as the RIU.

*h. Radar Interface Panel.* The radar interface panel 1A1A5 is mounted on the shelter wall between equipment rack 1A1A1 and RIE I panel 1A1A4. The

radar interface panel provides connectors and wiring for interconnecting units of the RIE which include interfacing display and ADP equipments and local radar and IFF equipments (via the radar demarkation panel).

*i. Radar Simulator Panel.* The radar simulator panel is mounted in the front door, front center section of rack 1. The radar simulator panel mounts all the controls necessary to operate the simulation equipment.

*j. Video Simulator Unit (VSU).* The VSU is a single bay of circuit cards mounted in the front door, lower rear section of rack 1. The VSU is hinged to permit access to the circuit card backplane for maintenance purposes. Communications between the VSU and other units is by means of ribbon cables which plug into circuit slots. A standard cable and connector supplies dc power, from the dc/dc converters to the VSU.

**5-5. Circuit Card Location Index Tables and Key Signal Lookup Tables.** Circuit card location index tables and key signal lookup tables provide figure references to functional logic diagrams. They permit rapid access to locating of circuit areas corresponding to circuit card locations or when signal mnemonics are known.

*a. Circuit Card Location in Logic Diagrams Index.* Table 5-1 shows the circuit card slots for the Radar Interface Unit 1 and 2, Radar Simulator, Video Processor Unit 1 and 2, Video Simulator Unit, and 16K Memory Unit, listed by system function in alphanumerical sequence. The table provides foldout and sheet references to the logic diagrams for a circuit card slot which is suspect. Since often a card is used for various functional applications, certain cards have several foldout references.

*b. Key Signal Lookup.* Table 5-2 contains the key signal lookup listings for the Radar Interface Unit 1 and 2, Radar Simulator, Video Processor Unit 1 and 2, Video Simulator Unit, and 16K Memory Unit. Key signals are interconnecting signals going between a physical assembly or a functional circuit area as defined by the logic diagrams. Key signals are listed in alphanumerical order, The columns under the distribution heading list connectors (or switches), pin numbers, and foldout numbers with sheet numbers. The first three digits of the foldout number are the figure number; the last two are the sheet number. (On a figure with only one sheet, the last two digits are zeros.) They appear as follows:

**NOTE**

EXAMPLE

Signal		Distribution	
8RSM0A	06001	2536-41	*14300 1130-09

The example shows signal 8RSM0A can be found on foldout 60, sheet number 1, circuit card location 2536, pin number 41 and also on foldout 143, circuit card location 1130, pin 9. A letter prefix may occur in the circuit card location column. An A prefix indicates an assembly connector, a J indicates a jack, I and an S or XDS indicates a switch. An asterisk (\*) before the foldout number indicates the source of the signal. The foldouts are located in volumes 4 through 7 of this manual.

The 16K single port memory unit 1A1A1A7 connectors J1103 and J1203 are connected to the connector assembly 1A1A1A8 connectors J1103 and J1203, and therefore have the same names. Also, connector assembly 1A1A1A8 connectors J1101, J1102, J1201 and J1202 are wired to connectors J1103 and J1203, and therefore have the same signal names. When using table 5-2, there will therefore be multiple connector/pin entries for the same signal in these units. To clarify which assembly connector is actually being referenced, refer to FO-268, sheet 4 for connector/signal designations.

Table 5-1. Card Location in Logic Diagrams Index

Prefix	Card Slot	FO Sheet		
RIU1	1104	26803		
RIU1	1105	13401	26803	
RIU1	1106	13401	14100	15002
		26803		
RIU1	1107	13500	13700	14400
		14500	15001	15002
		26803		
RIU1	1108	14300	14400	14900
		26110		
RIU1	1109	14900	15001	
RIU1	1110	14400	14600	14700
		14900		
RIU1	1111	12603	14000	14100
		14300	14400	14600
		14700	14900	26110
RIU1	1112	14300	14400	14600
		14700	15001	26110
RIU1	1113	14300		
RIU1	1114	14300	14600	15001
RIU1	1115	14300	14400	14600
		14700	15001	
RIU1	1116	14300	14400	14500
		14600	14700	
RIU1	1117	14300	14400	14500
		14600	15001	
RIU1	1118	14300	14400	14500
		15001		
RIU1	1119	14300	14400	14500
		14600	14700	14800
		26110		
RIU1	1120	14300	14400	14500
		14600	14700	14800
		15001		
RIU1	1121	14300	14400	14800
		15001		
RIU1	1122	14300	14400	14500
		14800		
RIU1	1124	14600	14700	14800
RIU1	1125	14600	15001	
RIU1	1126	14800	15001	
RIU1	1127	14800		15001
RIU1	1128	14600	14900	15001
		26110		
RIU1	1129	14400	14500	14600
		14800	15001	
RIU1	1130	14000	14100	14300



Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet		
		14400	14600	14700
		14900	26110	
RIU1	1131	14000	14100	14300
		14400	14500	14700
		15001		
RIU1	1132	12603	14300	14400
		14500	14700	14800
RIU1	1133	14800	15001	
RIU1	1134	14100	14300	14400
		14800		
RIU1	1135	14000	14100	14400
		15001		
RIU1	1136	12603	13101	13600
RIU1	1137	14000	14400	14500
		14600	15001	15002
		26110		
RIU1	1138	14300	14500	14600
RIU1	1140	13900	15002	
RIU1	1141	13900	14000	15002
RIU1	1142	13900	14000	14100
		14700		
RIU1	1143	13900	14000	14100
		14700	15002	
RIU1	1144	13900	14000	14100
		15002	16500	
RIU1	1145	13900	14000	14100
		16500		
RIU1	1146	13900	14000	
RIU1	1147	12603	14000	14100
		14300	14500	15002
RIU1	1148	14000		
RIU1	1151	26110		
RIU1	1201	12603	26803	
RIU1	1202	26803		
RIU1	1203	26803		
RIU1	1204	26803		
RIU1	1205	15100	15300	15400
		16300	16500	
RIU1	1206	15300	15700	16300
RIU1	1207	16300		
RIU1	1208	12603	15100	15300
		15400	15700	16300
		16400	16500	
RIU1	1209	12603	15300	15400
RIU1	1210	12603	15100	15300
		15400	15600	15700

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
		16300	16400	
RIU1	1212	15100	15400	15700
RIU1	1213	15300	15400	15600
		16500		
RIU1	1214	15600	15700	16500
RIU1	1215	15100	15400	15700
RIU1	1216	15400		
RIU1	1217	15100		
RIU1	1218	16300	16500	
RIU1	1219	15100	15400	15600
		15700		
RIU1	1220	15400		
RIU1	1221	15600	15700	
RIU1	1222	12603	15100	15400
		15600	15700	16500
		26110		
RIU1	1223	15100	15300	15400
		15600	15700	
RIU1	1224	15100	15900	
RIU1	1228	16500		
RIU1	1230	15200	15300	15500
		16400		
RIU1	1231	15800	16400	
RIU1	1232	16400		
RIU1	1233	15200	15500	15800
		15900	16400	16500
RIU1	1234	15500		
RIU1	1235	14100	15200	15500
		15800	15900	16400
RIU1	1237	15200	15500	15800
RIU1	1238	15500	15900	
RIU1	1239	15800	15900	16500
RIU1	1240	15200	15500	15800
RIU1	1241	15500		
RIU1	1242	15200		
RIU1	1243	16400	16500	
RIU1	1244	15200	15500	15800
		15900		
RIU1	1245	15500		
RIU1	1246	15800	15900	
RIU1	1247	15200	15500	15800
		15900		
RIU1	1248	12603	13600	15200
		15500	15800	15900
RIU1	1301	26803		
RIU1	1302	26803		

Table 5-1. Card Location in Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
RIU1	1303	13700	26803	
RIU1	1304	12602	26110	
RIU1	1305	12601	26110	
RIU1	1306	12601	26110	
RIU1	1307	12602	26110	
RIU1	1308	12602	26110	
RIU1	1309	12602	12900	26110
RIU1	1310	13200	13500	26110
RIU1	1311	12601	12602	12900
		13200		
RIU1	1312	12601	12602	12900
		13200		
RIU1	1313	12900	13200	13402
		13500		
RIU1	1314	12900	13200	13301
		13302	13500	
RIU1	1315	12601	13200	13301
RIU1	1316	13301		
RIU1	1317	12700	12900	13200
		13301	13302	13402
		13500		
RIU1	1318	12700	13301	13302
		13400	13500	
RIU1	1319	12700	12900	13200
		13301	13400	13500
RIU1	1320	12700	13500	
RIU1	1321	12800		
RIU1	1322	12800		
RIU1	1323	12602	12700	12800
		12900	13302	13402
RIU1	1324	12700	12800	12900
		13200	13302	
RIU1	1325	12602	12800	13302
		13402		
RIU1	1326	12602	13302	
RIU1	1327	12700	12900	13200
RIU1	1328	12800	13000	13301
RIU1	1329	12800	13000	13301
RIU1	1330	12800	13000	13102
		13200	13301	
RIU1	1332	12700	12900	13000
RIU1	1333	12700	13000	13600
RIU1	1334	13800		
RIU1	1335	13402	13800	
RIU1	1336	13102	13400	13500
		13600	13700	13800

Table 5-1. Card Location in Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet		
RIU1	1337	13101	13500	13600
		13700	13800	
RIU1	1338	12700	12800	12900
		13000	13500	13600
		13700	13800	
RIU1	1339	12900	13000	13101
		13102	13402	13500
		13600	13700	13800
RIU1	1340	12900	13000	13101
		13102		
RIU1	1341	13101	13102	13402
		13500		
RIU1	1342	12900	13102	13402
		13500	13600	
RIU1	1343	12602	12900	13101
		13102	13402	13500
		13600		
RIU1	1344	12900	13402	13500
RIU1	1345	13402	13500	13600
RIU1	1346	13402	13500	13600
RIU2	2101	19800	19901	20100
		20202		
RIU2	2102	19800	19903	20201
		20202	20400	26111
RIU2	2103	20201	20202	
RIU2	2104	18700	19902	20202
		20502		
RIU2	2105	19902		
RIU2	2106	19903	20202	
RIU2	2107	19901	19903	20201
		20202	20400	
RIU2	2108	19901	20202	
RIU2	2109	19901	20202	
RIU2	2110	19800	19901	20100
		20400		
RIU2	2111	19700	19800	19903
		20201	20202	20400
RIU2	2112	19800	19901	20202
		20400		
RIU2	2113	19600	19800	19902
		19903	20201	20202
RIU2	2114	20201	20202	
RIU2	2115	19901	20202	20502
RIU2	2116	18500	19700	19800
		19901	19903	20202
RIU2	2117	19901	19902	19903

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
		20201		
RIU2	2118	19800	19901	19903
		20400	20502	
RIU2	2119	19800	19901	19903
		20201	20202	20502
RIU2	2120	19501	20502	
RIU2	2121	19501	19902	
RIU2	2122	19501	19502	19903
RIU2	2123	19502	20502	
RIU2	2124	19501	19502	
RIU2	2125	19502	20502	
RIU2	2126	19501	19502	
RIU2	2127	19600	20100	
RIU2	2128	19600	20100	
RIU2	2129	19800		
RIU2	2130	19600	19700	20300
RIU2	2131	19700	19800	19903
		20201	20300	
RIU2	2132	19600	19700	20202
RIU2	2133	19501	19700	19800
		20100	20201	20300
RIU2	2134	19600	19700	20202
RIU2	2135	19600	19700	19902
RIU2	2136	19501	19502	19600
		19700	19800	20100
		20300	20502	
RIU2	2137	19501	19700	19800
		20100	20300	
RIU2	2138	19501	19600	19700
		19800	20100	20300
		26111		
RIU2	2139	19700	19800	20100
		20300		
RIU2	2140	19501	19700	19800
		20100	20300	
RIU2	2141	20300		
RIU2	2142	20300		
RIU2	2143	19600	19700	19902
RIU2	2144	20300		
RIU2	2145	12603	26803	
RIU2	2146	26803		
RIU2	2147	26803		
RIU2	2148	26803		
RIU2	2201	18403	18404	
RIU2	2202	18403	18404	
RIU2	2203	18401	18402	18403

Table 5-1. Card Location in Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
RIU2	2204	18404 18401 18404	18402	18403
RIU2	2205	18401	18402	
RIU2	2206	18401	18402	
RIU2	2207	18300 18404	18402	18403
RIU2	2208	18402	18403	18404
RIU2	2209	18401 18404	18402	18403
RIU2	2210	18300	18401	18402
RIU2	2211	18102	18401	18402
RIU2	2212	18401	18402	18404
RIU2	2213	18102		
RIU2	2214	18102 18403	18200 18404	18300
RIU2	2216	18500		
RIU2	2218	18600 18802	18700 19200	18801 20501
RIU2	2219	18500 20501	18700 26111	18802
RIU2	2220	18500 18802	18600 26100	18700
RIU2	2221	18500 18802 20501	18600 19000 26111	18700 19400
RIU2	2222	18600 18802	18700 20501	18801
RIU2	2223	18500	18802	
RIU2	2224	18500	18802	
RIU2	2225	18801	18802	
RIU2	2226	18700	20502	26111
RIU2	2227	18801 26111	20501	20502
RIU2	2228	18801	20502	26111
RIU2	2229	18500 18802	18600 20501	18700 26111
RIU2	2230	18600 18802	18700 19000	18801 20501
RIU2	2231	17400 18700 20501	18500 18801 26111	18600 18802
RIU2	2233	18600	18802	
RIU2	2234	18600	18700	
RIU2	2235	18600 26111	18700	18801

Change 2 5-11

Table 5-1. Card Location in Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet
RIU2	2236	18700 18801 18802
RIU2	2237	18802 19000 19400
RIU2	2238	19400
RIU2	2239	19400 20502 26111
RIU2	2240	18500 18700 18801 19200 20501
RIU2	2241	18600 18700 19000 19200 20501
RIU2	2242	18500 18600 19000 19200 19400 26111
RIU2	2243	18500 18600 18700 19000 19200 19400
RIU2	2244	18600 19000 19200 19400
RIU2	2245	18600 19400
RIU2	2246	18600 19400
RIU2	2247	26803
RIU2	2248	26803
RIU2	2249	26803
RIU2	2250	26803
RIU2	2251	12603 26803
RIU2	2301	18102 18300 18404
RIU2	2302	18102 18200 18300
RIU2	2303	18102 18200 18300
RIU2	2304	18102 18300
RIU2	2305	16900 18300
RIU2	2306	18102 18200 18300
RIU2	2307	18102 18200 18300 26111
RIU2	2308	18200
RIU2	2309	17400 18200
RIU2	2310	18300 18403 18404
RIU2	2311	16900 17700 17900
RIU2	2312	16700 16900 17000 17200 17600 17700 17800 17900
RIU2	2313	17700 17800
RIU2	2314	16700 16900 17000 17200 17600 17700 17800 18000
RIU2	2315	16700 16800 17000 17200 18000
RIU2	2316	16800 16900 17000 17600 17900

Change 2 5-12

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet			
RIU2	2317	16700	16800	16900	
		17000	17200	17600	
		17700	17800	17900	
RIU2	2318	16700	16800	16900	
		17200	17700	17800	
		18000			
RIU2	2319	17000	17900		
RIU2	2320	17000	17900		
RIU2	2321	17000	17600	17900	
RIU2	2322	16700	16800	16900	
		17101	17102	17300	
		17600	1790	17900	
		16800	16900	17700	
RIU2	2323	17800			
		16800	16900	17300	
RIU2	2324	17600	17700	17800	
		16700	16800	16900	
RIU2	2325	17000	17200	17700	
		17800			
		16700	16800	16900	
RIU2	2326	17000	17200	17600	
		17900	18000		
		16800	18000		
		18000			
RIU2	2327	17600	18000		
RIU2	2328	16800	16900	17200	
RIU2	2329	16800	17300	17900	
RIU2	2330	16700	16800	16900	
		17000	17200	17300	
		18000			
RIU2	2331	16700	16800	16900	
		17000	17200	17300	
RIU2	2333	17000	17101	17200	
RIU2	2334	16700	16800	16900	
		17200	17300	17400	
		17900			
RIU2	2335	16800	16900	17102	
		17200	17300	17600	
		18000	26111		
RIU2	2336	16700	16800	17400	
RIU2	2337	17101	17200	17400	
RIU2	2338	16800	17000	17101	
		17200	17300		
RIU2	2339	17102	17200	17300	
		17900			
RIU2	2340	16800	17101	17800	
RIU2	2341	16900	17101	17102	
		17200	17300	18000	



Table 5-1. Card Location in Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
		26111		
RIU2	2342	16900	17101	17102
		17200	17300	
RIU2	2343	16800	17101	17700
RIU2	2344	17101	17102	26111
RIU2	2345	16700	17102	17200
		26111		
RIU2	2346	16900	17101	17400
		26111		
RIU2	2347	17300	17900	18102
		18300	26803	
RIU2	2348	16900	26803	
RIU2	2349	16900	18401	18402
		26803		
RIU2	2350	26803		
RIU2	2351	26803		
RS	1103	20001	20002	20003
		20004	20005	26803
RS	1104	20001	20002	20003
		20004	20005	26803
RS	1105	12603	14202	18900
		19101	19103	20002
		20003	20005	26803
RS	1106	19101		
RS	1107	19102		
RS	1108	19102		
RS	1109	19103		
RS	1110	20001		
RS	1111	20002		
RS	1112	20003		
RS	1113	20004		
RS	1114	20004	20005	
RS	1115	19103		
RS	1116	19300		
RS	1117	19300		
RS	1123	12603	14100	14201
		14400	15002	16101
		18900		
RS	1124	18900	26105	26106
RS	1203	13500	13700	14202
		14400	14500	15001
		15002	16102	18900
		26803		
RS	1204	19101	19102	19103
		19300	26803	
RS	1205	18900	19101	19102

Table 5-1. Card Location in Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet		
RS	1208	19103	19300	26803
		14201	15002	18101
		26103		
RS	1210	14201	15002	18101
RS	1212	14201	15002	18101
RS	1214	14400		
RS	1215	14202	14500	
RS	1216	14202	17900	
RS	1218	13700	16101	16900
RS	1219	15001	16101	16600
		16900	18100	18300
		14202		
RS	1220	14202		
RS	1221	14202		
RS	1222	14202		
RS	1301	22801	22802	22803
		22804		
RS	1302	22801	22802	22803
		22804		
		00300	01300	13401
RS	1303	14100	14202	16000
		16900	18900	26803
		00300	15002	16101
		16900	18900	26803
RS	1304	17300	17500	17900
		18100	18300	26803
		26102	26104	
RS	1308	26105		
RS	1309	26106		
RS	1311	22801	26104	
		22802		
RS	1312	22804		
RS	1313	22804		
RS	1314	22803		
RS	1316	17500		
RS	1317	16600		
RS	1318	16600		
RS	1320	16600		
RS	1321	26801		
RS	1322	14201	16600	16900
RS	1323	04900	11200	17300
RS	1326	04900	17900	
RS	1327	14202	17300	
RS	1401	16101	16103	16104
		16105	16201	16202
		16203	16204	26803
		16000	16101	16201
RS	1402	26803		

Table 5-1. Card Location in Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
RS	1403	00300	03800	26803
RS	1404	09200	26803	
RS	1405	00300	09200	11200
		13700	26803	
RS	1407	16000		
RS	1408	16102	26106	
RS	1409	16103		
RS	1410	16104		
RS	1411	16105		
RS	1413	16000		
RS	1414	16201		
RS	1415	16202		
RS	1416	16203		
RS	1417	16204		
RS	1420	04900	13401	13500
		13700	26107	
RS	1501	00300	01300	03800
		26803		
RS	1502	00900	01300	26803
RS	1503	01300	03600	04900
		14202	26803	
RS	1504	07301	07302	13400
		26803		
RS	1505	07301	07302	26803
RS	1506	07301		
RS	1507	07302		
RS	1510	00900		
RS	1511	01300		
RS	1513	09200		
RS	1514	09200		
RS	1515	09200		
RS	1517	03600		
RS	1519	00300		
RS	1520	00300		
RS	1521	03800	26103	
VPU1	1104	26802		
VPU1	1105	26802		
VPU1	1106	26802		
VPU1	1107	05300	05400	
VPU1	1108	05300	05400	
VPU1	1109	05300	05400	
VPU1	1110	05400	05500	05600
		05800	05900	
VPU1	1111	05200	05500	05600
		05800	05900	26108
VPU1	1113	05400	05500	05600

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet		
VPU1	1114	05800	05900	26108
		05200	05300	05500
		05600	05701	05900
		26108		
VPU1	1115	05300	05400	05500
		05600	05800	05900
		26108		
VPU1	1116	05300	05400	05500
		05600	05701	05702
		05800	05900	
VPU1	1117	05200	05300	05400
		05500	05600	05701
		05900		
VPU1	1118	05200	05500	05600
		05900		
VPU1	1120	05200	05900	
VPU1	1121	05200	05900	
VPU1	1122	05200	05800	05900
VPU1	1123	05400	05800	05900
VPU1	1124	05400	05800	
VPU1	1125	05500	05800	
VPU1	1126	05800		
VPU1	1127	05800		
VPU1	1128	05200	05701	05702
VPU1	1129	05200	05701	05702
VPU1	1132	05200	05600	05701
VPU1	1133	05701	05702	
VPU1	1134	05702		
VPU1	1136	26801		
VPU1	1201	26802		
VPU1	1202	26802		
VPU1	1203	26802		
VPU1	1205	00703		
VPU1	1206	00702		
VPU1	1207	00702		
VPU1	1208	00800	01200	
VPU1	1209	00800	01200	
VPU1	1210	00701	01200	
VPU1	1211	00100	00200	00500
		00701	01200	
		00200	00500	00701
VPU1	1212	00702	00703	00704
		01200		
		00100	00200	00500
VPU1	1213	00701	00704	00800
		01200	01400	

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
VPU1	1214	00800	01000	
VPU1	1215	00800	01000	
VPU1	1216	01101		
VPU1	1217	01101		
VPU1	1218	01400		
VPU1	1219	01400		
VPU1	1220	00702	00800	01400
VPU1	1221	00701	00702	00703
		00800		
VPU1	1222	00800		
VPU1	1223	01000		
VPU1	1225	00100	00400	00500
		00600	00702	00703
		00800	01000	01101
		01102	01103	01200
VPU1	1226	00100	00200	00400
		00703	00704	00800
		01501	26108	
VPU1	1227	00100	00200	00400
		00600	00703	
VPU1	1228	00100	00200	00703
VPU1	1229	00100	00200	00800
VPU1	1231	00100	00400	00600
		05600		
VPU1	1232	00100	00200	00600
VPU1	1233	00100	00200	00400
		00701	00703	00800
VPU1	1234	00701	00702	
VPU1	1235	00400	05200	
VPU1	1236	00400		
VPU1	1237	00400		
VPU1	1301	26802		
VPU1	1302	26802		
VPU1	1303	26802		
VPU1	1304	26802		
VPU1	1305	00400		
VPU1	1306	00400		
VPU1	1307	01101	01102	01103
VPU1	1308	01101	01102	01103
VPU1	1309	01102		
VPU1	1310	01101	01200	
VPU1	1311	01101	01200	
VPU1	1312	01102	01200	
VPU1	1313	01102		
VPU1	1314	01103		
VPU1	1315	01103		

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet		
VPU1	1316	01101	01102	
VPU1	1317	00100	00500	00704
VPU1	1318	00100	00200	00600
		00704		
VPU1	1319	00100	00200	00500
VPU1	1320	00400	00500	
VPU1	1321	00600		
VPU1	1322	00500	00600	01700
VPU1	1323	00100	00400	00500
		00600	00701	00704
		00800	01200	
VPU1	1324	00400	00500	00600
		00701	00800	01101
		01200		
VPU1	1325	00500		
VPU1	1326	00500	00600	01101
VPU1	1329	01501	01600	02000
		02100	02200	03400
		04900	05001	05002
		26108		
VPU1	1330	01501	01600	02000
		02100	02200	04900
		26108		
VPU1	1331	01501	02000	02100
		02200	03400	04900
VPU1	1332	01501	02000	02100
		02200	04900	
VPU1	1333	01501	02000	02100
		02200	03400	04900
VPU1	1334	01502	02000	03900
		05003		
VPU1	1335	01501	01502	02000
		02100	02200	03300
		04900		
VPU1	1336	01501	01502	02000
		02100	03400	05003
		05101		
VPU1	1337	01502	02000	02200
		03400		
VPU1	1338	01502	02000	02200
		03400		
VPU1	1339	01900	02100	02200
		03400	04900	
VPU1	1340	01501	02100	03400
		05101		
VPU1	1341	01501	02000	03400

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
		05003		
VPU1	1342	01501	02000	03400
VPU1	1343	02000	03400	
VPU1	1344	02100	03500	05102
VPU1	1345	01501	02200	03900
		05002	05101	
VPU1	1346	05002	05101	
VPU1	1347	05002		
VPU1	1348	05001	05002	05003
VPU1	1349	05001	05002	05003
VPU1	1350	05001		
VPU1	1351	05001		
VPU1	1401	26802		
VPU1	1402	26802		
VPU1	1403	26802		
VPU1	1407	04400	04500	
VPU1	1408	04200	04400	04500
VPU1	1409	04200	04400	04500
VPU1	1410	04200	04300	04600
VPU1	1411	04200	04300	04600
VPU1	1412	04200	04300	04600
VPU1	1413	04200	04600	
VPU1	1414	04200	04600	
VPU1	1415	04200	04600	
VPU1	1416	04100		
VPU1	1417	01800	03100	03700
		04000		04100
VPU1	1418	01800	04000	04100
		04300		
VPU1	1419	01800	01900	02800
		04000	04100	
VPU1	1420	01900	03700	04000
		04100		
VPU1	1421	01900	03700	04000
		04100		
VPU1	1422	01502	01900	03700
		04000	04100	
VPU1	1423	03700	04000	04100
VPU1	1424	03700		
VPU1	1425	03700		
VPU1	1426	01700	03400	04200
		04300	04400	04500
VPU1	1427	01700	04200	04400
		04500		
VPU1	1428	01700	04200	04400
		04500		

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet		
VPU1	1429	01600	01700	04400
		04500		
VPU1	1430	01600	01700	03500
		04200	04300	04400
		04500		
VPU1	1431	01600	01700	03500
		03700	04200	04400
		04500	05102	
VPU1	1432	01501	01600	01700
		03500	03700	04200
		04300	04400	04500
VPU1	1433	01502	01600	01700
		01800	02100	03500
		03900	04300	04400
		04500	05003	
VPU1	1434	01501	01600	03500
		03900	04300	
VPU1	1435	01600	02400	03500
		04300		
VPU1	1436	01502	03500	03900
		04700	05102	
VPU1	1439	02700	05003	05102
VPU1	1440	01502	03300	05003
VPU1	1441	03500	03900	
VPU1	1442	02000	02400	04700
		05101	05102	
VPU1	1443	01700	02400	03500
		04700	04900	
VPU1	1444	01501	03500	03900
		04700	04900	
		05101		
VPU1	1446	01501	01502	02100
		03900	04700	04800
		04900	05003	05101
VPU1	1447	03400	05101	05102
VPU1	1448	02500	03400	05101
		05102		
VPU1	1501	26802		
VPU1	1502	26802		
VPU1	1503	04900	26802	
VPU1	1507	03100		
VPU1	1508	03100		
VPU1	1509	03100		
VPU1	1510	03100		



Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet		
VPU1	1511	01600	01800	02600
		03100	04200	
VPU1	1512	01800	02600	
VPU1	1513	01800	02600	02800
		03300		
VPU1	1514	01800	02600	03000
		04200		
VPU1	1515	01800	04300	
VPU1	1516	01502	01700	01800
		02400	02800	03000
		03300		
VPU1	1517	01800	02600	02800
		02900		
VPU1	1518	02600	02800	03300
		04200		
VPU1	1519	02600	02700	
VPU1	1520	02600	02700	
VPU1	1521	02700	02800	03000
VPU1	1522	02700	02800	03000
		03300	03700	
VPU1	1523	02700	02800	03000
		03300	03700	
VPU1	1524	02600	02800	03000
VPU1	1525	02600	02800	03000
VPU1	1526	02300	02400	02500
		02900	03000	04200
VPU1	1527	01501	01700	02400
		02600	02900	03000
		03300		
VPU1	1528	02900	03000	
VPU1	1529	01502	02300	02400
		02500	02700	02900
		03300	04200	
VPU1	1530	02300	03300	
VPU1	1531	02300		
VPU1	1532	02300		
VPU1	1533	02400	02500	02900
		03300		
VPU1	1534	02300	02400	02500
		03300	04300	
VPU1	1535	02500	02900	03300
VPU1	1536	02500	02900	
VPU1	1537	02400	02500	
VPU1	1538	01700	02400	
VPU1	1539	01800	02300	02400
		02500	02900	04200

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet		
VPU1	1540	02300	02400	02500
		02900		
VPU1	1543	03900	04800	05102
VPU1	1544	04800		
VPU1	1545	03900	04800	04900
VPU1	1546	04800	05101	05102
VPU1	1547	01502	03900	04800
		04900	05101	05102
VPU1	1548	04800	05101	05102
VPU1	1549	04800	05101	05102
VPU2	2101	08900	09000	09100
		09300	09400	09700
		11700		
VPU2	2102	08900	09000	09100
		09400	09600	09700
		10600	11900	
VPU2	2103	08300	08400	09000
		09100	09400	09700
		11200	11700	
VPU2	2104	08900	09400	09700
VPU2	2117	07201	07202	
VPU2	2118	06600	07201	07202
VPU2	2119	06600	07201	07202
VPU2	2120	07201	07202	
VPU2	2121	06900	07201	07202
VPU2	2122	06900	07100	07201
		07202	07600	
VPU2	2124	06900	07100	
VPU2	2125	06600	06900	07000
		07201		
VPU2	2126	06600	06700	06900
		07000	07500	26109
VPU2	2128	06900	07000	07201
		07202		
VPU2	2129	06600	06700	07202
VPU2	2131	06600	06700	07100
		07202		
VPU2	2132	06600	06900	07000
		07500		
VPU2	2133	07400	07500	
VPU2	2134	06900	07000	07400
VPU2	2136	06600	06700	07100
		26109		
VPU2	2137	06600	06700	
VPU2	2138	06600	06700	
VPU2	2139	06600	06700	07000

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
VPU2	2140	07201	07400	
		06600	06700	07000
		07400	07701	26109
VPU2	2141	06800		
VPU2	2142	06800		
VPU2	2143	06800		
VPU2	2144	06800		
VPU2	2146	26802		
VPU2	2147	26802		
VPU2	2148	26802		
VPU2	2201	08200	08300	09000
		09100	09300	09500
		09600	09700	10500
		10600	11700	
VPU2	2202	08900	09600	09800
		10500	11700	
VPU2	2203	07600	09000	10400
		10500	10600	11309
		11700		
VPU2	2204	08800	10300	
		08800	10300	
VPU2	2206	07600	09000	09100
		09300	09600	09700
		09800	09900	10000
		10500	10600	
		09400	09600	09700
VPU2	2207	09900	10000	10500
		10600	11700	
		09500	09600	09800
VPU2	2208	09900	10000	10500
		10600	11302	
		10500	10600	11700
		08600	09800	10300
VPU2	2210	08800	09800	10500
VPU2	2212	08502	08700	08900
		09000	09300	09400
		09600	09700	10600
		11700		
		09100	09500	09900
VPU2	2213	10000	10600	
		09900	10000	10500
VPU2	2214	07600	08501	08700
VPU2	2215	09400	09900	10100
		07600	09100	
VPU2	2216	07600	08200	08700
VPU2	2217	07600	09400	09500
		09300		

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet		
VPU2	2218	09700	10600	11309
		08400	09000	09100
		09400	09500	09600
		11700		
VPU2	2219	08200	08502	09500
VPU2	2220	11100		
		07600	08200	08502
VPU2	2221	09500	11100	
		08200	08400	09000
		09100	09500	09600
VPU2	2222	10200		
		07701	08700	08900
		09000	09400	09600
VPU2	2223	11900		
		08200	08600	08700
		08800	08900	09000
		09100	09400	09500
		09600	09700	10600
VPU2	2224	11900		
		08300	08400	09500
		11100		
VPU2	2225	07701	08400	08502
VPU2	2226	11100	26109	
		07600	08900	09000
VPU2	2227	09100	11309	11700
		07701	08200	08300
		08400	08502	09000
		09100	09400	09500
		09600	11309	12500
VPU2	2228	07600	08400	09000
VPU2	2229	09500	11100	
		07600	08300	08400
		08600	08700	08800
		08900	09000	09300
		09400	11100	
VPU2	2231	07600	08300	08501
VPU2	2232	09000	11100	
		08700	09000	09100
		09400	09500	09700
VPU2	2233	09800	11309	11700
		07701	08300	08502
		08700	08800	09000
		09300	11100	26109
VPU2	2234	08600	08800	
VPU2	2235	08600	10300	11800
VPU2	2236	07701	08200	08502

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
		08700	09100	09500
		09600	09800	10100
		11100	11301	
VPU2	2237	07701	08300	08400
		08502	08700	09100
		11100		
VPU2	2238	07701	08300	08400
		08502	09100	09700
		10100	11100	11301
		11700	26109	
VPU2	2239	08300	08400	08502
		10100	10200	11100
VPU2	2240	07701	07800	08400
		08900	09000	09500
		09600	11100	11700
VPU2	2241	09000	09100	09300
		09800	11100	11304
		11305	11309	
VPU2	2242	08501	08502	08503
VPU2	2243	08501	08503	
VPU2	2244	08500	08501	08502
		08503		
VPU2	2245	08501	08502	08503
VPU2	2246	08502	08503	08900
VPU2	2247	08501	08502	08503
VPU2	2248	26802		
VPU2	2249	11200	26802	
VPU2	2250	26802		
VPU2	2251	26802		
VPU2	2301	11400		
VPU2	2302	11400		
VPU2	2303	11400	11600	
VPU2	2304	09600	10400	11100
		11400	11700	
VPU2	2305	11600		
VPU2	2306	11600		
VPU2	2307	11500	11600	
VPU2	2308	08502	09700	10300
		10400	11301	11600
		11700	11900	
VPU2	2309	09500	11301	11500
		11600	11700	
VPU2	2310	11500		
VPU2	2311	11500		
VPU2	2312	08502	09300	10400
		10600	11301	11302

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
VPU2	2313	11500	11700	
		08502	09300	10300
		10400	11302	11309
		11700		
VPU2	2314	11302	11308	
VPU2	2315	09800	11308	
VPU2	2316	10000	11308	
VPU2	2317	09900	10000	11308
VPU2	2318	10800	11307	
VPU2	2319	10700	11307	
VPU2	2320	10700	11000	11307
VPU2	2321	11000	11307	
VPU2	2322	08502	08700	08900
		09000	09700	
VPU2	2323	10700	11307	
VPU2	2324	10900	11306	
VPU2	2325	10900	11306	
VPU2	2326	08100	11306	
VPU2	2327	08000	11306	
VPU2	2328	07900	11305	11306
VPU2	2329	07900	08502	11304
		11305		
VPU2	2331	08501	11304	
VPU2	2332	08200	08300	09000
		09800	11700	12200
VPU2	2333	08501	11304	
VPU2	2334	08502	08503	11304
VPU2	2335	08503	11303	
VPU2	2336	08503	11303	12300
VPU2	2337	08503	11303	12100
VPU2	2338	08300	11303	12100
		12500		
VPU2	2339	07701	08600	08800
		11800		
VPU2	2340	08800	10100	11800
VPU2	2341	08400	09100	11100
		11700	11900	
VPU2	2342	08502	08503	11800
VPU2	2343	08502	08503	11800
VPU2	2344	07701	08502	09400
		11900		
VPU2	2348	26802		
VPU2	2349	26802		
VPU2	2350	26802		
VPU2	2351	26802		
VPU2	2401	07800	08900	09300

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet		
VPU2	2402	09600	09700	11305
		11800	11900	12100
		07800	08400	08900
		09300	09600	10200
		10900	11000	11200
VPU2	2403	11900	12300	12400
		10200	11000	
		08000	10900	11000
VPU2	2404			
VPU2	2405	10900		
VPU2	2406	08000	08900	11000
VPU2	2407	11800		
		10200	11000	
		07800	08000	08100
VPU2	2408	08503	10200	11000
VPU2	2409	11800	11900	12300
		07800	08000	08100
		09500	09600	10200
		10900	11000	11200
		11800	12200	
VPU2	2410	07600	08100	10700
VPU2	2411	12200	12400	
		10500	11000	11900
VPU2	2412	12200	12400	
		07600	07800	08100
VPU2	2413	11000	12200	
		07600	10100	11302
VPU2	2414	08100	10200	10800
VPU2	2415	08100	10800	
VPU2	2416	10800		
VPU2	2417	07800	08000	09700
		10700	11306	11307
		11800	11900	
		07600	07800	07900
		08100	10700	10800
VPU2	2418	10900		
		07600	07900	09100
		09300	10700	11303
VPU2	2419	11306	11307	11308
		11309		
		09300	11305	11309
VPU2	2420	07600	07900	08100
VPU2	2421	09300	10900	11301
		11305	11309	26109
		07800	08000	11000
VPU2	2422	11305	11306	11309
VPU2	2423	07800	08100	09400

Table 5-1. Card Location in Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
VPU2	2424	10600	11700	
		09300	10700	11301
		11309		
VPU2	2425	07900	08100	
VPU2	2426	07900	08100	
VPU2	2427	07900	11303	11304
		11305		
VPU2	2428	07900	11303	11304
		11305	12400	
VPU2	2429	11303	11304	11305
		12300		
VPU2	2431	11303	11304	11305
		12300		
VPU2	2432	11302	11303	11304
VPU2	2433	11301	11303	11304
VPU2	2434	11302	11303	11304
VPU2	2435	11301	11303	11304
VPU2	2437	06101	06102	06103
VPU2	2438	06101	06102	06103
VPU2	2439	06101	06102	06103
VPU2	2440	06101	06102	06103
VPU2	2441	06200		
VPU2	2442	06200		
VPU2	2443	06500		
VPU2	2444	06500		
VPU2	2445	06300	06401	06402
VPU2	2446	06300	06401	06402
VPU2	2447	26802		
VPU2	2448	26802		
VPU2	2449	26802		
VPU2	2450	26802		
VPU2	2451	26802		
VPU2	2502	11306	12000	12100
VPU2	2503	08900		
VPU2	2504	08900	11200	
VPU2	2505	10200	11900	12000
		12100		
VPU2	2506	10200	11900	12000
		12100		
VPU2	2507	07702	11200	11900
		26109		
VPU2	2508	11200	12400	
VPU2	2509	11200	11800	11900
VPU2	2510	12000	12100	
VPU2	2511	08000	12000	12100
VPU2	2512	12000	12100	12300



Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet			
VPU2	2513	10600	11200	12100	
		12200	12300	12400	
		26109			
VPU2	2514	11200	12000	12100	
		12300	26109		
VPU2	2515	12000	12100		
VPU2	2516	07600	11200	12100	
		12200	12400		
VPU2	2517	08000	10200	12300	
VPU2	2518	07600	08000	11200	
		12100	12300		
VPU2	2519	07900	08503	09900	
		10600	11200	11900	
		12000	12100	12200	
		12300	12400		
VPU2	2520	07600	07900	08503	
		11301	11500	12000	
		12100	12400	12500	
VPU2	2522	07900	08501	08503	
		11301	11400	11600	
		12000	12100	12200	
		12400	12500		
VPU2	2523	12000	12100		
VPU2	2524	07900	12300		
VPU2	2525	07900	08000	12400	
VPU2	2526	12300	12400	12500	
VPU2	2527	12500			
VPU2	2528	12500			
VPU2	2531	06001	06002	06500	
VPU2	2532	06001	06002		
VPU2	2533	06001	06002	06300	
		06500			
VPU2	2534	06001	06002	06500	
VPU2	2535	06002	06300		
VPU2	2536	06001	06002	06300	
		06500			
VPU2	2537	06103	06104	06105	
VPU2	2538	06103	06104	06105	
VPU2	2539	06103	06104	06105	
VPU2	2540	06103	06104	06105	
VPU2	2541	06200			
VPU2	2542	06200			
VPU2	2543	06500			
VPU2	2544	06500			
VPU2	2545	06300	06402		
VPU2	2546	06300	06402		

Table 5-1. Card Location in Logic Diagrams Index

Prefix	Card Slot	FO Sheet		
VPU2	2547	26802		
VPU2	2548	26802		
VPU2	2549	26802		
VPU2	2550	26802		
VPU2	2551	26802		
VSU	1104	20903	21000	21301
		21409	22002	26002
VSU	1105	21408		
VSU	1106	21408		
VSU	1107	21408	21503	
VSU	1108	21501	21502	21503
		22701		
VSU	1109	21000	22100	22301
		22302	22500	23900
		24400	24900	
VSU	1110	21302	21408	21501
		21502	21503	22701
		23400	23900	24400
VSU	1111	21501	21502	22803
VSU	1112	21000	21100	21301
		21407	21408	21501
		21502	21503	21504
		22701	22803	23400
		23900		
VSU	1113	20903	21000	21100
		21202	21407	21501
		21502	21503	23400
VSU	1114	21504		
VSU	1115	21202	21403	21504
VSU	1116	21000	21302	21405
		21408	21409	21504
VSU	1117	20903	21405	21407
		21408	21501	21502
		22701	26102	
VSU	1118	20903	21000	21100
		21202	21407	21408
		22701	26002	
VSU	1119	20702	20703	20901
		20903	21000	21202
		21402	21405	21408
		22100	22301	22302
		22500	22701	26002
VSU	1120	21100	21201	21202
VSU	1121	21201	21202	
VSU		1122	21201	
VSU	1123	21201	21202	21401

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
VSU	1124	21202	21403	21406
VSU	1125	20802	21100	21403
		26102		
VSU	1126	21100		
VSU	1127	21100	21403	
VSU	1128	21403		
VSU	1129	20902	21401	21403
VSU	1131	20702	21000	21202
		21401	21402	21403
		21501	21502	25600
		26001	26002	
VSU	1132	21202	21401	21402
		21403	21406	21600
		22701		
VSU	1133	20802	21401	21402
		21403	21406	25300
		25400	26102	
VSU	1134	20801	21401	21402
		21403	21404	21408
		22701		
VSU	1135	20702	20802	21401
		21402		
VSU	1136	21402	22701	
VSU	1137	21404	21405	
VSU	1138	21301	21404	
VSU	1139	20702	20703	21000
		21202	21302	21401
		21402	21404	21405
		22701	25400	
VSU	1140	20701	20702	20801
		20903	21000	21202
		21302	21402	21404
		21405	25400	
VSU	1141	20701	20801	21302
		21405	22701	26002
		26102		
VSU	1142	20702	20801	20802
		21302	25400	
VSU	1143	20801	21000	21405
VSU	1144	21301	26102	
VSU	1145	21301		
VSU	1146	21301	26102	
VSU	1203	21408	25901	
VSU	1204	21900	25901	
VSU	1205	21700	21800	25901
		25903		

Table 5-1. Card Location in Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet		
VSU	1206	21700	25902	25904
VSU	1207	21700	25902	
VSU	1208	21100	21403	25902
		25903		
VSU	1209	21201	21401	25903
		26102		
VSU	1210	21201	25903	
VSU	1211	21100	25904	
VSU	1212	21406	25904	
VSU	1213	21406	25904	26002
VSU	1214	23002	26002	
VSU	1215	23001	26002	
VSU	1217	20901	20902	20903
		21000	21100	25700
		25901	25902	26001
		26002	26102	
VSU	1218	20902	21600	22200
		25400	25800	26001
		26002		
VSU	1219	20901	20902	25400
		25600	25700	25800
		25901	26001	26002
VSU	1220	20901	20902	20903
		21100	25700	25800
		25901	25902	25904
		26001	26002	
VSU	1221	25901	25902	25903
VSU	1222	20703		
VSU	1223	20901	25904	
VSU	1224	20901		
VSU	1225	20901	26102	
VSU	1226	25700	26001	
VSU	1227	20901	20903	22701
		25400	25600	25700
		26001		
VSU	1228	20901	20902	20903
		25200	25300	25600
VSU	1229	20902	20903	25400
		25700	25800	
VSU	1230	20702	20902	20903
		25300	25400	25600
		25800		
VSU	1231	20901	20902	25300
		25400	25600	25700
VSU	1232	20703	20801	20901
		20902	20903	21302

Table 5-1. Card Location In Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
		21402	25400	25600
		26001		
VSU	1233	25300	25400	25600
		25700	26102	
VSU	1234	22701	25300	25400
VSU	1235	20703	20902	25100
		25300	25700	25800
VSU	1236	25100	25200	25300
		25600		
VSU	1238	20801		
VSU	1239	20702	20802	
VSU	1240	20701	20802	22701
VSU	1241	20701	20702	20802
		26102		
VSU	1242	20701	20801	20802
		21402	25100	
VSU	1243	20701	20801	20802
		21000	25400	26001
		26002		
VSU	1244	20701	20702	20801
		20802	25400	
VSU	1245	20701	20702	20801
		20802	21302	22701
		25300	25800	
VSU	1246	20701	20702	20801
		20802	21000	21302
		25200		
VSU	1247	22702	25200	25800
VSU	1248	20702	20802	21301
		21408	21409	22702
		24900	25905	
VSU	1250	22801	22802	22803
		22804		
VSU	1251	22801	22802	22803
		22804	26802	
VSU	1302	22100	22301	22302
		22500		
VSU	1303	21900	22100	22301
		22302	22500	
VSU	1304	22002	22100	22301
VSU	1305	22100	22200	22301
		22600		
VSU	1306	22002	22301	22500
		26002		
VSU	1307	22302	22400	22500
		22600		

Table 5-1. Card Location in Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet		
VSU	1308	22100	22302	225UU
		22600	25905	26002
VSU	1309	21000	21800	22100
		22301	22302	22400
		22500	22600	25800
		26002	26102	
		22400	22600	
VSU	1310	21000	22400	
VSU	1311	21600	22002	22200
VSU	1312	22600	24900	
VSU	1313	20903	21600	22002
		22200	22600	
VSU	1314	21600	21900	22002
		22301	22600	26002
		22200	22400	23300
		23800	24300	24800
		21700	26102	
VSU	1317	21700		
VSU	1318	21700		
VSU	1319	21700		
VSU	1320	21600	21700	
VSU	1322	21800	22002	
VSU	1323	21800	21900	22002
VSU	1324	21900	22001	22200
VSU	1325	25500		
		20903	21202	21600
		21700	21800	21900
		22001	26002	26102
VSU	1326	21900	22002	22200
		22302		
		21900	25200	25600
VSU	1327	20903	21600	21800
		21900	25600	
VSU	1328	21600	21800	21900
		22002	22200	22400
		25600		
		21600	21800	21900
VSU	1329	22002	22200	22400
		25600		
		21600	21800	22200
VSU	1330	22200	21800	22200
VSU	1331	22001	22002	22200
VSU	1332	25500		
		22001	22002	25500
VSU	1333	22001	22002	25500
		26102		
VSU	1334	21800	22001	
VSU	1335	21800	22001	22002
VSU	1336	25600		
VSU	1337	22200	22802	25100
		25200	25600	25800

Table 5-1. Card Location in Logic Diagrams Index - Continued

Prefix	Card Slot		FO Sheet	
VSU	1338	25200	25500	
VSU	1339	25100	25200	
VSU	1340	20701	20903	25100
		25200	25500	
VSU	1341	21202	25100	
VSU	1342	25100		
VSU	1343	25100		
VSU	1344	25100		
VSU	1345	25100		
VSU	1346	25100		
VSU	1347	25200		
VSU	1348	25400	25600	26102
VSU	1349	21301	21409	26802
VSU	1350	26802		
VSU	1351	20802	20903	26802
VSU	1404	23001	23002	23100
VSU	1405	23002		
VSU	1406	22500	22900	
VSU	1407	21600	25905	
VSU	1408	23001	25905	
VSU	1409	22900	23001	26102
VSU	1410	22900	23001	23002
		23200	23500	25905
VSU	1411	22900	23001	23400
		23500	23900	24000
		24500	25000	25905
VSU	1412	22500	22900	23001
		23002	23200	23500
VSU	1414	23002	23100	23200
		23600		
VSU	1415	22900	23100	23200
VSU	1416	23300	23500	
VSU	1417	23300	23500	
VSU	1418	22900	23100	23200
		23600		
VSU	1419	22900	23100	23200
		23300	23500	23600
		23700	23900	24400
VSU	1420	21600	22002	23100
		23200	23300	23400
		24400	24900	
VSU	1421	21600	22002	23600
		23700	23800	23900
		25500		
VSU	1422	21600	22900	23100
		23200	23400	23600

Table 5-1. Card Location in Logic Diagrams Index

Prefix	Card Slot	FO Sheet		
		23700	23800	23900
		24000	24400	
VSU	1423	23100	23400	23600
		23700	23900	24100
VSU	1424	21100	23800	24000
VSU	1425	23800	24000	26102
VSU	1426	21000	23600	23700
VSU	1427	23100	23600	23700
VSU	1428	23200	23300	23700
VSU	1429	22803	23100	23600
		23900	24600	24900
		25500		
VSU	1430	23100	23600	24100
		24400	24600	24700
		24900	25500	25905
VSU	1431	22900	23800	24800
VSU	1432	24200	24300	24700
VSU	1433	24100	24200	24600
		26102		
VSU	1434	22002	24100	24200
VSU	1435	24300	24500	
VSU	1436	23001	24300	24500
VSU	1437	22900	24100	24200
		24400	24600	
VSU	1438	23600	24100	24200
		24300	24400	24500
		24600	24700	24900
		25905		
VSU	1439	22002	22801	22802
		22900	24100	24200
		24300	24400	25904
VSU	1440	22801	22802	24600
		24700	24800	24900
VSU	1441	23900	24100	24200
		24400	24600	24700
		24800	24900	25000
		25905	26102	
VSU	1442	21900	23600	24100
		24600	24700	24900
		25200		
VSU	1443	22002	24800	25000
VSU	1444	24800	25000	
VSU	1445	20801	22002	24600
		24700	26102	
VSU	1446	24100	24600	24700
		26102		



Table 5-1. Card Location in Logic Diagrams Index - Continued

Prefix	Card Slot	FO Sheet
VSU	1447	26801
VSU	1448	26801
VSU	1449	20801
16KSP	1101	26804
16KSP	1102	26804
16KSP	1103	26804
16KSP	1201	26804
16KSP	1202	26804
16KSP	1203	26804
16KSP	1205	20603
16KSP	1206	20605
16KSP	1207	20605
16KSP	1208	20605
16KSP	1209	20605
16KSP	1210	20605
16KSP	1211	20606
16KSP	1212	20606
16KSP	1213	20606
16KSP	1214	20606
16KSP	1215	20607
16KSP	1216	20607
16KSP	1217	20602
CONNECTOR	1101	26804
ASSEMBLY	1102	26804
	1103	26804
	1201	26804
	1202	26804
	1203	26804

Table 5-2. Key Signal Lookup Listing

Signal	Distribution					
+ 05I0C	*26110	1151-31	26110	1304-19	26110	1304-74
	26110	1305-19	26110	1305-74	26110	1306-19
	26110	1306-74	26110	1307-19	26110	1307-74
	26110	1308-19	26110	1308-74	26110	1309-19
	26110	1309-74	26110	1310-19	26110	1310-74
+ 05MTS	26110	1151-80				
+ 05RES	26108	J01-H2	26108	J01-H6	26109	J02-E4
	26109	J02-E6	*26110	1151-39	26110	1304-24
	26110	1305-24	26110	1306-24	26110	1307-21
	26110	1308-24	26110	1309-24	26110	1310-21
	26111	J02-E6				
+ 05RE4	26802	1351-09				
+ 12VGND	*26110	1151-35	26110	1304-76	26110	1305-76
	26110	1306-76	26110	1307-76	26110	1308-76
	26110	1309-76	26110	1310-76		
+ 12VLT	*26110	1151-19	26110	1304-56	26110	1305-56
	26110	1306-56	26110	1307-56	26110	1308-56
	26110	1309-56	26110	1310-56		
+ 12V403	26105	J07-33	26105	1308-21	26105	1308-54
+ 12V603	26106	J06-05	26106	1309-03	26106	1309-21
	26106	1309-54	26106	1309-79		
+ 12V703	26110	J01-E6	26110	1151-17		
+ 15V1003	26103	J07-09	26103	1521-36	26105	J07-07
	26105	1308-03	26105	1308-79		
+ 15V903	26103	J06-43	26103	J06-45	26103	1208-35
	26803	1303-53				
- 05VLT	*26110	1151-20	26110	1304-64	26110	1305-64
	26110	1306-64	26110	1307-64	26110	1308-64
	26110	1309-64	26110	1310-64		
- 15V904	26103	J06-47	26103	J06-55		
- 5V702	26110	J01-E2	26110	1151-18		
- 9VR08	26105	J07-31	*26105	1308-05	26105	1308-06
	26105	1308-74	26105	1308-75		
- 9VR09	26106	J06-09	*26106	1309-05	26106	1309-06
	26106	1309-74	26106	1309-75	26106	1408-35
CFARJM	08502	2334-51	*26802	2351-61		
DDINPS7	*13401	J07-43	13401	1420-34		
DDIPS10	*13401	J07-47	13401	1420-26		
DDIPS3	*13401	J07-39	13401	1420-50		
DDIPS4	*13401	J07-40	13401	1420-49		
DDIPS5	*13401	J07-41	13401	1420-48		
DDIPS6	*13401	J07-42	13401	1420-47		
DDIPS7	13401	J07-44	*13401	1420-33		
DDIPS8	13401	J07-45	13401	1420-52		
DDIPS9	*13401	J07-46	13401	1420-43		
G15158	26110	1151-56	26110	1151-58		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution					
G44516	20801	1445-16	*20801	1449-07			
G44532	26102	1445-32					
G44767	26801	1447-67					
G44802	26801	1448-02					
G44832	26801	1448-32					
G44844	26801	1448-44					
INTMOD	00300	1304-01	00300	1519-37	00300	1519-38	
	00300	1520-37	00300	1520-38	03800	1521-37	
	26601	J05-59	26601	S03-3B	*26601	S03-4B	
	28801	J030-01	29402	J036-59			
INTSIG1	*26601	A09-07	26601	S03-B	26601	S03-C	
	26601	S03-1B					
INTSIG2	*26601	A09-09	26601	S03-D	26601	S03-E	
	26601	S03-2B					
LGOVR1	20608	J01-J5	26804	1102-35	*32400	565-35	
LMPS05	26601	S05-B	26601	S05-C	26601	S05-D	
	26601	S05-E	*26601	S05-2B			
LMPTST	26101	A09-04	26101	A09-06	26101	A09-08	
	26101	J01-F	26101	J01-H	26101	J01-L	
	26101	J07-27	26105	1308-30	26106	1309-30	
	26601	A09-02	*26601	S05-4B	26602	A08-24	
	26602	A08-26	26602	A09-10	26602	A09-12	
	26602	A09-14	26602	A09-16	26602	A09-18	
	26602	A09-20	26602	A09-22	26602	A09-24	
	26602	A09-26	26602	A09-28	26602	A09-30	
	26602	A09-32	26602	A09-34	26602	A09-36	
	26602	A09-38	26602	A09-40	26602	A09-42	
	26602	A09-44	26602	A09-46	26602	A09-48	
	26602	A09-50	26602	J05-17			
	LMPTST1	26501	A05-02	*26501	S01-4B	26504	A05-04
		26504	A05-06	26504	A05-08	26504	A05-10
26504		A05-12	26504	A05-14	26504	A05-16	
26504		A05-18	26504	A05-20	26504	A05-22	
26504		A05-24	26504	A05-26	26504	A05-28	
26504		A05-30	26504	A05-32	26504	A05-34	
26504		A05-36	26504	A05-38	26504	A05-40	
26504		A05-42	26504	A05-44	26504	A05-46	
LMPTST2	26501	S01-B	26501	S01-C	26501	S01-D	
	26501	S01-E	*26501	S01-2B			

Change 1 5-40

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
LOVRA	26803	1204-47	27501	J012-47	*30901	J065-35
	32400	J098-35				
LOVRAR	27501	J012-48	*30901	J065-36	32400	J098-36
MAD30A	*20602	1217-22	20605	1206-72	20605	1207-72
	20605	1208-72	20605	1209-72	20605	1210-72
	20606	1211-72	20606	1212-72	20606	1213-72
	20606	1214-72	20607	1215-72	20607	1216-72
MDDDTA	*20603	1205-75	20605	1206-04	20605	1207-04
	20605	1208-04	20605	1209-04	20605	1210-04
	20606	1211-04	20606	1212-04	20606	1213-04
	20606	1214-04	20607	1215-04	20607	1216-04
MANONOFF	26101	J01-C	*26601	A07-05	26601	S02-05
MANONOF4	26101	J07-76				
MBPU2B	*20608	1102-37	26804	1102-37	26804	1103-69
	26804	1201-75				
MBPU3B	*20602	1203-69	20603	1205-40	20603	1205-48
	26804	1202-19	26804	1203-69		
MBPU4B	26804	1201-67	26804	1201-69	26804	1201-71
	26804	1201-73	*20608	1201-67	26804	1203-71
MCACWA	20603	1205-61	26804	1102-33	*30901	1102-33
GND	28604	1102-34				
MCA18A	20605	1206-21	20605	1207-21	20605	1208-21
	20605	1209-21	20605	1210-21	20606	1211-21
	20606	1212-21	20606	1213-21	20606	1214-21
	20607	1215-21	20607	1216-21	*26804	1102-01
GND	26804	1102-02				
MCA19A	20605	1206-13	20605	1207-13	20605	1208-13
	20605	1209-13	20605	1210-13	20606	1211-13
	20606	1212-13	20606	1213-13	20606	1214-13
	20607	1215-13	20607	1216-13	*26804	1102-3
GND	26804	1102-04				
MCA20A	20605	1206-01	20605	1207-01	20605	1208-01
	20605	1209-01	20605	1210-01	20606	1211-01
	20606	1212-01	20606	1213-01	20606	1214-01
	20607	1215-01	20607	1216-01	*26804	1102-05
GND	26804	1102-06				
MCA21A	20605	1206-41	20605	1207-41	20605	1208-41
	20605	1209-41	20605	1210-41	20606	1211-41
	20606	1212-41	20606	1213-41	20606	1214-41
	20607	1215-41	20607	1216-41	*26804	1102-07
GND	26804	1102-08				
MCA22A	20605	1206-03	20605	1207-03	20605	1208-03
	20605	1209-03	20605	1210-03	20606	1211-03
	20606	1212-03	20606	1213-03	20606	1214-03
	20607	1215-03	20607	1216-03	*26804	1102-09
GND	26804	1102-10				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
MCA23A	20605	1206-29	20605	1207-29	20605	1208-29
	20605	1209-29	20605	1210-29	20606	1211-29
	20606	1212-29	20606	1213-29	20606	1214-29
	20607	1215-29	20607	1216-29	*26804	1102-11
GND	26804	1102-12				
MCA24A	20605	1206-25	20605	1207-25	20605	1208-25
	20605	1209-25	20605	1210-25	20606	1211-25
	20606	1212-25	20606	1213-25	20606	1214-25
	20607	1215-25	20607	1216-25	*26804	1102-39
GND	26804	1102-40				
MCA25A	20605	1206-27	20605	1207-27	20605	1208-27
	20605	1209-27	20605	1210-27	20606	1211-27
	20606	1212-27	20606	1213-27	20606	1214-27
	20607	1215-27	20607	1216-27	*26804	1102-15
GND	26804	1102-16				
MCA26A	20605	1206-09	20605	1207-09	20605	1208-09
	20605	1209-09	20605	1210-09	20606	1211-09
	20606	1212-09	20606	1213-09	20606	1214-09
	20607	1215-09	20607	1216-09	*26804	1102-17
GND	26804	1102-18				
MCA27A	20605	1206-11	20605	1207-11	20605	1208-11
	20605	1209-11	20605	1210-11	20606	1211-11
	20606	1212-11	20606	1213-11	20606	1214-11
	20607	1215-11	20607	1216-11	*26804	1102-19
GND	26804	1102-20				
MCA28A	20605	1206-15	20605	1207-15	20605	1208-15
	20605	1209-15	20605	1210-15	20606	1211-15
	20606	1212-15	20606	1213-15	20606	1214-15
	20607	1215-15	20607	1216-15	*26804	1102-21
GND	26804	1102-22				
MCA29A	20605	1206-19	20605	1207-19	20605	1208-19
	20605	1209-19	20605	1210-19	20606	1211-19
	20606	1212-19	20606	1213-19	20606	1214-19
	20607	1215-19	20607	1216-19	*26804	1102-23
GND	26804	1102-24				
MCD00A	20605	1206-08	*26804	1101-01		
GND	26804	1101-02				
MCD01A	20605	1206-20	*26804	1101-03		
GND	26804	1101-04				
MCD02A	20605	1206-24	*26804	1101-05		
GND	26804	1101-06				
MCD03A	20605	1206-14	*26804	1101-07		
GND	26804	1101-08				
MCD04A	20605	1206-22	*26804	1101-09		
GND	26804	1101-10				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution		
MCD05A	20605	1206-26	*26804	1101-11
GND	26804	1101-12		
MCD06A	20605	1207-08	*26804	1101-13
GND	26804	1101-14		
MCD07A	20605	1207-20	*26804	1101-15
GND	26804	1101-16		
MCD08A	20605	1207-24	*26804	1101-17
GND	26804	1101-18		
MCD09A	20605	1207-14	*26804	1101-19
GND	26804	1101-20		
MCD10A	20605	1207-22	*26804	1101-21
GND	26804	1101-22		
MCD1A	20605	1207-26	*26804	1101-23
GND	26804	1101-24		
MCD12A	20605	1208-08	*26804	1101-25
GND	26804	1101-26		
MCD13A	20605	1208-20	*26804	1101-27
GND	26804	1101-28		
MCD14A	20605	1208-24	*26804	1101-29
GND	26804	1101-30		
MCD1SA	20605	1208-14	*26804	1101-31
GND	26804	1101-32		
MCD16A	20605	1208-22	*26804	1101-33
GND	26804	1101-34		
MCD17A	20605	1208-26	*26804	1101-35
GND	26804	1101-36		
MCD18A	20605	1209-08	*26804	1101-37
GND	26804	1101-38		
MCD19A	20605	1209-20	*26804	1101-39
GND	26804	1101-40		
MCD20A	20605	1209-24	*26804	1101-41
GND	26804	1101-42		
MCD21A	20605	1209-14	*26804	1101-43
GND	26804	1101-44		
MCD22A	20605	1209-22	*26804	1101-45
GND	26804	1101-46		
MCD23A	20605	1209-26	*26804	1101-47
GND	26804	1101-48		
MCD24A	20605	1210-08	*26804	1101-49
GND	26804	1101-50		
MCD25A	20605	1210-20	*26804	1101-51
GND	26804	1101-52		
MCD26A	20605	1210-24	*26804	1101-53
GND	26804	1101-54		
MCD27A	20605	1210-14	*26804	1101-55
GND	26804	1101-56		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
MCD28A	20605	1210-22	*26804	1101-57		
GND	26804	1101-58				
MCD29A	20605	1210-26	*26804	1101-59		
GND	26804	1101-60				
MCD30A	20605	1211-08	*26804	1101-61		
GND	26804	1101-62				
MCD31A	20605	1211-20	*26804	1101-63		
GND	26804	1101-64				
MCD32A	20606	1211-24	*26804	1101-63	26804	1103-63
GND	26804	1101-64	26804	1103-64		
MCD33A	20606	1211-14	*26804	1101-01	26804	1103-01
GND	26804	1101-02	26804	1103-02		
MCD34A	20606	1211-22	*26804	1101-03	26804	1103-03
GND	26804	1101-04	26804	1103-04		
MCD35A	20606	1211-26	*26804	1101-05	26804	1103-05
GND	26804	1101-06	26804	1103-06		
MCD36A	20606	1212-08	*26804	1101-07	26804	1103-07
GND	26804	1101-08	26804	1103-08		
MCD37A	20606	1212-20	*26804	1101-09	26804	1103-09
GND	26804	1101-10	26804	1103-10		
MCD38A	20606	1212-24	*26804	1101-11	26804	1103-11
GND	26804	1101-12	26804	1103-12		
MCD39A	20606	1212-14	*26804	1101-13	26804	1103-13
GND	26804	1101-14	26804	1103-14		
MCD40A	20606	1212-22	*26804	1101-15	26804	1103-15
GND	26804	1101-16	26804	1103-16		
MCD41A	20606	1212-26	*26804	1101-17	26804	1103-17
GND	26804	1101-18	26804	1103-18		
MCD42A	20606	1213-08	*26804	1101-19	26804	1103-19
GND	26804	1101-20	26804	1103-20		
MCD43A	20606	1213-20	*26804	1101-21	26804	1103-21
GND	26804	1101-22	26804	1103-22		
MCD44A	20606	1213-24	*26804	1101-23	26804	1103-23
GND	26804	1101-24	26804	1103-24		
MCD45A	20606	1213-14	*26804	1101-25	26804	1103-25
GND	26804	1101-26	26804	1103-26		
MCD46A	20606	1213-22	*26804	1101-27	26804	1103-27
GND	26804	1101-28	26804	1103-28		
MCD47A	20606	1213-26	*26804	1101-29	26804	1103-29
GND	26804	1101-30	26804	1103-30		
MCD48A	20606	1214-08	*26804	1101-31	26804	1103-31
GND	26804	1101-32	26804	1103-32		
MCD49A	20606	1214-08	*26804	1101-33	26804	1103-33
GND	26804	1101-34	26804	1103-34		
MCD50A	20606	1214-24	*26804	1101-35	26804	1103-35
GND	26804	1101-36	26804	1103-36		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
MCD51A	20606	1214-22	*26804	1101-37	26804	1103-37
GND	26804	1101-38	26804	1103-38		
MCD52A	20606	1214-14	*26804	1101-39	26804	1103-39
GND	26804	1101-40	26804	1103-40		
MCD53A	20606	1214-26	*26804	1101-41	26804	1103-41
GND	26804	1101-42	26804	1103-42		
MCD54A	20607	1215-08	*26804	1101-43	26804	1103-43
GND	26804	1101-44	26804	1103-44		
MCD55A	20607	1215-20	*26804	1101-45	26804	1103-45
GND	26804	1101-46	26804	1103-46		
MCD56A	20607	1215-24	*26804	1101-47	26804	1103-47
GND	26804	1101-48	26804	1103-48		
MCD57A	20607	1215-14	*26804	1101-49	26804	1103-49
GND	26804	1101-50	26804	1103-50		
MCD58A	20607	1215-22	*26804	1101-51	26804	1103-51
GND	26804	1101-52	26804	1103-52		
MCD59A	20607	1215-26	*26804	1101-53	26804	1103-53
GND	26804	1101-54	26804	1103-54		
MCD60A	20607	1216-08	*26804	1101-55	26804	1103-55
GND	26804	1101-56	26804	1103-56		
MCD61A	20607	1216-20	*26804	1101-57	26804	1103-57
GND	26804	1101-58	26804	1103-58		
MCD62A	20607	1216-24	*26804	1101-59	26804	1103-59
GND	26804-	1101-60	26804	1103-60		
MCD63A	20607	1216-14	*26804	1101-61	26804	1103-61
GND	26804	1101-62	26804	1103-62		
MCDP1A	20607	1216-22	*26804	1101-65		
GND	26804	1101-66				
MCDP2A	*26804	1101-65	26804	1103-65	20607	1216-26
GND	26804	1101-66	26804	1103-66		
MCINTA	20603	1205-66	*26804	1102-31	*30901	1102-31
GND	26804	1102-32				
MDDINB	20603	1205-79	*20608	J01-E5	20608	1103-71
	26804	1102-43	26804	1103-71		
MDROOA	*20605	1206-18	26804	1201-01		
GND	26804	1201-02				
MDRO1A	*20605	1206-10	26804	1201-03		
GND	26804	1201-04				
MDR02A	*20605	1206-48	26804	1201-05		
GND	26804	1201-06				
MDR03A	*20605	1206-07	26804	1201-07		
GND	26804	1201-08				
MDR04A	*20605	1206-23	26804	1201-09		
GND	26804	1201-10				
MDR05A	*20605	1206-37	26804	1201-11		
GND	26804	1201-12				



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution		
MDR06A	*20605	1207-18	26804	1201-13
GND	26804	1201-14		
MDR07A	*20605	1207-10	26804	1201-15
GND	26804	1201-16		
MDR08A	*20605	1207-48	26804	1201-17
GND	26804	1201-18		
MDR09A	*20605	1207-07	26804	1201-19
GND	26804	1201-20		
MDR10A	*20605	1207-23	26804	1201-21
GND	26804	1201-22		
MDR11A	*20605	1207-37	26804	1201-23
GND	26804	1201-24		
MDR12A	*20605	1208-18	26804	1201-25
GND	26804	1201-26		
MDR13A	*20605	1208-10	26804	1201-27
GND	26804	1201-28		
MDR14A	*20605	1208-48	26804	1201-29
GND	26804	1201-30		
MDR15A	*20605	1208-07	26804	1201-31
GND	26804	1201-32		
MDR16A	*20605	1208-23	26804	1201-33
GND	26804	1201-34		
MDR17A	*20605	1208-37	26804	1201-35
GND	26804	1201-36		
MDR18A	*20605	1209-18	26804	1201-37
GND	26804	1201-38		
MDR19A	*20605	1209-10	26804	1201-39
GND	26804	1201-40		
MDR20A	*20605	1209-48	26804	1201-41
GND	26804	1201-42		
MDR21A	*20605	1209-07	26804	1201-43
GND	26804	1201-44		
MDR22A	*20605	1209-23	26804	1201-45
GND	26804	1201-46		
MDR23A	*20605	1209-37	26804	1201-47
GND	26804	1201-48		
MDR24A	*20605	1210-18	26804	1201-49
GND	26804	1201-50		
MDR25A	*20605	1210-10	26804	1201-51
GND	26804	1201-52		
MDR26A	*20605	1210-48	26804	1201-53
GND	26804	1201-54		
MDR27A *	20605	1210-07	26804	1201-55
GND	26804	1201-56		
MDR28A	*20605	1210-23	26804	1201-57
GND	26804	1201-58		

Change 1 5-46

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
MDR29A	*20605	1210-37	26804	1201-59		
GND	26804	1201-60				
MDR30A	*20606	1211-18	26804	1201-61		
GND	26804	1201-62				
MDR31A	*20606	1211-10	26804	1201-63		
GND	26804	1201-64	26802	1203-64		
MDR32A	20606	1211-48	26804	1201-63	*26804	1203-63
GND	26804	1201-64	26804	1203-64		
MDR33A	20606	1211-07	26804	1201-01	*26804	1203-01
GND	26804	1201-02	26804	1203-02		
MDR34A	20606	1211-23	26804	1201-03	*26804	1203-03
GND	26804	1201-04	26804	1203-04		
MDR35A	20606	1211-37	26804	1201-05	*26804	1203-05
GND	26804	1201-06	26804	1203-06		
MDR36A	20606	1212-18	26804	1201-07	*26804	1203-07
GND	26804	1201-08	26804	1203-08		
MDR37A	20606	1212-10	26804	1201-09	*26804	1203-09
GND	26804	1201-10	26804	1203-10		
MDR38A	20606	1212-48	26804	1201-11	*26804	1203-11
GND	26804	1201-12	26804	1203-12		
MDR39A	20606	1212-07	26804	1201-13	*26804	1203-13
GND	26804	1201-14	26804	1203-14		
MDR40A	*20606	1212-23	26804	1201-15	26804	1203-15
GND	26804	1201-16	26804	1203-16		
MDR41A	*20606	1212-37	26804	1201-17	26804	1203-17
GND	26804	1201-18	26804	1203-18		
MDR42A	*20606	1218-18	26804	1201-19	26804	1203-19
GND	26804	1201-20	26804	1203-20		
MDR43A	*20606	1213-10	26804	1201-21	26804	1203-21
GND	26804	1201-22	26804	1203-22		
MDR44A	*20606	1213-48	26804	1201-23	26804	1203-23
GND	26804	1201-24	26804	1203-24		
MDR45A	*20606	1213-07	26804	1201-25	26804	1203-25
GND	26804	1201-26	26804	1203-26		
MDR46A	*20606	1213-23	26804	1201-27	26804	1203-27
GND	26804	1201-28	26804	1203-28		
MDR47A	*20606	1213-37	26804	1201-29	26804	1203-29
GND	26804	1201-30	26804	1203-30		
MDR48A	*20606	1214-18	26804	1201-31	*26804	1203-31
GND	26804	1201-32	26804	1203-32		
MDR49A	*20606	1214-10	26804	1201-33	*26804	1203-33
GND	26804	1201-34	26804	1203-34		
MDR50A	*20606	1214-48	26804	1201-35	*26804	1203-35
GND	26804	1201-36	26804	1203-36		
MDR51A	*20606	1214-07	26804	1201-37	*26804	1203-37
GND	26804	1201-38	26804	1203-38		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
MDR52A	*20606	1214-23	26804	1201-39	*26804	1203-39
GND	26804	1201-40	26804	1203-40		
MDR53A	*20606	1214-37	26804	1201-41	*26804	1203-41
GND	26804	1201-42	26804	1203-42		
MDR54A	*20607	1215-18	26804	1201-43	*26804	1203-43
GND	26804	1201-44	26804	1203-44		
MDR55A	*20607	1215-10	26804	1201-45	*26804	1203-45
GND	26804	1201-46	26804	1203-46		
MDR56A	*20607	1215-48	26804	1201-47	*26804	1203-47
GND	26804	1201-48	26804	1203-48		
MDR57A	*20607	1215-07	26804	1201-49	*26804	1203-49
GND	26804	1201-50	26804	1203-50		
MDR58A	*20607	1215-23	26804	1201-51	*26804	1203-51
GND	26804	1201-52	26804	1203-52		
MDR59A	*20607	1215-37	26804	1201-53	*26804	1203-53
GND	26804	1201-54	26804	1203-54		
MDR60A	*20607	1216-18	26804	1201-55	*26804	1203-55
GND	26804	1201-56	26804	1203-56		
MDR61A	*20607	1216-10	26804	1201-57	*26804	1203-57
GND	26804	1201-58	26804	1203-58		
MDR62A	*20607	1216-48	26804	1201-59	*26804	1203-59
GND	26804	1201-60	26804	1203-60		
MDR63A	*20607	1216-07	26804	1201-61	*26804	1203-61
GND	26804	1201-62	26804	1203-62		
MDR64A	*20607	1216-23	26804	1201-65		
GND	26804	1201-66				
MDR65A	*20607	1216-37	26804	1201-65	*26804	1203-65
GND	26804	1201-66	26804	1203-66		
MDS2AR	31602	J077-76	*32202	J093-76		
MEMLT0	*26601	A08-29	26601	S05-6B	26602	A08-33
MMRSTB	20603	1205-51	20603	1205-62	26804	1102-45
	26804	1202-19	*29501	J065-45		
MRPU2B	26804	1201-67	26804	1201-69	26804	1201-71
	26804	1201-73	26804	1207-75	*26804	1203-71
MRPU2R	*26804	1201-74	26804	1201-76	28604	1201-78
MSL8KB	20605	1206-74	20605	1207-74	20605	1208-74
	20605	1209-74	20605	1210-74	20606	1211-74
	20606	1212-74	20606	1213-74	20606	1214-74
	20607	1215-74	20606	1216-74	*26804	1203-73
	*29402	J109-09				
MSL8KR	*26804	1203-72	26802	1203-74		
MTCENO	*20603	1205-78	20602	1205-80	20602	1217-07

Change 1 5-48

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
MTCE1A	*20603	1205-71	20605	1206-68	20605	1207-68
	20605	1208-68	20605	1209-68	20605	1210-68
	20606	1211-68	20606	1212-68	20606	1213-68
	20606	1214-68	20607	1215-68	20607	1216-68
MTCE2A	20603	1205-73	20605	1206-70	20605	1207-70
	20605	1208-70	20605	1209-70	20605	1210-70
	20606	1211-70	20606	1212-70	20606	1213-70
	20606	1214-70	20607	1215-70	20607	1216-70
MTCWEA	*20603	1205-72	20605	1206-31	20605	1207-31
	20605	1208-31	20605	1209-31	20605	1210-31
	20606	1211-31	20606	1212-31	20606	1213-31
	20606	1214-31	20607	1215-31	20607	1216-31
MIFLTD	*26603	A08-35	26603	J05-05	29401	J036-05
	31500	J076-01				
M1FLTR	*26603	A09-21	26601	J05-06	26601	XDS05-B
	26601	XDS05-D	29401	J036-06	31500	J076-02
M1GNDB4	26601	J05-14	26601	S09-BC	26601	S09-CC
	29401	J036-14	*31500	J076-20		
M1LMPB	*26603	A08-36	26601	XDS05-E	26603	A08-34
M2FLTD	26603	J05-65	*26603	A08-31	29402	J036-65
	32800	J109-01				
M2FLTR	29402	J036-66	32800	J109-02		
M2GNDB4	29402	J036-74	*32800	J109-20		
M2LMPB	26603	A08-30				
OSCMTS	14300	1113-50	*14300	1119-30		
OSCONOFF	14300	1119-36	*26110	1151-11		
PS03FLMP	*26101	J02-A	26603	A08-38		
PS04FLMP	*26101	J02-B	26603	A08-40		
PS05FLMP	*26101	J02-C	26603	A08-42		
PS06FLMP	*26101	J02-D	26603	A08-44		
PS07FLMP	*26101	J02-E	26603	A08-46		
PS08FLMP	*26101	J02-F	26603	A08-48		
PS09FLMP	*26101	J02-H	26603	A08-50		
PS10FLMP	*26101	J02-J	26603	A08-52		
PS4FLMP	*26105	J06-25	26105	1308-37		
PS4FLIN	26105	J06-51	*26105	1308-42		
PS6FLMP	*26106	J06-29	26106	1309-37		
PS6FLIN	26106	J06-31	*26106	1309-42		
PWEXTB	20603	1201-01	*20608	J01-M6	26804	1202-02
	26802	J01-M6				
PWLMPB	20603	1205-46	20608	1202-09	26804	1202-07
	26802	J01-J3	*31500	J076-07	32800	J109-07
PWMANB	20608	J1202-09	26804	1202-09	26802	J01-H6
	*31500	J076-09				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
PWRONA	*26101	A09-03	26101	J02-L	26601	S02-02
PWRSIG1	26101	A08-37	26101	A08-39	26101	A08-41
	26101	A08-43	26101	A08-45	26101	A08-47
	26101	A08-49	26101	A08-51	*26101	A09-05
	26601	XDS01-B	26601	XDS01-D		
PWRONA	26107	J06-71	*26107	1420-23		
PWR1NA	*26601	S02-03	26601	XDS01-A	26601	XDS01-C
P1C01A	26601	J05-07	*26601	S09-A1	29401	J036-07
	31500	J076-09				
P1RINT	26601	J05-08	26601	S09-AC	29401	J036-08
	*31500	J076-10				
P2C01A	26601	J05-67	*26601	S08-02	29402	J036-67
	32800	J109-09				
P2RINT	26601	J05-68	26601	S08-01	29402	J036-68
	*32800	J109-10				
QR1VD0	11200	2508-74	*26802	2249-73		
QR2VD0	11200	2508-69	*26802	2249-75		
RIIEON	13700	J08-77	13700	1218-52	26803	1303-77
	26803	1303-79	*28002	J021-77	28102	J023-77
	28102	J023-79	33100	J112-15		
RIIEONR	16101	1218-58	*28002	J021-78	28102	J023-78
	28102	J023-80	33100	J112-16		
RIIEONO	13600	1248-38	13700	J08-28	*13700	1218-19
	13700	1303-75	28001	J021-28	28102	J023-75
S + 051O	*26700	K01-B1	26700	P01-17	26802	1351-17
S + 0501R	26801	1447-44				

Change 1 5-50

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S+0502	*26102	J01-L3	26102	1409-12		
S+0502R	*26102	J01-L4	26102	1409-16		
S+0511	*26102	1117-28	26102	1146-12		
S+0511R	22801	1311-08	22801	1311-51	22801	1311-72
	22802	1312-08	22802	1312-38	22802	1312-51
	22802	1312-72	26102	1117-32		
S+0512	26102	J01-L5				
S+0512R	26102	J01-L6				
S+0521	26102	1125-12				
S+0521R	26102	1125-16				
S+0522	26102	J01-M2	*26102	1425-12		
S+0522R	26102	J01-M3	*26102	1425-16		
S+0531	26102	J01-B1	*26102	1133-28		
S+0531R	26102	J01-B2	*26102	1133-32	26102	1446-16
S+0532	26102	J01-M4	*26102	1433-28		
S+0532R	26102	J01-M5	*26102	1433-32		
S+0541	26102	J01-B3	*26102	1141-12		
S+0541R	26102	J01-B4	*26102	1141-16		
S+0542	26102	J01-N1	*26102	1441-12		
S+0542R	26102	J01-N2	*26102	1441-16		
S+0551	26102	J01-B5	*26102	1209-28		
S+0551R	26102	J01-B6	*26102	1209-32		
S+0552	26102	J01-N3	*26102	1309-28		
S+0552R	26102	J01-N4	*26102	1309-32		
S+0561	26102	J01-C6	*26102	1217-12		
S+0561R	26102	J01-C5	*26102	1217-16		
S+0562	26102	J01-N5	*26102	1317-12		
S+0562R	26102	J01-N6	*26102	1317-16	26801	1447-58
S+0571	26102	J01-C4	*26102	1225-28		
S+0571R	26102	J01-C3	*26102	1225-32		
S+0572	26102	J01-P1	*26102	1325-28		
S+0572R	26102	J01-P2	*26102	1325-32		
S+0581	26102	J01-C2	*26102	1233-12		
S+0581R	26102	J01-C1	*26102	1233-16		
S+0582	26102	J01-P3	*26102	1333-12		
S+0582R	26102	J01-P4	*26102	1333-16		
S+0591	26102	J01-D1	*26102	1241-28		
S+0591R	26102	J01-D2	*26102	1241-32		
S+0592	*26102	J01-P5	26102	1146-28	26700	K01-B2
	26700	K01-X1	26700	P01-09	26700	TB01-01
S+0592R	26102	J01-P6	*26102	1146-32		
S+0594	26102	J01-R3				
S+0594R	26102	J01-R4	26801	1447-02		
S+12VR	26102	J05-02	26102	J05-30	*26102	1306-05
S+12V1	26102	J01-F1	26102	J05-01	*26102	1306-20
	26104	1449-17				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S+12V1R	26102	J01-F2	26801	1448-16		
S+12V2	26102	J01-F3	26102	J05-29	*26102	1306-22
	26104	1449-50				
S+12V2R	26102	J01-F4	26801	1447-58		
S+1501	*26104	J05-15	26104	1306-03	26104	1306-21
	26104	1306-33	26104	1306-79	26104	1311-36
S+1501R	26104	J05-16	*26104	1306-06		
S-05V	26102	J05-05	*26102	1306-75		
S-05V1	26102	J01-F5	*26104	1449-18		
S-05V1R	26102	J01-F6	26102	J05-06	*26102	1306-60
	26801	1447-32				
S-05V2R	26104	J05-08	*26104	1306-63		
S-08V1	26104	J05-09	*26104	1306-74		
S-08V1R	26104	J05-31	*26104	1306-54		
S-5LMP	*26104	1306-53	26104	1306-73		
S-5REF	*26104	1306-52	26104	1306-66		
SA+51R	26802	1351-60				
SA+511	26102	J01-D3	26104	J05-19	*26104	1306-39
	26700	P01-76	26700	XDS01-E	26802	1351-76
SA+511R	26102	J01-D4	26102	1348-58	26104	J05-20
	*26104	1306-41	26802	1351-57		
SA+512	*26102	J01-S1	26700	P01-72	26700	XDS02-E
	26802	1351-72				
SA+512R	*26102	J01-S2	26802	1351-59		
SA+52R	26802	1351-62				
SA+521	25200	S01-A	26102	J01-S5	*26802	1351-78
SA+521R	26102	J01-S6	*26102	1348-44		
SA+522	*26102	J01-L1	26700	P01-61	26700	S03-A
	26802	1351-61				
SA+522R	26102	J01-L2	*26102	1348-32		
SA0PUA	*22801	1311-04	22801	1311-09	22801	1311-30
	22801	1311-39	22801	1311-77		
SA000AR	*29001	J032-02	29001	J068-02		
SA000AV	22801	1250-01	22801	1302-01	22801	1311-05
	*22801	1440-80	29001	J032-01	29001	J068-01
SA001AR	*29001	J032-04	29001	J068-04		
SA001AV	22801	1250-03	22801	1302-03	22801	1311-06
	*22801	1440-71	29001	J032-03	29001	J068-03
SA002AR	*29001	J032-06	29001	J068-06		
SA002AV	22801	1250-05	22801	1302-05	22801	1311-07
	*22801	1440-70	29001	J032-05	29001	J068-05
SA003AR	*29001	J032-08	29001	J068-08		
SA003AV	22801	1250-07	22801	1302-07	22801	1311-31
	*22801	1440-72	25904	1439-38	29001	J032-07
	29001	J068-07				
SA004AR	*29001	J032-10	29001	J068-10		

Table 5-2. Key Signal Lookup Listing

Signal	Distribution					
SA004AV	22801	1250-09	22801	1302-09	22801	1311-32
	*22801	1440-78	29001	J032-09	29001	J068-09
SA005AR	*29001	J032-12	29001	J068-12		
SA005AV	22801	1250-11	22801	1302-11	22801	1311-33
	*22801	1440-77	29001	J032-11	29001	J068-11
SA0060	*22801	1311-10	22801	1311-26	22803	1314-15
SA0070	*22801	1311-40	22801	1311-60	22803	1314-30
SA008R	29100	J033-28	*29100	J067-28		
SA0080	22801	1251-27	22801	1301-27	*22801	1311-67
	25901	1205-07	29100	J033-27	29100	J067-27
SA009AR	*29001	J032-42	29001	J068-42		
SA009AV	22801	1250-41	22801	1302-41	22801	1311-56
	*22801	1439-63	29001	J032-41	29001	J068-41
SA010AR	*29001	J032-44	29001	J068-44		
SA010AV	22801	1250-43	22801	1302-43	22801	1311-55
	*22801	1439-60	29001	J032-43	29001	J068-43
SA011AR	*29001	J032-46	29001	J068-46		
SA011AV	22801	1250-45	22801	1302-45	22801	1311-53
	*22801	1439-56	29001	J032-45	29001	J068-45
SA012AR	*29002	J032-48	29002	J068-48		
SA012AV	22801	1250-47	22801	1302-47	22801	1311-52
	*22801	1439-57	29002	J032-47	29002	J068-47
SA013AR	*29002	J032-50	29002	J068-50		
SA013AV	22801	1250-49	22801	1302-49	22801	1311-48
	*22801	1439-68	29002	J032-49	29002	J068-49
SA014AR	*29002	J032-52	29002	J068-52		
SA014AV	22801	1250-51	22801	1302-51	22801	1311-76
	*22801	1439-80	29002	J032-51	29002	J068-51
SA015AR	*29002	J032-54	29002	J068-54		
SA015AV	22801	1250-53	22801	1302-53	22801	1311-75
	*22801	1439-71	29002	J032-53	29002	J068-53
SA016AR	*29002	J032-56	29002	J068-56		
SA016AV	22801	1250-55	22801	1302-55	22801	1311-74
	*22801	1439-70	29002	J032-55	29002	J068-55
SA017AR	*29002	J032-58	29002	J068-58		
SA017AV	22801	1250-57	22801	1302-57	22801	1311-73
	*22801	1439-72	29002	J032-57	29002	J068-57
SA0180	*22801	1311-54	22804	1313-15		
SA0190	22801	1311-62	*22801	1311-71		
SA0210	*22801	1311-65	22804	1313-30		
SA1PUA	*22802	1312-04	22802	1312-09	22802	1312-30
	22802	1312-39	22802	1312-56	22802	1312-77
SA100AR	*29001	J032-14	29001	J068-14		
SA100AV	22802	1250-13	22802	1302-13	22802	1312-05
	*22802	1337-70	29001	J032-13	29001	J068-13
SA101AR	*29001	J032-.16	29001	J068-16		



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
SA101AV	22802	1250-15	22802	1302-15	22802	1312-06
	*22802	1337-72	29001	J032-15	29001	J068-15
SA102AR	*29001	J032-18	29001	J068-18		
SA102AV	22802	1250-17	22802	1302-17	22802	1312-07
	*22802	1337-78	29001	J032-17	29001	J068-17
SA103AR	*29001	J032-20	29001	J068-20		
SA103AV	22802	1250-19	22802	1302-19	22802	1312-31
	*22802	1337-77	29001	J032-19	29001	J068-19
SA104AR	*29001	J032-22	29001	J068-22		
SA104AV	22802	1250-21	22802	1302-21	22802	1312-32
	*22802	1439-53	29001	J032-21	29001	J068-21
SA105AR	*29001	J032-24	29001	J068-24		
SA105AV	22802	1250-23	22802	1302-23	22802	1312-33
	*22802	1439-66	29001	J032-23	29001	J068-23
SA1080	*22802	1312-10	22802	1312-26	22803	1314-33
SA1090	*22802	1312-40	22802	1312-60	22803	1314-03
SA110R	29100	J033-30	*29100	J067-30		
SA1100	22802	1251-29	22802	1301-29	*22802	1312-67
	25901	1205-23	29100	J033-29	29100	J067-29
SA111AR	*29002	J032-66	29002	J068-66		
SA111AV	22802	1250-65	22802	1302-65	22802	1312-55
	*22802	1439-78	29002	J032-65	29002	J068-65
SA112AR	*29002	J032-68	29002	J068-68		
SA112AV	22802	1250-67	22802	1302-67	22802	1312-53
	*22802	1439-77	29002	J032-67	29002	J068-67
SA113AR	*29002	J032-70	29002	J068-70		
SA113AV	22802	1250-69	22802	1302-69	22802	1312-52
	*22802	1440-66	29002	J032-69	29002	J068-69
SA114AR	*29002	J032-72	29002	J068-72		
SA114AV	22802	1250-71	22802	1302-71	22802	1312-48
	*22802	1440-63	29002	J032-71	29002	J068-71
SA115AR	*29002	J032-74	29002	J068-74		
SA115AV	22802	1250-73	22802	1302-73	22802	1312-76
	*22802	1440-60	29002	J032-73	29002	J068-73
SA116AR	*29002	J032-76	29002	J068-76		
SA116AV	22802	1250-75	22802	1302-75	22802	1312-75
	*22802	1440-56	29002	J032-75	29002	J068-75
SA117AR	*29002	J032-78	29002	J068-78		
SA117AV	22802	1250-77	22802	1302-77	22802	1312-74
	*22802	1440-57	29002	J032-77	29002	J068-77
SA118AR	*29002	J032-80	29002	J068-80		
SA118AV	22802	1250-79	22802	1302-79	22802	1312-73
	*22802	1440-68	29002	J032-79	29002	J068-79
SA1190	22802	1312-21	*22802	1312-54		
SA1200	22802	1312-62	*22802	1312-71		
SA1210	*22802	1312-20	22804	1313-33		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
SA1220	*22802	1312-65	22804	1313-03		
SA200A	22803	1111-55	22803	1250-25	22803	1302-25
	22803	1314-43	*22803	1429-38	29001	J032-25
	29001	J068-25				
SA200R	*29001	J032-26	29001	J068-26		
SA201A	22803	1111-60	22803	1250-27	22803	1302-27
	22803	1314-34	*22803	1429-30	29001	J032-27
	29001	J068-27				
SA201R	*29001	J032-28	29001	J068-28		
SA201RR	29100	J033-16	*29100	J067-16		
SA2010	22803	1251-15	22803	1301-15	*22803	1314-62
	26001	1220-17	29100	J033-15	29100	J067-15
SA202A	22803	1111-61	22803	1250-29	22803	1302-29
	22803	1314-47	*22803	1429-33	29001	J032-29
	29001	J068-29				
SA202R	*29001	J032-30	29001	J068-30		
SA203A	22803	1111-62	22803	1250-31	22803	1302-31
	22803	1314-37	*22803	1429-39	29001	J032-31
	29001	J068-31				
SA203R	*2900,1	J032-32	29001	J068-32		
SA204A	22803	1111-64	22803	1250-33	22803	1302-33
	22803	1314-40	*22803	1429-52	29001	J032-33
	29001	J068-33				
SA204R	*29001	J032-34	29001	J068-34		
SA205A	22803	1111-66	22803	1250-35	22803	1302-35
	22803	1314-42	*22803	1429-46	29001	J032-35
	29001	J068-35				
SA205R	*29001	J032-36	29001	J068-36		
SA206A	22803	1111-68	22803	1250-37	22803	1302-37
	22803	1314-38	*22803	1429-45	29001	J032-37
	29001	J068-37				
SA206R	*29001	J032-38	29001	J068-38		
SA207A	22803	1111-70	22803	1250-39	22803	1302-39
	22803	1314-48	*22803	1429-51	29001	J032-39
	29001	J068-39				
SA207R	*29001	J032-40	29001	J068-40		
SA208AV	*22803	1112-43	26002	1214-15	26002	1215-29
	26002	1218-19				
SA2080	22803	1111-59	22803	1112-45	*22803	1314-18
	22804	1313-69	26002	1314-68	26002	1314-78
SA2090	*22803	1314-,31	22804	1313-68		
SA2100	*22803	1314-41	22804	1313-66		
SA2110	*22803	1314-39	22804	1313-65		
SA2120	14201	1208-70	*22803	1314-70		
SA222R	29100	J033-18	*29100	J067-18		
SA2220	22803	1251-17	22803	1301-17	*22803	1314-61

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26001	1220-20	29100	J033-17	29100	J067-17
SA233R	29100	J033-20	*29100	J067-20		
SA2330	22803	1251-19	22803	1301-19	*22803	1314-63
	26001	1220-23	29100	J033-19	29100	J067-19
SA301R	29100	J033-22	*29100	J067-22		
SA3010	22804	1251-21	22804	1301-21	*22804	1313-62
	26001	1220-38	29100	J033-21	29100	J067-21
SA3020	22803	1314-69	*22804	1313-18		
SA3030	22803	1314-68	*22804	1313-31		
SA3040	22803	1314-66	*22804	1313-41		
SA3050	22803	1314-65	*22804	1313-39		
SA3120	14201	1208-80	*22804	1313-70		
SA322R	29100	J033-24	*29100	J067-24		
SA3220	22804	1251-23	22804	1301-23	*22804	1313-61
	26001	1220-27	29100	J033-23	29100	J067-23
SA333R	29100	J033-26	*29100	J067-26		
SA3330	22804	1251-25	22804	1301-25	*22804	1313-63
	26001	1220-21	29100	J033-25	29100	J067-25
SDCARP	16600	1219-66	*16600	1318-77		
SDCARS	16600	1219-60	*16600	1318-51		
SDCVC0	*16600	1317-64	16600	1322-55		
SDC0SC	*28702	J029-77	28802	J030-77		
SDC0SR	*28702	J029-78	28802	J030-78		
SDC05C	*16600	1322-77	26803	1304-77		
SDC420	*16600	1318-41	16600	1318-42		
SDDI1A1	25200	1247-04	25200	1337-79		
SDNS1A	*16600	J08-19	16600	1320-29		
SDNS1N	16600	J08-13	16600	1320-26	*28001	J021-13
	33100	J112-23				
SDNS2A	*16600	J08-21	16600	1320-39		
SDNS2N	16600	J08-15	16600	1320-17	*28001	J021-15
	33100	J112-24				
SDNS3A	*16600	J08-23	16600	1320-19		
SDNS3N	16600	J08-17	16600	1320-21	*28001	J021-17
	33100	J112-05				
SDNS3NR	*28001	J021-18	33100	J112-06		
SDREFA	*16600	J08-29	16600	1320-04		
SDREFAR	*28001	J021-27	33100	J112-26		
SDREFN	16600	J08-25	16600	1320-13	*28001	J021-25
	33100	J112-25				
SDREFR	*16600	J08-27	16600	1320-01		
SDRFR1	16600	J08-45	16600	1320-22	*28001	J021-45
	33100	J112-45				
SDRFR3	16600	J08-47	16600	1320-23	*28001	J021-47
	33100	J112-46				
SDRS1N	16600	J08-31	16600	1320-18	*28001	J021-31

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution						
SDRS2N	33100	J112-31					
	16600	J08-33	16600	1320-10	*28001	J021-33	
SDRS3N	33100	J112-44					
	16600	J08-35	16600	1320-20	*28001	J021-35	
SDRS4N	33100	J112-32					
	16600	J08-37	16600	1320-09	*28001	J021-37	
SD1S1A	33100	J112-43					
	*16600	J08-07	16600	1320-15			
SD1S1N	16600	J08-01	16600	1320-14	*28001	J021-01	
	33100	J112-01					
SD1S1S	26801	1321-02					
SD1S2A	*16600	J08-09	16600	1320-38			
SD1S2N	16600	J08-03	16600	1320-03	*28001	J021-03	
	33100	J112-02					
SD1S3A	*16600	J08-11	16600	1320-05			
SD1S3N	16600	J08-05	16600	1320-06	*28001	J021-05	
	33100	J112-18					
SD1S3NR	*28001	J021-06	33100	J112-17			
SFAULTA	*26104	1306-35	26104	1306-38			
SFAULTB	26104	1306-34	*26104	1306-36			
SGMT1A	22500	1449-06	*26802	1351-02	26802	1351-10	
	26802	1351-33	26802	1351-58			
SGMT2A	*20802	1351-12	22500	1449-08	26802	1351-04	
SGMT3A	*20802	1351-14	22500	1449-10	26802	1351-06	
SGMT4A	*20802	1351-16	22500	1449-62	26802	1351-08	
SGND1	*26700	P01-62	26700	S03-2A	26700	TB01-45	
	26700	TB01-49	26700	TB01-61	26700	TB01-65	
SGND2	26700	P01-68	*26700	S02-02	26802	1351-68	
SGND21	26102	1144-67					
SGND3	*26700	P01-60	26700	S03-4A	26700	TB01-13	
	26700	TB01-53	26700	TB01-57			
SGND4	26700	P01-66	*26700	S02-05	26802	1351-66	
SGND41	26102	1144-44					
SGND5	26700	K01-A2	*26700	P01-10			
SG701D1	20802	1135-68	20802	1239-36	20802	1239-52	
	20902	1129-68	21406	1212-54	21406	1212-70	
	21406	1213-54	21406	1213-70	21600	1312-77	
	21600	1313-77	21600	1320-36	21600	1320-50	
	21600	1320-62	21600	1320-74	21700	1205-68	
	21700	1206-52	21700	1206-68	21700	1207-52	
	21700	1207-68	21800	1205-52	21900	1204-62	
	21900	1204-76	21900	1303-10	22100	1302-26	
	22100	1303-26	22200	1331-36	22500	1302-3.5	
	*22702	1247-15					
	SG801D1	20702	1135-52	20702	1239-04	20702	1239-20
		20802	1135-73	20802	1239-41	20802	1239-55

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	20901	1224-01	20901	1225-01	20901	1225-70
	20902	1129-74	21202	1123-34	22200	1331-08
	22200	1331-22	22200	1331-50	22200	1331-62
	22200	1331-74	22500	1303-42	22701	1234-05
	*22702	1247-22				
SG802D1	20701	1240-06	20701	1241-04	20702	1135-59
	20702	1239-15	20702	1239-33	20802	1135-77
	20802	1239-45	20802	1239-59	20902	1129-79
	21100	1120-13	21100	1125-25	21100	1125-42
	21100	1211-68	21202	1123-30	22002	1322-25
	22002	1322-42	22002	1322-56	22100	1302-19
	22301	1302-66	22302	1302-49	22500	1302-36
	22500	1303-35	*22702	1247-14		
SG803D1	20701	1241-01	20802	1239-62	20802	1240-60
	20802	1241-70	20902	1129-71	21100	1125-13
	21100	1208-52	21201	1209-68	21202	1123-29
	21301	1146-46	21402	1135-15	21402	1135-26
	21403	1125-50	21406	1124-62	22500	1302-42
	22701	1240-71	*22702	1247-21	25400	1233-18
	25400	1233-40	25400	1234-34	25400	1234-40
	25700	1226-05	25700	1226-22	25700	1226-50
SG804D1	20701	1241-06	20702	1241-33	20702	1241-45
	20702	1241-59	20802	1240-19	20802	1240-33
	20802	1240-45	20902	1129-66	21201	1210-52
	21201	1210-68	21202	1123-31	21401	1129-36
	21503	1107-08	21503	1107-22	21503	1107-36
	21503	1107-50	21503	1108-08	21800	1323-13
	21800	1323-25	21800	1323-42	22301	1302-74
	22301	1303-74	22302	1302-60	22302	1303-60
	*22702	1247-27	25200	1327-05	25200	1327-08
SG805D1	21100	1211-69	21401	1129-42	21401	1135-42
	21401	1209-52	21402	1135-10	21403	1115-42
	21403	1125-56	21403	1129-60	21403	1208-68
	21406	1124-74	21408	1105-06	21408	1105-22
	*22702	1247-38	25901	1203-13	25901	1203-30
	25902	1206-13	25902	1206-30	25903	1205-48
	25903	1208-48	25904	1211-13	25904	1211-30
SG806D1	20701	1240-03	20701	1241-03	20702	1239-09
	21301	1144-34	21301	1144-73	21301	1146-06
	21301	1146-69	21402	1135-09	21402	1135-19
	21402	1136-06	21402	1136-20	21402	1136-34
	21403	1129-49	21406	1124-36	21408	1106-22
	22002	1312-40	*22702	1247-30	23100	1404-56
	23100	1414-13	23100	1414,-25	23100	1414-56
	25600	1327-34	25901	1203-48	25901	1204-13
	25902	1206-48	25902	1207-13	25903	1209-13

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
SG807D1	25903	1209-30	25904	1211-48	25904	1212-13
	20702	1135-55	20702	1239-25	21301	1144-60
	21301	1145-05	21301	1145-46	21301	1146-48
	21402	1135-04	21402	1135-20	21402	1136-04
	21402	1136-18	21402	1136-30	21403	1129-64
	21405	1137-48	21406	1124-50	21408	1203-52
	*22702	1247-33	25901	1204-30	25901	1204-48
	25902	1207-30	25902	1207-48	25903	1209-48
	25903	1210-13	25904	1212-30	25904	1212-48
	SG808D1	20702	1135-62	20702	1239-14	21100
21301		1138-17	21301	1145-48	21301	1146-45
21402		1135-03	21402	1136-01	21402	1136-15
21402		1136-29	21405	1137-46	21408	1203-68
22002		1313-40	*22702	1247-39	25901	1205-13
25901		1205-30	25902	1208-13	25902	1208-30
25903		1210-30	25903	1210-48	25904	1213-13
25904		1213-30	26002	1213-48	26002	1214-13
26002		1214-30	26002	1214-48	26002	1215-13
26002		1215-30	26002	1215-48		
SG809D1	20702	1239-27	20802	1135-76	20802	1239-46
	21000	1311-08	21301	1144-30	21301	1145-29
	21301	1146-04	21301	1146-41	21402	1135-07
	21402	1136-03	21402	1136-17	21402	1136-31
	21403	1129-53	21405	1137-41	22600	1310-08
	*22702	1247-52	26002	1215-52		
SG810D1	22500	1406-42	*22702	1247-46	22900	1406-04
	22900	1406-20	22900	1431-36	22900	1431-52
	23001	1404-13	23002	1404-25	23002	1404-42
	23002	1414-42	23100	1415-08	23100	1415-22
	23100	1415-36	23100	1415-50	23200	1428-27
	23700	1428-59	23800	1431-20	24200	1432-33
	24300	1432-45	24600	1437-05	24600	1445-08
	24600	1445-22	24600	1445-36	24600	1445-50
	24700	1432-59	24700	1432-77	24700	1445-62
	24800	1431-15				
SG811D1	22500	1406-36	*22702	1247-45	22900	1406-10
	22900	1406-25	22900	1431-41	22900	1431-55
	23100	1418-05	23200	1428-33	23300	1428-36
	23600	1423-24	23600	1442-18	23700	1428-68
	23800	1431-33	24200	1434-62	2430	1432-41
	24800	1431-09				
SG812D1	*22702	1247-51	22900	1406-15	22900	1406-33
	22900	1409-05	22900	1409-19	22900	1409-33
	22900	1409-45	22900	1431-45	22900	1431-59
	23001	1215-68	23002	1214-52	23002	1214-68
	23100	1418-08	23200	1428-25	23300	1428-45

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	23700	1428-77	23800	1425-06	23800	1425-22
	23800	1431-25	24200	1432-15	24500	1436-73
	24600	1442-24	24700	1432-73	24800	1431-04
	25000	1443-43				
SG813D1	21600	1407-62	21600	1407-74	22500	1406-35
	*22702	1247-66	22900	1406-14	22900	1406-27
	22900	1431-46	22900	1431-62	23200	1428-15
	23200	1428-20	23300	1428-41	24200	1432-20
	24300	1432-36	24300	1435-06	24300	1435-22
	24500	1436-43	24700	1432-76	24800	1444-06
	24800	1444-22				
SG814D1	*22702	1247-60	23200	1428-14	23300	1416-06
	23300	1416-22	23300	1428-46	23500	1417-73
	23600	1426-08	23600	1426-22	23600	1426-36
	23600	1426-50	23700	1428-73	24000	1424-73
	24100	1423-18	24200	1432-25	24300	1432-46
	24700	1432-62	24700	1432-68		
SG815D1	*22702	1247-57	23200	1415-62	23500	1417-43
	23700	1426-62	23700	1428-62	23700	1428-76
	23800	1431-27	24000	1424-43	24100	1434-08
	24100	1434-22	24100	1434-36	24100	1434-50
	24100	1437-08	24200	1432-14	24200	1432-27
	24800	1431-14	25000	1443-73		
SG816D1	21201	1120-42	21201	1120-56	21201	1120-68
	21202	1120-80	21202	1124-08	21504	1114-13
	21504	1114-25	21504	1114-42	21504	1114-56
	21504	1114-68	21504	1114-80	21504	1115-13
	21504	1115-25	*22702	1247-09	23600	1427-13
	23600	1427-25	23600	1427-42	23600	1427-56
SG817D1	*22702	1248-80	23001	1436-22	24100	1433-13
	24100	1433-25	24100	1433-42	24100	1433-56
	24600	1446-13	24600	1446-25	24600	1446-42
	24600	1446-56				
SLAMPT1	26102	J01-K6	26102	J05-35	26102	1306-30
	*26700	P01-43	26700	S03-B	26700	S03-C
	26700	S03-D	26700	S03-E	26700	S03-2B
	26700	TB01-43	26700	TB01-47	26700	TB01-59
	26700	TB01-63	26802	1351-43		
SLAMPT2	*26700	S03-4B	26700	TB01-51	26700	TB01-55
SLOG0VR	26104	J05-21	*26104	1306-37	26700	P01-73
	26700	TB01-37	26802	1351-73		
SLOG0VS	*26700	TB01-38	26700	TB01-52	26700	TB01-54
	26700	XDS01-B	26700	XDS01-D		
ST101Q	22701	1227-08	*22701	1234-13		
ST1010	21000	1109-05	21202	1124-14	21302	1246-34
	21406	1133-25	21800	1309-11	22002	1326-52

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	22701	1108-70	*22701	1141-52	23100	1420-04
	26002	1306-40	26002	1314-61		
ST1010E	22701	1141-54	*22701	1240-75		
ST1011E	21900	1442-79	22701	1141-48	*22701	1240-79
	26002	1325-15				
ST1012E	22701	1141-41	*22701	1240-80		
ST1013E	22701	1118-40	22701	1136-45	22701	1141-47
	*22701	1240-76	26002	1325-09		
ST102P	21800	1322-13	21800	1329-04	*22701	1227-11
	22701	1234-06				
ST102Q	21800	1334-08	21800	1335-08	*22701	1227-13
	22701	1234-01				
ST1020	20903	1119-64	21000	1109-26	21406	1133-42
	21504	1114-22	21504	1114-50	21504	1114-74
	21504	1115-22	21800	1329-05	22002	1332-73
	22701	1108-69	*22701	1141-46	23100	1429-08
	23600	1430-01				
ST1020E	22701	1132-79	*22701	1136-47	22701	1141-56
	22701	1234-03				
ST1021E	22701	1118-42	22701	1119-05	*22701	1136-51
	22701	1141-50				
ST1022E	22701	1112-33	*22701	1136-56	22701	1141-43
ST1023E	*22701	1136-52	22701	1141-49	22701	1227-10
	22701	1240-73	22701	1245-76		
ST103AV	21405	1116-74	*22701	1139-19		
ST103Q	22701	1117-40	*22701	1234-07		
ST1030	20903	1119-62	21000	1109-18	21406	1133-34
	21800	1309-42	22002	1326-46	22701	1108-71
	*22701	1141-45	23600	1422-24	24100	1430-22
	26002	1306-34	26002	1314-75		
ST1040	21000	1109-10	21406	1133-37	22002	1332-74
	22701	1108-72	*22701	1141-51	24100	1438-24
	24600	1430-14				
ST105AV	20903	1325-22	21800	1309-09	21800	1309-38
	21800	1334-09	21800	1335-09	22701	1136-49
	*22701	1139-26	22701	1240-77	26002	1131-05
	26002	1314-70	26002	1314-79		
ST1070	20903	1104-66	*22701	1118-38		
ST108AV	21600	1314-38	*22701	1132-80		
ST109AV	21600	1314-54	*22701	1119-01	26002	1309-05
ST110AV	20903	1118-29	21600	1314-31	*22701	1112-31
ST111AV	21600	1314-46	*22701	1245-78	26002	1104-61
ST112P	21302	1140-38	21403	1131-59	*22701	1117-35
ST112Q	*22701	1117-37	22701	1139-21		
ST501P	20801	1242-56	22701	1108-74	*22701	1110-57
ST501Q	*22701	1110-55	22701	1134-74		



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
ST5010V	22701	1110-53	*22701	1112-48		
ST502A	20801	1143-72	21202	1325-45	22701	1119-52
	*22701	1134-69				
ST5030V	21100	1217-49	21302	1246-36	22701	1112-47
	22701	1112-51	22701	1112-55	*22701	1119-54
	26002	1104-57	26002	1309-01		
ST5033E	*22701	1108-76	22701	1112-50		
ST5040V	22701	1108-77	*22701	1119-78	22701	1134-65
ST5220V	20903	1118-77	20903	1119-51	20903	1119-61
	21408	1110-79	*22701	1112-56	22701	1139-27
	23001	1412-11	25700	1219-77		
ST5240V	20903	1119-55	20903	1227-60	21202	1119-22
	21600	1313-26	21600	1313-30	21700	1325-55
	21700	1325-59	22001	1325-62	22002	1323-56
	*22701	1112-49	25200	1327-42		
ST5250V	21405	1117-46	21405	1143-56	21600	1312-72
	21600	1313-72	21600	1328-46	21600	1328-56
	*22701	1112-53	22701	1117-42		
ST5260V	21202	1131-03	*21202	1325-43	23100	1423-01
	23600	1418-46	24100	1442-01	24600	1437-60
SWOFAA	*26700	P01-65	26700	S02-01	26802	1351-65
SWOFBA	*26700	P01-63	26700	S02-04	26802	1351-63
SWOHBA	26802	1351-64				
SWONAA	*26700	P01-67	26700	S02-03	26802	1351-67
SWONBA	*26700	P01-64	26700	S02-06		
SW10AA1	20701	1241-17	*22500	S06A-C	25902	1206-29
	26700	P01-01	26802	1351-01		
SW10BA1	20701	1241-15	*22500	S06B-C	25903	1205-43
	26700	P01-03	26802	1351-03		
SW10CA1	20701	1141-71	20701	1241-18	*22500	S06C-C
	25903	1208-43	26700	P01-05	26802	1351-05
SW10DA1	20701	1141-73	20701	1241-20	*22500	S06D-C
	25904	1211-11	26700	P01-07	26802	1351-07
SW10GA	22500	S06D-02	22500	S06D-03	22500	S06D-05
	22500	S06D-07	22500	S06D-08	*26700	P01-08
	26700	S04A-01	26700	S04A-03	26700	S04A-05
	26700	S04A-07				
SW10HA	22500	S06C-04	22500	S06C-06	22500	S06C-07
	22500	S06C-08	*26700	P01-06	26700	S04B-01
	26700	S04B-02	26700	S04B-05	26700	S04B-06
SW10JA	22500	S06B-01	22500	S06B-02	22500	S06B-04
	22500	S06B-05	22500	S06B-06	22500	S06B-07
	*26700	P01-04	26700	S04C-01	26700	S04C-02
	26700	S04C-03	26700	S04C-04		
SW10KA	22500	S06A-01	22500	S06A-03	22500	S06A-05
	22500	S06A-06	*26700	P01-02	26700	S04D-02

Table 5-2. Key, Signal Lookup Listing - Continued

Signal	Distribution					
	26700	S04D-03	26700	S04D-04	26700	S04D-05
	26700	S04D-06	26700	S04D-07	26700	S04D-08
SW11AA1	20702	1245-52	25903	1209-11	26700	P01-34
	*26700	S05-03	26802	1351-34		
SW11BA1	20702	1244-34	20702	1244-37	20702	1244-42
	20702	1245-39	25200	1246-59	25903	1209-29
	26700	P01-35	*26700	S05-02	26802	1351-35
SW11CA1	20702	1245-47	25904	1211-43	26700	P01-36
	*26700	S05-01	26802	1351-36		
SW11KA	*26700	P01-33	26700	S05-C1	26700	S08-C1
SW12AA1	20802	1125-59	20802	1351-11	*20802	S07A-C
	25901	1203-11	26700	P01-11		
SW12BA1	20802	1125-55	20802	1351-13	*20802	S07B-C
	25901	1203-29	26700	P01-13		
SW12CA1	20802	1125-53	20802	1351-15	*20802	S07C-C
	25902	1206-11	26700	P01-15		
SW12GA	*20802	P01-12	20802	S07A-02	20802	S07A-04
	20802	S07A-06				
SW12HA	*20802	P01-14	20802	S07B-01	20802	S07B-02
	20802	S07B-05	20802	S07B-06		
SW12JA	*20802	P01-16	20802	S07C-03	20802	S07C-04
	20802	S07C-05	20802	S07C-06		
SW13AA1	25200	1338-40	*25200	S01-1B	26700	P01-56
	26802	1351-56				
SW13BA1	25200	1340-49	*25200	S01-2B	26700	P01-55
	26802	1351-55				
SW13GA	*25200	P01-58	25200	S01-1A	25200	S01-2A
SW13PD	*26700	TB01-48	26700	TB01-50	26700	XDS02-A
	26700	XDS02-C				
SW13PD1	*25800	1247-63	26802	1351-71		
SW13QD	*26700	TB01-44	26700	TB01-46	26700	XDS02-B
	26700	XDS02-D				
SW13QD1	*25800	1247-75	26802	1351-69		
SW13RD	*26700	TB01-56	26700	TB01-58	26700	XDS01-A
	26700	XDS01-C				
SW13RD1	*25800	1247-72	26802	1351-75		
SW13SD	*26700	P01-79	26700	S01-B	26700	S01-C
	26700	TB01-64	26700	TB01-66		
SW13SD1	*25800	1247-69	26802	1351-79		
SW13TD	26700	S01-D	26700	S01-E	*26700	TB01-60
	26700	TB01-62				
SW13TD1	*25800	1247-80	26802	1351-77		
SW210A1	22804	1250-63	22804	1302-63	22804	1313-37
	22804	1313-47	25904	1212-11	26700	P01-19
	26700	S04D-C	26802	1351-19	*29002	J032-63
	29002	J068-63				

Table 5-2. Key, Signal Lookup Listing - Continued

Signal		Distribution				
SW210A1R	*29002	J032-64	29002	J068-64		
SW21101	22500	1306-07	22500	1306-20	22500	1308-13
	25901	1204-29	26700	P01-22	*26700	S04A-C
	26802	1351-22				
SW21201	22500	1306-10	22500	1306-13	22500	1306-19
	25901	1204-43	26700	P01-21	*26700	S04B-C
	26802	1351-21				
SW21401	22500	1306-05	22500	1306-25	22500	1306-26
	25902	1207-29	26700	P01-20	*26700	S04C-C
	26802	1351-20				
SW300A1	20901	1119-79	20901	1217-54	20903	1351-30
	*20903	S08-01	23100	1429-20	25400	1230-20
	25902	1207-11	26700	P01-30		
SW301A1	20903	1118-71	20903	1351-29	*20903	S08-02
	25400	1230-18	25902	1206-43	26700	P01-29
SW302A1	20903	1113-17	20903	1351-28	*20903	S08-03
	25901	1204-11	26700	P01-28		
SW303A1	20903	1118-73	20903	1119-74	20903	1217-42
	20903	1351-27	*20903	S08-04	21000	1109-66
	21000	1118-49	21000	1426-74	25400	1229-13
	25901	1203-43	26700	P01-27		
SW304A1	20903	1119-39	20903	1351-25	*20903	S08-05
	25904	1211-29	26700	P01-25		
SXFAULT	26104	J05-23	*26104	1306-42		
S0100AV	20701	1243-08	*20701	1245-25		
S0100P	*20701	1243-11	20702	1142-46		
S0100Q	20701	1240-09	20701	1241-09	*20701	1243-13
	20701	1244-05	20701	1245-23	20701	1340-37
S01010E	20701	1141-70	*20701	1241-07	20701	1242-26
	20701	1246-07				
S01011E	*20701	1241-11	20701	1242-25		
S01012E	*20701	1241-13	20701	1242-24		
S01013E	20701	1240-05	*20701	1241-10	20701	1242-22
S01020E	*20701	1240-07	20701	1242-20		
S01021E	20701	1141-62	*20701	1240-11	20701	1242-19
	20701	1246-11				
S01022E	20701	1141-64	*20701	1240-13	20701	1242-18
	20701	1246-26				
S01023E	20701	1141-68	*20701	1240-10	20701	1242-14
	20701	1246-04				
S0103A	20701	1240-08	20701	1241-08	*20701	1242-23
	20701	1245-20	20701	1246-10		
S01030V	20701	1240-14	20701	1241-14	20701	1244-03
	*20701	1245-18	20701	1340-35		
S0104A	20701	1244-10	*20701	1246-06		
S01050	*20701	1141-66	20701	1246-03	20701	1246-05

Table 5-2. Key, Signal Lookup Listing - Continued

Signal	Distribution					
S01060	*20701	1141-60	20701	1246-13	20701	1246-24
S0107A	20701	1141-53	*20701	1246-01		
S0108A	20701	1141-55	*20701	1246-09		
S0109A	20701	1141-59	*20701	1246-15		
S0110A	20701	1141-61	*20701	1246-22		
S01110	*20701	1141-57	20701	1244-17	20701	1246-19
S01120	*20701	1141-63	20701	1244-14	20701	1246-18
S01130	*20701	1244-19	20701	1246-17	20701	1246-20
S0114A	20701	1244-06	*20701	1246-14		
S0115A	20701	1244-08	*20701	1246-21		
S01160	20701	1241-05	*20701	1244-04		
S01200E	20701	1140-64	20701	1141-65	*20701	1241-21
	20701	1244-09				
S01201E	20701	1140-62	*20701	1241-27		
S01202E	20701	1140-60	*20701	1241-25		
S01203E	20701	1140-55	20701	1141-78	*20701	1241-24
	20701	1244-11				
S0121A	*20701	1140-57	20701	1245-17		
S01210V	20701	1241-26	*20701	1245-14	20701	1246-23
	20702	1244-35				
S0122A	20701	1241-22	*20701	1246-27		
S0123A	*20701	1244-07	20701	1245-21		
S01230V	20701	1241-23	*20701	1245-19		
S0124A	*20701	1141-75	20701	1243-05		
S0124Q	20701	1141-79	*20701	1243-07	20701	1244-01
S0125A	*20701	1141-72	20701	1245-27		
S01250V	20701	1141-77	*20701	1245-26		
S01260	20701	1141-74	20701	1141-76	*20701	1244-15
S0127A	*20701	1141-69	20701	1244-22		
S0128A	*20701	1141-80	20701	1244-24		
S01290	20701	1241-19	*20701	1244-20		
S0130A	20701	1243-01	*20701	1340-39	22200	1312-56
S02000E	20702	1239-13	*20702	1241-35	21900	1442-77
S02001E	20702	1239-18	*20702	1241-39		
S02001N	*20702	1239-17	20702	1241-31		
S02002E	*20702	1241-42	21100	1125-07	21800	1323-06
	25800	1235-11	25904	1212-35		
S02002N	*20702	1239-11	20702	1241-29		
S02003E	20702	1239-03	*20702	1241-38	21100	1125-05
	21800	1323-04	23001	1412-47	25904	1212-19
S02003N	*20702	1239-05	20702	1241-30		
S02004N	*20702	1239-06	20702	1241-34		
S02005N	20702	1135-60	*20702	1239-08		
S02010E	*20702	1241-47	21100	1125-03	21800	1323-24
	25800	1235-06	25903	1210-03		
S02011E	20702	1135-61	*20702	1241-51	21100	1125-01

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	21800	1323-22	23001	1412-50	25903	1209-35
S02011N	*20702	1135-63	20702	1241-43		
S02012E	*20702	1241-56	21100	1125-21	21800	1323-20
	25800	1235-04	25902	1207-35		
S02012N	*20702	1135-57	20702	1241-41		
S02013E	20702	1135-49	*20702	1241-52	21100	1125-19
	21800	1323-18	23002	1412-41	25902	1207-19
S02013N	*20702	1135-51	20702	1241-46		
S02014N	*20702	1135-54	20702	1241-48		
S02015N	*20702	1135-56	20702	1239-26		
S02020E	*20702	1241-61	21100	1125-17	21800	1323-38
	25800	1235-05	25901	1204-35		
S02021E	*20702	1241-65	21100	1125-15	21800	1323-36
	25800	1235-09	25901	1204-19		
S02021N	*20702	1239-30	20702	1241-55		
S02022E	*20702	1241-68	21100	1125-35	21800	1323-34
	25800	1235-15	25904	1212-03		
S02022N	*20702	1239-29	20702	1241-53		
S02023E	*20702	1241-64	21100	1125-33	21800	1323-30
	25800	1235-22	25904	1211-35		
S02023N	*20702	1239-21	20702	1241-57		
S02024N	*20702	1239-22	20702	1241-60		
S02025N	*20702	1239-24				
S0210A	20702	1241-40	20702	1241-54	20702	1241-66
	*20702	1244-36	20702	1245-29		
S02100V	20702	1244-38	*20702	1245-40	26002	1214-18
S0211A	20702	1140-75	*20702	1244-31	26002	1214-17
S02110V	20702	1244-29	*20702	1245-37		
S0212A	*20702	1131-60	20702	1244-33	20702	1248-37
	20702	1248-48	20702	1248-54	20802	1248-49
S02120	20702	1131-62	*20702	1230-63	25903	1209-23
S02130V	20702	1131-68	20702	1241-36	20702	1241-50
	20702	1241-62	*20702	1245-30		
S0214A	*20702	1131-66	20702	1246-54		
S0215A	*20702	1244-39	20702	1245-59		
S02160	20702	1119-65	*20702	1140-76	20702	1246-56
S0217A	20702	1241-37	20702	1241-49	20702	1241-63
	*20702	1246-52	22701	1234-10		
S0221A	20702	1139-65	*20702	1246-33	20703	1222-69
S0222P	*20702	1142-45	20702	1246-31		
S02300V	*20702	1245-42	20702	1246-37		
S02310V	*20702	1245-54	20702	1248-50		
S02320V	*20702	1245-49	20702	1248-56		
S0233A	20702	1140-78	*20702	1246-39		
S02410V	20702	1142-48	*20702	1245-57	20702	1246-29
S02420V	*20702	1139-68	20702	1248-35	20702	1248-43

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	20703	1119-47	20703	1119-50		
S0243AV	*20702	1119-68	20901	1227-72		
S03015U	20703	1139-39	*20703	1222-36		
S03025U	*20703	1222-52	20703	1235-65		
S03035U	20702	1248-41	*20703	1222-68		
S0304AV	*20703	1139-42	20703	1235-59		
S03050V	20703	1222-64	*20703	1235-57		
S0306AV	20703	1232-06	*20703	1235-68		
S03070V	20703	1222-78	*20703	1232-08		
S0308AV	*20703	1119-48	20703	1222-37		
S0309AV	*20703	1119-49	20703	1222-51		
S0501P	20801	1242-43	*20801	1243-33	20801	1244-57
S0501Q	20801	1142-68	*20801	1243-31	20801	1244-53
S0502P	*20801	1142-59	20801	1242-46	20801	1244-59
S0502Q	*20801	1142-61	20801	1243-54	20801	1244-60
S0503P	20801	1134-78	20801	1242-48	*20801	1243-47
S0503Q	20801	1142-62	*20801	1243-49	20801	1246-47
S0504P	*20801	1142-57	20801	1242-49	20801	1243-34
	20801	1246-49				
S0504Q	20801	1134-76	*20801	1142-55		
S0505Q	20801	1143-71	*20801	1243-43		
S0506AV	*20801	1245-68	20801	1246-68		
S0506P	20801	1140-71	20801	1142-64	20801	1142-66
	*20801	1143-69	20801	1243-36	20801	1243-52
	22701	1110-64				
S0506Q	*20801	1143-74	20801	1245-65	21000	1246-77
S0507P	*20801	1243-59	20801	1244-68		
S0508A	*20801	1141-14	20801	1244-70		
S05100	20801	1243-46	*20801	1246-46	22900	1419-68
S05110V	20801	1243-68	*20801	1245-80	20802	1248-68
	21000	1104-62				
S0512A	20801	1143-73	*20801	1242-47	20801	1243-50
S0513R	*20801	1244-64	20801	1246-70	20802	1125-68
	20802	1133-79	20802	1240-22	20802	1240-36
	20802	1240-50	21406	1133-23	21406	1133-30
	21406	1133-35	21406	1133-40	25902	1208-23
S0513S	20801	1242-50	20801	1244-66	*20801	1246-66
	20802	1240-26	20802	1240-40	20802	1240-54
	20802	1243-53	21202	1341-69	22002	1312-42
	22002	1313-42	22002	1314-74	25902	1208-07
S0520A	20801	1140-72	*20801	1244-55		
S0521A	20801	1140-73	*20801	1244-63		
S05220	*20801	1140-69	22701	1119-76		
S0523A	20801	1244-62	*20801	1246-51		
S0530A	*20801	1134-80	20801	1244-61	20801	1245-69
	20801	1245-73	20801	1246-41		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S05300	20701	1243-10	20801	1243-70	*20801	1246-45
	20802	1142-72	20802	1240-63	20802	1241-77
S05300V	*20801	1245-71	21408	1105-09	21408	1107-63
	21408	1107-77	21408	1117-30	22400	1310-77
	22400	1311-77	22400	1316-56	22400	1329-37
	22600	1312-10				
S05310V	20801	1141-20	*20801	1245-70	20802	1240-23
	20802	1240-37	20802	1240-49	20802	1246-76
S05500	20801	1238-35				
S05510	20702	1131-70	20801	1142-60	20801	1142-70
	*20801	1238-51	20801	1243-30	20801	1243-56
S05520	*20801	1238-31	25100	1341-77		
S0553A1	20801	1246-42	25600	1337-51		
S05540	20801	1232-52	*20801	1246-38		
S0555AV	*20801	1232-54	20801	1238-33		
S05620	20801	1140-74	*20801	1238-61		
S0563A	20801	1238-73				
S05640	20801	1238-53				
S0566A	20801	1238-75				
S05670	20801	1238-79				
S0568A	20801	1238-55				
S05690	20801	1238-71				
S0570A	20801	1238-77				
S0600A	20802	1243-60	*20802	1246-80		
S0600Q	20802	1239-42	*20802	1243-55	20802	1246-65
	21201	1120-35	22002	1323-52	25903	1209-03
S06000	20802	1243-62	*20802	1246-69		
S06000E	*20802	1240-21	21201	1120-3	22002	1322-21
	25800	1235-23	25902	1207-03		
S06001E	20802	1239-47	*20802	1240-27	21201	1120-31
	22002	1322-19	25902	1206-35		
S06001N	*20802	1239-50	20802	1240-17		
S06002E	*20802	1240-25	21201	1120-29	22002	1322-17
	25800	1235-20	25901	1204-03		
S06002N	*20802	1239-43	20802	1240-15		
S06003E	20802	1239-35	*20802	1240-24	21201	1120-47
	22002	1322-15	25901	1203-35		
S06003N	*20802	1239-37	20802	1240-18		
S06004N	*20802	1239-38	20802	1240-20		
S06005N	20802	1135-74	*20802	1239-40		
S06010E	*20802	1240-35	21201	1120-45	22002	1322-35
	25800	1235-17	25904	1211-19		
S06011E	20802	1135-79	*20802	1240-39	21201	1120-43
	22002	1322-33	25904	1211-03		
S06011N	*20802	1135-80	20802	1240-31		
S06012E	*20802	1240-42	21201	1120-41	22002	1322-31

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	25800	1235-21	25903	1208-35		
S06012N	*20802	1135-75	20802	1240-29		
S06013E	20802	1135-66	*20802	1240-38	21201	1120-61
	22002	1322-29	25903	1205-35		
S06013N	*20802	1135-69	20802	1240-30		
S06014N	*20802	1135-70	20802	1240-34		
S06015N	*20802	1135-72	20802	1239-60		
S06020E	*20802	1240-47	21201	1120-59	22002	1322-47
	25800	1235-27	25902	1206-19		
S06021E	*20802	1240-51	21201	1120-55	22002	1322-45
	25800	1235-38	25902	1206-03		
S06021N	*20802	1239-63	20802	1240-43		
S06022E	*20802	1240-56	21201	1120-53	22002	1322-43
	25800	1235-35	25901	1203-19		
S06022N	*20802	1239-57	20802	1240-41		
S06023E	*20802	1240-52	21202	1120-75	22002	1322-41
	25800	1235-36	25901	1203-03		
S06023N	*20802	1239-51	20802	1240-46		
S06024N	*20802	1239-54	20802	1240-48		
S06025N	20801	1141-18	*20802	1239-56		
S06031C	*20802	1125-65	20802	1246-71		
S06032C	*20802	1125-66	20802	1246-73		
S06100E	*20802	1240-61	20802	1242-70	20802	1244-52
	20802	1246-62				
S06101E	*20802	1240-65	20802	1242-68		
S06102E	*20802	1240-68	20802	1242-66		
S06103E	*20802	1240-64	20802	1241-73	20802	1242-64
S06110E	*20802	1241-75	20802	1242-62		
S06111E	*20802	1241-79	20802	1242-61		
S06112E	*20802	1241-80	20802	1242-60	20802	1244-54
	20802	1246-55				
S06120	*20802	1244-50	20802	1246-53	20802	1246-64
S0613A	20802	1244-41	*20802	1246-60		
S0614A	20802	1244-46	*20802	1246-57		
S06150	20802	1240-59	*20802	1244-43		
S0616A	20802	1133-77	*20802	1242-59		
S0617AV	20802	1240-62	20802	1241-74	*20802	1245-72
S06170	*20802	1133-73	20802	1240-66	20802	1241-78
	20802	1245-74				
S0621Q	*20802	1142-74	20802	1244-25		
S0626A	20802	1142-71	20802	1244-21	*20802	1246-72
S06300	*20802	1244-27	20802	1248-47		
S100CAV	*25100	1235-71	25100	1339-14	25100	1339-30
	25100	1339-42	25100	1339-56		
S100C0	25100	1235-73	25100	1337-06	*25100	1340-06
S100DAV	*25100	1337-03	25100	1339-18	25100	1339-34



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	25100	1339-40	25100	1339-48	25100	1339-54
	25100	1339-62	25100	1339-68	25100	1339-71
	25100	1339-77				
S100PAV	25100	1242-71	*25100	1337-13	25100	1339-17
S100PP	*25100	1339-21	25500	1429-61		
S100PQ	*25100	1339-19	25500	1338-20	25904	1213-21
S1000AV	25100	1242-72	*25100	1337-01	25100	1339-39
S1000P	*25100	1339-35	25500	1338-29		
S1000Q	20901	1225-05	22900	1418-68	*25100	1339-37
	25400	1244-72	25500	1338-34	25700	1226-03
	25700	1226-17	25700	1226-31	25901	1203-05
	26002	1215-51				
S10000	*25100	1236-69	25200	1339-08	25700	1220-75
	25700	1226-49				
S1001AV	25100	1242-73	*25100	1337-07	25100	1339-29
S1001P	*25100	1339-33	25500	1338-36	26002	1214-45
S1001Q	20901	1225-19	22900	1415-71	*25100	1339-31
	25500	1338-31	25700	1226-01	25700	1226-15
	25700	1226-29	25800	1230-04	25901	1203-21
S1002AV	25100	1242-74	*25100	1337-10	25100	1339-51
S1002P	*25100	1339-47	25500	1338-54		
S1002Q	20901	1225-33	22900	1415-69	*25100	1339-49
	25500	1338-35	25700	1226-04	25700	1226-18
	25700	1226-30	25800	1230-03	25902	1206-05
S1003AV	25100	1242-75	*25100	1337-24	25100	1339-41
S1003P	*25100	1339-45	25500	1338-37	25500	1421-04
S1003Q	20901	1225-45	22900	1415-70	*25100	1339-43
	25300	1236-20	25300	1236-26	25500	1338-56
	25700	1226-06	25700	1226-20	25700	1226-34
	25700	1226-43	25902	1206-21		
S1004AV	25100	1242-77	*25100	1337-25	25100	1339-63
S1004P	*25100	1339-59	25500	1338-41	26002	1214-23
S1004Q	20901	1225-59	22900	1415-72	*25100	1339-61
	25500	1338-48	25700	1226-41	25700	1227-18
	25700	1227-24	25700	1227-40	25903	1205-37
S1005AV	25100	1242-78	*25100	1337-18	25100	1339-53
S1005P	*25100	1339-57	25500	1338-50	25700	1229-77
	25800	1229-72				
S1005Q	20901	1225-73	22900	1411-08	*25100	1339-55
	25400	1218-40	25500	1338-43	25700	1226-46
	25700	1227-34	25700	1233-24	25903	1208-37
S1006AV	25100	1242-79	*25100	1337-14	25100	1339-80
S1006P	22900	1411-10	*25100	1339-76	25300	1231-35
	25500	1338-68	25700	1231-65	25800	1229-73
S1006Q	20901	1224-59	*25100	1339-78	25400	1133-41
	25400	1218-38	25500	1338-47	25700	1226-48

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	25700	1229-78	25700	1231-76	25904	1211-05
S1007A	25100	1236-72	25100	1339-65	*25100	1340-09
S1007P	*25100	1339-69	25300	1231-37	25400	1218-37
	25500	1338-49	25700	1229-79	25700	1231-71
S1007Q	20901	1224-73	22900	1411-13	*25100	1339-74
	25500	1338-70	25700	1231-78	25800	1229-74
	25800	1230-26	25904	1211-21		
S101CAV	*25100	1337-08	25100	1339-46	25100	1339-60
	25100	1339-70	25100	1339-72	25100	1339-79
S1010A	25100	1236-71	*25100	1340-15		
S10100	*25100	1242-76	25100	1340-11		
S102PA	*25100	1341-04	25100	1342-03		
S1020A	*25100	1341-73	25100	1343-03		
S1021A	*25100	1341-15	25100	1342-10		
S1022A	*25100	1341-20	25100	1343-10		
S1023A	*25100	1341-27	25100	1344-10		
S1024A	*25100	1341-31	25100	1345-10		
S1025A	*25100	1341-55	25100	1346-10		
S1026A	*25100	1341-51	25100	1344-03		
S1027A	*25100	1341-50	25100	1345-03		
S103PA	*25100	1340-38	25100	1342-01		
S1030A	*25100	1341-07	25100	1343-01		
S1031A	*25100	1341-74	25100	1342-08		
S1032A	*25100	1341-19	25100	1343-08		
S1033A	*25100	1341-36	25100	1344-08		
S1034A	*25100	1341-39	25100	1345-08		
S1035A	*25100	1341-63	25100	1346-08		
S1036A	*25100	1341-64	25100	1344-01		
S1037A	*25100	1341-43	25100	1345-01		
S1040A	*25100	1340-33	25100	1343-05	25901	1217-08
S1041A	*25100	1340-27	25100	1342-09	25901	1217-10
S1042A	*25100	1340-22	25100	1343-09	25901	1217-04
S1043A	*25100	1340-14	25100	1344-09	25901	1217-05
S1044A	*25100	1340-46	25100	1345-09	25902	1217-03
S1045A	*25100	1340-52	25100	1346-09	25902	1217-07
S1046A	*25100	1340-30	25100	1344-05	25902	1217-11
S1047A	*25100	1340-21	25100	1345-05	25902	1217-13
S1101A	25100	1236-73	25200	1327-15	*25200	1338-09
	25500	1332-77				
S1101P	*25200	1327-11	25200	1338-26		
S1101Q	*25200	1327-13	25200	1338-11	25200	1338-19
S1102A	25100	1236-74	25200	1327-03	*25200	1338-01
	25500	1332-79				
S1102P	*25200	1327-09	25200	1338-13		
S1102Q	*25200	1327-07	25200	1338-17	25200	1338-24
S1111A	25200	1337-21	*25200	1338-15		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S11110V	*25200	1337-19	25300	1236-22		
S1112A	*25200	1338-22	25200	1340-41		
S11120	*25200	1340-45	25300	1236-14		
S1113A	25200	1236-75	*25200	1338-21	25800	1309-10
S1114R	25200	1246-61	25200	1338-42	*25200	1340-51
S1114S	20702	1246-35	*25200	1338-38	25200	1340-47
	25800	1218-34				
S1115AV	23100	1419-10	23100	1429-24	23600	1422-10
	*25200	1337-57	25300	1234-41	25300	1236-07
	25400	1230-13	25400	1233-20	25400	1233-38
S1115P	21302	1116-78	*25200	1327-35		
S1115Q	20903	1119-69	20903	1119-73	20903	1119-75
	25200	1228-73	*25200	1327-37	25200	1337-35
	25200	1337-38	25200	1337-39	25200	1337-59
	25200	1337-65	25800	1247-65	25800	1247-76
S11150	20701	1246-08	*25200	1236-76	25200	1327-40
S1116D1	20902	1230-61	21409	1248-05	21409	1248-10
	22200	1313-66	25100	1340-42	25100	1341-05
	25100	1341-10	25100	1341-13	25100	1341-18
	25100	1341-25	25100	1341-26	25100	1341-34
	25100	1341-37	25100	1341-42	25100	1341-48
	25100	1341-49	25100	1341-56	25100	1341-61
	25100	1341-62	25100	1341-70	25100	1341-72
	25100	1341-79	*25200	1247-06	25200	1442-73
	25400	1229-07	25600	1236-36	25600	1236-48
	25800	1218-31	25905	1438-74	26700	K01-A3
	26700	P01-26				
S1116Q	25200	1236-79	*25200	1442-74	25700	1227-17
S11160V	25200	1247-10	*25200	1337-80		
S1117D1	*25200	1247-01	26700	K01-X2	26700	P01-18
	26700	TB01-02	26802	1351-18		
S1120Q	25200	1327-24	*25200	1339-13		
S1121P	*25200	1327-23	25400	1231-05		
S1121Q	*25200	1327-25	25200	1339-05	25300	1236-18
S1122P	25200	1327-01	25200	1327-10	*25200	1339-09
	25300	1234-72	25600	1327-30	25700	1217-77
S1122Q	25200	1327-18	*25200	1339-07	25300	1228-04
	25300	1228-36	25300	1231-25	25300	1231-29
	25300	1236-24	25400	1231-03	25700	1217-65
	25700	1219-53	25700	1226-23		
S1123Q	*25200	1327-19	25200	1339-24		
S1124P	20901	1231-18	25100	1340-08	*25200	1339-23
S1124Q	*25200	1339-25	25300	1228-13	25300	1231-42
S1125AV	20702	1142-50	23400	1423-73	23600	1422-03
	23900	1423-64	24100	1438-10	24400	1437-50
	24900	1442-64	*25200	1337-68	25600	1329-07

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S1130A	25200	1327-14	25200	1327-26	*25200	1338-27
	25200	1339-01	25200	1339-10	25200	1339-26
S1135AV	20903	1227-75	21302	1142-29	22400	1309-49
	22400	1309-62	22701	1136-50	22701	1240-74
	22900	1418-65	24100	1438-03	24600	1441-10
	*25200	1337-40				
S1145AV	20701	1244-26	20701	1246-25	20801	1243-66
	20801	1246-48	20802	1133-75	*25200	1337-37
	25400	1244-49	26001	1217-20		
S1155AV	25100	1339-20	25100	1339-36	25100	1339-38
	25100	1339-52	*25600	1337-30		
S1165AV	25100	1339-50	25100	1339-64	25100	1339-66
	25100	1339-73	25100	1339-75	*25600	1337-31
S1175AV	21600	1312-53	21600	1312-75	21600	1313-53
	21600	1313-75	*25200	1337-42	25400	1219-43
	25400	1234-36	25400	1234-38		
S1176A	25200	1236-77	*25200	1246-63		
S1185A	20901	1217-56	*25200	1228-72	25200	1327-04
	25200	1327-06				
S12LMP	*26104	1306-18	26104	1306-23		
S12REF	*26104	1306-08	26104	1306-24		
S1201P	25300	1228-25	*25300	1234-45	25400	1230-34
	25600	1230-42				
S1201Q	25300	1233-34	25300	1233-68	*25300	1234-43
	25300	1235-41	25500	1338-10	25500	1430-31
	25600	1228-70				
S1202P	25300	1228-20	25300	1228-31	*25300	1233-33
S1202Q	25300	1228-40	25300	1231-21	*25300	1233-31
	25700	1226-54				
S1203P	*25300	1234-59	25300	1236-04	25400	1229-30
S1203Q	25300	1233-54	*25300	1234-61	25600	1231-52
	25700	1231-77				
S1204P	25300	1228-23	*25300	1233-47		
S1204Q	*25300	1233-49	25300	1234-62		
S1205Q	25300	1233-48	*25300	1234-55		
S1206Q	20903	1228-76	25300	1228-03	*25300	1233-43
	25600	1231-46	25600	1236-50		
S1207P	25300	1228-18	25300	1230-29	*25300	1233-59
S1207Q	25300	1228-08	25300	1231-38	*25300	1233-61
S1208A	*25300	1228-06	25300	1234-80		
S1208P	*25300	1234-76	25300	1236-05	25600	1228-43
	25600	1236-37				
S1208Q	25300	1228-24	*25300	1234-78	25600	1236-61
S1209P	*25300	1234-69	25300	1236-01		
S1209Q	25300	1228-11	*25300	1234-74	25400	1133-46
	25800	1230-24				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S1210A	*25300	1228-01	25300	1236-06	25300	1245-75
S12100V	*25300	1245-77	25400	1218-42	25800	1229-71
S1211A	*25300	1228-09	25300	1236-08		
S1212A	*25300	1228-15	25300	1236-10		
S1213A	*25300	1228-22	25300	1236-13		
S1214AV	25300	1234-46	*25300	1235-30		
S12140	25300	1235-29	*25300	1236-11		
S1215AV	25300	1234-50	*25300	1235-31		
S12150	*25300	1228-14	25300	1235-33		
S1220A	25300	1233-30	*25300	1236-23		
S1221AV	25300	1233-36	25300	1233-66	*25300	1235-42
S12210	25300	1235-39	*25300	1236-09		
S1230A	25300	1228-17	*25300	1231-27		
S1231A	25300	1228-19	*25300	1231-36		
S1232AV	25300	1234-70	*25300	1235-54		
S12320	*25300	1228-21	25300	1235-52		
S1233AV	25300	1234-66	25300	1234-73	25300	1234-75
	*25300	1235-49				
S12330	*25300	1228-27	25300	1235-47		
S1240R	*25300	1228-33	25300	1230-31	25300	1231-30
	25600	1219-13	25600	1231-45	25600	1231-48
	25600	1231-56	25700	1231-79		
S1240S	25300	1228-29	25300	1228-34	*25300	1230-33
S1242A	20903	1230-78	25300	1133-76	*25300	1231-31
	26002	1214-21				
S1243A	20903	1230-76	25300	1133-69	*25300	1228-30
	26002	1214-19				
S1244AV	25300	1233-46	25300	1233-56	25300	1234-60
	*25300	1235-48				
S12440	*25300	1133-80	25300	1228-07	25300	1235-50
S1245AV	25300	1233-50	25300	1233-52	25300	1234-64
	*25300	1235-46				
S1270A	25300	1233-70	*25300	1236-21		
S1290AV	25300	1231-23	*25300	1235-43		
S12900	25300	1228-42	*25300	1231-39	25300	1235-45
S1291A	*25300	1228-38	25300	1235-51		
S12910V	25300	1234-71	*25300	1235-53		
S1311A	*25400	1218-35	25400	1234-39		
S1312P	25400	1229-25	*25400	1234-35		
S1312Q	25100	1341-23	*25400	1234-37		
S1315A	*25400	1219-51	25400	1233-10	25400	1234-14
	25400	1234-26				
S1322P	20903	1140-70	25400	1229-26	*25400	1234-33
S1322Q	25100	1341-30	*25400	1234-31		
S1323A	*25400	1229-11	25400	1234-29		
S13240	25400	1229-08	*25400	1231-04		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S1330A	*25400	1231-07	25400	1232-09	25400	1233-17
S1330Q	25100	1341-11	*25400	1233-19	25800	1247-59
	25800	1247-77	25903	1209-19		
S13300V	25400	1230-25	*25400	1232-07		
S13310V	25400	1231-01	*25400	1232-57		
S1340A	*25400	1230-27	25400	1233-39		
S1340P	25400	1229-24	*25400	1233-35		
S1340Q	25100	1341-24	*25400	1233-37		
S1340R	20901	1231-17	*25400	1229-33	25400	1230-23
	25400	1230-36	25600	1231-49		
S1340S	25400	1229-31	*25400	1230-30		
S1350A	*25400	1133-43	25400	1229-22		
S1350P	25300	1231-40	25400	1229-18	*25400	1234-47
S1350Q	25300	1228-10	*25400	1234-49	25903	1210-37
S13500	*25400	1229-23	25400	1234-56		
S1351AV	*25400	1232-10	25400	1234-52		
S13510	*25400	1230-15	25400	1232-15		
S1360AV	25100	1340-07	25100	1340-13	25200	1338-05
	25200	1338-07	25400	1229-05	*25400	1232-24
S13600	*25400	1230-14	25400	1232-22		
S1361A	*25400	1229-09	25400	1348-01		
S1370P	25400	1133-72	25400	1230-17	*25400	1234-23
S1370Q	25400	1229-01	25400	1233-08	*25400	1234-25
S1371Q	*25400	1233-13	25400	1234-18		
S1372Q	25400	1139-79	25400	1230-19	*25400	1234-19
S13720V	*25400	1139-80	25400	1234-24		
S1374A	25400	1219-41	*25400	1230-21		
S1374P	*25400	1227-59	25400	1232-23		
S1374Q	25400	1219-47	*25400	1227-61	25400	1233-06
	25400	1234-22	25903	1210-21		
S13740	25400	1227-70	*25400	1229-21		
S1375A	*25400	1231-20	25400	1244-77		
S1375AV	25400	1227-66	*25400	1232-30		
S13750	*25400	1219-45	25400	1232-29		
S1377AV	*25400	1232-25	25400	1234-20		
S1380Q	25400	1133-65	*25400	1142-49	25400	1244-79
S1381P	25400	1140-46	*25400	1243-76		
S1381Q	25400	1142-77	*25400	1243-78		
S1382P	*25400	1142-76	25400	1244-78		
S1382Q	*25400	1142-78	25400	1233-05		
S1383P	25400	1140-43	*25400	1233-09	25400	1243-77
S1383Q	*25400	1233-07	25400	1244-69		
S1384AV	*25400	1139-72	25400	1142-52		
S13840	25400	1139-74	*25400	1244-51		
S1385AV	*25400	1139-78	25400	1142-75	25400	1233-04
	25400	1243-75				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S13850	*25400	1133-74	25400	1139-76		
S1386A	25400	1229-19	*25400	1244-80		
S1387A	25400	1140-48	25400	1243-80	*25400	1244-73
S1388A	25400	1142-51	25400	1229-14	*25400	1244-74
S1389A	25400	1133-71	*25400	1140-45		
S1400A	*25500	1338-30	25500	1340-68		
S1401A	*25500	1338-33	25500	1340-70		
S1402A	*25500	1338-39	25500	1340-62		
S1403A	*25500	1338-52	25500	1340-64		
S1404A	*25500	1338-46	25500	1340-53		
S1405A	*25500	1338-45	25500	1340-55		
S1406A	*25500	1338-51	25500	1340-59		
S1407A	*25500	1338-66	25500	1340-61		
S14100	25500	1338-62	*25500	1340-66	25500	1429-68
S14110	25500	1338-53	*25500	1340-60	25500	1429-70
S14120	25500	1338-55	25500	1338-64	*25500	1429-66
S14130	25500	1338-59	*25500	1340-57	25500	1429-62
S14140	25500	1338-77	*25500	1340-63	25500	1429-64
S14150	25500	1338-61	25500	1338-79	*25500	1429-60
S1420A	*25500	1338-60	25500	1340-77		
S1421A	*25500	1338-57	25500	1340-79		
S1422A	*25500	1338-63	25500	1340-71		
S1423A	*25500	1338-75	25500	1340-73		
S14300	25500	1338-71	*25500	1340-75	25500	1429-53
S14310	25500	1338-74	*25500	1340-72	25500	1429-55
S14320	25500	1338-65	25500	1338-73	*25500	1429-57
S1440A	*25500	1338-72	25500	1340-65		
S1441A	*25500	1338-69	25500	1340-74		
S1450A	25100	1341-06	*25500	1338-80	25500	1429-59
S14500	25500	1338-18	25500	1338-76	*25500	1340-69
S1460A	*25500	1338-14	2'5500	1340-76		
S1461A	25500	1340-78	*25500	1429-63		
S1470A	25300	1231-33	25300	1236-19	25300	1236-25
	25400	1133-48	25400	1232-59	*25500	1430-45
S14700	*25500	1340-80	25500	1430-43	25904	1213-05
S1480R	*25500	1324-63	25500	1333-76		
S1480S	25500	1324-61	*25500	1333-80	25500	1430-46
S14810V	*25500	1421-03	25500	1430-30		
S14820	*25500	1332-75	25500	1430-36		
S1483A	25500	1338-08	*25500	1430-33		
S14840	*25500	1338-06	25500	1430-50		
S1500Q	*25600	1227-49	25600	1231-09	25600	1233-62
	25600	1236-30				
S1501P	25600	1231-11	*25600	1233-57	25600	1236-49
	25600	1236-55	25600	1236-66		
S1501Q	25600	1227-48	*25600	1233-55		

Table 5-2. Key Signal Lookup Listing

Signal	Distribution					
S1502Q	*25600	1227-43	25600	1233-77		
S1503P	25600	1219-56	*25600	1233-76	25600	1236-31
S1503Q	*25600	1233-78	25600	1328-34		
S1504P	25600	1219-54	25600	1227-54	*25600	1328-33
S1504Q	25600	1233-72	25600	1236-52	25600	1236-60
	25600	1236-68	*25600	1328-31		
S1505P	25600	1230-10	*25600	1233-69		
S1505Q	*25600	1233-74	25600	1236-70		
S15100	25600	1131-73	*25600	1228-52		
S1511A	*25600	1231-50	25600	1236-40	26001	1232-11
S1512A	25600	1228-56	*25600	1231-43		
S1513AV	25600	1227-50	25600	1227-52	*25600	1232-18
	25600	1233-64	25600	1233-75	25600	1328-36
S1513R	*25600	1230-38	25600	1232-17	25600	1232-20
	25600	1236-42				
S1513S	25600	1228-50	25600	1230-40	*25600	1236-35
S15130	25600	1227-46	25600	1227-56	*25600	1228-46
	25600	1233-60	25600	1233-79	25600	1328-30
S1514AV	*25600	1232-14	25600	1233-73		
S15200	*25600	1228-45	25600	1230-08		
S1521A	*25600	1236-33	25600	1348-08		
S1522A	*25600	1230-06	25600	1232-21		
S15220V	*25600	1232-19	25600	1236-34		
S1530A	25500	1324-59	*25600	1231-51	25600	1232-27
	25600	1232-35				
S15300V	25600	1231-13	25600	1231-66	*25600	1232-26
	25600	1236-56	25600	1236-62		
S1531A	25100	1340-10	25600	1131-78	25600	1228-47
	25600	1232-38	*25600	1236-47	25700	1219-62
	25700	1227-22	25700	1233-22		
S15310	25100	1341-03	25100	1341-08	25100	1341-17
	25100	1341-35	25100	1341-40	25100	1341-46
	25100	1341-59	25100	1341-68	25100	1341-71
	*25600	1228-51				
S15310V	*25600	1232-40	26001	1219-40		
S1532A	*25600	1236-45	25600	1348-10		
S1533A	25300	1133-78	*25600	1231-64		
S15330V	25100	1340-17	25100	1340-18	25100	1340-23
	25100	1340-24	25100	1340-29	25100	1340-36
	25100	1340-48	25100	1340-56	*25600	1232-37
S1535A	*25600	1219-15	25600	1232-33		
S15350V	*25600	1232-31	25600	1236-46		
S15360	*25600	1131-80	25600	1236-43		
S1541A	25400	1230-11	25400	1233-14	25400	1233-42
	25400	1234-30	25400	1234-42	25500	1324-57
	25600	1232-36	*25600	1236-59		



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S15410V	25100	1341-09	25100	1341-21	25100	1341-22
	25100	1341-29	25100	1341-45	25100	1341-53
	25100	1341-54	25100	1341-75	25300	1228-26
	*25600	1232-34				
S1550Q	25600	1230-54	*25600	1336-48		
S15500	25200	1338-23	25400	1219-49	25600	1228-48
	*25600	1230-52				
S1552P	25600	1336-26	*25600	1336-37		
S1553Q	25400	1142-79	25400	1233-01	25400	1243-79
	*25600	1336-25				
S1560R	25600	1228-37	*25600	1230-39	25600	1236-54
	25700	1226-08				
S1560S	*25600	1228-39	25600	1230-35	25600	1236-64
S1561A	*25600	1228-66	25600	1230-37		
S1562A	25600	1131-76	25600	1232-39	*25600	1236-57
	26002	1214-25				
S15620V	25100	1340-40	*25600	1232-42		
S1565AV	25600	1336-50	*25600	1337-53		
S1570Q	25500	1333-78	25600	1131-71	*25600	1327-31
S1571A	*25600	1131-72	25600	1228-41	25600	1236-38
S1580A	*25600	1231-15	25600	1329-03		
S15800	*25600	1329-09	25600	1337-29	25600	1337-33
S15900	*25600	1219-52	25600	1231-68		
S16100E	*25700	1226-07	25901	1217-76		
S16101E	*25700	1226-11	25901	1219-04		
S16102E	*25700	1226-13	25901	1219-03		
S16103E	*25700	1226-10	26002	1214-08	26002	1214-24
	26002	1214-40	26002	1215-08	26002	1215-24
	26002	1215-40				
S1614Q	*25700	1227-25	26002	1214-10	26002	1214-26
	26002	1214-42	26002	1215-10	26002	1215-26
	26002	1215-42				
S1615A	25600	1228-54	*25700	1231-73	25700	1235-64
S1615Q	*25700	1233-25	26002	1214-14	26002	1214-27
	26002	1214-46	26002	1215-14	26002	1215-27
	26002	1215-46	26002	1215-49		
S16150V	22900	1411-06	25300	1228-05	25700	1229-75
	25700	1231-69	25700	1231-72	*25700	1235-66
S1616A	*25700	1231-74	25700	1235-61	26001	1217-18
S16160V	25700	1217-74	25700	1226-14	*25700	1235-63
S1617A	25600	1228-35	*25700	1217-69	25700	1219-64
	25700	1227-26	25700	1233-26		
S16190	*25700	1219-60	25700	1226-09		
S16200E	21503	1108-03	22400	1311-71	*25700	1226-21
	25901	1205-29				
S16201E	21503	1108-01	22400	1310-72	*25700	1226-27

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S16202E	25902	1208-11				
	21503	1108-04	22400	1310-70	*25700	1226-25
S16203E	25902	1208-29				
	21503	1108-06	22400	1310-69	*25700	1226-24
S1624Q	25903	1210-29				
	21503	1110-68	22400	1310-71	*25700	1227-19
	25903	1210-43				
S1626A	*25700	1229-76	25700	1235-62		
S16260V	25700	1219-55	25700	1226-26	*25700	1235-60
S1627A	*25700	1219-57	25700	1227-14		
S16300E	21000	1109-08	*25700	1226-35	25902	1207-43
S16301E	21000	1109-01	*25700	1226-39	25903	1209-43
S16302E	21000	1109-24	*25700	1226-42	25903	1210-11
S16303E	21000	1119-35	*25700	1226-38	25904	1212-29
S1634Q	21600	1314-49	*25700	1227-37	25904	1212-43
S1635Q	21600	1314-50	*25700	1227-31	25901	1205-11
S1636A	*25700	1231-80	25700	1235-55		
S16360V	25700	1219-61	25700	1226-40	*25700	1235-56
S1637A	*25700	1219-63	25700	1227-30	25700	1227-42
S16400E	*25700	1226-47	25700	1231-75		
S16401E	25300	1231-34	25600	1231-41	*25700	1226-51
S16402E	25600	1219-11	25600	1231-47	25600	1231-54
	*25700	1226-56				
S16403E	*25700	1226-52	25700	1235-79		
S1642AV	25400	1244-47	*25700	1235-80		
S1643AV	25600	1327-29	*25700	1220-77		
S1644A	25700	1217-79	*25700	1219-75		
S16450	22900	1415-77	22900	1419-43	*25700	1217-75
	25700	1219-59	25700	1226-37		
S1700A	*25800	1229-69	25800	1337-36		
S17000V	25400	1244-65	25800	1230-05	25800	1230-07
	*25800	1337-34				
S1702AV	*25800	1235-13	25800	1245-11		
S17020V	20702	1239-07	23001	1404-07	*25800	1245-13
	26802	1251-61				
S1704A	*25800	1230-01	25800	1309-06		
S1704AV	*25800	1235-08	25800	1245-06		
S1704R	25200	1236-78	*25800	1218-33	25800	1219-37
S1704S	25800	1218-36	*25800	1219-39		
S17040V	20702	1135-64	23001	1404-03	*25800	1245-08
	26802	1251-65				
S1705A	*25800	1230-09	26001	1227-03		
S1706AV	*25800	1235-03	25800	1245-04		
S17060V	20702	1135-53	23002	1404-21	*25800	1245-03
	26802	1251-69				
S1708AV	20901	1227-71	20901	1231-62	*25800	1235-01

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S17080V	25800	1245-05				
	20702	1239-31	23002	1404-17	*25800	1245-01
	26802	1251-73				
S1709AV	*25800	1235-07	25800	1245-09		
S17090V	20702	1239-34	20901	1224-31	20902	1232-75
	20902	1232-76	20902	1235-75	20902	1235-76
	23002	1404-15	*25800	1245-07	26802	1251-75
	*25800	1235-10	25800	1245-15	25800	1245-36
S1710AV	20702	1239-23	20901	1224-20	20902	1218-04
S17100V	20902	1228-59	20902	1230-43	20902	1230-64
	20902	1231-59	23002	1404-35	*25800	1245-10
	*25800	1235-24	25800	1245-22		
	20702	1239-19	20901	1224-06	20902	1218-01
S1711AV	20902	1219-74	20902	1228-61	20902	1230-49
	20902	1230-55	23002	1404-33	*25800	1245-24
	26802	1251-79				
	*25800	1245-34	26802	1251-77		
S1761AV	*25800	1235-25	25800	1245-50		
S17610V	20802	1239-48	*25800	1245-48		
S1763AV	*25800	1235-18	25800	1245-41		
S17630V	20802	1239-39	*25800	1245-46		
S1765AV	*25800	1235-14	25800	1245-45		
S17650V	20802	1135-78	*25800	1245-43		
S1767AV	*25800	1235-19	25800	1245-51		
S17670V	20802	1135-71	*25800	1245-53		
S1769AV	*25800	1235-26	25800	1245-64		
S17690V	20802	1125-64	20802	1239-64	*25800	1245-66
S1770AV	*25800	1235-40	25800	12-5-61		
S17700V	20802	1125-62	20802	1239-61	*25800	1245-63
S1771AV	*25800	1235-37	25800	1245-62		
S17710V	20802	1125-60	20802	1239-53	*25800	1245-60
S1772AV	*25800	1235-34	25800	1245-55		
S17720V	20802	1125-57	20802	1239-49	*25800	1245-56
S1780AV	22200	1312-52	22200	1313-52	25800	1219-35
	*25800	1220-31				
S17800	25800	1220-33	*25800	1309-04		
S1781A	*25800	1230-22	25800	1309-08		
S21000E	20901	1220-76	*20901	1225-07	21301	1144-06
	21301	1145-18	21404	1137-17	23500	1417-55
	24000	1424-55	24500	1436-55	25000	1443-55
	*20901	1225-11	21301	1145-30	21404	1137-03
S21001E	21408	1203-51	22001	1333-73	23500	1417-71
	24000	1424-71	24500	1436-71	25000	1443-71
	*20901	1225-13	21301	1144-15	21404	1137-71
	21700	1205-72	23500	1416-48	24000	1425-48
S21002E	24500	1435-48	25000	1444-48		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S21003E	20901	1224-05	*20901	1225-10	21301	1146-70
	21403	1208-76	21404	1137-55	21700	1206-72
	23200	1412-52				
S2101A	20901	1219-76	20901	1228-55	20901	1228-64
	*20901	1231-55				
S2101P	*20901	1227-69	20901	1231-53		
S21010E	*20901	1225-21	21301	1144-03	21404	1137-15
	22002	1306-31	23500	1417-53	24000	1424-53
	24500	1436-53	25000	1443-53	25901	1204-05
S21011E	*20901	1225-27	21301	1145-34	21404	1137-01
	21408	1203-57	22001	1333-61	23500	1417-69
	24000	1424-69	24500	1436-69	25000	1443-69
S21012E	*20901	1225-25	21301	1144-18	21404	1137-69
	21700	1205-78	23500	1417-31	24000	1424-31
	24500	1436-31	25000	1443-31		
S21013E	20901	1224-19	*20901	1225-24	21301	1146-72
	21403	1208-70	21404	1137-53	21700	1206-78
	23200	1412-39				
S2102A	20901	1228-53	20901	1228-62	*20901	1231-19
S21020E	*20901	1225-35	21301	1144-04	21404	1137-18
	22002	1333-07	23500	1417-57	24000	1424-57
	24500	1436-57	25000	1443-57	25902	1206-37
S21021E	*20901	1225-39	21301	1146-31	21404	1137-04
	21408	1203-54	22001	1333-64	23500	1417-70
	24000	1424-70	24500	1436-70	25000	1443-70
S21022E	*20901	1225-42	20902	1129-73	21301	1144-20
	21404	1137-70	23500	1412-61		
S21023E	20901	1224-33	*20901	1225-38	21301	1145-55
	21403	1208-75	21404	1137-57	21700	1206-53
	23500	1412-55				
S21030	20901	1223-37	20901	1223-49	20901	1223-63
	20901	1223-77	20901	1224-63	20901	1224-77
	20901	1225-63	20901	1225-77	*20901	1228-60
S21030E	*20901	1225-47	21301	1146-03	21404	1137-20
	22002	1304-50	23500	1417-60	24000	1424-60
	24500	1436-60	25000	1443-60	25902	1207-05
S21031E	*20901	1225-51	21301	1146-29	21404	1137-06
	21408	1203-62	22001	1333-49	23500	1417-72
	24000	1424-72	24500	1436-72	25000	1443-72
S21032E	*20901	1225-56	20902	1129-77	21301	1145-71
	21404	1137-72	23500	1417-30	24000	1424-30
	24500	1436-30	25000	1443-30		
S21033E	20901	1224-45	*20901	1225-52	21301	1145-53
	21403	1208-69	21404	1137-60	21700	1206-59
	23500	1412-62				
S21040	20901	1224-09	20901	1224-23	20901	1224-37

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	20901	1224-49	20901	1225-09	20901	1225-23
	20901	1225-37	20901	1225-49	*20901	1228-57
S21040E	*20901	1225-61	21301	1146-01	21404	1137-31
	22002	1304-35	23500	1416-55	24000	1425-55
	24500	1435-55	25000	1444-55	25903	1209-05
S21041E	*20901	1225-65	21301	1146-30	21404	1138-43
	21408	1203-69	22001	1333-50	23500	1416-71
	24000	1425-71	24500	1435-71	25000	1444-71
S21042E	*20901	1225-68	20902	1129-76	21301	1145-69
	21404	1138-71	23500	1412-64		
S21043E	20901	1223-33	*20901	1225-64	21301	1145-01
	21404	1138-55	*21700	1206-56	23500	1417-48
	24000	1424-48	24500	1436-48	25000	1443-48
S2105AV	*20901	1220-63	20901	1223-36	20901	1223-50
	20901	1223-62	20901	1223-74	20901	1224-62
	20901	1224-74	20901	1225-62	20901	1225-74
	25700	1227-29	25700	1227-39		
S21050E	*20901	1225-75	21301	1144-71	21404	1137-29
	23500	1416-53	24000	1425-53	24500	1435-53
	25000	1444-53	25903	1209-21		
S21051E	*20901	1225-79	21301	1146-34	21404	1138-41
	21408	1203-75	22001	1333-37	23500	1416-69
	24000	1425-69	24500	1435-69	25000	1444-69
S21052E	*20901	1225-80	21301	1145-70	21404	1138-69
	22200	1218-62	22200	1218-77	22200	1332-59
	23500	1412-51				
S21053E	20901	1223-45	*20901	1225-76	21301	1145-04
	21404	1138-53	21700	1206-64	23500	1416-43
	24000	1425-43	24500	1435-43	25000	1444-43
S2106AV	*20901	1220-60	20901	1224-08	20901	1224-22
	20901	1224-36	20901	1224-50	20901	1225-08
	20901	1225-22	20901	1225-36	20901	1225-50
S21060E	*20901	1224-61	20902	1235-69	21301	1144-29
	21404	1137-30	23500	1416-57	24000	1425-57
	24500	1435-57	25000	1444-57	25904	1211-37
S21061E	*20901	1224-65	21301	1145-17	21404	1138-46
	21408	1203-70	22001	1333-36	23500	1416-70
	24000	1425-70	24500	1435-70	25000	1444-70
S21062E	*20901	1224-68	21301	1145-72	21404	1138-70
	22200	1330-20	22200	1337-73	23500	1416-29
	24000	1425-29	24500	1435-29	25000	1444-29
S21063E	20901	1223-59	*20901	1224-64	21301	1145-06
	21404	1138-57	21700	1205-71	23500	1416-41
	24000	1425-41	24500	1435-41	25000	1444-41
S21070E	*20901	1224-75	20902	1235-74	21301	1146-43
	21404	1137-34	23500	1416-60	24000	1425-60

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S21071E	24500	1435-60	25000	1444-60	25904	1212-05
	*20901	1224-79	21301	1145-15	21404	1138-48
	21408	1203-76	22001	1333-25	23500	1416-72
	24000	1425-72	24500	1435-72	25000	1444-72
S21072E	*20901	1224-80	21100	1211-75	21301	1146-71
	21404	1138-72	22200	1218-78	22200	1331-04
	22200	1331-30	22200	1332-76		
S21073E	20901	1223-73	*20901	1224-76	21301	1144-17
	21404	1138-60	21700	1205-77	23500	1416-46
	24000	1425-46	24500	1435-46	25000	1444-46
S21100E	*20901	1224-07	21201	1210-69	21301	1138-04
	22001	1333-19	23100	1415-20	23600	1426-20
	24100	1434-20	24600	1445-20		
S21101E	*20901	1224-11	21301	1138-18	21401	1209-62
	22001	1333-74	23100	1415-48	23600	1426-48
	24100	1434-48	24600	1445-48		
S21102E	*20901	1224-13	21100	1208-57	21301	1144-53
	21700	1207-56	23001	1215-77		
S21103E	*20901	1224-10	21100	1211-76	21301	1144-69
	21700	1206-71	23002	1214-78	25901	1204-21
S21110E	*20901	1224-21	21201	1210-62	21301	1138-06
	22002	1332-10	23100	1415-18	23600	1426-18
	24100	1434-18	24600	1445-18		
S21111E	*20901	1224-27	21201	1209-76	21301	1138-20
	22001	1333-79	23100	1415-46	23600	1426-46
	24100	1434-46	24600	1445-46		
S21112E	*20901	1224-25	21100	1208-51	21301	1144-57
	21700	1207-64	23001	1215-71		
S21113E	*20901	1224-24	21100	1211-70	21301	1144-70
	21700	1206-77	23002	1214-72	25901	1204-37
S21120E	*20901	1224-35	21201	1210-54	21301	1144-31
	22002	1333-11	23100	1415-15	23600	1426-15
	24100	1434-15	24600	1445-15		
S21121E	*20901	1224-39	21201	1209-70	21301	1144-43
	22001	1333-55	23100	1415-41	23600	1426-41
	24100	1434-41	24600	1445-41		
S21122E	*20901	1224-42	20902	1218-66	20902	1232-45
	21301	1146-53	25400	1229-06		
S21123E	*20901	1224-38	21100	1211-62	21301	1144-72
	21700	1207-71	23002	1214-64	25902	1207-21
S21130E	*20901	1224-47	21201	1210-57	21301	1138-15
	22002	1306-59	23100	1415-17	23600	1426-17
	24100	1434-17	24600	1445-17		
S21131E	*20901	1224-51	21201	1209-75	21301	1144-41
	22001	1333-70	23100	1420-50	23100	1429-18
S21132E	*20901	1224-56	20902	1229-62	20902	1229-68

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	20902	1232-41	21301	1146-57		
S21133E	*20901	1224-52	21100	1211-54	21301	1138-31
	21700	1207-77	23002	1214-56	25902	1207-37
S21140E	*20901	1223-35	21201	1210-51	22002	1304-54
	23100	1415-06	23600	1426-06	24100	1434-06
	24600	1445-06				
S21141E	*20901	1223-39	21201	1209-69	21301	1144-46
	22001	1333-43	23100	1415-34	23600	1426-34
	24100	1434-34	24600	1445-34		
S21142E	*20901	1223-42	20902	1229-46	20902	1229-60
	20902	1232-50	21301	1146-60		
S21143E	*20901	1223-38	21100	1211-57	21301	1138-29
	21700	1207-72	23002	1214-59	25903	1209-37
S21150E	*20901	1223-47	21301	1145-57	23100	1415-04
	23600	1426-04	24100	1434-04	24600	1445-04
S21151E	*20901	1223-51	21201	1210-76	21301	1144-48
	22001	1333-56	23100	1415-30	23600	1426-30
	24100	1434-30	24600	1445-30		
S21152E	*20901	1223-56	21301	1145-43	21503	1107-03
	21503	1107-17	21503	1107-31	21503	1107-43
	21600	1329-53	22200	1331-15	22200	1331-41
S21153E	*20901	1223-52	21100	1211-51	21301	1138-30
	21700	1207-78	23002	1214-53	25903	1210-05
S21160E	*20901	1223-61	21301	1145-60	23100	1415-01
	23600	1426-01	24100	1434-01	24600	1445-01
S21161E	*20901	1223-65	21201	1210-70	21301	1138-03
	22001	1333-31	23100	1415-29	23600	1426-29
	24100	1434-29	24600	1445-29		
S21162E	*20901	1223-68	21301	1145-41	21503	1107-01
	21503	1107-15	21503	1107-29	21503	1107-41
	21600	1329-59	22200	1331-18	22200	1331-46
S21163E	*20901	1223-64	21100	1208-62	21301	1138-34
	21700	1207-53	23001	1215-78	25904	1212-21
S21170E	*20901	1223-75	21301	1146-55	23100	1415-03
	23600	1426-03	24100	1434-03	24600	1445-03
S21171E	*20901	1223-79	21201	1210-75	21301	1138-01
	22001	1333-42	23100	1415-31	23600	1426-31
	24100	1434-31	24600	1445-31		
S21172E	*20901	1223-80	21301	1144-01		
S21173E	*20901	1223-76	21100	1208-54	21301	1144-55
	21700	1207-59	23001	1215-72	25904	1212-37
S2118AV	*20901	1220-78	20901	1232-47		
S21190V	*20901	1232-49	22001	1333-20	25901	1203-37
S2120AV	20902	1220-55	*20902	1235-70		
S21210V	*20902	1220-56	21600	1320-29	21600	1320-53
S2122AV	20902	1220-59	*20902	1235-72		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S21230V	*20902	1220-57	21600	1320-31	21600	1320-55
S2201AV	20901	1223-34	20901	1223-48	20901	1223-60
	20901	1223-72	20901	1224-15	20901	1225-31
	20901	1225-43	20901	1225-55	20901	1225-69
	20902	1230-68	20902	1231-57	20902	1232-74
	20902	1232-79	*20902	1235-78		
S22010V	20901	1223-31	20901	1223-43	20901	1223-55
	20901	1223-70	20901	1224-41	20901	1224-60
	20901	1224-70	20901	1225-04	20901	1225-18
	*20902	1232-80				
S2202AV	20901	1224-04	20901	1224-18	20901	1225-03
	20901	1225-53	20901	1225-71	20902	1219-73
	20902	1230-48	20902	1230-53	20902	1232-73
	*20902	1235-77				
S22020V	20901	1223-46	20901	1223-71	20901	1224-03
	20901	1224-17	20901	1224-34	20901	1224-43
	*20902	1232-71				
S2203AV	20901	1225-17	*20902	1232-70		
S22030	*20902	1230-46	20902	1232-69		
S2204A	*20902	1228-63	20902	1230-41	20902	1230-47
	20902	1230-50				
S2205A	20902	1228-77	*20902	1230-45		
S2206A	20902	1228-79	*20902	1230-51		
S22070	20901	1224-46	*20902	1228-75		
S22080	20901	1225-06	20902	1230-62	20902	1230-70
	*20902	1231-63				
S2209A	20902	1228-65	*20902	1230-66		
S2210A	20902	1228-74	*20902	1230-60		
S22110	20901	1223-30	*20902	1228-69		
S22120	20901	1225-15	20902	1219-65	20902	1219-71
	*20902	1230-57				
S22130V	20901	1223-29	20901	1223-41	20901	1223-53
	20901	1223-69	20901	1224-29	20901	1224-48
	20901	1224-57	20901	1224-72	20901	1225-60
	20901	1225-72	*20902	1232-72		
S2214A	20902	1217-71	*20902	1219-72		
S2215A	20902	1217-73	*20902	1219-69		
S22160	20901	1225-20	*20902	1217-72		
S2217A	*20902	1218-09	20902	1220-79		
S22180V	20901	1224-30	*20902	1220-80		
S2223AV	20901	1224-55	20901	1224-71	20901	1225-30
	20901	1225-57	20902	1218-05	*20902	1232-78
S2233AV	20901	1223-57	20901	1224-53	20901	1224-69
	20901	1225-34	20901	1225-48	*20902	1232-77
S2301P	20903	1117-52	*20903	1227-57		
S2301Q	20903	1104-70	*20903	1227-55	20903	1340-04



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S23010V	21302	1116-77	21302	1141-24		
	20902	1218-70	20902	1229-52	20902	1229-66
S23011N	*20902	1232-48	25400	1231-06		
	*20902	1129-80	21401	1209-51	21600	1320-30
S23012N	21600	1320-57	22200	1331-55	22200	1331-71
	*20902	1129-75	21401	1209-57	21600	1320-34
S23013N	21600	1320-60	21600	1407-53	21600	1407-69
	22200	1331-53	22200	1331-69		
	*20902	1129-69	21401	1209-54	21600	1320-46
S23014N	21600	1320-70	21600	1407-57	21600	1407-70
	22200	1331-57	22200	1331-70		
	*20902	1129-70	21600	1320-48	21600	1320-72
S2302P	21600	1407-60	21600	1407-72	22200	1331-60
	22200	1331-72				
S2302Q	*20903	1227-76	20903	1230-79		
S23020V	20902	1232-55	*20903	1227-78	20903	1230-65
S2303P	20902	1218-68	20902	1229-48	20902	1229-54
	*20902	1232-46	25400	1231-08		
S2303Q	20903	1104-68	*20903	1328-11		
S23030V	20902	1218-61	20902	1229-43	20902	1229-49
	20902	1229-55	20902	1229-61	*20903	1328-13
S2304A	25400	1229-10				
	20902	1229-50	20902	1229-56	20902	1229-64
S2304Q	20902	1229-70	*20902	1232-43		
	*20902	1229-47	21000	1118-43		
S2305A	*20903	1117-49	20903	1118-31		
S2305Q	*20902	1229-45	20902	1232-51		
S23050V	*20903	1313-19	25400	1231-22	26002	1214-33
	*20902	1232-53	21000	1109-61	21000	1143-48
S2306A	21000	1143-62	21000	1143-68	21000	1143-77
S23060V	*20902	1229-59	20902	1232-64		
S2307A	*20902	1232-66	21600	1314-30	21600	1314-40
S23070V	*20902	1229-57	20902	1232-61		
S23080	*20902	1232-63	21600	1314-43	21600	1314-56
S2309A	20901	1231-14	20903	1228-78	*20903	1230-80
S23090V	20903	1227-79	*20903	1228-80	20903	1232-62
S2310AV	20903	1230-74	20903	1230-77	*20903	1232-60
S2311A	*20902	1232-56	20903	1227-77		
S23120	20901	1219-78	*20903	1230-69	26002	1214-29
S2314A	20903	1227-62	*20903	1229-35		
S2315A	*20903	1230-75	25400	1231-26	26002	1214-34
S23150V	*20903	1140-59	20903	1232-65	26002	1214-31
S2316A	*20903	1232-68	20903	1340-05	25400	1231-24
S2317AV	*20902	1218-59	23100	1429-05		
S23180	20903	1217-55	*20903	1220-72		
	*20903	1217-57	20903	1220-69		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S2319AV	20903	1217-40	*20903	1220-70	20903	1227-64
	20903	1313-20				
S23200	20903	1118-36	20903	1229-40	*20903	1340-01
S2321A	*20903	1104-64	20903	1118-34		
S23230	*20903	1118-30	20903	1328-08		
S23240	*20903	1217-38	20903	1220-65		
S2325AV	*20903	1220-68	20903	1328-06		
S2330A	*20903	1118-33	20903	1229-37		
S23350	*20901	1219-80	20901	1220-73		
S2336AV	*20901	1220-71	20903	1117-56		
S23500V	20903	1313-14	*20903	1325-24	20903	1328-10
S2827D4	18100	2213-74	*26803	2249-77		
S3000AV	*20903	1119-53	21100	1126-09	21100	1126-23
	21100	1126-37	21100	1126-49	21100	1126-63
	21100	1126-77	21100	1127-09	21100	1127-23
	21100	1127-37	21100	1127-49	21202	1123-37
	21202	1124-09	21403	1124-23	21405	1137-49
S3001A	*20903	1118-75	21000	1104-10	21401	1123-49
	21401	1123-63	21401	1123-77	21402	1136-09
	21402	1136-23	21402	1136-37	21402	1136-63
	21402	1136-77	21403	1127-63	21403	1127-77
	21403	1128-09	21403	1128-23	21403	1128-37
	21403	1128-49	21403	1128-63	21403	1128-77
S3002AV	*20903	1119-66	20903	1220-52		
S30030V	*20903	1220-54	21407	1118-53	21407	1118-59
	21407	1118-62	21407	1118-68		
S3004AV	*20903	1119-63	21408	1105-23	21408	1105-37
	21408	1105-49	21408	1105-63	21408	1105-77
	21408	1106-09	21408	1106-23	21408	1106-37
	21408	1106-49	21408	1106-63	21408	1106-77
S3005AV	*20903	1119-60	21501	1112-11	21501	1117-10
	21501	1117-26	21502	1112-20	21502	1117-01
	21502	1117-14				
S3006A	20903	1113-19	*20903	1118-72	21406	1212-52
	21406	1212-68	21406	1213-52	21406	1213-68
S30070	*20903	1113-21	21409	1104-14	21409	1104-24
	21409	1104-25	21409	1104-33	21409	1104-34
	21409	1104-38	21409	1104-41	21409	1104-56
S3009AV	*20901	1119-80	20901	1220-61	20901	1220-62
	22900	1415-74	23100	1429-07		
S3010AV	*20903	1119-71	21000	1140-04	21000	1309-24
	21405	1117-41	21405	1143-06	21405	1143-22
	21407	1113-74	21407	1113-78		
S3011AV	*20903	1119-70	21402	1136-08	21402	1136-22
	21402	1136-36	21402	1136-62	21402	1136-74
	21405	1143-04	21405	1143-20	21407	1113-73

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S3014AV	21407	1113-79	21408	1134-03	21408	1134-26
	*20903	1119-72	21301	1248-73	21301	1248-74
	21301	1248-79	21302	1140-13	21302	1141-07
	25905	1441-77	26002	1141-36		
S3015AV	*20903	1119-42	21408	1105-08		
S3016AV	*20903	1119-77	21501	1117-15	21501	1117-27
	21502	1117-03	21502	1117-17	22900	1418-64
	22900	1418-66	22900	1418-75	24600	1441-03
S3018AV	*20903	1119-56	21000	1311-09	21000	1426-77
	21100	1424-23	21405	1116-73	21406	1133-21
	21406	1133-29	21406	1133-33	21406	1133-38
	22002	1434-77	22002	1443-23	22002	1445-77
S30200	*20901	1217-52	20901	1231-60	25700	1219-79
	25700	1226-36				
S31000V	*21000	1112-30	21000	1426-73		
S31020	*21000	1118-45	21000	1131-25		
S3103A	21000	1113-04	*21000	1131-27		
S31040	21000	1109-06	21000	1109-07	21000	1109-14
	21000	1109-22	*21000	1113-01		
S3107A	*21000	1109-11	21000	1311-03		
S3110A	*21000	1109-09	21000	1311-01		
S3113A	*21000	1109-23	21000	1311-04		
S3116A	20903	1140-68	*21000	1118-51	21402	1133-03
	21402	1133-08	21402	1134-29	21402	1134-36
	21403	1131-79	21403	1133-47	21403	1133-59
	21403	1133-60	21403	1133-68	21408	1116-61
	*21000	1112-42	21100	1208-49	21100	1211-49
S3116AV	21100	1211-66	21201	1209-66	21201	1210-49
	21201	1210-66	21401	1209-49	21403	1208-66
	21408	1203-49	21408	1203-66	21503	1110-70
	21000	1112-39	21000	1112-59	*21000	1116-45
S31160	21000	1118-47	21402	1134-42	21503	1108-09
	*21000	1109-21	21000	1311-06		
S3117A	*21000	1109-21	21000	1311-06		
S3118AV	21000	1112-52	*21000	1119-37		
S31190V	21000	1109-19	*21000	1112-54		
S3120A	*21000	1109-59	21000	1113-05		
S31210E	21000	1116-43	21000	1143-46	*21000	1311-07
	21503	1107-09				
S31211E	21000	1116-46	21000	1143-70	*21000	1311-11
	21503	1107-23				
S31212E	21000	1116-48	21000	1143-60	*21000	1311-13
	21503	1107-37				
S31213E	21000	1116-50	21000	1143-79	*21000	1311-10
	21503	1107-49				
S3122AV	21000	1109-04	21000	1109-13	21000	1109-20
	21000	1109-25	*21000	1112-57		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S31232E	21000	1109-68	21000	1131-23	*21000	1426-80
S3204AV	*21000	1139-40	21000	1143-50	21000	1143-64
	21000	1143-66	21000	1143-75		
S32040	21000	1139-38	*21000	1140-09		
S3205P	*21000	1143-45	21404	1140-22	21406	1213-49
	21409	1104-18				
S3205Q	*21000	1143-43	21409	1104-22		
S3206P	*21000	1143-59	21404	1140-24	21406	1212-49
	21409	1104-42				
S3206Q	*21000	1143-61	21409	1104-21		
S3207P	*21000	1143-57	21404	1140-25	21406	1213-66
	21409	1104-37				
S3207Q	*21000	1143-55	21409	1104-29		
S3208P	*21000	1143-76	21404	1140-26	21406	1212-66
	21409	1104-48				
S3208Q	*21000	1143-78	21409	1104-52		
S3220A	*21000	1104-51	21000	1140-01		
S3221A	21000	1243-26	*21000	1246-75		
S3222Q	21000	1104-60	*21000	1243-25		
S3223A	*21000	1104-55	21000	1217-23	21000	1309-22
S32240	21000	1119-09	*21000	1309-20		
S3225AV	*21000	1119-07	21000	1243-22	21000	1243-73
S3226A	*21000	1104-04	21000	1309-26		
S3227Q	*21000	1243-74	21000	1246-79		
S3228R	*21000	1113-22	21000	1217-25		
S3228S	21000	1113-23	21000	1113-24	*21000	1217-27
S3229A	*21000	1113-27	21000	1140-05		
S33003E	21100	1125-10	*21100	1127-10	21100	1208-53
	25904	1212-39				
S33013E	21100	1125-08	*21100	1127-24	21100	1208-59
	25904	1212-23				
S33023E	21100	1125-06	*21100	1127-38	21100	1208-56
	25903	1210-07				
S33033E	21100	1125-04	*21100	1127-52	21100	1208-64
	25903	1209-39				
S3304TA	21100	1127-05	*21100	1208-55		
S3304TB	21100	1127-19	*21100	1208-61		
S3304TC	21100	1127-33	*21100	1208-60		
S3304TD	21100	1127-45	*21100	1208-63		
S33051C	21100	1120-07	*21100	1125-11		
S33052C	21100	1120-10	*21100	1125-14		
S3310A	21100	1113-03	*21100	1118-01		
S3311A	21100	1113-07	*21100	1118-09		
S33120	*21100	1113-09	21100	1424-19		
S33133E	21100	1118-04	21100	1217-47	*21100	1424-24
	21202	1139-75	21403	1131-61	21405	1116-71

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S3314A	21100	1113-11	*21100	1118-15		
S3315A	21100	1113-13	*21100	1118-22		
S33160	*21100	1113-15	21100	1118-03	21100	1118-05
S33170V	*21100	1112-24	21100	1118-26		
S3318A	*21100	1217-51	21100	1220-47	26002	1218-22
S33180V	*21100	1220-49	26002	1214-37		
S34013E	21100	1125-24	*21100	1126-10	21100	1211-53
	25902	1207-39				
S34023E	21100	1125-22	*21100	1126-24	21100	1211-59
	25902	1207-23				
S34033E	21100	1125-20	*21100	1126-38	21100	1211-56
	25901	1204-39				
S34043E	21100	1125-18	*21100	1126-52	21100	1211-64
	25901	1204-23				
S34053E	21100	1125-38	*21100	1126-64	21100	1211-72
	25904	1212-07				
S34063E	21100	1125-36	*21100	1126-76	21100	1211-78
	25904	1511-39				
S3407TA	21100	1126-05	*21100	1211-55		
S3407TB	21100	1126-19	*21100	1211-61		
S3407TC	21100	1126-33	*21100	1211-60		
S3407TD	21100	1126-45	*21100	1211-63		
S3408TA	*21100	1211-73	21405	1137-45		
S3408TB	*21100	1211-79	21202	1121-73		
S3408TC	21100	1126-59	*21100	1211-74		
S3408TD	21100	1126-73	*21100	1211-80		
S34091C	21100	1120-05	*21100	1125-27		
S34092C	21100	1120-08	*21100	1125-26		
S34101C	21100	1120-03	*21100	1125-39		
S34102C	21100	1120-06	*21100	1125-40		
S34111C	21100	1118-07	*21100	1120-11	21302	1140-40
S34112C	*21100	1120-14				
S35003E	21201	1120-38	*21201	1122-10	21201	1210-53
	25903	1209-07				
S35013E	21201	1120-36	*21201	1122-24	21201	1210-59
	25902	1207-07				
S35023E	21201	1120-34	*21201	1122-38	21201	1210-56
	25902	1206-39				
S35033E	21201	1120-30	*21201	1122-52	21201	1210-64
	25901	1204-07				
S35043E	21201	1120-52	*21201	1122-64	21201	1210-71
	25901	1203-39				
S35053E	21201	1120-50	*21201	1122-76	21201	1210-77
	25904	1211-23				
S35063E	21201	1120-48	*21201	1123-10	21201	1210-72
	25904	1211-07				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S35073E	21201	1120-46	*21201	1123-24	21201	1210-78
	25903	1208-39				
S3508TA	21201	1122-05	*21201	1210-55		
S3508TB	21201	1122-19	*21201	1210-61		
S3508TC	21201	1122-33	*21201	1210-60		
S3508TD	21201	1122-45	*21201	1210-63		
S3509TA	21201	1122-59	*21201	1210-73		
S3509TB	21201	1122-73	*21201	1210-79		
S3509TC	21201	1123-05	*21201	1210-74		
S3509TD	21201	1123-19	*21201	1210-80		
S35101C	*21201	1120-39	21202	1115-47		
S35102C	*21201	1120-40	21202	1115-52		
S35111C	*21201	1120-51	21202	1115-45		
S35112C	*21201	1120-54	21202	1115-50		
S36003E	21201	1120-64	*21201	1121-10	21201	1209-71
	25903	1205-39				
S36013E	21201	1120-62	*21201	1121-24	21201	1209-77
	25902	1206-23				
S36023E	21201	1120-60	*21201	1121-38	21201	1209-72
	25902	1206-07				
S36033E	21201	1120-57	*21201	1121-52	21201	1209-78
	25901	1203-23				
S36043E	21202	1120-76	*21202	1121-64	21401	1209-64
	25901	1203-07				
S3605TA	21201	1121-05	*21201	1209-73		
S3605TB	21201	1121-19	*21201	1209-79		
S3605TC	21201	1121-33	*21201	1209-74		
S3605TD	21201	1121-45	*21201	1209-80		
S36071C	*21201	1120-65	21202	1119-17		
S36072C	*21201	1120-66	21202	1119-20		
S36081C	21202	1119-27	*21202	1120-79		
S36082C	21202	1119-23	*21202	1120-78		
S36093E	21100	1211-77	21202	1113-10	*21202	1121-76
S37070V	21201	1121-09	21201	1121-23	21201	1121-37
	21201	1121-49	21201	1122-09	21201	1122-23
	21201	1122-37	21201	1122-49	21201	1122-63
	21201	1122-77	21201	1123-09	21201	1123-23
	*21202	1119-24	21202	1121-63	21202	1121-77
S3708AV	21202	1118-20	*21202	1119-25		
S3709AV	21202	1118-19	*21202	1119-18		
S37100	21202	1115-46	*21202	1118-14		
S3711AV	21202	1118-50	*21202	1119-14		
S37110	21202	1115-48	*21202	1118-21		
S37120	*21202	1113-06	21202	1118-17	21202	1118-18
	21202	1118-48	21202	1118-56		
S3713AV	21202	1118-54	*21202	1119-26		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution					
S37141C	*21202	1115-51	21202	1341-76			
S37142C	*21202	1115-54	21202	1341-78			
S3715A	21202	1119-38	21202	1123-33	*21202		1341-80
S37150V	21000	1104-06	*21202	1119-40	21408		1116-62
S37160E	*21202	1123-35	21202	1124-03			
S37161E	*21202	1123-39	21202	1124-01			
S37162E	*21202	1123-42	21202	1124-04			
S37163E	*21202	1123-38	21202	1124-06			
S37210	21202	1115-41	*21202	1118-52			
S37220	21202	1115-43	*21202	1118-46			
S3723AV	21202	1115-56	*21202	1139-77			
S37230E	*21202	1124-07	21202	1140-49			
	21502	1112-21			21407		1117-65
S37231E	*21202	1124-11	21202	1140-52	21407		1117-80
	21502	1112-17					
S37232E	*21202	1124-13	21202	1140-54	21407		1117-53
	21501	1112-04					
S37233E	*21202	1124-10	21202	1140-56	21407		1117-63
	21501	1112-06					
S37240	21202	1131-07	*21202	1140-47			
S3725A	*21202	1131-09	21202	1132-06			
S37250V	*21202	1132-08	26002	1214-35			
S38003E	*21301	1146-10	21301	1248-65			
S38013E	*21301	1144-10	21301	1146-05			
S38023E	21301	1144-05	*21301	1146-24			
S38033E	*21301	1145-24	21301	1146-19			
S38043E	21301	1145-19	*21301	1146-38			
S38053E	*21301	1145-38	21301	1146-33			
S38063E	21301	1145-33	*21301	1146-52			
S38073E	*21301	1145-52	21301	1248-71			
S38083E	21301	1145-45	*21301	1146-64			
S38093E	*21301	1145-64	21301	1146-59			
S38103E	21301	1145-59	*21301	1146-76			
S38113E	*21301	1145-76	21301	1146-73			
S38123E	*21301	1144-24	21301	1145-73			
S38133E	21301	1144-19	*21301	1145-10			
S38143E	*21301	1144-38	21301	1248-77			
S38153E	*21301	1138-10	21301	1144-33			
S38163E	21301	1138-05	*21301	1144-52			
S38173E	*21301	1138-24	21301	1144-45			
S38183E	21301	1138-19	*21301	1144-64			
S38193E	*21301	1138-38	21301	1144-59			
S38203E	21301	1138-33	*21301	1144-76			
S3821D4	18100	2213-10	21301	1104-69	*21301		1248-75
	21301	1349-37	26803	2249-53	27902		J016-53
	31802	J080-37					

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S3821D4R	*27902	J016-54	31802	J080-38		
S3822D4	18102	2213-07	21301	1104-76	*21301	1248-72
	21301	1349-39	26803	2249-55	27902	J016-55
	31802	J080-39				
S3822D4R	*27902	J016-56	31802	J080-40		
S3823D4	18102	2213-26	21301	1104-78	*21301	1248-69
	21301	1349-41	26803	2249-57	27902	J016-57
	31802	J080-41				
S3823D4R	*27902	J016-58	31802	J080-42		
S38240	*21301	1104-80	21301	1112-41		
S3825AV	*21301	1112-46	25905	1308-04		
S3900Q	21302	1139-11	*21302	1142-19		
S39000V	*21302	1139-13	21302	1142-01	21302	1142-18
S3901Q	21302	1139-06	*21302	1142-07		
S39010V	*21302	1139-08	21302	1142-05	21302	1142-26
S3902Q	21302	1139-04	21302	1140-06	*21302	1142-25
S39020V	*21302	1139-03	21302	1142-10	21302	1142-24
S3903Q	21302	1139-62	21302	1140-08	*21302	1142-13
S39030V	*21302	1139-60	21302	1142-08	21302	1142-42
S3904Q	21302	1139-05	21302	1140-10	*21302	1142-37
S39040V	*21302	1139-01	21302	1142-40		
S3905P		1110-05	21302	1116-40	*21302	1142-33
S3906A	*21302	1140-11	21302	1141-05	21302	1232-04
	26002	1243-18				
S39060V	21302	1139-09	21302	1139-15	21302	1139-22
	21302	1141-26	*21302	1232-03		
S3908A	*21302	1141-01	21302	1142-14	25905	1441-79
S39090V	21301	1138-09	21301	1138-23	21301	1138-37
	21301	1144-37	21301	1144-49	21301	1144-63
	21301	1144-77	*21302	1139-25	21302	1141-04
S39100V	21301	1144-23	21301	1145-09	21301	1145-49
	21301	1145-63	21301	1145-77	21301	1146-63
	21301	1146-77	*21302	1139-18	26002	1243-14
S39110V	21301	1144-09	21301	1145-23	21301	1145-37
	21301	1146-09	21301	1146-23	21301	1146-37
	21301	1146-49	*21302	1139-14		
S3912AV	21301	1138-08	21301	1138-22	21301	1138-36
	21301	1144-36	21301	1144-50	21301	1144-62
	21301	1144-74	*21302	1139-07		
S3913AV	21301	1144-22	21301	1145-08	21301	1145-50
	21301	1145-62	21301	1145-74	21301	1146-62
	21301	1146-74	*21302	1139-10		
S3914AV	21301	1144-08	21301	1145-22	21301	1145-36
	21301	1146-08	21301	1146-22	21301	1146-36
	21301	1146-50	*21302	1139-24		
S3915A	21302	1110-01	21302	1139-17	21302	1139-20

Change 2 5-93



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S3916A	21302	1139-23	*21302	1141-09	21302	1142-30
	20903	1140-61	*21302	1116-35	21302	1142-04
	21302	1142-06	21302	1142-20	21302	1142-22
	21302	1142-38				
S3917A	21000	1118-41	*21302	1141-22	21302	1142-34
S39180V	21302	1116-37	*21302	1139-56		
S3919A	*21302	1140-35	21302	1141-11		
S3920R	*21302	1116-76	21302	1141-13		
S3920S	21302	1116-38	21302	1116-75	*21302	1141-15
S3921A	21302	1245-33	*21302	1246-30		
S39210V	21302	1140-37	*21302	1245-31		
S3922Q	*21302	1110-07	21302	1140-42		
S41000V	*21401	1132-37	21401	1133-52		
S41010V	*21401	1132-34	21401	1133-54		
S41020V	*21401	1132-30	21401	1133-56		
S4103A	21401	1132-33	*21401	1133-50		
S41030V	21401	1131-53	*21401	1132-31	21401	1134-49
	21401	1134-70				
S4104A	21401	1132-39	*21401	1134-52		
S41040V	*21401	1132-42	21401	1135-39		
S4105A	21401	1132-52	*21401	1134-46		
S41050V	*21401	1132-54	21401	1135-47		
S4106A	21401	1132-47	*21401	1134-45		
S41060V	*21401	1132-49	21401	1135-48		
S4107A	21401	1132-50	*21401	1134-51		
S41070V	21401	1129-35	*21401	1132-48		
S4108A	21401	1132-41	*21401	1134-66		
S41080V	21401	1129-39	*21401	1132-46		
S4109A	21401	1132-45	*21401	1134-60		
S41090V	21401	1129-47	*21401	1132-43		
S4110A	21401	1132-51	*21401	1134-57		
S41100V	21401	1129-48	*21401	1132-53		
S4111A	21401	1132-64	*21401	1134-63		
S41110V	21401	1129-46	*21401	1132-66		
S4112A	21401	1132-61	*21401	1134-75		
S41120V	21401	1129-45	*21401	1132-63		
S4113A	21401	1132-62	*21401	1134-72		
S41130V	21401	1129-41	*21401	1132-60		
S4114TA	21401	1123-45	*21401	1209-55		
S4114TB	21401	1123-59	*21401	1209-61		
S4114TC	21401	1123-73	*21401	1209-60		
S4114TD	21202	1121-59	*21401	1209-63		
S41153E	*21401	1123-52	21401	1132-35	21401	1134-43
	21401	1134-59	21401	1209-53		
S41163E	*21401	1123-64	21401	1132-36	21401	1134-50
	21401	1134-55	21401	1134-77	21401	1209-59

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S41173E	*21401	1123-76	21401	1132-29	21401	1134-56
	21401	1134-64	21401	1134-71	21401	1209-56
S41182N	*21401	1129-43	21401	1135-46		
S41183N	*21401	1129-37	21401	1135-45		
S41184N	*21401	1129-38	21401	1135-41		
S41185N	*21401	1129-40	21401	1135-36		
S41191N	*21401	1135-50	21406	1124-34	21406	1124-48
	21406	1124-60	21406	1124-72		
S41192N	*21401	1135-43	21406	1124-30	21406	1124-46
	21406	1124-57	21406	1124-70		
S41193N	*21401	1135-37	21406	1124-29	21406	1124-41
	21406	1124-53	21406	1124-69		
S41194N	*21401	1135-38	21406	1124-31	21406	1124-43
	21406	1124-55	21406	1124-71		
S4120A	*21401	1131-57	21401	1139-69		
S41210V	21401	1135-35	*21401	1139-70		
S4205A	*21402	1133-15	21402	1139-52		
S42050V	21402	1135-25	*21402	1139-54		
S4206A	*21402	1133-20	21402	1139-47		
S42060V	21402	1135-33	*21402	1139-49		
S4207A	*21402	1133-19	21402	1139-50		
S42070V	21402	1135-27	*21402	1139-48		
S4209A	21000	1112-29	21100	1118-11	21402	1131-08
	*21402	1140-33	21402	1242-07		
S4210A	21402	1132-09	*21402	1242-11		
S42100V	*21402	1132-07	21402	1134-04	21402	1135-14
S4211A	21402	1131-11	21402	1131-24	*21402	1134-06
	21402	1139-41				
S42110	*21402	1131-15	21402	1134-34		
S42110V	21402	1133-09	21402	1133-22	*21402	1139-46
	21402	1232-05	26002	1314-66	26002	1314-77
S42120	*21402	1131-22	21402	1134-31		
S42121N	21402	1132-76	*21402	1135-17		
S42122N	21402	1132-75	*21402	1135-11	21408	1118-25
S42151N	21401	1134-53	21401	1134-62	21401	1134-68
	21402	1134-18	*21402	1135-30		
S42152N	21401	1134-47	21401	1134-61	21401	1134-73
	21401	1134-79	21402	1133-01	*21402	1135-29
S42153N	21401	1131-55	21401	1134-41	21401	1134-48
	21401	1134-54	21402	1133-06	*21402	1135-21
	21408	1118-23				
S42160V	*21402	1132-10	21402	1140-31		
S42163E	21402	1132-15	21402	1135-31	*21402	1136-10
	21402	1242-01				
S42170V	*21402	1132-24	21402	1140-34		
S42173E	21402	1132-22	21402	1135-34	*21402	1136-24

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	21402	1242-04				
S42180V	*21402	1132-25	21402	1140-36		
S42183E	21402	1132-23	21402	1135-23	*21402	1136-38
	21402	1242-05				
S42193E	21402	1134-08	21402	1135-13	*21402	1136-64
S42203E	21402	1134-10	21402	1135-18	*21402	1136-76
S4222A	*21402	1134-30	21402	1139-45		
S42220V	21402	1136-73	*21402	1139-43		
S4225A	*21402	1134-33	21402	1139-51		
S42250V	21402	1136-59	*21402	1139-53		
S4228A	*21402	1133-04	21402	1139-64		
S42280V	21402	1.136-33	*21402	1139-66		
S4231A	*21402	1133-07	21402	1139-61		
S42310V	21402	1136-19	*21402	1139-63		
S4234A	21402	1131-18	*21402	1134-14		
S42340	*21402	1131-14	21402	1136-05		
S4251A	21402	1131-20	*21402	1134-38		
S4252A	*21402	1131-21	21402	1140-30		
S4253AV	21402	1131-13	*21402	1132-77		
S4254AV	21402	1131-26	*21402	1132-78		
S4255A	21402	1131-10	*21402	1134-01		
S42560	*21402	1131-06	21402	1139-73		
S4257AV	21402	1133-11	21402	1133-17	21402	1133-24
	*21402	1139-71				
S4260AV	21100	1112-22	21100	1118-13	21202	1113-08
	*21402	1119-08	21402	1131-65		
S42610	21402	1119-11	*21402	1131-69		
S4262AV	*21402	1119-13	21402	1133-05	21402	1133-10
	21402	1134-20	21402	1134-40		
S4263AV	21402	1134-05	*21402	1232-01		
S4300A	21403	1132-55	*21403	1133-64		
S43000V	21403	1128-05	*21403	1132-56		
S4301A	21403	1132-59	*21403	1133-55		
S43010V	21403	1128-19	*21403	1132-57		
S4302A	21403	1132-65	*21403	1133-63		
S43020V	21403	1128-33	*21403	1132-68		
S43061C	*21403	1125-51	21403	1132-74		
S43062C	21403	1124-19	*21403	1125-54	21403	1132-69
S43091C	*21403	1115-39	21403	1125-52		
S43092C	*21403	1115-40	21403	1125-47		
S43101N	21403	1115-35	*21403	1129-63	21403	1133-45
S43102N	21403	1115-33	*21403	1129-57	21403	1133-57
S43103N	21403	1115-31	*21403	1129-51	21403	1133-53
S43104N	21403	1115-29	*21403	1129-54	21403	1133-66
S43105N	21403	1125-45	*21403	1129-56		
S43113E	*21403	1128-10	21403	1129-52		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S43123E	*21403	1128-24	21403	1129-55		
S43133E	*21403	1128-38	21403	1129-59		
S43143E	*21403	1128-52	21403	1129-62		
S43153E	21403	1115-38	*21403	1128-64	21403	1132-20
	21403	1208-71				
S43163E	21403	1115-36	*21403	1128-76	21403	1132-04
	21403	1208-77				
S43173E	21403	1115-34	*21403	1127-64	21403	1208-72
S43183E	21403	1115-30	*21403	1127-76	21403	1132-11
	21403	1208-78				
S4319TA	21403	1128-59	*21403	1208-73		
S4319TB	21403	1128-73	*21403	1208-79		
S4319TC	21403	1127-59	*21403	1208-74		
S4319TD	21403	1127-73	*21403	1208-80		
S4320A	*21403	1131-63	21403	1132-73		
S43200V	21403	1129-61	*21403	1132-71		
S4325A	*21403	1133-51	21403	1134-35		
S43253E	21402	1133-13	21402	1133-18	21402	1133-26
	21402	1242-06	*21403	1124-24		
S4326A	*21403	1131-75	21403	1134-37		
S43270V	21403	1131-77	*21403	1132-72		
S43280V	*21403	1132-70	21403	1133-49	21403	1133-61
	21403	1133-62	21403	1133-70		
S43290	21403	1128-45	*21403	1134-39		
S44060	21000	1113-26	21100	1118-24	21402	1131-19
	21404	1134-13	*21404	1140-23	21405	1119-21
	21405	1137-50	21405	1143-36		
S44090	*21404	1134-15	21404	1137-09	21404	1137-23
	21404	1137-37	21404	1137-63	21404	1137-77
	21404	1138-49	21404	1138-63	21404	1138-77
S44103E	*21404	1137-10	21404	1138-45		
S44113E	21404	1137-19	*21404	1138-52		
S44123E	21404	1134-17	*21404	1137-24		
S44133E	*21404	1137-38	21406	1212-57	21406	1212-75
	21406	1213-57	21406	1213-75		
S44143E	*21404	1137-64	21404	1138-59		
S44153E	21404	1137-73	*21404	1138-64		
S44163E	*21404	1137-76	21404	1138-73		
S44173E	*21404	1138-76	21406	1212-51	21406	1212-69
	21406	1213-51	21406	1213-69		
S4419A	*21404	1134-21	21404	1139-59		
S44200V	21404	1137-33	*21404	1139-57		
S4501P	*21405	1143-21	26001	1218-08		
S4501Q	21405	1139-33	*21405	1143-19		
S4502A	21404	1134-11	*21405	1141-38	21405	1143-14
S4502Q	21405	1139-29	*21405	1143-07	26001	1218-10

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S4503AV	*21405	1139-37	21405	1143-08	21405	1143-30
	21405	1143-42				
S4503Q	21405	1139-36	*21405	1143-25		
S4504AV	*21405	1139-34	21405	1143-10	21405	1143-24
S4504Q	21405	1139-35	*21405	1143-13		
S4505AV	*21405	1139-30	21405	1143-05	21405	1143-26
S4505P	21000	1104-53	21404	1137-08	21404	1137-22
	21404	1137-36	21404	1137-62	21404	1137-74
	21404	1138-50	21404	1138-62	21404	1138-74
	21405	1141-42	*21405	1143-35		
S4506AV	*21405	1139-31	21405	1143-01	21405	1143-18
S4506P	*21405	1143-33	26002	1141-35		
S4506Q	21000	1104-49	*21405	1143-31		
S4507A	*21405	1116-69	21405	1141-29		
S45073E	21000	1104-08	21000	1104-45	21000	1113-25
	21100	1211-71	21402	1119-06	21402	1131-17
	21405	1116-72	21405	1117-48	*21405	1137-52
S4508A	21000	1243-65	*21405	1140-21	21405	1143-38
S4508P	21405	1140-18	21405	1141-31	*21405	1143-47
S45090	21405	1140-14	*21405	1141-33	21405	1143-54
S45130	21405	1140-20	*21405	1141-27	21405	1143-52
S4514AV	21000	1109-70	*21405	1119-19	21405	1141-23
S4515Q	*21405	1117-43	21405	1141-25		
S46000E	*21406	1124-35	21406	1213-53		
S46001E	*21406	1124-39	21406	1213-59		
S46002E	*21406	1124-42	21406	1213-56		
S46010E	*21406	1124-47	21406	1212-53		
S46011E	*21406	1124-51	21406	1212-59		
S46012E	*21406	1124-56	21406	1212-56		
S46020E	*21406	1124-61	21406	1213-71		
S46021E	*21406	1124-65	21406	1213-77		
S46022E	*21406	1124-68	21406	1213-72		
S46030E	*21406	1124-75	21406	1212-71		
S46031E	*21406	1124-79	21406	1212-77		
S46032E	*21406	1124-80	21406	1212-72		
S4604TA	*21406	1213-55	22801	1440-79	25903	1209-50
S4604TB	*21406	1213-61	22801	1440-73	25903	1210-17
S4604TC	*21406	1213-60	22801	1440-69	25904	1212-33
S4605TA	*21406	1212-55	22801	1440-74		
S4605TB	*21406	1212-61	22801	1440-76	25901	1205-17
S4605TC	*21406	1212-60	22801	1440-75	25901	1205-33
S4606TA	*21406	1213-73	22802	1337-69	25902	1208-17
S4606TB	*21406	1213-79	22802	1337-74	25902	1208-33
S4606TC	*21406	1213-74	22802	1337-76	25903	1210-33
S4607TA	*21406	1212-73	2280'2	1337-75	25903	1210-50
S4607TB	*21406	1212-79	22802	1439-51	25904	1213-17

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S4607TC	*21406	1212-74	22802	1439-64	25904	1213-33
S4608A	21406	1132-17	*21406	1133-27		
S46080V	21406	1124-37	*21406	1132-14		
S4610A	21406	1132-21	*21406	1133-36		
S46100V	21406	1124-49	*21406	1132-19		
S4612A	21406	1132-27	*21406	1133-31		
S46120V	21406	1124-63	*21406	1132-26		
S4614A	21406	1132-38	*21406	1133-39		
S46140V	21406	1124-77	*21406	1132-40		
S4700A	21407	1113-77	*21407	1118-66		
S4701AV	*21407	1112-80	21407	1117-73		
S47010	21407	1112-79	*21407	1113-75		
S4702A	21407	1113-71	*21407	1118-60		
S4703AV	*21407	1112-71	21407	1117-75		
S47030	21407	1112-73	*21407	1113-72		
S4704A	21407	1113-65	*21407	1118-57		
S4705AV	*21407	1112-70	21407	1117-64		
S47050	21407	1112-69	*21407	1113-69		
S4706A	21407	1113-76	*21407	1118-63		
S4707AV	*21407	1112-72	21407	1117-66		
S47070	21407	1112-74	*21407	1113-80		
S4708Q	*21407	1117-61	21409	1104-17	21409	1104-26
	22803	1429-34	22803	1429-42		
S4709Q	*21407	1117-55	21409	1104-23	21409	1104-40
	22803	1429-31	22803	1429-35		
S4710Q	*21407	1117-78	21409	1104-30	21409	1104-35
	22803	1429-48	22803	1429-56		
S4711Q	*21407	1117-74	21409	1104-46	21409	1104-54
	22803	1429-43	22803	1429-47		
S4801P	*21408	1110-76	21408	1112-64	21408	1116-55
	21408	1118-37				
S48010	21408	1116-66	*21408	1118-80		
S48013E	*21408	1105-38	21408	1106-17	21408	1203-53
S4802A	21408	1106-05	*21408	1116-59		
S4802Q	21408	1107-59	*21408	1110-74		
S48023E	*21408	1105-52	21408	1106-15	21408	1203-59
S4803A	21408	1112-65	*21408	1116-57	21408	1118-35
	21408	1118-76				
S48033E	*21408	1105-64	21408	1106-18	21408	1203-56
S4804AV	*21408	1112-63	21408	1134-24		
S48043E	*21408	1105-76	21408	1106-20	21408	1203-64
S4805AV	*21408	1112-60	21408	1118-65	21408	1134-23
S48053E	21408	1105-17	*21408	1106-38	21408	1203-71
S4806A	*21408	1118-69	21408	1134-07		
S48063E	21408	1105-15	*21408	1106-52	21408	1203-77
S48070	21408	1110-77	*21408	1118-39		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S48073E	21408	1105-18	*21408	1106-64	21408	1203-72
S4808AV	21408	1110-72	*21408	1112-66		
S48083E	21408	1105-20	*21408	1106-76	21408	1203-78
S48090E	*21408	1106-21	21408	1248-29		
S48090V	21408	1105-26	21408	1106-26	*21408	1112-68
S48091E	*21408	1106-27	21408	1248-34		
S48092E	*21408	1106-25	21408	1248-40		
S48093E	*21408	1106-24	21408	1248-23		
S48100E	*21408	1105-21	21408	1248-17		
S48101E	*21408	1105-27	21408	1248-18		
S48102E	*21408	1105-25	21408	1248-24		
S48103E	*21408	1105-24	21408	1248-11		
S4811TA	21408	1105-33	*21408	1203-55		
S4811TB	21408	1105-45	*21408	1203-61		
S4811TC	21408	1105-59	*21408	1203-60		
S4811TD	21408	1105-73	*21408	1203-63		
S4812TA	21408	1106-33	*21408	1203-73		
S4812TB	21408	1106-45	*21408	1203-79		
S4812TC	21408	1106-59	*21408	1203-74		
S4812TD	21408	1106-73	*21408	1203-80		
S48133E	*21408	1106-10	21408	1116-60	21408	1118-78
S48142E	*21408	1107-68	21408	1112-61		
S48143E	21408	1105-05	*21408	1107-64		
S48153E	*21408	1105-10	21408	1107-73		
S48162E	*21408	1107-80	21408	1112-62		
S48163E	*21408	1107-76	21408	1117-34	21408	1118-74
	21408	1248-03				
S4819D4	18102	2213-19	18300	2305-30	*21408	1248-09
	26002	1215-35	26802	1349-33	26803	2249-59
	27902	J016-59	31801	J080-33		
S4819D4R	*27902	J016-60	31801	J080-34		
S4820D4	18102	2213-42	*21408	1248-15	25904	1211-33
	26802	1349-29	26803	2249-61	27902	J016-61
	31801	J080-29				
S4820D4R	*27902	J016-62	31801	J080-30		
S4821D4	18102	2213-31	*21408	1248-22	25904	1211-17
	26802	1349-27	26803	2249-63	27902	J016-63
	31801	J080-27				
S4821D4R	*27902	J016-64	31801	J080-28		
S4822D4	18102	2213-56	*21408	1248-14	25903	1208-50
	26802	1349-25	26803	2249-65	27902	J016-65
	31801	J080-25				
S4822D4R	*27902	J016-66	31801	J080-26		
S4823D4	18102	2213-43	*21408	1248-21	25903	1205-50
	26802	1349-23	26803	2249-69	27902	J016-69
	31801	J080-23				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S4823D4R	*27902	J016-70	31801	J080-24		
S4824D4	18102	2213-70	*21408	1248-27	25902	1206-33
	26802	1349-21	26803	2249-71	27902	J016-71
	31801	J080-21				
S4824D4R	*27902	J016-72	31801	J080-22		
S4825D4	18102	2213-55	*21408	1248-38	25904	1206-17
	26802	1349-19	26803	2249-73	27902	J016-73
	31801	J080-19				
S4825D4R	*27902	J016-74	31801	J080-20		
S4826D4	18102	2213-79	*21408	1248-30	25901	1203-33
	26802	1349-17	26803	2249-75	27902	J016-75
	31801	J080-17				
S4826D4R	*27902	J016-76	31801	J080-18		
S4827D4	*21408	1248-33	25901	1203-17	26802	1349-15
	27902	J016-77	31801	J080-15		
S4827D4R	*27902	J016-78	31801	J080-16		
S4828P	*21408	1117-33	21408	1134-25		
S48290	*21408	1134-27	21408	1248-07	21408	1248-13
	21408	1248-19	21408	1248-20	21408	1248-25
	21408	1248-26	21408	1248-31	21408	1248-36
	21408	1248-42				
S4830AV	21408	1110-75	*21408	1119-43		
S48310	21408	1119-45	*21408	1134-09		
S48320	21408	1119-41	*21408	1134-22		
S4833AV	21408	1110-73	*21408	1119-46		
S4834A	*21408	1118-27	21408	1119-59		
S48340V	21408	1116-64	*21408	1119-57	26002	1131-04
S4900A	*21409	1104-20	21409	1116-30		
S4901A	*21409	1104-19	21409	1116-49		
S4902A	*21409	1104-27	21409	1116-31		
S4903A	*21409	1104-36	21409	1116-52		
S4904A	*21409	1104-31	21409	1116-34		
S4905A	*21409	1104-39	21409	1116-54		
S4906A	*21409	1104-50	21409	1116-36		
S4907A	*21409	1104-43	21409	1116-56		
S49080	21405	1141-40	*21409	1116-33	21409	1248-08
	26001	1218-06				
S49090	*21409	1116-47	21409	1248-04		
S4910D4	08502	2308-36	08502	2344-26	*21409	1248-06
	21409	1349-53	26802	2250-57	31302	J073-57
	31802	J080-53				
S4910D4R	*31302	J073-58	31802	J080-54		
S4911D4	08502	2308-35	08502	2344-08	*21409	1248-01
	21409	1349-57	26802	2250-59	31302	J073-59
	31802	J080-57				
S4911D4R	*31302	J073-60	31802	J080-58		



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S5002P	*21501	1110-11	21501	1111-13	21504	1114-15
S5003A	21501	1108-22	*21501	1111-11		
S50040E	*21501	1108-21	21501	1110-06	21501	1111-05
	21504	1114-07				
S50041E	*21501	1108-27	21501	1111-06	21501	1113-40
	21501	1131-34	21504	1114-05		
S50042E	*21501	1108-25	21501	1111-07	21504	1114-03
S50043E	*21501	1108-24	21501	1111-08	21501	1117-08
	21504	1114-01				
S5005Q	21501	1111-10	21501	1113-42	*21501	1117-13
	21501	1131-42	21504	1114-21		
S50060	*21501	1113-38	21501	1131-36	21501	1131-40
S5007A	21501	1113-36	*21501	1131-38		
S5008A	21501	1113-34	*21501	1131-30		
S50090	21501	1108-19	*21501	1113-30		
s50100V	21501	1108-23	21501	1108-37	*21501	1112-13
S5013P	*21501	1110-23	21501	1111-26	21504	1114-41
S5014A	21501	1108-36	*21501	1111-23		
S50150E	*21501	1108-35	21501	1110-22	21501	1111-19
	21504	1114-35				
S50151E	*21501	1108-39	21501	1111-20	21501	1113-29
	21501	1131-35	21504	1114-33		
S50152E	*21501	1108-42	21501	1111-22	21504	1114-31
S50153E	*21501	1108-38	21501	1111-24	21501	1117-24
	21504	1114-29				
S5016Q	21501	1111-25	21501	1113-31	*21501	1117-25
	21501	1131-31	21504	1114-47		
S50170	*21501	1113-33	21501	1131-29	21501	1131-37
S5018A	21501	1113-37	*21501	1131-33		
S5019A	21501	1113-35	*21501	1131-39		
S50200	21501	1108-33	*21501	1113-39		
S50210V	21501	1110-10	*21501	1112-08		
S50220V	21501	1110-26	*21501	1112-03		
S5102P	*21502	1110-35	21502	1111-42	21504	1114-69
S5103A	21502	1108-50	*21502	1111-35		
S51040E	*21502	1108-47	21502	1110-38	21502	1111-34
	21504	1114-61				
S51041E	*21502	1108-51	21502	1111-36	21502	1113-54
	21502	1131-48	21504	1114-59		
S51042E	*21502	1108-56	21502	1111-37	21504	1114-55
S51043E	*21502	1108-52	21502	1111-38	21502	1117-05
	21504	1114-53				
S5105Q	21502	1111-40	21502	1113-56	*21502	1117-07
	21502	1131-56	21504	1114-75		
S51060	*21502	1113-52	21502	1131-50	21502	1131-54
S5107A	21502	1113-50	*21502	1131-52		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S5108A	21502	1113-48	*21502	1131-46		
S51090	21502	1108-45	*21502	1113-46		
S51100V	21502	1108-49	21502	1108-63	*21502	1112-18
S5113P	*21502	1110-47	21502	1111-56	21504	1115-15
S5114A	21502	1108-62	*21502	1111-47		
S51150E	*21502	1108-61	21502	1110-52	21502	1111-48
	21504	1115-07				
S51151E	*21502	1108-65	21502	1111-49	21502	1113-41
	21502	1131-47	21504	1115-05		
S51152E	*21502	1108-68	21502	1111-50	21504	1115-03
S51153E	*21502	1108-64	21502	1111-52	21502	1117-18
	21504	1115-01				
S5116Q	21502	1111-54	21502	1113-43	*21502	1117-19
	21502	1131-43	21504	1115-21		
S51170	*21502	1113-45	21502	1131-41	21502	1131-49
S5118A	21502	1113-49	*21502	1131-45		
S5119A	21502	1113-47	*21502	1131-51		
S51200	21502	1108-59	*21502	1113-51		
S51210V	21502	1110-42	*21502	1112-14		
S51220V	21502	1110-56	*21502	1112-19		
S5200Q	*21503	1110-61	21504	1114-24	21504	1114-52
	21504	1114-76	21504	1115-24		
S52000E	*21503	1108-07	21503	1112-36	21504	1114-10
	21504	1114-38	21504	1114-64		
S52001E	*21503	1108-11	21503	1112-35	21504	1114-08
	21504	1114-36	21504	1114-62		
S52002E	*21503	1108-13	21503	1112-38	21504	1114-06
	21504	1114-34	21504	1114-60		
S52003E	*21503	1108-10	21503	1112-27	21504	1114-04
	21504	1114-30	21504	1114-57		
S52010E	*21503	1107-07	22803	1429-36		
S52011E	*21503	1107-11	22803	1429-40		
S52020E	*21503	1107-21	22803	1429-37		
S52021E	*21503	1107-27	22803	1429-29		
S52030E	*21503	1107-35	22803	1429-50		
S52031E	*21503	1107-39	22803	1429-54		
S52040E	*21503	1107-47	22803	1429-49		
S52041E	*21503	1107-51	22803	1429-41		
S5205A	*21503	1113-66	21504	1115-04		
S52050V	*21503	1112-26	21503	1113-68		
S5206A	*21503	1113-60	21504	1115-06		
S52060V	*21503	1112-40	21503	1113-62		
S5207A	*21503	1113-57	21504	1115-08		
S52070V	*21503	1112-37	21503	1113-53		
S5208A	*21503	1113-63	21504	1115-10		
S52080V	*21503	1112-34	21503	1113-59		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S5002P	*21501	1110-11	21501	1111-13	21504	1114-15
S5003A	21501	1108-22	*21501	1111-11		
S50040E	*21501	1108-21	21501	1110-06	21501	1111-05
	21504	1114-07				
S50041E	*21501	1108-27	21501	1111-06	21501	1113-40
	21501	1131-34	21504	1114-05		
S50042E	*21501	1108-25	21501	1111-07	21504	1114-03
S50043E	*21501	1108-24	21501	1111-08	21501	1117-08
	21504	1114-01				
S5005Q	21501	1111-10	21501	1113-42	*21501	1117-13
	21501	1131-42	21504	1114-21		
S50060	*21501	1113-38	21501	1131-36	21501	1131-40
S5007A	21501	1113-36	*21501	1131-38		
S5008A	21501	1113-34	*21501	1131-30		
S50090	21501	1108-19	*21501	1113-30		
S50100V	21501	1108-23	21501	1108-37	*21501	1112-13
S5013P	*21501	1110-23	21501	1111-26	21504	1114-41
S5014A	21501	1108-36	*21501	1111-23		
S50150E	*21501	1108-35	21501	1110-22	21501	1111-19
	21504	1114-35				
S50151E	*21501	1108-39	21501	1111-20	21501	1113-29
	21501	1131-35	21504	1114-33		
S50152E	*21501	1108-42	21501	1111-22	21504	1114-31
S50153E	*21501	1108-38	21501	1111-24	21501	1117-24
	21504	1114-29				
S5016Q	21501	1111-25	21501	1113-31	*21501	1117-25
	21501	1131-31	21504	1114-47		
S50170	*21501	1113-33	21501	1131-29	21501	1131-37
S5018A	21501	1113-37	*21501	1131-33		
S5019A	21501	1113-35	*21501	1131-39		
S50200	21501	1108-33	*21501	1113-39		
S50210V	21501	1110-10	*21501	1112-08		
S50220V	21501	1110-26	*21501	1112-03		
S5102P	*21502	1110-35	21502	1111-42	21504	1114-69
S5103A	21502	1108-50	*21502	1111-35		
S51040E	*21502	1108-47	21502	1110-38	21502	1111-34
	21504	1114-61				
S51041E	*21502	1108-51	21502	1111-36	21502	1113-54
	21502	1131-48	21504	1114-59		
S51042E	*21502	1108-56	21502	1111-37	21504	1114-55
S51043E	*21502	1108-52	21502	1111-38	21502	1117-05
	21504	1114-53				
S5105Q	21502	1111-40	21502	1113-56	*21502	1117-07
	21502	1131-56	21504	1114-75		
S51060	*21502	1113-52	21502	1131-50	21502	1131-54
S5107A	21502	1113-50	*21502	1131-52		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S5108A	21502	1113-48	*21502	1131-46		
S51090	21502	1108-45	*21502	1113-46		
S51100V	21502	110'8-49	21502	1108-63	*21502	1112-18
S5113P	*21502	1110-47	21502	1111-56	21504	1115-15
S5114A	21502	1108-62	*21502	1111-47		
S51150E	*21502	1108-61	21502	1110-52	21502	1111-48
	21504	1115-07				
S51151E	*21502	1108-65	21502	1111-49	21502	1113-41
	21502	1131-47	21504	1115-05		
S51152E	*21502	1108-68	21502	1111-50	21504	1115-03
S51153E	*21502	1108-64	21502	1111-52	21502	1117-18
	21504	1115-01				
S5116Q	21502	1111-54	21502	1113-43	*21502	1117-19
	21502	1131-43	21504	1115-21		
S51170	*21502	1113-45	21502	1131-41	21502	1131-49
S5118A	21502	1113-49	*21502	1131-45		
S5119A	21502	1113-47	*21502	1131-51		
S51200	21502	1108-59	*21502	1113-51		
S51210V	21502	1110-42	*21502	1112-14		
S51220V	21502	1110-56	*21502	1112-19		
S5200Q	*21503	1110-61	21504	1114-24	21504	1114-52
	21504	1114-76	21504	1115-24		
S52000E	*21503	1108-07	21503	1112-36	21504	1114-10
	21504	1114-38	21504	1114-64		
S52001E	*21503	1108-11	21503	1112-35	21504	1114-08
	21504	1114-36	21504	1114-62		
S52002E	*21503	1108-13	21503	1112-38	21504	1114-06
	21504	1114-34	21504	1114-60		
S52003E	*21503	1108-10	21503	1112-27	21504	1114-04
	21504	1114-30	21504	1114-57		
S52010E	*21503	1107-07	22803	1429-36		
S52011E	*21503	1107-11	22803	1429-40		
S52020E	*21503	1107-21	22803	1429-37		
S52021E	*21503	1107-27	22803	1429-29		
S52030E	*21503	1107-35	22803	1429-50		
S52031E	*21503	1107-39	22803	1429-54		
S52040E	*21503	1107-47	22803	1429-49		
S52041E	*21503	1107-51	22803	1429-41		
S5205A	*21503	1113-66	21504	1115-04		
S52050V	*21503	1112-26	21503	1113-68		
S5206A	*21503	1113-60	21504	1115-06		
S52060V	*21503	1112-40	21503	1113-62		
S5207A	*21503	1113-57	21504	1115-08		
S52070V	*21503	1112-37	21503	1113-53		
S5208A	*21503	1113-63	21504	1115-10		
S52080V	*21503	1112-34	21503	1113-59		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S53001C	*21504	1114-11	21504	1116-06		
S53002C	*21504	1114-14	21504	1116-13		
S53011C	*21504	1114-27	21504	1116-08		
S53012C	*21504	1114-26	21504	1116-10		
S53021C	*21504	1114-39	21504	1116-01		
S53022C	*21504	1114-40	21504	1116-07		
S53031C	*21504	1114-51	21504	1116-04		
S53032C	*21504	1114-54	21504	1116-05		
S53041C	*21504	1114-65	21504	1116-22		
S53042C	*21504	1114-66	21504	1116-26		
S53051C	*21504	1114-79	21504	1116-24		
S53052C	*21504	1114-78	21504	1116-25		
S53061C	*21504	1115-11	21504	1116-14		
S53062C	*21504	1115-14	21504	1116-20		
S53071C	*21504	1115-27	21504	1116-18		
S53072C	*21504	1115-26	21504	1116-19		
S5308A	21504	1112-05	*21504	1116-11		
S5309A	21504	1112-09	*21504	1116-09		
S5310A	21504	1112-15	*21504	1116-23		
S5311A	21504	1112-23	*21504	1116-21		
S53130V	21407	1118-61	*21504	1112-01		
S53140V	21407	1118-55	*21504	1112-07		
S53150V	21407	1118-64	*21504	1112-10		
S53160V	21407	1118-70	*21504	1112-25		
S6A00A	22900	1410-11	*22900	1411-11		
S6A010V	*22900	1410-13	22900	1415-78	22900	1419-41
S6A02A	22900	1418-70	*22900	1419-45		
S6A03Q	22900	1410-59	*22900	1418-61	22900	1419-70
S6A040E	*22900	1415-75	23100	1430-10		
S6A041E	*22900	1415-79	23600	1430-05		
S6A042E	*22900	1415-80	24100	1430-25		
S6A043E	*22900	1415-76	24600-	1430-19		
S6A05AV	23001	1408-63	23001	1408-77	23001	1409-63
	23001	1409-77	*23001	1412-13	23001	1436-23
	23002	1405-09	23002	1405-23	23002	1405-37
	23002	1405-49	23002	1405-63	23002	1405-77
S6A06AV	22900	1410-06	*22900	1412-08		
S6A060V	*22900	1410-08	23100	1419-54	25904	1212-18
S6A07AV	22900	1410-04	*22900	1412-03		
S6A070V	*22900	1410-03	23100	1414-05	23600	1427-05
	24100	1433-05	24600	1446-05	25904	1211-47
S6A08AV	22900	1410-05	*22900	1412-01		
S6A080V	*22900	1410-01	23100	1414-03	23600	1427-03
	24100	1433-03	24600	1446-03	25903	1209-34
S6A09AV	22900	1410-09	*22900	1412-07		
S6A090V	*22900	1410-07	23100	1414-01	23600	1427-01

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	24100	1433-01	24600	1446-01	25903	1209-18
S6A10AV	22900	1410-15	*22900	1412-10		
S6A100V	*22900	1410-10	23100	1414-21	23600	1427-21
	24100	1433-21	24600	1446-21	25902	1207-18
S6A11AV	22900	1410-22	*22900	1412-24		
S6A110V	*22900	1410-24	23100	1414-19	23600	1427-19
	24100	1433-19	24600	1446-19	25902	1206-47
S6A12AV	22900	1410-23	*22900	1412-25		
S6A120V	*22900	1410-25	23100	1414-17	23600	1427-17
	24100	1433-17	24600	1446-17	25901	1204-18
S6A13AV	22900	1410-20	*22900	1412-18		
S6A130V	*22900	1410-18	23100	1414-15	23600	1427-15
	24100	1433-15	24600	1446-15	25901	1203-47
S6A14AV	22900	1410-17	*22900	1412-14		
S6A140V	*22900	1410-14	23100	1404-47	23600	1427-35
	24100	1433-35	24600	1446-35	25904	1211-34
S6A15AV	22900	1410-21	*22900	1412-19		
S6A150V	*22900	1410-19	23100	1404-45	23600	1427-33
	24100	1433-33	24600	1446-33	25904	1211-18
S6A16AV	22900	1410-27	*22900	1412-26		
S6A160V	*22900	1410-26	23100	1404-43	23600	1427-31
	24100	1433-31	24600	1446-31	25903	1208-47
S6A17AV	22900	1410-38	*22900	1412-40		
S6A170V	*22900	1410-40	23100	1404-41	23600	1427-29
	24100	1433-29	24600	1446-29	25903	1205-47
S6A18AV	22900	1410-35	*22900	1412-37		
S6A180V	*22900	1410-37	23100	1414-47	23600	1427-47
	24100	1433-47	24600	1446-47	25902	1206-34
S6A19AV	22900	1410-36	*22900	1412-34		
S6A190V	*22900	1410-34	23100	1414-45	23600	1427-45
	24100	1433-45	24600	1446-45	25904	1206-18
S6A20AV	22900	1410-29	*22900	1412-30		
S6A200V	*22900	1410-30	23100	1414-43	23600	1427-43
	24100	1433-43	24600	1446-43	25901	1203-34
S6A21AV	22900	1410-33	*22900	1412-31		
S6A210V	*22900	1410-31	23100	1414-41	23600	1427-41
	24100	1433-41	24600	1446-41	25901	1203-18
S6A22AV	23200	1410-39	*23200	1412-42		
S6A220V	*23200	1410-42	23200	1418-40	23700	1423-54
	24200	1437-40	24700	1442-54		
S6A23AV	23200	1410-52	*23200	1412-54		
S6A230V	*23200	1410-54	23200	1418-34	23700	1423-48
	24200	1437-34	24700	1442-48		
S6A24AV	23001	1410-47	*23001	1412-49		
S6A240V	23001	1404-05	*23001	1410-49	26802	1251-63
S6A25AV	23001	1410-50	*23001	1412-48		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S6A250V	23001	1404-01	*23001	1410-48	26802	1251-67
S6A26AV	23002	1410-41	*23002	1412-46		
S6A260V	23002	1404-19	*23002	1410-46	26802	1251-71
S6A27AV	*23500	1412-43	23500	1416-30	24000	1425-30
	24500	1435-30	25000	1444-30		
S6A28AV	23500	1410-51	*23500	1412-53		
S6A280V	*23500	1410-53	23500	1416-31	24000	1425-31
	24500	1435-31	25000	1444-31		
S6A29AV	23500	1410-64	*23500	1412-66		
S6A290V	*23500	1410-66	23500	1417-34	24000	1424-34
	24500	1436-34	25000	1443-34		
S6A30AV	23500	1410-61	*23500	1412-63		
S6A300V	*23500	1410-63	23500	1417-29	24000	1424-29
	24500	1436-29	25000	1443-29		
S6A31AV	23500	1410-62	*23500	1412-60		
S6A310V	*23500	1410-60	23500	1417-46	24000	1424-46
	24500	1436-46	25000	1443-46		
S6A32AV	23500	1410-55	*23500	1412-56		
S6A320V	*23500	1410-56	23500	1417-41	24000	1424-41
	24500	1436-41	25000	1443-41		
S6B000E	22900	1406-13	*22900	1409-07		
S6B001E	22900	1406-18	*22900	1409-11		
S6B002E	22900	1406-07	*22900	1409-13	22900	1412-05
S6B003E	22900	1406-03	*22900	1409-10	22900	1412-09
S6B010E	*22900	1409-21	22900	1412-15	22900	1431-48
S6B011E	*22900	1409-27	22900	1412-22	22900	1431-47
S6B012E	*22900	1409-25	22900	1412-23	22900	1431-39
S6B013E	*22900	1409-24	22900	1412-20	22900	1431-35
S6B020E	22900	1406-31	*22900	1409-35	22900	1412-17
S6B021E	22900	1406-34	*22900	1409-39	22900	1412-21
S6B022E	22900	1406-23	*22900	1409-42	22900	1412-27
S6B023E	22900	1406-19	*22900	1409-38	22900	1412-38
S6B030E	*22900	1409-47	22900	1412-35	22900	1431-64
S6B031E	*22900	1409-51	22900	1412-36	22900	1431-61
S6B032E	*22900	1409-56	22900	1412-29	22900	1431-53
S6B033E	*22900	1409-52	22900	1412-33	22900	1431-49
S6B041N	*22900	1406-17	22900	1409-03		
S6B042N	*22900	1406-11	22900	1409-01		
S6B043N	*22900	1406-05	22900	1409-04		
S6B044N	*22900	1406-06	22900	1409-06		
S6B045N	*22900	1406-08	22900	1431-42		
S6B051N	22900	1409-17	*22900	1431-50		
S6B052N	22900	1409-15	*22900	1431-43		
S6B053N	22900	1409-18	*22900	1431-37		
S6B054N	22900	1409-20	*22900	1431-38		
S6B055N	22900	1406-26	*22900	1431-40		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S6B061N	*22900	1406-30	22900	1409-31		
S6B062N	*22900	1406-29	22900	1409-29		
S6B063N	*22900	1406-21	22900	1409-30		
S6B064N	*22900	1406-22	22900	1409-34		
S6B065N	*22900	1406-24	22900	1431-60		
S6B071N	22900	1409-43	*22900	1431-63		
S6B072N	22900	1409-41	*22900	1431-57		
S6B073N	22900	1409-46	*22900	1431-51		
S6B074N	22900	1409-48	*22900	1431-54		
S6B075N	*22900	1431-56	22900	1439-15		
S6B080V	*22900	1410-68	22900	1419-64		
S6B090V	*22900	1410-80	22900	1418-60	22900	1418-72
	22900	1418-79	22900	1422-35	23100	1419-56
S6B11Q	22900	1410-69	22900	1411-48	*22900	1418-78
S6B110V	*22900	1410-70	22900	1418-71		
S6B12P	22900	1411-46	*22900	1418-69		
S6B130V	*22900	1410-57	22900	1419-62		
S6B14A	22900	1410-45	*22900	1419-66		
S6B15A	22900	1418-77	*22900	1419-60		
S6B160	22900	1409-08	22900	1409-22	*22900	1409-36
	22900	1409-50	22900	1410-75	*22900	1411-45
	22900	1422-37				
S6B200V	*22900	1410-71	23300	1416-09	23300	1417-09
	23800	1424-09	23800	1425-09	24300	1435-09
	24300	1436-09	24800	1443-09	24800	1444-09
S6B21AV	22900	1406-09	22900	1409-14	22900	1409-26
	22900	1409-40	22900	1409-54	*22900	1410-77
	22900	1437-73	22900	1437-75		
S6B230V	*22900	1410-43	22900	1418-62		
S6B24P	22900	1411-43	*22900	1418-57		
S6B25P	22900	1419-25	*22900	1437-69		
S6B25Q	22900	1412-06	22900	1412-65	22900	1419-59
	*22900	1437-74				
S6B26P	22900	1419-47	22900	1419-61	*22900	1437-76
S6B26Q	22900	1412-04	22900	1419-23	*22900	1437-78
S6B27A	*22900	1419-27	22900	1422-23		
S6B28A	*22900	1419-63	22900	1422-25		
S6B290	*22900	1422-27	22900	1437-77		
S6B30AV	*22900	1412-68	22900	1437-71		
S6B310	22900	1409-09	22900	1409-23	22900	1409-37
	22900	1409-49	*22900	1419-51		
S6B32A	22900	1419-49	*22900	1422-39		
S6B33AV	22900	1437-65	22900	1437-80	*22900	1439-10
S6C003E	23001	1215-69	23001	1404-10	*23001	1409-64
	25904	1213-34				
S6C013E	23001	1215-75	23001	1404-08	*23001	1409-76



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S6C023E	25904	1213-18				
	23001	1215-70	23001	1404-06	*23001	1408-64
	25903	1210-47				
S6C033E	23001	1215-76	23001	1404-04	*23001	1408-76
	25903	1210-34				
S6C041C	*23001	1404-11	23002	1414-35		
S6C042C	*23001	1404-14	23002	1414-38		
S6C050	20903	1220-74	23001	1215-66	*23001	1411-09
	23002	1214-49	23002	1214-66		
S6C06TA	*23001	1215-73	23001	1409-59		
S6C06TB	*23001	1215-79	23001	1409-73		
S6C06TC	*23001	1215-74	23001	1408-59		
S6C06TD	*23001	1215-80	23001	1408-73		
S6C140E	23001	1411-01	*23001	1436-21	23100	1420-51
	23200	1420-21	23500	1419-65	23500	1419-76
S6C141E	23001	1411-04	*23001	1436-27	23600	1421-51
	23700	1421-21	24000	1422-53	24000	1422-62
S6C142E	23001	1411-05	*23001	1436-25	24100	1439-04
	24200	1439-21	24500	1438-53	24500	1438-62
S6C143E	23001	1411-07	*23001	1436-24	24600	1440-04
	24700	1440-21	25000	1441-53	25000	1441-62
S6D001C	*23002	1404-27	23002	1414-33		
S6D002C	*23002	1404-26	23002	1414-36		
S6D011C	*23002	1404-39	23002	1414-31		
S6D012C	*23002	1404-40	23002	1414-34		
S6D021C	*23002	1414-39	23100	1429-10	23600	1422-26
	24100	1438-26	24600	1441-26		
S6D03TA	*23002	1214-55	23002	1405-05		
S6D03TB	*23002	1214-61	23002	1405-19		
S6D03TC	*23002	1214-60	23002	1405-33		
S6D03TD	*23002	1214-63	23002	1405-45		
S6D043E	23002	1214-51	23002	1404-24	*23002	1405-10
	25902	1208-34				
S6D053E	23002	1214-57	23002	1404-22	*23002	1405-24
	25902	1208-18				
S6D063E	23002	1214-54	23002	1404-20	*23002	1405-38
	25901	1205-34				
S6D073E	23002	1214-62	23002	1404-18	*23002	1405-52
	25901	1205-18				
S6D083E	23002	1214-70	23002	1404-38	*23002	1405-64
	25904	1212-47				
S6D093E	23002	1214-76	23002	1404-36	*23002	1405-76
	25904	1212-34				
S6D10TC	*23002	1214-74	23002	1405-59		
S6D10TD	*23002	1214-80	23002	1405-73		
S6E001E	23100	1414-08	*23100	1415-11		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S6E002E	23100	1414-06	*23100	1415-13		
S6E003E	23100	1414-04	*23100	1415-10		
S6E010E	23100	1414-24	*23100	1415-21		
S6E011E	23100	1414-22	*23100	1415-27		
S6E012E	23100	1414-20	*23100	1415-25		
S6E013E	23100	1414-18	*23100	1415-24		
S6E020E	23100	1404-52	*23100	1415-35		
S6E021E	23100	1404-.50	*23100	1415-39		
S6E022E	23100	1404-48	*23100	1415-42		
S6E023E	23100	1404-46	*23100	1415-38		
S6E030E	23100	1414-52	*23100	1415-47		
S6E031E	23100	1414-50	*23100	1415-51		
S6E032E	23100	1414-48	*23100	1415-56		
S6E033E	23100	1414-46	*23100	1415-52		
S6E041C	*23100	1414-11	23100	1427-61		
S6E042C	*23100	1414-14	23100	1427-64		
S6E051C	*23100	1414-27	23100	1427-59		
S6E052C	*23100	1414-26	23100	1427-62		
S6E061C	*23100	1404-51	23100	1427-55		
S6E062C	*23100	1404-54	23100	1427-60		
S6E071C	*23100	1414-51	23100	1427-53		
S6E072C	*23100	1414-54	23100	1427-57		
S6E081C	23100	1419-11	*23100	1427-65		
S6E082C	23100	1419-13	*23100	1427-66		
S6E090	*23100	1419-06	23100	1420-11		
S6E10AV	*23100	1420-13	23100	1423-10		
S6E11P	*23100	1418-11	23100	1429-25	23200	1428-10
	23200	1428-26				
S6E11Q	*23100	1418-13	23100	1419-04	23100	1420-06
	23500	1416-40	23500	1416-54	23500	1416-66
	23500	1416-78	23500	1417-40	23500	141.7-54
	23500	1417-66	23500	1417-78		
S6E12A	*23100	1419-01	23100	1420-05		
S6E130V	*23100	1420-01	23100	1430-08		
S6E14A	23001	1436-17	*23100	1430-11		
S6E15A	23100	1418-03	*23100	1419-15	24600	1430-61
	26002	1215-19				
S6E160	23100	1420-09	*23100	1429-22		
S6E17AV	23100	1418-01	*23100	1420-07		
S6E18A	23100	1422-20	*23100	1429-06		
S6E19P	*23100	1418-09	23200	1414-80		
S6E19Q	*23100	1418-07	23100	1420-15	23300	1416-08
	23300	1417-08	23300	1428-42	23400	1110-20
	23400	1423-75				
S6E190V	*23100	1420-10	23200	1418-14	23200	1418-26
S6E20P	23100	1422-43	*23100	1423-09		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S6E20Q	23100	1422-18	*23100	1423-07	26002	1314-60
S6E23AV	*23100	1420-08	23500	1411-62	23500	1416-36
	23500	1416-50	23500	1416-62	23500	1416-74
	23500	1417-36	23500	1417-50	23500	1417-62
	23500	1417-74				
S6E24AV	23100	1419-03	*23100	1420-03		
S6E250	*23100	1419-09	23100	1430-06	24600	1441-24
S6E26P	23100	1418-15	*23100	1423-11		
S6E280	23100	1419-05	*23100	1429-01	23600	1422-05
	24100	1438-05	24600	1441-05		
S6E29A	23100	1419-18	*23100	1429-14		
S6E30AV	*23100	1420-48	23100	1429-03		
S6E31A	23100	1419-20	*23100	1429-09		
S6E320	23100	1415-43	*23100	1419-14	23600	1426-43
	24100	1434-43	24600	1445-43		
S6E330V	*23100	1420-53	23100	1429-11		
S6E34A	23100	1415-09	23100	1415-23	23100	1415-37
	23100	1415-49	23100	1418-10	23100	1423-06
	*23100	1429-15	23200	1418-20	23200	1418-22
S6E35A	*23100	1422-14	23100	1429-23		
S6E360	23100	1423-05	*23100	1429-27		
S6E37A	*23100	1419-52	23100	1420-20		
S6E370V	*23100	1420-18	23100	1422-41	23600	1419-77
	24100	1441-54	24600	1438-77		
S6E38A	*23100	1422-45	23100	1427-68		
S6F001N	23200	1419-17	*23200	1428-17		
S6F002N	23200	1419-40	*23200	1428-11		
S6F010	*23200	1419-21	23200	1420-22		
S6F02AV	23200	1418-24	*23200	1420-24		
S6F040	*23200	1419-38	23200	1420-23		
S6F05AV	23200	1418-18	*23200	1420-25		
S6F06Q	23200	1414-75	*23200	1418-25	23200	1428-13
S6F07Q	23200	1414-73	*23200	1418-19	23200	1428-18
S6F081C	*23200	1414-79	23200	1422-29		
S6F082C	*23200	1414-78	23200	1422-31		
S6F090V	23200	1418-30	23200	1418-42	*23200	1420-19
S6F10Q	23200	1414-76	*23200	1418-37	25903	1210-18
S6F11Q	23200	1414-74	*23200	1418-31	25903	1209-47
S6F12A	23200	1419-19	23200	1419-42	23200	1420-17
	*23200	1422-33	23500	1419-78		
S6F150V	23200	1415-63	*23200	1420-14	23200	1422-34
S6F201N	23200	1415-55	*23200	1428-30		
S6F202N	23200	1415-53	*23200	1428-29		
S6F203N	23200	1415-57	*23200	1428-21		
S6F204N	23200	1415-60	*23200	1428-22		
S6F205N	23200	1422-36	*23200	1428-24		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S6F210E	*23200	1415-61	23200	1428-31		
S6F211E	*23200	1415-65	23200	1428-34		
S6F212E	*23200	1415-68	23200	1428-23		
S6F213E	*23200	1415-64	23200	1428-19		
S6F22A	23100	1419-08	*23200	1422-30	24700	1430-55
S6G040V	23300	1417-05	*23300	1420-37		
S6G052E	23300	1316-78	*23300	1417-13		
S6G053E	23300	1416-05	*23300	1417-10		
S6G060E	*23300	1416-07	23300	1419-50		
S6G063E	*23300	1416-10	23300	1419-48	23300	1420-35
S6G07A	*23300	1419-46	23300	1420-36		
S6G080V	23300	1316-75	23300	1416-23	*23300	1420-34
	23400	1422-65	23400	1422-76	23400	1423-72
S6G090E	*23300	1416-21	23300	1420-33	23300	1428-48
S6G091E	*23300	1416-27	23300	1420-39	23300	1428-47
	23400	1411-19	23400	1411-68		
S6G092E	*23300	1416-25	23300	1420-52	23300	1428-39
	23400	1411-66	23400	1420-45		
S6G093E	*23300	1416-24	23300	1420-47	23300	1428-35
	23400	1112-75				
S6G101N	23300	1416-17	*23300	1428-50		
S6G102N	23300	1416-15	*23300	1428-43		
S6G103N	23300	1416-18	*23300	1428-37		
S6G104N	23300	1416-20	*23300	1428-38		
S6G105N	*23300	1428-40	23400	1422-78		
S6G120V	23300	1316-71	*23300	1420-31		
S6G130V	23300	1316-72	*23300	1420-42		
S6G140V	23300	1316-73	*23300	1420-54		
S6G150V	23300	1316-74	*23300	1420-49		
S6G16A	*23300	1316-76	25905	1438-78		
S6H00A	*23400	1422-69	23400	1423-79	23500	1419-74
	25905	1411-22				
S6H03AV	*23400	1420-30	23400	1422-61	23400	1423-77
S6H030	23400	1110-14	23400	1420-29	*23400	1422-80
S6H04P	23300	1316-79	23400	1422-74	*23400	1423-76
S6H04Q	23400	1110-18	23400	1411-61	*23400	1423-78
S6H060V	23400	1411-18	*23400	1420-43		
S6H08P	*23400	1423-69	24900	1430-74		
S6H090V	*23400	1112-77	23400	1411-14	23400	1411-70
S6H10P	*23400	1110-21	23400	1422-71		
S6H10Q	*23400	1110-19	23400	1411-20	23400	1422-59
S6H11A	23400	1113-18	*23400	1411-21		
S6H12A	*23400	1411-59	23400	1420-41		
S6H130	*23400	1113-14	23400	1423-71		
S6H14A	23100	1429-26	*23400	1422-63		
S6H150V	*23400	1420-46	23400	1422-73		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S6H16A	23400	1113-20	*23400	1422-72		
S6I003E	23500	1411-55	*23500	1416-38	23500	1417-45
S6I013E	23500	1416-33	*23500	1417-38		
S6I023E	*23500	1416-52	23500	1417-33		
S6I033E	23500	1416-45	*23500	1417-52		
S6I04A	*23500	1411-57	25905	1430-75		
S6I060	23500	1411-60	23500	1416-37	23500	1416-49
	23500	1417-37	23500	1417-49	*23500	1419-69
S6I070	23500	1416-63	23500	1416-77	23500	1417-63
	23500	1417-77	*23500	1419-80		
S6I083E	23500	1411-64	*23500	1416-64		
S6I093E	23500	1416-59	*23500	1417-64		
S6I103E	*23500	1416-76	23500	1417-59		
S6I113E	23500	1416-73	*23500	1417-76		
S6J001E	*23600	1426-11	23600	1427-08		
S6J002E	*23600	1426-13	23600	1427-06		
S6J003E	*23600	1426-10	23600	1427-04		
S6J010E	*23600	1426-21	23600	1427-24		
S6J011E	*23600	1426-27	23600	1427-22		
S6J012E	*23600	1426-25	23600	1427-20		
S6J013E	*23600	1426-24	23600	1427-18		
S6J020E	*23600	1426-35	23600	1427-38		
S6J021E	*23600	1426-39	23600	1427-36		
S6J022E	*23600	1426-42	23600	1427-34		
S6J023E	*23600	1426-38	23600	1427-30		
S6J030E	*23600	1426-47	23600	1427-52		
S6J031E	*23600	1426-51	23600	1427-50		
S6J032E	*23600	1426-56	23600	1427-48		
S6J033E	*23600	1426-52	23600	1427-46		
S6J041C	23600	1414-61	*23600	1427-11		
S6J042C	23600	1414-64	*23600	1427-14		
S6J051C	23600	1414-59	*23600	1427-27		
S6J052C	23600	1414-62	*23600	1427-26		
S6J061C	23600	1414-55	*23600	1427-39		
S6J062C	23600	1414-60	*23600	1427-40		
S6J071C	23600	1414-53	*23600	1427-51		
S6J072C	23600	1414-57	*23600	1427-54		
S6J081C	*23600	1414-65	23600	1422-11		
S6J082C	*23600	1414-66	23600	1422-13		
S6J090	23600	1421-11	*23600	1422-06		
S6J10AV	23600	1418-56	*23600	1421-13		
S6J11P	*23600	1423-23	23600	1438-20	23700	1428-60
	23700	1428-74				
S6J11Q	23600	1421-06	23600	1422-04	*23600	1423-25
	24000	1424-40	24000	1424-54	24000	1424-66
	24000	1424-78	24000	1425-40	24000	1425-54

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	24000	1425-66	24000	1425-78		
S6J12A	23600	1421-05	*23600	1422-01		
S6J130V	*23600	1421-01	23600	1430-04		
S6J14A	23001	1436-15	*23600	1430-09		
S6J15A	*23600	1422-15	23600	1442-17	24600	1430-66
	26002	1215-21				
S6J160	23600	1421-09	*23600	1422-09		
S6J17AV	*23600	1421-07	23600	1442-14		
S6J18A	*23600	1422-22	23600	1429-77		
S6J19P	*23600	1442-21	23700	1423-30	23700	1423-42
	23700	1427-80				
S6J19Q	*23600	1442-19	23800	1424-08	23800	1425-08
	23800	1431-26	23900	1110-36	23900	1423-66
S6J20P	*23600	1418-45	23600	1419-79		
S6J20Q	*23600	1418-43	23600	1429-79	26002	1314-62
S6J23AV	*23600	1421-08	24000	1411-73	24000	1424-36
	24000	1424-50	24000	1424-62	24000	1424-74
	24000	1425-36	24000	1425-50	24000	1425-62
	24000	1425-74				
S6J26P	*23600	1418-47	23600	1423-27		
S6J330V	*23600	1421-53	23600	1429-17		
S6J34A	23600	1418-52	23600	1423-26	23600	1426-09
	23600	1426-23	23600	1426-37	23600	1426-49
	*23600	1429-21	23700	1423-36	23700	1423-38
S6J35A	*23600	1429-75	23600	1438-18		
S6J360	23600	1418-48	*23600	1438-14		
S6J38A	23600	1414-68	*23600	1419-75		
S6K001N	23700	1422-17	*23700	1428-63		
S6K002N	23700	1422-40	*23700	1428-57		
S6K010	23700	1421-22	*23700	1422-21		
S6K02AV	*23700	1421-24	23700	1423-40		
S6K040	23700	1421-23	*23700	1422-38		
S6K05AV	*23700	1421-25	23700	1423-34		
S6K06Q	*23700	1423-37	23700	1427-75	23700	1428-64
S6K07Q	*23700	1423-31	23700	1427-73	23700	1428-61
S6K081C	23700	1419-29	*23700	1427-79		
S6K082C	23700	1419-31	*23700	1427-78		
S6K090V	*23700	1421-19	23700	1423-46	23700	1423-56
S6K10Q	*23700	1423-49	23700	1427-76	25902	1207-47
S6K11Q	*23700	1423-43	23700	1427-74	25902	1207-34
S6K12A	*23700	1419-33	23700	1421-20	23700	1422-19
	23700	1422-42				
S6K130V	23700	1419-35	*23700	1421-18		
S6K14A	*23700	1419-39	23700	1421-17	24000	1422-55
S6K150V	23700	1-419-34	*23700	1421-14	23700	1426-63
S6K201N	23700	1426-55	*23700	1428-80		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution			
S6K202N	23700	1426-53	*23700	1428-75	
S6K203N	23700	1426-57	*23700	1428-69	
S6K204N	23700	1426-60	*23700	1428-70	
S6K205N	23700	1419-36	*23700	1428-72	
S6K210E	*23700	1426-61	23700	1428-78	
S6K211E	*23700	1426-65	23700	1428-79	
S6K212E	*23700	1426-68	23700	1428-71	
S6K213E	*23700	1426-64	23700	1428-66	
S6K22A	23600	1422-08	*23700	1419-30	24700 1430-60
S6L040V	*23800	1421-37	23800	1424-05	
S6L052E	23800	1316-40	*23800	1424-13	
S6L053E	*23800	1424-10	23800	1425-05	
S6L060E	23800	1422-56	*23800	1425-07	
S6L063E	23800	1421-35	23800	1422-54	*23800 1425-10
S6L07A	23800	1421-36	*23800	1422-52	
S6L080V	23800	1316-37	*23800	1421-34	23800 1425-23
	23900	1419-24	23900	1422-49	23900 1423-60
S6L090E	23800	1421-33	*23800	1425-21	23800 1431-31
S6L091E	23800	1421-39	*23800	1425-27	23800 1431-34
	23900	1109-62	23900	1411-77	
S6L092E	23800	1421-52	*23800	1425-25	23800 1431-23
	23900	1112-76	23900	1411-78	
S6L093E	23800	1421-47	*23800	1425-24	23800 1431-19
	23900	1421-45			
S6L101N	23800	1425-17	*23800	1431-30	
S6L102N	23800	1425-15	*23800	1431-29	
S6L103N	23800	1425-18	*23800	1431-21	
S6L104N	23800	1425-20	*23800	1431-22	
S6L105N	*23800	1431-24	23900	1422-47	
S6L120V	23800	1316-30	*23800	1421-31	
S6L130V	23800	1316-31	*23800	1421-42	
S6L140V	23800	1316-34	*23800	1421-54	
S6L150V	23800	1316-36	*23800	1421-49	
S6L16A	*23800	1316-35	25905	1411-38	
S6M00A	*23900	1419-22	23900	1423-70	24000 1422-64
	25905	1411-24			
S6M03AV	*23900	1421-46	23900	1423-68	23900 1429-74
S6M030	23900	1110-30	23900	1421-41	*23900 1422-51
S6M04P	23800	1316-42	23900	1419-26	*23900 1423-59
S6M04Q	23900	1110-34	23900	1411-75	*23900 1423-61
S6M060V	23900	1109-60	*23900	1112-78	
S6M08P	*23900	1423-57	24900	1430-73	
S6M090V	23900	1109-55	23900	1411-79	*23900 1421-43
S6M10P	*23900	1110-33	23900	1441-71	
S6M10Q	23900	1109-64	*23900	1110-31	23900 1429-65
S6M11A	*23900	1109-57	23900	1419-53	

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S6M12A	*23900	1411-76	23900	1421-29		
S6M130	*23900	1419-57	23900	1423-62		
S6M14A	23600	1422-07	*23900	1429-69		
S6M150V	*23900	1421-30	23900	1441-73		
S6M16A	23900	1419-55	*23900	1441-72		
S6N003E	24000	1411-71	24000	1424-45	*24000	1425-38
S6N013E	*24000	1424-38	24000	1425-33		
S6N023E	24000	1424-33	*24000	1425-52		
S6N033E	*24000	1424-52	24000	1425-45		
S6N04A	*24000	1411-69	25905	1430-77		
S6N060	24000	1411-72	*24000	1422-60	24000	1424-37
	24000	1424-49	24000	1425-37	24000	1425-49
S6N070	*24000	1422-57	24000	1424-63	24000	1424-77
	24000	1425-63	24000	1425-77		
S6N083E	24000	1411-74	*24000	1425-64		
S6N093E	*24000	1424-64	24000	1425-59		
S6N103E	24000	1424-59	*24000	1425-76		
S6N113E	*24000	1424-76	24000	1425-73		
S6P001E	24100	1433-08	*24100	1434-11		
S6P002E	24100	1433-06	*24100	1434-13		
S6P003E	24100	1433-04	*24100	1434-10		
S6P010E	24100	1433-24	*24100	1434-21		
S6P011E	24100	1433-22	*24100	1434-27		
S6P012E	24100	1433-20	*24100	1434-25		
S6P013E	24100	1433-18	*24100	1434-24		
S6P020E	24100	1433-38	*24100	1434-35		
S6P021E	24100	1433-36	*24100	1434-39		
S6P022E	24100	1433-34	*24100	1434-42		
S6P023E	24100	1433-30	*24100	1434-38		
S6P030E	24100	1433-52	*24100	1434-47		
S6P031E	24100	1433-50	*24100	1434-51		
S6P032E	24100	1433-48	*24100	1434-56		
S6P033E	24100	1433-46	*24100	1434-52		
S6P041C	*24100	1433-11	24100	1446-61		
S6P042C	*24100	1433-14	24100	1446-64		
S6P051C	*24100	1433-27	24100	1446-59		
S6P052C	*24100	1433-26	24100	1446-62		
S6P061C	*24100	1433-39	24100	1446-55		
S6P062C	*24100	1433-40	24100	1446-60		
S6P071C	*24100	1433-51	24100	1446-53		
S6P072C	*24100	1433-54	24100	1446-57		
S6P081C	24100	1438-11	*24100	1446-65		
S6P082C	24100	1438-13	*24100	1446-66		
S6P090	*24100	1438-06	24100	1439-11		
S6P10AV	*24100	1439-13	24100	1442-10		
S6P11P	*24100	1437-11	24100	1438-25	24200	1432-10



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	24200	1432-26				
S6P11Q	*24100	1437-13	24100	1438-04	24100	1439-06
	24500	1435-40	24500	1435-54	24500	1435-66
	24500	1435-78	24500	1436-40	24500	1436-54
	24500	1436-66	24500	1436-78		
S6P12A	*24100	1438-01	24100	1439-05		
S6P130V	24100	1430-24	*24100	1439-01		
S6P14A	23001	1436-18	*24100	1430-23		
S6P15A	24100	1423-17	*24100	1438-15	24600	1430-68
	26002	1215-23				
S6P160	*24100	1438-09	24100	1439-09		
S6P17AV	24100	1423-14	*24100	1439-07		
S6P18A	*24100	1438-22	24100	1441-23		
S6P19P	*24100	1423-21	24200	1433-80	24200	1437-14
	24200	1437-26				
S6P19Q	*24100	1423-19	24300	1432-42	24300	1435-08
	24300	1436-08	24400	1110-50	24400	1437-52
S6P20P	24100	1441-56	*24100	1442-09		
S6P20Q	24100	1441-25	*24100	1442-07	26002	1314-64
S6P23AV	*24100	1439-08	24500	1411-34	24500	1435-36
	24500	1435-50	24500	1435-62	24500	1435-74
	24500	1436-36	24500	1436-50	24500	1436-62
	24500	1436-74				
S6P26P	24100	1437-15	*24100	1442-11		
S6P330V	24100	1438-59	*24100	1439-03		
S6P34A	24100	1434-09	24100	1434-23	24100	1434-37
	24100	1434-49	24100	1437-10	*24100	1438-63
	24100	1442-06	24200	1437-20	24200	1437-22
S6P35A	24100	1438-23	*24100	1441-27		
S6P360	*24100	1438-27	24100	1442-05		
S6P38A	*24100	1441-52	24100	1446-68		
S6Q001N	*24200	1432-17	24200	1438-17		
S6Q002N	*24200	1432-11	24200	1438-40		
S6Q010	*24200	1438-21	24200	1439-22		
S6Q02AV	24200	1437-24	*24200	1439-24		
S6Q040	*24200	1438-38	24200	1439-23		
S6Q05AV	24200	1437-18	*24200	1439-25		
S6Q06Q	24200	1432-13	24200	1433-75	*24200	1437-25
S6Q07Q	24200	1432-18	24200	1433-73	*24200	1437-19
S6Q081C	*24200	1433-79	24200	1441-29		
S6Q082C	*24200	1433-78	24200	1441-31		
S6Q090V	24200	1437-30	24200	1437-42	*24200	1439-19
S6Q10Q	24200	1433-76	*24200	1437-37	25901	1204-47
S6Q11Q	24200	1433-74	*24200	1437-31	25901	1204-34
S6Q12A	24200	1438-19	24200	1438-42	24200	1439-20
	*24200	1441-33				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S6Q130V	*24200	1439-18	24200	1441-35		
S6Q14A	24200	1439-17	*24200	1441-39	24500	1438-55
S6Q150V	24200	1434-63	*24200	1439-14	24200	1441-34
S6Q201N	*24200	1432-30	24200	1434-55		
S6Q202N	*24200	1432-29	24200	1434-53		
S6Q203N	*24200	1432-21	24200	1434-57		
S6Q204N	*24200	1432-22	24200	1434-60		
S6Q205N	*24200	1432-24	24200	1441-36		
S6Q210E	24200	1432-31	*24200	1434-61		
S6Q211E	24200	1432-34	*24200	1434-65		
S6Q212E	24200	1432-23	*24200	1434-68		
S6Q213E	24200	1432-19	*24200	1434-64		
S6Q22A	24100	1438-08	*24200	1441-30	24700	1430-62
S6R040V	24300	1436-05	*24300	1439-37		
S6R052E	24300	1316-25	*24300	1436-13		
S6R053E	24300	1435-05	*24300	1436-10		
S6R060E	*24300	1435-07	24300	1438-50		
S6R061E	*24300	1435-11	24300	1438-54		
S6R063E	*24300	1435-10	24300	1438-48	24300	1439-35
S6R07A	*24300	1438-46	24300	1439-36		
S6R080V	24300	1316-22	24300	1435-23	*24300	1439-34
	24400	1437-46	24400	1438-47	24400	1441-49
S6R090E	24300	1432-48	*24300	1435-21	24300	1439-33
S6R091E	24300	1432-47	*24300	1435-27	24300	1439-39
	24400	1109-73	24400	1430-54		
S6R092E	24300	1432-39	*24300	1435-25	24300	1439-52
	24400	1430-56	24400	1439-45		
S6R093E	24300	1432-35	*24300	1435-24	24300	1439-47
	24400	1420-55				
S6R101N	*24300	1432-50	24300	1435-17		
S6R102N	*24300	1432-43	24300	1435-15		
S6R103N	*24300	1432-37	24300	1435-18		
S6R104N	*24300	1432-38	24300	1435-20		
S6R105N	*24300	1432-40	24400	1438-49		
S6R120V	24300	1316-14	*24300	1439-31		
S6R130V	24300	1316-18	*24300	1439-42		
S6R140V	24300	1316-19	*24300	1439-54		
S6R150V	24300	1316-20	*24300	1439-49		
S6R16A	*24300	1316-23	25905	1411-40		
S6S00A	24400	1437-56	*24400	1441-51	24500	1438-64
	25905	1411-25				
S6S03AV	24400	1422-70	24400	1437-54	*24400	1439-46
S6S03O	24400	1110-46	*24400	1438-51	24400	1439-41
S6S04P	24300	1316-26	*24400	1437-47	24400	1441-47
S6S04Q	24400	1110-48	24400	1430-49	*24400	1437-49
S6S060V	24400	1109-72	*24400	1439-43		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S6S08P	*24400	1437-45	24900	1430-72		
S6S090V	24400	1109-71	*24400	1420-56	24400	1430-52
S6S10P	*24400	1110-45	24400	1419-73		
S6S10Q	24400	1109-74	*24400	1110-43	24400	1422-68
S6S11A	*24400	1109-69	24400	1438-68		
S6S12A	*24400	1430-47	24400	1439-29		
S6S130	24400	1437-48	*24400	1438-66		
S6S14A	24100	1438-07	*24400	1422-66		
S6S150V	24400	1419-71	*24400	1439-30		
S6S16A	*24400	1419-72	24400	1438-70		
S6T003E	24500	1411-30	*24500	1435-38	24500	1436-45
S6T013E	24500	1435-33	*24500	1436-38		
S6T023E	*24500	1435-52	24500	1436-33		
S6T033E	24500	1435-45	*24500	1436-52		
S6T04A	*24500	1411-33	25905	1430-78		
S6T060	24500	1411-31	24500	1435-37	24500	1435-49
	24500	1436-37	24500	1436-49	*24500	1438-60
S6T070	24500	1435-63	24500	1435-77	24500	1436-63
	24500	1436-77	*24500	1438-57		
S6T083E	24500	1411-36	*24500	1435-64		
S6T093E	24500	1435-59	*24500	1436-64		
S6T103E	*24500	1435-76	24500	1436-59		
S6T113E	24500	1435-73	*24500	1436-76		
S6U001E	*24600	1445-11	24600	1446-08		
S6U002E	*24600	1445-13	24600	1446-06		
S6U003E	*24600	1445-10	24600	1446-04		
S6U010E	*24600	1445-21	24600	1446-24		
S6U011E	*24600	1445-27	24600	1446-22		
S6U012E	*24600	1445-25	24600	1446-20		
S6U013E	*24600	1445-24	24600	1446-18		
S6U020E	*24600	1445-35	24600	1446-38		
S6U021E	*24600	1445-39	24600	1446-36		
S6U022E	*24600	1445-42	24600	1446-34		
S6U023E	*24600	1445-38	24600	1446-30		
S6U030E	*24600	1445-47	24600	1446-52		
S6U031E	*24600	1445-51	24600	1446-50		
S6U032E	*24600	1445-56	24600	1446-48		
S6U033E	*24600	1445-52	24600	1446-46		
S6U041C	24600	1433-61	*24600	1446-11		
S6U042C	24600	1433-64	*24600	1446-14		
S6U051C	24600	1433-59	*24600	1446-27		
S6U052C	24600	1433-62	*24600	1446-26		
S6U061C	24600	1433-55	*24600	1446-39		
S6U062C	24600	1433-60	*24600	1446-40		
S6U071C	24600	1433-53	*24600	1446-51		
S6U072C	24600	1433-57	*24600	1446-54		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S6U081C	*24600	1433-65	24600	1441-11		
S6U082C	*24600	1433-66	24600	1441-13		
S6U090	24600	1440-11	*24600	1441-06		
S6U10AV	24600	1437-70	*24600	1440-13		
S6U11P	24600	1441-20	*24600	1442-23	24700	1432-60
	24700	1432-74				
S6U11Q	24600	1440-06	24600	1441-04	*24600	1442-25
	25000	1443-40	25000	1443-54	25000	1443-66
	25000	1443-78	25000	1444-40	25000	1444-54
	25000	1444-66	25000	1444-78		
S6U12A	24600	1440-05	*24600	1441-01		
S6U130V	24600	1430-18	*24600	1440-01		
S6U14A	23001	1436-20	*24600	1430-21		
S6U15A	24600	1430-70	24600	1437-03	*24600	1441-15
	26002	1215-25				
S6U160	24600	1440-09	*24600	1441-09		
S6U17AV	24600	1437-01	*24600	1440-07		
S6U18A	24600	1429-76	*24600	1441-22		
S6U19P	*24600	1437-09	24700	1442-30	24700	1442-42
	24700	1446-80				
S6U19Q	*24600	1437-07	24800	1431-10	24800	1443-08
	24800	1444-08	24900	1312-36	24900	1442-66
S6U20P	*24600	1437-57	24600	1438-79		
S6U20Q	24600	1429-78	*24600	1437-55	26002	1314-55
S6U23AV	*24600	1440-08	25000	1411-54	25000	1443-36
	25000	1443-50	25000	1443-62	25000	1443-74
	25000	1444-36	25000	1444-50	25000	1444-62
	25000	1444-74				
S6U26P	*24600	1437-59	24600	1442-27		
S6U27AV	*24600	1440-53	26002	1218-20		
S6U270	*24600	1430-59	24600	1440-51		
S6U330V	*24600	1440-03	24600	1441-59		
S6U34A	24600	1437-66	*24600	1441-63	24600	1442-26
	24600	1445-09	24600	1445-23	24600	1445-37
	24600	1445-49	24700	1442-36	24700	1442-38
S6U35A	*24600	1429-80	24600	1441-18		
S6U360	24600	1437-62	*24600	1441-14		
S6U38A	24600	1433-68	*24600	1438-75		
S6V001N	*24700	1432-63	24700	1441-17		
S6V002N	*24700	1432-57	24700	1441-40		
S6V010	24700	1440-22	*24700	1441-21		
S6V02AV	*24700	1440-24	24700	1442-40		
S6V040	24700	1440-23	*24700	1441-38		
S6V05AV	*24700	1440-25	24700	1442-34		
S6V06Q	24700	1432-64	*24700	1442-37	24700	1446-75
S6V07Q	24700	1432-61	*24700	1442-31	24700	1446-73

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S6V081C	24700	1438-29	*24700	1446-79		
S6V082C	24700	1438-31	*24700	1446-78		
S6V090V	*24700	1440-19	24700	1442-46	24700	1442-56
S6V10Q	*24700	1442-49	24700	1446-76	25904	1213-29
S6V11Q	*24700	1442-43	24700	1446-74	25904	1213-11
S6V12A	*24700	1438-33	24700	1440-20	24700	1441-19
	24700	1441-42				
S6V130V	24700	1438-35	*24700	1440-18		
S6V14A	*24700	1438-39	24700	1440-17	25000	1441-55
S6V150V	24700	1438-34	*24700	1440-14	24700	1445-63
S6V200	*24700	1430-57	26002	1220-11		
S6V201N	*24700	1432-80	24700	1445-55		
S6V202N	*24700	1432-75	24700	1445-53		
S6V203N	*24700	1432-69	24700	1445-57		
S6V204N	*24700	1432-70	24700	1445-60		
S6V205N	*24700	1432-72	24700	1438-36		
S6V210E	24700	1432-78	*24700	1445-61		
S6V211E	24700	1432-79	*24700	1445-65		
S6V212E	24700	1432-71	*24700	1445-68		
S6V213E	24700	1432-66	*24700	1445-64		
S6V22A	24600	1441-08	24700	1430-64	*24700	1438-30
S6W040V	*24800	1440-37	24800	1443-05		
S6W052E	24800	1316-10	*24800	1443-13		
S6W053E	*24800	1443-10	24800	1444-05		
S6W060E	24800	1441-50				
S6W062E	24800	1440-27	*24800	1444-13		
S6W063E	24800	1440-35	24800	1441-48	*24800	1444-10
S6W07A	24800	1440-36	*24800	1441-46		
S6W080V	24800	1316-07	*24800	1440-34	24800	1444-23
	24900	1438-41	24900	1441-41	24900	1442-60
S6W090E	24800	1431-13	24800	1440-33	*24800	1444-21
S6W091E	24800	1431-18	24800	1440-39	*24800	1444-27
	24900	1109-77	24900	1430-40		
S6W092E	24800	1431-07	24800	1440-52	*24800	1444-25
	24900	1430-42	24900	1440-45		
S6W093E	24800	1431-03	24800	1440-47	*24800	1444-24
	24900	1420-59				
S6W101N	*24800	1431-17	24800	1444-17		
S6W102N	*24800	1431-11	24800	1444-15		
S6W103N	*24800	1431-05	24800	1444-18		
S6W104N	*24800	1431-06	24800	1444-20		
S6W105N	*24800	1431-08	24900	1441-43		
S6W120V	24800	1316-01	*24800	1440-31		
S6W130V	24800	1316-04	*24800	1440-42		
S6W140V	24800	1316-05	*24800	1440-54		
S6W150V	24800	1316-06	*24800	1440-49		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S6W16A	*24800	1316-11	25905	1411-42		
S6XI0D4	28701	J029-05	*28701	J080-61		
S6XI0D4R	28701	J029-06	*28701	J080-62		
S6X00A	*24900	1438-45	24900	1442-70	25000	1441-64
	25905	1411-26				
S6X03AV	24900	1429-73	*24900	1440-46	24900	1442-68
S6X030	24900	1312-30	24900	1440-41	*24900	1441-45
S6X04P	24800	1316-13	24900	1438-43	*24900	1442-59
S6X04Q	24900	1312-34	24900	1430-37	*24900	1442-61
S6X060V	24900	1109-78	*24900	1440-43		
S6X08P	24900	1430-71	*24900	1442-57		
S6X090	24900	1248-64	*24900	1430-69	26002	1215-57
S6X090V	24900	1109-75	*24900	1420-57	24900	1430-38
S6X10D4	19400	2221-09	*24900	1248-60	26802	1349-61
	26803	2348-05				
S6X10P	*24900	1312-33	24900	1438-71		
S6X10Q	24900	1109-79	*24900	1312-31	24900	1429-71
S6X11A	*24900	1109-76	24900	1441-68		
S6X12A	*24900	1430-35	24900	1440-29		
S6X130	*24900	1441-66	24900	1442-62		
S6X14A	24600	1441-07	*24900	1429-72		
S6X150V	24900	1438-73	*24900	1440-30		
S6X16A	*24900	1438-72	24900	1441-70		
S6Y003E	25000	1411-49	25000	1443-45	*25000	1444-38
S6Y013E	*25000	1443-38	25000	1444-33		
S6Y023E	25000	1443-33	*25000	1444-52		
S6Y033E	*25000	1443-52	25000	1444-45		
S6Y04A	*25000	1411-47	25905	1430-79		
S6Y060	25000	1411-52	*25000	1441-60	25000	1443-37
	25000	1443-49	25000	1444-37	25000	1444-49
S6Y070	*25000	1441-57	25000	1443-63	25000	1443-77
	25000	1444-63	25000	1444-77		
S6Y083E	25000	1411-56	*25000	1444-64		
S6Y093E	*25000	1443-64	25000	1444-59		
S6Y103E	25000	1443-59	*25000	1444-76		
S6Y113E	*25000	1443-76	25000	1444-73		
S6Z001E	25901	1204-45	*25905	1407-11		
S6Z002E	25902	1207-31	*25905	1407-13		
S6Z003E	25902	1207-45	*25905	1407-10	25905	1408-05
S6Z010E	25903	1209-45	*25905	1408-07		
S6Z011E	25903	1210-15	*25905	1408-11		
S6Z012E	25904	1212-31	*25905	1408-13		
S6Z013E	25904	1212-45	25905	1407-19	*25905	1408-10
S6Z020E	25901	1205-15	*25905	1407-21		
S6Z021E	25901	1205-31	*25905	1407-27		
S6Z022E	25902	1208-15	*25905	1407-25		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S6Z023E	25902	1208-31	*25905	1407-24	25905	1408-19
S6Z030E	25903	1210-31	*25905	1408-21		
S6Z031E	25903	1210-45	*25905	1408-27		
S6Z032E	25904	1213-15	*25905	1408-25		
S6Z033E	25904	1213-31	*25905	1408-24		
S6Z040	25905	1407-09	25905	1407-23	25905	1408-09
	25905	1408-23	*25905	1411-23		
S6Z050	25905	1407-05	*25905	1430-76	25905	1438-65
S6Z060	25905	1407-37	25905	1407-49	25905	1408-37
	25905	1408-49	*25905	1411-35		
S6Z070E	25901	1203-15	*25905	1408-47		
S6Z071E	25901	1203-31	*25905	1408-51		
S6Z072E	25902	1206-15	*25905	1408-56		
S6Z073E	25902	1206-31	25905	1407-33	*25905	1408-52
S6Z080E	25903	1205-45	*25905	1407-35		
S6Z081E	25903	1208-45	*25905	1407-39		
S6Z082E	25904	1211-15	*25905	1407-42		
S6Z083E	25904	1211-31	*25905	1407-38	25905	1408-33
S6Z090E	25901	1203-45	*25905	1408-35		
S6Z091E	25901	1204-15	*25905	1408-39		
S6Z092E	25902	1206-45	*25905	1408-42		
S6Z093E	25902	1207-15	25905	1407-45	*25905	1408-38
S6Z100E	25903	1209-15	*25905	1407-47		
S6Z101E	25903	1209-31	*25905	1407-51		
S6Z102E	25904	1211-45	*25905	1407-56		
S6Z103E	25904	1212-15	*25905	1407-52		
S6Z11D4	18900	1124-62	18900	1304-17	*25905	1248-57
	26802	1349-59	28801	J030-17	31802	J080-59
S6Z11D4R	*28801	J030-18	31802	J080-60		
S6Z11G	26803	1304-18				
S6Z12A	25905	1248-55	25905	1308-05	*25905	1438-69
S6Z130	*25905	1308-01	25905	1408-45		
S6Z140	25905	1410-74	*25905	1438-80		
S6Z15AV	*25905	1410-72	25905	1411-37		
S6Z20A	25905	1438-76	*25905	1441-75		
S7101A	21600	1218-43	21600	1313-24	*21600	1314-35
	21600	1325-65	22001	1332-03		
S7101P	*21600	1313-57	21800	1328-03	21900	1324-33
	26002	1306-42				
S7101Q	*21600	1313-55	21600	1314-37		
S71010V	21600	1320-66	21600	1320-78	*21600	1325-68
	21600	1407-66				
S7102A	21600	1218-46	21600	1313-34	*21600	1314-33
	21600	1325-79	22001	1332-07		
S7102P	*21600	1312-57	21800	1328-17	21900	1324-41
	26002	1306-36				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S7102Q	*21600	1312-55	21600	1314-34		
S71020V	21600	1320-40	21600	1320-54	*21600	1325-80
	21600	1407-78				
S7103A	21600	1218-48	21600	1218-54	*21600	1314-47
	21600	1328-54	22200	1331-09	22200	1331-23
	22200	1331-63				
S7103P	*21600	1312-76	21600	1314-52		
S7103Q	*21600	1312-78	21800	1328-27	26002	1308-53
	26002	1309-03				
S7104A	21600	1218-50	21600	1218-56	*21600	1314-45
	21600	1328-48	22200	1331-37	22200	1331-49
	22200	1331-77				
S7104P	*21600	1313-76	21600	1314-48		
S7104Q	*21600	1313-78	21800	1328-39	26002	1104-59
	26002	1308-59				
S7105AV	20903	1140-66	*21600	1325-71		
S7105Q	*21600	1312-74	21600	1313-64		
S71050	*21600	1218-47	21600	1325-73		
S7106A	*21600	1218-45	21700	1205-66	21700	1206-49
	21700	1206-66	21700	1207-49	21700	1207-66
	21800	1205-49	21800	1334-14	21800	1335-14
S7106Q	21600	1312-64	*21600	1313-74		
S7107A	21600	1325-69	*21600	1329-57		
S7107Q	21600	1218-49	21600	1312-71	*21600	1313-25
	21600	1314-36	22001	1332-11		
S71070V	21600	1320-43	21600	1320-71	*21600	1325-70
S7108A	21600	1325-74	*21600	1329-63		
S7108P	21600	1132-05	*21600	1313-33		
S7108Q	21600	1218-52	*21600	1313-31	22001	1332-13
S71080V	21600	1320-41	21600	1320-69	*21600	1325-72
S7109Q	21600	1312-80	*21600	1328-49		
S7110Q	21600	1313-80	*21600	1328-43		
S71100E	*21600	1320-61	21900	1325-35	21900	1326-08
	21900	1326-22				
S71101E	*21600	1320-65	21900	1324-03	21900	1325-36
	21900	1326-24				
S71102E	*21600	1320-68	21900	1204-53		
S71103E	*21600	1320-64	21900	1204-59		
S71200E	*21600	1320-35	21900	1325-29	21900	1326-18
	21900	1326-30				
S71201E	*21600	1320-39	21900	1325-33	21900	1326-31
	21900	1326-38				
S71202E	*21600	1320-42	21900	1204-71		
S71203E	*21600	1320-38	21900	1204-69		
S71300E	*21600	1320-75	21600	1329-77		
S71301E	*21600	1320-79	21600	1329-73		



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S71302E	*21600	1320-80	21900	1204-56		
S71303E	*21600	1320-76	21900	1204-64		
S71400E	*21600	1320-47	21600	1329-65		
S71401E	*21600	1320-51	21600	1329-78		
S71402E	*21600	1320-56	21900	1204-72		
S71403E	*21600	1320-52	21900	1204-78		
S7150AV	*21600	1132-01	21600	1313-71		
S71601E	*21600	1407-65	21900	1204-51		
S71602E	*21600	1407-68	21900	1204-57		
S71603E	*21600	1407-64	21900	1204-54		
S71701E	*21600	1407-79	21900	1204-77		
S71702E	*21600	1407-80	21900	1204-75		
S71703E	*21600	1407-76	21900	1204-70		
S7201TA	*21700	1205-73	21700	1317-45		
S7201TB	*21700	1205-79	21700	1317-33		
S7201TC	*21700	1205-74	21700	1317-19		
S7201TD	*21700	1205-80	21700	1317-05		
S72010V	21600	1407-63	21600	1407-77	21700	1317-09
	21700	1317-23	21700	1317-37	21700	1317-49
	21700	1317-63	21700	1317-77	21700	1318-09
	21700	1318-23	21700	1318-37	21700	1318-49
	*21700	1325-56				
S72013E	21700	1207-62	*21700	1317-10		
S7202TA	*21700	1206-55	21700	1318-19		
S7202TB	*21700	1206-61	21700	1318-05		
S7202TC	*21700	1206-60	21700	1317-73		
S7202TD	*21700	1206-63	21700	1317-59		
S72020V	21600	1320-37	21600	1320-49	21600	1320-63
	21600	1320-77	21700	1318-63	21700	1318-77
	21700	1319-09	21700	1319-23	21700	1319-37
	21700	1319-49	21700	1319-63	21700	1319-77
	21700	1320-09	21700	1320-23	*21700	1325-57
S72023E	21700	1207-54	*21700	1317-24		
S7203TA	*21700	1206-73	21700	1320-19		
S7203TB	*21700	1206-79	21700	1320-05		
S7203TC	*21700	1206-74	21700	1318-45		
S7203TD	*21700	1206-80	21700	1318-33		
S72033E	21700	1207-57	*21700	1317-38		
S7204TA	*21700	1207-55	21700	1319-19		
S7204TB	*21700	1207-61	21700	1319-05		
S7204TC	*21700	1207-60	21700	1318-73		
S7204TD	*21700	1207-63	21700	1318-59		
S72043E	21700	1207-51	*21700	1317-52		
S7205TA	*21700	1207-73	21700	1319-73		
S7205TB	*21700	1207-79	21700	1319-59		
S7205TC	*21700	1207-74	21700	1319-45		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S7205TD	*21700	1207-80	21700	1319-33		
S72053E	21700	1207-76	*21700	1317-64		
S72063E	21700	1207-70	*21700	1317-76		
S72073E	21700	1207-75	*21700	1318-10		
S72083E	21700	1207-69	*21700	1318-24		
S72093E	21700	1206-75	*21700	1318-38		
S72103E	21700	1206-69	*21700	1318-52		
S72113E	21700	1205-76	*21700	1318-64	21800	1323-03
	25904	1212-41				
S72123E	21700	1205-70	*21700	1318-76	21800	1323-01
	25904	1212-25				
S72133E	21700	1205-75	*21700	1319-10	21800	1323-21
	25903	1210-09				
S72143E	21700	1205-69	*21700	1319-24	21900	1323-19
	25903	1209-41				
S72153E	21700	1206-62	*21700	1319-38	21800	1323-17
	25902	1207-41				
S72163E	21700	1206-54	*21700	1319-52	21800	1323-15
	25902	1207-25				
S72173E	21700	1206-57	*21700	1319-64	21800	1323-35
	25901	1204-41				
S72183E	21700	1206-51	*21700	1319-76	21800	1323-33
	25901	1204-25				
S72193E	21700	1206-76	*21700	1320-10	21800	1323-31
	25904	1212-09				
S72203E	21700	1206-70	*21700	1320-24	21800	1323-29
	25904	1211-41				
S7301P	*21900	1327-59	21900	1328-70		
S7301Q	21900	1325-23	*21900	1327-61		
S7301TA	*21900	1204-55	21900	1303-14		
S7301TB	*21900	1204-61	21900	1303-15		
S7301TC	*21900	1204-60	21900	1303-09		
S7301TD	*21900	1204-63	21900	1303-04		
S73010V	*21900	1325-25	21900	1327-68		
S73011N	*21900	1303-17	22100	1304-13	22100	1304-25
	25904	1213-23				
S73012N	*21900	1303-11	22100	1304-10	22100	1304-26
	22100	1304-42	25904	1213-07		
S73013N	*21900	1303-05	22100	1304-05	22100	1304-20
	22100	1304-36	25903	1210-39		
S73014N	*21900	1303-06	22100	1304-07	22100	1304-19
	22100	1304-31	25903	1210-23		
S7302P	21900	1327-60	*21900	1328-59		
S7302Q	21900	1325-20	*21900	1328-61		
S7302TA	*21900	1204-73	21900	1303-13		
S7302TB	*21900	1204-79	21900	1303-18		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S7302TC	*21900	1204-74	21900	1303-07		
S7302TD	*21900	1204-80	21900	1303-03		
S73020V	*21900	1325-18	21900	1328-68		
S7303A	21900	1314-06	*21900	1329-66		
S7303P	*21900	1327-57	21900	1328-60		
S7303Q	21900	1325-17	*21900	1327-55		
S73030V	*21900	1325-14	21900	1327-62		
S7304A	21900	1314-08	21900	1324-24	*21900	1326-11
S7304P	21900	1327-79	*21900	1328-57		
S7304Q	21900	1324-06	21900	1324-22	21900	1326-10
	21900	1326-25	*21900	1328-55		
S73040	*21900	1324-20	21900	1328-62		
S7305A	21900	1314-10	*21900	1324-07		
S7305Q	21900	1324-05	21900	1324-10	21900	1326-26
	*21900	1327-78				
S7306A	21900	1314-13	21900	1324-26	*21900	1326-23
S7306P	*21900	1327-69	21900	1328-79		
S7306Q	21900	1325-38	*21900	1327-74		
S73060V	*21900	1325-40	21900	1327-71		
S7307A	21800	1329-20	21900	1204-49	*21900	1324-39
S7307P	21900	1327-56	*21900	1328-76		
S7307Q	21900	1325-76	*21900	1328-78		
S73070	*21900	1314-11	21900	1325-39		
S73070V	*21900	1325-78	21900	1328-77		
S7308A	21900	1314-01	*21900	1329-60		
S7308P	*21900	1327-47	21900	1328-72		
S7308Q	21900	1325-75	*21900	1327-49		
S73080V	*21900	1325-77	21900	1327-54		
S7309A	21900	1314-04	21900	1324-11	*21900	1326-21
S7309P	21900	1327-46	*21900	1328-69		
S7309Q	21900	1324-09	21900	1324-14	21900	1326-19
	21900	1326-34	*21900	1328-74		
S73090	*21900	1324-15	21900	1328-71		
S7310A	21900	1314-05	*21900	1326-35		
S7310Q	21900	1324-17	21900	1326-36	21900	1326-40
	*21900	1327-43				
S73100V	21900	1324-01	*21900	1325-37	21900	1329-68
S7311A	21900	1314-07	21900	1324-13	*21900	1326-33
S73110V	*21900	1325-34	21900	1326-06	21900	1329-70
S7312A	21800	1329-19	21900	1204-66	*21900	1324-43
S73120	*21900	1314-09	21900	1325-47		
S7313AV	21900	1324-35	*21900	1325-42		
S7314AV	21900	1324-46	*21900	1325-49		
S7315A	*21900	1324-19	21900	1327-41	21900	1328-65
S7316A	*21900	1324-04	21900	1327-80	21900	1328-53
S73200V	*21900	1325-30	21900	1326-37	21900	1329-62

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S73210V	*21900	1325-31	21900	1326-14	21900	1329-64
S7322Q	21900	1327-70	21900	1327-72	*21900	1442-78
S7401A	21800	1325-11	*21800	1329-06		
S74010E	21800	1329-40	*21800	1335-07		
S74010V	21800	1309-13	21800	1309-40	*21800	1325-13
S74011C	21800	1322-05	*21800	1323-11		
S74011E	21800	1329-23	*21800	1335-11		
S74012C	21800	1322-08	*21800	1323-14		
S74012E	21800	1329-24	*21800	1335-13		
S74013E	21800	1205-57	21800	1329-11	*21800	1335-10
S7402A	*21800	1309-15	21900	1324-08	21900	1327-64
	21900	1327-66	21900	1327-75	21900	1328-64
	21900	1328-66				
S7402Q	*21800	1328-07	21800	1329-18	21800	1330-10
S74020E	21800	1330-11	*21800	1334-07		
S74021C	21800	1322-03	*21800	1323-27		
S74021E	21800	1330-03	*21800	1334-11		
S74022C	21800	1322-06	*21800	1323-26		
S74022E	21800	1330-04	*21800	1334-13		
S74023E	21800	1330-08	*21800	1334-10		
S7403A	*21800	1309-36	21900	1324-18	21900	1327-50
	21900	1327-52	21900	1327-73	21900	1328-73
	21900	1328-75				
S7403P	*21800	1328-23	22200	1326-55	22200	1326-68
S7403Q	21600	1312-79	*21800	1328-25	21800	1330-05
	26002	1219-50				
S74031C	21800	1322-01	*21800	1323-39		
S74032C	21800	1322-04	*21800	1323-40		
S7404A	21800	1328-01	21800	1328-14	21800	1328-26
	21800	1328-42	*21800	1329-01		
S7404Q	*21800	1328-19	21800	1329-17	21800	1330-07
S74041C	*21800	1322-11	21800	1329-08		
S74042C	*21800	1322-14	21800	1325-27	21800	1329-10
S7405P	*21800	1328-35	22200	1326-71	22200	1326-78
S7405Q	21600	1313-79	*21800	1328-37	21800	1330-13
	26002	1219-48				
S7405TA	*21800	1205-55	21800	1335-05		
S7405TB	*21800	1205-61	21800	1334-05		
S74050	21800	1328-05	*21800	1329-15		
S7406A	21800	1329-13	*21800	1330-06		
S74070	21800	1328-24	*21800	1329-22		
S7408A	21800	1329-26	*21800	1330-01		
S7409AV	21600	1313-60	*21800	1325-03	26002	1219-29
S74090	21600	1422-48	21800	1325-04	*21800	1329-14
	21900	1324-37	22002	1326-49		
S7410AV	21600	1312-60	*21800	1325-01	26002	1219-31

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S74100	21600	1422-77	21800	1325-05	*21800	1329-21
	21900	1324-48	22002	1326-48		
S74130	21800	1328-18	*21800	1329-27		
S7414A	21800	1329-25	*21800	1330-09		
S74150	21800	1328-40	*21800	1329-38		
S7416A	21800	1329-42	*21800	1330-15		
S7418AV	21800	1205-51	*21800	1325-26		
S75023E	22001	1333-26	*22001	1334-24	22002	1322-18
	25901	1203-41				
S75033E	22001	1332-20	*22001	1334-38	22002	1322-38
	25904	1211-25				
S75043E	22001	1332-19	*22001	1334-52	22002	1322-36
	25904	1211-09				
S75053E	22001	1332-25	*22001	1334-64	22002	1322-34
	25903	1208-41				
S75063E	22001	1332-55	*22001	1334-76	22002	1322-30
	25903	1205-41				
S75073E	22001	1332-42	*22001	1335-38	22002	1322-52
	25902	1206-25				
S7508A	22001	1324-38	*22001	1333-22		
S75083E	22001	1332-36	*22001	1335-52	22002	1322-50
	25902	1206-09				
S7509A	22001	1324-40	*22001	1333-14		
S75093E	22001	1332-31	*22001	1335-64	22002	1322-48
	25901	1203-25				
S7510A	22001	1324-42	*22001	1333-21		
S75103E	22001	1332-37	*22001	1335-76	22002	1322-46
	25901	1203-09				
S75110	*22001	1324-36	22001	1334-19		
S7512A	22001	1324-29	*22001	1332-14		
S7513A	22001	1324-30	*22001	1333-27		
S7514A	22001	1324-34	*22001	1333-38		
S75150	*22001	1324-31	22001	1334-33		
S7516A	22001	1324-52	*22001	1332-21		
S7517A	22001	1324-54	*22001	1333-30		
S7518A	22001	1324-56	*22001	1333-33		
S75190	*22001	1324-50	22001	1334-45		
S7520A	22001	1324-45	*22001	1332-27		
S7521A	22001	1324-47	*22001	1333-39		
S7522A	22001	1324-49	*22001	1333-52		
S75230	*22001	1324-51	22001	1334-59		
S7524A	22001	1324-66	*22001	1332-57		
S7525A	22001	1324-68	*22001	1333-46		
S7526A	22001	1324-70	*22001	1333-45		
S75270	*22001	1324-64	22001	1334-73		
S7528-A	22001	1324-53	*22001	1332-38		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution			
S7529A	22001	1324-60	*22001	1333-51	
S7530A	22001	1324-62	*22001	1333-66	
S7531A	*22001	1324-55	22001	1335-33	
S7532A	22001	1324-75	*22001	1332-30	
S7533A	22001	1324-77	*22001	1333-60	
S7534A	22001	1324-79	*22001	1333-57	
S75350	*22001	1324-73	22001	1335-45	
S7536A	22001	1324-65	*22001	1332-33	
S7537A	22001	1324-71	*22001	1333-63	
S7538A	22001	1324-72	*22001	1333-75	
S75390	*22001	1324-74	22001	1335-59	
S7540A	22001	1324-69	*22001	1332-39	
S7541A	22001	1324-76	*22001	1333-72	
S7542A	22001	1324-78	*22001	1333-69	
S75430	*22001	1324-80	22001	1335-73	
S7546AV	*22001	1325-53	22001	1332-24	22002 1420-38
S75460	22001	1325-51	*22001	1332-09	22001 1333-17
	22001	1333-29	22001	1333-40	22001 1333-41
	22001	1333-53	22001	1333-54	22001 1333-65
	22001	1333-68	22001	1333-77	
S7549AV	*22001	1325-66	22001	1332-26	22002 1439-27
S75490	22001	1325-64	*22001	1332-15	22001 1333-18
	22001	1333-23	22001	1333-34	22001 1333-35
	22001	1333-47	22001	1333-48	22001 1333-59
	22001	1333-62	22001	1333-71	
S7550AV	*22001	1325-63	22001	1332-17	22001 1332-18
	22001	1332-23	22001	1332-29	22001 1332-34
	22001	1332-35	22001	1332-40	22001 1332-53
	22001	1333-24	22002	1314-71	
S75500	22001	1325-61	*22001	1332-22	22002 1421-38
S75510V	*22001	1325-60	22001	1334-23	22001 1334-37
	22001	1334-49	22001	1334-63	22001 1334-77
	22001	1335-37	22001	1335-49	22001 1335-63
	22001	1335-77	22002	1326-50	22002 1326-56
	22002	1335-23			
S7601P	21900	1204-52	*22002	1312-35	26002 1217-34
S7601Q	21600	1422-50	*22002	1312-37	
S76010	22002	1326-43	22002	1326-54	*22002 1329-30
S76011C	*22002	1322-27	22002	1323-45	
S76012C	*22002	1322-26	22002	1323-50	
S7602A	22002	1312-39	*22002	1326-47	26002 1217-17
	26002	1218-14			
S7602P	21900	1204-68	*22002	1313-35	26002 1217-36
S7602Q	21600	1422-79	*22002	1313-37	
S76021C	*22002	1322-39	22002	1323-43	
S76022C	*22002	1322-40	22002	1323-48	

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S7603A	22002	1312-38	*22002	1332-72		
S76031C	*22002	1322-51	22002	1323-41		
S76032C	*22002	1322-54	22002	1323-46		
S7604A	22002	1313-39	*22002	1326-45	26002	1217-19
	26002	1218-18				
S76041C	22002	1314-72	*22002	1323-51	22002	1332-65
	22002	1332-71				
S76042C	22002	1314-73	*22002	1323-54		
S7605A	22002	1313-38	*22-002	1332-69		
S7606A	22002	1104-65	*22002	1333-06		
S7607A	22002	1104-71	*22002	1304-39		
S7608A	22002	1104-72	*22002	1304-52		
S76090	*22002	1104-74	22002	1445-73		
S76103E	22002	1323-47	22002	1333-08	*22002	1445-76
S7611A	22002	1104-75	*22002	1333-01		
S7612A	22002	1104-77	*22002	1304-46		
S7613A	22002	1104-79	*22002	1306-63		
S76140	*22002	1104-73	22002	1443-19		
S76153E	22002	1322-24	22002	1333-04	*22002	1443-24
S7616A	22002	1104-09	*22002	1306-75		
S7617A	22002	1104-11	*22002	1333-09		
S7618A	22002	1104-13	*22002	1333-15		
S76190	*22002	1104-15	22002	1335-19		
S76193E	22002	1306-77	22002	1322-22	*22002	1335-24
S7620A	22002	1104-01	*22002	1332-01		
S7621A	22002	1104-03	*22002	1306-33		
S7622A	22002	1104-05	*22002-	1332-06		
S76230	*22002	1104-07	22002	1434-73		
S76243E	22002	1322-20	22002	1332-04	*22002	1434-76
S76250V	22002	1304-56	22002	1306-61	22002	1332-08
	22002	1333-13	*22002	1420-40		
S7626AV	22002	1306-79	22002	1332-05	22002	1333-05
	22002	1333-10	*22002	1421-40		
S76270V	22002	1304-37	22002	1304-48	22002	1306-29
	22002	1333-03	*22002	1439-26		
S7628A	*22002	1314-69	22002	1329-36		
S77010	22200	1330-18	22200	1330-24	*22200	1332-63
S77010E	22200	1330-19	22200	1330-34	*22200	1331-07
S77011E	22200	1330-23	22200	1330-29	*22200	1331-11
S77012E	22200	1330-37	*22200	1331-13	22200	1337-64
S77013E	22200	1329-29	*22200	1331-10		
S77020E	22200	1330-50	*22200	1331-21	22200	1337-61
S77020V	22200	1218-60	22200	1218-75	22200	1330-26
	*22200	1337-71				
S77021E	22200	1326-61	*22200	1331-27		
S77022E	22200	1326-62	*22200	1331-25		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S7703A	*22200	1330-22	22200	1337-52		
S77030E	22200	1330-43	22200	1330-62	*22200	1331-35
	25902	1208-25				
S77030V	22200	1331-03	22200	1331-31	*22200	1337-54
S77031E	22200	1330-47	22200	1330-53	*22200	1331-39
	25902	1208-09				
S77032E	22200	1330-61	*22200	1331-42	22200	1337-62
	25901	1205-25				
S77033E	*22200	1331-38	22200	1337-45		
S7704A	*22200	1330-14	22200	1337-47		
S77040E	22200	1330-73	*22200	1331-47	22200	1337-55
	25901	1205-09				
S77040V	22200	1331-01	22200	1331-29	*22200	1337-49
S77041E	22200	1326-75	*22200	1331-51		
S77042E	22200	1326-73	*22200	1331-56		
S77050	22200	1218-55	*22200	1332-80	23500	1412-45
S77050E	*22200	1331-61	22301	1304-79	22301	1306-43
	25904	1213-25				
S77051	*22200	1331-65	22301	1304-64	22301	1304-73
	22301	1306-49	25904	1213-09		
S77052E	*22200	1331-68	22301	1304-55	22301	1304-74
	22301	1306-70	25903	1210-41		
S77053E	*22200	1331-64	22301	1304-61	22301	1304-78
	22301	1306-64	25903	1210-25		
S7706A	*22200	1218-57	22200	1337-50		
S77060E	*22200	1331-75	22302	1308-31	22302	1308-43
S77060V	22200	1331-06	22200	1331-34	*22200	1337-48
S77061E	*22200	1331-79	22302	1308-25	22302	1308-37
	22302	1308-49				
S77062E	*22200	1331-80	22302	1308-42	22302	1308-56
	22302	1308-70				
S77063E	*22200	1331-76	22302	1308-36	22302	1308-50
	22302	1308-64				
S7707A	*22200	1218-76	22200	1337-41		
S77070V	22200	1331-17	22200	1331-43	*22200	1337-46
S77080V	22200	1330-40	*22200	1337-66		
S7709A	*22200	1330-21	22200	1332-54		
S7710A	*22200	1330-27	22200	1332-56		
S77110	22200	1330-42	*22200	1332-52		
S7712A	*22200	1330-38	22200	1332-41		
S7713A	*22200	1330-30	22200	1332-48		
S7714A	*22200	1330-33	22200	1332-50		
S77150	22200	1330-35	*22200	1332-46		
S7716A	*22200	1330-39	22200	1332-43		
S77170	22200	1330-54	*22200	1332-45		
S7718AV	22200	1330-56	*22200	1337-63	22301	1309-72



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	22301	1314-14				
S7719A	22200	1218-71	*22200	1330-52		
S7720A	22200	1218-72	*22200	1330-46		
S77210	*22200	1218-69	22200	1326-64	22200	1326-70
S7722A	*22200	1330-45	22200	1332-47		
S7723A	*22200	1330-51	22200	1332-49		
S77240	22200	1330-70	*22200	1332-51		
S7725A	*22200	1330-66	22200	1332-62		
S7726A	*22200	1330-60	22200	1332-68		
S7727A	*22200	1330-57	22200	1332-70		
S77280	22200	1330-59	*22200	1332-66		
S7729A	*22200	1330-63	22200	1332-64		
S77300	22200	1330-77	*22200	1332-60		
S7731AV	22200	1330-68	*22200	1337-60		
S7732AV	22200	1330-79	*22200	1337-56	22302	1309-61
	22302	1326-01				
S7733A	22200	1324-21	*22200	1330-75		
S7734A	22200	1324-23	*22200	1330-72		
S77350	*22200	1324-27	22200	1326-74	22200	1326-79
S7736A	22200	1218-73	*22200	1329-33		
S7737AV	22200	1324-25	*22200	1337-43		
S7801A	*21600	1329-75	21600	1330-65		
S7802A	*21600	1329-72	21600	1330-76		
S7803A	*21600	1329-69	21600	1330-74		
S7804A	*21600	1329-80	21600	1330-78		
S7805AR	*29002	J032-60	29002	J068-60		
S7805AV	*21600	1325-48	22804	1250-59	22804	1302-59
	22804	1313-43	29002	J032-59	29002	J068-59
S78050	21600	1325-50	*21600	1330-69		
S7806AR	*29002	J032-62	29002	J068-62		
S7806AV	*21600	1325-46	22804	1250-61	22804	1302-61
	22804	1313-34	29002	J032-61	29002	J068-61
S78060	21600	1325-41	*21600	1330-80		
S7807A	*22200	1326-59	22804	1251-07	22804	1301-07
	22804	1313-40	29100	J033-07	29100	J067-07
S7807R	*29100	J033-08	29100	J067-08		
S7808A	*22200	1326-57	22804	1251-09	22804	1301-09
	22804	1313-42	29100	J033-09	29100	J067-09
S7808R	*29100	J033-10	29100	J067-10		
S7809	*29100	J033-11	29100	J067-11		
S7809A	*22200	1326-76	22804	1251-11	22804	1301-11
	22804	1313-38				
S7809R	*29100	J033-12	29100	J067-12		
S7810A	*22200	1326-69	22804	1251-13	22804	1301-13
	22804	1313-48	29100	J033-13	29100	J067-13
S7810R	*29100	J033-14	29100	J067-14		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S7811A	21600	1421-27	*21600	1422-46		
S78110V	21600	1329-71	21600	1329-79	*21600	1421-26
S7812A	21600	1420-27	*21600	1422-75		
S78120V	21600	1329-74	21600	1329-76	*21600	1420-26
S8110AV	*22200	1305-34	22200	1312-54		
S8110P	*22200	1312-47	22200	1313-56		
S8110Q	22200	1305-36	*22200	1312-49	22200	1330-31
	22200	1330-55				
S8111AV	*22200	1305-30	22200	1313-54		
S8111P	22200	1312-46	*22200	1313-47	25800	1218-30
S8111Q	22200	1305-29	*22200	1313-49	22200	1330-25
	22200	1330-49				
S8112AV	*22200	1305-31	22200	1312-48		
S8112P	*22200	1312-45	22200	1313-46		
S8112Q	22200	1305-33	*22200	1312-43		
S8113AV	*22200	1305-42	22200	1313-48		
S8113P	22200	1312-70	*22200	1313-45		
S8113Q	22200	1305-39	*22200	1313-43	22200	1330-36
	22200	1330-64				
S8114AV	*22200	1305-54	22200	1312-68		
S8114P	*22200	1312-59	22200	1313-70		
S8114Q	22200	1305-52	*22200	1312-61		
S8115AV	*22200	1305-49	22200	1313-68		
S8115P	*22200	1313-59	25200	1442-72		
S8115Q	22200	1305-47	*22200	1313-61	22200	1330-17
	22200	1330-41				
S8116A	22200	1305-50	*22200	1316-59		
S81160V	*22200	1305-48	22200	1330-48	22200	1330-71
S82010	*22400	1309-43	22400	1329-48	22400	1329-56
S82010E	22100	1119-04	*22400	1310-21	25903	1209-25
S82011E	22200	1316-55	22301	1109-31	22301	1305-75
	*22400	1310-27				
S82012E	22302	1119-29	22400	1309-46	*22400	1310-25
	22400	1329-50				
S82013E	*22400	1310-24	22400	1311-19		
S82020	22400	1309-45	*22400	1329-52		
S82020E	*22400	1311-21	25903	1209-09		
S82021E	22100	1109-42	22100	1305-27	*22400	1311-27
S82023E	22200	1316-60	22400	1310-33	*22400	1311-24
S82030	22400	1309-47	*22400	1329-46		
S82030E	*22400	1310-35	22500	1109-46	22500	1306-04
	22500	1306-08	22500	1307-17	22500	1308-11
	22500	1406-46	25902	1207-09		
S82032E	22100	1109-40	22100	1304-03	22100	1304-04
	22100	1304-08	22100	1305-38	*22400	1310-42
S82033E	*22400	1310-38	22400	1311-33		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S82040	*22400	1309-51	22400	1310-19		
S82040E	22200	1316-61	22302	1109-54	22302	1307-76
	22302	1308-23	22302	1308-34	22302	1308-40
	*22400	1311-35				
S82042E	22301	1109-30	22301	1304-53	22301	1304-59
	22301	1304-62	22301	1305-76	*22400	1311-42
	22500	1119-33				
S82043E	22100	1109-38	22100	1305-35	22302	1109-52
	22302	1307-75	22400	1310-45	*22400	1311-38
S82050	*22400	1309-64	22400	1329-43	22400	1329-47
S82051E	22200	1316-62	*22400	1310-51	22500	1109-48
	22500	1307-20				
S82052E	22301	1109-34	22301	1305-74	*22400	1310-56
S82053E	*22400	1310-52	22400	1311-45		
S8206A	22400	1309-53	*22400	1329-45		
S82060E	22200	1316-64	22301	1119-15	*22400	1311-47
S82063E	22400	1310-59	*22400	1311-52		
S8207A	22400	1309-60	*22400	1329-51		
S82071E	22200	1316-66	*22400	1310-65		
S82073E	22200	1316-68	*22400	1310-64	22400	1311-59
S82080	*22400	1309-55	22400	1310-73		
S82080E	*22400	1311-61	22500	1109-43	22500	1307-21
S82081E	22302	1109-56	22302	1307-74	*22400	1311-65
S82082E	22400	1309-41	*22400	1311-68	22400	1329-54
S82083E	22200	1316-70	*22400	1311-64		
S8209A	22400	1307-50	22400	1310-74	22400	1311-74
	*22400	1316-47	22600	1312-14		
S82090E	*22400	1310-75	22400	1316-50		
S82090V	*22400	1307-48	22400	1329-35	22600	1309-17
	22600	1310-09				
S82091E	*22400	1310-79	22400	1316-46		
S82092E	22400	1309-66	*22400	1310-80	22400	1316-48
	22400	1329-41				
S82093E	*22400	1310-76	22400	1311-73	22400	1316-49
S8210AV	*22400	1307-46	22400	1316-43		
S82100E	22400	1307-41	22400	1309-68	*22400	1311-75
	22400	1329-49				
S8211A	22400	1310-23	22400	1310-37	22400	1310-49
	22400	1310-63	22400	1311-23	22400	1311-37
	22400	1311-49	22400	1311-63	*22400	1329-39
S8301A	*22100	1304-06	22100	1305-11		
S83010V	22100	1302-31	*22100	1305-13		
S83012N	*22100	1302-29	22100	1303-27		
S83013N	*22100	1302-21	22100	1303-33		
S83014N	*22100	1302-22	22100	1303-25		
S83015N	*22100	1302-24	22100	1303-20		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S8302A	*22100	1304-01	22100	1305-06		
S83020V	22100	1302-34	*22100	1305-08		
S83021N	*22100	1303-30	22801	1439-65		
S83022N	*22100	1303-29	22801	1439-59		
S83023N	*22100	1303-21	22801	1439-55		
S83024N	*22100	1303-22	22801	1439-62		
S83025N	*22100	1303-24	22801	1439-61		
S8303A	*22100	1304-09	22100	1305-04		
S83030V	22100	1302-23	*22100	1305-03		
S8304A	*22100	1304-15	22100	1305-05		
S83040V	22100	1302-27	*22100	1305-01		
S8305A	*22100	1304-22	22100	1305-09		
S83050V	22100	1302-33	*22100	1305-07		
S8306A	*22100	1304-14	22100	1305-15		
S83060V	22100	1302-25	*22100	1305-10		
S8307A	*22100	1304-21	22100	1305-22		
S83070V	22100	1302-20	*22100	1305-24		
S8308A	*22100	1304-27	22100	1305-23		
S83080V	22100	1303-31	*22100	1305-25		
S8309A	*22100	1304-38	22100	1305-20		
S83090V	22100	1303-34	*22100	1305-18		
S8310A	*22100	1304-30	22100	1305-17		
S83100V	22100	1303-23	*22100	1305-14		
S8311A	*22100	1304-33	22100	1305-21		
S83110V	22100	1303-19	*22100	1305-19		
S83120V	22100	1304-49	22100	1304-68	*22100	1305-26
	22100	1308-08				
S83130V	22100	1304-43	22100	1304-47	*22100	1305-40
S83140V	22100	1304-41	22100	1304-70	*22100	1305-37
S8319A	*22100	1304-45	22100	1308-10		
S83200	22100	1304-11	22100	1304-17	22100	1304-18
	22100	1304-24	*22100	1308-06		
S8321A	*22100	1304-51	22100	1309-69		
S8322A	*22100	1304-66	22100	1309-76		
S83230	22100	1304-23	22100	1304-29	22100	1304-34
	22100	1304-40	*22100	1309-80		
S83240V	22100	1109-37	*22100	1119-03		
S8325A	*22100	1109-35	22100	1309-78		
S8401A	*22301	1304-60	22301	1305-45		
S84010V	22301	1302-78	*22301	1305-43		
S84012N	*22301	1302-75	22301	1303-76		
S84013N	*22301	1302-69	22301	1303-77		
S84014N	*22301	1302-70	22301	1303-73		
S84015N	*22301	1302-72	22301	1303-68		
S8402A	*22301	1304-57	22301	1305-51		
S84020V	22301	1302-79	*22301	1305-53		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution			
S84021N	*22301	1303-80	22802	1440-61	
S84022N	*22301	1303-75	22802	1440-64	
S84023N	*22301	1303-69	22802	1439-75	
S84024N	*22301	1303-70	22802	1439-76	
S8403A	*22301	1304-63	22301	1305-64	
S84030V	22301	1302-71	*22301	1305-66	
S8404A	*22301	1304-75	22301	1305-61	
S84040V	22301	1302-76	*22301	1305-63	
S8405A	*22301	1304-72	22301	1305-62	
S84050V	22301	1302-77	*22301	1305-60	
S8406A	*22301	1304-69	22301	1305-55	
S84060V	22301	1302-73	*22301	1305-56	
S8407A	*22301	1304-80	22301	1305-59	
S84070V	22301	1302-68	*22301	1305-57	
S8408A	22301	1305-65	*22301	1306-45	
S84080V	22301	1303-78	*22301	1305-68	
S8409A	22301	1305-79	*22301	1306-51	
S84090V	22301	1303-79	*22301	1305-80	
S8410A	22301	1305-73	*22301	1306-66	
S84100V	22301	1303-71	*22301	1305-71	
S8411A	22301	1305-69	*22301	1306-60	
S84110V	22301	1303-66	*22301	1305-70	
S84120V	*22301	1305-72	22301	1306-74	22301 1306-76
	22301	1309-65			
S84130V	*22301	1305-78	22301	1306-65	22301 1306-73
S84140V	*22301	1305-77	22301	1306-71	22301 1306-78
S8419A	*22301	1306-72	22301	1309-71	
S84200	22301	1304-65	22301	1304-71	22301 1304-76
	22301	1304-77	*22301	1309-74	
S8421A	*22301	1306-69	22301	1314-20	
S8422A	*22301	1306-80	22301	1314-18	
S84230	22301	1306-41	22301	1306-47	22301 1306-62
	22301	1306-68	*22301	1314-21	
S84240V	22301	1109-36	*22301	1119-10	
S8425A	*22301	1109-33	22301	1314-19	
S8501A	22302	1307-45	*22302	1308-27	
S85010V	22302	1302-64	*22302	1307-43	
S85012N	*22302	1302-57	22302	1303-62	
S85013N	*22302	1302-51	22302	1303-59	
S85014N	*22302	1302-54	22302	1303-55	
S85015N	*22302	1302-56	22302	1303-52	
S8502A	22302	1307-51	*22302	1308-38	
S85020V	22302	1302-61	*22302	1307-53	
S85021N	*22302	1303-63	22802	1440-65	
S85022N	*22302	1303-57	22802	1440-59	
S85023N	*22302	1303-51	22802	1440-55	

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S85024N	*22302	1303-54	22802	1440-62		
S8503A	22302	1307-64	*22302	1308-30		
S85030V	22302	1302-53	*22302	1307-66		
S8504A	22302	1307-61	*22302	1308-33		
S85040V	22302	1302-62	*22302	1307-63		
S8505A	22302	1307,-62	*22302	1308-39		
S85050V	22302	1302-59	*22302	1307-60		
S8506A	22302	1307-55	*22302	1308-52		
S85060V	22302	1302-55	*22302	1307-56		
S8507A	22302	1307-59	*22302	1308-46		
S85070V	22302	1302-52	*22302	1307-57		
S8508A	22302	1307-65	*22302	1308-45		
S85080V	22302	1303-64	*22302	1307-68		
S8509A	22302	1307-79	*22302	1308-51		
S85090V	22302	1303-61	*22302	1307-80		
S8510A	22302	1307-73	*22302	1308-66		
S85100V	22302	1303-53	*22302	1307-71		
S8511A	22302	1307-69	*22302	1308-60		
S85110V	22302	1303-49	*22302	1307-70		
S85120V	*22302	1307-72	22302	1308-74	22302	1308-76
	22302	1309-57				
S85130V	*22302	1307-78	22302	1308-65	22302	1308-73
	25902	1220-64				
S85140V	*22302	1307-77	22302	1308-71	22302	1308-78
S8519A	*22302	1308-72	22302	1309-59		
S85200	22302	1308-29	22302	1308-35	22302	1308-48
	22302	1308-54	*22302	1309-63		
S8521A	*22302	1308-69	22302	1326-04		
S8522A	*22302	1308-80	22302	1326-05		
S85230	22302	1308-41	22302	1308-47	22302	1308-62
	22302	1308-68	*22302	1326-09		
S85240V	22302	1109-49	*22302	1119-30		
S8525A	*22302	1109-47	22302	1326-07		
S8601A	*22500	1306-06	22500	1307-11		
S86010V	22500	1302-48	*22500	1307-13		
S86011N	*22500	1302-50	22500	1406-47		
S86012N	*22500	1302-43	22500	1406-39		
S86013N	*22500	1302-37	22500	1303-45		
S86014N	*22500	1302-38	22500	1303-41		
S86015N	*22500	1302-40	22500	1303-36		
S8602A	*22500	1306-01	22500	1307-06		
S86020V	22500	1302-47	*22500	1307-08		
S86021N	*22500	1303-50	22801	1439-74		
S86022N	*22500	1303-43	22801	1439-69		
S86023N	*22500	1303-37	22801	1439-73		
S86024N	*22500	1303-38	22801	1439-79		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S8603A	*22500	1308-15	22500	1412-69		
S86030V	22500	1406-48	*22500	1412-70		
S86033N	22500	1303-46	*22500	1406-37		
S86034N	22500	1302-39	*22500	1406-38		
S8604A	*22500	1306-09	22500	'1307-04		
S86040V	22500	1302-46	*22500	1307-03		
S8605A	*22500	1306-15	22500	1307-05		
S86050V	22500	1302-45	*22500	1307-01		
S8606A	*22500	1306-22	22500	1307-09		
S86060V	22500	1302-41	*22500	1307-07		
S8608A	*22500	1306-14	22500	1307-15		
S86080V	22500	1303-48	*22500	1307-10		
S8609A	*22500	1306-21	22500	1307-22		
S86090V	22500	1303-47	*22500	1307-24		
S8610A	*22500	1306-27	22500	1307-23		
S86100V	22500	1303-39	*22500	1307-25		
S86120V	22500	1306-48	22500	1306-56	*22500	1307-18
	22500	1308-03				
S86130V	22500	1306-37	22500	1306-54	*22500	1307-14
S86140V	22500	1306-35	22500	1306-50	*22500	1307-19
S8619A	*22500	1306-39	22500	1308-07		
S86200	22500	1306-03	22500	1306-11	22500	1306-24
	*22500	1308-09	22500	1406-45		
S8621A	*22500	1306-52	22500	1309-75		
S8622A	*22500	1306-46	22500	1309-77		
S86230	22500	1306-17	22500	1306-18	22500	1306-23
	*22500	1309-73	22500	1406-41		
S86240V	22500	1109-50	*22500	1119-31		
S8625A	*22500	1109-45	22500	1309-79		
S8701AV	*22600	1307-26	22600	1312-08		
S8701P	*22600	1312-11	22600	1313-10		
S8701Q	22600	1307-27	*22600	1312-13		
S8702AV	*22600	1307-40	22600	1313-08		
S8702P	22600	1312-01	*22600	1313-11		
S8702Q	22600	1307-38	22600	1310-03	*22600	1313-13
S8703AV	*22600	1307-37	22600	1312-05		
S8703P	*22600	1312-09	22600	1313-01		
S8703Q	22600	1307-35	22600	1310-01	*22600	1312-07
S8704AV	*22600	1307-34	22600	1313-05		
S8704P	22600	1312-26	*22600	1313-09		
S8704Q	22600	1307-36	22600	1310-04	*22600	1313-07
S8705AV	*22600	1307-30	22600	1312-24		
S8705Q	22600	1307-29	22600	1310-06	*22600	1312-25
S8707A	*22600	1309-19	22600	1310-14	22600	1312-04
	22600	1312-06	22600	1312-22	22600	1313-04
	22600	1313-06				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S8707P	22600	1309-14	*22600	1312-21		
S8707Q	22600	1305-41	*22600	1312-19		
S87081E	22600	1307-33	22600	1308-20	22600	1309-29
	22600	1309-33	*22600	1310-11		
S87082E	22600	1307-39	22600	1308-24	22600	1309-30
	22600	1309-35	*22600	1310-13		
S87083E	22600	1307-52	22600	1308-19	22600	1309-21
	22600	1309-34	*22600	1310-10		
S8709A	*22600	1308-22	22600	1309-52		
S8710A	*22600	1308-14	22600	1309-54		
S8711AV	*22600	1307-31	22600	1308-26	22600	1309-23
S8711R	29100	J033-02	*29100	J067-02		
S87110	*22600	1309-50	22801	1251-01	22801	1301-01
	22801	1311-19	22801	1311-61	22802	1312-19
	22802	1312-61	29100	J033-01	29100	J067-01
S8712AV	*22600	1307-42	22600	1308-17	22600	1308-18
S8713AV	*22600	1307-54	22600	1309-37		
S8714A	22600	1307-47	*22600	1309-31		
S8714R	29100	J033-06	*29100	J067-06		
S87140	29100	J033-05	*29100	J067-05		
S87140V	*22600	1307-49	22801	1251-05	22801	1301-05
	22801	1311-23	22801	1311-66	22802	1312-23
	22802	1312-66				
S8715A	*22600	1309-27	22600	1314-22		
S8715AV	*22600	1305-46	22600	1312-18		
S8716A	*22600	1308-21	22600	1314-24		
S8717A	*22600	1309-39	22600	1314-25		
S8718	29100	J033-03	*29100	J067-03		
S8718R	29100	J033-04	*29100	J067-04		
S87180	*22600	1314-23	22801	1251-03	22801	1301-03
	22801	1311-16	22801	1311-68	22802	1312-16
	22802	1312-68				
S9100A	*25901	1217-80	25901	1219-08	25902	1220-05
	25904	1220-09				
S91000	25901	1203-08	25901	1203-24	25901	1203-40
	25901	1204-08	25901	1204-24	25901	1204-40
	25901	1205-08	25901	1205-24	*25901	1219-06
	25902	1206-08	25902	1206-40	25902	1207-24
	25902	1208-08				
S91001X	*25901	1203-04	25901	1221-06		
S91003E	25100	1340-31	25100	1341-01	*25901	1221-10
S9101A	*25901	1219-01	25901	1220-45	25902	1220-50
	25904	1220-15				
S91010V	25901	1203-10	25901	1203-26	25901	1203-42
	25901	1204-10	25901	1204-26	25901	1204-42
	25901	1205-10	25901	1205-26	*25901	1220-43



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	25902	1206-10	25902	1206-42	25902	1207-26
	25902	1208-10				
S91011X	*25901	1203-20	25901	1221-20		
S91013E	25100	1340-25	25100	1341-65	*25901	1221-24
S9102A	*25901	1219-09	25901	1220-51	25902	1220-41
	25904	1220-22				
S91020V	25901	1203-14	25901	1203-27	25901	1203-46
	25901	1204-14	25901	1204-27	25901	1204-46
	25901	1205-14	25901	1205-27	*25901	1220-53
	25902	1206-14	25902	1206-46	25902	1207-27
	25902	1208-14				
S91081X	*25901	1203-36	25901	1221-04		
S91091X	*25901	1204-04	2.5901	1221-18		
S91161X	*25901	1204-20	25901	1221-01		
S91171X	*25901	1204-36	25901	1221-15		
S91241X	*25901	1205-04	25901	1221-03		
S91251X	*25901	1205-20	25901	1221-17		
S91500	25901	1205-05	*25901	1217-06		
S91510	25901	1205-21	*25901	1217-01		
S92000V	25902	1206-24	25902	1207-08	25902	1207-40
	25902	1208-24	*25902	1220-01	25903	1205-40
	25903	1208-40	25903	1209-08	25903	1209-24
	25903	1209-40	25903	1210-08	25903	1210-24
	25903	1210-40				
S92010V	25902	1206-26	25902	1207-10	25902	1207-42
	25902	1208-26	*25902	1220-48	25903	1205-42
	25903	1208-42	25903	1209-10	25903	1209-26
	25903	1209-42	25903	1210-10	25903	1210-26
	25903	1210-42				
S92020V	25902	1206-27	25902	1207-14	25902	1207-46
	25902	1208-27	*25902	1220-46	25903	1205-46
	25903	1208-46	25903	1209-14	25903	1209-27
	25903	1209-46	25903	1210-14	25903	1210-27
	25903	1210-46				
S92021X	*25902	1206-04	25902	1221-34		
S92023E	25100	1340-26	25100	1341-14	*25902	1221-38
S92031X	*25902	1206-20	25902	1221-48		
S92033E	25100	1340-20	25100	1341-38	*25902	1221-52
S92101X	*25902	1206-36	25902	1221-30		
S92111X	*25902	1207-04	25902	1221-46		
S92181X	*25902	1207-20	25902	1221-29		
S92191X	*25902	1207-36	25902	1221-41		
S92261X	*25902	1208-04	25902	1221-31		
S92271X	*25902	1208-20	25902	1221-43		
S92500	25902	1208-05	*25902	1217-09		
S92510	25.902	1208-21	*25902	1217-15		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S9252AV	25902	1206-41	*25902	1220-66		
S93041X	*25903	1205-36	25903	1221-60		
S93043E	25100	1340-50	25100	1341-33	*25903	1221-64
S93051X	*25903	1208-36	25903	1221-72		
S93053E	25100	1340-54	25100	1341-57	*25903	1221-76
S93121X	*25903	1209-04	25903	1221-57		
S93131X	*25903	1209-20	25903	1221-70		
S93201X	*25903	1209-36	25903	1221-53		
S93211X	*25903	1210-04	25903	1221-69		
S93281X	*25903	1210-20	25903	1221-55		
S93291X	*25903	1210-36	25903	1221-71		
S94000V	25904	1211-08	25904	1211-24	25904	1211-40
	25904	1212-08	25904	1212-24	25904	1212-40
	25904	1213-08	25904	1213-24	*25904	1220-07
	26002	1213-40				
S94010V	25904	1211-10	25904	1211-26	25904	1211-42
	25904	1212-10	25904	1212-26	25904	1212-42
	25904	1213-10	25904	1213-26	*25904	1220-10
	26002	1213-42				
S94020V	25904	1211-14	25904	1211-27	25904	1211-46
	25904	1212-14	25904	1212-27	25904	1212-46
	25904	1213-14	25904	1213-27	*25904	1220-24
	26002	1213-46				
S94030V	25904	1212-50	*25904	1439-40		
S94061X	*25904	1211-04	25904	1223-06		
S94063E	25100	1340-34	25100	1341-66	*25904	1223-10
S94071X	*25904	1211-20	25904	1223-20		
S94073E	25100	1340-19	25100	1341-41	*25904	1223-24
S94141X	*25904	1211-36	25904	1223-04		
S94151X	*25904	1212-04	25904	1223-18		
S94221X	*25904	1212-20	25904	1223-01		
S94231X	*25904	1212-36	25904	1223-15		
S94301X	*25904	1213-04	25904	1223-03		
S94311X	*25904	1213-20	25904	1223-17		
S9501AV	26001	1219-23	*26001	1220-37		
S95010	*26001	1219-22	26001	1220-35		
S95010E	25904	1213-19	*26001	1226-61		
S95011E	25904	1213-03	*26001	1226-65		
S95012E	25903	1210-35	*26001	1226-68		
S95013E	25903	1210-19	*26001	1226-64		
S9502AV	26001	1217-24	*26001	1220-34		
S95020	*26001	1219-14	26001	1220-36	26001	1226-73
S95020E	25902	1208-19	*26001	1226-75		
S95021E	25902	1208-03	*26001	1226-79		
S95022E	25901	1205-19	*26001	1226-80		
S95023E	25901	1205-03	*26001	1226-76		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
S9503A	*26001	1217-22	26001	1219-25		
S95030	26001	1217-26	*26001	1219-21		
S95040	*26001	1219-27	26001	1226-59		
S9505A	26001	1217-68	*26001	1218-11		
S9506AV	26001	1219-24	*26001	1220-25		
S9507AV	26001	1219-18	*26001	1220-18		
S9508AV	26001	1219-17	*26001	1220-14		
S9509AV	26001	1219-26	*26001	1220-19		
S9510AV	26001	1219-20	*26001	1220-26		
S9511AV	26001	1219-19	*26001	1220-40		
S9550P	26001	1219-34	*26001	1227-09		
S9550Q	25600	1228-68	26001	1219-42	*26001	1227-07
	26001	1243-40				
S9551Q	25901	1221-08	25901	1221-22	25902	1221-36
	25902	1221-50	25903	1221-62	25903	1221-74
	25904	1223-08	25904	1223-22	*26001	1243-37
S95510	*26001	1217-14	26001	1220-29		
S9552AV	*26001	1220-30	26001	1227-04	26001	1243-38
S9553A	26001	1217-59	*26001	1219-38		
S9554A	26001	1217-61	*26001	1219-30		
S95550	25901	1221-09	25901	1221-23	25902	1221-37
	25902	1221-49	25903	1221-63	25903	1221-77
	25904	1223-09	25904	1223-23	*26001	1217-63
S95560V	*26001	1232-13	26001	1243-42		
S95600	*26001	1217-66	26001	1226-63	26001	1226-77
S96002X	26002	1213-35	*26002	1214-06		
S96012X	26002	1213-37	*26002	1214-22		
S96022X	26002	1213-39	*26002	1214-38		
S96032X	26002	1213-41	*26002	1215-06		
S9604TA	26002	1213-43	*26002	1215-55		
S9604TB	26002	1213-45	*26002	1215-61		
S96040	26002	1214-05	*26002	1218-23		
S96050	26002	1214-07	26002	1215-03	*26002	1218-21
S9606AV	26002	1214-09	*26002	1220-03		
S96060	*26002	1219-66	26002	1220-04		
S96061X	26002	1213-47	*26002	1215-20		
S9607AV	26002	1214-11	26002	1215-05	*26002	1220-08
S96070	*26002	1217-30	26002	1220-06		
S96071X	26002	1213-50	*26002	1215-36		
S9608AV	26002	1215-31	26002	1215-53	26002	1218-26
	*26002	1220-42				
S96080	26002	1220-39	*26002	1314-57		
S96101X	26001	1219-36	*26002	1213-36		
S96102X	26001	1227-01	*26002	1213-38		
S9611A	*26001	1131-01	26002	1141-37		
S96110	*26002	1141-39	26002	1214-03		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
S9621A	*26002	1217-46	26002	1218-25	26002	1219-68
S96230	26002	1217-50	*26002	1219-33		
S9624A	26002	1214-39	*26002	1314-59		
S9625A	26002	1214-41	*26002	1314-76		
S9631A	*26002	1217-60	26002	1218-24	26002	1219-70
S96330	26002	1217-62	*26002	1219-46		
S96350	26002	1215-07	*26002	1217-45		
S9639AV	26002	1118-10	*26002	1220-13		
S9640A	26002	1118-08	*26002	1141-30		
S96410	*26002	1118-06	26002	1215-59		
S9642Q	26002	1141-34	*26002	1243-19		
S96430	26002	1119-36	*26002	1217-21		
S9644AV	*26002	1119-34	26002	1214-43		
S96450V	26002	1308-55	*26002	1325-10		
S96460V	26002	1308-61	*26002	1325-07		
S9647A	26002	1306-53	*26002	1308-57		
S9648A	26002	1306-55	*26002	1308-63		
S96490	26002	1215-09	*26002	1306-57		
S9650A	26002	1308-77	*26002	1309-07		
S9651A	*26002	1104-63	26002	1308-79		
S96520	26002	1215-11	*26002	1308-75		
S9653A	26002	1217-41	*26002	1306-38		
S9654A	26002	1217-43	*26002	1306-30		
VLTSNSE	26107	J06-73	*26107	1420-22		
VR817	*26105	1308-17	26105	1308-33		
VR818	*26105	1308-18	26105	1308-23		
VR824	*26105	1308-24				
VR829	26105	1124-78	*26105	1308-29		
VR852	*26105	1308-52				
VR853	*26105	1308-53	26105	1308-73		
VR855	26105	1308-55	*26105	1308-65		
VR866	*26105	1308-66				
VR917	*26106	1309-17	26106	1309-33		
VR918	*26106	1309-18	26106	1309-23		
VR924	*26106	1309-24				
VR929	26106	1124-74	*26106	1309-29		
VR934	*26106	1309-34	26106	1309-36		
VR935	26106	1309-35	*26106	1309-38		
VR952	26106	1124-71	*26106	1309-52		
VR953	26106	1309-53	*26106	1309-73		
VR955	26106	1309-55	*26106	1309-65		
VR966	*26106	1309-66				
VSENSE	*26107	J01-H1				
WACMRA	13401	1105-64	13402	1342-31	*26503	A04-15 1
	26503	S23-4B	26504	J04-37	27102	J003-64
	30001	J047-37				

Change 2 5-145

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
WACMRB	13401	1105-65	13402	1343-37	*26503	A04-37
	26503	S23-3B	26504	J04-36	27102	J003-65
	30001	J047-36				
WGND	20001	1110-10	20001	1110-13	20001	1110-41
	20001	1110-43	20002	1111-10	20002	1111-13
	20002	1111-41	20002	1111-43	20003	1112-10
	20003	1112-13	20003	1112-41	20003	1112-43
	20004	1113-10	20004	1113-13	20004	1113-41
	20004	1113-43	20004	1114-10	20004	1114-13
	20005	1114-41	20005	1114-43		
	WMRSIG1	*26601	A09-01	26601	S01-B	26601
	26601	S01-D	26601	S01E	26601	S01-2B
WMRSA	13401	J05-58	13401	1106-68	13402	1342-37
	*26601	A07-03	26601	S01-4B	27002	J002-68
	29402	J036-58				
WMRSWB	13401	J05-57	13401	1106-69	13402	1343-29
	*26601	A07-01	26601	S01-3B	27002	J002-69
	29402	J036-57				
WS2301	*26503	A05-31	26503	S23-B	26503	S23-C
	26503	S23-D	26503	S23-E	26503	S23-2B
WTPSIG1	*26602	A09-49	26602	S24-B	26602	S24-C
	26602	S24-D	26602	S24-E	26602	S24-2B
WTPSWA	13401	J03-35	13401	1106-65	13402	1345-42
	*26602	A07-23	26602	S24-4B	27002	J002-65
	29201	J034-35				
WTPSWB	13401	J03-34	13401	1106-66	13402	1346-42
	*26602	A07-21	26602	S24-3B	27002	J002-66
	29201	J034-34				
W10F0A	26601	J05-13	*26601	S09-B1	26601	S09-B2
	29401	J036-13	31500	J076-19		
W20F0A	26601	J05-73	*26601	S08-B1	26601	S08-B2
	29402	J036-73	32800	J109-19		
XICMSG	*31701	J079-38	33200	J114-38		
XICMSH	*31701	J079-37	33200	J114-37		
XIENSG	*31701	J079-36	33200	J114-36		
XIENSH	*31701	J079-35	33200	J114-35		
XIINCH	31701	J079-39	*33200	J114-39		
XIINCHR	31701	J079-40	*33200	J114-40		
XIR0CG	31701	J079-20	*33200	J114-20		
XIR0CH	31701	J079-19	*33200	J114-19		
XIR1CG	31701	J079-22	*33200	J114-22		
XIR1CH	31701	J079-21	*33200	J114-21		
XIR2CG	31701	J079-24	*33200	J114-24		
XIR2CH	31701	J079-23	*33200	J114-23		
XIR3CG	31701	J079-26	*33200	J114-26		
XIR3CH	31701	J079-25	*33200	J114-25		

Change 2 5-146

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
XIR4CG	31701	J079-28	*33200	J114-28		
XIR4CH	31701	J079-27	*33200	J114-27		
XIR5CG	31701	J079-30	*33200	J114-30		
XIR5CH	31701	J079-29	*33200	J114-29		
XIR6CG	31701	J079-32	*33200	J114-32		
XIR6CH	31701	J079-31	*33200	J114-31		
XIR7CG	31701	J079-34	*33200	J114-34		
XIR7CH	31701	J079-33	*33200	J114-33		
XI0PCG	*31701	J079-02	33200	J114-02		
XI0PCH	*31701	J079-01	33200	J114-01		
XI00CG	*31701	J079-04	33200	J114-04		
XI00CH	*31701	J079-03	33200	J114-03		
XI01CG	*31701	J079-06	33200	J114-06		
XI01CH	*31701	J079-05	33200	J114-05		
XI02CG	*31701	J079-08	33200	J114-08		
XI02CH	*31701	J079-07	33200	J114-07		
XI03CG	*31701	J079-10	33200	J114-10		
XI03CH	*31701	J079-09	33200	J114-09		
XI04CG	*31701	J079-12	33200	J114-12		
XI04CH	*31701	J079-11	33200	J114-11		
XI05CG	*31701	J079-14	33200	J114-14		
XI05CH	*31701	J079-13	33200	J114-13		
XI06CG	*31701	J079-16	33200	J114-16		
XI06CH	*31701	J079-15	33200	J114-15		
XI07CG	*31701	J079-18	33200	J114-18		
XI07CH	*31701	J079-17	33200	J114-17		
ZCL32D4	21302	1141-03	*26802	1349-49		
ZCL6BDG	26802	1349-56				
ZCL6BD4	26802	1349-55				
ZCL6BM4	22900	1410-73	22900	1410-79	22900	1437-72
	22900	1437-79				
ZCMDAG	25200	1347-36	26802	1350-38	*26802	1350-78
ZCMDAH	25200	1347-34	26802	1350-37	*26802	1350-77
ZCMDAT	25200	1338-03	*25200	1347-11		
ZD0PAG	25100	1342-40	26802	1350-02	*26802	1350-42
ZD0PAH	25100	1342-38	26802	1350-01	*26802	1350-41
ZD0PAT	25100	1337-11	*25100	1342-07		
ZD00AG	25100	1343-40	26802	1350-04	*26802	1350-44
ZD00AH	25100	1343-38	26802	1350-03	*26802	1350-43
ZD00AT	25100	1337-05	*25100	1343-07		
ZD01AG	25100	1342-36	26802	1350-06	*26802	1350-46
ZD01AH	25100	1342-34	26802	1350-05	*26802	1350-45
ZD01AT	25100	1337-09	*25100	1342-11		
ZD02AG	25100	1343-36	26802	1350-08	*26802	1350-48
ZD02AH	25100	1343-34	26802	1350-07	*26802	1350-47
ZD02AT	25100	1337-15	*25100	1343-11		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
ZD03AG	25100	1344-36	26802	1350-10	*26802	1350-50
ZD03AH	25100	1344-34	26802	1350-09	*26802	1350-49
ZD03AT	25100	1337-22	*25100	1344-11		
ZD04AG	25100	1345-36	26802	1350-12	*26802	1350-52
ZD04AH	25100	1345-34	26802	1350-11	*26802	1350-51
ZD04AT	25100	1337-23	*25100	1345-11		
ZD05AG	25100	1346-36	26802	1350-14	*26802	1350-54
ZD05AH	25100	1346-34	26802	1350-13	*26802	1350-53
ZD05AT	25100	1337-20	*25100	1346-11		
ZD06AG	25100	1344-40	26802	1350-16	*26802	1350-56
ZD06AH	25100	1344-38	26802	1350-15	*26802	1350-55
ZD06AT	25100	1337-17	*25100	1344-07		
ZD07AG	25100	1345-40	26802	1350-18	*26802	1350-58
ZD07AH	25100	1345-38	26802	1350-17	*26802	1350-57
ZD07AT	25100	1340-03	*25100	1345-07		
ZENAAG	25200	1347-40	26802	1350-36	*26802	1350-76
ZENA AH	25200	1347-38	26802	1350-35	*26802	1350-75
ZENAAT	25200	1338-04	*25200	1347-07		
ZINDXG	*25600	1348-36	26802	1350-40	26802	1350-80
ZINDXH	*25600	1348-34	26802	1350-39	26802	1350-79
ZIZR0DG	26802	1349-32				
ZIZR0D4	26802	1349-31				
ZIZR0M4	22900	1410-65				
ZRQ0XG	26802	1350-20	26802	1350-60		
ZRQ0XH	26802	1350-19	26802	1350-59		
ZRQ1XG	26802	1350-22	26802	1350-62		
ZRQ1XH	26802	1350-21	26802	1350-61		
ZRQ2XG	26802	1350-24	26802	1350-64		
ZRQ2XH	26802	1350-23	26802	1350-63		
ZRQ3XG	*25400	1348-40	26802	1350-26	26802	1350-66
ZRQ3XH	*25400	1348-38	26802	1350-25	26802	1350-65
ZRQ32D4	21302	1110-04	21302	1139-55	*26802	1349-45
ZRQ4XG	26802	1350-28	26802	1350-68		
ZRQ4XH	26802	1350-27	26802	1350-67		
ZRQ5XG	26802	1350-30	26802	1350-70		
ZRQ5XH	26802	1350-29	26802	1350-69		
ZRQ6XG	26802	1350-32	26802	1350-72		
ZRQ6XH	26802	1350-31	26802	1350-71		
ZRQ7XG	26802	1350-34	26802	1350-74		
ZRQ7XH	26802	1350-33	26802:	1350-73		
ZRSETD4	26802	1349-47				
ZRSET0	20801	1246-40	*20801	1449-37		
ZSACAD4	20702	1245-35	*26802	1349-35		
ZSACXD4	16900	2318-71	*20702	1248-39	26802	1349-07
	26803	2250-77	27802	J015-77	31801	J080-07
ZSACXD4R	*27802	J015-78	31801	J080-08		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
ZSCCXD4	16900	2346-37	18000	2329-04	*20702	1248-52
	26802	1349-09	26803	2250-73	27802	J015-73
	31801	J080-09				
ZSCCXD4R	*27802	J015-74	31801	J080-10		
ZSCWXD4	*20702	1248-46				
ZSINHDR	*27002	J002-50	27803	J015-80	31801	J080-02
ZSINH4	14000	1137-73	14400	1137-41	14400	1137-49
	15001	1137-56	16900	2342-78	17200	2341-64
	17200	2341-74	18300	2301-74	18801	2231-19
	18801	2231-20	18801	2231-25	18801	2231-26
	20801	1449-79	26802	1349-01	26803	1106-49
	26803	2250-79	*27002	J002-49	27803	J015-79
	31801	J080-01				
ZSI0XD4	18900	1124-42	18900	1304-67	*20802	1248-66
	26802	1349-11	28802	J030-67	31801	J080-11
ZSI0XD4R	*28802	J030-68	31801	J080-12		
ZSI0XG	26803	1304-68				
ZSLIAD4	25200	1347-05	25200	1347-09	*26802	1349-63
ZSLRAD4	20702	1230-59	*26802	1349-69	27002	J002-54
	27002	J080-69				
ZSNPAD4	20702	1245-38	*26802	1349-71		
ZSNPXD4	16900	2318-65	*20702	1248-45	26802	1349-05
	26803	2250-75	27802	J015-75	31801	J080-05
ZSNPXD4R	*27802	J015-76	31801	J080-06		
ZSPTAD4	20801	1245-79	26002	1214-50	*26802	1349-67
ZSPTXDR	*27002	J002-48	31801	J080-04		
ZSPTXD4	14400	1119-29	*20802	1248-51	26802	1349-03
	26803	1106-47	27002	J002-47	318-01	J080-03
ZSR0AD4	20801	1246-50	26002	1214-47	*26802	1349-65
1ACA10	15300	1209-06	*15400	1205-33	15400	1216-40
	15400	1216-68				
1ACB10	15300	1209-01	*15400	1205-39	15400	1216-34
	15400	1216-62				
1ADD0R	27502	J012-70	*27502	J072-70		
1ADD00	08502	2329-69	11200	2513-08	*16300	1205-22
	16500	1214-46	26802	2251-69	26803	1204-69
	27502	J012-69	27502	J072-69		
1ADD1A	16300	1205-24	*16300	1208-22		
1ADD2A	16300	1205-26	*16300	1208-14		
1AD001N	15600	1219-48	*15600	1221-50		
1AD012N	15600	1219-41	*15600	1221-43		
1AD023N	15600	1219-47	*15600	1221-37		
1AD03A	15600	1219-08	*15600	1222-06		
1AD030	*15600	1219-06	15600	1221-62		
1AD034N	15600	1219-68	*15600	1221-38		
1AD035N	*15600	1221-40	15600	1222-08		



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
1AD041N	15600	1219-62	*15600	1221-63		
1AD052N	15600	1219-53	*15600	1221-57		
1AD063N	15600	1219-59	*15600	1221-51		
1AD07A	15600	1219-04	*15600	1222-01		
1AD070	*15600	1219-01	15700	1221-76		
1AD074N	15600	1219-77	*15600	1221-54		
1AD075N	*15600	1221-56	15600	1222-04		
1AD081N	15700	1219-71	*15700	1221-80		
1AD092N	15700	1219-65	*15700	1221-75		
1AD103N	15700	1219-76	*15700	1221-69		
1AD104N	15100	1222-43	*15700	1221-70		
1ASP1A	16300	1205-40	*16300	1206-23		
1ASTIA	16300	1205-34	*16300	1206-21		
1AVD10	15400	1216-37	15500	1241-37	*26803	1106-01
1AVD20	15400	1216-61	15500	1241-61	*26803	1106-03
1A256A	15100	1223-27	*15100	1224-47		
1A2560V	15100	1222-40	*15100	1223-26		
1BCL10	*16500	1208-66	16500	1214-09	16500	1218-09
	16500	1218-23				
1BCL20	16500	1213-49	16500	1214-23	16500	1214-37
	16500	1214-49	16500	1218-37	16500	1218-49
	16500	1218-63	*16500	1222-75		
1BCS1A	15100	1208-31	15100	1222-26	15200	1230-36
	15400	1208-42	15500	1233-25	15500	1247-26
	*16500	1205-72	16500	1208-68	16500	1233-68
1BCS10	16500	1205-71	*16500	1208-60		
1BGR2A	16500	1213-50	16500	1214-22	16500	1214-36
	16500	1214-50	16500	1218-36	16500	1218-50
	16500	1218-62	*16500	1222-72		
1BSR03E	16500	1214-05	*16500	1218-10		
1BSR13E	*16500	1214-10	16500	1218-19		
1BSR23E	15600	1214-59	*16500	1218-24	16500	1228-21
1BSR33E	*16500	1214-24	16500	1218-33		
1BSR43E	16500	1214-33	*16500	1218-38		
1BSR53E	*16500	1214-38	16500	1218-45		
1BSR63E	16500	1214-45	*16500	1218-52		
1BSR73E	*16500	1214-52	16500	1218-59		
1BSR83E	16500	1213-45	*16500	1218-64		
1BSR93E	*16500	1213-52	16500	1214-19	16500	1228-19
1BTP1R	27502	J012-64	*27502	J072-64		
1BTP10	08502	2329-75	11200	2513-18	*16300	1205-38
	16500	1218-48	26802	2251-63	26803	1104-39
	26803	1204-63	27502	J012-63	27502	J072-63
1BTP2R	27502	J012-66	*27502	J072-66		
1BTP20	11200	2513-17	*16300	1205-30	16500	1214-43
	26802	2251-65	26803	1104-41	26803	1204-65

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	27502	J012-65	27502	J072-65		
1B2560V	15100	1222-42	*15100	1223-40		
1CB00A	*15600	1219-46	15600	1223-61		
1CB000V	15600	1214-55	*15600	1223-63		
1CB01A	*15600	1219-45	15600	1223-62		
1CB010V	15600	1214-53	*15600	1223-60		
1CB02A	*15600	1219-51	15600	1223-55		
1CB020V	15600	1214-57	*15600	1223-56		
1CB03A	*15600	1219-66	15600	1223-59		
1CB030V	15600	1214-60-	*15600	1223-57		
1CB04A	*15600	1219-60	15600	1223-65		
1CB040V	15600	1213-55	*15600	1223-68		
1CB05A	*15600	1219-57	15600	1223-79		
1CB050V	15600	1213-53	*15600	1223-80		
1CB06A	*15600	1219-63	15600	1223-73		
1CB060V	15600	1213-57	*15600	1223-71		
1CB07A	*15600	1219-75	15600	1223-69		
1CB070V	15600	1213-60	*15600	1223-70		
1CB08A	*15700	1219-72	15700	1223-74		
1CB080V	15700	1214-71	*15700	1223-72		
1CB09A	*15700	1219-69	15700	1223-76		
1CB090V	15700	1214-69	*15700	1223-78		
1CB10A	*15700	1219-80	15700	1223-75		
1CB100V	15700	1214-70	*15700	1223-77		
1CDT0A	15100	1210-36	*15100	1219-33		
1CDT00V	*15100	1210-34	15100	1217-33	15100	1219-35
1CDT1JQ	*15100	1217-42	15100	1219-37		
1CDT2A	15100	1210-29	*15100	1219-39		
1CDT20V	*15100	1210-30	15100	1217-40	15100	1223-22
1CDT3AV	15100	1222-19	*15100	1223-24		
1CEN1JQ	*15100	1212-68	15100	1219-20		
1CGR0A	15400	1213-36	*15400	1219-22	15600	1213-62
	15600	1214-62	15700	1214-74	16300	1218-74
	16500	1214-08	16500	1218-08	16500	1218-22
1CLK10	15100	1215-34	*15100	1222-09	15300	1213-77
1CLK40	15400	1205-25	15400	1212-06	15400	1215-06
	15700	1212-48	15700	1215-48	*15700	1222-15
1CLK5A	*15100	1219-14	15100	1222-24		
1CLK50	*15100	1222-22	15600	1213-63	15600	1214-63
	15700	1214-77	16500	1218-18		
1CLK80	15100	1205-64	15100	1212-20	15100	1212-34
	15100	1215-20	15100	1219-07	*15100	1222-14
1CLRAA	15100	1208-37	*15100	1222-27	15400	1220-19
	15400	1220-48	15400	1220-73	15700	1212-71
1CLRAR	15100	1219-19	*15100	1222-21	15100	1223-15
	15400	1220-05	15400	1220-10	15400	1220-25

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	15400	1220-34	15400	1220-40	15400	1220-54
	15400	1220-62	15400	1220-68	15400	1220-78
1CLRAS	*15100	1219-21	15100	1222-17	15100	1222-23
1CLRAOV	15100	1219-29	*15100	1223-10	16300	1207-13
	16300	1207-25	16300	1207-42	16300	1207-56
1CMP01C	16300	1206-22	*16300	1207-11	16500	1214-48
1CMP11C	16300	1206-26	*16300	1207-27		
1CMP12C	16300	1206-24	*16300	1207-26	16500	1218-55
1CMP2A	*16300	1205-80	16300	1206-20		
1CMP21C	16300	1205-76	*16300	1207-39		
1CMP22C	16300	1206-14	*16300	1207-40	16500	1218-53
1CMP31C	16300	1206-18	*16300	1207-51	16300	1208-24
	16500	1218-57				
1CN00AV	15600	1210-50	*15600	1223-34		
1CN00OE	*15600	1214-61	15600	1221-48	15600	1223-36
1CN00OR	27701	J014-10	*27701	J044-10		
1CN00OV	15100	1224-43	*15600	1210-48	16101	1401-09
	16101	1408-06	16103	1409-06	16104	1410-06
	16105	1411-06	26803	1202-09	27701	J014-09
	27701	J044-09				
1CN01AV	15600	1210-41	*15600	1223-30		
1CN010R	27701	J014-12	*27701	J044-12		
1CN010V	15100	1224-46	*15600	1210-46	16101	1401-11
	16101	1408-01	16103	1409-01	16104	1410-11
	16105	1411-01	26803	1202-11	27701	J014-11
	27701	J044-11				
1CN11IE	*15600	1214-65	15600	1221-47	15600	1223-29
1CN02AV	15600	1210-45	*15600	1223-31		
1CN020R	27701	J014-14	*27701	J044-14		
1CN020V	15100	1224-48	*15600	1210-43	16101	1401-13
	16101	1408-18	16103	1409-18	16104	1410-18
	16105	1411-18	26803	1202-13	27701	J014-13
	27701	J044-13				
1CN022E	*15600	1214-68	15600	1221-39	15600	1223-33
1CN03AV	15600	1210-51	*15600	1223-42		
1CN030R	27701	J014-16	*27701	J044-16		
1CN030V	15100	1224-49	*15600	1210-53	16101	1401-15
	16101	1408-17	16103	1409-17	16104	1410-17
	16105	1411-17	26803	1202-15	27701	J014-15
	27701	J044-15				
1CN033E	15600	1213-59	*15600	1214-64	15600	1221-35
	15600	1223-39				
1CN04AV	15600	1210-64	*15600	1223-54		
1CN040E	*15600	1213-61	15600	1221-64	15600	1223-52
1CN040R	27701	J014-18	*27701	J044-18		
1CN040V	15100	1224-50	*15600	1210-66	16101	1401-17

Change 2 5-152

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	16101	1408-05	16103	1409-05	16104	1410-05
	16105	1411-05	26803	1202-17	27701	J014-17
	27701	J044-17				
1CN05AV	15600	1210-61	*15600	1223-49		
1CN050R	27701	J014-20	*27701	J044-20		
1CN050V	15100	1224-52	*15600	1210-63	16101	1401-19
	16101	1408-25	16103	1409-25	16104	1410-25
	16105	1411-25	26803	1202-19	27701	J014-19
	27701	J044-19				
1CN051E	*15600	1213-65	15600	1221-61	15600	1223-47
1CN06AV	15600	1210-62	*15600	1223-48		
1CN060R	27701	J014-22	*27701	J044-22		
1CN060V	15100	1224-54	*15600	1210-60	16101	1401-21
	16101	1408-03	16103	1409-03	16104	1410-03
	16105	1411-03	26803	1202-21	27701	J014-21
	27701	J044-21				
1CN062E	*15600	1213-68	15600	1221-53	15600	1223-50
1CN07AV	15600	1210-55	*15600	1223-46		
1CN070R	27701	J014-24	*27701	J044-24		
1CN070V	15100	1224-56	*15600	1210-56	16101	1401-23
	16101	1408-04	16103	1409-04	16104	1410-04
	16105	1411-04	26803	1202-23	27701	J014-23
	27701	J044-23				
1CN073E	*15600	1213-64	15600	1221-49	15600	1223-41
	15700	1214-73				
1CN08AV	15700	1206-37	15700	1206-49	15700	1206-61
	15700	1206-75	15700	1210-59	*15700	1223-43
1CN080E	*15700	1214-75	15700	1221-78	15700	1223-45
1CN080V	15700	1206-30	15700	1206-43	15700	1206-55
	15700	1206-71	*15700	1210-57		
1CN09AV	15700	1206-31	15700	1206-38	15700	1206-60
	15700	1206-66	15700	1210-65	*15700	1223-53
1CN090V	15700	1206-46	15700	1206-52	15700	1206-72
	15700	1206-77	*15700	1210-68		
1CN091E	*15700	1214-79	15700	1221-79	15700	1223-51
1CN10AV	15700	1206-34	15700	1206-40	15700	1206-48
	15700	1206-54	15700	1210-79	*15700	1223-66
1CN100V	15700	1206-62	15700	1206-68	15700	1206-73
	15700	1206-78	*15700	1210-80		
1CN102E	*15700	1214-80	15700	1221-71	15700	1223-64
1CN103E	*15700	1214-76	16300	1218-73		
1CRW1JQ	*15700	1212-56	15700	1215-45	16500	1214-04
1CRW1KQ	*15700	1212-51	15700	1215-54	15700	1219-54
1CRW2JQ	15700	1212-54	*15700	1215-56	15700	1219-56
	6500	1214-06				
1CRW2KQ	15700	1212-45	*15700	1215-51		

Change 2 5-153

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1CRW3A	15700	1208-53	*15700	1219-52		
1CRW30	*15700	1208-57	16101	1402-69	16101	1408-09
	16103	1409-09	16104	1410-09	16105	1411-09
	26803	1203-69	27602	J013-69	27602	J043-69
1CRW30R	27602	J013-70	*27602	J043-70		
1CR00JQ	15100	1212-66	*15100	1217-68	15600	1222-62
	16500	1214-01				
1CR00KQ	*15100	1217-65	15100	1222-68	15600	1219-49
	15600	1219-55	15600	1219-61	15600	1219-64
	15600	1219-70	15600	1219-79	15700	1219-73
	15700	1219-74	15700	1219-78		
1CR000	15100	1217-66	*15100	1222-66		
1CR01A	15600	1219-43	15600	1219-50	*15600	1222-60
1CR02A	*15100	1208-39	15100	1217-57		
1CR03A	15100	1219-13	*15100	1222-45		
1CR030	15100	1208-35	*15100	1219-15		
1CSP00V	16300	1207-07	16300	1207-21	*16300	1210-13
	16500	1214-31				
1CSP10V	16300	1207-05	16300	1207-19	*16300	1210-08
	16500	1214-29				
1CSP20V	16300	1207-03	16300	1207-17	*16300	1210-03
	16500	1214-30				
1CSP30V	16300	1207-01	16300	1207-15	*16300	1210-01
	16500	1214-34				
1CST00V	16300	1207-35	16300	1207-47	*16300	1210-07
	16500	1218-31				
1CST10V	16300	1207-33	16300	1207-45	*16300	1210-10
	16500	1218-29				
1CST20V	16300	1207-31	16300	1207-43	*16300	1210-24
	16500	1218-30				
1CST30V	16300	1207-29	16300	1207-41	16300	1210-25
	16500	1218-34				
1CS00A	15100	1223-38	*15700	1206-35	16105	1401-25
	16105	1411-10	16105	1411-13	26803	1202-25
	27701	J014-25	27701	J044-25		
1CS00R	27701	J014-26	*27701	J044-26		
1CS01A	*15700	1206-33	16105	1401-27	16105	1411-41
	16105	1411-43	26803	1202-27	27701	J014-27
	27701	J044-27				
1CS01R	27701	J014-28	*27701	J044-28		
1CS02A	*15700	1206-47	16104	1401-29	16104	1410-10
	16104	1410-13	26803	1202-29	27701	J014-29
	27701	J044-29				
1CS02R	27701	J014-30	*27701	J044-30		
1CS03A	*15700	1206-45	16104	1401-31	16104	1410-41
	16104	1410-43	26803	1202-31	27701	J014-31

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1CS03R	27701	J044-31				
1CS04A	27701	J014-32	*27701	J044-32		
	*15700	1206-59	16103	1401-33	16103	1409-10
	16103	1409-13	26803	1202-33	27701	J014-33
	27701	J044-33				
1CS04R	27701	J014-34	*27701	J044-34		
1CS0SA	*15700	1206-57	16103	1401-35	16103	1409-41
	16103	1409-43	26803	1202-35	27701	J014-35
	27701	J044-35				
1CS05R	27701	J014-36	*27701	J044-36		
1CS06A	*15700	1206-76	16101	1401-37	16101	1408-10
	16101	1408-13	26803	1202-37	27701	J014-37
	27701	J044-37				
1CS06R	27701	J014-38	*27701	J044-38		
1CS07A	*15700	1206-69	16101	1401-39	16101	1408-41
	16101	1408-43	26803	1202-39	27701	J014-39
	27701	J044-39				
1CS07R	27701	J014-40	*27701	J044-40		
1C256A	*15100	1222-38	15100	1223-35		
1C2560V	15100	1219-31	*15100	1223-37		
1DSA10	*15300	1205-21	15300	1209-05	15300	1209-10
	16300	1208-74				
1DSA2A	15300	1205-19	*15300	1208-27		
1DSA3A	*16300	1208-69	16300	1210-33		
1DSA30V	16300	1206-19	16300	1206-25	16300	1208-26
	*16300	1210-31				
1DSB10	*15300	1205-14	15300	1209-19	15300	1209-25
	16400	1208-71				
1DSB2A	15300	1205-20	*15300	1208-21		
1DSB3A	*16400	1208-72	16400	1210-39		
1DSB30V	15300	1208-19	*15300	1210-18		
1DSB40V	16300	1208-20	*16400	1210-42	16400	1231-19
	16400	1231-25				
1DS00AV	*15100	1210-71	15100	1212-57		
1DS000	*15100	1208-63	15100	1210-73		
1DS120V	15300	1208-17	15300	1208-23	*15300	1210-14
1DVC4A	*15400	1205-27	15400	1208-40		
1DVC40	*15400	1208-38	15400	1213-37		
1DV31JQ	*15400	1212-13	15400	1215-05	16500	1218-03
1DV31KQ	*15400	1212-11	15400	1215-14		
1DV32JQ	15400	1205-23	*15400	1215-13	16500	1218-01
1DV32KQ	15400	1212-05	15400	1212-14	*15400	1215-11
1DV51JQ	15100	1205-68	15100	1212-19	15100	1212-26
	*15100	1215-25	16500	1218-04		
1DV52A	*15100	1205-66	15100	1208-34		
1DV52JQ	15100	1205-70	*15100	1212-25	16500	1218-06

Change 2 5-155

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1DV520	*15100	1208-30	15100	1212-33		
1DV53A	*15100	1205-60	15100	1208-29		
1DV53JQ	15100	1205-62	*15100	1212-42		
1DV53KQ	*15100	1212-39	15100	1215-19	15100	1215-26
1DV530	*15100	1208-33	16300	1218-77		
1ENM1A	*15300	1205-57	15300	1209-08		
1ENM2A	*15300	1205-63	15300	1209-04		
1FMX11R	27201	J004-18	*27201	J058-18		
1FMX11X	05400	1123-23	*16500	1228-20	26802	1105-17
	26803	1104-17	27201	J004-17	27201	J058-17
1GND201	26803	1502-76	26803	1502-78	26803	1502-80
1GND303	26803	1303-74	26803	1303-76	26803	1303-78
	26803	1303-80				
1GND401	26803	1401-76	26803	1401-78	26803	1401-80
1GND402	26803	1402-76	26803	1402-78	26803	1402-80
1GR00AV	15100	1212-59	15100	1215-40	15100	1217-59
	15600	1221-45	15600	1221-59	15700	1221-77
1GR01AV	15600	1221-41	15600	1221-55	16500	1228-30
1GR02AV	15600	1221-36	15600	1221-52	15700	1221-73
1GR03AV	15600	1221-42	15600	1221-60	15700	1221-74
1HIG0A	*15400	1222-30	15400	1223-20		
1HIG00V	15400	1220-04	15400	1220-08	15400	1220-18
	15400	1220-24	*15400	1223-18		
1HPB00R	27602	J013-66	*27602	J043-66		
1HPB00V	*15300	1210-19	16000	1402-65	16000	1407-23
	16000	1407-70	16500	1214-17	26803	1203-65
	27602	J013-65	27602	J043-65		
1HPB10R	27602	J013-68	*27602	J043-68		
1HPB10V	*15300	1210-26	16000	1402-67	16000	1407-24
	16000	1407-72	16500	1214-15	26803	1203-67
	27602	J013-67	27602	J043-67		
1HPB2AV	15300	1208-08	*15300	1223-07		
1HPB20V	15300	1208-05	15300	1208-11	*15300	1210-40
	15300	1223-09	16500	1214-18		
1HPB30V	15300	1208-04	15300	1208-10	*15300	1210-37
	16500	1214-20				
1INH0A	*15400	1208-75	15400	1216-36	15400	1216-42
	15400	1216-64	15400	1216-70		
1INH00	*15400	1205-75	15400	1208-77		
1LEDAA	*15100	1219-38				
1LEDBA	*15100	1219-30				
1LEDDB	15100	1212-17	15100	1212-31	15100	1215-17
	*15100	1219-30	*15100	1219-38	15400	1212-03
	15400	1215-03	15700	1212-43	15700	1215-43
1LED1JQ	15100	1212-60	*15100	1215-42	15100	1217-34
	15100	1217-60	15100	1219-03	15100	1219-18

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	15100	1219-34	15100	1219-40	15100	1222-41
	16500	1214-03				
1LED2A	15100	1215-31	*15100	1219-09		
1LSQ1AV	*15400	1210-54	15400	1222-35		
1LSQ10	*15400	1209-47	15400	1210-52	15400	1222-29
	16500	1218-17				
1LSQ2A	15400	1209-49	*15400	1216-35		
1LSQ3A	15400	1209-52	*15400	1216-33		
1LSR1AV	*15400	1210-49	15400	1222-31	15400	1222-37
1LSR10	*15400	1209-45	15400	1210-47	15400	1222-36
	16500	1218-15				
1LSR2A	15400	1209-43	*15400	1216-59		
1LSR3A	15400	1209-46	*15400	1216-57		
1LOW0A	*15400	1222-39	15400	1223-21		
1LOW00V	15400	1220-31	15400	1220-38	15400	1220-46
	15400	1220-52	*15400	1223-19		
1MA000Q	*16105	1411-22	16105	1411-80		
1MA011Q	16104	1410-80	*16105	1411-07		
1MA022Q	16103	1409-80	*16105	1411-24		
1MA033Q	16101	1408-80	*16105	1411-08		
1MA044Q	*16105	1411-34	16105	1411-78		
1MA055Q	16104	1410-78	*16105	1411-37		
1MA066Q	16103	1409-78	*16105	1411-39		
1MA077Q	16101	1408-78	*16105	1411-53		
1MA080Q	*16104	1410-22	16105	1411-76		
1MA091Q	*16104	1410-07	16104	1410-76		
1MA102Q	16103	1409-76	*16104	1410-24		
1MA113Q	16101	1408-76	*16104	1410-08		
1MA124Q	*16104	1410-34	16105	1411-77		
1MA135Q	*16104	1410-37	16104	1410-77		
1MA146Q	16103	1409-77	*16104	1410-39		
1MA157Q	16101	1408-77	*16104	1410-53		
1MA160Q	*16103	1409-22	16105	1411-74		
1MA171Q	*16103	1409-07	16104	1410-74		
1MA182Q	*16103	1409-24	16103	1409-74		
1MA193Q	16101	1408-74	*16103	1409-08		
1MA204Q	*16103	1409-34	16105	1411-72		
1MA215Q	*16103	1409-37	16104	1410-72		
1MA226Q	*16103	1409-39	16103	1409-72		
1MA237Q	16101	1408-72	*16103	1409-53		
1MA240Q	*16101	1408-22	16105	1411-70		
1MA251Q	*16101	1408-07	16104	1410-70		
1MA262Q	*16101	1408-24	16103	1409-70		
1MA273Q	*16101	1408-08	16101	1408-70		
1MA284Q	*16101	1408-34	16105	1411-75		
1MA295Q	*16101	1408-37	16104	1410-75		

Change 2 5-157



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1MA306Q	*16101	1408-39	16103	1409-75		
1MA317Q	*16101	1408-53	16101	1408-75		
1MCE0A	15300	1205-08	*15300	1208-06		
1MCE0R	27602	J013-74	*27602	J043-74		
1MCE00	*15300	1205-06	16000	1402-73	16000	1407-27
	16000	1407-29	26803	1203-73	27602	J013-73
	27602	J043-73				
1MCE1A	15300	1205-04	*15300	1208-01		
1MCE1R	27602	J013-76	*27602	J043-76		
1MCE10	*15300	1205-01	16000	1402-75	16000	1407-31
	16000	1407-48	26803	1203-75	27602	J013-75
	27602	J043-75				
1MCE2A	15300	1205-03	*15300	1208-09		
1MCE2R	27602	J013-78	*27602	J043-78		
1MCE20	*15300	1205-09	16000	1402-77	16000	1407-63
	16000	1407-80	26803	1203-77	27602	J013-77
	27602	J043-77				
1MCE3A	15300	1205-11	*15300	1208-15		
1MCE3R	27602	J013-80	*27602	J043-80		
1MCE30	*15300	1205-15	16000	1402-79	16000	1407-17
	16000	1407-43	26803	1203-79	27602	J013-79
	27602	J043-79				
1MDH0A	15400	1216-10	*15400	1220-11		
1MDH1A	15400	1216-05	*15400	1220-09		
1MDH2A	15400	1216-25	*15400	1220-23		
1MDH3A	15400	1216-19	*15400	1220-21		
1MDL0A	15400	1216-06	*15400	1220-35		
1MDL1A	15400	1216-01	*15400	1220-33		
1MDL2A	15400	1216-22	*15400	1220-47		
1MDL3A	15400	1216-14	*15400	1220-45		
1MDM0A	15400	1216-08	*15400	1220-59		
1MDM1A	15400	1216-04	*15400	1220-57		
1MDM2A	15400	1216-24	*15400	1220-76		
1MDM3A	15400	1216-18	*15400	1220-69		
1MDT0A	*15400	1205-52	16300	1208-54		
1MDT00	16300	1207-24	16300	1207-52	*16300	1208-52
1MDT00E	15400	1205-54	*15400	1213-35	16101	1401-01
	16101	1408-14	16101	1408-40	16103	1409-14
	16103	1409-40	16104	1410-14	16104	1410-40
	16105	1411-14	16105	1411-40	26803	1202-01
	27701	J014-01	27701	J044-01		
1MDT00R	27701	J014-02	*27701	J044-02		
1MDT1A	*15400	1205-46	16300	1208-48		
1MDT10	16300	1207-22	16300	1207-50	*16300	1208-46
1MDT11E	15400	1205-48	*15400	1213-39	16101	1401-03
	16101	1408-26	16101	1408-42	16103	1409-26

Change 2 5-158

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	16103	1409-42	16104	1410-26	16104	1410-42
	16105	1411-26	16105	1411-42	26803	1202-03
	27701	J014-03	27701	J044-03		
1MDT11R	27701	J014-04	*27701	J044-04		
1MDT2A	*15400	1205-45	16300	1208-41		
1MDT20	16300	1207-20	16300	1207-48	*16300	1208-45
1MDT22E	15400	1205-41	*15400	1213-42	16101	1401-05
	16101	1408-21	16101	1408-38	16103	1409-21
	16103	1409-38	16104	1410-21	16104	1410-38
	16105	1411-21	16105	1411-38	26803	1202-05
	27701	J014-05	27701	J044-05		
1MDT22R	27701	J014-06	*22701	J044-06		
1MDT3A	*15400	1205-51	16300	1208-47		
1MDT30	16101	1401-07	16101	1408-30	16101	1408-46
	16103	1409-30	16103	1409-46	16104	1410-30
	16104	1410-46	16105	1411-30	16105	1411-46
	16300	1207-18	16300	1207-46	*16300	1208-51
	26803	1202-07	27701	J014-07	27701	J044-07
1MDT30R	27701	J014-08	*27701	J044-08		
1MDT33E	15400	1205-47	*15400	1213-38	16500	1218-05
1MEMOR	*27601	J013-02	27601	J043-02		
1MEM00	16000	1402-01	16000	1407-08	16000	1407-60
	16105	1411-51	*16105	1411-79	16300	1218-71
	26803	1203-01	27601	J013-01	27601	J043-01
1MEM1R	*27601	J013-04	27601	J043-04		
1MEM10	16000	1402-03	16000	1407-09	16000	1407-61
	16104	1410-51	*16104	1410-79	16300	1218-69
	26803	1203-03	27601	J013-03	27601	J043-03
1MEM2R	*27601	J013-06	27601	J043-06		
1MEM20	16000	1402-05	16000	1407-10	16000	1407-62
	16103	1409-51	*16103	1409-79	16300	1218-70
	26803	1203-05	27601	J013-05	27601	J043-05
1MEM3R	*27601	J013-08	27601	J043-08		
1MEM30	16000	1402-07	16000	1407-18	16000	1407-64
	16101	1408-51	*16101	1408-79	16300	1218-72
	26803	1203-07	27601	J013-07	27601	J043-07
1MER00E	16300	1207-10	16300	1207-38	*16300	1218-75
1MER11E	16300	1207-08	16300	1207-36	*16300	1218-79
1MER22E	16300	1207-06	16300	1207-34	*16300	1218-80
1MER33E	15400	1213-33	16300	1207-04	16300	1207-30
	*16300	1218-76				
1MID0A	*15400	1222-33	15400	1223-17		
1MID00V	15400	1220-60	15400	1220-66	15400	1220-72
	15400	1220-77	*15400	1223-14		
1MRH0B	15400	1220-06	16000	1402-25	*16000	1407-01
	*16000	1407-13	*16000	1407-46	*16000	1407-49

Change 2 5-159

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26803	1203-25	27601	J013-25	27601	J043-25
1MRH0BR	*27601	J013-26	27601	J043-26		
1MRH1B	15400	1220-01	16000	1402-27	*16000	1407-03
	*16000	1407-11	*16000	1407-47	*16000	1407-50
	26803	1203-27	*27601	J013-27	27601	J043-27
1MRH1BR	*27601	J013-28	27601	J043-28		
1MRH2B	15400	1220-22	16000	1402-29	*16000	1407-04
	*16000	1407-15	*16000	1407-51	*16000	1407-74
	26803	1203-29	*27601	J013-29	27601	J043-29
1MRH2BR	*27601	J013-30	27601	J043-30		
1MRH3B	15400	1220-14	16000	1402-31	*16000	1407-05
	*16000	1407-14	*16000	1407-52	*16000	1407-75
	26803	1203-31	*27601	J013-31	27601	J043-31
1MRH3BR	*27601	J013-32	27601	J043-32		
1MR0000B	15400	1220-37	16000	1402-09	*16000	1407-59
	26803	1203-09	27601	J013-09	27601	J043-09
1MR0100R	*27601	J013-10	27601	J043-10		
1MR0101B	15400	1220-30	16000	1402-11	*16000	1407-57
	26803	1203-11	27601	J013-11	27601	J043-11
1MR0101R	*27601	J013-12	27601	J043-12		
1MR0202B	15400	1220-49	16000	1402-13	*16000	1407-56
	26803	1203-13	27601	J013-13	27601	J043-13
1MR0202R	*27601	J013-14	27601	J043-14		
1MR0303B	15400	1220-43	16000	1402-15	*16000	1407-55
	26803	1203-15	27601	J013-15	27601	J043-15
1MR0303R	*27601	J013-16	27601	J043-16		
1MR0404B	15400	1220-61	16000	1402-17	*16000	1407-65
	26803	1203-17	27601	J013-17	27601	J043-17
1MR0404R	*27601	J013-18	27601	J043-18		
1MR0505B	15400	1220-55	16000	1402-19	*16000	1407-66
	26803	1203-19	27601	J013-19	27601	J043-19
1MR0505R	*27601	J013-20	27601	J043-20		
1MR0606B	15400	1220-75	16000	1402-21	*16000	1407-68
	26803	1203-21	27601	J013-21	27601	J043-21
1MR0606R	*27601	J013-22	27601	J043-22		
1MR0707B	15400	1220-71	16000	1402-23	*16000	1407-69
	26803	1203-23	27601	J013-23	27601	J043-23
1MR0707R	*27601	J013-24	27601	J043-24		
1MR0840B	*16000	1407-13				
1MR0850B	*16000	1407-46				
1MR0860B	*16000	1407-49				
1MR0870B	*16000	1407-01				
1MR0941B	*16000	1407-11				
1MR0951B	*16000	1407-47				
1MR0961B	*16000	1407-50				
1MR0971B	*16000	1407-03				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1MR1042B	*16000	1407-15				
1MR1052B	*16000	1407-74				
1MR1062B	*16000	1407-51				
1MR1072B	*16000	1407-04				
1MR1143B	*16000	1407-14				
1MR1153B	*16000	1407-75				
1MR1163B	*16000	1407-52				
1MR1173B	*16000	1407-05				
1MT10R	27502	J012-74	*27502	J072-74		
1MT100	08502	2329-70	*15300	1206-11	16500	1214-41
	26802	2251-73	26803	1204-73	27502	J012-73
	27502	J072-73				
1MT100E	15300	1205-53	*15300	1213-75	15300	1230-53
1MT101E	15300	1205-59	*15300	1213-79	15300	1230-59
1MT11A	15300	1206-01	15300	1206-06	*15300	1209-11
1MT110	15200	1233-07	15200	1233-13	15200	1235-27
	*15300	1206-09	15300	1208-03	15300	1208-13
	15300	1210-35				
1MT12A	15300	1206-04	15300	1206-08	*15300	1209-09
1MT13A	15300	1206-05	15300	1206-10	*15300	1209-23
1MT14A	15300	1206-07	15300	1206-13	*15300	1209-21
1MUD00	15400	1213-31	*15400	1216-11		
1MUD10	15400	1213-29	*15400	1215-09		
1MUD20	15400	1213-30	*15400	1216-23		
1MUD30	15400	1213-34	*15400	1216-21		
1M121A	16000	1407-38	*16105	1411-47		
1M221A	16000	1407-35	*16104	1410-47		
1M321A	16000	1407-39	*16103	1409-47		
1M421A	16000	1407-36	*16102	1408-47		
1NA01R	*27001	J002-04	28901	J031-04		
1NA01R-	29502	J040-74	*31402	J074-74		
1NA010	00300	1303-03	00300	1405-73	00300	1501-01
	*00300	1519-78	00400	1237-05	26802	1202-01
	27001	J002-03	28901	J031-03		
1NA010+	29502	J040-73	*31402	J074-73		
1NA0010-	*30601	J055-01	30601	J070-01		
1NA010R	*30601	J055-02	30601	J070-02		
1NA02R	*27001	J002-02	28901	J031-02		
1NA020	00300	1303-01	00300	1501-03	00300	1519-79
	00400	1237-33	26802	1202-03	*27001	J002-01
	28901	J031-01				
1NA020-	*30601	J055-03	30601	J070-03		
1NA020R	*30601	J055-04	30601	J070-04		
1NA030	00400	1237-59	03800	1501-05	*03800	1521-78
	03900	1436-68	26802	1202-05	30601	J055-05
	30601	J070-05				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
1NA030R	30601	J055-06	*30601	J070-06		
1NA31AV	*00400	1324-70	00800	1209-41		
1NB01R	*27001	J002-08	28901	J031-08		
1NB01R-	29502	J040-76	*31402	J074-76		
1NB010	00300	1303-07	00300	1405-75	00300	1501-07
	*00300	1520-78	00400	1305-05	26802	1202-07
	27001	J002-07	28901	J031-07		
1NB010+	*30601	J055-07	30601	J070-07		
1NB010-	29502	J040-75	*31402	J074-75		
1NB010R	*30601	J055-08	30601	J070-08		
1NB02R	*27001	J002-06	28901	J031-06		
1NB020	00300	1303-05	00300	1501-09	*00300	1520-79
	00400	1305-33	26802	1202-09	27001	J002-05
	28901	J031-05				
1NB020-	*30601	J055-09	30601	J070-09		
1NB020R	*30601	J055-10	30601	J070-10		
1NB030	00400	1305-59	03800	1501-11	*03800	1521-79
	03900	1436-62	26802	1202-11	30601	J055-11
	30601	J070-11				
1NB030R	30601	J055-12	*30601	J070-12		
1N0013E	00400	1235-05	*00400	1237-10		
1N0023E	*00400	1235-10	00400	1237-19		
1N0033E	00400	1236-05	*00400	1237-24		
1N0042E	00400	1236-13				
1N0043E	00400	1235-48	*00400	1236-10		
1N0103E	00400	1236-19	*00400	1237-38		
1N0113E	*00400	1236-24	00400	1237-45		
1N0123E	00400	1236-33	*00400	1237-52		
1N0133E	00400	1235-46	*00400	1236-38		
1N0203E	00400	1236-45	*00400	1237-64		
1N0213E	*00400	1236-52	00400	1237-73		
1N0223E	00400	1236-59	*00400	1237-76		
1N0233E	00400	1235-41	*00400	1236-64	00500	1326-48
1N0303E	00400	1235-45	*00400	1236-76		
1N031A	00400	1227-47	*00400	1233-27	00800	1209-36
	01200	1211-04	01300	1501-55	01300	1511-63
	26802	1202-55	30602	J055-55	30602	J070-55
1N031AR	*30602	J055-56	30602	J070-56		
1N0310	*00400	1227-51	00400	1324-69	00701	1210-07
	01200	1211-08				
1N0313E	00400	1233-23	*00400	1235-52	00800	1208-10
	01300	1501-37	01300	1511-48	01400	1218-46
	26802	1202-37	30601	J055-37	30601	J070-37
1N0313R	*30601	J055-38	30601	J070-38		
1P001B	01300	1501-39	*01300	1511-46	*01300	1511-49
1P001B1	00800	1209-09	01400	1220-03	*26802	1202-39

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
1P00100B	30602	J055-39	*30602	J070-39		
1P00100R	30602	J055-40	*30602	J070-40		
1P00101B	30602	J055-41	*30602	J070-41		
1P00101R	30602	J055-42	*30602	J070-42		
1P00102B	30602	J055-43	*30602	J070-43		
1P00102R	30602	J055-44	*30602	J070-44		
1P00103B	30602	J055-45	*30602	J070-45		
1P00103R	30602	J055-46	*30602	J070-46		
1P00104B	30602	J055-47	*30602	J070-47		
1P00104R	30602	J055-48	*30602	J070-48		
1P00105B	30602	J055-49	*30602	J070-49		
1P00105R	30602	J055-50	*30602	J070-50		
1P00106B	30602	J055-51	*30602	J070-51		
1P00106R	30602	J055-52	*30602	J070-52		
1P00107B	30602	J055-53	*30602	J070-53		
1P00107R	30602	J055-54	*30602	J070-54		
1P00150B	*01300	1511-46				
1P00151B	*01300	1511-47				
1P00152B	*01300	1511-74				
1P00153B	*01300	1511-75				
1P00154B	*01300	1511-76				
1P00155B	*01300	1511-77				
1P00156B	*01300	1511-78				
1P00157B	*01300	1511-79				
1P00160B	*01300	1511-49				
1P00161B	*01300	1511-50				
1P00162B	*01300	1511-51				
1P00163B	*01300	1511-52				
1P00164B	*01300	1511-53				
1P00165B	*01300	1511-54				
1P00166B	*01300	1511-71				
1P00167B	*01300	1511-73				
1P002B	01300	1501-41	*01300	1511-47	*01300	1511-50
1P002B1	00800	1209-04	01400	1220-01	*26802	1202-41
1P003B	01300	1501-43	*01300	1511-51	*01300	1511-74
1P003B1	00800	1208-62	01400	1220-04	*26802	1202-43
1P004B	01300	1501-45	*01300	1511-52	*01300	1511-75
1P004B1	00800	1208-59	01400	1220-06	*26802	1202-45
1P005B	01300	1501-47	*01300	1511-53	*01300	1511-76
1P005B1	00800	1208-55	01400	1218-17	*26802	1202-47
1P006B	01300	1501-49	*01300	1511-54	*01300	1511-77
1P006B1	00800	1208-52	01400	1218-15	*26802	1202-49
1P007B	01300	1501-51	*01300	1511-71	*01300	1511-78
1P007B1	00800	1209-46	01400	1218-18	*26802	1202-51
1P008B	01300	1501-53	*01300	1511-73	*01300	1511-79
1P008B1	00800	1209-45	01400	1218-20	*26802	1202-53

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution			
1Q0012E	00800	1214-56	*00800	1221-13	
1Q0013E	00800	1214-64	*00800	1221-10	
1Q0020E	00800	1214-71	*00800	1221-21	
1Q0021E	00800	1214-77	*00800	1221-27	
1Q0022E	00800	1214-72	*00800	1221-25	
1Q0023E	00800	1214-78	*00800	1221-24	
1Q0030E	00800	1215-53	*00800	1221-35	
1Q0031E	00800	1215-59	*00800	1221-39	
1Q0032E	00800	1215-56	*00800	1221-42	
1Q0033E	00800	1215-64	*00800	1221-38	
1Q0112E	00800	1209-07	*00800	1222-13	
1Q0113E	00800	1209-03	*00800	1222-10	
1Q0120E	00800	1208-64	*00800	1222-21	
1Q0121E	00800	1208-61	*00800	1222-27	
1Q0122E	00800	1208-53	*00800	1222-25	
1Q0123E	00800	1208-49	*00800	1222-24	
1Q0130E	00800	1209-48	*00800	1222-35	
1Q0131E	00800	1209-47	*00800	1222-39	
1Q0132E	00800	1209-39	*00800	1222-42	
1Q0133E	00800	1209-35	*00800	1222-38	
1Q0210E	*00701	1221-47	00701	1234-40	
1Q0211E	*00701	1221-51	00701	1234-34	
1Q0212E	*00701	1221-56	00701	1234-29	
1Q0213E	*00701	1221-52	00701	1234-35	
1Q0220E	00701	1234-54	*00703	1221-61	00703 1226-34
1Q0221E	00701	1234-48	*00703	1221-65	00703 1226-29
1Q0222E	00701	1234-41	*00703	1221-68	00703 1226-35
1Q0223E	00701	1234-47	*00703	1221-64	00703 1226-40
1Q0230E	00701	1234-68	*00702	1221-75	00702 1234-08
1Q0231E	00701	1234-62	*00702	1221-79	00702 1234-04
1Q0232E	00701	1234-53	*00702	1221-80	00702 1234-03
1Q0233E	00701	1234-59	*00702	1221-76	00702 1234-11
1Q0240E	00701	1234-77	*00702	1220-61	00702 1234-24
1Q0241E	00701	1234-71	*00702	1220-65	00702 1234-18
1Q0242E	00701	1234-65	*00702	1220-68	00702 1234-17
1Q0243E	00701	1234-76	*00702	1220-64	00702 1234-23
1Q0310E	00800	1214-51	*00800	1222-47	
1Q0311E	00800	1214-57	*00800	1222-51	
1Q0312E	00800	1214-54	*00800	1222-56	
1Q0313E	00800	1214-62	*00800	1222-52	
1Q0320E	00800	1214-69	*00800	1222-61	
1Q0321E	00800	1214-75	*00800	1222-65	
1Q0322E	00800	1214-70	*00800	1222-68	
1Q0323E	00800	1214-76	*00800	1222-64	
1Q0330E	00800	1215-51	*00800	1222-75	
1Q0331E	00800	1215-57	*00800	1222-79	

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
1Q0332E	00800	1215-54	*00800	1222-80		
1Q0333E	00800	1215-62	*00800	1222-76		
1Q0340E	00800	1215-69	*00800	1220-75		
1Q0341E	00800	1215-75	*00800	1220-79		
1Q0342E	00800	1215-70	*00800	1220-80		
1Q0343E	00800	1215-76	*00800	1220-76		
1R0010V	*00701	1212-34	00701	1221-43	01400	1219-17
1R00100C	00701	1212-36	00900	1502-33	*00900	1510-27
	26802	1201-33	30501	J054-33	30501	J071-33
1R00100R	30501	J054-34	*30501	J071-34		
1R00101C	00701	1212-29	00900	1502-35	*00900	1510-31
	26802	1201-35	30501	J054-35	30501	J071-35
1R00101R	30501	J054-36	*30501	J071-36		
1R00102C	00701	1212-33	00900	1502-37	*00900	1510-36
	26802	1201-37	30501	J054-37	30501	J071-37
1R00102R	30501	J054-38	*30501	J071-38		
1R00103C	00701	1212-39	00900	1502-39	*00900	1510-35
	26802	1201-39	30501	J054-39	30501	J071-39
1R00103R	30501	J054-40	*30501	J071-40		
1R00104C	00703	1212-52	00900	1502-41	*00900	1510-37
	26802	1201-41	30501	J054-41	30501	J071-41
1R00104R	30501	J054-42	*30501	J071-42		
1R00105C	00703	1212-47	00900	1502-43	*00900	1510-40
	26802	1201-43	30501	J054-43	30501	J071-43
1R00105R	30501	J054-44	*30501	J071-44		
1R00106C	00703	1212-50	00900	1502-45	*00900	1510-41
	26802	1201-45	30501	J054-45	30501	J071-45
1R00106R	30501	J054-46	*30501	J071-46		
1R00107C	00703	1212-41	00900	1502-47	*00900	1510-45
	26802	1201-47	30502	J054-47	30502	J071-47
1R00107R	30502	J054-48	*30502	J071-48		
1R00108C	00702	1212-45	00900	1502-49	*00900	1510-49
	26802	1201-49	30502	J054-49	30502	J071-49
1R00108R	30502	J054-50	*30502	J071-50		
1R00109C	00702	1212-51	00900	1502-51	*00900	1510-50
	26802	1201-51	30502	J054-51	30502	J071-51
1R00109R	30502	J054-52	*30502	J071-52		
1R00110C	00702	1212-64	00900	1502-53	*00900	1510-54
	26802	1201-53	30502	J054-53	30502	J071-53
1R00110R	30502	J054-54	*30502	J071-54		
1R00111C	00702	1212-61	00900	1502-55	*00900	1510-56
	26802	1201-55	30502	J054-55	30502	J071-55
1R00111R	30502	J054-56	*30502	J071-56		
1R00112C	00702	1212-62	00900	1502-57	*00900	1510-57
	26802	1201-57	30502	J054-57	30502	J071-57
1R00112R	30502	J054-58	*30502	J071-58		



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1R00113C	00702	1212-55	00900	1502-59	*00900	1510-59
	26802	1201-59	30502	J054-59	30502	J071-59
1R00113R	30502	J054-60	*30502	J071-60		
1R00114C	00702	1212-59	00900	1502-61	00900	1510-62
	26802	1201-61	30502	J054-61	*30502	J071-61
1R00114R	30502	J054-62	*30502	J071-62		
1R00115C	00702	1212-65	00900	1502-63	00900	1510-65
	26802	1201-63	30502	J054-63	*30502	J071-63
1R00115R	30502	J054-64	*30502	J071-64		
1R0020V	*00701	1212-30	00701	1221-41	01400	1219-15
1R0030V	*00701	1212-31	00701	1221-46	00800	1222-04
	01400	1219-18				
1R0040V	*00701	1212-42	00701	1221-48	00800	1222-06
	01400	1219-20				
1R0050V	*00703	1212-54	00703	1221-55	00800	1222-17
	01400	1220-17				
1R0060V	*00703	1212-49	00703	1221-53	00800	1222-15
	01400	1220-15				
1R0070V	*00703	1212-48	00703	1221-57	00800	1222-18
	01400	1220-18				
1R0080V	*00703	1212-46	00703	1221-60	00800	1222-20
	01400	1220-20				
1R0090V	*00702	1212-43	00702	1221-71	00800	1222-31
	01400	1218-31				
1R0100V	*00702	1212-53	00702	1221-69	00800	1222-29
	01400	1218-29				
1R0110V	*00702	1212-66	00702	1221-70	00800	1222-30
	01400	1218-30				
1R0120V	*00702	1212-63	00702	1221-72	00800	1222-34
	01400	1218-34				
1R0130V	*00702	1212-60	00702	1220-55	01400	1219-31
1R0140V	*00702	1212-56	00702	1220-53	01400	1219-29
1R0150V	*00702	1212-57	00702	1220-57	01400	1219-30
1R0160V	*00702	1212-68	00702	1220-60	01400	1219-34
1SA01A	01000	1214-03	01101	1217-51	01101	1310-56
	26601	J04-59	26601	S11A-01	26802	1304-03
	29302	J035-59	*31901	J082-03		
1SA02A	01000	1214-19	01101	1217-57	01101	1310-64
	26601	J04-58	26601	S11A-02	26802	1304-04
	29302	J035-58	*31901	J082-04		
1SA03A	01000	1214-35	01101	1217-54	01101	1310-71
	26601	J04-57	26601	S11A-04	26802	1304-05
	29302	J035-57	*31901	J082-05		
1SA04A	01000	1215-03	01101	1310-77	26601	J04-62
	26601	S11B-01	26802	1304-06	29302	J035-62
	*31901	J082-06				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1SA05A	01000	1215-19	01101	1310-72	26601	J04-61
	26601	S11B-02	26802	1304-07	29302	J035-61
	*31901	J082-07				
1SA06A	01000	1215-35	01101	1310-78	26601	J04-60
	26601	S11B-04	26802	1304-08	29302	J035-60
	*31901	J082-08				
1SB01A	01000	1214-05	01101	1311-56	26601	J05-23
	26601	S13A-01	26802	1304-09	29401	J036-23
	*31901	J082-09				
1SB02A	01000	1214-21	01101	1311-64	26601	J05-22
	26601	S13A-02	26802	1304-10	29401	J036-22
	*31901	J082-10				
1SB03A	01000	1214-37	01101	1311-71	26601	J05-21
	26601	S13A-04	26802	1304-11	29401	J036-21
	*31901	J082-11				
1SB04A	01000	1215-05	01101	1311-77	26601	J05-26
	26601	S13B-01	26802	1304-12	29401	J036-26
	*31901	J082-12				
1SB05A	01000	1215-21	01101	1311-72	26601	J05-25
	26601	S13B-02	26802	1304-13	29401	J036-25
	*31901	J082-13				
1SB06A	01000	1215-37	01101	1311-78	26601	J05-24
	26601	S13B-04	26802	1304-14	29401	J036-24
	*31901	J082-14				
1SC01A	01000	1214-07	01102	1312-56	26601	J05-41
	26601	S15A-01	26802	1304-17	29401	J036-41
	*31901	J082-17				
1SC02A	01000	1214-23	01102	1312-64	26601	J05-40
	26601	S15A-02	26802	1304-18	29401	J036-40
	*31901	J082-18				
1SC03A	01000	1214-39	01102	1312-71	26601	J05-39
	26601	S15A-04	26802	1304-19	29401	J036-39
	*31901	J082-19				
1SC04A	01000	1215-07	01102	1312-77	26601	J05-44
	26601	S15B-01	26802	1304-20	29401	J036-44
	*31901	J082-20				
1SC05A	01000	1215-23	01102	1312-72	26601	J05-43
	26601	S15B-02	26802	1304-21	29401	J036-43
	*31901	J082-21				
1SC06A	01000	1215-39	01102	1312-78	26601	J05-42
	26601	S15B-04	26802	1304-22	29401	J036-42
	*31901	J082-22				
1SD01A	01000	1214-11	01101	1217-53	01102	1313-56
	26601	J04-04	26601	S10A-01	26802	1304-23
	29301	J035-04	*31901	J082-23		
1SD02A	01000	1214-29	01101	1217-59	01102	1313-64

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26601	J04-03	26601	S10A-02	26802	1304-24
	29301	J035-03	*31901	J082-24		
1SD03A	01000	1214-43	01101	1217-56	01102	1313-71
	26601	J04-02	26601	S10A-04	26802	1304-25
	29301	J035-02	*31901	J082-25		
1SD04A	01000	1215-11	01102	1313-77	26601	J04-07
	26601	S10B-01	26802	1304-26	29301	J035-07
	*31901	J082-26				
1SD05A	01000	1215-29	01102	1313-72	26601	J04-06
	26601	S10B-02	26802	1304-27	29301	J035-06
	*31901	J082-27				
1SD06A	01000	1215-43	01102	1313-78	26601	J04-05
	26601	S10B-04	26802	1304-28	29301	J035-05
	*31901	J082-28				
1SE01A	01000	1214-15	01103	1314-56	26601	J04-22
	26601	S12A-01	26802	1304-33	29301	J035-22
	*31901	J082-33				
1SE02A	01000	1214-31	01103	1314-64	26601	J04-21
	26601	S12A-02	26802	1304-34	29301	J035-21
	*31901	J082-34				
1SE03A	01000	1214-45	01103	1314-71	26601	J04-20
	26601	S12A-04	26802	1304-35	29301	J035-20
	*31901	J082-35				
1SE04A	01000	1215-15	01103	1314-77	26601	J04-25
	26601	S12B-01	26802	1304-36	29301	J035-25
	*31901	J082-36				
ISE0SA	01000	1215-31	01103	1314-72	26601	J04-24
	26601	S12B-02	26802	1304-37	29301	J035-24
	*31901	J082-37				
1SE06A	01000	1215-45	01103	1314-78	26601	J04-23
	26601	S12B-04	26802	1304-38	29301	J035-23
	*31901	J082-38				
1SF01A	01000	1214-18	01103	1315-56	26601	J04-40
	26601	S14A-01	26802	1203-73	29302	J035-40
	*31102	J069-73				
1SF02A	01000	1214-34	01103	1315-64	26601	J04-39
	26601	S14A-02	26802	1203-74	29301	J035-39
	*31102	J069-74				
1SF03A	01000	1214-47	01103	1315-71	26601	J04-38
	26601	S14A-04	26802	1203-75	29301	J035-38
	*31102	J069-75				
1SF04A	01000	1215-18	01103	1315-77	26601	J04-43
	26601	S14B-01	26802	1203-76	29302	J035-43
	*31102	J069-76				
1SF05A	01000	1215-34	01103	1315-72	26601	J04-42
	26601	S14B-02	26802	1203-77	29302	J035-42

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1SF06A	*31102	J069-77				
	01000	1215-47	01103	1315-78	26601	J04-41
	26601	S14B-04	26802	1203-78	29302	J035-41
1SGS1G1	*31102	J069-78				
	*26601	A09-23	26601	S06-B	26601	S06-C
1SGS1G1A	26601	S06-1B				
	*26601	A09-27	26601	S07-B	26601	S07-C
1SGS1G2	26601	S07-1B				
	*26601	A09-29	26601	S07-D	26601	S07-E
1SGS1G2A	26601	S07-2B				
	*26601	A09-25	26601	S06-D	26601	S06-E
1SG01AV	26601	S06-2B				
	*01000	1225-07	01101	1310-49	01101	1310-66
	01101	1311-49	01101	1311-66	01102	1312-49
1SG010	01102	1312-66	01400	1218-53		
	00200	1213-79	01000	1223-13	01000	1225-09
	*26601	J04-56	26601	S07-3B	26601	S07-4B
1SG02AV	26802	1203-79	29302	J035-56	31102	J069-79
	*01000	1225-10	01102	1313-49	01102	1313-66
	01103	1314-49	01103	1314-66	01103	1315-49
1SG020	01103	1315-66	01400	1218-57		
	00200	1213-74	01000	1223-07	01000	1225-15
	26601	J04-01	26601	S06-3B	26601	S06-4B
1SH01A	26802	1203-80	29301	J035-01	*31102	J069-80
	*01000	1223-11	01101	1217-66	01101	1316-49
1SH02A	*01000	1223-09	01102	1309-49	01102	1316-66
1SX01A	*01200	1211-11	01200	1212-05	01200	1212-11
	01200	7213-10	01200	1324-15	01200	1324-21
1SX010V	*01200	1212-08	01400	1218-60		
1SX02AV	01200	1211-10	*01200	1212-03		
1SX11A	*01200	1211-09	01200	1212-06	01200	1213-08
	01200	1213-68				
1SX110	*01200	1213-66	01400	1219-55		
1SX12AV	01200	1211-01	*01200	1212-07		
1SX200	01200	1209-76	*01200	1213-06		
1S0103N	*00800	1209-05	00800	1221-04		
1S0104N	*00800	1209-06	00800	1221-06		
1S0105N	00800	1208-60	*00800	1209-08		
1S0111N	*00800	1208-63	00800	1221-17		
1S0112N	*00800	1208-57	00800	1221-15		
1S0113N	*00800	1208-51	00800	1221-18		
1S0114N	*00800	1208-54	00800	1221-20		
1S0115N	*00800	1208-56	00800	1209-42		
1S0121N	*00800	1209-50	00800	1221-31		
1S0122N	*00800	1209-43	00800	1221-29		
1S0123N	*00800	1209-37	00800	1221-30		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1S0124N	*00800 01200	1209-38 1212-04	00800	1221-34	01200	1211-05
1S0125N	*00800	1209-40	01200	1211-06	01200	1212-09
1S021A	00800	1213-04	*00800	1226-21		
1S0210	00701	1210-22	00800	1208-26	*00800	1213-01
1S0211N	*00800	1208-17	00800	1222-43		
1S0212N	*00800	1208-11	00800	1222-41		
1S0213N	*00800	1208-05	00800	1222-46		
1S0214N	*00800	1208-06	00800	1222-48		
1S0215N	*00800	1208-08	00800	1226-17		
1S022A	00800	1213-03	*00800	1226-27		
1S0220	00701 *00800	1210-37 1213-09	00701	1211-37	00800	1208-42
1S0221N	*00800	1208-30	00800	1222-55		
1S0222N	*00800	1208-29	00800	1222-53		
1S0223N	*00800	1208-21	00800	1222-57		
1S0224N	*00800	1208-22	00800	1222-60		
1S0225N	*00800	1208-24	00800	1226-23		
1S023A	*00701	1211-35	00701	1213-11		
1S0230	00701	1210-50	*00701	1213-15	00800	1209-60
1S0231N	*00800	1208-50	00800	1222-71		
1S0232N	*00800	1208-43	00800	1222-69		
1S0233N	*00800	1208-37	00800	1222-70		
1S0234N	*00800	1208-38	00800	1222-72		
1S024A	00704	1213-62	*00704	1226-72		
1S0240	*00704 00704 00704	1213-60 1317-33 1318-33	00704 00704	1317-05 1318-05	00704 00704	1317-19 1318-19
1S0241N	*00800	1209-63	00800	1220-71		
1S0242N	*00800	1209-57	00800	1220-69		
1S0243N	*00800	1209-51	00800	1220-70		
1S0244N	*00800	1209-54	00800	1220-72		
1S0245N	00704	1226-71	*00800	1209-56		
1S1C10V	01200	1208-76	*01200	1212-01		
1S1C20V	01200	1208-77	01200	1209-77	*01200	1212-13
1S1C30V	01200	1208-73	01200	1209-73	*01200	1324-10
1S1C40V	01200	1208-68	01200	1209-68	*01200	1324-19
1S2A10V	*00701	1324-80	00800	1208-09		
1S2A20V	*00701	1324-78	00800	1208-25		
1S2A30V	*00701	1324-72	00800	1208-41		
1S2A40V	*00701	1324-71	00800	1209-55		
1S201A	*00701	1210-11	00701	1213-24	00701	1324-79
1S2010	*00701	1213-22	00800	1208-15		
1S202A	*00701	1210-23	00701	1213-18	00701	1324-76
1S2020	*00701	1213-14	00800	1208-33		
1S203A	*00701	1210-35	00701	1213-17	00701	1324-74

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1S2030	*00701	1213-21	00800	1208-45		
1S204A	*00701	1210-47	00701	1213-23	00701	1324-73
15S2040	*00701	1213-27	00800	1209-59		
1S9SIG1	*26602	A09-31	26602	S16-B	26602	S16-C
	26602	S16-1B				
1S9SIG2	*26602	A09-33	26602	S16-D	26602	S16-E
	26602	S16-2B				
1S900AV	*00500	1324-26	00500	1325-13	00500	1325-25
1S901A	00500	1317-43	00500	1319-03	01400	1219-48
	26802	1304-39	29201	J034-01	*31901	J082-39
1S9010	26602	J03-01	26602	S16-3B	*26602	S16-4B
1S9010T	00500	1324-27	*00500	1326-24		
1S911A	00500	1212-15	26602	J03-05	26602	S17-01
	26802	1304-40	29201	J034-05	*31901	J082-40
1S9110V	*00500	1212-10	00500	1325-07	00500	1325-21
	00500	1326-20	01400	1220-43		
1S912A	00500	1212-22	26602	J03-04	26602	S17-02
	26802	1304-41	29201	J034-04	*31901	J082-41
1S9120V	*00500	1212-24	00500	1325-05	00500	1325-19
	00500	1326-22	01400	1220-41		
1S913A	00500	1212-23	26602	J03-03	26602	S17-04
	26802	1304-42	29201	J034-03	*31901	J082-42
1S9130V	*00500	1212-25	00500	1325-03	00500	1325-17
	00500	1326-19	01400	1220-46		
1S914A	00500	1212-20	26602	J03-02	26602	S17-08
	26802	1304-43	29201	J034-02	*31901	J082-43
1S9140V	*00500	1212-18	00500	1325-01	00500	1325-15
	00500	1326-21	01400	1220-48		
1TA01A	00701	1233-40	*00701	1234-38		
1TA010	00701	1210-01	*00701	1233-38	00800	1208-13
1TA02A	00701	1210-04	00701	1233-34	*00701	1234-30
1TA020	*00701	1233-30	00800	1208-18		
1TA03A	00701	1210-05	00701	1233-29	*00701	1234-33
1TA030	*00701	1233-33	00800	1208-07		
1TA04A	00701	1233-35	*00701	1234-39		
1TA040	00701	1210-06	*00701	1233-39	00800	1208-03
1TA05A	00701	1233-54	*00701	1234-52		
1TA050	00701	1210-14	*00701	1233-52	00800	1208-31
1TA06A	00701	1210-18	00701	1233-48	*00701	1234-46
1TA060	*00701	1233-46	00800	1208-34		
1TA07A	00701	1210-19	00701	1233-41	*00701	1234-45
1TA070	*00701	1233-45	00800	1208-23		
1TA08A	00701	1233-47	*00701	1234-51		
1TA080	00701	1210-20	*00701	1233-51	00800	1208-19
1TA09A	00701	1233-68	*00701	1234-66		
1TA090	00701	1210-30	00701	1211-38	*00701	1233-66

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	00800	1208-48				
1TA10A	00701	1210-31	00701	1233-62	*00701	1234-60
1TA100	*00701	1233-60	00800	1208-47		
1TA11A	00701	1210-34	00701	1233-53	*00701	1234-57
1TA110	*00701	1233-57	00800	1208-39		
1TA12A	00701	1233-59	*00701	1234-63		
1TA120	00701	1210-36	00701	1211-40	*00701	1233-63
	00800	1208-35				
1TA13A	00701	1233-77	*00701	1234-75		
1TA130	00701	1210-43	*00701	1233-75	00800	1209-64
1TA14A	00701	1210-46	00701	1233-71	*00701	1234-72
1TA140	*00701	1233-72	00800	1209-61		
1TA15A	00701	1210-48	00701	1233-65	*00701	1234-69
1TA150	*00701	1233-69	00800	1209-53		
1TA16A	00701	1233-76	*00701	1234-80		
1TA160	00701	1210-49	*00701	1233-80	00800	1209-49
1TB05A	00703	1205-03	00703	1205-17	00703	1205-31
	00703	1205-43	00703	1205-55	00703	1205-71
	*00703	1226-30				
1TB06A	00703	1205-01	00703	1205-15	00703	1205-29
	00703	1205-41	00703	1205-53	00703	1205-69
	*00703	1226-33				
1TB07A	00703	1205-04	00703	1205-18	00703	1205-30
	00703	1205-46	00703	1205-57	00703	1205-70
	*00703	1226-39				
1TB08A	00703	1205-06	00703	1205-20	00703	1205-34
	00703	1205-48	00703	1205-60	00703	1205-72
	*00703	1226-38				
1TB09A	00702	1206-03	00702	1206-17	00702	1206-31
	00702	1206-43	00702	1206-55	00702	1206-71
	*00702	1234-06				
1TB10A	00702	1206-01	00702	1206-15	00702	1206-29
	00702	1206-41	00702	1206-53	00702	1206-69
	*00702	1234-01				
1TB11A	00702	1206-04	00702	1206-18	00702	1206-30
	00702	1206-46	00702	1206-57	00702	1206-70
	*00702	1234-09				
1TB12A	00702	1206-06	00702	1206-20	00702	1206-34
	00702	1206-48	00702	1206-60	00702	1206-72
	*00702	1234-15				
1TB13A	00702	1207-03	00702	1207-17	00702	1207-31
	00702	1207-43	00702	1207-55	00702	1207-71
	*00702	1234-22				
1TB14A	00702	1207-01	00702	1207-15	00702	1207-29
	00702	1207-41	00702	1207-53	00702	1207-69
	*00702	1234-14				

Table 5-2. Key Signal Lookup Listing

Signal		Distribution				
1TB15A	00702	1207-04	00702	1207-18	00702	1207-30
	00702	1207-46	00702	1207-57	00702	1207-70
	*00702	1234-21				
1TB16A	00702	1207-06	00702	1207-20	00702	1207-34
	00702	1207-48	00702	1207-60	00702	1207-72
	*00702	1234-27				
1U0011X	*01000	1214-04	01400	1218-41		
1U0012R	*30601	J055-26	30601	J070-26		
1U0012X	*01000	1214-06	01300	1501-25	01300	1511-60
	26802	1202-25	30601	J055-25	30601	J070-25
1U0021X	*01000	1214-20	01400	1218-43		
1U0022R	*30601	J055-28	30601	J070-28		
1U0022X	*01000	1214-22	01300	1501-27	01300	1511-61
	26802	1202-27	30601	J055-27	30601	J070-27
1U0031X	*01000	1214-36	01400	1220-34		
1U0032R	*30601	J055-30	30601	J070-30		
1U0032X	*01000	1214-38	01300	1501-29	01300	1511-62
	26802	1202-29	30601	J055-29	30601	J070-29
1U0041X	*01000	1215-04	01000	1223-01	01000	1223-06
	01400	1220-30				
1U0042R	*30601	J055-32	30601	J070-32		
1U0042X	*01000	1215-06	01300	1501-31	01300	1511-64
	26802	1202-31	30601	J055-31	30601	J070-31
1U0051X	*01000	1215-20	01000	1223-04	01000	1223-08
	01400	1220-29				
1U0052R	*30601	J055-34	30601	J070-34		
1U0052X	*01000	1215-22	01300	1501-33	01300	1511-70
	26802	1202-33	30601	J055-33	30601	J070-33
1U0061X	*01000	1215-36	01000	1223-05	01000	1223-10
	01400	1220-31				
1U0062R	*30601	J055-36	30601	J070-36		
1U0062X	*01000	1215-38	01300	1501-35	01300	1511-72
	26802	1202-35	30601	J055-35	30601	J070-35
1U021TA	*00800	1214-55	00900	1502-01	00900	1510-25
	26802	1201-01	30501	J054-01	30501	J071-01
1U021TAR	*30501	J054-02	30501	J071-02		
1U021TB	*00800	1214-61	00900	1502-03	00900	1510-32
	26802	1201-03	30501	J054-03	30501	J071-03
1U021TBR	*30501	J054-04	30501	J071-04		
1U021TC	*00800	1214-60	00900	1502-05	00900	1510-34
	26802	1201-05	30501	J054-05	30501	J071-05
1U021TCR	*30501	J054-06	30501	J071-06		
1U021TD	*00800	1214-63	00900	1502-07	00900	1510-33
	26802	1201-07	30501	J054-07	30501	J071-07
1U021TDR	*30501	J054-08	30501	J071-08		
1U022TA	*00800	1214-73	00900	1502-09	00900	1510-38



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26802	1201-09	30501	J054-09	30501	J071-09
1U022TAR	*30501	J054-10	30501	J071-10		
1U022TB	*00800	1214-79	00900	1502-11	00900	1510-42
	26802	1201-11	30501	J054-11	30501	J071-11
1U022TBR	*30501	J054-12	30501	J071-12		
1U022TC	*00800	1214-74	00900	1502-13	00900	1510-39
	26802	1201-13	30501	J054-13	30501	J071-13
1U022TCR	*30501	J054-14	30501	J071-14		
1U022TD	*00800	1214-80	00900	1502-15	00900	1510-43
	26802	1201-15	30501	J054-15	30501	J071-15
1U022TDR	*30501	J054-16	30501	J071-16		
1U023TA	*00800	1215-55	00900	1502-17	00900	1510-46
	26802	1201-17	30501	J054-17	30501	J071-17
1U023TAR	*30501	J054-18	30501	J071-18		
1U023TB	*00800	1215-61	00900	1502-19	00900	1510-51
	26802	1201-19	30501	J054-19	30501	J071-19
1U023TBR	*30501	J054-20	30501	J071-20		
1U023TC	*00800	1215-60	00900	1502-21	00900	1510-52
	26802	1201-21	30501	J054-21	30501	J071-21
1U023TCR	*30501	J054-22	30501	J071-22		
1U023TD	*00800	1215-63	00900	1502-23	00900	1510-53
	26802	1201-23	30501	J054-23	30501	J071-23
1U023TDR	*30501	J054-24	30501	J071-24		
1U024TA	*00800	1215-73	00900	1502-25	00900	1510-55
	26802	1201-25	30501	J054-25	30501	J071-25
1U024TAR	*30501	J054-26	30501	J071-26		
1U024TB	*00800	1215-79	00900	1502-27	00900	1510-61
	26802	1201-27	30501	J054-27	30501	J071-27
1U024TBR	*30501	J054-28	30501	J071-28		
1U024TC	*00800	1215-74	00900	1502-29	00900	1510-60
	26802	1201-29	30501	J054-29	30501	J071-29
1U024TCR	*30501	J054-30	30501	J071-30		
1U024TD	*00800	1215-80	00900	1502-31	00900	1510-63
	26802	1201-31	30501	J054-31	30501	J071-31
1U024TDR	*30501	J054-32	30501	J071-32		
1VPAAA	15300	1213-71	*15300	1230-22		
1VPBAA	*15300	1205-69	15300	1213-69		
1V0S1GA1	26601	A01-21	*26601	A07-31		
1V0S1GA2	26601	A02-21	*26601	A07-37		
1V0S1GA3	26601	A03-21	*26601	A07-33		
1V0S1GA4	26601	A04-21	*26601	A07-39		
1V0S1GA5	26601	A05-21	*26601	A07-35		
1V0S1GA6	26601	A06-21	*26601	A07-41		
1V0010E	*00703	1205-07	26601	A02-06	26601	J04-73
	26802	1203-01	29302	J035-73	31101	J069-01
1V0011E	*00703	1205-11	26601	A02-07	26601	J04-72

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1V0012E	26802	1203-02	29302	J035-72	31101	J069-02
	*00703	1205-13	26601	A02-08	26601	J04-71
	26802	1203-03	29302	J035-71	31101	J069-03
1V0013E	*00703	1205-10	26601	A02-04	26601	J04-74
	26802	1203-04	29302	J035-74	31101	J069-04
1V0020E	*00702	1206-07	26601	A02-14	26601	J04-69
	26802	1203-05	29302	J035-69	31101	J069-05
1V0021E	*00702	1206-11	26601	A02-15	26601	J04-68
	26802	1203-06	29302	J035-68	31101	J069-06
1V0022E	*00702	1206-13	26601	A02-16	26601	J04-67
	26802	1203-07	29302	J035-67	31101	J069-07
1V0023E	*00702	1206-10	26601	A02-12	26601	J04-70
	26802	1203-08	29302	J035-70	31101	J069-08
1V0030E	*00702	1207-07	26601	A02-22	26601	J04-65
	26802	1203-09	29302	J035-65	31101	J069-09
1V0031E	*00702	1207-11	26601	A02-23	26601	J04-64
	26802	1203-10	29302	J035-64	31101	J069-10
1V0032E	*00702	1207-13	26601	A02-24	26601	J04-63
	26802	1203-11	29302	J035-63	31101	J069-11
1V0033E	*00702	1207-10	26601	A02-20	26601	J04-66
	26802	1203-12	29302	J035-66	31101	J069-12
1V0110E	*00703	1205-21	26601	A04-06	26601	J05-37
	26802	1203-13	29401	J036-37	31101	J069-13
1V0111E	*00703	1205-27	26601	A04-07	26601	J05-36
	26802	1203-14	29401	J036-36	31101	J069-14
1V0112E	*00703	1205-25	26601	A04-08	26601	J05-35
	26802	1203-15	29401	J036-35	31101	J069-15
1V0113E	*00703	1205-24	26601	A04-04	26601	J05-38
	26802	1203-16	29401	J036-38	31101	J069-16
1V0120E	*00702	1206-21	26601	A04-14	26601	J05-33
	26802	1203-17	29401	J036-33	31101	J069-17
1V0121E	*00702	1206-27	26601	A04-15	26601	J05-32
	26802	1203-18	29401	J036-32	31101	J069-18
1V0122E	*00702	1206-25	26601	A04-16	26601	J05-31
	26802	1203-19	29401	J036-31	31101	J069-19
1V0123E	*00702	1206-24	26601	A04-12	26601	J05-34
	26802	1203-20	29401	J036-34	31101	J069-20
1V0130E	*00702	1207-21	26601	A04-22	26601	J05-29
	26802	1203-21	29401	J036-29	31101	J069-21
1V0131E	*00702	1207-27	26601	A04-23	26601	J05-28
	26802	1203-22	29401	J036-28	31101	J069-22
1V0132E	*00702	1207-25	26601	A04-24	26601	J05-27
	26802	1203-23	29401	J036-27	31101	J069-23
1V0133E	*00702	1207-24	26601	A04-20	26601	J05-30
	26802	1203-24	29401	J036-30	31101	J069-24
1V0210E	*00703	1205-35	26601	A06-06	26601	J05-55

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26802	1203-25	29402	J036-55	31101	J069-25
1V0211E	*00703	1205-39	26601	A06-07	26601	J05-54
	26802	1203-26	29402	J036-54	31101	J069-26
1V0212E	*00703	1205-42	26601	A06-08	26601	J05-53
	26802	1203-27	29401	J036-53	31101	J069-27
1V0213E	*00703	1205-38	26601	A06-04	26601	J05-56
	26802	1203-28	29402	J036-56	31101	J069-28
1V0220E	*00702	1206-35	26601	A06-14	26601	J05-51
	26802	1203-29	29401	J036-51	31101	J069-29
1V0221E	*00702	1206-39	26601	A06-15	26601	J05-50
	26802	1203-30	29401	J036-50	31101	J069-30
1V0222E	*00702	1206-42	26601	A06-16	26601	J05-49
	26802	1203-31	29401	J036-49	31101	J069-31
1V0223E	*00702	1206-38	26601	A06-12	26601	J05-52
	26802	1203-32	29401	J036-52	31101	J069-32
1V0230E	*00702	1207-35	26601	A06-22	26601	J05-47
	26802	1203-33	29401	J036-47	31101	J069-33
1V0231E	*00702	1207-39	26601	A06-23	26601	J05-46
	26802	1203-34	29401	J036-46	31101	J069-34
1V0232E	*00702	1207-42	26601	A06-24	26601	J05-45
	26802	1203-35	29401	J036-45	31101	J069-35
1V0233E	*00702	1207-38	26601	A06-20	26601	J05-48
	26802	1203-36	29401	J036-48	31101	J069-36
1V0310E	*00703	1205-47	26601	A01-06	26601	J04-18
	26802	1203-37	29301	J035-18	31101	J069-37
1V0311E	*00703	1205-51	26601	A01-07	26601	J04-17
	26802	1203-38	29301	J035-17	31101	J069-38
1V0312E	*00703	1205-56	26601	A01-08	26601	J04-16
	26802	1203-39	29301	J035-16	31101	J069-39
1V0313E	*00703	1205-52	26601	A01-04	26601	J04-19
	26802	1203-40	29301	J035-19	31101	J069-40
1V0320E	*00702	1206-47	26601	A01-14	26601	J04-14
	26802	1203-41	29301	J035-14	31101	J069-41
1V0321E	*00702	1206-51	26601	A01-15	26601	J04-13
	26802	1203-42	29301	J035-13	31101	J069-42
1V0322E	*00702	1206-56	26601	A01-16	26601	J04-12
	26802	1203-43	29301	J035-12	31101	J069-43
1V0323E	*00702	1206-52	26601	A01-12	26601	J04-15
	26802	1203-44	29301	J035-15	31101	J069-44
1V033E	*26601	A01-20	26601	J04-11		
1V0330E	*00702	1207-47	26601	A01-22	26601	J04-10
	26802	1203-45	29301	J035-10	31102	J069-45
1V0331E	*00702	1207-51	26601	A01-23	26601	J04-09
	26802	1203-46	29301	J035-09	31102	J069-46
1V0332E	*00702	1207-56	26601	A01-24	26601	J04-08
	26802	1203-47	29301	J035-08	31102	J069-47

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1V0333E	*00702	1207-52	26802	1203-48	29301	J035-11
	31102	J069-48				
1V0410E	*00703	1205-61	13401	J04-36	26601	A03-06
	26802	1203-49	29301	J035-36	31102	J069-49
1V0411E	*00703	1205-65	26601	A03-07	26601	J04-35
	26802	1203-50	29301	J035-35	31102	J069-50
1V0412E	*00703	1205-68	26601	A03-08	26601	J04-34
	26802	1203-51	29301	J035-34	31102	J069-51
1V0413E	*00703	1205-64	13401	J04-37	26601	A03-04
	26802	1203-52	29301	J035-37	31102	J069-52
1V0420E	*00702	1206-61	26601	A03-14	26601	J04-32
	26802	1203-53	29301	J035-32	31102	J069-53
1V0421E	*00702	1206-65	26601	A03-15	26601	J04-31
	26802	1203-54	29301	J035-31	31102	J069-54
1V0422E	*00702	1206-68	26601	A03-16	26601	J04-30
	26802	1203-55	29301	J035-30	31102	J069-55
1V0423E	*00702	1206-64	26601	A03-12	26601	J04-33
	26802	1203-56	29301	J035-33	31102	J069-56
1V0430E	*00702	1207-61	26601	A03-22	26601	J04-28
	26802	1203-57	29301	J035-28	31102	J069-57
1V0431E	*00702	1207-65	26601	A03-23	26601	J04-27
	26802	1203-58	29301	J035-27	31102	J069-58
1V0432E	*00702	1207-68	26601	A03-24	26601	J04-26
	26802	1203-59	29301	J035-26	31102	J069-59
1V0433E	*00702	1207-64	26601	A03-20	26601	J04-29
	26802	1203-60	29301	J035-29	31102	J069-60
1V0510E	*00703	1205-75	26601	A05-06	26601	J04-54
	26802	1203-61	29302	J035-54	31102	J069-61
1V0511E	*00703	1205-79	26601	A05-07	26601	J04-53
	26802	1203-62	29302	J035-53	31102	J069-62
1V0512E	*00703	1205-80	26601	A05-08	26601	J04-52
	26802	1203-63	29302	J035-52	31102	J069-63
1V0513E	*00703	1205-76	26601	A05-04	26601	J04-55
	26802	1203-64	29302	J035-55	31102	J069-64
1V0520E	*00702	1206-75	26601	A05-14	26601	J04-50
	26802	1203-65	29302	J035-50	31102	J069-65
1V0521E	*00702	1206-79	26601	A05-15	26601	J04-49
	26802	1203-66	29302	J035-49	31102	J069-66
1V0522E	*00702	1206-80	26601	A05-16	26601	J04-48
	26802	1203-67	29302	J035-48	31102	J069-67
1V0523E	*00702	1206-76	26601	A05-12	26601	J05-51
	26802	1203-68	29302	J035-51	31102	J069-68
1V0530E	*00702	1207-75	26601	A05-22	26601	J04-46
	26802	1203-69	29302	J035-46	31102	J069-69
1V0531E	*00702	1207-79	26601	A05-23	26601	J04-45
	26802	1203-70	29302	J035-45	31102	J069-70

Change 2 5-177

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1V0532E	*00702	1207-80	26601	A05-24	26601	J04-44
	26802	1203-71	29302	J035-44	31102	J069-71
1V0533E	*00702	1207-76	26601	A05-20	26601	J04-47
	26802	1203-72	29302	J035-47	31102	J069-72
1W0011U	00500	1325-10	*00500	1326-38		
1W0012U	00500	1325-08	*00500	1326-40		
1W0013U	00500	1325-06	*00500	1326-42		
1W0014U	00500	1325-04	*00500	1326-46		
1W0015U	00500	1324-41	*00500	1326-36		
1W015AV	*00500	1324-46	00500	1326-47		
1X9013E	*01400	1218-10	01400	1219-05		
1X9023E	*01400	1219-10	01400	1220-05		
1X9033E	01400	1218-19	*01400	1220-10		
1X9043E	*01400	1218-24	01400	1219-19		
1X9053E	*01400	1219-24	01400	1220-19		
1X9063E	01400	1218-33	*01400	1220-24		
1X9073E	*01400	1218-38	01400	1219-33		
1X9083E	01400	1218-05	*01400	1219-38	05400	1124-37
1X9113E	01400	1218-45	*01400	1220-38		
1X9123E	*01400	1218-52	01400	1219-45		
1X9133E	*01400	1219-52	01400	1220-45		
1X9143E	01400	1218-59	*01400	1220-52		
1X9153E	*01400	1218-64	01400	1219-59		
1X9163E	01400	1218-73	*01400	1219-64		
1X9173E	*01400	1218-76	01400	1219-73		
1X9183E	*01400	1219-76	01400	1220-33	05400	1124-39
1X9210	*01400	1213-45	01400	1218-09	01400	1218-23
	01400	1218-37	01400	1218-49	01400	1218-63
	01400	1218-77	01400	1219-09	01400	1219-23
	01400	1219-37	01400	1219-49	01400	1219-63
	01400	1219-77	01400	1220-09	01400	1220-23
	01400	1220-37	01400	1220-49		
1X9220	*01400	1213-51	01400	1218-08	01400	1218-22
	01400	1218-36	01400	1218-50	01400	1218-62
	01400	1218-74	01400	1219-08	01400	1219-22
	01400	1219-36	01400	1219-50	01400	1219-62
	01400	1219-74	01400	1220-08	01400	1220-22
	01400	1220-36	01400	1220-50		
1Y0011C	00500	1320-45	*00500	1325-11		
1Y051A	00500	1211-49	*00500	1213-38		
1Y0510E	00500	1211-30	00500	1213-40	*00500	1320-47
1Y0511E	00500	1213-34	*00500	1320-51		
1Y0512E	00500	1213-29	*00500	1320-56		
1Y0513E	00500	1213-53	*00500	1320-52		
1Y052A	00500	1211-52	*00500	1213-30		
1Y053A	00500	1211-54	*00500	1213-33		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
1Y054A	00500	1211-56	*00500	1213-57		
1Y061A	*00500	1211-33	00500	1212-21		
1Y0610V	*00500	1212-19	00500	1319-05		
1Y062A	*00500	1211-47	00500	1212-27		
1Y0620V	*00500	1212-26	00500	1319-14		
1Y071KQ	00200	1211-19	00200	1211-25	00200	1232-78
	00500	1213-35	*00500	1319-11		
1Y072AV	*00500	1324-77	03900	1436-72	03900	1436-77
	03900	1441-37				
1Y0720	*00500	1213-39	00500	1324-75	01400	1218-55
	26802	1301-61				
1Y081A	*00500	1211-45	00500	1322-66	00500	1326-35
1Y082A	*00100	1211-59	00500	1212-38		
1Y0820V	*00500	1212-40	00500	1320-09	00500	1320-49
1ZA010	00100	1318-48	00702	1206-09	00702	1206-23
	00702	1206-37	00702	1207-09	00702	1207-23
	00702	1207-37	00703	1205-09	00703	1205-23
	00703	1205-37	*00703	1226-06		
1ZA03A	*00100	1226-15	00600	1321-37	00600	1322-37
	00600	1322-51	00600	1326-51		
1ZA030	*00400	1226-66	00400	1305-09	00400	1305-23
	00400	1305-37	00400	1305-49	00400	1305-63
	00400	1305-77	00400	1306-09	00400	1306-23
	00400	1306-37	00400	1306-49	00400	1306-63
	00400	1306-77				
1ZA640	*00100	1226-46	00400	1235-62	00400	1235-74
	00400	1305-08	00400	1305-22	00400	1305-36
	00400	1305-50	00400	1305-62	00400	1305-74
	00400	1306-08	00400	1306-22	00400	1306-36
	00400	1306-50	00400	1306-62	00400	1306-74
	00400	1320-22	00400	1320-36		
1ZA740	*00100	1226-09	00800	1222-14	00800	1222-26
	00800	1222-40				
1ZA99AV	00400	1235-14	00400	1236-26	00400	1236-40
	00400	1237-14	00400	1237-26	00400	1237-40
	00400	1237-54	00400	1237-66	*00500	1225-54
	00500	1320-03	00500	1320-43	00800	1215-71
	00800	1221-08	00800	1221-22		
1ZB010	00702	1206-49	00702	1206-63	00702	1206-77
	00702	1207-49	00702	1207-63	00702	1207-77
	00703	1205-49	00703	1205-63	00703	1205-77
	*00703	1226-52	00800	1220-77	00800	1222-77
1ZB030	*00100	1226-60	01101	1307-09	01101	1307-23
	01101	1308-09	01101	1308-23	01102	1307-37
	01102	1307-49	01102	1308-37	01102	1308-49
	01103	1307-63	01103	1307-77	01103	1308-63

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1ZB99AV	01103	1308-77				
	00400	1236-54	00400	1236-66	00400	1237-78
	*00500	1225-49	00500	1320-01	00500	1320-41
	00701	1221-45	00702	1220-59	00702	1221-73
	00703	1221-59	00800	1221-05	00800	1221-19
	00800	1221-33	00800	1222-05	00800	1222-19
1ZCO10	00800	1222-33				
	*00100	1227-01	00701	1221-49	00702	1220-63
	00702	1221-77	00703	1221-63	00800	1221-09
	00800	1221-23	00800	1221-37	00800	1222-09
	00800	1222-23	00800	1222-37	00800	1222-49
1ZC030	00800	1222-63				
	*00100	1226-57	00100	1317-60	00400	1235-63
	00400	1235-77	00400	1320-23	00400	1320-37
1ZC99AV	00600	1318-72				
	*00500	1225-48	00500	1320-04	00500	1320-46
	00701	1221-50	00702	1220-62	00702	1221-74
	00703	1221-62	00800	1209-18	00800	1215-72
	00800	1221-36	00800	1222-08	00800	1222-22
1ZDTG0	00800	1222-36	00800	1222-50		
	*00100	1226-45	00100	1231-18	00100	1318-45
1ZD030	*00100	1226-63	00100	1319-48	00200	1318-60
	00200	1319-60	00200	1319-72	00704	1317-06
	00704	1317-20	00704	1317-34	00704	1318-06
	00704	1318-20	00704	1318-34		
1ZD99AV	*00500	1225-46	00500	1320-06	00500	1320-48
	00800	1208-14	00800	1209-15	00800	1215-78
	00800	1220-73	00800	1222-59	00800	1222-73
1ZE030	*00100	1226-75	00100	1232-56	00500	1317-48
	00500	1319-06				
1ZE99AV	*00500	1225-43	00500	1320-14	00500	1320-54
	00703	1205-05	00800	1208-04	00800	1208-20
	00800	1208-36	00800	1220-74	00800	1222-62
	00800	1222-74				
1ZF99AV	00702	1206-05	00702	1207-05	00703	1205-08
	00703	1205-19	00800	1209-52	00800	1214-53
	01000	1214-13	01000	1214-30	01000	1214-48
	01000	1215-13	01000	1215-30	01000	1215-48
	*01000	1225-53				
1ZG99AV	00702	1206-08	00702	1206-19	00702	1206-33
	00702	1207-08	00702	1207-19	00702	1207-33
	00703	1205-22	00703	1205-33	00800	1214-59
	*00800	1225-66				
1ZH99AV	00702	1206-22	00702	1206-36	00702	1206-45
	00702	1206-59	00702	1207-22	00702	1207-36
	00702	1207-45	00702	1207-59	*00702	1225-63

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1ZJ99AV	00703	1205-36	00703	1205-45	00703	1205-59
	00702	1206-50	00702	1206-62	00702	1206-73
	00702	1207-50	00702	1207-62	00702	1207-73
	00703	1205-50	00703	1205-62	00703	1205-73
1ZK99AV	01200	1209-74	*01200	1225-60		
	*00400	1225-56	00400	1305-14	00400	1305-26
	00400	1305-40	00400	1305-54	00400	1306-14
	00400	1306-26	00400	1306-40	00702	1206-74
	00702	1207-74	00703	1205-74	01101	1307-05
1ZL99AV	01101	1307-19	01101	1308-05		
	*00400	1225-57	00400	1305-66	00400	1305-78
	00400	1306-54	00400	1306-66	00400	1306-78
	01101	1307-08	01101	1307-22	01101	1308-08
	01101	1308-19	01102	1307-33	01102	1307-45
	01102	1308-33	01102	1308-45	01103	1307-59
1ZM99AV	01103	1308-59	01103	1308-74		
	01101	1308-22	01102	1307-36	01102	1307-50
	01102	1308-36	01102	1308-50	01102	1309-52
	*01103	1225-68	01103	1307-62	01103	1307-73
1ZN99AV	01103	1308-62	01103	1308-73		
	*00500	1225-80	00500	1322-71	00500	1326-39
	01101	1310-52	01101	1310-68	01102	1316-68
	01103	1307-74	01200	1310-13	01200	1310-30
1ZP99AV	01200	1310-48	01200	1311-13	01200	1311-30
	01200	1311-48	01200	1312-13	01200	1312-30
	*00500	1225-71	00500	1322-73	00500	1326-41
	01101	1217-68	01101	1311-52	01101	1311-68
	01102	1312-52	01102	1312-68	01102	1313-52
1ZQ99AV	01102	1313-68	01103	1314-52	01103	1314-68
	01103	1315-52	01103	1315-68		
	*00400	1225-70	00400	1235-66	00400	1235-78
	00400	1320-26	00400	1320-40	00500	1322-75
	00500	1326-43	01101	1316-52		
1ZRAMA	00800	1229-55	*00800	1323-14		
1ZR99AV	*00500	1225-72	00500	1322-77	00500	1326-45
1ZS99AR	*30502	J054-76	30502	J071-76		
1ZS99AV	00400	1236-71	*00600	1225-78	00600	1321-45
	00600	1322-45	00600	1322-59	00600	1326-59
	00800	1209-13	00900	1502-75	00900	1510-80
	26802	1201-75	30502	J054-75	30502	J071-75
1ZT99AV	00600	1321-41	00600	1322-41	00600	1322-55
	*00600	1324-13	00600	1326-55	00800	1209-14
	00800	1215-77	00800	1222-45	01101	1217-52
1ZU99AV	00400	1236-73	00600	1321-43	00600	1322-43
	00600	1322-57	*00600	1324-08	00600	1326-57
	00800	1209-10	01101	1216-52	01101	1216-68



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
1ZV99AV	00400	1236-69	*01101	1324-03	01101	1326-05
1ZW99AV	00800	1208-27	00800	1208-46	00800	1209-62
	*00800	1324-01				
1ZX99AV	00600	1321-39	00600	1322-39	00600	1322-53
	*00600	1324-07	00600	1326-53		
1Z0010	00100	1227-07	*00100	1228-06	00100	1229-01
	00100	1229-06	00100	1229-43	00100	1229-49
	00100	1232-30	00100	1232-37	00100	1319-20
	05900	1121-24				
1Z002A	*00100	1227-09	00100	1228-04		
1Z0020	*00100	1228-01	00100	1319-34		
1Z003A	00100	1226-53	00100	1226-59	00100	1226-62
	00100	1226-77	00100	1228-03	*00100	1229-11
	00400	1226-68				
1Z0030	00100	1226-11	*00100	1228-09	00400	1235-09
	00400	1235-49	00400	1236-09	00400	1236-23
	00400	1236-37	00400	1236-49	00400	1236-63
	00400	1236-77	00400	1237-09	00400	1237-23
	00400	1237-37	00400	1237-49	00400	1237-63
	00400	1237-77				
1Z004A	00100	1228-11	*00100	1229-09		
1Z005A	00200	1228-24	*00200	1229-23		
1Z0050	00200	1227-48	*00200	1228-22	00703	1227-54
	00704	1318-07				
1Z006A	00200	1228-18	*00200	1229-21		
1Z0060	00200	1226-65	*00200	1228-14	00703	1227-68
	00704	1317-07				
1Z007A	00200	1228-17	*00200	1232-23		
1Z0070	00200	1227-53	*00200	1228-21	00703	1227-62
	00704	1318-21				
1Z008A	00200	1228-23	*00200	1232-21		
1Z0080	00200	1227-77	*00200	1228-27	00703	1227-59
	00704	1317-21				
1Z009A	00200	1228-40	*00200	1229-35		
1Z0090	00200	1227-65	*00200	1228-38	00703	1227-71
	00704	1318-35				
1Z010A	00200	1228-34	*00200	1229-33		
1Z0100	00100	1226-13	00100	1318-52	00200	1227-34
	*00200	1228-30	00703	1227-40	00704	1317-35
1Z011A	00100	1228-29	*00100	1232-35		
1Z012A	00100	1228-35	*00100	1232-33		
1Z013A	*00100	1229-47	00703	1228-54		
1Z0130	00600	1227-42	00703	1227-56	00703	1227-61
	00703	1227-64	00703	1227-70	00703	1227-73
	*00703	1228-52				
1Z014A	00100	1228-48	*00100	1229-45		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1Z0140	*00100	1228-46	00200	1226-74	00200	1227-36
	00200	1227-50	00200	1227-55	00200	1227-74
	00200	1227-79				
1Z017A	*00703	1227-52	00703	1228-41		
1Z0170	00703	1227-26	*00703	1228-45		
1Z018A	*00200	1227-46	00200	1228-47	00400	1231-30
1Z0180	00200	1211-24	*00200	1228-51		
1Z021A	*00703	1227-66	00703	1228-68		
1Z0210	00703	1227-20	*00703	1228-66		
1Z022A	*00200	1226-69	00200	1228-62	00400	1231-31
1Z0220	00200	1211-18	*00200	1228-60		
1Z025A	*00703	1227-60	00703	1228-53		
1Z0250	00703	1227-19	*00703	1228-57		
1Z026A	*00200	1227-57	00200	1228-59	00400	1231-34
1Z0260	*00200	1228-63	00200	1232-77		
1Z029A	*00703	1227-63	00703	1228-77		
1Z0290	00703	1227-25	*00703	1228-75		
1Z030A	*00200	1227-75	00200	1228-71	00400	1231-36
1Z0300	*00200	1228-72	00200	1232-72		
1Z033A	00500	1322-69	00500	1326-37	*00703	1227-72
	00703	1228-65				
1Z0330	00703	1226-26	*00703	1228-69		
1Z034A	*00200	1227-69	00200	1228-76	00400	1231-37
1Z0340	00200	1227-35	*00200	1228-80	00200	1229-77
1Z037A	*00703	1227-38	00703	1233-24		
1Z0370	00100	1211-61	00703	1226-20	*00703	1233-22
1Z038A	*00200	1227-30	00200	1233-18	00400	1233-05
1Z0380	00100	1317-62	00100	1318-50	00200	1229-72
	*00200	1233-14	00500	1211-43	00600	1232-68
	00600	1318-73	00600	1318-78	00704	1317-08
	00704	1317-22	00704	1317-36	00704	1318-08
	00704	1318-22	00704	1318-36		
1Z061A	*00100	1232-47	00100	1233-17		
1Z0610	00100	1227-11	*00100	1233-21		
1Z062A	00100	1226-50	*00200	1227-39	00400	1233-10
1Z063A	00100	1226-48	*00100	1227-15	00400	1233-08
1Z0640	*00400	1233-06	00400	1235-08	00400	1236-08
	00400	1236-22	00400	1236-36	00400	1236-50
	00400	1236-62	00400	1237-08	00400	1237-22
	00400	1237-36	00400	1237-50	00400	1237-62
	00400	1237-74				
1Z065A	00100	1225-11	*00100	1231-23		
1Z0650V	*00100	1225-13	00400	1320-19		
1Z0660	*00400	1233-01	00400	1235-54	00400	1236-78
1Z0670	*00400	1231-35	00400	1235-50	00400	1236-74
1Z071A	*00100	1232-11	00800	1226-04		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1Z0710	00800	1221-14	00800	1221-26	00800	1221-40
	*00800	1226-01				
1Z073A	*00100	1232-45	00100	1233-03		
1Z0730	*00100	1233-09	00701	1221-54	00702	1220-66
	00702	1221-78	00703	1221-66		
1Z074A	00100	1226-03	*00100	1229-59	00800	1233-11
1Z0740	00800	1220-78	00800	1222-54	00800	1222-66
	00800	1222-78	*00800	1233-15		
1Z075A	*00800	1229-57	00800	1324-65	00900	1502-65
	00900	1510-01	00900	1510-03	30502	J054-65
	30502	J071-65				
1Z075AR	*30502	J054-66	30502	J071-66		
1Z0750V	*00800	1324-68	26802	1201-65		
1Z076A	*00600	1227-33	00600	1326-64		
1Z077A	*00600	1232-59	00600	1321-35	00600	1322-35
	00600	1322-49	00600	1326-49		
1Z078A	00600	1225-06	*00600	1227-45		
1Z0780V	*00600	1225-08	00600	1318-75		
1Z081A	00600	1225-04	*00600	1231-47		
1Z0810V	*00600	1225-03	00600	1227-41		
1Z082A	00600	1225-05	*00600	1231-59		
1Z0820V	*00600	1225-01	00600	1227-43		
1Z101A	00703	1225-22	*00703	1227-22		
1Z1010V	00702	1206-14	00702	1207-14	00703	1205-14
	*00703	1225-24				
1Z1002A	00703	1225-23	*00703	1227-14		
1Z1020V	00702	1206-26	00702	1207-26	00703	1205-26
	*00703	1225-25				
1Z103A	00703	1225-20	*00703	1227-21		
1Z1030V	00702	1206-40	00702	1207-40	00703	1205-40
	*00703	1225-18				
1Z1004A	00703	1225-17	*00703	1227-27		
1Z1040V	00702	1206-54	00702	1207-54	00703	1205-54
	*00703	1225-14				
1Z105A	00703	1225-21	*00703	1226-22		
1Z1050V	00702	1206-66	00702	1207-66	00703	1205-66
	*00703	1225-19				
1Z106A	00703	1225-27	*00703	1226-14		
1Z1060V	00702	1206-78	00702	1207-78	00703	1205-78
	*00703	1225-26				
1Z111A	*00200	1211-23	01101	1225-38		
1Z1110V	*01101	1225-40	01101	1307-14	01101	1308-14
1Z112A	*00200	1211-21	01101	1225-35		
1Z1120V	*01101	1225-37	01101	1307-26	01101	1308-26
1Z113A	*00200	1232-76	01102	1225-36		
1Z1130V	*01102	1225-34	01102	1307-40	01102	1308-40

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
1Z114A	*00200	1232-69	01102	1225-29		
1Z1140V	*01102	1225-30	01102	1307-54	01102	1308-54
1Z115A	*00200	1229-76	01103	1225-33		
1Z1150V	*01103	1225-31	01103	1307-66	01103	1308-66
1Z116A	*00200	1229-69	01103	1225-39		
1Z1160V	*01103	1225-42	01103	1307-78	01103	1308-78
11MMTS	18500	2216-33	26110	1151-48	26803	1201-55
	*26803	2251-55				
2ACA10	15300	1209-22	*15500	1230-33	15500	1241-40
	15500	1241-68				
2ACB10	15300	1209-14	*15500	1230-39	15500	1241-34
	15500	1241-62				
2AD001N	15200	1244-48	*15900	1246-50		
2AD012N	15200	1244-41	*15900	1246-43		
2AD023N	15900	1244-47	*15900	1246-37		
2AD03A	15900	1244-08	*15900	1247-06		
2AD030	*15900	1244-06	15900	1246-62		
2AD034N	15900	1244-68	*15900	1246-38		
2AD035N	*15900	1246-40	15900	1247-08		
2AD041N	15900	1244-62	*15900	1246-63		
2AD052N	15900	1244-53	*15900	1246-57		
2AD063N	15900	1244-59	*15900	1246-51		
2AD07A	15900	1244-04	*15900	1247-01		
2AD070	15800	1246-76	*15900	1244-01		
2AD074N	15900	1244-77	*15900	1246-54		
2AD075N	*15900	1246-56	15900	1247-04		
2AD081N	15800	1244-71	*15800	1246-80		
2AD092N	15800	1244-65	*15800	1246-75		
2AD103N	15800	1244-76	*15800	1246-69		
2AD104N	15200	1233-20	*15800	1246-70		
2ASP1A	16300	1205-42	*16400	1231-23		
2AST1A	16300	1205-36	*16400	1231-21		
2A256A	*15900	1224-35	15900	1235-38		
2A2560V	15900	1233-40	*15900	1235-40		
2BC110	*16500	1233-66	16500	1239-09	16500	1243-09
	16500	1243-23				
2BSR03E	16500	1239-05	*16500	1243-10		
2BSR13E	*16500	1239-10	16500	1243-19		
2BSR23E	15900	1239-59	16500	1228-23	*16500	1243-24
2BVD10	15400	1216-30	15500	1241-30	*26803	1106-05
2BVD20	15400	1216-55	15500	1241-55	*26803	1106-07
2B2560V	15900	1233-42	*15900	1235-37		
2CB00A	*15200	1244-46	15200	1248-61		
2CB000V	*15200	1248-63	15900	1239-55		
2CB01A	*15200	1244-45	15200	1248-62		
2CB010V	*15200	1248-60	15900	1239-53		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
2CB02A	*15900	1244-51	15900	1248-55		
2CB020V	15900	1239-57	*15900	1248-56		
2CB03A	*15900	1244-66	15900	1248-59		
2CB030V	15900	1239-60	*15900	1248-57		
2CB04A	*15900	1244-60	15900	1248-65		
2CB040V	15900	1238-55	*15900	1248-68		
2CB05A	*15900	1244-57	15900	1248-79		
2CB050V	15900	1238-53	*15900	1248-80		
2CB06A	*15900	1244-63	15900	1248-73		
2CB060V	15900	1238-57	*15900	1248-71		
2CB07A	*15900	1244-75	15900	1248-69		
2CB070V	15900	1238-60	*15900	1248-70		
2CB08A	*15800	1244-72	15800	1248-74		
2CB080V	15800	1239-71	*15800	1248-72		
2CB09A	*15800	1244-69	15800	1248-76		
2CB090V	15800	1239-69	*15800	1248-78		
2CB10A	*15800	1244-80	15800	1248-75		
2CB100V	15800	1239-70	*15800	1248-77		
2CDT0A	15200	1235-29	*15200	1244-33		
2CDT00V	*15200	1235-30	15200	1242-33	15200	1244-35
2CDT1JQ	*15200	1242-42	15200	1244-37		
2CDT2A	15200	1235-33	*15200	1244-39		
2CDT20V	*15200	1235-31	15200	1242-40	15200	1248-35
2CDT3AV	15200	1247-19	*15200	1248-37		
2CEN1JQ	*15500	1237-68	15500	1244-20		
2CGR0A	15300	1213-74	15500	1238-36	*15500	1244-22
	15800	1239-74	15900	1238-62	15900	1239-62
	16400	1243-36	16500	1239-08	16500	1243-08
	16500	1243-22				
2CLK10	15200	1240-34	*15200	1247-09		
2CLK40	15500	1230-25	15500	1237-06	15500	1240-06
	15800	1237-48	15800	1240-48	*15800	1247-15
2CLK5A	*15500	1244-14	15500	1247-24		
2CLK50	*15500	1247-22	15800	1239-77	15900	1238-63
	15900	1239-63	16500	1243-18		
2CLK80	15200	1233-31	15200	1237-20	15200	1237-34
	15200	1240-20	15200	1244-25	*15200	1247-14
2CLRAA	15200	1233-19	*15200	1247-27	15500	1245-19
	15500	1245-48	15500	1245-73	15800	1237-71
2CLRAR	15200	1244-19	*15200	1247-21	15200	1248-21
	15500	1245-05	15500	1245-10	15500	1245-25
	15500	1245-34	15500	1245-40	15500	1245-54
	15500	1245-62	15500	1245-68	15500	1245-78
2CLRAS	*15200	1244-21	15200	1247-17	15200	1247-23
2CLRA0V	15200	1244-29	*15200	1248-19	16400	1232-13
	16400	1232-25	16400	1232-42	16400	1232-56

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
2CMP01C	16400	1231-22	*16400	1232-11	16500	1218-60
2CMP11C	16400	1231-26	*16400	1232-27		
2CMP12C	16400	1231-24	*16400	1232-26	16500	1213-43
2CMP2A	*16400	1230-14	16400	1231-20		
2CMP21C	16400	1230-20	*16400	1232-39		
2CMP22C	16400	1231-14	*16400	1232-40	16500	1213-41
2CMP31C	16300	1208-18	16400	1231-18	*16400	1232-51
	16500	1213-46				
2CN00AV	15900	1235-50	*15900	1248-34		
2CN000E	*15900	1239-61	15900	1246-48	15900	1248-36
2CN000R	27702	J014-50	*27702	J044-50		
2CN000V	15900	1224-30	*15900	1235-48	16201	1401-49
	16201	1414-06	16202	1415-06	16203	1416-06
	16204	1417-06	26803	1202-49	27702	J014-49
	27702	J044-49				
2CN01AV	15900	1235-41	*15900	1248-30		
2CN0100R	27702	J014-52	*27702	J044-52		
2CN010V	15900	1224-31	*15900	1235-46	16201	1401-51
	16201	1414-01	16202	1415-01	16203	1416-01
	16204	1.417-01	26803	1202-51	27702	J014-51
	27702	J044-51				
2CN011E	*15900	1239-65	15900	1246-47	15900	1248-29
2CN02AV	15900	1235-45	*15900	1248-31		
2CN020R	27702	J014-54	*27702	J044-54		
2CN020V	15900	1224-34	*15900	1235-43	16201	1401-53
	16201	1414-18	16202	1415-18	16203	1416-18
	16204	1417-18	26803	1202-53	27702	J014-53
	27702	J044-53				
2CN022E	*15900	1239-68	15900	1246-39	15900	1248-33
2CN03AV	15900	1235-51	*15900	1248-42		
2CN030R	27702	J014-56	*27702	J044-56		
2CN030V	15900	1224-36	*15900	1235-53	16201	1401-55
	16201	1414-17	16202	1415-17	16203	1416-17
	16204	1417-17	26803	1202-55	27702	J014-55
	27702	J044-55				
2CN033E	15900	1238-59	*15900	1239-64	15900	1246-35
	15900	1248-39				
2CN04AV	15900	1235-64	*15900	1248-54		
2CN040E	*15900	1238-61	15900	1246-64	15900	1248-52
2CN040R	27702	J014-58	*27702	J044-58		
2CN040V	15900	1224-37	15900	1235-66	16201	1401-57
	16201	1414-05	16202	1415-05	16203	1416-05
	16204	1417-05	26803	1202-57	27702	J014-57
	*27702	J044-57				
2CN05AV	15900	1235-61	*15900	1248-49		
2CN050R	27702	J014-60	*27702	J044-60		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
2CN050V	15900	1224-38	15900	1235-63	16201	1401-59
	16201	1414-25	16202	1415-25	16203	1416-25
	16204	1417-25	26803	1202-59	27702	J014-59
	*27702	J044-59				
2CN051E	*15900	1238-65	15900	1246-61	15900	1248-47
2CN06AV	15900	1235-62	*15900	1248-48		
2CN060R	27702	J014-62	*27702	J044-62		
2CN060V	15900	1224-40	15900	1235-60	16201	1401-61
	16201	1414-03	16202	1415-03	16203	1416-03
	16204	1417-03	26803	1202-61	27702	J014-61
	*27702	J044-61				
2CN062E	*15900	1238-68	15900	1246-53	15900	1248-50
2CN07AV	15900	1235-55	*15900	1248-46		
2CN070R	27702	J014-64	*27702	J044-64		
2CN070V	15900	1224-42	15900	1235-56	16201	1401-63
	16201	1414-04	16202	1415-04	16203	1416-04
	16204	1417-04	26803	1202-63	27702	J014-63
	*27702	J044-63				
2CN073E	15800	1239-73	*15900	1238-64	15900	1246-49
	15900	1248-41				
2CN08AV	15800	1231-37	15800	1231-49	15800	1231-61
	15800	1231-75	15800	1235-59	*15800	1248-43
2CN080E	*15800	1239-75	15800	1246-78	15800	1248-45
2CN080V	15800	1231-30	15800	1231-43	15800	1231-55
	15800	1231-71	*15800	1235-57		
2CN09AV	15800	1231-31	15800	1231-38	15800	1231-60
	15800	1231-66	15800	1235-65	*15800	1248-53
2CN090V	15800	1231-46	15800	1231-52	15800	1231-72
	15800	1231-77	*15800	1235-68		
2CN091E	*15800	1239-79	15800	1246-79	15800	1248-51
2CN10AV	15800	1231-34	15800	1231-40	15800	1231-48
	15800	1231-54	15800	1235-79	*15800	1248-66
2CN100V	15800	1231-62	15800	1231-68	15800	1231-73
	15800	1231-78	*15800	1235-80		
2CN102E	*15800	1239-80	15800	1246-71	15800	1248-64
2CN103E	*15800	1239-76	16400	1243-33		
2CRW1JQ	*15800	1237-56	15800	1240-45	16500	1239-04
2CRW1KQ	*15800	1237-51	15800	1240-54	15800	1244-54
2CRW2JQ	15800	1237-54	*15800	1240-56	15800	1244-56
	16500	1239-06				
2CRW2KQ	15800	1237-45	*15800	1240-51		
2CRW3A	15800	1233-35	*15800	1244-52		
2CRW3R	27602	J013-72	*27602	J043-72		
2CRW30	*15800	1233-39	16201	1402-71	16201	1414-09
	16202	1415-09	16203	1416-09	16204	1417-09
	26803	1203-71	27602	J013-71	27602	J043-71

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
2CR00JQ	*15200	1242-68	15200		1247-62	15500
	16500	1239-01				
2CR00KQ	*15200	1242-65	15200	1247-68	15800	1244-73
	15800	1244-74	15800	1244-78	15900	1244-49
	15900	1244-55	15900	1244-61	15900	1244-64
	15900	1244-70	15900	1244-79		
2CR000	15200	1242-66	*15200	1247-66		
2CR01A	15200	1244-43	15200	1244-50	*15200	1247-60
2CR02A	*15200	1233-21	15200	1242-57		
2CR03A	15200	1230-19	*15200	1233-14		
2CR030	*15200	1230-21	15200	1233-17		
2CSP00V	16400	1232-07	16400	1232-21	*16400	1235-13
2CSP10V	16400	1232-05	16400	1232-19	*16400	1235-08
2CSP20V	16400	1232-03	16400	1232-17	*16400	1235-03
2CSP30V	16400	1232-01	16400	1232-15	*16400	1235-01
2CST00V	16400	1232-35	16400	1232-47	*16400	1235-07
2CST10V	16400	1232-33	16400	1232-45	*16400	1235-10
2CST20V	16400	1232-31	16400	1232-43	*16400	1235-24
2CST30V	16400	1232-29	16400	1232-41	*16400	1235-25
2CS00A	*15800	1231-35	15900	1235-35	16204	1401-65
	16204	1417-10	16204	1417-13	26803	1202-65
	27702	J014-65	27702	J044-65		
2CS00R	27702	J014-66	*27702	J044-66		
2CS01A	*15800	1231-33	16204	1401-67	16204	1417-41
	16204	1417-43	26803	1202-67	27702	J014-67
	27702	J044-67				
2CS01R	27702	J014-68	*27702	J044-68		
2CS02A	*15800	1231-47	16203	1401-69	16203	1416-10
	16203	1416-13	26803	1202-69	27702	J014-69
	27702	J044-69				
2CS02R	27702	J014-70	*27702	J044-70		
2CS03A	*15800	1231-45	16203	1401-71	16203	1416-41
	16203	1416-43	26803	1202-71	27702	J014-71
	27702	J044-71				
2CS03R	27702	J014-72	*27702	J044-72		
2CS04A	*15800	1231-59	16202	1401-73	16202	1415-10
	16202	1415-13	26803	1202-73	27702	J014-73
	27702	J044-73				
2CS04R	27702	J014-74	*27702	J044-74		
2CS05A	*15800	1231-57	16202	1401-75	16202	1415-41
	16202	1415-43	26803	1202-75	27702	J014-75
	27702	J044-75				
2CS05R	27702	J014-76	*27702	J044-76		
2CS06A	*15800	1231-76	16201	1401-77	16201	1414-10
	16201	1414-13	26803	1202-77	27702	J014-77
	27702	J044-77				



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
2CS06R	27702	J014-78	*27702	J044-78		
2CS07A	*15800	1231-69	16201	1401-79	16201	1414-41
	16201	1414-43	26803	1202-79	27702	J014-79
	27702	J044-79				
2CS07R	27702	J014-80	*27702	J044-80		
2C256A	15200	1235-36	*15900	1233-38		
2C2560V	*15200	1235-34	15200	1244-31		
2DS00AV	*15500	1235-42	15500	1237-57		
2DS000	15500	1235-39	*15800	1233-57		
2DVC4A	*15500	1230-27	15500	1233-23		
2DVC40	*15500	1233-27	15500	1238-37		
2DV31JQ	*15500	1237-13	15500	1240-05	16500	1243-03
2DV31KQ	*15500	1237-11	15500	1240-14		
2DV32JQ	15500	1230-23	*15500	1240-13	16500	1243-01
2DV32KQ	15500	1237-05	15500	1237-14	*15500	1240-11
2DV51JQ	15200	1233-34	15200	1237-19	15200	1237-26
	*15200	1240-25	16500	1243-04		
2DV52A	15200	1230-40	*15200	1233-30		
2DV52JQ	15200	1233-36	*15200	1237-25	16500	1243-06
2DV520	*15200	1230-38	15200	1237-33		
2DV53A	15200	1230-34	*15200	1233-33		
2DV53JQ	15200	1233-29	*15200	1237-42		
2DV53KQ	*15200	1237-39	15200	1240-19	15200	1240-26
2DV530	*15200	1230-30	16400	1243-37		
2ENM1A	15300	1209-24	*15300	1230-57		
2ENM2A	15300	1209-18	*15300	1230-63		
2GND202	26803	1501-76	26803	1501-78	26803	1501-80
2GND403	26803	1403-76	26803	1403-78	26803	1403-80
2GR00AV	15200	1240-40	15200	1242-59	15500	1237-59
	15800	1246-77	15900	1246-45	15900	1246-59
2GR01AV	15900	1246-41	15900	1246-55		
2GR02AV	15800	1246-73	15900	1246-36	15900	1246-52
2GR03AV	15800	1246-74	15900	1246-42	15900	1246-60
2H1G0A	*15500	1247-30	15500	1248-23		
2H1G00V	15500	1245-04	15500	1245-08	15500	1245-18
	15500	1245-24	*15500	1248-25		
2HPB00R	27001	J002-14	*28901	J031-14		
2HPB00V	*15200	1235-18	16000	1303-13	16000	1413-23
	16000	1413-70	26803	1106-13	27001	J002-13
	28901	J031-13				
2HPB10R	27001	J002-16	*28901	J031-16		
2HPB10V	*15200	1235-14	16000	1303-15	16000	1413-24
	16000	1413-72	26803	1106-15	27001	J002-15
	28901	J031-15				
2HPB2AV	15200	1233-08	*15200	1248-07		
2HPB20V	15200	1233-04	15200	1233-11	*15200	1235-19

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	15200	1248-09				
2HPB30V	15200	1233-05	15200	1233-10	*15200	1235-26
2INH0A	*15500	1233-60	15500	1241-36	15500	1241-42
	15500	1241-64	15500	1241-70		
2INH00	*15500	1230-60	15500	1233-62		
2LEDAA	*15200	1244-38				
2LEDBA	*15200	1244-30				
2LEddb	15200	1237-17	15200	1237-31	15200	1240-17
	*15200	1244-30	*15200	1244-38	15500	1237-03
	15500	1240-03	15800	1237-43	15800	1240-43
2LED1JQ	15200	1233-18	*15200	1240-42	15200	1242-34
	15200	1242-60	15200	1244-23	15200	1244-34
	15200	1244-40	15500	1237-60	15500	1244-18
	16500	1239-03				
2LED2A	15200	1240-31	*15200	1244-27		
2LSQ1AV	*15500	1235-54	15500	1247-35		
2LSQ10	*15500	1234-47	15500	1235-52	15500	1247-29
	16500	1243-17				
2LSQ2A	15500	1234-49	*15500	1241-35		
2LSQ3A	15500	1234-52	*15500	1241-33		
2LSR1AV	*15500	1235-49	15500	1247-31	15500	1247-37
2LSR10	*15500	1234-45	15500	1235-47	15500	1247-36
	16500	1243-15				
2LSR2A	15500	1234-43	*15500	1241-59		
2LSR3A	15500	1234-46	*15500	1241-57		
2LOW0A	*15500	1247-39	15500	1248-17		
2LOW00V	15500	1245-31	15500	1245-38	15500	1245-46
	15500	1245-52	*15500	1248-14		
2MA000Q	*16204	1417-22	16204	1417-80		
2MA011Q	16203	1416-80	*16204	1417-07		
2MA022Q	16202	1415-80	*16204	1417-24		
2MA033Q	16201	1414-80	*16204	1417-08		
2MA044Q	*16204	1417-34	16204	1417-78		
2MA055Q	16203	1416-78	*16204	1417-37		
2MA066Q	16202	1415-78	*16204	1417-39		
2MA077Q	16201	1414-78	*16204	1417-53		
2MA080Q	*16203	1416-22	16204	1417-76		
2MA091Q	*16203	1416-07	16203	1416-76		
2MA102Q	16202	1415-76	*16203	1416-24		
2MA113Q	16201	1414-76	*16203	1416-08		
2MA124Q	*16203	1416-34	16204	1417-77		
2MA135Q	*16203	1416-37	16203	1416-77		
2MA146Q	16202	1415-77	*16203	1416-39		
2MA157Q	16201	1414-77	*16203	1416-53		
2MA160Q	*16202	1415-22	16204	1417-74		
2MA171Q	*16202	1415-07	16203	1416-74		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution			
2MA182Q	*16202	1415-24	16202	1415-74	
2MA193Q	16201	1414-74	*16202	1415-08	
2MA204Q	*16202	1415-34	16204	1417-72	
2MA215Q	*16202	1415-37	16203	1416-72	
2MA226Q	*16202	1415-39	16202	1415-72	
2MA237Q	16201	1414-72	*16202	1415-53	
2MA240Q	*16201	1414-22	16204	1417-70	
2MA251Q	*16201	1414-07	16203	1416-70	
2MA262Q	*16201	1414-24	16202	1415-70	
2MA273Q	*16201	1414-08	16201	1414-70	
2MA284Q	*16201	1414-34	16204	1417-75	
2MA295Q	*16201	1414-37	16203	1416-75	
2MA306Q	*16201	1414-39	16202	1415-75	
2MA317Q	*16201	1414-53	16201	1414-75	
2MCE0A	15200	1230-08	*15200	1233-06	
2MCE0R	27001	J002-18	*28901	J031-18	
2MCE00	*15200	1230-06	16000	1303-17	16000
	16000	1413-29	26803	1106-17	27001
	28901	J031-17			
2MCE1A	15200	1230-04	*15200	1233-01	
2MCE1R	27001	J002-20	*28901	J031-20	
2MCE10	*15200	1230-01	16000	1303-19	16000
	16000	1413-48	26803	1106-19	27001
	28901	J031-19			
2MCE2A	15200	1230-03	*15200	1233-09	
2MCE2R	27001	J002-22	*28901	J031-22	
2MCE20	*15200	1230-09	16000	1303-21	16000
	16000	1413-80	26803	1106-21	27001.1
	28901	J031-21			
2MCE3A	15200	1230-11	*15200	1233-15	
2MCE3R	27001	J002-24	*28901	J031-24	
2MCE30	*15200	1230-15	16000	1303-23	16000
	16000	1413-43	26803	1106-23	27001
	28901	J031-23			
2MDH0A	15500	1241-10	*15500	1245-11	
2MDH1A	15500	1241-05	*15500	1245-09	
2MDH2A	15500	1241-25	*15500	1245-23	
2MDH3A	15500	1241-19	*15500	1245-21	
2MDL0A	15500	1241-06	*15500	1245-35	
2MDL1A	15500	1241-01	*15500	1245-33	
2MDL2A	15500	1241-22	*15500	1245-47	
2MDL3A	15500	1241-14	*15500	1245-45	
2MDM0A	15500	1241-08	*15500	1245-59	
2MDM1A	15500	1241-04	*15500	1245-57	
2MDM2A	15500	1241-24	*15500	1245-76	
2MDM3A	15500	1241-18	*15500	1245-69	

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
2MDT0A	*15500	1230-52	16400	1233-54		
2MDT00	16400	1232-24	16400	1232-52	*16400	1233-52
2MDT00E	15500	1230-54	*15500	1238-35	16201	1401-41
	16201	1414-14	16201	1414-40	16202	1415-14
	16202	1415-40	16203	1416-14	16203	1416-40
	16204	1417-14	16204	1417-40	26803	1202-41
	27701	J014-41	27701	J044-41		
2MDT00R	27701	J014-42	*27701	J044-42		
2MDT1A	*15500	1230-46	16400	1233-48		
2MDT10	16400	1232-22	16400	1232-50	*16400	1233-46
2MDT11E	15500	1230-48	*15500	1238-39	16201	1401-43
	16201	1414-26	16201	1414-42	16202	1415-26
	16202	1415-42	16203	1416-26	16203	1416-42
	16204	1417-26	16204	1417-42	26803	1202-43
	27702	J014-43	27702	J044-43		
2MDT11R	27702	J014-44	*27702	J044-44		
2MDT2A	*15500	1230-45	16400	1233-41		
2MDT20	16400	1232-20	16400	1232-48	*16400	1233-45
2MDT22E	15500	1230-41	*15500	1238-42	16201	1401-45
	16201	1414-21	16201	1414-38	16202	1415-21
	16202	1415-38	16203	1416-21	16203	1416-38
	16204	1417-21	16204	1417-38	26803	1202-45
	27702	J014-45	27702	J044-45		
2MDT22R	27702	J014-46	*27702	J044-46		
2MDT3A	*15500	1230-51	16400	1233-47		
2MDT3R	27702	J014-48	*27702	J044-48		
2MDT30	16201	1401-47	16201	1414-30	16201	1414-46
	16202	1415-30	16202	1415-46	16203	1416-30
	16203	1416-46	16204	1417-30	16204	1417-46
	16400	1232-18	16400	1232-46	*16400	1233-51
	26803	1202-47	27702	J014-47	27702	J044-47
2MDT33E	15500	1230-47	*15500	1238-38	16500	1243-05
2MEM0R	*27601	J013-34	27601	J043-34		
2MEM00	16000	1402-33	16000	1413-08	16000	1413-60
	16204	1417-51	*16204	1417-79	16400	1243-31
	26803	1203-33	27601	J013-33	27601	J043-33
2MEM1R	*27601	J013-36	27601	J043-36		
2MEM10	16000	1402-35	16000	1413-09	16000	1413-61
	16203	1416-51	*16203	1416-79	16400	1243-29
	26803	1203-35	27601	J013-35	27601	J043-35
2MEM2R	*27601	J013-38	27601	J043-38		
2MEM20	16000	1402-37	16000	1413-10	16000	1413-62
	16202	1415-51	*16202	1415-79	16400	1243-30
	26803	1203-37	27601	J013-37	27601	J043-37
2MEM3R	*27601	J013-40	27601	J043-40		
2MEM30	16000	1402-39	16000	1413-18	16000	1413-64

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	16201	1414-51	16201	1414-79	16400	1243-34
	26803	1203-39	*27601	J013-39	27601	J043-39
2MER00E	16400	1232-10	16400	1232-38	*16400	1243-35
2MER11E	16400	1232-08	16400	1232-36	*16400	1243-39
2MER22E	16400	1232-06	16400	1232-34	*16400	1243-42
2MER33E	15500	1238-33	16400	1232-04	16400	1232-30
	*16400	1243-38				
2MID0A	*15500	1247-33	15500	1248-20		
2MID00V	15500	1245-60	15500	1245-66	15500	1245-72
	15500	1245-77	*15500	1248-18		
2MRH0B	15500	1245-06	16000	1402-57	*16000	1413-01
	*16000	1413-13	*16000	1413-46	*16000	1413-49
	26803	1203-57	27602	J013-57	27602	J043-57
2MRH0BR	*27602	J013-58	27602	J043-58		
2MRH1B	15500	1245-01	16000	1402-59	*16000	1413-03
	*16000	1413-11	*16000	1413-47	*16000	1413-50
	26803	1203-59	27602	J013-59	27602	J043-59
2MRH1R	*27602	J013-60	27602	J043-60		
2MRH2B	15500	1245-22	16000	1402-61	*16000	1413-04
	*16000	1413-15	*16000	1413-51	*16000	1413-74
	26803	1203-61	27602	J013-61	27602	J043-61
2MRH2R	*27602	J013-62	27602	J043-62		
2MRH3B	15500	1245-14	16000	1402-63	*16000	1413-05
	*16000	1413-14	*16000	1413-52	*16000	1413-75
	26803	1203-63	27602	J013-63	27602	J043-63
2MRH3R	*27602	J013-64	27602	J043-64		
2MR0000B	15500	1245-37	16000	1402-41	*16000	1413-59
	26803	1203-41	27601	J013-41	27601	J043-41
2MR0000R	*27601	J013-42	27601	J043-42		
2MR0101B	15500	1245-30	16000	1402-43	*16000	1413-57
	26803	1203-43	27602	J013-43	27602	J043-43
2MR0101R	*27602	J013-44	27602	J043-44		
2MR0202B	15500	1245-49	16000	1402-45	*16000	1413-56
	26803	1203-45	27602	J013-45	27602	J043-45
2MR0202R	*27602	J013-46	27602	J043-46		
2MR0303B	15500	1245-43	16000	1402-47	*16000	1413-55
	26803	1203-47	27602	J013-47	27602	J043-47
2MR0303R	*27602	J013-48	27602	J043-48		
2MR0404B	15500	1245-61	16000	1402-49	*16000	1413-65
	26803	1203-49	27602	J013-49	27602	J043-49
2MR0404R	*27602	J013-50	27602	J043-50		
2MR0505B	15500	1245-55	16000	1402-51	*16000	1413-66
	26803	1203-51	27602	J013-51	27602	J043-51
2MR0505R	*27602	J013-52	27602	J043-52		
2MR0606B	15500	1245-75	16000	1402-53	*16000	1413-68
	26803	1203-53	27602	J013-53	27602	J043-53

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
2MR0606R	*27602	J013-54	27602	J043-54		
2MR0707B	15500	1245-71	16000	1402-55	*16000	1413-69
	26803	1203-55	27602	J013-55	27602	J043-55
2MR0707R	*27602	J013-56	27602	J043-56		
2MR0840B	*16000	1413-13				
2MR0850B	*16000	1413-46				
2MR0860B	*16000	1413-49				
2MR0870B	*16000	1413-01				
2MR0941B	*16000	1413-11				
2MR0951B	*16000	1413-47				
2MR0961B	*16000	1413-50				
2MR0971B	*16000	1413-03				
2MR1042B	*16000	1413-15				
2MR1052B	*16000	1413-74				
2MR1062B	*16000	1413-51				
2MR1072B	*16000	1413-04				
2MR1143B	*16000	1413-14				
2MR1153B	*16000	1413-75				
2MR1163B	*16000	1413-52				
2MR1173B	*16000	1413-05				
2MUD00	15500	1238-31	*15500	1241-11		
2MUD10	15500	1238-29	*15500	1241-09		
2MUD20	15500	1238-30	*15500	1241-23		
2MUD30	15500	1238-34	*15500	1241-21		
2M121A	16000	1413-38	*16204	1417-47		
2M221A	16000	1413-35	*16203	1416-47		
2M321A	16000	1413-39	*16202	1415-47		
2M421A	16000	1413-36	*16201	1414-47		
2N0013E	*00400	1305-10	00400	1306-05		
2N0023E	00400	1305-19	*00400	1306-10		
2N0033E	*00400	1305-24	00400	1306-19		
2N0043E	00400	1235-43	*00400	1306-24		
2N0103E	*00400	1305-38	00400	1306-33		
2N0113E	00400	1305-45	*00400	1306-38		
2N0123E	*00400	1305-52	00400	1306-45		
2N0130E	00400	1306-47				
2N0131E	00400	1306-51				
2N0132E	*00400	1306-56				
2N0133E	*00400	1236-72	00400	1306-52		
2N0203E	*00400	1305-64	00400	1306-59		
2N0213E	00400	1305-73	*00400	1306-64		
2N0223E	*00400	1305-76	00400	1306-73		
2N0230E	00400	1306-75				
2N0231E	00400	1306-79				
2N0232E	00400	1306-80				
2N0233E	00400	1236-70	*00400	1306-76	00500	1322-78

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
2PX01B	30402	J053-65	*30402	J102-65		
2PX01BR	30402	J053-66	*30402	J102-66		
2PX0100B	*01300	1511-59				
2PX0101B	*01300	1511-57				
2PX0102B	*01300	1511-56				
2PX0103B	*01300	1511-55				
2PX0104B	*01300	1511-65				
2PX0105B	*01300	1511-66				
2PX0106B	*01300	1511-68				
2PX0107B	*01300	1511-69				
2PX0140B	*01300	1511-13				
2PX0141B	*01300	1511-11				
2PX0142B	*01300	1511-15				
2PX0143B	*01300	1511-14				
2PX0144B	*01300	1511-22				
2PX0145B	*01300	1511-19				
2PX0146B	*01300	1511-21				
2PX0147B	*01300	1511-20				
2PX0170B	*01300	1511-01				
2PX0171B	*01300	1511-03				
2PX0172B	*01300	1511-04				
2PX0173B	*01300	1511-05				
2PX0174B	*01300	1511-06				
2PX0175B	*01300	1511-07				
2PX0176B	*01300	1511-25				
2PX0177B	*01300	1511-26				
2PX02B	30402	J053-67	*30402	J102-67		
2PX02BR	30402	J053-68	*30402	J102-68		
2PX03B	30402	J053-69	*30402	J102-69		
2PX03BR	30402	J053-70	*30402	J102-70		
2PX04B	30402	J053-71	*30402	J102-71		
2PX04BR	30402	J053-72	*30402	J102-72		
2PX05B	30402	J053-73	*30402	J102-73		
2PX05BR	30402	J053-74	*30402	J102-74		
2PX06B	30402	J053-75	*30402	J102-75		
2PX06BR	30402	J053-76	*30402	J102-76		
2PX07B	30402	J053-77	*30402	J102-77		
2PX07BR	30402	J053-78	*30402	J102-78		
2PX08B	30402	J053-79	*30402	J102-79		
2PX08BR	30402	J053-80	*30402	J102-80		
2Q0010E	00300	1403-01	00300	1519-18	*01101	1307-07
	01200	1310-03	26802	1303-01	29701	J042-01
	29701	J083-01				
2Q0010R	*29701	J042-02	29701	J083-02		
2Q0011E	00300	1403-03	00300	1519-15	*01101	1307-11
	01200	1310-19	26802	1303-03	29701	J042-03

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	29701	J083-03				
2Q0011R	*29701	J042-04	29701	J083-04		
2Q0012E	00300	1403-05	00300	1519-10	*01101	1307-13
	01200	1310-35	26802	1303-05	29701	J042-05
	29701	J083-05				
2Q0012R	*29701	J042-06	29701	J083-06		
2Q0013E	00300	1403-07	00300	1519-09	*01101	1307-10
	01200	1311-03	26802	1303-07	29701	J042-07
	29701	J083-07				
2Q0013R	*29701	J042-08	29701	J083-08		
2Q0020E	00300	1403-09	00300	1519-08	*01101	1308-07
	01200	1311-19	26802	1303-09	29701	J042-09
	29701	J083-09				
2Q0020R	*29701	J042-10	29701	J083-10		
2Q0021E	00300	1403-11	00300	1519-07	*01101	1308-11
	01200	1311-35	26802	1303-11	29701	J042-11
	29701	J083-11				
2Q0021R	*29701	J042-12	29701	J083-12		
2Q0022E	00300	1403-13	00300	1519-06	*01101	1308-13
	01200	1312-03	26802	1303-13	29701	J042-13
	29701	J083-13				
2Q0022R	*29701	J042-14	29701	J083-14		
2Q0023E	00300	1403-15	00300	1519-05	*01101	1308-10
	01200	1312-19	26802	1303-15	29701	J042-15
	29701	J083-15				
2Q0023R	*29701	J042-16	29701	J083-16		
2Q0110E	00300	1403-17	00300	1519-76	01101	1216-51
	*01101	1307-21	01200	1310-05	26802	1303-17
	29701	J042-17	29701	J083-17		
2Q0110R	*29701	J042-18	29701	J083-18		
2Q0111E	00300	1403-19	00300	1519-75	01101	1216-57
	*01101	1307-27	01200	1310-21	26802	1303-19
	29701	J042-19	29701	J083-19		
2Q0111R	*29701	J042-20	29701	J083-20		
2Q0112E	00300	1403-21	00300	1519-74	01101	1216-54
	*01101	1307-25	01200	1310-37	26802	1303-21
	29701	J042-21	297,01	J083-21		
2Q0112R	*29701	J042-22	29701	J083-22		
2Q0113E	00300	1403-23	00300	1519-73	01101	1216-62
	*01101	1307-24	01200	1311-05	26802	1303-23
	29701	J042-23	29701	J083-23		
2Q0113R	*29701	J042-24	29701	J083-24		
2Q0120E	00300	1403-25	00300	1519-72	01101	1216-69
	*01101	1308-21	01200	1311-21	26802	1303-25
	29701	J042-25	29701	J083-25		
2Q0120R	*29701	J042-26	29701	J083-26		



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
2Q0121E	00300	1403-27	00300	1519-71	01101	1216-75
	*01101	1308-27	01200	1311-37	26802	1303-27
	29701	J042-27	29701	J083-27		
2Q0121R	*29701	J042-28	29701	J083-28		
2Q0122E	00300	1403-29	00300	1519-70	01101	1216-70
	*01101	1308-25	01200	1312-05	26802	1303-29
	29701	J042-29	29701	J083-29		
2Q0122R	*29701	J042-30	29701	J083-30		
2Q0123E	00300	1403-31	00300	1519-69	01101	1216-76
	*01101	1308-24	01200	1312-21	26802	1303-31
	29701	J042-31	29701	J083-31		
2Q0123R	*29701	J042-32	29701	J083-32		
2Q0210E	*01102	1307-35	01200	1310-07	03800	1403-33
	03800	1521-18	26802	1303-33	29701	J042-33
	29701	J083-33				
2Q0210R	*29701	J042-34	29701	J083-34		
2Q0211E	*01102	1307-39	01200	1310-23	03800	1403-35
	03800	1521-15	26802	1303-35	29701	J042-35
	29701	J083-35				
2Q0211R	*29701	J042-36	29701	J083-36		
2Q0212E	*01102	1307-42	01200	1310-39	03800	1403-37
	03800	1521-10	26802	1303-37	29701	J042-37
	29701	J083-37				
2Q0212R	*29701	J042-38	29701	J083-38		
2Q0213E	*01102	1307-38	01200	1311-07	03800	1403-39
	03800	1521-09	26802	1303-39	29701	J042-39
	29701	J083-39				
2Q0213R	*29701	J042-40	29701	J083-40		
2Q0220E	*01102	1308-35	01200	1311-23	03800	1403-41
	03800	1521-08	26802	1303-41	29701	J042-41
	29701	J083-41				
2Q0220R	*29701	J042-42	29701	J083-42		
2Q0221E	*01102	1308-39	01200	1311-39	03800	1403-43
	03800	1521-07	26802	1303-43	29701	J042-43
	29701	J083-43				
2Q0221R	*29701	J042-44	29701	J083-44		
2Q0222E	*01102	1308-42	01200	1312-07	03800	1403-45
	03800	1521-06	26802	1303-45	29701	J042-45
	29701	J083-45				
2Q0222R	*29701	J042-46	29701	J083-46		
2Q0223E	*01102	1308-38	01200	1312-23	03800	1403-47
	03800	1521-05	26802	1303-47	29702	J042-47
	29702	J083-47				
2Q0223R	*29702	J042-48	29702	J083-48		
2Q0310E	00300	1403-49	00800	1520-18	*01102	1307-47
	01200	1310-11	26802	1303-49	29702	J042-49

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	29702	J083-49				
2Q0310R	*29702	J042-50	29702	J083-50		
2Q0311E	00300	1403-51	00300	1520-15	*01102	1307-51
	01200	1310-29	26802	1303-51	29702	J042-51
	29702	J083-51				
2Q0311R	*29702	J042-52	29702	J083-52		
2Q0312E	00300	1403-53	00300	1520-10	*01102	1307-56
	01200	1310-43	26802	1303-53	29702	J042-53
	29702	J083-53				
2Q0312R	*29702	J042-54	29702	J083-54		
2Q0313E	00300	1403-55	00300	1520-09	*01102	1307-52
	01200	1311-11	26802	1303-55	29702	J042-55
	29702	J083-55				
2Q0313R	*29702	J042-56	29702	J083-56		
2Q0320E	00300	1403-57	00300	1520-08	*01102	1308-47
	01200	1311-29	26802	1303-57	29702	J042-57
	29702	J083-57				
2Q0320R	*29702	J042-58	29702	J083-58		
2Q0321E	00300	1403-59	00300	1520-07	*01102	1308-51
	01200	1311-43	26802	1303-59	29702	J042-59
	29702	J083-59				
2Q0321R	*29702	J042-60	29702	J083-60		
2Q0322E	00300	1403-61	00300	1520-06	*01102	1308-56
	01200	1312-11	26802	1303-61	29702	J042-61
	29702	J083-61				
2Q0322R	*29702	J042-62	29702	J083-62		
2Q0323E	00300	1403-63	00300	1520-05	*01102	1308-52
	01200	1312-29	26802	1303-63	29702	J042-63
	29702	J083-63				
2Q0323R	*29702	J042-64	29702	J083-64		
2Q0410E	00300	1403-65	00300	1520-76	01101	1216-53
	*01103	1307-61	01200	1310-15	26802	1303-65
	29702	J042-65	29702	J083-65		
2Q0410R	*29702	J042-66	29702	J083-66		
2Q0411E	00300	1403-67	00300	1520-75	01101	1216-59
	*01103	1307-65	01200	1310-31	26802	1303-67
	29702	J042-67	29702	J083-67		
2Q0411R	*29702	J042-68	29702	J083-68		
2Q0412E	00300	1403-69	00300	1520-74	01101	1216-56
	*01103	1307-68	01200	1310-45	26802	1303-69
	29702	J042-69	29702	J083-69		
2Q0412R	*29702	J042-70	29702	J083-70		
2Q0413E	00300	1403-71	00300	1520-73	01101	1216-64
	*01103	1307-64	01200	1311-15	26802	1303-71
	29702	J042-71	29702	J083-71		
2Q0413R	*29702	J042-72	29702	J083-72		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
2Q0420E	00300	1403-73	00300	1520-72	01101	1216-71
	*01103	1308-61	01200	1311-31	26802	1303-73
	29702	J042-73	29702	J083-73		
2Q0420R	*29702	J042-74	29702	J083-74		
2Q0421E	00300	1403-75	00300	1520-71	01101	1216-77
	*01103	1308-65	01200	1311-45	26802	1303-75
	29702	J042-75	29702	J083-75		
2Q0421R	*29702	J042-76	29702	J083-76		
2Q0422E	00300	1403-77	00300	1520-70	01101	1216-72
	*01103	1308-68	01200	1312-15	26802	1303-77
	29702	J042-77	29702	J083-77		
2Q0422R	*29702	J042-78	29702	J083-78		
2Q0423E	00300	1403-79	00300	1520-69	01101	1216-78
	*01103	1308-64	01200	1312-31	26802	1303-79
	29702	J042-79	29702	J083-79		
2Q0423R	*29702	J042-80	29702	J083-80		
2Q0510E	*01103	1307-75	01200	1310-18	03800	1501-57
	03800	1521-76	26802	1202-57	30602	J055-57
	30602	J070-57				
2Q0510R	*30602	J055-58	30602	J070-58		
2Q0511E	*01103	1307-79	01200	1310-34	03800	1501-59
	03800	1521-75	26802	1202-59	30602	J055-59
	30602	J070-59				
2Q0511R	*30602	J055-60	30602	J070-60		
2Q0512E	*01103	1307-80	01200	1310-47	03800	1501-61
	03800	1521-74	26802	1202-61	30602	J055-61
	30602	J070-61				
2Q0512R	*30602	J055-62	30602	J070-62		
2Q0513E	*01103	1307-76	01200	1311-18	03800	1501-63
	03800	1521-73	26802	1202-63	30602	J055-63
	30602	J070-63				
2Q0513R	*30602	J055-64	30602	J070-64		
2Q0520E	*01103	1308-75	01200	1311-34	03800	1501-65
	03800	1521-72	26802	1202-65	30602	J055-65
	30602	J070-65				
2Q0520R	*30602	J055-66	30602	J070-66		
2Q0521E	*01103	1308-79	01200	1311-47	03800	1501-67
	03800	1521-71	26802	1202-67	30602	J055-67
	30602	J070-67				
2Q0521R	*30602	J055-68	30602	J070-68		
2Q0522E	*01103	1308-80	01200	1312-18	03800	1501-69
	03800	1521-70	26802	1202-69	30602	J055-69
	30602	J070-69				
2Q0522R	*30602	J055-70	30602	J070-70		
2Q0523E	*01103	1308-76	01200	1312-34	03800	1501-71
	03800	1521-69	26802	1202-71	30602	J055-71

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
	30602	J070-71				
2Q0523R	*30602	J055-72	30602	J070-72		
2S0011N	01101	1310-51	01101	1311-51	01102	1312-51
	01102	1313-51	01103	1314-51	01103	1315-51
	*01200	1209-80	01200	1210-71	01400	1218-03
2S0012N	01101	1310-57	01101	1311-57	01102	1312-57
	01102	1313-57	01103	1314-57	01103	1315-57
	*01200	1209-75	01200	1210-72	01400	1218-01
2S0013N	01101	1310-54	01101	1311-54	01102	1312-54
	01102	1313-54	01103	1314-54	01103	1315-54
	*01200	1209-69	01200	1210-73	01400	1218-04
2S0014N	01101	1310-62	01101	1311-62	01102	1312-62
	01102	1313-62	01103	1314-62	01103	1315-62
	*01200	1209-70	01200	1210-74	01400	1218-06
2S0015N	01200	1208-74	*01200	1209-72		
2S0021N	01101	1310-69	01101	1311-69	01102	1312-69
	01102	1313-69	01103	1314-69	01103	1315-69
	*01200	1208-80	01200	1210-75	01400	1219-03
2S0022N	01101	1310-75	01101	1311-75	01102	1312-75
	01102	1313-75	01103	1314-75	01103	1315-75
	*01200	1208-75	01200	1210-77	01400	1219-01
2S0023N	01101	1310-70	01101	1311-70	01102	1312-70
	01102	1313-70	01103	1314-70	01103	1315-70
	*01200	1208-69	01200	1210-78	01400	1219-04
2S0024N	01101	1310-76	01101	1311-76	01102	1312-76
	01102	1313-76	01103	1314-76	01103	1315-76
	*01200	1208-70	01200	1210-79	01400	1219-06
2S111A	00200	1212-35	*01200	1210-76		
2S1110V	*00200	1212-37	00200	1213-65	00200	1213-77
2S121A	00200	1211-14	00200	1211-22	*00200	1213-75
	00200	1232-75				
2S122A	*00200	1213-69	00200	1229-71	00200	1229-75
	00200	1232-71				
2S301JQ	00704	1212-79	*00704	1318-13		
2S301KQ	*00704	1318-11	00704	1323-68		
2S3010	00704	1318-14	*00704	1323-66		
2S302JQ	00704	1212-73	*00704	1317-13		
2S302KQ	*00704	1317-11	00704	1323-62		
2S3020	00704	1317-14	*00704	1323-60		
2S303JQ	00704	1212-69	*00704	1318-25		
2S303KQ	*00704	1318-27	00704	1323-53		
2S3030	00704	1318-26	*00704	1323-57		
2S304JQ	00704	1212-74	*00704	1317-25		
2S304KQ	*00704	1317-27	00704	1323-59		
2S3040	00704	1317-26	*00704	1323-63		
2S305JQ	00704	1212-76	*00704	1318-42		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
2S305KQ	*00704	1318-39	00704	1323-77		
2S3050	00704	1318-40	*00704	1323-75		
2S306JQ	00704	1212-75	*00704	1317-42		
2S306KQ	*00704	1317-39	00704	1323-71		
2S3060	00704	1317-40	*00704	1323-72		
2U0011X	01200	1209-78	*01200	1310-04		
2U0021X	01200	1209-79	*01200	1310-20		
2U0031X	01200	1209-71	*01200	1310-36		
2U0041X	01200	1209-66	*01200	1311-04		
2U0051X	01200	1208-78	*01200	1311-20		
2U0061X	01200	1208-79	*01200	1311-36		
2U0071X	01200	1208-71	*01200	1312-04		
2U0081X	01200	1208-66	*01200	1312-20		
2W0011U	*00500	1322-70	00500	1325-24		
2W0012U	*00500	1322-72	00500	1325-22		
2W0013U	*00500	1322-74	00500	1325-20		
2W0014U	*00500	1322-76	00500	1325-18		
2W0015U	*00500	1322-68	00500	1324-22		
2W015AV	00500	1322-79	*00500	1324-24		
2XA01TA	*01101	1217-73	01101	1307-03		
2XA01TB	*01101	1217-79	01101	1307-01		
2XA01TC	*01101	1217-74	01101	1307-04		
2XA01TD	*01101	1217-80	01101	1307-06		
2XA02TA	01101	1308-03	*01101	1316-55		
2XA02TB	01101	1308-01	*01101	1316-61		
2XA02TC	01101	1308-04	*01101	1316-60		
2XA02TD	01101	1308-06	*01101	1316-63		
2XA31TA	01102	1307-43	*01102	1316-73		
2XA31TB	01102	1307-41	*01102	1316-79		
2XA31TC	01102	1307-46	*01102	1316-74		
2XA31TD	01102	1307-48	*01102	1316-80		
2XA32TA	01102	1308-43	*01102	1309-55		
2XA32TB	01102	1308-41	*01102	1309-61		
2XA32TC	01102	1308-46	*01102	1309-60		
2XA32TD	01102	1308-48	*01102	1309-63		
2XN01TC	*01101	1216-60	01300	1501-73	01300	1511-08
	01300	1511-38	26802	1202-73	30602	J055-73
	30602	J070-73				
2XN01TCR	*30602	J055-74	30602	J070-74		
2XN01TD	*01101	1216-63	01300	1501-75	01300	1511-09
	01300	1511-35	26802	1202-75	30602	J055-75
	30602	J070-75				
2XN01TDR	*30602	J055-76	30602	J070-76		
2XN02TA	*01101	1216-73	01300	1501-77	01300	1511-10
	01300	1511-39	26802	1202-77	30602	J055-77
	30602	J070-77				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
2XN02TAR	*30602	J055-78	30602	J070-78		
2XN02TB	*01101	1216-79	01300	1501-79	01300	1511-18
	01300	1511-36	26802	1202-79	30602	J055-79
	30602	J070-79				
2XN02TBR	*30602	J055-80	30602	J070-80		
2XN02TC	*01101	1216-74	01300	1502-77	01300	1511-23
	01300	1511-40	26802	1201-77	30502	J054-77
	30502	J071-77				
2XN02TCR	*30502	J054-78	30502	J071-78		
2XN02TD	*01101	1216-80	01300	1502-79	01300	1511-24
	01300	1511-37	26802	1201-79	30502	J054-79
	30502	J071-79				
2XN02TDR	*30502	J054-80	30502	J071-80		
2XP01B	01101	1217-69	01102	1316-69	01300	1503-65
	*01300	1511-01	*01300	1511-13	*01300	1511-59
	01400	1219-53	26802	1503-65		
2XP02B	01101	1217-75	01102	1316-75	01300	1503-67
	*01300	1511-03	*01300	1511-11	*01300	1511-57
	01400	1219-57	26802	1503-67		
2XP03B	01101	1217-70	01102	1316-70	01300	1503-69
	*01300	1511-04	*01300	1511-15	*01300	1511-56
	01400	1219-60	26802	1503-69		
2XP04B	01101	1217-76	01102	1316-76	01300	1503-71
	*01300	1511-05	*01300	1511-14	*01300	1511-55
	01400	1218-71	26802	1503-71		
2XP05B	01101	1316-51	01102	1309-51	01300	1503-73
	*01300	1511-06	*01300	1511-22	*01300	1511-65
	01400	1218-69	26802	1503-73		
2XP06B	01101	1316-57	01102	1309-57	01300	1503-75
	*01300	1511-07	*01300	1511-19	*01300	1511-66
	01400	1218-70	26802	1503-75		
2XP07B	01101	1316-54	01102	1309-54	01300	1503-77
	*01300	1511-21	*01300	1511-25	*01300	1511-68
	01400	1218-72	26802	1503-77		
2XP08B	01101	1316-62	01102	1309-62	01300	1503-79
	*01300	1511-20	*01300	1511-26	*01300	1511-69
	01400	1219-71	26802	1503-79		
2XQ01TA	*01101	1217-55	01101	1326-04		
2XQ01TB	*01101	1217-61	01101	1326-06		
2XQ01TC	*01101	1217-60	01101	1326-03		
2XRA10V	*01101	1324-53	01300	1503-63	01300	1511-27
	26802	1503-63	30402	J053-63	30402	J102-63
2XRA10VR	*30402	J053-64	30402	J102-64		
2XRB10V	*01101	1324-56	01300	1503-61	01300	1511-43
	26802	1503-61	30402	J053-61	30402	J102-61
2XRB10VR	*30402	J053-62	30402	J102-62		

Table 5-2. Key Signal Looking Listing-Continued

Signal	Distribution					
2XRC10V	*01101	1324-57	01300	1503-59	01300	1511-80
	26802	1503-59	30402	J053-59	30402	J102-59
2XRC10VR	*30402	J053-60	30402	J102-60		
2XRD10V	*01101	1324-60	01300	1503-57	01300	1511-31
	26802	1503-57	30402	J053-57	30402	J102-57
2XRD10VR	*30402	J053-58	30402	J102-58		
2XRE10V	*01101	1324-63	01300	1503-55	01300	1511-29
	26802	1503-55	30402	J053-55	30402	J102-55
2XRE10VR	*30402	J053-56	30402	J102-56		
2XRF10R	*28902	J031-50	32102	J090-80		
2XRF10V	*01101	1324-48	01300	1303-49	01300	1511-17
	26802	1403-79	28902	J031-49	32102	J090-79
2XR012T	01101	1324-51	*01101	1326-14		
2XR013T	01101	1324-55	*01101	1326-13		
2XR014T	01101	1324-59	*01101	1326-17		
2XR015T	01101	1324-62	*01101	1326-07		
2XR016T	01101	1324-61	*01101	1326-09		
2XR017T	01101	1324-50	*01101	1326-11		
2X001TA	01101	1217-71	*01101	1310-55		
2X001TB	01101	1217-77	*01101	1310-61		
2X001TC	01101	1217-72	*01101	1310-60		
2X001TD	01101	1217-78	*01101	1310-63		
2X002TA	*01101	1310-73	01101	1316-53		
2X002TB	*01101	1310-79	01101	1316-59		
2X002TC	*01101	1310-74	01101	1316-56		
2X002TD	*01101	1310-80	01101	1316-64		
2X011TA	01101	1307-17	*01101	1311-55		
2X011TB	01101	1307-15	*01101	1311-61		
2X011TC	01101	1307-18	*01101	1311-60		
2X011TD	01101	1307-20	*01101	1311-63		
2X012TA	01101	1308-17	*01101	1311-73		
2X012TB	01101	1308-15	*01101	1311-79		
2X012TC	01101	1308-18	*01101	1311-74		
2X012TD	01101	1308-20	*01101	1311-80		
2X021TA	01102	1307-31	*01102	1312-55		
2X021TB	01102	1307-29	*01102	1312-61		
2X021TC	01102	1307-30	*01102	1312-60		
2X021TD	01102	1307-34	*01102	1312-63		
2X022TA	01102	1308-31	*01102	1312-73		
2X022TB	01102	1308-29	*01102	1312-79		
2X022TC	01102	1308-30	*01102	1312-74		
2X022TD	01102	1308-34	*01102	1312-80		
2X031TA	*01102	1313-55	01102	1316-71		
2X031TB	*01102	1313-61	01102	1316-77		
2X031TC	*01102	1313-60	01102	1316-72		
2X031TD	*01102	1313-63	01102	1316-78		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
2X032TA	01102	1309-53	*01102	1313-73		
2X032TB	01102	1309-59	*01102	1313-79		
2X032TC	01102	1309-56	*01102	1313-74		
2X032TD	01102	1309-64	*01102	1313-80		
2X041TA	01103	1307-55	*01103	1314-55		
2X041TB	01103	1307-53	*01103	1314-61		
2X041TC	01103	1307-57	*01103	1314-60		
2X041TD	01103	1307-60	*01103	1314-63		
2X042TA	01103	1308-55	*01103	1314-73		
2X042TB	01103	1308-53	*01103	1314-79		
2X042TC	01103	1308-57	*01103	1314-74		
2X042TD	01103	1308-60	*01103	1314-80		
2X051TA	01103	1307-71	*01103	1315-55		
2X051TB	01103	1307-69	*01103	1315-61		
2X051TC	01103	1307-70	*01103	1315-60		
2X051TD	01103	1307-72	*01103	1315-63		
2X052TA	01103	1308-71	*01103	1315-73		
2X052TB	01103	1308-69	*01103	1315-79		
2X052TC	01103	1308-70	*01103	1315-74		
2X052TD	01103	1308-72	*01103	1315-80		
2Y0011C	00500	1320-05	*00500	1325-27		
2Y051A	00500	1211-71	*00500	1323-06		
2Y0510E	00500	1211-75	*00500	1320-07	00500	1323-08
2Y0511E	*00500	1320-11	00500	1323-04		
2Y0512E	*00500	1320-13	00500	1323-03		
2Y0513E	00500	1213-59	*00500	1320-10		
2Y052A	00500	1211-72	*00500	1323-01		
2Y053A	00500	1211-73	*00500	1323-09		
2Y054A	00500	1211-74	*00500	1213-63		
2Y061A	*00500	1211-76	00500	1324-23		
2Y0610V	00500	1317-45	*00500	1324-25		
2Y062A	*00500	1211-69	00500	1324-20		
2Y0620V	00500	1317-54	*00500	1324-18		
2Y071KQ	00200	1229-73	00200	1229-78	00200	1232-73
	00500	1213-37	*00500	1317-51		
2ZA31AV	00600	1231-43	*00600	1324-40		
2ZA34AV	00600	1231-68	*00600	1324-66		
2ZA350	00600	1227-31	00600	1232-66	*00600	1323-69
	00702	1234-13	00702	1234-19	00702	1234-20
	00702	1234-25	00702	1234-26		
2ZB31AV	00600	1231-46	*00600	1324-34		
2ZB32AV	00600	1231-52	*00600	1324-30		
2ZB350	00704	1317-10	00704	1317-24	00704	1318-10
	00704	1318-24	00704	1318-38	*00704	1323-80
2ZC31AV	00600	1231-48	*00600	1324-31		
2ZC32AV	00600	1231-55	*00600	1324-42		



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
2ZD31AV	00600	1231-49	*00600	1324-37		
2ZD32AV	00600	1231-60	*00600	1324-54		
2ZD33AV	00600	1231-66	*00600	1324-49		
2ZP010	*00100	1213-72	00100	1317-55		
2Z001JQ	00100	1227-03	00100	1229-04	00100	1229-08
	00100	1229-46	00100	1229-66	00100	1232-31
	00100	1232-49	*00100	1319-25	01400	1219-46
2Z001KQ	00100	1229-52	00100	1232-08	00100	1232-38
	00100	1232-46	*00100	1319-27	00800	1323-40
	00900	1502-67	00900	1510-72	26802	1201-67
	30502	J054-67	30502	J071-67		
2Z001KR	*30502	J054-68	30502	J071-68		
2Z0010	00800	1214-49	00800	1214-66	00800	1215-49
	00800	1215-66	*00800	1323-38		
2Z002JQ	00100	1229-05	00100	1229-10	00100	1229-48
	00100	1229-54	00100	1232-10	00100	1232-52
	*00100	1319-42	00800	1229-60	01400	1219-69
2Z002KQ	00100	1229-68	00100	1232-34	00100	1232-40
	00100	1232-48	*00100	1319-39		
2Z003JQ	00100	1229-07	*00100	1319-56		
2Z003KQ	00100	1232-54	*00100	1319-51		
2Z005JQ	00200	1229-14	00200	1229-37	00200	1318-59
	*00200	1319-68	01000	1214-14	01000	1214-27
	01000	1214-46	01000	1215-14	01000	1215-27
	01000	1215-46	01400	1218-48		
2ZO05KQ	00200	1229-22	00200	1229-30	00200	1232-14
	00200	1232-22	00200	1318-66	*00200	1319-65
	00900	1502-69	00900	1510-74	01200	1323-34
	26802	1201-69	30502	J054-69	30502	J071-69
2Z005KR	*30502	J054-70	30502	J071-70		
2Z0050	01200	1310-14	01200	1310-27	01200	1310-46
	01200	1311-14	01200	1311-27	01200	1311-46
	01200	1312-14	01200	1312-27	*01200	1323-30
2Z006JQ	00200	1229-31	00200	1232-24	*00200	1318-68
	00200	1319-73	00200	1319-78	01000	1214-10
	01000	1214-26	01000	1214-42	01000	1215-10
	01000	1215-26	01000	1215-42	01400	1219-43
2Z006KQ	00200	1229-18	00200	1229-24	00200	1229-38
	00200	1232-18	*00200	1318-65	00200	1319-59
	00900	1502-71	00900	1510-73	01200	1323-29
	26802	1201-71	30502	J054-71	30502	J071-71
2Z006KR	*30502	J054-72	30502	J071-72		
2Z0060	01200	1310-10	01200	1310-26	01200	1310-42
	01200	1311-10	01200	1311-26	01200	1311-42
	01200	1312-10	01200	1312-26	*01200	1323-33
2Z007JQ	00200	1229-34	00200	1229-40	00200	1232-19

Table 5-2. Key Signal Lookup Listing-Continued

Signal	Distribution					
	*00200	1319-80	01000	1214-08	01000	1214-24
	01000	1214-40	01000	1215-08	01000	1215-24
	01000	1215-40	01400	1219-41		
2Z007KQ	00200	1229-19	00200	1229-25	00200	1232-25
	*00200	1319-79	00900	1502-73	00900	1510-77
	01200	1323-35	26802	1201-73	30502	J054-73
	30502	J071-73				
2Z007KR	*30502	J054-74	30502	J071-74		
2Z0070	01101	1216-49	01101	1216-66	01101	1217-49
	01200	1310-08	01200	1310-24	01200	1310-40
	01200	1311-08	01200	1311-24	01200	1311-40
	01200	1312-08	01200	1312-24	*01200	1323-39
2ZO11JQ	00100	1231-19	*00100	1318-56	00100	1319-17
	00100	1319-31	00100	1319-43		
2Z011KQ	00100	1213-73	*00100	1318-51		
2Z012JQ	00100	1211-66	00100	1229-70	00100	1232-13
	00100	1232-50	*00100	1317-68	00500	1211-46
	00600	1227-29	00600	1232-61	00600	1318-76
	00800	1229-62				
2Z012KQ	00100	1231-22	*00100	1317-65	00100	1323-54
	00800	1214-52	00800	1214-68	00800	1215-52
	00800	1215-68				
2Z0120	00100	1229-50	00100	1229-56	00100	1232-36
	00100	1232-42	*00100	1323-52	00200	1318-55
	00200	1319-55	00200	1319-71	00400	1233-04
2Z0213E	00400	1235-59	*00400	1320-24		
2Z0223E	*00400	1235-64	00400	1320-33		
2Z0233E	00400	1235-73	*00400	1320-38		
2Z024A	00100	1211-68	00100	1227-13	00100	1231-14
	00100	1317-66	00100	1318-54	*00400	1323-46
	00500	1211-48				
2Z0243E	00100	1317-59	00200	1227-37	*00400	1235-76
	00400	1323-48				
2Z0311U	00600	1324-38	*00600	1326-54		
2Z0312U	00600	1324-36	*00600	1326-56		
2Z0313U	00600	1324-33	*00600	1326-60		
2Z0314U	00600	1324-35	*00600	1326-62		
2Z0315U	00600	1321-47	00600	1322-47	00600	1322-61
	*00600	1326-52				
2Z0321U	00600	1231-50	*00600	1322-38		
2Z0322U	*00600	1322-40	00600	1324-29		
2Z0323U	*00600	1322-42	00600	1324-39		
2Z0324U	*00600	1322-46	00600	1324-52		
2Z0325U	00600	1321-48	*00600	1322-36		
2Z0331U	00600	1231-61	*00600	1321-38		
2Z0332U	00600	1231-62	*00600	1321-40		

Table 5-2. Key Signal Lookup Listing-Continued

Signal		Distribution				
2Z0333U	00600	1231-64	*00600	1321-42		
2Z0334U	*00600	1321-46	00600	1324-47		
2Z0335U	*00600	1321-36	00600	1322-64		
2Z0341U	*00600	1322-54	00600	1324-64		
2Z0342U	00600	1231-70	*00600	1322-56		
2Z035A	00701	1234-31	00701	1234-36	00701	1234-37
	00701	1234-42	00701	1234-43	00701	1234-49
	00701	1234-50	00701	1234-56	00701	1234-70
	*00701	1323-45				
2Z035JQ	*00600	1318-80	00701	1323-41	00702	1234-05
	00702	1234-07	00702	1234-10	00703	1226-18
	00703	1226-24	00703	1227-17	00703	1227-18
	00703	1227-23	00703	1227-24	00704	1317-38
2Z035KQ	*00600	1318-79	00600	1323-47	00600	1323-65
	00701	1234-55	00701	1234-61	00701	1234-64
	00701	1234-73	00701	1234-74	00701	1234-78
	00701	1234-79	00704	1323-76		
2Z0350	00600	1318-74	*00600	1323-51	00703	1226-31
	00703	1226-36	00703	1226-37	00703	1226-42
	01400	1219-70				
3AA01JQ	*10700	2410-13	10700	2419-23	10800	2318-49
	10800	2318-66	10900	2324-49	10900	2324-66
	10900	2325-49	10900	2325-66		
3AA01KQ	*10700	2410-11	10900	2409-07		
3AA02A	10700	2417-34	*10700	2419-27		
3AA03A	*10700	2419-33	10700	2424-73		
3AA030	10700	2319-49	10700	2319-66	10700	2320-49
	*10700	2417-33	10700	2419-29	10700	2424-74
3AB001N	*10800	2416-17	11303	2337-21	11306	2324-05
3AB012N	*10800	2416-11	11303	2337-37	11306	2324-21
3AB023N	*10800	2416-05	11303	2336-05	11306	2324-37
3AB034N	*10800	2416-06	11303	2336-21	11307	2323-05
3AB035N	10800	2415-26	*10800	2416-08		
3AB041N	*10800	2415-30	11303	2336-37	11307	2323-21
3AB052N	*10800	2415-29	11303	2335-05	11307	2323-37
3AB063N	*10800	2415-21	11303	2335-21	11307	2321-05
3AB074N	*10800	2415-22	11303	2335-37	11307	2321-21
3AB075N	10800	2414-10	*10800	2415-24		
3AB081N	*10800	2414-17	11304	2334-05	11307	2321-37
3AB092N	*10800	2414-11	11304	2334-21	11307	2320-05
3AB103N	*10800	2414-05	11304	2334-37	11307	2320-21
3AB114N	*10800	2414-06	11304	2333-05	11307	2320-37
3AB115N	*10800	2414-08	10800	2416-26		
3AB121N	*10800	2416-30	11304	2333-21	11307	2319-05
3ACC11C	10900	2404-64	*10900	2405-11		
3ACC12C	10900	2404-61	*10900	2405-14		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3ACC21C	10900	2404-62	*10900	2405-27		
3ACC22C	10900	2404-59	*10900	2405-26		
3ACC31C	10900	2404-60	*10900	2405-39		
3ACC32C	10900	2404-55	*10900	2405-40		
3ACC41C	*10900	2404-65	10900	2409-08		
3ACC50	*10900	2409-06	11700	2202-38	11700	2304-08
	12500	2528-30				
3AC012N	*10800	2415-11	10800	2416-14	10900	2405-10
3AC023N	*10800	2415-05	10800	2416-15	10900	2405-08
3AC034N	*10800	2415-06	10800	2416-09	10900	2405-06
3AC035N	10800	2414-26	*10800	2415-08		
3AC041N	*10800	2414-30	10800	2416-04	10900	2405-04
3AC052N	*10800	2414-29	10800	2415-27	10900	2405-24
3AC063N	*10800	2414-21	10800	2415-33	10900	2405-22
3AC074N	*10800	2414-22	10800	2415-25	10900	2405-20
3AC075N	*10800	2414-24	10800	2416-42		
3AC081N	10800	2415-20	*10800	2416-50	10900	2405-18
3AC092N	10800	2414-14	*10800	2416-43	10900	2405-38
3AC103N	10800	2414-15	*10800	2416-37	10900	2405-36
3AC114N	10800	2414-09	*10800	2416-38	10900	2405-34
3AC115N	10800	2415-60	*10800	2416-40		
3AC121N	10800	2414-04	*10800	2415-63	10900	2405-30
3ADC11C	10900	2404-76	*10900	2405-51		
3ADC12C	10900	2404-75	*10900	2405-54		
3ADC21C	10900	2404-74	*10900	2405-65		
3ADC22C	10900	2404-73	*10900	2405-66		
3ADC31C	10900	2404-72	*10900	2405-79		
3ADC32C	10900	2404-71	*10900	2405-78		
3ADC42C	*10900	2404-78	10900	2409-04		
3ADC50	09600	2401-04	09600	2401-54	*10900	2409-01
	12500	2528-34				
3ADC6A	*09600	2401-47	09600	2409-26		
3ADC60	09600	2202-48	*09600	2409-22		
3ADC7A	*09600	2401-09	09600	2402-20		
3ADC70	09600	2304-40	*09600	2402-14		
3AD001N	10800	2415-14	*10800	2416-63		
3AD012N	10800	2415-15	*10800	2416-57	10900	2405-52
3AD023N	10800	2415-09	*10800	2416-51	10900	2405-50
3AD034N	10800	2415-04	*10800	2416-54	10900	2405-48
3AD035N	10800	2415-42	*10800	2416-56		
3AD041N	10800	2414-27	*10800	2415-50	10900	2405-46
3AD052N	10800	2414-33	*10800	2415-43	10900	2405-64
3AD063N	10800	2414-25	*10800	2415-37	10900	2405-62
3AD074N	10800	2414-20	*10800	2415-38	10900	2405-60
3AD075N	10800	2414-42	*10800	2415-40		
3AD081N	*10800	2414-50	10800	2416-46	10900	2405-57

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3AD092N	*10800	2414-43	10800	2416-45	10900	2405-76
3AD103N	*10800	2414-37	10800	2416-41	10900	2405-74
3AD114N	*10800	2414-38	10800	2416-36	10900	2405-72
3AD115N	*10800	2414-40	10800	2416-74		
3AD121N	10800	2415-62	*10800	2416-80	10900	2405-70
3AE00TA	*10800	2318-55	10800	2418-36		
3AE01TB	*10800	2318-61	10800	2418-29		
3AE02TC	*10800	2318-60	10800	2418-33		
3AE03TD	*10800	2318-63	10800	2418-39		
3AE04TA	*10800	2318-73	10800	2418-52		
3AE05TB	*10800	2318-79	10800	2418-47		
3AE06TC	*10800	2318-74	10800	2418-50		
3AE07TD	*10800	2318-80	10800	2418-41		
3AF00TA	*10700	2319-55	10700	2323-53	10800	2416-13
	11303	2433-09				
3AF01TB	*10700	2319-61	10700	2323-59	10800	2416-18
	11303	2432-09				
3AF02TC	*10700	2319-60	10700	2323-56	10800	2416-07
	11303	2431-09				
3AF03TD	*10700	2319-63	10700	2323-64	10800	2416-03
	11303	2429-09				
3AF04TA	*10700	2319-73	10700	2323-71	10800	2415-31
	11303	2428-09				
3AF05TB	*10700	2319-79	10700	2323-77	10800	2415-34
	11303	2427-09				
3AF06TC	*10700	2319-74	10700	2323-72	10800	2415-23
	11303	2435-25				
3AF07TD	*10700	2319-80	10700	2323-78	10800	2415-19
	11303	2434-25				
3AF08TA	*10700	2320-55	10700	2424-68	10800	2414-13
	11304	2433-25				
3AF09TB	*10700	2320-61	10700	2424-62	10800	2414-18
	11304	2432-25				
3AF10TC	*10700	2320-60	10700	2424-53	10800	2414-07
	11304	2431-25				
3AF11TD	*10700	2320-63	10700	2424-59	10800	2414-03
	11304	2429-25				
3AF120	*10700	2419-39	10700	2424-77	10800	2416-31
	11304	2428-25				
3AF13A	10700	2419-35	*10700	2424-72		
3AF14A	10700	2419-37	*10700	2424-69		
3AG00TA	*10900	2324-55	10900	2405-07		
3AG01TB	*10900	2324-61	10900	2405-05		
3AG02TC	*10900	2324-60	10900	2405-03		
3AG03TD	*10900	2324-63	10900	2405-01		
3AG04TA	*10900	2324-73	10900	2405-21		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3AG05TB	*10900	2324-79	10900	2405-19		
3AH00TA	*10900	2325-55	10900	2405-47		
3AH01TB	*10900	2325-61	10900	2405-45		
3AH02TC	*10900	2325-60	10900	2405-43		
3AH03TD	*10900	2325-63	10900	2405-41		
3AH04TA	*10900	2325-73	10900	2405-61		
3AH05TB	*10900	2325-79	10900	2405-59		
3AH06TC	*10900	2325-74	10900	2405-55		
3AH07TD	*10900	2325-80	10900	2405-53		
3AH09A	*10900	2409-09	10900	2418-79		
3AH090V	10900	2405-75	*10900	2418-80		
3AH100	10900	2325-77	*10900	2402-38		
3AH11A	10900	2402-42	*10900	2421-06	12000	2510-03
3AH12A	10900	2402-40	*10900	2421-63	12000	2512-01
3AI000V	*10700	2418-43	10800	2416-64	11000	2407-13
	11303	2433-05				
3AI010V	*10700	2418-53	10800	2416-61	11000	2407-18
	11303	2432-05				
3AI020V	*10700	2418-66	10800	2416-53	11000	2407-07
	11303	2431-05				
3AI030V	*10700	2418-63	10800	2416-49	11000	2407-03
	11303	2429-05				
3AI040V	*10700	2418-60	10800	2415-48	11000	2403-13
	11303	2428-05				
3AI050V	*10700	2418-56	10800	2415-47	11000	2403-18
	11303	2427-05				
3AI060V	*10700	2418-57	10800	2415-39	11000	2403-07
	11303	2435-21				
3AI070V	*10700	2418-68	10800	2415-35	11000	2403-03
	11303	2434-21				
3AI080	*10700	2424-66	10800	2414-48	11000	2407-48
	11304	2433-21				
3AI090	*10700	2424-60	10800	2414-47	11000	2407-47
	11304	2432-21				
3AI100	*10700	2424-57	10800	2414-39	11000	2407-39
	11304	2431-21				
3AI110	*10700	2424-63	10800	2414-35	11000	2407-35
	11304	2429-21				
3AI120	*10700	2424-75	10800	2416-78	11000	2403-31
	11304	2428-21				
3AJ000V	10800	2415-13	*10800	2418-34		
3AJ010V	10800	2415-18	*10800	2418-30		
3AJ020V	10800	2415-07	*10800	2418-31		
3AJ030V	10800	2415-03	*10800	2418-42		
3AJ040V	10800	2414-31	*10800	2418-54		
3AJ050V	10800	2414-34	*10800	2418-49		

Table 5-2. Key Signal Looking Listing-Continued

Signal		Distribution				
3AJ060V	10800	2414-23	*10800	2418-48		
3AJ070V	10800	2414-19	*10800	2418-46		
3AKCK0	*08100	2421-15	08100	2425-14	08100	2426-14
3AK003E	08100	2414-64	*08100	2425-10	08100	2426-20
	08100	2426-34	08100	2426-48	12500	2527-73
3AK012E	08100	2414-61	*08100	2425-13	08100	2426-18
	08100	2426-30	08100	2426-46		
3AK021E	08100	2414-53	*08100	2425-11	08100	2426-15
	08100	2426-29	08100	2426-41		
3AK030E	08100	2414-49	*08100	2425-07	08100	2426-17
	08100	2426-31	08100	2426-43		
3AK043E	08100	2415-78	08100	2425-05	08100	2425-20
	08100	2425-34	08100	2425-48	*08100	2426-10
3AK052E	08100	2415-79	08100	2425-18	08100	2425-30
	08100	2425-46	*08100	2426-13		
3AK061E	08100	2415-71	08100	2425-15	08100	2425-29
	08100	2425-41	*08100	2426-11		
3AK070E	08100	2415-66	08100	2425-17	08100	2425-31
	08100	2425-43	*08100	2426-07		
3AL001N	08100	2326-53	*08100	2414-63		
3AL0012N	08100	2326-59	*08100	2414-57		
3AL023N	08100	2326-56	*08100	2414-51		
3AL034N	08100	2326-64	*08100	2414-54		
3AL035N	*08100	2414-56	08100	2415-74		
3AL041N	08100	2326-71	*08100	2415-80		
3AL052N	08100	2326-77	*08100	2415-75		
3AL063N	08100	2326-72	*08100	2415-69		
3AL074N	08100	2326-78	*08100	2415-70		
3AMCCA	08000	2409-29	*08000	2422-59		
3AMCC0	*08000	2409-33	08100	2408-17	08100	2408-18
	08100	2408-23	08100	2410-45	08100	2410-54
	08100	2412-45	08100	2412-54		
3AMCT0	*08000	2417-35	08000	2422-61	08100	2423-07
3AMD1A	*08000	2409-39	08000	2417-40		
3AMD2A	*08000	2408-15	08000	2417-38		
3AMD3A	*08000	2408-22	08000	2417-37		
3AMD4A	07800	2417-24	08000	2404-13	*08100	2409-21
	08100	2418-76				
3AMD40V	07800	2417-19	08100	2408-20	*08100	2418-78
3AMD5A	08000	2404-25	*08100	2409-27	08100	2418-73
3AMD50V	08100	2408-19	*08100	2418-71		
3AMD6A	08000	2404-42	08000	2406-56	*08100	2409-38
	08100	2418-74				
3AMD60V	08100	2408-25	*08100	2418-72		
3AM00TA	*08100	2326-55	08100	2425-06		
3AM01TB	*08100	2326-61	08100	2425-04		

Table 5-2. Key Signal Lookup Listing

Signal	Distribution					
3AM02TC	*08100	2326-60	08100	2425-01		
3AM03TD	*08100	2326-63	08100	2425-03		
3AM04TA	*08100	2326-73	08100	2426-06		
3AM05TB	*08100	2326-79	08100	2426-04		
3AM06TC	*08100	2326-74	08100	2426-01		
3AM07TD	*08100	2326-80	08100	2426-03		
3AN00TA	*08000	2327-55	08000	2518-06		
3AN01TB	*08000	2327-61	08000	2518-04		
3AN02TC	*08000	2327-60	08000	2518-01		
3AN03TD	*08000	2327-63	08000	2518-03		
3AN04TA	*08000	2327-73	08000	2511-72		
3AN05TB	*08000	2327-79	08000	2511-70		
3AN06TC	*08000	2327-74	08000	2511-69		
3AN07TD	*08000	2327-80	08000	2511-71		
3APCK0	*07800	2422-69	08000	2511-78	08000	2518-14
3APCP0	08000	2511-77	08000	2518-09	*08100	2409-45
	08100	2425-23	08100	2425-37	08100	2425-49
	08100	2426-23	08100	2426-37	08100	2426-49
3AP003E	08000	2517-13	*08000	2518-10	08100	2425-19
3AP012E	08000	2517-18	*08000	2518-13		
3AP021E	08000	2517-07	*08000	2518-11		
3AP030E	08000	2517-03	*08000	2518-07		
3AP043E	*08000	2511-76	08000	2518-05	08000	2525-64
3AP052E	*08000	2511-80	08000	2525-61		
3AP061E	*08000	2511-79	08000	2525-53		
3AP070E	*08000	2511-75	08000	2525-49		
3ARB1JQ	07800	2401-46	*07800	2423-68		
3ARB2A	*07800	2401-45	07800	2409-61		
3ARB20	07800	2402-43	07800	2408-31	*07800	2409-63
	07800	2423-62	08700	2215-37	08700	2322-06
	09800	2332-20				
3ARC1A	07800	2409-79	*07800	2417-23		
3ARC11C	*08000	2404-11	08000	2408-11		
3ARC12C	*08000	2404-14	08000	2408-13		
3ARC2A	07800	2409-77	*07800	2417-21		
3ARC21C	*08000	2404-27	08000	2409-35		
3ARC22C	*08000	2404-26	08000	2409-37		
3ARC3A	*07800	2408-38	07800	2422-71		
3ARC30	07800	2408-40	*07800	2409-75	08100	2423-14
3ARC31C	*08000	2404-39	08000	2406-46		
3ARC32C	*08000	2404-40	08000	2406-41		
3ARC4A	*07800	2402-45	07800	2408-34	07800	2408-35
3ARC40	*07800	2408-39	09900	2215-63	10100	2215-77
3ARC41C	*08000	2406-51	08000	2408-24		
3ARC42C	*08000	2406-54	08000	2408-26		
3ARC5A	*07800	2408-33	07800	2409-34		



Table 5-2. Key Signal Lookup Listing-Continued

Signal		Distribution				
3ARC60V	07800	2408-29	*07800	2418-77		
3ARC7R	07800	2408-36	*07800	2409-30		
3ARC7S	*07800	2408-30	07800	2409-36	09700	2201-23
	09700	2207-48	09700	2401-13	09800	2208-76
3ARC8A	*07800	2408-52	07800	2409-54		
3ARC80	*07800	2409-52	07800	2417-14	07800	2417-22
	07800	2423-59				
3ARC9A	*07800	2240-59	08200	2201-50	08200	2236-59
3ARD1JQ	08100	2409-17	08100	2409-23	08100	2410-47
	*08100	2412-56	12500	2527-71		
3ARD1KQ	08100	2409-40	*08100	2412-51		
3ARD2JQ	08100	2409-25	*08100	2410-56	08100	2412-52
	12500	2527-69				
3ARD2KQ	08100	2409-19	08100	2409-42	*08100	2410-51
3ARD3JQ	08100	2326-52	08100	2326-68	*08100	2423-13
3ARD3KQ	08000	2327-49	08000	2327-66	08000	2422-70
	08100	2421-13	*08100	2423-11		
3ARSRJQ	07800	2240-61	*07800	2412-13	07800	2417-18
	07800	2417-25				
3AR001N	08000	2327-53	08000	2404-10	08000	2404-24
	08000	2404-38	*08000	2517-17		
3AR012N	08000	2327-59	08000	2404-08	08000	2404-22
	08000	2404-36	*08000	2517-11		
3AR023N	08000	2327-56	08000	2404-06	08000	2404-20
	08000	2404-34	*08000	2517-05		
3AR034N	08000	2327-64	08000	2404-04	08000	404-18
	08000	2404-30	*08000	2517-06		
3AR035N	*08000	2517-08	08000	2525-60		
3AR041N	08000	2327-71	08000	2406-52	*08000	2525-63
3AR052N	08000	2327-77	08000	2406-50	*08000	2525-57
3AR063N	08000	2327-72	08000	2406-48	*08000	2525-51
3AR074N	08000	2327-78	*08000	2525-54		
3ASL1A	*08100	2408-14	08100	2421-24		
3ASL10	*08100	2421-22	08100	2425-26	08100	2426-26
3AS003E	08100	2425-33	*08100	2426-24	10800	2318-51
3AS012E	*08100	2426-25	10800	2318-57		
3AS021E	*08100	2426-27	10800	2318-54		
3AS030E	*08100	2426-21	10800	2318-62		
3AS043E	*08100	2425-24	08100	2426-19	10800	2318-69
3AS052E	*08100	2425-25	10800	2318-75		
3AS061E	*08100	2425-27	10800	2318-70		
3AS070E	*08100	2425-21	10800	2318-76		
3ATL1A	*08100	2408-21	08100	2421-40		
3ATL10	*08100	2421-38	08100	2425-54	08100	2426-54
3ATL2A	*08100	2408-27	08100	2421-18		
3ATL20	*08100	2421-14	08100	2425-40	08100	2426-40

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3AT003E	08000	2511-73	*08100	2426-52	10800	2318-53
	12500	2338-34				
3AT012E	*08100	2426-56	10800	2318-59		
3AT021E	*08100	2426-51	10800	2318-56		
3AT030E	*08100	2426-47	10800	2318-64		
3AT043E	*08100	2425-52	08100	2426-45	10800	2318-71
3AT052E	*08100	2425-56	10800	2318-77		
3AT061E	*08100	2425-51	10800	2318-72		
3AT070E	*08100	2425-47	10800	2318-78		
3AT083E	08100	2425-45	*08100	2426-38		
3AT092E	*08100	2426-42	10700	2323-51		
3AT101E	*08100	2426-39	10700	2323-57		
3AT110E	*08100	2426-35	10700	2323-54		
3AT123E	*08100	2425-38	08100	2426-33	10700	2323-62
3AT132E	*08100	2425-42	10700	2323-69		
3AT141E	*08100	2425-39	10700	2323-75		
3AT150E	*08100	2425-35	10700	2323-70		
3AU00TA	*10700	2323-55	10700	2418-45		
3AU01TB	*10700	2323-61	10700	2418-51		
3AU02TC	*10700	2323-60	10700	2418-64		
3AU03TD	*10700	2323-63	10700	2418-61		
3AU04TA	*10700	2323-73	10700	2418-62		
3AU05TB	*10700	2323-79	10700	2418-55		
3AU06TC	*10700	2323-74	10700	2418-59		
3AU07TD	*10700	2323-80	10700	2418-65		
3AV00TA	*11000	2320-73	11000	2407-14		
3AV01TB	*11000	2320-79	11000	2407-15		
3AV02-TC	*11000	2320-74	11000	2407-09		
3AV03TD	*11000	2320-80	11000	2407-04		
3AV04TA	*11000	2321-55	11000	2403-14		
3AV05TB	*11000	2321-61	11000	2403-15		
3AV06TC	*11000	2321-60	11000	2403-09		
3AV07TD	*11000	2321-63	11000	2403-04		
3AV08TA	*11000	2321-73	11000	2407-46		
3AV09TB	*11000	2321-79	11000	2407-45		
3AV10TC	*11000	2321-74	11000	2407-41		
3AV11TD	*11000	2321-80	11000	2407-36		
3AV120	11000	2403-27	*11000	2409-51		
3AV13A	*11000	2408-06	11000	2409-47		
3AV14A	*11000	2408-09	11000	2409-49		
3AWCIJQ	*11000	2411-42	11100	2341-22	12500	2528-29
3AWC1JQ	*11000	2412-42	11000	2422-42		
3AWC11C	11000	2404-52	*11000	2406-11		
3AWC12C	11000	2404-47	*11000	2406-14		
3AWC2A	10700	2417-30	11000	2409-18	*11000	2422-35
3AWC21C	11000	2404-50	*11000	2406-27		

Table 5-2. Key Signal Lookup Listing-Continued

Signal		Distribution				
3AWC22C	11000	2404-45	*11000	2406-26		
3AWC31C	11000	2404-48	*11000	2406-39		
3AWC32C	11000	2404-43	*11000	2406-40		
3AWC4A	11000	2320-66	11000	2321-49	11000	2321-66
	11000	2402-24	11000	2408-08	*11000	2409-14
3AWC40	*11000	2402-22	11000	2408-03		
3AWC42C	*11000	2404-54	11000	2411-37		
3AWC5A	*11000	2408-01	11000	2411-35		
3AW001N	*11000	2407-17	11303	2433-17		
3AW012N	11000	2406-10	*11000	2407-11	11303	2432-17
3AW023N	11000	2406-08	*11000	2407-05	11303	2431-17
3AW034N	11000	2406-06	*11000	2407-06	11303	2429-17
3AW035N	11000	2403-10	*11000	2407-08		
3AW041N	*11000	2403-17	11000	2406-04	11303	2428-17
3AW052N	*11000	2403-11	11000	2406-24	11303	2427-17
3AW063N	*11000	2403-05	11000	2406-22	11303	2435-33
3AW074N	*11000	2403-06	11000	2406-20	11303	2434-33
3AW075N	*11000	2403-08	11000	2407-42		
3AW081N	11000	2406-18	*11000	2407-50	11304	2433-33
3AW092N	11000	2406-38	*11000	2407-43	11304	2432-33
3AW103N	11000	2406-36	*11000	2407-37	11304	2431-33
3AW114N	11000	2406-34	*11000	2407-38	11304	2429-33
3AW115N	11000	2403-26	*11000	2407-40		
3AW121N	*11000	2403-30	11000	2406-30	11304	2428-33
3AXCK0	*07900	2421-57	07900	2425-63	07900	2425-77
	07900	2426-63	07900	2426-77	08100	2425-09
	08100	2426-09	12500	2527-77	12500	2528-77
3AXC1JQ	*07600	2412-25	07900	2425-66	07900	2425-78
	07900	2426-66	07900	2426-78		
3AXC1KQ	07600	2410-17	*07600	2412-27	07900	2426-69
	08100	2421-11				
3AXC2JQ	*07600	2410-25	07600	2412-23	07900	2426-70
3AXC30	07600	2410-20	*07600	2419-69	12200	2410-72
	12200	2412-60	12200	2412-72	12300	2526-23
	12300	2526-37	12300	2526-49	12300	2526-63
3AXC4A	07600	2419-74	*07600	2421-80		
3AXC50V	*07600	2418-70	07600	2421-78		
3AXDR0V	07900	2328-49	07900	2328-66	07900	2329-49
	*07900	2418-37	07900	2421-07		
3AX003E	07900	2328-51	07900	2418-11	*07900	2425-64
	07900	2524-48	08100	2426-05		
3AX012E	07900	2328-57	07900	2418-06	*07900	2425-68
	07900	2524-47				
3AX021E	07900	2328-54	07900	2418-04	*07900	2425-65
	07900	2524-39				
3AX030E	07900	2328-62	07900	2418-05	*07900	2425-61

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	07900	2524-35				
3AX043E	07900	2328-69	07900	2418-09	07900	2425-59
	*07900	2426-64	07900	2525-48		
3AX052E	07900	2328-75	07900	2418-15	*07900	2426-68
	07900	2525-47				
3AX061E	07900	2328-70	07900	2418-22	*07900	2426-65
	07900	2525-39				
3AX070E	07900	2328-76	07900	2418-23	*07900	2426-61
	07900	2525-35				
3AX083E	07900	2329-51	07900	2418-20	*07900	2425-76
	07900	2426-59	07900	2524-78		
3AX092E	07900	2329-57	07900	2418-17	*07900	2425-80
	07900	2524-79				
3AX101E	07900	2329-54	07900	2418-21	*07900	2425-79
	07900	2426-71	07900	2524-71	11900	2505-77
	11900	2509-46				
3AX110E	07900	2329-62	07900	2418-27	*07900	2425-75
	07900	2524-66				
3AX123E	07900	2418-38	07900	2421-05	07900	2425-73
	*07900	2426-76	07900	2525-78		
3AX150E	*07900	2426-75	11900	2505-75		
3AY00TA	*07900	2328-55	10800	2416-62	11303	2337-31
	11306	2324-15				
3AY01TB	*07900	2328-61	10800	2416-59	11303	2337-45
	11306	2324-31				
3AY02TC	*07900	2328-60	10800	2416-55	11303	2336-15
	11306	2324-45				
3AY03TD	*07900	2328-63	10800	2416-52	11303	2336-31
	11307	2323-15				
3AY04TA	*07900	2328-73	10800	2415-46	11303	2336-45
	11307	2323-31				
3AY05TB	*07900	2328-79	10800	2415-45	11303	2335-15
	11307	2323-45				
3AY06TC	*07900	2328-74	10800	2415-41	11303	2335-31
	11307	2321-15				
3AY07TD	*07900	2328-80	10800	2415-36	11303	2335-45
	11307	2321-31				
3AY08TA	*07900	2329-55	10800	2414-46	11304	2334-15
	11307	2321-45				
3AY09TB	*07900	2329-61	10800	2414-45	11304	2334-31
	11307	2320-15				
3AY10TC	*07900	2329-60	10800	2414-41	11304	2334-45
	11307	2320-31				
3AY11TD	*07900	2329-63	10800	2414-36	1304	2333-15
	11307	2320-45				
3AY120	*07900	2419-21	10800	2416-76	11304	2333-31

Table 5-2. Key Signal Lookup Listing-Continued

Signal	Distribution					
	11307	2319-15				
3AY13A	07900	2419-17	*07900	2421-01		
3AY14A	07900	2419-19	*07900	2421-09		
3AZ000V	07900	2328-53	*07900	2418-13		
3AZ010V	07900	2328-59	*07900	2418-08		
3AZ020V	07900	2328-56	*07900	2418-03		
3AZ030V	07900	2328-64	*07900	2418-01		
3AZ040V	07900	2328-71	*07900	2418-07		
3AZ050V	07900	2328-77	*07900	2418-10		
3AZ060V	07900	2328-72	*07900	2418-24		
3AZ070V	07900	2328-78	*07900	2418-25		
3AZ080V	07900	2329-53	*07900	2418-18		
3AZ090V	07900	2329-59	*07900	2418-14		
3AZ100V	07900	2329-56	*07900	2418-19		
3AZ110V	07900	2329-64	*07900	2418-26		
3AZ120V	*07900	2418-40	07900	2421-03		
3BACK0	*12500	2520-63	12500	2527-09	12500	2527-23
	12500	2527-37	12500	2527-49	12500	2528-09
	12500	2528-23	12500	2528-37	12500	2528-49
3BA003E	12500	2338-17	12500	2527-45	*12500	2528-10
3BA043E	*12500	2527-10	12500	2528-05		
3BA083E	12500	2527-05	*12500	2528-24		
3BA123E	*12500	2527-24	12500	2528-19		
3BA163E	12500	2527-19	*12500	2528-38		
3BA203E	*12500	2527-38	12500	2528-33		
3BA243E	12500	2527-33	*12500	2528-52		
3BA283E	*12500	2527-52	12500	2528-45		
3BB003E	11800	2343-59	12500	2338-33	*12500	2528-64
3BB043E	*12500	2527-64	12500	2528-59		
3BC003E	08503	2245-73	12500	2338-15	*12500	2526-76
3BD003E	05400	1124-41	07900	2426-73	*12500	2528-76
	26802	1301-45	26802	2351-45		
3BD043E	*12500	2527-76	12500	2528-73		
3BMA11X	05400	1124-29	*12500	2338-04	26802	1301-49
	26802	2351-49				
3BMB11X	05400	1124-31	*12500	2338-20	26802	1301-47
	26802	2351-47				
3BSH10	08502	2242-74	08502	2244-74	08502	2245-36
	08502	2246-36	08502	2247-50	08502	2247-62
	08502	2342-08	08502	2343-08	08503	2244-36
	08503	2244-50	08503	2244-62	08503	2245-08
	08503	2245-22	*12500	2522-63		
3BSH20	08501	2242-08	08501	2242-22	08501	2243-62
	08501	2244-22	08503	2242-62	08503	2243-74
	08503	2245-62	08503	2245-74	08503	2246-08
	08503	2246-22	08503	2246-50	08503	2246-62

Table 5-2. Key Signal Lookup Listing-Continued

Signal	Distribution					
	08503	2247-22	08503	2247-36	*12500	2522-75
	12500	2526-74				
3BSH30	08501	2215-50	08501	2231-50	08501	2231-74
	08501	2242-36	08501	2242-50	08501	2243-08
	08501	2243-22	08501	2243-36	08501	2243-50
	08501	2244-08	08501	2245-50	08501	2247-08
	*08501	2522-72				
3BSH40	11400	2301-08	11400	2301-22	11400	2301-36
	11400	2301-50	11400	2301-62	11400	2301-74
	11400	2302-08	11400	2302-22	11400	2302-36
	11400	2302-50	11400	2302-62	11400	2302-74
	11400	2303-36	11400	2303-50	11400	2303-62
	11400	2303-74	*11400	2522-69		
3BSH50	11600	2303-08	11600	2303-22	11600	2305-08
	11600	2305-22	11600	2305-36	11600	2305-50
	11600	2305-62	11600	2305-74	11600	2306-08
	11600	2306-22	11600	2306-36	11600	2306-50
	11600	2306-62	11600	2306-74	11600	2307-08
	11600	2307-22	*11600	2522-80		
3BSH60	11500	2307-36	11500	2307-50	11500	2307-62
	11500	2307-74	11500	2310-08	11500	2310-22
	11500	2310-36	11500	2310-50	11500	2310-62
	11500	2310-74	11500	2311-08	11500	2311-22
	11500	2311-36	11500	2311-50	11500	2311-62
	11500	2311-74	*11500	2520-75		
3BSH70	*12500	2520-72	12500	2527-08	12500	2527-22
	12500	2527-36	12500	2527-50	12500	2528-08
	12500	2528-22	12500	2528-36	12500	2528-50
3BSH80	11800	2342-50	11800	2342-62	11800	2342-74
	11800	2343-50	11800	2343-62	11800	2343-74
	*12500	2520-69	12500	2527-62	12500	2528-62
3BSH90	07900	2425-62	07900	2425-74	07900	2426-62
	07900	2426-74	08000	2511-74	08000	2518-08
	08100	2425-08	08100	2425-22	08100	2425-36
	08100	2425-50	08100	2426-08	08100	2426-22
	08100	2426-36	08100	2426-50	*12500	2520-80
	12500	2527-74	12500	2528-74		
3CCRA0E	*08900	2246-75	08900	2322-35		
3CCRB0	*09500	2232-11	09500	2409-68		
3CCRB1E	*08900	2246-79	09100	2201-03		
3CCRDA	*09500	2217-27	09500	2218-70	11301	2433-49
	11301	2433-66	11301	2435-49	11301	2435-66
	11302	2432-49	11302	2432-66	11302	2434-49
	11302	2434-66	11305	2401-14	11305	2422-04
	11309	2421-41	11800	2343-57		
3CCRE0	*07701	2222-51	07701	2227-77		

Table 5-2. Key Signal Lookup Listing-Continued

Signal		Distribution				
3CCRFA	07701	2222-49	*07701	2240-69		
3CCRGA	07701	2140-50	*07701	2238-46	07701	2240-62
3CCRIA	*09500	2217-21	09500	2232-10	09500	2309-41
3CCRLJQ	07701	2238-48	*11900	2344-56		
3CCRLKQ	11900	2223-29	*11900	2344-51		
3CCRMA	06001	2533-23	*09500	2208-63		
3CCRMJQ	07701	2238-50	*11900	2344-68		
3CCRNAER	11900	2341-42	*11900	2506-79		
3CCRN0ER	*11900	2505-79	11900	2506-75		
3CCRP0	*08900	2104-22	08900	2240-26		
3CCRRA	07701	2236-41	*09500	2217-38	09500	2232-06
	09500	2309-65	09700	2212-64	11800	2343-55
3CCRR0V	07701	2227-79	*07701	2236-46	08200	2332-45
	09500	2220-19	09700	2322-54	11700	2212-48
	11700	2332-59				
3CCROJQ	08900	2101-08	08900	2202-56	*08900	2322-42
3CCR1JQ	09500	2217-17	*09500	2220-25		
3CCR1KQ	*09500	2220-27	09500	2227-35	09500	2232-31
	09500	2240-34				
3CCR2A	*09500	2217-14	09500	2227-29	09500	2227-37
3CCR20	09500	2217-40	*09500	2227-33		
3CCR30	09500	2208-59	09500	2217-23	*09500	2227-39
3CCR4A	07701	2140-48	*07701	2227-75	07701	2240-64
3CCR50	*08900	2104-30	08900	2246-77		
3CCR7A	*08900	2229-80	08900	2322-31		
3CCR70	*08900	2104-21	08900	2229-76		
3CCR80	*08900	2222-60	08900	2322-33		
3CCR9A	08900	2101-50	08900	2222-62	*08900	2240-23
3CCWRJQ	08502	2322-26	08900	2240-24	09400	2218-52
	09400	2344-74	09400	2344-77	*09500	2220-13
	09500	2221-42	11800	2342-53	11900	2341-73
	11900	2341-78	11900	2401-55	11900	2401-70
3CCWRKQ	06001	2533-40	08900	2246-78	09400	2215-26
	09500	2218-68	*09500	2220-11	09500	2232-34
	09500	2240-36	11900	2509-42		
3CCW1A	09500	2220-14	*09500	2221-45	09500	2227-40
	09500	2228-74	10600	2102-64	11400	2304-71
3CCW10	09500	2219-07	09500	2220-05	*09500	2227-38
	11400	2303-55				
3CCX1JQ	09100	2201-07	09300	2212-65	*09500	2219-25
3CCX1KQ	09500	2218-13	09500	2218-66	*09500	2219-27
	09500	2221-56	09500	2232-30	09500	2240-30
	09500	2309-43	11309	2227-56		
3CCX2A	09500	2217-03	*09500	2221-47	09500	2309-74
3CCX20	08502	2212-36	*09500	2217-09	09500	2219-21
	09700	2207-50	09700	2232-71	09700	2322-49

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3CCX3A	*11309	2217-30	11309	2227-54	11400	2304-73
3CCX4A	11305	2422-06	*11309	2217-33	11309	2421-49
3CCX40	09300	2101-66	09300	2401-31	09300	2420-19
	09300	2421-65	09300	2421-71	09400	2423-47
	11309	2217-29	*11309	2227-52	11309	2421-56
	11309	2421-77	11309	2424-26	12500	2528-57
3CCX5A	09300	2217-35	*09500	2218-59	11308	2419-53
	11308	2419-59	11308	2419-68	11308	2419-71
3CCX50	*09300	2217-39	09300	2419-36	09300	2419-42
	09300	2420-05	09300	2420-25	09300	2421-62
	09300	2421-68	12500	2528-53		
3CC00A	09500	2221-26	*11700	2101-76		
3CC01JQ	*09500	2219-13	09500	2221-10	11309	2226-47
	11800	2342-57	11900	2401-60		
3CC01KQ	09400	2218-49	09400	2344-73	09400	2344-78
	09500	2217-18	*09500	2219-11	09500	2221-38
	09500	2224-14				
3CC02JQ	09500	2217-20	*09500	2224-13	09600	2227-05
	11800	2343-53				
3CC02KQ	09500	2221-07	09500	2221-13	09500	2221-46
	*09500	2224-11	09500	2232-36	09500	2240-31
	11309	2226-49				
3CC03A	11309	2217-36	*11309	2227-09		
3CC030	09500	2220-08	*11309	2226-51	11309	2227-03
3CC05A	09500	2213-31	*09500	2221-35		
3CC06A	09500	2213-30	*09500	2228-69		
3CC070	*09500	2213-33	09500	2224-05		
3CC08A	09500	2218-10	*09600	2227-01		
3CC09A	09500	2218-08	*09500	2221-09		
3CC10A	69500	2218-06	*09500	2221-11		
3CC110	*09500	2218-11	09500	2221-25		
3CC12A	08400	2228-75	09400	2104-71	*09500	2221-23
3CC120	*09400	2104-72	09400	2423-54		
3CC130	08400	2227-08	*08400	2228-76		
3CC14A	08400	2224-17	*08400	2227-06		
3CC15A	*09400	2218-47	09400	2227-23		
3CC150	09400	2217-05	09400	2217-10	*09400	2227-27
3CC16A	08502	2225-55	*09400	2217-06		
3CC17A	08502	2220-55	*09400	2217-01		
3CC180V	*11900	2223-30	11900	2344-59		
3CC19A	*11900	2222-80	11900	2344-43	11900	2344-55
3CC190	11900	2222-76	*11900	2341-35		
3CC191X	11900	2341-37	*11900	2509-36		
3CC20A	*09500	2217-15	09500	2221-01	09500	2221-06
3CC21A	*09000	2227-15	09500	2201-24	09500	2221-04
3CC210	*09500	2201-22	09500	2219-05	09500	2219-19



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3CC22AV	09500	2221-05	09500	2221-43	09500	2221-54
	09500	2228-73	*09500	2236-31	11700	2101-07
3CC220	09500	2236-33	*09500	2240-33		
3CC23AV	09000	2101-24	*09500	2223-63	09600	2102-04
	09700	2102-14	10600	2213-13	11100	2238-03
	11100	2240-50	11100	2240-56	11700	2203-43
	11700	2203-64				
3CC230	09500	2223-61	*09500	2232-33		
3CC240	*10600	2102-57	10600	2513-35		
3CI0AA	*09600	2201-45	09600	2208-79		
3CI00A	09500	2218-61	09500	2221-24	09500	2221-49
	09500	2221-50	09500	2228-71	*09600	2227-21
	12500	2528-60				
3CI000	09600	2201-41	*09600	2221-33	09600	2227-17
3CI01A	09000	2218-75	09600	2218-26	09600	2221-30
	*09600	2227-14	09600	2240-79	09700	2102-20
3CI010	*09600	2218-33	09600	2227-18		
3CI02A	09600	2201-40	*09600	2218-23		
3CI020	*09600	2201-38	09600	2212-73		
3CI03A	*09600	2218-35	09600	2227-53		
3CI030	*09600	2227-57	09600	2240-75		
3CI04A	08400	2228-77	09600	2221-31	*09600	2240-76
3CI05A	09500	2213-36	*09600	2212-72	09600	2221-34
3CI060	*09600	2201-52	09600	2218-38		
3CI07A	09600	2201-56	*09600	2207-60		
3CI08A	*09100	2103-06	09100	2221-75		
3CI080	09100	2103-08	*09600	2201-33	09600	2207-62
3CI09A	*09600	2102-09	09600	2206-22		
3CI090V	*09600	2206-24	09600	2218-25		
3CMD1JQ	07800	2401-50	08200	2217-41	08200	2217-68
	*08200	2219-42	09600	2240-78	12500	2527-55
3CMD1KQ	08200	2217-47	08200	2217-54	*08200	2219-39
3CMD2JQ	08200	2217-56	08200	2217-70	*08200	2220-42
	08900	2104-17	11700	2101-75	12500	2527-53
3CMD2KQ	08200	2217-43	08200	2217-49	*08200	2220-39
3CMD3JQ	*08200	2219-56	08502	2239-50	11700	2232-43
	11900	2344-45	12500	2527-57		
3CMD3KQ	*08200	2219-51	08200	2221-68	11700	2201-47
3CMSSJQ	08200	2217-50	08200	2220-36	*08200	2332-56
3CMSSKQ	08200	2201-48	08200	2217-73	*08200	2332-51
	11900	2509-50				
3CM010	08200	2219-33	*08200	2227-45		
3CM02A	*08200	2217-69	08200	2227-41		
3CM04AV	09600	2218-34	*09600	2223-43		
3CM040	*09600	2218-45	09600	2223-45		
3CM05A	08200	2217-79	*08200	2227-46	09600	2218-48

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3CM06A	*08200	2217-46	08200	2227-43	09600	2218-50
3CM07A	*08200	2217-52	08200	2223-52		
3CM070V	08200	2217-48	08200	2217-71	*08200	2223-54
3CM08A	*08200	2217-66	08200	2223-47		
3CM080V	08200	2217-77	08200	2219-40	08200	2220-40
	08200	2223-49				
3CM090V	08200	2219-45	08200	2220-33	08200	2221-61
	08200	2223-48	08200	2227-62		
3CM10A	*08200	2217-45	08200	2223-50		
3CM14A	*08200	2217-51	08200	2223-41	09600	2218-43
3CM140V	08200	2217-64	08200	2217-65	*08200	2223-46
3CM17A	*08200	2227-60	09000	2226-17		
3CM18A	*08200	2217-60	08400	2228-78		
3CM19A	*08200	2221-59	09500	2213-34	09600	2218-46
3CM200	*08200	2227-63	09600	2202-50	09600	2212-71
	09600	2304-37	09800	2232-22	10600	2213-08
	11100	2237-40	12500	2527-60		
3CM21A	*08200	2217-72	08200	2227-61	09000	2226-29
3CM22A	*08200	2217-75	08200	2227-59	09000	2223-55
3CM220V	09000	2221-71	*09000	2223-56	09000	2228-01
	09000	2228-06	09000	2228-24	09000	2240-07
	02500	2528-55				
3CM260	*08200	2201-46	08200	2227-48		
3CTCTJQ	07600	2216-19	07600	2216-48	07600	2216-54
	07600	2220-56	07800	2401-48		
3CTC10	*07600	2216-22				
3CTC20	*07600	2216-14				
3CTC3B	07600	2215-09	*07600	2216-14	*07600	2216-22
	07600	2231-09	07600	2412-20	07800	2423-60
	08100	2410-48	08100	2412-48	08100	2423-06
	10500	2209-34	10500	2209-48	10500	2411-06
	10700	2410-06	11000	2411-34	11000	2412-34
	11100	2219-72	11700	2312-53		
3CTC4A	*07600	2216-21	07600	2226-48		
3CTC5R	*07600	2216-46	07600	2226-50		
3CTC5S	07600	2215-05	07600	2216-50	*07600	2226-46
3CTP10	07600	2203-05	07600	2203-10	*07600	2226-06
	12500	2528-31				
3CTP20	07600	2203-07	07600	2203-13	*07600	2226-01
3CTP30	07600	2203-20	07600	2203-26	*07600	2226-09
	12500	2527-34				
3CTP40	*07600	2226-15	11309	2203-56	11500	2312-59
3CTP50	*07600	2228-35	11100	2304-34		
3CTSCB	06500	2531-50	*07600	2216-01	*07600	2216-06
	07600	2216-09	*07600	2216-15	07600	2220-48
	07600	2518-63	07701	2225-48	07701	2238-43

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	07701	2344-34	07800	2412-06	08200	2219-34
	08200	2219-48	08200	2220-34	08200	2332-48
	08300	2224-60	08400	2103-62	08400	2224-48
	08400	2227-10	08900	2322-34	09000	2322-72
	09000	2332-34	09400	2215-23	09400	2344-72
	09400	2423-48	09500	2219-06	09500	2219-20
	09500	2220-06	09500	2220-20	09500	2224-06
	09700	2322-48	09700	2322-60	10600	2209-60
	10600	2209-72	10600	2423-20	10600	2423-34
	10600	2513-37	11100	2224-72	11100	2231-37
	11100	2341-48	11200	2513-10	11200	2513-19
	11200	2513-20	11700	2202-05	11700	2209-06
	11700	2209-20	11700	2332-60	11700	2423-72
	11900	2341-72	12200	2332-72		
3CTS10	*07600	2216-06				
3CTS20	*07600	2216-01				
3CTS30	*07600	2216-09				
3CTS40	*07600	2216-15				
3CTT1A	*07600	2216-52	07600	2226-08	07600	2226-11
	07600	2226-18	07600	2228-40		
3CTT10	*07600	2226-14	10500	2209-40	10500	2209-54
	10500	2411-14				
3CTT2A	*07600	2217-57	07600	2220-43	07600	2226-10
	08400	2237-08	11800	2401-38		
3CTT20E	*07600	2215-07	07600	2217-53	09400	2218-56
	10500	2209-33				
3CTT3A	*07600	2216-27	07600	2226-04	11000	2408-04
	11800	2401-40				
3CTT31E	*07600	2215-11	07600	2216-23	09600	2304-38
	11000	2412-37				
3CTT4A	*07600	2216-38	07600	2226-05	11700	2226-24
	11800	2401-42				
3CTT40	10600	2312-64	11700	2202-31	*11700	2226-22
3CTT42E	*07600	2215-13	07600	2216-40	08400	2237-24
	10500	2411-05	10700	2410-14	11900	2401-64
3CTT5A	*07600	2216-30	07600	2226-03		
3CTT53E	*07600	2215-10	07600	2216-34	07600	2231-05
	08900	2504-09	08900	2504-23	08900	2504-37
3CTT6A	*07600	2216-33	07600	2226-07	11000	2408-05
3CTT60E	07600	2216-29	*07600	2231-07	10500	2209-45
	11000	2412-40	11100	2219-73		
3CTT7A	07600	2228-37	*07600	2229-46		
3CTT71E	07600	2229-48	*07600	2231-11	07600	2412-21
	08900	2226-56	11100	2219-78	11200	2519-75
3CTT8A	*07600	2216-39	07600	2226-13	07600	2228-38
3CTT82E	07600	2216-35	*07600	2231-13	07800	2408-56

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	08000	2422-68	08100	2423-05	10700	2410-05
	11700	2202-37				
3DA01A	*09100	2226-66	09200	1404-55	09200	1513-08
	09200	1513-60	09200	1514-08	09200	1514-60
	09200	1515-08	26802	2248-55	29602	J041-55
	29602	J075-55				
3DA01AR	*29602	J041-56	29602	J075-56		
3DA01R	*29601	J041-44	29601	J075-44		
3DA010	*09100	2216-45	09100	2226-68	09200	1404-43
	09200	1515-38	26802	2248-43	29601	J041-43
	29601	J075-43				
3DA02A	*09100	2226-60	09200	1404-57	09200	1513-09
	09200	1513-61	09200	1514-09	09200	1514-61
	09200	1515-09	26802	2248-57	29602	J041-57
	29602	J075-57				
3DA02AR	*29602	J041-58	29602	J075-58		
3DA02R	*29602	J041-46	29602	J075-46		
3DA-020	*09100	2216-51	09100	2226-62	09200	1404-45
	09200	1515-35	26802	2248-45	29601	J041-45
	29601	J075-45				
3DA03A	*09100	2226-57	09200	1404-59	09200	1513-10
	09200	1513-62	09200	1514-10	09200	1514-62
	09200	1515-10	26802	2248-59	29602	J041-59
	29602	J075-59				
3DA03AR	*29602	J041-60	29602	J075-60		
3DA03R	*29602	J041-48	29602	J075-48		
3DA030	*09100	2216-66	09100	2226-53	09200	1404-47
	09200	1515-39	26802	2248-47	29602	J041-47
	29602	J075-47				
3DA04A	*09100	2226-63	09200	1404-61	09200	1513-18
	09200	1513-64	09200	1514-18	09200	1514-64
	09200	1515-18	26802	2248-61	29602	J041-61
	29602	J075-61				
3DA04AR	*29602	J041-62	29602	J075-62		
3DA04R	*29602	J041-50	29602	J075-50		
3DA040	*09100	2216-60	09100	2226-59	09200	1404-49
	09200	1515-36	26802	2248-49	29602	J041-49
	29602	J075-49				
3DA05A	*09100	2226-75	09200	1404-63	09200	1513-23
	09200	1513-70	09200	1514-23	09200	1514-70
	09200	1515-23	26802	2248-63	29602	J041-63
	29602	J075-63				
3DA05AR	*29602	J041-64	29602	J075-64		
3DA05R	*29602	J041-52	29602	J075-52		
3DA050	*09100	2216-57	09100	2226-77	09200	1404-51
	09200	1515-40	26802	2248-51	29602	J041-51

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3DA06A	29602	J075-51				
	*09100	2226-72	09200	1404-65	09200	1513-2L
	09200	1513-72	09200	1514-24	09200	1514-72
	09200	1515-24	26802	2248-65	29602	J041-6[
3DA06AR	29602	JC75-65				
	*29602	J041-66	29602	J075-66		
3DAC6P	*29602	J041-54	29602	J075-54		
3D-A00	*09100	2216-63	09100	2226-71	09200	1404-53
	09200	1515-37	26802	2248-53	29602	J041-53
	29602	J075-53				
3DAT7A	09100	2216-59	*09100	2226-69		
3DA0SA	09100	2216-53	*09100	2226-80		
3DA09A	09100	2216-55	09100	2216-61	*09100	2341-47
3DA14A	09100	2216-64	*09100	2218-69		
3DA15A	*09100	2213-35	09100	2216-70	09100	2218-72
3DA16A	09100	2213-37	09100	2216-62	09100	2216-68
	09100	2218-71	*09100	2221-76		
3DA17A	*09100	2101-35	09100	2201-13		
3DA170	*09100	2201-15	09100	2221-79		
3DA18A	09100	2201-05	*09100	2216-75		
3DA19A	09100	2201-04	*09100	2216-72	09100	2419-18
3DA220	09100	2213-40	*09100	2218-57		
3DA24A	*09100	2226-45	09100	2241-40		
3CA240	09100	2237-77	*09100	2241-38		
3DA25AV	09100	2216-73	*09100	2223-57	09100	2237-79
	11309	2232-79	11700	2202-36		
3DA26AV	*09400	2223-80	09400	2229-08		
3DA27AV	09100	2218-55	*09100	2223-68		
3DA270	09100	2223-65	*09100	2226-39		
3DA29A	08700	2212-29	*08700	2233-80		
3DA290	*08700	2212-33	08700	2222-17	08700	2222-31
	08700	2222-42	08700	2222-43	08700	2222-56
	08800	2339-18	08800	2340-26		
3DA30A	*09000	2222-72	09000	2332-33		
3DA31A	*09000	2232-09	09000	2240-18	10600	2423-21
	10600	2423-37				
3DA32A	09600	2221-36	*09600	2222-57		
3DA320	09000	2103-53	*09000	2240-21	09600	2222-53
3DA33JQ	*09000	2322-80	09000	2332-35		
3DA33KQ	08700	2233-78	08800	2233-36	08900	2102-74
	09000	2222-77	09000	2240-19	*09000	2322-79
	10600	2423-23	10600	2423-35		
3DA33R	09000	2101-26	*09000	2212-80	09000	2222-79
	09000	2232-05				
3DA33S	09000	2212-78	*09000	2222-75		
3DA34JQ	*09000	2332-42	09400	2101-34	09400	2104-76

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3DA34KQ	*09000	2332-39	09100	2213-42	09400	2101-49
3DA35A	*09100	2102-33	09100	2206-64		
3DA350V	*09100	2206-66	09100	2213-38		
3DA37A	08900	2101-13	08900	2202-49	*08900	2212-63
3DA370	*08900	2102-69	08900	2212-59		
3DA38A	*09000	2101-23	09000	2102-66		
3DA380	*09000	2102-59	09000	2322-73		
3DA40A	08900	2202-54	09100	2232-68	09600	2102-42
	*09600	2227-72	09600	2401-05	09700	2102-18
	11100	2341-26	11700	2304-10		
3DA41A	09100	2216-47	*09100	2232-59		
3DA42A	*09100	2101-21	09100	2102-34		
3DA500	09100	2101-40	*09100	2201-01		
3DA510	09100	2101-38	*09100	2201-09		
3DA52A	09100	2218-64	*09100	2237-75		
3DA53A	*09100	2201-63	09100	2227-26		
3DA530	09100	2218-60	*09100	2227-22		
3DE01R	*29601	J041-34	29601	J075-34		
3DE010	*09000	2226-21	09100	2238-54	09200	1404-33
	09200	1514-63	09200	1515-27	26802	2248-33
	29601	J041-33	29601	J075-33		
3DE02R	*29601	J041-36	29601	J075-36		
3DE020	*09000	2226-27	09200	1404-35	09200	1514-48
	09200	1515-43	09400	2207-11	26802	2248-35
	29601	J041-35	29601	J075-35		
3DE03R	*29601	J041-38	29601	J075-38		
3DE030	*09000	2226-38	09100	2101-20	09200	1404-37
	09200	1513-17	09200	1515-80	09400	2104-53
	26802	2248-37	29601	J041-37	29601	J075-37
3DE04R	*29601	J041-40	29601	J075-40		
3DE040	*09000	2226-30	09200	1404-39	09200	1513-63
	09200	1515-31	26802	2248-39	29601	J041-39
	29601	J075-39				
3DE05R	*29601	J041-42	29601	J075-42		
3DE050	09000	2201-77	*09000	2226-33	09200	1404-41
	09200	1513-48	09200	1515-29	26802	2248-41
	29601	J041-41	29601	J075-41		
3DE06A	*09000	2240-09	09000	2241-04		
3DE06R	*29602	J041-70	29602	J075-70		
3DE060	09000	2232-01	*09000	2241-01	09000	2322-75
	09200	1404-69	09200	1514-17	09200	1515-17
	09400	2101-56	12500	2527-30	26802	2248-69
	29602	J041-69	29602	J075-69		
3DIA20	*08600	2229-21	08600	2235-15		
3DIA30V	08600	2210-36	*08600	2223-13	08600	2235-41
3DIA40V	08600	2210-09	08600	2210-41	*08600	2223-08

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	08600	2235-45				
3DIA50V	08600	2210-14	08600	2210-46	*08600	2223-03
	08600	2235-04	08600	2235-36		
3DIA60V	08600	2210-15	08600	2210-45	*08600	2223-01
	08600	2235-09	08600	2235-46		
3DIC11C	*08600	2234-11	08600	2339-10		
3DIC12C	*08600	2234-14	08600	2339-07		
3DIC21C	*08600	2234-27	08600	2339-08		
3DIC22C	*08600	2234-26	08600	2339-05		
3DIC31C	*08600	2234-39	08600	2339-06		
3DIC32C	*08600	2234-40	08600	2339-03		
3DIC41C	*08600	2234-51	08600	2339-04		
3DIC42C	*08600	2234-54	08600	2339-01		
3DIC51C	*08600	2339-11	09000	2229-42	09000	2231-15
3DIC52C	*08600	2339-14	09000	2231-17		
3CI001N	08600	2234-07	*08600	2235-17		
3DI012N	08600	2234-05	*08600	2235-11		
3DI023N	08600	2234-03	*08600	2235-05		
3DI034N	08600	2234-01	*08600	2235-06		
3DI035N	08600	2210-42	*08600	2235-08		
3DI041N	08600	2210-50	08600	2234-21		
3DI052N	*08600	2210-43	08600	2234-19		
3DI063N	*08600	2210-37	08600	2234-17		
3DI074N	*08600	2210-38	08600	2234-15		
3DI075N	*08600	2210-40	08600	2235-42		
3DI081N	08600	2234-35	*08600	2235-50		
3DI092N	08600	2234-33	*08600	2235-43		
3DI103N	08600	2234-31	*08600	2235-37		
3DI114N	08600	2234-29	*08600	2235-38		
3DI115N	08600	2210-10	*08600	2235-40		
3DI121N	*08600	2210-17	08600	2234-47		
3DI132N	*08600	2210-11	08600	2234-45		
3DI143N	*08600	2210-05	08600	2234-43		
3DI154N	*08600	2210-06	08600	2234-41		
3DMIHA	09400	2103-05	*09400	2104-80		
3DMINA	*09400	2104-06	09400	2222-61		
3DMINJQ	09400	2104-74	*09400	2423-56		
3DMINO	*09400	2103-01	09400	2104-08		
3DMI1A	09400	2103-04	*09400	2104-69		
3DMI20	09400	2104-65	*09400	2207-15		
3DMI3A	*09400	2104-57	09400	2207-78		
3DM130	*09400	2207-80	09400	2423-45		
3DMM10	09700	2102-24	*09700	2104-51	09700	2212-77
	09700	2322-47				
3DMM2A	*09700	2103-45	09700	2104-47		
3DMM3A	*09700	2103-46	09700	2104-49		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3DMM4A	*09700	2102-45	09700	2103-56		
3DMM40	*09700	2103-52	09700	2104-59	09700	2417-06
3DMM5A	09700	2103-77	*09700	2104-63		
3DMM6A	*09700	2104-75	09700	2232-54		
3DMM60	*09700	2103-75	09700	2104-77		
3DMM7A	*08502	2212-30	09700	2103-79		
3DMM8A	08502	2212-34	*08502	2227-66		
3DMT0KQ	09400	2229-10	*09400	2344-79		
3DMT10	09100	2341-54	*09400	2229-06	09400	2423-49
3DMT2A	*09400	2104-66	09400	2344-76		
3DM100	*09400	2103-21	11303	2338-45		
3DM110	09400	2103-22	11303	2338-39		
3DM12A	09400	2103-26	*09400	2104-27	09700	2102-48
3DM13A	09400	2103-17	09400	2103-24	09400	2104-15
	09700	2102-50				
3DM14A	*09400	2103-27	09400	2104-25	09700	2104-48
3DM140	09700	2103-48	*09700	2104-46		
3DM150	09400	2103-23	*09400	2104-33		
3DM160	09400	2104-11	*09400	2232-57		
3DM17A	*09400	2101-47	09400	2104-31	09400	2232-55
3DM200	*09400	2103-09	11304	2333-45		
3DM210	*09400	2103-14	11304	2333-39		
3DM22A	09400	2103-20	*09400	2104-14	09700	2102-43
3DM23A	09400	2103-03	09400	2103-18	x09400	2104-09
	09700	2102-46				
3DM24A	*09400	2103-15	09400	2104-18	09700	2104-43
3DM240	09700	2103-41	*09700	2104-45		
3DM250	*09400	2102-11	09400	2103-11	09400	2104-07
3DM26A	*09400	2101-33	09400	2102-13		
3DM28A	*09400	2104-01	09400	2212-08		
3DM280	09400	2104-03	*09400	2212-06		
3DRA1A	08800	2223-23	*08800	2229-66		
3DRA10V	*08800	2223-25	08800	2234-64		
3DRA2A	08800	2223-20	*08800	2229-60		
3DRA20V	*08800	2223-18	08800	2234-62		
3DRA3A	08800	2223-22	*08800	2229-45		
3DRA30V	*08800	2223-24	08800	2340-27		
3DRA4A	08800	2223-15	*08800	2229-51		
3DRA40V	*08800	2223-10	08800	2340-33		
3DRA7A	08700	2223-09	*11100	2229-52	11100	2341-04
3DRA70V	08700	2212-07	08700	2217-26	08700	2222-13
	*08700	2223-07	08800	2229-43	08800	2229-68
	08900	2401-72				
3DRB100V	08800	2204-49	08800	2205-49	*08800	2223-14
3DRB20V	08800	2204-53	08800	2205-61	*08800	2223-19
3DRB30V	08800	2204-61	08800	2205-53	*08800	2223-26



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3DRB40V	08800	2205-64	*08800	2223-40		
3DRC11C	*08800	2234-65	08800	2339-24		
3DRC12C	*08800	2234-66	08800	2339-21		
3DRC21C	*08800	2234-79	08800	2339-22		
3DRC22C	*08800	2234-78	08800	2339-19		
3DRC31C	*08800	2211-51	08800	2339-20		
3DRC32C	*08800	2211-54	08800	2339-17		
3DRC41C	*08800	2339-27	09000	2201-08	09000	2221-73
	09000	2222-71	09000	2231-20		
3DRC42C	*08800	2339-26	09000	2222-73	09000	2229-34
	09000	2231-18				
3DRC51C	08900	2406-76	*08900	2503-65		
3DRC52C	08900	2406-75	*08900	2503-66		
3DRC61C	08900	2406-74	*08900	2503-79		
3DRC62C	08900	2406-73	*08900	2503-78		
3DRC71C	08900	2406-72	*08900	2503-51		
3DRC72C	08900	2406-71	*08900	2503-54		
3DRC81C	08900	2101-10	08900	2202-52	*08900	2406-79
3DRD00	*08700	2212-27	08800	2340-31		
3DRD10	*08700	2212-38	08800	2340-34		
3DRD20	*08700	2212-21	08800	2340-23		
3DRD30	*08700	2212-39	08800	2340-19		
3DRD40	*08700	2212-52	08800	2204-64		
3DRE10	08900	2102-78	*08900	2104-38		
3DRR0AV	08700	2222-41	*08700	2223-53		
3DRR00E	*08700	2215-35	08700	2222-48	08700	2223-51
3DRR1AV	08700	2222-54	*08700	2223-78		
3DRR11E	*08700	2215-39	08700	2222-35	08700	2223-76
3DRR2AV	08700	2222-29	*08700	2223-77		
3DRR22E	*08700	2215-42	08700	2222-34	08700	2223-75
3DRR3AV	08700	2222-40	*087-00	2223-70		
3DRR33E	*08700	2215-38	08700	2222-23	08700	2223-69
3DRR4JQ	08700	2222-18	*08700	2322-13		
3DRR4KQ	08700	2222-19	*08700	2322-11		
3DR001N	08800	2234-61	*08800	2340-30	08900	2503-61
	11304	2329-05				
3DR012N	08800	2234-59	*08800	2340-29	08900	2503-59
	11305	2329-21				
3DR023N	08800	2234-55	*08800	2340-21	08900	2503-55
	11305	2329-37				
3DR034N	08800	2234-53	*08800	2340-22	08900	2503-53
	11305	2328-05				
3DR035N	08800	2204-60	*08800	2340-24		
3DR041N	*08800	2204-63	08800	2234-75	08900	2503-75
	11305	2328-21				
3DR052N	*08800	2204-57	08800	2234-73	08900	2503-73

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3DR063N	11306	2328-37				
	*08800	2204-51	08800	2234-71	08900	2503-71
	11306	2327-05				
3DR074N	*08800	2204-54	08800	2234-69	08900	2503-69
	11306	2327-21				
3DR075N	*08800	2204-56	08800	2205-60		
3DR081N	*08800	2205-63	08800	2211-47	08900	2503-47
	11306	2327-37				
3DR092N	*08800	2205-57	08800	2211-45	08900	2503-45
	11306	2326-05				
3DR103N	*08800	2205-51	08800	2211-43	08900	2503-43
	11306	2326-21				
3DR114N	*08800	2205-54	08800	2211-41	08900	2503-41
	11306	2326-37				
3DR115N	*08800	2205-56	08800	2339-15	08900	2406-69
3DR15AV	*08700	2223-37	08700	2232-14	08700	2322-14
3DR16AV	*08700	2223-42	08700	2232-18		
3DR17AV	08700	2222-10	*08700	2223-60	08700	2232-19
3DR18A	08700	2222-08	*08700	2232-21	08900	2101-06
	08900	2223-74	09000	2240-05	09400	2101-36
	09400	2101-52				
3DR180V	08900	2104-24	08900	2104-42	*08900	2223-72
	08900	2322-40	09000	2201-20	09100	2341-49
3DR190	08700	2212-04	08700	2212-18	08700	2217-24
	*08700	2222-06				
3DR200V	08700	2212-13	08700	2212-20	*08700	2236-54
	08700	2322-07				
3DR210V	08700	2212-05	08700	2212-26	08700	2222-07
	*08700	2236-56				
3DR22A	*08700	2212-15	08700	2222-04		
3DR220	08700	2215-34	*08700	2222-01		
3DR23A	*08700	2212-22	08700	2222-05		
3DR24A	*08700	2212-14	08700	2232-37		
3DR25A	*08700	2222-09	08700	2232-38		
3DR26A	*08700	2222-15	08700	2232-40		
3DR270	08700	2215-30	*08700	2232-35		
3DR28A	*08700	2212-01	08700	2222-24		
3DR29A	*08700	2212-09	08700	2222-26		
3DR300	08700	2215-29	*08700	2222-22		
3DR31A	*08700	2217-22	08700	2223-64		
3DR320V	08700	2215-31	*08700	2223-66		
3DR33A	08700	2212-54	*08700	2222-14		
3DR34A	08700	2212-56	*08700	2222-21		
3DR35A	08700	2212-35	*08700	2222-27		
3DR36A	08700	2212-37	*08700	2222-38		
3DR37A	08700	2212-17	*08700	2222-30		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3DR38A	08700	2212-19	*08700	2222-33		
3DR39A	08700	2212-40	*08700	2222-39		
3DR40A	08700	2212-42	*08700	2222-52		
3DR41A	08700	2212-23	*08700	2222-46		
3DR42A	08700	2212-25	*08700	2222-45		
3DR490E	08900	2401-71	*08900	2504-35		
3DR501E	08900	2401-78	*08900	2504-39		
3DR512E	08900	2503-60	*08900	2504-42		
3DR523E	08900	2503-57	*08900	2504-38		
3DR530E	08900	2503-76	*08900	2504-21		
3DR541E	08900	2503-74	*08900	2504-27		
3DR552E	08900	2503-72	*08900	2504-25		
3DR563E	08900	2503-70	*08900	2504-24		
3DR570E	08900	2503-52	*08900	2504-07		
3DR581E	08900	2503-50	*08900	2504-11		
3DR592E	08900	2503-48	*08900	2504-13		
3DR603E	08900	2503-46	*08900	2504-10		
3DR61A	*08900	2401-76	08900	2402-50		
3DR610	*08900	2402-46	08900	2503-62		
3DR62A	*08900	2401-69	08900	2402-49		
3DR620	*08900	2402-51	08900	2503-64		
3DR630	*08900	2101-45	08900	2504-14	08900	2504-26
	08900	2504-40				
3DR64A	08900	2101-46	*08900	2102-76		
3DR65A	*08900	2222-66	08900	2406-80	08900	2503-56
	08900	2503-68	08900	2503-80		
3DTEQA	09000	2226-40	*09000	2228-23	09400	2104-29
	09400	2232-62	12500	2527-46		
3DTICA	09000	2227-76	*09000	2229-38		
3DTIC0	*09000	2227-80	09100	2221-78	12500	2527-43
3DTM1A	09000	2226-23	09000	2228-22	*09000	2229-30
	09100	2218-62	09400	2102-08	12500	2227-65
3DTM10	*12500	2227-69	12500	2527-41		
3DTP1A	09000	2226-34	09000	2228-26	*09000	2229-39
	09400	2102-10	12500	2527-48		
3DTQGA	09000	2226-31	*09000	2228-11	09000	2240-04
	09600	2240-77	12500	2528-41		
3DTQLA	09000	2226-19	*09000	2228-09	09000	2240-01
	12500	2528-43				
3DT003E	09000	2228-08	09000	2229-35	*09000	2231-24
	09000	2241-36				
3DT012E	09000	2221-72	09000	2229-29	*09000	2231-25
3DT030E	09000	2229-40	*09000	2231-21		
3DT04A	09000	2201-10	09000	2201-18	09000	2206-20
	*09000	2218-76	09000	2229-31		
3DT040V	09000	2201-79	*09000	2206-18		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution					
3DT05A	*09000	2203-27	09000	2221-74			
3DT050	*09000	2201-14	09000	2203-25			
3DT06A	09000	2228-04	*09000	2241-30			
3DT07A	*09000	2221-69	09000	2233-29			
3DT070	09000	2228-25	09000	2229-36	09000		2229-37
	*09000	2233-33					
3DT08A	*09000	2201-06	09000	2228-05			
3DT09A	09000	2228-10	*09000	2229-33			
3DT10A	*09000	2201-75	09000	2227-13			
3DXR00E	*09400	2215-21	09400	2217-08			
3DXR11E	*09400	2215-27	09400	2217-04			
3DXR22E	08900	2240-22	*09400	2215-25	09500		2221-40
3DXR33E	09400	2104-70	*09400	2215-24	09400		2344-75
3DX00B	09200	1404-01	*09200	1515-01	*09200		1515-13
	*09200	1515-59	09700	2417-13	12500		2528-06
	26802	2248-01	29601	J041-01	29601		J075-01
3DX00BR	29601	J041-02	*29601	J075-02			
3DX0000B	*09200	1515-59					
3DX0040B	*09200	1515-13					
3DX0070B	*09200	1515-01					
3DX01B	09200	1404-03	*09200	1515-03	*09200		1515-11
	*09200	1515-57	09300	2229-24	09300		2241-11
	09300	2402-07	09300	2420-14	12500		2528-04
	26802	2248-03					
3DX01BR	29601	J041-04	*29601	J075-04			
3DX01B1	29601	J041-03	*29601	J075-03			
3DX0101B	*09200	1515-57					
3DX0141B	*09200	1515-11					
3DX0171B	*09200	1515-03					
3DX02B	09200	1404-05	*09200	1515-04	*09200		1515-15
	*09200	1515-56	09300	2229-03	09300		2241-03
	09300	2420-18	12500	2528-01	26802		2248-05
	29601	J041-05	29601	J075-05			
3DX02BR	29601	J041-06	*29601	J075-06			
3DX0202B	*09200	1515-56					
3DX0242B	*09200	1515-15					
3DX0272B	*09200	1515-04					
3DX03B	08502	2313-73	09200	1404-07	*09200		1515-05
	*09200	1515-14	*09200	1515-55	09300		2229-11
	09300	2241-59	12500	2528-03	26802		2248-07
	29601	J041-07	29601	J075-07			
3DX03BR	29601	J041-08	*29601	J075-08			
3DX0303B	*09200	1515-55					
3DX0343B	*09200	1515-14					
3DX0373B	*09200	1515-05					
3DX04B	09200	1404-09	*09200	1515-06	*09200		1515-22

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	*09200	1515-65	09300	2229-18	09300	2313-79
	12500	2527-06	26802	2248-09	29601	J041-09
	29601	J075-09				
3DX04BR	29601	J041-10	*29601	J075-10		
3DX0404B	*09200	1515-65				
3DX0444B	*09200	1515-22				
3DX0474B	*09200	1515-06				
3DX05B	09200	1404-11	*09200	1515-07	*09200	1515-19
	*09200	1515-66	09400	2215-18	09500	2217-11
	09500	2228-72	12500	2527-04	26802	2248-11
	29601	J041-11	29601	J075-11		
3DX05BR	29601	J041-12	*29601	J075-12		
3DX0505B	*09200	1515-66				
3DX0545B	*09200	1515-19				
3DX0575B	*09200	1515-07				
3DX06B	09200	1404-13	*09200	1515-21	*09200	1515-25
	*09200	1515-68	09500	2221-22	12500	2527-01
	26802	2248-13	29601	J041-13	29601	J075-13
3DX06BR	29601	J041-14	*29601	J075-14		
3DX0606B	*09200	1515-68				
3DX0646B	*09200	1515-21				
3DX0676B	*09200	1515-25				
3DX07B	09200	1404-15	*09200	1515-20	*09200	1515-26
	*09200	1515-69	09400	2215-20	12500	2527-03
	26802	2248-15	29601	J041-15	29601	J075-15
3DX07BR	29601	J041-16	*29601	J075-16		
3DX0707B	*09200	1515-69				
3DX0747B	*09200	1515-20				
3DX0777B	*09200	1515-26				
3DX08BR	29601	J041-18	*29601	J075-18		
3DX08B1	09200	1404-17	*09200	1513-01	*09200	1513-46
	*09200	1513-49	*09200	1514-01	*09200	1514-46
	*09200	1514-49	09400	2215-17	12500	2528-20
	26802	2248-17	29601	J041-17	29601	J075-17
3DX0850B	*09200	1514-46				
3DX0860B	*09200	1514-49				
3DX0870B	*09200	1514-01				
3DX09BR	29601	J041-20	*29601	J075-20		
3DX09B1	09200	1404-19	*09200	1513-03	*09200	1513-47
	*09200	1513-50	*09200	1514-03	*09200	1514-47
	*09200	1514-50	09400	2215-15	12500	2528-18
	26802	2248-19	29601	J041-19	29601	J075-19
3DX0951B	*09200	1514-47				
3DX0961B	*09200	1514-50				
3DX0971B	*09200	1514-03				
3DX10BR	29601	J041-22	*29601	J075-22		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3DX10B1	09200	1404-21	*09200	1513-04	*09200	1513-51
	*09200	1513-74	*09200	1514-04	*09200	1514-51
	*09200	1514-74	11306	2325-15	11306	2502-78
	12500	2528-15	26802	2248-21	29601	J041-21
	29601	J075-21				
3DX100ER	11306	2325-07	*11306	2502-80		
3DX1052B	*09200	1514-74				
3DX1062B	*09200	1514-51				
3DX1072B	*09200	1514-04				
3DX11BR	29601	J041-24	*29601	J075-24		
3DX11B1	09200	1404-23	*09200	1513-05	*09200	1513-52
	*09200	1513-75	*09200	1514-05	*09200	1514-52
	*09200	1514-75	09500	2221-48	09600	2202-46
	09600	2208-77	10600	2213-06	12500	2528-17
	26802	2248-23	29601	J041-23	29601	J075-23
3DX1153B	*09200	1514-75				
3DX1163B	*09200	1514-52				
3DX1173B	*09200	1514-05				
3DX12BR	29601	J041-26	*29601	J075-26		
3DX12B1	09200	1404-25	*09200	1513-06	*09200	1513-53
	*09200	1513-76	*09200	1514-06	*09200	1514-53
	*09200	1514-76	09500	2221-52	12500	2527-20
	26802	2248-25	29601	J041-25	29601	J075-25
3DX1254B	*09200	1514-76				
3DX1264B	*09200	1514-53				
3DX1274B	*09200	1514-06				
3DX13BR	29601	J041-28	*29601	J075-28		
3DX13B1	09000	2227-11	09200	1404-27	*09200	1513-07
	*09200	1513-54	*09200	1513-77	*09200	1514-07
	*09200	1514-54	*09200	1514-77	12500	2527-18
	26802	2248-27	29601	J041-27	29601	J075-27
3DX1355B	*09200	1514-77				
3DX1365B	*09200	1514-54				
3DX1375B	*09200	1514-07				
3DX14BR	29601	J041-30	*29601	J075-30		
3DX14B1	09200	1404-29	*09200	1513-25	*09200	1513-71
	*09200	1513-78	*09200	1514-25	*09200	1514-71
	*09200	1514-78	09700	2212-53	12500	2527-15
	26802	2248-29	29601	J041-29	296.01	J075-29
3DX1456B	*09200	1514-78				
3DX1466B	*09200	1514-71				
3DX1476B	*09200	1514-25				
3DX15A	09700	2401-10	09800	2208-78	09800	2210-60
	09800	2210-74	*09800	2241-27		
3DX15BR	29601	J041-32	*29601	J075-32		
3DX15B1	09200	1404-31	*09200	1513-26	*09200	1513-73

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	*09200	1513-79	*09200	1514-26	*09200	1514-73
	*09200	1514-79	09700	2232-72	09700	2322-45
	09700	2322-61	09800	2241-25	12500	2527-17
	26802	2248-31	29601	J041-31	29601	J075-31
3DX1557B	*09200	1514-79				
3DX1567B	*09200	1514-73				
3DX1577B	*09200	1514-26				
3DX16A	09300	2233-17	09300	2233-42	*09300	2241-09
3DX170	*09300	2233-21	09300	2421-73		
3DX18A	09300	2233-19	09300	2233-23	*09300	2241-15
	09300	2424-47				
3DX180	08900	2246-69	09300	2101-68	*09300	2233-27
	11309	2421-79				
3DX19A	*09300	2229-09	09300	2233-03	09300	2233-04
	09300	2241-13	09300	2241-53	09300	2420-04
3DX190	*09300	2233-09	09300	2313-43	09300	2313-70
	09300	2401-34	09700	2101-62		
3DX20A	08502	2233-11	*09300	2229-15	09300	2233-10
	09300	2420-22	09700	2417-10	11200	2513-48
3DX200	08502	2227-68	*08502	2233-15	08502	2313-36
	08502	2313-37	09300	2313-25		
3DX21A	*09300	2229-22	09300	2233-08	09300	2233-24
	09300	2241-07	09300	2420-01	09700	2104-62
	11200	2513-43				
3DX210	09300	2212-74	*09300	2233-22	09300	2313-49
	09300	2313-64	09700	2101-60		
3DX22A	*09300	2229-14	09300	2233-05	09300	2233-18
	09300	2241-55	09300	2241-61	09300	2420-24
3DX220	*09300	2233-14	09300	2313-19	09300	2313-31
	09300	2313-42	09300	2313-56		
3DX230	*09300	2233-38	09300	2421-74		
3DX240	*09300	2233-06	09300	2313-20		
3DX250	*09300	2233-01	09300	2313-26		
3DX26A	*09300	2241-57	09300	2424-49		
3DX27A	*09300	2419-80	09300	2421-64		
3DX270	09300	2419-78	09300	2421-70	*09300	2424-51
3DX28A	*09300	2241-63	09300	2419-34	09300	2424-78
3DX280	09300	2313-50	09300	2419-40	*09300	2424-80
3DX29A	*09300	2101-59	09300	2402-13		
3DX4IKQ	09700	2212-70	*09700	2322-65	09700	2401-06
3DX4RJQ	09700	2104-61	*09700	2322-56		
3DX410	*09700	2104-60	09700	2232-73		
3DX420	09100	2201-61	*09100	2238-52	09400	2232-64
	09600	2201-29				
3DX44A	*09700	2101-57	09700	2232-74	09700	2238-73
3DX45A	*08900	2202-47	09000	2232-04	09000	2322-77

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	11700	2240-37				
3DX460	*09700	2212-66	09700	2217-78		
3DX47A	09700	2101-74	*09700	2201-66	09700	2212-68
	09700	2401-08				
3DX470	*09700	2101-69	09700	2322-59		
3DX48A	*09700	2212-75	09700	2232-49		
3DX490	*09700	2232-47	09800	2315-66	10600	2217-61
3DX500	*09700	2212-60	09700	2322-66		
3DX51A	*09700	2201-60	09700	2212-62		
3DX52A	*09700	2212-57	09700	2238-71		
3DX53A	*09700	2207-46	09700	2212-47		
3DX530	09700	2201-62	*09700	2212-51	09700	2322-63
3DX54A	*08900	2101-11	08900	2222-74		
3DX55A	*08900	2226-52	11700	2218-01		
3DX560	*08900	2222-69	08900	2226-54		
3DX57A	09000	2240-14	*11700	2101-09	11700	2103-76
	11700	2203-50				
3DX580	11700	2101-05	*11700	2240-35		
3DX59A	*09600	2102-35	09600	2402-18		
3DX590	09700	2103-68	09700	2201-68	*09700	2238-72
3DX62A	09700	2232-56	*09700	2417-11		
3DX63A	*09700	2232-69	11500	2307-46		
3DX64A	*09700	2201-27	09700	2206-61		
3DX640V	09700	2103-70	09700	2201-70	*09700	2206-63
3DX65A	09700	2102-26	*09700	2103-63		
3DX650	*09700	2102-21	09700	2103-61		
3DX66A	*09000	2103-57	09700	2102-25		
3DX670	09700	2102-22	*09700	2201-21		
3DX68A	*09700	2103-69	09700	2201-17		
3DX69A	*09700	2103-72	09700	2201-19		
3DX70A	*09700	2102-23	11700	2240-40		
3DX71A	*09700	2103-66	09700	2201-64		
3DY0850B	*09200	1513-46				
3DY0860B	*09200	1513-49				
3DY0870B	*09200	1513-01				
3DY0951B	*09200	1513-47				
3DY0961B	*09200	1513-50				
3DY0971B	*09200	1513-03				
3DY1052B	*09200	1513-74				
3DY1062B	*09200	1513-51				
3DY1072B	*09200	1513-04				
3DY1153B	*09200	1513-75				
3DY1163B	*09200	1513-52				
3DY1173B	*09200	1513-05				
3DY1254B	*09200	1513-76				
3DY1264B	*09200	1513-53				



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3DY1274B	*09200	1513-06				
3DY1355B	*09200	1513-77				
3DY1365B	*09200	1513-54				
3DY1375B	*09200	1513-07				
3DY1456B	*09200	1513-78				
3DY1466B	*09200	1513-71				
3DY1476B	*09200	1513-25				
3DY1557B	*09200	1513-79				
3DY1567B	*09200	1513-73				
3DY1577B	*09200	1513-26				
3FAE0A	*07600	2203-06	07600	2206-11		
3FAE00R	*29501	J040-38	29501	J074-38		
3FAE00V	*07600	2206-13	09200	1405-37	09200	1513-29
	09200	1514-29	26802	2249-37	29501	J040-37
	31401	J074-37				
3FAE1A	*07600	2203-01	07600	2206-06		
3FAE100R	*29501	J040-40	29501	J074-40		
3FAE10V	*07600	2206-08	09200	1405-39	09200	1513-31
	09200	1514-31	26802	2249-39	29501	J040-39
	31401	J074-39				
3FAE2A	*07600	2203-09	07600	2206-04		
3FAE20R	*29501	J040-42	29501	J074-42		
3FAE20V	*07600	2206-03	09200	1405-41	09200	1513-80
	09200	1514-80	26802	2249-41	29501	J040-41
	31401	J074-41				
3FAE3A	*07600	2203-15	07600	2206-05		
3FAE30R	*29501	J040-44	29501	J074-44		
3FAE30V	*07600	2206-01	09200	1405-43	09200	1513-43
	09200	1514-43	26802	2249-43	29501	J040-43
	31401	J074-43				
3FAE4A	*07600	2203-22	07600	2206-09		
3FAE40R	*29501	J040-46	29501	J074-46		
3FAE40V	*07600	2206-07	09200	1405-45	09200	1513-27
	09200	1514-27	26802	2249-45	29501	J040-45
	31401	J074-45				
3FAE5A	*07600	2203-14	07600	2206-15		
3FAE50R	*29501	J040-48	29501	J074-48		
3FAE50V	*07600	2206-10	09200	1405-47	09200	1515-48
	09200	1515-63	26802	2249-47	29501	J040-47
	31401	J074-47				
3FA001N	*10300	2235-30	11303	2338-43		
3FA012N	*10300	2235-29	11303	2337-11		
3FA023N	*10300	2235-21	11303	2337-29		
3FA034N	*10300	2235-22	11303	2337-43		
3FA035N	10300	2210-26	*10300	2235-24		
3FA041N	*10300	2210-30	11303	2336-11		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3FA052N	*10300	2210-29	11303	2336-29		
3FA063N	*10300	2210-21	11303	2336-43		
3FA074N	*10300	2210-22	11303	2335-11		
3FA075N	*10300	2210-24	10300	2235-60		
3FA081N	*10300	2235-63	11303	2335-29		
3FA092N	*10300	2235-57	11303	2335-43		
3FA103N	*10300	2235-51	11304	2334-11		
3FA114N	*10300	2235-54	11304	2334-29		
3FA115N	*10300	2235-56	10500	2206-50		
3FB10B	29501	J040-21	*29501	J074-21		
3FB10R	29501	J040-22	*29501	J074-22		
3FB11B	29501	J040-23	*29501	J074-23		
3FB11R	29501	J040-24	*29501	J074-24		
3FMJ1A	*10500	2203-30	11700	2202-13		
3FMJ10	10500	2203-34	*10500	2207-57	11306	2327-17
3FMJ2AV	10500	2201-71	*10500	2206-14		
3FMJ20	10500	2206-17	*10500	2207-45		
3FMJ3AV	*10500	2206-48	10500	2207-41		
3FMJ4AV	*10500	2206-42	10500	2207-43		
3FMJ50	*10500	2201-72	11306	2327-11		
3FM-RJA	*10500	2207-63	11700	2202-08		
3FMRJ0	*10500	2202-76	10500	2207-59	11306	2327-33
3FMR1A	10500	2202-75	*10500	2208-38		
3FMR2A	10500	2202-77	*10500	2208-30		
3FMR3A	10500	2202-78	*10500	2208-33		
3FMVDA	*10500	2207-52	11700	2202-10		
3FMVD0	*10500	2202-69	10500	2207-54	11306	2327-50
3FMV1A	10500	2202-71	*10500	2208-39		
3FMV2A	10500	2202-72	*10500	2208-46		
3FMV3A	10500	2202-73	*10500	2208-45		
3FP00B	09200	1405-01	*09200	1514-13	*09200	1514-59
	*09200	1515-46	10500	2211-07	26802	2249-01
	29501	J040-01	31401	J074-01		
3FP00R	29501	J040-02	*29501	J074-02		
3FP000B	*09200	1514-59				
3FP0040B	*09200	1514-13				
3FP0050B	*09200	1515-46				
3FP01B	09200	1405-03	*09200	1514-11	*09200	1514-57
	*09200	1515-47	10500	2211-05	26802	2249-03
	29501	J040-03	31401	J074-03		
3FP01R	29501	J040-04	*29501	J074-04		
3FP0101B	*09200	1514-57				
3FP0141B	*09200	1514-11				
3FP0151B	*09200	1515-47				
3FP02B	09200	1405-05	*09200	1514-15	*09200	1514-56
	*09200	1515-74	10500	2211-03	26802	2249-05

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	29501	J040-05	31401	J074-05		
3FP02R	29501	J040-06	*29501	J074-06		
3FP0202B	*09200	1514-56				
3FP02428	*09200	1514-15				
3FP0252B	*09200	1515-74				
3FP03B	09200	1405-07	*09200	1514-14	*09200	1514-55
	*09200	1515-75	10500	2211-01	26802	2249-07
	29501	J040-07	31401	J074-07		
3FP03R	29501	J040-08	*29501	J074-08		
3FP0303B	*09200	1514-55				
3FP0343B	*09200	1514-14				
3FP0353B	*09200	1515-75				
3FP04B	09200	1405-09	*09200	1514-22	*09200	1514-65
	*09200	1515-76	10500	2211-21	26802	2249-09
	29501	J040-09	31401	J074-09		
3FP04R	29501	J040-10	*29501	J074-10		
3FP0404B	*09200	1514-65				
3FP0444B	*09200	1514-22				
3FP0454B	*09200	1515-76				
3FP05B	09200	1405-11	*09200	1514-19	*09200	1514-66
	*09200	1515-77	10500	2211-19	26802	2249-11
	29501	J040-11	31401	J074-11		
3FP05R	29501	J040-12	*29501	J074-12		
3FP0505B	*09200	1514-66				
3FP0545B	*09200	1514-19				
3FP0555B	*09200	1515-77				
3FP06B	09200	1405-13	*09200	1514-21	*09200	1514-68
	*09200	1515-78	10500	2211-17	26802	2249-13
	29501	J040-13	31401	J074-13		
3FP06R	29501	J040-14	*29501	J074-14		
3FP0606B	*09200	1514-68				
3FP0646B	*09200	1514-21				
3FP0656B	*09200	1515-78				
3FP07B	09200	1405-15	*09200	1514-20	*09200	1514-69
	*09200	1515-79	10500	2211-15	26802	2249-15
	29501	J040-15	31401	J074-15		
3FP07R	29501	J040-16	*29501	J074-16		
3FP0707B	*09200	1514-69				
3FP0747B	*09200	1514-20				
3FP0757B	*09200	1515-79				
3FP08B	09200	1405-17	*09200	1513-13	*09200	1513-59
	*09200	1515-49	10500	2211-35	26802	2249-17
	29501	J040-17	31401	J074-17		
3FP08R	29501	J040-18	*29501	J074-18		
3FP0800B	*09200	1513-59				
3FP0840B	*09200	1513-13				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3FP0860B	*09200	1515-49				
3FP09B	09200	1405-19	*09200	1513-11	*09200	1513-57
	*09200	1515-50	10500	2211-33	26802	2249-19
	29501	J040-19	31401	J074-19		
3FP09R	29501	J040-20	*29501	J074-20		
3FP0901B	*09200	1513-57				
3FP0941B	*09200	1513-11				
3FP0961B	*09200	1515-50				
3FP10B	09200	1405-21	*09200	1513-15	*09200	1513-56
	*09200	1515-51	10500	2211-31	26802	2249-21
3FP1002B	*09200	1513-56				
3FP1042B	*09200	1513-15				
3FP1062B	*09200	1515-51				
3FP11B	09200	1405-23	*09200	1513-14	*09200	1513-55
	*09200	1515-52	10500	2211-29	26802	2249-23
3FP1103B	*09200	1513-55				
3FP1143B	*09200	1513-14				
3FP1163B	*09200	1515-52				
3FSA1AV	10400	2203-77	10400	2304-54	10400	2304-62
	*10400	2308-43				
3FSA2AV	10400	2203-76	10400	23.04-56	10400	2304-64
	*10400	2308-53				
3FSA3AV	10400	2203-59	10400	2304-19	10400	2304-68
	*10400	2308-66				
3FSA4AV	10400	2203-65	10400	2304-20	10400	2304-70
	*10400	2308-63				
3FSA5AV	10400	2203-53	10400	2304-25	10400	2304-48
	*10400	2308-60				
3FSA6AV	10400	2203-71	10400	2304-26	10400	2304-50
	*10400	2308-56				
3FSF1AV	09700	2101-64	10300	2204-09	10300	2204-36
	10300	2205-41	*10300	2308-57	10300	2313-74
3FSF2AV	10300	2204-41	10300	2204-73	*10300	2308-70
	10400	2304-43	10400	2304-55	10400	2304-61
3FSF30	10300	2205-15	10300	2205-76	10300	2308-33
	10300	2308-39	*10300	2313-69		
3FSF4AV	10300	2204-14	10300	2204-45	10300	2204-77
	10300	2205-04	*10300	2308-31		
3FSF5AV	10300	2204-04	10300	2204-68	10300	2205-73
	*10300	2308-42				
3FSR10	*10400	2203-72	11305	2328-11		
3FSR20	*10400	2203-69	11305	2329-29		
3FSR30	*10400	2203-80	11304	2331-43		
3FSR4A	10400	2203-73	*10400	2304-45		
3FSR5A	10400	2203-74	*10400	2304-59		
3FSR6A	10400	2203-78	*10400	2304-57		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3FST1AV	10400	2304-46	*10400	2308-72		
3FST2AV	10400	2304-66	*10400	2308-78		
3FST3AV	10400	2304-60	*10400	2308-77		
3FSV10	*10400	2203-57	11305	2328-29		
3FSV20	*10400	2203-63	11305	2329-43		
3FSV30	*10400	2203-75	11304	2329-11		
3FSV4A	10400	2203-55	*10400	2304-23		
3FSV5A	10400	2203-61	*10400	2304-21		
3FSV6A	10400	2203-79	*10400	2304-47		
3FS101N	*10300	2205-17	11308	2316-11		
3FS112N	*10300	2205-11	11308	2316-29		
3FS123N	*10300	2205-05	11308	2316-43		
3FS134N	*10300	2205-06	11308	2315-11		
3FS135N	10300	2204-10	*10300	2205-08		
3FS141N	*10300	2204-17	11308	2315-29		
3FS152N	*10300	2204-11	11308	2315-43		
3FS163N	*10300	2204-05	11308	2314-11		
3FS174N	*10300	2204-06	11308	2314-29		
3FS175N	*10300	2204-08	10400	2304-22	10400	2308-74
3FS201N	*10300	2205-50	11307	2319-29		
3FS212N	*10300	2205-43	11307	2319-43		
3FS223N	*10300	2205-37	11307	2318-11		
3FS234N	*10300	2205-38	11307	2318-29		
3FS235N	10300	2204-42	*10300	2205-40		
3FS241N	*10300	2204-50	11307	2318-43		
3FS252N	*10300	2204-43	11308	2317-11		
3FS263N	*10300	2204-37	11308	2317-29		
3FS274N	*10300	2204-38	11308	2317-43		
3FS275N	*10300	2204-40	10400	2304-14	10400	2308-76
3FS301N	*10300	2205-80	11307	2323-43		
3FS312N	*10300	2205-75	11307	2321-11		
3FS323N	*10300	2205-69	11307	2321-29		
3FS334N	*10300	2205-70	11307	2321-43		
3FS335N	10300	2204-74	*10300	2205-72		
3FS341N	*10300	2204-80	11307	2320-11		
3FS352N	*10300	2204-75	11307	2320-29		
3FS363N	*10300	2204-69	11307	2320-43		
3FS374N	*10300	2204-70	11307	2319-11		
3FS375N	*10300	2204-72	10400	2304-49	10400	2308-75
3FTC11C	*10500	2211-11	10500	2214-10		
3FTC12C	*10500	2211-14	10500	2214-07		
3FTC21C	*10500	2211-27	10500	2214-08		
3FTC22C	*10500	2211-26	10500	2214-05		
3FTC31C	*10500	2211-39	10500	2214-06		
3FTC32C	*10500	2211-40	10500	2214-03		
3FTC42C	10500	2209-35	10500	2209-47	*10500	2214-14

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	10500	2411-07				
3FTS1JQ	10500	2208-35	10500	2208-40	*10500	2209-42
	12500	2528-46				
3FTS1KQ	10500	2207-47	*10500	2209-39	10500	2411-09
3FTS2JQ	10500	2208-34	10500	2208-48	*10500	2411-13
	12500	2528-48				
3FTS2KQ	10500	2207-49	*10500	2411-11		
3FTS3JQ	10500	2208-29	10500	2208-41	*10500	2209-56
	12500	2527-31				
3FTS3KQ	10500	2208-55	*10500	2209-51		
3FT01AV	10500	2201-73	*10500	2206-60	10500	2207-53
3FT03A	10500	2206-41	*10500	2207-51		
3FT030V	*10500	2206-46	10500	2208-53	10500	2209-49
3FT04A	10500	2207-55	*10500	2208-57		
3FW001N	*10300	2204-30	11306	2325-29		
3FW012N	*10300	2204-29	11306	2325-43		
3FW023N	*10300	2204-21	11306	2324-11		
3FW034N	*10300	2204-22	11306	2324-29		
3FW035N	*10300	2204-24	10300	2205-26		
3FW041N	*10300	2205-30	11306	2324-43		
3FW052N	*10300	2205-29	11307	2323-11		
3FW063N	*10300	2205-21	11307	2323-29		
3FW074N	*10300	2205-22	10500	2206-39		
3GBS1A	09600	2218-36	*10600	2208-51	11000	2422-40
	11100	2228-30	11100	2239-01	12500	2527-72
3GBS10	10600	2208-47	*10600	2213-09	11000	2404-56
3GBS2JQ	10600	2207-73	10600	2207-79	*10600	2209-68
3GBS2KQ	10000	2208-71	*10600	2209-65	10600	2213-07
3GBS3JQ	10600	2206-55	*10600	2209-80		
3GBS3KQ	09600	2401-56	*10600	2209-79	10700	2323-49
	10700	2323-66	10700	2424-55	10700	2424-61
	10700	2424-64	10700	2424-70	10700	2424-79
3GBS4A	*10600	2207-75	10600	2212-41	11305	2420-48
	11305	2420-62	11305	2420-68	11306	2417-62
	11306	2417-68	11306	2422-62		
3GBS40	10600	2209-66	*10600	2212-45	11302	2208-65
	11302	2312-54	11302	2313-53	11700	2202-01
	11700	2202-30	12500	2527-70		
3GBS5A	*10600	2207-72	11309	2420-34	11309	2420-40
	11309	2420-54	11309	2420-73	11309	2420-78
	11309	2422-78				
3GBS6A	10600	2208-54	*10600	2213-11		
3GBS6AV	10600	2201-78	*10600	2206-56	10600	2207-71
	10600	2207-77	10600	2213-05	11309	2421-43
	11309	2421-47				
3GBS60	*10600	2208-52	10600	2213-19	10600	2213-22

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3GBS70	*10600	2201-80	10600	2312-62		
3GBS8A	10600	2203-40	*10600	2207-66		
3GBS90	09000	2103-55	09000	2240-20	09500	2220-07
	10600	2102-60	*10600	2203-38		
3GD00AV	10700	2319-52	10700	2319-68	10700	2320-52
	10700	2323-52	10700	2323-68	10800	2318-52
	10800	2318-68	10800	2416-10		
3GD01AV	10900	2324-52	10900	2324-68	10900	2325-52
	10900	2325-68	10900	2404-80	10900	2405-56
	10900	2405-68	10900	2405-80		
3GD02AV	08000	2517-14	10900	2404-57	10900	2405-13
	10900	2405-29	11304	2333-09	11304	2333-25
3GD03AV	08000	2404-01	08000	2517-15	10900	2404-68
	10900	2405-25	10900	2405-42	10900	2405-69
	11304	2333-41				
3GD04AV	08000	2517-09	11000	2404-41	11000	2406-31
	11304	2331-09	11304	2331-25	12500	2338-13
	12500	2338-30				
3GD05AV	07800	2412-05	08000	2517-04	08100	2414-62
	10900	2405-71	11000	2320-68	11000	2321-68
	11304	2329-09	11304	2331-41		
3GD06AV	08000	2404-15	08000	2525-62	08100	2414-59
3GD07AV	07600	2215-14	07600	2220-54	07600	2231-14
	08000	2525-59	08100	2414-55	08200	2219-54
	11000	2406-29				
3GD08AV	08000	2525-55	08100	2414-52		
3GD09AV	08000	2525-52	08100	2415-76	08800	2234-68
	08800	2234-80	10900	2405-31		
3GD10AV	07900	2328-52	07900	2328-68	07900	2329-52
	08100	2415-77	08800	2211-56	08800	2339-25
	10900	2404-69	11305	2328-09	11305	2329-41
3GD11AV	08100	2415-73	10900	2405-33	11305	2328-25
	11306	2327-09	11306	2327-25	11306	2328-41
3GD12AV	08100	2415-68	10500	2211-13	10900	2405-35
	11306	2326-09	11306	2326-25	11306	2326-41
	11306	2327-41	11307	2320-09		
3GD13AV	09800	2210-66	10300	2205-42	11304	2333-11
	11304	2333-29	11304	2334-43	11307	2320-25
	11308	2314-50	11308	2317-09		
3GD14AV	10300	2205-10	10300	2205-74	10500	2211-25
	11304	2333-43	11308	2314-41		
3GD15AV	10300	2204-27	10300	2205-33	10300	2235-26
	10900	2405-17	11304	2331-11		
3GD16AV	10300	2204-33	10300	2205-27	10900	2405-15
	11304	2331-29	11306	2328-43	12300	2519-59
3G'D17AV	09900	2215-62	10300	2204-25	10300	2205-20

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3GD18AV	10300	2235-64	11306	2325-31	11306	2325-45
	09800	2210-76	10300	2204-20	10300	2205-25
	11305	2427-50	11305	2428-50	11305	2429-50
3GD19AV	09800	2210-52	09800	2210-77	09800	2211-80
	09800	2315-68	09900	2317-68	10000	2214-25
	10000	2316-52	10000	2316-68	10000	2317-52
3GD20AV	08000	2327-52	08000	2327-68	09800	2210-55
	09800	2210-73	09800	2315-69		
	08900	2504-08	08900	2504-22	08900	2504-36
3GD21AV	09800	2210-59	09800	2210-68	09800	2315-75
	10000	2214-42	11302	2314-68	11306	2328-50
	11308	2317-31	12300	2336-68		
	09800	2210-62	09800	2315-70	10000	2214-56
	11302	2314-52	11302	2432-52	11302	2432-68
3GD23AV	11306	2324-33				
	07701	2225-45	08300	2224-66	08300	2231-66
	08501	2331-52	08501	2331-68	08501	2333-52
3GD24AV	08501	2333-68	09800	2210-49	11303	2435-17
	11305	2328-13	11305	2328-30	11307	2323-17
	11301	2435-52	11301	2435-68	11302	2434-52
	11302	2434-68	11307	2323-33	11800	2339-42
	11800	2339-56	11800	2406-68		
3GD25AV	08502	2329-68	08502	2334-52	11100	2231-36
	11800	2235-77	11800	2340-46		
	08503	2336-52	08503	2337-68	10300	2205-36
3GD26AV	11800	2235-76	11800	2340-15	12100	2337-52
	10100	2340-53	11800	2235-68	11800	2340-09
	12100	2338-52	12100	2515-42		
3GD28AV	*07701	2339-68	11800	2235-73	11800	2340-04
	12100	2515-13	12100	2523-42		
	07900	2524-46	10300	2235-61	11307	2318-50
3GD29AV	12000	2523-13	12300	2512-66	12300	2512-78
	12300	2518-54				
	07600	2410-22	10800	2416-27	12000	2523-25
3GD30AV	12000	2523-56				
	10300	2235-53	11000	2403-34	12000	2523-68
	12300	2429-68				
3GD32AV	10100	2340-71	10300	2235-49	11000	2403-33
	12000	2515-25				
	07900	2427-52	07900	2427-68	07900	2428-68
3GD33AV	08300	2338-68	12300	2517-26	12300	2526-22
	12300	2526-36	12400	2428-66		
	08300	2332-14	12300	2517-60	12300	2526-50
	12400	2428-62	12400	2526-08		
3GD35AV	11304	2427-19	11304	2428-19	11304	2429-19
	11304	2431-19	11304	2432-19	11304	2434-35



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	11304	2435-35	12000	2510-15	12300	2429-52
	12400	2428-52				
3GD36AV	11304	2331-05	11304	2331-21	11304	2331-37
	11304	2333-37	11304	2432-35	11304	2433-35
	11305	2427-35	11305	2428-35	11305	2429-35
	11305	2431-35	12400	2525-04		
3GD37AV	11303	2427-03	11303	2428-03	11303	2429-03
	11303	2431-03	11303	2432-03	11303	2433-03
	11303	2434-03	11303	2434-19	11303	2435-03
	11303	2435-19	11304	2433-19		
3GD38AV	11304	2427-25	11304	2432-41	11304	2433-41
	11304	2434-41	11304	2435-41	11305	2431-41
	12400	2525-10				
3GD39AV	11303	2338-37	11303	2434-05	11303	2435-05
	11305	2329-48	11305	2427-37	11305	2428-37
	11305	2429-37	11306	2325-05	11306	2325-21
	12300	2431-52	12300	2431-68		
3GD40AV	11303	2434-09	11303	2435-09	11304	2427-33
	11304	2432-50	11304	2433-50	11304	2434-50
	11304	2435-50	11305	2431-50	11307	2321-17
	11308	2317-23				
3GD41AV	11304	2334-41	11304	2427-30	11304	2428-30
	11304	2429-30	11304	2431-30	11304	2434-48
	11304	2435-48	11305	2329-25	11305	2427-48
	11305	2428-48	11305	2429-48	11305	2431-48
3GD42AV	11303	2427-13	11303	2428-13	11303	2429-13
	11303	2431-13	11303	2432-13	11303	2433-13
	11303	2434-13	11303	2434-30	11303	2435-13
	11303	2435-30	11304	2432-30	11304	2433-30
3GD43AV	11306	2324-09	11306	2324-25	11306	2324-41
	11306	2325-25	11306	2325-41	11307	2318-25
	11307	2318-41	11307	2319-25	11307	2319-41
	11307	2323-09	11307	2323-25	11308	2317-25
3GD44AV	10100	2340-55	10100	2340-73	11308	2314-09
	11308	2314-25	11308	2315-25	11308	2315-41
3GD45AV	08700	2215-36	11303	2337-15	11306	2326-11
	11306	2326-29	11306	2326-43	11306	2327-43
	11308	2314-43				
3GD46AV	10100	2340-59	10100	2340-76	11306	2324-17
	11306	2325-17	11306	2325-33	11306	2326-17
	11306	2326-33	11306	2326-50		
3GD47AV	10100	2340-62	10100	2340-77	10300	2205-45
	11301	2433-52	11301	2433-68	11307	2319-17
	11307	2320-17				
3GD48AV	07701	2339-61	10300	2204-76	10300	2205-14
	11308	2314-33	11308	2315-33	11308	2316-33

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3GD49AV	11308	2317-50	11900	2344-66		
	09900	2214-68	09900	2214-80	11301	2433-71
	11304	2432-48	11304	2433-48	11308	2316-13
3GD50AV	11308	2317-48	12000	2515-56		
	08600	2235-10	09000	2231-22	10700	2323-76
3GD51AV	10900	2404-53				
	09800	2211-69	11302	2413-52	11302	2413-68
3GD52AV	11308	2315-13	11308	2315-30	11308	2316-30
	11000	2406-13	11000	2406-25	11000	2406-42
	12100	2518-20				
3GD53AV	08900	2246-74	09800	2211-53	10900	2325-78
	10900	2404-70	10900	2405-73	11000	2404-46
	11000	2406-33				
3GD54AV	08503	2247-74	08503	2342-22	08503	2342-36
	08503	2343-22	08503	2343-36	11308	2317-30
	12000	2510-29	12000	2512-18	12100	2511-57
	12200	2410-78				
3GD55AV	08000	2406-43	10100	2215-74	10300	2205-19
	11000	2321-52	11306	2327-29	11308	2314-13
	11308	2314-30	11308	2314-48	11308	2315-48
	12300	2526-62				
3GD56AV	08600	2234-13	08600	2234-25	08600	2234-42
	08600	2234-56	08600	2339-13	10100	2413-13
	10100	2413-30				
3GD57AV	07600	2413-48	09400	2215-22	10300	2205-09
	11200	2504-45				
3GD58AV	12000	2506-63	12100	2505-17	12100	2505-20
	12100	2505-21	12100	2505-26	12100	2505-31
	12100	2505-34	12100	2505-35	12100	2505-38
	12100	2505-46				
3GD59AV	07702	2507-68	12000	2506-20	12000	2506-21
	12000	2506-26	12000	2506-34	12000	2506-35
	12000	2506-38	12000	2506-41	12000	2506-46
	12000	2506-47	12000	2506-64		
	12000	2502-63	12100	2502-03	12100	2502-06
3GD60AV	12100	2502-09	12100	2502-14	12100	2502-15
	12100	2502-20	12100	2502-21	12100	2502-26
	12100	2502-31				
	12000	2502-52	12000	2502-53	12000	2502-57
3GD61AV	12000	2502-64	12100	2502-34	12100	2502-35
	12100	2502-38	12100	2502-41	12100	2502-46
	12100	2502-49				
	12000	2502-71	12000	2505-49	12000	2505-52
3GD62AV	12000	2505-57	12000	2505-63	12000	2505-64
	12000	2505-71	12100	2506-53	12100	2506-54
	12100	2506-57				
	12100	2506-57				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution					
3GIBC0	*09800	2208-80	09800	2315-49			
3GIBDA	*09800	2208-06	09800	2315-52			
3GIBD0	*09700	2401-11	09800	2208-08			
3GIBSA	10600	2207-68	10600	2208-62	*10600	2213-21	
3GIBSJQ	10600	2209-59	*10600	2423-42	11500	2312-61	
	11700	2202-40					
3GIBSKQ	10600	2213-04	*10600	2423-39	11306	2417-48	
	11307	2417-52	11308	2419-77			
3GIBS0	*10600	2208-60	10600	2423-33			
3GIBTAV	09100	2101-37	09600	2401-52	*10600	2206-43	
	10600	2213-20					
3GIC02C	*09800	2211-78	10600	2206-51			
3GIC2AV	*10600	2206-53	10600	2213-18			
3GIM0TA	*09800	2315-55	11307	2319-31			
3GIM1TB	*09800	2315-61	11307	2319-45			
3GIM2TC	*09800	2315-60	11307	2318-15			
3GIZ1A	*09800	2202-57	09800	2206-69			
3GIZ10V	09600	2401-49	*09800	2206-70			
3GIZ20V	09800	2202-55	*09800	2206-72			
3GIZ30V	09800	2202-60	*09800	2206-78			
3GIZ40V	09800	2202-62	*09800	2206-77			
3GIZ5A	*09700	2217-80	09700	2223-36			
3GIZ50V	09600	2202-43	*09700	2223-34	10600	2213-14	
3GI001N	*09800	2210-80	09800	2211-76	09800	2315-51	
3GI012N	*09800	2210-75	09800	2211-74	09800	2315-57	
3GI023N	*09800	2210-69	09800	2211-72	09800	2315-54	
3GI034N	*09800	2210-70	09800	2211-70			
3GJAMJQ	09600	2102-37	*09800	2332-25			
3GJAMKQ	09800	2232-24	*09800	2332-27			
3GJM1AV	*09800	2236-30	09800	2332-26			
3GJM2A	09800	2202-70	*09800	2232-23	09800	2236-36	
3GJM20V	09800	2211-68	*09800	2236-34	09800	2241-10	
3GJM3A	09700	2232-52	*09800	2241-06			
3GND404	26803	1404-76	26803	1404-78	26803	1404-80	
3GND405	26803	1405-76	26803	1405-78	26803	1405-80	
3GRBSA	10600	2207-70	10600	2208-68	*10600	2213-23	
3GRBSJQ	10600	2209-73	*10600	2423-25	11700	2304-13	
3GRBSKQ	10600	2201-76	10600	2213-01	*10600	2423-27	
	11309	2420-42	11309	2422-79			
3GRBS0	*10000	2208-66	10600	2423-19			
3GRBTAV	09600	2102-38	09600	2401-07	*10600	2206-54	
	10600	2213-24					
3GRC02C	*09800	2211-66	10600	2206-47			
3GRC2AV	*10600	2206-49	10600	2213-25			
3GRM0TA	*09800	2315-73	11307	2318-31			
3GRMITB	*09800	2315-79	11307	2318-45			

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3GRM2TC	*09800	2315-74	11308	2317-15		
3GRZ1A	09700	2417-08	*09800	2202-59	09800	2206-59
3GRZ100V	09600	2102-40	09600	2304-42	09700	2102-19
	*09800	2206-57				
3GRZ20V	09800	2202-61	*09800	2206-68		
3GRZ30V	09800	2202-66	*09800	2206-80		
3GRZ40V	09800	2202-68	*09800	2206-71		
3GRZ5A	*10600	2217-63	10600	2223-33		
3GRZ50V	10600	2213-26	*10600	2223-31		
3GR001N	*09800	2210-63	09800	2211-64	09800	2315-71
3GR012N	*09800	2210-57	09800	2211-62	09800	2315-77
3GR023N	*09800	2210-51	09800	2211-60	09800	2315-72
3GR034N	*09800	2210-54	09800	2211-57		
3ICC11C	10000	2213-61	*10000	2214-27		
3ICC12C	10000	2213-66	*10000	2214-26		
3ICC21C	10000	2213-68	*10000	2214-39		
3ICC22C	10000	2213-70	*10000	2214-40		
3ICC31C	10000	2213-46	10000	2213-52	*10000	2214-51
3ICC32C	10000	2213-48	10000	2213-54	*10000	2214-54
3ICC50	*10000	2207-69	10000	2316-49	10000	2316-66
	10000	2317-49				
3ICC6A	10000	2207-65	*10000	2208-72		
3ICC7A	10000	2207-74	*11302	2208-69	11600	2309-29
3ICD1A	10000	2206-27	*10000	2213-47	11302	2413-64
3ICD10V	*10000	2206-26	10000	2208-18		
3ICD2A	10000	2206-38	*10000	2213-45	11302	2413-78
3ICD20V	*10000	2206-40	10000	2208-17		
3ICD3A	10000	2206-21	*10000	2213-59		
3ICD30V	*10000	2206-19	10000	2213-50	10000	2213-56
3ICM4AV	09100	2216-71	09100	2226-35	*09300	2206-31
	09300	2233-40	09300	2402-03		
3ICP10	*09900	2207-06	11302	2314-49	11302	2413-49
	11309	2421-54				
3ICP20	*09900	2208-15	11302	2314-66	11302	2413-66
	11309	2424-24				
3ICP3A	09900	2207-08	*09900	2213-76		
3ICP4A	09900	2207-10	09900	2207-23	*09900	2213-69
3ICP5A	*09900	2207-14	09900	2208-13		
3ICP60	09900	2207-20	*09900	2208-22		
3ICP7A	*09900	2207-21	09900	2208-24		
3ICP8A	*09900	2207-27	09900	2208-26		
3ICV1A	10000	2207-05	*10000	2208-14	11302	2413-56
3ICV2A	10000	2207-07	*10000	2208-21	11302	2413-72
3ICV30	*10000	2207-38	10000	2208-20		
3ICV40	*10000	2207-30	10000	2208-19		
3ICV5A	*10000	2208-09	11302	2413-54		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3ICV50	*10000	2207-01	10000	2208-03		
3ICV6A	*10000	2208-01	11302	2413-70		
31CV60	*10000	2207-09	10000	2208-04		
3IC00TA	10000	2214-24	*10000	2316-55		
3IC01TB	10000	2214-22	*10000	2316-61	10200	2407-77
	10200	2506-03	10200	2506-31		
3IC02TC	10000	2214-20	*10000	2316-60	10200	2506-01
3IC03TD	10000	2214-18	*10000	2316-63	1.0200	2239-24
	10200	2408-77				
3IC04TA	10000	2214-38	*10000	2316-73	10200	2239-25
	10200	2239-71	10200	2402-55	10200	2402-62
	10200	2408-71				
3IC05TB	10000	2214-36	*10000	2316-79	10200	2239-72
	10200	2408-65				
3IC06TC	10000	2214-34	*10000	2316-74	10200	2506-10
3IC07TD	10000	2214-30	*10000	2316-80	10200	2505-10
3IC08TA	10000	2214-52	*10000	2317-55	10200	2506-04
3IC09TB	10000	2214-50	*10000	2317-61	10200	2505-01
3IC10TC	10000	2214-48	*10000	2317-60	10200	2506-07
3IC11TD	10000	2214-46	*10000	2317-63	10200	2505-07
3IC12TA	09900	2215-60	*09900	2317-73		
3IC13TB	09900	2215-57	*09900	2317-79		
3IC14TC	09900	2215-53	*09900	2317-74		
3IC15TD	09900	2215-55	*09900	2317-80		
3IC163E	09900	2214-64	09900	2214-76	*09900	2215-64
	11302	2314-53	11302	2314-71	11308	2316-09
3IC172E	09900	2214-62	09900	2214-74	*09900	2215-68
	11302	2314-59	11302	2314-77	11308	2316-25
3IC181E	09900	2214-60	09900	2214-72	*09900	2215-65
	11302	2314-56	11302	2314-72	11308	2316-41
3IC190E	09900	2214-57	09900	2214-70	*09900	2215-61
	11302	2314-64	11302	2314-78	11308	2315-09
3IC201C	09900	2207-37	*09900	2214-65		
3IC202C	09900	2207-35	*09900	2214-66		
3IC203E	*10100	2215-76	10100	2238-55		
3IC211C	09900	2207-31	*09900	2214-79		
3IC212C	09900	2207-29	*09900	2214-78		
3IC212E	09100	2216-77	09300	2206-33	09700	2101-55
	09700	2101-70	*10100	2215-80	11306	2325-09
3IC22AV	10100	2215-69	*10100	2236-10		
3IC221E	08600	2229-17	08600	2235-14	*10100	2215-79
3IC23A	09900	2206-35	*09900	2207-33	09900	2208-25
3IC230V	*09900	2206-37	09900	2213-64	10000	2213-43
3IC24A	09900	2206-36	*09900	2207-39	09900	2208-23
3IC240V	*09900	2206-34	09900	2213-79	10000	2208-73
	10000	2213-49				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3IC25A	09900	2206-29	*09900	2208-27		
3IC250V	*09900	2206-30	09900	2207-18	09900	2213-74
3IC26A	09900	2208-11	*09900	2213-57		
3ITC11X	*10100	2413-04	11301	2433-77		
3ITC11N	*10100	2340-63	11301	2433-53		
3ITC22N	*10100	2340-57	11301	2433-59		
3ITC33N	*10100	2340-51	10100	2413-18		
3ITTI1X	*10100	2413-20	11301	2433-72		
3ITT11N	10100	2236-64	*10100	2340-80	11301	2433-56
3ITT22N	10100	2236-61	*10100	2340-75	11301	2433-64
3ITT33N	*10100	2340-69	10100	2413-34		
3IT04A	11301	2236-51	*11301	2238-63		
3IT040V	*11301	2236-53	11304	2435-37		
3IT05AV	*10100	2236-66	10100	2239-75		
3IT06AV	*10100	2236-63	10100	2239-77		
3IT080	10100	2238-53	*10100	2239-76		
3IT09A	10100	2236-45	*10100	2238-57		
3IT090V	*10100	2236-43	10100	2340-60		
3KDS1A	15300	1205-17	16500	1218-43	*26602	A07-13
	26602	J03-11	26602	S19-02	26803	1105-74
	27102	J003-74	29201	J034-11		
3KDS2A	15300	1205-18	16500	1218-41	*26602	A07-11
	26602	J03-10	26602	S19-03	26803	1105-75
	27102	J003-75	29201	J034-10		
3KDS3A	15300	1210-17	16500	1218-46	*26602	A07-15
	26602	J03-12	26602	S19-01	26803	1105-76
	27102	J003-76	29201	J034-12		
3KHB0A	15200	1235-20	15300	1210-21	16000	1303-09
	16000	1407-40	16000	1413-40	26602	J03-09
	26602	S18-01	26803	1105-77	26803	1106-09
	*27001	J002-09	28901	J031-09		
3KHB0A-	*27102	J003-77	29201	J034-09		
3KHB0R	*27001	J002-10	27001	J031-10		
3KHB1A	15200	1235-17	15300	1210-27	16000	1303-11
	16000	1407-37	16000	1413-37	26602	J03-08
	26602	S18-02	26803	1105-78	26803	1106-11
	*27001	J002-11	28901	J031-11		
3KHB1A-	*27102	J003-78	29201	J034-08		
3KHB1R	*27001	J002-12	27001	J031-12		
3KHB2A	15200	1233-03	15200	1235-21	15300	1208-07
	15300	1210-38	26602	J03-07	26602	S18-04
	26803	1105-79	*27102	J003-79	29201	J034-07
3KHB3A	*27102	J003-80	29201	J034-06		
3KSP0A	16300	1210-11	16400	1235-11	26602	J03-69
	26602	S30A-01	26803	1106-70	*27002	J002-70
	29202	J034-69				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3KSP1A	16300	1210-06	16400	1235-06	26602	J03-68
	26602	S30A-02	26803	1106-71	*27002	J002-71
	29202	J034-68				
3KSP2A	16300	1210-04	16400	1235-04	26602	J03-67
	26602	S30A-04	26803	1106-72	*27002	J002-72
	29202	J034-67				
3KSP3A	16300	1210-05	16400	1235-05	26602	J03-66
	26602	S30A-08	26803	1106-73	*27002	J002-73
	29202	J034-66				
3KST0A	16300	1210-09	16400	1235-09	26602	J03-73
	26602	S30B-01	26803	1106-77	*27002	J002-77
	29202	J034-73				
3KST1A	16300	1210-15	16400	1235-15	26602	J03-72
	26602	S30B-02	26803	1106-78	*27002	J002-78
	29202	J034-72				
3KST2A	16300	1210-22	16400	1235-22	26602	J03-71
	26602	S30B-04	26803	1106-79	*27002	J002-79
	29202	J034-71				
3KST3A	16300	1210-23	16400	1235-23	26602	J03-70
	26602	S30B-08	26803	1106-80	*27002	J002-80
	29202	J034-70				
3MACK0	11800	2342-49	11800	2342-63	11800	2342-77
	11800	2343-49	11800	2343-63	11800	2343-77
	*11800	2408-60	12500	2527-63	12500	2528-63
3MA0FB	*26601	A09-13	26601	J05-63	26601	XDS03-A
	26601	XDS03-B	26601	XDS03-C	26601	XDS03-D
	27002	J002-76	27002	J036-63		
3MAUFB4	*13101	1136-60	13101	1136-66	26803	1106-76
3MA0FR	*11900	2102-47	11900	2417-04	28102	J023-42
	31301	J073-42				
3MA0FS	11900	2102-52	11900	2411-73	*11900	2417-09
	13101	1136-62	13101	1136-68	26802	2250-41
	26803	1303-41	28102	J023-41	31301	J073-41
3MA0NA	11900	2102-56	*11900	2408-45		
3MA0NJQ	11900	2408-41	*11900	2411-80		
3MA0POV	11900	2408-43	11900	2411-72	*11900	2507-60
3MA0VA	07701	2339-62	*11900	2341-69	11900	2417-01
3MA00TA	06300	2535-05	11800	2340-13	*11800	2509-55
3MA01D	*13101	1136-66				
3MA01TB	06300	2536-07	11800	2340-18	*11800	2509-61
3MA02D	*13101	1136-60				
3MA02TC	06300	2535-26	11800	2340-07	*11800	2509-60
3MA03TD	06300	2536-20	11800	2340-03	*11800	2509-63
3MA04TA	06300	2535-25	11800	2235-78	*11800	2509-73
3MA05TB	06300	2536-42	11800	2235-79	*11800	2509-79
3MA06TC	06300	2535-31	11800	2235-71	*11800	2509-74

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3MA07TD	06300	2536-37	11800	2235-66	*11800	2509-80
3MA080	06300	2535-50	11800	2340-48	*11800	2408-46
3MA09A	11800	2408-48	*11800	2417-76		
3MA10A	11800	2408-50	*11800	2417-69		
3MBL10	11800	2342-54	11800	2343-54	11800	2343-66
	*11800	2408-66	11800	2417-78		
3MBL2A	*09500	2409-66	11800	2408-70	11800	2417-73
	11800	2509-49	11800	2509-66		
3MB003E	11800	2339-52	11800	2342-59	*11800	2343-52
	11800	2509-51				
3MB012E	11800	2339-50	*11800	2343-56	11800	2509-57
3MB021E	11800	2339-48	*11800	2343-51	11800	2509-54
3MB030E	11800	2339-46	*11800	2343-47	11800	2509-62
3MB043E	11800	2339-38	*11800	2342-52	11800	2343-45
	11800	2509-69				
3MB052E	11800	2339-36	*11800	2342-56	11800	2509-75
3MB061E	11800	2339-34	*11800	2342-51	11800	2509-70
3MB070E	11800	2339-30	*11800	2342-47	11800	2509-76
3MB083E	11800	2342-45	*11800	2343-64	11800	2406-60
	11800	2417-75				
3MCL10	11700	2423-78	11800	2342-66	11800	2342-78
	11800	2343-78	*11900	2408-51		
3MCL2A	*11900	2341-76	11900	2408-49		
3MC003E	*11800	2342-76	11800	2509-53	12500	2527-59
3MC012E	*11800	2342-80	11800	2509-59		
3MC021E	*11800	2342-79	11800	2509-56		
3MC030E	*11800	2342-75	11800	2509-64		
3MC043E	11800	2342-73	*11800	2343-76	11800	2509-71
3MC052E	*11800	2343-80	11800	2509-77		
3MC061E	*11800	2343-79	11800	2509-72		
3MC070E	*11800	2343-75	11800	2509-78		
3MC083E	*11800	2342-64	11800	2343-73	11800	2417-71
3MDAKAV	*11900	2507-56	11900	2519-15		
3MDAK0V	11900	2341-74	11900	2341-75	*11900	2519-10
3MDC11C	*11800	2339-39	11800	2406-62		
3MDC12C	*11800	2339-40	11800	2406-59		
3MDC21C	*11800	2339-51	11800	2406-64		
3MDC22C	*11800	2339-54	11800	2406-61		
3MDC31C	*11800	2406-65	11800	2409-64	11900	2509-43
3MDC32C	*11800	2406-66	11800	2409-62		
3MDC4A	11800	2342-55	*11800	2409-60	11900	2308-50
	11900	2341-77	11900	2402-37		
3MDC40V	*11900	2308-48	11900	2401-62		
3MDC5A	*11900	2401-57	11900	2402-56		
3MDC6R	11900	2341-79	*11900	2401-59	11900	2402-35
	11900	2402-54				



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3MDC6S	11900	2401-68	*11900	2402-52		
3MDC70	11800	2340-14	*11800	2401-35		
3MDC80	11900	2341-71	*11900	2402-39		
3MD001N	11800	2339-47	*11800	2340-17	11800	342-72
	11800	2343-48				
3MD012N	11800	2339-45	*11800	2340-11	11800	2342-70
	11800	2343-46				
3MD023N	11800	2339-43	*11800	2340-05	11800	2342-69
	11800	2343-41				
3MD034N	11800	2339-41	*11800	2340-06	11800	2342-71
	11800	2343-43				
3MD035N	11800	2235-74	*11800	2340-08		
3MD041N	*11800	2235-80	11800	2339-35	11800	2342-48
	11800	2343-72				
3MD052N	*11800	2235-75	11800	2339-33	11800	2342-46
	11800	2343-70				
3MD063N	*11800	2235-69	11800	2339-31	11800	2342-41
	11800	2343-69				
3MD074N	*11800	2235-70	11800	2339-29	11800	2342-43
	11800	2343-71				
3MD075N	*11800	2235-72	11800	2340-42		
3MD081N	*11800	2340-50	11800	2342-60	11800	2343-60
	11800	2406-55				
3MD12A	11800	2340-10	*11800	2409-15		
3MECK0	11400	2301-09	11400	2301-23	11400	2301-37
	11400	2301-49	11400	2301-63	11400	2301-77
	11400	2302-09	11400	2302-23	11400	2302-37
	11400	2302-49	11400	2302-63	11400	2302-77
	11400	2303-37	11400	2303-49	11400	2303-63
	11400	2303-77	*11400	2304-76		
3MEL10	11400	2301-14	11400	2301-26	11400	2301-40
	11400	2301-54	11400	2301-66	11400	2301-78
	11400	2302-14	11400	2302-26	11400	2302-40
	11400	2302-54	11400	2302-66	11400	2302-78
	11400	2303-40	11400	2303-54	11400	2303-66
	11400	2303-78	*11400	2304-69		
3MEL2A	*11309	2313-63	11400	2304-72		
3MEL3A	*11309	2203-52	11309	2313-61		
3ME003E	06101	2439-05	06800	2142-04	*11400	2301-10
	11400	2302-73	12500	2338-29		
3ME012E	06101	2437-05	06800	2142-24	*11400	2301-13
3ME021E	06101	2440-07	06800	2142-23	*11400	2301-11
3ME030E	06101	2438-07	06800	2142-29	*11400	2301-07
3ME043E	06101	2439-26	06800	2142-48	11400	2301-05
	*11400	2302-10				
3ME052E	061Q1	2437-26	06800	2142-68	*11400	2302-13

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3ME061E	06101	2440-20	06800	2142-59	*11400	2302-11
3ME070E	06101	2438-20	06800	2142-65	*11400	2302-07
3ME083E	06101	2439-25	06800	2141-03	*11400	2301-24
	11400	2302-05				
3ME092E	06101	2437-25	06800	2141-18	*11400	2301-25
3ME101E	06101	2440-42	06800	2141-40	*11400	2301-27
3ME110E	06101	2438-42	06800	2141-35	*11400	2301-21
3ME123E	06101	2439-31	06800	2141-41	11400	2301-19
	*11400	2303-52				
3ME132E	06101	2437-31	06800	2141-62	*11400	2303-56
3ME141E	06102	2440-37	06800	2141-77	*11400	2303-51
3ME150E	06102	2438-37	06800	2141-76	*11400	2303-47
3ME163E	06102	2439-50	06800	2144-04	*11400	2301-38
	11400	2303-45				
3ME172E	06102	2437-50	06800	2144-24	*11400	2301-42
3ME181E	06102	2440-43	06800	2144-23	*11400	2301-39
3ME190E	06102	2438-43	06800	2144-29	*11400	2301-35
3ME203E	06102	2439-70	06800	2144-48	11400	2301-33
	*11400	2302-38				
3ME212E	06102	2437-70	06800	2144-68	*11400	2302-42
3ME221E	06102	2440-64	06800	2144-59	*11400	2302-39
3ME230E	06102	2438-64	06800	2144-65	*11400	2302-35
3ME243E	06102	2439-61	06800	2143-03	*11400	2301-52
	11400	2302-33				
3ME252E	06102	2437-61	06800	2143-18	*11400	2301-56
3ME261E	06102	2440-79	06800	2143-40	*11400	2301-51
3ME270E	06102	2438-79	06800	2143-35	*11400	2301-47
3ME283E	06103	2439-74	06800	2143-41	11400	2301-45
	*11400	2302-76				
3ME292E	06103	2437-74	06800	2143-62	*11400	2302-80
3ME301E	06103	2440-78	06800	2143-77	*11400	2302-79
3ME310E	06103	2438-78	*11400	2302-75		
3ME323E	06103	2539-05	*11400	2301-64	11400	2303-59
	12500	2338-31				
3ME332E	06103	2537-05	*11400	2301-68		
3ME341E	06103	2540-07	*11400	2301-65		
3ME350E	06103	2538-07	*11400	2301-61		
3ME363E	06103	2539-26	11400	2301-59	*11400	2302-64
3ME372E	06103	2537-26	*11400	2302-68		
3ME381E	06103	2540-20	*11400	2302-65		
3ME390E	06103	2538-20	*11400	2302-61		
3ME403E	06103	2539-25	*11400	2301-76	11400	2302-59
3ME412E	06103	2537-25	*11400	2301-80		
3ME421E	06104	2540-42	*11400	2301-79		
3ME430E	06104	2538-42	*11400	2301-75		
3ME443E	06104	2539-31	11400	2301-73	*11400	2303-38

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3ME452E	06104	2537-31	*11400	2303-42		
3ME461E	06104	2540-37	*11400	2303-39		
3ME470E	06104	2538-37	*11400	2303-35		
3ME483E	06104	2539-50	*11400	2302-24	11400	2303-33
3ME492E	06104	2537-50	*11400	2302-25		
3ME501E	06104	2540-43	*11400	2302-27		
3ME510E	06104	2538-43	*11400	2302-21		
3ME523E	06104	2539-70	11400	2302-19	*11400	2303-76
3ME532E	06104	2537-70	*11400	2303-80		
3ME541E	06104	2540-64	*11400	2303-79		
3ME550E	06104	2538-64	*11400	2303-75		
3ME563E	06105	2539-61	08502	2322-24	*11400	2302-52
	11400	2303-73	11700	2423-74		
3ME572E	06105	2537-61	*11400	2302-56		
3ME581E	06105	2540-79	*11400	2302-51		
3ME590E	06105	2538-79	*11400	2302-47		
3ME603E	06105	2539-74	11400	2302-45	*11400	2303-64
3ME612E	06105	2537-74	*11400	2303-68		
3ME621E	06105	2540-78	*11400	2303-65		
3ME630E	06105	2538-78	08502	2322-22	*11400	2303-61
	11700	2423-76				
3MICK0	11600	2303-09	11600	2303-23	11600	2305-09
	11600	2305-23	11600	2305-37	11600	2305-49
	11600	2305-63	11600	2305-77	11600	2306-09
	11600	2306-23	11600	2306-37	11600	2306-49
	11600	2306-63	11600	2306-77	11600	2307-09
	11600	2307-23	*11600	2309-38		
3MIL10	11600	2306-54	*11600	2309-52		
3MIL2A	*11302	2312-52	11600	2309-54		
3MIL30	11600	2305-40	11600	2306-40	11600	2307-26
	*11600	2309-39				
3MIL4A	*11302	2313-57	11600	2309-35		
3MIL50	11600	2305-14	11600	2306-14	11600	2306-26
	*11600	2309-33				
3MIL6A	*11302	2312-45	11600	2309-31	11600	2309-37
	11600	2309-56				
3MIL60	*09500	2309-45	11302	2312-41	11600	2303-14
	11600	2303-26	11600	2305-26	11600	2305-54
	11600	2305-66	11600	2305-78	11600	2306-66
	11600	2306-78	11600	2307-14		
3MI000	10000	2316-53	10300	2235-27	10500	2211-10
	11303	2338-47	11303	2435-07	11304	2431-29
	*11600	2309-27				
3MI003E	11600	2305-73	*11600	2306-10	11600	2309-23
	12500	2338-19				
3MI012E	10000	2316-59	10300	2235-33	10500	2211-08

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	11303	2337-18	11303	2434-07	11304	2429-29
	*11600	2306-13				
3MI020V	10000	2316-56	10300	2235-25	10500	2211-06
	11303	2337-34	11303	2433-07	11304	2428-29
	*11600	2308-13				
3MI021E	*11600	2306-11	11600	2308-11		
3MI030E	10000	2316-64	10300	2235-20	10500	2211-04
	11303	2337-47	11303	2432-07	11304	2427-29
	*11600	2306-07				
3MI040	10000	2316-71	10300	2210-27	10500	2211-24
	11303	2336-18	11303	2431-07	11304	2435-43
	*11600	2309-21				
3MI043E	*11600	2305-10	11600	2306-05	11600	2309-17
3MI052E	10000	2316-77	10300	2210-33	10500	2211-22
	11303	2336-34	11303	2429-07	11304	2434-43
	*11600	2305-13				
3MI060V	10000	2316-72	10300	2210-25	10500	2211-20
	11303	2336-47	11303	2428-07	11304	2433-43
	*11600	2308-40				
3MI061E	*11600	2305-11	11600	2308-38		
3MI070E	10000	2316-78	10300	2210-20	10500	2211-18
	11303	2335-18	11303	2427-07	11304	2432-43
	*11600	2305-07				
3MI080	10000	2317-53	10300	2235-62	10500	2211-38
	11303	2335-34	11303	2435-23	11305	2431-43
	*11600	2309-14				
3MI083E	11600	2305-05	*11600	2306-24	11600	2309-18
3MI092E	10000	2317-59	10300	2235-59	10500	2211-36
	11303	2335-47	11303	2434-23	11305	2429-43
	*11600	2306-25				
3MI100V	10000	2317-56	10300	2235-55	10500	2211-34
	11304	2334-18	11304	2433-23	11305	2428-43
	*11600	2308-10				
3MI101E	*11600	2306-27	11600	2308-15		
3MI110E	10000	2317-64	10300	2235-52	10500	2211-30
	11304	2334-34	11304	2432-23	11305	2427-43
	*11600	2306-21				
3MI123E	10000	2316-51	11303	2435-11	11304	2334-47
	11304	2431-23	11600	2306-19	*11600	2307-24
3MI132E	10000	2316-57	11303	2434-11	11304	2333-18
	11304	2429-23	*11600	2307-25		
3MI141E	10000	2316-54	11303	2433-11	11304	2333-34
	11304	2428-23	*11600	2307-27		
3MI150E	10000	2316-62	11303	2432-11	11304	2333-47
	11304	2427-23	*11600	2307-21		
3MI163E	10000	2316-69	11303	2431-11	11304	2331-18

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3MI172E	11304	2435-39	*11600	2306-38	11600	2307-19
	10000	2316-75	11303	2429-11	11304	2331-34
	11304	2434-39	*11600	2306-42		
3MI181E	10000	2316-70	10400	2308-51	10500	2208-31
	11303	2428-11	11304	2331-47	11304	2433-39
	*11600	2306-39				
3MI190E	10000	2316-76	10400	2308-45	10500	2208-43
	11303	2427-11	11304	2329-18	11304	2432-39
	*11600	2306-35				
3MI203E	10000	2317-51	10400	2308-61	10500	2208-36
	11303	2435-29	11305	2329-34	11305	2431-39
	*11600	2305-38	11600	2306-33		
3MI212E	10000	2317-57	10400	2308-64	10500	2208-50
	11303	2434-29	11305	2329-47	11305	2429-39
	*11600	2305-42				
3MI221E	10000	2317-54	10400	2308-55	10500	2208-42
	11304	2433-29	11305	2328-18	11305	2428-39
	*11600	2305-39				
3MI230E	10000	2317-62	10400	2308-62	10500	2208-37
	11304	2432-29	11305	2328-34	11305	2427-39
	*11600	2305-35				
3MI243E	11306	2328-47	11600	2305-33	*11600	2306-52
3MI252E	10500	2206-62	10500	2214-13	11305	2429-41
	11306	2327-18	*11600	2306-56		
3MI261E	11305	2428-41	11306	2327-34	*11600	2306-51
3MI270E	11305	2427-41	11306	2327-47	*11600	2306-47
3MI283E	11306	2326-18	*11600	2305-76	11600	2306-45
3MI292E	11306	2326-34	*11600	2305-80		
3MI301E	11306	2326-47	*11600	2305-79		
3MI310E	09100	2216-79	09100	2223-59	11302	2312-56
	11306	2325-18	11309	2420-10	*11600	2305-75
	11700	2202-06				
3MI32R	*29501	J040-50	29501	J074-50		
3MI320	09200	1405-49	09200	1515-60	10300	2204-31
	11306	2325-34	*11600	2309-09	26802	2249-49
	29501	J040-49	31401	J074-49		
3MI323E	09200	1405-61	09200	1513-38	09200	1514-38
	11600	2303-19	*11600	2306-64	11600	2309-03
	12500	2338-21	26802	2249-61	29502	J040-61
	31402	J074-61				
3MI323R	*29502	J040-62	31402	J074-62		
3MI330R	*29501	J040-52	29501	J074-52		
3MI330V	09200	1405-51	09200	1515-61	10300	2204-34
	11306	2325-47	*11600	2308-08	26802	2249-51
3MI332E	29501	J040-51	31401	J074-51		
	09200	1405-63	09200	1513-35	09200	1514-35

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	*11600	2306-68	11600	2308-06	26802	2249-63
	29502	J040-63	31402	J074-63		
3MI332R	*29502	J040-64	31402	J074-64		
3MI340R	*29502	J040-54	29502	J074-54		
3MI340V	09200	1405-53	09200	1515-62	10300	2204-23
	11306	2324-18	*11600	2308-01	26802	2249-53
	29502	J040-53	31401	J074-53		
3MI341E	09200	1405-65	09200	1513-39	09200	1514-39
	*11600	2306-65	11600	2308-05	26802	2249-65
	29502	J040-65	31402	J074-65		
3MI341R	*29502	J040-66	31402	J074-66		
3MI350E	09200	1405-67	09200	1513-36	09200	1514-36
	*11600	2306-61	11600	2308-09	26802	2249-67
	29502	J040-67	31402	J074-67		
3MI350R	*29502	J040-68	31402	J074-68		
3MI350V	09200	1405-55	09200	1515-64	10300	2204-19
	11306	2324-34	*11600	2308-07	26802	2249-55
	29502	J040-55	31401	J074-55		
3MI350VR	*29502	J040-56	29502	J074-56		
3MI360R	*29502	J040-58	29502	J074-58		
3MI360V	09200	1405-57	09200	1515-70	10300	2205-31
	11306	2324-47	*11600	2308-24	26802	2249-57
	29502	J040-57	31401	J074-57		
3MI363E	09200	1405-69	09200	1513-40	09200	1514-40
	*11600	2305-64	11600	2306-59	11600	2308-22
	26802	2249-69	29502	J040-69	31402	J074-69
3MI363R	*29502	J040-70	31402	J074-70		
3MI370R	*29502	J040-60	29502	J074-60		
3MI370V	09200	1405-59	09200	1515-72	10300	2205-34
	11307	2323-18	*11600	2308-14	26802	2249-59
	29502	J040-59	31401	J074-59		
3MI372E	09200	1405-71	09200	1513-37	09200	1514-37
	*11600	2305-68	11600	2308-17	26802	2249-71
	29502	J040-71	31402	J074-71		
3MI372R	*29502	J040-72	31402	J074-72		
3MI380V	07600	2203-04	07600	2203-11	07600	2203-18
	10300	2205-23	11307	2323-34	*11600	2308-19
3MI381E	07600	2203-03	07600	2203-08	07600	2203-24
	*11600	2305-65	11600	2308-21		
3MI390E	*11600	2305-61	11600	2308-27		
3MI390V	09900	2207-17	09900	2213-71	10300	2205-78
	11302	2413-51	11307	2323-47	*11600	2308-26
3MI403E	10000	2207-42	10300	2205-79	11302	2413-57
	11307	2321-18	11600	2305-59	*11600	2306-76
3MI410	09100	2226-41	09900	2213-73	09900	2213-78
	10000	2207-04	10300	2205-71	11307	2321-34

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	*11600	2309-30	11700	2202-25		
3MI412E	10400	2312-03	10400	2312-04	10400	2312-08
	10400	2312-11	*11600	2306-80	11600	2309-34
3MI421E	09900	2213-75	10300	2205-66	11302	2413-62
	11307	2321-47	*11600	2306-79	11700	2202-24
3MI430E	09900	2207-19	*11600	2306-75	11600	2308-29
3MI430V	09900	2213-72	10300	2204-78	11302	2413-69
	11307	2320-18	*11600	2308-30		
3MI443E	10000	2207-36	10300	2204-79	11302	2413-75
	11307	2320-34	11600	2306-73	*11600	2307-10
3MI450	09100	2226-43	09900	2207-25	09900	2213-62
	10000	2207-03	10300	2204-71	11307	2320-47
	*11600	2309-46	11700	2202-26		
3MI452E	10400	2312-18	10400	2312-24	10400	2312-29
	10400	2312-35	*11600	2307-13	11600	2309-48
3MI461E	09900	2213-55	10300	2204-66	11302	2413-76
	11307	2319-18	*11600	2307-11	11700	2202-22
3MI470E	10100	2340-64	10300	2205-48	11307	2319-34
	*11600	2307-07				
3MI483E	10100	2340-61	10300	2205-47	11307	2319-47
	*11600	2305-24	11600	2307-05		
3MI492E	10100	2340-78	10300	2205-39	11307	2318-18
	*11600	2305-25				
3MI501E	10100	2340-79	10300	2205-35	11307	2318-34
	*11600	2305-27				
3MI510E	10300	2204-48	11307	2318-47	*11600	2305-21
3MI523E	10100	2413-14	10300	2204-47	11301	2238-61
	11308	2317-18	*11600	2303-10	11600	2305-19
3MI530V	10100	2413-27	10300	2204-39	11301	2238-59
	11308	2317-34	*11600	2308-71		
3MI532E	10100	2239-78	*11600	2303-13	11600	2308-73
3MI541E	10300	2204-35	11301	2308-79	11304	2427-21
	11308	2317-47	*11600	2303-11		
3MI550	09900	2214-61	10300	2205-13	10400	2312-13
	11302	2208-74	11302	2314-51	11308	2316-18
	11309	2424-36	*11600	2309-80		
3MI550E	*11600	2303-07	11600	2309-76		
3MI560	09900	2214-59	10300	2205-18	10400	2312-07
	11302	2314-57	11308	2316-34	11309	2424-10
	*11600	2309-06				
3MI563E	11600	2303-05	*11600	2305-52	11600	2309-08
3MI570	09900	2214-55	10300	2205-07	10400	2312-05
	11302	2314-54	11308	2316-47	11309	2424-42
	*11600	2309-01				
3MI572E	*11600	2305-56	11600	2309-04		
3MI580V	09900	2214-53	10300	2205-03	10400	2312-10

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	11302	2314-62	1308	315-18	11309	424-05
	*11600	2308-03				
3MI581E	*11600	2305-51	11600	2308-04		
3MI590	09900	2214-75	10300	2204-13	10400	2312-37
	11302	2313-55	11302	2314-69	11308	2315-34
	11309	2424-37	*11600	2309-15		
3MI590E	*11600	2305-47	11600	2309-11		
3MI600	09900	2214-73	10300	2204-18	10400	2312-31
	11302	2314-75	11308	2315-47	11309	2424-07
	*11600	2309-22				
3MI603E	*11600	2303-24	11600	2305-45	11600	2309-24
3MI610V	09900	2214-71	10300	2204-07	10400	2312-20
	11302	2314-70	11308	2314-18	11309	2424-31
	*11600	2308-25				
3MI612E	*11600	2303-25	11600	2308-23		
3MI620V	09900	2214-69	10300	2204-03	10400	2312-26
	11302	2314-76	11308	2314-34	11309	2424-13
	*11600	2308-18				
3MI621E	*11600	2303-27	11600	2308-20		
3MI630E	11308	2314-47	*11600	2303-21		
3MRCK0	11500	2307-37	11500	2307-49	11500	2307-63
	11500	2307-77	11500	2310-09	11500	2310-23
	11500	2310-37	11500	2310-49	11500	2310-63
	11500	2310-77	11500	2311-09	11500	2311-23
	11500	2311-37	115.00	2311-49	11500	2311-63
	11500	2311-77	*11700	2304-09		
3MRC1A	11700	2304-01	*11700	2312-57		
3MRC2A	*11700	2202-11	11700	2203-29		
3MRC20	11700	2202-04	*11700	2203-33		
3MRC3A	*11700	2202-09	11700	2203-37		
3MRC4A	*11700	2207-22	11700	2218-07		
3MRC40	*11700	2203-39	11700	2207-24		
3MRL1A	11500	2309-47	11500	2309-64	11500	2309-70
	11700	2103-78	*11700	2312-72	11700	2313-78
3MRL10	*09500	2309-69	11500	2307-54	11500	2307-78
	11500	2310-26	11500	2310-54	11700	2209-19
	11700	2312-71				
3MRL20	*11500	2309-66	11500	2310-40	11500	2310-78
	11500	2311-54	11500	2311-66		
3MRL30	11500	2307-40	*11500	2309-60	11500	2310-66
	11500	2311-26	11500	2311-78		
3MRL4A	11500	2309-62	*11500	2312-63		
3MRL50	11500	2307-66	*11500	2309-51	11500	2310-14
	11500	2311-14	11500	2311-40		
3MRL6A	*10600	2312-60	11500	2309-49	11700	2309-53
3MRL60	11700	2304-06	*11700	2309-57	11700	2312-55



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3MRM1A	*11700	2203-66	11700	2209-10		
3MRM2A	*11700	2203-46	11700	2209-24		
3MRM30	*09300	2201-69	11700	2209-07		
3MRM4A	09300	2201-74	*11700	2212-46		
3MRM5A	09300	2201-65	*09300	2212-69		
3MRM60	*11700	2103-80	11700	2209-26		
3MRR1A	*11700	2203-60	11700	2209-03		
3MRR10	11700	2203-62	*11700	2218-09		
3MRR2A	*11700	2203-45	11700	2209-17		
3MRR20	*11700	2202-21	11700	2203-41		
3MRR3A	*09600	2304-35	11700	2202-14		
3MRR4A	11700	2202-18	*11700	2304-11		
3MRR5A	*09600	2202-45	09600	2218-31	11700	2203-70
	11700	2313-76				
3MRR6A	*11700	2202-35	11700	2218-04		
3MRR7A	*11700	2202-33	11700	2218-05		
3MRR8A	11700	2202-34	*11700	2203-51		
3MRR80	*11700	2202-23	11700	2203-47		
3MRR9A	11700	2209-14	*11700	2313-80		
3MRSSJQ	11308	2316-31	*11700	2423-80		
3MRSSKQ	08900	2101-48	08900	2102-73	08900	2104-19
	08900	2246-71	09600	2102-01	11700	2101-77
	*11700	2423-79				
3MRS10	*11700	2309-63	11700	2332-66	11700	2423-73
3MRS2A	*11700	2201-51	11700	2309-59		
3MRS3A	*11700	2232-45	11700	2309-61		
3MRS4A	*09600	2208-75	11700	2201-34		
3MRS40	*11700	2201-30	11700	2332-64		
3MR003E	09400	2104-23	09700	2104-35	11500	2310-73
	*11500	2311-10	12500	2338-23		
3MR012E	10600	2206-52	11100	2240-43	11100	2341-19
	11303	2337-07	*11500	2311-13		
3MR021E	10700	2319-53	11000	2320-69	11303	2337-23
	*11500	2311-11				
3MR030E	10700	2319-59	11000	2320-75	11303	2337-39
	*11500	2311-07				
3MR043E	10700	2319-56	11000	2320-70	11303	2336-07
	*11500	2310-10	11500	2311-05		
3MR052E	10700	2319-64	11000	2320-76	11303	2336-23
	*11500	2310-13				
3MR061E	10700	2319-71	11000	2321-51	11303	2336-39
	*11500	2310-11				
3MR070E	10700	2319-77	11000	2321-57	11303	2335-07
	*11500	2310-07				
3MR083E	10700	2319-72	11000	2321-54	11303	2335-23
	11500	2310-05	*11500	2311-38		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3MR092E	10700	2319-78	11000	2321-62	11303	2335-39
	*11500	2311-42				
3MR101E	10700	2320-53	11000	2321-69	11304	2334-07
	*11500	2311-39				
3MR110E	10700	2320-59	11000	2321-75	11304	2334-23
	*11500	2311-35				
3MR123E	10700	2320-56	11000	2321-70	11304	2334-39
	*11500	2307-64	11500	2311-33		
3MR132E	10700	2320-64	11000	2321-76	11304	2333-07
	*11500	2307-68				
3MR141E	10700	2424-65	11000	2408-07	11304	2333-23
	*11500	2307-65				
3MR15A	09700	2103-50	*09700	2104-52		
3MR150E	09400	2104-20	09700	2104-54	*11500	2307-61
3MR163E	08600	2235-13	11304	2331-07	11500	2307-59
	*11500	2311-64				
3MR172E	08600	2235-18	11304	2331-23	*11500	2311-68
3MR181E	08600	2235-07	11304	2331-39	*11500	2311-65
3MR190E	08600	2235-03	08800	2229-41	08900	2504-31
	11304	2329-07	*11500	2311-61		
3MR203E	08600	2210-48	08800	2229-49	08900	2504-29
	11305	2329-23	*11500	2310-38	11500	2311-59
3MR212E	08600	2210-47	08800	2340-25	08900	2504-30
	11305	2329-39	*11500	2310-42		
3MR221E	08600	2210-39	08800	2340-20	08900	2504-34
	11305	2328-07	*11500	2310-39		
3MR230E	08600	2210-35	08800	2204-62	08900	2504-17
	11305	2328-23	*11500	2310-35		
3MR243E	08600	2235-48	08800	2204-59	08900	2504-15
	11306	2328-39	11500	2310-33	*11500	2311-52
3MR252E	08600	2235-47	08800	2204-55	08900	2504-18
	11306	2327-07	*11500	2311-56		
3MR261E	08600	2235-39	08800	2204-52	08900	2504-20
	11306	2327-23	*11500	2311-51		
3MR270E	08600	2235-35	08800	2205-62	08900	2504-03
	11306	2327-39	*11500	2311-47		
3MR283E	08600	2210-13	08800	2205-59	08900	2504-01
	11306	2326-07	*11500	2310-76	11500	2311-45
3MR292E	08600	2210-18	08800	2205-55	08900	2504-04
	11306	2326-23	*11500	2310-80		
3MR301E	08600	2210-07	08800	2205-52	08900	2504-06
	11306	2326-39	*11500	2310-79		
3MR310E	09400	2223-79	*11500	2310-75		
3MR32A	09700	2103-43	*09700	2104-39		
3MR323E	11306	2325-23	11500	2307-73	*11500	2311-24
	12500	2338-25				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3MR332E	09100	2101-18	10600	2206-45	11100	2240-49
	11100	2341-20	11306	2325-39	*11500	2311-25
3MR341E	10700	2319-51	11000	2320-71	11306	2324-07
	*11500	2311-27				
3MR350E	10700	2319-57	11000	2320-77	11306	2324-23
	*11500	2311-21				
3MR363E	10700	2319-54	11000	2320-72	11306	2324-39
	*11500	2310-64	11500	2311-19		
3MR372E	10700	2319-62	11000	2320-78	11307	2323-07
	*11500	2310-68				
3MR381E	10700	2319-69	11000	2321-53	11307	2323-23
	*11500	2310-65				
3MR390E	10700	2319-75	11000	2321-59	11307	2323-39
	*11500	2310-61				
3MR403E	10700	2319-70	11000	2321-56	11307	2321-07
	11500	2310-59	*11500	2311-76		
3MR412E	10700	2319-76	11000	2321-64	11307	2321-23
	*11500	2311-80				
3MR421E	10700	2320-51	11000	2321-71	11307	2321-39
	*11500	2311-79				
3MR430E	10700	2320-57	11000	2321-77	11307	2320-07
	*11500	2311-75				
3MR443E	10700	2320-54	11000	2321-72	11307	2320-23
	*11500	2307-38	11500	2311-73		
3MR452E	10700	2320-62	11000	2321-78	11307	2320-39
	*11500	2307-42				
3MR461E	10700	2424-71	11000	2408-10	11307	2319-07
	*11500	2307-39				
3MR470E	09800	2206-74	09800	2210-78	09800	2315-53
	113.07	2319-23	*11500	2307-35		
3MR483E	09800	2206-76	09800	2210-79	09800	2315-59
	11307	2319-39	11500	2307-33	*11500	2310-24
3MR492E	09800	2206-75	09800	2210-71	09800	2315-56
	11307	2318-07	*11500	2310-25		
3MR501E	09800	2206-65	09800	2210-64	11307	2318-23
	*11500	2310-27				
3MR510E	09800	2206-79	09800	2210-61	11307	2318-39
	*11500	2310-21				
3MR523E	09800	2206-73	09800	2210-53	11308	2317-07
	*11500	2307-52	11500	2310-19		
3MR532E	09700	2104-64	09700	2201-25	*11500	2307-56
3MR54AV	09700	2103-71	*09700	2308-54		
3MR541E	09300	2313-54	09700	2103-74	09700	2308-52
	11301	2435-59	11308	2317-39	*11500	2307-51
3MR550E	09300	2313-24	11301	2435-56	11308	2316-07
	*11500	2307-47				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3MR56JQ	11700	2232-46	*11700	2332-68		
3MR56KQ	08200	2219-38	08900	2102-72	09600	2102-05
	*11700	2332-65				
3MR563E	11308	2316-23	11500	2307-45	*11500	2310-52
3MR572E	09300	2313-17	09600	2227-71	09800	2232-26
	11301	2435-77	11308	2316-39	*11500	2310-56
3MR581E	09300	2313-41	11100	2236-06	11100	2241-47
	11301	2312-74	11308	2315-07	*11500	2310-51
3MR590E	09300	2313-77	11100	2236-09	11301	2435-64
	11308	2315-23	*11500	2310-47		
3MR603E	09300	2313-40	11100	2236-05	11301	2312-78
	11308	2315-39	*11500	2307-76	11500	2310-45
3MR61AV	09100	2218-73	11100	2240-54	11308	2314-07
	*11700	2308-46				
3MR61JQ	08900	2322-36	09100	2101-14	09100	2226-37
	09100	2226-78	09100	2341-52	09300	2313-68
	09600	2201-31	09700	2217-76	11100	2341-18
	*11700	2209-13				
3MR61KQ	08900	2102-77	09000	2218-77	09100	2226-74
	09600	2218-24	11100	2240-46	11700	2101-79
	*11700	2209-11	11700	2308-41		
3MR62AV	09400	2101-30	09400	2104-04	09400	2207-13
	11700	2101-04	*11700	2308-49		
3MR62JQ	09100	2226-65	09300	2313-29	09800	2232-25
	10600	2217-59	11100	2240-48	11100	2341-14
	11308	2314-23	*11700	2209-25		
3MR62KQ	08900	2102-79	08900	2104-26	08900	2322-38
	09000	2218-78	09100	2226-76	09400	2104-78
	09600	2218-22	11100	2240-52	11700	2101-78
	*11700	2209-27	11700	2308-47		
3MR630E	11308	2314-39	*11500	2307-75		
3MT00TA	*11302	2314-55	11302	2432-53		
3MT01TB	*11302	2314-61	11302	2432-59		
3MT02TC	*11302	2314-60	11302	2432-56		
3MT03TD	*11302	2314-63	11302	2432-64		
3MT04TA	*11302	2314-73	11302	2432-71		
3MT05TB	*11302	2314-79	11302	2432-77		
3MT06TC	*11302	2314-74	11302	2432-72		
3MT07TD	*11302	2314-80	11302	2432-78		
3MT08TA	*11302	2413-55	11302	2434-53		
3MT09TB	*11302	2413-61	11302	2434-59		
3MT10TC	*11302	2413-60	11302	2434-56		
3MT11TD	*11302	2413-63	11302	2434-64		
3MT12TA	*11302	2413-73	11302	2434-71		
3MT13TB	*11302	2413-79	11302	2434-77		
3MT14TC	*11302	2413-74	11302	2434-72		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution			
3MT15TD	*11302	2413-80	11302	2434-78
3MVMC0	*10400	2313-15	11304	2434-37
3MVM10	*10400	2313-06	11305	2431-37
3MVM20	*10400	2313-01	11304	2432-37
3MVM30	*10400	2313-09	11304	2433-37
3MV01A	*10400	2312-06	10400	2313-08
3MV02A	*10400	2312-01	10400	2313-04
3MV03A	*10400	2312-09	10400	2313-03
3MV04A	*10400	2312-15	10400	2313-11
3MV05A	*10400	2312-22	10400	2313-10
3MV06A	*10400	2312-14	10400	2313-05
3MV07A	*10400	2312-33	10400	2313-07
3MV08A	*10400	2312-39	10400	2313-13
3MWA10	*11301	2309-72	11301	2435-71
3MWA2A	11301	2309-73	*11301	2312-69
3MWA3A	11301	2309-71	*11301	2312-80
3MW24TA	*11301	2435-55	11306	2328-35
3MW25TB	*11301	2435-61	11306	2327-03
3MW26TC	*11301	2435-60	11306	2327-19
3MW27TD	*11301	2435-63	11306	2327-35
3MW28TA	*11301	2435-73	11306	2326-03
3MW29TB	*11301	2435-79	11306	2326-19
3MW30TC	*11301	2435-74	11306	2326-35
3MW31TD	*11301	2435-80	11306	2325-03
3MW39TA	*11302	2434-55	11307	2323-35
3MW40TB	*11302	2434-61	11307	2321-03
3MW41TC	*11302	2434-60	11307	2321-19
3MW42TD	*11302	2434-63	11307	2321-35
3MW43TA	*11302	2434-73	11307	2320-03
3MW44TB	*11302	2434-79	11307	2320-19
3MW45TC	*11302	2434-74	11307	2320-35
3MW46TD	*11302	2434-80	11307	2319-03
3MW47TA	*11301	2433-55	11307	2319-19
3MW48TB	*11301	2433-61	11307	2319-35
3MW49TC	*11301	2433-60	11307	2318-03
3MW50TD	*11301	2433-63	11307	2318-19
3MW51TA	*11301	2433-73	11307	2318-35
3MW52TB	*11301	2433-79	11308	2317-03
3MW53TC	*11301	2433-74	11308	2317-19
3MW54TD	*11301	2433-80	11308	2317-35
3MW55TA	*11302	2432-55	11308	2316-03
3MW56TB	*11302	2432-61	11308	2316-19
3MW57TC	*11302	2432-60	11308	2316-35
3MW58TD	*11302	2432-63	11308	2315-03
3MW59TA	*11302	2432-73	11308	2315-19
3MW60TB	*11302	2432-79	11308	2315-35

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3MW61TC	*11302	2432-74	11308	2314-03		
3MW62TD	*11302	2432-80	11308	2314-19		
3MXA00	11304	2427-27	11304	2432-46	11304	2433-46
	11304	2434-46	11304	2435-46	*11305	2401-21
	11305	2427-46	11305	2428-46	11305	2429-46
	11305	2431-46				
3MXA10	11304	2427-26	11304	2432-42	11304	2433-42
	11304	2434-42	11304	2435-42	*11305	2422-11
	11305	2427-42	11305	2428-42	11305	2429-42
	11305	2431-42				
3MXA20	11304	2427-24	11304	2432-40	11304	2433-40
	11304	2434-40	11304	2435-40	*11305	2422-09
	11305	2427-40	11305	2428-40	11305	2429-40
	11305	2431-40				
3MXA3A	11305	2401-18	11305	2422-13	*11309	2420-11
3MXA4A	11305	2401-20	*11309	2424-14		
3MXA6A	11305	2422-05	11305	2422-18	*11309	2424-06
3MXA7A	11305	2422-07	11305	2422-19	*11309	2424-01
3MXA8A	11305	2422-08	11305	2422-24	*11309	2424-09
3MXA9A	11305	2422-10	11305	2422-25	*11309	2424-15
3MXB00	11304	2428-27	11304	2429-27	11304	2431-27
	*11305	2421-21				
3MXB10	11304	2428-26	11304	2429-26	11304	2431-26
	*11305	2422-23				
3MXB20	11304	2428-24	11304	2429-24	11304	2431-24
	*11305	2422-21				
3MXB3A	11301	2421-23	*11301	2424-21	11305	2420-70
	11305	2421-19	11306	2417-64	11309	2421-50
3MXB30	11100	2237-23	11100	2304-31	11100	2341-01
	11100	2341-06	*11301	2421-27	11301	2435-78
	11309	2424-25				
3MXB4A	11305	2422-26	11309	2422-31	*11309	2424-27
3MXB5A	11305	2422-01	11305	2422-14	*11309	2424-22
3MXC00	11303	2427-14	11303	2428-14	11303	2429-14
	11303	2431-14	11303	2432-14	11303	2433-14
	11303	2434-14	11303	2434-27	11303	2435-14
	11303	2435-27	11304	2432-27	11304	2433-27
	*11309	2421-46				
3MXC10	11303	2427-10	11303	2428-10	11303	2429-10
	11303	2431-10	11303	2432-10	11303	2433-10
	11303	2434-10	11303	2434-26	11303	2435-10
	11303	2435-26	11304	2432-26	11304	2433-26
	*11309	2422-33				
3MXC20	11303	2427-08	11303	2428-08	11303	2429-08
	11303	2431-08	11303	2432-08	11303	2433-08
	11303	2434-08	11303	2434-24	11303	2435-08

Table 5-2.. Key Signal Lookup Listing - Continued

Signal	Distribution					
	11303	2435-24	11304	2432-24	11304	2433-24
	*11309	2422-47				
3MXC3A	11309	2422-34	*11309	2424-38		
3MXC4A	11309	2422-36	*11309	2424-30		
3MXC5A	11309	2422-52	*11309	2424-33		
3MXC6A	11309	2422-54	*11309	2424-39		
3MXC7A	*11309	2421-52	11309	2422-49		
3MXR0A	11309	2421-29	*11309	2424-45		
3MXR00	*11309	2421-33	11309	2424-03	11309	2424-08
	11309	2424-29	11309	2424-40		
3MXR1A	11309	2421-35	*11309	2422-45		
3MXR10	*11309	2421-39	11309	2424-04	11309	2424-11
	11309	2424-34	11309	2424-35		
3MXR2A	11305	2421-17	11305	2422-20	11309	2421-48
	11309	2422-56	*11309	2424-52		
3MXR20	*11309	2421-45	11309	2424-54		
3MXR3A	11305	2422-22	11309	2422-30	*11309	2424-46
3MXR30	*11309	2421-51	11309	2424-48		
3MXR4A	*11309	2232-76	11309	2421-34		
3MXR40	*11309	2421-30	11309	2422-43	11309	2424-18
	11309	2424-41				
3MX001X	11303	2338-35	*11303	2435-04		
3MX011X	11303	2337-03	*11303	2434-04		
3MX021X	11303	2337-19	*11303	2433-04		
3MX031X	11303	2337-35	*11303	2432-04		
3MX041X	11303	2336-03	*11303	2431-04		
3MX051X	11303	2336-19	*11303	2429-04		
3MX061X	11303	2336-35	*11303	2428-04		
3MX071X	11303	2335-03	*11303	2427-04		
3MX081X	11303	2335-19	*11303	2435-20		
3MX091X	11303	2335-35	*11303	2434-20		
3MX101X	11304	2334-03	*11304	2433-20		
3MX111X	11304	2334-19	*11304	2432-20		
3MX121X	11304	2334-35	*11304	2431-20		
3MX131X	11304	2333-03	*11304	2429-20		
3MX141X	11304	2333-19	*11304	2428-20		
3MX151X	11304	2333-35	*11304	2427-20		
3MX161X	11304	2331-03	*11304	2435-36		
3MX171X	11304	2331-19	*11304	2434-36		
3MX181X	11304	2331-35	*11304	2433-36		
3MX191X	11304	2329-03	*11304	2432-36		
3MX201X	11305	2329-19	*11305	2431-36		
3MX211X	11305	2329-35	*11305	2429-36		
3MX221X	11305	2328-03	*11305	2428-36		
3MX231X	11305	2328-19	*11305	2427-36		
3MYA1A	08502	2312-34	*09300	2313-33	11200	2402-08

Table 5-2. Key Signal Lookup Listing - Continued'

Signal		Distribution				
	11200	2513-50	12000	2522-55		
3MYA10	*11200	2402-06	11200	2513-25		
3MYA2A	08502	2312-36	*08502	2313-39		
3MYA3A	09300	2312-23	*09300	2313-21		
3MYA4A	09300	2312-25	*09300	2313-27		
3MYA5A	09300	2312-40	*09300	2313-38		
3MYA6A	*08502	2313-30	09300	2312-42		
3MYA7A	09300	2312-17	*09300	2313-22		
3MYA8A	09300	2312-19	*09300	2313-14		
3MYA9A	09300	2312-48	*09300	2313-52		
3MYB0A	09300	2312-50	*09300	2313-46		
3MYB1A	09300	2312-47	*09300	2313-45		
3MYB2A	09300	2312-49	*09300	2313-51		
3MYB3A	09300	2312-68	*09300	2313-66	09300	2402-04
	11200	2513-41				
3MYB30	*09300	2402-01	11200	2513-54		
3MYB4A	09300	2312-70	*09300	2313-60		
3MYB5A	09300	2312-77	*09300	2313-75		
3MYB6A	*08502	2313-72	09300	2312-79		
3MY130	*11301	2309-75	11301	2433-78		
3MY17AV	*11301	2308-68	11301	2309-77		
3MYI8AV	*11301	2308-80	11301	2309-79		
3MY540	*09300	2312-46	11308	2317-45		
3MY550	*09300	2312-21	11308	2316-15		
3MY570	*09300	2312-27	11308	2316-45		
3MY580	*09300	2312-51	11308	2315-15		
3MY590	*09300	2312-75	11308	2315-31		
3MY600	*09300	2312-38	11308	2315-45		
3MY610	*09300	2312-66	11308	2314-15		
3MY620	*08502	2312-30	11308	2314-31		
3MZA00	11308	2314-14	11308	2314-27	11308	2314-46
	11308	2315-14	11308	2315-27	11308	2315-46
	11308	2316-14	11308	2316-27	11308	2316-46
	11308	2317-27	11308	2317-46	*11308	2419-66
3MZA10	11308	2314-10	11308	2314-26	11308	2314-42
	11308	2315-10	11308	2315-26	11308	2315-42
	11308	2316-10	11308	2316-26	11308	2316-42
	11308	2317-26	11308	2317-42	*11308	2419-60
3MZA20	11308	2314-08	11308	2314-24	11308	2314-40
	11308	2315-08	11308	2315-24	11308	2315-40
	11308	2316-08	11308	2316-24	11308	2316-40
	11308	2317-24	11308	2317-40	*11308	2419-57
3MZA3A	11305	2420-46	11306	2417-46	11306	2417-66
	11307	2417-49	11308	2419-61	11308	2419-70
	11309	2420-38	*11309	2421-75	11309	2422-77
3MZA4A	*09300	2421-72	11305	2420-66	11306	2417-60



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	11306	2419-41	11307	2419-54	11308	2419-64
	11308	2419-79	11309	2420-31	11309	2420-77
3MZA5A	*09300	2421-69	11306	2419-49	11307	2419-48
	11308	2419-55	11308	2419-73		
3MZA6A	*09300	2401-33	11305	2420-60	11306	2422-60
	11309	2420-52	11309	2420-72		
3MZA7A	09300	2401-30	*09300	2402-09		
3MZB00	11307	2318-14	11307	2318-27	11307	2318-46
	11307	2319-27	11307	2319-46	11308	2317-14
	*11308	2419-63				
3MZB10	11307	2318-10	11307	2318-26	11307	2318-42
	11307	2319-26	11307	2319-42	11308	2317-10
	*11308	2419-75				
3MZB20	11307	2318-08	11307	2318-24	11307	2318-40
	11307	2319-24	11307	2319-40	11308	2317-08
	*11308	2419-72				
3MZC00	11306	2324-14	11307	2319-14	11307	2320-14
	11307	2320-27	11307	2320-46	11307	2321-14
	11307	2321-27	11307	2321-46	*11307	2417-47
3MZC10	11306	2324-10	11307	2319-10	11307	2320-10
	11307	2320-26	11307	2320-42	11307	2321-10
	11307	2321-26	11307	2321-42	*11307	2419-52
3MZC20	11306	2324-08	11307	2319-08	11307	2320-08
	11307	2320-24	11307	2320-40	11307	2321-08
	11307	2321-24	11307	2321-40	*11307	2419-46
3MZC3A	*09300	2421-66	11305	2420-43	11305	2420-55
	11306	2417-43	11306	2417-61	11306	2419-47
	11306	2422-55	11307	2417-54	11307	2419-50
3MZC4A	*09300	2421-60	11305	2420-61	11306	2417-55
	11306	2419-43	11307	2419-56		
3MZD00	11306	2324-27	11306	2324-46	11306	2325-27
	11306	2325-46	*11306	2417-45	11307	2323-14
	11307	2323-27	11307	2323-46		
3MZD10	11306	2324-26	11306	2324-42	11306	2325-26
	11306	2325-42	*11306	2419-45	11307	2323-10
	11307	2323-26	11307	2323-42		
3MZD20	11306	2324-24	11306	2324-40	11306	2325-24
	11306	2325-40	*11306	2419-51	11307	2323-08
	11307	2323-24	11307	2323-40		
3MZE00	11306	2325-14	11306	2326-14	11306	2326-27
	11306	2326-46	11306	2327-14	11306	2327-27
	11306	2327-46	11306	2328-46	*11306	2417-59
3MZE10	11306	2325-10	11306	2326-10	11306	2326-26
	11306	2326-42	11306	2327-10	11306	2327-26
	11306	2327-42	11306	2328-42	*11306	2417-57
3MZE20	11306	2325-08	11306	2326-08	11306	2326-24

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	11306	2326-40	11306	2227-08	11306	2327-24
	11306	2327-40	11306	2328-40	*11306	2422-57
3MZF00	11304	2329-14	11304	2331-14	11304	2331-27
	11304	2331-46	11305	2328-14	11305	2328-27
	11305	2329-27	11305	2329-46	*11305	2420-45
3MZF10	11304	2329-10	11304	2331-10	11304	2331-26
	11304	2331-42	11305	2328-10	1130-5	2328-26
	11305	2329-26	11305	2329-42	*11305	2420-59
3MZF20	11304	2329-08	11304	2331-08	11304	2331-24
	11304	2331-40	11305	2328-08	11305	2328-24
	11305	2329-24	11305	2329-40	*11305	2420-57
3MZG00	11304	2333-14	11304	2333-27	11304	2333-46
	11304	2334-46	*11309	2420-35		
3MZG10	11304	2333-10	11304	2333-26	11304	2333-42
	11304	2334-42	*11309	2420-33		
3MZG20	11304	2333-08	11304	2333-24	11304	2333-40
	11304	2334-40	*11309	2420-47		
3MZG3A	*09300	2419-38	11309	2420-37	11309	2420-49
	11309	2420-71	11309	2422-75		
3MZG4A	*09300	2419-30	11309	2420-30	11309	2420-75
3MZH00	11303	2335-14	11303	2335-27	11303	2335-46
	11303	2336-14	11303	2336-27	11303	2336-46
	11303	2337-14	11303	2337-27	11303	2337-46
	11303	2338-46	11304	2334-14	11304	2334-27
	*11309	2422-76				
3MZH10	11303	2335-10	11303	2335-26	11303	2335-42
	11303	2336-10	11303	2336-26	11303	2336-42
	11303	2337-10	11303	2337-26	11303	2337-42
	11303	2338-42	11304	2334-10	11304	2334-26
	*11309	2420-76				
3MZH20	11303	2335-08	11303	2335-24	11303	2335-40
	11303	2336-08	11303	2336-24	11303	2336-40
	11303	2337-08	11303	2337-24	11303	2337-40
	11303	2338-40	11304	2334-08	11304	2334-24
	*11309	2420-69				
3MZI1A	*09300	2420-09	11306	2419-13	11307	2419-08
3MZI10	11306	2324-13	11307	2319-13	11307	2320-13
	11307	2320-30	11307	2320-48	11307	2321-13
	11307	2321-30	11307	2321-48	11307	2323-48
	*11307	2419-06				
3MZI2A	09300	2402-11	*09300	2420-23	11303	2419-24
	11309	2419-04				
3MZI20	11304	2333-13	11304	2333-30	11304	2333-48
	11304	2334-48	*11309	2419-01		
3MZI3A	*09300	2420-21	11306	2419-11		
3MZI30	11306	2325-13	11306	2326-13	11306	2326-30

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	11306	2326-48	11306	2327-13	11306	2327-30
	11306	2327-48	11306	2328-48	*11306	2419-09
	11307	2318-13	11307	2318-30	11307	2318-48
	11307	2319-30	11307	2319-48	11308	2317-13
3MZI40	11306	2324-30	11306	2324-48	11306	2325-30
	11306	2325-48	*11306	2419-15	11307	2323-13
	11307	2323-30				
3MZI50	11303	2335-13	11303	2336-13	11303	2336-30
	11303	2336-48	11303	2337-13	11303	2337-30
	11303	2337-48	11303	2338-48	*11303	2419-22
3MZI60	*09100	2419-14	09300	2420-20		
3MZI70	*09300	2402-15	11303	2335-30	11303	2335-48
	11304	2334-13	11304	2334-30		
3MZ001X	*11303	2338-36	11400	2301-06	11500	2311-06
3MZ002X	*11303	2338-38	11600	2306-06		
3MZ011X	*11303	2337-04	11400	2301-04	11500	2311-04
	11600	2306-04				
3MZ021X	*11303	2337-20	11400	2301-01	11500	2311-01
3MZ022X	*11303	2337-22	11600	2306-01		
3MZ031X	*11303	2337-36	11400	2301-03	11500	2311-03
	11600	2306-03				
3MZ041X	*11303	2336-04	11400	2302-06	11500	2310-06
3MZ042X	*11303	2336-06	11600	2305-06		
3MZ051X	*11303	2336-20	11400	2302-04	11500	2310-04
	11600	2305-04				
3MZ061X	*11303	2336-36	11400	2302-01	11500	2310-01
3MZ062X	*11303	2336-38	11600	2305-01		
3MZ071X	*11303	2335-04	11400	2302-03	11500	2310-03
	11600	2305-03				
3MZ01X	*11303	2335-20	11400	2301-20	11500	2311-34
3MZ082X	*11303	2335-22	11600	2306-20		
3MZ091X	*11303	2335-36	11400	2301-18	11500	2311-30
	11600	2306-18				
3MZ101X	*11304	2334-04	11400	2301-15	11500	2311-29
3MZ102X	*11304	2334-06	11600	2306-15		
3MZ111X	*11304	2334-20	11400	2301-17	11500	2311-31
	11600	2306-17				
3MZ121X	*11304	2334-36	11400	2303-48	11500	2307-60
	11600	2307-20				
3MZ131X	*11304	2333-04	11400	2303-46	11500	2307-57
	11600	2307-18				
3MZ141X	*11304	2333-20	11400	2303-41	11500	2307-53
	11600	2307-15				
3MZ151X	*11304	2333-36	11400	2303-43	11500	2307-55
	11600	2307-17				
3MZ161X	*11304	2331-04	11400	2301-34	11500	2311-60

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3MZ171X	11600	2306-34				
	*11304	2331-20	11400	2301-30	11500	2311-57
	11600	2306-30				
3MZ181X	*11304	2331-36	11400	2301-29	11500	2311-53
	11600	2306-29				
3MZ191X	*11304	2329-04	11400	2301-31	11500	2311-55
	11600	2306-31				
3MZ201X	*11305	2329-20	11400	2302-34	11500	2310-34
	11600	2305-34				
3MZ211X	*11305	2329-36	11400	2302-30	11500	2310-30
	11600	2305-30				
3MZ221X	*11305	2328-04	11400	2302-29	11500	2310-29
	11600	2305-29				
3MZ231X	*11305	2328-20	11400	2302-31	11500	2310-31
	11600	2305-31				
3MZ241X	*11306	2328-36	11400	2301-48	11500	2311-48
	11600	2306-48				
3MZ251X	*11306	2327-04	11400	2301-46	11500	2311-46
	11600	2306-46				
3MZ261X	*11306	2327-20	11400	2301-41	11500	2311-41
	11600	2306-41				
3MZ271X	*11306	2327-36	11400	2301-43	11500	2311-43
	11600	2306-43				
3MZ281X	*11306	2326-04	11400	2302-72	11500	2310-72
	11600	2305-72				
3MZ291X	*11306	2326-20	11400	2302-70	11500	2310-70
	11600	2305-70				
3MZ301X	*11306	2326-36	11400	2302-69	11500	2310-69
	11600	2305-69				
3MZ311X	*11306	2325-04	11400	2302-71	11500	2310-71
	11600	2305-71				
3MZ321X	*11306	2325-20	11400	2301-60	11500	2311-20
3MZ322X	*11306	2325-22	11600	2306-60		
3MZ331X	*11306	2325-36	11400	2301-57	11500	2311-18
3MZ332X	*11306	2325-38	11600	2306-57		
3MZ341X	*11306	2324-04	11400	2301-53	11500	2311-15
3MZ342X	*11306	2324-06	11600	2306-53		
3MZ351X	*11306	2324-20	11400	2301-55	11500	2311-17
3MZ352X	*11306	2324-22	11600	2306-55		
3MZ361X	*11306	2324-36	11400	2302-60	11500	2310-60
3MZ362X	*11306	2324-38	11600	2305-60		
3MZ371X	*11307	2323-04	11400	2302-57	11500	2310-57
3MZ372X	*11307	2323-06	11600	2305-57		
3MZ381X	*11307	2323-20	11400	2302-53	11500	2310-53
3MZ382X	*11307	2323-22	11600	2305-53		
3MZ391X	*11307	2323-36	11400	2302-55	11500	2310-55

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3MZ392X	*11307	2323-38	11600	2305-55		
3MZ401X	*11307	2321-04	11400	2301-72	11500	2311-72
	11600	2306-72				
3MZ411X	*11307	2321-20	11400	2301-70	11500	2311-70
3MZ412X	*11307	2321-22	11600	2306-70		
3MZ421X	*11307	2321-36	11400	2301-69	11500	2311-69
	11600	2306-69				
3MZ431X	*11307	2320-04	11400	2301-71	11500	2311-71
3MZ432X	*11307	2320-06	11600	2306-71		
3MZ441X	*11307	2320-20	11400	2303-34	11500	2307-34
	11600	2307-06				
3MZ451X	*11307	2320-36	11400	2303-30	11500	2307-30
3MZ452X	*11307	2320-38	11600	2307-04		
3MZ461X	*11307	2319-04	11400	2303-29	11500	2307-29
	11600	2307-01				
3MZ471X	*11307	2319-20	11400	2303-31	11500	2307-31
	11600	2307-03				
3MZ481X	*11307	2319-36	11400	2302-20	11500	2310-20
	11600	2305-20				
3MZ491X	*11307	2318-04	11400	2302-18	11500	2310-18
	11600	2305-18				
3MZ501X	*11307	2318-20	11400	2302-15	11500	2310-15
	11600	2305-15				
3MZ511X	*11307	2318-36	11400	2302-17	11500	2310-17
	11600	2305-17				
3MZ521X	*11308	2317-04	11400	2303-72	11500	2307-48
	11600	2303-06				
3MZ531X	*11308	2317-20	11400	2303-70		
3MZ532X	*11308	2317-22	11600	2303-04		
3MZ541X	*11308	2317-36	11400	2303-69	11500	2307-41
	11600	2303-01				
3MZ551X	*11308	2316-04	11400	2303-71	11500	2307-43
3MZ552X	*11308	2316-06	11600	2303-03		
3MZ561X	*11308	2316-20	1140-0	2302-48	11500	2310-48
	11700	2332-61				
3MZ562X	07701	2240-72	*11308	2316-22	11600	2305-48
3MZ571X	*11308	2316-36	11400	2302-46	11500	2310-46
3MZ572X	*11308	2316-38	11600	2305-46		
3MZ581X	*11308	2315-04	11400	2302-41	11500	2310-41
3MZ582X	*11308	2315-06	11600	2305-41		
3MZ591X	*11308	2315-20	11400	2302-43	11500	2310-43
3MZ592X	*11308	2315-22	11600	2305-43		
3MZ601X	*11308	2315-36	11400	2303-60	11500	2307-72
3MZ602X	*11308	2315-38	11600	2303-20		
3MZ611X	*11308	2314-04	11400	2303-57	11500	2307-70
	11700	2203-68	11700	2212-50		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3MZ612X	07701	2240-74	*11308	2314-06	11600	2303-18
3MZ621X	*11308	2314-20	11400	2303-53	11500	2307-69
	11700	2203-48	11700	2209-21		
3MZ622X	07701	2240-73	*11308	2314-22	11600	2303-15
3MZ631X	07701	2222-47	*11308	2'314-36	11500	2307-71
	11600	2303-17	11700	2332-63		
3PA00ER	11000	2406-07	*12100	2505-19	12100	2512-48
3PA000	12100	2505-15	26602	S23A-01	26603	J03-27
	26802	2350-28	29201	J034-27	*32000	J085-28
3PA01ER	11000	2406-05	*12100	2505-22	12100	2512-46
3PA010	12100	2505-18	26602	S23A-02	26603	J03-26
	26802	2350-29	29201	J034-26	*32000	J085-29
3PA02ER	11000	2406-03	*12100	2505-25	12100	2512-41
3PA020	12100	2505-24	26602	J03-25	26602	S23A-04
	26802	2350-30	292D1	J034-25	*32000	J085-30
3PA03ER	11000	2406-01	*12100	2505-27	12100	2512-43
3PA030	12100	2505-23	26602	J03-30	26602	S23B-01
	26802	2350-31	29201	J034-30	*32000	J085-31
3PA04ER	11000	2406-21	*12100	2505-33	12100	2510-60
3PA040	12100	2505-29	26602	J03-29	26602	S23B-02
	26802	2350-32	29201	J034-29	*32000	J085-32
3PA05ER	11000	2406-19	*12100	2505-36	12100	2510-57
3PA050	12100	2505-30	26602	S23B-04	26603	J03-28
	26802	2350-33	29201	J034-28	*32000	J085-33
3PA06ER	11000	2406-17	*12100	2505-39	12100	2510-53
3PA060	12100	2505-37	26602	J03-33	26602	S23C-01
	26802	2350-34	29201	J034-33	*32000	J085-34
3PA07ER	11000	2406-15	*12100	2505-42	12100	2510-55
3PA070	12100	2505-40	26602	J03-32	26602	S23C-02
	26802	2350-35	29201	J034-32	*32000	J085-35
3PA08ER	11000	2406-35	*12100	2505-50	12100	2511-60
3PA080	12100	2505-48	26602	J03-31	26602	S23C-04
	26802	2350-36	29201	J034-31	*32000	J085-36
3PB050	10900	2325-72	10900	2421-59	*26802	2350-51
3PIM0ER	08000	2404-07	09800	2211-75	*12000	2506-22
	12000	2512-03				
3PIM00	12000	2506-18	26602	J03-39	26602	S25-01
	26802	2350-10	29201	J034-39	*32000	J085-10
3PIM1ER	08000	2404-05	09800	2211-73	*12000	2506-25
	12000	2510-20				
3PIM10	12000	2506-24	26602	J03-38	26602	S25-02
	26802	2350-11	29201	J034-38	*32000	J085-11
3PIM2ER	08000	2404-03	09800	2211-71	*12000	2506-27
	12000	2510-18				
3PIM20	12000	2506-23	26602	J03-37	26602	S25-04
	26802	2350-12	29201	J034-37	*32000	J085-12

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3PIW0ER	10900	2324-51	*12000	2506-36	12000	2510-17
3PIW00	12000	2506-30	26602	J03-74	26602	S27A-01
	26802	2350-13	29202	J034-74	*32000	J085-13
3PIW1ER	10900	2324-57	*12000	2506-51	12000	2511-20
3PIW10	12000	2506-49	26602	J03-50	26602	S27A-02
	26802	2350-14	29202	J034-50	*32000	J085-14
3PIW2ER	10900	2324-54	*12000	2506-39	12000	2511-18
3PIW20	12000	2506-37	26602	J03-49	26602	S27A-04
	26802	2350-15	29202	J034-49	*32000	J085-15
3PIW3ER	10900	2324-62	*12000	2506-42	12000	2511-15
3PIW30	12000	2506-40	26602	J03-53	26602	S27B-01
	26802	2350-16	29202	J034-53	*32000	J085-16
3PIW4ER	10900	2324-69	*12000	2506-45	12000	2511-17
3PIW40	12000	2506-43	26602	J03-52	26602	S27B-02
	26802	2350-17	29202	J034-52	*32000	J085-17
3PIW5ER	10900	2324-75	*12000	2506-50	12000	2512-20
3PIW50	12000	2506-48	26602	J03-51	26602	S27B-04
	26802	2350-18	29202	J034-51	*32000	J085-18
3PI00ER	10900	2325-51	*12100	2502-05	12100	2512-34
3PI000	12100	2502-01	26602	J03-42	26602	S26A-01
	26802	2350-19	29202	J034-42	*32000	J085-19
3PI01ER	10900	2325-57	*12100	2502-08	12100	2512-30
3PI010	12100	2502-04	26602	J03-41	26602	S26A-02
	26802	2350-20	29202	J034-41	*32000	J085-20
3PI002ER	10900	2325-54	*12100	2502-11	12100	2512-29
3PI020	12100	2502-07	26602	J03-40	26602	S26A-04
	26802	2350-21	29201	J034-40	*32000	J085-21
3PI03ER	10900	2325-62	*12100	2502-13	12100	2512-31
3PI030	12100	2502-10	26602	J03-45	26602	S26B-01
	26802	2350-22	29202	J034-45	*32000	J085-22
3PI004ER	10900	2325-69	*12100	2502-19	12100	2510-48
3PI040	12100	2502-17	26602	J03-44	26602	S26B-02
	26802	2350-23	29202	J034-44	*32000	J085-23
3PI05ER	10900	2325-75	*12100	2502-22	12100	2510-46
3PI050	12100	2502-18	2660.2	J03-43	26602	S26B-04
	26802	2350-24	29202	J034-43	*32000	J085-24
3PI06ER	10900	2325-70	*12100	2502-25	12100	2510-41
3PI060	12100	2502-24	26602	J03-48	26602	S26C-01
	26802	2350-25	29202	J034-48	*32000	J085-25
3PI07ER	10900	2325-76	*12100	2502-27	12100	2510-43
3PI070	12100	2502-23	26602	J03-47	26602	S26C-02
	26802	2350-26	29202	J034-47	*32000	J085-26
3PI08ER	10900	2409-03	*12100	2502-33	12100	2511-48
3PI080	12100	2502-29	26602	J03-46	26602	S26C-04
	26802	2350-27	29202	J034-46	*32000	J085-27
3PRC0ER	08000	2404-35	*12100	2502-36	12100	2511-53

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3PRC00	12100	2502-30	26602	J03-21	26602	S22A-01
	26802	2350-37	29201	J034-21	*32000	J085-37
3PRC1ER	08000	2404-33	*12100	2502-39	12100	2511-55
3PRC10	12100	2502-37	26602	J03-20	26602	S22A-02
	26802	2350-38	29201	J034-20	*32000	J085-38
3PRC2ER	08000	2404-31	*12100	2502-42	12100	2510-72
3PRC20	12100	2502-40	26602	J03-19	26602	S22A-04
	26802	2350-39	29201	J034-19	*32000	J085-39
3PRC3ER	08000	2404-29	*12100	2502-45	12100	2510-70
3PRC30	12100	2502-43	26602	J03-24	26602	S22B-01
	26802	2350-40	29201	J034-24	*32000	J085-40
3PRC4ER	08000	2406-47	*12100	2502-50	12100	2510-69
3PRC40	12100	2502-48	26602	J03-23	26602	S22B-02
	26802	2350-41	29201	J034-23	*32000	J085-41
3PRC5ER	08000	2406-45	*12100	2502-51	12100	2510-71
3PRC50	12100	2502-47	26602	J03-22	26602	S22B-04
	26802	2350-42	29201	J034-22	*32000	J085-42
3PRM0ER	08000	2404-21	09800	22-11-61	*12000	2502-56
	12000	2510-06				
3PRM00	12000	2502-54	26602	J03-59	26602	S28B-01
	26802	2350-01	29202	J034-59	*32000	J085-01
3PRM1ER	08000	2404-19	09800	2211-59	*12000	2502-59
	12000	2510-04				
3PRM10	12000	2502-55	26602	J03-58	26602	S28B-02
	26802	2350-02	29202	J034-58	*32000	J085-02
3PRM2ER	08000	2404-17	09800	2211-55	*12000	2502-62
	12000	2510-01				
3PRM20	12000	2502-60	26602	J03-57	26602	S28B-04
	26802	2350-03	29202	J034-57	*32000	J085-03
3PRR0ER	08700	222'3-62	*12100	2506-56	12100	2511-46
3PRR00	12100	2506-52	26602	J03-56	26602	S28A-01
	26802	2350-43	29202	J034-56	*32000	J085-43
3PRR1ER	08700	2212-03	08700	2212-11	08700	2222-03
	08700	2223-39	*12100	2506-59	12100	2511-41
3PRR10	12100	2506-55	26602	J03-55	26602	S28A-02
	26802	2350-45	29202	J034-55	*32000	J085-45
3PRR2ER	08700	2212-24	08700	2222-11	08700	2223-35
	08700	2322-05	*12100	2506-62	12100	2511-43
3PRR20	12100	2506-60	26602	J03-54	26602	S28A-04
	26802	2350-47	29202	J034-54	*32000	J085-47
3PRW0ER	10900	2324-53	*12000	2505-51	12000	2511-06
3PRW00	12000	2505-47	26602	J03-62	26602	S29A-01
	26802	2350-04	29202	J034-62	*32000	J085-04
3PRW1ER	10900	2324-59	*12000	2505-56	12000	2511-04
3PRW10	12000	2505-54	26602	J03-61	26602	S29A-02
	26802	2350-05	29202	J034-61	*32000	J085-05



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3PRW2ER	10900	2324-56	*12000	2505-62	12000	2511-01
3PRW20	12000	2505-60	26602	J03-60	26602	S29A-04
	26802	2350-06	29202	J034-60	*32000	J085-06
3PRW3ER	10900	2324-64	*12000	2505-65	12000	2511-03
3PRW30	12000	2505-61	26602	J03-65	26602	S29B-01
	26802	2350-07	29202	J034-65	*32000	J085-07
3PRW4ER	10900	2324-71	*12000	2505-68	12000	2512-06
3PRW40	12000	2505-66	26602	J03-64	26602	S29B-02
	26802	2350-08	29202	J034-64	*32000	J085-08
3PRW5ER	10900	2324-77	*12000	2505-73	12000	2512-04
3PRW50	12000	2505-69	26602	J03-63	26602	S29B-04
	26802	2350-09	29202	J034-63	*32000	J085-09
3PVT CER	11200	2513-76	11200	2519-76	*12000	2502-73
	12000	2510-31				
3PVT CR	28101	J023-38	*31301	J073-38		
3PVTC0	12000	2502-69	26101	J03-24	*26101	S13-3B
	26101	S13-4B	26802	2250-37	26803	1105-73
	26803	1303-37	28101	J023-37	31301	J073-37
3PVTC0	*27102	J003-73	29900	J046-24		
3PV00ER	11200	2509-14	11200	2509-27	*12000	2506-65
	12000	2512-15				
3PV00R	28101	J023-30	*31301	J073-30		
3PV000	12000	2506-61	26502	J03-32	26502	S15-01
	26802	2250-29	26803	1105-69	26803	1303-29
	28101	J023-29	*31301	J073-29		
3PV000-	*27102	J003-69	29900	J046-32		
3PV01ER	11200	2509-10	11200	2509-26	*12000	2506-68
	12000	2512-17				
3PV01R	28101	J023-32	*31301	J073-32		
3PV010	12000	2506-66	26502	J03-31	26502	S15-02
	26802	2250-31	26803	1105-70	26803	1303-31
	28101	J023-31	*31301	J073-31		
3PV010-	*27102	J003-70	29900	J046-31		
3PV02ER	11200	2509-08	11200	2509-24	*12000	2502-65
	12000	2510-34				
3PV02R	28101	J023-34	*31301	J073-34		
3PV020	12000	2502-61	26502	J03-30	26502	S15-04
	26802	2250-33	26803	1105-71	26803	1303-33
	28101	J023-33	*31301	J073-33		
3PV020-	*27102	J003-71	29900	J046-30		
3PV03ER	11200	2509-30	11200	2519-74	*12000	2502-68
	12000	2510-30				
3PV03R	28101	J023-36	*31301	J073-36		
3PV030	12000	2502-66	26502	J03-29	26502	S15-08
	26802	2250-35	26803	1105-72	26803	1303-35
	28101	J023-35	*31301	J073-35		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3PV030-	*27102	J003-72	29900	J046-29		
3QB00JQ	07701	2225-43	07701	2233-37	07701	2237-76
	*07701	2344-42	11800	2408-68	11800	2417-72
	11800	2417-77	119a0	2408-47		
3QB00KQ	*07701	2344-39	11800	2409-11	11800	2509-52
	11800	2509-68				
3QB01JQ	*07701	2225-56	07701	2233-35	08502	2237-65
	08502	2342-04	12200	2332-73	12200	2516-49
3QB01KQ	*07701	2225-51	08400	2228-64		
3QB02AV	*07701	2236-37	07701	2344-33		
3QB020	07701	2236-35	*07701	2240-57	07701	2344-36
3QB03A	*07701	2233-39	07701	2238-76		
3QB04AV	*07701	2236-49	07701	2237-68	09000	2332-40
3QB04R	07701	2236-17	07701	2236-20	07701	2236-21
	07701	2236-23	07701	2236-27	07701	2236-38
	07701	2236-39	07701	2236-76	*07701	2237-80
	07701	2238-78	08400	2224-26	11100	2224-78
3QB04S	07701	2236-47	07701	2237-78	*07701	2238-80
	07800	2412-03	08200	2332-43	10700	2410-03
3QB06AV	07600	2412-17	*07701	2236-25	08100	2410-43
	08100	2412-43	08400	2224-31	08400	2225-17
3QB07AV	*07701	2236-18	08400	2224-43	08400	2225-03
	08400	2225-31	09500	2220-03	09500	2220-17
3QB08AV	*07701	2236-14	08200	2219-31	08200	2219-43
	08200	2220-31	09500	2219-03	09500	2224-03
3QB09AV	*07701	2236-19	10500	2209-31	10500	2209-43
	10500	2411-03	10600	2209-55	10600	2209-71
3QB10AV	*07701	2236-26	09500	2219-17	11100	2219-71
	11100	2220-71	11100	2225-71	11900	2411-71
3QB11AV	*07701	2236-40	08300	2332-07	08502	2219-55
	11000	2411-31	11000	2412-31	11900	2341-38
3QB12AV	*07701	2236-42	08502	2322-17	08900	2222-65
	09000	2322-71	09700	2322-43	09700	2322-55
	11700	2332-55				
3QB13A	*07701	2237-66	08100	2423-04	09400	2344-71
	09400	2423-43	10600	2423-17	10600	2423-31
	11700	2240-38				
3QB14AV	*07701	2236-78	07800	2423-55	11900	2102-54
3QCD0A	08400	2218-19	*08400	2'229-01		
3QCD10	*08400	2218-21	08400	2228-54	08400	2341-30
3QCD2A	08400	2218-14	*08400	2221-57		
3QCD3A	08400	2228-55	08502	2227-49	*08502	2239-11
3QCD4A	08400	2228-60	08502	2237-07	*08502	2239-45
3QCD40	*08502	223'7-09	08502	2247-57		
3QCD5A	08400	2228-62	*08400	2239-59		
3QCD6A	08400	2224-54	*08400	2237-15		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3QCD60	08400	2103-64	08400	2224-45	*08400	2228-57
	08400	2237-11				
3QCD7AV	*08502	2236-24	08502	2239-08	08502	2239-46
3QCL1A	*08400	2228-59	08400	2237-18	08400	2238-18
	09000	2212-76	09000	2332-31		
3QCL10	08400	2224-19	08400	2225-26	*08400	2237-14
	08501	2231-54	08501	2243-40	08501	2243-54
	08501	2244-14	08502	2247-54	08502	2322-21
	08503	2246-66	08503	2247-26	08503	2247-40
	08502	2343-14	08503	2242-66	08503	2246-54
3QCL2A	*08400	2228-45	08400	2238-24		
3QCL20	08400	2224-40	08400	2225-19	*08400	2238-22
	08501	2215-54	08501	2231-78	08501	2242-40
	08501	2242-54	08502	2242-78	08502	2246-40
	08503	2243-78	08503	2245-66	08503	2245-78
	08503	2246-14	08503	2246-26		
3QCL3A	*08400	2228-47	08400	2238-11	08400	2402-17
3QCL30	08400	2224-33	08400	2225-40	*08400	2238-15
	08501	2243-14	08501	2243-26	08501	2245-54
	08501	2247-14	08502	2244-78	08502	2245-40
	08503	2244-40	08503	2244-54	08503	2244-66
	08503	2245-14	08503	2245-26		
3QCL4A	08400	2238-05	08400	2239-34	*08400	2341-33
3QCL50	08400	2225-33	08400	2237-64	*08400	2238-01
3QCL60	*08400	2238-14	08502	2219-61	08502	2219-64
	08502	2220-61	08502	2220-64	08502	2225-61
	08502	2225-64				
3QCL8A	08400	2238-13	*08400	2240-11		
3QC01JQ	*08400	2224-25	08400	2237-26	12500	2526-72
3QC01KQ	*08400	2224-27	08400	2228-66	08400	2239-61
3QC02JQ	*08400	2225-25	08400	2228-68	08400	2341-31
	12500	2526-70				
3QC02KQ	*08400	2225-27	08400	2228-48	08400	2239-66
3QC03JQ	*08400	2224-42	08400	2228-46	08400	2341-34
	12500	2526-69				
3QC03KQ	*08400	2224-39	08400	2228-52	08400	2239-68
	08400	2240-10	08400	2402-19		
3QC04JQ	*08400	2225-42	08400	2237-49	08400	2240-08
	12500	2526-71				
3QC04KQ	08300	2233-68	08300	2239-54	08300	2332-05
	*08400	2225-39	08400	2238-04	08400	2238-42
	08400	2239-30	08400	2239-40	08400	2239-70
3QC05KQ	08400	2218-18	*08400	2224-51		
3QC06A	*08400	2237-22	08400	2238-08		
3QC07R	*08400	2237-06	08400	2238-10		
3QC07S	07800	2240-66	08400	2228-79	08400	2237-10

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3QD1C0	*08400	2238-06	09100	2232-66	09600	2227-55
	*08300	2237-39	08300	2332-06	08503	2247-77
	08503	2342-23	08503	2342-37	08503	2343-23
	08503	2343-37				
3QD1HJQ	08300	2332-13				
3QD1HKQ	08300	2233-70	08300	2238-17	08300	2238-34
	*08300	2332-11	11200	2509-31		
3QD1LA	*08300	2238-39	08503	2247-78	08503	2342-26
	08503	2342-40	08503	2343-26	08503	2343-40
3QD1L0	*08300	2233-66	08300	2238-35		
3QD12R	*08300	2237-30	08300	2238-36		
3QD12S	08300	2237-36	*08300	2238-30	08400	2221-62
	08503	2337-70				
3QD13R	*08300	2237-33	08300	2238-19	08300	2238-31
	08400	2225-08	08400	2239-37		
3QD13S	08300	2237-31	*08300	2238-33		
3QD140	*08300	2238-21	08300	2338-76		
3QD15A	*08300	2201-39	08300	2227-34		
3QD150	08300	2103-47	*08300	2227-30	08400	2225-35
	08400	2237-62				
3QD16A	*08300	2103-51	08300	2332-03		
3QDRL0	*08400	2237-46	08501	2242-14	08501	2242-26
	08501	2243-66	08501	2244-26		
3QDR1A	08400	2237-48	*08400	2239-35		
3QDR2A	08400	2237-50	*08400	2239-33		
3QDR4A	08400	2237-54	*08400	2238-38		
3QDR40	*08400	2237-52	08502	2247-66	08502	2342-14
3QDR5A	*08400	2237-60	08400	2238-40	08400	2239-38
3QDSCKQ	*08400	2225-11	08400	2239-42		
3QE00A	*07701	2237-45	13101	1343-74	26802	2250-39
	26803	1303-39	28102	J023-39	31301	J073-39
3QE00R	*28102	J023-40	31301	J073-40		
3QE002C	07701	2237-41	*07701	2339-66		
3QE02A	07701	2339-64	*08400	2237-51		
3QE030	08400	2237-47	*08400	2238-51		
3QE04A	*08400	2103-60	08400	2238-47		
3QE050	*07701	2140-46	07701	2238-41		
3QE06A	*07701	2238-45	07701	2339-57		
3QMCS0	*08502	2238-69	08502	2329-76		
3QMTRJQ	08502	2334-62	*08502	2344-13		
3QMTSJQ	08502	2334-54	*08502	2344-25		
3QM00TA	08503	2244-34	*08503	2334-73		
3QM01TB	08503	2244-30	*08503	2334-79		
3QM02TC	08503	2244-29	*08503	2334-74		
3QM03TD	08503	2244-31	*08503	2334-80		
3QM04TA	08503	2245-06	*08503	2335-55		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3QM05TB	08503	2245-04	*08503	2335-61		
3QM06TC	08503	2245-01	*08503	2335-60		
3QM07TD	08503	2245-03	*08503	2335-63		
3QM08TA	08503	2244-48	*08503	2335-73		
3QM09TB	08503	2244-46	*08503	2335-79		
3QM10TC	08503	2244-41	*08503	2335-74		
3QM11TD	08503	2244-43	*08503	2335-80		
3QM12TA	08503	2245-20	*08503	2336-55		
3QM13TB	08503	2245-18	*08503	2336-61		
3QM14TC	08503	2245-15	*08503	2336-60		
3QM15TD	08503	2245-17	*08503	2336-63		
3QM16TA	08503	2244-60	*08503	2337-73		
3QM17TB	08503	2244-57	*08503	2337-79		
3QM18TC	08503	2244-53	*08503	2337-74		
3QM19TD	08503	2244-55	*08503	2337-80		
3QM20TA	08501	2242-06	*08501	2333-73		
3QM21TB	08501	2242-04	*08501	2333-79		
3QM22TC	08501	2242-01	*08501	2333-74		
3QM23TD	08501	2242-03	*08501	2333-80		
3QM24TA	08501	2243-60	*08501	2331-55	12100	2337-51
3QM25TB	08501	2243-57	*08501	2331-61	12100	2337-56
3QM26TC	08501	2243-53	*08501	2331-60	12100	2337-54
3QM27TD	08501	2243-55	*08501	2331-63		
3QM28TA	08501	2242-20	*08501	2331-73		
3QM29TB	08501	2242-18	*08501	2331-79		
3QM30TC	08501	2242-15	*08501	2331-74		
3QM31TD	08501	2242-17	*08501	2331-80		
3QM32TA	08501	2244-20	*08501	2333-55		
3QM33TB	08501	2244-18	*08501	2333-61		
3QM34TC	08501	2244-15	*08501	2333-60		
3QM35TD	08501	2244-17	*08501	2333-63		
3QM36TA	05900	1123-11	08502	2239-06	*08502	2329-73
	26802	1301-67	26802	2351-67		
3QM37TB	05900	1123-15	08502	2239-43	*08502	2329-79
	26802	1301-69	26802	2351-69		
3QM38TC	08502	2247-53	*08502	2329-74		
3QM39TD	08502	2247-55	*08502	2329-80		
3QM40TA	08502	2236-22	08502	2237-74	*08502	2334-55
	09800	2236-29	09800	2332-19		
3QM41TB	08400	2221-60	08502	2239-10	08502	2239-48
	*08502	2334-61				
3QM42TC	*08502	2334-60	08502	2342-01		
3QM420V	*08502	2308-34	08502	2344-19		
3QM43TD	*08502	2334-63	08502	2342-03		
3QM430V	*08502	2308-37	08502	2344-05		
3QSCA0	*08300	2233-52				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3QSCB0	*08300	2233-46				
3QSCC0	*08300	2233-45				
3QSCD0	*08300	2233-51	08502	2219-60	08502	2220-60
	08502	2225-60	08502	2322-20	08502	2344-06
	08502	2344-20	12200	2410-60		
3QSCEB	*08300	2233-45	*08300	2233-46	*08300	2233-52
	08501	2215-49	08501	2231-49	08501	2231-77
	08501	2242-09	08501	2242-23	08501	2242-37
	08501	2242-49	08501	2243-09	08501	2243-23
	08501	2243-37	08501	2243-49	08501	2243-63
	08501	2244-09	08501	2244-23	08501	2245-49
	08501	2247-09	08502	2242-77	08502	2244-77
	08502	2245-37	08502	2246-37	08502	2247-49
	08502	2247-63	08502	2342-09	08502	2343-09
	08503	2242-63	08503	2243-77	08503	2244-37
	08503	2244-49	08503	2244-63	08503	2245-09
	08503	2245-23	08503	2245-63	08503	2245-77
	08503	2246-09	08503	2246-23	08503	2246-49
	08503	2246-63	08503	2247-23	08503	2247-37
	12500	2526-77				
3QTCNJQ	*08300	2224-68	08300	2229-53	08300	2229-79
3QTC10	08300	2103-49	08300	2231-63	*08300	2233-60
	08400	2224-20	08400	2224-34	08400	2225-06
	08400	2225-20	08400	2225-34	09000	2231-23
3QTC2A	*08300	2229-72	08300	2233-71		
3QTC20	*08300	2233-72	09000	2231-26		
3QTC4A	*08300	2229-75	08300	2233-53		
3QTC5R	*08300	2229-57	08300	2233-55		
3QTC5S	08300	2201-37	08300	2229-55	08300	2231-59
	*08300	2233-57	08400	2225-10	08400	2228-50
	08400	2228-56	08400	2228-70	08400	2239-36
	08400	2240-06	08502	2344-14	08502	2344-24
3QTC60	08300	2201-35	08300	2229-59	*08300	2233-75
	08400	2225-14	08400	2228-49	08400	2239-31
	08502	2344-10	08502	2344-22		
3QTC7R	*08300	2229-63	08300	2233-61	19600	2127-72
	20400	2111-71	20400	2112-26	26802	2349-61
	26803	2148-61	27302	J005-61	27302	J086-61
3QTC7RR	*27302	J005-62	27302	J086-62		
3QTC7S	08300	2229-61	*08300	2233-63		
3QTC8A	*08300	2229-69	08300	2239-49		
3QTC9A	08300	2237-29	08300	2237-34	*08300	2239-47
3QTD00	08700	2222-25	08700	2222-36	08700	2222-37
	08700	2222-50	*08700	2237-01		
3QT00A	08600	2234-46	*08700	2229-27	08700	2233-76
	08700	2237-04	08800	2233-34	08900	2406-70

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3QT000	08600	2223-04	08600	2223-05	08600	2223-06
	08600	2223-11	08600	2229-19	08800	2223-17
	08800	2223-21	08800	2223-27	08800	2223-38
	*08800	2233-30				
3QT000E	08300	2229-71	*08300	2231-61	08300	2233-77
	08700	2222-20	08700	2229-23		
3QT011E	08300	2229-65	*08300	2231-65		
3QT02A	*08300	2201-57	08300	2224-55		
3QT022E	08300	2201-53	08300	2229-73	*08300	2231-68
3QT033E	*08300	2231-64	08300	2239-52		
3QWJMA	08502	2227-47	08502	2236-62	*08502	2237-69
3QWJM0V	*08502	2236-60	08502	2342-06		
3QWR10	*08502	2227-51	08502	2247-60		
3QW003E	*08503	2247-76	08503	2334-69		
3QW012E	*08503	2247-80	08503	2334-75		
3QW021E	*08503	2247-79	08503	2334-70		
3QW030E	*08503	2247-75	08503	2334-76		
3QW043E	08503	2335-51	*08503	2343-24		
3QW052E	08503	2335-57	*08503	2343-25		
3QW061E	08503	2335-54	*08503	2343-27		
3QW070E	08503	2335-62	*08503	2343-21		
3QW083E	08503	2335-69	*08503	2342-24		
3QW092E	08503	2335-75	*08503	2342-25		
3QW101E	08503	2335-70	*08503	2342-27		
3QW110E	08503	2335-76	*08503	2342-21		
3QW123E	08503	2336-51	*08503	2342-38		
3QW132E	08503	2336-57	*08503	2342-42		
3QW141E	08503	2336-54	*08503	2342-39		
3QW150E	08503	2336-62	*08503	2342-35		
3QW163E	08503	2337-69	*08503	2343-38		
3QW172E	08503	2337-75	*08503	2343-42		
3QW190E	08503	2337-76	*08503	2343-35		
3QW203E	*08501	2242-10	08501	2243-06	08501	2245-45
3QW212E	*08501	2242-13	08501	2243-04		
3QW221E	*08501	2242-11	08501	2243-01		
3QW230E	*08501	2242-07	08501	2243-03		
3QW243E	08501	2242-05	*08501	2243-64	08501	2247-06
3QW252E	*08501	2243-68	08501	2247-04		
3QW261E	*08501	2243-65	08501	2247-01		
3QW270E	*08501	2243-61	08501	2247-03		
3QW283E	*08501	2242-24	08501	2243-20	08501	2243-59
3QW292E	*08501	2242-25	08501	2243-18		
3QW301E	*08501	2242-27	08501	2243-15		
3QW310E	*08501	2242-21	08501	2243-17		
3QW323E	08501	2242-19	*08501	2244-24	08501	2245-48
3QW332E	*08501	2244-25	08501	2245-46		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3QW341E	*08501	2244-27	08501	2245-41		
3QW350E	*08501	2244-21	08501	2245-43		
3QW363E	08502	2244-72	08502	2245-33	*08502	2247-64
3QW372E	08502	2244-70	*08502	2247-68		
3QW381E	08502	2244-69	*08502	2247-65		
3QW390E	08502	2244-71	*08502	2247-61		
3QW403E	08502	2245-34	08502	2247-59	*08502	2342-10
3QW412E	07701	2225-54	08502	2245-30	*08502	2342-13
3QW421E	08502	2245-29	*08502	2342-11		
3QW430E	08502	2245-31	*08502	2342-07		
3QX003E	08503	2243-72	*08503	2244-38	08503	2245-59
3QX012E	08503	2243-70	*08503	2244-42		
3QX021E	08503	2243-69	*08503	2244-39		
3QX030E	08503	2243-71	*08503	2244-35		
3QX043E	08503	2244-33	*08503	2245-10	08503	2246-06
3QX052E	*08503	2245-13	08503	2246-04		
3QX061E	*08503	2245-11	08503	2246-01		
3QX070E	*08503	2245-07	08503	2246-03		
3QX083E	*08503	2244-52	08503	2245-05	08503	2245-60
3QX092E	*08503	2244-56	08503	2245-57		
3QX101E	*08503	2244-51	08503	2245-53		
3QX110E	*08503	2244-47	08503	2245-55		
3QX123E	08503	2244-45	*08503	2245-24	08503	2246-20
3QX132E	*08503	2245-25	08503	2246-18		
3QX141E	*08503	2245-27	08503	2246-15		
3QX150E	*08503	2245-21	08503	2246-17		
3QX163E	*08503	2244-64	08503	2245-19	08503	2245-72
3QX172E	*08503	2244-68	08503	2245-70		
3QX181E	*08503	2244-65	08503	2245-69	12200	2410-66
3QX190E	*08503	2244-61	08503	2245-71		
3QX203E	08501	2242-34	*08501	2243-10	08501	2244-19
	12500	2338-07				
3QX212E	08501	2242-30	*08501	2243-13		
3QX221E	08501	2242-29	*08501	2243-11		
3QX230E	08501	2242-31	*08501	2243-07		
3QX243E	08501	2231-72	08501	2243-05	*08501	2247-10
3QX252E	08501	2231-70	*08501	2247-13		
3QX261E	08501	2231-69	*08501	2247-11		
3QX270E	08501	2231-71	*08501	2247-07		
3QX283E	08501	2242-48	*08501	2243-24	08501	2247-05
3QX292E	08501	2242-46	*08501	2243-25		
3QX301E	08501	2242-41	*08501	2243-27		
3QX310E	08501	2242-43	*08501	2243-21		
3QX323E	08501	2215-48	08501	2243-19	*08501	2245-52
3QX332E	08501	2215-46	*08501	2245-56		
3QX341E	08501	2215-41	*08501	2245-51		



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3QX350E	08501	2215-43	*08501	2245-47		
3QX363E	08502	2242-72	*08502	2244-76	08502	2246-33
3QX372E	*08500	2244-80	08502	2242-70		
3QX381E	08502	2242-69	*08502	2244-79		
3QX390E	08502	2242-71	*08502	2244-75		
3QX403E	08502	2244-73	*08502	2245-38	08502	2246-34
3QX412E	*08502	2245-42	08502	2246-30		
3QX421E	*08502	2245-39	08502	2246-29		
3QX430E	*08502	2245-35	08502	2246-31		
3QY003E	08503	2242-55	*08503	2243-76	08503	2244-59
	08503	2246-48	12500	2338-11		
3QY012E	*08503	2243-80	08503	2246-46		
3QY021E	08503	2242-60	*08503	2243-79	08503	2246-41
3QY030E	*08503	2243-75	08503	2246-43		
3QY043E	08502	2343-06	08503	2243-73	*08503	2246-10
	08503	2247-20				
3QY052E	*08503	2246-13	08503	2247-18		
3QY061E	08502	2343-04	*08503	2246-11	08503	2247-15
3QY070E	*08503	2246-07	08503	2247-17		
3QY083E	*08503	2245-64	08503	2246-05	08503	2246-60
3QY092E	*08503	2245-68	08503	2246-57		
3QY101E	*08503	2245-65	08503	2246-53		
3QY110E	*08503	2245-61	08503	2246-55		
3QY123E	08503	2242-59	*08503	2246-24	08503	2247-34
3QY132E	*08503	2246-25	08503	2247-30		
3QY141E	*08503	2246-27	08503	2247-29		
3QY150E	*08503	2246-21	08503	2247-31		
3QY163E	08502	2220-59	08502	2236-69	*08503	2245-76
	08503	2246-19				
3QY172E	08503	2242-57	*08503	2245-80		
3QY181E	08502	2220-63	08503	2242-53	*08503	2245-79
3QY203E	08501	2231-45	*08501	2242-38	08501	2243-34
3QY212E	*08501	2242-42	08501	2243-30		
3QY221E	*08501	2242-39	08501	2243-29		
3QY230E	*08501	2242-35	08501	2243-31		
3QY243E	*08501	2231-76	08501	2242-33	08501	2244-06
3QY252E	*08501	2231-80	08501	2244-04		
3QY261E	*08501	2231-79	08501	2244-01		
3QY270E	*08501	2231-75	08501	2244-03		
3QY283E	08501	2231-73	*08501	2242-52	08501	2243-48
3QY292E	*08501	2242-56	08501	2243-46		
3QY301E	*08501	2242-51	08501	2243-41		
3QY310E	*08501	2242-47	08501	2243-43		
3QY323E	*08501	2215-52	08501	2231-48	08501	2242-45
3QY332E	*08501	2215-56	08501	2231-46		
3QY341E	*08501	2215-51	08501	2231-41		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3QY350E	*08501	2215-47	08501	2231-43		
3QY363E	08502	2225-59	08502	2236-79	*08502	2242-76
	08502	2247-45				
3QY372E	08502	2219-59	08502	2236-73	*08502	2242-80
3QY381E	*08502	2242-79	08502	2343-01		
3QY390E	*08502	2242-75	08502	2343-03		
3QY403E	08502	2242-73	*08502	2246-38	08502	2247-48
3QY412E	*08502	2246-42	08502	2247-46	08502	2322-19
3QY421E	*08502	2246-39	08502	2247-41		
3QY430E	*08502	2246-35	08502	2247-43		
3QZ1TAV	09100	2201-59	*09100	2236-72		
3QZ11AV	08502	2220-66	*08502	2236-70		
3QZ12JQ	*08502	2220-68	09100	2102-30		
3QZ12KQ	*08502	2220-65	09600	2207-64		
3QZJMAV	09600	2218-42	*09600	2236-68		
3QZRQAV	09600	2218-37	*09600	2236-77		
3QZRQ0	*08502	2237-21	08502	2313-35	09600	2236-75
3QZRSJQ	*08502	2219-68	09400	2103-13	09400	2103-25
3QZRSKQ	*08502	2219-65	08502	2237-17	09100	2216-49
3QZR2A	08502	2237-19	09100	2216-41	*09400	2222-63
3QZR2JQ	*08502	2225-68	08502	2227-70	09100	2232-70
	09400	2104-05	09400	2104-13	09400	2104-55
	09400	2222-59				
3QZR3AV	08502	2225-66	*08502	2236-80		
3QZR4AV	08502	2219-66	*08502	2236-71		
3QZSSAV	08200	2217-62	*08200	2223-71	08200	2227-64
3QZSSJQ	07800	2240-70	*08502	2322-25	11700	2201-49
	11700	2232-48				
3QZSSKQ	08200	2220-38	*08502	2322-27	09600	2218-40
3QZSS0V	07800	2408-54	07800	2412-14	08200	2217-74
	08200	2219-36	08200	2219-49	08200	2220-37
	08200	2221-66	08200	2223-73	*08200	2236-57
3QZ003E	*08503	2246-52	10000	2214-21	11303	2338-41
	11303	2435-18	11304	2431-34	12500	2526-73
3QZ012E	*08503	2246-56	10000	2214-19	10300	2235-34
	11303	2337-09	11303	2434-18	11304	2429-34
3QZ021E	*08503	2246-51	10000	2214-17	11303	2337-25
	11303	2433-18	11304	2428-34		
3QZ030E	*08503	2246-47	10000	2214-15	10300	2235-19
	11303	2337-41	11303	2432-18	11304	2427-34
3QZ043E	08503	2246-45	*08503	2247-24	10000	2214-35
	11303	2336-09	11303	2431-18	11304	2435-47
3QZ052E	*08503	2247-25	10000	2214-33	10300	2210-34
	11303	2336-25	11303	2429-18	11304	2434-47
3QZ061E	*08503	2247-27	10000	2214-31	11303	2336-41
	11303	2428-18	11304	2433-47		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3QZ070E	*08503	2247-21	10000	2214-29	10300	2210-19
	11303	2335-09	11303	2427-18	11304	2432-47
3QZ083E	*08503	2246-64	08503	2247-19	10000	2214-47
	11303	2335-25	11303	2435-34	11305	2431-47
3QZ092E	*08503	2246-68	10000	2214-45	11303	2335-41
	11303	2434-34	11305	2429-47		
3QZ101E	*08503	2246-65	10000	2214-43	11304	2334-09
	11304	2433-34	11305	2428-47		
3QZ110E	*08503	2246-61	10000	2214-41	11304	2334-25
	11304	2432-34	11305	2427-47		
3QZ123E	08503	2246-59	*08503	2247-38	10100	2340-74
	11307	2318-09				
3QZ132E	*08503	2247-42	11301	2308-65	11308	2317-41
3QZ141E	*08503	2247-39	10000	2207-34	10000	2207-40
	11302	2413-59	11302	2413-77	11307	2321-09
3QZ150E	*08503	2247-35	09100	2236-74	09300	2313-47
3QZ172E	*08503	2242-68	10300	2308-59	10300	2308-69
	10400	2304-18	10400	2304-24	10400	2304-52
3QZ181E	*08503	2242-65	09100	2102-31	09100	2218-74
	09100	2221-77	09300	2313-62	09600	2201-54
3QZ203E	08501	2215-45	*08501	2243-38	08600	2234-10
	11304	2331-15	12500	2338-09		
3QZ212E	*08501	2243-42	08600	2234-08	11304	2331-31
3QZ221E	*08501	2243-39	08600	2234-06	11304	2331-45
3QZ230E	*08501	2243-35	08600	2234-04	08800	2229-70
	11304	2329-15				
3QZ243E	08501	2243-33	*08501	2244-10	08600	2234-24
	08800	2229-62	11305	2329-31		
3QZ252E	*08501	2244-13	08600	2234-22	08800	2234-60
	11305	2329-45				
3QZ261E	*08501	2244-11	08600	2234-20	08800	2234-57
	11305	2328-15				
3QZ270E	*08501	2244-07	08600	2234-18	08800	2234-76
	11305	2328-31				
3QZ283E	*08501	2243-52	08501	2244-05	08600	2234-38
	08800	2234-74	11306	2328-45		
3QZ292E	*08501	2243-56	08600	2234-36	08800	2234-72
	11306	2327-15				
3QZ301E	*08501	2243-51	08600	2234-34	08800	2234-70
	11306	2327-31				
3QZ310E	*08501	2243-47	08600	2234-30	08800	2211-52
	11306	2327-45				
3QZ323E	*08501	2231-52	08501	2243-45	08600	2234-52
	08800	2211-50	11306	2326-15		
3QZ332E	*08501	2231-56	08600	2234-50	08800	2211-48
	11306	2326-31				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3QZ341E	*08501	2231-51	08600	2234-48	08800	2211-46
	11306	2326-45				
3QZ38A	09700	2103-65	*09700	2238-27		
3QZ381E	*08502	2343-11	09300	2313-48	09700	2103-73
	09700	2238-25				
3QZ390E	*08502	2343-07	09300	2313-18		
3QZ403E	*08502	2247-52	08502	2343-05	09100	2232-61
	09300	2313-23	09600	2236-65		
3QZ412E	07800	2240-68	08200	2219-47	08200	2220-35
	*08502	2247-56				
3QZ421E	*08502	2247-51	08502	2313-34		
3QZ430E	*08502	2247-47	08502	2313-71		
3Q0000E	*08503	2242-61	10300	2235-31		
3Q0023E	*08503	2242-64	08503	2247-33	10300	2235-23
3Q0043E	08502	2342-05	*08502	2343-10	10300	2210-31
	12500	2338-18				
3Q0062E	*08502	2343-13	10300	2210-23		
3RC01JQ	*11100	2220-80	11100	2225-73	11100	2237-71
	11100	2239-55	11309	2203-54	11309	2420-08
3RC01KQ	*11100	2220-79	11100	2225-78	11100	2241-65
	11309	2422-46				
3RC02JQ	11100	2220-78	*11100	2225-80	11100	2237-73
	11309	2422-48				
3RC02KQ	11100	2220-75	*11100	2225-79	11100	2239-60
	11100	2241-74	11306	2419-07	11309	2420-13
3RC03A	11100	2224-71	*11100	2237-72	11309	2241-77
3RC030	*11309	2241-75	11309	2424-43	11700	2238-77
	11700	2341-60				
3RC04A	11100	2238-62	*11100	2241-69	11301	2238-68
3RC040	*11301	2238-66	11301	2424-19		
3RC05A	*11100	2238-60	11100	2241-73	11400	2304-78
3RC060	11100	2238-64	*11100	2241-80		
3RC070	11100	2220-72	11100	2225-72	*11100	2241-72
3RC08A	11100	2241-71	*11100	2341-45		
3RC09A	11700	2202-19	*11700	2341-57		
3RC10A	11700	2203-35	*11700	2238-75		
3RC11A	10700	2417-31	*11100	2304-33		
3RC12A	09600	2218-30	10700	2419-25	*11100	2241-39
	12500	2528-69				
3RC120	11100	2239-62	11100	2241-35	*11100	2341-59
	11301	2424-17	11309	2232-77	11309	2313-59
3RDCTJQ	08900	2102-75	*11100	2219-80	11100	2220-73
	11100	2224-73	11100	2341-46	11200	2513-49
	11200	2513-61	11200	2513-78	11200	2513-79
3RDCTKQ	08900	2222-64	11000	2411-40	11000	2422-38
	*11100	2219-79	11100	2231-34	11200	2504-50

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3RDRQJQ	11200	2504-62	11200	2518-74	11700	2101-01
	05900	1123-09	06600	2140-17	06800	2143-76
	*11100	2224-80	12500	2528-70	26802	1301-57
	26802	2351-57				
3RDRQKQ	*11100	2224-79	11100	2341-43		
3RD00A	11100	2241-50	*11100	2341-23		
3RD010	*11100	2237-63	11100	2341-24		
3RD02A	11100	2237-59	*11100	2241-45		
3RD03A	11100	2237-61	*11100	2241-51		
3RD04AV	*11100	2236-08	11100	2241-43	11200	2516-62
3RD05AV	*11100	2236-03	11100	2241-41		
3RD050	11100	2236-04	*11100	2237-57	11100	2241-49
3RD06AV	*11100	2236-01	11100	2237-53	11200	2516-55
3RD07AV	*11100	2236-07	11100	2237-55	11200	2516-60
3RD08A	11000	2411-38	11100	2241-68	*11100	2341-21
3RD080	11000	2411-33	11000	2412-33	11000	2422-37
	11100	2238-07	*11100	2241-66	12500	2528-71
3RD09A	*11100	2239-57	11100	2241-29		
3RD090	*11100	2241-33	11309	2424-20		
3RD13A	11100	2219-76	*11100	2228-21	11100	2231-30
	11100	2341-61				
3RD130	11100	2219-75	11100	2228-14	*11100	2241-60
	12500	2528-72				
3RD14A	*11100	2228-33	11100	2237-25	11100	2241-62
	11100	2341-05	11100	2341-10		
3RD15A	*11100	2239-09	11100	2241-64		
3RD160	11100	2228-34	11100	2231-31	*11100	2241-52
	11301	2312-65				
3RD170	11100	2231-29	11100	2239-05	*11100	2241-46
	11100	2304-30	,1301	2312-76	11301	2435-72
3RD18A	*11100	2240-47	11100	2241-54		
3RD19A	*11100	2240-45	11100	2241-48		
3RD20A	11100	2236-50	*11100	2238-09	11100	2241-56
3RD200V	*11100	2236-48	11100	2341-25		
3RD21A	11100	2233-65	*11100	2237-38		
3RD210	11100	2228-31	*11100	2233-69	11100	2239-04
3RM003E	11100	2219-77	*11100	2231-38	11100	2341-66
3RM012E	*11100	2231-42	11100	2341-68		
3RM021E	*11100	2231-39	11200	2513-47	11700	2341-55
3RM030E	*11100	2231-35	11200	2513-59	11309	2232-78
	11309	2420-06	11700	2238-79		
3RZI1A	*11100	2341-11	11305	2241-24		
3RZI10	*11305	2241-22	11305	2329-30		
3RZI2A	*11100	2341-09	11304	2241-18		
3RZI20	*11304	2241-14	11304	2329-13		
3RZI3A	*11100	2237-27	11100	2241-17		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3RZI30	*11100	2241-21	11304	2331-13	11304	2331-30
	11304	2331-48				
3RZI5AV	08700	2322-03	*11100	2236-13	11100	2341-08
3TA003E	*12000	2510-10	12000	2523-47	12500	2338-03
3TA012E	*12000	2510-13	12000	2523-45		
3TA021E	*12000	2510-11	12000	2523-43		
3TA030E	*12000	2510-07	12000	2523-41		
3TA043E	12000	2510-05	*12000	2511-10	12000	2523-61
3TA052E	*12000	2511-13	12000	2523-59		
3TA061E	*12000	2511-11	12000	2523-55		
3TA070E	*12000	2511-07	12000	2523-53		
3TA083E	12000	2511-05	*12000	2512-10	12000	2515-47
3TA092E	07600	2413-46	*12000	2512-13		
3TA101E	*12000	2512-11	12000	2523-10		
3TA110E	*12000	2512-07	12000	2523-08		
3TA123E	*12000	2510-24	12000	2512-05	12000	2523-06
3TA132E	*12000	2510-25	12000	2523-04		
3TA141E	*12000	2510-27	12000	2523-24		
3TA150E	*12000	2510-21	12000	2523-22		
3TA163E	12000	2510-19	*12000	2511-24	12000	2523-20
3TA172E	*12000	2511-25	12000	2523-18		
3TA181E	*12000	2511-27	12000	2515-24		
3TA190E	08503	2337-71	*12000	2511-21		
3TA203E	12000	2511-19	*12000	2512-24	12400	2428-53
3TA212E	*12000	2512-25	12400	2428-59		
3TA221E	*12000	2512-27	12400	2428-56		
3TA23AV	12400	2402-23	*12400	2519-66	12400	2520-05
	12400	2522-10				
3TA230E	*12000	2512-21	12200	2411-47	12400	2519-64
	12400	2520-07	12400	2522-05		
3TA24A	12000	2519-55	*12000	2520-33		
3TA240V	08502	2334-56	*12000	2519-56		
3TA243E	08502	2334-64	*12000	2510-38	12000	2512-19
	12000	2520-29				
3TA252E	*12000	2510-42	12200	2516-14	12200	2516-37
3TA261E	08503	2336-64	*12000	2510-39		
3TA270E	*12000	2510-35	12200	2410-59		
3TA283E	12000	2510-33	*12000	2511-38	12300	2512-73
3TBJMA	12200	2409-48	*12200	2513-33		
3TBJM0	08502	2334-53	*12200	2409-46		
3TB003E	*12100	2512-38	12400	2513-68	12400	2516-24
	12400	2522-13	12500	2338-05		
3TB012E	08503	2520-42	*12100	2512-42	12400	2516-25
	12400	2520-11				
3TB021E	*12100	2512-39	12400	2520-19	12400	2520-25
3TB030E	*12100	2512-35	12400	2520-20	12400	2520-26

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3TB04AV	12100	2514-54	*12100	2519-63		
3TB043E	08501	2333-69	08503	2334-71	08503	2335-59
	08503	2335-72	*12100	2510-52	12100	2512-33
	12100	2514-36	12100	2519-61		
3TB052E	08501	2333-75	08503	2334-77	08503	2335-56
	08503	2335-78	*12100	2510-56		
3TB061E	08501	2333-70	08503	2334-72	08503	2335-64
	*12100	2510-51				
3TB070E	08501	2333-76	08503	2334-78	08503	2335-71
	*12100	2510-47				
3TB083E	08501	2331-51	08503	2335-53	08503	2335-77
	12100	2510-45	*12100	2511-52		
3TB092E	08501	2331-57	*12100	2511-56	12100	2515-38
3TB101E	08501	2331-54	*12100	2511-51	12100	2515-36
3TB110E	08501	2331-62	*12100	2511-47	12100	2515-34
3TB123E	08501	2331-69	12100	2511-45	*12100	2512-52
	12100	2515-30				
3TB132E	08501	2331-75	*12100	2512-56	12100	2515-05
3TB141E	08501	2331-70	*12100	2512-51	12100	2515-03
3TB150E	08501	2331-76	*12100	2512-47	12100	2515-01
3TB163E	08501	2333-51	*12100	2510-64	12100	2512-45
	12100	2523-33				
3TB172E	08501	2333-57	*12100	2510-68	12100	2523-31
3TB181E	08501	2333-54	*12100	2510-65	12100	2523-29
3TB190E	*12100	2510-61	12400	2516-04		
3TB20AV	12100	2514-56	*12100	2519-60		
3TB203E	*12100	2511-64	12100	2514-34	12100	2514-37
	12100	2519-62	12100	2522-25		
3TB212E	*12100	2511-68	12100	2522-17	12300	2514-18
3TB221E	*12100	2511-65	12200	2516-52	12300	2402-36
	12300	2514-20	12400	2519-39		
3TB230E	*12100	2511-61	12300	2336-69		
3TB243E	08300	2338-71	08502	2329-78	08503	2336-59
	*12100	2510-76	12100	2511-59		
3TB252E	08502	2329-72	08503	2336-53	*12100	2510-80
3TB26AV	12200	2411-64	12400	2402-25	*12400	2508-77
3TB261E	08300	2338-72	*12100	2510-79	12400	2508-75
	12400	2520-36				
3TB270E	*12100	2510-75	12200	2513-29		
3TB283E	12100	2510-73	*12100	2518-24		
3TC000	12300	2512-63	12300	2512-77	*12300	2513-57
	12300	2518-49				
3TC010	12100	2510-49	12100	2510-63	12100	2510-77
	12100	2511-49	12100	2511-63	12100	2512-37
	12100	2512-49	*12100	2514-76	12100	2518-23
3TC020	12000	2510-09	12000	2510-23	12000	2510-37

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	12000	2511-09	12000	2511-23	12000	2512-09
	12000	2512-23	*12000	2514-45		
3TC03A	*12100	2513-15	12100	2514-30	12100	2514-49
	12300	2408-55	12300	2514-14		
3TC030	12000	2510-08	12000	2510-22	12000	2510-36
	12000	2511-08	12000	2511-22	12000	2512-08
	12000	2512-22	12100	2510-74	12100	2511-62
	12100	2512-36	12100	2518-22	*12100	2522-60
3TC04R	12300	2408-53	*12300	2513-01	12300	2514-04
	12300	2514-19				
3TC04S	12300	2513-05	*12300	2514-09		
3TC050V	12300	2512-62	12300	2512-74	12300	2518-50
	*12300	2519-57				
3TC060	12100	2513-11	12100	2514-38	*12100	2520-57
3TC07AV	12300	2514-05	*12300	2519-53		
3TC070	*12300	2514-11	12300	2519-51		
3TC080	12000	2511-37	*12000	2514-59		
3TC09A	12100	2514-79	*12200	2513-22		
3TC10A	08400	2221-55	12300	2402-31	*12300	2408-57
	12300	2513-62				
3TC100	08300	2338-66	08400	2229-04	08502	2329-66
	08502	2334-49	08503	2334-66	08503	2335-49
	08503	2335-66	08503	2336-49	08503	2337-66
	09900	2317-66	11301	2522-42	12200	2410-73
	12200	2516-54	12300	2402-34	*12300	2513-60
3TC11A	12100	2401-25	12100	2510-78	12100	2511-66
	12100	2512-40	12100	2518-26	12100	2522-68
	*12300	2514-21				
3TC110	12100	2514-31	1,2100	2514-52	*12100	2522-66
	12200	2513-26	12400	2516-22		
3TC120	12100	2510-59	*12100	2516-76		
3TC13A	*12100	2514-35	12100	2516-75		
3TC14A	*12100	2514-33	12100	2516-77		
3TC15A	*12100	2514-47	12100	2516-78		
3TC160	*12100	2401-23	12100	2510-50	12100	2510-62
	12100	2511-50	12100	2512-50		
3TC170	07600	2413-42	12100	2520-34	12200	2332-71
	12200	2410-71	12200	2412-55	12200	2412-71
	*12300	2402-33				
3TC203E	12300	2429-53	12300	2431-51	*12300	2512-64
3TC212E	12300	2429-59	12300	2431-57	*12300	2512-68
3TC221E	12300	2429-56	12300	2431-54	*12300	2512-65
3TC230E	12300	2429-64	12300	2431-62	*12300	2512-61
3TC243E	12300	2429-71	12300	2431-69	12300	2512-59
	*12300	2518-52				
3TC252E	12300	2429-77	12300	2431-75	*12300	2518-56



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3TC261E	12300	2429-72	12300	2431-70	*12300	2518-51
3TC270E	12300	2429-78	12300	2431-76	*12300	2518-47
3TC283E	11301	2520-47	*12300	2512-76	12300	2518-45
3TC292E	11301	2522-40	*12300	2512-80		
3TC301E	12300	2336-75	*12300	2512-79		
3TC310E	12300	2336-70	*12300	2512-75		
3TD001N	07900	2427-51	*07900	2524-50		
3TD012N	07900	2427-57	*07900	2524-43		
3TD023N	07900	2427-54	*07900	2524-37		
3TD034N	07900	2427-62	*07900	2524-38		
3TD035N	*07900	2524-40	07900	2525-42		
3TD041N	07900	2427-69	*07900	2525-50		
3TD052N	07900	2427-75	*07900	2525-43		
3TD063N	07900	2427-70	*07900	2525-37		
3TD074N	07900	2427-76	*07900	2525-38		
3TD075N	07900	2524-74	*07900	2525-40		
3TD081N	07900	2428-69	*07900	2524-80		
3TD092N	07900	2428-75	*07900	2524-75		
3TD103N	07900	2428-70	*07900	2524-69		
3TD114N	07900	2428-76	*07900	2524-70		
3TD115N	*07900	2524-72	07900	2525-74		
3TD121N	07900	2520-50	*07900	2525-80		
3TD29AV	*07900	2519-54	07900	2524-76	07900	2525-45
3TD30AV	*07900	2519-49	07900	2524-45	07900	2524-77
	07900	2525-46	07900	2525-76		
3TD31AV	*07900	2519-48	07900	2524-41	07900	2524-73
	07900	2525-36				
3TD32AV	*07900	2519-46	07900	2524-36	07900	2524-68
	07900	2525-41				
3TE00TA	07900	2425-60	*07900	2427-55	12000	2523-07
	12000	2523-52				
3TE01TB	07900	2425-57	*07900	2427-61	12000	2523-05
	12000	2523-50				
3TE02TC	07900	2425-53	*07900	2427-60	12000	2523-03
	12000	2523-48				
3TE03TD	07900	2425-55	*07900	2427-63	12000	2523-01
	12000	2523-46				
3TE04TA	07900	2426-60	*07900	2427-73	12000	2523-21
	12000	2523-64				
3TE05TB	07900	2426-57	*07900	2427-79	12000	2523-19
	12000	2523-62				
3TE06TC	07900	2426-53	*07900	2427-74	12000	2523-17
	12000	2523-60				
3TE07TD	07900	2426-55	*07900	2427-80	12000	2523-15
	12000	2523-57				
3TE08TA	07900	2425-72	*07900	2428-73	12000	2515-21

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	12000	2515-52				
3TE09TB	07900	2425-70	*07900	2428-79		
3TE10TC	07900	2425-69	*07900	2428-74		
3TE11TD	07900	2425-71	*07900	2428-80		
3TE120	07900	2426-72	*07900	2522-45		
3TE13A	*07900	2520-46	07900	2522-41		
3TE14A	*07900	2520-45	07900	2522-43		
3TFACA	07600	2413-50	*07600	2516-69		
3TFAC1X	*07600	2413-36	07600	2419-65		
3TFASA	07600	2421-76	07900	2427-49	07900	2427-66
	07900	2428-66	07900	2519-45	07900	2520-41
	11301	2520-70	*11301	2522-38		
3TFAS0V	07600	2516-71	*07900	2519-43	07900	2520-48
	11301	2520-49				
3TFAZJQ	12200	2411-43	*12200	2412-68	12200	2513-31
	12200	2522-18	12300	2431-49	12300	2431-66
3TFAZKQ	*12200	2412-65	12400	2520-03		
3TFC0A	07600	2516-72	*07600	2520-60		
3TFC00E	*07600	2518-61	07600	2520-62		
3TFC11E	07600	2516-73	*07600	2518-65		
3TFD30	*12000	2522-52	12200	2410-75		
3TFD40	*12000	2522-46	12200	2410-77		
3TFSYJQ	*12200	2410-80	12200	2412-63	12200	2412-77
3TF001C	12000	2515-20	*12000	2523-11		
3TF002C	12000	2515-17	*12000	2523-14		
3TF011C	12000	2515-18	*12000	2523-27		
3TF012C	12000	2515-15	*12000	2523-26		
3TF021C	*12000	2515-27	12000	2522-54	12200	2412-59
3TF022C	*12000	2515-26	12000	2522-56	12200	2412-61
3TF031C	12000	2515-48	*12000	2523-51		
3TF032C	12000	2515-43	*12000	2523-54		
3TF041C	12000	2515-46	*12000	2523-65		
3TF042C	12000	2515-41	*12000	2523-66		
3TF051C	*12000	2515-51	12000	2522-48	12200	2412-73
3TF052C	*12000	2515-54	12000	2522-50	12200	2412-75
3TGCK0V	11900	2344-48	11900	2344-60	12200	2411-48
	12200	2411-60	*12200	2519-03	12400	2522-04
	12400	2522-31				
3TG00TA	*12300	2431-55	12300	2526-20		
3TG01TB	*12300	2431-61	12300	2526-18		
3TG02TC	*12300	2431-60	12300	2526-15		
3TG03TD	*12300	2431-63	12300	2526-17		
3TG04TA	*12300	2431-73	12300	2526-34		
3TG05TB	*12300	2431-79	12300	2526-30		
3TG06TC	*12300	2431-74	12300	2526-29		
3TG07TD	*12300	2431-80	12300	2526-31		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3TH003E	12300	2517-31	*12300	2526-24		
3TH012E	12300	2517-34	*12300	2526-25		
3TH021E	12300	2517-23	*12300	2526-27		
3TH030E	12300	2517-19	*12300	2526-21		
3TH043E	12300	2524-31	*12300	2526-38		
3TH052E	12300	2524-34	*12300	2526-42		
3TH061E	12300	2524-23	*12300	2526-39		
3TH070E	12300	2524-19	*12300	2526-35		
3T1AZJQ	12200	2410-55	*12200	2412-80	12400	2516-70
3T1AZKQ	*12200	2412-79	12300	2429-49	12300	2429-66
	12400	2516-01	12400	2520-04	12400	2522-03
3T1SP0V	12200	2412-66	*12300	2519-13		
3T1001N	12300	2431-53	*12300	2517-30		
3T1012N	12300	2431-59	*12300	2517-29		
3T1023N	12300	2431-56	*12300	2517-21		
3T1034N	12300	2431-64	*12300	2517-22		
3T1035N	*12300	2517-24	12300	2524-26		
3T1041N	12300	2431-71	*12300	2524-30		
3T1052N	12300	2431-77	*12300	2524-29		
3T1063N	12300	2431-72	*12300	2524-21		
3T1074N	12300	2431-78	*12300	2524-22		
3T1075N	12300	2519-11	*12300	2524-24		
3TJCT0	12400	2428-49	*12400	2516-11		
3TJ1LA	12400	2516-06	*12400	2520-01		
3TJRLA	12400	2516-10	*12400	2520-09		
3TJ00TA	*12400	2428-55	12400	2526-06		
3TJ01TB	*12400	2428-61	12400	2526-04		
3TJ02TC	*12400	2428-60	12400	2526-01		
3TJ03TD	*12400	2428-63	12400	2526-03		
3TKCK0	*12400	2520-06	12400	2526-09		
3TK1CA	12400	2520-08	*12400	2522-06		
3TKRCA	12400	2520-10	*12400	2522-01		
3TK003E	12400	2525-13	*12400	2526-10		
3TK012E	12400	2525-18	*12400	2526-13		
3TK021E	12400	2525-07	*12400	2526-11		
3TK030E	12400	2525-03	*12400	2526-07		
3TLMCA	08503	2520-40	*12400	2513-66		
3TLM40	08503	2337-77	*08503	2520-38		
3TLP0V	12200	2411-45	12200	2411-54	12400	2513-70
	*12400	2519-01				
3TL001N	12400	2428-51	*12400	2525-17		
3TL012N	12400	2428-57	*12400	2525-11		
3TL023N	12400	2428-54	*12400	2525-05		
3TL034N	12400	2516-08	12400	2519-05	12400	2520-54
	*12400	2525-06				
3TM00TA	*12300	2429-55	12300	2526-48		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3TM01TB	*12300	2429-61	12300	2526-46		
3TM02TC	*12300	2429-60	12300	2526-41		
3TM03TD	*12300	2429-63	12300	2526-43		
3TM04TA	*12300	2429-73	12300	2526-60		
3TM05TB	*12300	2429-79	12300	2526-57		
3TM06TC	*12300	2429-74	12300	2526-53		
3TM07TD	*12300	2429-80	12300	2526-55		
3TN003E	12300	2517-64	*12300	2526-52		
3TN012E	12300	2517-61	*12300	2526-56		
3TN021E	12300	2517-53	*12300	2526-51		
3TN030E	12300	2517-49	*12300	2526-47		
3TN043E	12300	2524-64	*12300	2526-64		
3TN052E	12300	2524-61	*12300	2526-68		
3TN061E	12300	2524-53	*12300	2526-65		
3TN070E	12300	2524-49	*12300	2526-61		
3TPCDA	08503	2408-59	08503	2522-34	*12400	2516-23
3TPCD0	08503	2334-68	08503	2335-68	*08503	2408-63
3TPC1A	12400	2410-31	12400	2411-17	*12400	2516-09
	12400	2522-07				
3TPC2A	12400	2410-30	12400	2411-18	*12400	2522-09
3TPGBAV	08503	2336-56	*08503	2519-07		
3TPGBJQ	*12400	2411-25	12400	2522-11		
3TPGB0	08503	2519-09	*12400	2520-15		
3TPGCA	12400	2520-13	*12400	2522-15		
3TPMCA	09900	2519-17	*12400	2520-27		
3TPMC0V	09900	2317-71	*09900	2519-14		
3TPM1A	09900	2519-22	*12400	2520-22		
3TPM10V	09900	2317-78	*09900	2519-24		
3TPM2A	09900	2519-23	*12400	2520-14		
3TPM20V	09900	2317-72	*09900	2519-25		
3TPM3A	09900	2519-20	*12400	2520-21		
3TPM30V	09900	2317-77	*09900	2519-18		
3TPM4A	08503	2522-36	*12400	2520-30		
3TPM40	08503	2335-52	*08503	2522-30		
3TPSCJQ	12100	2515-07	*12400	2410-42	12400	2411-19
	12400	2411-26	12400	2520-17	12400	2520-24
3TPSCKQ	*12400	2410-39	12400	2520-18	12400	2520-23
3TPSP0V	12200	2412-78	*12300	2519-08		
3TP001N	12300	2429-51	*12300	2517-63		
3TP012N	12300	2429-57	*12300	2517-57		
3TP023N	12300	2429-54	*12300	2517-51		
3TP034N	12300	2429-62	*12300	2517-54		
3TP035N	*12300	2517-56	12300	2524-60		
3TP041N	12300	2429-69	*12300	2524-63		
3TP052N	12300	2429-75	*12300	2524-57		
3TP063N	12300	2429-70	*12300	2524-51		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
3TP074N	12300	2429-76	*12300	2524-54		
3TP075N	12300	2519-06	*12300	2524-56		
3TW1PJQ	08300	2338-78	08400	2229-05	08503	2337-72
	*12200	2410-68				
3TW11A	*12100	2516-45	12200	2522-35		
3TW120	12200	2410-63	*12200	2522-39		
3TW13A	*12400	2516-59	12400	2519-29		
3TW130V	12200	2410-61	*12400	2519-30		
3TW14A	12400	2519-33	*12400	2522-33		
3TW140V	12400	2410-34	12400	2411-20	*12400	2519-31
	12400	2522-08				
3TW150	*08400	2402-21	12200	2410-64		
3TW160	12400	2516-68	*12400	2520-52		
3TW17JQ	*12200	2'332-80	12200	2513-24		
3TW19AV	*12400	2508-78	12400	2520-56		
3TW190	*12400	2402-27	12400	2508-76		
3TWTGJQ	08300	2338-77	12200	2332-77	*12200	2411-68
	12400	2410-36	12400	2410-37	12400	2516-66
	12400	2522-29				
3TW001C	*12100	2515-11	12100	2523-38		
3TW002C	*12100	2515-14	12100	2523-35		
3TW011C	12100	2516-46	*12100	2523-39		
3TW012C	12100	2516-48	*12100	2523-40		
3TXC40	12100	2516-36	12100	2516-50	*12100	2520-39
3TXC5A	12100	2520-37	*12100	2522-21		
3TXC6A	12100	2520-35	*12100	2522-27		
3TXC7AV	*12100	2519-34	12100	2522-19		
3TXR4A	*12200	2516-21	12200	2519-21		
3TXR40V	08502	2329-71	*12200	2519-19		
3TXR5A	*12200	2516-35	12200	2519-27		
3TXR50V	08502	2329-77	*12200	2519-26		
3TXR6A	*12100	2516-33	12200	2522-24		
3TXR7A	12200	2516-19	12200	2516-42	*12200	2522-22
3TXR8A	08501	2331-49	08501	2331-66	08501	2333-49
	08501	2333-66	*12200	2516-47	12200	2522-26
	12200	2522-37				
3TXR9AV	12100	2516-30	12100	2516-43	12200	2411-66
	12400	2410-40	12400	2516-05	*12400	2519-42
3TX00TA	*12100	2337-55	12100	2338-53		
3TX01TB	*12100	2337-61	12100	2338-59		
3TX02A	12200	2516-38	12200	2519-35	*12200	2522-14
3TX02TC	*12100	2337-60	12100	2338-56		
3TX020V	12200	2516-20	*12200	2519-37		
3TX03TD	*12100	2337-63	12100	2338-64		
3TX04TA	*12100	2338-55	12100	2515-35		
3TX05TB	*12100	2.338-61	12100	2515-33		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
3TX06TC	*12100	2338-60	12100	2515-31		
3TX07TD	*12100	2338-63	12100	2515-29		
3TX081C	*12100	2515-39	12100	2516-31		
3TX082C	*12100	2515-40	12100	2516-34		
3TYCTKQ	*12200	2411-51	12200	2522-20		
3TZAD0	07900	2418-35	07900	2421-04	07900	2519-41
	07900	2519-47	07900	2519-50	07900	2519-52
	11301	2435-53	*11301	2522-51	11309	2424-23
3TZA1A	*11301	2520-51	11301	2522-47		
3TZA2A	*11301	2520-66	11301	2522-49		
3TZM0TA	*08300	2338-73	10100	2215-72		
3TZM1TB	07800	2402-41	07800	2417-20	07800	2418-75
	*08300	2338-79				
3TZM2TC	*08300	2338-74	10100	2215-70		
3TZM3TD	*08300	2338-80	08400	2225-05		
3TZM4TA	10100	2236-15	12100	2518-18	*12300	2336-73
3TZM5TB	08700	2236-55	11100	2229-56	12100	2337-49
	12100	2518-15	*12300	2336-79		
3TZM6TC	08700	2236-52	08800	2229-47	08800	2229-64
	08900	2401-79	11100	2229-54	11100	2236-11
	12100	2338-49	12100	2518-17	*12300	2336-74
3TZM8A	12300	2336-66	*12300	2402-30		
3VB00B	*11200	2103-30	*11200	2103-38	11200	2249-77
3VB000	*11200	2103-38				
3VB010	*11200	2103-30				
3VB02B	*11200	2103-33	*11200	2103-39	26802	2249-79
3VB020	*11200	2103-33				
3VB030	*11200	2103-39				
3VC1FA	11200	2509-33	*11200	2513-38		
3VC1RA	11200	2509-03	*11200	2514-57		
3VCRDA	11200	2509-34	*11200	2513-27		
3VCVDA	11200	2409-53	11200	2509-05	*11200	2513-30
	11200	2519-73				
3VCVD0V	11200	2514-71	*11200	2519-71		
3VCVTA	11200	2509-07	*11200	2514-69		
3VDSPA	11200	2509-23	*11200	2513-14		
3VDSTA	11200	2509-25	*11200	2513-21		
3VDTHA	11200	2509-29	*11200	2513-06		
3VMX12X	*11200	2509-06	11200	2513-71		
3VMX22X	*11200	2509-22	11200	2513-73		
3VMX3A	*11200	2513-72	11200	2519-69		
3VMX30V	11200	2513-74	*11200	2519-70		
3VMX4R	11200	1323-13	11200	1323-54	11200	1405-77
	11200	2103-29	11200	2103-35	11200	2103-36
	11200	2103-42	11200	2513-09	11200	2514-25
	*29502	J040-77	31402	J074-77		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution			
3VMX4RR	*29502	J040-78	31402	J074-78	
3VMX4S	11200	2513-03	*11200	2514-23	
3VMX5A	*11200	2513-69	11200	2514-24	
3VMX6A	*11200	2513-80	11200	2514-22	
3VMX7AV	11200	2513-65	*11200	2519-78	
3VMX8AV	11200	2509-13	*11200	2519-72	
3VMX9AV	11200	2513-07	*11200	2519-77	
3VP1FA	11200	2509-11	*11200	2513-63	
3VPRDA	08900	2104-40	11200	2509-09	*11200 2513-51
3VPVTA	11200	2509-15	*11200	2513-75	
3VQT1AV	*11200	2508-72	11200	2509-19	
3VQT2AV	*11200	2508-70	11200	2509-21	
3VS00AV	*11200	2507-72	11200	2509-18	
3VS000	*11200	2409-57	11200	2507-74	
3VS01AV	11200	2409-55	*11200	2507-71	
3VS02AV	11200	2504-49	11200	2504-63	*11200 2507-70
	11200	2518-77			
3VS143E	*11200	2504-52	11200	2518-73	
3VS183E	11200	2504-59	*11200	2518-76	
3VS223E	*11200	2504-64	11200	2507-73	
3V0010	11200	2513-77	11200	2514-73	*11200 2516-57
3V0020	*11200	2513-45	11200	2514-62	
3V0030	*11200	2513-46	11200	2514-60	
3V0040	11200	2513-36	*12000	2522-57	
3V005A	*11200	2513-52	11200	2519-65	12000 2522-53
3V0050V	11200	2513-42	*11200	2519-68	
3V006A	*10600	2513-39	10600	2519-79	
3V0070V	*10600	2519-80	11200	2513-23	11200 2513-34
	11200	2513-40	11200	2514-55	11200 2514-72
3XA012N	10200	2403-36	*10200	2414-75	
3XA023N	*10200	2414-69	10200	2517-46	
3XA034N	*10200	2414-70	10200	2517-45	
3XA035N	10200	2407-74	*10200	2414-72	
3XA041N	*10200	2407-80	10200	2517-41	
3XA052N	*10200	2407-75	10200	2517-36	
3XA063N	10200	2403-76	*10200	2407-69	
3XA074N	10200	2403-77	*10200	2407-70	
3XA085N	10200	2403-73	*10200	2407-72	
3XCC1A	10200	2239-18	*10200	2408-75	
3XCC2A	10200	2402-59	10200	2402-70	*10200 2408-72
3XCC4A	10200	2.239-19	10200	2402-61	10200 2402-64
	*10200	2408-69	10200	2409-74	
3XC110	*10200	2221-21	11303	2338-50	11304 2334-50
3XC12A	10200	2221-14	*10200	2239-23	
3XC13A	10200	2221-18	*10200	2239-21	
3XC14A	10200	2221-19	*10200	2402-66	

Table 5-2. Key Signal Lookup Listing

Signal		Distribution					
3XC15A	10200	2221-20	*10200	2239-69			
3XC210	10200	2403-47	*10200	2409-72			
3XC22A	*10200	2402-60	10200	2409-71			
3XC410	10200	2403-39	*10200	2409-69			
3XC42A	*10200	2402-57	10200	2409-65			
3XC810	10200	2403-35	*10200	2409-80			
3XC82A	*10200	2402-63	10200	2409-76			
3XC83A	10200	2239-22	10200	2239-73	10200		2402-53
	*10200	2408-80	10200	2409-78			
3XGNDA	*10200	2402-75	10200	2403-48	10200		2407-66
	10200	2414-74					
3XGNEA	*10200	2402-72	10200	2403-42			
3XGNFA	*10200	2402-69	10200	2403-66	10200		2414-78
	10200	2505-43	10200	2506-17	10200		2506-29
3XGNHA	*10200	2402-80	10200	2403-46	10200		2407-73
	10200	2414-76					
3XX012N	*10200	2403-43	11303	2337-17	11304		2333-17
3XX023N	*10200	2403-37	11303	2337-33	11304		2333-33
3XX034N	*10200	2403-38	11303	2337-50	11304		2333-50
3XX035N	*10200	2403-40	10200	2517-42			
3XX041N	*10200	2517-50	11303	2336-17	11304		2331-17
3XX052N	*10200	2517-43	11303	2336-33	11304		2331-33
3XX063N	*10200	2517-37	11303	2336-50	11304		2331-50
3XX074N	*10200	2517-38	11303	2335-17	11304		2329-17
3XX075N	10200	2403-74	*10200	2517-40			
3XX081N	*10200	2403-80	11303	2335-33	11305		2329-33
3XX092N	*10200	2403-75	11303	2335-50	11305		2329-50
3XX103N	*10200	2403-69	11304	2334-17	11305		2328-17
3XX114N	*10200	2403-70	11304	2334-33	11305		2328-33
3X00KER	10200	2407-68	*10200	2506-33			
3X01KER	10200	2403-45	10200	2414-79	*10200		2505-13
	10200	2506-06					
3X02KER	10200	2403-41	10200	2414-71	10200		2505-14
	*10200	2506-13					
3X04KER	10200	2414-66	*10200	2505-11	10200		2506-14
	10200	2506-15					
3X05KER	10200	2414-77	*10200	2506-19			
3X08KER	10200	2407-78	10200	2414-73	10200		2505-09
	*10200	2506-11					
3X16KER	10200	2407-79	10200	2414-68	*10200		2505-05
	10200	2506-09					
3X32KER	10200	2407-71	10200	2505-03	10200		2505-41
	*10200	2506-05					
3X33KER	10200	2407-76	*10200	2505-45			
3X500ER	10200	2239-14	10200	2402-68	10200		2408-76
	*10200	2506-08					



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
4A00AR	*30901	J065-02	32300	J095-02		
4A00AR-	*32400	J098-02	32700	J107-02		
4A00A0	*06300	2536-06	26802	2447-01	26802	2547-01
	30901	J065-01	32300	J095-01		
4A00A0-	*32400	J098-01	32700	J107-01		
4A001A	*06300	2535-06	06300	2536-08		
4A002A	*06300	2535-01	06300	2536-10		
4A01AR	*30901	J065-04	32300	J095-04		
4A01AR-	*32400	J098-04	32700	J107-04		
4A01A0	*06300	2535-09	26802	2447-03	26802	2547-03
	30901	J065-03	32300	J095-03		
4A01A0-	*32400	J098-03	32700	J107-03		
4A011A	06300	2535-03	*06300	2536-01		
4A012A	06300	2535-07	*06300	2536-09		
4A02AR	*30901	J065-06	32300	J095-06		
4A02AR-	*32400	J098-06	32700	J107-06		
4A02A0	*06300	2536-15	26802	2447-05	26802	2547-05
	30901	J065-05	32300	J095-05		
4A02A0-	*32400	J098-05	32700	J107-05		
4A021A	*06300	2535-15	06300	2536-11		
4A022A	*06300	2535-22	06300	2536-13		
4A03AR	*30901	J065-08	32300	J095-08		
4A03AR-	*32400	J098-08	32700	J107-08		
4A03A0	*06300	2535-14	26802	2447-07	26802	2547-07
	30901	J065-07	32300	J095-07		
4A03A0-	*32400	J098-07	32700	J107-07		
4A031A	06300	2535-18	*06300	2536-22		
4A032A	06300	2535-20	*06300	2536-14		
4A04AR	*30901	J065-10	32300	J095-10		
4A04AR-	*32400	J098-10	32700	J107-10		
4A04A0	*06300	2536-21	26802	2447-09	26802	2547-09
	30901	J065-09	32300	J095-09		
4A04A0-	*32400	J098-09	32700	J107-09		
4A041A	*06300	2535-21	06300	2536-17		
4A042A	*06300	2535-27	06300	2536-19		
4A05AR	*30901	J065-12	32300	J095-12		
4A05AR-	*32400	J098-12	32700	J107-12		
4A05A0	*06300	2535-38	26802	2447-11	26802	2547-11
	30901	J065-11	32300	J095-11		
4A05A0-	*32400	J098-11	32700	J107-11		
4A051A	06300	2535-40	*06300	2536-27		
4A052A	06300	2535-42	*06300	2536-38		
4A06AR	*30901	J065-40	32300	J095-40		
4A06AR-	*32400	J098-40	32700	J107-40		
4A06A0	06300	2533-17	*06300	2536-30	26802	2447-39
	26802	2547-39	30901	J065-39	32300	J095-39

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
4A06A0-	*32400	J098-39	32700	J107-39		
4A06NA	*06300	2533-21	26802	2447-41	26802	2547-41
	30902	J065-41	32300	J095-41		
4A06NA-	*32400	J098-41	32700	J107-41		
4A06NR	*30902	J065-42	32300	J095-42		
4A06NR-	*32400	J098-42	32700	J107-42		
4A061A	*06300	2535-30	06300	2536-34		
4A062A	*06300	2535-33	06300	2536-36		
4A07AR	*30901	J065-16	32300	J095-16		
4A07AR-	*32400	J098-16	32700	J107-16		
4A07A0	*06300	2535-39	26802	2447-15	26802	2547-15
	30901	J065-15	32300	J095-15		
4A07A0-	*32400	J098-15	32700	J107-15		
4A071A	06300	2535-35	*06300	2536-33		
4A072A	06300	2535-37	*06300	2536-39		
4A08AR	*30901	J065-18	32300	J095-18		
4A08AR-	*32400	J098-18	32700	J107-18		
4A08A0	*06300	2536-52	26802	2447-17	26802	2547-17
	30901	J065-17	32300	J095-17		
4A08A0-	*32400	J098-17	32700	J107-17		
4A081A	*06300	2535-52	06300	2536-54		
4A082A	*06300	2535-46	06300	2536-56		
4A09AR	*30901	J065-20	32300	J095-20		
4A09AR-	*32400	J098-20	32700	J107-20		
4A09A0	*06300	2535-45	26802	2447-19	26802	2547-19
	30901	J065-19	32300	J095-19		
4A09A0-	*32400	J098-19	32700	J107-19		
4A091A	06300	2535-41	*06300	2536-46		
4A100AR	*30901	J065-22	32300	J095-22		
4A10AR-	*32400	J098-22	32700	J107-22		
4A10A0	*06300	2536-51	26802	2447-21	26802	2547-21
	30901	J065-21	32300	J095-21		
4A10A0-	*32400	J098-21	32700	J107-21		
4A101A	*06300	2535-51	06300	2536-47		
4A11AR	*30901	J065-24	32300	J095-24		
4A11AR-	*32400	J098-24	32700	J107-24		
4A11A0	*06300	2535-60	26802	2447-23	26802	2547-23
	30901	J065-23	32300	J095-23		
4A11A0-	*32400	J098-23	32700	J107-23		
4A111A	06300	2535-62	*06300	2536-66		
4A12AR	*30901	J065-26	32300	J095-26		
4A12AR-	*32400	J098-26	32700	J107-26		
4A12A0	*06300	2536-57	26802	2447-25	26802	2547-25
	30901	J065-25	32300	J095-25		
4A12A0-	*32400	J098-25	32700	J107-25		
4A121A	*06300	2535-57	06300	2536-53		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
4A70AA	06001	2531-19	06001	2531-25	*06001	2533-22
	06001	2534-03	06001	2534-04	06001	2534-08
	06001	2534-11				
4A70AO	06001	2531-06	*06001	2534-06	06101	2439-08
	06103	2537-08	06300	2535-08	06300	2535-11
	06300	2535-17	06300	2535-34	06300	2536-04
	06300	2536-23	06300	2536-24	06300	2536-48
4A70BA	*06001	2531-09	06001	2534-17	06001	2534-18
	06001	2534-23	06001	2534-24	06001	2534-34
	06001	2534-40				
4A70BO	*06001	2534-01	06300	2535-47	06300	2535-53
	06300	2535-54	06300	2536-29	06300	2536-68
4A70CO	*06001	2534-09	06101	2437-08	06101	2437-11
	06101	2437-17	06101	2438-04	06101	2438-24
	06101	2439-11	06101	2439-17	06101	2440-04
	06101	2440-24				
4A70DO	*06001	2534-15	06101	2437-34	06101	2438-23
	06101	2439-34	06101	2440-23	06102	2437-54
	06102	2438-29	06102	2438-48	06102	2439-54
	06102	2440-29	06102	2440-48		
4A70EO	*06001	2534-22	06102	2437-47	06102	2437-53
	06102	2438-59	06102	2438-68	06102	2439-47
	06102	2439-53	06102	2440-59	06102	2440-68
	06103	2439-71				
4A70FO	*06001	2534-14	06103	2437-71	06103	2438-65
	06103	2440-65	06103	2537-11	06103	2538-04
	06103	2539-08	06103	2539-11	06103	2540-04
	06103	2540-24				
4A70GO	*06001	2534-21	06103	2537-17	06103	2538-24
	06103	2539-17	06104	2537-34	06104	2538-23
	06104	2538-29	06104	2539-34	06104	2540-23
	06104	2540-29				
4A70HO	*06001	2534-27	06104	2537-47	06104	2537-54
	06104	2538-48	06104	2538-68	06104	2539-47
	06104	2539-54	06104	2540-48	06104	2540-68
	06105	2539-53				
4A70JO	*06001	2534-38	06105	2537-53	06105	2537-71
	06105	2538-59	06105	2538-65	06105	2539-71
	06105	2540-59	06105	2540-65		
4A70NA	*06001	2531-11	06001	2532-17		
4A7010	06001	2531-01	*06001	2532-22	06001	2533-24
4A702A	06001	2531-20	06001	2531-26	*06001	2533-14
	06001	2534-05	06001	2534-07	06001	2534-10
	06001	2534-13	06001	2534-19	06001	2534-20
	06001	2534-25	06001	2534-26	06001	2534-42
4A7020	*06001	2532-14	06001	2533-18		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
4A90A0	06001	2531-30	*06001	2532-21		
4C1XA0	06500	2533-31	06500	2533-37	*06500	2536-60
4D01A1N	06500	2443-10	*06500	2444-17		
4D02A4N	06500	2443-13	*06500	2444-06		
4D04A1N	06500	2443-26	*06500	2444-30		
4D05A4N	06500	2443-31	*06500	2444-22		
4D07A1N	06500	2443-64	*06500	2444-50		
4D08A4N	06500	2443-49	*06500	2444-38		
4D10A1N	06500	2443-52	*06500	2444-63		
4D11A4N	06500	2443-55	*06500	2444-54		
4D13A1N	*06500	2443-17	06500	2444-64		
4D14A4N	*06500	2443-06	06500	2444-62		
4D16A1N	*06500	2443-30	06500	2444-49		
4D17A4N	*06500	2443-22	06500	2444-52		
4D19A1N	*06500	2443-50	06500	2444-55		
4D20A4N	*06500	2443-38	06500	2444-41		
4D22A1N	*06500	2443-63	06500	2444-60		
4D23A4N	*06500	2443-54	06500	2534-29		
4D25A1N	06500	2543-10	*06500	2544-17		
4D26A4N	06500	2543-13	*06500	2544-06		
4D28A1N	06500	2543-26	*06500	2544-30		
4D29A4N	06500	2543-31	*06500	2544-22		
4D31A1N	06500	2543-64	*06500	2544-50		
4D32A4N	06500	2543-49	*06500	2544-38		
4D34A1N	06500	2543-52	*06500	2544-63		
4D35A4N	06500	2543-55	*06500	2544-54		
4D37A1N	*065Q0	2543-17	06500	2544-64		
4D38A4N	*06500	2543-06	06500	2544-62		
4D40A1N	*06500	2543-30	06500	2544-49		
4D41A4N	*06500	2543-22	06500	2544-52		
4D43A1N	*06500	2543-50	06500	2544-55		
4D44A4N	*06500	2543-38	06500	2544-41		
4D46A1N	*06500	2543-63	06500	2544-60		
4D47A4N	06500	2534-35	*06500	2543-54		
4D51A1N	06200	2441-10	*06200	2442-17		
4D52A4N	06200	2441-13	*06200	2442-06		
4D54A1N	06200	2441-26	*06200	2442-30		
4D55A4N	06200	2441-31	*06200	2442-22		
4D57A1N	06200	2441-64	*06200	2442-50		
4D58A4N	06200	2441-49	*06200	2442-38		
4D60A1N	06200	2441-52	*06200	2442-63		
4D61A4N	06200	2441-55	*06200	2442-54		
4D63A1N	*06200	2441-17	06200	2442-64		
4D64A4N	*06200	2441-06	06200	2442-62		
4D66A1N	*06200	2441-30	06200	2442-49		
4D67A4N	*06200	2441-22	06200	2442-52		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
4D69A1N	*06200	2441-50	06200	2442-55		
4D70A4N	*06200	2441-38	06200	2442-41		
4D72A1N	*06200	2441-63	06200	2442-60		
4D73A4N	*06200	2441-54	26802	2448-65	31002	J066-65
	31002	J094-65				
4D73A4R	*31002	J066-66	31002	J094-66		
4D75A1N	06200	2541-10	*06200	2542-17		
4D76A4N	06200	2541-13	*06200	2542-06		
4D78A1N	06200	2541-26	*06200	2542-30		
4D79A4N	06200	2541-31	*06200	2542-22		
4D81A1N	06200	2541-64	*06200	2542-50		
4D82A4N	06200	2541-49	*06200	2542-38		
4D84A1N	06200	2541-52	*06200	2542-63		
4D85A4N	06200	2541-55	*06200	2542-54		
4D87A1N	*06200	2541-17	06200	2542-64		
4D88A4N	*06200	2541-06	06200	2542-62		
4D90A1N	*06200	2541-30	06200	2542-49		
4D91A4N	*06200	2541-22	06200	2542-52		
4D93A1N	*06200	2541-50	06200	2542-55		
4D94A4N	*06200	2541-38	06200	2542-41		
4D96A1N	*06200	2541-63	06200	2542-60		
4D97A4N	*06200	2541-54	26802	2548-65	32502	J099-65
	32502	J106-65				
4D97A4R	*32502	J099-66	32502	J106-66		
4L01NAV	06200	2541-18	06200	2541-34	*06300	2546-72
	06500	2543-18	06500	2543-34	06500	2543-47
	06500	2543-61	06500	2544-18	06500	2544-34
	06500	2544-47	06500	2544-61		
4L02NAV	06200	2541-15	06200	2541-33	*06300	2546-78
	06500	2543-15	06500	2543-33	06500	2543-45
	06500	2543-59	06500	2544-15	06500	2544-33
	06500	2544-45	06500	2544-59		
4L03NAV	06200	2442-18	06200	2442-34	*06300	2446-72
	06500	2443-18	06500	2443-34	06500	2443-47
	06500	2443-61	06500	2444-18	06500	2444-34
	06500	2444-47	06500	2444-61		
4L04NAV	06200	2442-15	06200	2442-33	*06300	2446-78
	06500	2443-15	06500	2443-33	06500	2443-45
	06500	2443-59	06500	2444-15	06500	2444-33
	06500	2444-45	06500	2444-59		
4L06NAV	06200	2441-18	06200	2441-34	06200	2441-47
	06200	2441-61	06200	2442-47	06200	2442-61
	06200	2542-18	06200	2542-34	06200	2542-47
	06200	2542-61	*06300	2445-72		
4L07NAV	06200	2441-33	06200	2441-45	06200	2441-59
	06200	2442-45	06200	2442-59	06200	2541-61

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	06200	2542-15	06200	2542-33	06200	2542-45
	06200	2542-59	*06300	2445-78		
4L08NAV	06200	2441-15	06200	2541-47	06200	2541-62
	*06300	2545-72				
4L09NAV	06200	2441-62	06200	2541-45	06200	2541-59
	*06300	2545-78				
4L20A0	*06001	2532-06	09500	2217-19	09500	2217-42
	09500	2219-14	09500	2.220-10	09500	2220-26
	09500	2221-08	09500	2221-37	09500	2224-10
	09600	2227-04	11309	2217-34	11900	2507-55
4L20B0	*06001	2532-01	06101	2437-04	06101	2437-23
	06101	2437-24	06101	2438-03	06101	2438-18
	06101	2439-23	06101	2439-24	06101	2440-03
	06101	2440-18	06300	2535-04		
4L20C0	*06001	2532-09	06101	2437-29	06101	2438-40
	06101	2439-29	06101	2440-40	06102	2437-48
	06102	2438-35	06102	2439-48	06102	2440-35
	06102	2440-41				
4L20D0	*06001	2532-15	06102	2437-59	06102	2437-68
	06102	2438-41	06102	2438-62	06102	2438-77
	06102	2439-59	06102	2439-68	06102	2440-62
	06102	2440-77				
4L20E0	*06001	2533-06	06103	2437-65	06103	2438-76
	06103	2439-65	06103	2440-76	06103	2537-24
	06103	2538-03	06103	2539-04	06103	2539-24
	06103	2540-03				
4L20F0	*06001	2533-01	06103	2537-23	06103	2538-18
	06103	2539-23	06103	2540-18	06104	2537-29
	06104	2538-40	06104	2539-29	06104	2540-35
	06104	2540-40				
4L20G0	*06001	2533'-09	06104	2537-48	06104	2537-68
	06104	2538-35	06104	2538-41	06104	2538-62
	06104	2539-48	06104	2539-68	06104	2540-41
	06104	2540-62				
4L20H0	*06001	2533-15	06105	2537-59	06105	2537-65
	06105	2538-76	06105	2538-77	06105	2539-59
	06105	2539-65	06105	2540-76	06105	2540-77
4L20J0	06001	2531-37	*06001	2532-27	06101	2439-04
	06103	2537-04	06300	2535-23	06300	2535-24
	06300	2535-29	06300	2535-48	06300	2536-03
	06300	2536-18	06300	2536-35	06300	2536-40
4L20NA	*06001	2531-35	06001	2532-19		
4L201A	*06001	2531-23	06001	2532-03	06001	2532-04
	06001	2532-08	06001	2532-11	06001	2532-23
	06001	2533-03	06001	2533-04	06001	2533-08
	06001	2533-11	06001	2534-36		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
4L202A	*06001	2531-21	06001	2532-05	06001	2532-07
	06001	2532-10	06001	2532-13	06001	2532-25
	06001	2533-05	06001	2533-07	06001	2533-10
	06001	2533-13				
4M00AR	31601	J077-02	*32201	J093-02		
4M00A0	06401	2446-11	26802	2449-01	31601	J077-01
	*32201	J093-01				
4M00B0V	04600	1414-34	*06401	2445-13	11303	2435-15
	26802	1501-01	26802	2551-01		
4M00NAV	06401	2445-11	*06401	2446-13	06500	2443-62
4M01AR	31601	J077-04	*32201	J093-04		
4M01A0	06401	2446-06	26802	2449-03	31601	J077-03
	*32201	J093-03				
4M01B0V	04600	1414-48	*06401	2445-08	11303	2434-15
	26802	1501-03	26802	2551-03		
4M01NAV	06401	2445-06	*06401	2446-08	06500	2444-10
4M02AR	31601	J077-06	*32201	J093-06		
4M02A0	06401	2446-04	26802	2449-05	31601	J077-05
	*32201	J093-05				
4M02B0V	04600	1414-60	*06401	2445-03	11303	2433-15
	26802	1501-05	26802	2551-05		
4M02NAV	06401	2445-04	*06401	2446-03	06500	2444-13
4M03AR	31601	J077-08	*32201	J093-08		
4M03A0	06401	2446-05	26802	2449-07	31601	J077-07
	*32201	J093-07				
4M03B0V	04600	1414-72	*06401	2445-01	11303	2432-15
	26802	1501-07	26802	2551-07		
4M03NAV	06401	2445-05	*06401	2446-01	06500	2444-14
4M04AR	31601	J077-10	*32201	J093-10		
4M04A0	06401	2446-09	26802	2449-09	31601	J077-09
	*32201	J093-09				
4M04B0V	04600	1411-34	*06401	2445-07	11303	2431-15
	26802	1501-09	26802	2551-09		
4M04NAV	06401	2445-09	*06401	2446-07	06500	2444-03
4M05AR	31601	J077-12	*32201	J093-12		
4M05A0	06401	2446-15	26802	2449-11	31601	J077-11
	*32201	J093-11				
4M05B0V	04600	1411-48	*06401	2445-10	11303	2429-15
	26802	1501-11	26802	2551-11		
4M05NAV	06401	2445-15	*06401	2446-10	06500	2444-04
4M06AR	31601	J077-14	*32201	J093-14		
4M06A0	06401	2446-22	26802	2449-13	31601	J077-13
	*32201	J093-13				
4M06B0V	04300	1411-60	04400	1408-60	04500	1408-34
	*06401	2445-24	11303	2428-15	26802	1501-13
	26802	2551-13				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
4M06NAV	06401	2445-22	*06401	2446-24	06500	2444-09
4M07AR	31601	J077-16	*32201	J093-16		
4M07A0	06401	2446-23	26802	2449-15	31601	J077-15
	*32201	J093-15				
4M07B0V	04300	1411-72	04400	1408-72	04500	1408-48
	*06401	2445-25	11303	2427-15	26802	1501-15
	26802	2551-15				
4M07NAV	06401	2445-23	*06401	2446-25	06500	2443-14
4M08AR	31601	J077-18	*32201	J093-18		
4M08A0	06401	2446-20	26802	2449-17	31601	J077-17
	*32201	J093-17				
4M08B0V	04600	1414-30	*06401	2445-18	11303	2435-31
	26802	1501-17	26302	2551-17		
4M08NAV	06401	2445-20	*06401	2446-18	06500	2443-03
4M09AR	31601	J077-20	*32201	J093-20		
4M09A0	06401	2446-17	26802	2449-19	31601	J077-19
	*32201	J093-19				
4M09B0V	04600	1414-46	*06401	2445-14	11303	2434-31
	26802	1501-19	26802	2551-19		
4M09NAV	06401	2445-17	*06401	2446-14	06500	2443-04
4M10AR	31601	J077-22	*32201	J093-22		
4M10A0	06401	2446-21	26802	2449-21	31601	J077-21
	*32201	J093-21				
4M10B0V	04600	1414-57	*06401	2445-19	11304	2433-31
	26802	1501-21	26802	2551-21		
4M100NAV	06401	2445-21	*06401	2446-19	06500	2443-09
4M11AR	31601	J077-24	*32201	J093-24		
4M11A0	06401	2446-27	26802	2449-23	31601	J077-23
	*32201	J093-23				
4M11B0V	04600	1414-70	*06401	2445-26	11304	2432-31
	26802	1501-23	26802	2551-23		
4M11NAV	06401	2445-27	*06401	2446-26	06500	2444-26
4M12AR	31601	J077-26	*32201	J093-26		
4M12A0	06401	2446-38	26802	2449-25	31601	J077-25
	*32201	J093-25				
4M12B0V	04600	1411-30	*06401	2445-40	11304	2431-31
	26802	1501-25	26802	2551-25		
4M12NAV	06401	2445-38	*06401	2446-40	06500	2444-31
4M13AR	31601	J077-28	-32201	J093-28		
4M13A0	06401	2446-35	26802	2449-27	31601	J077-27
	*32201	J093-27				
4M13B0V	04600	1411-46	*06401	2445-37	11304	2429-31
	26802	1501-27	26802	2551-27		
4M13NAV	06401	2445-35	*06401	2446-37	06500	2444-27
4M14AR	31601	J077-30	*32201	J093-30		
4M14A0	06401	2446-36	26802	2449-29	31601	J077-29



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	*32201	J093-29				
4M14B0V	04300	1411-57	04400	1408-57	04500	1408-30
	*06401	2445-34	11304	2428-31	26802	1501-29
	26802	2551-29				
4M14NAV	06401	2445-36	*06401	2446-34	06500	2444-19
4M15AR	31601	J077-32	*32201	J093-32		
4M15A0	06401	2446-29	26802	2449-31	31601	J077-31
	*32201	J093-31				
4M15B0V	04300	1411-70	04400	1408-70	04500	1408-46
	*06401	2445-30	11304	2427-31	26802	1501-31
	26802	2551-31				
4M15NAV	06401	2445-29	*06401	2446-30	06500	2444-20
4M16AR	31601	J077-34	*32201	J093-34		
4M16A0	06401	2446-33	26802	2449-33	31601	J077-33
	*32201	J093-33				
4M16B0V	04600	1414-29	*06401	2445-31	11304	2435-45
	26802	1501-33	26802	2551-33		
4M16NAV	06401	2445-33	*06401	2446-31	06500	2444-25
4M17AR	31601	J077-36	*32201	J093-36		
4M17A0	06401	2446-39	26802	2449-35	31601	J077-35
	*32201	J093-35				
4M17B0V	04600	1414-41	*06401	2445-42	11304	2434-45
	26802	1501-35	26802	2551-35		
4M17NAV	06401	2445-39	*06401	2446-42	06500	2443-27
4M18AR	31601	J077-38	*32201	J093-38		
4M18A0	06401	2446-52	26802	2449-37	31601	J077-37
	*32201	J093-37				
4M18B0V	04600	1414-53	*06401	2445-54	11304	2433-45
	26802	1501-37	26802	2551-37		
4M18NAV	06401	2445-52	*06401	2446-54	06500	2443-19
4M19AR	31601	J077-40	*32201	J093-40		
4M19A0	06401	2446-47	26802	2449-39	31601	J077-39
	*32201	J093-39				
4M19B0V	04600	1414-69	*06401	2445-49	11304	2432-45
	26802	1501-39	26802	2551-39		
4M19NAV	06401	2445-47	*06401	2446-49	06500	2443-20
4M20AR	31601	J077-42	*32201	J093-42		
4M20A0	06401	2446-50	26802	2449-41	31601	J077-41
	*32201	J093-41				
4M20B0V	04600	1411-29	*06401	2445-48	11305	2431-45
	26802	1501-41	26802	2551-41		
4M20NAV	06401	2445-50	*06401	2446-48	06500	2443-25
4M21AR	31601	J077-44	*32201	J093-44		
4M21A0	06401	2446-41	26802	2449-43	31601	J077-43
	*32201	J093-43				
4M21B0V	04600	1411-41	*06401	2445-46	11305	2429-45

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
4M21NAV	26802	1501-43	26802	2551-43		
4M22AR	06401	2445-41	*06401	2446-46	06500	2444-42
4M22A0	31601	J077-46	*32201	J093-46		
	06401	2446-45	26802	2449-45	31601	J077-45
	*32201	J093-45				
4M22B0V	04300	1411-53	04400	1408-53	04500	1408-29
	*06401	2445-43	11305	2428-45	26802	1501-45
	26802	2551-45				
4M22NAV	06401	2445-45	*06401	2446-43	06500	2444-48
4M23AR	31601	J077-48	*32202	J093-48		
4M23A0	06401	2446-51	26802	2449-47	31601	J077-47
	*32202	J093-47				
4M23B0V	04300	1411-69	04400	1408-69	04500	1408-41
	*06401	2445-53	11305	2427-45	26802	1501-47
	26802	2551-47				
4M23NAV	06401	2445-51	*06401	2446-53	06500	2444-46
4M24AR	31602	J077-50	*32202	J093-50		
4M24A0	06401	2446-64	26802	2449-49	31602	J077-49
	*32202	J093-49				
4M24B0V	04600	1414-31	*06401	2445-66	11301	2435-51
	26802	1501-49	26802	2551-49		
4M24NAV	06401	2445-64	*06401	2446-66	06500	2444-35
4M25AR	31602	J077-52	*32202	J093-52		
4M25A0	06401	2446-61	26802	2449-51	31602	J077-51
	*32202	J093-51				
4M25B0V	04600	1414-43	*06401	2445-63	11301	2435-57
	26802	1501-51	26802	2551-51		
4M25NAV	06401	2445-61	*06401	2446-63	06500	2444-36
4M26AR	31602	J077-54	*32202	J093-54		
4M26A0	06401	2446-62	26802	2449-53	31602	J077-53
	*32202	J093-53				
4M26B0V	04600	1414-55	*06401	2445-60	11301	2435-54
	26802	1501-53	26802	2551-53		
4M26NAV	06401	2445-62	*06401	2446-60	06500	2443-42
4M27AR	31602	J077-56	*32202	J093-56		
4M27A0	06401	2446-55	26802	2449-55	31602	J077-55
	*32202	J093-55				
4M27B0V	04600	1414-71	*06401	2445-56	11301	2435-62
	26802	1501-55	26802	2551-55		
4M27NAV	06401	2445-55	*06401	2446-56	06500	2443-48
4M28AR	31602	J077-58	*32202	J093-58		
4M28A0	06401	2446-59	26802	2449-57	31602	J077-57
	*32202	J093-57				
4M28B0V	04600	1411-31	*06401	2445-57	11301	2435-69
	26802	1501-57	26802	2551-57		
4M28NAV	06401	2445-59	*06401	2446-57	06500	2443-46

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
4M29AR	31602	J077-60	*32202	J093-60		
4M29A0	06401	2446-65	26802	2449-59	31602	J077-59
	*32202	J093-59				
4M29B0V	04600	1411-43	*06401	2445-68	11301	2435-75
	26802	1501-59	26802	2551-59		
4M29NAV	06401	2445-65	*06401	2446-68	06500	2443-35
4M30AR	31602	J077-62	*32202	J093-62		
4M30A0	06401	2446-79	26802	2449-61	31602	J077-61
	*32202	J093-61				
4M30B0V	04300	1411-55	04400	1408-55	04500	1408-31
	*06401	2445-80	11301	2435-70	26802	1501-61
	26802	2551-61				
4M30NAV	06401	2445-79	*06401	2446-80	06500	2443-36
4M31AR	31602	J077-64	*32202	J093-64		
4M31A0	06401	2446-73	26802	2449-63	31602	J077-63
	*32202	J093-63				
4M31B0V	04300	1411-71	04400	1408-71	04500	1408-43
	*06401	2445-71	11301	2435-76	26802	1501-63
	26802	2551-63				
4M31NAV	06401	2445-73	*06401	2446-71	06500	2443-41
4M32AR	*32602	J105-64	32602	J110-64		
4M32A0	06402	2546-11	26802	2549-63	*32602	J105-63
	32602	J110-63				
4M32B0V	04600	1415-34	*06402	2545-13	11306	2325-19
	26802	1502-01	26802	2550-01		
4M32NAV	06402	2545-11	*06402	2546-13	06500	2543-41
4M33AR	*32601	J105-02	32601	J110-02		
4M33A0	06402	2546-06	26802	2549-01	*32601	J105-01
	32601	J110-01				
4M33B0V	04600	1415-48	*06402	2545-08	11306	2325-35
	26802	1502-03	26802	2550-03		
4M33NAV	06402	2545-06	*06402	2546-08	06500	2543-62
4M34AR	*32601	J105-04	32601	J110-04		
4M34A0	06402	2546-04	26802	2549-03	*32601	J105-03
	32601	J110-03				
4M34B0V	04600	1415-60	*06402	2545-03	11306	2324-03
	26802	1502-05	26802	2550-05		
4M34NAV	06402	2545-04	*06402	2546-03	06500	2544-10
4M35AR	*32601	J105-06	32601	J110-06		
4M35A0	06402	2546-05	26802	2549-05	*32601	J105-05
	32601	J110-05				
4M35B0V	04600	1415-72	*06402	2545-01	11306	2324-19
	26802	1502-07	26802	2550-07		
4M35NAV	06402	2545-05	*06402	2546-01	06500	2544-13
4M36AR	*32601	J105-08	32601	J110-08		
4M36A0	06402	2546-09	26802	2549-07	*32601	J105-07

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
4M36B0V	32601	J110-07				
	04600	1412-34	*06402	2545-07	11306	2324-35
	26802	1502-09	26802	2550-09		
4M36NAV	06402	2545-09	*06402	2546-07	06500	2544-14
4M37AR	*32601	J105-10	32601	J110-10		
4M37A0	06402	2546-15	26802	2549-09	*32601	J105-09
	32601	J110-09				
4M37B0V	04600	1412-48	*06402	2545-10	11307	2323-03
	26802	1502-11	26802	2550-11		
4M37NAV	06402	2545-15	*06402	2546-10	06500	2544-03
4M38AR	*32601	J105-12	32601	J110-12		
4M38A0	06402	2546-22	26802	2549-11	*32601	J105-11
	32601	J110-11				
4M38B0V	04300	1412-60	04400	1409-60	04500	1409-34
	*06402	2545-24	11307	2323-19	26802	1502-13
	26802	2550-13				
4M38NAV	06402	2545-22	*06402	2546-24	06500	2544-04
4M39AR	*32601	J105-14	32601	J110-14		
4M39A0	06402	2546-23	26802	2549-13	*32601	J105-13
	32601	J110-13				
4M39B0V	04300	1412-72	04400	1409-7.2	04500	1409-48
	*06402	2545-25	11302	2434-51	26802	1502-15
	26802	2550-15				
4M39NAV	06402	2545-23	*06402	2546-25	06500	2544-09
4M40AR	*32601	J105-16	32601	J110-16		
4M40A0	06402	2546-20	26802	2549-15	*32601	J105-15
	32601	J110-15				
4M40B0V	04600	1415-30	*06402	2545-18	11302	2434-57
	26802	1502-17	26802	2550-17		
4M40NAV	06402	2545-20	*06402	2546-18	06500	2543-14
4M41AR	*32601	J105-18	32601	J110-18		
4M41A0	06402	2546-17	26802	2549-17	*32601	J105-17
	32601	J110-17				
4M41B0V	04600	1415-46	*06402	2545-14	11302	2434-54
	26802	1502-19	26802	2550-19		
4M41NAV	06402	2545-17	*06402	2546-14	06500	2543-03
4M42AR	*32601	J105-20	32601	J110-20		
4M42A0	06402	2546-21	26802	2549-19	*32601	J105-19
	32601	J110-19				
4M42B0V	04600	1415-57	*06402	2545-19	11302	2434-62
	26802	1502-21	26802	2550-21		
4M42NAV	06402	2545-21	*06402	2546-19	06500	2543-04
4M43AR	*32601	J105-22	32601	J110-22		
4M43A0	06402	2546-27	26802	2549-21	*32601	J105-21
	32601	J110-21				
4M43B0V	04600	1415-70	*06402	2545-26	11302	2434-'69

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26802	1502-23	26802	2550-23		
4M43NAV	06402	2545-27	*06402	2546-26	06500	2543-09
4M44AR	*32601	J105-24	32601	J110-24		
4M44A0	06402	2546-38	26802	2549-23	*32601	J105-23
	32601	J110-23				
4M44B0V	04600	1412-30	*06402	2545-40	11302	2434-75
	26802	1502-25	26802	2550-25		
4M44NAV	06402	2545-38	*06402	2546-40	06500	2544-26
4M45AR	*32601	J105-26	32601	J110-26		
4M45A0	06402	2546-35	26802	2549-25	*32601	J105-25
	32601	J110-25				
4M45B0V	04600	1412-46	*06402	2545-37	11302	2434-70
	26802	1502-27	26802	2550-27		
4M45NAV	06402	2545-35	*06402	2546-37	06500	2544-31
4M46AR	*32601	J105-28	32601	J110-28		
4M46A0	06402	2546-36	26802	2549-27	*32601	J105-27
	32601	J110-27				
4M46B0V	04300	1412-57	04400	1409-57	04500	1409-30
	*06402	2545-34	11302	2434-76	26802	1502-29
	26802	2550-29				
4M46NAV	06402	2545-36	*06402	2546-34	06500	2544-27
4M47AR	*32601	J105-30	32601	J110-30		
4M47A0	06402	2546-29	26802	2549-29	*32601	J105-29
	32601	J110-29				
4M47B0V	04300	1412-70	04400	1409-70	04500	1409-46
	*06402	2545-30	11301	2433-51	26802	1502-31
	26802	2550-31				
4M47NAV	06402	2545-29	*06402	2546-30	06500	2544-19
4M48AR	*32601	J105-32	32601	J110-32		
4M48A0	06402	2546-33	26802	2549-31	*32601	J105-31
	32601	J110-31				
4M48B0V	04600	1415-29	*06402	2545-31	11301	2433-57
	26802	1502-33	26802	2550-33		
4M48NAV	06402	2545-33	*06402	2546-31	06500	2544-20
4M49AR	*32601	J105-34	32601	J110-34		
4M49A0	06402	2546-39	26802	2549-33	*32601	J105-33
	32601	J110-33				
4M49B0V	04600	1415-41	*06402	2545-42	11301	2433-54
	26802	1502-35	26802	2550-35		
4M49NAV	06402	2545-39	*06402	2546-42	06500	2544-25
4M50AR	*32601	J105-36	32601	J110-36		
4M50A0	06402	2546-52	26802	2549-35	*32601	J105-35
	32601	J110-35				
4M50B0V	04600	1415-53	*06402	2545-54	11301	2433-62
	26802	1502-37	26802	2550-37		
4M50NAV	06402	2545-52	*06402	2546-54	06500	2543-27

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
4M51AR	*32601	J105-38	32601	J110-38		
4M51A0	06402	2546-47	26802	2549-37	*32601	J105-37
	32601	J110-37				
4M51B0V	04600	1415-69	*06402	2545-49	11301	2433-69
	26802	1502-39	26802	2550-39		
4M51NAV	06402	2545-47	*06402	2546-49	06500	2543-19
4M52AR	*32601	J105-40	32601	J110-40		
4M52A0	06402	2546-50	26802	2549-39	*32601	J105-39
	32601	J110-39				
4M52B0V	04600	1412-29	*06402	2545-48	11301	2433-75
	26802	1502-41	26802	2550-41		
4M52NAV	06402	2545-50	*06402	2546-48	06500	2543-20
4M53AR	*32601	J105-42	32601	J110-42		
4M53A0	06402	2546-41	26802	2549-41	*32601	J105-41
	32601	J110-41				
4M53B0V	04600	1412-41	*06402	2545-46	11301	2433-70
	26802	1502-43	26802	2550-43		
4M53NAV	06402	2545-41	*06402	2546-46	06500	2543-25
4M54AR	*32601	J105-44	32601	J110-44		
4M54A0	06402	2546-45	26802	2549-43	*32601	J105-43
	32601	J110-43				
4M54B0V	04300	1412-53	04400	1409-53	04500	1409-29
	*06402	2545-43	11301	2433-76	26802	1502-45
	26802	2550-45				
4M54NAV	06402	2545-45	*06402	2546-43	06500	2544-42
4M55AR	*32601	J105-46	32601	J110-46		
4M55A0	06402	2546-51	26802	2549-45	*32601	J105-45
	32601	J110-45				
4M55B0V	04300	1412-69	04400	1409-69	04500	1409-41
	*06402	2545-53	11302	2432-51	26802	1502-47
	26802	2550-47				
4M55NAV	06402	2545-51	*06402	2546-53	06500	2544-48
4M56AR	*32602	J105-48	32602	J110-48		
4M56A0	06402	2546-64	26802	2549-47	*32602	J105-47
	32602	J110-47				
4M56B0V	04600	1415-31	*06402	2545-66	08200	2332-49
	11302	2432-57	26802	1502-49	26802	2550-49
4M56NAV	06402	2545-64	*06402	2546-66	06500	2544-46
4M57AR	*32602	J105-50	32602	J110-50		
4M57A0	06402	2546-61	26802	2549-49	*32602	J105-49
	32602	J110-49				
4M57B0V	04600	1415-43	*06402	2545-63	11302	2432-54
	26802	1502-51	26802	2550-51		
4M57NAV	06402	2545-61	*06402	2546-63	06500	2544-35
4M58AR	*32602	J105-52	32602	J110-52		
4M58A0	06402	2546-62	26802	2549-51	*32602	J105-51

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	32602	J110-51				
4M58B0V	04600	1415-55	*06402	2545-60	11302	2432-62
	26802	1502-53	26802	2550-53		
4M58NAV	06402	2545-62	*06402	2546-60	06500	2544-36
4M59AR	*32602	J105-54	32602	J110-54		
4M59A0	06402	2546-55	26802	2549-53	*32602	J105-53
	32602	J110-53				
4M59B0V	04600	1415-71	*06402	2545-56	11302	2432-69
	26802	1502-55	26802	2550-55		
4M59NAV	06402	2545-55	*06402	2546-56	06500	2543-42
4M60AR	*32602	J105-56	32602	J110-56		
4M60A0	06402	2546-59	26802	2549-55	*32602	J105-55
	32602	J110-55				
4M60B0V	04600	1412-31	*06402	2545-57	11302	2432-75
	26802	1502-57	26802	2550-57		
4M60NAV	06402	2545-59	*06402	2546-57	06500	2543-48
4M61AR	*32602	J105-58	32602	J110-58		
4M61A0	06402	2546-65	26802	2549-57	*32602	J105-57
	32602	J110-57				
4M61B0V	04600	1412-43	*06402	2545-68	09500	2220-21
	11302	2432-70	26802	1502-59	26802	2550-59
4M61NAV	06402	2545-65	*06402	2546-68	06500	2543-46
4M62AR	*32602	J105-60	32602	J110-60		
4M62A0	06402	2546-79	26802	2549-59	*32602	J105-59
	32602	J110-59				
4M62B0V	04300	1412-55	04400	1409-55	04500	1409-31
	*06402	2545-80	11302	2432-76	26802	1502-61
	26802	2550-61				
4M62NAV	06402	2545-79	*06402	2546-80	06500	2543-35
4M63AR	*32602	J105-62	32602	J110-62		
4M63A0	06402	2546-73	26802	2549-61	*32602	J105-61
	32602	J110-61				
4M63B00V	04300	1412-71	04400	1409-71	04500	1409-43
	*06402	2545-71	08200	2332-47	09500	2220-23
	11308	2314-35	26802	1502-63	26802	2550-63
4M63NAV	06402	2545-73	*06402	2546-71	06500	2543-36
4M64AR	31602	J077-66	*32202	J093-66		
4M64A0	06402	2546-69	26802	2449-65	31602	J077-65
	*32202	J093-65				
4M64NAV	06402	2545-69	*06402	2546-70	06500	2443-60
4M65AR	*32602	J105-66	32602	J110-66		
4M65A0	06402	2446-69	26802	2549-65	*32602	J105-65
	32602	J110-65				
4M65NAV	06402	2445-69	*06402	2446-70	06500	2543-60
4M99AR	*30901	J065-34	32300	J095-34		
4M99AR-	*32400	J098-34	32700	J107-34		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
4M99A0	06001	2533-34	*06001	2534-30	06500	2531-48
	26802	2447-33	26802	2547-33	30901	J065-33
	32300	J095-33				
4M99A0-	*32400	J098-33	32700	J107-33		
4M99NA	*06001	2533-30	06001	2534-43	06001	2534-49
	06001	2534-50	06001	2534-56		
4PEENA	*06500	2531-45	06500	2536-62		
4P64A0	06500	2533-29	*06500	2534-33		
4P64NA	*06500	2533-33	13500	1345-20	26802	2250-43
	26803	1303-43	28102	J023-43	31302	J073-43
4P64NR	*28102	J023-44	31302	J073-44		
4P65A0	06500	2533-35	*06500	2534-39		
4P65NA	*06500	2533-39	13500	1345-19	26802	2250-45
	26803	1303-45	28102	J023-45	31302	J073-45
4P65NR	*28102	J023-46	31302	J073-46		
4R99A0	06001	2531-22	*06001	2533-27		
4S21AA	*06002	2534-66				
4S21AB	*06002	2534-57	*06002	2534-60	*06002	2534-63
	*06002	2534-66	26802	2447-47	30902	J065-47
	32300	J095-47				
4S21AR	*30902	J065-48	32300	J095-48		
4S21A0	*06002	2531-59	06002	2534-53	06002	2534-59
	06002	2534-62	06002	2534-65	06002	2534-68
	06002	2534-71	06002	2534-76	06002	2534-77
4S21BA	*06002	2534-60				
4S21CA	*06002	2534-57				
4S21DA	*06002	2534-63				
4S21EA	*06002	2534-75				
4S21FA	*06002	2534-72				
4S21GA	*06002	2534-69				
4S21HA	*06002	2534-80				
4S21NA	06002	2531-61	*26802	2549-75		
4S22AA	*06002	2533-66				
4S22AB	*06002	2534-69	*06002	2534-72	*06002	2534-75
	*06002	2534-80	26802	2447-49	30902	J065-49
	32300	J095-49				
4S22AR	*30902	J065-50	32300	J095-50		
4S22A0	*06002	2531-57	06002	2533-53	06002	2533-59
	06002	2533-62	06002	2533-65	06002	2533-68
	06002	2533-71	06002	2533-76	06002	2533-77
4S22BA	*06002	2533-60				
4S22CA	*06002	2533-57				
4S22DA	*06002	2533-63				
4S22EA	*06002	2533-75				
4S22FA	*06002	2533-72				
4S22GA	*06002	2533-69				



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
4S22HA	*06002	2533-80				
4S22NA	06002	2531-55	26802	2449-75	*32602	J105-75
	32602	J110-75				
4S22NR	*32602	J105-76	32602	J110-76		
4S23AB	*06002	2533-57	*06002	2533-60	*06002	2533-63
	*06002	2533-66	26802	2547-47	32700	J098-47
	32700	J107-47				
4S23AR	*32700	J098-48	32700	J107-48		
4S24AB	*06002	2533-69	*06002	2533-72	*06002	2533-75
	*06002	2533-80	26802	2547-49	32700	J098-49
	32700	J107-49				
4S24AR	*32700	J098-50	32700	J107-50		
4S91AB	*06002	2532-30	*06002	2532-33	*06002	2532-38
	*06002	2532-39	26802	2447-27	30901	J065-27
	32300	J095-27				
4S91AR	*30901	J065-28	32300	J095-28		
4S91A0	*06002	2532-38				
4S91BB	*06002	2536-69	*06002	2536-72	*06002	2536-75
	*06002	2536-80	26802	2447-55	30902	J065-55
	32300	J095-55				
4S91BR	*30902	J065-56	32300	J095-56		
4S91B0	*06002	2532-30				
4S91C0	*06002	2532-33				
4S91D0	*06002	2532-39				
4S91E0	*06002	2536-75				
4S91F0	*06002	2536-72				
4S91G0	*06002	2536-69				
4S91H0	*06002	2536-80				
4S91NA	*06001	2534-52	06002	2532-29	06-002	2532-34
	06002	2532-35	06002	2532-40	06002	2536-73
	06002	2536-74	06002	2536-76	06002	2536-79
4S92A0	06001	2534-54	*06002	2533-52		
4S92NA	06002	2533-48	06002	2533-54	26802	2447-37
	*30901	J065-37	32300	J095-37		
4S92NR	*30901	J065-38	32300	J095-38		
4S93AB	*06002	2532-45	*06002	2532-46	*06002	2532-51
	*06002	2532-52	26802	2447-29		
4S93AR	*30901	J065-30	32300	J095-30		
4S93A0	*06002	2532-52	30901	J065-29	32300	J095-29
4S93B0	*06002	2532-46				
4S93C0	*06002	2532-45				
4S93D0	*06002	2532-51				
4S93NA	*06001	2534-46	06002	2532-41	06002	2532-47
	06002	2532-48	06002	2532-54		
4S94A0	06001	2534-48	*06002	2533-46		
4S95AB	*06002	2532-57	*06002	2532-60	*06002	2532-63

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	*06002	2532-66	26802	2547-27		
4S95AB-	*32400	J098-27	32700	J107-27		
4S95AR-	*32400	J098-28	32700	J107-28		
4S95A0	*06002	2532-66				
4395BB	*06002	2535-69	*06002	2535-72	*06002	2535-75
	*06002	2535-80	26802	2547-55	32700	J098-55
	32700	J107-55				
4S95BR	*32700	J098-56	32700	J107-56		
4S95B0	*06002	2532-60				
4S95C0	*06002	2532-57				
4S95D0	*06002	2532-63				
4S95E0	*06002	2535-75				
4S95F0	*06002	2535-72				
4S95G0	*06002	2535-69				
4S95H0	*06002	2535-80				
4S95NA	*06001	2534-45	06002	2532-53	06002	2532-59
	06002	2532-62	06002	2532-68	06002	2535-73
	06002	2535-74	06002	2535-76	06002	2535-79
4S96A0	06001	2534-41	*06002	2533-45		
4S96NA	06002	2533-41	06002	2533-47	26802	2547-37
	*32400	J098-37	32700	J107-37		
4S96NR	*32400	J098-38	32700	J107-38		
4S97AB	*06001	2532-69	*06001	2532-72	*06001	2532-75
	*06001	2532-80	26802	2547-29		
4S97AB-	*32400	J098-29	32700	J107-29		
4S97AR-	*32400	J098-30	32700	J107-30		
4S97A0	*06001	2532-75				
4S97B0	*06001	2532-72				
4S97C0	*06001	2532-69				
4S97D0	*06001	2532-80				
4S97NA	06001	2532-65	06001	2532-71	06001	2532-76
	06001	2532-77	*06001	2534-51		
4S98A0	06001	2534-47	*06002	2533-51		
4S99A0	06001	2531-31	*06001	2536-45		
4S99NA	*06001	2531-33	26802	2447-31	26802	2547-31
	30901	J065-31	32300	J095-31		
4S99NA-	*32400	J098-31	32700	J107-31		
4S99NR	*30901	J065-32	32300	J095-32		
4S99NR-	*32400	J098-32	32700	J107-32		
4W99A0	06001	2531-14	*06001	2533-38		
4X00AR	*31001	J066-02	31001	J094-02		
4X00A0	*06101	2440-06	06200	2441-60	26802	2448-01
	31001	J066-01	31001	J094-01		
4X001A	*06101	2439-06	06101	2440-08		
4X002A	*06101	2439-01	06101	2440-10		
4X01AR	*31001	J066-04	31001	J094-04		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
4X01A0	*06101	2438-06	06200	2442-10	26802	2448-03
	31001	J066-03	31001	J094-03		
4X011A	*06101	2437-06	06101	2438-08		
4X012A	*06101	2437-01	06101	2438-10		
4X02AR	*31001	J066-06	31001	J094-06		
4X02A0	*06101	2439-09	06200	2442-13	26802	2448-05
	31001	J066-05	31001	J094-05		
4X021A	06101	2439-03	*06101	2440-01		
4X022A	06101	2439-07	*06101	2440-09		
4X03AR	*31001	J066-08	31001	J094-08		
4X03A0	*06101	2437-09	06200	2442-14	26802	2448-07
	31001	J066-07	31001	J094-07		
4X031A	06101	2437-03	*06101	2438-01		
4X032A	06101	2437-07	*06101	2438-09		
4X04AR	*31001	J066-10	31001	J094-10		
4X04A0	*06101	2440-15	06200	2442-03	26802	2448-09
	31001	J066-09	31001	J094-09		
4X041A	*06101	2439-15	06101	2440-11		
4X042A	*06101	2439-22	06101	2440-13		
4X05AR	*31001	J066-12	31001	J094-12		
4X05A0	*06101	2438-15	06200	2442-04	26802	2448-11
	31001	J066-11	31001	J094-11		
4X051A	*06101	2437-15	06101	2438-11		
4X052A	*06101	2437-22	06101	2438-13		
4X06AR	*31001	J066-14	31001	J094-14		
4X06A0	*06101	2439-14	06200	2442-09	26802	2448-13
	31001	J066-13	31001	J094-13		
4X061A	06101	2439-18	*06101	2440-22		
4X062A	06101	2439-20	*06101	2440-14		
4X07AR	*31001	J066-16	31001	J094-16		
4X07A0	*06101	2437-14	06200	2441-14	26802	2448-15
	31001	J066-15	31001	J094-15		
4X071A	06101	2437-18	*06101	2438-22		
4X072A	06101	2437-20	*06101	2438-14		
4X08AR	*31001	J066-18	31001	J094-18		
4X08A0	*06101	2440-21	06200	2441-03	26802	2448-17
	31001	J066-17	31001	J094-17		
4X081A	*06101	2439-21	06101	2440-17		
4X082A	*06101	2439-27	06101	2440-19		
4X09AR	*31001	J066-20	31001	J094-20		
4X09A0	*06101	2438-21	06200	2441-04	26802	2448-19
	31001	J066-19	31001	J094-19		
4X091A	*06101	2437-21	06101	2438-17		
4X092A	*06101	2437-27	06101	2438-19		
4X10AR	*31001	J066-22	31001	J094-22		
4X10A0	*06101	2439-38	06200	2441-09	26802	2448-21

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	31001	J066-21	31001	J094-21		
4X101A	06101	2439-40	*06101	2440-27		
4X102A	06101	2439-42	*06101	2440-38		
4X11AR	*31001	J066-24	31001	J094-24		
4X11A0	*06101	2437-38	06200	2442-26	26802	2448-23
	31001	J066-23	31001	J094-23		
4X111A	06101	2437-40	*06101	2438-27		
4X112A	06101	2437-42	*06101	2438-38		
4X12AR	*31001	J066-26	31001	J094-26		
4X12A0	*06101	2440-30	06200	2442-31	26802	2448-25
	31001	J066-25	31001	J094-25		
4X121A	*06101	2439-30	06101	2440-34		
4X122A	*06101	2439-33	06101	2440-36		
4X13AR	*31001	J066-28	31001	J094-28		
4X13A0	*06101	2438-30	06200	2442-27	26802	2448-27
	31001	J066-27	31001	J094-27		
4X131A	*06101	2437-30	06101	2438-34		
4X132A	*06101	2437-33	06101	2438-36		
4X14AR	*31001	J066-30	31001	J094-30		
4X14A0	*06102	2439-39	06200	2442-19	26802	2448-29
	31001	J066-29	31001	J094-29		
4X141A	06102	2439-35	*06102	2440-33		
4X142A	06102	2439-37	*06102	2440-39		
4X15AR	*31001	J066-32	31001	J094-32		
4X15A0	*06102	2437-39	06200	2442-20	26802	2448-31
	31001	J066-31	31001	J094-31		
4X151A	06102	2437-35	*06102	2438-33		
4X152A	06102	2437-37	*06102	2438-39		
4X16AR	*31001	J066-34	31001	J094-34		
4X16A0	*06102	2440-52	06200	2442-25	26802	2448-33
	31001	J066-33	31001	J094-33		
4X161A	*06102	2439-52	06102	2440-54		
4X162A	*06102	2439-46	06102	2440-56		
4X17AR	*31001	J066-36	31001	J094-36		
4X17A0	*06102	2438-52	06200	2441-27	26802	2448-35
	31001	J066-35	31001	J094-35		
4X171A	*06102	2437-52	06102	2438-54		
4X172A	*06102	2437-46	06102	2438-56		
4X18AR	*31001	J066-38	31001	J094-38		
4X18A0	*06102	2439-45	06200	2441-19	26802	2448-37
	31001	J066-37	31001	J094-37		
4X181A	06102	2439-41	*06102	2440-46		
4X182A	06-102	2439-43	*06102	2440-45		
4X19AR	*31001	J066-40	31001	J094-40		
4X19A0	*06102	2437-45	06200	2441-20	26802	2448-39
	31001	J066-39	31001	J094-39		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
4X191A	06102	2437-41	*06102	2438-46		
4X192A	06102	2437-43	*06102	2438-45		
4X20AR	*31001	J066-42	31001	J094-42		
4X20A0	*06102	2440-51	06200	2441-25	26802	2448-41
	31001	J066-41	31001	J094-41		
4X201A	*06102	2439-51	06102	2440-47		
4X202A	*06102	2439-66	06102	2440-49		
4X21AR	*31001	J066-44	31001	J094-44		
4X21A0	*06102	2438-51	06200	2442-42	26802	2448-43
	31001	J066-43	31001	J094-43		
4X211A	*06102	2437-51	06102	2438-47		
4X212A	*06102	2437-66	06102	2438-49		
4X22AR	*31001	J066-46	31001	J094-46		
4X22A0	*06102	2439-60	06200	2442-48	26802	2448-45
	31001	J066-45	31001	J094-45		
4X221A	06102	2439-62	*06102	2440-66		
4X222A	06102	2439-64	*06102	2440-60		
4X23AR	*31001	J066-48	31001	J094-48		
4X23A0	*06102	2437-60	06200	2442-46	26802	2448-47
	31001	J066-47	31001	J094-47		
4X231A	06102	2437-62	*06102	2438-66		
4X232A	06102	2437-64	*06102	2438-60		
4X24AR	*31002	J066-50	31002	J094-50		
4X24A0	*06102	2440-57	06200	2442-35	26802	2448-49
	31002	J066-49	31002	J094-49		
4X241A	*06102	2439-57	06102	2440-53		
4X242A	*06102	2439-63	06102	2440-55		
4X25AR	*31002	J066-52	31002	J094-52		
4X25A0	*06102	2438-57	06200	2442-36	26802	2448-51
	31002	J066-51	31002	J094-51		
4X251A	*06102	2437-57	06102	2438-53		
4X252A	*06102	2437-63	06102	2438-55		
4X26AR	*31002	J066-54	31002	J094-54		
4X26A0	*06102	2439-75	06200	2441-42	26802	2448-53
	31002	J066-53	31002	J094-53		
4X261A	06102	2439-77	*06102	2440-63		
4X262A	06102	2439-79	*06102	2440-75		
4X27AR	*31002	J066-56	31002	J094-56		
4X27A0	*06102	2437-75	06200	2441-48	26802	2448-55
	31002	J066-55	31002	J094-55		
4X271A	06102	2437-77	*06102	2438-63		
4X272A	06102	2437-79	*06102	2438-75		
4X28AR	*31002	J066-58	31002	J094-58		
4X28A0	*06103	2440-72	06200	2441-46	26802	2448-57
	31002	J066-57	31002	J094-57		
4X281A	*06103	2439-72	06103	2440-71		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
4X282A	*06103	2439-69	06103	2440-73		
4X29AR	*31002	J066-60	31002	J094-60		
4X29A0	*06103	2438-72	06200	2441-35	26802	2448-59
	31002	J066-59	31002	J094-59		
4X291A	*06103	2437-72	06103	2438-71		
4X292A	*06103	2437-69	06103	2438-73		
4X30AR	*31002	J066-62	31002	J094-62		
4X30A0	*06103	2439-80	06200	2441-36	26802	2448-61
	31002	J066-61	31002	J094-61		
4X301A	06103	2439-76	*06103	2440-69		
4X302A	06103	2439-78	*06103	2440-80		
4X31AR	*31002	J066-64	31002	J094-64		
4X31A0	*06103	2437-80	06200	2441-41	26802	2448-63
	31002	J066-63	31002	J094-63		
4X311A	06103	2437-76	*06103	2438-69		
4X312A	06103	2437-78	*06103	2438-80		
4X32AR	*32502	J099-64	32502	J106-64		
4X32A0	*06103	2540-06	06200	2541-41	26802	2548-63
	32502	J099-63	32502	J106-63		
4X321A	*06103	2539-06	06103	2540-08		
4X322A	*06103	2539-01	06103	2540-10		
4X33AR	*32501	J099-02	32501	J106-02		
4X33A0	*06103	2538-06	06200	2541-60	26802	2548-01
	32501	J099-01	32501	J106-01		
4X331A	*06103	2537-06	06103	2538-08		
4X332A	*06103	2537-01	06103	2538-10		
4X34AR	*32501	J099-04	32501	J106-04		
4X34A0	*06103	2539-09	06200	2542-10	26802	254.8-03
	32501	J099-03	32501	J106-03		
4X341A	06103	2539-03	*06103	2540-01		
4X342A	06103	2539-07	*06103	2540-09		
4X35AR	*32501	J099-06	32501	J106-06		
4X35A0	*06103	2537-09	06200	2542-13	26802	2548-05
	32501	J099-05	32501	J106-05		
4X351A	06103	2537-03	*06103	2538-01		
4X352A	06103	2537-07	*06103	2538-09		
4X36AR	*32501	J099-08	32501	J106-08		
4X36A0	*06103	2540-15	06200	2542-14	26802	2548-07
	32501	J099-07	32501	J106-07		
4X361A	*06103	2539-15	06103	2540-11		
4X362A	*06103	2539-22	06103	2540-13		
4X37AR	*32501	J099-10	32501	J106-10		
4X37A0	*06103	2538-15	06200	2542-03	26802	2548-09
	32501	J099-09	32501	J106-09		
4X371A	*06103	2537-15	06103	2538-11		
4X372A	*06103	2537-22	06103	2538-13		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
4X38AR	*32501	J099-12	32501	J106-12		
4X38A0	*06103	2539-14	06200	2542-04	26802	2548-11
	32501	J099-11	32501	J106-11		
4X381A	06103	2539-18	*06103	2540-22		
4X382A	06103	2539-20	*06103	2540-14		
4X39AR	*32501	J099-14	32501	J106-14		
4X39A0	*06103	2537-14	06200	2542-09	26802	2548-13
	32501	J099-13	32501	J106-13		
4X391A	06103	2537-18	*06103	2538-22		
4X392A	06103	2537-20	*06103	2538-14		
4X40AR	*32501	J099-16	32501	J106-16		
4X40A0	*06103	2540-21	06200	2541-14	26802	2548-15
	32501	J099-15	32501	J106-15		
4X401A	*06103	2539-21	06103	2540-17		
4X402A	*06103	2539-27	06103	2540-19		
4X41AR	*32501	J099-18	32501	J106-18		
4X41A0	*06103	2538-21	06200	2541-03	26802	2548-17
	32501	J099-17	32501	J106-17		
4X411A	*06103	2537-21	06103	2538-17		
4X412A	*06103	2537-27	06103	2538-19		
4X42AR	*32501	J099-20	32501	J106-20		
4X42A0	*06104	2539-38	06200	2541-04	26802	2548-19
	32501	J099-19	32501	J106-19		
4X421A	06104	2539-40	*06104	2540-27		
4X422A	06104	2539-42	*06104	2540-38		
4X43AR	*32501	J099-22	32501	J106-22		
4X43A0	*06104	2537-38	06200	2541-09	26802	2548-21
	32501	J099-21	32501	J106-21		
4X431A	06104	2537-40	*06104	2538-27		
4X432A	06104	2537-42	*06104	2538-38		
4X44AR	*32501	J099-24	32501	J106-24		
4X44A0	*06104	2540-30	06200	2542-26	26802	2548-23
	32501	J099-23	32501	J106-23		
4X441A	*06104	2539-30	06104	2540-34		
4X442A	*06104	2539-33	06104	2540-36		
4X45AR	*32501	J099-26	32501	J106-26		
4X45A0	*06104	2538-30	06200	2542-31	26802	2548-25
	32501	J099-25	32501	J106-25		
4X451A	*06104	2537-30	06104	2538-34		
4X452A	*06104	2537-33	06104	2538-36		
4X46AR	*32501	J099-28	32501	J106-28		
4X46A0	*06104	2539-39	06200	2542-27	26802	2548-27
	32501	J099-27	32501	J106-27		
4X461A	06104	2539-35	*06104	2540-33		
4X462A	06104	2539-37	*06104	2540-39		
4X47AR	*32501	J099-30	32501	J106-30		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
4X47A0	*06104	2537-39	06200	2542-19	26802	2548-29
	32501	J099-29	32501	J106-29		
4X471A	06104	2537-35	*06104	2538-33		
4X472A	06104	2537-37	*06104	2538-39		
4X48AR	*32501	J099-32	32501	J106-32		
4X48A0	*06104	2540-52	06200	2542-20	26802	2548-31
	32501	J099-31	32501	J106-31		
4X481A	*06104	2539-52	06104	2540-54		
4X482A	*06104	2539-46	06104	2540-56		
4X49AR	*32501	J099-34	32501	J106-34		
4X49A0	*06104	2538-52	06200	2542-25	26802	2548-33
	32501	J099-33	32501	J106-33		
4X491A	*06104	2537-52	06104	2538-54		
4X492A	*06104	2537-46	06104	2538-56		
4X50AR	*32501	J099-36	32501	J106-36		
4X50A0	*06104	2539-45	06200	2541-27	26802	2548-35
	32501	J099-35	32501	J106-35		
4X501A	06104	2539-41	*06104	2540-46		
4X502A	06104	2539-43	*06104	2540-45		
4X51AR	*32501	J099-38	32501	J106-38		
4X51A0	*06104	2537-45	06200	2541-19	26802	2548-37
	32501	J099-37	32501	J106-37		
4X511A	06104	2537-41	*06104	2538-46		
4X512A	06104	2537-43	*06104	2538-45		
4X52AR	*32501	J099-40	32501	J106-40		
4X52A0	*06104	2540-51	06200	2541-20	26802	2548-39
	32501	J099-39	32501	J106-39		
4X521A	*06104	2539-51	06104	2540-47		
4X522A	*06104	2539-66	06104	2540-49		
4X53AR	*32501	J099-42	32501	J106-42		
4X53A0	*06104	2538-51	06200	2541-25	26802	2548-41
	32501	J099-41	32501	J106-41		
4X531A	*06104	2537-51	06104	2538-47		
4X532A	*06104	2537-66	06104	2538-49		
4X54AR	*32501	J099-44	32501	J106-44		
4X54A0	*06104	2539-60	06200	2542-42	26802	-2548-43
	32501	J099-43	32501	J106-43		
4X541A	06104	2539-62	*06104	2540-66		
4X542A	06104	2539-64	*06104	2540-60		
4X55AR	*32501	J099-46	32501	J106-46		
4X55A0	*06104	2537-60	06200	2542-48	26802	2548-45
	32501	J099-45	32501	J106-45		
4X551A	06104	2537-62	*06104	2538-66		
4X552A	06104	2537-64	*06104	2538-60		
4X56AR	*32502	J099-48	32502	J106-48		
4X56A0	*06105	2540-57	06200	2542-46	26802	2548-47



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
	32502	J099-47	32502	J106-47		
4X561A	*06105	2539-57	06105	2540-53		
4X562A	*06105	2539-63	06105	2540-55		
4X57AR	*32502	J099-50	32502	J106-50		
4X57A0	*06105	2538-57	06200	2542-35	26802	2548-49
	32502	J099-49	32502	J106-49		
4X571A	*06105	2537-57	06105	2538-53		
4X572A	*06105	2537-63	06105	2538-55		
4X58AR	*32502	J099-52	32502	J106-52		
4X58A0	*06105	2539-75	06200	2542-36	26802	2548-51
	32502	J099-51	32502	J106-51		
4X581A	06105	2539-77	*06105	2540-63		
4X582A	06105	2539-79	*06105	2540-75		
4X59AR	*32502	J099-54	32502	J106-54		
4X59A0	*06105	2537-75	06200	2541-42	26802	2548-53
	32502	J099-53	32502	J106-53		
4X591A	06105	2537-77	*06105	2538-63		
4X592A	06105	2537-79	*06105	2538-75		
4X60AR	*32502	J099-56	32502	J106-56		
4X60A0	*06105	2540-72	06200	2541-48	26802	2548-55
	32502	J099-55	32502	J106-55		
4X601A	*06105	2539-72	06105	2540-71		
4X602A	*06105	2539-69	06105	2540-73		
4X61AR	*32502	J099-58	32502	J106-58		
4X61A0	*06105	2538-72	06200	2541-46	26802	2548-57
	32502	J099-57	32502	J106-57		
4X611A	*06105	2537-72	06105	2538-71		
4X612A	*06105	2537-69	06105	2538-73		
4X62AR	*32502	J099-60	32502	J106-60		
4X62A0	*06105	2539-80	06200	2541-35	26802	2548-59
	32502	J099-59	32502	J106-59		
4X621A	06105	2539-76	*06105	2540-69		
4X622A	06105	2539-78	*06105	2540-80		
4X63AR	*32502	J099-62	32502	J106-62		
4X63A0	*06105	2537-80	06200	2541-36	26802	2548-61
	32502	J099-61	32502	J106-61		
4X631A	06105	2537-76	*06105	2538-69		
4X632A	06105	2537-78	*06105	2538-80		
5ACPA0	13500	1313-49	*13500	1317-27	13500	1319-31
5ANP00	*13402	1339-51	13402	1343-36		
SBABEA	13302	1324-54	*13302	1326-47	18600	2241-72
	26803	1201-11	26803	2251-11		
5BABE0	13302	1323-54	*13302	1324-52		
5BABIA	05200	1117-05	05200	1117-26	05300	1117-48
	*13302	1323-45	13302	1324-48	26802	1302-31
	26803	1302-31				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5BABIR	28201	J024-32	*28201	J084-32		
5BABIO	13302	1323-48	*13302	1324-46	28201	J024-31
	28201	J084-31				
5BAB0A	*13302	1318-75	13302	1325-24	13302	1326-04
	13302	1326-18	13302	1326-46		
5BAB00E	*13302	1314-75	13302	1318-77	13302	1323-43
	13600	1336-19				
5BAB1A	*13302	1318-72	13302	1325-25	13302	1326-05
5BAB11E	*13302	1314-79	13302	1318-71	13302	1326-19
	13302	1326-48	13600	1336-50		
5BAB2A	*13302	1317-72	13302	1326-06	13302	1326-49
5BAB22E	*13302	1314-80	13302	1317-71	13302	1325-26
	13302	1326-20	13600	1336-79		
5BAB3A	*13302	1318-69	13302	1325-10	13302	1326-07
	13302	1326-22	13302	1326-50		
5BAB33E	*13302	1314-76	13302	1318-65	13302	1325-05
	13600	1337-13				
5BAM1A	13302	1323-47	*13302	1325-23		
5BAM1R	28201	J024-28	*28201	J084-28		
5BAM10	01501	1329-53	02300	1529-61	02300	1540-04
	02300	1540-23	*13302	1323-51	13302	1325-01
	13302	1325-06	26802	1302-27	26803	1302-27
	28201	J024-27	28201	J084-27		
5BAVDA	*13302	1326-23	13900	1144-04		
5BCB1A	13301	1317-59	*13301	1319-69		
5BCB10	*13301	1317-63	13302	1314-78		
5BCC10	13301	1314-62	*13301	1318-63		
5BDC1R	*13301	1317-66	13301	1318-53	13301	1318-59
	13301	1318-68	13301	1319-55	13301	1319-72
5BDC1S	13301	1314-59	13301	1317-68	*13301	1318-66
	13301	1328-05	13302	1323-41	13302	1325-22
	13302	1326-01	13302	1326-14	13302	1326-43
5BDC2A	12900	1313-66	*12900	1319-76	12900	1344-77
	13301	1318-70				
5BST1A	13301	1317-62	*13301	1319-57		
5BST10	13301	1315-49	13301	1315-63	13301	1316-09
	13301	1316-23	13301	1316-37	13301	1316-49
	13301	1316-63	13301	1316-77	*13301	1317-60
	13302	1314-77				
5BST2A	13301	1317-53	*13301	1318-57		
5BST20	13301	1314-63	*13301	1317-57		
5BST3A	13301	1317-64	*13301	1318-60		
5BTBEA	*13302	1323-52	18600	2241-66	18600	2243-76
	26803	1201-13	26803	2251-13		
5BTB1A	05300	1117-54	*13302	1323-46	26802	1302-39
	26803	1302-39	28202	J1024-39	28202	J084-39

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5BTBIR	28202	J024-40	*28202	J084-40		
5BTD00E	*13301	1314-61	13301	1319-71		
5BTD20	*13301	1317-75	13301	1318-62		
5BTD22E	*13301	1314-68	13301	1317-77	13301	1328-14
	14000	1141-40				
5BTD30	12900	1319-75	13301	1317-70	*13301	1318-80
	13301	1328-03				
5BTD33E	*13301	1314-64	13301	1318-76		
5BTIRA	05400	1113-37	*13302	1326-11	26802	1302-35
	26803	1302-35	28201	J024-35	28201	J084-35
5BTIRR	28201	J024-36	*28201	J084-36		
5BTM1A	01501	1329-68	*13302	1325-11	26802	1302-05
	26803	1302-05	28201	J024-05	28201	J084-05
5BTM1R	28201	J024-06	*28201	J084-06		
5BTM2A	01501	1329-62	*13302	1325-09	26802	1302-07
	26803	1302-07	28201	J024-07	28201	J084-07
5BTM2R	28201	J024-08	*28201	J084-08		
5BT00JQ	*13301	1328-13	13301	1329-05		
5BT01JQ	*13301	1329-13	13301	1330-05	13302	1323-50
	13302	1323-56	13302	1325-04	13302	1325-08
	13302	1326-08	13302	1326-24		
5BT02JQ	13301	1318-64	13301	1328-10	*13301	1330-13
5BT02KQ	13301	1317-55	13301	1329-07	*13301	1330-11
5BUF03E	02300	1532-03	02300	1532-43	05300	1107-31
	05400	1107-71	*13301	1315-52	13900	1140-03
	18600	2235-31	26802	1302-09	26803	1201-15
	26803	1302-09	26803	2251-15	28201	J024-09
	28201	J084-09				
5BUF03R	28201	J024-10	*28201	J084-10		
5BUF13E	02300	1532-01	02300	1532-41	05300	1107-29
	05400	1107-69	*13301	1315-64	13900	1140-01
	18600	2235-29	26802	1302-11	26803	1201-17
	26803	1302-11	26803	2251-17	28201	J024-11
	28201	J084-11				
5BUF13R	28201	J024-12	*28201	J084-12		
5BUF23E	02300	1532-04	02300	1532-46	05300	1107-30
	05400	1107-70	*13301	1316-10	13900	1140-04
	18600	2235-30	26802	1302-13	26803	1201-19
	26803	1302-13	26803	2251-19	28201	J024-13
	28201	J084-13				
5BUF23R	28201	J024-14	*28201	J084-14		
5BUF33E	02300	1532-06	02300	1532-48	05300	1107-34
	05400	1107-72	*13301	1316-24	13900	1140-06
	18600	2235-34	26802	1302-15	26803	1201-21
	26803	1302-15	26803	2251-21	28201	J024-15
	28201	J084-15				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5BUF33R	28201	J024-16	*28201	J084-16		
5BUF43E	02300	1531-17	02300	1531-55	05300	1109-03
	05400	1109-43	*13301	1316-38	13900	1141-17
	18600	2234-43	26802	1302-17	26803	1201-23
	26803	1302-17	26803	2251-23	28201	J024-17
	28201	J084-17				
5BUF43R	28201	J024-18	*28201	J084-18		
5BUF53E	02300	1531-15	02300	1531-53	05300	1109-01
	05400	1109-41	*13301	1316-52	13800	1337-64
	13900	1141-15	18600	2234-41	26802	1302-19
	26803	1201-25	26803	1302-19	26803	2251-25
	28201	J024-19	28201	J084-19		
5BUF53R	28201	J024-20	*28201	J084-20		
5BUF63E	02300	1531-18	02300	1531-57	05300	1109-04
	05400	1109-46	*13301	1316-64	13800	1339-07
	13900	1141-18	18600	2234-46	26802	1302-21
	26803	1201-27	26803	1302-21	26803	2251-27
	28201	J024-21	28201	J084-21		
5BUF63R	28201	J024-22	*28201	J084-22		
5BUF73E	02300	1531-20	02300	1531-60	05300	1109-06
	05400	1109-48	*13301	1316-76	13800	1339-36
	13900	1141-20	18600	2234-48	26802	1302-23
	26803	1201-29	26803	1302-23	26803	2251-29
	28201	J024-23	28201	J084-23		
5BUF73R	28201	J024-24	*28201	J084-24		
5CCC10	*13000	1333-33	13000	1340-09		
5CC3B0	12900	1312-62	*12900	1339-46		
5CC312E	12900	1339-48	*13000	1340-13		
5CC4B0	*12900	1339-45	12900	1343-77		
5CC413E	12900	1339-41	13000	1332-48	*13000	1340-10
5CF01JQ	12800	1324-42	*12800	1328-25	12800	1329-19
	12800	1330-21				
5CF01KQ	*12800	1328-27	12800	1329-26		
5CF02JQ	*12800	1329-25	12800	1330-19		
5CF02KQ	12800	1323-31	*12800	1329-27	12800	1330-26
5CF03JQ	12800	1323-29	12800	1324-40	12800	1328-26
	12800	1328-33	*12800	1330-25		
5CF03KQ	12800	1328-21	12800	1328-40	*12800	1330-27
5CF04JQ	*12800	1328-42	12800	1329-33		
5CF04KQ	12800	1325-14	*12800	1328-39	12800	1329-40
5CF05JQ	12800	1325-18	*12800	1329-42		
5CF51JQ	*13000	1328-56	13000	1329-59	13000	1333-77
5CF51KQ	*13000	1328-51	13000	1329-66	13000	1332-43
5CF52JQ	13000	1328-59	*13000	1329-68	13000	1332-49
5CF52KQ	13000	1328-66	*13000	1329-65	13000	1333-78
5CF53JQ	*13000	1328-68	13000	1329-45		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5CF53KQ	*13000	1328-65	13000	1329-54	13000	1332-52
5CF54JQ	*13000	1329-56	13000	1330-45	13000	1332-46
5CF54KQ	*13000	1329-51	13000	1330-54	13000	1333-55
	13000	1333-61	13000	1339-54		
5CF55JQ	13000	1328-54	*13000	1330-56	13000	1333-60
	13000	1333-66	13000	1339-56		
5CF55KQ	13000	1328-45	*13000	1330-51		
5CK0A0	*12800	1323-22	12800	1328-20	12800	1328-34
	12800	1329-20	12800	1329-34	12800	1330-20
	13301	1328-06	13301	1329-06	13301	1330-06
5CK0B0	*12800	1323-14	12900	1314-09	13000	1328-48
	13000	1328-60	13000	1328-48	13000	1329-60
	13000	1330-48				
5CK0C0	*12800	1323-21	12900	1340-49	13200	1314-23
	13200	1314-37	13200	1327-06	13200	1330-34
	13500	1314-49				
5CMR1A	13700	1107-03	13700	1203-03	*13700	1420-64
	13800	1337-49				
5CMR1A+	*26901	J001-03	26901	J020-03		
5CMR1R+	*26901	J001-04	26901	J020-04		
5C0L1A	*26601	A07-09	26601	J05-61	26601	S04-06
5C0L2A	*26601	A07-07	26601	J05-60	26601	S04-04
5CPD1A	13401	1106-29	13401	1303-29	13402	1318-11
	13402	1319-37	13402	1342-43	*13401	1420-31
	27001	J002-29	28901	J031-29		
5CPD1R	*27001	J002-30	28901	J031-30		
5CPFEA	13401	1106-25	13401	1303-25	13402	1335-37
	13402	1342-56	13402	1344-48	*13401	1420-30
	13500	1345-13	27001	J002-25	28901	J031-25
5CPFEA-	*26901	J001-11	26901	J020-11		
5CPFER	*27001	J002-26	28901	J031-26		
5CPFER-	*26901	J001-12	26901	J020-12		
5CPG1A	13401	1106-33	13401	1303-33	13401	1420-38
	13600	1342-04	*27001	J002-33	28901	J031-33
5CPG1R	*27001	J002-34	28901	J031-34		
5CPM1A	13500	1107-07	13500	1203-07	13500	1345-25
	13500	1420-40	*26901	J001-07	26901	J020-07
5CPM1R	*26901	J001-08	26901	J020-08		
5CPW1A	13401	1106-27	13401	1303-27	13402	1335-31
	13402	1342-52	13402	1342-68	13402	1344-20
	13402	1344-46	*13401	1420-37	13500	1345-10
	27001	J002-27	28901	J031-27		
5CPW1R	*27001	J002-28	28901	J031-28		
5CRM1A	13700	1405-25	*13700	1420-63	29501	J040-25
	30902	J065-45				
5CRM1R	29501	J040-26	*30902	J065-46		

Change 2 5-330

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5CRM2A	13700	1405-27	*13700	1420-62	29501	J040-27
	32400	J098-45				
5CRM2R	29501	J040-28	*32400	J098-46		
5CS1AA	*13000	1333-76	13000	1339-59		
5CS1A0	13000	1333-01	13000	1333-14	13000	1333-22
	*13000	1339-63	13600	1333-06		
5CS2AA	*13000	1332-47	13000	1333-30		
5CS6AA	*13000	1332-45	13000	1338-31	13000	1338-35
5CS6B0	12601	1312-04	12601	1312-08	12601	1312-18
	12601	1312-24	12602	1312-31	12602	1312-38
	12602	1312-46	12602	1312-52	12602	1312-66
	12900	1312-60	*13000	1338-39		
5CS9AA	13000	1333-34	13000	1333-71	*13000	1339-52
	13800	1338-54				
5CS9B0	13000	1329-72	13000	1330-72	13000	1332-61
	*13000	1338-52				
5CS9CA	06700	2129-60	*13000	1333-59	26802	2250-05
	26803	1303-05	28101	J023-05	31301	J073-05
5CS9CR	28101	J023-06	*31301	J073-06		
5CS9EA	05400	1113-38	*13000	1333-57	26802	1302-41
	26803	1302-41	28202	J024-41	28202	J084-41
5CS9ER	28202	J024-42	*28202	J084-42		
5CTS1A	*13700	1107-80	13700	1203-80	13700	1420-53
5CTS1A	26902	J001-80	*26902	J020-80		
5CT3AA	12800	1323-34	*12800	1324-38		
5CT3B0	12601	1315-09	12601	1315-23	12601	1315-37
	12700	1317-49	*12800	1323-30	12900	1324-74
	13301	1318-55	13301	1319-60		
5CT5AA	12601	1311-07	12601	1311-13	12601	1311-20
	12601	1311-26	12602	1311-05	12602	1311-10
	12602	1311-19	12602	1311-25	12602	1311-31
	12602	1311-36	12602	1311-42	*12800	1323-33
5CT7AA	12700	1324-34	12800	1323-35	12800	1324-29
	*12800	1325-21				
5CT7B0	12700	1320-30	12700	1320-43	12700	1320-55
	12700	1320-71	*12800	1323-39	12900	1311-49
	12900	1319-78	12900	1342-78	13101	1340-37
	13102	1340-23				
5CT7C0	*12700	1324-30	12700	1327-34	12700	1332-04
	12700	1332-08	12700	1332-18	12700	1332-24
	12700	1332-31	12700	1332-38	12700	1333-52
5CT7D0	*12800	1324-33	12900	1327-20	13402	1325-30
	13402	1325-43	13402	1325-49	13402	1325-55
	13402	1325-61	13402	1325-71	13402	1325-75
5C0D10	*12602	1325-35	12800	1328-19		
5C0D2A	*12602	1323-38	12602	1325-37		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5C0D30	12602	1323-40	*12602	1326-35		
5C0LAA	05101	1336-36	07202	2117-69	07202	2129-74
	12601	1312-05	12601	1312-10	12601	1312-19
	12601	1312-25	12602	1312-34	12602	1312-40
	12602	1312-48	12602	1312-54	12602	1312-68
	12900	1311-50	13200	1313-25	13401	1106-31
	13401	1303-31	13402	1335-38	13402	1341-07
	13402	1341-10	13402	1342-62	13402	1342-70
	*13401	1420-24	13401	1504-05	13500	1313-62
	13600	1342-05	26802	1302-53	26802	2148-05
	26803	1302-53	27001	J002-31	28901	J031-31
5C0LAA-	28202	J024-53	*28202	J084-53		
5C0LAA--	30301	J052-05	*30301	J060-05		
5C0LAR	*27001	J002-32	28901	J031-32		
5C0LAR-	28202	J024-54	*28202	J084-54		
5C0LAR--	30301	J052-06	*30301	J060-06		
5C0L1A	13401	1303-63	13401	1420-32	*28902	J031-63
	29402	J036-61				
5C0L2A	13401	1303-61	13401	1420-39	*28902	J031-61
	29402	J036-60				
5DVG1A	12900	1323-65	*12900	1324-80		
5DVG10	12900	1311-47	*12900	1323-69	13402	1325-31
	13402	1325-46	13402	1325-52	13402	1325-60
	13402	1325-66	13402	1325-72	13402	1325-77
5DV1A	*13402	1325-33	13402	1343-56		
5DV21A	*13402	1325-47	13402	1342-66		
5DV31A	13402	1318-13	*13402	1325-45		
5DV41A	13200	1330-31	*13402	1325-59	13402	1341-08
	13402	1342-60				
5DV51A	*13402	1325-57	13402	1335-34	13402	1341-04
5DV61A	13402	1313-06	13402	1313-48	13402	1313-78
	*13402	1325-76	13402	1342-48	13402	1344-19
	13402	1344-49				
5DV71A	*13402	1325-69	13402	1344-31		
5ERFLD	*13600	1136-75	26601	J03-75	26601	XDS07-B
	26601	XDS07-D	26602	A08-19	26602	A08-23
	26803	1303-57	28102	J023-57	29202	J034-75
5ERINH	13600	1136-76	13600	1346-77	26601	J04-75
	26601	S31-02	26803	1303-55	*28102	J023-55
	29302	J035-75				
5ERPWD	*13600	1136-80	26601	J03-76	26601	XDS07-A
	26601	XDS07-C	26602	A08-21	26602	A08-25
	26803	1303-59	28102	J023-59	29202	J034-76
5ERRA0	13500	1343-03	*13600	1342-09	13600	1343-11
	13600	1343-24				
5ERRBA	*13500	1343-09	13500	1346-05	13500	1346-07

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	13500	1346-10	13500	1346-13	13500	1346-19
	13500	1346-20	13500	1346-25	13500	1346-26
5ERRCA	*13600	1343-15	13600	1346-37	13600	1346-43
	13600	1346-49	13600	1346-50	13600	1346-56
	13600	1346-64	13600	1346-70		
5ERRDA	*13600	1343-22	13600	1345-05	13600	1346-55
	13600	1346-61				
5ER00R	13500	1344-01	13500	1345-08	*13500	1346-06
5ER00S	13500	1336-13	*13500	1345-06	13500	1346-08
5ER001A	*13402	1343-27	13500	1342-13		
SER01R	13500	1342-06	13500	1344-04	*13500	1346-01
SER01S	13500	1336-31	*13500	1342-11	13500	1346-04
5ER010	*13402	1341-33	13402	1343-23		
5ER02R	13500	1338-47	13500	1344-05	13500	1345-03
	*13500	1346-09				
5ER02S	13500	1336-64	*13500	1345-09	13500	1346-03
5ER03R	13500	1344-06	13500	1345-11	*13500	1346-15
5ER03S	13500	1337-10	*13500	1345-15	13500	1346-11
5ER04R	13500	1344-07	13500	1345-24	*13500	1346-22
5ER04S	13500	1337-25	*13500	1345-22	13500	1346-24
5ER0SR	13500	1344-08	13500	1345-18	*13500	1346-14
5ER05S	13500	1337-43	*13500	1345-14	13500	1346-18
5ER06R	13500	1344-10	13500	1345-17	*13500	1346-21
5ER06S	13500	1337-73	*13500	1345-21	13500	1346-17
5ER07R	13500	1344-13	13500	1345-23	*13500	1346-27
5ER07S	13500	1339-19	*13500	1345-27	13500	1346-23
SER1SR	13600	1345-35	*13600	1346-39		
5ER15S	13600	1136-77	13600	1339-25	*13600	1345-39
	13600	1346-35				
5ER16R	13600	1345-54	*13600	1346-52		
5ER16S	13600	1336-20	*13600	1345-52	13600	1346-54
5ER17R	13600	1345-48	*13600	1346-46		
5ER17S	13600	1336-56	*13600	1345-46	13600	1346-48
5ER18R	13600	1345-41	*13600	1346-45		
5ER18S	13600	1336-61	*13600	1345-45	13600	1346-41
5ER19R	13600	1345-47	*13600	1346-51		
5ER19S	13600	1337-07	*13600	1345-51	13600	1346-47
5ER20R	13600	1345-68	*13600	1346-66		
5ER20S	13600	1337-36	*13600	1345-66	13600	1346-68
5ER21R	13600	1345-62	*13600	1346-60		
5ER21S	13600	1337-70	*13600	1345-60	13600	1346-62
5ER22R	13600	1345-53	*13600	1346-57		
5ER22S	13600	1337-78	*13600	1345-57	13600	1346-53
5ER23R	13600	1345-59	*13600	1346-63		
5ER23S	13600	1339-42	*13600	1345-63	13600	1346-59
5ER24A	13600	1136-78	13600	1345-37	*13600	1346-75



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5ER240V	*13600	1248-40	13600	1346-79		
5ER28R	13600	1343-08	*13600	1345-01		
5ER28S	13600	1337-31	*13600	1343-06	13600	1345-04
5FAD1A	*12700	1318-27	12700	1320-31	12700	1320-46
	12700	1320-60	12700	1320-72		
5FAD10	12700	1318-23	*12700	1320-23	12900	1342-75
5FAUB0	13700	1336-04	13700	1336-40	13700	1336-47
	13700	1336-65	13700	1337-18	13700	1337-54
	13700	1337-59	*13700	1338-01	13700	1339-24
5FAU1A	12700	1318-42	*12700	1320-35		
5FAU1R	*12700	1317-46	12700	1318-40	12700	1320-18
	12700	1333-38	13200	1327-07	13700	1338-04
5FAU1S	12700	1317-48	*12700	1318-38	13000	1333-68
	13200	1327-14	13200	1327-45		
5FCC1A	*12700	1323-60	12900	1344-74		
5FCC2JQ	12700	1323-62	*12700	1327-42		
5FCC2KQ	12700	1319-43	*12700	1327-39		
5FCC3R	12700	1319-61	12700	1323-64	*12700	1324-60
5FCC3S	*12700	1319-59	12700	1324-62		
5FCF1A	*12900	1343-75	12900	1344-72		
5FCF2A	*12900	1342-76	12900	1344-73		
5FCM00	12700	1317-47	*12700	1318-46		
5FCM1A	12700	1318-31	*12700	1320-59		
5FCM1R	*12700	1317-30	12700	1318-29	12700	1318-48
	12700	1320-20				
5FCM1S	12700	1317-34	*12700	1318-33	12700	1332-20
	12700	1332-42				
5FCM2A	12700	1318-37	*12700	1320-76		
5FCM2R	*12700	1317-33	12700	1318-35	1.2700	1318-50
	12700	1320-22				
5FCM2S	12700	1317-29	*12700	1318-39	12700	1332-36
	12700	1333-56				
5FCM3A	*12700	1317-51	12700	1318-56		
5FCM3R	*12700	1317-52	12700	1318-54		
5FCM3S	12700	1317-54	*12700	1318-52	12700	1319-46
	12700	1327-33				
5FCM4A	*12700	1319-45	12700	1323-68		
5FCM40	*12700	1323-66	12700	1332-01	12700	1332-06
	12700	1332-14	12700	1332-22	12700	1332-30
	12700	1332-37	12700	1333-49		
5FCPAA	12700	1317-31	12700	1317-36	12700	1317-43
	12700	1317-50	12700	1317-56	12700	1324-64
	12700	1324-79	12900	1324-55	12900	1324-61
	12900	1324-73	*12900	1339-75		
5FCPBA	12700	1327-31	12900	1327-17	*12900	1339-72
5FCP00E	12900	1339-73	12900	1339-79	*12900	1340-47

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5FCP10	12900	1339-71	12900	1339-77	*12900	1343-66
5FCP11E	*12900	1340-51	12900	1343-68		
5FCP22E	*12900	1340-56	13000	1339-65		
5FCP3A	13000	1333-31	*13000	1339-69		
5FCP30	12900	1342-72	*12900	1343-57	13000	1339-74
5FCP33E	*12900	1340-52	12900	1343-53		
5FCP9R	*12900	1342-69	12900	1343-62	12900	1344-71
5FCP9S	12900	1342-71	*12900	1344-76		
5FCP90	12900	1340-45	*12900	1343-60		
5FDA10	13200	1311-70	*13200	1312-76	13200	1324-20
5FDC1KQ	*12900	1327-27	12900	1344-75		
5FDV1A	12700	1319-66	*12700	1332-11	12900	1323-55
5FDV1R	12900	1323-53	*12900	1324-57	12900	1332-60
5FDV1S	*12900	1323-57	12900	1324-53	12900	1324-65
5FDV2A	12900	1323-73	*12900	1324-69		
5FDV2R	12900	1323-71	*12900	1324-72		
5FDV2S	*12900	1323-72	12900	1324-71	12900	1324-76
	12900	1327-19				
5FD01A	12800	1325-19	*12800	1338-38		
5FD010	*12700	1333-35	12800	1328-43	12800	1338-40
	12900	1343-79	13000	1329-43	13000	1332-50
	13000	1332-56	13000	1339-31	13000	1339-35
5FD02A	13000	1338-34	*13000	1339-39		
5FD020	*13000	1338-30	13000	1340-08		
5FD03R	13000	1332-54	13000	1338-29	*13000	1339-33
5FD03S	*13000	1338-33	13000	1339-29	13000	1339-37
5FEB1A	*12700	1332-35	13102	1343-19		
5FEB2A	*12700	1332-33	13102	1343-20		
5FEB3JQ	13102	1342-24	*13200	1330-42		
5FEB3KQ	13200	1327-03	*13200	1330-39		
5FED1A	13102	1341-40	13102	1342-25	13200	1330-30
	*13402	1317-06				
5FED10	*13402	1313-11	13402	1317-08		
5FED3R	13200	1311-76	*13200	1312-69	13200	1313-26
	13200	1317-11	13200	1327-05		
5FED3S	*13200	1311-80	13200	1312-71		
5FED30	13200	1313-14	*13200	1317-15		
5FED4A	13200	1312-73	*13200	1317-09		
5FIR1A	12700	1319-70	12700	1323-79	*12700	1332-23
5FIR1R	12700	1323-77	*12700	1324-75	12700	1333-37
	12900	1311-54				
5FIR1S	*12700	1323-75	12700	1324-77	12900	1339-08
	13000	1329-71	13000	1330-71	13000	1333-07
	13000	1333-20	13000	1333-26	13000	1333-62
	13000	1333-73	13600	1333-13		
5FITB0	*12700	1338-09	13101	1337-17	13101	1337-48

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	13101	1337-77	13101	1339-18	13102	1336-03
	13102	1336-34	13102	1336-68	13102	1336-76
5FIT1A	12700	1318-36	*12700	1320-47	12700	1324-25
5FIT1R	*12700	1317-45	12700	1318-34	12700	1320-19
	12700	1323-23	12700	1333-40	12900	1311-56
	13000	1340-04				
5FIT1S	12700	1317-26	12700	1317-41	*12700	1318-30
5FIT10	*12700	1323-27	12700	1324-23		
5FIT2A	*12700	1324-27	12700	1338-03		
5FI010	*12900	1311-52	12900	1312-55		
5FLA1A	*13200	1311-66	13200	1317-65		
5FLA10	*13200	1317-69	13200	1330-37		
5FLW1A	*13200	1311-60	13200	1313-18		
5FST1A	*12700	1332-21	13200	1311-78	13402	1313-10
5FST2A	*12700	1333-47	13402	1313-75	13402	1344-24
	13402	1344-56				
SF0R1A	12700	1319-68	*12700	1332-09	12900	1323-61
SF0R1R	12900	1323-59	*12900	1324-63	12900	1338-25
	13301	1318-61				
SF0R1S	12900	1319-77	*12900	1323-63	12900	1324-59
	13301	1319-62	13301	1319-73		
5GND504	26803	1504-76	26803	1504-78	26803	1504-80
5GND505	07302	1505-76	07302	1505-78	*26803	1505-80
5H1RXA	13600	1345-56	26803	1303-47	*28102	J023-47
	31602	J077-67				
5H1RXR	*28102	J023-48	31602	J077-68		
5H1RYA	13600	1345-50	26803	1303-49	*28102	J023-49
	31602	J077-71				
5H1RYR	*28102	J023-50	31602	J077-72		
5H1WXA	13600	1345-43	26803	1303-51	*28102	J023-51
	31602	J077-69				
5H1WXR	*28102	J023-52	31602	J077-70		
5H1WYA	13600	1345-49	26803	1303-53	*28102	J023-53
	31602	J077-73				
5H1WYR	*28102	J023-54	31602	J077-74		
5H2RXA	13600	1345-70	26803	1303-63	*28102	J023-63
	32602	J110-67				
5H2RXR	*28102	J023-64	32602	J110-68		
5H2RYA	13600	1345-64	26803	1303-65	*28102	J023-65
	32602	J110-71				
5H2RYR	*28102	J023-66	32602	J110-72		
5H2WXA	13600	1345-55	26803	1303-67	*28102	J023-67
	32602	J110-69				
SH2WXR	*28102	J023-68	32602	J110-70		
5H2WYA	13600	1345-61	26803	1303-69	*28102	J023-69
	32602	J110-73				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
5H2WYR	*28102	J023-70	32602	J110-74		
5ICMSA	12602	1304-09	*12602	1311-01		
5ICMSG	12602	1304-36	26803	1301-38	26803	1301-78
	*28301	J025-38	31702	J079-78		
5ICMSG-	*28302	J025-78	33000	J111-38		
5ICMSH	12602	1304-34	26803	1301-37	26803	1301-77
	*28301	J025-37	31702	J079-77		
SICMSH-	*28302	J025-77	33000	J111-37		
5ICMST	12601	1315-30	*12602	1304-11	12602	1311-04
	12602	1343-43				
5IEMSH-	*28302	J025-75	33000	J111-35		
5IENSA	12602	1304-05	*12602	13111-06		
5IENSG	12602	1304-40	26803	1301-36	26803	1301-76
	*28301	J025-36	31702	J079-76		
5IENSG-	*28302	J025-76	33000	J111-36		
5IENSH	12602	1304-38	26803	1301-35	26803	1301-75
	*28301	J025-35	31702	J079-75		
5IENST	12601	1315-29	*12602	1304-07	12602	1311-08
	12602	1343-41				
SIIG1A	*13402	1318-21	13500	1319-05	13500	1319-10
5IIG10	*13402	1313-76	13402	1318-17		
5IINCG	*12900	1309-36	26803	1301-40	26803	1301-80
	28301	J025-40	31702	J079-80		
5IINCG-	*28302	J025-80	33000	J111-40		
5IINCH	*12900	1309-34	26803	1301-39	26803	1301-79
	28301	J025-39	31702	J079-79		
5IINCH-	*28302	J025-79	33000	J111-39		
5INC1A	12900	1311-48	*12900	1317-80		
5INC10E	*12900	1314-07	12900	1317-76		
5INC32E	12900	1311-43	*12900	1314-13		
5IND1A	12900	1309-10	*12900	1311-46		
5IN11A	*12900	1312-57	12900	1313-68		
5INS1R	*12900	1311-45	12900	1313-61	12900	1314-05
5INS1S	12900	1311-41	*12900	1313-59		
5INV1A	*12900	1311-51	12900	1313-70		
5IRC10	13500	1314-45	*13500	1318-22		
5IRC2R	*13500	1313-35	13500	1318-26	13500	1320-01
	28202	J024-58	28202	J084-58		
5IRC2S	05900	1110-37	13500	1313-37	13500	1313-73
	*13500	1320-11	26802	1302-57	26803	1302-57
	28202	J024-57	28202	J084-57		
5IRC4A	*13500	1313-47	13500	1318-24		
5IRC5R	13402	1313-43	*13402	1318-09	13500	1313-38
5IRC5S	*13402	1313-45	13402	1318-03		
5IRC6R	13500	1313-54	13500	1317-35	*13500	1319-33
5IRC6S	*13500	1317-39	13500	1319-30		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution					
5IRD10	*13200	1311-75	13200	1313-22			
5IRD10E	13200	1311-77	*13200	1314-35			
5IRD30	12700	1320-34	*13200	1311-72			
5IRD32E	13200	1311-71	*13200	1314-42			
5IRD40	*13200	1311-69	13200	1313-19	13200		1317-07
5IRD43E	13200	1311-65	13200	1313-24	*13200		1314-38
5IRI0A	13500	1310-10	*13500	1313-57			
5IRI10E	13500	1313-55	*13500	1314-47			
5IR132E	13500	1313-71	*13500	1314-56			
5IR140	13500	1313-40	13500	1313-60	13500		1313-72
	13500	1317-37	*13500	1318-14			
5IRI43E	*13500	1314-52	13500	1318-18			
5IRP1A	*13500	1313-69	13500	1319-08			
5IRP1R	13500	1313-42	*13500	1318-06	13500		1319-06
5IRP1S	12700	1317-24	12700	1320-52	13500		1318-08
	*13500	1319-11	13600	1337-74			
5IRP2A	*12700	1317-22	13500	1319-04			
5IRP2R	12700	1320-54	*13500	1318-01	13500		1319-01
5IRP2S	13500	1318-04	*13500	1319-09			
5IRQ1A	13200	1310-03	*13200	1313-23			
5IRSTA	*13402	1317-38	13402	1318-07	13500		1318-05
	13500	1318-10					
5IRST0	13402	1317-40	*13402	1318-15			
5IR0CG	26803	1301-20	26803	1301-60	*28301		J025-20
	31702	J079-60					
5IR0CG-	*28302	J025-60	33000	J111-20			
5IR0CH	26803	1301-19	26803	1301-59	*28301		J025-19
	31702	J079-59					
5IR0CH-	*28302	J025-59	33000	J111-19			
5IR1CG	26803	1301-22	26803	1301-62	*28301		J025-22
	31702	J079-62					
5IR1CG-	*28302	J025-62	33000	J111-22			
5IR1CH	26803	1301-21	26803	1301-61	*28301		J025-21
	31702	J079-61					
5IR1CH-	*28302	J025-61	33000	J111-21			
5IR2CG	*13200	1310-40	26803	1301-24	26803		1301-64
	28301	J025-24	31702	J079-64			
5IR2CG-	*28302	J025-64	33000	J111-24			
5IR2CH	*13200	1310-38	26803	1301-23	26803		1301-63
	28301	J025-23	31702	J079-63			
5IR2CH-	*28302	J025-63	33000	J111-23			
5IR3CG	26803	1301-26	26803	1301-66	*28301		J025-26
	31702	J079-66					
5IR3CG-	*28302	J025-66	33000	J111-26			
5IR3CH	26803	1301-25	26803	1301-65	*28301		J025-25
	31702	J079-65					

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5IR3CH-	*28302	J025-65	33000	J111-25		
5IR4CG	26803	1301-28	26803	1301-68	*28301	J025-28
	31702	J079-68				
5IR4CG-	*28302	J025-68	33000	J111-28		
5IR4CH	26803	1301-27	26803	1301-67	*28301	J025-27
	31702	J079-67				
5IR4CH-	*28302	J025-67	33000	J111-27		
5IR5CG	*13500	1310-36	26803	1301-30	26803	1301-70
	28301	J025-30	31702	J079-70		
5IR5CG-	*28302	J025-70	33000	J111-30		
5IR5CH	*13500	1310-34	26803	1301-29	26803	1301-69
	28301	J025-29	31702	J079-69		
5IR5CH-	*28302	J025-69	33000	J111-29		
5IR6CG	26803	1301-32	26803	1301-72	*28301	J025-32
	31702	J079-72				
5IR6CG-	*28302	J025-72	33000	J111-32		
5IR6CH	26803	1301-31	26803	1301-71	*28301	1025-31
	31702	J079-71				
5IR6CH-	*28302	J025-71	33000	J111-31		
5IR7CG	26803	1301-34	26803	1301-74	*28301	J025-34
	31702	J079-74				
5IR7CG-	*28302	J025-74	33000	J111-34		
5IR7CH	26803	1301-33	26803	1301-73	*28301	J025-33
	31702	J079-73				
5IR7CH-	*28302	J025-73	33000	J111-33		
5ISB1R	*13101	1341-47	13101	1343-47	13500	1320-07
5ISB1S	13101	1340-31	13101	1341-49	*13101	1343-51
5ISC00	*13500	1338-51	13500	1343-05		
5ISCIR	*13101	1341-57	13101	1343-59	13500	1320-08
5ISC1S	13101	1340-29	13101	1341-55	*13101	1343-63
5ISD1R	*13102	1341-35	13102	1343-17		
5ISD1S	13102	1341-37	13102	1342-22	*13102	1343-21
	13200	1330-35				
5ISD2A	13102	1339-53	*13102	1342-23	13500	1320-05
5ISD20	*13102	1339-57	13102	1340-18		
5ISE2R	*13102	1341-21	13102	1343-18	13500	1320-04
5ISE2S	13102	1340-15	13102	1341-14	*13102	1343-14
5ISF1R	*13101	1341-69	13101	1343-65		
5ISF1S	13101	1340-34	13101	1341-71	*13101	1343-69
5ISIOA	13500	1338-50	*13500	1343-01		
5ISIO0	13500	1343-04	*13500	1344-11		
5ISI1R	13500	1338-48	*13500	1341-45		
5ISI1S	13102	1340-17	*13500	1338-46	13500	1339-68
	13500	1341-43	13500	1341-66		
5ISI2R	13500	1338-41	13500	1339-70	*13500	1341-59
5ISI2S	*13500	1338-45	13500	1341-61		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
5ISI3A	13500	1320-10	*13500	1339-66		
5ISI4A	*13000	1332-59	13500	1341-46	13600	1342-01
5ISN1JQ	*13102	1330-68	13102	1340-20		
5ISN1KQ	*13102	1330-65	13500	1320-06		
5IST1R	*13101	1341-76	13101	1343-71	13500	1320-13
5IST1S	13101	1340-30	13101	1341-75	*13101	1343-72
5IS0A0E	13102	1336-07	*13102	1340-21		
5IS1A1E	13102	1336-36	*13102	1340-27		
5IS2A2E	13102	1336-70	*13102	1340-25		
5IS3A3E	13102	1336-78	*13102	1340-24		
5IS4A0E	13101	1337-19	*13101	1340-35		
5IS5A1E	13101	1337-50	*13101	1340-39		
5IS6A2E	13101	1337-79	*13101	1340-42		
5IS7A3E	13101	1339-20	*13101	1340-38		
5I0PCA	12602	1309-05	*12602	1311-33	12602	1325-38
5I0PCG	12602	1309-40	26803	1301-02	26803	1301-42
	28301	J025-02	*31702	J079-42		
5I0PCG-	28302	J025-42	*28302	J111-02		
5I0PCH	12602	1309-38	26803	1301-01	26803	1301-41
	28301	J025-01	*31702	J079-41		
5I0PCH-	28302	J025-41	*28302	J111-01		
5I0PCT	*12602	1309-07	12602	1311-29	12800	1321-20
5I00CA	12601	1305-05	*12601	1311-09	12602	1326-30
5I00CG	12601	1305-40	26803	1301-04	26803	1301-44
	28301	J025-04	*31702	J079-44		
5I00CG-	28302	J025-44	*28302	J111-04		
5I00CH	12601	1305-38	26803	1301-03	26803	1301-43
	28301	J025-03	*31702	J079-43		
5I00CH-	28302	J025-43	*28302	J11-03		
5I00CT	*12601	1305-07	12601	1311-03	12601	1315-03
	12800	1321-09	13301	1315-45	13302	1314-71
5I01CA	12601	1305-09	*12601	1311-15	12602	1326-31
5I01CG	12601	1305-36	26803	1301-06	26803	1301-46
	28301	J025-06	*31702	J079-46		
5I01CG-	28302	J025-46	*28302	J111-06		
5I01CH	12601	1305-34	26803	1301-05	26803	1301-45
	28301	J025-05	*31702	J079-45		
5I01CH-	28302	J025-45	*28302	J111-05		
5I01CT	*12601	1305-11	12601	1311-11	12601	1315-01
	12800	1321-03	13301	1315-59	13302	1314-69
5I02CA	12601	1306-05	*12601	1311-22	12602	1326-34
5I02CG	12601	1306-40	26803	1301-08	26803	1301-48
	28301	J025-08	*31702	J079-48		
5I02CG-	28302	J025-48	*28302	J111-08		
5I02CH	12601	1306-38	26803	1301-07	26803	1301-47
	28301	J025-07	*31702	J079-47		

Table 5-2. Key Signal Lookup Listing

Signal		Distribution				
5I02CH-	28302	J025-47	*28302	J111-07		
5I02CT	*12601	1306-07	12601	1311-24	12601	1315-04
	12800	1321-04	13301	1316-05	13302	1314-70
5I03CA	12601	1306-09	*12601	1311-14	12602	1326-36
5I03CG	12601	1306-36	26803	1301-10	26803	1301-50
	28301	J025-10	*31702	J079-50		
5I03CG-	28302	J025-50	*28302	J111-10		
5I03CH	12601	1306-34	26803	1301-09	26803	1301-49
	28301	J025-09	*31702	J079-49		
5I03CH-	28302	J025-49	*28302	J111-09		
5I03CT	*12601	1306-11	12601	1311-18	12601	1315-06
	12800	1321-26	13301	1316-19	13302	1314-72
5I04CA	12602	1307-05	*12602	1311-21	12602	1326-37
5I04CG	12602	1307-40	26803	1301-12	26803	1301-52
	28301	J025-12	*31702	J079-52		
5I04CG-	28302	J025-52	*28302	J111-12		
5I04CH	12602	1307-38	26803	1301-11	26803	1301-51
	28301	J025-11	*31702	J079-51		
5I04CH-	28302	J025-51	*28302	J111-11		
5I04CT	12601	1315-31	*12602	1307-07	12602	1311-17
	12800	1321-31	13301	1316-33		
5I05CA	12602	1307-09	*12602	1311-27	12602	1326-38
5I05CG	12602	1307-36	26803	1301-14	26803	1301-54
	28301	J025-14	*31702	J079-54		
5I05CG-	28302	J025-54	*28302	J111-14		
5I05CH	12602	1307-34	26803	1301-13	26803	1301-53
	28301	J025-13	*31702	J079-53		
5I05CH-	28302	J025-53	*28302	J111-13		
5I05CT	12601	1315-15	*12602	1307-11	12602	1311-23
	12800	1321-27	13301	1316-45		
5I06CA	12602	1308-05	*12602	1311-38	12602	1326-40
5I06CG	12602	1308-40	26803	1301-16	26803	1301-56
	28301	J025-16	*31702	J079-56		
5I06CG-	28302	J025-56	*28302	J111-16		
5I06CH	12602	1308-38	26803	1301-15	26803	1301-55
	28301	J025-15	*31702	J079-55		
5I06CH-	28302	J025-55	*28302	J111-15		
5I06CT	12601	1315-18	*12602	1308-07	12602	1311-40
	12800	1321-25	13301	1316-59		
5I07CA	12602	1308-09	*12602	1311-30	12602	1326-42
5I07CG	12602	1308-36	26803	1301-18	26803	1301-58
	28301	J025-18	*31702	J079-58		
5I07CG-	28302	J025-58	*28302	J111-18		
5I07CH	12602	1308-34	26803	1301-17	26803	1301-57
	28301	J025-17	*31702	J079-57		
5I07CH-	28302	J025-57	*28302	J111-17		



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5I07CT	12601	1315-20	*12602	1308-11	12602	1311-34
	12800	1321-19	13301	1316-73		
5KAL1R	13402	1342-55	13402	1343-76	*13402	1344-47
5KALIS	*13402	1342-57	13402	1344-43	13800	1337-42
5KBI1R	05500	1115-55	05500	1116-06	05500	1116-17
	05500	1116-20	05500	1116-21	05500	1116-23
	05500	1116-27	*13402	1342-59	13402	1343-54
	26802	1302-29	26803	1302-29	28201	J024-30
	28201	J084-30				
5KBI1S	13402	1342-61	*13402	1343-52	13800	1337-05
	28201	J024-29	28201	J084-29		
5KCMAR	13402	1345-71	*13402	1346-72		
5KCMAS	*13402	1345-72	13402	1346-31	13402	1346-71
	26803	1302-01				
5KCMBR	13402	1345-65	*13402	1346-69		
5KCMBS	*13402	1345-69	13402	1346-29	13402	1346-65
	26803	1302-03				
5KCMIR	13402	1341-01	*13402	1342-47	13402	1345-34
	13402	1345-73	28201	J024-02	28201	J084-02
5KCMIS	00100	1318-46	01501	1331-70	01700	1431-47
	02700	1523-07	05101	1546-24	*13402	1341-09
	13402	1342-49	13600	1336-37	26802	1302-01
5KCM10	13402	1344-18	*13402	1345-30	13402	1346-73
	28201	J024-01	28201	J084-01		
5SKCM2A	13402	1344-22	*13402	1345-33	13402	1346-74
5KCM2R	01501	1331-66	01501	1340-57	01700	1430-62
	02700	1523-03	05101	1546-25	*13402	1335-35
	13402	1344-30	26802	1302-03	28201	J024-03
	28201	J084-03				
5KCM2RR	28201	J024-04	*28201	J084-04		
5KCM2S	13402	1335-30	*13402	1344-35	13402	1345-29
	13402	1345-74	13800	1336-55		
5KED1A	06600	2138-30	06700	2137-55	06700	2138-55
	07701	2240-60	12300	2514-10	*13402	1343-38
	13500	1313-52	15100	1208-61	15100	1217-31
	15100	1219-17	15200	1242-31	15200	1244-17
	15800	1233-55	18300	2304-55	18500	2221-59
	19600	2136-59	26802	2250-01	26803	1201-53
	26803	1303-01	26803	2251-53	28101	J023-01
	31301	J073-01				
	5KED1R	13402	1341-22	*13402	1342-21	13402
28101		J023-02	31301	J073-02		
5KED1S	13402	1336-26	*13402	1341-23	13402	1342-14
5KED2A	13402	1341-24	*13402	1343-30		
5KEN1R	13402	1341-06	*13402	1344-23	13402	1346-34
5KEN1IS	*13402	1341-11	13402	1343-34	13402	1344-14

Change 2 5-342

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5KEN1I0	13402	1342-18	*13402	1346-30		
5KIR1A	12900	1332-62	13101	1341-45	13101	1341-62
	13101	1341-73	13101	1341-78	13102	1330-66
	13102	1341-19	13102	1341-42	13200	1312-72
	*13402	1343-46	13500	1341-48	13500	1341-68
	13500	1342-08				
5KIR10	*13402	1342-45	13402	1343-48		
5KMR1R	13402	1319-40	13402	1335-36	13402	1342-38
	13402	1342-46	13402	1342-54	*13402	1343-33
	13402	1344-52				
5KMR1S	*13402	1342-35	13402	1343-31		
5KMR2R	13402	1341-05	13402	1341-30	13402	1342-30
	*13402	1343-39	13402	1344-36		
5KMR2S	*13402	1342-33	13402	1343-35		
5KMR3R	13402	1344-26	13402	1345-40	*13402	1346-38
	13500	1342-10				
5KMR3S	*13402	1345-38	13402	1346-40		
5KRMAR	13402	1345-76	*13402	1346-80		
5KRMAS	*13402	1345-80	13402	1346-76	13700	1107-11
5KRM1A	*13402	1345-75	13402	1346-78	13700	1203-11
	13700	1420-54				
5KRM10	13402	1345-77	13400	1345-78	*13400	1346-33
5LMRAA	12602	1325-40	*12602	1343-45	12900	1344-78
	13402	1313-08	13402	1313-46	13402	1313-77
	13402	1319-38	13402	1342-50	13402	1344-34
	13402	1344-50				
5LMR1A	*13402	1323-80	14302	1122-08		
5LMR10	*13402	1319-35	13402	1323-76		
5LPAA4N	*12800	1321-06	12800	1322-25		
5LPBA1N	*12800	1321-30	12800	1322-19		
5LPCA4N	*12800	1321-22	12800	1322-20		
5LPGAA	12800	1321-18	12800	1321-34	12800	1322-18
	12800	1322-34	*12800	1323-06	12900	1327-26
	13000	1340-05	13302	1314-74		
5LPGBA	12601	1315-08	12601	1315-22	12601	1315-36
	12800	1321-15	12800	1321-33	12800	1322-15
	12800	1322-33	*12800	1323-01		
5LPGCA	*12700	1323-09	12700	1327-40	13101	1340-36
	13102	1340-22	13200	1330-40		
5LPPA4N	12601	1315-17	12601	1315-34	*12800	1322-22
5L5CA2E	*12601	1315-42	12700	1320-64	12700	1320-73
5L5EA1E	*12601	1315-39	12700	1320-38	12700	1320-50
5L5PAA	*12900	1323-15	12900	1342-77		
5L5PA0E	*12601	1315-21	12700	1320-40	12700	1320-56
	12700	1320-66	12700	1320-77	12900	1324-78
5L5PA3E	*12601	1315-38	12700	1319-50	12900	1319-79

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5LS0A0E	*12601	1315-07	12700	1319-48		
5LS1A1E	*12601	1315-11	13402	1325-34		
5LS2A2E	*12601	1315-13	12700	1318-41	12700	1320-36
	12700	1320-61	13402	1325-54		
5LS2B1	*12700	1318-45	12700	1320-49	12700	1320-74
5LS3A3E	*12601	1315-10	12700	1332-10	13402	1325-48
5LS4A1E	*12601	1315-35	12700	1332-05	13402	1325-68
5LS5A1E	*12601	1315-27	12700	1318-47	12700	1320-48
	12700	1320-75	12700	1332-25	13402	1325-62
5LS5B1	*12700	1318-51	12700	1320-37	12700	1320-62
5LS6A2E	*12601	1315-25	12700	1332-34	12700	1332-40
	13402	1325-78				
5LS7A3E	*12601	1315-24	12700	1332-19	12700	1333-54
	13402	1325-73				
5MCI1R	*12900	1332-57	12900	1338-23	13000	1333-72
	13000	1333-75				
5MCI1S	12900	1332-55	*12900	1338-27	12900	1339-10
	13000	1333-64				
5MCW1A	06700	2139-48	*13200	1311-57	26802	2250-03
	26803	1303-03	28101	J023-03	31301	J073-03
5MCW1R	28101	J023-04	*31301	J073-04		
5MCW2A	*13200	1313-21	13200	1317-20		
5MC1AA	12900	1338-08	*12900	1339-06	13000	1332-70
5MC1B0	*12900	1338-06	13800	1336-08	13800	1336-23
	13800	1336-41	13800	1336-71	13800	1337-24
	13800	1337-35	13800	1337-53	13800	1339-11
5MC11KQ	13200	1314-19	*13200	1327-11	13200	1330-33
5MC210	13200	1311-53	*13200	1317-14		
5MC210E	*13200	1314-21	13200	1317-18		
5MC243E	13200	1311-55	*13200	1314-24		
5MC4AA	*13600	1333-11	13600	1338-11		
5MC4B0	13500	1336-11	13500	1336-29	13500	1336-62
	13500	1337-08	13500	1337-23	13500	1337-41
	13500	1337-71	13500	1339-17	*13600	1338-15
5MC5AA	*13000	1333-09	13000	1338-24		
5MC5B0	*13000	1338-22	13402	1336-42	13600	1336-35
	13600	1337-65	13600	1339-23	13800	1336-53
	13800	1337-04	13800	1337-40	13800	1337-47
5MC6AA	*13000	1333-23	13000	1338-18		
5MC680	*13000	1338-14	13600	1336-18	13600	1336-54
	13600	1336-59	13600	1337-03	13600	1337-34
	13600	1337-68	13600	1337-76	13600	1339-40
5MC7AA	*13000	1333-21	13000	1338-17		
5MC7B0	*13000	1338-21	13600	1336-17	13600	1336-48
	13600	1336-77	13600	1337-11	13600	1337-29

Change 2 5-344

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	13800	1337-62	13800	1339-03	13800	1339-34
5MDPBA	12602	1309-03	*12602	1312-59		
5MDREA	*13000	1339-80	13800	1338-53	13800	1338-59
	13800	1338-62	13800	1338-65	13800	1338-68
	13800	1338-71	13800	1338-76	13800	1338-76
5MDRE0	*13000	1333-69	13000	1339-76		
5MD0AR	13800	1334-13	*13800	1338-66		
5MD0AS	12601	1312-06	12800	1322-10	*13800	1334-11
	13800	1338-70				
5MD0BA	12601	1305-03	*12601	1312-11		
5MD01A	13800	1334-01	*13800	1336-06		
MD02A	*13700	1336-01	13800	1334-04		
5MD03A	*13102	1336-09	13500	1338-43	13800	1334-05
5MD04A	*13500	1336-15	13800	1334-06		
5MD05A	*13402	1336-22	13800	1334-07		
5MD06A	*13600	1336-14	13800	1334-08		
5MD07A	*13600	1336-21	13800	1334-10		
5MD1AR	13800	1334-26	*13800	1338-60		
5MD1AS	12601	1312-01	12800	1322-13	*13800	1334-23
	13800	1338-64				
5MD1BA	12601	1305-10	*12601	1312-09		
5MD11A	13800	1334-14	*13800	1336-27		
5MD12A	*13700	1336-38	13800	1334-18		
5MD13A	*13102	1336-30	13102	1341-18	13800	1334-19
5MD14A	*13500	1336-33	13800	1334-20		
5MD15A	*13600	1336-39	13800	1334-22		
5MD16A	*13600	1336-52	13800	1334-24		
5MD17A	*13600	1336-46	13800	1334-25		
5MD2AR	13800	1334-42	*13800	1338-57		
5MD2AS	12601	1312-22	12800	1322-14	*13800	1334-35
	13800	1338-55				
5MD2BA	12601	1306-03	*12601	1312-23		
5MD21A	13800	1334-30	*13800	1336-45		
5MD22A	*13700	1336-51	13800	1334-31		
5MD23A	*13102	1336-66	13102	1341-38	13800	1334-34
5MD24A	*13500	1336-60	13800	1334-36		
5MD25A	13800	1334-37	*13800	1336-57		
5MD26A	*13600	1336-63	13800	1334-38		
5MD27A	*13600	1336-75	13800	1334-40		
5MD3AR	13800	1334-56	*13800	1338-63		
5MD3AS	12601	1312-14	12800	1322-09	*13800	1334-47
	13800	1338-61				
5MD3BA	12601	1306-10	*12601	1312-21		
5MD31A	13800	1334-43	*13800	1336-72		
5MD32A	*13700	1336-69	13800	1334-46		
5MD33A	13102	1330-55	*13102	1336-80	13800	1334-48

Change 2 5-345

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
5MD34A	*13500	1337-06	13800	1334-49		
5MD35A	13800	1334-50	*13800	1337-01		
5MD36A	*13600	1337-09	13800	1334-52		
5MD37A	*13600	1337-15	13800	1334-54		
5MD4AR	13800	1334-70	*13800	1338-75		
5MD4AS	12602	1312-37	12800	1322-03	*13800	1334-59
	13800	1338-79				
5MD4BA	12602	1307-03	*12602	1312-35		
5MD41A	13800	1334-55	*13800	1337-22		
5MD42A	*13700	1337-14	13800	1334-60		
5MD43A	*13101	1337-21	13101	1341-52	13800	1334-61
5MD44A	*13500	1-337-27	13800	1334-62		
5MD45A	13800	1334-64	*13800	1337-38		
5MD46A	*13600	1337-30	13800	1334-66		
5MD47A	*13600	1337-33	13800	1334-68		
5MD5AR	13800	1334-79	*13800	1338-72		
5MD5AS	12602	1312-30	12800	1322-04	*13800	1334-76
	13800	1338-73				
5MD5BA	12602	1307-10	*12602	1312-33		
5MD51A	13800	1334-71	*13800	1337-39		
5MD52A	*13700	1337-52	13800	1334-72		
5MD53A	*13101	1337-46	13101	1341-60	13800	1334-73
5MD54A	*13500	1337-45	13800	1334-74		
5MD55A	13800	1334-75	*13800	1337-51		
5MD56A	*13600	1337-66	13800	1334-77		
5MD57A	13800	1334-78	*13800	1337-60		
5MD6AR	13800	1335-13	*13800	1338-69		
5MD-AS	12602	1312-49	12800	1322-26	*13800	1335-11
	13800	1338-74				
5MD6BA	12602	1308-03	*12602	1312-47		
5MD61A	13800	1335-01	*13800	1337-57		
5MD62A	*13700	1337-63	13800	1335-04		
5MD63A	*13101	1337-75	13101	1341-77	13800	1335-05
5MD64A	*13500	1337-72	13800	1335-06		
5MD65A	*13600	1337-69	13800	1335-07		
5MD66A	*13600	1337-80	13800	1335-08		
5MD67A	13800	1335-10	*13800	1339-09		
5MD7AR	13800	1335-26	*13800	1338-80		
5MD7AS	12602	1312-43	12800	1322-31	*13800	1335-23
	13800	1338-78				
5MD7BA	12602	1308-10	*12602	1312-45		
5MD71A	13800	1335-14	*13800	1339-15		
5MD72A	*13700	1339-22	13800	1335-18		
5MD73A	*13101	1339-14	13101	1341-72	13800	1335-19
5MD74A	*13500	1339-21	13800	1335-20		
5MD75A	*13600	1339-27	13800	1335-22		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
5MD76A	*13600	1339-38	13800	1335-24		
5MD77A	13800	1335-25	*13800	1339-30		
5MF01KQ	13200	1315-73	13200	1324-24	*13200	1327-51
5MF021E	*13200	1315-79	13200	1324-26		
5MF023E	*13200	1315-76	13200	1327-43		
5MF03A	13200	1319-24	*13200	1324-22		
5MF04R	*13200	1319-23	13200	1324-18		
5MF04S	13200	1314-33	13200	1319-22	*13200	1324-14
5MPAA1N	12800	1321-10	*12800	1322-17		
5MPBA4N	12800	1321-13	*12800	1322-06		
5MPCA1N	12800	1321-14	*12800	1322-30		
5MPPA1N	12602	1312-61	*12800	1321-17		
5MSTIJQ	*13000	1329-80	13000	1330-73	13000	1333-04
	13000	1333-24				
5MST1KQ	*13000	1329-79	13000	1330-78	13000	1332-66
	13000	1333-18	13600	1333-08		
5MST2JQ	13000	1329-78	*13000	1330-80	13000	1332-68
	13000	1333-19	13000	1333-25		
5MST2KQ	13000	1329-73	*13000	1330-79	13000	1333-05
	13600	1333-10				
5PDEA0	*06600	2139-38	06800	2141-07	06800	2141-20
	06800	2142-05	06800	2142-25	06800	2142-26
	06800	2142-31	06800	2142-50	06800	2142-61
	06800	2142-70	06800	2142-74		
5PDEB0	*06600	2139-30	06800	2141-37	06800	2141-42
	06800	2141-43	06800	2141-64	06800	2141-78
	06800	2141-79	06800	2144-05	06800	2144-25
	06800	2144-26	06800	2144-31		
5PDEC0	*06600	2139-33	06800	2143-07	06800	2143-20
	06800	2143-37	06800	2143-42	06800	2143-43
	06800	2143-64	06800	2144-50	06800	2144-61
	06800	2144-70	06800	2144-74		
5PDED0	*06600	2139-39	06800	2143-78	06800	2143-79
5PD00A	*06800	2142-01	06800	2144-78		
5PD01A	*06800	2142-22	06800	2144-79		
5PD02A	*06800	2142-27	06800	2144-64		
5PD03A	*06800	2142-33	06800	2144-43		
5PD04A	*06800	2142-46	06800	2144-37		
5PD05A	*06800	2142-66	06800	2144-42		
5PD06A	*06800	2142-63	06800	2144-20		
5PD07A	*06800	2142-69	06800	2144-07		
5PD08A	*06800	2141-09	06800	2143-73		
5PD09A	*06800	2141-14	06800	2143-55		
5PD10A	*06800	2141-38	06800	2143-49		
5PD11A	*06800	2141-39	06800	2143-56		
5PD12A	*06800	2141-45	06800	2143-36		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
5PD13A	*06800	2141-60	06800	2143-19		
5PD14A	*06800	2141-75	06800	2143-13		
5PD15A	*06800	2141-80	06800	2143-10		
5PD16A	06800	2142-78	*06800	2144-01		
5PD17A	06800	2142-79	*06800	2144-22		
5PD18A	06800	2142-64	*06800	2144-27		
5PD19A	06800	2142-43	*06800	2144-33		
5PD20A	06800	2142-37	*06800	2144-46		
5PD21A	06800	2142-42	*06800	2144-66		
5PD22A	06800	2142-20	*06800	2144-63		
5PD23A	06800	2142-07	*06800	2144-69		
5PD24A	06800	2141-73	*06800	2143-09		
5PD25A	06800	2141-55	*06800	2143-14		
5PD26A	06800	2141-49	*06800	2143-38		
5PD27A	06800	2141-56	*06800	2143-39		
5PD28A	06800	2141-36	*06800	2143-45		
5PD29A	06800	2141-19	*06800	2143-60		
5PD30A	06800	2141-13	*06800	2143-75		
5PD31A	06800	2141-10	*06800	2143-80		
SPSL1JQ	*06600	2138-25	06600	2140-40	07500	2133-15
SRAD01N	07000	2125-41	*07000	2128-63		
SRAD12N	07000	2125-47	*07000	2128-57		
5RAD23N	07000	2125-68	*07000	2128-51		
5RAD3A	*07000	2125-46	07000	2126-48		
5RAD30	*07000	2126-46	07000	2128-76		
5RAD34N	07000	2125-62	*07000	2128-54		
5RAD35N	07000	2125-48	*07000	2128-56		
5RAD41N	07000	2125-53	*07000	2128-80		
5RAD52N	07000	2125-59	*07000	2128-75		
SRAROA	07100	2122-56	*07100	2124-46		
SRAR1A	07100	2122-50	*07100	2124-51		
5RAR2A	07100	2122-70	*07100	2124-60		
5RAR3A	07100	2122-64	*07100	2124-63		
5RAR4A	07100	2122-79	*07100	2124-72	07100	2136-31
	07100	2136-60				
5RAR5A	07100	2122-73	*07100	2124-80	07100	2136-36
	07100	2136-46				
5RAS10	*07100	2122-75	07100	2124-17	07100	2136-48
5RAS20	*07100	2122-72	07100	2124-19	07100	2136-62
SRCC10	*06600	2129-47	07000	2132-37	07000	2134-09
5RCC2A	06600	2129-43	*06600	2136-47	07202	2131-37
5RCL00	06600	2136-54	*06600	2139-66		
SRCL1A	*06600	2125-06	06600	2139-68		
5RCL4A	*06600	2136-21	06600	2140-26	18102	2301-48
	18102	2301-54	18102	2301-62	18300	2305-55
	26802	2146-79	26803	2349-79	28602	J028-79

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	30802	J062-79				
5RCL4R	*28602	J028-80	30802	J062-80		
5RCNOA	07000	2125-03	*07000	2126-72	07201	2121-46
5RCNOO	*07000	2125-09	07000	2128-64	07000	2140-62
	07100	2124-48	07202	2117-47		
5RCNOOE	07000	2126-71	*07000	2132-35		
5RCN1A	*07000	2125-80	07000	2126-03	07201	2121-36
5RCN10	*07000	2126-09	07000	2128-61	07000	2140-64
	07100	2124-47	07202	2117-45		
5RCN11E	07000	2125-76	*07000	2132-39		
5RCN2A	07000	2125-11	*07000	2126-80	07201	2128-14
5RCN20	*07000	2125-15	07000	2128-53	07100	2124-62
	07202	2117-43				
5RCN22E	07000	2126-76	*07000	2132-42		
5RCN3A	*07000	2125-72	07000	2126-11	07201	2128-04
5RCN30	*07000	2126-15	07000	2128-49	07100	2124-59
	07202	2117-41				
5RCN33E	07000	2125-71	*07000	2132-38	07000	2134-05
5RCN4A	*07000	2125-69	07000	2126-24	07201	2121-76
5RCN40	*07000	2126-22	07000	2128-78	07100	2124-71
	07202	2117-61				
5RCN40E	07000	2125-65	*07000	2134-07		
5RCN5A	07000	2125-24	*07000	2126-69	07201	2121-68
5RCN50	*07000	2125-22	07000	2128-79	07100	2124-76
	07202	2117-59				
5RCN51E	07000	2126-65	*07000	2134-11		
5RCN53E	06900	2132-45	*07000	2134-10		
5RCS0A	*07100	2136-33	07301	1505-09	07301	1506-80
	07500	2132-17	26802	2147-09	30201	J051-09
	30201	J061-09				
5RCS0R	*30201	J051-10	30201	J061-10		
5RCS1A	*07100	2136-45	07301	1505-11	07301	1506-05
	07302	1507-05	07500	2132-15	26802	2147-11
	30201	J051-11	30201	J061-11		
5RCS1R	*30201	J051-12	30201	J061-12		
5RCS2A	*07100	2136-57	07500	2132-18	26802	2147-13
5RCS3A	*07100	2124-21	07500	2132-20	26802	2147-15
5RC10A	*07000	2125-45	07000	2126-41		
5RC100	*07000	2126-45	07000	2132-31		
5RC11A	*07000	2125-51	07000	2126-47		
5RC110	*07000	2126-51	07000	2132-29		
5RC12A	*07000	2125-66	07000	2126-68		
5RC120	*07000	2126-66	07000	2132-30		
5RC13A	*07000	2125-60	07000	2126-62		
5RC130	*07000	2126-60	07000	2132-34		
5RC14A	*07000	2125-57	07000	2126-53		



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5RC140	*07000	2126-57	07000	2134-03		
5RC15A	*07000	2125-63	07000	2126-59		
5RC150	*07000	2126-63	07000	2134-01		
5RDEAA	*06600	2139-06	06800	2141-05	06800	2141-26
	06800	2142-10	06800	2142-13	06800	2142-19
	06800	2142-36	06800	2142-49	06800	2142-55
	06800	2142-56	06800	2142-73		
5RDEBA	*06600	2139-01	06800	2141-25	06800	2141-31
	06800	2141-50	06800	2141-61	06800	2141-70
	06800	2141-74	06800	2144-10	06800	2144-13
	06800	2144-19	06800	2144-36		
5RDECA	*06600	2139-09	06800	2143-05	06800	2143-25
	06800	2143-26	06800	2143-31	06800	2143-50
	06800	2143-70	06800	2144-49	06800	2144-55
	06800	2144-56	06800	2144-73		
5RDEDA	*06600	2139-15	06800	2143-61	06800	2143-74
5RDE1A	06600	2125-04	06600	2131-60	06600	2139-29
	06600	2139-34	06600	2139-35	06600	2139-40
	*06600	2140-38				
5RDE10	*06600	2125-01	06600	2139-03	06600	2139-04
	06600	2139-08	06600	2139-11		
5RDE2A	*06600	2131-57	07500	2132-03	18300	2303-53
	26802	2146-77	26803	2349-77	28602	J028-77
	30802	J062-77				
5RDE2R	*28602	J028-78	30802	J062-78		
5RDH0A	*06600	2136-09	06600	2138-70		
5RDH0JQ	06600	2131-55	06600	2136-20	*06600	2138-80
5RD00A	06800	2141-08	*06800	2142-06		
5RD01A	06800	2141-11	*06800	2142-15		
5RD02A	06800	2141-17	*06800	2142-21		
5RD03A	06800	2141-34	*06800	2142-30		
5RD04A	06800	2141-54	*06800	2142-52		
5RD05A	06800	2141-47	*06800	2142-51		
5RD06A	06800	2141-53	*06800	2142-57		
5RD07A	06800	2141-71	*06800	2142-72		
5RD08A	*06800	2141-01	06800	2142-03		
5RD09A	*06800	2141-22	06800	2142-18		
5RD10A	*06800	2141-27	06800	2142-40		
5RD11A	*06800	2141-33	06800	2142-35		
5RD12A	*06800	2141-46	06800	2142-41		
5RD13A	*06800	2141-66	06800	2142-62		
5RD14A	*06800	2141-63	06800	2142-77		
5RD15A	*06800	2141-69	06800	2142-76		
5RD16A	06800	2143-08	*06800	2144-06		
5RD17A	06800	2143-11	*06800	2144-15		
5RD18A	06800	2143-17	*06800	2144-21		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
5RD19A	06800	2143-34	*06800	2144-30		
5RD20A	06800	2143-54	*06800	2144-52		
5RD21A	06800	2143-47	*06800	2144-51		
5RD22A	06800	2143-53	*06800	2144-57		
5RD23A	06800	2143-71	*06800	2144-72		
5RD24A	*06800	2143-01	06800	2144-03		
5RD25A	*06800	2143-22	06800	2144-18		
5RD26A	*06800	2143-27	06800	2144-40		
5RD27A	*06800	2143-33	06800	2144-35		
5RD28A	*06800	2143-46	06800	2144-41		
5RD29A	*06800	2143-66	06800	2144-62		
5RD30A	*06800	2143-63	06800	2144-77		
5RD31A	*06800	2143-69	06800	2144-76		
5RED0JQ	06600	2125-08	*06700	2137-56	06700	2138-59
5RED0KQ	*06700	2137-51	07202	2131-79		
5RED1JQ	06700	2137-59	*06700	2138-68	06700	2139-54
5RED1KQ	*06700	2138-65	06700	2139-59	07202	2131-78
5RED2A	06700	2129-55	*06700	2136-59		
5RED2JQ	06700	2136-61	*06700	2137-68	06700	2140-41
	06700	2140-56	07500	2133-18		
5RED3A	06700	2139-41	*06700	2140-45		
5RED30	06700	2137-66	06700	2138-66	*06700	2139-45
5RED4A	*06700	2139-63	07500	2132-06	13200	1312-75
	26802	2250-11	26803	1303-11	28101	J023-11
	31301	J073-11				
5RED4R	*28101	J023-12	31301	J073-12		
5REWIA	07202	2122-23	*07202	2131-59		
5REWIR	06600	2136-72	07202	2117-31	07202	2117-72
	07202	2120-29	07202	2122-25	*07202	2129-76
5REWIS	*07202	2122-27	07202	2129-72		
5RMA0A	*07100	2124-38	07301	1505-01	07301	1506-74
	07302	1507-74	07500	2133-03	26802	2147-01
	30201	J051-01	30201	J061-01		
5RMA0R	*30201	J051-02	30201	J061-02		
5RMA00	*07100	2122-52	07100	2124-40		
5RMA1A	*07100	2124-30	07301	1505-03	07301	1506-73
	07302	1507-73	07500	2133-01	26802	2147-03
	30201	J051-03	30201	J061-03		
5RMA1R	*30201	J051-04	30201	J061-04		
5RMA10	*07100	2122-46	07100	2124-34		
5RMA2A	*07100	2124-33	07301	1505-05	07301	1506-77
	07302	1507-77	07500	2133-04	26802	2147-05
	30201	J051-05	30201	J061-05		
5RMA2R	*30201	J051-06	30201	J061-06		
5RMA20	*07100	2122-66	07100	2124-29		
5RMA3A	*07100	2124-39	07301	1505-07	07301	1506-72

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	07302	1507-72	07500	2133-06	26802	2147-07
	30201	J051-07	30201	J061-07		
5RMA3R	*30201	J051-08	30201	J061-08		
5RMA30	*07100	2122-60	07100	2124-35		
5RM00R	*30201	J051-18	30201	J061-18		
5RM000	*06800	2141-06	07301	1505-17	07301	1506-25
	26802	2147-17	30201	J051-17	30201	J061-17
5RM01R	*30201	J051-20	30201	J061-20		
5RM010	*06800	2141-15	07301	1505-19	07301	1506-32
	26802	2147-19	30201	J051-19	30201	J061-19
5RM02R	*30201	J051-22	30201	J061-22		
5RM020	*06800	2141-21	07301	1505-21	07301	1506-34
	26802	2147-21	30201	J051-21	30201	J061-21
5RM03R	*30201	J051-24	30201	J061-24		
5RM030	*06800	2141-30	07301	1505-23	07301	1506-33
	26802	2147-23	30201	J051-23	30201	J061-23
5RM04R	*30201	J051-26	30201	J061-26		
5RM040	*06800	2141-52	07301	1505-25	07301	1506-38
	26802	2147-25	30201	J051-25	30201	J061-25
5RM05R	*30201	J051-28	30201	J061-28		
5RM050	*06800	2141-51	07301	1505-27	07301	1506-42
	26802	2147-27	30201	J051-27	30201	J061-27
5RM06R	*30201	J051-30	30201	J061-30		
5RM060	*06800	2141-57	07301	1505-29	07301	1506-39
	26802	2147-29	30201	J051-29	30201	J061-29
5RM07R	*30201	J051-32	30201	J061-32		
5RM070	*06800	2141-72	07301	1505-31	07301	1506-43
	26802	2147-31	30201	J051-31	30207	J061-31
5RM08R	*30201	J051-34	30201	J061-34		
5RM080	*06800	2142-09	07301	1505-33	07301	1506-46
	26802	2147-33	30201	J051-33	30201	J061-33
5RM09R	*30201	J051-36	30201	J061-36		
5RM090	*06800	2142-14	07301	1505-35	07301	1506-51
	26802	2147-35	30201	J051-35	30201	J061-35
5RM10R	*30201	J051-38	30201	J061-38		
5RM100	*06800	2142-38	07301	1505-37	07301	1506-52
	26802	2147-37	30201	J051-37	30201	J061-37
5RM11R	*30201	J051-40	30201	J061-40		
5RM110	*06800	2142-39	07301	1505-39	07301	1506-53
	26802	2147-39	30201	J051-39	30201	J061-39
5RM12R	*30201	J051-42	30201	J061-42		
5RM120	*06800	2142-45	07301	1505-41	07301	1506-55
	26802	2147-41	30201	J051-41	30201	J061-41
5RM13R	*30201	J051-44	30201	J061-44		
5RM130	*06800	2142-60	07301	1505-43	07301	1506-61
	26802	2147-43	30201	J051-43	30201	J061-43

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
5RM14R	*30201	J051-46	30201	J061-46		
5RM140	*06800	2142-75	07301	1505-45	07301	1506-60
	26802	2147-45	30201	J051-45	30201	J061-45
5RM15R	*30201	J051-48	30201	J061-48		
5RM150	*06800	2142-80	07301	1505-47	07301	1506-63
	26802	2147-47	30201	J051-47	30201	J061-47
5RM16R	*30201	J051-50	30201	J061-50		
5RM160	*06800	2143-06	07302	1505-49	07302	1507-25
	26802	2147-49	30201	J051-49	30201	J061-49
5RM17R	*30202	J051-52	30202	J061-52		
5RM170	*06800	2143-15	07302	1505-51	07302	1507-32
	26802	2147-51	30202	J051-51	30202	J061-51
5RM18R	*30202	J051-54	30202	J061-54		
5RM180	*06800	2143-21	07302	1505-53	07302	1507-34
	26802	2147-53	30202	J051-53	30202	J061-53
5RM19R	*30202	J051-56	30202	J061-56		
5RM190	*06800	2143-30	07302	1505-55	07302	1507-33
	26802	2147-55	30202	J051-55	30202	J061-55
5RM20R	*30202	J051-58	30202	J061-58		
5RM200	*06800	2143-52	07302	1505-57	07302	1507-38
	26802	2147-57	30202	J051-57	30202	J061-57
5RM21R	*30202	J051-60	30202	J061-60		
5RM210	*06800	2143-51	07302	1505-59	07302	1507-42
	26802	2147-59	30202	J051-59	30202	J061-59
5RM22R	*30202	J051-62	30202	J061-62		
5RM220	*06800	2143-57	07302	1505-61	07302	1507-39
	26802	2147-61	30202	J051-61	30202	J061-61
5RM23R	*30202	J051-64	30202	J061-64		
5RM230	*06800	2143-72	07302	1505-63	07302	1507-43
	26802	2147-63	30202	J051-63	30202	J061-63
5RM24R	*30202	J051-66	30202	J061-66		
5RM240	*06800	2144-09	07302	1505-65	07302	1507-46
	26802	2147-65	30202	J051-65	30202	J061-65
5RM25R	*30202	J051-68	30202	J061-68		
5RM250	*06800	2144-14	07302	1505-67	07302	1507-51
	26802	2147-67	30202	J051-67	30202	J061-67
5RM26R	*30202	J051-70	30202	J061-70		
5RM260	*06800	2144-38	07302	1505-69	07302	1507-52
	26802	2147-69	30202	J051-69	30202	J061-69
5RM27R	*30202	J051-72	30202	J061-72		
5RM270	*06800	2144-39	07302	1505-71	07302	1507-53
	26802	2147-71	30202	J051-71	30202	J061-71
5RM28R	*30202	J051-74	30202	J061-74		
5RM280	*06800	2144-45	07302	1505-73	07302	1507-55
	26802	2147-73	30202	J051-73	30202	J061-73
5RM29R	*30202	J051-76	30202	J061-76		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5RM290	*06800	2144-60	07302	1505-75	07302	1507-61
	26802	2147-75	30202	J051-75	30202	J061-75
5RM30R	*30202	J051-78	30202	J061-78		
5RM300	*06800	2144-75	07302	1505-77	07302	1507-60
	6802	2147-77	30202	J051-77	30202	J061-77
5RM31R	*30202	J051-80	30202	J061-80		
5RM310	*06800	2144-80	07302	1505-79	07302	1507-63
	26802	2147-79	30202	J051-79	30202	J061-79
5RQI2R	*06700	2131-45	06700	2139-50	06700	2139-61
5RQI2S	06700	2131-46	06700	2137-45	*06700	2139-46
5RQP1A	06600	2138-18	06600	2139-18	*06600	2140-21
5RQP2R	06600	2136-18	06600	2139-20	*06600	2140-14
5RQP2S	06600	2136-24	*06600	2139-14	06600	2140-20
5RR00A	*06600	2136-69	06600	2137-18		
5RR01JQ	06600	2131-62	06600	2136-19	06600	2136-25
	*06600	2137-25	06600	2140-42		
5RR010	06600	2136-71	*07201	2139-27	07500	2133-17
	11100	2237-42				
5RSTAA	*06600	2140-30				
5RSTBA	*06600	2140-33				
5RSTCB	06600	2136-52	06600	2139-24	*06600	2140-30
	*06600	2140-33	06700	2131-48	06900	2125-19
	06900	2125-25	06900	2125-31	06900	2125-36
	06900	2125-37	06900	2125-42	07000	2126-43
	07000	2126-49	07000	2126-55	07000	2126-64
	07000	2126-70	07202	2131-40		
5RST2JQ	06600	2137-33	*06600	2138-42	06600	2139-47
	06600	2140-29	06600	2140-34	06700	2137-54
5RST2KQ	06600	2137-40	*06600	2138-39	06700	2137-47
	07202	2119-37	07202	2129-73		
5RST3JQ	*06600	2137-42	06600	2138-40		
5RWT1JQ	*06600	2138-56	07100	2124-43	07100	2124-55
	07100	2124-56	07100	2124-70	07100	2124-79
	07100	2131-72	07500	2133-20		
5RWT1KQ	*06600	2138-51	06700	2136-66	06700	2140-43
	07100	2124-49	07100	2124-50	07100	2124-61
	07100	2124-64	07100	2124-73	07100	2124-78
5SB00A	07201	2118-77	*07201	2119-52		
5SB000	07201	2117-10	*07201	2118-75	07201	2120-10
5SB01A	07201	2118-71	*07201	2119-46		
5SB010	07201	2117-08	*07201	2118-72	07201	2120-08
5SB02A	07201	2118-65	*07201	2119-45		
5SB020	07201	2117-06	*07201	2118-69	07201	2120-06
5SB03A	07201	2118-76	*07201	2119-51		
5SB030	07201	2117-04	*07201	2118-80	07201	2120-04
5SB04A	07201	2119-53	*07201	2122-38		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
5SB040	07201	2117-24	*07201	2119-57	07201	2120-24
5SB05A	07201	2119-59	*07201	2122-30		
5SB10A	*07201	2119-75	07202	2121-13		
5SB11A	*07201	2119-72	07202	2121-18		
5SB12A	*07201	2119-69	07202	2121-07		
5SB13A	*07201	2119-80	07202	2121-03		
5SB14A	*07201	2122-33	07202	2128-31		
5SB15A	*07201	2122-39	07202	2128-34		
5SB201N	07202	2120-52	*07202	2121-17		
5SB212N	07202	2120-50	*07202	2121-11		
5SB223N	07202	2120-48	*07202	2121-05		
5SB234N	07202	2120-46	*07202	2121-06		
5SB235N	*07202	2121-08	07202	2128-26		
5SB241N	07202	2120-64	*07202	2128-30		
5SCL10	*07500	2126-06	07500	2132-09	07500	2132-23
	07500	2133-09	07500	2133-23		
5SFT0A	*06700	2126-01	06900	2132-50	06900	2134-22
	07000	2132-36	07000	2134-08	07500	2132-08
	07500	2132-22	07500	2133-08	07500	2133-22
5SM0000C	07301	1504-09	*07301	1506-27	07400	2134-34
	26802	2148-09	30301	J052-09	30301	J060-09
5SM0000R	30301	J052-10	*30301	J060-10		
5SM0101C	07301	1504-11	*07301	1506-31	07400	2133-34
	26802	2148-11	30301	J052-11	30301	J060-11
5SM0101R	30301	J052-12	*30301	J060-12		
5SM0202C	07301	1504-13	*07301	1506-36	07400	2134-60
	26802	2148-13	30301	J052-13	30301	J060-13
5SM0202R	30301	J052-14	*30301	J060-14		
5SM0303C	07301	1504-15	*07301	1506-35	07400	2133-60
	26802	2148-15	30301	J052-15	30301	J060-15
5SM0303R	30301	J052-16	*30301	J060-16		
5SM0404C	07301	1504-17	*07301	1506-37	07400	2134-48
	26802	2148-17	30301	J052-17	30301	J060-17
5SM0404R	30301	J052-18	*30301	J060-18		
5SM0505C	07301	1504-19	*07301	1506-40	07400	2133-48
	26802	2148-19	30301	J052-19	30301	J060-19
5SM0505R	30301	J052-20	*30301	J060-20		
5SM0606C	07301	1504-21	*07301	1506-41	07400	2134-72
	26802	2148-21	30301	J052-21	30301	J060-21
5SM0606R	30301	J052-22	*30301	J060-22		
5SM0707C	07301	1504-23	*07301	1506-45	07400	2133-72
	26802	2148-23	30301	J052-23	30301	J060-23
5SM0707R	30301	J052-24	*30301	J060-24		
5SM0808C	07301	1504-25	*07301	1506-49	07400	2134-30
	26802	2148-25	30301	J052-25	30301	J060-25
5SM0808R	30301	J052-26	*30301	J060-26		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5SM0909C	07301	1504-27	*07301	1506-50	07400	2133-30
	26802	2148-27	30301	J052-27	30301	J060-27
5SM0909R	30301	J052-28	*30301	J060-28		
5SM1010C	07301	1504-29	*07301	1506-54	07400	2134-57
	26802	2148-29	30301	J052-29	30301	J060-29
5SM1010R	30301	J052-30	*30301	J060-30		
5SM1111C	07301	1504-31	*07301	1506-56	07400	2133-57
	26802	2148-31	30301	J052-31	30301	J060-31
5SM1111R	30301	J052-32	*30301	J060-32		
5SM1212C	07301	1504-33	*07301	1506-57	07400	2134-46
	26802	2148-33	30301	J052-33	30301	J060-33
5SM1212R	30301	J052-34	*30301	J060-34		
5SM1313C	07301	1504-35	*07301	1506-59	07400	2133-46
	26802	2148-35	30301	J052-35	30301	J060-35
5SM1313R	30301	J052-36	*30301	J060-36		
5SM1414C	07301	1504-37	*07301	1506-62	07400	2134-70
	26802	2148-37	30301	J052-37	30301	J060-37
5-SM1414R	30301	J052-38	*30301	J060-38		
5SM1515C	07301	1504-39	*07301	1506-65	07400	2133-70
	26802	2148-39	30301	J052-39	30301	J060-39
5SM1515R	30301	J052-40	*30301	J060-40		
5SM1600C	07302	1504-41	*07302	1507-27	07400	2134-29
	26802	2148-41	30301	J052-41	30301	J060-41
5SM1600R	30301	J052-42	*30301	J060-42		
5SM1701C	07302	1504-43	*07302	1507-31	07400	2133-29
	26802	2148-43	30301	J052-43	30301	J060-43
5SM1701R	30301	J052-44	*30301	J060-44		
5SM1802C	07302	1504-45	*07302	1507-36	07400	2134-53
	26802	2148-45	30301	J052-45	30301	J060-45
5SM1802R	30301	J052-46	*30301	J060-46		
5SM1903C	07302	1504-47	*07302	1507-35	07400	2133-53
	26802	2148-47	30301	J052-47	30301	J060-47
5SM1903R	30302	J052-48	*30302	J060-48		
5SM2004C	07302	1504-49	*07302	1507-37	07400	2134-41
	26802	2148-49	30302	J052-49	30302	J060-49
5SM2004R	30302	J052-50	*30302	J060-50		
5SM2105C	07302	1504-51	*07302	1507-40	07400	2133-41
	26802	2148-51	30302	J052-51	30302	J060-51
5SM2105R	30302	J052-52	*30302	J060-52		
5SM2206C	07302	1504-53	*07302	1507-41	07400	2134-69
	26802	2148-53	30302	J052-53	30302	J060-53
5SM2206R	30302	J052-54	*30302	J060-54		
5SM2307C	07302	1504-55	*07302	1507-45	07400	2133-69
	26802	2148-55	30302	J052-55	30302	J060-55
5SM2307R	30302	J052-56	*30302	J060-56		
5SM2408C	07302	1504-57	*07302	1507-49	07400	2134-31

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26802	2148-57	30302	J052-57	30302	J060-57
5SM2408R	30302	J052-58	*30302	J060-58		
5SM2509C	07302	1504-59	*07302	1507-50	07400	2133-31
	26802	2148-59	30302	J052-59	30302	J060-59
5SM2509R	30302	J052-60	*30302	J060-60		
5SM2610C	07302	1504-61	*07302	1507-54	07400	2134-55
	26802	2148-61	30302	J052-61	30302	J060-61
5SM2610R	30302	J052-62	*30302	J060-62		
5SM2711C	07302	1504-63	*07302	1507-56	07400	2133-55
	26802	2148-63	30302	J052-63	30302	J060-63
5SM2711R	30302	J052-64	*30302	J060-64		
5SM2812C	07302	1504-65	*07302	1507-57	07400	2134-43
	26802	2148-65	30302	J052-65	30302	J060-65
5SM2812R	30302	J052-66	*30302	J060-66		
5SM2913C	07302	1504-67	*07302	1507-59	07400	2133-43
	26802	2148-67	30302	J052-67	30302	J060-67
5SM2913R	30302	J052-68	*30302	J060-68		
5SM3014C	07302	1504-69	*07302	1507-62	07400	2134-71
	26802	2148-69	30302	J052-69	30302	J060-69
5SM3014R	30302	J052-70	*30302	J060-70		
5SM3115C	07302	1504-71	*07302	1507-65	07400	2133-71
	26802	2148-71	30302	J052-71	30302	J060-71
5SM3115R	30302	J052-72	*30302	J060-72		
5SRC00	*06700	2129-59	07400	2133-37	07400	2133-49
	07400	2133-63	07400	2133-77	07400	2134-37
	07400	2134-49	07400	2134-63	07400	2134-77
5SSMAA	*07201	2119-22	07202	2129-34		
5SSMBA	*07201	2118-45	07202	2129-37		
5SSMOA	07201	2122-41	07201	2122-47	*07201	2125-52
5SSM01N	07201	2119-54	07201	2119-77	*07201	2121-50
	07202	2129-30				
5SSM02N	*07201	2121-43	07201	2125-54		
5SSM1A	*07201	2118-22	07202	2129-31		
5SSM14N	07201	2118-24	07201	2119-48	07201	2119-71
	*07201	2121-38				
5SSM15N	*07201	2121-40	07201	2128-10		
5SSM2A	*07201	2118-57	07201	2122-53	07201	2122-59
5SSM21N	07201	2119-24	07201	2119-41	07201	2119-65
	*07201	2128-17				
5SSM22N	07201	2118-53	*07201	2128-11		
5SSM3A	*07201	2118-39	07202	2129-36		
5SSM34N	07201	2118-35	07201	2119-47	07201	2119-76
	*07201	2128-06				
5SSM35N	07201	2121-74	*07201	2128-08		
5SSM4A	*07201	2118-52	07201	2119-73	07201	2119-74
	07201	2119-78	07201	2119-79	07201	2122-31



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5SSM41N	07201	2122-65	07201	2122-76		
	07201	2118-41	*07201	2121-80	07201	2122-29
	07201	2122-40				
5SSM42N	07201	2118-54	07201	2118-70	07201	2119-43
	07201	2119-49	07201	2119-50	07201	2119-56
	*07201	2121-75	07201	2122-42		
5SSM5A	*07201	2118-46	07201	2122-37		
5SSM54N	*07201	2121-70	07201	2122-34	07201	2122-35
5SSM55N	07201	2118-48	*07201	2121-72	07201	2122-36
5SS0A0	07201	2121-39	*07201	2122-45		
5SS0B0	07201	2121-41	*07201	2122-51		
5SS2A0	*07201	2122-57	07201	2128-07		
5SS2B0	*07201	2122-63	07201	2128-09		
5SS31A	*07202	2129-35	07202	2131-34		
5SS4A0	07201	2121-71	*07201	2122-69		
5SS4B0	07201	2121-73	*07600	2122-80		
5STS0A	*06700	2140-52	07400	2133-36	07400	2133-50
	07400	2133-62	07400	2133-74	07400	2134-36
	07400	2134-50	07400	2134-62	07400	2134-74
5ST00R	07202	2118-42	*07202	2131-35	28101	J023-10
	31301	J073-10				
5ST00S	*07202	2118-38	07202	2131-38	07500	2132-04
	13200	1327-09	26802	2250-09	26803	1303-09
	28101	J023-09	31301	J073-09		
5ST01A	07202	2118-40	*07202	2131-76		
5ST010	*07202	2118-30	07202	2131-75		
5ST02A	07202	2118-34	07202	2129-71	*07202	2131-33
5SYNCA	06600	2125-77	06600	2137-03	06600	2138-03
	*06600	2139-21				
5SYNCJQ	06600	2126-77	06600	2136-13	*06600	2137-80
	06600	2139-17				
5SYNCKQ	*06600	2137-79	06600	2138-54		
5SYNCR	06600	2125-79	*06600	2126-75		
5SYNCS	*06600	2125-75	06600	2126-79	06600	2137-76
5TCL10	06600	2137-34	06600	2137-73	06600	2138-34
	06600	2139-49	*06600	2140-01		
5TCL40	06600	2136-14	06600	2136-22	06600	2137-06
	06600	2137-20	06600	2138-06	06600	2138-20
5TCL80	06600	2138-72	*06600	2140-09		
	06600	2125-10	06600	2136-10	06600	2137-78
	06600	2138-48	*06600	2140-15	06700	2137-48
	06700	2137-60	06700	2138-60		
5TD00R	*28101	J023-14	31301	J073-14		
5TD000	*07400	2140-75	13700	1336-05	26802	2250-13
	26803	1303-13	28101	J023-13	31301	J073-13
5TD003E	07400	2133-33	*07400	2134-38	07400	2140-77

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5TD01R	*28101	J023-16	31301	J073-16		
5TD010	*07400	2140-72	13800	1336-42	26802	2250-15
	26803	1303-15	28101	J023-15	31301	J073-15
5TD013E	*07400	2133-38	07400	2134-59	07400	2140-71
5TD02R	*28101	J023-18	31301	J073-18		
5TD020	*07400	2140-69	13700	1336-49	26802	2250-17
	26803	1303-17	28101	J023-17	31301	J073-17
5TD023E	07400	2133-59	*07400	2134-64	07400	2140-65
5TD03R	*28101	J023-20	31301	J073-20		
5TD030	*07400	2140-80	13700	1336-74	26802	2250-19
	26803	1303-19	28101	J023-19	31301	J073-19
5TD033E	*07400	2133-64	07400	2134-45	07400	2140-76
5TD04R	*28101	J023-22	31301	J073-22		
5TD040	*07400	2139-75	13700	1337-20	26802	2250-21
	26803	1303-21	28101	J023-21	31301	J073-21
5TD043E	07400	2133-45	*07400	2134-52	07400	2139-77
5TD05R	*28101	J023-24	31301	J073-24		
5TD050	*07400	2139-72	13700	1337-56	26802	2250-23
	26803	1303-23	28101	J023-23	31301	J073-23
5TD053E	*07400	2133-52	07400	2134-73	07400	2139-71
5TD06R	*28101	J023-26	31301	J073-26		
5TD060	*07400	2139-69	13700	1337-61	26802	2250-25
	26803	1303-25	28101	J023-25	31301	J073-25
5TD063E	07400	2133-73	*07400	2134-76	07400	2139-65
5TD07R	*28101	J023-28	31301	J073-28		
5TD070	*07400	2139-80	13700	1339-26	26802	2250-27
	26803	1303-27	28101	J023-27	31301	J073-27
5TD073E	705400	1124-47	*07400	2133-76	07400	2134-33
	07400	2139-76	26802	1301-07	26802	2351-07
5TPR0JQ	*06600	2137-13	06600	2138-05	06600	2138-14
	06600	2140-59				
5TPR0KQ	06600	2136-08	*06600	2137-11		
5TPR1JQ	*06600	2138-13	06600	2140-61		
5TPR1KQ	06600	2132-59	06600	2136-06	*06600	2138-11
5TPR2A	*06600	2136-11	06600	2140-18	06600	2140-23
5TPR20	06600	2136-04	06600	2136-73	*06600	2140-27
5TPR4A	06600	2126-54	06600	2137-14	06600	2138-10
	*06600	2140-63				
5TPR40	*06600	2126-52	06600	2137-26	06600	2137-75
	06600	2138-26	06600	2138-78		
5TST03E	*07500	2132-10	07500	2133-05		
5TST13E	07500	2132-19	*07500	2133-10		
5TST23E	*07500	213-2-24	07500	2133-19		
5TST33E	05400	1124-43	07000	2132-33	*07500	2133-24
	26802	1301-11	26802	2351-11		
5TUF0A	06700	2131-43	06700	2137-43	*06700	2139-52

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
5WAD0IN	*06900	2121-30	06900	2125-17		
5WAD12N	*06900	2121-29	06900	2125-23		
5WAD23N	*06900	2121-21	06900	2125-40		
5WAD3A	*06900	2125-14	06900	2126-18		
5WAD30	*06900	2126-14	06900	2128-46		
5WAD34N	*06900	2121-22	06900	2125-34		
5WAD35N	*06900	2121-24	06900	2125-18		
5WAD41N	06900	2125-29	*06900	2128-50		
5WAD52N	06900	2125-35	*06900	2128-43		
5WAR0A	07100	2122-54	*07100	2124-52		
5WAR1A	07100	2122-48	*07100	2124-45		
5WAR2A	07100	2122-68	*07100	2124-66		
5WAR3A	07100	2122-62	*07100	2124-57		
5WAR4A	07100	2122-77	*07100	2124-75	07100	2136-30
	07100	2136-55				
5WAR5A	07100	2122-71	*07100	2131-69	07100	2136-34
	07100	2136-43				
5WBA11E	*06600	2132-65	07202	2120-43		
5WBA33E	*06600	2132-64	07201	2120-03		
5WCC10	*06600	2136-35	06900	2132-49	06900	2134-23
5WCC2A	06600	2136-37	*06600	2139-22		
5WCC3A	06600	2129-46	06600	2136-38	*06600	2139-51
5WCL4A	*06600	2136-23	06600	2140-24	11100	2241-76
5WCN0A	06900	2122-08	*06900	2124-06		
5WCN00	*06900	2122-06	07100	2124-54	07201	2121-48
	07202	2117-52				
5WCN00E	06900	2121-31	06900	2124-08	*06900	2132-47
5WCN1A	06900	2122-04	*06900	2124-01		
5WCN10	06900	2121-34	*06900	2122-01	07100	2124-41
	07201	2121-35	07202	2117-50		
5WCN11E	06900	2124-04	*06900	2132-51		
5WCN2A	06900	2122-03	*06900	2124-09		
5WCN20	06900	2121-23	*06900	2122-09	07100	2124-68
	07201	2128-13	07202	2117-48		
5WCN22E	06900	2124-03	*06900	2132-56		
5WCN3A	06900	2122-11	*06900	2124-15		
5WCN30	06900	2121-19	*06900	2122-15	07100	2124-53
	07201	2128-03	07202	2117-46		
5WCN33E	06900	2124-11	*06900	2132-52	06900	2134-19
5WCN4A	06900	2122-24	*06900	2124-22		
5WCN40	*06900	2122-22	06900	2128-48	07100	2124-77
	07201	2121-78	07202	2117-64		
5WCN40E	06900	2124-24	*06900	2134-21		
5WCN5A	06900	2122-18	*06900	2124-14		
5WCN50	*06900	2122-14	06900	2128-47	07100	2131-71
	07201	2121-66				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
5WCN51E	06900	2124-18	*06900	2134-27		
5WCN52E	06900	2128-39	*06900	2134-25		
5WCN53E	06900	2128-35	*06900	2134-24	07500	2132-05
5WC10A	*06900	2125-21	06900	2126-17		
5WC100	*06900	2126-21	06900	2132-43		
5WC11A	*06900	2125-27	06900	2126-23		
5WC110	*06900	2126-27	06900	2132-41		
5WC12A	*06900	-2125-38	06900	2126-40		
5WC120	*06900	2126-38	06900	2132-46		
5WC13A	*06900	2125-30	06900	2126-34		
5WC130	*06900	2126-30	06900	2132-48		
5WC14A	*06900	2125-33	06900	2126-29		
5WC140	*06900	2126-33	06900	2134-17		
5WC15A	*06900	2125-39	06900	2126-35		
5WC150	*06900	2126-39	06900	2134-15		
5WD40A	07000	2139-62	*07000	2140-60		
5WD40R	*28101	J023-08	31301	J073-08		
5WD400	*07000	2139-60	07500	2132-01	13200	1311-62
	13200	1311-68	13200	1317-03	13200	1327-47
	26802	2250-07	26803	1303-07	28101	J023-07
	31301	J073-07				
5WPE00	06600	2132-63	06600	2139-26	*06600	2140-22
	07301	1504-01	07301	1506-01	07302	1507-01
	26802	2148-01	30301	J052-01	30301	J060-01
5WPE00R	*30301	J052-02	30301	J060-02		
5WP000	*06600	2140-06	06700	2136-68	07202	2131-36
	07202	2131-70	07202	2131-77	07301	1504-03
	07301	1506-03	07302	1507-03	26802	2148-03
	30301	J052-03	30301	J060-03		
5WP000R	*30301	J052-04	30301	J060-04		
5XCM01C	*07201	2120-11	07202	2117-38		
5XCM11C	*07201	2120-27	07202	2117-36		
5XCM31C	07202	2117-76	*07202	2120-51		
5XCM41C	07202	2117-74	*07202	2120-65		
5XCM51C	*07202	2117-79	07202	2118-18		
5XCM61C	*07201	2117-11	07202	2120-38		
5XCM71C	*07201	2117-27	07202	2120-36		
5XCM8A	07202	2118-36	*07202	2119-39		
5XCM81C	07202	2119-35	*07202	2120-39		
5XC091C	*07202	2117-51	07202	2120-76		
5XC101C	*07202	2117-65	07202	2120-74		
5XC11A	*07202	2118-33	07202	2131-31		
5XC111C	07202	2118-29	*07202	2120-79	07202	2131-61
5XY01A	*07201	2118-66	07201	2139-23		
5XY03A	07201	2139-25	*07202	2118-14		
5YCM02C	*07201	2120-14	07202	2117-35		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
5YCM12C	*07201	2120-26	07202	2117-33		
5YCM22C	07201	2118-68	*07202	2117-40		
5YCM32C	07202	2117-75	*07202	2120-54		
5YCM42C	07202	2117-73	*07202	2120-66		
5YCM62C	*07201	2117-14	07202	2120-35		
5YCM72C	*07201	2117-26	07202	2120-33		
5YC092C	*07202	2117-54	07202	2120-75		
5YC102C	*07202	2117-66	07202	2120-73		
5YC112C	*07202	2120-78	07202	2131-30	07202	2131-66
5ZRA	*06600	2119-06	06600	2137-19	06600	2138-19
	06600	2138-33	06900	2121-33	06900	2128-45
	07000	2125-61	07000	2128-59	07000	2128-77
5ZR01A	*06600	2119-01	06900	2121-20	06900	2128-36
	07000	2128-55	07000	2128-73		
5ZR02A	*06600	2119-09	06900	2128-41	07000	2128-52
	07000	2128-68	07100	2131-73		
5ZR03A	*06600	2119-15	06900	2121-25	07000	2128-60
	07000	2128-74				
5ZR04A	*06600	2118-06	06900	2121-26	06900	2128-42
	07201	2121-47	07201	2121-79	07201	2128-18
	07202	2121-15				
5ZR05A	*06600	2118-01	07201	2120-05	07201	2121-45
	07201	2121-77	07201	2128-15	07202	2121-14
5ZR06A	*06600	2118-09	07201	2117-07	07202	2120-61
	07202	2121-09				
5ZR07A	*06600	2118-15	07201	2117-03	07201	2117-21
	07202	2120-41	07202	2121-04		
5ZR08A	*06600	2119-21	06600	2138-73	07201	2117-01
	07201	2120-07	07202	2117-62	07202	2128-27
5ZR09A	*06600	2119-27	07201	2120-13	07201	2120-25
	07202	2117-42	07202	2117-80	07202	2120-56
	07202	2120-68				
5ZR10A	*06600	2118-21	07201	2117-13	07201	2117-25
	07202	2117-56	07202	2117-68	07202	2120-42
	07202	2120-80				
6BCP1A	07500	2126-08	26802	2351-01	27201	J004-43
	*27201	J058-43				
6BCP1AG	26109	2126-02	26802	2351-02		
6BCP1R	27201	J004-44	*27201	J058-44		
6BCS1A	06600	2129-48	06600	2136-40	06700	2129-61
	07500	2126-10	26802	2351-05	27201	J004-41
	*27201	J058-41				
6BCS1AG	26109	2136-44	26802	2351-06		
6BCS1R	27201	J004-42	*27201	J058-42		
6BIC1A	*05300	1115-47	05300	1117-56		
6BIC20	05300	1107-09	05300	1107-23	05300	1107-37

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	05300	1108-09	05300	1108-37	05300	1109-09
	05300	1109-23	05300	1109-37	*05300	1117-52
6BIP1AV	05300	1107-08	05300	1107-22	05300	1107-36
	05300	1108-08	05300	1108-36	05300	1109-08
	05300	1109-22	05300	1109-36	*05300	1116-42
6BIP20	05300	1116-39	*05300	1117-46		
6BIS0A	*05900	1115-45	05900	1117-41		
6BIS1R	*27901	J016-32	30701	J057-32		
6BIS10	*05900	1113-33	20501	2227-48	26801	1136-76
	26802	1106-31	26803	2249-31	27901	J016-31
	30701	J057-31				
6BIS20	*05900	1117-45	05900	1123-13		
6BIXX1T	05500	1110-64	*05500	1125-26		
6BIXX2T	05500	1110-55	*05500	1125-27		
6BIXX3T	05500	1110-61	*05500	1125-30		
6BIXX4T	05500	1110-79	*05500	1125-33		
6BIXX5T	05500	1110-73	*05500	1125-23		
6BIXX6T	05500	1110-74	*05500	1125-25		
6BIXX7T	05500	1110-78	*05500	1125-29		
6BI000E	*05300	1107-07	26801	1136-38		
6BI01A	*05500	1114-52	05500	1115-61		
6BI011E	*05300	1107-11	05500	1114-54	05500	1125-19
	26801	1136-39				
6BI02A	*05500	1114-46	05500	1115-66		
6BI022E	*05300	1107-13	05500	1114-48	05500	1125-22
	26801	1136-40				
6BI03A	*05500	1114-45	05500	1115-68		
6BI033E	*05300	1107-10	05300	1109-19	05500	1114-41
	05500	1125-20	26801	1136-41		
6BI04AV	*05300	1116-54	05500	1115-60	05600	1117-78
6BI040E	*05300	1109-21	05300	1116-52	05600	1111-56
	05900	1110-23	26801	1136-42		
6BI051E	*05300	1109-27	05600	1115-78	05600	1118-34
	05600	1118-73	05900	1110-40	26801	1136-43
6BI062E	*05300	1109-25	05900	1110-34	26801	1136-45
6BI073E	05300	1108-05	*05300	1109-24	05900	1110-29
	26801	1136-46				
6BI080E	05300	1107-03	*05300	1108-07	05900	1110-35
	26801	1136-47				
6BI09A	*05900	1114-51	20501	2221-39	26802	1106-33
	26803	2249-33	27901	J016-33	30701	J057-33
6BI09R	*27901	J016-34	30701	J057-34		
6BI091E	05300	1107-01	*05300	1108-11	05900	1114-47
	26801	1136-48				
6BI10AV	*05900	1116-49	05900	1117-43		
6BI102E	05300	1107-04	*05300	1108-13	05900	1113-31

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
6BI11A	05900 20501 30701	1116-47 2227-40 J057-35	26801 26803	1136-49 2249-35	*27901	J016-35
6BI11AV	*05300 26802	1116-48 1106-35	05900	1115-43	05900	1123-08
6BI11R	*27901	J016-36	30701	J057-36		
6BI113E	05300 05300	1107-06 1116-50	05300 26801	1107-19 1136-50	*05300	1108-10
6BI12A	20501 30701	2227-42 J057-37	26803	2249-37	*27901	J016-37
6BI12AV	*05300 26802	1116-46 1106-37	05900	1115-46	05900	1123-10
6BI12R	*27902	J016-38	30701	J057-38		
6BI120E	*05300 26801	1107-21 1136-51	05300	1109-17	05300	1116-41
6BI13A	20501 30701	2227-46 J057-39	26803	2249-39	*27902	J016-39
6BI13AV	*05300 26802	1116-43 1106-39	05900	1115-48	05900	1123-14
6BI13R	*27902	J016-40	30701	J057-40		
6BI131E	*05300 26801	1107-27 1136-52	05300	1109-15	05300	1116-45
6BI142E	*05300 26801	1107-25 1136-53	05300	1109-18	05800	1122-17
6BI15AV	*05300	1116-53	05800	1115-22		
6BI153E	*05300 05300	1107-24 1116-51	05300 05800	1109-20 1115-04	05300 26801	1109-33 1136-54
6BI160E	05300	1108-03	*05300	1109-35	05800	1123-62
6BI171E	05300	1108-01	*05300	1109-39	05800	1123-54
6BI182E	05300	1108-04	*05300	1109-42	05800	1123-57
6BI193E	05300 05800	1108-06 1123-51	05300	1108-33	*05300	1109-38
6BI20AV	*05400	1116-66	05400	1124-30		
6BI200E	05300 05400	1107-17 1123-30	*05300 05800	1108-35 1123-76	05400	1116-64
6BI211E	05300 05400	1107-15 1124-24	*05300 05800	1108-39 1123-70	05400	1123-24
6BI222E	05300 05400	1107-18 1124-26	*05300 05800	1108-42 1123-75	05400	1123-26
6BI233E	05300 05400	1107-20 1123-27	05300 05400	1107-33 1124-27	*05300 05800	1108-38 1123-69
6BI240E	*05300	1107-35	05300	1109-31	05800	1124-62
6BI251E	*05300	1107-39	05300	1109-29	05800	1124-54
6BI262E	*05300 20502 26803	1107-42 2136-73 2249-09	05300 20502 27901	1109-30 2136-79 J016-09	05800 26802 30701	1124-57 1106-09 J057-09

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
6BI262R	*27901	J016-10	30701	J057-10		
6BI273E	*05300	1107-38	05300	1109-05	05300	1109-34
	05800	1124-51	20502	2136-69	20502	2136-74
	26802	1106-11	26803	2249-11	27901	J016-11
	30701	J057-11				
6BI273R	*27901	J016-12	30701	J057-12		
6BI280E	05300	1108-31	*05300	1109-07	05800	1124-76
	20502	2136-75	20502	2136-76	26802	1106-13
	26803	2249-13	27901	J016-13	30701	J057-13
6BI280R	*27901	J016-14	30701	J057-14		
6BI29A	-12500	2338-08	12500	2338-24	20502	2125-08
	20502	2125-24	26802	2351-43	26803	2249-01
	*27901	J016-01	30701	J057-01		
6BI29AR	*27201	J004-34	27201	J058-34		
6BI29AV	05003	1439-08	05003	1439-24	*05300	1116-63
	05400	1124-40	16500	1228-24	26802	1105-33
	26802	1106-01	26802	1301-43	26803	1104-33
	27201	J004-33	27201	J058-33		
6BI29R	*27901	J016-02	30701	J057-02		
6BI291E	05300	1108-29	*05300	1109-11	05300	1116-61
	05800	1124-70				
6BI30A	12500	2338-10	12500	2338-26	20502	2125-10
	20502	2125-26	26802	2351-41	26803	2249-03
	*27901	J016-03	30701	J057-03		
6BI30AR	*27201	J004-36	27201	J058-36		
6BI30AV	05003	1439-10	05003	1439-26	*05300	1116-60
	05400	1124-42	16500	1228-26	26802	1105-35
	26802	1106-03	26802	1301-41	26803	1104-35
	27201	J004-35	27201	J058-35		
6BI30R	*27901	J016-04	30701	J057-04		
6BI302E	05300	1108-30	*05300	1109-13	05300	1116-62
	05800	1124-75				
6BI31A	05003	1439-14	05003	1439-27	*05300	1114-39
	05300	1117-35	05400	1124-46	12500	2338-14
	12500	2338-27	16500	1228-27	20502	2125-14
	20502	2125-27	26802	1105-37	26802	1106-05
	26802	1301-39	26802	2351-39	26803	1104-37
	26803	2249-05	27901	J016-05	30701	J057-05
6BI31A-	*27201	J004-37	27201	J058-37		
6BI31R	*27901	J016-06	30701	J057-06		
6BI31R-	*27201	J004-38	27201	J058-38		
6BI310	*05300	1117-39	26802	1301-55		
6BI313E	05300	1108-34	*05300	1109-10	05300	1114-35
	05500	1117-62	05800	1124-69	12000	2511-33
	12100	2518-19	26802	2351-55		
6BSP0R	27201	J004-40	*27201	J058-40		



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
6BSP00	06700	2126-04	06700	2140-54	26802	2351-09
	27201	J004-39	*27201	J058-39		
6B0C10	05400	1107-49	05400	1107-63	05400	1107-77
	05400	1108-49	05400	1108-77	05400	1109-49
	05400	1109-63	05400	1109-77	*05400	1113-35
6B0S10	05400	1107-50	05400	1107-62	05400	1107-74
	05400	1108-50	05400	1108-74	05400	1109-50
	05400	1109-62	05400	1109-74	*05400	1110-52
6B0000E	*05400	1107-47	13800	1336-10	26802	1302-59
	26803	1302-59	28202	J024-59	28202	J084-59
6B0000R	*28202	J024-60	28202	J084-60		
6B0011E	*05400	1107-51	13800	1336-25	26802	1302-61
	26803	1302-61	28202	J024-61	28202	J084-61
6B0011R	*28202	J024-62	28202	J084-62		
6B0022E	*05400	1107-56	13800	1336-43	26802	1302-63
	26803	1302-63	28202	J024-63	28202	J084-63
6B0022R	*28202	J024-64	28202	J084-64		
6B0033E	*05400	1107-52	05400	1109-59	13800	1336-73
	26802	1302-65	26803	1302-65	28202	J024-65
	28202	J084-65				
6B0033R	*28202	J024-66	28202	J084-66		
6B0040E	*05400	1109-61	13800	1337-26	26802	1302-67
	26803	1302-67	28202	J024-67	28202	J084-67
6B0040R	*28202	J024-68	28202	J084-68		
6B0051E	*05400	1109-65	13800	1337-37	26802	1302-69
	26803	1302-69	28202	J024-69	28202	J084-69
6B0051R	*28202	J024-70	28202	J084-70		
6B0062E	*05400	1109-68	13800	1337-55	26802	1302-71
	26803	1302-71	28202	J024-71	28202	J084-71
6B0062R	*28202	J024-72	28202	J084-72		
6B0073E	05400	1108-45	*05400	1109-64	13800	1339-13
	26802	1302-73	26803	1302-73	28202	J024-73
	28202	J084-73				
6B0073R	*28202	J024-74	28202	J084-74		
6B0080E	05400	1107-43	*05400	1108-47		
6B0091E	05400	1107-41	*05400	1108-51		
6B0102E	05400	1107-46	*05400	1108-56		
6B0113E	05400	1107-48	05400	1107-59	*05400	1108-52
6B0120E	*05400	1107-61	05400	1109-55		
6B0131E	*05400	1107-65	05400	1109-53		
6B0142E	*05400	1107-68	05400	1109-57		
6B0153E	*05400	1107-64	05400	1109-60	05400	1109-73
6B0160E	05400	1108-43	*05400	1109-75		
6B0171E	05400	1108-41	*05400	1109-79		
6B0182E	05400	1108-46	*05400	1109-80		
6B0193E	05400	1108-48	05400	1108-73	*05400	1109-76

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
6B0200E	05400	1107-55	*05400	1108-75		
6B0211E	05400	1107-53	*05400	1108-79		
6B0222E	05400	1107-57	*05400	1108-80		
6B0233E	05400	1107-60	05400	1107-73	*05400	1108-76
6B0240E	*05400	1.107-75	05400	1109-71		
6B0251E	*05400	1107-79	05400	1109-69		
6B0262E	*05400	1107-80	05400	1109-70		
6B0273E	*05400	1107-76	05400	1109-45	05400	1109-72
6B0280E	05400	1108-71	*05400	1109-47		
6B0291E	05400	1108-69	*05400	1109-51		
6B0302E	05400	1108-70	*05400	1109-56		
6B0313E	05400	1108-72	*05400	1109-52		
6CIR1A	05400	1113-40	*05400	1115-35		
6C16AA	*05200	1111-01	05200	1117-11		
6C16AO	*05200	1117-15	05200	1120-06	05200	1120-20
	05200	1122-06	05200	1235-23	05900	1120-50
	05900	1121-06				
6ICT1R	05300	1115-54	05500	1110-62	*05500	1111-60
	05500	1118-18	05900	1120-54		
6ICT1S	*05500	1110-60	05500	1111-62	05800	1111-08
	05800	1115-05	05800	1115-14	05800	1115-24
	05900	1114-61	26801	1136-78		
6IDC2A	*05500	1113-47	12000	2514-48	12000	2514-68
	12300	2514-08	26802	1301-21	26802	2351-21
6IDC2AG	26108	1113-44	26109	2514-02	26802	1301-22
	26802	2351-22				
6IDC3A	*05500	1113-45	12000	2514-61	12100	2514-78
	12300	2514-06	26802	1301-25	26802	2351-25
6IDC3AG	26108	1113-44	26109	2514-02	26802	1301-26
	26802	2351-26				
6IDC4A	*05500	1113-59	12000	2514-66	12300	2513-04
	12300	2513-53	26802	1301-29	26802	2351-29
6IDC4AG	26108	1113-58	26109	2513-58	26802	1301-30
	26802	2351-30				
6IDC7A	*05500	1113-69	05701	1132-14		
6IDG2A	*05500	1111-45	07701	2240-55	12100	2401-22
	12100	2520-53	12100	2522-62	26802	130.1-51
	26802	1301-65	26802	2351-51		
6IDG2A1	07701	2344-31	*26802	2351-65		
6IDG20	*05500	1110-46	05500	1111-41		
6ID21R	05500	1110-48	05500	1110-53	*05500	1111-57
	05500	1118-19				
6ID21S	*05500	1110-57	0500	1111-53	05500	1113-49
6ID31R	05500	1110-50	05500	1110-59	*05500	1111-63
	05500	1118-20				
6ID31S	*05500	1110-63	05500	1111-59	05500	1113-43

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
6ID41R	05500	1110-77	*05500	1111-75	05500	1118-22
6ID41S	*05500	1110-75	05500	1111-77	05500	1113-61
6ID51R	05500	1110-71	*05500	1111-72	05500	1118-24
6ID51S	*05500	1110-72	05500	1111-71	05500	1113-55
6ID61R	05500	1110-65	*05500	1111-69	05500	1118-25
6ID61S	*05500	1110-69	05500	1111-65	05500	1113-75
6ID71R	05500	1110-76	*05500	1111-80	05500	1118-26
	05701	1117-55	05701	1117-68		
6ID71S	*05500	1110-80	05500	1111-76	05500	1113-71
	05500	1117-64				
6IER1A	05200	1118-05	*05500	1110-51	13500	1345-07
	26802	1302-33	26803	1302-33	28201	J024-33
	28201	J084-33				
6IER1R	*28201	J024-34	28201	J084-34		
6IER20	05500	1110-47	*05500	1111-51		
6IER3A	05500	1111-49	*05500	1118-23	26801	1136-79
6IER4A	05500	1111-47	*05500	1115-57		
6IM01R	05300	1115-52	05400	1110-54	05500	1110-68
	*05500	1111-66	05500	1118-14		
6IM01S	05200	1128-03	05400	1115-40	*05500	1110-66
	05500	1111-68	05500	1115-62	05600	1111-54
	05600	1117-76	26801	1136-77		
6IM010V	05600	1115-31	05600	1115-72	*05600	1116-57
	05600	1118-36	05600	1118-61	05600	1118-74
	05600	1231-05				
6IM02A	05500	1110-70	*05500	1115-59		
6IM03A	*05600	1111-52	05600	1116-79		
6IM030V	05600	1113-05	05600	1114-79	05600	1115-79
	*05600	1116-80	05600	1132-05		
6IM04A	05600	1116-59	*05600	1117-80		
6IRS1AV	05500	1111-55	05500	1111-61	05500	1111-64
	05500	1111-73	05500	1111-74	05500	1111-78
	05500	1111-79	*05500	1116-56		
6IRS20	*05500	1110-45	05500	1116-55		
6KRC10	05701	1128-37	05701	1128-49	05701	1129-37
	05701	1129-49	*05701	1132-21	05702	1128-63
	05702	1128-77	05702	1129-63	05702	1129-77
6KRD10	*05701	1114-57	05701	1128-33		
6KRD2A	*05500	1117-60	05701	1114-53		
6KRD3A	05701	1114-55	*05701	1117-57		
6KRSAAV	*05701	1116-40	05701	1132-36	05701	1132-42
	05701	1132-50	05701	1132-56	05701	1132-64
	05701	1132-70	05701	1132-74	05701	1132-79
6KRSEAV	*05701	1116-37	05701	1133-07	05701	1133-20
	05701	1133-26	05701	1133-36	05701	1133-42
	05701	1133-50	05701	1133-56	05702	1133-64

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	05702	1133-70				
6KRSCAV	*05702	1116-34	05702	1133-74	05702	1133-79
	05702	1134-07	05702	1134-13	05702	1134-20
	05702	1134-26	05702	1134-36	05702	1134-42
	05702	1134-56				
6KRSDAV	*05702	1116-30	05702	1134-50	05702	1134-64
	05702	1134-70	05702	1134-74	05702	1134-79
6KRS10	05701	1116-35	05701	1116-38	*05701	1117-66
	05701	1128-36	05701	1128-50	05701	1129-23
	05701	1129-36	05701	1129-50	05702	1116-29
	05702	1116-36	05702	1128-62	05702	1128-74
	05702	1129-62	05702	1129-74		
6KR00A	*30601	J055-13	30601	J070-13		
6KR00R	*30601	J055-14	30601	J070-14		
6KR000E	*05701	1128-35	05701	1132-37	26801	1136-01
6KR01A	*30601	J055-15	30601	J070-15		
6KR01R	*30601	J055-16	30601	J070-16		
6KR011E	*05701	1128-39	05701	1132-30	26801	1136-03
6KR02A	*30601	J055-17	30601	J070-17		
6KR02R	*30601	J055-18	30601	J070-18		
6KR022E	*05701	1128-42	05701	1132-49	26801	1136-04
6KR03A	*30601	J055-19	30601	J070-19		
6KR03R	*30601	J055-20	30601	J070-20		
6KR033E	*05701	1128-38	05701	1129-33	05701	1132-43
	26801	1136-05				
6KR04A	30601	J055-21	*30601	J070-21		
6KR04R	30601	J055-22	*30601	J070-22		
6KR040E	*05701	1129-35	05701	1132-61	26801	1136-06
6KR05A	30601	J055-23	*30601	J070-23		
6KR05R	30601	J055-24	*30601	J070-24		
6KR051E	*05701	1129-39	05701	1132-55	26801	1136-07
6KR062E	*05701	1129-42	05701	1132-75	26801	1136-08
6KR073E	05701	1128-45	*05701	1129-38	05701	1132-71
	26801	1136-09				
6KR08A	*05701	1133-11	26802	1104-25		
6KR080E	*05701	1128-47	05701	1129-17		
6KR09A	*05701	1133-09	26802	1104-27		
6KR091E	*05701	1128-51	05701	1133-01	26801	1136-11
6KR10A	*05701	1133-23	26802	1104-29		
6KR102E	*05701	1128-56	05701	1133-22	26801	1136-13
6KR11A	*05701	1133-21	26802	1104-31		
6KR113E	*05701	1128-52	05701	1129-45	05701	1133-14
	26801	1136-14				
6KR12A	*05701	1133-35	26802	1104-35		
6KR120E	*05701	1129-47	05701	1133-37	26801	1136-15
6KR13A	*05701	1133-33	26802	1104-37		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
6KR131E	*05701	1129-51	05701	1133-30	26801	1136-17
6KR14A	*05701	1133-47	26802	1104-39		
6KR142E	*05701	1129-56	05701	1133-49	26801	1136-18
6KR15A	*05701	1133-45	26802	1104-23		
6KR153E	*05701	1129-52	05701	1133-43	05702	1128-59
	26801	1136-19				
6KR16A	00300	1501-13	00300	1519-62	*05702	1133-59
	26802	1202-13				
6KR160E	*05702	1128-61	05702	1133-61	26801	1136-20
6KR17A	00300	1501-15	00300	1519-61	*05702	1133-57
	26802	1202-15				
6KR171E	*05702	1128-65	05702	1133-55	26801	1136-21
6KR18A	00300	1501-17	00300	1520-62	*05702	1133-76
	26802	1202-17				
6KR182E	*05702	1128-68	05702	1133-75	26801	1136-22
6KR19A	00300	1501-19	00300	1520-61	*05702	1133-69
	26802	1202-19				
6KR193E	*05702	1128-64	05702	1129-59	05702	1133-71
	26801	1136-23				
6KR20A	03800	1501-21	03800	1521-62	*05702	1134-11
	26802	1202-21				
6KR200E	*05702	1129-61	05702	1134-06	26801	1136-24
6KR21A	03800	1501-23	03800	1521-61	*05702	1134-09
	26802	1202-23				
6KR211E	*05702	1129-65	05702	1134-01	26801	1136-25
6KR222E	*05702	1129-68	05702	1134-22	26801	1136-26
6KR233E	05702	1128-73	*05702	1129-64	05702	1134-14
	26801	1136-27				
6KR240E	*05702	1128-75	05702	1134-37	26801	1136-29
6KR251E	*05702	1128-79	05702	1134-30	26801	1136-30
6KR262E	*05702	1128-80	05702	1134-49	26801	1136-31
6KR273E	*05702	1128-76	05702	1129-73	05702	1134-43
	26801	1136-33				
6KR28A	03900	1436-79	*05702	1134-59		
6KR280E	*05702	1129-75	05702	1134-61	26801	1136-34
6KR29A	03900	1436-74	*05702	1134-57		
6KR291E	*05702	1129-79	05702	1134-55	26801	1136-35
6KR30A	03900	1441-13	03900	1441-26	03900	1444-73
	03900	1444-79	*05702	1134-76		
6KR302E	*05702	1129-80	05702	1134-75	26801	1136-36
6KR31A	05101	1548-07	*05702	1134-69		
6KR313E	05400	1124-35	05701	1117-53	*05702	1129-76
	05702	1134-71	26801	1136-37		
6KS080E	*05701	1129-21	05701	1133-06	26801	1136-10
6MCA1A	01400	1213-43	05001	1329-71	05002	1329-76
	*05600	1113-09	05701	1132-18	12000	2514-46

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	12000	2514-70	12100	2514-77	16500	1145-78
	16500	1222-79	20502	2119-61	26802	1301-33
	26802	2351-33	26803	1104-25	26803	2249-25
	27901	J016-25	30701	J057-25		
6MCA1AG	26108	1329-58	26109	2514-44	26802	1301-34
	26802	2351-34				
6MCA1R	*27901	J016-26	30701	J057-26		
6MCA2A	*05600	1132-09	26802	1104-21	26802	1105-25
	26802	1106-25				
6MCB1A	05600	1117-59	*05600	1118-59	05800	1113-26
	07900	2421-53	08101	2409-43	08300	2233-43
	08300	2233-50	08300	2233-56	11400	2304-77
	11600	2309-40	11700	2304-04	11800	2408-64
	12500	2520-59	13900	1144-05	14700	1119-19
	14700	1119-23	16500	1208-62	26802	1105-29
	26802	2351-13	26803	1104-29	27201	J004-29
	27201	J058-29				
6MCB1AG	26108	1113-32	26109	2233-44	26802	1105-30
	26802	2351-14				
6MCB1R	*27201	J004-30	27201	J058-30		
6MCB10	05600	1114-65	05600	1114-73	05600	1114-78
	*05600	1117-63				
6MCB2A	01501	1329-64	01501	1329-70	01800	1514-18
	03000	1514-48	04200	1514-34	04200	1514-40
	04300	1426-13	04400	1426-26	04500	1426-42
	05101	1548-04	*05600	1114-72		
6MCB3A	*05600	1114-69	26802	1301-05		
6MCB3AG	26108	1114-67	26802	1301-06		
6MCB4A	*05600	1114-80	26802	1301-13		
6MCB4AG	26108	1114-67	26802	1301-14		
6MCC1A	*05600	1231-11	18102	2301-50	18102	2301-56
	18102	2301-64	18500	2242-35	18600	2229-10
	18600	2241-68	20502	2118-55	20502	2118-61
	20502	2118-73	20502	2118-79	26802	1106-21
	26803	2249-21	27901	J016-21	30701	J057-21
6MCC1R	*27901	J016-22	30701	J057-22		
6MGA1A	01400	1213-47	05001	1329-77	05002	1329-65
	*05600	1114-75	05701	1117-70	12100	2401-24
	12100	2520-55	12100	2522-64	12300	2514-01
	16500	1144-76	16500	1222-71	20502	2136-65
	26802	1104-33	26802	1105-21	26802	1106-23
	26802	1301-53	26802	2351-53	26803	1104-21
	26803	2249-23	27201	J004-21	27201	J058-21
6MGA1A-	*27901	J016-23	30701	J057-23		
6MGA1R	*27201	J004-22	27201	J058-22		
6MGA1R-	*27901	J016-24	30701	J057-24		

Change 2 5-371

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
6M5A20V	*05800	1116-24	05800	1123-49	05800	1123-66
	05800	1124-49	05800	1124-66		
6MGB1A	01501	1329-55	02500	1533-55	02600	1527-29
	02800	1517-03	04200	1526-24	04200	1539-13
	04300	1445-71	04300	1445-77	04400	1431-74
	04500	1431-25	05101	1547-11	05600	1110-04
	*05600	1115-33	08501	2522-71	11400	2522-65
	11500	2520-77	11600	2522-76	12500	2520-65
	12500	2520-71	12500	2520-76	12500	2522-59
	12500	2522-77	26802	2351-37	27201	J004-27
	27201	J058-27				
6MGB1R	*27201	J004-28	27201	J058-28		
6MGB10	*05600	1110-01	05600	1117-73	05600	1117-74
6MGB2A	*05600	1117-72	05800	1110-10	05800	1116-22
	13900	1144-24	14800	1120-35	15400	1219-24
	15500	1244-24	26802	1105-27	26802	1301-09
	26803	1104-27				
6MGB3A	*05600	1117-69	26802	1301-37		
6MGC1A	*05600	1115-69	18102	2214-62	18600	2230-24
	19600	2136-45	19600	2136-55	19600	2136-61
	19600	2136-62	19600	2136-64	26802	1106-07
	26803	2249-07	27901	J016-07	30701	J057-07
6MGCIR	*27901	J016-08	30701	J057-08		
6MSA1A	01400	1213-41	05001	1329-73	05002	1329-78
	*05600	1115-76	12000	2514-43	12100	2514-75
	12300	2514-07	16500	1145-76	16500	1222-77
	20502	2119-59	26802	1104-19	26802	1105-23
	26802	1106-15	26802	1301-17	26802	2351-17
	26803	1104-23	26803	2249-15	27201	J004-23
	27201	J058-23				
6MSA1A-	*27901	J016-15	30701	J057-15		
6MSA1AG	26108	1329-67	26109	2514-02	26802	1301-18
	26802	2351-18				
6MSA1R	*27201	J004-24	27201	J058-24		
6MSA1R-	*27901	J016-16	30701	J057-16		
6MSB1A	*05600	1118-35	12500	2520-61	16500	1208-70
	16500	1233-70	26802	1105-19	26802	1301-01
	26802	1301-63	26802	2351-63	26803	1104-19
	27201	J004-19	27201	J058-19		
6MSB1R	*27201	J004-20	27201	J058-20		
6MUX12X	05400	1117-77	*05400	1124-22		
6MUX22X	05400	1117-79	*05400	1123-22		
6MUX31X	05400	1123-33	*05400	1124-36		
6MU010	05400	1107-45	*05400	1117-75		
6PS1G1	*26602	A09-35	26602	S20-B	26602	S20-C
	26602	S20-1B				

Change 2 5-372

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
6PSIG2	*26602	A09-37	26602	S20-D	26602	S20-E
	26602	S20-2B				
6PSW1R	*27902	J016-46	30702	J057-46		
6PSW10	05500	1111-43	05500	1113-48	05500	1113-54
	05500	1113-62	05500	1113-68	05500	1113-78
	05600	1114-71	05600	1114-74	05600	1114-76
	05600	1115-36	05600	1115-74	05600	1117-65
	05600	1117-71	05600	1118-38	05600	1118-64
	05600	1118-77	05600	1231-07	05701	1132-34
	05701	1132-40	05701	1132-48	05701	1132-54
	05701	1132-62	05701	1132-68	05701	1132-73
	05701	1132-78	05701	1133-05	05701	1133-10
	05701	1133-19	05701	1133-25	05701	1133-34
	05701	1133-40	05701	1133-48	05701	1133-54
	05702	1133-62	05702	1133-68	05702	1133-73
	05702	1133-78	05702	1134-05	05702	1134-10
	05702	1134-19	05702	1134-25	05702	1134-34
	05702	1134-40	05702	1134-48	05702	1134-54
	05702	1134-62	05702	1134-68	05702	1134-73
	05702	1134-78	05900	1111-07	05900	1111-13
	05900	1113-19	20501	2241-60	26602	J03-13
	26602	S20-3B	26602	S20-4B	26802	1106-45
	26803	2249-45	*27902	J016-45	29201	J034-13
	30702	J057-45				
6SAC1A	*05900	1110-38	05900	1118-48		
6SAC20	05900	1110-42	*05900	1111-38		
6SBC1JQ	05800	1115-01	05800	1115-26	05900	1110-13
	05900	1121-33	*05900	1122-42		
6SBC1KQ	05200	1120-07	*05900	1122-39		
6SBC2JQ	05900	1110-19	05900	1113-14	*05900	1121-42
6SBC3A	*05900	1113-21	20501	2229-62	26801	1136-74
	26802	1106-47	26803	2249-47	27902	J016-47
	30702	J057-47				
6SBC3AG	26108	1113-16	26802	1106-48		
6SBC3G	26111	2229-58	26803	2249-48	*27902	J016-48
	30702	J057-48				
6SBC4A	*05900	1110-21	05900	1111-18		
6SBC5A	*05900	1110-14	05900	1121-35		
6SCC1A	*05800	1111-21	05800	1125-51	05800	1126-51
	05800	1126-69	05800	1127-51		
6SCC20	05800	1111-17	*05800	1113-23	05800	1122-20
6SCC3A	05800	1113-22	*05800	1115-09		
6SCC4A	05800	1113-24	*05800	1115-23		
6SCC5A	05800	1113-25	*05800	1115-21		
6SCL1A	*05800	1111-27	05800	1125-63	05800	1126-63
	05800	1126-80	05800	1127-63		



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
6SCL10	*05800	1110-06	05800	1111-23		
6SCL2A	05800	1110-08	*05800	1111-06		
6SCT1R	05900	1111-20	*05900	1117-51	05900	1118-43
6SCT1S	05900	1113-18	05900	1117-47	*05900	1118-47
6SCT42X	05900	1118-56	*05900	1123-06		
6SCT6A	*05900	1111-46	05900	1123-05		
6SC16KQ	*05800	1122-27	05900	1118-54		
6SC16TD	*05800	1123-63	05800	1126-59		
6SC160E	26801	1136-55				
6SC164U	05800	1123-56	*05800	1126-62		
6SC17TC	*05800	1123-60	05800	1126-57		
6SC171E	26801	1136-56				
6SC173U	05800	1123-59	*05800	1126-60		
6SC18TB	*05800	1123-61	05800	1126-55		
6SC182E	26801	1136-57				
6SC182U	05800	1123-53	*05800	1126-56		
6SC19TA	*05800	1123-55	05800	1126-53		
6SC191U	05800	1123-78	*05800	1126-54		
6SC193E	26801	1136-59				
6SC195U	05800	1122-19	*05800	1126-52		
6SC20TD	*05800	1123-80	05800	1127-59		
6SC200E	26801	1136-60				
6SC204U	05800	1123-72	*05800	1127-62		
6SC21TC	*05800	1123-74	05800	1127-57		
6SC211E	26801	1136-61				
6SC213U	05800	1123-77	*05800	1127-60		
6SC22TB	*05800	1123-79	05800	1127-55		
6SC222E	26801	1136-62				
6SC222U	05800	1123-71	*05800	1127-56		
6SC23TA	*05800	1123-73	05800	1127-53		
6SC231U	05800	1124-64	*05800	1127-54		
6SC233E	26801	1136-63				
6SC235U	05800	1126-64	*05'800	1127-52		
6SC24TD	*05800	1124-63	05800	1126-77		
6SC240E	26801	1136-64				
6SC244U	05800	1124-56	*05800	1126-76		
6SC25TC	*05800	1124-60	'05800	1126-75		
6SC251E	26801	1136-65				
6SC253U	05800	1124-59	*05800	1126-74		
6SC26TB	*05800	1124-61	05800	1126-73		
6SC262E	26801	1136-66				
6SC262U	05800	1124-53	*05800	1126-72		
6SC27TA	*05800	1124-55	05800	1126-71		
6SC271U	05800	1124-78	*05800	1126-70		
6SC273E	26801	1136-68				
6SC275U	*05800	1126-68	05800	1127-64		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
6SC28TD	*05800	1124-80	05800	1125-59		
6SC280E	26801	1136-69				
6SC284U	05800	1124-72	*05800	1125-62		
6SC29TC	*05800	1124-74	05800	1125-57		
6SC291E	26801	1136-70				
6SC293U	05800	1124-77	*05800	1125-60		
6SC30TB	*05800	1124-79	05800	1125-55		
6SC302E	26801	1136-71				
6SC302U	05800	1124-71	*05800	1125-56		
6SC31TA	*05800	1124-73	05800	1125-53		
6SC311U	05400	1124-45	05800	1123-64	*05800	1125-54
6SC313E	26801	1136-72				
6SC315U	05800	1122-21	*05800	1125-52	05800	1126-61
	05800	1126-79	05800	1127-61		
6SDC1JQ	05900	1113-30	05900	1114-49	05900	1117-49
	*05900	1120-56	05900	1121-31	05900	1122-43
6SGD1AV	05400	1124-48	*05701	1116-31	05701	1129-22
	05800	1122-26	05800	1123-52	05800	1123-68
	05800	1124-52	05800	1124-68	05900	1121-40
	05900	1122-40				
6SIT1A	*05900	1110-39	05900	1118-52		
6SKG1A	05900	1111-24	*05900	1114-63	05900	1120-46
6SKG1R	*27902	J016-50	30702	J057-50		
6SKG10	*05900	1111-22	05900	1121-19	05900	1122-34
	20501	2219-06	2'6802	1106-49	26803	2249-49
	27902	J016-49	30702	J057-49		
6SKS1A	05200	1118-06	*05900	1110-15		
6SNP1A	*05900	1110-27	05900	1118-46		
6SNP20	05900	1110-25	*05900	1111-30		
6SPR1A	*05900	1110-33	05900	1118-50		
6SPR20	*05900	1111-33	05900	1122-45		
6SPR3JQ	05900	1110-31	*05900	1122-56		
6SRC1KQ	05900	1111-03	05900	1111-11	05900	1120-52
	*05900	1121-27				
6SRC2A	*05900	1111-09	14300	1111-04	14300	1111-23
	14700	1120-29	14700	1120-34	26801	1136-73
	26802	1105-31	26803	1104-31	27201	J004-31
	27201	J058-31				
6SRC2R	*27201	J004-32	27201	J058-32		
6SRC3A	*05900	1111-15	26801	1136-75	26802	1304-57
	31802	J080-47	31902	J082-57		
6SRC3R	*31802	J080-48	31902	J082-58		
6SRC30	05900	1110-11	*05900	1111-14	05900	1121-26
6SRO1A	*05900	1110-30	05900	1118-49		
6SR020	05900	1110-36	*05900	1111-39		
6TAG1A	*05500	1113-11	05500	1125-21		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
6TAG2A	05200	1114-26	*05200	1117-27	05500	1114-29
6TAG20	*05500	1114-33	05500	1115-70		
6TAG3A	05200	1114-34	*05200	1117-38		
6TAG30	*05200	1114-30	05500	1110-49		
6TAS1A	*05200	1117-14	05200	1118-07	05500	1110-43
	05500	1111-70				
6TAS3A	*05200	1117-21	13101	1343-73	26802	1302-37
	26803	1302-37	28202	J024-37	28202	J084-37
6TAS3R	*28202	J024-38	28202	J084-38		
6TCG1A	05200	1114-62	*05200	1132-23		
6TCG20	*05200	1114-60	05200	1129-08		
6TCL1R	05200	1114-03	05200	1114-08	*05200	1117-09
	05200	1120-19				
6TCL1S	*05200	1114-09	05200	1117-03		
6TCL20	*05200	1114-06	05200	1117-31		
6TCS1A	*05200	1117-33	05200	1118-04		
6TC032E	*05200	1128-13	05200	1132-24		
6TC04A	*05200	1114-01	05200	1128-05	05200	1132-22
6TC043E	05200	1114-04	*05200	1128-10	05200	1129-05
6TC31A	*05200	1117-06	05200	1120-26		
6TC313E	05200	1117-08	*05200	1129-10		
6TC32JQ	*05200	1120-25	05400	1115-37	05600	1113-04
	05600	1114-77	05600	1115-30	05600	1115-71
	05600	1118-60	05600	1132-04	05600	1231-04
6TC32KQ	05200	1114-07	05200	1117-29	*05200	1120-27
	05600	1115-77	05600	1118-31	05600	1118-72
6TPO1JQ	*05200	1120-13	05200	1122-05	05400	1115-38
	05900	1114-59	05900	1121-05		
6TPO1KQ	*05200	1120-11	05200	1121-14		
6TP02KQ	05200	1114-68	05200	1120-22	05200	1120-23
	*05200	1121-11	05200	1122-14	05500	1115-06
6TP020	05500	1113-46	05500	1113-52	05500	1113-60
	05500	1113-66	05500	1113-72	05500	1113-77
	*05500	1115-11				
6TP03JQ	05200	1120-14	05200	1120-21	05200	1120-24
	*05200	1122-13	05300	1115-49		
6TP03KQ	05200	1114-24	05200	1120-09	*05200	1122-11
6TP030	*05200	1114-22	05200	1128-09	05200	1129-09
6TP2A0	*05200	1114-66	05600	1113-01	05600	1115-75
	05600	1118-30	05600	1118-55	05600	1118-71
	05600	1132-01	05600	1231-01		
6TSD1A	*05200	1114-21	05200	1117-23	05500	1113-06
6TSD10E	05200	1114-17	05200	1117-18	*05200	1235-21
6TSD21E	05200	1117-25	*05200	1235-27	05500	1113-08
6TSD3A	*0520.0	1114-27	05200	1117-20	05200	1117-40
6TSD32E	05200	1114-23	05200	1117-17	*05200	1235-25

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
6TSD4A	05800	1115-18				
	*05200	1114-38	05200	1117-19	05200	1120-05
	05200	1128-08	05200	1132-25		
6TSD43E	05200	1114-40	05200	1117-42	05200	1128-14
	05200	1129-14	*05200	1235-24	05800	1111-10
6TSF1R	05200	1114-18	05200	1117-04	*05200	1118-11
6TSF1S	*05200	1117-01	05200	1118-01	05200	1120-03
	05200	1122-03	05900	1121-03		
6TSF20	*05200	1114-14	05200	1117-07	05200	1117-24
	05200	1120-17	05900	1122-31		
6TSG1A	*05200	1117-22	05200	1235-19		
60LIA0V	*05500	1116-25	05701	1132-31	05701	1132-38
	05701	1132-46	05701	1132-52	05701	1132-60
	05701	1132-66	05701	1132-72	05701	1132-77
	05701	1133-08				
60LIB0V	*05500	1116-18	05701	1133-04	05701	1133-18
	05701	1133-24	05701	1133-31	05701	1133-38
	05701	1133-46	05701	1133-52	05702	1133-60
	05702	1133-66				
60LIC0V	*05500	1116-14	05702	1133-72	05702	1133-77
	05702	1134-04	05702	1134-08	05702	1134-18
	05702	1134-24	05702	1134-31	05702	1134-38
	05702	1134-52				
60LID0V	05500	1110-41	05500	1113-10	*05500	1116-19
	05702	1134-46	05702	1134-60	05702	1134-66
	05702	1134-72	05702	1134-77	05900	1113-34
60LIE0V	*05500	1116-26	05600	1115-34	05600	1115-73
	05600	1118-37	05600	1118-62	05600	1118-75
	05600	1231-06	05900	1113-20	05900	1121-18
60LIF0V	*05500	1116-08	05900	1120-43	20501	2241-64
	26802	1104-11	26803	2351-11		
7ABMAAV	*03300	1335-80				
7ABMBAV	*03300	1335-71				
7ABMBER	*03300	1440-45	03300	1533-71		
7ABMCB	*03300	1335-71	*03300	1335-80	03300	1440-43
	03300	1440-48	03300	1440-49	03300	1440-54
	03300	1440-55	03300	1440-60	03300	1440-63
	03300	1440-66	03300	1440-71	03300	1440-72
	03300	1440-77	03300	1440-78		
7ABMCER	*03300	1440-51	03300	1533-72		
7ABMDER	*03300	1440-56	03300	1533-73		
7ABMEER	*03300	1440-50	03300	1533-74		
7ABMFER	*03300	1440-59	03300	1533-75		
7ABMGER	*03300	1440-65	03300	1533-77		
7ABMHER	*03300	1440-68	03300	1533-78		
7ABMJER	*03300	1440-62	03300	1533-79		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7ABMKER	*03300	1440-73	03300	1534-55		
7ABMLER	*03300	1440-79	03300	1534-60		
7ABMMER	*03300	1440-80	03300	1534-62		
7ABMNER	*03300	1440-74	03300	1534-64		
7ABM1A	03300	1529-59	*03300	1533-76		
7ABM10V	*03300	1529-57	03300	1534-75		
7ABM2A	03300	1529-65	*03300	1534-57		
7ABM20V	*03300	1529-68	03300	1534-77		
7AB00	*03100	1507-11	05002	1346-43	06300	2535-10
	26802	1402-53	26802	2450-53		
7AB010	*03100	1507-23	05002	1347-48	06300	2536-05
	26802	1402-55	26802	2450-55		
7AB020	*03100	1507-35	05002	1347-46	06300	2535-13
	26802	1402-57	26802	2450-57		
7AB030	*03100	1507-47	05002	1347-41	06300	2536-26
	26802	1402-59	26802	2450-59		
7AB040	*03100	1507-59	05002	1347-43	06300	2535-19
	26802	1402-61	26802	2450-61		
7AB050	*03100	1507-76	05002	1346-34	06300	2536-25
	26802	1402-63	26802	2450-63		
7AB060	*03100	1508-11	05002	1346-30	06300	2535-36
	26802	1402-65	26802	2450-65		
7AB070	*03100	1508-23	05002	1346-29	06300	2536-31
	26802	1402-67	26802	2450-67		
7AB080	*03100	1508-35	05002	1346-31	06300	2535-56
	26802	1402-69	26802	2450-69		
7AB090	01700	1322-20	*03100	1508-47	05002	1347-34
	06300	2536-50	26802	1402-71	26802	2450-71
7AB100	01700	1322-22	*03100	1508-59	05002	1347-30
	06300	2535-49	26802	1402-73	26802	2450-73
7AB110	01700	1322-19	*03100	1508-76	05002	1347-29
	06300	2536-70	26802	1402-75	26802	2450-75
7AB120	01700	1322-21	*03100	1417-76	05002	1347-31
	06300	2535-55	26802	1402-77	26802	2450-77
7ACLD0	*02600	1518-52	02600	1524-33		
7ACL1A	02600	1518-54	*02600	1527-38		
7ACL2A	02600	1518-56	*02600	1527-30		
7AC00A	03100	1507-01	*03100	1509-06	05102	1442-14
7AC000	*02600	1514-57	02600	1524-31		
7AC000E	02600	1520-31	*02600	1524-35	02900	1536-10
7AC001N	02600	1512-54	*02600	1520-30	02700	1519-13
	02700	1519-31	02900	1526-35	03100	1509-10
7AC01A	03100	1507-14	*03100	1509-01	05102	1442-18
7AC010	*02600	1518-46	02600	1524-29		
7AC011E	02600	1520-34	*02600	1524-39	02900	1536-08
7AC012N	02600	1512-48	*02600	1520-29	02700	1519-18

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	02700	1519-34	02900	1526-54	03100	1509-05
7AC02A	03100	1507-30	*03100	1509-09	05102	1442-19
7AC020	*02600	1518-45	02600	1524-30		
7AC022E	02600	1520-23	*02600	1524-42	02900	1536-06
7AC023N	02600	1512-41	*02600	1520-21	02700	1519-07
	02700	1519-23	02900	1526-48	03100	1509-07
7AC03A	03100	1507-43	*03100	1509-15	05102	1442-20
7AC030	*02600	1518-51	02600	1524-34		
7AC033E	02600	1520-19	*02600	1524-38	02600	1525-45
	02900	1536-04				
7AC034N	02600	1512-47	*02600	1520-22	02700	1519-03
	02700	1519-19	02900	1526-41	03100	1509-13
7AC035N	02600	1519-42	*02600	1520-24		
7AC04A	03100	1507-55	*03100	1509-22	05102	1442-22
7AC040	*02600	1518-66	02600	1525-43		
7AC040E	02600	1519-48	*02600	1525-47	02900	1536-24
7AC041N	02600	1512-68	*02600	1519-50	02700	1520-13
	02700	1520-48	02900	1526-47	03100	1509-26
7AC05A	03100	1507-71	*03100	1509-14	05102	1442-24
7AC050	*02600	1518-60	02600	1525-41		
7AC051E	02600	1519-47	*02600	1525-51	02900	1536-22
7AC052N	02600	1512-62	*02600	1519-43	02700	1520-18
	02700	1520-47	02900	1526-68	03100	1509-20
7AC06A	03100	1508-01	*03100	1509-21	05102	1442-25
7AC060	*02600	1518-57	02600	1525-46		
7AC062E	02600	1519-39	*02600	1525-56	02900	1536-20
7AC063N	02600	1512-53	*02600	1519-37	02700	1520-07
	02700	1520-39	02900	1526-62	03100	1509-19
7AC07A	03100	1508-14	*03100	1509-27	05102	1442-26
7AC070	*02600	1518-63	02600	1525-48		
7AC073E	02600	1519-35	02600	1524-59	*02600	1525-52
	02900	1536-18	05102	1549-03		
7AC074N	02600	1512-59	*02600	1519-38	02700	1520-03
	02700	1520-35	02900	1526-53	03100	1509-25
7AC075N	*02600	1519-40	02600	1520-60		
7AC08A	03100	1508-30	*03100	1509-38	05102	1442-30
7AC080	*02600	1518-75	02600	1524-55		
7AC080E	02600	1520-64	*02600	1524-61	02900	1536-38
7AC081N	02600	1512-77	*02600	1520-63	02700	1519-64
	02700	1521-13	02900	1526-59	03100	1509-42
7AC09A	03100	1508-43	*03100	1509-30	05102	1442-31
7AC090	*02600	1514-76	02600	1524-53		
7AC091E	02600	1520-61	*02600	1524-65	02900	1536-36
7AC092N	02600	1512-71	*02600	1520-57	02700	1519-61
	02700	1521-18	02900	1526-77	03100	1509-36
7AC10A	03100	1508-55	*03100	1509-33	05102	1442-34

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7AC100	*02600	1518-72	02600	1524-57		
7AC102E	02600	1520-53	*02600	1524-68	02900	1536-34
7AC103N	02600	1512-65	*02600	1520-51	02700	1519-53
	02700	1521-07	02900	1526-71	03100	1509-31
7AC11A	03100	1508-71	*03100	1509-39	05102	1442-36
7AC110	*02600	1518-69	02600	1524-60		
7AC113E	02600	1520-49	*02600	1524-64	02600	1525-73
	02900	1536-30				
7AC114N	02600	1512-76	*02600	1520-54	02700	1519-49
	02700	1521-03	02900	1526-65	03100	1509-37
7AC115N	02600	1519-74	*02600	1520-56		
7AC12A	03100	1417-71	*03100	1509-52	05102	1442-37
7AC120	*02600	1518-80	02600	1525-71		
7AC120E	02600	1519-78	*02600	1525-75	02900	1535-10
7AC121N	02600	1513-76	*02600	1519-80	02700	1520-78
	02700	1523-13	02900	1526-76	03100	1509-56
7AC123E	*02600	1525-76	02600	1527-34	03000	1524-45
	05102	1549-11				
7AF00A	0310C	1507-05				
7AF001N	*02700	1519-30	03100	1510-07		
7AF01A	03100	1507-19				
7AF012N	*02700	1519-29	03100	1510-13		
7AF02A	03100	1507-34				
7AF023N	*02700	1519-21	03100	1510-26		
7AF03A	03100	1507-48				
7AF034N	*02700	1519-22	03100	1510-20		
7AF035N	*02700	1519-24	02700	1520-42		
7AF04A	03100	1507-61				
7AF041N	*02700	1520-50	03100	1510-19		
7AF05A	03100	1507-73				
7AF052N	*02700	1520-43	03100	1510-25		
7AF06A	03100	1508-05				
7AF063N	*02700	1520-37	03100	1510-42		
7AF07A	03100	1508-19				
7AF074N	*02700	1520-38	03100	1510-36		
7AF075N	02700	1519-60	*02700	1520-40		
7AF08A	03100	1508-34				
7AF081N	*02700	1519-63	03100	1510-31		
7AF09A	03100	1508-48				
7AF092N	*02700	1519-57	03100	1510-37		
7AF10A	03100	1508-61				
7AF103N	*02700	1519-51	03100	1510-56		
7AF11A	03100	1508-73				
7AF114N	*02700	1519-54	03100	1510-50		
7AF115N	*02700	1519-56	02700	1520-74		
7AF12A	03100	1417-73				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7AF121N	*02700	1520-80	03100	1510-43		
7ALBMA	03300	1513-54	03300	1529-76	*03300	1534-76
7ALSA0V	*02900	1529-70				
7ALSB0V	*02900	1529-72				
7ALSCA	*02900	1526-38				
7ALSDA	02900	1529-36	*02900	1533-47		
7ALSD0V	02900	1528-07	*02900	1529-34		
7ALSEA	02900	1527-03	*02900	1528-09		
7ALSER	01800	1513-61	*02900	1526-15	02900	1527-07
	06500	2531-43	26802	1502-65	26802	2550-65
7ALSES	01800	1513-55	02900	1526-11	*02900	1527-09
	05002	1347-17				
7ALSE0V	02900	1526-29	02900	1526-34	02900	1526-40
	*03300	1529-78				
7ALSFA	*02900	1526-30				
7ALSLA	*02900	1526-33	02900	1529-69	02900	1529-74
7ALSLB	02900	1526-37	02900	1526-43	02900	1526-49
	02900	1526-50	02900	1526-55	02900	1526-56
	02900	1526-61	02900	1526-64	02900	1526-70
	02900	1526-73	02900	1526-74	02900	1526-78
	02900	1526-79	*02900	1529-70	*02900	1529-72
7ALSRB	*02900	1526-30	*02900	1526-38	02900	1540-37
	02900	1540-43	02900	1540-49	02900	1540-50
	02900	1540-55	02900	1540-56	02900	1540-61
	02900	1540-64	02900	1540-70	02900	1540-73
	02900	1540-74	02900	1540-78	02900	1540-79
7ALS01C	02900	1533-43	*02900	1536-11		
7ALS12C	02900	1533-49	*02900	1536-14		
7ALS21C	02900	1533-50	*02900	1536-27		
7ALS32C	02900	1533-52	*02900	1536-26		
7ALS41C	02900	1533-54	*02900	1536-39		
7ALS52C	02900	1533-56	*02900	1536-40		
7ALS61C	02900	1533-46	*02900	1535-11		
7ALS72C	02900	1533-48	*02900	1535-14		
7AL00A	*02900	1526-39	02900	1539-54		
7AL00R	02900	1539-56	*02900	1540-52		
7AL00S	02900	1536-07	*02900	1539-52	02900	1540-54
	03000	1528-08				
7AL01A	*02900	1526-52	02900	1539-48		
7AL01R	02900	1539-50	*02900	1540-46		
7AL01S	02900	1536-05	*02900	1539-46	02900	1540-48
	03000	1528-04				
7AL02A	*02900	1526-46	02900	1539-41		
7AL02R	02900	1539-43	*02900	1540-45		
7AL02S	02900	1536-03	*02900	1539-45	02900	1540-41
	03000	1526-03				



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7AL03A	*02900	1526-45	02900	1539-47		
7AL03R	02900	1539-49	*02900	1540-51		
7AL03S	02900	1536-01	*02900	1539-51	02900	1540-47
	03000	1528-11				
7AL04A	*02900	1526-51	02900	1539-68		
7AL04R	02900	1539-70	*02900	1540-66		
7AL04S	02900	1536-21	*02900	1539-66	02900	1540-68
	03000	1528-24				
7AL05A	*02900	1526-66	02900	1539-62		
7AL05R	02900	1539-64	*02900	1540-60		
7AL05S	02900	1536-19	*02900	1539-60	02900	1540-62
	03000	1528-18				
7AL06A	*02900	1526-60	02900	1539-53		
7AL06R	02900	1539-55	*02900	1540-57		
7AL06S	02900	1536-17	*02900	1539-57	02900	1540-53
	03000	1528-17				
7AL07A	*02900	1526-57	02900	1539-59		
7AL07R	02900	1539-61	*02900	1540-63		
7AL07S	02900	1536-15	*02900	1539-63	02900	1540-59
	03000	1528-23				
7AL08A	*02900	1526-6'3	02900	1539-77		
7AL08R	02900	1539-79	*02900	1540-75		
7AL08S	02900	1536-35	*02900	1539-75	02900	1540-77
	03000	1528-40				
7AL09A	*02900	1526-75	02900	1539-71		
7AL09R	02900	1539-73	*02900	1540-72		
7AL09S	02900	1536-33	*02900	1539-72	02900	1540-71
	03000	1528-34				
7AL10A	*02900	1526-72	02900	1539-65		
7AL10R	02900	1539-74	*02900	1540-69		
7AL10S	02900	1536-31	*02900	1539-69	02900	1540-65
	03000	1528-29				
7AL11A	*02900	1526-69	02900	1539-76		
7AL11R	02900	1539-78	*02900	1540-80		
7AL11S	02900	1536-29	*02900	1539-80	02900	1540-76
	03000	1527-24				
7AL12A	*02900	1526-80	02900	1539-35		
7AL12R	02900	1539-37	*02900	1540-39		
7AL12S	02900	1535-07	*02900	1539-39	02900	1540-35
	03000	1527-17				
7AMK0AV	02700	1521-31	*02700	1529-24		
7AMK01N	02700	1519-14	*02700	1521-30		
7AMK1AV	02700	1521-34	*02700	1529-25		
7AMK12N	02700	1519-15	*02700	1521-29		
7AMK2AV	02700	1521-23	*02700	1529-18		
7AMK23N	02700	1519-09	*02700	1521-21		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7AMK3AV	02700	1521-19	*02700	1529-14		
7AMK34N	02700	1519-04	*02700	1521-22		
7AMK35N	*02700	1521-24	02700	1522-26		
7AMK4AV	02700	1522-31	*02700	1529-19		
7AMK41N	02700	1520-14	*02700	1522-30		
7AMK5AV	02700	1522-34	*02700	1529-26		
7AMK52N	02700	1520-15	*02700	1522-29		
7AMK6AV	02700	1522-23	*02700	1529-40		
7AMK63N	02700	1520-09	*02700	1522-21		
7AMK7AV	02700	1522-19	*02700	1529-37		
7AMK74N	02700	1520-04	*02700	1522-22		
7AP00A	03100	1507-04				
7AP001N	02600	1517-47	*02700	1519-17	03100	1509-50
7AP01A	03100	1507-18				
7AP012N	02600	1517-68	*02700	1519-11	03100	1509-43
7AP02A	03100	1507-31				
7AP023N	02600	1517-62	*02700	1519-05	03100	1509-49
7AP03A	03100	1507-46				
7AP034N	02600	1517-53	*02700	1519-06	03100	1509-70
7AP035N	*02700	1519-08	02700	1520-10		
7AP04A	03100	1507-60				
7AP041N	02600	1517-59	*02700	1520-17	03100	1509-64
7AP05A	03100	1507-72				
7AP052N	02600	1517-77	*02700	1520-11	03100	1509-55
7AP06A	03100	1508-04				
7AP063N	02600	1517-71	*02700	1520-05	03100	1509-61
7AP07A	03100	1508-18				
7AP074N	02600	1517-65	*02700	1520-06	03100	1509-79
7AP075N	*02700	1520-08	02700	1521-10		
7AP08A	03100	1508-31				
7AP081N	02600	1517-76	*02700	1521-17	03100	1509-73
7AP09A	03100	1508-46				
7AP092N	02600	1513-47	*02700	1521-11	03100	1509-74
7AP10A	03100	1508-60				
7AP103N	02600	1513-77	*02700	1521-05	03100	1509-78
7AP11A	03100	1508-72				
7AP114N	02600	1513-71	*02700	1521-06	03100	1510-10
7AP115N	*02700	1521-08	02700	1523-10		
7AP12A	03100	1417-72				
7AP121N	02600	1513-65	*02700	1523-17	03100	1510-05
7AP155N	*02700	1523-08	05102	1543-70	05102	1548-64
7ASPA3E	02800	1524-05	*02800	1525-24	05003	1439-18
7AXLOB	*02800	1513-45	*02800	1513-46	02800	1517-13
	02800	1517-19	02800	1517-20	02800	1517-25
	02800	1517-26	02800	1517-31	02800	1517-36
	02800	1517-37	02800	1517-42	02800	1517-43

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	02800	1517-50	02800	1517-56	02800	1518-36
	02800	1518-42				
7AXL00	*02800	1419-76	02800	1513-41	02800	1513-48
7AXL1A	*02800	1513-46				
7AXL2A	*02800	1513-45				
7AX00A	03100	1507-07				
7AX000	*02800	1518-38	02800	1524-03		
7AX000E	02800	1521-78	*02800	1524-07		
7AX001N	02800	1517-11	*02800	1521-80	03100	1511-37
7AX01A	03100	1507-22				
7AX010V	*02800	1516-40	02800	1524-01		
7AX011E	02800	1521-79	*02800	1524-11		
7AX012N	02800	1517-24	*02800	1521-75	03100	1511-54
7AX02A	03100	1507-37				
7AX020V	*02800	1516-37	02800	1524-04		
7AX022E	02800	1521-71	*02800	1524-13		
7AX023N	02800	1517-18	*02800	1521-69	03100	1511-48
7AX03A	03100	1507-50				
7AX030V	*02800	1516-34	02800	1524-06		
7AX033E	02800	1521-66	*02800	1524-10	02800	1525-05
7AX034N	02800	1517-17	*02800	1521-70	03100	1511-41
7AX035N	*02800	1521-72	02800	1522-74		
7AX04A	03100	1507-64				
7AX040E	02800	1522-78	*02800	1525-07		
7AX040V	*02800	1516-30	02800	1525-03		
7AX041N	02800	1517-23	*02800	1522-80	03100	1511-47
7AX05A	03100	1507-75				
7AX050V	*02800	1516-31	02800	1525-01		
7AX051E	02800	1522-79	*02800	1525-11		
7AX052N	02800	1517-40	*02800	1522-75	03100	1511-68
7AX06A	03100	1508-07				
7AX060V	*02800	1516-42	02800	1525-04		
7AX062E	02800	1522-71	*02800	1525-13		
7AX063N	02800	1517-34	*02800	1522-69	03100	1511-62
7AX07A	03100	1508-22				
7AX070V	*02800	1516-54	02800	1525-06		
7AX073E	02800	1522-66	02800	1524-19	*02800	1525-10
7AX074N	02800	1517-29	*02800	1522-70	03100	1511-53
7AX075N	*02800	1522-72	02800	1523-74		
7AX08A	03100	1508-37				
7AX080E	02800	1523-78	*02800	1524-21		
7AX080V	*02800	1516-49	02800	1524-17		
7AX081N	02800	1517-35	*02800	1523-80	03100	1511-59
7AX09A	03100	1508-50				
7AX090	*02800	1518-30	02800	1524-15		
7AX091E	02800	1523-79	*02800	1524-27		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7AX092N	02800	1517-54	*02800	1523-75	03100	1511-77
7AX10A	03100	1508-64	03100	1511-72		
7AX100V	*02800	1516-48	02800	1524-18		
7AX102E	02800	1523-71	*02800	1524-25		
7AX103N	02800	1517-48	*02800	1523-69	03100	1511-71
7AX11A	03100	1508-75				
7AX110V	*02800	1516-46	02800	1524-20		
7AX113E	02800	1523-66	*02800	1524-24	02800	1525-19
7AX114N	02800	1517-41	*02800	1523-70	03100	1511-65
7AX12A	03100	1417-75				
7AX125N	*02800	1523-72	03100	1511-78		
7AY00A	*02800	1517-15	02800	1518-40		
7AY01A	02800	1516-38	*02800	1517-22		
7AY02A	02800	1516-35	*02800	1517-14		
7AY03A	02800	1516-36	*02800	1517-21		
7AY04A	02800	1516-29	*02800	1517-27		
7AY05A	02800	1516-33	*02800	1517-38		
7AY06A	02800	1516-39	*02800	1517-30		
7AY07A	02800	1516-52	*02800	1517-33		
7AY08A	02800	1516-47	*02800	1517-39		
7AY09A	02800	1518-34	*02900	1517-52		
7AY10A	02800	1516-50	*02800	1517-46		
7AY11A	02800	1516-41	*02800	1517-45		
7A001A	03000	1527-35	*03000	1528-06		
7A002A	03000	1527-37	*03000	1528-39		
7A003A	02600	1514-55	*02600	1517-51		
7A004A	*02600	1512-52	02600	1514-60		
7A011A	03000	1527-54	*03000	1528-01		
7A012A	03000	1527-56	*03000	1528-52		
7A013A	*02600	1517-66	02600	1518-48		
7A014A	*02600	1512-46	02600	1518-50		
7A021A	*03000	1526-09	03000	1527-48		
7A022A	03000	1527-50	*03000	1528-46		
7A023A	*02600	1517-60	02600	1518-41		
7A024A	*02600	1512-45	02600	1518-43		
7A031A	03000	1527-41	*03000	1528-15		
7A032A	03000	1527-43	*03000	1528-45		
7A033A	*02600	1517-57	02600	1518-47		
7A034A	*02600	1512-51	02600	1518-49		
7A041A	03000	1527-47	*03000	1528-22		
7A042A	03000	1527-49	*03000	1528-51		
7A043A	*02600	1517-63	02600	1518-68		
7A044A	*02600	1512-66	02600	1518-70		
7A051A	03000	1527-68	*03000	1528-14		
7A052A	03000	1527-70	*03000	1528-66		
7A053A	*02600	1517-75	02600	1518-62		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7A054A	*02600	1512-60	02600	1518-64		
7A061A	03000	1527-62	*03000	1528-21		
7A062A	03000	1527-64	*03000	1528-60		
7A063A	*02600	1517-72	02600	1518-53		
7A064A	*02600	1512-57	02600	1518-55		
7A071A	03000	1527-53	*03000	1528-27		
7A072A	03000	1527-55	*03000	1528-57		
7A073A	*02600	1517-69	02600	1518-59		
7A074A	*02600	1512-63	02600	1518-61		
7A081A	03000	1527-59	*03000	1528-38		
7A082A	03000	1527-61	*03000	1528-63		
7A083A	*02600	1517-80	02600	1518-77		
7A084A	*02600	1512-75	02600	1518-79		
7A091A	03000	1527-77	*03000	1528-30		
7A092A	03000	1527-79	*03000	1528-75		
7A093A	*02600	1513-51	02600	1514-75		
7A094A	*02600	1512-72	02600	1514-77		
7A1CK0	*03000	1514-45	03000	1524-49	03000	1524-77
	03000	1525-37	03000	1525-63		
7A100AA	03000	1527-71	*03000	1528-33		
7A100BA	03000	1527-73	*03000	1528-72		
7A100CA	*02600	1512-69	02600	1518-73		
7A100DA	*02600	1513-75	02600	1518-71		
7A100A	03100	1507-06				
7A1000	03000	1524-43	*03000	1527-39		
7A1000E	03000	1521-48	*03000	1524-47		
7A1001N	*03000	1521-50	03000	1528-35	03100	1510-49
7A101A	03100	1507-20				
7A1010	03000	1524-41	*03000	1527-52		
7A0111E	03000	1521-47	*03000	1524-51		
7A1012N	*03000	1521-43	03000	1528-54	03100	1510-68
7A102A	03100	1507-36				
7A1020	03000	1524-46	*03000	1527-46		
7A1022E	03000	1521-39	*03000	1524-56		
7A1023N	*03000	1521-37	03000	1528-48	03100	1510-62
7A103A	03100	1507-49				
7A1030	03000	1524-48	*03000	1527-45		
7A1033E	03000	1521-35	*03000	1524-52	03000	1525-33
7A1034N	*03000	1521-38	03000	1528-41	03100	1510-53
7A1035N	*03000	1521-40	03000	1523-42		
7A104A	03100	1507-62				
7A1040	03000	1525-31	*03000	1527-51		
7A1040E	03000	1523-48	*03000	1525-35		
7A1041N	*03000	1523-50	03000	1528-47	03100	1510-59
7A105A	03100	1507-74				
7A1050	03000	1525-29	*03000	1527-66		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7A1051E	03000	1523-47	*03000	1525-39		
7A1052N	*03000	1523-43	03000	1528-68	03100	1510-79
7A106A	03100	1508-06				
7A1060	03000	1525-30	*03000	1527-60		
7A1062E	03000	1523-39	*03000	1525-42		
7A1063N	*03000	1523-37	03000	1528-62	03100	1510-73
7A107A	03100	1508-20				
7A1070	03000	1525-34	*03000	1527-57		
7A1073E	03000	1523-35	03000	1524-73	*03000	1525-38
7A1074N	*03000	1523-38	03000	1528-53	03100	1510-74
7A1075N	03000	1521-60	*03000	1523-40		
7A108A	03100	1508-36				
7A1080	03000	1524-71	*03000	1527-63		
7A1080E	03000	1521-64	*03000	1524-75		
7A1081N	*03000	1521-63	03000	1528-59	03100	1510-78
7A109A	03100	1508-49				
7A1090	03000	1524-69	*03000	1527-75		
7A1091E	03000	1521-61	*03000	1524-79		
7A1092N	*03000	1521-57	03000	1528-77	03100	1511-25
7A110A	03100	1508-62				
7A1100	03000	1524-70	*03000	1527-72		
7A1102E	03000	1521-53	*03000	1524-80		
7A1103N	*03000	1521-51	03000	1528-71	03100	1511-42
7A111A	03100	1508-74				
7A1110	03000	1524-72	*03000	1528-69		
7A1113E	03000	1521-49	*03000	1524-76	03000	1525-59
7A1114N	*03000	1521-54	03000	1527-18	03100	1511-34
7A1115N	*03000	1521-56	03000	1522-60		
7A112A	03100	1417-74				
7A1120	03000	1525-55	*03000	1528-80		
7A1120E	03000	1522-64	*03000	1525-61		
7A1121N	*03000	1522-63	03000	1527-23	03100	1511-29
7A113A	*02600	1513-72	02600	1518-65		
7A114A	*02600	1512-80	02600	1518-74		
7A115A	*03000	1527-22	03000	1528-65		
7A1153E	02600	1527-40	*03000	1525-64	05003	1439-15
7A116A	*03000	1527-14	03000	1528-74		
7A121A	*03000	1527-21	03000	1528-76		
7A122A	*03000	1527-27	03000	1528-78		
7A123A	*02600	1513-69	02600	1518-76		
7A124A	*02600	1513-80	02600	1518-78		
7BCK0	*01501	1527-80	03300	1530-63	03300	1530-77
7BCCSA	03300	1513-56	03300	1529-79	*03300	1534-69
7BCCS0V	03300	1527-65	*03300	1529-80		
7BCC01C	03300	1534-71	*03300	1535-65		
7BCC12C	03300	1534-72	*03300	1535-66		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7BCC31C	03300	1534-73	*03300	1535-79		
7BCC42C	03300	1534-74	*03300	1535-78		
7BCL0AV	*03300	1516-26	03300	1518-07	03300	1518-13
	03300	1518-19	03300	1518-20	03300	1518-25
	03300	1518-26				
7BCL00	*03300	1513-52	03300	1516-27		
7BC00A	*03300	1518-09	03300	1529-52		
7BC000E	03300	1522-48	*03300	1530-61		
7BC000V	*03300	1529-54	03300	1530-55		
7BC001N	03300	1518-03	*03300	1522-50	03300	1535-61
7BC01A	*03300	1518-15	03300	1529-47		
7BC010V	*03300	1529-49	03300	1530-53		
7BC011E	03300	1522-47	*03300	1530-65		
7BC012N	03300	1518-11	*03300	1522-43	03300	1535-59
7BC02A	*03300	1518-22	03300	1529-50		
7BC020V	*03300	1529-48	03300	1530-57		
7BC022E	03300	1522-39	*03300	1530-68		
7BC023N	03300	1518-24	*03300	1522-37	03300	1535-55
7BC03A	*03300	1518-14	03300	1529-41		
7BC030V	*03300	1529-46	03300	1530-60		
7BC033E	03300	1522-35	*03300	1530-64		
7BC034N	03300	1518-18	*03300	1522-38	03300	1535-53
7BC035N	*03300	1522-40	03300	1523-60		
7BC04A	*03300	1518-21	03300	1529-45		
7BC040E	03300	1523-64	*03300	1530-75		
7BC040V	*03300	1529-43	03300	1530-71		
7BC041N	03300	1518-17	*03300	1523-63	03300	1535-75
7BC05A	*03300	1518-27	03300	1529-51		
7BC050V	*03300	1529-53	03300	1530-69		
7BC051E	03300	1523-61	*03300	1530-79		
7BC052N	03300	1518-23	*03300	1523-57	03300	1535-73
7BMWPA	*03300	1527-69	03300	1529-73		
7BMWP0V	01800	1515-48	*03300	1529-71	03400	1339-06
	03400	1340-06				
7CACA0V	*03000	1516-43				
7CACB0V	*03000	1516-53				
7CACCOV	*03000	1516-63				
7CACD0V	*03000	1516-60				
7CACER	01700	1426-64	01800	1418-75	*01800	1512-22-
	01800	1513-26	03000	1516-45	03000	1516-51
7CACES	01800	1512-24	*01800	1513-22	03000	1516-61
	03000	1516-62				
7CACKA	*01800	1513-14	01800	1514-14		
7CACK0	01800	1513-18	*01800	1514-23		
7CACP0V	*01501	1335-63	01501	1527-76		
7CAC1A	*01800	1512-30	01800	1514-22		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7CAC1B	*03000	1516-43	*03000	1516-53	03000	1526-07
	03000	1527-19	03000	1527-26	03000	1528-05
	03000	1528-10	03000	1528-13	03000	1528-19
	03000	1528-20	03000	1528-25	03000	1528-26
	03000	1528-31	03000	1528-36	03000	1528-42
7CAC2A	*01800	1512-33	01800	1514-24		
7CAC2B	*03000	1516-60	*03000	1516-63	03000	1527-20
	03000	1527-25	03000	1528-37	03000	1528-43
	03000	1528-49	03000	1528-50	03000	1528-55
	03000	1528-56	03000	1528-61	03000	1528-64
	03000	1528-70	03000	1528-73	03000	1528-79
7CAC3A	*01800	1512-39	01800	1514-25		
7CAC4A	*01800	1418-76	01800	1514-26	02200	1335-04
	03000	1514-46				
7CARSR	01501	1342-73	01501	1342-74	01501	1342-78
	01501	1342-79	01501	1445-74	01900	1420-05
	*01900	1421-01				
7CARSS	*01900	1420-01	01900	1421-04		
7CBCDJQ	01800	1418-48	*01800	1515-56		
7CBDRAV	01800	1514-05	01800	1515-43	*01800	1516-13
7CBDR0	*01800	1513-15	01800	1516-11		
7CBWCA	*01800	1418-45	01800	1433-64	01800	1513-03
	02600	1514-49				
7CBWCR	01800	1418-74	01800	1419-71	01800	1513-07
	*01800	1514-09	02800	1419-75		
7CBWCS	01800	1512-25	01800	1512-35	*01800	1513-09
	01800	1514-01	01800	1539-04	03400	1329-11
	05002	1349-53				
7CBWC0V	*01800	1433-66	01800	1515-72		
7CBWRA	*01800	1512-27	01800	1513-13		
7CCAA0	*01800	1512-09				
7CCAB0	*01800	1512-15				
7CCAC0	*01800	1514-21	02600	1524-37	02600	1524-63
	02600	1525-49	02600	1525-77	02800	1524-09
	02800	1524-23	02800	1525-09	02800	1525-23
	01800	1512-03	01800	1512-11	*01800	1516-68
7CCAEAV	01800	1512-03	01800	1512-11	*01800	1516-68
7CCAEB	*01800	1512-09	*01800	1512-15	03100	1509-03
	03100	1509-04	03100	1509-08	03100	1509-11
	03100	1509-17	03100	1509-18	03100	1509-23
	03100	1509-24	03100	1509-29	03100	1509-34
	03100	1509-35	03100	1509-40	03100	1509-54
7CCAE0	*01800	1514-59	01800	1516-65		
7CCCKB	*01501	1330-57	*01501	1330-60	*01501	1330-66
	01700	1427-60	01700	1427-72	01700	1428-72
	01700	1429-72	01800	1418-79	02000	1331-19
	03900	1434-20	04200	1431-34		



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7CCC10	*01501	1330-66				
7CCC20	*01501	1330-60				
7CCC30	*01501	1330-57				
7CCICA	*01800	1517-01	02600	1520-26		
7CCIC0	*01800	1417-59	01800	1517-04		
7CCRA0	*04300	1426-47				
7CCRB0	*04300	1426-45				
7CCRCA	04300	1426-46	04300	1426-52	*04300	1432-14
7CCRCB	04300	1410-63	04300	1410-77	04300	1411-63
	04300	1411-77	04300	1412-63	04300	1412-77
	*04300	1426-45	*04300	1426-47	04300	1515-06
	04300	1515-20	04600	1410-37	04600	1410-49
	04600	1411-37	04600	1411-49	04600	1412-37
	04600	1412-49	04600	1413-37	04600	1413-49
	04600	1413-63	04600	1413-77	04600	1414-37
	04600	1414-49	04600	1414-63	04600	1414-77
	04600	1415-37	04600	1415-49	04600	1415-63
	04600	1415-77				
7CCRC0	*04300	1426-11	04300	1432-18		
7CCREKQ	04300	1430-18	04300	1430-22	*04300	1435-65
7CCRE0	04300	1430-19	04300	1430-24	*04300	1534-23
7CCRKA	*04300	1430-23	04300	1433-41		
7CCRK0V	*04300	1433-46	04300	1434-60	04300	1435-72
7CCRSA	04300	1426-10	*04300	1430-21		
7CCR0JQ	*04300	1434-68	04300	1435-73	04300	1435-78
7CCR0KQ	*04300	1434-65	04300	1534-22		
7CCR1JQ	04300	1434-72	*04300	1435-80		
7CCR1KQ	*04300	1435-79	04300	1534-24		
7CCR2JQ	*04300	1434-80	04300	1534-25		
7CDCCA	*01600	1430-11	01600	1433-17		
7CDCC0V	01600	1429-34	01600	1431-07	*01600	1433-14
	01600	1434-34	01600	1435-34	01800	1512-31
	01800	1512-36	01800	1515-60		
7CDCER	*01600	1431-06	01600	1432-10		
7CDCE5	01600	1430-06	01600	1431-08	*01600	1432-06
7CDCE0	01600	1430-10	*01600	1431-01		
7CDTAJQ	01600	1329-59	01600	1432-04	01600	1434-33
	*01600	1435-42				
7CDTAKQ	01600	1431-04	01600	1434-40	*01600	1435-39
7CDTA0	*02600	1511-09				
7CDTBJQ	01600	1330-78	01600	1429-33	01600	1431-05
	*01600	1434-42				
7CDTBKQ	01600	1429-40	01600	1432-05	*01600	1434-39
7CDTB0	*02600	1511-15				
7CDTCJQ	01600	1329-61	*01600	1429-42	01600	1435-40
7CDTCKQ	01600	1330-76	*01600	1429-39	01600	1435-33

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7CDTEA	01800	1512-26	*01800	1513-27	01800	1514-66
	02600	1514-52	04300	1418-55	04300	1418-61
7CDTEB	*02600	1511-09	*02600	1511-15	02600	1512-43
	02600	1512-49	02600	1512-50	02600	1512-55
	02600	1512-56	02600	1512-61	02600	1512-64
	02600	1512-70	02600	1512-73	02600	1512-74
	02600	1512-78	02600	1512-79	02600	1513-78
7CDTER	02600	1511-03	02600	1511-11	*02600	1513-21
	02600	1514-54				
7CDTES	01800	1419-74	02600	1513-17	*02600	1514-47
7CDTLJQ	01800	1418-46	01800	1511-20	*01800	1515-42
7CDTRA	01700	1426-61	*01700	1432-52		
7CDTR0	*01700	1430-09	01700	1432-54	01800	1513-36
7CDTWA	01700	1430-72	*01700	1432-80		
7CDTWJQ	01600	1431-03	01700	1432-76	01800	1418-72
	01800	1512-42	*01800	1515-68		
7CDTWKQ	01800	1417-64	01800	1514-61	*01800	1515-65
	01800	1516-64				
7CDTW0V	01800	1515-59	01800	1515-66	*01800	1516-66
7CDT1A	*01600	1432-01	01600	1433-21	01700	1430-01
	01800	1514-70	04300	1418-60	04300	1418-66
7CDT10V	01600	1432-03	*01600	1433-19	01800	1539-05
7CDT2A	*01600	1330-80	01600	1433-35	01700	1430-04
	02700	1519-10	03000	1521-42	04500	1432-25
7CDT20V	01600	1431-11	01600	1432-49	*01600	1433-37
7CDT3A	*01600	1329-63	01600	1433-29	01700	1430-05
	02700	1519-26	02800	1521-74	04400	1432-79
7CDT30V	01600	1431-24	*01600	1433-30	01600	1511-19
7CDT4A	*01600	1511-21	01800	1512-17		
7CDT5A	*01600	1432-51	01800	1512-18		
7CEMRA	*01700	1431-66	02000	1331-20	02500	1448-17
	02500	1533-70	02500	1539-08	04900	1332-72
	04900	1333-72	04900	1545-62	04900	1545-78
7CEMRR	01700	1427-57	01700	1427-71	01700	1428-71
	01700	1429-71	*01700	1431-33	01700	1432-31
	01700	1432-35				
7CEMRS	01700	1431-29	01700	1431-68	*01700	1432-33
	05002	1349-55				
7CESA0	*02600	1518-33				
7CESB0	*02600	1518-39				
7CESLB	02600	1513-49	02600	1513-73	02600	1513-74
	02600	1513-79	02600	1517-49	02600	1517-55
	02600	1517-61	02600	1517-64	02600	1517-70
	02600	1517-73	02600	1517-74	02600	1517-78
	02600	1517-79	*02600	1518-33	*02600	1518-39
7CESLR	*01800	1418-69	01800	1517-10	02600	1518-29

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	02600	1518-35	02800	1419-78		
7CESLS	01800	1418-71	01800	1512-29	*01800	1517-06
7CFAA0V	*01800	1516-70				
7CFAB0V	*01800	1516-72				
7CFAC0V	*01800	1516-78				
7CFAD0V	*01800	1516-77				
7CFAE0	*01800	1512-21	01800	1513-53	01800	1513-59
7CFA1A	*01800	1513-57	01800	1516-69	01800	1516-74
7CFA1B	*01800	1516-70	*01800	1516-72	03100	1511-35
	03100	1511-43	03100	1511-49	03100	1511-50
	03100	1511-55	03100	1511-56	03100	1511-61
	03100	1511-64	03100	1511-70	03100	1511-73
	03100	1511-74	03100	1511-76	03100	1511-79
7CFA2A	*01800	1513-63	01800	1516-75	01800	1516-76
7CFA2B	*01800	1516-77	*01800	1516-78	03100	1510-03
	03100	1510-11	03100	1510-17	03100	1510-18
	03100	1510-23	03100	1510-24	03100	1510-29
	03100	1510-34	03100	1510-35	03100	1510-40
	03100	1510-41	03100	1510-48	03100	1510-54
7CFMPR	01900	1420-13	*01900	1421-15	03500	1430-36
	03900	1436-73	03900	1436-78	03900	1441-38
	06500	2531-46	26802	1402-79	26802	2450-79
7CFMPS	*01900	1420-15	01900	1421-11		
7CFMRA	01700	1430-60	*01900	1419-11	01900	1421-13
7CFRC0	04400	1407-63	04400	1407-77	04400	1408-63
	04400	1408-77	04400	1409-63	04400	1409-77
	*04400	1426-23				
7CFREJQ	04400	1427-13				
7CFREKQ	*04400	1427-11	04400	1430-38	04400	1430-52
7CFRE0	04400	1430-37	04400	1430-54	*04400	1432-38
7CFRKA	*04400	1430-35	04400	1433-45		
7CFRK0V	04400	1428-06	04400	1429-06	*04400	1433-43
7CFRSA	04400	1426-25	*04400	1430-47		
7CFR0JQ	04400	1428-05	04400	1428-14	*04400	1429-13
7CFR0KQ	*04400	1429-11	04400	1432-40		
7CFR1JQ	*04400	1428-13	04400	1432-42		
7CFR1KQ	04400	1428-11				
7CFSPJQ	01800	1513-70	*01800	1515-80		
7CFSPKQ	01800	1513-64	*01800	1515-79		
7CIC1A	01800	1417-55	*01800	1513-30		
7CIC10	01800	1513-34	*01800	1539-01		
7CIC2A	01700	1516-06	01800	1417-60	*01800	1419-69
	01800	1514-68				
7CIC3A	01800	1417-61	01800	1512-19	*01800	1513-33
	04400	1432-77				
7CIC4A	01800	1417-62	01800	1512-20	*01800	1513-39

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	04500	1432-23				
7CINIA	*01900	1420-06	01900	1421-05	01900	1421-07
7CINIJQ	*01900	1339-80	01900	1419-08		
7CINIKQ	*01900	1339-79	01900	1420-08		
7CINIR	01900	1419-06	01900	1420-07	*01900	1421-09
	04000	1418-20	04000	1418-26	04000	1418-31
	04000	1418-38	04000	1419-19	04000	1419-38
	04000	1419-62	04100	1418-54	04100	1419-25
7CINIS	*01900	1420-09	01900	1421-03	03400	1333-07
7CINTA	*01501	1341-63	13400	1341-31	26802	1302-47
	26803	1302-47				
7CINTAR	*28202	J024-48	28202	J084-48		
7CINTAV	*28202	J024-47	28202	J084-47		
7CNPCA	01800	1418-73	*01800	1511-14	01800	1513-04
	01800	1513-40	01900	1422-17		
7CNPC0V	01900	1339-72	01900	1419-10	01900	1420-10
	*01900	1422-14				
7CNPLR	*01800	1512-38	01800	1513-42	02600	1514-62
	02600	1514-78	02800	1419-77		
7CNPLS	01800	1512-34	01800	1512-40	*01800	1513-38
7CNPRR	01800	1418-43	01800	1512-10	*01800	1513-06
7CNPRS	01800	1511-18	*01800	1512-06	01800	1513-08
7CNP0A	03400	1331-71	*03400	1342-01		
7CNP00	*03400	1331-69	03400	1342-03	03400	1342-11
7CNP1A	*03400	1342-09				
7CNP2A	*03400	1342-15				
7CNP3A	*03400	1329-15	03400	1331-73		
7CNRPAV	*01501	1336-13	01800	1512-08		
7CNRPB	03400	1340-31	*03400	1342-09	*03400	1342-15
	03400	1447-03	03400	1447-17	03400	1447-31
	03400	1447-43	03400	1448-03	03400	1448-31
7CNRPR	01501	1329-03	*01800	1512-01	01800	1513-05
	01800	1513-11	01800	1515-70	02900	1526-13
7CNRPS	01800	1511-26	01800	1512-04	*01800	1513-01
	03400	1342-04				
7CNRP0V	*01501	1335-60	01501	1336-11	03500	1432-74
	03500	1434-06	03500	1435-06		
7CNRRA	*01800	1511-22	01800	1512-05	01800	1513-10
7CN0MR	01700	1426-77	*01700	1430-57	01700	1431-49
7CN0MS	01700	1430-55	*01700	1431-51		
7CPAA0V	*01800	1516-56				
7CPAB0V	*01800	1516-57				
7CPAC0V	*01800	1516-80				
7CPAD0V	*01800	1516-71				
7CPAE0	*01800	1512-14	01800	1513-62	01800	1513-68
7CPA1A	*01800	1513-66	01800	1516-55	01800	1516-59

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7CPA1B	*01800	1516-56	*01800	1516-57	03100	1510-47
	03100	1510-55	03100	1510-61	03100	1510-64
	03100	1510-65	03100	1510-70	03100	1510-71
	03100	1510-76	03100	1510-77	03100	1511-23
	03100	1511-31	03100	1511-36	03100	1511-40
7CPA2A	*01800	1513-60	01800	1516-73	01800	1516-79
7CPA2B	*01800	1516-71	*01800	1516-80	03100	1509-41
	03100	1509-47	03100	1509-48	03100	1509-53
	03100	1509-59	03100	1509-62	03100	1509-65
	03100	1509-68	03100	1509-71	03100	1509-76
	03100	1509-77	03100	1510-04	03100	1510-08
7CPRC0	04500	1407-37	04500	1407-49	04500	1408-37
	04500	1408-49	04500	1409-37	04500	1409-49
	*04500	1426-35				
7CPREKQ	04500	1426-18	*04500	1427-27	04500	1430-46
7CPRE0	04500	1426-14	04500	1430-48	*04500	1431-38
7CPRKA	*04500	1426-21	04500	1433-51		
7CPRK0V	04500	1428-20	04500	1429-20	*04500	1433-53
7CPRSA	04500	1426-40	*04500	1430-45		
7CPR0JQ	04500	1428-19	*04500	1428-26	*04500	1429-25
	04500	1431-40				
7CPR1JQ	*04500	1428-25	04500	1431-42		
7CRCMR	01501	1341-70	*01501	1342-60		
7CRCMS	01501	1333-25	*01501	1341-66	01501	1342-62
7CRCRAV	01700	1428-55	01700	1429-43	01700	1429-55
	01700	1432-26	*01700	1433-63		
7CRCR0	*01700	1432-39	01700	1433-61		
7CRD1A	01700	1426-66	*01700	1430-76		
7CRFTR	*01501	1331-76	01501	1333-24	01501	1341-55
7CRFTS	01501	1331-75	01501	1333-18	*01501	1341-57
7CRF0A	01501	1332-01	*01501	1333-23	01501	1341-53
7CRF1A	01501	1331-77	01501	1332-04	*01501	1333-21
7CRG0B	*01501	1335-70	*01501	1335-72	01501	1341-62
	01501	1341-68	01600	1431-10	01700	1431-31
	02100	1331-08	02400	1540-31	04200	1428-30
7CRG00	*01501	1330-63	01501	1335-69	01501	1335-74
	01800	1511-24	01800	1512-23	02200	1331-01
	02400	1443-54	02500	1535-56	03400	1333-06
	03400	1340-20				
7CRINA	01700	1432-61	*01700	1443-45	04100	1417-40
7CRIN0	*01700	1432-57	01700	1443-43		
7CRMM0	*01501	1432-45	01501	1434-48		
7CRMPAV	01900	1339-70	01900	1420-04	*01900	1422-19
7CRMP0	*01900	1421-06	01900	1422-21		
7CRMXB	*01501	1329-45	*01501	1329-46	*01501	1329-52
	01501	1335-55	01501	1342-55	01501	1432-43

Table 5-2. Key Signal Lookup Listing

Signal	Distribution					
	01600	1430-13	01600	1432-08	01700	1432-78
	01800	1515-57	01800	1517-08	02200	1330-07
	04200	1432-36	04300	1434-55	04300	1434-71
	04300	1435-57	04300	1435-71	04400	1427-04
	04400	1428-03	04400	1429-03	04500	1427-18
	04500	1428-17	04500	1429-17	04700	1444-43
	04700	1444-56				
7CRMXJQ	01501	1329-41	01501	1329-48	01501	1329-54
	*01501	1434-56				
7CRMXR	01501	1341-64	*01501	1342-57		
7CRMXS	01501	1333-19	*01501	1341-60	01501	1342-53
7CRMX0V	01501	1333-22	*01501	1335-56	01800	1515-34
	02500	1539-10				
7CRM1A	*01501	1329-52				
7CRM2A	*01501	1329-46				
7CRM3A	*01501	1329-45				
7CRQAJQ	01700	1426-62	*01700	1427-68	01700	1428-73
	01800	1419-72	01800	1513-23		
7CRQAKQ	*01700	1427-65	01700	1428-78	01800	1513-35
7CRQBJQ	01700	1427-73	*01700	1428-80	01800	1418-77
	01800	1513-37				
7CRQBKQ	01700	1426-60	01700	1427-78	*01700	1428-79
	01800	1419-73	01800	1513-29		
7CRQCJQ	*01700	1427-80	01700	1429-73	01700	1430-77
	01800	1513-31				
7CRQCKQ	*01700	1427-79	01700	1429-78	01800	1418-78
	02500	1445-17				
7CRQDJQ	01700	1427-66	*01700	1429-80	01700	1430-78
	01800	1513-25				
7CRQDKQ	0.1700	1427-59	*01700	1429-79	02500	1445-19
7CRQEA	*01700	1431-39	01700	1432-24		
7CRQE0	01700	1426-55	01700	1430-75	01700	1431-56
	*01700	1432-22				
7CRQE1C	01700	1431-35	*01700	1538-11		
7CRQE2C	01700	1431-37	*01700	1538-14		
7CRQRA	*01700	1431-52	01700	1432-37		
7CRQ0JQ	01700	1428-59	01700	1428-66	*01700	1429-56
	01700	1538-07				
7CRQ1JQ	*01700	1428-68	01700	1429-60	01700	1538-05
7CRQ2JQ	*01700	1429-68	01700	1538-03		
7CRRQA	*01700	1432-63	26802	1402-51		
7CRRQAV	06001	2532-24	*26802	2450-51		
7CRRQ0	*01700	1426-59	01700	1432-59	05002	1345-70
7CRSTAV	01501	1329-07	01501	1331-68	*01501	1336-18
7CRSTB	*01501	1330-45	*01501	1330-46	*01501	1330-51
	*01501	1330-52	01501	1434-43	01700	1527-13

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	01800	1515-55	01900	1420-03	01900	1420-11
	01900	1421-08	02100	1329-10	02100	1331-10
	02100	1339-31	02100	1339-43	02100	1340-43
	02200	1331-04	02200	1339-18	02300	1526-25
	02400	1435-43	02400	1534-34	04200	1427-31
	04200	1427-43	04200	1428-31	04200	1428-43
	04300	1515-03	04300	1515-17		
7CRSTKQ	01501	1331-61	*01501	1340-65		
7CRST0	01501	1330-41	01501	1330-47	01501	1330-48
	01501	1330-54	*01501	1331-59		
7CRS1A	*01501	1330-52				
7CRS10	*01501	1332-09	01501	1336-20	01501	1341-59
7CRS2A	*01501	1330-46				
7CRS3A	*01501	1330-45				
7CRS4A	*01501	1330-51				
7CRWIA	01700	1426-79	*01700	1431-46		
7CRWIO	*01700	1426-69	01700	1431-50		
7CRWIoT	*01700	1322-24	01700	1426-73		
7CR01AV	*01501	1335-70				
7CR02AV	*01501	1335-72				
7CSCA0V	*01501	1335-01				
7CSCB0V	*01501	1335-07				
7CSCC0V	*01501	1335-10				
7CSCDAV	01501	1332-05	*01501	1336-80		
7CSCD0	01501	1336-79	*05003	1334-11		
7CSCKB	01501	1329-43	01501	1329-50	01501	1329-56
	*01501	1335-01	*01501	1335-07	*01501	1335-10
	01501	1340-60	01501	1345-49	01600	1430-08
	01600	1431-13	01600	1431-26	01600	1432-07
	01700	1428-60	01700	1429-48	01700	1431-54
	04300	1432-17	05101	1442-10	05101	1547-09
	05101	1548-20	05101	1548-37	05101	1549-54
7CSC0ER	05003	1334-01	*05003	1440-22		
7CSC1ER	05003	1334-04	*05003	1440-33		
7CSC2ER	05003	1334-05	*05003	1440-39		
7CSC3ER	05003	1334-06	*05003	1440-42		
7CSC4ER	05003	1334-07	*05003	1440-36		
7CSC5A	05003	1334-08	*05003	1341-72		
7CSC6A	*03900	1441-59	05003	1334-10		
7CSC7A	05003	1334-13	*05003	1341-69		
7CSTPAV	01600	1429-31	01600	1434-31	01600	1435-31
	01700	1432-29	*01700	1433-57	01800	1513-24
	02600	1513-19				
7CSTP0	01700	1433-59	*01700	1527-15		
7CS00AV	05003	1336-51	*05003	1446-80		
7CS010V	*05003	1336-53	05003	1433-79		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7CS02AV	*05003	1433-80	05003	1440-20		
7CS10AV	05003	1336-64	*05003	1446-71		
7CS110V	*05003	1336-66	05003	1433-73		
7CS12AV	*05003	1433-71	05003	1440-31		
7CS20AV	05003	1336-61	*05003	1446-70		
7CS210V	*05003	1336-63	05003	1433-69		
7CS22AV	*05003	1433-70	05003	1440-37		
7CS30AV	05003	1336-62	*05003	1446-72		
7CS310V	*05003	1336-60	05003	1433-74		
7CS32AV	*05003	1433-72	05003	1440-40		
7CS40AV	05003	1336-55	*05003	1446-78		
7CS410V	*05003	1336-56	05003	1433-76		
7CS42AV	*05003	1433-78	05003	1440-34		
7CS50AV	05003	1336-59	05003	1341-74	*05003	1446-77
7CS510V	*05003	1336-57	05003	1433-75		
7CS52AV	05003	1336-65	05003	1341-71	*05003	1433-77
7CS530V	*05003	1336-68	05003	1341-65		
7CWDT0	*04200	1426-33	04200	1430-66		
7CWEN0V	01700	1431-43	*01700	1516-08		
7CWRA0	*04200	1514-35				
7CWRB0	*04200	1514-33				
7CWRCB	04200	1408-09	04200	1408-23	04200	1409-09
	04200	1409-23	04200	1410-09	04200	1410-23
	04200	1411-09	04200	1411-23	04200	1412-09
	04200	1412-23	04200	1413-09	04200	1413-23
	04200	1414-09	04200	1414-23	04200	1415-09
	04200	1415-23	04200	1427-34	04200	1428-48
	*04200	1514-33	*04200	1514-35	05102	1546-36
7CWRC0	04200	1428-34	*04200	1432-30		
7CWREJQ	*04200	1428-42	04200	1431-36		
7CWREKQ	04200	1426-30	*04200	1428-39	04200	1430-61
7CWRQA	*01700	1426-76	06001	2532-18	26802	1402-49
	26802	2450-49				
7CWRQ0	01700	1426-75	*01700	1430-69	05002	1345-72
7CWRTA	*01700	1426-57	01700	1432-48		
7CWRT0	01700	1431-41	*01700	1432-46		
7CWR1A	*04200	1431-30	04200	1514-30	04200	1514-37
7CWR2A	*04200	1430-59	04200	1514-31	04200	1514-38
7CWS0JQ	*04200	1427-42	04200	1428-45	04200	1428-54
7CWS0KQ	04200	1426-36	*04200	1427-39		
7CWS1JQ	04200	1427-48	*04200	1428-56		
7CWS1KQ	04200	1426-34	*04200	1428-51		
7CWS2KQ	04200	1426-31	*04200	1427-51		
7CWT1A	01700	1430-71	*01700	1431-45	04700	1445-68
7C1DTA	*01600	1431-09	01600	1433-38	01800	1515-31
7C1DT0V	*01600	1433-40	02000	1331-24	02900	1526-36



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7C2DTA	02900	1526-42	03400	1341-03		
	*01600	1432-09	01600	1433-27	03000	1514-43
	04300	1426-08				
7C2DT0V	*01600	1433-26	01800	1512-37	02200	1330-05
	02900	1526-31	03400	1333-04	03400	1426-04
	04300	1435-60				
7C3DTA	*01600	1431-15	01600	1433-36	04500	1426-38
7C3DT0V	*01600	1433-34	02100	1333-38	02900	1528-03
	03400	1329-13	04500	1427-20		
7C4DTA	*01600	1431-22	01600	1433-33	04400	1426-24
	04700	1445-70				
7C4DT0V	*01600	1433-31	04400	1427-06		
7C8SP0V	*01501	1335-57	03900	1345-37	04200	1430-68
	04300	1430-14	04300	1430-25	04400	1430-40
	04400	1430-49	04500	1426-19	04500	1430-43
	04900	1445-26	05101	1549-50		
7DC001C	02500	1533-60	*02500	1535-27		
7DC012C	02500	1533-61	*02500	1535-26		
7DC021C	02500	1533-62	*02500	1535-39		
7DC032C	02500	1533-64	*02500	1535-40		
7DC041C	02500	1533-66	*02500	1535-51		
7DC052C	02500	1533-68	*02500	1535-54		
7DMRGAV	01501	1342-64	01700	1527-11	*02500	1529-10
	04200	1432-34				
7DRCMA	02500	1448-18	*02500	1533-59		
7DRCMJQ	*02500	1448-25	02500	1540-11		
7DRCM0	01501	1333-14	02500	1529-15	*02500	1534-21
	04900	1330-37				
7DRC1A	*02500	1445-21	02500	1540-13		
7DRC2A	02500	1534-19	*02500	1540-15		
7DRMXA	02500	1534-18	*02500	1539-06		
7GND503	26803	1503-76	26803	1503-78	26803	1503-80
7GRDAAV	01502	1337-35	*01502	1433-48	03400	1337-03
	03400	1343-13	03400	1343-25	03400	1343-42
	03900	1345-34				
7GRDBAV	01502	1337-45	01502	1338-46	*01502	1433-49
	01700	1538-13	01800	1515-73	02800	1522-68
	02800	1523-77	03900	1434-19		
7GRDCAV	01502	1337-19	01502	1337-46	01502	1338-45
	*01502	1433-54	03700	1523-25	03900	1345-30
	04200	1428-33				
7GRDDAV	01502	1337-20	01502	1337-36	01502	1338-41
	*01502	1516-14	02600	1519-36	02600	1520-20
	02600	1520-52	02700	1439-52	03000	1521-52
	05003	1439-13				
7GRDEAV	*01502	1516-18	02600	1519-45	02600	1520-27

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7GRDFAV	02600	1520-62	02700	1439-68	05003	1439-30
	*01502	1516-25	02600	1519-46	02600	1519-76
	02600	1520-33	02600	1520-59	02700	1519-52
7GRDGAV	*01502	1516-24	02600	1519-41	02600	1520-25
	02600	1520-55	02800	1521-77		
7GRDHAV	*01502	1516-10	02700	1519-62	02700	1521-33
	02700	1522-33	02800	1521-68	03000	1521-36
7GRDIAV	*01502	1516-07	02700	1519-59	02700	1520-76
	02700	1521-27	02700	1522-20	02700	1523-04
	02800	1522-77				
7GRDJAV	*01502	1516-01	02700	1519-55	02700	1521-25
	02700	1523-09				
7GRDKAV	*01502	1422-77	02700	1521-20	02700	1522-25
	03000	1521-41	03000	1523-36		
7GRDLAV	*01502	1422-78	02000	1343-70	02700	1522-27
	03000	1521-45	03000	1521-59	03000	1523-45
7GRDMAV	*01502	1422-72	03000	1521-46	03000	1521-62
	03000	1523-46				
7GRDNAV	*01502	1422-70	02800	1521-76	02800	1522-73
	03000	1523-41				
7GRDPAV	*01502	1422-71	02700	1439-78	02800	1521-73
	02800	1523-76	03000	1521-55		
7GRDQAV	*01502	1422-80	02100	1344-03	02800	1522-76
	02800	1523-73	03000	1522-62		
7GRDRAV	*01502	1547-10	02500	1536-56	02500	1536-68
	02500	1536-80	02500	1537-56	02500	1537-68
	02500	1537-80				
7GRDSAV	*01502	1547-31	02400	1537-13	02400	1537-25
	02400	1537-42	02400	1538-25	02400	1538-42
	02400	1538-80				
7GRDTAV	*01502	1335-68	02400	1538-56	02400	1538-68
	02900	1535-13	02900	1536-13	02900	1536-25
	02900	1536-42				
7GRDUAG	*30401	J053-12	30401	J102-12		
7GRDUAV	01502	1335-75	*01502	1529-13	03600	1503-11
	03600	1517-31	03600	1517-43	03600	1517-80
	26802	1503-11	30401	J053-11	30401	J102-11
7GRDU0R	*30401	J053-02	30401	J102-02		
7GRDU0V	*01502	1335-77	03600	1503-01	03600	1517-27
	03600	1517-29	03600	1517-36	03600	1517-37
	03600	1517-40	26802	1503-01	30401	J053-01
	30401	J102-01				
7GRD0AV	01502	1338-36	*01502	1422-68	03400	1337-09
	03400	1343-08	03400	1343-56	03900	1345-29
7GRD1AV	01501	1340-59	*01502	1422-57	02000	1337-66
	02400	1435-45	03400	1338-10	03500	1344-56

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7GRD2AV	03500	1344-68				
	*01502	1422-56	02000	1337-68	02200	1338-64
	02500	1535-25	03400	1340-19		
7GRD3AV	*01502	1422-60	02000	1343-68	02000	1343-80
	03300	1522-46	03300	1535-68	03300	1535-80
7GRD4AV	*01502	1422-10	03300	1522-41	03300	1523-59
	04100	1421-53	04100	1421-59	04100	1421-65
	04100	1421-71	04100	1421-77	04900	1339-59
7GRD5AV	*01502	1516-03	02100	1344-13	02200	1337-61
	03300	1522-45	03300	1523-62	03300	1530-62
	03300	1530-74	03900	1345-33	05102	1344-80
	05102	1439-48				
7GRD6AV	*01502	1422-07	02000	1338-74	02200	1337-64
	02200	1338-61	02200	1339-19	02200	1345-08
	03300	1522-36				
7GRD7AV	*01502	1422-01	02000	1338-78	02200	1337-49
	02200	1338-53	02200	1345-22	05101	1448-73
7GRD8AV	*01502	1446-68	02100	1344-05	02200	1337-53
	02200	1338-49	02800	1523-68	03400	1338-13
7GRD9AV	01502	1337-41	*01502	1446-42	02500	1448-20
	03400	1337-04	03400	1338-14	03400	1343-10
	03400	1343-45				
7KBT0TA	*02700	1439-55	02700	1519-27	02700	1529-22
7KBT1TB	*02700	1439-61	02700	1519-33	02700	1529-23
7KBT2TC	*02700	1439-60	02700	1519-25	02700	1529-20
7KBT3TD	*02700	1439-63	02700	1519-20	02700	1529-17
7KBT4TA	*02700	1439-73	02700	1520-46	02700	1529-21
7KBT5TB	*02700	1439-79	02700	1520-45	02700	1529-27
7KBT6TC	*02700	1439-74	02700	1520-41	02700	1529-38
7KBT7TD	*02700	1439-80	02700	1520-36	02700	1529-35
7KB00AV	02000	1329-47	*02000	1335-34		
7KB000	*02000	1329-51	02000	1334-38	02000	1334-52
	02000	1338-79				
7KB01AV	*02000	1335-30	02000	1341-04		
7KB010	02000	1334-37	02000	1334-50	02000	1338-71
	*02000	1341-01				
7KB02AV	*02000	1335-31	02000	1341-11		
7KB020	02000	1334-36	02000	1334-49	02000	1338-66
	*02000	1341-15	03300	1535-60		
7KB03AV	02000	1332-19	02000	1332-34	02000	1332-48
	02000	1332-62	02000	1334-34	*02000	1335-42
	02000	1341-76				
7KB030	02000	1332-54	02000	1332-78	*02000	1341-80
7KB04AV	01502	1436-14	02000	1332-18	02000	1332-38
	02000	1332-46	02000	1332-66	*02000	1335-54
	02000	1342-18				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7KB040	02000	1334-46	02000	1337-79	*02000	1342-14
7KB05AV	01502	1436-18	02000	1332-14	02000	1332-30
	02000	1332-37	02000	1332-49	02000	1334-30
	02000	1334-43	*02000	1335-49	02000	1342-59
7KB050	02000	1332-43	02000	1332-55	02000	1332-61
	02000	1332-75	02000	1337-71	*02000	1342-63
7KCC1A	*02200	1330-01	02200	1333-49		
7KCC2A	*02200	1331-09	02200	1332-22	02200	1333-52
7KCC3A	*02200	1329-01	02200	1333-54		
7KCENR	*02200	1330-09	02200	1332-25		
7KCENS	02200	1329-05	02200	1330-03	*02200	1332-23
7KDS1A	02000	1332-36	*02000	1334-35	02000	1442-70
7KDS2A	02000	1330-40	02000	1332-56	*02000	1334-47
7KKCC0	*02200	1333-47	02200	1339-20	02200	1345-09
	02200	1345-23				
7KKCMA	02000	1330-77	*02000	1333-76		
7KKCM0	*02000	1330-75	02000	1331-14		
7KKC00E	02200	1338-62	*02200	1345-07		
7KKC01N	02000	1343-61	02200	1330-24	*02200	1338-63
	02700	1439-51	05002	1348-72		
7KKC11E	02200	1338-59	*02200	1345-11		
7KKC12N	02000	1343-59	02200	1329-24	*02200	1338-57
	02700	1439-57	05002	1348-70		
7KKC22E	02200	1338-55	*02200	1345-13		
7KKC23N	02000	1343-55	02200	1330-18	*02200	1338-51
	02700	1439-54	05002	1348-69		
7KKC33E	02200	1338-52	*02200	1345-10		
7KKC34N	02000	1343-53	02200	1329-18	*02200	1338-54
	02700	1439-62	05002	1348-71		
7KKC35N	02200	1337-60	*02200	1338-56		
7KKC40E	02200	1337-62	*02200	1345-21		
7KKC41N	02000	1343-75	02200	1330-17	*02200	1337-63
	02700	1439-69	05002	1349-72		
7KKC51E	02200	1337-59	*02200	1345-27		
7KKC52N	02000	1343-73	02200	1329-17	*02200	1337-57
	02700	1439-75	05002	1349-70		
7KKC62E	02200	1337-55	*02200	1345-25		
7KKC63N	02000	1343-71	02200	1330-23	*02200	1337-51
	02700	1439-70	05002	1349-69		
7KKC73E	02200	1337-52	*02200	1345-24		
7KKC74N	02000	1343-69	02200	1329-23	*02200	1337-54
	02700	1439-76	05002	1349-71		
7KLB0A	*02200	1330-22	02200	1335-22		
7KLB00V	*02200	1335-24	02200	1345-03		
7KLB1A	*02200	1329-22	02200	1335-23		
7KLB10V	*02200	1335-25	02200	1345-01		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7KLB2A	*02200	1330-14	02200	1335-20		
7KLB20V	*02200	1335-18	02200	1345-04		
7KLB3A	*02200	1329-14	02200	1335-17		
7KLB30V	*02200	1335-14	02200	1345-06		
7KLB4A	*02200	1330-21	02200	1335-21		
7KLB40V	*02200	1335-19	02200	1345-17		
7KLB5A	*02200	1329-21	02200	1335-27		
7KLB50V	*02200	1335-26	02200	1345-15		
7KLB6A	*02200	1330-27	02200	1335-38		
7KLB60V	*02200	1335-40	02200	1345-18		
7KLB7A	*02200	1329-27	02200	1335-35		
7KLB70V	*02200	1335-37	02200	1345-20		
7KLD0A	*02200	1330-15	02200	1335-76		
7KLD0JQ	02200	1331-05	*02200	1339-25		
7KLD0KQ	02200	1330-13	*02200	1339-27		
7KLD00V	02200	1329-19	02200	1329-20	02200	1329-25
	02200	1329-26	02200	1330-19	02200	1330-20
	02200	1330-25	02200	1330-26	*02200	1335-78
7KME1AV	02000	1330-65	02000	1330-71	02000	1331-55
	*02000	1335-48				
7KME10	02000	1335-50	*02000	1442-59		
7KME2AV	02000	1330-74	02000	1331-60	*02000	1335-46
7KME20	*02000	1333-57	02000	1335-41		
7KME3AV	02000	1333-50	02000	1333-55	02000	1333-70
	*02000	1335-43				
7KME30	*02000	1330-38	02000	1335-45		
7KMMXR	*02100	1331-11	02100	1332-08	02200	1330-11
7KMMXS	02100	1331-06	*02100	1332-11	02100	1333-40
	02200	1330-04				
7KMM01N	*02000	1338-80	02000	1343-64	02700	1439-53
7KMM12N	*02000	1338-75	02000	1343-62	02700	1439-59
7KMM23N	*02000	1338-69	02000	1343-60	02700	1439-56
7KMM34N	*02000	1338-70	02000	1343-57	02700	1439-64
7KMM35N	02000	1337-74	*02000	1338-72		
7KMM41N	*02000	1337-80	02000	1343-76	02700	1439-71
7KMM52N	*02000	1337-75	02000	1343-74	02700	1439-77
7KMM63N	*02000	1337-69	02000	1343-72	02700	1439-72
7KM0VA	01501	1331-78	02100	1330-08	*02100	1333-33
7KM0VR	*02100	1329-06	02100	1330-10	02100	1333-37
	02200	1332-26				
7KM0VS	02000	1331-18	02100	1329-08	*02100	1330-06
	02700	1439-49	02700	1439-66		
7KM00	*02000	1333-45	02000	1338-76		
7KM010	*02000	1333-59	02000	1338-77		
7KM020	*02000	1330-72	02000	1338-73		
7KM030	*02000	1330-69	02000	1338-68		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7KM04AV	*02000	1335-53	02000	1336-75	02000	1336-76
7KM040	*02000	1331-57	02000	1335-51	02000	1337-76
7KM050V	*02000	1336-78	02000	1337-77		
7KM060V	*02000	1336-77	02000	1337-73		
7KRCCA	*02000	1331-23	02100	1332-06	02100	1335-06
7KRCC0V	02100	1333-36	*02100	1335-08		
7KRCD0	*02000	1329-38	02000	1331-22		
7KRCKA	*02100	1333-35	02100	1335-11	02200	1332-24
7KRCK0V	*02100	1335-13	02100	1339-34	02100	1340-48
7KRC0AR	*27202	J004-76	27202	J058-76		
7KRC0AV	*02100	1433-42	03600	1503-07	03600	1517-38
	26802	1503-07	27202	J004-75	27202	J058-75
7KRC0JQ	02100	1333-30	*02100	1339-42	02100	1340-45
	02100	1340-54	02100	1433-39	05002	1348-60
7KRC0KQ	*02100	1339-39	02100	1344-04		
7KRC00R-	*30401	J053-08	30401	J102-08		
7KRC00V	01700	1538-10	*02100	1336-71	15001	1125-52
	26802	1105-75	26803	1104-75		
7KRC00V-	*30401	J053-07	30401	J102-07		
7KRC01C	02000	1329-40	02000	1333-75	*02000	1343-65
7KRC01V	15001	1125-50	*26803	1104-77		
7KRC02C	02000	1333-77	*02000	1343-66		
7KRC02V	15001	1125-48	*26803	1104-79		
7KRC1AR	*30401	J053-06	30401	J102-06		
7KRC1AV	*02100	1433-68	03600	1503-05	03600	1517-35
	26802	1503-05	30401	J053-05	30401	J102-05
7KRC1JQ	01700	1538-08	02100	1333-31	02100	1339-48
	*02100	1340-56	02100	1344-08	02100	1433-65
	05002	1348-57				
7KRC1KQ	02100	1336-69	*02100	1340-51		
7KRC10R-	*27202	J004-78	27202	J058-78		
7KRC10V	*02100	1336-70	26802	1105-77		
7KRC10V-	*27202	J004-77	27202	J058-77		
7KRC11C	02000	1329-42	02000	1333-78	*02000	1343-79
7KRC12C	02000	1331-25	02000	1333-79	*02000	1343-78
7KRC2AR	*30401	J053-04	30401	J102-04		
7KRC2AV	*02100	1446-30	26802	1503-03	30401	J053-03
	30401	J102-03				
7KRC2JQ	01700	1538-06	02100	1333-34	*02100	1339-56
	02100	1344-06	02100	1446-29	05002	1348-53
7KRC2KQ	02100	1336-74	*02100	1339-51		
7KRC20R-	*27202	J004-80	27202	J058-80		
7KRC20V	*02100	1336-72	03600	1503-03	03600	1517-39
	26802	1105-79				
7KRC20V-	*27202	J004-79	27202	J058-79		
7KSMPA	*02000	1331-21	02100	1332-10	02500	1534-20

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7KWT10V	02200	1329-04	*02200	1335-03		
7K000A	*02000	1332-21	02000	1333-43	02000	1333-61
	02000	1442-55				
7K001A	*02000	1332-35	02000	1333-66	02000	1442-60
7K010A	*02000	1332-33	02000	1333-46	02000	1442-66
7K011A	*02000	1332-47	02000	1442-68		
7K100A	02000	1330-42	*02000	1332-45		
7K101A	*02000	1332-59	02000	1333-48	02000	1333-60
7K110A	*02000	1332-57	02000	1333-62		
7K111A	02000	1330-73	02000	1331-62	*02000	1332-76
	02000	1333-68				
7K2US1C	02100	1336-73	*02100	1344-11		
7MACA1C	02400	1442-71	*02400	1538-27		
7MACA2C	02400	1442-72	*02400	1538-26		
7MACB1C	02400	1442-73	*02400	1538-39		
7MACB2C	02400	1442-74	*02400	1538-40		
7MACC1C	02400	1442-75	*02400	1538-51		
7MACC2C	02400	1442-77	*02400	1538-54		
7MACD1C	02400	1442-78	*02400	1538-65		
7MACD2C	02400	1442-79	*02400	1538-66		
7MACMA	*02400	1442-76	02400	1529-05		
7MACM0V	*02400	1529-01	02400	1539-40		
7MASA1C	02400	1533-01	*02400	1537-11		
7MASA2C	02400	1533-04	*02400	1537-14		
7MASB1C	02400	1533-05	*02400	1537-27		
7MASB2C	02400	1533-06	*02400	1537-26		
7MASC1C	02400	1533-07	*02400	1537-39		
7MASC2C	02400	1533-08	*02400	1537-40		
7MASD1C	02400	1533-10	*02400	1538-79		
7MASD2C	02400	1533-13	*02400	1538-78		
7MASTA	02400	1529-09	*02400	1533-11		
7MAST0V	*02400	1529-07	02400	1540-34		
7MAZCA	02400	1534-31	*02400	1539-38		
7MAZSA	02400	1539-36	*02400	1540-30		
7MAZSR	02400	1443-52	*02400	1534-33	02400	1539-34
7MAZSS	02400	1526-08	02400	1534-30	*02400	1539-30
7MCRC0	*01501	1329-60	02300	1530-37	02300	1530-49
	02300	1531-49	02300	1531-63	02300	1531-77
	02300	1532-49	02300	1532-63	02300	1532-77
	02300	1540-25				
7MCRLA	02300	1539-20	*02300	1540-27		
7MCRLR	02300	1539-18	*02300	1540-14		
7MCRLS	02300	1534-37	*02300	1539-14	02300	1540-18
7MC033E	02300	1531-73	*02300	1532-64		
7MC073E	02300	1530-33	*02300	1531-76	02500	1537-47
7MC080E	*02300	1530-35	02300	1532-55	02500	1537-45

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7MC091E	*02300	1530-39	02300	1532-53	02500	1537-43
7MC102E	*02300	1530-42	02300	1532-57	02500	1537-41
7MC113E	*02300	1530-38	02300	1532-60	02300	1532-73
	02500	1537-61				
7MC120E	02300	1531-71	*02300	1532-75	02500	1537-59
7MC131E	02300	1531-69	*02300	1532-79	02500	1537-55
7MC142E	02300	1531-70	*02300	1532-80	02500	1537-53
7MC153E	02300	1531-45	02300	1531-72	*02300	1532-76
	02500	1537-75				
7MC160E	02300	1530-31	*02300	1531-47	02500	1537-73
7MC171E	02300	1530-29	*02300	1531-51	02500	1537-71
7MC182E	02300	1530-30	*02300	1531-56	02500	1537-69
7MC193E	02300	1530-34	02300	1530-45	*02300	1531-52
	02400	1538-21				
7MC200E	*02300	1530-47	02300	1532-71	02400	1538-19
7MC211E	*02300	1530-51	02300	1532-69	02400	1538-17
7MC222E	*02300	1530-56	02300	1532-70	02400	1538-15
7MC233E	*02300	1530-52	02300	1532-45	02300	1532-72
	02400	1538-35				
7MC240E	02300	1531-43	*02300	1532-47	02400	1538-33
7MC251E	02300	1531-41	*02300	1532-51	02400	1538-31
7MC262E	02300	1531-46	*02300	1532-56	02400	1538-29
7MC273E	02300	1531-48	02300	1531-59	*02300	1532-52
	02400	1538-47				
7MC280E	02300	1530-43	*02300	1531-61	02400	1538-45
7MC291E	02300	1530-41	*02300	1531-65	02400	1538-43
7MC302E	02300	1530-46	*02300	1531-68	02400	1538-41
7MC313E	02300	1530-48	*02300	1531-64	02300	1532-59
	02400	1538-61	05003	1439-25		
7MINDA	02300	1526-23	*02400	1443-47	02400	1529-75
7MIND0V	02400	1435-48	02400	1516-21	*02400	1529-77
7MLCRAV	*02300	1529-60	02300	1540-20	02300	1540-26
7MLCR0	*02300	1526-27	02300	1529-62		
7MLDAA	*02400	1527-01	02400	1529-29		
7MLDA0V	*02400	1529-30	02400	1539-42	02400	1540-36
7MLDRA	*02500	1526-01	02500	1529-55		
7MLDR0V	*02500	1529-56	02500	1533-25	02500	1533-40
7MMANJQ	*02400	1435-56	02400	1443-49	02400	1539-07
7MMANKQ	*02400	1435-51	05002	1347-18		
7MMLCA	02300	1529-64	*02300	1534-35		
7MMLC0V	*02300	1529-66	02400	1527-04	02500	1526-04
7MRCA1C	02500	1533-14	*02500	1537-51		
7MRCA2C	02500	1533-18	*02500	1537-54		
7MRCB1C	02500	1533-19	*02500	1537-65		
7MRCB2C	02500	1533-20	*02500	1537-66		
7MRCC1C	02500	1533-22	*02500	1537-79		



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7MRCC2C	02500	1533-24	*02500	1537-78		
7MRCMA	02400	1539-31	*02500	1533-23		
7MRCMR	02400	1539-19	02400	1539-29	*02400	1540-33
7MRCMS	*02400	1539-33	02400	1540-29		
7MRETA	*02400	1534-59	04000	1419-60	04100	1418-52
	04100	1419-24				
7MRINAR	*28201	J024-26	28201	J084-26		
7MRINAV	*02400	1516-19	13101	1343-61	26802	1302-25
	26803	1302-25	28201	J024-25	28201	J084-25
7MRSA1C	02500	1533-30	*02500	1536-51		
7MRSA2C	02500	1533-31	*02500	1536-54		
7MRSB1C	02500	1533-34	*02500	1536-65		
7MRSB2C	02500	1533-36	*02500	1536-66		
7MRSC1C	02500	1533-37	*02500	1536-79		
7MRSC2C	02500	1533-38	*02500	1536-78		
7MRSTA	02500	1529-39	*02500	1533-35		
7MRST0V	02400	1526-10	*02500	1529-42		
7MR45A	*02400	1527-06	02400	1529-33	02400	1539-25
7MR450V	*02400	1529-31	02400	1534-68		
7MSECA	*02400	1539-27	04000	1418-14	04000	1418-22
	04000	1422-64	04100	1421-42		
7MSENA	02400	1529-04	*02400	1539-09		
7MSENR	*02400	1539-21	02400	1540-17		
7MSENS	02400	1539-03	02400	1539-17	*02400	1540-21
7MSEN0V	*02400	1529-03	02400	1534-61	02400	1539-23
	05002	1347-15	05900	1123-07		
7MSRC0	*01501	1329-66	02300	1530-09	02300	1530-23
	02300	1531-09	02300	1531-23	02300	1531-37
	02300	1532-09	02300	1532-23	02300	1532-37
	02300	1540-05				
7MSRLA	02300	1539-26	*02300	1540-01		
7MSRLR	02300	1539-24	*02300	1540-22		
7MSRLS	02300	1534-38	*02300	1539-22	02300	1540-24
7MSSTA	02400	1435-46	*02400	1526-06	02400	1540-19
7MS033E	02300	1531-33	*02300	1532-24		
7MS040E	*02300	1531-35	02400	1527-10	04000	1418-36
	04100	1422-52				
7MS051E	*02300	1531-39	02400	1527-08	04000	1418-42
	04000	1422-47				
7MS073E	02300	1530-05	*02300	1531-38	02500	1536-47
7MS080E	*02300	1530-07	02300	1532-17	02500	1536-45
7MS091E	*02300	1530-11	02300	1532-15	02500	1536-43
7MS102E	*02300	1530-13	02300	1532-18	02500	1536-41
7MS113E	*02300	1530-10	02300	1532-20	02300	1532-33
	02500	1536-61				
7MS120E	02300	1531-31	*02300	1532-35	02500	1536-59

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7MS131E	02300	1531-29	*02300	1532-39	02500	1536-55
7MS142E	02300	1531-30	*02300	1532-42	02500	1536-53
7MS153E	02300	1531-05	02300	1531-34	*02300	1532-38
	02500	1536-75				
7MS160E	02300	1530-03	*02300	1531-07	02500	1536-73
7MS171E	02300	1530-01	*02300	1531-11	02500	1536-71
7MS182E	02300	1530-04	*02300	1531-13	02500	1536-69
7MS193E	02300	1530-06	02300	1530-19	*02300	1531-10
	02400	1537-10				
7MS200E	*02300	1530-21	02300	1532-31	02400	1537-08
7MS211E	*02300	1530-27	02300	1532-29	02400	1537-06
7MS222E	*02300	1530-25	02300	1532-30	02400	1537-04
7MS233E	*02300	1530-24	02300	1532-05	02300	1532-34
	02400	1537-21				
7MS240E	02300	1531-03	*02300	1532-07	02400	1537-19
7MS251E	02300	1531-01	*02300	1532-11	02400	1537-17
7MS262E	02300	1531-04	*02300	1532-13	02400	1537-15
7MS273E	02300	1531-06	02300	1531-19	*02300	1532-10
	02400	1537-35				
7MS280E	02300	1530-17	*02300	1531-21	02400	1537-33
7MS291E	02300	1530-15	*02300	1531-27	02400	1537-31
7MS302E	02300	1530-18	*02300	1531-25	02400	1537-29
7MS313E	02300	1530-20	*02300	1531-24	02300	1532-19
	02400	1538-75	05003	1439-23		
7MUDIIV	*02300	1529-63	02300	1534-40		
7MUNDA	*01501	1329-57	02300	1530-08	02300	1530-22
	02300	1530-36	02300	1530-50	02300	1531-08
	02300	1531-22	02300	1531-36	02300	1531-50
	02300	1531-62	02300	1531-74	02300	1532-08
	02300	1532-22	02300	1532-36	02300	1532-50
	02300	1532-62	02300	1532-74		
7PABCA	03900	1441-68	03900	1446-21	04800	1549-53
	05001	1350-04	*26502	A06-27	26502	J04-06
	26502	S19-07	26802	1403-71	30001	J047-06
	32102	J090-71				
7PAB0A	03900	1441-61	03900	1446-22	04000	1420-18
	04700	1443-22	05001	1351-04	*26502	A06-35
	26502	J04-10	26502	S19-03	26802	1403-67
	30001	J047-10	32102	J090-67		
7PAC0A	03900	1441-64	03900	1446-20	04000	1419-30
	04700	1443-25	04700	1445-53	05001	1350-03
	*26502	A06-31	26502	J04-08	26502	S19-05
	26802	1403-69	30001	J047-08	32102	J090-69
7PARSA	01900	1421-10	*26502	A04-35	26502	S20-4B
	26504	J04-14	26802	1403-26	30001	J047-14
	32101	J090-26				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7PARSB	*26502	A04-33	26502	S20-3B	26504	J04-13
7PAUTO	03700	1422-61	03700	1423-06	03700	1423-37
	04100	1421-24	05001	1348-20	26503	J04-38
	26503	S24-3B	26503	S24-4B	26802	1403-64
	30001	J047-38	*32102	J090-64		
7PA00A	01700	1426-71	01700	1432-53	03900	1441-10
	03900	1441-55	05001	1351-03	*26502	A06-23
	26502	J04-12	26502	S19-01	26802	1403-65
	30001	J047-12	32102	J090-65		
7PBACA	03900	1441-70	03900	1446-27	04800	1549-55
	05001	1350-06	*26502	A06-25	26502	J04-05
	26502	S19-08	26802	1403-72	30001	J047-05
	32102	J090-72				
7PBA0A	03900	1441-62	03900	1446-23	04000	1420-20
	04700	1443-24	05001	1351-06	*26502	A06-33
	26502	J04-09	26502	S19-04	26802	1403-68
	30001	J047-09	32102	J090-68		
7PBC0A	03900	1441-66	03900	1446-17	04000	1419-31
	04700	1443-26	04700	1445-55	05001	1350-01
	*26502	A06-29	26502	J04-07	26502	S19-06
	26802	1403-70	30001	J047-07	32102	J090-70
7PB00A	01700	1426-72	01700	1432-55	03900	1441-25
	03900	1441-60	05001	1351-01	*26502	A06-37
	26502	J04-11	26502	S19-02	26802	1403-66
	30001	J047-11	32102	J090-66		
7PB000	02000	1335-36	03300	1535-64	05003	1348-31
	05003	1440-30	05003	1446-76	26503	J04-59
	26503	S26A-01	26802	1403-20	30002	J047-59
	*32101	J090-20				
7PB010	02000	1335-29	03300	1535-62	05003	1348-29
	26503	J04-58	26503	S26A-02	26802	1403-21
	30002	J047-58	*32101	J090-21		
7PB020	02000	1335-33	05003	1348-30	26503	J04-57
	26503	S26A-04	26802	1403-22	30002	J047-57
	*32101	J090-22				
7PB030	02000	1332-40	02000	1332-68	02000	1334-48
	02000	1335-39	02000	1337-78	03300	1535-57
	05003	1341-73	05003	1348-34	05003	1446-75
	26503	J04-62	26503	S26B-01	26802	1403-23
	30002	J047-62	*32101	J090-23		
7PB040	02000	1332-31	02000	1332-52	02000	1332-60
	02000	1332-77	02000	1334-31	02000	1335-52
	03300	1535-76	05003	1349-43	10900	2421-10
	26503	J04-61	26503	S26B-02	26802	1403-24
	26802	2350-49	30002	J047-61	*32000	J085-49
	32101	J090-24				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7PB050	02000	1335-47	03300	1535-74	05003	1349-41
	26503	J04-60	26503	S26B-04	26802	1403-25
	30002	J047-60	*32000	J085-51	32101	J090-25
7PDMR0	04900	1330-35	05001	1351-34	26502	J04-16
	26502	S21-3B	*26502	S21-4B	26802	1403-27
	30001	J047-16	32101	J090-27		
7PMD00	03700	1424-54	05001	1349-15	26503	J04-71
	26503	S27C-01	26802	1403-52	30002	J047-71
	*32102	J090-52				
7PMD10	03700	1424-48	05001	1349-18	26503	J04-70
	26503	S27C-02	26802	1403-53	30002	J047-70
	*32102	J090-53				
7PMD20	03700	1424-41	05001	1349-20	26503	J04-69
	26503	S27C-04	26802	1403-54	30002	J047-69
	*32102	J090-54				
7PMD30	03700	1424-47	05001	1348-17	26503	J04-74
	26503	S27D-01	26802	1403-55	30002	J047-74
	*32102	J090-55				
7PMD40	03700	1424-68	05001	1348-15	26503	J04-73
	26503	S27D-02	26802	1403-56	30002	J047-73
	*32102	J090-56				
7PMD50	03700	1424-62	05001	1348-18	26503	J04-72
	26503	S27D-04	26802	1403-57	30002	J047-72
	*32102	J090-57				
7PMI00	03700	1424-08	05001	1349-06	26503	J04-77
	26503	S27E-01	26802	1403-46	30002	J047-77
	*32102	J090-46				
7PMI10	03700	1424-04	05001	1348-03	26503	J04-76
	26503	S27E-02	26802	1403-47	30002	J047-76
	*32102	J090-47				
7PMI20	03700	1424-03	05001	1348-01	26503	J04-75
	26503	S27E-04	26802	1403-48	30002	J047-75
	*32102	J090-48				
7PMI30	03700	1424-11	05001	1348-04	26503	J04-80
	26503	S27F-01	26802	1403-49	30002	J047-80
	*32102	J090-49				
7PMI40	03700	1424-24	05001	1348-06	26503	J04-79
	26503	S27F-02	26802	1403-50	30002	J047-79
	*32102	J090-50				
7PMI50	03700	1424-18	05001	1349-17	26503	J04-78
	26503	S27F-04	26802	1403-51	30002	J047-78
	*32102	J090-51				
7PMSC0	05102	1549-25	26602	J03-16	26602	S21B-3B
	*26602	S21B-4B	26802	1304-49	29201	J034-16
	31901	J082-49				
7PMSIG1	*26602	A09-39	26602	S21A-B	26602	S21A-C

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7PMSIG2	26602	S21A-D	26602	S21A-E	26602	S21A-2B
	*26602	A09-41	26602	S21B-B	26602	S21B-C
7PMSIG3	26602	S21B-1B	26602	S21B-D	26602	S21B-E
	*26602	A09-43				
7PMS00	26602	S21B-2B	05003	1349-46	26503	J04-65
	04100	1420-54				
7PMS10	26503	S27A-01	26802	1403-58	30002	J047-65
	*32102	J090-58	05003	1349-48	26503	J04-64
	04100	1420-48				
	26503	S27A-02	26802	1403-59	30002	J047-64
*32102	J090-59	05003	1348-43	26503	J04-63	
04100	1420-41					
7PMS20	26503	S27A-04	26802	1403-60	30002	J047-63
	*32102	J090-60	05003	1348-41	26503	J04-68
04100	1420-47					
7PMS30	26503	S27B-01	26802	1403-61	30002	J047-68
	*32102	J090-61	05003	1348-46	26503	J04-67
04100	1420-68					
7PMS40	26503	S27B-02	26802	1403-62	30002	J047-67
	*32102	J090-62	05003	1348-48	26503	J04-66
04100	1420-62					
7PMS50	26503	S27B-04	26802	1403-63	30002	J047-66
	*32102	J090-63	*26602	A07-19	26602	J03-15
05101	1548-08					
7PMTSA	26602	S21A-4B	26802	1304-47	29201	J034-15
	31901	J082-47	*26602	A07-17	26602	J03-14
05101	1549-10					
7PMTS0	26602	S21A-3B	26802	1304-48	29201	J034-14
	31901	J082-48	05001	1350-60	26503	J04-47
03700	1424-53					
7PND00	26503	S25C-01	26802	1403-34	30002	J047-47
	*32101	J090-34	05001	1351-71	26503	J04-46
03700	1424-59					
7PND10	26503	S25C-02	26802	1403-35	30002	J047-46
	*32101	J090-35	05001	1351-69	26503	J04-45
03700	1424-77					
7PND20	26503	S25C-04	26802	1403-36	30002	J047-45
	*32101	J090-36	05001	1351-70	26503	J04-50
03700	1424-71					
7PND30	26503	S25D-01	26802	1403-37	30002	J047-50
	*32101	J090-37	05001	1351-72	26503	J04-49
03700	1424-65					
7PND40	26503	S25D-02	26802	1403-38	30002	J047-49
	*32101	J090-38	05001	1350-71	26503	J04-48
03700	1424-76					
7PND50	26503	S25D-04	26802	1403-39	30002	J047-48

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7PNI00	*32101	J090-39				
	03700	1424-17	05001	1351-53	26503	J04-53
	26503	S25E-01	26802	1403-28	30002	J047-53
7PNI10	*32101	J090-28				
	03700	1424-23	05001	1351-57	26503	J04-52
	26503	S25E-02	26802	1403-29	30002	J047-52
7PNI20	*32101	J090-29				
	03700	1424-40	05001	1351-60	26503	J04-51
	26503	S25E-04	26802	1403-30	30002	J047-51
7PNI30	*32101	J090-30				
	03700	1424-34	05001	1350-55	26503	J04-56
	26503	S25F-01	26802	1403-31	30002	J047-56
7PNI40	*32101	J090-31				
	03700	1424-29	05001	1350-53	26503	J04-55
	26503	S25F-02	26802	1403-32	30002	J047-55
7PNI50	*32101	J090-32				
	03700	1424-35	05001	1350-57	26503	J04-54
	26503	S25F-04	26802	1403-33	30002	J047-54
7PNS00	*32101	J090-33				
	04100	1420-53	05001	1350-69	26503	J04-41
	26503	S25A-01	26802	1403-40	30002	J047-41
7PNS10	*32101	J090-40				
	04100	1420-59	05001	1350-70	26503	J04-40
	26503	S25A-02	26802	1403-41	30001	J047-40
7PNS20	*32101	J090-41				
	04100	1420-77	05001	1350-72	26503	J04-39
	26503	S25A-04	26802	1403-42	30001	J047-39
7PNS30	*32101	J090-42				
	04100	1420-71	05001	1349-03	26503	J04-44
	26503	S25B-01	26802	1403-43	30002	J047-44
7PNS40	*32101	J090-43				
	04100	1420-65	05001	1349-01	26503	J04-43
	26503	S25B-02	26802	1403-44	30002	J047-43
7PNS50	*32101	J090-44				
	04100	1420-76	05001	1349-04	26503	J04-42
	26503	S25B-04	26802	1403-45	30002	J047-42
7P0AZA	*32102	J090-45				
	*26502	A06-19	26502	J04-03	26502	S18-03
7P0DMA	30001	J047-03	32102	J090-76		
	*26502	A06-15	26502	J04-01	26502	S18-05
7P0RAA	30001	J047-01	32102	J090-75		
	*26502	A06-17	26502	J04-02	26502	S18-04
7P0RNA	30001	J047-02	32102	J090-74		
	*26502	A06-21	26502	J04-04	26502	S18-02
7PR000	30001	J047-04	32102	J090-73		
	05001	1350-31	05003	1440-18	05003	1446-79

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26502	J04-19	26502	S22A-01	26802	1403-08
	30001	J047-19	*32101	J090-08		
7PR010	02500	1535-22	05001	1350-29	26502	J04-18
	26502	S22A-02	26802	1403-09	30001	J047-18
	*32101	J090-09				
7PR020	02500	1535-20	05001	1350-30	26502	J04-17
	26502	S22A-04	26802	1403-10	30001	J047-17
	*32101	J090-10				
7PR030	02500	1535-18	05001	1350-34	05003	1440-29
	05003	1446-73	26502	J04-22	26502	S22B-01
	26802	1403-11	30001	J047-22	*32101	J090-11
7PR040	02500	1535-38	05001	1351-43	26502	J04-21
	26502	S22B-02	26802	1403-12	30001	J047-21
	*32101	J090-12				
7PR050	02500	1535-36	05001	1351-41	26502	J04-20
	26502	S22B-04	26802	1403-13	30001	J047-20
	*32101	J090-13				
7PR060	02500	1535-34	05001	1351-46	05003	1440-35
	05003	1446-69	26502	J04-25	26502	S22C-01
	26802	1403-14	30001	J047-25	*32101	J090-14
7PR070	02500	1535-30	05001	1351-48	26502	J04-24
	26502	S22C-02	26802	1403-15	30001	J047-24
	*32101	J090-15				
7PR080	02500	1535-52	05001	1350-43	26502	J04-23
	26502	S22C-04	26802	1403-16	30001	J047-23
	*32101	J090-16				
7PR090	02500	1535-50	05001	1350-41	05003	1440-38
	05003	1446-74	26502	J04-28	26502	S22D-01
	26802	1403-17	30001	J047-28	*32101	J090-17
7PR100	02500	1535-48	05001	1350-46	26502	J04-27
	26502	S22D-02	26802	1403-18	30001	J047-27
	*32101	J090-18				
7PR110	02500	1535-46	05001	1350-48	26502	J04-26
	26502	S22D-04	26802	1403-19	30001	J047-26
	*32101	J090-19				
7PS11A	03500	1441-75	05001	1351-31	*26502	A06-05
	26502	J03-72	26502	S17-05	26802	1403-05
	29900	J046-72	32101	J090-05		
7PS12A	03500	1433-05	05001	1350-20	*26502	A06-07
	26502	J03-73	26502	S17-04	26802	1403-04
	29900	J046-73	32101	J090-04		
7PS13A	03500	1433-04	05001	1350-18	*26502	A06-09
	26502	J03-74	26502	S17-03	26802	1403-03
	29900	J046-74	32101	J090-03		
7PS14A	03500	1433-06	05001	1350-15	*26502	A06-11
	26502	J03-75	26502	S17-02	26802	1403-02

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7PS15A	29900	J046-75	32101	J090-02		
	03500	1433-11	05001	1350-17	*26502	A06-13
	26502	J03-76	26502	S17-01	26802	1403-01
7PS22A	29900	J046-76	32101	J090-01		
	03500	1431-76	05001	1351-29	*26502	A06-03
	26502	J03-71	26502	S17-06	26802	1403-06
7PS33A	29900	J046-71	32101	J090-06		
	03500	1431-78	03500	1441-77	05001	1351-30
	*26502	A06-01	26502	J03-70	26502	S17-07
7P0AZA	26802	1403-07	29900	J046-70	32101	J090-07
	04700	1443-37	05001	1351-15	*26802	1403-76
	04700	1443-19	04700	1443-40	04700	1446-51
7P0DMA	05001	1351-20	*26802	1403-75		
	04700	1443-18	04700	1443-38	05001	1351-18
	*26802	1403-74				
7P0RAA	04700	1443-14	05001	1351-17	*26802	1403-73
	30401	J053-10	*30401	J102-10		
	03700	1423-24	03700	1423-52	03900	1444-04
7RCC0AR	03900	1445-23	*03900	1446-40	03900	1547-21
	04300	1515-10	04800	1546-77	26802	1503-09
	30401	J053-09	50401	J102-09		
7RCC0AV	03700	1423-04	03700	1423-31	03900	1444-03
	03900	1445-40	03900	1545-43	03900	1545-61
	*03900	1547-19	04800	1546-49	04800	1546-71
7RCC03E	03900	1446-38	04000	1418-10	04000	1418-25
	*04300	1410-64	04300	1515-07		
	04300	1515-24	04800	1446-04	04800	1546-52
7RCC1AV	*04800	1547-30				
	03900	1545-48	03900	1545-68	04000	1418-05
	04000	1418-19	*04800	1446-03		
7RCC13E	*04300	1410-76	04300	1515-21	04700	1444-11
	04800	1546-72	04800	1546-75	04800	1547-29
	04800	1544-36	*04800	1547-60		
7RCF0AV	*04300	1410-68	04800	1544-04	04800	1544-62
	04800	1547-62				
	04800	1544-05	*04800	1547-54		
7RCF1AV	*04300	1410-80	04700	1444-18	04800	1544-34
	04800	1544-64	04800	1547-52		
	*04300	1418-59				
7RCLB0	*04300	1418-57				
	04300	1411-66	04300	1411-78	04300	1412-66
	04300	1412-78	*04300	1418-57	*04300	1418-59
7RCLCB	04300	1445-73	04300	1445-79	04600	1411-40
	04600	1411-54	04600	1412-40	04600	1412-54
	04600	1414-40	04600	1414-54	04600	1414-66
	04600	1414-78	04600	1415-40	04600	1415-54
	04600					



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7RCLDB	04600	1415-66	04600	1415-78		
	04300	1411-62	04300	1411-74	04300	1412-62
	04300	1412-74	*04300	1445-72	*04300	1445-75
	04600	1411-36	04600	1411-50	04600	1412-36
	04600	1412-50	04600	1414-36	04600	1414-50
	04600	1414-62	04600	1414-74	04600	1415-36
	04600	1415-50	04600	1415-62	04600	1415-74
	7RCLEA	*04300	1445-75			
7RCLFA	*04300	1445-72				
7RCP0AV	04800	1544-42	*04800	1547-63		
7RCP0JQ	*04300	1515-13	04800	1544-08	04800	1544-68
	04800	1547-61				
7RCP1AV	04800	1544-10	*04800	1547-42		
7RCP1JQ	*04300	1515-25	04700	1444-24	04800	1544-40
	04800	1544-70	04800	1547-39		
7RFC0AV	04800	1544-37	*04800	1547-57		
7RFC01E	*04400	1407-65	04800	1544-11	04800	1544-59
	04800	1547-59				
7RFC1AV	04800	1544-13	*04800	1547-48		
7RFC11E	*04400	1407-79	04700	1444-23	04800	1544-35
	04800	1544-61	04800	1547-50		
7RFF0AV	04800	1544-50	*04800	1547-80		
7RFF00E	*04400	1407-61	04800	1544-18	04800	1544-71
	04800	1547-79				
7RFF1AV	04800	1544-20	*04800	1547-43		
7RFF10E	*04400	1407-75	04700	1444-34	04800	1544-48
	04800	1544-73	04800	1547-45		
7RFLCA	04400	1408-62	04400	1408-74	04400	1409-62
	04400	1409-74	*04400	1431-69		
7RFLC0	04400	1408-66	04400	1408-78	04400	1409-66
	04400	1409-78	04400	1431-65	*04400	1432-75
7RFP0AV	04800	1544-49	*04800	1547-70		
7RFP02E	*04400	1407-68	04800	1544-23	04800	1544-76
	04800	1547-69				
7RFP03E	04400	1407-64				
7RFP1AV	04800	1544-25	*04800	1547-66		
7RFP12E	*04400	1407-80	04700	1444-35	04800	1544-47
	04800	1544-78	04800	1547-64		
7RFP13E	04400	1407-76				
7RF063E	04400	1407-59	*04400	1408-64	04400	1409-73
7RF073E	04400	1407-73	*04400	1408-76	04500	1409-33
	05003	1439-21				
7RF142E	04400	1408-68				
7RF152E	04400	1408-80				
7RF221E	04400	1408-65				
7RF231E	04400	1408-79				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7RF300E	04400	1408-61				
7RF310E	04400	1408-75				
7RF383E	04400	1408-59	*04400	1409-64		
7RF393E	04400	1408-73	*04400	1409-76		
7RF462E	04400	1409-68				
7RF472E	04400	1409-80				
7RF541E	04400	1409-65				
7RF551E	04400	1409-79				
7RF620E	04400	1409-61				
7RF630E	04400	1409-75				
7RPC0AV	04800	1544-31	*04800	1547-56		
7RPC02E	*04500	1407-42	04800	1544-03	04800	1544-53
	04800	1547-55				
7RPC1AV	04800	1544-07	*04800	1547-49		
7RPC12E	*04500	1407-56	04700	1444-17	04800	1544-29
	04800	1544-55	04800	1547-47		
7RPF0AV	04800	1544-56	*04800	1547-68		
7RPF01E	*04500	1407-39	04800	1544-24	04800	1544-77
	04800	1547-65				
7RPF1AV	04800	1544-26	*04800	1547-46		
7RPF11E	*04500	1407-51	04700	1444-40	04800	1544-54
	04800	1544-79	04800	1547-41		
7RPLCA	04500	1408-36	04500	1408-50	04500	1409-36
	04500	1409-50	*04500	1431-27		
7RPLC0	04500	1408-40	04500	1408-54	04500	1409-40
	04500	1409-54	04500	1431-23	*04500	1432-27
7RPP0AV	04800	1544-43	*04800	1547-71		
7RPP03E	*04500	1407-38	04800	1544-17	04800	1544-65
	04800	1547-73				
7RPP1AV	04800	1544-19	*04800	1547-53		
7RPP13E	*04500	1407-52	04700	1444-29	04800	1544-41
	04800	1544-74	04800	1547-51		
7RP063E	04500	1407-33	*04500	1408-38	04500	1409-45
7RP073E	04400	1409-59	04500	1407-45	*04500	1408-52
7RP383E	04500	1408-33	*04500	1409-38		
7RP393E	04500	1408-45	*04500	1409-52		
7RRB03E	03700	1522-13	04100	1417-30	*04600	1413-38
7RRB13E	03700	1522-18	04100	1417-31	*04600	1413-52
7RRB23E	03700	1522-07	04100	1417-34	*04600	1413-64
7RRB33E	03700	1522-03	04100	1417-36	*04600	1413-76
7RRB43E	03700	1523-31	04100	1417-37	*04600	1410-38
7RRB53E	03700	1523-34	04100	1417-38	*04600	1410-52
7RR003E	04600	1413-33	*04600	1414-38	04600	1415-45
	05102	1439-35				
7RR013E	04600	1413-45	*04600	1414-52	04600	1415-59
	05102	1439-37				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7RR023E	04600	1413-59	*04600	1414-64	04600	1415-73
	05102	1439-39				
7RR033E	04600	1413-73	*04600	1414-76	04600	1415-33
	05003	1439-17	05102	1439-41		
7RR043E	04600	1410-33	*04600	1411-38	04600	1412-45
	05102	1439-43				
7RR053E	04300	1412-59	04600	1410-45	*04600	1411-52
	05102	1439-45				
7RR063E	04300	1410-59	*04300	1411-64	04300	1412-73
	05102	1439-47				
7RR073E	04300	1410-73	*04300	1411-76	04600	1412-33
	05003	1439-19	05102	1439-50		
7RR323E	04600	1414-33	*04600	1415-38		
7RR333E	04600	1414-45	*04600	1415-52		
7RR343E	04600	1414-59	*04600	1415-64		
7RR353E	04600	1414-73	*04600	1415-76		
7RR363E	04600	1411-33	*04600	1412-38		
7RR373E	04600	1411-45	*04600	1412-52		
7RR383E	04300	1411-59	*04300	1412-64		
7RR393E	04300	1411-73	*04300	1412-76		
7R0M000B	03600	1503-13	*03600	1517-59	03700	1431-62
	26802	1503-13	30401	J053-13	30401	J102-13
7R0M000R	30401	J053-14	*30401	J102-14		
7R0M040B	03600	1503-29	*03600	1517-13	03700	1421-34
	26802	1503-29	30401	J053-29	30401	J102--29
7R0M040R	30401	J053-30	*30401	J102-30		
7R0M101B	03600	1503-15	*03600	1517-57	03700	1431-53
	26802	1503-15	30401	J053-15	30401	J102-15
7R0M101R	30401	J053-16	*30401	J102-16		
7R0M141B	03600	1503-31	*03600	1517-11	03700	1421-29
	26802	1503-31	30401	J053-31	30401	J102-31
7R0M141R	30401	J053-32	*30401	J102-32		
7R0M202B	03600	1503-17	*03600	1517-56	03700	1431-59
	26802	1503-17	30401	J053-17	30401	J102-17
7R0M202R	30401	J053-18	*30401	J102-18		
7R0M242B	03600	1503-33	*03600	1517-15	03700	1421-35
	26802	1503-33	30401	J053-33	30401	J102-33
7R0M242R	30401	J053-34	*30401	J102-34		
7R0M303B	03600	1503-19	*03600	1517-55	03700	1431-77
	26802	1503-19	30401	J053-19	30401	J102-19
7R0M303R	30401	J053-20	*30401	J102-20		
7R0M343B	03600	1503-35	*03600	1517-14	03700	1420-34
	26802	1503-35	30401	J053-35	30401	J102-35
7R0M343R	30401	J053-36	*30401	J102-36		
7R0M404B	03600	1503-21	*03600	1517-65	03700	1431-71
	26802	1503-21	30401	J053-21	30401	J102-21

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7R0M404R	30401	J053-22	*30401	J102-22		
7R0M444B	03600	1503-37	*03600	1517-22	03700	1420-29
	26802	1503-37	30401	J053-37	30401	J102-37
7R0M444R	30401	J053-38	*30401	J102-38		
7R0M505B	03600	1503-23	*03600	1517-66	03700	1432-71
	26802	1503-23	30401	J053-23	30401	J102-23
7R0M505R	30401	J053-24	*30401	J102-24		
7R0M545B	03600	1503-39	*03600	1517-19	03700	1420-35
	26802	1503-39	30401	J053-39	30401	J102-39
7R0M545R	30401	J053-40	*30401	J102-40		
7R0M606B	03600	1503-25	*03600	1517-68	26802	1503-25
	30401	J053-25	30401	J102-25		
7R0M606R	30401	J053-26	*30401	J102-26		
7R0M646B	03600	1503-41	*03600	1517-21	26802	1503-41
	30401	J053-41	30401	J102-41		
7R0M646R	30401	J053-42	*30401	J102-42		
7R0M707B	03600	1503-27	*03600	1517-69	26802	1503-27
	30401	J053-27	30401	J102-27		
7R0M707R	30401	J053-28	*30401	J102-28		
7R0M747B	03600	1503-43	*03600	1517-20	26802	1503-43
	30401	J053-43	30401	J102-43		
7R0M747R	30401	J053-44	*30401	J102-44		
7SAMP0	*03500	1430-33	03700	1423-07	03700	1423-10
	03700	1423-26	03700	1423-36	03700	1423-40
	03700	1423-56	03900	1436-55	03900	1436-61
	03900	1444-74	05002	1349-57		
7SAM2A	03500	1430-31	*03500	1444-60		
7SAM4A	03500	1430-30	*03500	1444-66		
7SAM7A	03500	1430-34	*03500	1444-57		
7SBC1A	03400	1341-08	*03400	1342-06		
7SBC2A	*03400	1333-11	03400	1341-10		
7SBWC0	*03400	1341-06	03400	1447-06	03400	1448-06
7SBWRA	01501	1432-68	*03400	1341-09	03400	1342-26
7SBW1KQ	03400	1339-05	03400	1339-14	*03400	1340-11
7SBW2A	03500	1433-09	*03500	1436-33		
7SBW2JQ	*03400	1339-13	03400	1340-07	03400	1340-10
7SBW2KQ	03400	1333-05	*03400	1339-11	03400	1341-07
	03400	1426-05				
7SBW20V	*03500	1433-07	03500	1444-62		
7SBW21C	*03400	1343-39	03500	1436-30		
7SBW22C	*03400	1343-40	03500	1436-31		
7SBW4A	03500	1433-20	*03500	1436-35		
7SBW40V	*03500	1433-18	03500	1444-68		
7SBW41C	*03400	1343-11	03500	1436-37		
7SBW42C	*03400	1343-14	03500	1436-38		
7SBW7A	03500	1433-15	*03500	1436-47		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7SBW70V	*03500	1433-10	03500	1444-53		
7SBW71C	*03500	1344-51	03500	1436-49		
7SBW72C	*03500	1344-54	03500	1436-52		
7SBY21C	*03400	1343-51	03500	1436-34		
7SBY22C	*03400	1343-54	03500	1436-36		
7SBY41C	*03400	1343-27	03500	1436-40		
7SBY42C	*03400	1343-26	03500	1436-42		
7SBY71C	*03500	1344-65	03500	1436-54		
7SBY72C	*03500	1344-66	03500	1436-56		
7SB332N	*03400	1338-11	03500	1344-55		
7SB333N	*03400	1338-05	03500	1344-59		
7SB334N	*03400	1338-06	03500	1344-61		
7SB335N	03400	1337-10	*03400	1338-08		
7SB341N	*03400	1337-17	03500	1344-41		
7SB342N	*03400	1337-11	03500	1344-43		
7SB343N	*03400	1337-05	03500	1344-45		
7SB344N	*03400	1337-06	03500	1344-47		
7SCAN0	03500	1432-65	*03500	1441-76	03500	1444-64
7SFLT0	01501	1341-79	*01502	1334-23		
7SFL11N	*01502	1338-30	01502	1440-03		
7SFL22N	*01502	1338-29	01502	1440-09		
7SFL33N	*01502	1338-21	01502	1440-14		
7SFL44N	*01502	1338-22	01502	1440-06		
7SFL45N	01502	1337-26	*01502	1338-24		
7SFL51N	*01502	1337-30	01502	1440-17		
7SFL62N	*01502	1337-29	01502	1440-23		
7SFL73N	*01502	1337-21	01502	1440-26		
7SFL8AV	*01502	1336-03	01502	1338-42	01502	1440-01
	01502	1440-04	01502	1440-07	01502	1440-10
	01502	1440-15	01502	1440-21	01502	1440-24
7SFL84N	01502	1336-04	*01502	1337-22		
7SHBCA	*03400	1333-09	03400	1340-18	03400	1341-37
	03400	1341-42	03400	1341-43	03400	1342-25
	03400	1342-31	03400	1342-50	03400	1342-70
7SHBLJQ	*03400	1340-25	03400	1341-25	03400	1341-31
	03400	1341-50	03400	1342-19	03400	1342-36
	03400	1342-49	03400	1342-56		
7SHBR0	03400	1341-20	*03400	1426-09		
7SHB1A	03400	1341-17	*03400	1342-21		
7SHB1JQ	03400	1342-17	03400	1343-17	03400	1343-48
	*03400	1447-13	03400	1448-05	03400	1448-14
	03500	1344-60	05101	1442-01		
7SHB1KQ	01502	1338-27	*03400	1447-11	05101	1345-55
	05102	1439-46				
7SHB1R	03400	1341-19	*03400	1342-27		
7SHB1S	01502	1336-29	01502	1338-31	*03400	1341-21

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	03400	1342-23				
7SHB2A	*03400	1341-27	03400	1342-40		
7SHB2JQ	03400	1340-34	03400	1341-23	03400	1343-19
	03400	1343-47	03400	1447-20	*03400	1448-13
	03500	1344-62	05101	1442-04		
7SHB2KQ	01502	1338-33	*03400	1448-11	05101	1345-53
	05102	1439-42				
7SHB2R	*03400	1341-38	03400	1342-42		
7SHB2S	01502	1336-33	01502	1338-34	03400	1338-18
	03400	1341-40	*03400	1342-38	03400	1343-43
7SHB3A	03400	1341-34	*03400	1342-30		
7SHB3JQ	03400	1340-33	03400	1340-40	03400	1342-34
	03400	1343-21	03400	1343-29	*03400	1447-25
	03500	1344-64	05101	1442-05		
7SHB3KQ	01502	1338-25	*03400	1447-27	05101	1345-57
	05102	1439-40				
7SHB3R	03400	1336-09	03400	1341-36	*03400	1342-33
7SHB3S	01502	1336-39	01502	1338-23	03400	1338-15
	*03400	1341-30	03400	1342-29	03400	1343-20
	03400	1343-52				
7SHB30V	*03400	1336-07	03400	1338-07		
7SHB4A	*03400	1341-33	03400	1342-35		
7SHB4JQ	*03400	1340-42	03400	1341-29	03400	1343-01
	03400	1343-31	03400	1447-34	03400	1448-34
	03500	1344-46	05101	1345-60	05101	1442-06
7SHB4KQ	01502	1338-20	*03400	1340-39		
7SHB4R	03400	1336-15	*03400	1341-39	03400	1342-37
7SHB4S	01502	1336-52	01502	1338-19	03400	1338-09
	03400	1341-35	*03400	1342-39	03400	1343-22
	03400	1343-30				
7SHB40V	*03400	1336-10	03400	1338-03		
7SHB5A	03400	1341-54	*03400	1342-52		
7SHB5JQ	03400	1342-54	03400	1343-03	03400	1343-33
	*03400	1447-42	03400	1448-33	03400	1448-40
	03500	1344-48	05101	1346-71	05101	1442-07
7SHB5KQ	01502	1337-27	*03400	1447-39		
7SHB5R	03400	1341-56	*03400	1342-46		
7SHB5S	01502	1336-47	01502	1337-31	03400	1337-13
	03400	1338-04	*03400	1341-52	03400	1342-48
	03400	1343-24	03400	1343-34		
7SHB6A	*03400	1341-46	03400	1342-41		
7SHB6JQ	03400	1341-48	03400	1343-05	03400	1343-35
	03400	1447-48	*03400	1448-42	03500	1344-50
	05101	1346-69	05101	1442-08		
7SHB6KQ	01502	1337-33	*03400	1448-39		
7SHB6R	03400	1336-22	*03400	1341-45	03400	1342-43

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7SHB6S	01502	1336-50	01502	1337-34	03400	1337-15
	03400	1341-41	*03400	1342-45	03400	1343-04
	03400	1343-36				
7SHB60V	*03400	1336-24	03400	1337-14		
7SHB7A	03400	1341-47	*03400	1342-51		
7SHB7JQ	03400	1342-47	03400	1343-07	03400	1343-50
	*03400	1447-56	03500	1344-52		
7SHB7KQ	01502	1337-25	*03400	1447-51		
7SHB7R	03400	1336-23	03400	1341-49	*03400	1342-66
7SHB7S	01502	1336-41	01502	1337-23	03400	1337-07
	*03400	1341-51	03400	1342-68	03400	1343-06
	03400	1343-38				
7SHB70V	*03400	1336-25	03400	1337-18		
7SHCCAV	*03400	1336-01	03400	1339-04		
7SHCC0	03400	1336-05	*03400	1341-14		
7SHD1A	26503	A01-06	26503	J04-35	*30001	J047-35
	31902	J082-60				
7SHD1AV	*01502	1336-30	05002	1346-04	26802	1304-60
7SHD2A	26503	A01-07	26503	J04-34	*30001	J047-34
	31902	J082-61				
7SHD2AV	*01502	1336-31	05002	1346-01	26802	1304-61
7SHD3A	26503	A01-08	26503	J04-33	*30001	J047-33
	31902	J082-62				
7SHD3AV	*01502	1336-42	05002	1346-03	26802	1304-62
7SHD4A	26503	A01-14	26503	J04-32	*30001	J047-32
	31902	J082-63				
7SHD4AV	*01502	1336-54	05002	1347-06	26802	1304-63
7SHD5A	26503	A01-15	26503	J04-31	*30001	J047-31
	31902	J082-64				
7SHD5AV	*01502	1336-49	05002	1347-04	26802	1304-64
7SHD6A	26503	A01-16	26503	J04-30	*30001	J047-30
	31902	J082-65				
7SHD6AV	*01502	1336-48	05002	1347-01	26802	1304-65
7SHD7A	26503	A01-22	26503	J04-29	*30001	J047-29
	31902	J082-66				
7SHD7AV	*01502	1336-46	05002	1347-03	26802	1304-66
7SHFAA	*01501	1342-75				
7SHFBA	*01501	1342-72				
7SHFCA	*01501	1342-69				
7SHFDA	*01501	1342-80				
7SHFEAR	*28202	J024-46	28202	J084-46		
7SHFEAV	13500	1345-26	26803	1302-45	*28202	J024-45
	28202	J084-45				
7SHFTA	*01501	1341-75	01501	1444-76		
7SHFTB	*01501	1342-69	*01501	1342-72	*01501	1342-75
	*01501	1342-80	26502	A05-25	26502	XDS02-A

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26502	XDS02-B	26502	XDS02-C	26502	XDS02-D
	26504	J04-15	26802	1304-59	30001	J047-15
	31902	J082-59				
7SHFTR	01501	1444-78	*01501	1445-69		
7SHFTS	01501	1336-45	01501	1342-65	01501	1342-71
	01501	1342-76	01501	1342-77	01501	1345-45
	*01501	1444-80	01501	1445-65	05002	1346-06
7SHFT0	01501	1341-77	*01501	1432-66		
7SHF1ER	01502	1338-48	*01502	1440-05		
7SHF2ER	01502	1338-47	*01502	1440-11		
7SHF3A	01502	1334-14	*01502	1436-21		
7SHF3ER	01502	1338-39	*01502	1440-13		
7SHF33N	*01502	1338-37	01502	1436-19		
7SHF4AV	01502	1334-18	*01502	1336-19		
7SHF4ER	01502	1338-35	*01502	1440-08		
7SHF44N	01502	1336-21	*01502	1338-38		
7SHF45N	01502	1337-42	*01502	1338-40		
7SHF5AV	01502	1334-19	*01502	1336-26		
7SHF5ER	01502	1337-48	*01502	1440-19		
7SHF51N	01502	1336-27	*01502	1337-50		
7SHF6AV	01502	1334-20	*01502	1336-40		
7SHF6ER	01502	1337-47	*01502	1440-27		
7SHF62N	01502	1336-38	*01502	1337-43		
7SHF7AV	01502	1334-22	*01502	1336-37		
7SHF7ER	01502	1337-39	*01502	1440-25		
7SHF73N	01502	1336-35	*01502	1337-37		
7SHGDA	*01501	1445-14	26802	1302-45		
7SHGD0E	*01501	1345-47	01501	1445-18		
7SHGD0V	01501	1445-20	*01501	1446-31		
7SHGD1E	*01501	1345-51	01501	1446-33		
7SHRSAV	*01501	1336-14	03400	1340-04	03400	1341-18
	03400	1341-24				
7SHRS0	*01501	1329-09	01501	1336-17		
7SNBWR	03400	1333-01	03400	1341-26	*03400	1342-22
	03400	1426-01				
7SNBWS	03400	1340-05	03400	1340-14	*03400	1341-22
	03400	1342-24				
7SSCRA	*03500	1432-69	03500	1434-03	03500	1435-03
	03500	1435-17				
7SSC1JQ	03500	1434-05	03500	1434-14	*03500	1435-13
	03500	1443-61	03500	1443-75		
7SSC1KQ	*03500	1435-11	03500	1443-55	03500	1443-71
7SSC2JQ	*03500	1434-13	03500	1435-20	03500	1443-72
	03500	1443-77				
7SSC2KQ	*03500	1434-11	03500	1443-60	03500	1443-66
7SSC3JQ	*03500	1435-25	03500	1443-62	03500	1443-68



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7SSC3KQ	*03500	1435-27	03500	1443-73	03500	1443-78
7SS12A	03500	1441-74	*03500	1443-69		
7SS120V	*03500	1433-01	03500	1443-74		
7SS13A	03500	1441-73	*03500	1443-76		
7SS130V	*03500	1433-03	03500	1443-79		
7SS14A	03500	1441-72	*03500	1443-57		
7SS140V	*03500	1433-08	03500	1443-64		
7SS15A	03500	1441-71	*03500	1443-59		
7SS150V	*03500	1433-13	03500	1443-70		
7SS230	*03500	1431-80	03500	1444-55	03500	1444-70
7SVDA	*03900	1436-59	03900	1444-59		
7SVDBA	*03900	1436-57	03900	1444-61		
7SVD0AV	03700	1423-34	03700	1423-38	03700	1423-54
	03700	1522-10	03700	1523-23	*03900	1433-25
	04000	1419-40				
7SVD0JQ	03700	1423-05	03700	1423-08	03700	1423-25
	*03900	1434-25	04000	1419-18		
7SVD0KQ	*03900	1434-27	03900	1444-65		
7SVD00	03900	1433-23	*03900	1444-69		
7SVIDAV	*03900	1433-24	03900	1434-18		
7SVID0	03900	1433-22	*03900	1444-63		
7S2001	*26502	A05-23	26502	S20-B	26502	S20-C
	26502	S20-D	26502	S20-E	26502	S20-2B
7S2101	*26502	A05-27	26502	S21-B	26502	S21-C
	26502	S21-1B				
7S2102	*26502	A05-29	26502	S21-D	26502	S21-E
	26502	S21-2B				
7S2401	*26503	A05-33	26503	S24-B	26503	S24-C
	26503	S24-1B				
7S2402	*26503	A05-35	26503	S24-D	26503	S24-E
	26503	S24-2B				
7TABC0V	*03900	1446-19	03900	1543-53	03900	1543-59
	03900	1543-71	03900	1543-77		
7TAB00V	*03900	1446-24	03900	1543-29	03900	1543-34
7TAC00	04700	1444-50	*04700	1445-57		
7TAC00V	*03900	1446-18	03900	1543-41	03900	1543-48
7TAZIO	04700	1436-04	*04700	1443-35	04800	1546-66
7TAOKAV	04700	1445-64	*04700	1446-43		
7TAOKR	*04700	1444-52	04700	1445-62		
7TAOKS	04700	1436-05	04700	1436-26	04700	1444-54
	*04700	1445-60	04800	1546-60	04800	1546-61
7TAOK0	*04700	1445-66	04700	1446-45		
7TA01A	*04800	1543-01	04800	1545-08		
7TA010	04800	1543-04	*04800	1549-75		
7TA02A	*04700	1436-09	04700	1446-61		
7TA020V	04700	1444-19	04700	1444-25	*04700	1446-63

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7TA03A	*04800	1546-59	04800	1547-76		
7TA030V	04800	1543-05	04800	1543-25	04800	1543-26
	*04800	1547-78				
7TA10A	*04800	1543-22	04800	1545-04		
7TA100	04800	1543-24	*04800	1549-80		
7TA11A	*04800	1543-27	04800	1545-24		
7TA110	04800	1543-23	*04800	1548-80		
7TBAC0V	03900	1445-04	03900	1445-08	*03900	1446-26
	03900	1543-65	03900	1543-76		
7TBA00V	*03900	1446-25	03900	1543-35	03900	1543-54
7TBC00V	*03900	1446-14	03900	1543-47	03900	1543-62
7TCB00	*03700	1425-11	03700	1522-14		
7TCB10	*03700	1425-23	03700	1522-15		
7TCB20	*03700	1425-35	03700	1522-09		
7TCB30	*03700	1425-47	03700	1522-04		
7TCB40	*03700	1425-59	03700	1523-27		
7TCB50	*03700	1425-76	03700	1523-33		
7TC01A	04800	1545-13	*04800	1546-47		
7TC10A	04800	1545-07	*04800	1546-76		
7TC11A	04800	1545-26	*04800	1546-69		
7TDMN0V	04700	1436-24	*04700	1446-53	04800	1546-62
7TD01A	*04800	1543-09	04800	1545-10		
7TD010	04800	1543-03	*04800	1545-35		
7TD02A	*04700	1436-23	04700	1446-62		
7TD020V	04700	1444-31	04700	1444-36	04700	1444-37
	04700	1444-42	*04700	1446-60		
7TD03A	*04800	1546-57	04800	1547-75		
7TD030V	04800	1543-07	04800	1543-20	04800	1543-42
	*04800	1547-77				
7TD10A	*04800	1543-14	04800	1545-05		
7TD100	04800	1543-18	*04800	1545-33		
7TD11A	*04800	1543-38	04800	1545-25		
7TD110	04800	1543-40	*04800	1545-47		
7TD6RA	04900	1444-49	*04900	1445-22		
7TD63A	*04100	1417-35	04100	1421-40	04100	1422-51
	04900	1445-11	04900	1445-24		
7TD63R	04900	1329-31	04900	1329-37	04900	1332-73
	*04900	1444-51	04900	1445-13		
7TD63S	04900	1329-36	04900	1330-36	04900	1333-73
	04900	1444-47	*04900	1445-15		
7TD630V	02400	1534-66	04000	1418-18	04000	1418-24
	*04100	1422-53				
7TE63A	04000	1419-55	04100	1416-07	04100	1416-22
	04100	1416-37	04100	1416-50	04100	1416-64
	04100	1416-75	*04100	1418-47		
7TFMPAV	04000	1418-04	04000	1418-08	*04000	1422-43

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	04000	1423-72	04000	1423-77		
7TFMP0	*04000	1419-57	04000	1422-45		
7THCEA	*04100	1421-22	04100	1422-36		
7THCE0V	04100	1421-55	04100	1421-61	04100	1421-73
	04100	1421-74	04100	1421-78	04100	1421-79
	*04100	1422-34				
7THC0A	04100	1416-05	*04100	1421-57		
7THC1A	04100	1416-19	*04100	1421-63		
7THC2A	04100	1416-34	*04100	1421-75		
7THC3A	04100	1416-48	*04100	1421-72		
7THC4A	04100	1416-61	*04100	1421-69		
7THC5A	04100	1416-73	*04100	1421-80		
7TINIAV	04100	1421-43	04100	1421-49	04100	1421-50
	04100	1421-56	04100	1421-64	04100	1421-70
	*04100	1422-30				
7TINIO	*04100	1419-23	04100	1421-26	04100	1422-29
	04100	1423-48	04100	1423-68		
7TLSBA	04000	1419-70	*04000	1423-76		
7TLS2A	*04700	1444-46	04900	1443-06	05002	1347-20
7TL630	04100	1418-49	*04100	1421-38		
7TMAN0V	*03700	1422-63	03700	1423-01	03700	1423-22
	03700	1423-30	03700	1423-49	04100	1423-43
	04100	1423-61				
7TMB0A	04700	1442-43	*04700	1444-15		
7TMB1A	04700	1442-46	*04700	1444-22		
7TMB2A	04700	1442-48	*04700	1444-14		
7TMB3A	04700	1442-49	*04700	1444-21		
7TMB4A	04700	1442-50	*04700	1444-27		
7TMB5A	04700	1443-30	*04700	1444-38		
7TMB6A	04700	1443-31	*04700	1444-30		
7TMB7A	04700	1443-34	*04700	1444-33		
7TMB8A	04700	1443-36	*04700	1444-39		
7TMB9AV	04700	1442-52	*04700	1446-57		
7TMB90	*04700	1443-33	04700	1446-59		
7TMCLA	*04000	1418-23	04000	1419-66		
7TMCMA	04000	1417-46	*04000	1418-21		
7TMDEA	03700	1422-23	*03700	1423-33		
7TMDE0V	*03700	1422-25	03700	1424-43	03700	1424-49
	03700	1424-50	03700	1424-56	03700	1424-64
	03700	1424-70				
7TMD0A	*03700	1424-52	03700	1425-07		
7TMD1A	*03700	1424-46	03700	1425-22		
7TMD2A	*03700	1424-45	03700	1425-37		
7TMD20	04700	1436-01	04700	1436-08	04700	1436-22
	*04700	1443-23	04700	1444-13		
7TMD3A	*03700	1424-51	03700	1425-50		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7TMD30	04800	1546-48	04800	1546-54	04800	1546-64
	04800	1546-68	04800	1546-73	04800	1546-78
	*04800	1549-57				
7TMD4A	*03700	1424-66	03700	1425-64		
7TMD5A	*03700	1424-60	03700	1425-75		
7TMIEA	03700	1422-06	*03700	1423-09		
7TMIE0V	*03700	1422-08	03700	1424-05	03700	1424-07
	03700	1424-10	03700	1424-13	03700	1424-20
	03700	1424-26				
7TMI0A	*03700	1424-06	03700	1425-04		
7TMI1A	*03700	1424-01	03700	1425-18		
7TMI2A	*03700	1424-09	03700	1425-31		
7TMI3A	*03700	1424-15	03700	1425-46		
7TMI4A	*03700	1424-22	03700	1425-60		
7TMI5A	*03700	1424-14	03700	1425-72		
7TMNCA	*04000	1419-35	04000	1422-39		
7TMNC0V	04000	1420-42	*04000	1422-42	04000	1423-64
7TMSBA	04000	1417-48	*04000	1423-69		
7TMSBAV	*04700	1446-56	04900	1443-05	05002	1346-17
7TMSB0	*04700	1442-47	04700	1446-55	04900	1444-48
7TMTEA	04100	1422-35	*04100	1423-59		
7TMTE0V	04100	1420-43	04100	1420-49	04100	1420-50
	04100	1420-56	04100	1420-64	04100	1420-70
	*04100	1422-37				
7TMT0A	04100	1416-04	*04100	1420-52		
7TMT1A	04100	1416-18	*04100	1420-46		
7TMT2A	04100	1416-31	*04100	1420-45		
7TMT3A	04100	1416-46	*04100	1420-51		
7TMT4A	04100	1416-60	*04100	1420-66		
7TMT5A	04100	1416-72	*04100	1420-60		
7TMXCA	*04000	1419-21	04000	1422-33		
7TMXC0V	04000	1420-19	04000	1420-25	04000	1421-25
	*04000	1422-31				
7TNDEA	03700	1422-20	*03700	1423-47		
7TNDE0V	*03700	1422-18	03700	1424-55	03700	1424-61
	03700	1424-73	03700	1424-74	03700	1424-78
	03700	1424-79				
7TND0A	*03700	1424-57	03700	1425-06		
7TND1A	*03700	1424-63	03700	1425-20		
7TND2A	*03700	1424-75	03700	1425-36		
7TND3A	*03700	1424-72	03700	1425-49		
7TND4A	*03700	1424-69	03700	1425-62		
7TND5A	*03700	1424-80	03700	1425-74		
7TNIEA	03700	1422-04	*03700	1423-23		
7TNIE0V	*03700	1422-03	03700	1424-19	03700	1424-25
	03700	1424-31	03700	1424-36	03700	1424-37

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	03700	1424-42				
7TNI0A	*03700	1424-21	03700	1425-01		
7TNI1A	*03700	1424-27	03700	1425-14		
7TNI2A	*03700	1424-38	03700	1425-30		
7TNI3A	*03700	1424-30	03700	1425-43		
7TNI4A	*03700	1424-33	03700	1425-55		
7TNI5A	*03700	1424-39	03700	1425-71		
7TNMEA	04100	1422-38	*04100	1423-45		
7TNME0V	04100	1420-55	04100	1420-61	04100	1420-73
	04100	1420-74	04100	1420-78	04100	1420-79
	*04100	1422-40				
7TNM0A	04100	1416-01	*04100	1420-57		
7TNM1A	04100	1416-14	*04100	1420-63		
7TNM2A	04100	1416-30	*04100	1420-75		
7TNM3A	04100	1416-43	*04100	1420-72		
7TNM4A	04100	1416-55	*04100	1420-69		
7TNM5A	04100	1416-71	*04100	1420-80		
7TPDEA	03700	1422-22	*03700	1423-35		
7TPDE0V	03700	1420-31	03700	1420-36	03700	1420-37
	03700	1421-31	03700	1421-36	03700	1421-37
	*03700	1422-24				
7TPD0A	*03700	1421-30-	03700	1425-08		
7TPD1A	*03700	1421-33	03700	1425-24		
7TPD2A	*03700	1421-39	03700	1425-38		
7TPD3A	*03700	1420-30	03700	1425-52		
7TPD4A	*03700	1420-33	03700	1425-66		
7TPD5A	*03700	1420-39	03700	1425-77		
7TPIEA	03700	1422-11	*03700	1423-11		
7TPIE0V	*03700	1422-13	03700	1431-55	03700	1431-61
	03700	1431-64	03700	1431-73	03700	1431-79
	03700	1432-73				
7TPI0A	03700	1425-05	*03700	1431-60		
7TPI1A	03700	1425-19	*03700	1431-57		
7TPI2A	03700	1425-34	*03700	1431-63		
7TPI3A	03700	1425-48	*03700	1431-75		
7TPI4A	03700	1425-61	*03700	1431-72		
7TPI5A	03700	1425-73	*03700	1432-72		
7TRNG0	04700	1436-10	*04700	1443-21	04800	1546-46
7TRTLA	*04000	1418-11	04000	1419-61		
7TRTMA	04000	1417-43	*04000	1418-09		
7TR0KR	*04700	1444-45	04700	1445-59		
7TR0KS	04700	1436-06	04700	1436-25	04700	1444-41
	*04700	1445-63	04800	1546-43	04800	1546-55
7TR01A	*04800	1543-06	04800	1545-06		
7TR010	04800	1543-08	*04800	1549-63		
7TR02A	*04700	1436-11	04700	1446-64		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7TR020V	04700	1444-20	04700	1444-26	*04700	1446-66
7TR03A	*04800	1546-45	04800	1547-74		
7TR030V	04800	1543-10	04800	1543-13	04800	1543-19
	*04800	1547-72				
7TR10A	*04800	1543-15	04800	1545-01		
7TR100	04800	1543-11	*04800	1549-69		
7TR11A	*04800	1543-21	04800	1545-22		
7TR110	04800	1543-17	*04800	1548-69		
7TSBLAV	*04100	1422-48	04100	1423-46		
7TSBL0	*04000	1419-47	04000	1423-78	04100	1422-50
	04100	1423-66				
7TSBM0	*04000	1419-45	04000	1423-73		
7TSEC0V	04000	1418-30	04000	1418-37	*04000	1422-66
7TSLBA	04900	1445-41	04900	1445-54	04900	1446-35
	*04900	1545-57				
7TSLB0V	04900	1445-47	04900	1445-50	*04900	1446-37
7TSLLA	04000	1417-49	*04000	1418-35		
7TSLMA	04000	1417-50	*04000	1418-33	04000	1419-68
7TSMBA	04900	1445-48	04900	1445-56	04900	1446-36
	*04900	1545-76				
7TSMB0V	04900	1445-43	04900	1445-49	*04900	1446-34
7TSTA0	03900	1436-66	*03900	1441-47	05002	1349-60
7TSTB0	*03900	1334-59	03900	1436-60	05002	1348-55
7TS01AV	*04800	1446-01	04900	1443-08	04900	1445-34
	04900	1445-37	04900	1545-71	05002	1346-15
7TS010	04800	1446-05	*04800	1545-11		
7TS040V	04000	1418-40	*04100	1422-54		
7TS050V	04000	1418-34	*04000	1422-49		
7TS10AV	*04800	1446-07	04900	1445-31	04900	1545-72
	04900	1547-17	05002	1346-18		
7TS100	04800	1446-09	*04800	1545-09		
7TS11AV	*04800	1446-10	04900	1443-07	04900	1443-13
	04900	1545-73	05002	1346-20		
7TS110	04800	1446-15	*04800	1545-23		
7TT00A	*04900	1445-52	04900	1446-52		
7TT000V	03900	1543-36	03900	1543-37	03900	1543-49
	03900	1543-50	03900	1543-55	03900	1543-74
	04900	1332-71	04900	1333-71	*04900	1446-54
7TT01A	04900	1330-29	*04900	1445-46	04900	1446-47
7TT010V	03900	1543-61	03900	1543-78	*04900	1446-49
7TT100A	04900	1330-31	*04900	1445-45	04900	1446-50
7TT100V	03900	1445-10	03900	1543-31	03900	1543-56
	03900	1543-79	*04900	1446-48		
7TT11A	*04900	1445-51	04900	1446-41		
7TT110V	03900	1445-05	03900	1543-43	03900	1543-64
	03900	1543-73	04900	1329-29	04900	1330-34

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	*04900	1446-46				
7TUB00	*04100	1416-11	04200	1415-03	05002	1345-69
7TUB10	*04100	1416-23	04200	1415-01	05002	1345-71
7TUB20	*04100	1416-35	04200	1415-04	05002	1347-72
7TUB30	*04100	1416-47	04200	1415-06	05002	1347-70
7TUB40	*04100	1416-59	04200	1408-17	05002	1347-69
7TUB50	*04100	1416-76	04200	1408-15	05002	1347-71
7TUB60	*04000	1419-59	04200	1408-18	05002	1346-60
7TUB70	*04000	1417-47	04200	1408-20	05002	1346-57
7TUS0A	04100	1416-06	*04100	1421-52		
7TUS00V	*03700	1422-26	04100	1421-54	05002	1346-53
7TUS01N	03700	1420-24	*03700	1522-17		
7TUS1A	04100	1416-20	*04100	1421-46		
7TUS12N	03700	1417-01	*03700	1522-11	04100	1421-48
	05002	1346-55				
7TUS2A	04100	1416-36	*04100	1421-45		
7TUS23N	03700	1417-04	*03700	1522-05	04100	1421-41
	05002	1347-60				
7TUS3A	04100	1416-49	*04100	1421-51		
7TUS34N	03700	1417-05	*03700	1522-06	04100	1421-47
	05002	1347-57				
7TUS35N	*03700	1522-08	03700	1523-26		
7TUS4A	04100	1416-62	*04100	1421-66		
7TUS41N	03700	1417-06	*03700	1523-30	04100	1421-68
	05002	1347-53				
7TUS5A	04100	1416-74	*04100	1421-60		
7TUS52N	03700	1417-07	*03700	1523-29	04100	1421-62
	05002	1347-55				
7TU0MA	04000	1419-54	*04000	1420-38		
7TU0M0	04000	1420-40	*04000	1421-21		
7TU01A	04000	1419-49	*04000	1420-27		
7TU010	*04000	1417-23	04000	1420-23		
7TU1MA	04000	1419-48	*04000	1423-57		
7TU1M0	*04000	1421-14	04000	1423-60		
7TU10A	04000	1419-43	*04000	1421-27		
7TU100	*04000	1420-14	04000	1421-23		
7TU11A	04000	1419-46	04000	1419-52	*04000	1420-21
7TU110	*04000	1419-33	04000	1420-17		
7TVDY3E	*03900	1345-38	03900	1436-64	03900	1436-70
7T0LB0	*04900	1443-11	04900	1545-60		
7T0LP0	04900	1445-29	04900	1445-36	*04900	1545-69
7T0L0A	04900	1443-10	*04900	1445-33		
7T0MB0	*04900	1443-09	04900	1545-77		
7T0M0A	04900	1443-01	*04900	1445-30		
7T0M1A	04900	1443-04	*04900	1445-39		
7T0M10V	04900	1445-35	*04900	1547-14		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7T0VRAV	04000	1418-01	04000	1418-06	*04000	1422-46
	04100	1419-22				
7T0VR3N	*03700	1523-21	04000	1419-14	04000	1419-37
	04000	1422-41	04000	1423-71	04000	1423-75
7T010A	*04800	1544-06	04800	1549-59		
7T011A	*04800	1544-01	04800	1549-61		
7T012A	*04800	1544-09	04800	1549-77		
7T013A	*04800	1544-15	04800	1549-79		
7T014A	*04800	1544-22	04800	1545-37		
7T015A	*04800	1544-14	04800	1545-38		
7T016A	*04800	1544-21	04800	1545-40		
7T017A	*04800	1544-27	04800	1545-42		
7T100A	*04800	1544-38	04800	1549-65		
7T101A	*04800	1544-30	04800	1549-74		
7T102A	*04800	1544-33	04800	1549-76		
7T103A	*04800	1544-39	04800	1549-78		
7T104A	*04800	1544-52	04800	1545-30		
7T105A	*04800	1544-46	04800	1545-31		
7T106A	*04800	1544-45	04800	1545-34		
7T107A	*04800	1544-51	04800	1545-36		
7T110A	*04800	1544-66	04800	1548-65		
7T111A	*04800	1544-60	04800	1548-74		
7T112A	*04800	1544-57	04800	1548-76		
7T113A	*04800	1544-63	04800	1548-78		
7T114A	*04800	1544-75	04800	1545-49		
7T115A	*04800	1544-72	04800	1545-52		
7T116A	*04800	1544-69	04800	1545-54		
7T117A	*04800	1544-80	04800	1545-56		
7T63DA	*03700	1420-22	03700	1422-27		
7T63VA	*03700	1417-11	03700	1420-26		
7VAA2A	03900	1441-01	03900	1441-43	*03900	1543-30
7VAA3A	03900	1441-06	03900	1441-48	*03900	1543-57
	04000	1417-14				
7VAB2A	03900	1334-60	03900	1441-04	*03900	1543-52
7VAB3A	03900	1334-62	03900	1441-08	*03900	1445-06
	04000	1417-24				
7VAM1A	*04900	1329-33	04900	1331-43	04900	1331-49
7VAM2A	04900	1331-52	*04900	1332-69		
7VAM3A	*04900	1329-39	04900	1331-46		
7VA00R	*30402	J053-46	30402	J102-46		
7VA000	*04900	1331-47	04900	1420-19	04900	1503-45
	04900	1503-45	30402	J053-45	30402	J102-45
7VA01R	*30402	J053-48	30402	J102-48		
7VA010	*04900	1331-45	04900	1420-15	04900	1503-47
	04900	1503-47	30402	J053-47	30402	J102-47
7VA13A	03900	1441-54	*03900	1444-01	04000	1417-18



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7VA23A	03900	1441-56	*03900	1445-38	04000	1419-36
	04000	1421-20				
7VA43A	*03900	1545-59	04000	1421-19	04000	1423-62
7VBA2A	03900	1441-14	03900	1441-46	*03900	1543-33
7VBA3A	03900	1441-22	03900	1441-49	*03900	1543-75
	04000	1417-19				
7VBB2A	03900	1334-55	03900	1441-18	*03900	1543-39
7VBB3A	03900	1334-61	03900	1441-24	*03900	1543-69
	04000	1417-20				
7VB13A	03900	1334-68	*03900	1444-09	04000	1419-34
	04000	1421-18				
7VB23A	03900	1334-70	*03900	1445-27	04000	1417-22
7VB33A	*03900	1545-45	04000	1421-17	04000	1423-55
7VCEMA	*03900	1444-72	08502	2238-65	26802	1301-59
	26802	2351-59				
7VCENA	*03900	1444-75	15400	1205-77	15500	1230-62
	26802	1105-49	26803	1104-49	27202	J004-49
	27202	J058-49				
7VCENR	*27202	J004-50	27202	J058-50		
7VCEN0	*03900	1441-35	03900	1444-71	03900	1444-77
	05002	1346-48				
7VC12A	03900	1441-30	03900	1441-52	*03900	1543-45
7VC13A	03900	1441-34	03900	1445-07	*03900	1543-72
7VC22A	03900	1334-66	03900	1441-31	*03900	1543-60
7VC23A	03900	1441-36	03900	1444-10	*03900	1445-01
7VDMRA	*04900	1330-39	04900	1339-57		
7VDMRKQ	04900	1331-34	04900	1331-40	04900	1331-48
	04900	1331-54	04900	1335-64	*04900	1339-65
7VMM1A	*04900	1330-30	04900	1331-30	04900	1331-37
7VMM2A	04900	1331-38	*04900	1333-69		
7VMM3A	*04900	1329-30	04900	1331-31		
7VMM30	04900	1329-34	04900	1329-35	*04900	1330-33
7VMRD0V	*04900	1335-66	14202	1220-48	14202	1503-53
	26802	1503-53	30402	J053-53	30402	J102-53
7VMRD0VR	*30402	J053-54	30402	J102-54		
7VM00R	*30402	J053-50	30402	J102-50		
7VM000	*04900	1331-35	04900	1420-16	04900	1503-49
	04900	1503-49	30402	J053-49	30402	J102-49
7VM01R	*30402	J053-52	30402	J102-52		
7VM010	*04900	1331-33	04900	1420-20	04900	1503-51
	04900	1503-51	30402	J053-51	30402	J102-51
7VTE10	03900	1444-05	03900	1444-07	*03900	1445-09
	03900	1545-46				
7VTE20	*03900	1444-06	03900	1445-25	03900	1445-42
	03900	1545-66				
7VUA2A	03900	1441-05	03900	1441-50	*03900	1543-46

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7VUA3A	03900	1441-07	03900	1444-08	*03900	1543-80
7VUB2A	03900	1334-64	03900	1441-19	*03900	1543-51
7VUB3A	03900	1441-20	03900	1445-03	*03900	1543-63
7VUSAA	*03900	1436-76	15400	1205-29	15500	1230-29
	26802	1105-45	26803	1104-45	27202	J004-45
	27202	J058-45				
7VUSAR	*27202	J004-46	27202	J058-46		
7VUSA0	03900	1436-75	*03900	1441-11	05002	1346-41
7VUSBA	*03900	1436-69	15400	1205-35	15500	1230-35
	26802	1105-47	26803	1104-47	27202	J004-47
	27202	J058-47				
7VUSBR	*27202	J004-48	27202	J058-48		
7VUSB0	03900	1436-71	*03900	1441-23	05002	1346-46
7WRLA0	04200	1408-05	*04200	1511-01		
7WRLB0	04200	1412-05	*04200	1511-06		
7WRL0A	04200	1511-04	*04200	1526-14		
7WRL1A	04200	1511-05	*04200	1526-21		
7WRL2A	04200	1511-08	*04200	1518-06		
7WRL3A	04200	1511-10	*04200	1518-01		
7WRSC0	04200	1408-08	04200	1408-22	04200	1409-08
	04200	1409-22	04200	1410-08	04200	1410-22
	04200	1411-08	04200	1411-22	04200	1412-08
	04200	1412-22	04200	1413-08	04200	1413-22
	04200	1414-08	04200	1414-22	04200	1415-08
	04200	1415-22	*04200	1526-22		
7WR000E	*04200	1408-07	06101	2439-10	26802	1401-01
	26802	2451-01				
7WR011E	*04200	1408-11	06101	2437-10	26802	1401-03
	26802	2451-03				
7WR022E	*04200	1408-13	06101	2440-05	26802	1401-05
	26802	2451-05				
7WR033E	*04200	1408-10	04200	1415-19	06101	2438-05
	26802	1401-07	26802	2451-07		
7WR040E	*04200	1415-21	06101	2439-13	26802	1401-09
	26802	2451-09				
7WR051E	*04200	1415-27	06101	2437-13	26802	1401-11
	26802	2451-11				
7WR062E	*04200	1415-25	06101	2440-26	26802	1401-13
	26802	2451-13				
7WR073E	04200	1409-05	*04200	1415-24	06101	2438-26
	26802	1401-15	26802	2451-15		
7WR080E	04200	1408-03	*04200	1409-07	06101	2439-19
	26802	1401-17	26802	2451-17		
7WR091E	04200	1408-01	*04200	1409-11	06101	2437-19
	26802	1401-19	26802	2451-19		
7WR102E	04200	1408-04	*04200	1409-13	06101	2440-25

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7WR113E	26802	1401-21	26802	2451-21		
	04200	1408-06	*04200	1409-10	04200	1414-19
	06101	2438-25	26802	1401-23	26802	2451-23
7WR120E	*04200	1414-21	04200	1415-17	06101	2439-36
	26802	1401-25	26802	2451-25		
7WR131E	*04200	1414-27	04200	1415-15	06101	2437-36
	26802	1401-27	26802	2451-27		
7WR142E	*04200	1414-25	04200	1415-18	06102	2440-31
	26802	1401-29	26802	2451-29		
7WR153E	04200	1410-05	*04200	1414-24	04200	1415-20
	06102	2438-31	26802	1401-31	26802	2451-31
7WR160E	04200	1409-03	*04200	1410-07	06102	2439-56
	26802	1401-33	26802	2451-33		
7WR171E	04200	1409-01	*04200	1410-11	06102	2437-56
	26802	1401-35	26802	2451-35		
7WR182E	04200	1409-04	*04200	1410-13	06102	2440-50
	26802	1401-37	26802	2451-37		
7WR193E	04200	1409-06	*04200	1410-10	04200	1413-19
	06102	2438-50	26802	1401-39	26802	2451-39
7WR200E	*04200	1413-21	04200	1414-17	06102	2439-49
	26802	1401-41	26802	2451-41		
7WR211E	*04200	1413-27	04200	1414-15	06102	2437-49
	26802	1401-43	26802	2451-43		
7WR222E	*04200	1413-25	04200	1414-18	06102	2440-70
	26802	1401-45	26802	2451-45		
7WR233E	04200	1411-05	*04200	1413-24	04200	1414-20
	06102	2438-70	26802	1401-47	26802	2451-47
7WR240E	04200	1410-03	*04200	1411-07	06102	2439-55
	26802	1401-49	26802	2451-49		
7WR251E	04200	1410-01	*04200	1411-11	06102	2437-55
	26802	1401-51	26802	2451-51		
7WR262E	04200	1410-04	*04200	1411-13	06102	2440-61
	26802	1401-53	26802	2451-53		
7WR273E	04200	1410-06	*04200	1411-10	04200	1412-19
	06102	2438-61	26802	1401-55	26802	2451-55
7WR280E	*04200	1412-21	04200	1413-17	06103	2439-73
	26802	1401-57	26802	2451-57		
7WR291E	*04200	1412-27	04200	1413-15	06103	2437-73
	26802	1401-59	26802	2451-59		
7WR302E	*04200	1412-25	04200	1413-18	06103	2440-74
	26802	1401-61	26802	2451-61		
7WR313E	*04200	1412-24	04200	1413-20	04200	1518-04
	04200	1526-18	05003	1439-29	06103	2438-74
	26802	1401-63	26802	2451-63		
7WR320E	04200	1411-03	*04200	1412-07	06103	2539-10
	26802	1401-65	26802	2451-65		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
7WR331E	04200 26802	1411-01 1401-67	*04200 26802	1412-11 2451-67	06103	2537-10
7WR342E	04200 26802	1411-04 1401-69	*04200 26802	1412-13 2451-69	06103	2540-05
7WR353E	04200 06103	1411-06 2538-05	04200 26802	1411-19 1401-71	*04200 26802	1412-10 2451-71
7WR360E	*04200 26802	1411-21 1401-73	04200 26802	1412-17 2451-73	06103	2539-13
7WR371E	*04200 26802	1411-27 1401-75	04200 26802	1412-15 2451-75	06103	2537-13
7WR382E	*04200 26802	1411-25 1401-77	04200 26802	1412-18 2451-77	06103	2540-26
7WR393E	*04200 06103	1411-24 2538-26	04200 26802	1412-20 1401-79	04200 26802	1413-05 2451-79
7WR400E	04200 26802	1412-03 1402-01	*04200 26802	1413-07 2450-01	06103	2539-19
7WR411E	04200 26802	1412-01 1402-03	*04200 26802	1413-11 2450-03	06103	2537-19
7WR422E	04200 26802	1412-04 1402-05	*04200 26802	1413-13 2450-05	06104	2540-25
7WR433E	04200 06104	1410-19 2538-25	04200 26802	1412-06 1402-07	*04200 26802	1413-10 2450-07
7WR440E	*04200 26802	1410-21 1402-09	04200 26802	1411-17 2450-09	06104	2539-36
7WR451E	*04200 26802	1410-27 1402-11	04200 26802	1411-15 2450-11	06104	2537-36
7WR462E	*04200 26802	1410-25 1402-13	04200 26802	1411-18 2450-13	06104	2540-31
7WR473E	*04200 06104	1410-24 2538-31	04200 26802	1411-20 1402-15	04200 26802	1414-05 2450-15
7WR480E	04200 26802	1413-03 1402-17	*04200 26802	1414-07 2450-17	06104	2539-56
7WR491E	04200 26802	1413-01 1402-19	*04200 26802	1414-11 2450-19	06104	2537-56
7WR502E	04200 26802	1413-04 1402-21	*04200 26802	1414-13 2450-21	06104	2540-50
7WR513E	04200 06104	1409-19 2538-50	04200 26802	1413-06 1402-23	*04200 26802	1414-10 2450-23
7WR520E	*04200 26802	1409-21 1402-25	04200 26802	1410-17 2450-25	06104	2539-49
7WR531E	*04200 26802	1409-27 1402-27	04200 26802	1410-15 2450-27	06104	2537-49
7WR542E	*04200 26802	1409-25 1402-29	04200 26802	1410-18 2450-29	06104	2540-70
7WR553E	*04200 06104	1409-24 2538-70	04200 26802	1410-20 1402-31	04200 26802	1415-05 2450-31

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
7WR560E	04200	1414-03	*04200	1415-07	06105	2539-55
	26802	1402-33	26802	2450-33		
7WR571E	04200	1414-01	*04200	1415-11	06105	2537-55
	26802	1402-35	26802	2450-35		
7WR582E	04200	1414-04	*04200	1415-13	06105	2540-61
	26802	1402-37	26802	2450-37		
7WR593E	04200	1408-19	04200	1414-06	*04200	1415-10
	06105	2538-61	26802	1402-39	26802	2450-39
7WR600E	*04200	1408-21	04200	1409-17	06105	2539-73
	26802	1402-41	26802	2450-41		
7WR611E	*04200	1408-27	04200	1409-15	06105	2537-73
	26802	1402-43	26802	2450-43		
7WR622E	*04200	1408-25	04200	1409-18	06105	2540-74
	26802	1402-45	26802	2450-45		
7WR633E	*04200	1408-24	04200	1409-20	04200	1518-08
	05003	1439-31	05102	1344-75	06105	2538-74
	26802	1402-47	26802	2450-47		
73PW0B	*26601	A09-15	26601	S08-C2	26601	S08-C3
	26601	XDS04-A	26601	XDS04-C		
74CCKA	01800	1514-20	05101	1547-20	*05101	1548-39
	05101	1549-05	05101	1549-37		
74CC1A	*05102	1442-23	05102	1547-35		
74CC10V	*05102	1547-37	05102	1549-71		
74CC2A	*05102	1442-35	05102	1547-36		
74CC20V	*05102	1547-34	05102	1549-73		
74CICA	01800	1517-05	*05101	1546-09	05101	1547-23
74CIC0V	*05101	1547-25	05101	1548-35		
74CKC0	05101	1340-72	*05101	1549-39		
74CKEJQ	02600	1527-31	*05101	1340-80	05101	1546-04
74CKEKQ	04300	1432-19	*05101	1340-79	05101	1549-48
74CME0	05102	1546-30	*05102	1548-51		
74CME1C	*05102	1344-79	05102	1548-47		
74CME2C	*05102	1344-78	05102	1548-49		
74CNTR	05101	1546-20	*05101	1549-51		
74CNTS	02600	1511-07	02600	1511-13	*05101	1546-21
	05101	1549-47				
74CRCA	04300	1426-43	04300	1426-49	*04300	1432-21
74CRSAV	03400	1331-72	*05101	1547-08		
74CRS0	05101	1547-06	*05101	1549-01		
74CYCA	05102	1548-68	*05102	1549-72		
74CYC0	05102	1447-60	05102	1546-06	*05102	1548-66
74CYS0V	*05101	1547-18	05102	1442-38		
74CY0JQ	05101	1548-41	*05102	1447-68	05102	1448-60
	05102	1546-08	05102	1549-07		
74CY0KQ	05101	1549-41	*05102	1447-65	05102	1549-13
74CY1JQ	*05102	1448-68	05102	1546-10	05102	1549-24

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
74CY1KQ	*05102	1448-65	05102	1549-18		
74C0KR	05102	1431-19	*05102	1436-45		
74C0KS	*05102	1431-21	05102	1436-43	05102	1546-34
74DAT0	04200	1526-17	*05102	1548-22		
74DA1A	05102	1548-24	*05102	1549-22		
74DA2A	05102	1548-26	*05102	1549-14		
74ECL0	05101	1345-63	05101	1346-77	*05101	1548-01
74ECS0V	05101	1345-62	05101	1346-74	*05101	1547-13
74EC33E	*05101	1345-64	05101	1346-73		
74EC73E	05003	1439-34	*05101	1346-76		
74ERRA	05101	1548-05	*05102	1546-33	05102	1549-68
	05900	1111-48				
74ERRR	*05102	1543-66	05102	1548-71	05102	1548-77
	05102	1549-70				
74ERRS	05102	1543-68	05102	1548-53	05102	1548-59
	*05102	1549-66				
74G01A	*05102	1548-75				
74G02A	*05102	1548-72				
74LPDR	*05102	1548-60	05102	1549-64		
74LPDS	05102	1548-55	05102	1548-61	05102	1548-62
	05102	1548-73	05102	1548-79	*05102	1549-60
74MDAAV	*05102	1547-03	05102	1549-26		
74MDA0	05102	1547-04	*05102	1548-15	05102	1549-20
74MRDA	05102	1548-11	*05102	1549-09		
74MTAA	*05101	1548-30				
74MTBA	*05101	1548-33				
74MTCA	05102	1547-22	*05102	1548-27		
74MTCR	*05102	1548-21	05102	1549-19		
74MTCS	05102	1548-17	05102	1548-25	*05102	1549-21
74MTC0	*05101	1549-30				
74MTC0V	*05102	1547-24	05102	1549-23		
74MTD0	*05101	1549-33				
74MTER	01600	1429-30	01600	1434-30	01700	1430-64
	01800	1418-50	*05101	1546-23	05101	1549-29
	05101	1549-34	05101	1549-42		
74MTES	05101	1546-22	05101	1548-29	05101	1548-34
	*05101	1549-38				
74MTM1X	05102	1344-76	*05102	1439-36		
74MTRA	05101	1546-26	*05102	1549-27		
74MTSR	05101	1548-10	*05101	1549-06		
74MTSS	05101	1445-78	*05101	1548-06	05101	1549-08
74MT1B	01501	1332-07	01501	1341-61	01600	1432-47
	01600	1511-17	01700	1430-73	01700	1431-48
	01700	1432-56	01700	1443-46	01800	1417-66
	01800	1512-07	01800	1512-13	01800	1513-20
	01800	1514-07	03400	1333-10	03400	1342-05

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	04200	1526-26	*05101	1548-30	*05101	1548-33
	13402	1344-25	13402	1344-54	14400	1108-55
	14400	1132-72	14400	1132-78	26802	1302-55
	26803	1302-55	28202	J024-55	28202	J084-55
74MT1R	*28202	J024-56	28202	J084-56		
74MT2B	03400	1342-10	04200	1539-11	05101	1340-70
	05101	1442-13	05101	1546-05	05101	1546-18
	05101	1548-48	*05101	1549-30	*05101	1549-33
	05102	1436-48	05102	1548-19		
74MWDA	05102	1548-13	*05102	1549-15		
74MWRA	02600	1527-42	04200	1518-10	04200	1526-20
	04200	1529-06	*04200	1539-15	04300	1432-20
74MWR0V	02600	1527-36	04200	1518-05	04200	1526-19
	*04200	1529-08	05102	1546-31		
74M010V	*05101	1336-34	05101	1445-76		
74NG0B	*05102	1548-57	*05102	1548-63	26602	A09-47
	26602	J03-18	26602	XDS06-B	26602	XDS06-D
	26802	1304-46	29201	J034-18	31901	J082-46
74N01A	*05102	1548-57				
74N02A	*05102	1548-63				
74P40B	*26601	A09-19	26601	S09-C2	26601	S09-C3
	26601	XDS05-A	26601	XDS05-C		
74REQJQ	*05101	1448-56	05101	1548-43	05101	1549-43
	05101	1549-56	05102	1548-23		
74REQKQ	*05101	1448-51	05101	1546-01	05101	1549-49
74REQ0	05101	1448-48	*05101	1548-52		
74RQGA	*05101	1442-11	05101	1548-54	05101	1549-35
74RQSA	04300	1426-48	04300	1426-54	05101	1548-56
	*05101	1549-52				
74RRQA	01700	1426-70	04300	1418-62	04300	1418-68
	*05101	1548-45	05102	1431-17		
74SCKA	01800	1514-19	04200	1514-36	04200	1514-42
	05101	1547-38	*05101	1549-46		
74SCK0V	03400	1342-08	*05101	1547-40		
74SCSAV	03900	1345-36	04900	1339-60	05101	1446-11
	*05101	1547-07				
74SCS0V	*05101	1446-13	05101	1447-72		
74SDYJQ	05101	1447-73	*05101	1448-80		
74SDYKQ	05101	1447-78	*05101	1448-79		
74SRSA	05101	1447-70	05101	1448-70	*05101	1548-14
74SRS0V	*05101	1446-08	05101	1548-18		
74STPA	*05102	1546-11	05102	1549-17		
74STRA	*05101	1445-80	05101	1548-03		
74STRAV	05101	1446-06	*05101	1547-01	05102	1447-55
	05102	1448-55	05102	1549-62		
74STRJQ	*05101	1447-80	05101	1448-43	05101	1546-19

Change 2 5-436

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
	05101	1549-04	05101	1549-40		
74STRKQ	*05101	1447-79	05101	1547-05		
74STRO	05101	1448-72	*05101	1548-09		
74WRQA	05101	1548-50	*05101	1549-45	05102	1436-46
74WRQ0	01700	1426-78	*05101	1548-46		
740G0B	*05102	1548-72	*05102	1548-75	26602	A09-45
	26602	J03-17	26602	XDS06-A	26602	XDS06-C
	26802	1304-45	29201	J034-17	31901	J082-45
75A033E	05001	1350-05	*05001	1351-10		
75A073E	*05001	1350-10	05001	1351-19		
75A113E	05001	1350-19	*05001	1351-24		
75A153E	*05001	1350-24	05001	1351-33		
75A193E	05001	1350-33	*05001	1351-38		
75A233E	*05001	1350-38	05001	1351-45		
75A273E	05001	1350-45	*05001	1351-52		
75A313E	*05001	1350-52	05001	1351-05	05003	1439-03
75B033E	05001	1350-59	*05001	1351-64		
75B073E	*05001	1350-64	05001	1351-73		
75B113E	05001	1350-73	*05001	1351-76		
75B153E	05001	1349-05	*05001	1350-76		
75B193E	05001	1348-05	*05001	1349-10		
75B233E	*05001	1348-10	05001	1349-19		
75B273E	05001	1348-19	*05001	1349-24		
75B313E	*05001	1348-24	05001	1351-59	05003	1439-05
75CAC0	02600	1524-36	02600	1524-62	02600	1525-50
	02600	1525-74	*02600	1527-33	03000	1524-50
	03000	1524-74	03000	1525-36	03000	1525-62
75C033E	05003	1348-33	*05003	1349-38		
75C073E	*05003	1348-38	05003	1349-45		
75C113E	05003	1348-45	*05003	1349-52		
75C153E	*05003	1348-52	05003	1349-33	05003	1439-07
75D033E	05002	1348-59	*05002	1349-64		
75D073E	*05002	1348-64	05002	1349-73		
75D113E	05002	1348-73	*05002	1349-76		
75D153E	05002	1347-05	*05002	1348-76		
75D193E	05002	1346-05	*05002	1347-10		
75D233E	*05002	1346-10	05002	1347-19		
75D273E	05002	1346-19	*05002	1347-24		
75D313E	*05002	1346-24	05002	1349-59	05003	1439-09
75E033E	05002	1346-33	*05002	1347-38		
75E073E	*05002	1346-38	05002	1347-45		
75E113E	05002	1346-45	*05002	1347-52		
75E153E	*05002	1346-52	05002	1347-59		
75E193E	05002	1346-59	*05002	1347-64		
75E233E	*05002	1346-64	05002	1347-73		
75E273E	05002	1345-73	*05002	1347-76		



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
75E313E	*05002	1345-76	05002	1347-33	05003	1439-11
75LFC0	*02800	1517-09	02800	1524-08	02800	1524-22
	02800	1525-08	02800	1525-22		
75MU11X	*05003	1439-04	05400	1124-23		
75MU21X	*05003	1439-20	05400	1124-25		
75PRC0	*05001	1329-72	05001	1348-09	05001	1348-23
	05001	1349-09	05001	1349-23	05001	1350-09
	05001	1350-23	05001	1350-37	05001	1350-49
	05001	1350-63	05001	1350-77	05001	1351-09
	05001	1351-23	05001	1351-37	05001	1351-49
	05001	1351-63	05001	1351-77	05003	1348-37
	05003	1348-49	05003	1349-37	05003	1349-49
75PRS0	*05001	1329-75	05001	1348-08	05001	1348-22
	05001	1349-08	05001	1349-22	05001	1350-08
	05001	1350-22	05001	1350-36	05001	1350-50
	05001	1350-62	05001	1350-74	05001	1351-08
	05001	1351-22	05001	1351-36	05001	1351-50
	05001	1351-62	05001	1351-74	05003	1348-36
	05003	1348-50	05003	1349-36	05003	1349-50
75SRC0	*05002	1329-80	05002	1345-77	05002	1346-09
	05002	1346-23	05002	1346-37	05002	1346-49
	05002	1346-63	05002	1347-09	05002	1347-23
	05002	1347-37	05002	1347-49	05002	1347-63
	05002	1347-77	05002	1348-63	05002	1348-77
	05002	1349-63	05002	1349-77		
75SRS0	*05002	1329-69	05002	1345-74	05002	1346-08
	05002	1346-22	05002	1346-36	05002	1346-50
	05002	1346-62	05002	1347-08	05002	1347-22
	05002	1347-36	05002	1347-50	05002	1347-62
	05002	1347-74	05002	1348-62	05002	1348-74
	05002	1349-62	05002	1349-74		
8AB010	17101	2343-18	*17101	2346-06	18000	2327-41
8AB020	17101	2343-07	*17101	2346-01	18000	2327-46
8AB030	17101	2343-03	*17101	2346-09	18000	2327-48
8AB040	17101	2340-13	*17101	2346-15	18000	2329-55
8AB050	17101	2340-18	*17101	2346-22	18000	2329-53
8AB060	17101	2340-07	*17101	2346-14	18000	2329-57
8AB070	17101	2340-03	*17101	2346-21	18000	2329-60
8AB080	17101	2343-31	*17101	2346-27	18000	2328-71
8AB090	17101	2343-34	*17101	2346-38	18000	2328-69
8AB100	17101	2343-23	*17101	2346-30	18000	2328-70
8AB110	17101	2343-19	*17101	2346-33	18000	2328-72
8AB120	17101	2340-31	*17101	2341-22	18000	2327-55
8ACPBA	13500	1317-25	13500	1338-49	*17200	2341-72
	26803	1201-31	26803	2251-31		
8ACPCA	*17200	2341-69	26803	2250-69	27802	J015-69

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	31801	J080-35				
8ACPCR	27802	J015-70	*31801	J080-36		
8ACP0A	01501	1335-61	03300	1527-74	05900	1111-40
	*17200	2341-75	26802	1104-47	26803	2351-47
	28401	J026-47	28401	J059-47		
8ACP0KQ	17200	2335-74	*17200	2338-65		
8ACP0R	*17200	2326-57	17200	2330-78	28401	J026-48
	28401	J059-48				
8ACP0S	17200	2326-55	*17200	2330-76	17200	2341-53
	18000	2329-17				
8ACP1A	17200	2330-77	*17200	2345-72		
8ACP2A	17200	2330-75	*17200	2335-69		
8ACP30	17200	2335-65	17200	2338-60	*17200	2341-80
8ACP4A	16900	2330-18	*17200	2331-23	17200	2341-76
8ACP5A	16900	2330-14	*17200	2335-80	17200	2341-78
8ACP6A	*17200	2341-57	17200	2342-62		
8ACP60	17200	2341-65	17200	2341-71	17200	2341-77
	*17200	2342-60				
8ACT0A	*16900	2326-21	17000	2312-05	17000	2319-49
	17000	2320-49	17000	2320-66	17000	2321-66
8ACT00E	*16900	2323-21	16900	2326-17		
8ACT01E	16900	2318-53	*16900	2323-27	16900	2325-22
8ACT02E	16900	2318-59	*16900	2323-25	16900	2325-23
8ACT03E	*16900	2323-24	16900	2325-20		
8ACT1A	*16900	2318-57	17000	2319-63	17000	2320-63
	17000	2320-80	17000	2321-80	17200	2314-40
8ACT2A	*16900	2318-63	17000	2312-08	17000	2319-35
	17000	2319-66	17000	2320-35	17000	2321-49
8ACT20V	*16900	2325-24	16900	2326-19		
8ACT30V	16900	2318-55	*16900	2325-25		
8ACT40V	16900	2318-61	*16900	2325-18		
8ACWAR	28500	J027-30	*28500	J087-30		
8ACWA0	11301	2520-68	*16900	2342-63	26802	2348-29
	26803	2350-29	28500	J027-29	28500	J087-29
8ACWC0	*16900	2342-80	26803	2250-71		
8ACW0R	28401	J026-50	*28401	J059-50		
8ACW00	03300	1335-73	03300	1335-79	*16900	2342-57
	26802	1104-49	26803	2351-49	28401	J026-49
	28401	J059-49				
8AMP0A	17300	1305-51	17300	1323-10	17300	1327-10
	*17300	2341-14	17300	2347-51		
8AMP0JQ	*17300	2338-25	17300	2341-17	17300	2341-18
8AMR0A	17300	2341-41	*17300	2342-45		
8AMR10	*17300	2341-21	17300	2342-41		
8AM00AV	*17300	2334-10	17300	2342-47		
8AM00ER	*17300	2322-27	17300	2324-73		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
8AM00R	*17300	2341-45	17300	2342-49		
8AM00S	17300	2338-22	17300	2341-43	*17300	2342-51
	18000	2328-04				
8AM000	*17300	2330-11	17300	2334-15		
8AM000E	* 17300	2324-75	17300	2335-24		
8AM001E	*17300	2324-79	17300	2334-22		
8AM01A	17300	2330-06	*17300	2331-11		
8AM01ER	*17300	2322-13	17300	2335-07		
8AM02A	17300	2330-08	* 17300	2331-09		
8AM02ER	*17300	2322-08	17300	2335-11		
8AM03A	17300	2330-10	*17300	2335-22		
8AM03ER	*17300	2322-19	17300	2335-13		
8AM04A	17300	2334-06	* 17300	2339-11		
8AM040V	17300	2331-06	* 17300	2334-08		
8AM05A	17300	2334-04	* 17300	2335-09		
8AM050V	17300	2331-08	* 17300	2334-03		
8AM06A	17300	2334-05	*17300	2335-15		
8AM060V	17300	2331-01	*17300	2334-01		
8AM07A	17300	2334-09	* 17300	2339-23		
8AM070V	17300	2331-04	*17300	2334-07		
8AM080V	*17300	2334-24	17300	2335-26		
8ANPAA	11900	2507-62	*17200	2341-51	26802	2348-31
	26803	2350-31	28500	J027-31	28500	J087-31
8ANPAR	28500	J027-32	*28500	J087-32		
8ANPBA	13102	1330-59	13402	1339-47	*17200	2341-66
	26803	1201-33	26803	2251-33		
8ANPCA	*17200	2341-60	26803	2250-67	27802	J015-67
	31802	J080-71				
8ANPCR	27802	J015-68	*27802	J080-72		
8ANP0A	01501	1335-62	05900	1111-34	*17200	2341-38
	26802	1104-45	26803	2351-45	28401	J026-45
	28401	J059-45				
8ANP0AV	17200	2330-79	*17200	2334-25	17200	2338-57
8ANP0R	28401	J026-46	*28401	J059-46		
8ANP00	17200	2334-23	17200	2341-40	17200	2341-47
	17200	2341-62	17200	2341-68	*17200	2342-66
	17700	2311-05	18000	2329-15		
8ANP1A	*17200	2331-47	17200	2342-68		
8ANP2A	* 17200	2330-23	17200	2342-70		
8ANP3A	*17102	2339-47	17200	2334-20		
8ANP30V	17200	2331-56	* 17200	2334-18		
8ANP4A	*17102	2339-59	17200	2334-17		
8ANP40V	17200	2331-49	*17200	2334-14		
8ANP5A	17200	2334-21	*17200	2339-76		
8ANP50V	17200	2330-22	*17200	2334-19		
8ANP6A	*17200	2315-11	17200	2317-11		

Change 2 5-440

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8ANP60V	*17200	2317-13	17200	2330-26		
8BA00R	28500	J027-02	*28500	J087-02		
8BA000	07900	2427-53	*17102	2345-38	26802	2348-01
	26803	2350-01	28500	J027-01	28500	J087-01
8BA000G	26111	2345-32	26803	2350-02		
8BA01R	28500	J027-04	*28500	J087-04		
8BA010	07900	2427-59	*17102	2345-30	26802	2348-03
	26803	2350-03	28500	J027-03	28500	J087-03
8BA010G	26111	2345-32	26803	2350-04		
8BA02R	28500	J027-06	*28500	J087-06		
8BA020	07900	2427-56	*17102	2345-33	26802	2348-05
	26803	2350-05	28500	J027-05	28500	J087-05
8BA020G	26111	2345-32	26803	2350-06		
8BA03R	28500	J027-08	*28500	J087-08		
8BA030	07900	2427-64	*17102	2345-39	26802	2348-07
	26803	2350-07	28500	J027-07	28500	J087-07
8BA030G	26111	2346-58	26803	2350-08		
8BA04R	28500	J027-10	*28500	J087-10		
8BA040	07900	2427-71	*17102	2345-52	26802	2348-09
	26803	2350-09	28500	J027-09	28500	J087-09
8BA040G	26111	2346'-58	26803	2350-10		
8BA05R	28500	J027-12	*28500	J087-12		
8BA050	07900	2427-77	*17102	2345-46	26802	2348-11
	26803	2350-11	28500	J027-11	28500	J087-11
8BA050G	26111	2345-44	26803	2350-12		
8BA06R	28500	J027-14	*28500	J087-14		
8BA060	07900	2427-72	*17102	2345-45	26802	2348-13
	26803	2350-13	28500	J027-13	28500	J087-13
8BA060G	26111	2345-44	26803	2350-14		
8BA07R	28500	J027-16	*28500	J087-16		
8BA070	07900	2427-78	*17102	2345-51	26802	2348-15
	26803	2350-15	28500	J027-15	28500	J087-15
8BA070G	26111	2345-44	26803	2350-16		
8BA08R	28500	J027-18	*28500	J087-18		
8BA080	07900	2428-71	*17102	2345-66	26802	2348-17
	26803	2350-17	28500	J027-17	28500	J087-17
8BA080G	26111	2346-58	26803	2350-18		
8BA09R	28500	J027-20	*28500	J087-20		
8BA090	07900	2428-77	*17102	2345-60	26802	2348-19
	26803	2350-19	28500	J027-19	28500	J087-19
8BA090G	26111	2344-58	26803	2350-20		
8BA10R	28500	J027-22	*28500	J087-22		
8BA100	07900	2428-72	*17102	2345-57	26802	2348-21
	26803	2350-21	28500	J027-21	28500	J087-21
8BA100G	26111	2344-58	26803	2350-22		
8BA11R	28500	J027-24	*28500	J087-24		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8BA110	07900	2428-78	*17102	2345-63	26802	2348-23
	26803	2350-23	28500	J027-23	28500	J087-23
8BA110G	26111	2344-58	26803	2350-24		
8BA12R	28500	J027-26	*28500	J087-26		
8BA120	07900	2520-43	*17102	2345-75	26802	2348-25
	26803	2350-25	28500	J027-25	28500	J087-25
8BA120G	26111	2346-44	26803	2350-26		
8BB010	*17102	2342-06	18401	2210-78	18600	2233-24
8BB020	*17102	2342-01	18401	2210-73	18600	2233-22
8BB030	*17102	2342-09	18401	2210-61	18600	2233-20
8BB040	*17102	2342-15	18401	2210-64	18600	2233-18
8BB050	*17102	2342-22	18402	2210-49	18600	2233-38
8BB060	*17102	2342-14	18402	2210-50	18600	2233-36
8BB070	*17102	2342-21	18402	2210-37	18600	2233-34
8BB080	*17102	2342-27	18402	2210-36	18600	2233-30
8BB090	*17102	2342-38	18402	2210-25	18600	2233-52
8BB100	*17102	2342-30	18402	2210-20	18600	2233-50
8BB110	*17102	2342-33	18402	2210-13	18600	2233-48
8BB120	*17102	2342-39	18402	2210-05	18600	2233-46
8BCC0A	17101	2333-35	17101	2337-35	17101	2337-49
	17101	2338-03	*17101	2342-52		
8BCC10	*16900	2326-75	17101	2342-56		
8BCC2A	*16900	2312-72	16900	2326-77		
8BCC3A	*16900	2312-80	16900	2326-79		
8BCW0ER	*16900	2322-74	17101	2333-50	17101	2337-50
	17101	2337-63				
8BCW0KQ	*16900	2311-79	16900	2322-70		
8BCW0R	16900	2311-78	16900	2312-79	*16900	2314-69
8BCW0S	16900	2311-73	*16900	2312-75	16900	2314-65
	16900	2322-72	17101	2342-48		
8BCW1A	16900	2312-77	*16900	2316-76		
8BCW2A	16900	2314-74	*16900	2316-69		
8BC00ER	*17101	2322-11	17101	2343-14		
8BC01ER	17101	2337-39	17101	2343-15	*17101	2344-45
8BC02ER	17101	2337-41	17101	2343-09	*17101	2344-51
8BC03ER	17101	2337-43	17101	2343-04	*17101	2344-56
8BC04ER	17101	2337-45	17101	2340-14	*17101	2344-50
8BC05ER	17101	2333-39	17101	2340-15	*17101	2344-59
8BC06ER	17101	2333-41	17101	2340-09	*17101	2344-65
8BC07ER	17101	2333-43	17101	2340-04	*17101	2344-68
8BC08ER	17101	2333-45	17101	2343-27	*17101	2344-62
8BC09ER	17101	2337-53	17101	2343-33	*17101	2344-73
8BC10ER	17101	2337-55	17101	2343-25	*17101	2344-79
8BC11ER	17101	2337-57	17101	2343-20	*17101	2344-80
8BC12ER	17101	2337-59	17101	2340-27	*17101	2344-74
8BDA0A	07600	2418-69	*17200	2341-30	26802	2348-27

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26803	2350-27	28500	J027-27	28500	J087-27
8BDA0R	28500	J027-28	*28500	J087-28		
8BD00A	02400	1527-05	*17200	2341-39	17900	2316-36
	26802	1104-51	26803	2351-51	28401	J026-51
	28401	J059-51				
8BD00KQ	17200	2330-24	17200	2331-52	*17200	2338-39
	17200	2341-34	17200	2341-55		
8BD00R	28401	J026-52	*28401	J059-52		
8BE00JQ	17101	2322-07	17101	2337-48	*17101	2338-13
	18000	2329-31				
8BFC15U	17101	2333-48	*17101	2337-36		
8BF011U	*17101	2337-38	17101	2344-41	18000	2329-29
8BF022U	*17101	2337-40	17101	2344-47	18000	2329-30
8BF033U	*17101	2337-42	17101	2344-52	18000	2329-34
8BF044U	*17101	2337-46	17101	2344-46	18000	2327-31
8BGC25U	*17101	2333-36	17101	2337-64		
8BG051U	*17101	2333-38	17101	2344-53	18000	2327-29
8BG062U	*17101	2333-40	17101	2344-61	18000	2327-30
8BG073U	*17101	2333-42	17101	2344-64	18000	2327-34
8BG084U	*17101	2333-46	17101	2344-57	18000	2329-43
8BH091U	*17101	2337-54	17101	2344-69	18000	2329-41
8BH102U	*17101	2337-56	17101	2344-75	18000	2329-46
8BH113U	*17101	2337-60	17101	2344-76	18000	2329-48
8BH124U	*17101	2337-62	17101	2344-70	18000	2327-43
8BJC15N	17101	2340-10	*17101	2343-08		
8BJ001N	*17101	2343-17	17102	2344-03	17200	2339-71
	17300	2322-14	17300	2322-17	17400	2336-76
	18402	2209-13				
8BJ012N	*17101	2343-11	17102	2344-09	17200	2339-72
	17400	2336-29	17400	2346-54		
8BJ023N	*17101	2343-05	17102	2344-14	17200	2339-73
	17300	2339-13	17400	2336-35	17400	2346-48
8BJ034N	*17101	2343-06	17102	2344-06	17200	2339-74
	17300	2339-25	17400	2336-38	17400	2346-41
8BKC25N	*17101	2340-08	17101	2343-26		
8BK041N	*17101	2340-17	17102	2344-17	17200	2339-75
	17300	2339-08	17400	2336-30	17400	2346-47
8BK052N	*17101	2340-11	17102	2344-23	17200	2339-77
	17300	2339-22	17400	2336-41	17400	2346-68
8BK063N	*17101	2340-05	17102	2344-26	17200	2339-78
	17300	2339-06	17400	2336-47	17400	2346-62
8BK074N	*17101	2340-06	17102	2344-20	17200	2339-79
	17300	2339-19	17400	2336-52	17400	2346-53
8BLC35N	17101	2340-26	*17101	2343-24		
8BL081N	*17101	2343-30	17102	2344-31	17200	2315-01
	17300	2339-04	17400	2336-46	17400	2346-59

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8BL092N	*17101	2343-29	17102	2344-37	17200	2315-04
	17300	2322-21	17300	2339-14	17400	2336-53
	17400	2346-77				
8BL103N	*17101	2343-21	17102	2344-40	17200	2315-05
	17400	2336-77	17400	2346-71	17600	2324-31
8BL114N	*17101	2343-22	17102	2344-34	17200	2315-06
	17400	2346-65	17600	2324-29	17900	2322-75
8BM121N	*17101	2340-30	17102	2322-03	17200	2315-07
	17400	2346-76	17600	2324-30	17900	2322-77
8BN01A	*17400	2346-52	26503	A02-A14	26503	J05-13
	26803	2250-37	27801	J015-37	30101	J048-13
8BN02A	*17400	2346-46	26503	A02-A15	26503	J05-12
	26803	2250-38	27801	J015-38	30101	J048-12
8BN03A	*17400	2346-45	26503	A02-A16	26503	J05-11
	26803	2250-39	27801	J015-39	30101	J048-11
8BN04A	*17400	2346-51	26503	A02-A22	26503	J05-10
	26803	2250-40	27801	J015-40	30101	J048-10
8BN05A	*17400	2346-66	26503	A02-A23	26503	J05-09
	26803	2250-41	27802	J015-41	30101	J048-09
8BN06A	*17400	2346-60	26503	A02-A24	26503	J05-08
	26803	2250-42	27802	J015-42	30101	J048-08
8BN07A	*17400	2346-57	26503	A02-B06	26503	J05-07
	26803	2250-43	27802	J015-43	30101	J048-07
8BN08A	*17400	2346-63	26503	A02-B07	26503	J05-06
	26803	2250-44	27802	J015-44	30101	J048-06
8BN09A	*17400	2346-75	26503	A02-B08	26503	J05-05
	26803	2250-45	27802	J015-45	30101	J048-05
8BN10A	*17400	2346-72	26503	A02-B14	26503	J05-04
	26803	2250-46	27802	J015-46	30101	J048-04
8BN11A	*17400	2346-69	26503	A02-B15	26503	J05-03
	26803	2250-47	27802	J015-47	30101	J048-03
8BN12A	*17400	2346-80	26503	A02-B16	2650-3	J05-02
	26803	2250-48	27802	J015-48	30101	J048-02
8BSD00E	*17400	2309-75	17400	2346-61		
8BSD01E	*17400	2309-79	17400	2346-55	17400	2346-79
8BSD02E	*17400	2309-80	17400	2346-73		
8BS00A	*17400	2231-80	17400	2309-69	17400	2346-43
	17400	2346-49				
8BS00R	*16900	2314-06	16900	2318-05	17400	2309-71
	17400	2346-50	17400	2346-56		
8BS00S	16900	2312-71	16900	2314-10	*16900	2318-01
	16900	2324-19				
8BS000E	*16900	2324-21	17400	2231-76		
8BS001E	*16900	2324-27	16900	2326-47	16900	2341-50
	17400	2231-71				
8BS002E	*16900	2324-25	16900	2335-71		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8BS003E	16900	2312-76	16900	2318-10	*16900	2324-24
	16900	2325-04				
8BS01A	*17400	2231-72	17400	2309-70	17400	2346-64
	17400	2346-70				
8BS010V	*16900	2325-03	16900	2326-49		
8BS02AV	16900	2318-04	16900	2318-08	*16900	2325-07
8BS020	16900	2316-73	16900	2316-78	16900	2325-09
	*16900	2330-21				
8BS03A	16900	2314-08	*16900	2318-06		
8BTC1A	18000	2331-46	18000	2341-25	26803	2351-19
	*28401	J026-19	28401	J059-19		
8BTC1R	*28401	J026-20	28401	J059-20		
8BTC10	18000	2327-09	18000	2327-23	18000	2328-09
	18000	2328-23	18000	2328-37	18000	2328-49
	18000	2329-09	18000	2329-23	*18000	2331-45
8BTC2A	18000	2331-48	18000	2341-23	26803	2351-21
	*28401	J026-21	28401	J059-21		
8BTC2R	*28401	J026-22	28401	J059-22		
8BTC20	18000	2335-25	*18000	2341-27		
8BTC3A	16700	2312-64	26803	2351-23	*28401	J026-23
	28401	J059-23				
8BTC3R	*28401	J026-24	28401	J059-24		
8BTC5A	18000	2314-31	*26803	2351-33		
8BTC6A	18000	2314-29	*26803	2351-35		
8BTC60	*18000	2314-33	18000	2318-34	18000	2318-76
8BTRA3E	18000	2328-05	*18000	2329-10		
8BTRB3E	*18000	2328-10	18000	2329-19		
8BTRC3E	18000	2328-19	*18000	2329-24		
8BTRD3E	18000	2327-05	*18000	2328-24		
8BTRE3E	*18000	2327-10	18000	2328-33		
8BTRF3E	18000	2327-19	*18000	2328-38		
8BTRG3E	*18000	2327-24	18000	2328-45		
8BTRH3E	18000	2326-48	*18000	2328-52		
8BTR13E	18000	2327-33	*18000	2329-38		
8BTR23E	*18000	2327-38	18000	2329-45		
8BTR33E	18000	2327-45	*18000	2329-52		
8BTR43E	*18000	2327-52	18000	2329-59		
8BTR53E	18000	2328-73	*18000	2329-64		
8BTR63E	18000	2327-59	*18000	2328-76		
8BTR73E	*18000	2327-64	18000	2328-59		
8BTR83E	18000	2326-41	*18000	2328-64		
8BTS1A	05400	1123-19	*18000	2326-46	26802	1104-41
	26803	2351-41	28401	J026-41	28401	J059-41
8BTS1R	28401	J026-42	*28401	J059-42		
8BTS2A	05400	1123-21	*18000	2326-45	26802	1104-43
	26803	2351-43	28401	J026-43	28401	J059-43



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8BTS2R	28401	J026-44	*28401	J059-44		
8BTT00	*18000	2326-09	18000	2327-37	18000	2327-49
	18000	2327-63	18000	2328-63	18000	2328-77
	18000	2329-37	18000	2329-49	18000	2329-63
8BTT1A	18000	2326-07	*18000	2335-27		
8BTT2A	*18000	2315-59	18000	2326-03		
8BTT30	18000	2315-55	*18000	2335-14		
8BT01A	16700	2326-71	16800	2335-79	17200	2338-31
	17300	2334-11	17300	2341-19	26803	2351-25
	*28401	J026-25	28401	J059-25		
8BT01R	*28401	J026-26	28401	J059-26		
8BT010V	*17300	2334-13	17300	2335-04		
8BT02A	16800	2323-14	16800	2324-14	16800	2326-11
	16800	2327-78	17000	2319-78	17200	2326-61
	17300	2335-05	26803	2351-27	*28401	J026-27
	28401	J059-27				
8BT02R	*28401	J026-28	28401	J059-28		
8BT020	16800	2323-08	16800	2324-08	*16800	2326-15
	16800	2327-74				
8BT03A	16800	2335-61	16800	2338-43	17000	2320-64
	17200	2333-49	17200	2337-66	26803	2351-29
	*28401	J026-29	28401	J059-29		
8BT03R	*28401	J026-30	28401	J059-30		
8BT04A	16800	2338-46	16900	2330-20	17200	2318-77
	17200	2330-36	26803	2351-31	*28401	J026-31
	28401	J059-31				
8BT04R	*28401	J026-32	28401	J059-32		
8BT05A	*18000	2318-80	18000	2326-04	18000	2327-14
	18000	2327-26	18000	2328-14	18000	2328-26
	18000	2328-40	18000	2328-54	18000	2329-14
	18000	2329-26	28401	J026-33	28401	J059-33
8BT05R	*28401	J026-34	28401	J059-34		
8BT050	*18000	2326-01	18000	2327-08	18000	2327-22
	18000	2328-08	18000	2328-22	18000	2328-36
	18000	2328-50	18000	2329-08	18000	2329-22
8BT06A	*18000	2318-30	18000	2327-40	18000	2327-54
	18000	2327-66	18000	2328-66	18000	2328-78
	18000	2329-40	18000	2329-54	18000	2329-66
	18000	2335-40	28401	J026-35	28401	J059-35
8BT06R	*28401	J026-36	28401	J059-36		
8BT060	18000	2327-36	18000	2327-50	18000	2327-62
	18000	2328-62	18000	2328-74	18000	2329-36
	18000	2329-50	18000	2329-62	*18000	2335-38
8BT007A	18000	2335-17	18000	2335-23	26803	2351-37
	*28401	J026-37	28401	J059-37		
8BT07R	*28401	J026-38	28401	J059-38		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8BT070	18000	2315-61	*18000	2335-21		
8BT08A	16700	2345-78	26803	2351-39	*28401	J026-39
	28401	J059-39				
8BT08R	*28401	J026-40	28401	J059-40		
8BT120	*17300	2335-01	17300	2342-43		
8B000ER	17102	2339-43	*17102	2344-05	17102	2345-08
	17102	2345-40	18600	2241-74		
8B000R	28401	J026-54	*28401	J059-54		
8B0000	02400	1538-64	02400	1538-76	*17102	2345-06
	26802	1104-53	26803	2351-53	28401	J026-53
	28401	J059-53				
8B0000G	26111	2346-16	26803	2351-56		
8B001ER	17102	2339-46	17102	2342-08	*17102	2344-11
	17102	2345-04	17102	2345-34	17300	2322-06
	17300	2335-03				
8B001R	28402	J026-56	*28402	J059-56		
8B0010	02400	1537-30	02400	1538-46	03300	1440-41
	*17102	2345-01	26802	1104-55	26803	2351-55
	28402	J026-55	28402	J059-55		
8B0010G	261'11	2346-16	26803	2351-58		
8B002ER	17102	2339-48	17102	2342-04	*17102	2344-13
	17102	2345-03	17102	2345-29	17300	2339-26
8B002R	28402	J026-58	*28402	J059-58		
8B0020	02400	1537-34	02400	1538-48	03300	1440-47
	*17102	2345-09	26802	1104-57	26803	2351-57
	28402	J026-57	28402	J059-57		
8B0020G	26111	2346-16	26803	2351-60		
8B003ER	17102	2339-49	17102	2342-03	*17102	2344-08
	17102	2345-11	17102	2345-35	17300	2339-10
8B003R	28402	J026-60	*28402	J059-60		
8B0030	02400	1537-36	02400	1538-50	03300	1440-52
	*17102	2345-15	26802	1104-59	26803	2351-59
	28402	J026-59	28402	J059-59		
8B0030G	26111	2345-16	26803	2351-62		
8B004ER	17102	2339-50	17102	2341-08	17102	2342-11
	*17102	2344-19	17102	2345-54	17300	2339-24
8B004R	28402	J026-62	*28402	J059-62		
8B0040	02400	1537-38	02400	1538-52	03300	1440-46
	*17102	2341-06	26802	1104-61	26803	2351-61
	28402	J026-61	28402	J059-61		
8B0040G	26111	2341-02	26803	2351-64		
8B005ER	17102	2339-52	17102	2341-04	17102	2342-24
	*17102	2344-27	17102	2345-48	17300	2339-07
8B005R	28402	J026-64	*28402	J059-64		
8B0050	02400	1537-18	02400	1538-30	03300	1440-53
	*17102	2341-01	26802	1104-63	26803	2351-63

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	28402	J026-63	28402	J059-63		
8B0050G	26111	2341-02	26803	2351-66		
8B006ER	17102	2339-54	17102	2341-03	17102	2342-18
	*17102	2344-25	17102	2345-41	17300	2339-20
8B006R	28402	J026-66	*28402	J059-66		
8B0060	02400	1537-20	02400	1538-34	03300	1440-61
	*17102	2341-09	26802	1104-65	26803	2351-65
	28402	J026-65	28402	J059-65		
8B0060G	26111	2341-02	26803	2351-68		
8B007ER	17102	2339-56	17102	2341-11	17102	2342-17
	*17102	2344-22	17102	2345-47	17300	2339-05
8B007R	28402	J026-70	*28402	J059-70		
8B0070	02400	1537-22	02400	1538-36	03300	1440-64
	*17102	2341-15	26802	1104-69	26803	2351-69
	28402	J026-69	28402	J059-69		
8B0070G	26111	2341-16	26803	2351-70		
8B008ER	17102	2339-55	17102	2342-23	*17102	2344-33
	17102	2345-24	17102	2345-68	17300	2339-18
8B008R	28402	J026-72	*28402	J059-72		
8B0080	02400	1537-24	02400	1538-38	03300	1440-57
	*17102	2345-22	26802	1104-71	26803	2351-71
	28402	J026-71	28402	J059-71		
8B0080G	26111	2346-32	26803	2351-72		
8B009ER	17102	2339-60	17102	2342-40	*17102	2344-39
	17102	2345-18	17102	2345-62	17300	2339-01
8B009R	28402	J026-74	*28402	J059-74		
8B0090	02400	1537-01	02400	1538-18	03300	1440-69
	*17102	2345-14	26802	1104-73	26803	2351-73
	28402	J026-7-3	28402	J059-73		
8B0090G	26111	2345-16	26803	2351-74		
8B010ER	17102	2339-61	17102	2342-34	*17102	2344-42
	17102	2345-17	17102	2345-53		
8B010R	28402	J026-76	*28402	J059-76		
8B0100	02400	1537-03	02400	1538-20	03300	1440-75
	*17102	2345-21	26802	1104-75	26803	2351-75
	28402	J026-75	28402	J059-75		
8B0100G	26111	2345-16	26803	2351-76		
8B011ER	17102	2339-62	17102	2342-29	*17102	2344-36
	17102	2345-23	17102	2345-59		
8B011R	28402	J026-78	*28402	J059-78		
8B0110	02400	1537-05	02400	1538-22	03300	1440-76
	*17102	2345-27	26802	1104-77	26803	2351-77
	28402	J026-77	28402	J059-77		
8B0110G	26111	2346-32	26803	2351-78		
8B012ER	*17102	2322-05	17102	2335-08	17102	2339-64
	17102	2342-35	17102	2345-77	17900	2330-66

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
8B012R	28402	J026-80	*28402	J059-80		
8B0120	02400	1537-07	02400	1538-24	03300	1440-70
	*17102	2335-06	26802	1104-79	26803	2351-79
	28402	J026-79	28402	J059-79		
8B0120G	26111	2335-02	26803	2351-80		
8CAG1A	17200	2330-38	18000	2327-53	*26504	A06-53
	26504	J05-66	26504	S33-07	26803	2250-49
8CAG2A	17200	2341-56	18000	2327-57	*26504	A06-55
	26504	J05-65	26504	S33-08	26803	2250-50
8CAG3A	17200	2330-40	17200	2341-54	18000	2327-60
	*26504	A06-57	26504	J05-64	26504	S33-09
	26803	2250-51				
8CAG4A	17200	2330-31	18000	2328-55	*26504	A06-59
	26504	J05-63	26504	S33-10	26803	2250-52
8CAG5A	17200	2330-34	17200	2330-42	18000	2328-53
	*26504	A06-61	26504	J05-62	26504	S33-11
	26803	2250-53				
8CAZ1A	16600	1317-70	16600	1318-48	26504	J05-61
	26504	S33-01	*26803	1304-03	27802	J015-49
	30102	J048-66				
8CAZ1AG	*28801	J030-03	30102	J048-61		
8CAZ2A	16101	1304-05	16101	1408-60	16600	1318-40
	26504	J05-60	26504	S33-02	27802	J015-50
	*27802	J048-65				
8CAZ2AG	*28801	J030-05	30102	J048-60		
8CAZ3A	16101	1304-07	16101	1408-66	16600	1318-50
	26504	J05-59	26504	S33-03	27802	J015-51
	*27802	J048-64				
8CAZ3AG	*28801	J030-07	30102	J048-59		
8CAZ4A	16600	1317-76	16600	1320-41	26504	J05-58
	26504	S33-04	*26803	1304-09	27802	J015-52
	30102	J048-63				
8CAZ4AG	*28801	J030-09	30102	J048-58		
8CAZ5A	*16102	1408-62	16600	1219-52	26504	J05-57
	26504	S33-05	27802	J015-53	30102	J048-62
8CAZ50	16101	1408-61	*16102	1408-73		
8C801A	14100	1142-34	14100	1147-57	17101	2346-08
	26503	J05-28	26503	S29A-01	*26803	2250-54
	27802	J015-54	30101	J048-28		
8CB010	*14100	1130-01	14100	1147-55		
8CB02A	14000	1142-60	*14000	1147-63	17101	2346-04
	26503	J05-27	26503	S29A-02	26803	2250-55
	27802	J015-55	30101	J048-27		
8CB020	*14000	1130-15	14000	1147-61		
8CB03A	17101	2346-03	26503	J05-26	26503	S29A-04
	*26803	2250-56	27802	J015-56	30101	J048-26

Change 2 5-449

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8CB04A	17101	2346-11	26503	J05-31	26503	S29B-01
	*26803	2250-57	27802	J015-57	30101	J048-31
8CB05A	17101	2346-24	26503	J05-30	26503	S29B-02
	*26803	2250-58	27802	J015-58	30101	J048-30
8CB06A	17101	2346-18	26503	J05-29	26503	S29B-04
	*26803	2250-59	27802	J015-59	30101	J048-29
8CB07A	17101	2346-17	26503	J05-34	26503	S29C-01
	26803	2250-60	*27802	J015-60	30101	J048-34
8CB08A	17101	2346-23	26503	J05-33	26503	S29C-02
	26803	2250-61	*27802	J015-61	30101	J048-33
8CB09A	17101	2346-40	26503	J05-32	26503	S29C-04
	26803	2250-62	*27802	J015-62	30101	J048-32
8CB10A	17101	2346-34	26503	J05-37	26503	S29D-01
	26803	2250-63	*27802	J015-63	30101	J048-37
8CB11A	17101	2346-29	26503	J05-36	26503	S29D-02
	26803	2250-64	*27802	J015-64	30101	J048-36
8CB12A	17101	2341-24	26503	J05-35	26503	S29D-04
	26803	2250-65	*27802	J015-65	30101	J048-35
8CMTIS	14100	1135-54	26101	J05-38	26101	S30-3B
	*26101	S30-4B	26803	1106-40	27001	J002-40
	30101	J048-38				
8CPT0A	14800	1133-08	15002	1143-17	26504	J05-43
	26504	S31A-01	26803	1105-08	*27101	J003-08
	30102	J048-43				
8CPT1A	14800	1133-04	15002	1143-15	26504	J05-42
	26504	S31A-02	26803	1105-09	*27101	J003-09
	30102	J048-42				
8CPT2A	14800	1133-03	15002	1143-18	26504	J05-41
	26504	S31A-04	26803	1105-10	*27101	J003-10
	30102	J048-41				
8CPT3A	14800	1133-11	15002	1143-20	26504	J05-46
	26504	S31B-01	26803	1105-11	*27101	J003-11
	30102	J048-46				
8CPT4A	14800	1133-24	15002	1140-31	26504	J05-45
	26504	S31B-02	26803	1105-12	*27101	J003-12
	30102	J048-45				
8CPT5A	14400	1130-40	14400	1132-61	14800	1133-18
	15002	1140-29	26504	J05-44	26504	S31B-04
	26803	1105-13	*27101	J003-13	30102	J048-44
8CPT6A	14400	1130-34	14400	1132-70	14800	1133-17
	15002	1140-30	26504	J05-49	26504	S31C-01
	26803	1105-14	*27101	J003-14	30102	J048-49
8CPT7A	14400	1132-68	14800	1133-23	15002	1140-34
	26504	J05-48	26504	S31C-02	26803	1105-15
	*27101	J003-15	30102	J048-48		
8CPT8A	14400	1132-66	14800	1132-22	15002	1141-43

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26504	J05-47	26504	S31C-04	26803	1105-16
	*27101	J003-16	30102	J048-47		
8CPW0A	00300	1303-35	00300	1519-22	00300	1520-22
	03800	1521-22	14700	1112-36	14700	1130-37
	14700	1142-70	*26504	A06-51	26504	J05-50
	26504	S32-07	26803	1105-01	27101	J003-01
	28901	J031-35	30102	J048-50		
8CPW2A	00300	1303-37	00300	1519-17	00300	1520-17
	02100	1344-10	03800	1521-17	14700	1112-40
	14700	1132-14	14700	1143-71	*26504	A06-39
	26504	J05-56	26504	S32-01	26802	1403-77
	26803	1105-02	27101	J003-02	28901	J031-37
	30102	J048-56	32102	J090-77		
8CPW3A	00300	1303-39	00300	1519-03	00300	1520-03
	03800	1521-03	14700	1112-42	14700	1130-29
	14700	1143-69	*26504	A06-41	26504	J05-55
	26504	S32-02	26803	1105-03	27101	J003-03
	28901	J031-39	30102	J048-55		
8CPW4A	00300	1303-41	00300	1519-04	00300	1520-04
	03800	1521-04	14700	1110-49	14700	1132-18
	14700	1143-70	*26504	A06-43	26504	J05-54
	26504	S32-03	26803	1105-04	27101	J003-04
	28901	J031-41	30102	J048-54		
8CPW5A	00300	1303-43	00300	1519-14	00300	1520-14
	03800	1521-14	14700	1110-52	14700	1130-35
	14700	1143-72	*26504	A06-45	26504	J05-53
	26504	S32-04	26803	1105-05	27101	J003-05
	28902	J031-43	30102	J048-53		
8CPW6A	00300	1303-45	00300	1519-20	00300	1520-20
	03800	1521-20	14700	1110-54	14700	1130-31
	14700	1142-71	*26504	A06-47	26504	J05-52
	26504	S32-05	26803	1105-06	27101	J003-06
	28902	J031-45	30102	J048-52		
8CPW8A	00300	1303-47	00300	1519-21	00300	1520-21
	03800	1521-21	14700	1112-34	14700	1132-19
	14700	1142-69	*26504	A06-49	26504	J05-51
	26504	S32-06	26803	1105-07	27101	J003-07
	28902	J031-47	30102	J048-51		
8CR00A	15002	1141-55	26503	J05-16	26503	S28A-01
	26803	1105-17	*27101	J003-17	30101	J048-16
8CR01A	15002	1141-53	26503	J05-15	26503	S28A-02
	26803	1105-18	*27101	J003-18	30101	J048-15
8CR02A	14600	1125-03	15002	1141-57	26503	J05-14
	26503	S28A-04	26803	1105-19	*27101	J003-19
	30101	J048-14				
8CR03A	14600	1125-01	15002	1141-60	26503	J05-19

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26503	S28B-01	26803	1105-20	*27101	J003-20
	30101	J048-19				
8CR04A	14600	1125-21	15002	1140-55	26503	J05-18
	26503	S28B-02	26803	1105-21	*27101	J003-21
	30101	J048-18				
8CR05A	14600	1125-19	15002	1140-53	26503	J05-17
	26503	S28B-04	26803	1105-22	*27101	J003-22
	30101	J048-17				
8CR06A	14600	1125-17	15002	1140-57	26503	J05-22
	26503	S28C-01	26803	1105-23	*27101	J003-23
	30101	J048-22				
8CR07A	14600	1125-15	15002	1140-60	26503	J05-21
	26503	S28C-02	26803	1105-24	*27101	J003-24
	30101	J048-21				
8CR08A	14600	1125-35	15002	1141-71	26503	J05-20
	26503	S28C-04	26803	1105-25	*27101	J003-25
	30101	J048-20				
8CR09A	14600	1125-33	15002	1141-69	26503	J05-25
	26503	S28D-01	26803	1105-26	*27101	J003-26
	30101	J048-25				
8CR10A	14600	1125-31	15002	1141-70	26503	J05-24
	26503	S28D-02	26803	1105-27	*27101	J003-27
	30101	J048-24				
8CR11A	14600	1125-29	15002	1141-72	26503	J05-23
	26503	S28D-04	26803	1105-28	*27101	J003-28
	30101	J048-23				
8CVA1A	14100	1143-31	14100	1145-36	*26501	A03-57
	26501	S11-02	26504	J03-16	26803	1105-29
	27101	J003-29	29900	J046-16		
8CVA2A	14100	1143-29	14100	1145-31	*26501	A03-53
	26501	S11-04	26504	J03-14	26803	1105-30
	27101	J003-30	29900	J046-14		
8CVA3A	14100	1143-30	14100	1145-37	*26501	A03-55
	26501	S11-03	26504	J03-15	26803	1105-31
	27101	J003-31	29900	J046-15		
8CVA4A	14100	1143-34	14100	1145-56	*26501	A03-51
	26501	S11-05	26504	J03-13	26803	1105-32
	27101	J003-32	29900	J046-13		
8CVA5A	14100	1142-31	14100	1145-50	*26501	A03-49
	26501	S11-06	26504	J03-12	26803	1105-33
	27101	J003-33	29900	J046-12		
8CVA6A	14100	1142-29	14100	1145-43	*26501	A03-47
	26501	S11-07	26504	J03-11	26803	1105-34
	27101	J003-34	29900	J046-11		
8CVA7A	14100	1142-30	14100	1145-49	*26501	A03-45
	26501	S11-08	26504	J03-10	26803	1105-35

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8CVB1A	27101	J003-35	29900	J046-10		
	14100	1143-43	14100	1145-70	*26501	A03-41
	26501	S10-02	26504	J03-09	26803	1105-36
8CVB2A	27101	J003-36	29900	J046-09		
	14100	1143-41	14100	1145-64	*26501	A03-37
	26501	S10-04	26504	J03-07	26803	1105-37
8CVB3A	27101	J003-37	29900	J046-07		
	14100	1143-46	14100	1145-55	*26501	A03-39
	26501	S10-03	26504	J03-08	26803	1105-38
8CVB4A	27101	J003-38	29900	J046-08		
	14100	1143-48	14100	1145-61	*26501	A03-35
	26501	S10-05	26504	J03-06	26803	1105-39
8CVB5A	27101	J003-39	29900	J046-06		
	14100	1142-43	14100	1145-79	*26501	A03-33
	26501	S10-06	26504	J03-05	26803	1105-40
8CVB6A	27101	J003-40	29900	J046-05		
	14100	1142-41	14100	1145-73	*26501	A03-31
	26501	S10-07	26504	J03-04	26803	1105-41
8CVB7A	27102	J003-41	29900	J046-04		
	14100	1142-46	14100	1145-74	*26501	A03-29
	26501	S10-08	26504	J03-03	26803	1105-42
8CVIAA	27102	J003-42	29900	J046-03		
	15002	1140-46	15002	1144-71	*26502	A04-31
	26502	S16-01	26504	J03-36	26803	1105-56
8CVIBA	27102	J003-56	29900	J046-36		
	14000	1148-66	14000	1148-77	*26502	A04-25
	26502	S16-04	26504	J03-33	26803	1105-59
8CVINA	27102	J003-59	29900	J046-33		
	14000	1148-68	*26502	A04-29	26502	S16-02
	26504	J03-35	26803	1105-57	27102	J003-57
8CVISA	29900	J046-35				
	14000	1146-74	14000	1148-78	*26502	A04-27
	26502	S16-03	26504	J03-34	26803	1105-58
8CVMAA	27102	J003-58	29900	J046-34		
	14100	1130-04	14100	1144-17	14100	1144-18
	26501	J03-01	*26501	S08-3B	26501	S08-4B
8CVMN0	26803	1105-50	27102	J003-50	29900	J046-01
	18900	1124-19	18900	1303-55	26501	R01-02
	26502	J03-38	*28902	J031-55	29900	J046-38
8CVRAA	14000	1144-65	15002	1141-48	*26502	A04-23
	26502	S14-01	26504	J03-28	26803	1105-52
	27102	J003-52	29900	J046-28		
8CVRA0	26501	R01-01	26502	J03-37	*28902	J031-53
	29900	J046-37				
8CVRBA	14000	1148-60	14000	1148-72	*26502	A04-17
	26502	S14-04	26504	J03-25	26803	1105-55



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8CVRNA	27102	J003-55	29900	J046-25		
	14000	1148-62	*26502	A04-21	26502	S14-02
	26504	J03-27	26803	1105-53	27102	J003-53
	29900	J046-27				
8CVRSA	14000	1146-78	14000	1148-73	*26502	A04-19
	26502	S14-03	26504	J03-26	26803	1105-54
	27102	J003-54	29900	J046-26		
8CVRZ0	26501	R01-03	26502	J03-39	*28902	J031-57
	29900	J046-39				
8CVSMA	14000	1130-13	14000	1145-04	26501	J03-02
	*26501	S09-3B	26501	S09-4B	26803	1105-51
	27102	J003-51	29900	J046-02		
8CVS1A	14000	1143-55	14000	1146-05	*26502	A04-13
	26502	S12-02	2650	J03-23	26803	1105-43
	27102	J003-43	29900	J046-23		
8CVS2A	14000	1143-53	14000	1146-07	*26502	A04-09
	26502	S12-04	26504	J03-21	26803	1105-44
	27102	J003-44	29900	J046-21		
8CVS3A	14000	1143-57	14000	1146-13	*26502	A04-11
	26502	S12-03	26504	J03-22	26803	1105-45
	27102	J003-45	29900	J046-22		
8CVS4A	14000	1143-60	14000	1146-26	*26502	A04-07
	26502	S12-05	26504	J03-20	26803	1105-46
	27102	J003-46	29900	J046-20		
8CVS5A	14000	1142-55	14000	1146-20	*26502	A04-05
	26502	S12-06	26504	J03-19	26803	1105-47
	27102	J003-47	29900	J046-19		
8CVS6A	14000	1142-53	14000	1146-19	*26502	A04-03
	26502	S12-07	26504	J03-18	26803	1105-48
	27102	J003-48	29900	J046-18		
8CVS7A	14000	1142-57	14000	1146-25	*26502	A04-01
	26502	S12-08	26504	J03-17	26803	1105-49
	27102	J003-49	29900	J046-17		
8DBD1A	28601	J028-01	*30801	J062-01		
8DBD1R	28601	J028-02	*30801	J062-02		
8DB003E	06800	2142-08	26802	2146-03	28601	J028-03
	*30801	J062-03				
8DB003R	28601	J028-04	*30801	J062-04		
8DB013E	06800	2142-11	26802	2146-05	28601	J028-05
	*30801	J062-05				
8DB013R	28601	J028-06	*30801	J062-06		
8DB023E	06800	2142-17	26802	2146-07	28601	J028-07
	*30801	J062-07				
8DB023R	28601	J028-08	*30801	J062-08		
8DB033E	06800	2142-34	26802	2146-09	28601	J028-09
	*30801	J062-09				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
8DB033R	28601	J028-10	*30801	J062-10		
8DB043E	06800	2142-54	26802	2146-11	28601	J028-11
	*30801	J062-11				
8DB043R	28601	J028-12	*30801	J062-12		
8DB053E	06800	2142-47	26802	2146-13	28601	J028-13
	*30801	J062-13				
8DB053R	28601	J028-14	*30801	J062-14		
8DB063E	06800	2142-53	26802	2146-15	28601	J028-15
	*30801	J062-15				
8DB063R	28601	J028-16	*30801	J062-16		
8DB073E	06800	2142-71	26802	2146-17	28601	J028-17
	*30801	J062-17				
8DB073R	28601	J028-18	*30801	J062-18		
8DB083E	06800	2141-04	26802	2146-19	28601	J028-19
	*30801	J062-19				
8DB083R	28601	J028-20	*30801	J062-20		
8DB093E	06800	2141-24	26802	2146-21	28601	J028-21
	*30801	J062-21				
8DB093R	28601	J028-22	*30801	J062-22		
8DB103E	06800	2141-23	26802	2146-23	28601	J028-23
	*30801	J062-23				
8DB103R	28601	J028-24	*30801	J062-24		
8DB113E	06800	2141-29	26802	2146-25	28601	J028-25
	*30801	J062-25				
8DB113R	28601	J028-26	*30801	J062-26		
8DB123E	06800	2141-48	26802	2146-27	28601	J028-27
	*30801	J062-27				
8DB123R	28601	J028-28	*30801	J062-28		
8DB133E	06800	2141-68	26802	2146-29	28601	J028-29
	*30801	J062-29				
8DB133R	28601	J028-30	*30801	J062-30		
8DB143E	06800	2141-59	26802	2146-31	28601	J028-31
	*30801	J062-31				
8DB143R	28601	J028-32	*30801	J062-32		
8DB153E	06800	2141-65	26802	2146-33	28601	J028-33
	*30801	J062-33				
8DB153R	28601	J028-34	*30801	J062-34		
8DB163E	06800	2144-08	26802	2146-35	28601	J028-35
	*30801	J062-35				
8DB163R	28601	J028-36	*30801	J062-36		
8DB173E	06800	2144-11	26802	2146-37	28601	J028-37
	*30801	J062-37				
8DB173R	28601	J028-38	*30801	J062-38		
8DB183E	06800	2144-17	26802	2146-39	28601	J028-39
	*30801	J062-39				
8DB183R	28601	J028-40	*30801	J062-40		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8DB193E	06800	2144-34	26802	2146-41	28601	J028-41
	*30801	J062-41				
8DB193R	28601	J028-42	*30801	J062-42		
8DB203E	06800	2144-54	26802	2146-43	28601	J028-43
	*30801	J062-43				
8DB203R	28601	J028-44	*30801	J062-44		
8DB213E	06800	2144-47	26802	2146-45	28601	J028-45
	*30801	J062-45				
8DB213R	28601	J028-46	*30801	J062-46		
8DB223E	06800	2144-53	26802	2146-47	28602	J028-47
	*30801	J062-47				
8DB223R	28602	J028-48	*30801	J062-48		
8DB233E	06800	2144-71	26802	2146-49	28602	J028-49
	*30802	J062-49				
8DB233R	28602	J028-50	*30802	J062-50		
8DB243E	06800	2143-04	26802	2146-51	28602	J028-51
	*30802	J062-51				
8DB243R	28602	J028-52	*30802	J062-52		
8DB253E	06800	2143-24	26802	2146-53	28602	J028-53
	*30802	J062-53				
8DB253R	28602	J028-54	*30802	J062-54		
8DB263E	06800	2143-23	26802	2146-55	28602	J028-55
	*30802	J062-55				
8DB263R	28602	J028-56	*30802	J062-56		
8DB273E	06800	2143-29	26802	2146-57	28602	J028-57
	*30802	J062-57				
8DB273R	28602	J028-58	*30802	J062-58		
8DB283E	06800	2143-48	26802	2146-59	28602	J028-59
	*30802	J062-59				
8DB283R	28602	J028-60	*30802	J062-60		
8DB293E	06800	2143-68	26802	2146-61	28602	J028-61
	*30802	J062-61				
8DB293R	28602	J028-62	*30802	J062-62		
8DB303E	06800	2143-59	26802	2146-63	28602	J028-63
	*30802	J062-63				
8DB303R	28602	J028-64	*30802	J062-64		
8DB313E	06800	2143-65	26802	2146-65	28602	J028-65
	*30802	J062-65				
8DB313R	28602	J028-66	*30802	J062-66		
8FAC25U	17000	2315-73	*17000	2321-52		
8FA041U	*17000	2321-54	17000	2325-38		
8FA052U	*17000	2321-56	17000	2325-35		
8FA063U	*17000	2321-60	17000	2325-36		
8FA074U	*17000	2321-62	17000	2325-29		
8FBC35U	*17000	2319-36	17000	2320-48		
8FB081U	17000	2315-72	*17000	2319-38	17000	2325-33

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
8FB092U	*17000	2319-40	17000	2325-39		
8FB103U	*17000	2319-42	17000	2325-47		
8FB114U	*17000	2319-46	17000	2325-50		
8FCC45U	17000	2317-06	*17000	2320-36		
8FC121U	*17000	2320-38	17000	2325-41		
8FC132U	*17000	2320-40	17000	2325-45		
8FC143U	*17000	2320-42	17000	2325-51		
8FC154U	*17000	2320-46	17000	2325-64		
8FDB0A	16900	2330-19	*17000	2314-15		
8FDB0R	17000	2312-10	*17000	2314-01		
8FDB0S	*17000	2312-06	17000	2314-05	17000	2319-61
	17000	2320-61	17000	2320-79	17000	2321-79
8FDB10	*17000	2312-01	17000	2314-11		
8FDB2A	17000	2312-70	*17000	2314-09		
8FDB3AV	17000	2314-04	*17000	2317-08		
8FDH15U	*17000	2320-52	17000	2321-78		
8FDH25U	17000	2319-64	*17000	2321-68		
8FDH35U	*17000	2319-52	17000	2320-78		
8FDH45U	17000	2314-03	*17000	2320-68		
8FD01AV	17000	2320-53	*17000	2325-14		
8FD02AV	17000	2320-55	*17000	2325-19		
8FD03AV	17000	2320-57	*17000	2325-26		
8FD04AV	17000	2320-59	*17000	2325-40		
8FD05AV	17000	2321-71	*17000	2325-37		
8FD06AV	17000	2321-73	*17000	2325-34		
8FD07AV	17000	2321-75	*17000	2325-30		
8FD08AV	*17000	2325-31				
8FD09AV	17000	2319-53	*170D0	2325-42		
8FD10AV	17000	2319-55	*17000	2325-49		
8FD11AV	17000	2319-57	*17000	2325-48		
8FD12AV	17000	2319-59	*17000	2325-46		
8FD13AV	17000	2320-71	*17000	2325-43		
8FD14AV	17000	2320-73	*17000	2325-53		
8FD15AV	17000	2320-75	*17000	2325-66		
8F0C15U	*17000	2319-68	17000	2321-64		
8F0012U	*17000	2319-72	17000	2325-17		
8F0023U	*17000	2319-74	17000	2325-21		
8F0034U	*17000	2319-76	17000	2325-27		
8GND304	26803	1304-74	26803	1304-76	26803	1304-78
	26803	1304-80				
8GND305	26803	1305-76	26803	1305-78	26803	1305-80
8GRD0AV	*16700	2325-10	16800	2343-60	17101	2343-10
	17200	2337-21	17200	2337-71	17400	2309-74
	17700	2313-42				
8GRD1AV	*16700	2317-10	16700	2322-18	17000	2319-48
	17000	2321-77	17000	2338-72	17101	2343-13

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8GRD2AV	17200	2337-73	17200	2338-33		
	*16700	2317-25	17300	2338-23	17400	2337-05
	17600	2321-05	17600	2324-36	17600	2329-74
	17700	2323-48	17800	2313-10	17800	2323-72
	17900	2311-45				
8INT00	16600	1219-54	*16600	1318-64		
8MAC00	*16900	2318-33	16900	2323-19		
8MAC1A	16900	2318-29	*16900	2342-72		
8MAC2A	16900	2318-31	*16900	2342-69		
8MAC3A	16900	1304-23	*16900	1322-21	16900	2314-35
	16900	2348-23	17000	2338-70	28701	J029-23
	28801	J030-23				
8MAC3R	*28701	J029-24	28801	J030-24		
8MAC30	*16900	2318-72	16900	2342-74		
8MAN00	16800	2318-24	*16900	2316-59		
8MAN1A	16900	2325-75	*16900	2341-63		
8MAN2A	16900	2316-68	*16900	2342-75		
8MAN3A	16900	1304-21	*16900	1322-23	16900	2341-61
	16900	2348-21	28701	J029-21	28801	J030-21
8MAN3R	*28701	J029-22	28801	J030-22		
8MAN30	*16900	2318-69	16900	2342-79		
8MAN30V	16900	2311-57	*16900	2325-77		
8MCL0A	16800	2316-06	16900	1304-25	*16900	1322-19
	16900	2348-25	28701	J029-25	28801	J030-25
8MCL0R	*28701	J029-26	28801	J030-26		
8MCW0AV	16900	2316-72	*16900	2325-60	16900	2342-53
	16900	2342-59	16900	2342-76	17600	2322-76
8MCW00	16800	2317-75	16900	2316-77	16900	2325-62
	*16900	2330-45	17200	2318-17	17200	2331-54
	17300	2322-04	17300	2322-15	17300	2322-23
	18000	2328-06				
8MCW1A	16900	2330-43	*16900	2331-33		
8MCW2A	16900	2330-46	*16900	2346-39		
8MCW3A	16900	2330-48	*16900	2331-35		
8MCW30V	*16900	2325-56	16900	2342-65	16900	2342-77
	16900	2346-35				
8MCW4R	*28701	J029-20	28801	J030-20		
8MCW40	16900	1304-19	*16900	1322-25	16900	2331-31
	16900	2348-19	18000	2329-06	28701	J029-19
	28801	J030-19				
8MDC0A	17200	2318-79	*17200	2326-60		
8MDC10	*17200	2330-35	17200	2337-20		
8MDC20	*17200	2318-75	17200	2337-22		
8MDC40	16900	2312-78	*17200	2330-33	17200	2337-19
8MDC50	17200	2326-64	*17200	2341-52		
8MD001T	16800	2317-22	17200	2330-49	*17200	2337-26

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8MD002T	17200	2326-68	17200	2330-52	*17200	2337-27
8MD003T	17200	2326-70	17200	2330-54	*17200	2337-30
8MD004T	17200	2325-73	*17200	2337-33		
8MD005T	16900	2331-38	17200	2325-76	*17200	2337-23
8MD010V	16800	2316-08	*16800	2317-24		
8MD040V	16800	2318-13	*17200	2325-71	17200	2335-78
8MD050V	16800	2318-26	16900	2331-30	17000	2314-13
	*17200	2325-78	17200	2345-71	18300	2305-59
8MD130	16900	2312-73	*17200	2330-47	17200	2331-25
8MD23AV	*17200	2325-68	17200	2333-55		
8MD230	16800	2331-19	17200	2325-65	*17200	2326-66
	17200	2333-53	17200	2337-75		
8MHZAAV	*16700	2317-34	17000	2319-37	17000	2320-37
	17900	2321-37				
8MHZBAV	*16700	2317-30	17000	2319-51	17000	2320-51
	17000	2321-51				
8MHZ0A	*16700	2314-46	16700	2318-54	17400	2309-77
8MHZ00	16700	2314-48	16700	2317-29	16700	2317-36
	16700	2331-55	*16700	2345-80	17300	1305-49
	17300	1323-08	17300	1327-08	17300	2347-49
	18000	2315-60				
8MHZ10	*16700	2318-52	16900	2323-23	17000	2314-07
	17000	2315-71	17300	2324-77	17700	2311-06
	17700	2323-37	17700	2323-49	17700	2324-49
	17800	2323-63	17800	2323-77	17800	2324-63
	17900	2311-20	17900	2311-34	17900	2311-48
8MHZ2A	*16700	2331-57	17000	2319-69	17000	2320-69
	17000	2321-69				
8MTNNJQ	*16900	2305-80	16900	2314-34		
8MTNNKQ	*16900	2305-79	16900	2311-55		
8MTNP0	*16900	2314-30	16900	2316-61		
8MT3NA	*16900	1218-23	16900	1303-73	16900	2317-35
	16900	2349-69	28602	J028-69	28902	J031-73
8MT3NJQ	16900	2305-73	*16900	2311-68		
8MT3NKQ	16900	2305-74	*16900	2311-65		
8MT3NR	*28602	J028-70	28902	J031-74		
8MT3NOV	*16900	2317-37	16900	2341-59		
8MT32A	*16900	1218-25	16900	1304-61	16900	2334-75
	16900	2348-61	28702	J029-61	28802	J030-61
8MT32R	26803	1304-62	*28702	J029-62	28802	J030-62
8MT320V	16900	2314-37	*16900	2334-77	17000	2314-78
	17000	2333-66	17000	2338-71		
8NDV0AV	*17200	2325-57	17200	2333-63	17200	2337-80
8NDV10	*17200	2318-60	17200	2325-59		
8NDV15U	17200	2333-64	*17200	2337-68		
8NDV2AV	17200	2318-64	*17200	2325-80		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8NDV25U	17200	2325-79	17200	2331-22	*17200	2333-52
	18000	2328-01				
8NPA0KQ	*17700	2311-11	17700	2312-43	17800	2318-70
8NPC0AV	*16800	2317-77	16800	2322-34	16800	2322-43
	16800	2322-48	16800	2322-49	16800	2322-54
	16800	2322-55	16800	2322-60	16800	2322-63
	16800	2322-66	16800	2322-71	17300	2322-10
8NPC0ER	*16600	1219-74	26803	1304-27		
8NPC0R	*28701	J029-28	28801	J030-28		
8NPC00	16600	1219-76	*16600	1317-34	16800	2326-18
	16900	2331-40	26803	2348-27	28701	J029-27
	28801	J030-27				
8NPC1A	17101	2322-09	*17101	2342-46	17101	2344-43
	17101	2344-48	17101	2344-49	17101	2344-54
	17101	2344-55	17101	2344-60	17101	2344-63
	17101	2344-66	17101	2344-71	17101	2344-72
	17101	2344-77	17101	2344-78		
8NPC2A	16800	2322-31	16800	2322-37	16800	2322-40
	*17200	2318-21	17200	2330-25		
8NPS0A	17200	2318-62	*17200'	2326-63	17200	2338-59
8NPS00	*16800	2330-09	17101	2342-54	17200	2326-59
8NPS1A	*16800	2316-11	16800	2330-01		
8NPS2A	16800	2330-04	*16800	2331-21		
8NPS3A	*16800	2318-15	16800	2330-05		
8NPS4A	*16800	2318-22	16800	2330-07		
8NPZ0R	*28701	J029-30	28801	J030-30		
8NPZ00	*16600	1317-22	16800	2318-23	26803	1304-29
	26803	2348-29	28701	J029-29	28801	J030-29
8NPZ10	*16800	2318-27	16800	2331-18		
8NP00A	16800	2317-09	*16800	2318-09		
8NP00ER	16800	2315-14	*16800	2322-33		
8NP000V	16800	2316-10	*16800	2317-07	16800	2318-11
	16800	2331-14	18000	2328-03		
8NP01A	*16800	2315-23	16800	2317-04		
8NP01ER	16800	2315-18	*16800	2322-39		
8NP010V	*16800	2317-03	16800	2318-03		
8NP02A	*16800	2315-35	16800	2317-05		
8NP02ER	16800	2315-19	*16800	2322-42		
8NP020V	*16800	2317-01	16800	2318-07		
8NP03ER	16800	2315-20	*16800	2322-36		
8NP04ER	16800	2315-22	*16800	2322-45		
8NP05ER	16800	2315-24	*16800	2322-51		
8NP06ER	16800	2315-25	*16800	2322-56		
8NP07ER	16800	2315-26	*16800	2322-50		
8NP08ER	16800	2315-30	*16800	2322-59		
8NP09ER	16800	2315-31	*16800	2322-65		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
8NP10ER	16800	2315-34	*16800	2322-68		
8NP11ER	16800	2315-36	*16800	2322-62		
8NP12ER	16800	2315-37	*16800	2322-73		
8PCU0AV	*16800	2334-63	16800	2340-59	16800	2343-46
8PCU1AV	*16800	2334-60	16800	2340-46	16800	2340-62
	16800	2343-45	16800	2343-59		
8PCU2AV	*16800	2334-56	16800	2340-52	16800	2343-41
	16800	2343-52				
8PCU3AV	*16800	2334-57	16800	2340-55	16800	2343-36
	16800	2343-55				
8PCU4A	*16800	2326-14	16800	2335-77	26803	2247-59
8PCU50	16800	2334-55	16800	2334-59	16800	2334-61
	16800	2334-62	*16800	2335-75		
8PCV4A	16600	1317-30	*26803	1205-59		
8PC00ER	16600	1320-50	*16800	2336-05	26803	1304-31
	26803	2348-31	28701	J029-31	28801	J030-31
8PC00ERR	28701	J029-32	*28801	J030-32		
8PC01ER	16600	1320-33	*16800	2336-11	26803	1304-33
	26803	2348-33	28701	J029-33	28801	J030-33
8PC01ERR	28701	J029-34	*28801	J030-34		
8PC02ER	16600	1320-51	*16800	2336-13	26803	1304-35
	26803	2348-35	28701	J029-35	28801	J030-35
8PC02ERR	28701	J029-36	*28801	J030-36		
8PC03ER	16600	1320-40	*16800	2336-08	26803	1304-37
	26803	2348-37	28701	J029-37	28801	J030-37
8PC03ERR	28701	J029-38	*28801	J030-38		
8PC04ER	16600	1320-34	*16800	2336-19	26803	1304-39
	26803	2348-39	28701	J029-39	28801	J030-39
8PC04ERR	28701	J029-40	*28801	J030-40		
8PC05ER	16600	1320-56	*16800	2336-27	26803	1304-41
	26803	2348-41	28701	J029-41	28801	J030-41
8PC05ERR	28701	J029-42	*28801	J030-42		
8PC06ER	16600	1320-70	*16800	2336-25	26803	1304-43
	26803	2348-43	28701	J029-43	28801	J030-43
8PC06ERR	28701	J029-44	*28801	J030-44		
8PC07ER	16600	1320-42	*16800	2336-22	26803	1304-45
	26803	2348-45	28702	J029-45	28801	J030-45
8PC07ERR	28702	J029-46	*28802	J030-46		
8PC08ER	16600	1320-78	*16800	2336-65	26803	1304-47
	26803	2348-47	28702	J029-47	28802	J030-47
8PC08ERR	28702	J029-48	*28802	J030-48		
8PC09ER	16800	2334-51	16800	2335-62	*16800	2336-68
	26803	1304-49	26803	2348-49	28702	J029-49
	28802	J030-49				
8PC09ERR	28702	J029-50	*28802	J030-50		
8PC10ER	16600	1320-55	16800	2334-45	16800	2335-64



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	*16800	2336-62	26803	1304-51	26803	2348-51
	28702	J029-51	28802	J030-51		
8PC10ERR	28702	J029-52	*28802	J030-52		
8PC11AV	16800	2325-06	16800	2325-52	*16800	2334-48
8PC110V	*16800	2325-54	16800	2336-20	16800	2336-26
	16800	2336-60	16800	2336-63	16800	2336-66
8PC12AV	*16800	2334-46	16800	2338-54		
8PC12ER	16600	1320-64	*16800	2336-73	26803	1304-53
	26803	2348-53	28702	J029-53	28802	J030-53
8PC12ERR	28702	J029-54	*28802	J030-54		
8PC210V	*16800	2325-08	16800	2336-03	16800	2336-06
	16800	2336-09	16800	2336-14	16800	2336-17
	16800	2336-23				
8PC91A	16800	2334-64	*16800	2335-60		
8PC910R	28702	J029-60	*28802	J030-60		
8PC910V	16600	1320-76	*16800	2334-66	26803	1304-59
	26803	2348-59	28702	J029-59	28802	J030-59
8PC92R	28702	J029-58	*28802	J030-58		
8PC920	16600	1320-72	*16800	2335-57	26803	1304-57
	26803	2348-57	28702	J029-57	28802	J030-57
8PC93AV	*16800	2334-43	16800	2335-53		
8PC94AV	*16800	2334-53	16800	2335-55		
8PDC15N	16800	2340-60	*16800	2343-56		
8PD001N	16800	2324-03	*16800	2343-63		
8PD012N	16800	2324-01	*16800	2343-57		
8PD023N	16800	2324-04	*16800	2343-51		
8PD034N	16800	2324-06	*16800	2343-54		
8PEC25N	*16800	2340-56	16800	2343-42		
8PE041N	16800	2323-03	*16800	2340-63		
8PE052N	16800	2323-01	*16800	2340-57		
8PE063N	16800	2323-04	*16800	2340-51		
8PE074N	16800	2323-06	*16800	2340-54		
8PFC35N	16800	2340-42	*16800	2343-40		
8PF081N	16800	2327-71	*16800	2343-50		
8PF092N	16800	2327-69	*16800	2343-43		
8PF103N	16800	2327-70	*16800	2343-37		
8PF114N	16800	2327-72	*16800	2343-38		
8PG121N	16800	2334-41	16800	2338-45	*16800	2340-50
8PJROA	16800	2326-24	*16800	2335-63		
8PJR00	16800	2324-05	*16800	2326-22		
8PJ000E	16800	2322-29	*16800	2324-07	16800	2336-01
	16800	2343-64				
8PJ011E	16800	2322-35	*16800	2324-11	16800	2336-07
	16800	2343-61				
8PJ022E	16800	2322-38	*16800	2324-13	16800	2336-10
	16800	2343-53				

Table 5-2. Key Signal Lookup Listing

Signal	Distribution					
8PJ033E	16800	2322-30	16800	2323-05	*16800	2324-10
	16800	2336-04	16800	2343-49		
8PK040E	16800	2322-41	*16800	2323-07	16800	2336-15
	16800	2340-64				
8PK051E	16800	2322-47	*16800	2323-11	16800	2336-21
	16800	2340-61				
8PK062E	16800	2322-52	*16800	2323-13	16800	2336-24
	16800	2340-53				
8PK073E	16800	2322-46	*16800	2323-10	16800	2327-73
	16800	2336-18	16800	2340-49		
8PL080E	16800	2322-53	*16800	2327-75	16800	2336-61
	16800	2343-48				
8PL091E	16800	2322-61	*16800	2327-79	16800	2336-64
	16800	2343-47				
8PL102E	16800	2322-64	*16800	2327-80	16800	2336-57
	16800	2343-39				
8PL113E	16800	2322-57	*16800	2327-76	16800	2334-50
	16800	2335-59	16800	2336-71	16800	2343-35
	18000	2329-05				
8PM12JQ	16600	1320-53	16800	2322-69	16800	2336-69
	*16800	2338-56	16800	2340-48	26803	1304-55
	26803	2348-55	28702	J029-55	28802	J030-55
8PM12JQR	28702	J029-56	*28802	J030-56		
8RA001N	*14800	1126-17	14800	1133-34		
8RA012N	*14800	1126-11	14800	1133-29		
8RA023N	*14800	1126-05	14800	1133-35		
8RA034N	*14800	1126-06	14800	1133-54		
8RA035N	*14800	1126-08	14800	1127-10		
8RA041N	*14800	1127-17	14800	1133-48		
8RA052N	*14800	1127-11	14800	1133-41		
8RA063N	*14800	1127-05	14800	1133-47		
8RA074N	*14800	1127-06	14800	1133-68		
8RA075N	14800	1126-26	*14800	1127-08		
8RA081N	*14800	1126-30	14800	1133-62		
8RA092N	*14800	1126-29	14800	1133-53		
8RA103N	*14800	1126-21	14800	1133-59		
8RA114N	*14800	1126-22	14800	1133-77		
8RA115N	*14800	1126-24	14800	1127-26		
8RA121N	*14800	1127-30	14800	1133-71		
8RA132N	*14800	1127-29	14800	1133-65		
8RA143N	*14800	1127-21	14800	1133-76		
8RA154N	14800	1119-78	*14800	1127-22		
8RBTA	*14300	1112-09				
8RBTBA	*14300	1112-15				
8RBTB	14300	1108-30	14300	1108-37	*14300	1112-09
8RBTB	*14300	1112-15	14300	1114-22	14400	1119-64

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	14400	1120-49	14700	1124-43	14900	1108-05
	14900	1108-10	14900	1108-19	14900	1108-25
	14900	1109-18	14900	1109-24	14900	1109-73
	14900	1109-78				
8RBT10	*14300	1111-27	14300	1112-03	14300	1112-11
	15001	1125-56				
8RCFAA	*14300	1108-33				
8RCFBA	*14300	1108-35				
8RCFLB	*15002	1137-60	*15002	1137-66	26601	A09-11
	26601	J05-62	26601	XDS02-A	26601	XDS02-B
	26601	XDS02-C	26601	XDS02-D	26803	1105-63
	27102	J003-63	29402	J036-62		
8RCF1A	26803	1203-75	26902	J001-75	*26902	J020-75
8RCF1B	*14300	1108-33	*14300	1108-35	26803	1107-75
8RCF1BG	26110	1108-32	26803	1107-76		
8RCF1R	26902	J001-76	*26902	J020-76		
8RCF2D	*15002	1137-66				
8RCF3D	*15002	1137-60				
8RCF50	15002	1137-64	15002	1137-68	*15002	1147-60
8RCM00	*15001	1112-80	15001	1121-63		
8RCM10E	*15001	1121-61	15001	1125-47	15001	1126-46
8RCM11E	*15001	1121-65	15001	1125-45	15001	1126-45
8RCM12E	*15001	1121-68	15001	1125-43	15001	1126-41
8RCM21N	*15001	1126-50	15001	1129-68		
8RCM22N	*15001	1126-43	15001	1129-62		
8RCM23N	*14800	1126-37	15001	1129-53		
8RCM32C	15001	1109-04	15001	1109-08	15001	1120-78
	*15001	1125-54				
8RCM4JQ	15001	1112-76	*15001	1114-56	15001	1131-78
8RCM5A	*15001	1128-75	15001	1129-55	15001	1129-64
	15001	1129-70				
8RCM6A	15001	1128-71	*15001	1129-66		
8RCM60	15001	1121-55	*15001	1128-72		
8RCM7A	15001	1128-65	*15001	1129-60		
8RCM70	15001	1121-53	*15001	1128-69		
8RCM8A	15001	1128-76	*15001	1129-57		
8RCM80	15001	1121-57	*15001	1128-80		
8RCM9A	*15001	1120-80	15001	1131-76		
8RCM90	15001	1128-77	*15001	1131-80		
8RCN0B	01501	1330-53	01501	1330-62	01501	1330-68
	04300	1426-06	04400	1426-22	04500	1426-37
	04700	1445-61	*15001	1109-09	*15001	1109-11
	26802	1105-15	26803	1104-15	27201	J004-15
	27201	J058-15				
8RCN0BG	26108	1330-58	26802	1105-16	27201	J004-16
	*27201	J058-16				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8RCN1A	*15001	1109-11				
8RCN2A	*15001	1109-09				
8RC00A	14600	1124-72	*14600	1129-06	14900	1128-08
	14900	1128-47				
8RC00R	27501	J012-18	*27501	J072-18		
8RC000	08501	2333-71	12100	2515-10	*14900	1128-06
	26802	2251-17	26803	1204-17	27501	J012-17
	27501	J072-17				
8RC000G	26110	1128-02	26803	1204-18		
8RC01A	14600	1124-71	*14600	1129-01	14900	1128-04
	14900	1128-68				
8RC01R	27501	J012-20	*27501	J072-20		
8RC010	08501	2333-77	12100	2515-08	*14900	1128-01
	26802	2251-19	26803	1204-19	27501	J012-19
	27501	J072-19				
8RC010G	26110	1128-02	26803	1204-20		
8RC02A	14600	1124-73	*14600	1129-09	14900	1128-03
	14900	1128-62				
8RC02R	27501	J012-22	*27501	J072-22		
8RC020	08501	2333-72	12100	2515-06	*14900	1128-09
	18300	2304-20	26802	2251-21	26803	1201-01
	26803	1204-21	26803	2251-01	27501	J012-21
	27501	J072-21				
8RC020G	26110	1128-02	26803	1204-22		
8RC03A	14600	1124-75	*14600	1129-15	14900	1128-11
	14900	1128-53	14900	1130-54		
8RC03R	27501	J012-24	*27501	J072-24		
8RC030	08501	2333-78	12100	2337-53	12100	2515-04
	*14900	1128-15	18402	2212-78	26802	2251-23
	26803	1201-57	26803	1204-23	26803	2251-57
	27501	J012-23	27501	J072-23		
8RC030G	26110	1128-16	26803	1204-24		
8RC04A	14600	1124-77	*14600	1129-22	14900	1128-24
	14900	1128-59	14900	1130-48		
8RC04R	27501	J012-26	*27501	J072-26		
8RC040	08501	2331-53	12100	2337-59	12100	2523-36
	*14900	1128-22	18402	2212-73	26802	2251-25
	26803	1201-59	26803	1204-25	26803	2251-59
	27501	J012-25	27501	J072-25		
8RC040G	26110	1128-16	26803	1204-26		
8RC05A	14600	1124-79	14600	1125-06	*14600	1129-14
	14900	1128-18	14900	1130-41		
8RC05R	27501	J012-28	*27501	J072-28		
8RC050	08501	2331-59	12100	2337-57	12100	2338-51
	12100	2523-34	*14900	1128-14	18401	2212-61
	26802	2251-27	26803	1201-61	26803	1204-27

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26803	2251-61	27501	J012-27	27501	J072-27
8RC050G	26110	1128-16	26803	1204-28		
8RC06A	14600	1124-78	14600	1125-04	*14600	1129-21
	14900	1128-17	14900	1130-47		
8RC06R	27501	J012-30	*27501	J072-30		
8RC060	08501	2331-56	12100	2337-64	12100	2338-57
	12100	2523-30	*14900	1128-21	18401	2212-64
	26802	2251-29	26803	1201-63	26803	1204-29
	26803	2251-63	27501	J012-29	27501	J072-29
8RC060G	26110	1128-32	26803	1204-30		
8RC07A	14600	1124-55	14600	1125-24	*14600	1129-27
	14900	1128-23	14900	1130-68		
8RC07R	27501	J012-32	*27501	J072-32		
8RC070	08501	2331-64	12100	2337-62	12100	2338-54
	*14900	1128-27	18401	2212-49	26802	2251-31
	26803	1201-65	26803	1204-31	26803	2251-65
	27501	J012-31	27501	J072-31		
8RC070G	26110	1128-32	26803	1204-32		
8RC08A	14600	1124-60	14600	1125-22	*14600	1129-38
	14900	1128-40	14900	1130-62		
8RC08R	27501	J012-34	*27501	J072-34		
8RC080	08501	2331-71	12100	2338-62	*14900	1128-38
	18401	2212-50	26802	2251-33	26803	1201-67
	26803	1204-33	26803	2251-67	27501	J012-33
	27501	J072-33				
8RC080G	26110	1128-32	26803	1204-34		
8RC09A	14600	1124-62	14600	1125-20	*14600	1129-30
	14900	1128-34	14900	1130-53		
8RC09R	27501	J012-36	*27501	J072-36		
8RC090	08501	2331-77	12100	2519-36	12100	2522-23
	*14900	1128-30	18401	2212-37	26802	2251-35
	26803	1201-69	26803	1204-35	26803	2251-69
	27501	J012-35	27501	J072-35		
8RC090G	26110	1128-44	26803	1204-36		
8RC10A	14600	1124-64	14600	1125-18	14600	1128-29
	*14600	1129-33	14600	1130-59		
8RC100R	27501	J012-38	*27501	J072-38		
8RC100	08501	2331-72	*14600	1128-33	18401	2212-36
	26802	2251-37	26803	1201-71	26803	1204-37
	26803	2251-71	27501	J012-37	27501	J072-37
8RC100G	26110	1128-44	26803	1204-38		
8RC11A	14600	1124-66	14600	1125-38	14600	1128-35
	*14600	1129-39	14600	1130-77		
8RC11R	27501	J012-40	*27501	J072-40		
8RC110	08501	2331-78	*14600	1128-39	18401	2212-25
	26802	2251-39	26803	1201-73	26803	1204-39

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26803	2251-73	27501	J012-39	27501	J072-39
8RC1100G	26110	1128-44	26803	1204-40		
8RC12A	14600	1124-68	14600	1125-36	14600	1128-54
	*14600	1129-52	14600	1130-71		
8RC12R	27501	J012-42	*27501	J072-42		
8RC120	07600	2518-59	08501	2333-53	*14600	1128-52
	18401	2212-20	26802	2251-41	26803	1201-75
	26803	1204-41	26803	2251-75	27501	J012-41
	27501	J072-41				
8RC120G	26110	1128-58	26803	1204-42		
8RC13A	14600	1124-70	14600	1125-34	14600	1128-48
	*14600	1129-46	14600	1130-65		
8RC13R	27501	J012-44	*27501	J072-44		
8RC130	08501	2333-59	*14600	1128-46	18401	2212-13
	26802	2251-43	26803	1201-77	26803	1204-43
	26803	2251-77	27501	J012-43	27501	J072-43
8RC130G	26110	1128-58	26803	1204-44		
8RC14A	14600	1124-61	14600	1125-30	14600	1128-41
	*14600	1129-45	14600	1130-76		
8RC14R	27501	J012-46	*27501	J072-46		
8RC140	08501	2333-56	*14600	1128-45	18401	2212-05
	26802	2251-45	26803	1201-79	26803	1204-45
	26803	2251-79	27501	J012-45	27501	J072-45
8RC140G	26110	1128-58	26803	1204-46		
8RC200	14900	1108-73	14900	1108-77	14900	1109-52
	14900	1109-64	14900	1111-19	*14900	1128-51
8RC210	14900	1108-75	14900	1109-34	14900	1109-54
	14900	1109-62	14900	1109-70	14900	1111-20
	*14900	1128-66				
8RC220	14900	1109-31	14900	1109-40	14900	1109-48
	14900	1109-60	14900	1109-68	14900	1111-26
	*14900	1128-60				
8RC230	14900	1109-38	14900	1109-46	14900	1109-66
	*14900	1128-57				
8RC240	14900	1109-50	*14900	1128-63		
8RC80R	27202	J004-52	*27202	J058-52		
8RC800	02500	1535-21	02500	1536-70	02500	1537-70
	*14900	1130-52	26802	1105-51	26803	1104-51
	27202	J004-51	27202	J058-51		
8RC800G	26110	1130-32	26803	1104-58		
8RC81R	27202	J004-54	*27202	J058-54		
8RC810	02500	1535-19	02500	1536-72	02500	1537-72
	*14900	1130-46	26802	1105-53	26803	1104-53
	27202	J004-53	27202	J058-53		
8RC810G	26110	1130-32	26803	1104-60		
8RC82R	27202	J004-56	*27202	J058-56		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8RC820	02500	1535-17	02500	1536-74	02500	1537-74
	*14900	1130-45	26802	1105-55	26803	1104-55
	27202	J004-55	27202	J058-55		
8RC820G	26110	1130-32	26803	1104-62		
8RC83R	27202	J004-58	*27202	J058-58		
8RC830	02500	1535-15	02500	1536-76	02500	1537-76
	*14900	1130-51	26802	1105-57	26803	1104-57
	27202	J004-57	27202	J058-57		
8RC830G	26110	1130-44	26803	1104-64		
8RC84R	27202	J004-60	*27202	J058-60		
8RC840	02500	1535-35	02500	1536-57	02500	1537-57
	*14900	1130-66	26802	1105-59	26803	1104-59
	27202	0004-59	27202	J058-59		
8RC840G	26110	1130-44	26803	1104-66		
8RC85R	27202	J004-62	*27202	J058-62		
8RC850	02500	1535-33	02500	1536-60	02500	1537-60
	*14900	1130-60	26802	1105-61	26803	1104-61
	27202	J004-61	27202	J058-61		
8RC850G	26110	1130-44	26803	1104-68		
8RC86R	27202	J004-64	*27202	J058-64		
8RC860	02500	1535-31	02500	1536-62	02500	1537-62
	*14900	1130-57	26802	1105-63	26803	1104-63
	27202	J004-63	27202	J058-63		
8RC860G	26110	1130-58	26803	1104-70		
8RC87R	27202	J004-66	*27202	J058-66		
8RC870	02500	1535-29	02500	1536-64	02500	1537-64
	*14600	1130-63	26802	1105-65	26803	1104-65
	27202	J004-65	27202	J058-65		
8RC870G	26110	1130-58	26803	1104-72		
8RC88R	27202	J004-68	*27202	J058-68		
8RC880	02500	1535-47	02500	1536-46	02500	1537-46
	*14600	1130-75	26802	1105-67	26803	1104-67
	27202	J004-67	27202	J058-67		
8RC880G	26110	1130-58	26803	1104-74		
8RC89R	27202	J004-70	*27202	J058-70		
8RC890	02500	1535-45	02500	1536-48	02500	1537-48
	*14600	1130-72	26802	1105-69	26803	1104-69
	27202	J004-69	27202	J058-69		
8RC890G	26110	1130-67	26803	1104-76		
8RC90R	27202	J004-72	*27202	J058-72		
8RC900	02500	1535-43	02500	1536-50	02500	1537-50
	*14600	1130-69	26802	1105-71	26803	1104-71
	27202	J004-71	27202	J058-71		
8RC900G	26110	1130-67	26803	1104-78		
8RC91R	27202	J004-74	*27202	J058-74		
8RC910	02500	1535-41	02500	1536-52	02500	1537-52

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	*14600	1130-80	26802	1105-73	26803	1104-73
	27202	J004-73	27202	J058-73		
8RC910G	26110	1130-67	26803	1104-80		
8RGDAA	14300	1121-05	14800	1126-27	14800	1127-14
	14800	1127-27	15001	1121-62		
8RGDBA	14500	1117-26	14800	1126-15	14800	1126-33
	14800	1127-15	14800	1127-33	15001	1114-54
	15001	1126-47	*15001	1135-01		
8RGDCA	14400	1116-54	14500	1117-54	14500	1118-40
	14800	1126-25	14800	1127-25		
8RGDDA	14400	1118-66	14800	1126-04	14800	1126-20
	14800	1127-04				
8RGDEA	14300	1138-66	14600	1114-75	14600	1138-78
	14800	1126-14	15001	1125-41	15001	1126-48
8RGDFA	14300	1116-08	14800	1126-09	14800	1127-09
	15001	1125-46	15001	1126-39		
8RLD1D	*14500	1137-06				
8RLD2D	*14500	1137-01				
8RLD3D	*14500	1137-09				
8RLD4D	*14500	1137-15				
8RLD5D	*14600	1137-22				
8RLD6D	*14600	1137-14				
8RLTDA	14500	1107-17	*14500	1147-45		
8RLTD0	*14500	1131-15	14500	1147-43		
8RLTIA	00100	1213-71	00100	1226-41	00100	1317-61
	08502	2334-57	12200	2516-18	12200	2516-40
	12400	2516-61	*14500	1131-09	14500	1203-17
	14500	1215-08	14500	1215-10	14600	1138-73
	26802	1302-43	26802	2251-57	26803	1204-57
	26803	1302-43	26901	J001-17	26901	J020-17
8RLTIA-	*28202	J024-43	28202	J084-43		
8RLTIR	*26901	J001-18	26901	J020-18		
8RLTIR-	*28202	J024-44	28202	J084-44		
8RLT1A	*27502	J012-57	27502	J072-57		
8RLT1R	*14500	1131-01	14500	1132-06	15001	1109-07
	15001	1109-13	27502	J012-58	27502	J072-58
8RLT1S	14500	1131-03	14500	1131-04	14500	1131-11
	*14500	1132-11				
8RMA1JQ	14600	1111-35	14600	1112-56	*14600	1114-80
	14600	1115-55	14600	1115-71	14600	1116-71
	14600	1117-71				
8RMA2A	*14600	1111-39	14600	1112-35		
8RMA20	*14600	1112-39	14600	1115-72	14600	1116-72
	14900	1110-43				
8RMA3JQ	*14600	1115-80	14600	1116-73	14600	1116-78
8RMA4JQ	14600	1115-60	*14600	1116-80	14600	1117-72



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8RMA5JQ	14600	1110-46	*14600	1115-68	14600	1117-73
	14600	1117-78				
8RMA6JQ	14600	1110-48	*14600	1117-80		
8RMA7JQ	*14600	1114-68	14600	1137-18	14600	1137-26
8RMA7KQ	14600	1112-29	*14600	1114-65		
8RMA8A	*14400	1112-46	14400	1129-77	14400	1131-24
	14600	1114-55				
8RMA80	*14400	1111-46	14400	1112-48	14400	1129-71
	14400	1131-18	14400	1132-52		
8RMA9R	*14600	1111-52	14600	1114-66		
8RMA9S	14600	1111-54	*14600	1112-52	14600	1114-59
8RMM9B	*14600	1137-14	*14600	1137-22	26503	A05-37
	26503	XDS03-A	26503	XDS03-B	26503	XDS03-C
	26503	XDS03-D	26504	J05-01	26803	1105-60
	27102	J003-60	30101	J048-01		
8RMS00	14700	1111-40	*14700	1112-38	14900	1109-49
	14900	1109-55	14900	1111-07	14900	1111-17
8RMS1A	12300	2336-77	*14700	1111-30	26802	2251-55
	26803	1204-55	27502	J012-55	27502	J072-55
8RMS1R	27502	J012-56	*27502	J072-56		
8RMS10	*14700	1110-47	14700	1111-34	14900	1108-71
	14900	1109-30	14900	1109-61	14900	1111-18
8RMS2A	12300	2336-72	*14700	1111-33	26802	2251-53
	26803	1204-53	27502	J012-53	27502	J072-53
8RMS2R	27502	J012-54	*27502	J072-54		
8RMS20	14700	1111-29	*14700	1112-30	14900	1108-79
	14900	1109-37	14900	1109-43	14900	1111-24
8RPA0R	14500	1119-04	14500	1119-0-8	*14500	1120-06
8RPA0S	*14500	1119-06	14500	1120-03	14500	1120-08
8RPA3JQ	*14500	1117-25	14500	1120-10		
8RPA3KQ	*14500	1117-27	14500	1119-11		
8RPA6JQ	*14500	1118-42	14500	1119-10		
8RPA6KQ	*14500	1118-39	14500	1119-13		
8RPA7JQ	*14500	1117-56	14500	1118-45		
8RPA7KQ	*14500	1117-51	14500	1118-54		
8RPA8JQ	*14500	1118-56	14500	1119-05	14500	1120-07
	14500	1129-59				
8RPA9A	14500	1117-43	14500	1118-43	*14500	1119-15
8RPB0A	14400	1118-78	14400	1134-61	*14400	1135-80
8RPB00	*14400	1134-80	14400	1135-76		
8RPBIA	*14400	1119-72	14400	1135-65		
8RPB1R	*26901	J001-22	26901	J020-22		
8RPB100	14400	1107-21	14400	1119-71	*14400	1123-21
	14400	1203-21	26901	J001-21	26901	J020-21
8RPB21E	*14400	1121-79	14400	1135-77		
8RPB23E	14400	1118-73	*14400	1121-76		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8RPB3JQ	*14400	1118-80	14400	1134-74		
8RPB3KQ	*14400	1118-79	14400	1135-59		
8RPB4R	*14400	1134-63	14400	1135-53	14400	1135-61
8RPB4S	14400	1134-59	*14400	1135-57		
8RPB5A	14400	1134-71	*14400	1135-63		
8RPB50	14400	1121-73	*14400	1134-72		
8RPB6A	14400	1129-73	14400	1131-20	*14400	1135-75
8RPB7A	*14400	1134-69	14400	1135-55		
8RPBBA	14400	1134-78	*14400	1135-72		
8RPB9A	14400	1134-76	*14400	1135-69		
8RPEXA	*14400	1108-57	26803	1302-51		
8RPE10	*14400	1129-75	14400	1132-74	14400	1132-77
8RPE20	*14400	1129-72	14400	1132-71	14400	1132-79
8RPE3A	*14400	1132-76				
8RPE30	*14800	1129-69	14800	1132-25	14800	1133-05
	14800	1133-07	14800	1133-10	14800	1133-13
	14800	1133-19	14800	1133-20	14800	1133-25
	14800	1133-26				
8RPE41E	14300	1138-59	*14400	1122-79	14400	1129-76
8RPE42E	*14400	1122-80	14400	1131-65		
8RPE5A	*14400	1131-69	14700	1115-17	14700	1116-17
	14700	1116-31	14700	1132-05		
8RPE60	*14400	1129-80	14400	1131-74		
8RPE7A	*14400	1132-69				
8RPE8B	14300	1138-55	14400	1122-73	*14400	1132-69
	*14400	1132-76	14700	1124-48	14800	1129-49
	14800	1129-65	14800	1133-31	14800	1133-36
	14800	1133-37	14800	1133-43	14800	1133-49
	14800	1133-50	14800	1133-56	14800	1133-64
	14800	1133-70	14800	1134-29	14800	1134-34
	14800	1134-35	14800	1134-40	14800	1134-48
	14800	1134-54				
8RPM10	14400	1131-40	*14400	1132-59		
8RPM3A	14400	1111-50	*14400	1131-38		
8RPP0A	*14500	1119-01	14500	1120-04		
8RPP00	*14500	1120-01	14500	1137-04	14500	1137-08
8RPP1A	14500	1119-03	*14500	1120-09		
8RPP10	*14500	1119-09	14500	1137-07	14500	1137-11
8RPP8B	*14500	1137-09	*14500	1137-15	26101	A05-43
	26101	XDS04-C	26501	XDS04-A	26504	J05-39
	26803	1105-61	27102	J003-61	30102	J048-39
8RPP9B	*14500	1137-01	*14500	1137-06	26101	A05-45
	26101	XDS04-B	26101	XDS04-D	26504	J05-40
	26803	1105-62	27102	J003-62	30102	J048-40
8RPS0A	27001	J002-41	*27001	J080-67		
8RPS0AG	27001	J002-42	*27001	J080-68		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8RPS0DG	26110	1137-44	26803	1106-42		
8RPS0D4	*14400	1137-45	26803	1106-41		
8RPS1KQ	*14400	1117-65	14400	1119-62	14400	1137-43
8RPS2JQ	14400	1117-59	*14400	1118-68		
8RPS2KQ	14400	1117-66	*14400	1118-65		
8RPS9A	01501	1432-41	05900	1111-29	*14400	1119-60
	17300	2338-18	26802	1302-51	26803	1201-51
	26803	2251-51	28202	J024-51	28202	J084-51
8RPS9R	28202	J024-52	*28202	J084-52		
8RPT50	14400	1110-78	*14400	1130-38		
8RPT60	14400	1110-77	*14400	1130-30		
8RPW2A	14400	1110-79	*14700	1131-30		
8RPW20	14700	1131-34	*14700	1132-21		
8RPW3A	14700	1120-40	*14700	1131-33		
8RPW30	14700	1119-40	14700	1120-23	14700	1120-24
	*14700	1130-33	14700	1131-29		
8RPW50	14700	1120-18	*14700	1130-39		
8RP00A	*14800	1133-06	14800	1134-08		
8RP01A	*14800	1133-01	14800	1134-04		
8RP02A	*14800	1133-09	14800	1134-03		
8RP03A	*14800	1133-15	14800	1134-11		
8RP04A	*14800	1133-22	14800	1134-24		
8RP05A	*14800	1133-14	14800	1134-18		
8RP06A	*14800	1133-21	14800	1134-17		
8RP07A	14800	1132-37	*14800	1133-27		
8RP08A	*14800	1132-23	14800	1134-23		
8RP20A	*14800	1133-30	14800	1134-10		
8RP21A	*14800	1133-33	14800	1134-05		
8RP22A	*14800	1133-39	14800	1134-07		
8RP23A	*14800	1133-52	14800	1134-13		
8RP24A	*14800	1133-46	14800	1134-26		
8RP25A	*14800	1133-45	14800	1134-20		
8RP26A	*14800	1133-51	14800	1134-19		
8RP27A	14800	1132-38	*14800	1133-66		
8RP28A	*14800	1133-60	14800	1134-25		
8RP29A	*14800	1133-57	14800	1134-42		
8RP30A	*14800	1133-63	14800	1134-36		
8RP31A	*14800	1133-75	14800	1134-31		
8RP32A	*14800	1133-72	14800	1134-37		
8RP33A	*14800	1133-69	14800	1134-56		
8RP34A	*14800	1133-80	14800	1134-50		
8RP400	14800	1121-31	*14800	1134-06		
8RP410	14800	1121-29	*14800	1134-01		
8RP420	14800	1121-30	*14800	1134-09		
8RP430	14800	1121-34	*14800	1134-15		
8RP440	14800	1122-31	*14800	1134-22		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
8RP450	14800	1122-29	*14800	1134-14		
8RP460	14800	1122-30	*14800	1134-21		
8RP470	14800	1122-34	*14800	1132-35		
8RP480	14800	1121-43	*14800	1134-27		
8RP490	14800	1121-41	*14800	1134-38		
8RP500	14800	1121-46	*14800	1134-30		
8RP510	14800	1121-48	*14800	1134-33		
8RP520	14800	1122-43	*14800	1134-39		
8RP530	14800	1122-41	*14800	1134-52		
8RP540	14800	1122-46	*14800	1134-46		
8RRBA0	*14500	1119-69	14500	1120-54	14500	1138-43
8RRBCA	*14800	1120-39	14800	1121-36	14800	1121-50
	14800	1122-36	14800	1122-50		
8RRB0A	14500	1116-66	14500	1119-50	*14500	1120-52
8RRB00	14500	1119-74	16102	1203-19	*16102	1408-63
	26803	1107-19				
8RRB21E	14500	1117-48	14500	1118-48	14500	1119-35
	*14500	1122-65				
8RRB22E	14500	1116-59	*14500	1122-68		
8RRB3JQ	*14500	1116-68	14500	1119-49		
8RRB3KQ	*14500	1116-65	14500	1120-41		
8RRB4KQ	14500	1131-13	*14500	1138-51		
8RRB4R	*14500	1119-46	14500	1120-43	14500	1120-48
8RRB4S	14500	1119-48	*14500	1120-46		
8RRB5A	14500	1119-41	*14500	1120-45		
8RRB50	*14500	1119-45	14500	1122-59		
8RRB6A	14400	1129-79	14500	1117-17	*14500	1119-39
8RRB7A	*14500	1119-51	14500	1120-50		
8RRCE0	14800	1119-76	*14800	1129-51		
8RRCIA	*14800	1119-80	14800	1121-54		
8RRM0A	14400	1131-26	14600	1114-70	*14600	1124-11
8RRM1C	14600	1124-01	*14600	1125-11		
8RRM12C	14600	1124-04	*14600	1125-14		
8RRM21C	14600	1124-05	*14600	1125-27		
8RRM22C	14600	1124-06	*14600	1125-26		
8RRM31C	14600	1124-07	*14600	1125-39		
8RRM32C	14600	1124-08	*14600	1125-40		
8RRR1R	16101	1123-18				
8RRR10	*16101	J001-K	16101	1123-14	16101	1123-54
8RRR2R	14400	1123-22				
8RRR20	*14400	J01-BB	14400	1123-20	14400	1123-56
8RRSTKQ	14600	1125-13	14600	1125-25	14600	1125-42
	*14600	1138-79				
8RRZAA	*14600	1120-57				
8RRZBA	*14600	1120-63				
8RRZEA	*14400	1120-51	17300	2338-20	26803	1201-47

Change 2 5-473

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8RRZSA	26803	2251-47				
	01501	1330-59	05900	1111-35	*14400	1120-66
	26802	1302-49	26803	1302-49	28202	J024-49
	28202	J084-49				
8RRZSB	07600	2413-47	07701	2225-46	07800	2412-04
	12200	2519-04	14600	1119-77	*14600	1120-57
	*14600	1120-63	18700	2221-41	26802	2251-61
	26803	1201-39	26803	1204-61	26803	2251-39
	27502	J012-61	27502	J072-61		
8RRZSBG	26109	2225-44	26110	1119-67	26802	2251-62
	26803	1201-40				
8RRZSG	26111	2221-44	26803	2251-40		
8RRZSR	27502	J012-62	*27502	J072-62		
8RRZSR-	28202	J024-50	*28202	J084-50		
8RRZZA	27001	J002-37	*27001	J080-65		
8RRZZAG	27001	J002-38	*27001	J080-66		
8RRZZDG	26110	1137-58	26803	1106-38		
8RRZZD4	*14400	1137-51	26803	1106-37		
8RRZ0A	14500	1118-31	14500	1131-05	14500	1138-46
	*14600	1120-75	15001	1114-43	15100	1208-59
	15100	1222-20	15200	1247-20	15600	1214-66
	15800	1233-53	15900	1239-66		
8RRZ00	14600	1114-60	14600	1114-72	*14600	1119-75
8RRZ10	*14600	1119-57	14600	1120-53	14600	1120-59
	14600	1120-65	14600	1120-77		
8RRZ20	*14600	1119-63	14600	1120-55	14600	1120-61
	14600	1120-74	14600	1120-79		
8RRZ4A	14400	1115-43	14400	1116-43	*14600	1120-69
8RRZ5A	14600	1119-53	*14600	1124-59		
8RRZ6.A	14600	1119-59	*14600	1124-76		
8RR000E	14600	1129-08	*14800	1121-35	14800	1124-14
	14800	1126-13				
8RR011E	14600	1129-04	*14800	1121-39	14800	1124-18
	14800	1126-18				
8RR022E	14600	1129-03	*14800	1121-42	14800	1124-19
	14800	1126-07				
8RR033E	14600	1129-11	*14800	1121-38	14800	1122-33
	14800	1124-20	14800	1126-03		
8RR040E	14600	1129-24	*14800	1122-35	14800	1124-22
	14800	1127-13				
8RR051E	14600	1129-18	*14800	1122-39	14800	1124-24
	14800	1127-18				
8RR062E	14600	1129-17	*14800	1122-42	14800	1124-25
	14800	1127-07				
8RR073E	14600	1129-23	14800	1121-45	*14800	1122-38
	14800	1124-30	14800	1127-03		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8RR080E	14600	1129-40	*14800	1121-47	14800	1124-31
	14800	1126-31				
8RR091E	14600	1129-34	*14800	1121-51	14800	1124-34
	14800	1126-34				
8RR102E	14600	1129-29	*14800	1121-56	14800	1124-36
	14800	1126-23				
8RR113E	14600	1129-35	*14800	1121-52	14800	1122-45
	14800	1124-37	14800	1126-19		
8RR120E	14600	1129-54	*14800	1122-47	14800	1124-38
	14800	1127-31				
8RR131E	14600	1129-48	*14800	1122-51	14800	1124-40
	14800	1127-34				
8RR142E	14600	1129-41	*14800	1122-56	14800	1124-42
	14800	1127-23				
8RR153E	14800	1121-33	*14800	1122-52	14800	1127-19
	16500	1228-34				
8RR80R	*26901	J001-20	26901	J020-20		
8RR800	*26901	J001-19	26901	J020-19		
8RSCA0	*14900	1110-35				
8RSCB0	*14900	1110-33				
8RSC6B	14300	1138-61	14900	1108-01	14900	1108-06
	14900	1108-14	14900	1108-22	*14900	1110-33
	*14900	1110-35	15001	1109-01	15001	1109-06
8RSC7A	*14900	1109-45	14900	1110-30	14900	1110-37
8RSC8A	*14900	1109-59	14900	1110-31	14900	1110-38
8RSC9A	*14900	1109-57	14900	1110-34	14900	1110-40
8RSE1A	14400	1130-17	*	14400	1132-47	
8RSE10	*14400	1130-21	14500	1137-03	14500	1137-05
	14500	1137-10	14500	1137-13		
8RSM0A	06001	2536-41	*14300	1130-09	26802	2251-71
	26803	1204-71	27502	J012-71	27502	J072-71
8RSM0R	27502	J012-72	*27502	J072-72	14300	1122-22
8RSM13E	13402	1345-79	*14300	1121-24		
	*14300	1130-03				
8RSM22E	*14300	1122-25	14300	1130-10		
8RSM23E	14300	1120-71	*14300	1122-24		
8RSM3JQ	*14300	1116-13	14300	1121-08	14300	1121-19
8RSM3KQ	*14300	1116-11	14300	1121-14		
8RSM4A	14300	1121-09	*14300	1131-06		
8RSM40	*14300	1130-06	14300	1131-10	14600	1138-71
8RSM5A	*14300	1120-72	14300	1122-19	14300	1130-08
	14300	1134-43				
8RSM61E	*14300	1121-11	14300	1132-31		
8RSM70	*14300	1132-33	14300	1134-41		
8RSM8A	14300	1116-03	14300	1131-08	*14300	1134-45
8RSPDA	*14400	1130-14	15100	1219-11	15200	1230-17

Change 2 5-475

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8RSP10	14400	1108-62	14400	1130-18	14400	1130-24
	*14400	1131-22				
8RSP20	14400	1108-64	14400	1130-20	14400	1130-26
	*14400	1131-14				
8RSP3A	14400	1117-55	14400	1118-55	*14400	1130-22
	14500	1132-08				
8RS8AA	*14300	1112-06				
8RS8BA	*14300	1112-01				
8RS8CB	06600	2140-08	*14300	1112-01	*14300	1112-06
	26802	2251-13	26803	1302-77	28203	J024-77
	28203	J084-77				
8RS8CB-	27501	J012-13	*27501	J072-13		
8RS8CBG	26109	2140-16	26110	1112-02	26802	2251-14
	26803	1302-78	27501	J012-14	*27501	J072-14
8RS8CR	28203	J024-78	*28203	J084-78		
8RS8ZA	*14300	1111-06	26803	1204-13		
8RS81JQ	14300	1112-04	14300	1112-08	*14300	1114-13
	14300	1115-05				
8RS81KQ	*14300	1114-11	14300	1115-14		
8RS83JQ	14300	1117-33	*14300	1118-25		
8RS83KQ	14300	1111-10	14300	1117-40	*14300	1118-27
8RS84JQ	14300	1111-08	*14300	1117-42		
8RT003E	14100	1142-33	*14100	1143-38		
8RT013E	*14100	1142-38	14100	1143-45		
8RT023E	14100	1142-45	*14100	1143-52		
8RT033E	14000	1143-59	*14100	1142-52		
8RT043E	14000	1142-59	*14000	1143-64		
8RT053E	*14000	1142-64	14700	1143-73		
8RT063E	14700	1142-73	*14700	1143-76		
8RT073E	14100	1143-33	*14700	1142-76	16500	1228-29
8RT203E	15002	1140-33	*15002	1143-24		
8RT213E	*15002	1140-38	15002	1141-45		
8RT223E	15002	1140-45	*15002	1141-52		
8RT233E	*15002	1140-52	15002	1141-59		
8RT243E	15002	1140-59	*15002	1141-64		
8RT253E	*15002	1140-64	15002	1141-73		
8RT263E	15002	1140-73	*15002	1141-76		
8RT273E	*15002	1140-76	15002	1143-19	16500	1228-31
8RT91A	14000	1142-62	14000	1143-62	14100	1142-36
	14100	1142-50	14100	1143-36	14100	1143-50
	14700	1142-74	14700	1143-74	15002	1140-36
	15002	1140-50	15002	1140-62	15002	1140-74
	15002	1141-50	15002	1141-62	15002	1141-74
	15002	1143-22	*16500	1144-80		
8RT96A	14000	1142-63	14000	1143-63	14100	1142-37
	14100	1142-49	14100	1143-37	14100	1143-49

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	14700	1142-77	14700	1143-77	15002	1140-37
	15002	1140-49	15002	1140-63	15002	1140-77
	15002	1141-49	15002	1141-63	15002	1141-77
	15002	1143-23	*16500	1145-80		
8RVD1A	14700	1119-18	*14700	1124-47		
8RVD10	14700	1115-20	14700	1116-20	14700	1116-34
	*14700	1119-14				
8RVD2JQ	*14700	1115-25	14700	1116-19	14700	1120-17
8RVD2KQ	14700	1110-61	*14700	1115-27		
8RVD30	*14700	1110-59	14700	1116-26		
8RVD4A	14700	1110-60	14700	1110-66	14700	1115-21
	*14700	1120-22				
8RVD5JQ	*14700	1116-25	14700	1120-19	14700	1120-26
	14700	1120-42				
8RVD5KQ	*14700	1116-27	14700	1119-42		
8RVD6JQ	*14700	1116-42	14700	1120-20	14700	1120-25
8RVD7A	14700	1110-62	14700	1110-68	14700	1115-19
	*14700	1120-14				
8RVD70	*14700	1110-57	14700	1116-33		
8RVD8A	14700	1110-64	*14700	1120-21		
8RVD90	14700	1116-35	14700	1116-38	*14700	1119-38
8RVFAA	*14700	1120-30				
8RVFBA	*14700	1120-33				
8RVFCB	08300	2229-77	08300	2233-41	08300	2233-47
	08300	2233-48	08300	2233-54	08300	2233-62
	14700	1112-53	14700	1119-17	14700	1119-25
	*14700	1120-30	*14700	1120-33	26802	2251-49
	26803	1204-49	27502	J012-49	27502	J072-49
8RVFCBG	26109	2233-44	26110	1119-32	26802	2251-50
	26803	1204-50	27502	J012-50	*27502	J072-50
8RVFD0	*14700	1112-57	14900	1108-72	14900	1108-78
	14900	1111-03				
8RVF0B	14500	1117-20	14500	1118-34	14600	1124-74
	*14700	1119-21	*14700	1119-27	14800	1121-37
	14800	1121-49	14800	1122-37	14800	1122-49
	14800	1124-26				
8RVF10	*14700	1119-21				
8RVF20	*14700	1119-27				
8RVF4A	*14700	1120-27	14700	1132-01		
8RVF5A	*14700	1120-38	14700	1132-04		
8RVF80	14700	1120-31	14700	1120-36	*14700	1132-09
8RVS70	*14400	1119-22	14400	1135-71		
8RXXBA	14300	1111-73	14300	1111-74	14300	1111-78
	14300	1111-79	*14300	1119-52		
8RXXB0	*14300	1111-01	14300	1119-54		
8RZM10	15002	1107-77	*15002	1123-77	15002	1140-71



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8RZM20	15002	1203-77	26902	J001-77	26902	J020-77
	15002	1107-78	15002	1140-69	15002	1203-78
	*15002	1210-77	26902	J001-78	26902	J020-78
8RZM30	15002	1107-79	15002	1140-70	15002	1147-62
	15002	1203-79	*15002	1208-77	26902	J001-79
8RZM40	26902	J020-79				
	15002	1106-52	15002	1140-72	15002	1147-64
	*15002	1212-77	15002	1304-11	27002	J002-52
	28801	J030-11				
8RZS0A	*14400	1119-33	14400	1135-73		
8R0B00	*16101	1123-23	16101	1408-48		
8R0D0A	14400	1107-15	*14400	1112-66	14400	1214-08
	14400	1214-10	18900	1124-15	18900	1203-15
	26901	J001-15	26901	J020-15		
8R0D0AG	26110	1112-67	26803	1107-16		
8R0D0G	26803	1203-16				
8R0D0R	*26901	J001-16	26901	J020-16		
8R0D00	*14400	1111-51	14400	1112-68		
8R0D1JQ	14400	1115-45	*14400	1116-56		
8R0D1KQ	14400	1115-54	*14400	1116-51		
8R0D2K0	14400	1111-49	*14400	1115-51	14400	1120-47
	14400	1120-68	14400	1137-47		
8R0LT0	*16102	1408-52	16101	1408-59	16101	1408-64
8R041A	*14300	1113-33	14400	1121-77	14500	1122-63
	15001	1117-06	15001	1118-06		
8R1MAA	*14300	1112-45	16700	2345-76	26803	1201-37
	26803	2251-37				
8R1MAAG	26110	1112-44	26803	1201-38		
8R1MAG	26111	2345-67	26803	2251-38		
8R1MBA	*14300	1112-51	14400	1115-48	14400	1116-48
	14400	1117-60	14400	1118-60	15001	1114-34
	15001	1115-34				
8RIM1JQ	13200	1315-77	*14300	1114-25		
8RIM1KQ	14300	1112-41	14300	1112-47	*14300	1114-27
8R1XAA	*14900	1108-11				
8R1XBA	*14900	1108-09				
8R1XCA	*14900	1108-23				
8R1XCB	27201	J004-13	*27201	J058-13		
8R1XCBG	27201	J004-14	*27201	J058-14		
8R1XDA	*14900	1108-21				
8R1XSB	00300	1519-60	00300	1520-60	01501	1226-47
	01501	1335-05	01501	1335-09	01501	1335-15
	03800	1521-60	06600	2140-04	07600	2216-03
	07600	2216-04	07600	2216-08	07600	2216-11
	08300	2233-59	08900	2104-34	11200	2507-69
	11400	2304-75	11600	2309-42	11700	2304-05

Change 2 5-478

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	11800	2408-62	14300	1112-77	*14900	1108-09
	*14900	1108-11	*14900	1108-21	*14900	1108-23
	15001	1112-78	15002	1123-49	15002	1203-09
	15100	1222-03	15200	1247-03	16700	2334-76
	26802	1105-13	26802	2251-01	26803	1104-13
	26803	1107-09	26803	1201-07	26803	1204-01
	26803	2251-07	27501	J012-01	27501	J072-01
8R1XSB-	*26901	J001-09	26901	J020-09		
8R1XSBG	26108	1226-44	26109	2140-02	26110	1222-02
	26802	1105-14	26802	2251-02	26803	1104-14
	26803	1201-08	26803	1204-02	27501	J012-02
	*27501	J072-02				
8R1XSBG1	26109	2507-67				
8R1XSG	26803	1203-10	26803	1203-76		
8R1XSR	*26901	J001-10	26901	J020-10		
8R1XS0	13402	1345-31	13402	1345-36	13402	1346-36
	*14300	1112-75	14300	1116-06	14500	1116-64
	14600	1138-72				
8R16AA	05200	1111-04	*14300	1112-22	26802	1105-01
	26803	1104-01	27201	J004-01	27201	J058-01
8R16AAG	26108	1111-02	26110	1112-16	26802	1105-02
	26803	1104-02	27201	J004-02	*27201	J058-02
8R16BA	14300	1108-31	14300	1108-38	*14300	1112-14
	14300	1121-23	14300	1122-09	14300	1122-23
	14400	1118-72	14500	1116-60	14700	1124-46
8R16CA	*14300	1112-21	14300	1114-06	14300	1115-06
	14300	1117-34	14300	1118-20	14400	1122-77
	14400	1134-65	14500	1119-47	15002	1203-01
	15002	1208-49	26901	J001-01	26901	J020-01
8R16CG	26803	1203-02				
8R16CR	26901	J001-02	*26901	J020-02		
8R16IA	12800	1323-17	12800	1323-18	12800	1323-24
	*14300	1112-27				
8R16MA	*14300	1119-66	26803	1107-01		
8R16MAG	26110	1119-67	26803	1107-02		
8R161A	14300	1111-55	*14300	1113-48		
8R1610	*14300	1111-57	14300	1112-17	14300	1112-18
	14300	1112-23	14300	1112-24	14300	1119-70
8R2M13E	14300	1114-20	14300	1120-11	*14300	1122-10
8R2M2A	*14300	1120-15	14300	1122-05		
8R2XAA	*14900	1109-23				
8R2XBA	*14900	1109-21				
8R2XCB	*14900	1109-21	*14900	1109-23	26802	1105-11
	26803	1104-11	27201	J004-11	27201	J058-11
8R2XCBG	26802	1105-12	27201	J004-12	*27201	J058-12
8R2X60	14900	1109-71	14900	1109-75	*14900	1110-23

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
8R2X7A	14900	1110-22	*14900	1111-22		
8R2X8A	14900	1110-24	*14900	1111-14		
8R2X9A	14900	1110-25	*14900	1111-21		
8R33EJQ	15001	1117-05	*15001	1118-13	15001	1133-40
8R33EKQ	15001	1117-10	*15001	1118-11		
8R33FKQ	*15001	1117-11	15001	1133-42		
8R33G0	15001	1112-62	15001	1131-61	*15001	1133-38
8R331JQ	*15001	1114-42	15001	1115-33		
8R332JQ	*15001	1115-42	15001	1118-10		
8R332KQ	14600	1111-37	15001	1114-33	*15001	1115-39
	15001	1118-05				
8R333A	15001	1107-13	*15001	1112-60	15001	1203-13
	15001	1219-22	26901	J001-13	26901	J020-13
8R333AG	26110	1112-58	26803	1107-14		
8R333G	26803	1203-14				
8R333R	*26901	J001-14	26901	J020-14		
8R334A	27001	J002-35	*31802	J080-49		
8R334D4	*15001	1137-52	26803	1106-35		
8R334R	27001	J002-36	*31802	J080-50		
8R335A	*15001	1112-63	18102	2307-19	26803	1201-35
	26803	2251-35				
8R335AG	26110	1112-67	26803	1201-36		
8R335G	26111	2307-16	26803	2251-36		
8R336A	15001	1112-59	*15001	1131-63	15001	1137-54
8R4XAA	*14900	1109-76				
8R4XBA	*14900	1109-69				
8R4XCB	06600	2140-03	*14900	1109-69	*14900	1109-76
	15700	1222-11	15800	1247-11	26802	1105-09
	26802	2251-05	26803	1104-09	26803	1204-05
	27201	J004-09	27201	J058-09		
8R4XCB-	27501	J012-05	*27501	J072-05		
8R4XCBG	14900	1109-67	26109	2140-02	26802	1105-10
	26802	2251-06	26803	1104-10	26803	1204-04
	26803	1204-06	27201	J004-10	*27201	J058-10
8R4XCBG-	27501	J012-06	*27501	J072-06		
8R4X60	14900	1109-14	14900	1109-22	*14900	1110-21
	15001	1114-48				
8R4X7A	*14900	1109-35	14900	1110-14		
8R4X8A	*14900	1109-33	14900	1110-18		
8R4X9A	*14900	1109-47	14900	1110-19		
8R8SCB	00800	1323-18	*26802	1302-77		
8R8XAB	05800	1115-25	14300	1111-11	14300	1111-65
	14300	1111-71	14300	1111-76	14300	1111-77
	14300	1138-60	*14900	1110-09	*14900	1110-11
	26802	1302-75	26803	1302-75	28203	J024-75
	28203	J084-75				

Change 2 5-480

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8R8XABG	26108	1115-32	26110	1111-67	26802	1302-76
	26803	1302-76				
8R8XAR	28203	J024-76	*28203	J084-76		
8R8XB0	*14900	1110-11				
8R8XC0	*14900	1110-09				
8R8XEB	*14300	1112-69	*14300	1112-72	14300	1114-14
	14300	1118-26	14900	1108-04	14900	1108-08
	14900	1108-18	14900	1108-24	14900	1109-19
	14900	1109-25	14900	1109-72	14900	1109-77
	15001	1109-05	15001	1109-10		
8R8XF0	*14300	1112-69				
8R8XG0	*14300	1112-72				
8R8XIJQ	14300	1111-05	14300	1111-13	*14300	1138-68
8R8XRA	*14300	1111-15	14300	1112-65	14300	1112-71
	14300	1114-05	14300	1118-19	14300	1147-49
	14400	1132-73	14400	1132-75		
8R8XR0	14300	1112-05	14300	1112-10	*14300	1147-51
8R8XZB	00100	1227-04	00100	1228-08	00703	1226-08
	00703	1226-54	01501	1335-59	02500	1535-42
	06600	2139-19	06600	2140-11	06700	2139-56
	07600	2216-17	07600	2216-18	07600	2216-24
	07900	2421-55	08100	2409-41	*14300	1111-69
	*14300	1111-72	*14300	1111-75	*14300	1111-80
	15002	1203-05	15002	1210-49	15100	1222-18
	15200	1247-18	26802	1105-05	26802	2251-09
	26803	1104-05	26803	1107-05	26803	1204-09
	27201	J004-05	27201	J058-05		
8R8XZB+	26901	J001-05	*26901	J020-05		
8R8XZB-	27501	J012-09	*27501	J072-09		
8R8XZBG	26108	1226-02	26109	2140-16	26110	1111-67
	26802	1105-06	26802	2251-10	26803	1204-10
	27201	J004-06	*27201	J058-06		
8R8XZBG-	27501	J012-10	*27501	J072-10		
8R8XZBG1	26109	2421-58				
8R8XZBR	26803	1104-06	26803	1204-12		
8R8XZG	26803	1203-06				
8R8XZR	26901	J001-06	*26901	J020-06		
8R8X1A	*14300	1111-75				
8R8X2A	*14300	1111-72				
8R8X3A	*14300	1111-69				
8R8X4A	*14300	1111-80				
8R8X7A	*14900	1108-76	14900	1110-05	14900	1110-10
8R8X8A	*14900	1108-69	14900	1110-04	14900	1110-08
8R8X9A	14900	1110-01	14900	1110-06	*14900	1111-09
8SAC0ER	17400	2334-27	*17400	2336-79		
8SAC00V	*17400	2334-26	17400	2336-31	17400	2336-34

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	17400	2336-37	17400	2336-40	17400	2336-43
	17400	2336-48	17400	2336-49	17400	2336-54
	17400	2336-55	17400	2336-78		
8SAE00T	17400	2334-38	*17400	2337-08		
8SAE01T	17400	2334-35	*17400	2337-10		
8SAE02T	17400	2334-36	*17400	2337-14		
8SAE03T	17400	2334-29	*17400	2337-13		
8SAE04T	17400	2334-33	*17400	2337-17		
8SAE05T	17400	2334-39	*17400	2337-07		
8SAE06T	17400	2334-52	*17400	2337-09		
8SAE07T	17400	2334-47	*17400	2337-11		
8SAE10V	*17400	2334-37	17500	1305-13	17500	1316-31
	18000	2327-15	26803	2347-13		
8SAE20V	*17400	2334-34	17500	1305-15	17500	1316-80
	18000	2327-18	26803	2347-15		
8SAE30V	*17400	2334-30	17500	1305-17	17500	1316-43
	18000	2327-20	26803	2347-17		
8SAE40V	*17400	2334-31	17500	1305-19	17500	1316-27
	18000	2328-43	26803	2347-19		
8SAE50V	*17400	2334-42	17500	1305-21	17500	1316-48
	18000	2328-41	26803	2347-21		
8SAE60V	*17400	2334-54	17500	1305-23	17500	1316-63
	18000	2328-46	26803	2347-23		
8SAE70V	*17400	2334-49	17500	1305-25	17500	1316-17
	18000	2328-48	26803	2347-25		
8SAE80V	*17400	2334-40	17500	1305-27	17500	1316-29
	18000	2327-17	26803	2347-27		
8SA00A	*17600	2326-38	17600	2335-29	17600	2335-41
	17600	2335-54	17600	2335-68		
8SA00ER	*17400	2336-80	17600	2326-40	17600	2335-34
	17600	2335-35	17600	2335-47	17600	2335-48
8SA01ER	*17400	2336-33	17500	1305-01	17500	1316-08
	17500	1316-38	17500	1316-60	18000	2327-04
	26803	2347-01				
8SA02ER	*17400	2336-39	17500	1305-03	17500	1316-09
	17500	1316-35	17500	1316-61	18000	2327-06
	26803	2347-03				
8SA03ER	*17400	2336-42	17500	1305-05	17500	1316-10
	17500	1316-39	17500	1316-62	18000	2328-31
	26803	2347-05				
8SA04ER	*17400	2336-36	17500	1305-07	17500	1316-18
	17500	1316-36	17500	1316-64	18000	2328-29
	26803	2347-07				
8SA05ER	*17400	2336-45	17500	1305-09	17500	1316-23
	17500	1316-40	17500	1316-70	18000	2328-30
	26803	2347-09				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8SA06ER	*17400	2336-51	17500	1305-11	17500	1316-24
	17500	1316-37	17500	1316-72	18000	2328-34
	26803	2347-11				
8SA07ER	*17400	2336-56	17400	2337-04		
8SA08ER	*17400	2336-50	17400	2337-06		
8SA09ER	*17400	2336-59	17400	2337-03		
8SCA10	17800	2313-15	*17800	2314-60		
8SCA20	17800	2313-09	17800	2313-33	*17800	2314-66
	17800	2325-74	17800	2340-77		
8SCA3A	*17800	2312-09	17800	2314-62	17800	2314-68
8SCA4A	*17800	2312-15	17800	2314-70		
8SCA5A	*17800	2312-22	17800	2314-64		
8SCA6AV	17800	2317-61	17800	2317-62	17800	2317-64
	*17800	2325-72				
8SCA60V	17800	2313-04	*17800	2317-66	17800	2340-76
8SCA70V	17800	2313-27	*17800	2317-63	17800	2340-73
8SCA80V	17800	2313-25	*17800	2317-60	17800	2340-68
8SCD00	*17800	2318-66	17800	2323-59	17900	2326-78
8SCFK0	17900	2311-23	*17900	2312-51		
8SCF0JQ	17800	2323-62	17800	2323-74	17800	2324-62
	*17900	2311-42	17900	2312-47	17900	2326-76
	17900	2330-62				
8SCF0KQ	*17900	2311-39	17900	2316-37	18000	2335-20
8SCL0AV	17800	2312-26	*17800	2317-42		
8SCL00	*17600	2314-72	17800	2312-03	17800	2313-14
	17800	2317-39				
8SCL1A	*17600	2312-52	17600	2314-71		
8SCL2A	*17600	2312-46	17600	2314-73		
8SCM00	*17600	2314-75	17800	2312-11	17800	2312-24
8SCM1A	*17600	2312-33	17600	2314-77		
8SCM2A	*17600	2312-39	17600	2314-79		
8SCS0ER	*1790	2322-79	17900	2317-21		
8SCS00V	*17900	2317-19	17900	2330-60		
8SC0S1	16600	1318-18	*16600	1320-52		
8SC11AV	*17800	2317-56	17800	2318-68		
8SDM0D	16600	1317-74	*16600	1318-12		
8SD000V	*17900	2317-26	17900	2330-55		
8SD020V	17900	2316-38	*17900	2317-57		
8SD030V	17900	2311-19	*17900	2317-72		
8SD040V	*17900	2317-40	17900	2330-61		
8SD110V	17900	2311-40	*17900	2317-68		
8SD120V	17900	2316-34	*17900	2317-80		
8SEC15N	*17700	2313-40	17700	2343-74		
8SE001N	*17700	2313-50	17700	2323-31		
8SE012N	*17700	2313-43	17700	2323-29		
8SE023N	*17700	2313-37	17700	2323-30		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution				
8SE034N	*17700	2313-38	17700	2323-34	
8SFC25N	17700	2313-60	*17700	2343-72	
8SF041N	17700	2324-43	*17700	2343-80	
8SF052N	17700	2324-41	*17700	2343-75	
8SF063N	17700	2324-46	*17700	2343-69	
8SF074N	17700	2324-48	*17700	2343-70	
8SG081N	*17700	2313-63	17700	2323-43	
8SG092N	*17700	2313-57	17700	2323-41	
8SG103N	*17700	2313-51	17700	2323-46	
8SH000E	17700	2313-48	*17700	2323-35	
8SH011E	17700	2313-47	*17700	2323-39	
8SH022E	17700	2313-39	*17700	2323-42	
8SH033E	17700	2313-35	*17700	2323-38	17700 2324-45
8SJ040E	*17700	2324-47	17700	2343-78	
8SJ051E	*17700	2324-51	17700	2343-79	
8SJ062E	*17700	2324-56	17700	2343-71	
8SJ073E	17700	2323-45	*17700	2324-52	17700 2343-66
8SK080E	17700	2313-64	*17700	2323-47	
8SK091E	17700	2313-61	*17700	2323-51	
8SK102E	17700	2313-53	*17700	2323-56	
8SK113E	17700	2312-41	*17700	2323-52	
8SLPOA	17200	2326-53	*17900	2316-33	17900 2334-74
8SLP00V	16900	2311-72	17600	2329-77	17700 2311-14
	17900	1216-10	17900	1305-47	17900 1326-10
	17900	2311-54	*17900	2334-72	17900 2347-47
8SM000T	17900	2317-27	*17900	2320-08	
8SM022T	17200	2338-30	17900	2317-59	*17900 2320-14
8SM033T	17900	2317-74	*17900	2320-13	
8SM044T	17900	2317-38	*17900	2320-17	
8SN113T	17900	2317-65	*17900	2319-13	
8SN124T	17900	2317-79	*17900	2319-17	
8SPERRF	16600	1317-03	*16600	1318-56	
8SPL0A	*17900	2316-35	17900	2317-69	
8SPL00V	17300	2331-05	17300	2331-10	17700 2323-40
	17700	2323-54	17700	2324-54	17800 2323-66
	17800	2323-78	17800	2324-66	*17900 2317-70
8SQD0AV	17600	2312-19	17600	2312-31	17600 2312-36
	17600	2312-56	*17600	2317-49	
8SQD00	17600	2312-20	17600	2312-37	17600 2312-42
	17600	2312-50	*17600	2316-21	17600 2317-47
8SQD00T	17600	2316-14	17600	2316-22	*17600 2321-08
8SQD01T	17600	2316-24	*17600	2321-10	
8SQD03T	17600	2316-18	*17600	2321-13	
8SQD04T	17600	2316-19	17600	2316-25	*17600 2321-17
8SQD05T	17600	2316-26	*17600	2321-07	
8SQD07T	17600	2316-20	*17600	2321-11	

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8SQD1AV	*17600	2317-31	17700	2318-43	17700	2318-50
8SQD1ER	17600	2317-33	*17600	2322-80	17800	2312-07
	17800	2312-13				
8SQD10	*17600	2316-23	17600	2322-78		
8SQR00E	17600	2321-04	*17600	2324-35		
8SQR01E	17600	2321-06	*17600	2324-39		
8SQR02E	17600	2321-03	*17600	2324-42		
8SRC00	*17600	2326-52	17600	2329-72		
8SRC10	*17600	2326-39	17600	2329-70		
8SRC2A	17600	2326-35	*17600	2335-46		
8SRC3A	17600	2326-37	*17600	2335-45		
8SRC4A	17600	2326-54	*17600	2335-51		
8SRC5A	17600	2326-56	*17600	2335-66		
8SRD00E	17600	2312-18	17600	2312-29	*17600	2329-75
8SRD01E	17600	2312-40	17600	2312-54	*17600	2329-79
8SRD02E	17600	2312-17	17600	2312-35	*17600	2329-80
8SRD03E	17600	2312-34	17600	2312-48	*17600	2329-76
8SREF0	16600	1318-15	*16600	1320-31		
8SRERR	16600	1219-56	16600	1317-54	*16600	1318-52
8SRS00	*17600	2326-33	17600	2329-69		
8SRS10	*17600	2326-30	17600	2329-71		
8SRS2A	17600	2326-34	*17600	2335-30		
8SRS3A	17600	2326-36	*17600	2335-33		
8SRS4A	17600	2326-29	*17600	2335-39		
8SRS5A	17600	2326-31	*17600	2335-52		
8SR00B	17500	1305-29	*17500	1316-01	*17500	1316-13
	*17500	1316-46	*17500	1316-49	*17500	1316-59
	17600	2335-70	18000	2329-18	26803	2347-29
8SR0000B	*17500	1316-59				
8SR0001B	*17500	1316-57				
8SR0002B	*17500	1316-56				
8SR0003B	*17500	1316-55				
8SR0004B	*17500	1316-65				
8SR0005B	*17500	1316-66				
8SR0006B	*17500	1316-68				
8SR0007B	*17500	1316-69				
8SR0040B	*17500	1316-13				
8SR0041B	*17500	1316-11				
8SR0042B	*17500	1316-15				
8SR0043B	*17500	1316-14				
8SR0044B	*17500	1316-22				
8SR0045B	*17500	1316-19				
8SR0046B	*17500	1316-21				
8SR0047B	*17500	1316-20				
8SR0050B	*17500	1316-46				
8SR0051B	*17500	1316-47				



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution			
8SR0052B	*17500	1316-74			
8SR0053B	*17500	1316-75			
8SR0054B	*17500	1316-76			
8SR0055B	*17500	1316-77			
8SR0056B	*17500	1316-78			
8SR0057B	*17500	1316-79			
8SR0060B	*17500	1316-49			
8SR0061B	*17500	1316-50			
8SR0062B	*17500	1316-51			
8SR0063B	*17500	1316-52			
8SR0064B	*17500	1316-53			
8SR0065B	*17500	1316-54			
8SR0066B	*17500	1316-71			
8SR0067B	*17500	1316-73			
8SR0070B	*17500	1316-01			
8SR0071B	*17500	1316-03			
8SR0072B	*17500	1316-04			
8SR0073B	*17500	1316-05			
8SR0074B	*17500	1316-06			
8SR0075B	*17500	1316-07			
8SR0076B	*17500	1316-25			
8SR0077B	*17500	1316-26			
8SR01B	17500	1305-31	*17500	1316-03	*17500 1316-11
	*17500	1316-47	*17500	1316-50	*17500 1316-57
	17600	2335-49	18000	2329-20	26803 2347-31
8SR02B	17500	1305-33	*17500	1316-04	*17500 1316-15
	*17500	1316-51	*17500	1316-56	*17500 1316-74
	17600	2335-43	18000	2328-17	26803 2347-33
8SR03B	17500	1305-35	*17500	1316-05	*17500 1316-14
	*17500	1316-52	*17500	1316-55	*17500 1316-75
	17600	2335-50	18000	2328-15	26803 2347-35
8SR04B	17500	1305-37	*17500	1316-06	*17500 1316-22
	*17500	1316-53	*17500	1316-65	*17500 1316-76
	17600	2335-56	18000	2328-18	26803 2347-37
8SR05B	17500	1305-39	*17500	1316-07	*17500 1316-19
	*17500	1316-54	*17500	1316-66	*17500 1316-77
	17600	2335-37	18000	2328-20	26803 2347-39
8SR06B	17500	1305-41	*17500	1316-21	*17500 1316-25
	*17500	1316-68	*17500	1316-71	*17500 1316-78
	17600	2335-31	18000	2327-03	26803 2347-41
8SR07B	17500	1305-43	*17500	1316-20	*17500 1316-26
	*17500	1316-69	*17500	1316-73	*17500 1316-79
	17600	2335-36	18000	2327-01	26803 2347-43
8SSA10	17700	2313-45	*17700	2314-51	
8SSA20	17700	2313-41	17700	2313-59	*17700 2314-45
	17700	2325-69	17700	2343-77	

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8SSA3A	17700	2314-41	17700	2314-47	*17700	2318-46
8SSA4A	17700	2314-43	*17700	2318-45		
8SSA5A	17700	2314-49	*17700	2318-51		
8SSA6AV	17700	2317-41	17700	2317-45	17700	2317-51
	*17700	2325-70				
8SSA60V	17700	2313-36	*17700	2317-46	17700	2343-76
8SSA70V	17700	2313-62	*17700	2317-43	17700	2343-73
8SSA80V	17700	2313-55	*17700	2317-53	17700	2343-68
8SSD0A	*17700	2312-45	17700	2317-50		
8SSD00V	*17700	2317-48	17700	2323-33	17900	2326-74
8SSFJ0	17900	2311-35	*17900	2312-57		
8SSF0JQ	17700	2323-36	17700	2323-50	17700	2324-50
	*17900	2311-25	17900	2326-65	17900	2330-68
8SSF0KQ	*17900	2311-27	17900	2312-53	17900	2316-30
	18000	2335-18				
8SSL0AV	*17700	2317-54	17700	2318-49		
8SSL00	*17600	2314-63	17700	2313-46	17700	2317-52
	17700	2318-48				
8SSL1A	*17600	2312-38	17600	2314-59		
8SSL2A	*17600	2312-30	17600	2314-61		
8SSM00	*17600	2314-57	17700	2318-41	17700	2318-47
8SSM1A	*17600	2312-14	17600	2314-53		
8SSM2A	*17600	2312-21	17600	2314-55		
8SS00AV	*17900	2317-71	18000	2329-33		
8SS000	17900	1216-08	17900	1305-45	17900	1326-08
	17900	2317-73	*17900	2339-35	17900	2347-45
8SS01A	*17900	2330-59	17900	2339-30		
8SS02A	*17900	2330-57	17900	2339-31		
8SS03A	*17900	2326-69	17900	2339-34		
8SS04A	*17900	2326-80	17900	2339-36		
8SS1C0	16600	1318-24	*16600	1320-66		
8STC15N	*17800	2313-08	17800	2340-74		
8ST001N	*17800	2313-17	17800	2323-55		
8ST012N	*17800	2313-11	17800	2323-53		
8ST023N	*17800	2313-05	17800	2323-57		
8ST034N	*17800	2313-06	17800	2323-60		
8SUC25N	17800	2313-26	*17800	2340-72		
8SU041N	17800	2324-55	*17800	2340-80		
8SU052N	17800	2324-53	*17800	2340-75		
8SU063N	17800	2324-57	*17800	2340-69		
8SU074N	17800	2324-60	*17800	2340-70		
8SV081N	*17800	2313-30	17800	2323-71		
8SV092N	*17800	2313-29	17800	2323-69		
8SV103N	*17800	2313-21	17800	2323-70		
8SW000E	17800	2313-13	*17800	2323-61		
8SW011E	17800	2313-18	*17800	2323-65		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
8SW022E	17800	2313-07	*17800	2323-68		
8SW033E	17800	2313-03	*17800	2323-64	17800	2324-59
8SX040E	*17800	2324-61	17800	2340-78		
8SX051E	*17800	2324-65	17800	2340-79		
8SX062E	*17800	2324-68	17800	2340-71		
8SX073E	17800	2323-73	*17800	2324-64	17800	2340-66
8SY080E	17800	2313-31	*17800	2323-75		
8SY091E	17800	2313-34	*17800	2323-79		
8SY102E	17800	2313-23	*17800	2323-80		
8SY113E	17800	2317-55	*17800	2323-76		
8S0C01U	17900	2319-04	17900	2320-04	*17900	2321-38
8S0C02U	17900	2319-06	17900	2320-06	*17900	2321-40
8S0C03U	17900	2319-03	17900	2320-03	*17900	2321-42
8S0C04U	17900	2317-76	17900	2320-05	*17900	2321-46
8S0C05U	17900	2311-26	17900	2311-33	*17900	2321-36
8S0C4AV	*17900	2317-78	17900	2319-05		
8S0FJ0	17900	2311-21	*17900	2312-27		
8S0F0JQ	*17900	2311-56	17900	2316-31	17900	2316-40
	17900	2321-48				
8S0F0KQ	*17900	2311-51	17900	2312-23		
8S0801	*26501	A05-13	26501	S08-B	26501	S08-C
	26501	S08-1B				
8S0802	*26501	A05-11	26501	S08-D	26501	S08-E
	26501	S08-2B				
8S0901	*26501	A05-17	26501	S09-B	26501	S09-C
	26501	S09-1B				
8S0902	*26501	A05-15	26501	S09-D	26501	S09-E
	26501	S09-2B				
8S1XC0	16600	1317-43	*16600	1320-12		
8S1XS1	16600	1317-42	*16600	1320-11		
8S1301	*26101	A05-21	26101	S13-B	26101	S13-C
	26101	S13-1B				
8S1302	26101	S13-D	26101	S13-E	26101	S13-2B
	*26502	A05-19				
8S3001	*26101	A05-39	26101	S30-B	26101	S30-C
	26101	S30-1B				
8S3002	*26101	A05-41	26101	S30-D	26101	S30-E
	26101	S30-2B				
8TBM0A	16900	2305-72	16900	2316-74	16900	2316-79
	16900	2318-35	*16900	2326-51	17900	2311-17
	17900	2311-31	17900	2311-46	17900	2321-35
	18300	2304-21	18300	2304-24	18600	2241-73
8TBM00V	*16900	2325-01	17101	2338-06	17600	2324-37
8TBM1A	16900	2325-05	*16900	2341-46	17101	2333-37
	17101	2337-37	17101	2337-51		
8TBM10	*16900	2335-72	16900	2341-48		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8TBM20	*16900	2318-39	17200	2338-34	17200	2341-35
8TC00R	*17000	2314-80	17000	2316-01	17000	2326-10
8TC00S	17000	2314-76	*17000	2326-06		
8TC15A	17000	2326-08	*17000	2331-76		
8TPCPA	17000	2314-54	*17000	2315-76	17000	2333-69
8TPCP0	*17000	2314-52	17000	2316-04	17200	2312-59
8TP01A	17000	2312-04	*17000	2314-14		
8TP02A	*17000	2312-66	17000	2314-18		
8TP03A	17000	2312-65	*17000	2316-09		
8TP030	*17000	2312-69	17000	2314-20		
8TP040	*16900	2314-39	16900	2342-73		
8TP050	*17200	2314-38	17200	2345-73		
8TP06A	*17200	2312-63	17200	2314-42		
8TP07A	17000	2312-74	*17000	2316-57		
8TP070	17000	2312-68	*17000	2314-21	17000	2316-55
8TP32KQ	17000	2314-19	17000	2315-74	17000	2316-05
	*17000	2338-79				
8TP321U	17000	2331-75	*17000	2333-70	17200	2312-61
8TP322U	17000	2331-77	*17000	2333-72		
8TP323U	17000	2331-78	*17000	2333-74		
8TP324U	17000	2331-79	*17000	2333-76		
8TSB0A	*16700	2314-27	16700	2326-25	18000	2331-43
8TSB10	*16700	2312-60	16700	2314-25		
8TS000V	16700	2314-23	*16700	2334-78	16900	2324-23
8TVC0A	16700	2315-48	*16700	2326-72	16700	2334-65
8TVC00V	16700	2325-61	*16700	2334-68		
8TVC1AV	16700	2317-20	*16700	2325-63		
8TVC1ER	*16700	2322-25	16700	2325-11		
8TVC10V	*16700	2317-18	16700	2322-26		
8TVC2A	*16700	2315-47	16700	2326-23		
8TVC2ER	16700	2315-46	*16700	2322-22		
8TVC20	16700	2314-24	16700	2317-17	*16700	2326-27
	17200	2331-24	17200	2335-76		
8TVC20V	16700	2322-20	*16700	2325-13		
8TVC3AV	*16700	2317-14	17200	2333-51	17200	2337-69
8TVC4A	*16700	2314-22	16700	2318-18		
8TVC40	*16700	2318-14	16800	2323-09	16800	2324-09
	16800	2327-77	16800	2338-48		
8TVC5A	16700	2315-43	*16700	2318-38	16700	2336-72
	18000	2328-57				
8TVC5ER	16600	1219-36	*16700	2336-74	26803	1304-63
	26803	2348-63	28702	J029-63	28802	J030-63
8TVC5ERR	28702	J029-64	*28802	J030-64		
8TVC50	16600	1219-10	*16600	1318-76		
8TVC6ER	*16600	1219-64	26803	1304-65		
8TVC6R	*28702	J029-66	28802	J030-66		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8TVC60	16600	1219-62	*16600	1317-04	16700	2345-74
	26803	2348-65	28702	J029-65	28802	J030-65
8TVC7A	16600	1219-80	*16600	1317-31	16700	23'34-79
	26803	2348-69	28702	J029-69	28802	J030-69
8TVC7ER	*16600	1219-78	26803	1304-69		
8TVC7R	*28702	J029-70	28802	J030-70		
8TVC70R	28702	J029-72	*28802	J030-72		
8TVC70V	16600	1317-26	16700	2318-42	*16700	2334-80
	26803	1304-71	26803	2348-71	28702	J029-71
	28802	J030-71				
8TVC8A	16600	1317-25	16700	2334-73	*16700	2345-69
	26803	1304-73	26803	2348-73	28702	J029-73
	28802	J030-73				
8TVC8R	28702	J029-74	*28802	J030-74		
8TVC80V	16700	2318-40	*16700	2334-71		
8TVC9A	16600	1219-70	*16600	1317-18	16700	2334-69
	26803	2348-75	28702	J029-75	28802	J030-75
8TVC9ER	*16600	1219-72	26803	1304-75		
8TVC9R	*28702	J029-76	28802	J030-76		
8TVC90V	*16700	2334-70	16700	2345-65		
8TV000	16700	2326-73	*26803	2348-77		
8VAB1A	13900	1144-08	*13900	1145-06		
8VAB10	*13900	1144-06	15300	1208-25	15300	1210-20
8VAV00	13900	1140-09	13900	1140-23	13900	1141-09
	13900	1141-23	13900	1142-09	13900	1142-23
	13900	1143-09	*13900	1144-01	14000	1141-37
8VA000	*14201	1208-60	14202	1215-13	14202	1215-54
	14202	1220-34				
8VA010	*14201	1208-62	14202	1220-41		
8VA020	*14201	1210-60	14202	1221-24		
8VA030	*14201	1210-62	14202	1220-39		
8VA040	*14201	1212-60	14202	1220-65	14202	1221-65
	14202	1222-65				
8VA050	*14201	1212-62	14202	1220-61	14202	1221-61
	14202	1222-61				
8VA060	*14201	1322-60	14202	1220-55	14202	1221-55
	14202	1222-55				
8VA070	*14201	1322-62	14202	1220-51	14202	1221-51
	14202	1222-51				
8VA080	*14201	1123-60	14202	1221-34		
8VA090	*18900	1123-62	18900	1124-20		
8VA200	14202	J02-LL	*14202	1215-48		
8VA210	14202	J02-KK	*14202	1216-24		
8VA220	14202	J02-CC	*14202	1216-72		
8VA230	11200	J02-BB	*11200	1323-48		
8VA240	04900	J02-DD	*04900	1326-24		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
8VA250	04900	J02-EE	*04900	1326-72		
8VA260	14202	J02-AA	*14202	1327-48		
8VA300	14202	J04-LL	*14202	1215-26		
8VA310	14202	J04-KK	*14202	1215-74		
8VA320	14202	J04-CC	*14202	1216-42		
8VA330	11200	J04-BB	*11200	1323-26		
8VA340	04900	J04-DD	*04900	1323-74		
8VA350	04900	J04-EE	*04900	1326-42		
8VA360	14202	J04-AA	*14202	1327-26		
8VEMTR	*28001	J021-50	33100	J112-50		
8VEMT0	*28001	J021-49	33100	J112-49		
8VGNDA	14202	1221-48	14202	1222-20	14202	1222-38
	14202	1222-48				
8VHS1A	13900	1140-08	13900	1140-22	13900	1141-08
	13900	1141-22	13900	1142-08	13900	1142-22
	13900	1143-08	*13900	1144-22	14000	1141-36
8VINM0	14100	J08-75	14100	1123-08	*28002	J021-75
	33100	J112-14				
8VINMOR	14100	1123-06	*28002	J021-76	33100	J112-13
8VI02R	14201	1210-66				
8VI020	*14201	J01-A	14201	1210-70		
8VI03R	14201	1210-64				
8VI030	*14201	J01-B	14201	1210-80		
8VI04R	14201	1212-66				
8VI040	*14201	J01-C	14201	1212-70		
8VI05R	14201	1212-64				
8VI050	*14201	J01-D	14201	1212-80		
8VI06R	14201	1322-66				
8VI060	*14201	J01-E	14201	1322-70		
8VI07R	14201	1322-64				
8VI070	*14201	J01-F	14201	1322-80		
8VI08R	14201	1123-66				
8VI080	*14201	J03-A	14201	1123-70		
8VI09R	18900	1123-64				
8VI090	*18900	J01-J	18900	1123-80		
8VI40R	16900	1322-06	*28001	J021-52	33100	J112-48
8VI400	16900	J08-51	16900	1322-08	*28001	J021-51
	33100	J112-47				
8VI41R	16900	1322-18	*28001	J021-42	33100	J112-40
8VI410	16900	J08-41	16900	1322-14	16900	1322-54
	*28001	J021-41	33100	J112-39		
8VI42R	16900	1322-22	*28001	J021-40	33100	J112-38
8VI420	16900	J08-39	16900	1322-20	16900	1322-56
	*28001	J021-39	33100	J112-37		
8VI43R	*28001	J021-44	33100	J112-42		
8VI430	16900	J08-43	16900	1219-05	*28001	J021-43

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	33100	J112-41				
8VI430E	*16900	1219-20	16900	1322-52		
8VME70	00300	1519-68	03800	1521-34	*14202	1222-08
8VMI00	14202	1216-54	14202	1216-60	*14202	1222-03
8VMNSA	*14100	1111-60	14202	1221-10	14202	1221-40
	14202	1303-69	26803	1106-55	27002	J002-55
	28902	J031-69				
8VMNSAR	27002	J002-56	*28902	J031-70		
8VMNSR	27002	J002-46	*28902	J031-72		
8VMNS0	14100	1111-62	*14100	1147-39	14202	1221-13
	14202	1221-38	14202	1303-71	26803	1106-45
	27002	J002-45	28902	J031-71		
8VMTGA	14100	1130-23	*14100	1131-27		
8VMTNA	14100	1147-25	*18900	1124-23	18900	1303-65
	26803	1106-61	27002	J002-61	28902	J031-65
8VMTNR	*27002	J002-62	28902	J031-66		
8VMTN0	14100	1130-25	*14100	1147-27		
8VMTSA	*14100	1135-52	14100	1147-37	14100	1235-73
8VMTS0	14100	1131-25	*14100	1235-71		
8VMTXA	14100	1106-63	*14100	1123-25	14100	1235-69
	14100	1303-67	27002	J002-63	28902	J031-67
8VMTXR	*27002	J002-64	28902	J031-68		
8VMTX0	14100	1131-23	*14100	1235-70		
8VMXA0	*14100	1131-75	14100	1147-48		
8VMXB0	*14100	1131-72	14100	1147-54		
8VMX1A	*14100	1130-27	14100	1147-31	14100	1147-35
8VMX10	14100	1131-71	14100	1131-77	*14100	1147-33
8VM000	14202	1220-24	*14202	1221-08		
8VM010	14202	1215-60	14202	1216-13	*14202	1220-08
	14202	1220-77	14202	1221-39	14202	1221-77
	14202	1222-77				
8VM020	*14202	1220-03	14202	1220-72	14202	1221-41
	14202	1221-72	14202	1222-72		
8VM030	14202	1220-70	*14202	1221-03	14202	1221-70
	14202	1222-70				
8VM040	04900	1323-60	04900	1326-13	*04900	1420-61
8VM050	04900	1326-54	04900	1326-60	*04900	1420-29
8VM060	*14202	1220-78	14202	1327-13	14202	1327-54
8VM070	00300	1519-34	*14202	1221-78	14202	1222-34
8VM080	00300	1520-34	00300	1520-68	03800	1521-68
	*14202	1222-78				
8VPAAA	14100	1144-07	*14100	1147-46		
8VPAA0	*14100	1144-09	15300	1230-26		
8VPA0A	13900	1146-29	13900	1146-34	13900	1146-35
	13900	1146-40	13900	1146-41	13900	1146-48
	13900	1146-54	*14100	1147-38		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8VPA00	*14100	1144-14	14100	1145-29	14100	1145-34
	14100	1145-35	14100	1145-41	14100	1145-47
	14100	1145-48	14100	1145-54	14100	1147-40
8VPA1A	14100	1135-19	14100	1135-23	*14100	1144-27
	14100	1147-50				
8VPA1R	26901	J001-32	*26901	J020-32		
8VPA10	*14100	1135-27	14202	1203-31	14202	1221-75
	14202	1222-07	26803	1107-31	26901	J001-31
	26901	J020-31				
8VPA2A	14100	1135-25	*14100	1144-38		
8VPA2R	26901	J001-34	*26901	J020-34		
8VPA20	*14100	1135-21	14202	1203-33	14202	1221-71
	14202	1222-09	26803	1107-33	26901	J001-33
	26901	J020-33				
8VPA3A	14100	1135-31	14100	1135-34	*14100	1144-30
8VPA3R	26901	J001-36	*26901	J020-36		
8VPA30	*14100	1135-33	14202	1203-35	14202	1221-69
	14202	1222-10	26803	1107-35	26901	J001-35
	26901	J020-35				
8VPA4A	14100	1135-29	*14100	1144-33		
8VPA4R	26901	J001-38	*26901	J020-38		
8VPA40	14100	1131-79	*14100	1135-30	14202	1203-37
	14202	1221-19	14202	1221-63	26803	1107-37
	26901	J001-37	26901	J020-37		
8VPA5A	14100	1135-35	14100	1135-40	*14100	1144-39
8VPA5R	26902	J001-40	*26902	J020-40		
8VPA50	*14100	1135-39	14202	1203-39	14202	1221-60
	26803	1107-39	26902	J001-39	26902	J020-39
8VPA6A	14100	1135-37	*14100	1144-52		
8VPA6R	26902	J001-42	*26902	J020-42		
8VPA60	*14100	1135-38	14202	1203-41	14202	1221-53
	26803	1107-41	26902	J001-41	26902	J020-41
8VPA7A	14100	1135-43	*14100	1144-46		
8VPA7R	26902	J001-44	*26902	J020-44		
8VPA70	*14100	1135-45	14202	1203-43	14202	1221-44
	26803	1107-43	26902	J001-43	26902	J020-43
8VPBAA	14100	1144-13	*14100	1147-52		
8VPBA0	*14100	1144-15	15300	1205-65		
8VPB0A	13900	1146-47	13900	1146-53	13900	1146-59
	13900	1146-62	13900	1146-68	13900	1146-71
	13900	1146-77	*14100	1147-30		
8VPB00	*14100	1144-21	14100	1145-53	14100	1145-59
	14100	1145-62	14100	1145-65	14100	1145-68
	14100	1145-71	14100	1145-77	14100	1147-34
8VPB1A	14100	1135-47	14100	1135-48	*14100	1144-45
	14100	1147-56				



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8VPB1R	26902	J001-46	*26902	J020-46		
8VPB10	*14100	1135-51	14202	1203-45	14202	1222-19
	14202	1222-75	26803	1107-45	26902	J001-45
	26902	J020-45				
8VPB2A	14100	1135-49	*14100	1144-51		
8VPB2R	26902	J001-48	*26902	J020-48		
8VPB20	*14100	1135-46	14202	1203-47	14202	1222-14
	14202	1222-71	26803	1107-47	26902	J001-47
	26902	J020-47				
8VPB3A	14100	1134-68	14100	1134-77	*14100	1144-66
8VPB3R	26902	J001-50	*26902	J020-50		
8VPB30	*14100	1134-66	14202	1203-49	14202	1222-16
	14202	1222-69	26803	1107-49	26902	J001-49
	26902	J020-49				
8VPB4A	14100	1134-70	*14100	1144-60		
8VPB4R	26902	J001-52	*26902	J020-52		
8VPB40	14100	1131-73	*14100	1134-75	14202	1203-51
	14202	1221-14	14202	1222-63	26803	1107-51
	26902	J001-51	26902	J020-51		
8VPB5A	14100	1134-55	14100	1134-62	*14100	1144-57
8VPB5R	26902	J001-54	*26902	J020-54		
8VPB50	*14100	1134-57	14202	1203-53	14202	1222-60
	26803	1107-53	26902	J001-53	26902	J020-53
8VPB6A	14100	1134-53	*14100	1144-63		
8VPB6R	26902	J001-56	*26902	J020-56		
8VPB60	*14100	1134-60	14202	1203-55	14202	1222-53
	26803	1107-55	26902	J001-55	26902	J020-55
8VPB7A	14100	1134-49	*14100	1144-75		
8VPB7R	26902	J001-58	*26902	J020-58		
8VPB70	*14100	1134-51	14202	1203-57	14202	1222-44
	26803	1107-57	26902	J001-57	26902	J020-57
8VPC1A	*13900	1146-38	14100	1144-23		
8VPC2A	*13900	1146-30	14100	1144-40		
8VPC3A	*13900	1146-33	14100	1144-34		
8VPC4A	*13900	1146-39	14100	1144-29		
8VPC5A	*13900	1146-52	14100	1144-35		
8VPC6A	*13900	1146-46	14100	1144-54		
8VPC7A	*13900	1146-45	14100	1144-48		
8VPD1A	*13900	1146-51	14100	1144-41		
8VPD2A	*13900	1146-66	14100	1144-47		
8VPD3A	*13900	1146-60	14100	1144-68		
8VPD4A	*13900	1146-57	14100	1144-62		
8VPD5A	*13900	1146-63	14100	1144-53		
8VPD6A	*13900	1146-75	14100	1144-59		
8VPD7A	*13900	1146-72	14100	1144-77		
8VPE1A	14100	1144-25	*14100	1145-30		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
8VPE2A	14100	1144-42	*14100	1145-33		
8VPE3A	14100	1144-36	*14100	1145-39		
8VPE4A	14100	1144-31	*14100	1145-52		
8VPE5A	14100	1144-37	*14100	1145-46		
8VPE6A	14100	1144-56	*14100	1145-45		
8VPE7A	14100	1144-50	*14100	1145-51		
8VPF1A	14100	1144-43	*14100	1145-66		
8VPF2A	14100	1144-49	*14100	1145-60		
8VPF3A	14100	1144-70	*14100	1145-57		
8VPF4A	14100	1144-64	*14100	1145-63		
8VPF5A	14100	1144-55	*14100	1145-75		
8VPF6A	14100	1144-61	*14100	1145-72		
8VPF7A	14100	1144-79	*14100	1145-69		
8VR033E	*13900	1142-10	14000	1141-33		
8VR040E	*14000	1141-35	14000	1147-79		
8VRO51E	14000	1135-70	*14000	1141-39		
8VR062E	*14000	1141-42	14000	1147-73		
8VR073E	13900	1140-19	14000	1135-64	*14000	1141-38
8VR080E	*13900	1140-21	13900	1142-03	14000	1145-07
8VR091E	*13900	1140-27	13900	1142-01	14000	1145-13
8VR102E	*13900	1140-25	13900	1142-04	14000	1145-26
8VR113E	*13900	1140-24	13900	1142-06	13900	1143-05
	14000	1145-20				
8VR120E	*13900	1143-07	14000	1141-31	14000	1145-19
8VR131E	*13900	1143-11	14000	1141-29	14000	1145-25
8VR142E	*13900	1143-13	14000	1141-30	14000	1145-42
8VR153E	13900	1141-05	*13900	1143-10	14000	1141-34
8VR160E	13900	1140-17	*13900	1141-07	13900	1146-42
8VR171E	13900	1140-15	*13900	1141-11	13900	1146-36
8VR182E	13900	1140-18	*13900	1141-13	13900	1146-31
8VR193E	13900	1140-20	*13900	1141-10	13900	1142-19
	13900	1146-37				
8VR200E	*13900	1142-21	13900	1143-03	13900	1146-56
8VR211E	*13900	1142-27	13900	1143-01	13900	1146-50
8VR222E	*13900	1142-25	13900	1143-04	13900	1146-43
8VR233E	13900	1140-05	*13900	1142-24	13900	1143-06
8VR240E	*13900	1140-07	13900	1141-03	13900	1146-49
8VR251E	*13900	1140-11	13900	1141-01	13900	1146-70
8VR262E	*13900	1140-13	13900	1141-04	13900	1146-64
8VR273E	*13900	1140-10	13900	1141-06	13900	1141-19
	13900	1146-55				
8VR280E	*13900	1141-21	13900	1142-17	13900	1146-61
8VR291E	*13900	1141-27	13900	1142-15	13900	1146-79
8VR302E	*13900	1141-25	13900	1142-18	13900	1146-73
8VR313E	*13900	1141-24	13900	1142-05	13900	1142-20
	13900	1145-08	16500	1228-25		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
8VSCA0V	12603	1132-43	12603	1208-76	12603	1209-31
	*12603	1210-70				
8VSC0A	*12603	1132-45	12603	1222-50		
8VSINA	*12603	1111-63	18600	2220-13	18700	2230-11
	18700	2230-47	26803	1201-49	26803	2251-49
8VSI10	14000	1135-68	14000	1147-77	*15002	1144-72
8VSI2A	14000	1146-65	*14000	1147-75	14000	1148-75
8VSI3A	*14000	1135-66	14000	1147-74	14000	1148-61
8VSI4R	26901	J001-28	*26901	J020-28		
8VSI40	12603	1147-70	12603	1222-49	*14000	1148-76
	15002	1140-43	18900	1124-61	18900	1203-27
	26901	J001-27	26901	J020-27		
8VSI5AV	12603	1147-68	*12603	1248-10		
8VSI5R	26901	J001-30	*26901	J020-30		
8VSI50	12603	1111-43	12603	1209-30	12603	1248-15
	*14000	1148-59	15002	1140-41	18900	1124-64
	18900	1203-29	26901	J001-29	26901	J020-29
8VSI60	*14000	1146-69	14000	1147-65		
8VSI7A	14000	1111-68	*14000	1147-69		
8VSI7RI	27002	J002-44	*28801	J030-14		
8VSI70	*14000	1111-66	18900	1124-43	18900	1304-13
	26803	1106-43	27002	J002-43	28801	J030-13
8VSPPA	14202	1220-49	14202	1221-18	14202	1221-49
	14202	1222-49				
8VSPPB	14202	1221-16	14202	1221-20	14202	1221-32
8VSR10	14000	1135-62	*14000	1144-69	14000	1147-71
8VSR2A	14000	1146-76	*14000	1147-72	14000	1148-71
8VSR3A	*14000	1135-60	14000	1147-76	14000	1148-55
8VSR4R	26901	J001-24	*26901	J020-24		
8VSR40	*14000	1148-69	14202	1203-23	14202	1220-18
	14202	1220-32	14202	1220-40	15002	1141-41
	18102	2307-03	26803	1107-23	26803	1201-41
	26803	2251-41	26901	J001-23	26901	J020-23
8VSR5R	26901	J001-26	*26901	J020-26		
8VSR50	*14000	1148-57	14202	1203-25	14202	1220-20
	14202	1220-38	14202	1221-09	14700	1142-72
	15002	1141-46	18102	2307-08	26803	1107-25
	26803	1201-43	26803	2251-43	26901	J001-25
	26901	J020-25				
8VSR60	*14000	1146-80	14000	1147-78		
8VSR7A	14000	1137-71	*14000	1147-80	14400	1111-48
	14400	1119-24	14400	1132-49	14400	1135-74
	14500	1120-56	14800	1132-24	16900	2314-36
	16900	2325-55	16900	2331-34	16900	2331-37
	16900	2342-71	17000	2314-17	17000	2315-75
	17200	2326-62	17200	2330-30	17200	2330-37

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	18000	2329-01	26803	1201-45	26803	2251-45
8VSR7D4	*14000	1137-72	26803	1106-54		
8VSS0A	*12603	1147-66	12603	1222-48		
8VSS00	12603	1111-59	*12603	1222-46		
8VSV1A	12603	1111-41	*12603	1208-80		
8VSV2A	*12603	1111-45	12603	1210-76		
8VSV20V	*12603	1210-78	26803	1107-29		
8VSV3A	*12603	1209-33	12603	1222-47		
8VSV4A	12603	1210-75	*12603	1222-51		
8VSV40V	*12603	1210-77	26803	1107-27		
8VS150V	12603	1132-48	*12603	1210-72		
8VXA1A	*14000	1145-09	14000	1147-08		
8VXA2A	*14000	1145-15	14000	1147-04		
8VXA3A	*14000	1145-22	14000	1147-03		
8VXA4A	*14000	1145-14	14000	1147-11		
8VXA5A	*14000	1145-21	14000	1147-24		
8VXA6A	*14000	1145-27	14000	1147-18		
8VXA7A	*14000	1145-38	14000	1147-17		
8VXB1A	*14000	1146-01	14000	1147-10		
8VXB2A	*14000	1146-09	14000	1147-05		
8VXB3A	*14000	1146-15	14000	1147-07		
8VXB4A	*14000	1146-22	14000	1147-13		
8VXB5A	*14000	1146-14	14000	1147-26		
8VXB6A	*14000	1146-21	14000	1147-20		
8VXB7A	*14000	1146-27	14000	1147-19		
8VXC0A	14000	1145-03	14000	1145-11	14000	1145-17
	14000	1145-18	14000	1145-23	14000	1145-24
	14000	1145-40	*14000	1146-06		
8VXC00	*14000	1145-01	14000	1146-03	1400.0	1146-04
	14000	1146-08	14000	1146-11	14000	1146-17
	14000	1146-18	14000	1146-23	14000	1146-24
8VXC1A	14000	1131-35	14000	1131-54	*14000	1147-06
8VXC1R	26902	J001-60	*26902	J020-60		
8VXC10	*14000	1131-52	14202	1203-59	14202	1220-19
	14202	1220-75	26803	1107-59	26902	J001-59
	26902	J020-59				
8VXC2A	14000	1131-56	*14000	1147-01		
8VXC2R	26902	J001-62	*26902	J020-62		
8VXC20	*14000	1131-39	14202	1203-61	14202	1220-14
	14202	1220-71	26803	1107-61	26902	J001-61
	26902	J020-61				
8-VXC3A	14000	1131-43	14000	1131-48	*14000	1147-09
8VXC3R	26902	J001-64	*26902	J020-64		
8VXC30	*14000	1131-45	14202	1203-63	14202	1220-16
	14202	1220-69	26803	1107-63	26902	J001-63
	26902	J020-63				

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
8VXC4A	14000	1131-41	*14000	1147-15		
8VXC4R	26902	J001-66	*26902	J020-66		
8VXC40	*14000	1131-46	14202	1203-65	14202	1220-07
	14202	1220-63	26803	1107-65	26902	J001-65
	26902	J020-65				
8VXC5A	14000	1131-47	14000	1131-68	*14000	1147-22
8VXC5R	26902	J001-70	*26902	J020-70		
8VXC50	*14000	1131-66	14202	1203-69	14202	1220-09
	14202	1220-60	26803	1107-69	26902	J001-69
	26902	J020-69				
8VXC6A	14000	1131-70	*14000	1147-14		
8VXC6R	26902	J001-72	*26902	J020-72		
8VXC60	*14000	1131-51	14202	1203-71	14202	1220-10
	14202	1220-53	26803	1107-71	26902	J001-71
	26902	J020-71				
8VXC7A	14000	1131-53	14000	1131-62	*14000	1147-21
8VXC7R	26902	J001-74	*26902	J020-74		
8VXC70	*14000	1131-60	14202	1203-73	14202	1220-13
	14202	1220-44	26803	1107-73	26902	J001-73
	26902	J020-73				
8XBITA	*27201	J004-25	27201	J058-25		
8XBITAR	*27201	J004-26	27201	J058-26		
8ZAMAA	17300	J04-D	*17300	1327-06		
8ZAMPA	17300	J02-D	*17300	1323-06		
8ZLT1A	14500	J02-C	*14500	1215-04		
8ZMHAA	17300	J04-L	*17300	1327-04		
8ZMHZA	17300	J02-L	*17300	1323-04		
8ZRT1A	14500	J04-C	*14500	1215-06		
8ZR01A	14400	J02-B	*14400	1214-04		
8ZSLAA	17900	J04-K	*17900	1326-06		
8ZSLPA	17900	J02-K	*17900	1216-06		
8ZSSAA	17900	J04-A	*17900	1326-04		
8ZSS0A	17900	J02-A	*17900	1216-04		
8ZS01A	14400	J04-B	*14400	1214-06		
81GNDB	26101	S13-4A	26501	HY01-	26501	J02-49
	26501	S02A-Y	26501	S02B-Y	26501	S02C-Y
	26501	S02D-Y	26501	S03-4A	26501	S04-4A
	26501	S05A-Y	26501	S05B-Y	26501	S05C-Y
	26501	S05D-Y	26501	S06-C	26501	S07-C
	26501	S08-4A	26501	S09-4A	26501	S10-C
	26501	S11-C	26502	S12-C	26502	S14-C
	26502	S15-X	26502	S16-C	26502	S17-C
	26502	S18-C	*27102	J003-67	29802	J045-49
81GNDB4	26803	1106-53				
82GNDB	26101	S30-3A	26502	S20-3A	26502	S20-4A
	26502	S21-4A	26503	S23-3A	26503	S23-4A

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26503	S24-4A	26503	S25A-Y	26503	S258-Y
	26503	S25C-X	26503	S25D-X	26503	S25E-Y
	26503	S25F-Y	26503	S27A-Y	26503	S27B-Y
	26503	S27C-X	26503	S27D-X	26503	S27E-Y
	26503	S27F-Y	26503	S28A-X	26503	S28B-X
	26503	S28C-X	26503	S28D-X	26503	S29A-X
	26503	S29B-X	26503	S29C-X	26503	S29D-X
	26504	J02-50	26504	S31A-X	26504	S31B-X
	26504	S31C-X	26504	S32-C	26504	S33-C2
	*27102	J003-66	29802	J045-50		
82GND84	26803	1204-51				
83AN01N	18200	2302-78	18200	2306-40	*18200	2308-50
	18300	2304-35				
83AN12N	18200	2306-34	*18200	2308-43		
83AN23N	18200	2306-29	*18200	2308-37		
83AN34N	18200	2306-35	*18200	2308-38		
83AN35N	18200	2307-23	*18200	2308-40		
83AN41N	18200	2306-54	*18200	2308-63		
83AR0R	18101	1208-26				
83AR00	*18101	J01-CC	18101	1208-24	18101	1208-52
83AR1R	18101	1210-06				
83AR10	*18101	J01-DD	18101	1210-04	18101	1210-08
83AR2R	18101	1210-18				
83AR20	*18101	J01-EE	18101	1210-14	18101	1210-54
83AR3R	18101	1210-22				
83AR30	*18101	J01-FF	18101	1210-20	18101	1210-56
83AR4R	18101	1210-26				
83AR40	*18101	J01-HH	18101	1210-24	18101	1210-52
83AR5R	18101	1212-06				
83AR50	*18101	J01-JJ	18101	1212-04	18101	1212-08
83AR6R	18101	1212-18				
83AR60	*18101	J01-KK	18101	1212-14	18101	1212-54
83AR7R	18101	1212-22				
83AR70	*18101	J01-LL	18101	1212-20	18101	1212-56
83AR8R	18101	1212-26				
83AR80	18101	1212-24	18101	1212-52		
83A001E	*18402	2206-51	18402	2349-29		
83A010E	*18402	2206-47	18402	2349-25		
83A023E	*18401	2205-38	18401	2349-23	18402	2206-45
83A032E	*18401	2205-42	18401	2349-21		
83A041E	*18401	2205-39	18401	2349-19		
83A050E	*18401	2205-35	18401	2349-17		
83A063E	18401	2205-33	*18401	2206-38	18401	2349-15
83A072E	18401	2349-13	*18402	2206-42		
83A081E	*18401	2206-39	18401	2349-11		
83A090E	*18401	2206-35	18401	2349-09		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
83A103E	*18401	2205-24	18401	2206-33	18401	2349-07
83A112E	*18401	2205-25	18401	2349-05		
83A121E	*18401	2205-27	18401	2349-33		
83A130E	*18401	2205-21	18401	2349-59	18404	2214-41
83A143E	18401	2205-19	*18401	2206-24	18401	2349-57
83A152E	*18401	2206-25	18401	2349-55		
83A161E	*18401	2206-27	18401	2349-53		
83A170E	*18401	2206-21	18401	2349-51		
83A183E	18401	2206-19	*18402	2205-10	18402	2349-49
83A192E	*18402	2205-13	18402	2349-47		
83A201E	*18402	2205-11	18402	2349-45		
83A210E	*18402	2205-07	18402	2349-43		
83A223E	18402	2205-05	*18402	2206-10	18402	2349-41
83A232E	*18402	2206-13	18402	2349-39		
83A241E	*18402	2206-11	18402	2349-37		
83A250E	*18402	2206-07	18402	2349-31		
83A263E	18102	2306-55	*18402	2205-52	20502	2125-03
	28401	J026-11	28401	J059-11		
83A263R	*28401	J026-12	28401	J059-12		
83A272E	*18402	2205-56	18402	2349-27		
83A281E	*18402	2205-51	18402	2349-35		
83A290E	*18402	2205-47	18402	2349-61		
83A303E	18402	2205-45	*18402	2206-52	18402	2349-63
83A312E	*18402	2206-56	18402	2349-65		
83A99JQ	*18102	2304-13	26803	2349-03		
83BT1A	18102	2302-49	18102	2303-05	18102	2303-07
	18102	2303-10	18102	2303-41	18102	2306-19
	18102	2306-59	18102	2306-71	18102	2306-76
	*18102	2307-14				
83BT10	*18102	2303-45	18102	2306-53	18102	2306-65
	18102	2306-77				
83B001E	*18402	2204-27	18402	2206-41		
83B010E	*18402	2204-21	18402	2208-73		
83B023E	*18401	2203-10	18401	2212-55	18402	2204-19
83B032E	*18401	2203-13	18401	2212-70		
83B041E	*18401	2203-11	18401	2212-43		
83B050E	*18401	2203-07	18401	2212-56		
83B063E	18401	2203-05	*18401	2204-10		
83B072E	*18401	2204-13	18401	2212-42		
83B081E	*18401	2204-11	18401	2212-19		
83B090E	*18401	2204-07	18401	2212-26		
83B103E	18401	2204-05	*18401	2206-76	18401	2212-07
83B121E	18401	2205-15	*18401	2206-79		
83B130E	*18401	2206-75	18401	2210-74		
83B143E	*18401	2205-76	18401	2206-73	18401	2210-79
83B152E	*18401	2205-80	18401	2210-55		

Change 2 5-500

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
83B161E	*18401	2205-79	18401	2210-70		
83B170E	*18401	2205-75	18402	2210-43		
83B183E	18401	2205-73	*18402	2206-64	18402	2210-56
83B192E	*18402	2206-68	18402	2210-31		
83B201E	*18402	2206-65	18402	2210-42		
83B210E	*18402	2206-61	18402	2210-19		
83B223E	*18402	2205-64	18402	2206-59	18402	2210-26
83B232E	*18402	2205-68	18402	2210-07		
83B241E	*18402	2205-65	18402	2207-35		
83B250E	*18402	2205-61	18402	2206-03		
83B263E	*18402	2203-24	18402	2205-48	18402	2205-59
	20502	2125-05	26803	2351-13	28401	J026-13
	28401	J059-13				
83B263R	28401	J026-14	*28401	J059-14		
83B272E	*18402	2203-25	18402	2212-74		
83B281E	*18402	2203-27	18402	2205-41		
83B290E	*18402	2203-21	18402	2209-07		
83B303E	18402	2203-19	*18402	2204-24	18402	2206-48
83B312E	*18402	2204-25	18402	2206-46		
83CG0A	*18200	2306-38	18200	2307-40		
83CG00	*18200	2307-38	18200	2309-31		
83CG1A	*18200	2306-30	18200	2307-34		
83CG10	*18200	2307-30	18200	2309-29		
83CG2A	*18200	2306-33	18200	2307-29		
83CG20	*18200	2307-33	18200	2309-30		
83CG3A	*18200	2306-39	18200	2307-35		
83CG30	*18200	2307-39	18200	2309-34		
83CG4A	*18200	2306-52	18200	2307-54		
83CG40	*18200	2307-52	18200	2309-43		
83CN00E	18200	2302-73	18200	2308-48	*18200	2309-35
	18300	2301-79				
83CN11E	18200	2302-14	18200	2308-47	*18200	2309-39
83CN22E	18200	2302-18	18200	2308-39	*18200	2309-42
83CN33E	18200	2302-72	18200	2302-75	18200	2308-35
	*18200	2309-38				
83CN40E	18200	2302-19	18200	2302-71	18200	2302-77
	18200	2308-64	*18200	2309-47		
83CUTA	15001	J03-F	15001	J08-57	*15001	1219-03
83C001E	*18403	2202-11	18403	2214-03		
83C010E	*18403	2202-07	18403	2207-19		
83C023E	18403	2202-05	*18403	2204-64	18403	2214-04
83C032E	*18403	2204-68	18403	2208-31		
83C041E	*18403	2204-65	18404	2207-56		
83C050E	*18403	2204-61	18403	2214-08		
83C063E	18403	2204-59	*18404	2203-64	18404	2214-34
83C072E	*18404	2203-68	18404	2214-54		



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
83C081E	*18404	2203-65	18404	2214-40		
83C090E	*18404	2203-61	18404	2214-23		
83C103E	18404	2203-59	*18404	2204-52	18404	2214-17
83C112E	*18404	2204-56	18404	2214-18		
83C130E	18403	2208-55	*18404	2204-47	18404	2214-29
83C143E	*18404	2203-52	18404	2204-45	18404	2214-35
83C152E	*18404	2203-56	18404	2209-19		
83C161E	*18404	2203-51	18404	2209-31		
83C170E	*18404	2203-47	18404	2209-43		
83C183E	*18403	2204-38	18403	2209-55	18404	2203-45
83C192E	*18403	2204-42	18403	2209-74		
83C201E	*18403	2204-39	18403	2208-07		
83C210E	*18403	2204-35	18403	2207-10		
83C223E	*18403	2203-38	18403	2204-33	18403	2207-26
83C232E	*18403	2203-42	18403	2214-24		
83C241E	*18403	2203-39	18403	2214-11		
83C263E	18102	2306-79	*18403	2201-10	20502	2125-07
	26803	2351-15	28401	J026-15	28401	J059-15
83C263R	28401	J026-16	*28401	J059-16		
83C303E	18403	2201-05	*18403	2202-10		
83DACR	*28001	J021-54	33100	J112-54		
83DAC0	*28001	J021-53	33100	J112-53		
83DNPR	*28001	J021-60	33100	J112-60		
83DNP0	*28001	J021-59	33100	J112-59		
83DR1JQ	05900	1123-18	06600	2136-01	*18300	2305-68
	26802	1301-71	26802	2146-01	26802	2351-71
	26803	2349-01				
83D023E	18404	2201-59	*18404	2202-52	18404	2214-48
83D032E	*18404	2202-56	18404	2208-62		
83D041E	*18404	2202-51	18404	2207-50		
83D06A	*18300	2302-59	18300	2304-38		
83D063E	18300	2302-61	18300	2304-47	*18404	2201-52
	18404	2202-45	18404	2203-60		
83D072E	18300	2310-60	*18404	2201-56	18404	2203-57
83D081E	*18404	2201-51	18404	2203-55		
83D090E	18300	2304-37	*18404	2201-47	18404	2204-48
83D103E	18404	2201-45	*18404	2202-38	18404	2204-46
83D121E	*18404	2202-39	18404	2203-43	18404	2208-41
83D130E	18403	2204-34	*18404	2202-35	18404	2208-24
83D143E	*18403	2201-38	18403	2204-30	18404	2202-33
	18404	2208-40				
83D152E	*18403	2201-42	18403	2204-29	18404	2208-54
83D161E	*18403	2201-39	18403	2204-31	18403	2208-68
83D170E	*18403	2201-35	18403	2203-34	18403	2208-77
83D183E	18403	2201-33	*18403	2202-24	18403	2203-30
	18403	2207-03				

Change 2 5-502

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
83D192E	*18403	2202-25	18403	2203-29	18403	2208-04
83D201E	*18403	2202-27	18403	2208-17		
83D223E	*18403	2201-24	18403	2202-19	18403	2208-18
83D24A	*18200	2301-76	18200	2303-77		
83D240	*18200	2303-75	18300	2306-24	18300	2310-55
83D25A	18102	2301-10	*18200	2302-64	18200	2303-71
	18200	2306-31	18200	2306-36	18200	2306-37
	18200	2306-42	18200	2306-56	18300	2210-08
83D250	*18200	2303-72	18300	2304-40	18300	2304-45
	18300	2304-72	18401	2203-03		
83D263E	18102	2306-74	*18404	2202-64	20502	2125-25
	26803	2351-17	28401	J026-17	28401	J059-17
83D263R	28401	J026-18	*28401	J059-18		
83D303E	*18404	2201-64	18404	2202-59		
83EX1A	18200	2306-23	*18200	2307-27		
83EX10	*18200	2306-27	18200	2308-60		
83GE1A	18403	2201-03	18403	2202-03	18403	2203-31
	18403	2204-55	18404	2204-43	*18404	2207-45
83GE2A	18403	2201-01	18403	2202-01	18403	2204-53
	18404	2203-41	18404	2204-41	*1840,4	2207-51
83GE3A	18403	2201-04	18403	2202-04	18403	2204-57
	18404	2203-46	*18404	2207-66		
83GE4A	18403	2201-06	18403	2202-06	18403	2204-60
	18404	2203-48	18404	2203-53	*18404	2207-60
83GE5A	18403	2201-17	18403	2201-31	18403	2202-17
	18404	2201-43	18404	2201-55	18404	2202-31
	18404	2202-43	18404	2202-55	*18404	2214-75
83GE6A	18403	2201-15	18403	2201-29	18403	2202-15
	18404	2201-41	18404	2201-53	18404	2202-29
	18404	2202-41	18404	2202-53	*18404	2214-72
83GE7A	18403	2201-18	18403	2201-30	18403	2202-18
	18404	2201-46	18404	2201-57	18404	2202-30
	18404	2202-46	18404	2202-57	*18404	2214-69
83GE8A	18403	2201-20	18403	2201-34	18403	2202-20
	18404	2201-48	18404	2201-60	18404	2202-34
	18404	2202-48	18404	2202-60	*18404	2214-80
83GNDA	*18200	2307-66	18200	2308-46	18200	2309-36
	18200	2309-50	18300	2304-59	18401	2206-70
	18402	2203-20				
83GNDB	26601	S01-3A	26601	S01-4A	26601	S04-05
	26601	S06-4A	26601	S07-4A	26601	S13A-X
	26601	S13B-X	26603	A08-16	26603	A08-18
	26603	A08-20	26603	A08-22	26603	J05-01
	26603	S16-4A	26603	S17-X	26603	S18-X
	26603	S19-C	26603	S21A-3A	26603	S21A-4A
	26603	S21B-4A	26603	S22A-Y	26603	S22B-Y

Change 2 5-503

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26603	S23A-Y	26603	S23B-Y	26603	S23C-Y
	26603	S24-3A	26603	S24-4A	26603	S25-Y
	26603	S26A-Y	26603	S26B-Y	26603	S26C-Y
	26603	S27A-Y	26603	S27B-Y	26603	S28A-Y
	26603	S28B-Y	26603	S29A-Y	26603	S29B-Y
	26603	30A-X	26603	S30B-X	*27002	J002-74
	29401	J036-01				
83GNDB4	26803	1204-59				
83GNEA	*18200	2307-60	18200	2308-45	18300	2305-40
83GNFA	*18200	2307-57	18200	2308-41	18401	2204-06
83GNGA	*18200	2307-63	18200	2308-36	18200	2308-62
83H02A	18401	2211-11	*18401	2212-09		
83H03A	18401	2211-17	*18401	2212-22		
83H04A	18401	2211-23	*18401	2212-21		
83H05A	18401	2211-29	*18401	2212-38		
83H07A	18401	2211-41	*18401	2212-52		
83H08A	18401	2211-47	*18401	2212-45		
83H09A	18401	2211-53	*18401	2212-66		
83H10A	18401	2211-59	*18401	2212-57		
83H11A	*18402	2208-72	18402	2211-65		
83H12A	18402	2211-76	*18402	2212-69		
83H13A	*18402	2207-39	18402	2209-08		
83H14A	18402	2209-04	*18402	2210-09		
83H15A	18402	2209-24	*18402	2210-22		
83H16A	18402	2209-18	*18402	2210-21		
83H17A	18402	2209-40	*18402	2210-38		
83H18A	18402	2209-34	*18402	2210-33		
83H19A	18402	2209-54	*18402	2210-52		
83H20A	18402	2209-48	*18402	2210-45		
83H21A	18401	2209-68	*18401	2210-66		
83H22A	18401	2209-62	*18401	2210-57		
83H23A	18401	2209-77	*18401	2210-75		
83H24A	18401	2209-71	*18401	2210-69		
83H25A	18402	2208-08	*18402	2209-09		
83H31A	*18404	2209-21	18404	2310-08		
83H32A	*18404	2209-33	18404	2310-04		
83H33A	*18404	2209-45	18404	2310-24		
83H34A	*18403	2209-57	18403	2310-18		
83H35A	*18403	2209-69	18403	2310-38		
83H36A	*18403	2208-09	18403	2310-31		
83H37A	*18403	2207-06	18403	2310-52		
83H38A	*18403	2207-22	18403	2310-46		
83H39A	*18403	2207-21	18403	2310-66		
83H41A	18403	2207-29	*18403	2208-33		
83H42A	*18404	2207-52	18404	2208-48		
83H45A	18403	2207-53	*18403	2208-57		

Change 1 5-504

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
83INAA	*18300	2303-22	18403	2207-04	18403	2207-18
	18403	2207-23	18403	2208-11	18403	2208-35
	18404	2207-48	18404	2208-43	18404	2208-64
83INB0	*18300	2303-52	18403	2207-08	18403	2207-17
	18403	2207-24	18403	2208-03	18403	2208-29
	18404	2207-54				
83INCA	*18300	2303-14	18404	2214-43	18404	2214-50
83IND0	*18300	2303-46	18403	2214-05	18403	2214-07
	18403	2214-10	18403	2214-13	18403	2214-26
	18404	2214-19	18404	2214-20	18404	2214-25
	18404	2214-42				
83INF0	*18300	2302-09	18404	2214-31	18404	2214-36
	18404	2214-37	18404	2214-56		
83INXA	18200	2302-74	*18300	2214-51		
83INZA	*18300	2210-06	18403	2207-07	18403	2208-05
	18403	2208-19	18403	2208-20	18403	2208-70
	18403	2208-79	18404	2208-26	18404	2208-42
	18404	2208-56				
83IN00	*18300	2303-57	18300	2304-60		
83IN1A	*18300	2303-66	18300	2304-57		
83IN10	18300	2303-68	*18300	2306-66		
83IN2JQ	18102	2303-03	18300	2214-49	18300	2303-17
	18300	2303-18	18300	2303-23	18300	2303-24
	18300	2303-40	18300	2303-62	*18300	2304-68
83IN2KQ	18300	2302-07	18300	2303-29	18300	2303-34
	18300	2303-35	18300	2303-48	18300	2303-54
	*18300	2304-65	18300	2305-31	18300	2305-60
83IN3A	18102	2301-08	18102	2302-56	18102	2306-20
	18102	2306-50	18102	2307-05	*18300	2303-60
	18300	2304-36	18300	2304-43	18300	2305-43
83IN4A	*18300	2303-21	18401	2212-04	18401	2212-11
	18401	2212-18	18401	2212-23	18401	2212-34
	18401	2212-35	18401	2212-47	18401	2212-48
	18401	2212-59	18401	2212-62		
83IN5A	*18300	2303-27	18402	2210-04	18402	2210-11
	18402	2210-18	18402	2210-23	18402	2210-34
	18402	2210-35	18402	2210-47	18402	2210-48
	18402	2212-71	18402	2212-76		
83IN6A	*18300	2303-38	18401	2210-59	18401	2210-62
	18401	2210-71	18401	2210-76	18402	2209-11
	18403	2209-59	18403	2209-76	18404	2209-23
	18404	2209-35	18404	2209-47		
83IN70	*18300	2303-30	18401	2212-03	18401	2212-17
	18401	2212-24	18401	2212-40	18401	2212-41
	18401	2212-53	18401	2212-54	18401	2212-68
83IN80	*18300	2303-33	18402	2207-37	18402	2208-71

Change 2 5-505

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	18402	2210-03	18402	2210-17	18402	2210-24
	18402	2210-29	18402	2210-40	18402	2210-41
	18402	2210-54	18402	2212-65		
83IN90	*18300	2303-39	18401	2210-53	18401	2210-65
	18401	2210-68	18401	2210-77	18402	2209-03
	18403	2209-53	18403	2209-65	18404	2209-17
	18404	2209-29	18404	2209-41		
83I32KQ	*18300	2304-51	18300	2306-68		
83I43KQ	*18300	2305-51	18300	2306-70		
83J01A	18401	2211-07	*18401	2212-01		
83J02A	18401	2211-13	*18401	2212-15		
83J03A	18401	2211-19	*18401	2212-14		
83J04A	18401	2211-25	*18401	2212-27		
83J05A	18401	2211-31	*18401	2212-30		
83J06A	18401	2211-37	*18401	2212-39		
83J07A	18401	2211-43	*18401	2212-46		
83J08A	18401	2211-49	*18401	2212-51		
83J09A	18401	2211-55	*18401	2212-60		
83J10A	18401	2211-61	*18401	2212-63		
83J11A	18402	2211-74	*18402	2212-72		
83J12A	18402	2211-78	*18402	2212-80		
83J13A	18402	2209-10	*18402	2210-01		
83J14A	18402	2209-05	*18402	2210-15		
83J15A	18402	2209-26	*18402	2210-14		
83J16A	18402	2209-20	*18402	2210-27		
83J17A	18402	2209-42	*18402	2210-30		
83J18A	18402	2209-36	*18402	2210-39		
83J19A	18402	2209-56	*18402	2210-46		
83J20A	18402	2209-50	*18402	2210-51		
83J21A	18401	2209-70	*18401	2210-60		
83J22A	18401	2209-64	*18401	2210-63		
83J23A	18401	2209-79	*18401	2210-72		
83J24A	18401	2209-73	*18401	2210-80		
83J25A	18402	2208-10	*18402	2209-15		
83J31A	*18404	2209-27	18404	2310-06		
83J32A	*18404	2209-39	18404	2310-01		
83J33A	*18404	2209-51	18404	2310-22		
83J34A	*18403	2209-63	18403	2310-14		
83J35A	*18403	2209-80	18403	2310-37		
83J36A	*18403	2208-15	18403	2310-30		
83J37A	*18403	2207-01	18403	2310-49		
83J38A	*18403	2207-14	18403	2310-43		
83J39A	*18403	2207-27	18403	2310-61		
83J41A	18403	2207-31	*18403	2208-39		
83J42A	*18404	2207-46	18404	2208-50		
83J45A	18403	2207-55	*18403	2208-63		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
83K31A	*18404	2208-22	18404	2310-10		
83K32A	*18404	2208-38	18404	2310-05		
83K33A	*18404	2208-52	18404	2310-25		
83K34A	*18403	2208-66	18403	2310-19		
83K35A	*18403	2208-75	18403	2310-40		
83K36A	*18403	2207-09	18403	2310-34		
83K37A	*18403	2208-01	18403	2310-54		
83K38A	*18403	2208-21	18403	2310-48		
83K39A	*18403	2208-14	18403	2310-68		
83LR00	*18101	1208-19	18101	1305-61	18102	2213-25
	18102	2347-61				
83LR10	*18101	1210-25	18101	1305-63	18102	2213-36
	18102	2347-63				
83LR20	*18101	1210-23	18101	1305-65	18102	2213-37
	18102	2347-65				
83LR30	*18101	1210-21	18101	1305-69	18102	2213-50
	18102	2347-69				
83LR40	*18101	1210-19	18101	1305-71	18102	2213-49
	18102	2347-71				
83LR50	*18101	1212-25	18101	1305-73	18102	2213-64
	18102	2347-73				
83LR60	*18101	1212-23	18101	1305-75	18102	2213-61
	18102	2347-75				
83LR70	*18101	1212-21	18101	1305-77	18102	2213-73
	18102	2347-77				
83LR80	*18101	1212-19	18101	1305-79	18102	2213-78
	18102	2347-79				
83MGC0	*18102	2214-60	18102	2307-18		
83M010	18401	2205-18	*18401	2211-09		
83M020	18401	2205-20	*18401	2211-15		
83M030	18401	2206-31	*18401	2211-21		
83M040	18401	2206-29	*18401	2211-27		
83M050	18401	2206-30	*18401	2211-33		
83M060	18401	2206-34	*18401	2211-39		
83M070	18401	2205-31	*18401	2211-45		
83M080	18401	2205-29	*18401	2211-51		
83M090	18401	2205-30	*18401	2211-57		
83M100	18401	2205-34	*18401	2211-63		
83M110	18402	2206-43	*18402	2211-69		
83M120	18402	2205-46	*18402	2211-80		
83M130	18402	2206-01	*18402	2209-06		
83M140	18402	2206-04	*18402	2209-01		
83M150	18402	2206-06	*18402	2209-22		
83M160	18402	2205-03	*18402	2209-14		
83M170	18402	2205-01	*18402	2209-38		
83M180	18402	2205-04	*18402	2209-30		

Change 2 5-507

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution		
83M190	18402	2205-06	*18402	2209-52
83M200	18401	2206-17	*18402	2209-46
83M210	18401	2206-15	*18401	2209-66
83M220	18401	2206-18	*18401	2209-60
83M230	18401	2206-20	*18401	2209-75
83M240	18401	2205-17	*18401	2209-72
83M250	18402	2205-43	*18402	2208-06
83M310	18402	2203-17	*18L04	2310-11
83M320	18401	2206-71	*16404	2310-09
83M330	18401	2205-72	*18404	2310-23
83M340	18401	2205-70	*18403	2310-21
83M350	18401	2205-69	*18403	2310-35
83M360	18401	2205-71	*18403	2310-33
83M370	18402	2206-60	*18403	2310-47
83M380	18402	2206-57	*18403	2310-45
83M390	18402	2205-57	*18403	2310-59
83M410	18402	2203-15	*18403	2207-33
83M420	18401	2206-69	*18404	2208-46
83M450	*18403	2207-57	18403	2208-37
83N01A	18403	2207-78	*18403	2214-06
83N010	18402	2205-55	*18403	2207-80
83N02A	18403	2207-74	*18403	2214-01
83N020	18402	2205-53	*18403	2207-69
83N03A	18403	2207-61	*18403	2214-09
83N030	18402	2205-60	*18403	2207-63
83N04A	*18404	2208-45	18404	2310-77
83N05A	*18404	2208-60	18404	2310-78
83N060	18401	2204-03	*18404	2310-76
83N10A	18403	2208-78	*18403	2214-15
83N100	18402	2206-55	*18403	2208-80
83N11A	18403	2208-74	*18403	2214-22
83N110	18402	2206-53	*18403	2208-69
83N12A	18404	2208-49	*18404	2214-14
83N120	18401	2203-01	*18404	2208-51
83N13A	18404	2212-08	*18404	2214-21
83N130	18401	2203-04	*18404	2212-06
83N14A	18404	2212-29	*18404	2214-27
83N140	18401	2203-06	*18404	2212-33
83N15A	18404	2212-77	*18404	2214-38
83N150	18402	2204-17	*18404	2212-75
83N16A	18404	2208-25	*18404	2214-30
83N160	18402	2204-15	*18404	2208-27
83N17A	18404	2207-13	*18404	2214-33
83N170	18402	2204-18	*18404	2207-15
83N18A	*18404	2214-39	18404	2301-07
83N180	18402	2204-20	*18404	2301-09

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
83N19A	*18404	2214-52	18404	2301-22		
83N190	18402	2203-18	*18404	2301-23		
83N21A	*18404	2214-46	18404	2301-20		
83N210	18401	2206-72	*18404	2301-21		
83N22A	*18404	2214-45	18404	2302-10		
83N220	18401	2204-04	*18404	2302-11		
83PC1A	*18102	2301-11	18102	2303-08		
83PC20	*18102	2303-06	18401	2203-08	18401	2204-08
	18401	2205-74	18401	2206-74	18402	2203-22
	18402	2204-22	18402	2205-62	18402	2206-62
83PC30	*18102	2303-01	18102	2304-05	18401	2205-22
	18401	2205-36	18401	2206-22	18401	2206-36
	18402	2205-08	18402	2205-50	18402	2206-08
	18402	2206-50				
83PC4A	18102	2303-04	18102	2304-08	*18102	2307-01
83PC50	*18102	2303-09	18403	2201-08	18403	2201-22
	18403	2201-36	18403	2202-08	18403	2202-22
	18403	2203-36	18403	2204-36	18403	2204-62
	18404	2201-50	18404	2201-62	18404	2202-36
	18404	2202-50	18404	2202-62	18404	2203-50
	18404	2203-62	18404	2204-50		
83RC1A	18102	2301-43	18102	2301-49	18102	2301-60
	*18102	2302-47				
83RC20	*18102	2301-47				
83RC30	*18102	2301-45				
83RC4B	*18102	2301-45	*18102	2301-47	18401	2203-09
	18401	2204-09	18401	2205-77	18401	2206-77
	18402	2203-23	18402	2204-23	18402	2205-63
	18402	2206-63	18403	2201-09	18403	2201-23
	18403	2201-37	18403	2202-09	18403	2202-23
	18403	2203-37	18403	2204-37	18403	2204-63
	18404	2201-49	18404	2201-63	18404	2202-37
	18404	2202-49	18404	2202-63	18404	2203-49
	18404	2203-63	18404	2204-49		
83RC50	*18102	2301-57	18102	2304-06	18401	2205-23
	18401	2205-37	18401	2206-23	18401	2206-37
	18402	2205-09	18402	2205-49	18402	2206-09
	18402	2206-49				
83RC6JQ	*18300	2304-25	18300	2305-48		
83RC6KQ	18102	2301-55	*18300	2304-27		
83RD10	*18102	2306-06				
83RD20	*18102	2306-01				
83RD3B	18102	2213-04	18102	2213-11	18100	2213-18
	18102	2213-23	18102	2213-34	18100	2213-35
	18102	2213-47	18102	2213-48	18100	2213-59
	18102	2213-62	18102	2213-71	18100	2213-76



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution					
	*18102	2306-01	*18102	2306-06			
83RD40	*18102	2306-09					
83RD50	*18102	2306-15					
83RD6B	18102	2213-03	18102	2213-08	18102	2213-17	
	18102	2213-24	18102	2213-29	18102	2213-40	
	18102	2213-41	18102	2213-53	18102	2213-54	
	18102	2213-65	18102	2213-68	18102	2213-77	
	*18102	2306-09	*18102	2306-15			
83RQIJQ	18300	2301-78	*18300	2304-80	18300	2310-62	
83RQIKQ	18300	2301-73	*18300	2304-79			
83RQ2A	18300	1219-26	18300	1305-53	*18300	2301-76	
	18300	2347-53					
83RQ3A	*18300	2301-69	26803	2249-79	27902	J016-79	
	31802	J080-45					
83RQ3AR	*27902	J016-80	31802	J080-46			
83RS0A	*18100	2306-57	18100	2307-77			
83RS10	*18102	2307-75	18402	2206-05			
83RS2A	*18100	2306-63	18100	2307-79			
83RS30	*18102	2307-72	18403	2203-33	18403	2208-61	
83RS40	*18102	2307-69	18403	2201-19			
83RS5A	*18100	2306-75	18100	2307-71			
83RS6A	*18100	2306-72	18100	2307-73			
83RS7A	*18100	2306-69	18100	2307-65			
83RS8A	*18100	2306-80	18100	2307-74			
83SI1JQ	*18300	2305-42	18401	2204-01			
83S32A	*18300	2306-22	18300	2307-24			
83S320	18300	2301-71	*18300	2307-22			
83VS1A	18102	2306-05	18102	2306-10	*18102	2307-06	
83VS2A	18102	2306-07	18102	2306-13	*18102	2307-09	
83Z010	*18300	2207-72	18300	2305-34			
83Z02A	18300	2207-73	*18300	2310-57			
830UTA	18300	J03-H	18300	J08-55	*18300	1219-24	
832AC0	*16900	J03-J	16900	1218-08	16900	1219-29	
832AN0	*16900	J03-K	16900	1218-54	16900	1219-34	
832A1R	18100	1208-06					
832A10	*18101	J03-C	18101	1208-08	18101	1219-40	
832A2R	18100	1208-18					
832A20	*18101	J03-D	18101	1208-54	18101	1219-38	
832A3R	18100	1208-22					
832A30	*18101	J03-E	18101	1208-56	18101	1219-33	
832B1A	18102	2211-08	*18102	2213-06			
832B2A	18102	2211-10	*18102	2213-01			
832B3A	18102	2211-04	*18102	2213-09			
832B4A	18102	2211-05	*18102	2213-15			
832B5A	18102	2211-24	*18102	2213-22			
832B6A	18102	2211-26	*18102	2213-14			

Signal	Distribution					
832IEA	18200	2214-68	*18200	2302-21		
832IE0	*18200	2214-66	18300	2301-75	18300	2304-33
832INKQ	18300	2301-77	*18300	2304-39	18300	2306-26
832LTA	*16101	1218-21	16101	1408-50		
832LT0	*16101	J03-B	16101	1218-56	16101	1219-06
832L10	*18101	1208-25	18101	1305-55	18102	2213-05
	18102	2347-55				
832L20	*18101	1208-23	18101	1305-57	18102	2213-13
	18102	2347-57				
832L30	*18101	1208-21	18101	1305-59	18102	2213-20
	18102	2347-59				
832N1A	18102	2306-61	*18102	2307-15		
832N10	*18102	2211-06	18102	2307-11		
832N2A	18102	2306-73	*18102	2307-45		
832N20	*18102	2211-01	18102	2307-41		
832N3A	18102	2306-78	*18102	2307-51		
832N30	*18102	2211-22	18102	2307-47		
83333A	18102	2306-17	*18102	2307-21		
833330	18102	2302-54	*18102	2306-21	18200	2309-37
	18200	2309-49	18300	2304-34	18300	2304-48
834B1A	18102	2211-18	*18102	2213-21		
834B2A	18102	2211-20	*18102	2213-27		
83411A	18102	2211-40	*18102	2213-38		
83412A	18102	1211-34	*18102	2213-33		
83413A	18102	2211-54	*18102	2213-52		
83414A	18102	2211-48	*18102	2213-45		
83415A	18102	2211-68	*18102	2213-66		
83416A	18102	2211-62	*18102	2213-57		
83417A	18102	2211-77	*18102	2213-75		
83418A	18102	2211-71	*18102	2213-69		
83421A	18102	2211-42	*18102	2213-30		
83422A	18102	2211-36	*18102	2213-39		
83423A	18102	2211-56	*18102	2213-46		
83424A	18102	2211-50	*18102	2213-51		
83425A	18102	2211-70	*18102	2213-60		
83426A	18102	2211-64	*18102	2213-63		
83427A	18102	2211-79	*18102	2213-72		
83428A	18102	2211-73	*18102	2213-80		
8343CA	18102	2301-06	18102	2301-46	18102	2301-52
	*18102	2306-14	18102	2307-50	18300	2304-23
8343IR	18102	2302-52	18102	2304-04	*18102	2306-46
	18102	2307-04	18102	2307-48	18300	2214-47
8343IS	18102	2306-48	*18102	2307-46	18300	2304-19
	18403	2207-25				
8343SA	18102	2306-18	*18102	2307-80		
8343S0	*18102	2211-14	18102	2307-76		

Change 2 5-511

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
83431A	*18102	2306-51	18404	2209-25		
834310	*18102	2211-38	18102	2306-47		
83432A	*18102	2306-45	18404	2209-37		
834320	*18102	2211-30	18102	2306-41		
83433A	*18102	2303-15	18404	2209-49		
834330	*18102	2211-52	18102	2303-13		
83434A	*18102	2303-51	18403	2209-61		
834340	*18102	2211-46	18102	2303-49		
83435A	*18102	2303-63	18403	2209-78		
834350	*18102	2211-66	18102	2303-61		
83436A	*18102	2303-69	18403	2208-13		
834360	*18102	2211-60	18102	2303-74		
83437A	*18102	2303-80	18403	2207-05		
834370	*18102	2211-75	18102	2303-78		
83438A	*18102	2302-57	18403	2207-20		
834380	*18102	2211-72	18102	2302-60		
84GNDA	26601	S14A-X	26601	S14B-X		
84GNDB	26601	J05-02	26601	S14A-X	26602	S20-4A
	*27002	J002-75	29401	J036-02		
84GNDB4	26803	1106-51				
85GNDB	26502	S19-C	26502	S22A-Y	26502	S22B-Y
	26502	S22C-Y	26502	S22D-Y	26503	S26A-Y
	26503	S26B-Y	26504	J02-51	26803	1105-68
	*27102	J003-68	29802	J045-51		
86GNDA	26601	J05-15	26601	S15A-X	26601	S15B-X
	26803	1105-67	27002	J002-53	*27002	J036-15
87GNDA	26601	J05-18	26601	S15A-X	26601	S10B-X
	26803	1105-66	27502	J012-51	*27502	J036-18
88GNDA	26601	J05-19	26601	S12A-X	26601	S12B-X
	26803	1106-74	*27502	J012-59	29401	J036-19
89GNDA	26601	J05-20	26601	S15A-X	26601	S15B-X
	26803	1106-75	*27002	J002-51	29401	J036-20
9ABIGAV	20501	2218-43	*20501	2221-42		
9ABSPG	26111	2231-58	26803	2249-30	27901	J016-30
	*30701	J057-30				
9ABSP0	05900	1110-17	05900	1110-18	*20501	2231-57
	26802	1106-29	26803	2249-29	27901	J016-29
	30701	J057-29				
9ABSP0G	05900	1110-16	26802	1106-30		
9ACSCA	18500	2223-69	18500	2224-69	*18500	2242-75
	18500	2243-79				
9ADLVA	*19000	2230-21	20501	2229-77		
9AGCBA	05800	1115-07	05900	1121-34	*18500	2242-72
	26802	1106-27	26803	2249-27		
9AGCBAG	05900	1121-32	26108	1115-02	26111	2242-67
	26802	1106-28	26802	2249-28		

Change 2 5-512

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9AGCBR	27901	J016-28	*30701	J057-28		
9AGC8A	27901	J016-27	*30701	J057-27		
9AGITA	*20501	2218-45	20501	2222-53		
9AINH0E	*20501	2222-61	20501	2229-55	20501	2231-53
9AINH1E	*20501	2222-65	20501	2229-60	20501	2231-55
9AINH2E	18500	2231-62	*20501	2222-68		
9AINH3E	18500	2231-07	18500	2231-13	19102	1108-68
	19102	1205-61	*20501	2222-64	26803	2247-61
9AINH3G	26111	2231-16	26803	2247-62		
9AINTA	18500	2219-75	18500	2219-76	18500	2229-31
	*18500	2231-60	18500	2240-75	18500	2240-76
9AITIR	18900	1124-26				
9AITIO	*18900	J01-H	18900	1124-21		
9AMTIO	*18900	J01-L	18900	1124-24		
9AQVIA	20501	2229-75	*20501	2230-14		
9ARLCJQ	19400	2242-36	*20501	2219-25		
9ASPGJQ	20501	2222-60	*20501	2240-42		
9ASPGKQ	20501	2219-03	20501	2222-57	*20501	2240-39
9ASPM2X	20501	2219-20	20501	2222-55	*20501	2227-38
9ASRTAV	20501	2219-17	*20501	2221-43	20501	2240-30
9ASRTO	20501	2221-45	*20501	2241-57		
9ASTGKQ	*20501	2219-11	20501	2241-55		
9ASTPA	*20501	2231-63	20501	2240-34		
9ASTP0	*20501	2229-57	20501	2231-59		
9AVS10	20501	2227-37	*20501	2229-76		
9AVS20	20501	2227-39	*20501	2229-69		
9A0CGA	*18500	2231-15	20502	2118-53	20502	2118-59
	20502	2118-71	20502	2118-77	20502	2119-65
	20502	2119-68	20502	2119-71	20502	2119-77
9A11AA	*18500	2220-69				
9A11BA	*18500	2220-72				
9A11CA	*18500	2220-75				
9A11DA	*18500	2220-80				
9A11MA	*18500	2116-80	18500	2220-65	18500	2220-71
	18500	2220-76	18500	2220-77		
9A11MB	18500	2219-72	*18500	2220-69	*18500	2220-72
	*18500	2220-75	*18500	2220-80	18500	2231-03
	18500	2231-11	18500	2240-72	20501	2222-63
	26803	2247-75				
9A11MG	26100	2220-67	26803	2247-76		
9A11M0	15002	1212-49	18500	2116-76	*18500	2216-35
	19102	1108-66	19102	1205-75		
9A27CJQ	*18500	2219-80	18600	2234-23		
9A27CKG	26111	2219-67	26803	2247-74		
9A27CKQ	*18500	2219-79	19103	1115-77	19103	1205-73
	26803	2247-73				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9A55CJQ	18500	2229-30	*18500	2240-80	19000	2241-05
9A55CKQ	18500	2219-73	18500	2219-78	*18500	2240-79
	19000	2237-37				
9BAAAA	18700	2104-68	18700	2222-74	*18700	2230-60
	18700	2234-08	18700	2235-08	18802	2225-03
	18802	2225-19	19400	2244-33		
9BBBBA	18700	2226-52	*18700	2230-57	18801	2227-52
	18801	2227-68	18801	2228-52	18801	2228-68
	19400	2244-50	19400	2245-62		
9BCCCA	18802	2222-08	18802	2225-01	18802	2225-15
	*18802	2230-63	18802	2233-01	18802	2237-80
9BDDDA	18700	2219-33	18802	2223-39	18802	2224-39
	18802	2224-53	19000	2244-03	19400	2244-55
	19400	2246-55	20501	2219-14	20501	2219-26
	20501	2222-62	*20501	2230-75	20501	2240-33
9BEEEA	18700	2219-35	18802	2223-41	18802	2224-41
	18802	2224-55	19000	2244-01	19400	2237-03
	19400	2237-19	19400	2244-53	19400	2246-53
	20501	2219-10	20501	2219-24	*20501	2230-72
	20501	2240-35				
9BFFFA	18700	2219-37	18802	2223-43	18802	2224-43
	18802	2224-57	19000	2244-04	19400	2237-05
	19400	2237-21	19400	2244-57	19400	2246-57
	20501	2219-08	20501	2219-22	*20501	2230-69
	20501	2240-37				
9BGGGA	18802	2223-45	18802	2224-45	18802	2224-59
	*18802	2230-80	19000	2244-06	19400	2238-60
	19400	2239-52	19400	2239-68	19400	2244-60
	19400	2246-60				
9BICGA	*18500	2243-75	18600	2229-08	18600	2241-61
	18700	2218-10	18700	2220-64	18700	2220-70
9BIC15U	*18500	2223-68	18500	2224-78		
9BIC25U	18500	2221-65	*18500	2224-68		
9BIGEAV	*18500	2221-68	18500	2243-61		
9BIGGR	18500	2242-53	*18500	2243-63	18600	2220-25
	18600	2230-26	18600	2231-79	18700	2240-18
	19200	2240-03	19200	2241-25	20501	2241-62
9BIGGS	*18500	2242-57	18500	2243-59	18500	2243-77
	18700	2222-22	19400	2244-36	19400	2245-36
	19400	2245-50	19400	2246-36	19400	2246-50
9BPUPAV	*18500	2221-57	18500	2243-53		
9BPUP0	18500	2223-66	18500	2224-66	18500	2242-55
	*18500	2243-57				
9CCL1R	*28702	J029-80	28802	J030-80		
9CCL10	18600	2243-74	18700	2104-66	18700	2243-62
	20502	2104-45	26501	J02-18	*26501	S04-3B

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26501	S04-4B	26803	2348-79	28702	J029-79
	28802	J030-79	29801	J045-18		
9CRF0A	*12603	1136-57	26501	A05-09	26501	XDS01-A
	26501	XDS01-B	26501	XDS01-C	26501	XDS01-D
	26504	J02-48	26803	1106-39	27001	J002-39
	29802	J045-48				
9CRF00	12603	1105-77	*12603	1123-19	12603	1136-55
	12603	1201-80	12603	2145-77	12603	2251-80
9CS000	18801	2228-51	26501	J02-04	26501	S02A-01
	26803	2250-04	27801	J015-04	*29801	J045-04
9CS010	18801	2228-57	26501	J02-03	26501	S02A-02
	26803	2250-05	27801	J015-05	*29801	J045-03
9CS020	18801	2228-54	26501	J02-02	26501	S02A-04
	26803	2250-06	27801	J015-06	*29801	J045-02
9CS030	18801	2228-62	26501	J02-01	26501	S02A-08
	26803	2250-07	27801	J015-07	*29801	J045-01
9CS100	18801	2228-69	26501	J02-08	26501	S02B-01
	26803	2250-08	27801	J015-08	*29801	J045-08
9CS110	18801	2228-75	26501	J02-07	26501	S02B-02
	26803	2250-09	27801	J015-09	*29801	J045-07
9CS120	18801	2228-70	26501	J02-06	26501	S02B-04
	26803	2250-10	27801	J015-10	*29801	J045-06
9CS130	18801	2228-76	26501	J02-05	26501	S02B-08
	26803	2250-11	27801	J015-11	*29801	J045-05
9CS200	18801	2227-51	26501	J02-12	26501	S02C-01
	26803	2250-12	27801	J015-12	*29801	J045-12
9CS210	18801	2227-57	26501	J02-11	26501	S02C-02
	26803	2250-13	27801	J015-13	*29801	J045-11
9CS220	18801	2227-54	26501	J02-10	26501	S02C-04
	26803	2250-14	27801	J015-14	*29801	J045-10
9CS230	18801	2227-62	26501	J02-09	26501	S02C-08
	26803	2250-15	27801	J015-15	*29801	J045-09
9CS300	18801	2227-69	26501	J02-16	26501	S02D-01
	26803	2250-16	27801	J015-16	*29801	J045-16
9CS310	18801	2227-75	26501	J02-15	26501	S02D-02
	26803	2250-17	27801	J015-17	*29801	J045-15
9CS320	18801	2227-70	26501	J02-14	26501	S02D-04
	26803	2250-18	27801	J015-18	*29801	J045-14
9CS330	18801	2227-76	26501	J02-13	26501	S02D-08
	26803	2250-19	27801	J015-19	*29801	J045-13
9CTPX0	18700	2230-13	18900	1105-07	18900	1124-30
	20502	2123-05	26501	J02-17	26501	S03-3B
	26501	S03-4B	26803	2250-20	27801	J015-20
	*27801	J045-17				
9C0C0A	18700	2218-55	*26501	A03-19	26501	S07-05
	26504	J02-44	26803	2348-18	28701	J029-18

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9C010A	29802	J045-44				
	18700	2218-01	*26501	A03-25	26501	S07-02
	26504	J02-47	26803	2348-15	28701	J029-15
9C020A	29802	J045-47				
	18700	2218-14	*26501	A03-23	26501	S07-03
	26504	J02-46	26803	2348-07	28701	J029-07
9C030A	29802	J045-46				
	18700	2218-22	*26501	A03-21	26501	S07-04
	26504	J02-45	26803	2348-17	28701	J029-17
9C1C0A	29802	J045-45				
	18700	2218-07	18700	2218-60	*26501	A03-13
	26501	S07-08	26504	J02-41	26803	2348-11
9C120A	28701	J029-11	29802	J045-41		
	18700	221.8-04	18700	2218-20	*26501	A03-17
	26501	S07-06	26504	J02-43	26803	2348-09
9C130A	28701	J029-09	29802	J045-43		
	18700	2218-05	18700	2218-25	*26501	A03-15
	26501	S07-07	26504	J02-42	26803	2348-10
9C180A	28701	J029-10	29802	J045-42		
	19800	2136-20	19800	2139-31	20502	2123-45
	*26501	A03-05	26501	S06-01	26504	J02-37
9C2C0A	26803	2250-01	27801	J015-01	29801	J045-37
	18700	2218-19	18700	2218-62	*26501	A03-09
	26501	S07-10	26504	J02-39	26803	2348-13
9C230A	28701	J029-13	29801	J045-39		
	18700	2218-18	18700	2218-26	*26501	A03-11
	26501	S07-09	26504	J02-40	26803	2348-12
9C270A	28701	J029-12	29801	J045-40		
	20502	2228-15	*26501	A03-03	26501	S06-02
	26504	J02-36	26803	2250-02	27801	J015-02
9C3C0A	29801	J045-36				
	18700	2218-24	18700	2218-64	*26501	A03-07
	26501	S07-11	26504	J02-38	26803	2348-14
9C360A	28701	J029-14	29801	J045-38		
	19800	2136-23	20502	2226-45	*26501	A03-01
	26501	S06-03	26504	J02-35	26803	2250-03
9C4000	27801	J015-03	29801	J045-35		
	18801	2228-53	26501	J02-22	26501	S05A-01
	26803	2250-21	27801	J015-21	*29801	J045-22
9C4010	18801	2228-59	26501	J02-21	26501	S05A-02
	26803	2250-22	27801	J015-22	*29801	J045-21
	18801	2228-56	26501	J02-20	26501	S05A-04
9C4020	26803	2250-23	27801	J015-23	*29801	J045-20
	18801	2228-64	26501	J02-19	26501	S05A-08
	26803	2250-24	27801	J015-24	*29801	J045-19
9C4100	18801	2228-71	26501	J02-26	26501	S05B-01

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9C4110	26803	2250-25	27801	J015-25	*29801	J045-26
	18801	2228-77	26501	J02-25	26501	S05B-02
	26803	2250-26	27801	J015-26	*29801	J045-25
9C4120	18801	2228-72	26501	J02-24	26501	S05B-04
	26803	2250-27	27801	J015-27	*29801	J045-24
	18801	2228-78	26501	J02-23	26501	S05B-08
9C4200	26803	2250-28	27801	J015-28	*29801	J045-23
	18801	2227-53	26501	J02-30	26501	S05C-01
	26803	2250-29	27801	J015-29	*29801	J045-30
9C4210	18801	2227-59	26501	J02-29	26501	S05C-02
	26803	2250-30	27801	J015-30	*29801	J045-29
	18801	2227-56	26501	J02-28	26501	S05C-04
9C4220	26803	2250-31	27801	J015-31	*29801	J045-28
	18801	2227-64	26501	J02-27	26501	S05C-08
	26803	2250-32	27801	J015-32	*29801	J045-27
9C4300	18801	2227-71	26501	J02-34	26501	S05D-01
	26803	2250-33	27801	J015-33	*29801	J045-34
	18801	2227-77	26501	J02-33	26501	S05D-02
9C4310	26803	2250-34	27801	J015-34	*29801	J045-33
	18801	2227-72	26501	J02-32	26501	S05D-04
	26803	2250-35	27801	J015-35	*29801	J045-32
9C4320	18801	2227-78	26501	J02-31	26501	S05D-08
	26803	2250-36	27801	J015-36	*29801	J045-31
	18801	2227-78	26501	J02-31	26501	S05D-08
9C4330	26803	2250-36	27801	J015-36	*29801	J045-31
	18600	2220-24	*18600	2221-25		
	18600	2221-23	*18600	2229-35		
9DACAAV	18600	2220-26	*18600	2221-24		
9DACA0	18600	2220-14	18600	2221-22		
9DACBAV	*18600	2220-22	18600	2234-19		
9DACB0	*18600	22.33-25	18600	2233-42	18600	2233-56
9DACEA	18600	2241-69				
9DACS0	*18600	2220-18	*18600	2233-27		
9DAC11C	18600	2220-20	*18600	2233-26		
9DAC12C	18600	2229-37	*18600	2233-39		
9DAC21C	18600	2229-38	*18600	2233-40		
9DAC22C	18600	2229-40	*18600	2233-51		
9DAC31C	18600	2229-42	*18600	2233-54		
9DAC32C	18600	1210-69	*18700	2243-60	26803	1201-03
9DCAZA	26803	2251-03				
9DCMSTA	*18700	2104-73	18700	2220-34	18700	2221-38
	18700	2226-71				
	*18700	2104-79	18700	2220-35	18700	2221-35
9DCMSTB	18700	2226-77				
	*18700	2104-74	18700	2220-48	18700	2221-36
	18700	2226-72				
9DCMSTC	*18700	2104-80	18700	2220-47	18700	2221-29
	18700	2226-78				
	*18700	2104-80	18700	2220-47	18700	2221-29
9DCMSTD	18700					



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9DCM20	18700	2226-68	*18700	2230-51		
9DCM3A	18700	2230-49	*18700	2231-69		
9DCM4A	18600	2242-65	*18600	2243-69		
9DCM40	18600	2229-49	*18600	2242-69	18700	2219-45
	18700	2231-65	19000	2221-04	19000	2221-05
	19000	2221-06				
9DCRAA	18600	2221-79	*18600	2229-47	18600	2233-68
	18700	2219-54	19000	2241-13	20201	2107-38
	20201	2113-75				
9DCRCAV	*18600	2221-26	18600	2234-63	18600	2234-77
	18600	2235-63	18600	2235-77		
9DCRC0	18600	2221-27	*18600	2229-11		
9DCRIA	18600	2221-73	*18600	2231-75		
9DCRIOV	*18600	2221-71	18600	2235-59		
9DCR10E	*18600	2235-61	18700	2104-71		
9DCR11E	*18600	2235-65	18700	2104-77		
9DCR12E	*18600	2235-68	18700	2104-72		
9DCR13E	18600	2234-59	*18600	2235-64	18700	2104-78
9DCR2AV	18600	2220-11	*18600	2221-80	18801	2227-49
	18801	2227-66	18801	2228-49	18801	2228-66
	18900	1124-04	18900	1205-17	20502	2227-05
9DCR20E	*18600	2234-61	18600	2243-65		
9DCR21E	*18600	2234-65	18600	2242-62		
9DCR22E	*18600	2234-68	18600	2242-59		
9DCR23E	*18600	2234-64	18600	2235-73		
9DCR30E	18600	2233-53	*18600	2235-75		
9DCR31E	18600	2233-55	*18600	2235-79		
9DCR32E	18600	2233-59	*18600	2235-80		
9DCR33E	18600	2233-61	18600	2234-73	*18600	2235-76
9DCR40E	18600	2233-69	*18600	2234-75		
9DCR41E	18600	2233-71	*18600	2234-79		
9DCR42E	18600	2233-73	*18600	2234-80		
9DCR43E	18600	2231-77	18600	2233-75	*18600	2234-76
	20502	2125-34				
9DCR5AV	*18600	2221-10	26803	2247-17		
9DCR50	*18600	2220-15	18600	2221-15		
9DDRER	*18600	2242-80	18600	2243-78		
9DDRES	18600	2241-71	18600	2242-78	*18600	2243-80
9DHRC0	18600	2222-49	18600	2234-37	18600	2234-49
	18600	2235-23	18600	2235-37	*18600	2241-59
	18600	2244-77	18600	2245-77	18600	2246-77
9DHRIA	*18600	2220-27	18600	2221-21		
9DHRIOV	*18600	2221-19	18600	2235-19		
9DHRS0	18600	2222-50	*18600	2230-22	18600	2233-80
	18600	2234-36	18600	2234-50	18600	2234-62
	18600	2234-74	18600	2235-22	18600	2235-36

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	18600	2235-62	18600	2235-74	18600	2244-74
	18600	2245-74	18600	2246-74	19400	2245-08
	19400	2245-22	19400	2246-08	19400	2246-22
9DHR13E	*18600	2235-24	18600	2246-73		
9DHR20E	18600	2234-55	*18600	2246-75		
9DHR21E	18600	2235-71	*18600	2246-79		
9DHR22E	18600	2235-69	*18600	2246-80		
9DHR23E	18600	2235-70	18600	2245-73	*18600	2246-76
9DHR30E	18600	2235-17	18600	2235-72	*18600	2245-75
9DHR31E	18600	2234-71	18600	2235-15	*18600	2245-79
9DHR32E	18600	2234-69	18600	2235-18	*18600	2245-80
9DHR33E	18600	2234-70	18600	2235-20	18600	2244-73
	*18600	2245-76				
9DHR40E	18600	2234-72	*18600	2244-75	18600	2246-71
9DHR41E	*18600	2244-79	18600	2246-69		
9DHR42E	18600	2234-53	*18600	2244-80	18600	2246-70
9DHR43E	18600	2234-33	18600	2234-57	*18600	2244-76
	18600	2246-72				
9DHR50E	18600	2233-41	*18600	2234-35	18600	2245-71
9DHR51E	18600	2233-43	*18600	2234-39	18600	2245-69
9DHR52E	18600	2233-45	*18600	2234-42	18600	2245-70
9DHR53E	18600	2222-45	18600	2233-47	*18600	2234-38
	18600	2245-72				
9DHR60E	*18600	2222-47	18600	2233-29	18600	2244-71
9DHR61E	*18600	2222-51	18600	2233-31	18600	2244-69
9DHR62E	*18600	2222-56	18600	2233-33	18600	2244-70
9DHR63E	*18600	2222-52	18600	2233-35	18600	2235-33
	18600	2244-72				
9DHR70E	18600	2233-15	18600	2234-31	*18600	2235-35
9DHR71E	18600	2233-17	18600	2234-29	*18600	2235-39
9DHR72E	18600	2233-19	18600	2234-30	*18600	2235-42
9DHR73E	18600	2233-21	18600	2234-34	18600	2234-45
	*18600	2235-38				
9DHR80E	18600	2222-43	*18600	2234-47	18600	2235-55
9DHR81E	18600	2222-41	*18600	2234-51	18600	2235-53
9DHR82E	18600	2222-46	*18600	2234-56	18600	2235-57
9DHR83E	18600	2220-23	18600	2222-48	*18600	2234-52
	18600	2235-60	20502	2125-31		
9DH14A	12603	1132-46	12603	1208-78	*18600	2242-60
	26803	1201-05	26803	2251-05		
9DH15A	12603	1209-34	12603	1210-74	*18600	2242-63
	26803	1201-06	26803	2251-06		
9DIDRA	13101	1343-49	*18600	2220-21	18600	2221-17
	18600	2229-06	18600	2242-76	26803	1201-09
	26803	2251-09				
9DIDROV	*18600	2221-14	18700	2220-10		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9DLMC0	18700	2104-76	*18700	2218-57	20502	2104-37
9DLM10	18700	2104-69	*18700	2218-09	20502	2123-37
9DLM20	18700	2104-75	*18700	2218-21	20502	2228-05
9DLM30	18700	2104-70	*18700	2218-23	20502	2226-37
9DPSAAV	18600	2220-17	*18600	2221-18		
9DPS10E	18600	2221-20	*18600	2234-21		
9DPS11E	18600	2220-19	*18600	2234-27		
9DRC11C	18600	2218-66	18600	2229-61	*18600	2233-79
9DRC12C	18600	2218-68	18600	2229-66	*18600	2233-78
9DRC21C	18600	2229-68	*18600	2233-65		
9DRC22C	18600	2229-70	*18600	2233-66		
9DRGEA	*18600	2218-59	18600	2230-68		
9DRGSA	18600	2218-61	*18600	2229-59	18600	2231-68
9DRG4R	*18600	2230-66	18600	2231-70		
9DRG4S	18600	2230-70	*18600	2231-66	19400	2244-62
	19400	2246-62				
9DTPX0	18700	2226-49	18700	2226-66	*18700	2231-46
	19000	2241-10	26803	2145-07		
9DTX10	*18700	2230-15	18700	2231-48		
9EAS1TA	18801	2225-75	*18801	2227-73	20502	2123-35
9EAS1TB	18801	2225-73	*18801	2227-79	20502	2228-03
9EAS1TC	18801	2225-71	*18801	2227-74	20502	2226-35
9EAS1TD	18801	2225-69	*18801	2227-80	20502	2125-37
9EAS2TA	18801	2225-61	*18801	2227-55	20502	2228-19
9EAS2TB	18801	2225-59	*18801	2227-61	20502	2226-03
9EAS2TC	18801	2225-55	*18801	2227-60	20502	2226-19
9EAS2TD	18801	2225-53	*18801	2227-63	20502	2228-35
9EAS3TA	18801	2225-47	*18801	2228-73	20502	2239-19
9EAS3TB	18801	2225-45	*18801	2228-79	20502	2239-35
9EAS3TC	18801	2225-43	*18801	2228-74	20502	2227-03
9EAS3TD	18801	2225-41	*18801	2228-80	20502	2227-19
9EAS4TA	18801	2225-35	*18801	2228-55	20502	2125-35
9EAS4TB	18801	2225-33	*18801	2228-61	20502	2123-03
9EAS4TC	18801	2225-31	*18801	2228-60	20502	2123-19
9EAS4TD	18801	2225-29	*18801	2228-63	20502	2239-03
9ECSCA	*18500	2231-09	18500	2242-71	18500	2242-77
	18801	2230-03	18802	2223-37	18802	2223-51
	18802	2224-37	18802	2224-51	18802	2237-69
9ECSC0	18801	2222-37	*18801	2230-09	18801	2231-17
	18801	2231-23	18801	2235-49	18802	2219-60
	18802	2222-09				
9EC4AA	*18802	2220-01	18802	2225-05		
9EC4BA	*18802	2220-09	18802	2225-07	18802	2225-17
	18802	2233-05				
9EDCEA	18802	2224-47	*18802	2230-30		
9EDCGR	18801	2225-42	18801	2225-56	18801	2225-68

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	18801	2225-80	18801	2230-40	*18801	2231-38
	18802	2230-36	19200	2218-42		
9EDCGS	*18801	2230-38	18801	2231-40	18802	2225-13
	18802	2225-25	18802	2233-13		
9EDCLR	*18802	2218-76	18802	2219-66	18802	2220-55
9EDCLS	18802	2218-75	18802	2219-61	*18802	2220-57
9EDCRA	18802	2222-04	18802	2223-35	18802	2223-49
	18802	2224-35	18802	2224-49	*18802	2231-06
	18802	2237-66				
9EDCR0	*18801	2230-06	18802	2222-03		
9EDC0A	18802	2219-59	*18802	2220-63		
9EDC00	*18802	2218-69	18802	2220-61		
9EDC11U	18801	2225-38	*18802	2224-38	18802	2225-10
	18802	2231-34	18802	2237-73		
9EDC12U	18801	2225-36	*18802	2224-40	18802	2225-08
9EDC13U	18801	2225-34	*18802	2224-42	18802	2225-06
9EDC14U	18801	2225-30	*18802	2224-46	18802	2225-04
	18802	2231-36	18802	2237-75		
9EDC21U	18801	2225-52	*18802	2224-54	18802	2225-24
	18802	2231-35				
9EDC22U	18801	2225-50	*18802	2224-56	18802	2225-22
9EDC23U	18801	2225-48	*18802	2224-60	18802	2225-20
	19200	2218-37				
9EDC24U	18801	2225-46	*18802	2224-62	18802	2225-18
	18802	2231-37				
9EDC31U	18801	2225-64	*18802	2223-38	18802	2229-18
	18802	2233-10				
9EDC32U	18801	2225-62	*18802	2223-40	18802	2233-08
	19200	2218-38				
9EDC33U	18801	2225-60	*18802	2223-42	18802	2233-06
	19200	2218-40				
9EDC34U	18801	2225-57	*18802	2223-46	18802	2229-19
	18802	2233-04	18802	2237-77		
9EDC41U	18801	2225-76	*18802	2223-54		
9EDC42U	18801	2225-74	*18802	2223-56		
9EDC43U	18801	2225-72	*18802	2223-60		
9EDC44U	18801	2225-70	*18802	2223-62		
9EDI0AV	18700	2218-08	18700	2219-30	18700	2220-62
	*18700	2221-53				
9EDI0JQ	18700	2221-51	*18802	2219-68	19901	2101-14
	19901	2101-40				
9EDI0KQ	18802	2218-79	*18802	2219-65		
9EIFDKQ	*18801	2240-65	19800	2139-52		
9EIFTA	18500	2219-71	18500	2240-71	18801	2230-10
	18801	2230-42	*18801	2231-01		
9EIGTA	18801	2222-36	*18801	2231-33		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9EITBA	18801	2235-45	18900	1105-65	*18900	1124-41
	26803	2145-65				
9EITBG	26111	2235-44	26803	1105-66	26803	2145-66
9EI0AA	*18801	2231-22				
9EI0BA	*18801	2231-14				
9EI0TA	18801	2222-33	*18801	2236-59	18801	2240-57
9EPE1A	*18802	2231-30	18802	2237-71		
9EPE2A	18802	2224-63	*18802	2229-23		
9EPE3A	18802	2223-50	*18802	2229-09		
9EPSAA	*18801	2230-01	18801	2231-05	18801	2231-31
	20501	2218-46				
9EPS10E	18801	2230-04	*18801	2235-47		
9EPS11E	18801	2231-04	*18801	2235-51		
9EPS12E	18801	2231-29	*18801	2235-56		
9EPS20E	18801	2218-30	*18801	2222-35	18801	2230-08
9EPS21E	18801	2218-31	*18801	2222-39	18801	2231-42
9EPS22E	18801	2218-34	*18801	2222-42		
9EPS23E	18801	2218-36	*18801	2222-38		
9EPS30E	*18802	2222-07	18802	2231-08		
9EPS31E	*18802	2222-11	19600	2138-23	19901	2117-05
	19901	2118-08	19903	2117-66	20201	2133-62
9EPS32E	*18802	2222-13	18802	2224-64		
9EPS33E	18802	2221-11	*18802	2222-10		
9EPS41U	18802	2224-50	18802	2230-29	*18802	2237-70
9EPS42U	18802	2229-01	18802	2229-24	*18802	2237-72
9EPS43U	18802	2229-04	18802	2229-25	*18802	2237-74
9EPS44U	18802	2230-34	*18802	2237-76		
9ESC0B	*18801	2231-21	*18801	2231-27	26803	2348-01
	28701	J029-01	31802	J080-55		
9ESC0R	28701	J029-02	*28701	J080-56		
9ESI0B	*18801	2231-14	*18801	2231-22	26803	2348-03
	28701	J029-03	31801	J080-31		
9ESI0R	28701	J029-04	*31801	J080-32		
9ESI00	*18801	2218-33	18801	2231-18	18801	2231-24
	20501	2227-35				
9ETCAA	18801	2240-55	18802	2219-55	18802	2220-53
	18802	2222-01	*18802	2236-47		
9ETC10	18802	2223-47	18802	2223-61	18802	2224-61
	*18802	2230-33				
9ETC11C	*18801	2225-79	18801	2236-55		
9ETC12C	*18801	2225-78	18801	2236-60		
9ETC2A	18802	2230-35	*18802	2231-39		
9ETC20	18802	2223-48	18802	2229-14	18802	2229-26
	*18802	2230-39				
9ETC21C	*18801	2225-65	18801	2236-61		
9ETC22C	*18801	2225-66	18801	2236-62		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9ETC3A	*18802	2229-21	18802	2230-23		
9ETC30	18802	2223-64	18802	2229-07	*18802	2230-27
9ETC31C	*18801	2225-51	18801	2236-64		
9ETC32C	*18801	2225-54	18801	2236-66		
9ETC41C	*18801	2225-39	18801	2236-68		
9ETC42C	*18801	2225-40	18801	2236-70		
9ETC51C	*18802	2233-11	18802	2236-50		
9ETC52C	*18802	2233-14	18802	2236-52		
9ETC61C	18802	2218-71	*18802	2225-27	18802	2236-48
9ETC62C	18802	2218-72	*18802	2225-26	18802	2236-49
9ETC71C	18802	2218-73	*18802	2225-11	18802	2236-43
9ETC72C	18802	2218-74	*18802	2225-14	18802	2236-46
9E11AA	*18801	2231-21				
9E11BA	*18801	2231-27				
9FBMCA	*18700	2220-45	18700	2229-43		
9FBM1A	*18700	2220-38	18700	2231-54		
9FBM2A	*18700	2220-33	18700	2230-48		
9FBM3A	*18700	2220-52	18700	2230-54		
9FCHIR	*28002	J021-72	33100	J112-12		
9FCHI0	12603	1123-52	1660.0	J08-71	*16600	1219-04
	28002	J021-71	33100	J112-11		
9FCMCAV	*18700	2221-49	18700	2235-09	187.00	2236-75
9FCMC0	18700	2219-48	*18700	2220-60	18700	2221-47
	19200	2240-06				
9FCMG0E	18700	2221-50	18700	2234-03	*18700	2235-07
	19102	1108-40	19102	1108-41	1'9103	1115-40
	19103	1115-41	19103	1205-80	26803	2247-80
9FCMG1E	18700	2234-01	*18700	2235-11		
9FCMG2E	18700	2234-04	*18700	2235-13	19200	2236-40
	26803	2247-78				
9FCMG3E	18700	2234-06	*18700	2235-10		
9FCM1AV	*18700	2221-48	19103	1109-37	19103	1109-38
	19103	1109-39	19103	1205-79	26803	2247-79
9FCM4JQ	*18700	2219-56	18700	2240-45	19101	1105-79
	19101	1106-20	19400	2239-49	19400	2239-66
	26803	2145-79				
9FCM4KQ	*18700	2219-51	18700	2240-54	19102	1107-14
	19102	1108-20	19103	1105-80	19103	1109-20
	19103	1115-20	26803	2145-80		
9FISSJQ	*18700	2240-25	26803	2148-37		
9FISSKQ	*18700	2240-27	19700	2143-13		
9FMCD0V	*18700	2221-77	18700	2222-72		
9FMCE0	18700	2220-43	18700	2220-49	*18700	2230-52
9FMCSAV	18700	2220-41	*18700	2221-30		
9FMDA0	*18700	2236-76	18802	2222-06		
9FMDR0E	*18700	2222-75	18700	2226-53		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9FMDR1E	*18700	2222-79	18700	2226-59		
9FMDR2E	*18700	2222-80	18700	2226-56		
9FMDR3E	*18700	2222-76	18700	2226-64		
9FMECR	*28002	J021-68	33100	J112-36		
9FMECO	18900	J08-67	18900	1124-07	*28001	J021-67
	33100	J112-35				
9FMESTA	*18700	2226-73	18900	1124-03	18900	1205-19
	20502	2123-21	26803	2247-19		
9FMESTB	*18700	2226-79	18900	1124-12	18900	1205-21
	20502	2239-05	26803	2247-21		
9FMESTC	*18700	2226-74	18900	1124-10	18900	1205-23
	20502	2239-21	26803	2247-23		
9FMESTD	*18700	2226-80	18900	1124-05	18900	1205-25
	20502	2239-37	26803	2247-25		
9FMESTG	26111	2226-67	26111	2239-02	26111	2239-16
	26111	2239-32	26803	2247-20	26803	2247-22
	26803	2247-24	26803	2247-26		
9FME1R	*28001	J021-62	33100	J112-20		
9FME10	18900	J08-61	18900	1124-08	*28001	J021-61
	33100	J112-19				
9FME2R	*28001	J021-64	33100	J112-22		
9FME20	18900	J08-63	18900	1124-11	*28001	J021-63
	33100	J112-21				
9FME3R	*28001	J021-66	33100	J112-04		
9FME30	18900	J08-65	18900	1124-09	*28001	J021-65
	33100	J112-03				
9FME4R	*28002	J021-70	33100	J112-33		
9FME40	18900	J08-69	18900	1124-06	*28002	J021-69
	33100	J112-34				
9FMSC0	*18700	2218-11	18700	2222-23		
9FMMSG0E	18700	2218-49	18700	2221-64	*18700	2222-21
	18700	2231-56				
9FMMSG1E	18700	2218-52	18700	2221-61	*18700	2222-27
	18700	2230-50				
9FMMSG2E	18700	2218-54	18700	2221-62	*18700	2222-25
	18700	2230-56				
9FMMSG3E	18700	2218-56	18700	2221-55	*18700	2222-24
	18700	2229-46				
9FMSSTA	*18700	2226-55	18700	2235-03		
9FMSSTB	*18700	2226-61	18700	2235-01		
9FMSSTC	*18700	2226-60	18700	2235-04		
9FMSSTD	*18700	2226-63	18700	2235-06		
9FM1D0V	*18700	2221-70	18700	2222-71		
9FM1E0	18700	2220-36	18700	2220-42	*18700	2229-45
9FM1SAV	18700	2220-40	*18700	2221-40		
9FM2D0V	*18700	2221-72	18700	2222-69		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9FM2E0	18700	2220-31	18700	2220-37	*18700	2231-52
9FM2SAV	18700	2220-29	*18700	2221-37		
9FM3D0V	*18700	2221-78	18700	2222-70		
9FM3E0	18700	2220-50	18700	2220-56	*18700	2230-46
9FM3SAV	18700	2220-54	*18700	2221-34		
9FNMDA	18700	2218-06	*18700	2220-06		
9FNMSA	*18700	2218-47	18700	2221-33	18700	2229-48
9FNMS0V	18700	2220-08	*18700	2221-31		
9FRCDJQ	*18700	2219-42	18700	2230-43	18700	2240-19
9FRCDKQ	*18700	2219-39	18700	2240-26		
9FRMCAV	*18700	2221-54	18700	2234-09		
9FRMC0	*18700	2220-66	18700	2221-52	18700	2240-48
9FRMG0E	09900	2317-76	*18700	2234-07	20502	2227-21
	26802	2349-49	26803	2148-49	27302	J005-49
	27302	J086-49				
9FRMG0R	27302	J005-50	*27302	J086-50		
9FRMG1E	09900	2317-70	*18700	2234-11	20502	2228-21
	26802	2349-51	26803	2148-51	27302	J005-51
	27302	J086-51				
9FRMG1R	27302	J005-52	*27302	J086-52		
9FRMG2E	09900	2317-75	*18700	2234-13	20502	2226-05
	26802	2349-53	26803	2148-53	27302	J005-53
	27302	J086-53				
9FRMG2R	27302	J005-54	*27302	J086-54		
9FRMG3E	09900	2317-69	*18700	2234-10	20502	2226-21
	26802	2349-55	26803	2148-55	27302	J005-55
	27302	J086-55				
9FRMG3R	27302	J005-56	*27302	J086-56		
9FRM4JQ	08300	2338-70	*18700	2240-56	20502	2228-37
	26802	2349-57	26803	2148-57	27302	J005-57
	27302	J086-57				
9FRM4JR	27302	J005-58	*27302	J086-58		
9FRTI0V	18700	2219-34	*18700	2221-46	18700	2230-41
	18700	2240-20				
9FR0TA	08300	2338-75	18700	2220-68	*18700	2230-45
	19700	2133-18	19700	2139-14	26802	2349-37
	27301	J005-37	27301	J086-37		
9FR0TG	27301	J005-38	*27301	J086-38		
9FSMCA	*18700	2220-51	18700	2222-20		
9FSMC0V	*18700	2221-56	18700	2226-62	18700	2226-76
9FSM1A	*18700	2220-30	18700	2222-17		
9FSM10V	*18700	2221-66	18700	2226-51	18700	2226-69
9FSM2A	*18700	2220-39	18700	2222-15		
9FSM20V	*18700	2221-63	18700	2226-57	18700	2226-75
9FSM3A	*18700	2220-46	18700	2222-18		
9FSM30V	*18700	2221-60	18700	2226-54	18700	2226-70



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9GCESA	19000	2237-47	*19000	2242-01		
9GC1DA	19200	2236-30	*19200	2243-27		
9GC2DA	19200	2236-31	*19200	2243-21		
9GC4AAV	18802	2220-04	18802	2220-07	18802	2225-21
	18802	2233-03	*19000	2221-08	19000	2237-39
9GC4BAV	*19000	2221-03	19000	2237-41		
9GC4CAV	*19000	2221-01	19000	2237-43		
9GC4DA	19200	2236-34	*19200	2243-14		
9GDLV0	19000	2230-17	*19000	2241-45	19101	1106-03
	19101	1205-65	20502	2227-09	26803	2247-65
9GD1DA	19200	2236-36	*19200	2242-38		
9GD2DA	19200	2236-37	*19200	2242-27		
9GD4DA	19200	2236-38	*19200	2242-21		
9GE00A	*19200	2236-35	19200	2242-18		
9GE000	19200	2236-14	*19200	2242-14		
9GE5P0	*19400	2243-33	19400	2244-34		
9GE76A	*19200	2236-23	19200	2243-34		
9GE760	*19200	2243-30	19400	2244-30		
9GI0RA	*19200	2218-35	19200	2241-24		
9GMCDA	18700	2221-75	18700	2236-74	*18700	2241-47
9GMDAAV	18700	2222-77	*18802	2221-13	19000	2241-08
9GMTIA	18900	1105-63	*18900	1124-39	19000	2241-48
	19000	2242-10	26803	2145-63		
9GMTIG	26803	1105-64				
9GM1DA	18700	2221-69	18700	2236-71	*18700	2241-21
9GM2DA	18700	2221-74	18700	2236-72	*18700	2241-35
9GM3DA	18700	2221-76	18700	2236-73	*18700	2241-33
9GND103	26803	1103-76	26803	1103-78	26803	1103-80
9GND104	26803	1104-76	26803	1104-78	26803	1104-80
	26803	1204-04				
9GND105	26803	1105-76	26803	1105-78		
9GND204	26803	1204-74	26803	1204-78	26803	1204-80
	26803	1304-02				
9GPSCA	19000	2241-04	19000	2241-43	*19000	2243-06
9GPS10E	19000	2241-01	*19000	2244-07		
9GPS12E	19000	2243-08	*19000	2244-13		
9GPS25U	*19000	2237-36	19000	2241-07	19000	2241-46
	19000	2242-04				
9GPS32E	19200	2243-03	19200	2243-24	*19200	2244-25
9GQVIG	26803	1105-62				
9GQVIO	18900	1105-61	*18900	1124-63	19000	2244-05
	20501	2230-18	20502	2239-41	26803	2145-61
9GR8PJQ	08300	2338-69	*19200	2240-13	26802	2349-59
	26803	2148-59	27302	J005-59	27302	J086-59
9GR8PJR	27302	J005-60	*27302	J086-60		
9GTTAV	*19400	2221-07	19400	2245-46		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9GVIGR	*19000	2241-11	19000	2242-08	19000	2244-08
9GVIGS	18700	2241-14	18700	2241-30	18700	2241-37
	18700	2241-49	19000	2241-06	*19000	2242-06
9G0RLA	*19400	2242-30	19400	2244-40	19400	2245-40
	19400	2245-54	19400	2246-40	19400	2246-54
9G0R10E	19400	2242-34	*19400	2244-35	19800	2139-49
	19800	2139-78	20502	2125-39		
9G0R11E	*19400	2244-39	19501	2120-46	20502	2123-07
9G0R12E	*19400	2244-42	19501	2120-41	20502	2123-23
9G0R13E	*19400	2244-38	19400	2246-33	19501	2120-43
	20502	2239-07				
9G0R20E	*19400	2246-35	19501	2121-53	19501	2124-20
	20502	2239-23				
9G0R21E	*19400	2246-39	19501	2121-59	19501	2124-18
	20502	2239-39				
9G0R22E	*19400	2246-42	19501	2121-56	19501	2124-15
	20502	2227-07				
9G0R23E	19400	2245-33	*19400	2246-38	19501	2121-64
	19501	2124-17	20502	2227-23		
9G0R30E	*19400	2245-35	19501	2121-71	19501	2126-20
	20502	2228-23				
9G0R31E	*19400	2245-39	19501	2121-77	19501	2126-18
	20502	2226-07				
9G0R32E	*19400	2245-42	19501	2121-72	19501	2126-15
	20502	2226-23				
9G0R33E	*19400	2245-38	19400	2246-45	19501	2121-78
	19501	2126-17	20502	2228-39		
9G0R40E	*19400	2246-47	19501	2122-43	20502	2123-39
9G0R41E	*19400	2246-51	19501	2122-41	20502	2228-07
9G0R42E	*19400	2246-56	19501	2122-46	20502	2226-39
9G0R43E	19400	2245-45	*19400	2246-52	19501	2122-48
	20502	2125-41				
9G0R50E	*19400	2245-47	19502	2122-29	20502	2123-09
9G0R51E	*19400	2245-51	19502	2122-31	20502	2123-25
9G0R52E	*19400	2245-56	19501	2120-48	20502	2239-09
9G0R53E	*19400	2245-52	20502	2239-25		
9G4VEA	19000	2237-50	*19000	2241-09		
9G6PDA	*19200	2236-11	19200	2243-05		
9G6PGR	*19200	2242-09	19200	2243-04		
9G6PGS	19200	2242-03	*19200	2243-01	19200	2244-19
9G6PKA	19102	1107-36	19102	1108-36	19102	1205-71
	*19200	2243-15	26803	2247-71		
9G6PK0	*19200	2242-15	19200	2243-11		
9G6PSA	19103	1115-61	19103	1205-69	19200	2242-07
	19200	2242-11	*19200	2243-09	26803	2247-69
9G8PDA	19200	2242-26	*19200	2243-22		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9G8PGR	19200	2240-14	*19200	2241-23	19200	2242-24
9G8PGS	19200	2240-05	19200	2241-22	*19200	2242-22
9HAE0A	19300	1116-29	19300	1205-01	*19400	2243-52
	26803	2247-01				
9HAE1A	19300	1116-31	19300	1205-03	*19400	2243-46
	26803	2247-03				
9HAE2A	19300	1116-80	19300	1205-05	*19400	2243-45
	26803	2247-05				
9HAE3A	19300	1116-43	19300	1205-07	*19400	2243-51
	26803	2247-07				
9HBE0A	19300	1117-29	19300	1205-09	*19400	2242-52
	26803	2247-09				
9HBE1A	19300	1117-31	19300	1205-11	*19400	2242-46
	26803	2247-11				
9HBE2A	19300	1117-80	19300	1205-13	*19400	2242-45
	26803	2247-13				
9HBE3A	19300	1117-43	19300	1205-15	*19400	2242-51
	26803	2247-15				
9HCE10T	*19400	2237-08	19400	2243-54		
9HCE11T	*19400	2237-10	19400	2243-48		
9HCE12T	*19400	2237-14	19400	2243-41		
9HCE13T	*19400	2237-13	19400	2243-47		
9HCE20T	*19400	2237-24	19400	2242-54		
9HCE21T	*19400	2237-26	19400	2242-48		
9HCE22T	*19400	2237-27	19400	2242-41		
9HCE23T	*19400	2237-30	19400	2242-47		
9HS1CA	*19400	2242-33	19400	2243-35		
9HS1C0	19400	2238-42	*19400	2243-39		
9H4C1TA	*19400	2239-55	19400	2246-31		
9H4C1TB	*19400	2239-61	19400	2246-29		
9H4C1TC	*19400	2239-60	19400	2246-30		
9H4C1TD	*19400	2239-63	19400	2246-34		
9H4C2TA	*19400	2239-73	19400	2245-31		
9H4C2TB	*19400	2239-79	19400	2245-29		
9H4C2TC	*19400	2239-74	19400	2245-30		
9H4C2TD	*19400	2239-80	19400	2245-34		
9H4DA00B	*19300	1116-59	19300	1205-27	19400	2246-03
	26803	2247-27				
9H4DA01B	*19300	1116-57	19300	1205-29	19400	2246-01
	26803	2247-29				
9H4DA02B	*19300	1116-56	19300	1205-31	19400	2246-04
	26803	2247-31				
9H4DA03B	*19300	1116-55	19300	1205-33	19400	2246-06
	26803	2247-33				
9H4DA04B	*19300	1116-65	19300	1205-35	19400	2245-03
	26803	2247-35				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9H4DA05B	*19300 26803	1116-66 2247-37	19300	1205-37	19400	2245-01
9H4DA06B	*19300 26803	1116-68 2247-39	19300	1205-39	19400	2245-04
9H4DA07B	*19300 26803	1116-69 2247-41	19300	1205-41	19400	2245-06
9H4DBA	19400	2242-68	*19400	2243-66		
9H4DB00B	*19300 26803	1117-59 2247-43	19300	1205-43	19400	2246-17
9H4DB01B	*19300 26803	1117-57 2247-45	19300	1205-45	19400	2246-15
9H4DB02B	*19300 26803	1117-56 2247-47	19300	1205-47	19400	2246-18
9H4DB03B	*19300 26803	1117-55 2247-49	19300	1205-49	19400	2246-20
9H4DB04B	*19300 26803	1117-65 2247-51	19300	1205-51	19400	2245-17
9H4DB05B	*19300 26803	1117-66 2247-53	19300	1205-53	19400	2245-15
9H4DB06B	*19300 26803	1117-68 2247-55	19300	1205-55	19400	2245-18
9H4DB07B	*19300 26803	1117-69 2247-57	19300	1205-57	19400	2245-20
9H4D13E	19400	2244-59	*19400	2246-64		
9H4D22E	19400	2242-70	*19400	2244-68		
9H4D23E	19400	2243-68	*19400	2244-64		
9H4RSA	19102 26803	1107-46 2247-63	19102	1205-63	*19400	2242-66
9H4R10E	19400	2238-46	*19400	2245-21		
9H4R11E	19400	2238-45	*19400	2245-27		
9H4R12E	19400	2238-41	*19400	2245-25		
9H4R13E	19400 20502	2238-36 2125-33	*19400	2245-24	19400	2246-05
9H4R20E	19400	2238-62	*19400	2246-21		
9H4R21E	19400	2238-59	*19400	2246-27		
9H4R22E	19400	2238-55	*19400	2246-25		
9H4R23E	19400	2238-52	19400	2245-19	*19400	2246-24
9H4R30E	19400	2238-48	*19400	2245-07		
9H4R31E	19400	2238-47	*19400	2245-11		
9H4R32E	19400	2238-39	*19400	2245-13		
9H4R33E	19400	2238-35	*19400	2245-10	19400	2246-19
9H4R40E	19400	2238-64	*19400	2246-07		
9H4R41E	19400	2238-61	*19400	2246-11		
9H4R42E	19400	2238-53	*19400	2246-13		
9H4R43E	19400	2238-49	19400	2245-05	*19400	2246-10
9H4R50E	19400	2239-71	*19400	2244-47		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9H4R51E	19400	2239-77	*19400	2244-51		
9H4R52E	19400	2239-72	*19400	2244-56		
9H4R53E	19400	2239-78	*19400	2244-52	19400	2245-59
9H4R60E	19400	2239-53	*19400	2245-61		
9H4R61E	19400	2239-59	*19400	2245-65		
9H4R62E	19400	2239-56	*19400	2245-68		
9H4R63E	19400	2239-64	19400	2244-45	*19400	2245-64
9H4S11N	*19400	2238-63	19400	2245-55		
9H4S12N	*19400	2238-57	19400	2245-53		
9H4S13N	*19400	2238-51	19400	2245-57		
9H4S14N	*19400	2238-54	19400	2245-60		
9H4S15N	*19400	2238-56	19400	2242-29		
9H4S21N	*19400	2238-50	19400	2244-43		
9H4S22N	*19400	2238-43	19400	2244-41		
9H4S23N	*19400	2238-37	19400	2244-46		
9H4S24N	*19400	2238-38	19400	2244-48		
9H55C0	*18500	2242-39	19400	2244-49	19400	2245-09
	19400	2245-23	19400	2245-63	19400	2246-09
	19400	2246-23				
9H55GA	*18500	2229-33	18500	2242-37		
9I1C0F	19000	2244-09	*19101	1106-79	19101	1204-01
	19400	2244-37	19400	2244-63	19400	2245-37
	19400	2245-49	19400	2246-37	19400	2246-49 V-/
	19400	2246-63	19800	2138-79	26803	2248-01
9I1D2F	*19101	1106-04	19101	1106-09	19101	1106-40
	19101	1106-41	19300	1116-38		
9I1D3F	19101	1106-01	*19101	1106-05		
9I1D5F	18700	2241-18	18700	2241-31	18700	2241-38
	18700	2241-52	*19101	1106-10	19101	1204-03
	26803	2248-03				
9I1RDF	*19101	1106-21	19101	1204-05	19400	2246-59
	26803	2248-05				
9I1TAF	18700	2241-19	*19101	1106-11	19300	1116-35
	19300	1204-07	26803	2248-07		
9I1TBF	*19101	1106-33	19300	1116-39		
9I1TCF	*19101	1106-80	19300	1116-36		
9I1TDF	19101	1106-52	*19101	1106-56	19300	1116-40
9I1TTF	19101	1106-60	*19101	1106-75		
9I1T2F	*19101	1106-07	19101	1204-09	19200	2236-01
	26803	2248-09				
9I1T3F	*19101	1106-13	19101	1106-42	19102	1108-42
9I1T4F	18700	2241-40	*19101	1106-19	19101	1204-11
	26803	2248-11				
9I1T6F	18700	2241-34	*19101	1106-45	19101	1106-73
	19101	1204-13	26803	2248-13		
9I1T7F	*19101	1106-50	19101	1106-70		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
911T8F	19101	1106-68	*19101	1106-78		
911T9F	19101	1106-64	*19101	1106-76		
91101F	*19101	1106-54	19101	1106-61		
91102F	*19101	1106-55	19101	1204-15	19102	1107-01
	20501	2229-78	20502	2227-25	26803	2248-15
91102G	26111	2227-32	26803	1204-16	26803	2248-16
9112CF	19101	1106-38	*19101	1106-65		
9112FF	19101	1106-37	*19101	1106-62		
9112IF	19101	1106-39	*19101	1106-71		
9112LF	19101	1106-48	*19101	1106-74		
9112RF	19101	1106-36	*19101	1106-57		
91120F	19101	1106-34	*19101	1106-53		
9114EF	*19101	1106-49	19101	1204-17	19102	1108-48
	19400	2243-29	26803	2248-17		
9114JF	*19101	1106-47	19102	1107-09		
9118IF	*19101	1106-35	19102	1107-03		
912D3F	*19102	1107-05	19102	1107-37	19102	1107-38
912D6F	*19102	1107-08	19102	1107-39	19102	1107-48
912RDF	*19102	1107-21	19102	1107-26	19102	1107-27
	19102	1108-27				
912TAF	*19102	1107-11	19300	1116-37		
912TBF	*19102	1107-33	19102	1204-19	19400	2237-04
	26803	2248-19				
912TCF	*19102	1107-80	19102	1204-21	19400	2237-06
	26803	2248-21				
912TDF	19101	1106-14	19101	1106-66	*19102	1107-56
	19102	1204-23	19103	1109-68	19200	2236-22
	19400	2246-43	26803	2248-23		
912TTF	19101	1106-69	*19102	1107-75	19102	1204-25
	19103	1109-70	19200	2242-17	19400	2239-54
	26803	2248-25				
912T1F	*19102	1107-06	19102	1107-73		
912T2F	*19102	1107-07	19102	1107-70		
912T3F	*19102	1107-13	19102	1107-68		
912T4F	18700	2241-54	*19102	1107-19	19102	1107-64
	19102	1204-27	26803	2248-27		
912T5F	*19102	1107-30	19102	1204-29	19200	2236-04
	26803	2248-29				
912T6F	19101	1106-46	*19102	1107-45	19102	1107-60
	19102	1108-46	19103	1109-48		
912T7F	*19102	1107-50	19102	1107-52		
912T8F	*19102	1107-78	19102	1204-31	19200	2236-05
	26803	2248-31				
912T9F	19101	1106-72	19102	1107-25	*19102	1107-76
	19102	1108-14	19103	1109-73		
91201F	*19102	1107-54	19102	1107-61		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9I202F	*19102	1107-55	19102	1108-01	19102	1204-33
	20501	2229-79	20502	2228-25	26803	2248-33
9I202G	26111	2228-32	26803	1204-34	26803	2248-34
9I22CF	19101	1106-26	*19102	1107-65		
9I22FF	19101	1106-25	*19102	1107-62		
9I22IF	19101	1106-27	*19102	1107-71		
9I22LF	19101	1106-29	*19102	1107-74		
9I22RF	19101	1106-24	*19102	1107-57		
9I220F	19101	1106-23	*19102	1107-53		
9I24EF	*19102	1107-49	19102	1108-72	19102	1108-73
	19102	1204-35	19400	2244-31	20501	2227-43
	26803	2248-35				
9I24JF	*19102	1107-47	19102	1108-09		
9I28IF	*19102	1107-35	19102	1107-40	19102	1107-41
9I3D2F	*19102	1108-04	19102	1108-37	19102	1108-38
9I3D3F	*19102	1108-05	19102	1108-63	19102	1204-37
	19200	2236-25	26803	2248-37		
9I3D5F	*19102	1108-10	19102	1108-39		
9I3D6F	*19102	1108-08	19102	1108-64	19102	1204-39
	19200	2236-26	26803	2248-39		
9I3RBF	*19102	1108-18	19102	1108-24		
9I3RCF	*19102	1108-22	19102	1108-69	19102	1108-70
9I3TAF	*19102	1108-11	19102	1204-41	19400	2237-22
	26803	2248-41				
9I3TBF	*19102	1108-33	19102	1204-43	19400	2237-20
	26803	2248-43				
9I3TCF	*19102	1108-80	19300	1117-37		
9I3TDF	*19102	1108-56	19102	1204-45	19200	2236-06
	19200	2243-23	19300	1117-40	19400	2239-62
	26803	2248-45				
9I3TTF	19102	1107-51	*19102	1108-75	19102	1204-47
	19103	1115-52	19200	2236-20	19400	2246-41
	26803	2248-47				
9I3T1F	19101	1106-63	*19102	1108-06	19102	1204-49
	19103	1109-64	19200	2242-23	19400	2239-57
	26803	2248-49				
9I3T2F	19101	1106-59	*19102	1108-07	19102	1204-51
	19103	1109-60	19200	2236-24	19400	2239-76
	26803	2248-51				
9I3T3F	19101	1106-51	*19102	1108-13	19102	1204-53
	19103	1109-52	19200	2242-40	19400	2239-51
	26803	2248-53				
9I3T4F	19102	1107-72	*19102	1108-19	19102	1108-52
	19102	1204-55	19400	2239-70	26803	2248-55
9I3T5F	19102	1107-69	*19102	1108-30	19102	1204-57
	19103	1115-73	19400	2245-43	26803	2248-57

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9I3T6F	19102	1107-66	*19102	1108-45	19102	1204-59
	19103	1115-70	19200	2236-18	19400	2246-48
	26803	2248-59				
9I3T7F	19102	1107-63	*19102	1108-50	19102	1204-61
	19103	1115-68	'19200	2243-18	19400	2239-75
	26803	2248-61				
9I3T8F	*19102	1108-78	19102	1204-63	19103	1115-64
	19200	2236-19	19400	2246-46	26803	2248-63
9I3T9F	19102	1107-59	*19102	1108-76	19102	1204-65
	19103	1115-60	19200	2243-17	19400	2239-69
	26803	2248-65				
9I301F	*19102	1108-54	19102	1108-61		
9I302F	*19102	1108-55	19102	1204-69	19103	1109-01
	20501	2229-71	20502	2226-09	26803	2248-69
9I302G	26111	2229-67	26803	1204-70	26803	2248-70
9I32CF	19101	1106-15	19101	1106-77	19102	1107-15
	19102	1107-77	19102	1108-15	*19102	1108-65
	19102	1108-77	19103	1109-15	19103	1109-77
	19103	1115-15				
9I32FF	*19102	1108-62	19102	1204-71	19400	2244-29
	20501	2227-41	26803	2248-71		
9I32IF	19102	1108-25	*19102	1108-71		
9I32LF	19102	1107-20	*19102	1108-74		
9I32RF	19102	1107-23	*19102	1108-57		
9I320F	*19102	1108-53	19103	1115-34	19103	1115-36
9I34EF	*19102	1108-49	19103	1109-40	19103	1109-41
9I34JF	19102	1107-29	19102	1108-29	*19102	1108-47
9I38IF	19102	1107-42	*19102	1108-35		
9I4D3F	*19103	1109-05	19103	1115-37	19103	1115-38
9I4D6F	*19103	1109-08	19103	1115-39	19103	1115-48
9I4RBF	19102	1107-24	*19103	1109-18		
9I4RCF	19102	1108-59	19102	1108-60	*19103	1109-22
9I4RDF	*19103	1109-21	19103	1115-14		
9I4TAF	*19103	1109-11	19300	1117-36		
9I4TBF	*19103	1109-33	19300	1117-39		
9I4TCF	*19103	1109-80	19300	1117-35		
9I4TDF	*19103	1109-56	19103	1115-63	19300	1117-38
9I4TTF	*19103	1109-75	19103	1115-66		
9I4T1F	19102	1108-23	*19103	1109-06	19103	1109-14
	19103	1109-72				
9I4T2F	*19103	1109-07	19103	1109-69		
9I4T3F	*19103	1109-13	19103	1109-66	19103	1204-73
	19200	2236-07	26803	2248-73		
9I4T4F	*19103	1109-19	19103	1109-63	19103	1115-46
9I4T5F	*19103	1109-30	19103	1109-59		
9I4T6F	*19103	1109-45	19103	1109-51		



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9I4T7F	19102	1108-51	*19103	1109-50		
9I4T8F	*19103	1109-78	19103	1115-72		
9I4T9F	*19103	1109-76	19103	1115-69		
9I401F	*19103	1109-54	19103	1109-61		
9I402F	*19103	1109-55	19103	1115-01	19103	1204-75
	20501	2229-72	20502	2226-25	26803	2248-75
9I402G	26111	2229-67	26803	1204-76	26803	2248-76
9I42CF	19103	1109-27	*19103	1109-65		
9I42FF	19103	1109-26	*19103	1109-62		
9I42IF	19103	1109-29	*19103	1109-71		
9I42LF	19103	1109-34	19103	1109-36	*19103	1109-74
9I42RF	19103	1109-25	*19103	1109-57		
9I420F	19103	1109-23	19103	1109-24	*19103	1109-53
9I44EF	*19103	1109-49	19103	1204-77	19400	2245-41
	26803	2248-77				
9I44JF	19103	1109-42	19103	1109-46	*19103	1109-47
9I48IF	19103	1109-09	*19103	1109-35		
9I5C0F	*19103	1115-79	19103	1204-79	19200	2244-23
	26803	2248-79				
9I5D3F	*19103	1115-05	19103	1115-09		
9I5D5F	19103	1105-69	*19103	1115-10	19200	2243-26
	26803	2145-69				
9I5D6F	19103	1105-71	*19103	1115-08	19200	2242-13
	20501	2229-74	20502	2123-41	26803	2145-71
9I5RAF	19102	1108-26	*19103	1115-17		
9I5T1F	*19103	1115-06	19103	1115-59		
9I5T2F	*19103	1115-07	19103	1115-51		
9I5T3F	*19103	1115-13				
9I5T6F	19103	1105-73 *	19103	1115-45	19200	2236-08
	26803	2145-73				
9I5T7F	19103	1115-42	*19103	1115-50		
9I501F	19103	1105-75	*19103	1115-54	20501	2229-73
	20502	2228-41	26803	2145-75		
9I501G	26111	2228-44	26803	2145-76		
9I502F	19103	1115-03	*19103	1115-55		
9I52CF	19103	1115-26	*19103	1115-65		
9I52FF	19103	1115-25	*19103	1115-62		
9I521F	19103	1115-27	*19103	1115-71		
9I52LF	19103	1115-29	*19103	1115-74		
9I52RF	19103	1115-24	*19103	1115-57		
9I520F	19103	1115-23	*19103	1115-53		
9I54EF	19102	1107-34	19102	1108-34	*19103	1115-49
9I54JF	19102	1108-03	*19103	1115-47		
9I58IF	19103	1109-03	*19103	1115-35		
9SDA11X	05400	1124-19	*20502	2125-04	26802	1106-17
	26803	2249-17	27901	J016-17	30701	J057-17

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9SDA11XR	27901	J016-18	*30701	J057-18		
9SDB11X	05400	1124-21	*20502	2125-20	26802	1106-19
	26803	2249-19	27901	J016-19	30701	J057-19
9SDB11XR	27901	J016-20	*30701	J057-20		
9SL003E	*20502	2115-76	20502	2120-59	20502	2125-23
9SL043E	20502	2115-73	*20502	2120-76		
9SL083E	*20502	2115-64	20502	2120-73		
9SL123E	20502	2115-59	*20502	2120-64		
9SM001X	20502	2115-72	*20502	2125-36		
9SM011X	20502	2115-70	*20502	2123-04		
9SM021X	20502	2115-69	*20502	2123-20		
9SM031X	20502	2115-71	*20502	2239-04		
9SM041X	20502	2120-72	*20502	2239-20		
9SM051X	20502	2120-70	*20502	2239-36		
9SM061X	20502	2120-69	*20502	2227-04		
9SM071X	20502	2120-71	*20502	2227-20		
9SM081X	20502	2115-60	*20502	2228-20		
9SM091X	20502	2115-57	*20502	2226-04		
9SM101X	20502	2115-53	*20502	2226-20		
9SM111X	20502	2115-55	*20502	2228-36		
9SM121X	20502	2120-60	*20502	2123-36		
9SM131X	20502	2120-57	*20502	2228-04		
9SM141X	20502	2120-53	*20502	2226-36		
9SM151X	*20502	2104-36	20502	2120-55		
9SNBA0	19501	2137-72	19501	2140-72	19600	2132-69
	19600	2134-69	19800	2110-48	19800	2110-60
	19800	2112-48	19800	2112-60	19800	2112-72
	20502	2118-76	*20502	2119-75		
9SNBB0	19800	2101-49	19800	2137-60	19901	2101-37
	20100	2137-48	20100	2140-48	20201	2103-34
	20201	2107-34	20202	2103-48	20202	2104-53
	20400	2110-34	*20502	2119-72		
9SNBC0	19600	2130-51	19600	2134-51	19700	2132-51
	19700	2137-34	19700	2140-34	20100	2110-20
	20201	2103-20	20300	2140-20	20400	2107-20
	20400	2112-20	*20502	2119-69		
9SNBD0	19501	2137-20	19700	2130-37	19700	2132-37
	19700	2134-37	19901	2101-09	19901	2107-06
	19901	2110-06	19901	2112-06	20201	2103-06
	20300	2137-06	20300	2140-06	*20502	2119-66
9SNB1A	19901	2108-51	19901	2108-69	19901	2109-51
	19901	2109-69	*20502	2118-80		
9SSC10	20502	2115-63	20502	2115-77	*20502	2119-63
	20502	2120-63	20502	2120-77		
9SSL10V	20502	2115-62	20502	2115-74	20502	2120-62
	20502	2120-74	*20502	2136-68		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9SS0AAV	*20502	2136-78				
9SS0BAV	*20502	2136-77				
9SS01B	20502	2104-46	20502	2123-14	20502	2123-27
	20502	2123-46	20502	2125-46	*20502	2136-77
	*20502	2136-78	20502	2226-14	20502	2226-27
	20502	2226-46	20502	2227-14	20502	2227-27
	20502	2228-14	20502	2228-27	20502	2228-46
	20502	2239-14	20502	2239-27	20502	2239-46
9SS1AAV	*20502	2136-70				
9SS1BAV	*20502	2136-72				
9SS11B	20502	2104-42	20502	2123-10	20502	2123-26
	20502	2123-42	20502	2125-42	*20502	2136-70
	*20502	2136-72	20502	2226-10	20502	2226-26
	20502	2226-42	20502	2227-10	20502	2227-26
	20502	2228-10	20502	2228-26	20502	2228-42
	20502	2239-10	20502	2239-26	20502	2239-42
9SS2AAV	*20502	2136-80				
9SS2BAV	*20502	2136-71				
9SS21B	20502	2104-40	20502	2123-08	20502	2123-24
	20502	2123-40	20502	2125-40	*20502	2136-71
	*20502	2136-80	20502	2226-08	20502	2226-24
	20502	2226-40	20502	2227-08	20502	2227-24
	20502	2228-08	20502	2228-24	20502	2228-40
	20502	2239-08	20502	2239-24	20502	2239-40
9SWBA0	19501	2120-09	19501	2120-37	19501	2122-23
	19501	2124-23	19501	2126-23	19502	2124-09
	19502	2126-09	19600	2127-23	19901	2115-37
	19901	2115-49	20100	2101-23	20100	2127-09
	20100	2128-09	20100	2128-23	*20502	2118-57
9SWBB0	19501	2122-63	19502	2124-37	19502	2124-49
	19502	2124-63	19502	2126-37	20100	2127-37
	20100	2128-37	20300	2141-09	20300	2141-23
	20300	2142-09	20300	2142-23	20300	2144-09
	20300	2144-23	*20502	2118-63		
9SWBC0	19502	2124-77	19502	2126-77	19600	2127-77
	19600	2128-77	19800	2133-77	19800	2139-72
	20300	2141-63	20300	2141-77	20300	2142-63
	20300	2142-77	20300	2144-63	20300	2144-77
	*20502	2118-75	20502	2119-76		
9SWBD0	19502	2126-49	19502	2126-63	19600	2128-63
	20100	2101-63	20100	2127-49	20100	2127-63
	20100	2128-49	20300	2141-37	20300	2141-49
	20300	2142-37	20300	2142-49	20300	2144-37
	20300	2144-49	*20502	2118-72		
9SWCAA	19901	2108-37	19901	2109-37	*20502	2119-80
9S0301	*26501	A05-03	26501	S03-B	26501	S03-C

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9S0302	26501	S03-1B				
	*26501	A05-01	26501	S03-D	26501	S03-E
	26501	S03-2B				
9S0401	*26501	A05-07	26501	S04-B	26501	S04-C
	26501	S04-1B				
9S0402	*26501	A05-05	26501	S04-D	26501	S04-E
	26501	S04-2B				
9TCA2AV	20202	2107-54	*20202	2113-24		
9TCA3AV	*20202	2113-07	20202	2116-04	20202	2132-03
	20202	2134-03				
9TCC10	20202	2103-60	*20202	2111-39	20202	2115-09
9TCC2AV	20202	2107-50	*20202	2113-25		
9TCD3AV	*20202	2113-10	20202	2116-05		
9TCE30	20202	2116-24	*20202	2119-21		
9TCF2AV	20202	2107-43	*20202	2113-78		
9TCF20	20202	2113-76	*20202	2116-75		
9TCL3A	20202	2111-35	*20202	2116-22		
9TCS3A	20202	2111-37	*20202	2114-09		
9TC130E	20202	2108-05	20202	2109-03	20202	2113-09
	*20202	2115-07	20202	2116-08		
9TC131E	20202	2108-03	20202	2109-04	*20202	2115-11
	20202	2134-06				
9TC132E	20202	2108-06	20202	2109-06	*20202	2115-13
	20202	2132-06	20202	2134-04		
9TC133E	20202	2108-04	20202	2113-15	20202	2115-10
	20202	2116-10	20202	2132-04		
9TC233E	*20202	2101-76	20202	2113-73	20202	2114-07
9TC320E	20202	2108-19	20202	2109-20	20202	2113-22
	*20202	2115-21				
9TC321E	20202	2109-22	*20202	2115-27		
9TC322E	20202	2109-19	20202	2113-23	*20202	2115-25
9TC323E	20202	2108-22	20202	2109-21	*20202	2115-24
9TDA3A	20202	2114-10	*20202	2116-06		
9TDB3A	20202	2114-13	*20202	2116-01		
9TDC1A	20202	2113-33	*20202	2114-11		
9TDC10V	*20202	2113-31	20202	2115-05		
9TDC30	*20202	2114-23	20202	2115-19		
9TD137T	*20202	2109-11	20202	2114-08		
9TD139T	*20202	2109-18	20202	2114-06		
9TD210V	20202	2103-63	*20202	2113-08		
9TD220V	20202	2103-62	20202	2111-25	*20202	2113-03
	20202	2114-30				
9TD230T	20201	2133-25	*20202	2108-08	20202	2114-01
9TD231T	*20202	2108-10	20202	2113-06		
9TD232T	*20202	2108-14	20202	2113-04	20202	2114-37
9TD321T	*20202	2108-26	20202	2114-26		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9TD322T	*20202	2108-27	20202	2114-25		
9TD324T	*20202	2108-33	20202	2114-24		
9TD325T	*20202	2108-23	20202	2114-22		
9TD400V	*20202	2113-19	20202	2116-25	20202	2116-40
9TD405T	20202	2114-40	*20202	2132-07		
9TD420T	*20202	2109-24	20202	2113-21		
9TD425T	*20202	2109-23	20202	2113-17		
9TD428T	*20202	2109-31	20202	2113-20		
9TD450V	*20202	2113-14	20202	2116-19		
9TD480V	20202	2107-49	*20202	2113-18		
9TD500T	20202	2114-38	*20202	2134-08		
9TEM3AV	20202	2112-38	*20202	2113-34		
9TEM30	20202	2112-35	20202	2113-36	*20202	2116-09
9TF13JQ	20201	2133-23	*20202	2112-42		
9TF13KQ	*20202	2112-39	20202	2114-31		
9TF23JQ	*20202	2103-68	20202	2111-23	20202	2134-05
9TF23KQ	*20202	2103-65	20202	2109-05	20202	2114-34
	20202	2132-05				
9TF32JQ	*20202	2107-56	20202	2108-20	20202	2116-23
9TF32KQ	*20202	2107-51	20202	2116-42		
9TF52JQ	19903	2117-36	19903	2117-50	19903	2117-56
	*20202	2103-56	20202	2104-49		
9TF52KQ	20201	2111-20	*20202	2103-51	20502	2125-50
9TINAAV	*20202	2113-46				
9TINBAV	*20202	2113-43				
9TINCAV	*20202	2113-42				
9TIN2B	20201	2103-03	20201	2103-17	20202	2102-18
	20202	2112-31	*20202	2113-42	*20202	2113-43
	*20202	2113-46	20202	2114-18	20202	2116-77
	20300	2137-03	20300	2140-03	20300	2140-17
9TIN3A	20202	2103-55	*20202	2111-21		
9TIN30	*20202	2102-14	20202	2111-17		
9TIP30V	20202	2112-36	*20202	2113-30		
9TIS10	*20201	2119-38	20201	2131-43		
9TIS20	*20201	2119-30	20201	2131-46		
9TIS4A	20201	2131-70	*20201	2133-27		
9TIS5A	*20201	2117-69	20201	2131-68		
9TIT20	20202	2113-39	20202	2113-41	20202	2113-45
	*20202	2114-57				
9TJ21A	20201	2102-24	*20201	2111-14		
9TJ210	*20201	2102-22	20201	2103-19		
9TJ310	*20201	2102-21	20201	2103-21		
9TJ410	*20201	2102-27	20201	2103-23		
9TLC1A	20202	2115-08	*20202	2116-33		
9TLC10	*20202	2106-21	20202	2115-14	20202	2116-29
9TLC3A	20202	2115-22	*20202	2116-15		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9TLC30	*20202	2114-21	20202	2115-26	20202	2116-11
9TM11JQ	19800	2129-62	19800	2133-04	19800	2133-07
	20005	1103-77	20005	1114-38	20100	2138-41
	20201	2103-35	*20201	2107-42	20502	2123-33
	26803	2147-77				
9TM11KQ	19800	2129-43	19800	2139-37	20100	2138-48
	20201	2103-38	*20201	2107-39		
9TMR1JQ	*20201	2103-42	20201	2119-34	20502	2239-17
9TMR1KQ	19800	2119-55	*20201	2103-39	20201	2119-40
	20201	2131-62	20202	2116-17	20300	2138-24
9TM11JQ	27402	J006-77	*27402	J009-77		
9TM11JR	27402	J006-78	*27402	J009-78		
9TM130V	20202	2101-73	*20202	2113-71		
9TPX0A	18900	J08-73	18900	1124-34	*28002	J021-73
	33100	J112-10				
9TPX0R	*28002	J021-74	33100	J112-09		
9TP11JQ	*20201	2103-13	20201	2119-18	20502	2239-50
9TP11KQ	*20201	2103-11	20201	2111-18	20201	2114-54
9TP21JQ	*20201	2103-25	20502	2227-17		
9TP21KQ	*20201	2103-27	20201	2114-46	20201	2119-20
9TSE1A	*20201	2131-59	20202	2101-74	20202	2102-20
	20202	2106-14	20202	2114-04	20202	2116-34
	20202	2119-17				
9TSE10	20202	2101-78	20202	2112-33	20202	2112-40
	20202	2115-03	*20202	2116-30		
9TSF1AV	20201	2107-35	*20201	2113-77		
9TSM4A	*20201	2131-47	20202	2114-14	20202	2116-18
	20202	2116-79				
9TSM40	20202	2115-17	*20202	2116-14		
9TS110	*20201	2119-14	20201	2131-55	20201	2131-56
9TS210	*20201	2114-47	20201	2131-54	20201	2131-60
9TS310	*20201	2114-45	20201	2131-52	20201	2131-61
9TV030	14202	1105-59	14202	1222-41	*20202	2114-35
	20502	2239-33	26803	2145-59		
9T002A	20202	2113-27	*20202	2116-38		
9T0020V	*20202	2113-26	20202	2114-42	20502	2123-17
9T082A	20202	2114-20	*20202	2116-21		
9T083A	20202	2106-20	*20202	2114-33		
9T151AV	*20201	2113-40	20201	2119-42		
9T161AV	*20201	2113-37	20201	2119-36		
9T223A	20202	2106-19	*20202	2111-27		
9T232A	20202	2114-19	*20202	2116-27		
9T301AV	*20201	2113-68	20201	2117-73	20202	2116-03
9T552TA	19903	2111-56	19903	2117-14	19903	2122-77
	20202	2101-77	*20202	2104-55	20202	2107-48
	20202	2112-34	20202	2115-23	20202	2116-26

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9UEQ40	*20400	2102-75	20400	2110-33	20400	2112-21
9UF11JQ	20201	2102-17	20201	2103-09	20201	2114-49
	20400	2102-29	*20400	2112-25	20502	2123-31
9UF11KQ	20201	2102-23	20201	2103-08	20201	2114-43
	20300	2139-13	20400	2102-34	20400	2102-35
	20400	2102-40	20400	2107-24	20400	2110-35
	*20400	2112-27				
9UF21JQ	20201	2102-19	20201	2114-52	20400	2102-37
	*20400	2107-25	20400	2110-37	20400	2112-24
	20502	2239-15				
9UF21KQ	20201	2102-25	20201	2103-07	20201	2114-48
	20300	2139-10	20400	2102-31	*20400	2107-27
	20400	2118-23				
9UF31JQ	*20400	2110-42	20502	2239-31		
9UF31KQ	20300	2137-10	20300	2140-24	20400	2107-23
	*20400	2110-39	20400	2118-25		
9UIC1A	08300	2238-29	*20400	2102-33	26802	2349-05
	26803	2148-05	27301	J005-05	27301	J086-05
9UIC1AG	26109	2238-32	26802	2349-06		
9UIC1G	26111	2102-32	26803	2148-06	*27301	J005-06
	27301	J086-06				
9UIC10	20400	2102-42	*20400	2111-72	20400	2112-19
9UIHB3E	*19600	2127-76	20300	2142-73		
9UJ21A	*20400	2102-38	20400	2107-19		
9UJ220	*20400	2102-30	20400	2107-21		
9UNC1A	08300	2237-35	08400	2238-49	20300	2138-07
	*20400	2102-39	20502	2239-45	26802	2349-01
	26803	2148-01	27301	J005-01	27301	J086-01
9UNC1AG	26109	2238-44	26802	2349-02		
9UNC1G	26111	2138-02	26111	2239-44	26803	2148-02
	26803	2148-04	*27301	J005-02	27301	J086-02
9U1J1A	*20400	2102-52	20400	2112-23		
9U1J10	20400	2102-54	*20400	2118-27		
9VAJ1A	*19800	2129-33	19800	2137-59		
9VBC2A	19800	2118-47	*19800	2119-51		
9VBJ1A	19800	2137-61	*19800	2138-63		
9VBSA0V	*19600	2136-66				
9VBSBA	*19600	2138-72	19800	2139-73	19800	2139-75
	19800	2140-55				
9VBSB0V	*19600	2136-63				
9VBSC0V	*19600	2136-60				
9VBSD0V	*19600	2136-56				
9VBSE0V	*19600	2136-43				
9VBS3A	*19600	2138-66	19901	2108-50	19901	2109-50
9VBS4B	19501	2120-08	19501	2120-22	19501	2120-36
	19501	2120-50	19501	2122-08	19501	2122-22

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	19501	2122-50	19501	2122-62	19501	2124-22
	19501	2126-22	19502	2124-08	19502	2124-36
	19502	2124-50	19502	2124-62	19502	2124-74
	19502	2126-08	19502	2126-36	19502	2126-50
	19502	2126-62	19502	2126-74	19600	2127-22
	19600	2127-74	19600	2128-62	19600	2128-74
	*19600	2136-43	*19600	2136-56	*19600	2136-60
	*19600	2136-63	*19600	2136-66	19600	2138-68
	19600	2138-71	19800	2133-79	19901	2115-36
	19901	2115-50	20100	2101-22	20100	2101-62
	20100	2127-08	20100	2127-36	20100	2127-50
	20100	2127-62	20100	2128-08	20100	2128-22
	20100	2128-36	20100	2128-50	20300	2141-08
	20300	2141-22	20300	2141-36	20300	2141-50
	20300	2141-62	20300	2141-74	20300	2142-08
	20300	2142-22	20300	2142-36	20300	2142-50
	20300	2142-62	20300	2142-74	20300	2144-08
	20300	2144-22	20300	2144-36	20300	2144-50
	20300	2144-62	20300	2144-74		
9VCA31C	*19600	2135-39	19600	2143-64		
9VCA32C	*19600	2135-40	19600	2143-61		
9VCA35U	19600	2130-61	*19600	2132-68	19600	2134-61
	19600	2134-79				
9VCB31C	*19600	2135-51	19600	2143-62		
9VCB32C	*19600	2135-54	19600	2143-59		
9VCB35U	19600	2130-64	*19600	2134-52		
9VCC31C	*19600	2135-65	19600	2143-60		
9VCC32C	*19600	2135-66	19600	2143-55		
9VCC35U	*19600	2130-52	19600	2134-78		
9VCD31C	*19600	2135-79	19600	2143-57		
9VCD32C	*19600	2135-78	19600	2143-53		
9VCX31C	*19600	2143-65	19800	2139-43	20100	2136-06
9VCY3A	19501	2124-26	19501	2126-26	*19600	2138-39
9VCY32C	19600	2138-37	*19600	2143-66	19800	2139-46
	20100	2139-01				
9VC001U	19600	2128-55	*19600	2132-70	19600	2134-53
	19600	2135-35				
9VC012U	19600	2128-53	*19600	2132-72	19600	2134-55
	19600	2135-33				
9VC023U	19600	2128-57	*19600	2132-74	19600	2134-57
	19600	2135-31				
9VC034U	19600	2128-60	*19600	2132-76	19600	2134-59
	19600	2135-29				
9VC041U	19600	2127-17	19600	2132-73	*19600	2134-54
	19600	2135-47				
9VC052U	19600	2127-15	19600	2132-75	*19600	2134-56



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	19600	2135-45				
9VC063U	19600	2127-18	19600	2132-77	*19600	2134-60
	19600	2135-43	19600	2138-62		
9VC074U	18600	2233-76	19600	2127-20	19600	2130-53
	*19600	2134-62	19600	2135-41		
9VC081U	18600	2233-74	19600	2128-71	*19600	2130-54
	19600	2134-71	19600	2135-61		
9VC092U	18600	2233-72	19600	2128-69	*19600	2130-56
	19600	2134-73	19600	2135-59		
9VC103U	18600	2233-70	19600	2128-70	*19600	2130-60
	19600	2134-75	19600	2135-55		
9VC114U	18600	2233-64	19600	2128-72	*19600	2130-62
	19600	2134-77	19600	2135-53		
9VC121U	18600	2233-62	19600	2127-71	19600	2130-55
	*19600	2134-70	19600	2135-75		
9VC132U	18600	2233-60	19600	2127-69	19600	2130-57
	*19600	2134-72	19600	2135-73		
9VC143U	18600	2233-57	19600	2127-70	19600	2130-59
	*19600	2134-74	19600	2135-71		
9VC154U	19600	2132-71	*19600	2134-76	19600	2135-69
	19600	2138-64				
9VDP2A	*19800	2129-45	19800	2139-62		
9VDS2A	19800	2118-64	*19800	2129-47	19800	2138-47
9VDS20	*19800	2138-51	19800	2139-71		
9VEA10	19800	2131-01	*19800	2139-35		
9VEB10	19800	2131-04	*19800	2139-33		
9VEC10	19800	2131-05	*19800	2133-01		
9VED10	19800	2131-06	*19800	2133-09		
9VEE10	19800	2131-07	*19800	2133-21		
9VEN1A	19800	2118-49	*19800	2131-11		
9VEQ3A	19800	2129-34	19800	2133-29	*19800	2139-45
9VEQ30	19800	2110-45	*19800	2133-33		
9VF11JQ	19800	2110-59	19800	2112-61	19800	2133-03
	19800	2133-19	*19800	2137-68	19800	2139-34
	20502	2123-50				
9VF11KQ	19800	2112-64	*19800	2137-65	19800	2139-38
9VF21JQ	19800	2110-61	*19800	2112-68	19800	2131-08
	19800	2138-59	20502	2228-17		
9VF21KQ	19800	2110-64	*19800	2112-65		
9VF31JQ	*19800	2110-68	19800	2133-05	19800	2137-66
	20502	2226-50				
9VF31KQ	*19800	2110-65	19800	2129-30	19800	2138-61
	19800	2139-36	19800	2139-40		
9VGDA0V	19502	2123-76	*19502	2136-03	19600	2135-56
	19600	2135-80	19800	2101-54	19902	2105-52
	19902	2105-68	20202	2101-69	20202	2108-21

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9VGDB0V	20202	2115-01	20202	2115-15		
	19501	2121-52	19501	2121-68	*19501	2136-01
	19502	2123-78	19700	2135-25	20202	2101-70
	20202	2115-04	20202	2115-18	20502	2104-48
	20502	2125-13	20502	2125-30		
9VGDC0V	*19700	2136-07	19700	2143-25	19700	2143-42
	19700	2143-56	20202	2104-52	20202	2115-06
	20202	2115-20				
9VGDD0V	19600	2135-42	19600	2135-68	19600	2135-70
	*19700	2136-10	19700	2143-46	19902	2135-13
	19902	2143-80				
9VGDE0V	19902	2104-13	19902	2104-30	19902	2105-13
	19902	2105-30	19902	2105-48	19902	2121-13
	19902	2121-30	19902	2121-48	20202	2101-72
	20502	2123-48	*20502	2136-40	20502	2226-48
	20502	2228-13				
9VGDF0V	20502	2123-13	20502	2123-30	20502	2125-48
	*20502	2136-37	20502	2226-13	20502	2226-30
	20502	2227-13	20502	2227-30	20502	2228-30
	20502	2228-48	20502	2239-13	20502	2239-3-0
	20502	2239-48				
9VGDG0V	19502	2122-36	19502	2123-52	19502	2123-68
	19502	2125-52	19502	2125-68	*19502	2136-34
	19901	2101-08	19901	2101-36	20202	2101-71
	20202	2104-51				
9VH14A	19800	2113-79	*19800	2133-80		
9VH140V	19502	2126-29	*19800	2113-80		
9VH24A	19800	2113-51	*19800	2129-59		
9VH240V	19502	2126-30	*19800	2113-53		
9VH34A	*19800	2129-57	19800	2136-41		
9VH340V	19502	2126-34	*19800	2136-46		
9VIC00	*19800	2138-75	19800	2139-77		
9VIC2KQ	19800	2139-79	*19800	2140-65		
9VINAAV	*19600	2136-14				
9VINBAV	*19600	2136-19				
9VINCAV	*19600	2136-26				
9VIN1A	19800	2110-55	19800	2112-55	*19800	2119-60
	19800	2137-55				
9VIN10	19800	2110-50	19800	2112-50	*19800	2118-66
	19800	2119-62	19800	2140-62		
9VIN4B	19501	2137-71	19501	2140-71	19600	2130-49
	19600	2132-66	19600	2134-49	19600	2134-66
	*19600	2136-14	*19600	2136-19	*19600	2136-26
	19800	2110-43	19800	2112-43	19800	2112-71
	19800	2118-70	19800	2129-40	20100	2110-17
	20100	2137-43	20100	2140-43		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9VIT40	19600	2136-17	19600	2136-21	19600	2136-27
	*19600	2138-27				
9VI040	19901	2107-05	20201	2107-36	20201	2107-37
	*20201	2133-60				
9VJ120	19800	2112-75	*19800	2118-51		
9VLA0A	19800	2129-71	*19800	2139-69		
9VLB0A	19800	2129-73	19800	2138-40	*19800	2139-76
9VLB00	*19800	2138-38	19800	2140-61		
9VLC0A	19800	2129-74	*19800	2133-75		
9VLD00	19501	2120-23	19501	2120-49	19501	2122-09
	19501	2122-49	19502	2122-37	*19800	2129-69
9VLH2A	19800	2138-78	*19800	2139-57		
9VLH20	19501	2140-73	19502	2126-40	*19800	2138-80
9VLR20	19502	2124-14	19502	2124-66	19502	2126-54
	19502	2126-78	*19800	2118-60		
9VL12JQ	19502	2126-31	*19800	2112-56	19800	2119-47
	19800	2138-53				
9VL12KQ	*19800	2112-51	19800	2129-46	19800	2129-49
	20100	2139-05				
9VL22JQ	*19800	2110-56	19800	2119-49	19800	2129-56
9VL22KQ	*19800	2110-51	19800	2129-36	19800	2138-55
	20100	2139-07				
9VMRAAV	*19600	2113-66				
9VMRBAV	*19600	2113-63				
9VMRCAV	*19600	2113-60				
9VMR4B	*19600	2113-60	*19600	2113-63	*19600	2113-66
	19600	2138-25	19700	2111-50	19700	2137-30
	19700	2140-30	19901	2107-03	19901	2108-35
	19901	2108-49	19901	2108-66	19901	2109-35
	19901	2109-49	19901	2109-66	19901	2110-03
	19901	2112-03	19901	2116-56	19903	2102-73
	19903	2106-04	19903	2106-08	19903	2117-25
	20201	2103-31	20201	2107-31	20202	2114-60
9VMR40V	19600	2113-61	19600	2113-62	19600	2113-64
	*19600	2136-57				
9VNT4A	19800	2129-60	19800	2129-68	19800	2133-78
	*19800	2138-57				
9VRP0R	*19800	2129-35	19800	2133-49		
9VRP0S	19800	2101-45	19800	2129-42	*19800	2133-51
	19800	2140-59				
9VRP1A	19800	2133-47	*19800	2139-47		
9VRS0A	*19800	2102-51	19800	2116-49		
9VRS00E	*19800	2101-47	19800	2116-47		
9VRS01E	*19800	2101-51	19800	2102-49		
9VRW1A	12300	2336-71	*19800	2119-57	26802	2349-43
	26803	2148-43	27301	J005-43	27301	J086-43

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9VRW1R	27301	J005-44	*27301	J086-44		
9VSR0A	19800	2111-49	*19800	2116-51	19800	2118-62
	19800	2129-31				
9VSR00	*19800	2111-51	19800	2112-45		
9VS000E	19502	2125-53	*19600	2128-61		
9VS011E	19502	2125-59	*19600	2128-65		
9VS022E	19502	2125-56	*19600	2128-68		
9VS033E	19502	2125-64	19600	2127-19	*19600	2128-64
9VS040E	19502	2125-71	*19600	2127-21		
9VS051E	19502	2125-77	*19600	2127-27		
9VS062E	19502	2125-72	*19600	2127-25		
9VS073E	19502	2125-78	*19600	2127-24	19600	2128-73
9VS080E	19502	2123-53	*19600	2128-75		
9VS091E	19502	2123-59	*19600	2128-79		
9VS102E	19502	2123-56	*19600	2128-80		
9VS110V	19800	2119-53	*19800	2136-18		
9VS113E	19502	2123-64	19600	2127-73	*19600	2128-76
9VS120E	19502	2123-71	*19600	2127-75		
9VS131E	19502	2123-77	*19600	2127-79		
9VS142E	19502	2123-72	*19600	2127-80		
9VS310V	19800	2133-17	*19800	2136-25		
9VTC3A	19600	2132-78	*19600	2138-60		
9VT12JQ	19501	2133-41	*19800	2112-80	19800	2129-52
	19800	2139-64				
9VT12KQ	19502	2123-49	19502	2123-66	19502	2125-49
	19502	2125-66	*19800	2112-79	19800	2139-48
	19800	2139-54				
9V162AV	*19800	2113-56	19800	2129-50		
9WAB60	19903	2106-70	*19903	2117-57		
9WAC6A	19903	2117-55	*19903	2119-52		
9WAD01X	*19902	2121-04	19902	2135-10	20001	1110-06
	20002	1111-06	20003	1112-06	20004	1113-06
	20004	1114-06	20005	1105-41	20502	2125-43
	26803	2145-41				
9WAD11X	*19902	2121-20	19902	2135-08	20001	1110-01
	20002	1111-01	20003	1112-01	20004	1113-01
	20004	1114-01	20005	1105-43	20502	2123-11
	26803	2145-43				
9WAD21X	*19902	2121-36	19902	2135-06	20001	1110-18
	20002	1111-18	20003	1112-18	20004	1113-18
	20004	1114-18	20005	1105-45	20502	2123-29
	26803	2145-45				
9WAD31X	*19902	2105-04	19902	2135-04	20001	1110-17
	20002	1111-17	20003	1112-17	20004	1113-17
	20004	1114-17	20005	1105-47	20502	2239-11
	26803	2145-47				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9WAD41X	*19902	2105-20	19902	2143-76	20001	1110-05
	20002	1111-05	20003	1112-05	20004	1113-05
	20004	1114-05	20005	1105-49	20502	2239-29
	26803	2145-49				
9WAD51X	*19902	2105-36	19902	2143-74	20001	1110-25
	20002	1111-25	20003	1112-25	20004	1113-25
	20004	1114-25	20005	1105-51	20502	2239-43
	26803	2145-51				
9WAD61X	*19902	2104-04	19902	2143-72	20001	1110-03
	20002	1111-03	20003	1112-03	20004	1113-03
	20004	1114-03	20005	1105-53	20502	2227-11
	26803	2145-53				
9WAD71X	*19902	2104-20	19902	2143-70	20001	1110-04
	20002	1111-04	20003	1112-04	20004	1113-04
	20004	1114-04	20005	1105-55	20502	2227-29
	26803	2145-55				
9WAE6A	19903	2117-64	*19903	2118-45		
9WAF60	*19903	2118-30	19903	2119-54		
9WAG60	*19903	2118-33	19903	2119-48		
9WAH6A	19903	2117-60	*19903	2119-46		
9WCA11C	19902	2117-06	*19902	2135-11		
9WCA12C	19902	2117-08	*19902	2135-14		
9WCA6AV	19903	2106-38	19903	2106-61	*19903	2113-48
	19903	2131-36				
9WCA60E	19903	2106-22	19903	2106-55	19903	2113-50
	19903	2117-43	*19903	2122-75		
9WCB11C	19902	2117-10	*19902	2143-79		
9WCB12C	19902	2117-13	*19902	2143-78		
9WCB6AV	19903	2106-37	19903	2106-60	*19903	2113-49
	19903	2117-46				
9WCB61E	19903	2106-24	19903	2106-66	19903	2113-47
	*19903	2122-79	19903	2131-37		
9WCC62E	19903	2106-25	19903	2117-18	19903	2117-30
	19903	2117-49	*19903	2122-80		
9WCD4AV	19903	2107-55	19903	2107-71	*19903	2113-70
9WCD40	*19903	2102-72	19903	2113-69		
9WCD6AV	*19903	2113-54	19903	2117-19	19903	2117-31
	19903	2117-52	19903	2122-73		
9WCD63E	19903	2106-26	19903	2113-52	*19903	2122-76
9WEQ2A	19902	2113-11	*19902	2117-11	19903	2118-31
	19903	2118-36				
9WEQ20V	*19902	2113-13	19903	2131-38		
9WE13JQ	*19901	2107-13	19901	2112-07	20005	1103-79
	20005	1114-46	26803	2147-79	27402	J006-79
	27402	J009-79				
9WE13JR	27402	J006-80	27402	J009-80		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9WE13KQ	19501	2137-76	*19901	2107-11	19901	2110-10
	19901	2117-01	19901	2118-10	19901	2119-37
	19903	2102-71	19903	2106-68		
9WE23KQ	*19901	2110-11	19901	2119-10		
9WE33JQ	19901	2107-08	*19901	2112-13		
9WE33KQ	19901	2108-63	19901	2109-63	*19901	2112-11
	19901	2116-54	19903	2118-18		
9WFA6A	*19903	2111-52	19903	2118-54		
9WFB6A	*19903	2117-21	19903	2118-56		
9WFC60	19903	2107-60	19903	2107-72	*19903	2118-52
9WF14JQ	*19903	2107-68	19903	2117-54	19903	2118-48
	19903	2119-31	19903	2119-56	20502	2228-29
9WF14KQ	19902	2104-10	19902	2104-26	19902	2105-10
	19902	2105-26	19902	2105-42	19902	2105-49
	19902	2105-66	19902	2121-10	19902	2121-26
	19902	2121-42	19903	2106-40	*19903	2107-65
	19903	2111-53				
9WF24JQ	19902	2104-08	19902	2104-24	19902	2105-08
	19902	2105-24	19902	2105-40	19902	2121-08
	19902	2121-24	19902	2121-40	*19903	2107-80
	19903	2117-34	19903	2118-43	20502	2226-11
9WF24KQ	19903	2106-42	*19903	2107-79	19903	2111-55
	19903	2111-68				
9WHRA0E	*19901	2101-07	19901	2109-71		
9WHRA1E	*19901	2101-11	19901	2109-73		
9WHRA2E	*19901	2101-13	19901	2109-75		
9WHRA3E	*19901	2101-10	19901	2109-77		
9WHRB0E	*19901	2101-35	199.01	2108-71		
9WHRB1E	*19901	2101-39	19901	2108-73		
9WHRB2E	*19901	2101-42	19901	2108-75		
9WHRB3E	*19901	2101-38	19901	2108-77		
9WHR00E	19901	2101-03	19901	2109-53	*19901	2115-35
9WHR11E	19901	2101-01	19901	2109-55	*19901	2115-39
9WHR22E	19901	2101-04	19901	2109-57	*19901	2115-42
9WHR33E	19501	2126-19	19901	2101-06	19901	2109-59
	*19901	2115-38	20502	2125-15		
9WHR40E	19901	2101-31	19901	2108-53	*19901	2115-47
9WHR51E	19901	2101-29	19901	2108-55	*19901	2115-51
9WHR62E	19901	2101-30	19901	2108-57	*19901	2115-56
9WHR73E	19901	2101-34	19901	2108-59	19901	2109-39
	*19901	2115-52				
9WI01U	19901	2108-39	*19901	2109-38	19901	2115-31
	19902	2105-51	19902	2121-09		
9WII12U	19901	2108-41	*19901	2109-40	19901	2115-29
	19902	2105-57	19902	2121-25		
9WII23U	19901	2108-43	*19901	2109-42	19901	2115-30

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9WII34U	19902	2105-54	19902	2121-41		
	19901	2108-45	*19901	2109-46	19901	2115-34
	19902	2105-09	19902	2105-62		
9WII4A	19903	2111-40	*19903	2117-45		
9WII140	19501	2137-74	19901	2108-47	19901	2109-47
	19901	2112-05	*19903	2111-38		
9WII41U	*19901	2108-38	19901	2109-41	19901	2115-43
	19902	2105-25	19902	2105-69		
9WII52U	*19901	2108-40	19901	2109-43	19901	2115-41
	19902	2105-41	19902	2105-75		
9WII63U	*19901	2108-42	19901	2109-45	19901	2115-46
	19902	2104-09	19902	2105-70		
9WII74U	*19901	2108-46	19901	2115-33	19901	2115-48
	19902	2104-25	19902	2105-76		
9WIL6R	19903	2117-22	*19903	2118-14	19903	2119-26
9WIL6S	*19903	2117-23	19903	2118-20	19903	2131-31
9WIN6A	*19901	2118-39	19903	2111-64	19903	2116-41
9WIN60	19901	2118-35	*19901	2119-39	19903	2118-50
	20502	2123-43				
9WIS4A	*19903	2111-57	19903	2113-59		
9WIS40V	19903	2106-62	*19903	2113-57	19903	2117-48
	19903	2119-50	19903	2131-30		
9WIS6A	19903	2117-24	*19903	2118-22		
9WIO01U	*19901	2109-54	19902	2105-53	19902	2121-17
9WIO12U	*19901	2109-56	19902	2105-59	19902	2121-33
9WIO23U	*19901	2109-60	19902	2105-56	19902	2121-50
9WIO34U	*19901	2109-62	19902	2105-17	19902	2105-64
9WIO4A	19903	2111-29	*19903	2117-33		
9WIO40	19901	2108-61	19901	2109-61	*19903	2111-33
	19903	2118-26	20100	2127-14	20100	2127-40
	20100	2127-66	20100	2128-26	20100	2128-54
	20100	2140-45				
9WIO41U	*19901	2108-54	19902	2105-33	19902	2105-71
9WIO52U	*19901	2108-56	19902	2105-50	19902	2105-77
9WIO6A	19903	2111-62	19903	2118-17	19903	2118-41
	*19903	2119-22				
9WIO60	19903	2107-77	19903	2111-70	*19903	2118-21
	20502	2228-11				
9WIO63U	*19901	2108-60	19902	2104-17	19902	2105-72
9WIO74U	*19901	2108-62	19902	2104-33	19902	2105-78
9WJ14A	19903	2107-61	*19903	2111-66		
9W'J230	19901	2110-09	*19901	2118-06		
9WJ24A	19903	2107-73	*19903	2118-46		
9WK140	19903	2107-62	*19903	2111-60		
9WK240	19903	2107-78	*19903	2116-45		
9WLC6A	19903	2106-07	*19903	2111-22		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9WLC60	19903	2111-24	*19903	2117-59		
9WLD6A	*19903	2106-59	19903	2117-61		
9WLE6A	19903	2117-68	*19903	2119-33		
9WLF6A	*19903	2106-57	19903	2117-70		
9WLH20	19901	2115-40	19901	2115-54	*19901	2116-52
9WLL6R	*19903	2106-09	19903	2111-13	19903	2111-54
	19903	2122-78				
9WLL6S	19903	2106-01	*19903	2111-15	19903	2122-74
9WLS3A	19901	2117-04	*19901	2119-06		
9WLT3A	19901	2108-80	19901	2109-80	*19901	2117-09
9WMX0TA	*19902	2105-55	19902	2135-07		
9WMX1TB	*19902	2105-61	19902	2135-05		
9WMX2TC	*19902	2.105-60	19902	2135-03		
9WMX3TD	*19902	2105-63	19902	2135-01		
9WMX4TA	*19902	2105-73	19902	2143-75		
9WMX5TB	*19902	2105-79	19902	2143-73		
9WMX6TC	*19902	2105-74	19902	2143-71		
9WMX7TD	*19902	2105-80	19902	2143-69		
9WM000Q	*20001	1110-22	20001	1110-51		
9WM011Q	*20001	1110-07	20001	1110-48		
9WM022Q	*20001	1110-24	20001	1110-64		
9WM033Q	*20001	1110-08	20001	1110-65		
9WM044Q	*20001	1110-34	20001	1110-68		
9WM055Q	*20001	1110-37	20001	1110-56		
9WM06A	11900	2417-05	*19903	2131-35	26802	2349-63
	26803	2148-63	27302	J005-63	27302	J086-63
9WM06R	27302	J005-64	*27302	J086-64		
9WM06-6Q	*20001	1110-39	20001	1110-80		
9WM077Q	20001	1104-15	*20001	1110-53	20300	2136-22
	26803	2146-15				
9WM080Q	*20002	1111-22	20002	1111-51		
9WM091Q	*20002	1111-07	20002	1111-48		
9WM102Q	*20002	1111-24	20002	1111-64		
9WM113Q	*20002	1111-08	20002	1111-65		
9WM124Q	*20002	1111-34	20002	1111-68		
9WM135Q	*20002	1111-37	20002	1111-56		
9WM146Q	*20002	1111-39	20002	1111-80		
9WM150Q	20003	1105-03	*20003	1112-22	20003	1112-68
	20300	2130-19	26803	2145-03		
9WM161Q	20003	1105-05	*20003	1112-07	20003	1112-56
	20300	2130-21	26803	2145-05		
9WM172Q	*20003	1112-24	20003	1112-80		
9WM183Q	*20003	1112-08	20003	1112-51		
9WM194Q	*20003	1112-34	20003	1112-48		
9WM205Q	*20003	1112-37	20003	1112-64		
9WM216Q	*20003	1112-39	20003	1112-65		



Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9WM220Q	*20004	1113-22	20004	1113-68		
9WM231Q	*20004	1113-07	20004	1113-56		
9WM242Q	*20004	1113-24	20004	1113-80		
9WM253Q	20004	1104-51	*20004	1113-08	20300	2136-52
	26803	2146-51				
9WM264Q	*20004	1113-34	20004	1113-51		
9WM275Q	*20004	1113-37	20004	1113-48		
9WM286Q	*20004	1113-39	20004	1113-64		
9WM297Q	*20004	1113-53	20004	1113-65		
9WM300Q	*20004	1114-22	20005	1114-51		
9WM311Q	*20004	1114-07	20005	1104-63	20300	2144-69
	26803	2146-63				
9WM322Q	*20004	1114-24	20005	1114-48		
9WM333Q	*20004	1114-08	20005	1114-64		
9WM344Q	20005	1104-71	*20005	1114-34	20300	2141-70
	26803	2146-71				
9WM355Q	*20005	1114-37	20005	1114-65		
9WM366Q	20005	1104-77	*20005	1114-39	20005	1114-68
	20100	2138-50	26803	2146-77		
9WM377Q	19901	2109-64	19903	2113-05	20005	1104-79
	*20005	1114-53	20100	2140-49	20300	2140-09
	26803	2146-79				
9WM387Q	20002	1105-01	*20002	1111-53	20300	2136-29
	26803	2145-01				
9WRL6R	19903	2106-13	*19903	2111-06	19903	2118-03
9WRL6S	*19903	2106-11	19903	2111-08		
9WRS6A	19903	2106-10	*19903	2111-01		
9WR001U	*19901	2109-70	19902	2121-05		
9WR012U	*19901	2109-72	19902	2121-21		
9WR023U	*19901	2109-74	19902	2121-37		
9WR034U	*19901	2109-76	19902	2105-05		
9WR04A	19903	2116-35	*19903	2117-47		
9WR040	19901	2108-79	19901	2109-79	19903	2111-05
	*19903	2116-39	20300	2140-05	20300	2141-26
	20300	2141-54	20300	2141-78	20300	2142-14
	20300	2142-40	20300	2142-66	20300	2144-26
	20300	2144-54	20300	2144-78		
9WR041U	*19901	2108-70	19902	2105-21		
9WR052U	*19901	2108-72	19902	2105-37		
9WR06A	19903	2111-03	19903	2116-43	*19903	2118-09
9WR060	19903	2107-59	*19903	2111-09	19903	2118-34
	20502	2228-43				
9WR063U	*19901	2108-74	19902	2104-05		
9WR074U	*19901	2108-76	19902	2104-21		
9WSL4A	*19903	2106-35	19903	2118-40		
9WSL40	*19903	2118-38	20001	1110-09	20002	1111-09

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	20003	1112-09	20004	1113-09	20004	1114-09
	20005	1105-57	20502	2226-29	26803	2145-57
9WSL6A	*19903	2106-23	19903	2111-11		
9WTC15U	19901	2108-48	*19901	2109-36		
9WTC25U	19901	2108-64	*19901	2109-52		
9WTC35U	19901	2108-78	*19901	2109-68		
9W3760V	19903	2111-04	*19903	2113-01	19903	2118-24
9XF13JQ	19501	2137-75	19501	2138-65	*19501	2140-80
	20502	2125-45				
9XF13KQ	19501	2120-26	19501	2120-54	19501	2122-14
	19501	2122-54	*19501	2140-79	19502	2122-40
	19800	2139-50	19800	2139-56		
9XF23JQ	*19501	2137-80	19903	2118-29	19903	2131-34
	20501	2227-45	20502	2123-15		
9XF23KQ	*19501	2137-79	19501	2138-74	19501	2140-74
	19901	2119-35				
9XH183E	19501	2121-51	*19501	2124-24	19502	2126-33
9XH192E	19501	2121-57	*19501	2124-25		
9XH201E	19501	2121-54	*19501	2124-27		
9XH210E	19501	2121-62	*19501	2124-21		
9XH223E	19501	2121-69	19501	2124-19	*19501	2126-24
9XH232E	19501	2121-75	*19501	2126-25		
9XH241E	19501	2121-70	*19501	2126-27		
9XH250E	19501	2121-76	*19501	2126-21		
9XL23A	19501	2133-65	*19501	2138-69		
9XL230	19501	2120-14	19501	2120-40	19501	2122-26
	19501	2122-66	*19501	2133-69	19501	2137-19
	19501	2137-26	19502	2124-40	19502	2124-54
	19502	2124-78	19502	2126-14	19502	2126-66
9XMS4A	19501	2121-49	19501	2121-66	*19501	2133-45
	19800	2118-68	19800	2129-38		
9XM18TA	*19501	2121-55	19501	2122-03		
9XM19TB	*19501	2121-61	19501	2122-01		
9XM20TC	*19501	2121-60	19501	2122-04		
9XM21TD	*19501	2121-63	19501	2122-06		
9XM22TA	19501	2120-17	*19501	2121-73		
9XM23TB	19501	2120-15	*19501	2121-79		
9XM24TC	19501	2120-18	*19501	2121-74		
9XM25TD	19501	2120-20	*19501	2121-80		
9XR00TA	*19502	2125-55	19502	2126-71		
9XR01TB	*19502	2125-61	19502	2126-69		
9XR02TC	*19502	2125-60	19502	2126-70		
9XR03TD	*19502	2125-63	19502	2126-72		
9XR04TA	19502	2124-55	*19502	2125-73		
9XR05TB	19502	2124-53	*19502	2125-79		
9XR06TC	19502	2124-57	*19502	2125-74		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9XR07TD	19502	2124-60	*19502	2125-80		
9XR08TA	*19502	2123-55	19502	2126-43		
9XR09TB	*19502	2123-61	19502	2126-41		
9XR10TC	*19502	2123-60	19502	2126-46		
9XR11TD	*19502	2123-63	19502	2126-48		
9XR12TA	*19502	2123-73	19502	2124-03		
9XR13TB	*19502	2123-79	19502	2124-01		
9XR14TC	*19502	2123-74	19502	2124-04		
9XSP03E	*19502	2124-10	19502	2126-73	20502	2125-09
9XSP22E	*19502	2122-42	20502	2226-31		
9XSP33E	*19502	2122-38	20502	2228-45		
9X1000E	19502	2124-71	*19502	2126-75		
9X1011E	19502	2124-69	*19502	2126-79		
9X1022E	19502	2124-70	*19502	2126-80		
9X1033E	19502	2124-59	19502	2124-72	*19502	2126-76
9X1040E	*19502	2124-61	19502	2126-55		
9X1051E	*19502	2124-65	19502	2126-53		
9X1062E	*19502	2124-68	19502	2126-57		
9X1073E	*19502	2124-64	19502	2126-45	19502	2126-60
9X1080E	19502	2124-43	*19502	2126-47		
9X1091E	19502	2124-41	*19502	2126-51		
9X1102E	19502	2124-46	*19502	2126-56		
9X1113E	19502	2124-05	19502	2124-48	*19502	2126-52
9X1120E	*19502	2124-07	19502	2126-03		
9X1131E	*19502	2124-11	19502	2126-01		
9X1142E	*19502	2124-13	19502	2126-04		
9X1150E	19502	2124-31	*19502	2126-35		
9X1161E	19502	2124-29	*19502	2126-39		
9X1172E	19502	2124-30	*19502	2126-42		
9X1180E	19501	2120-03	*19501	2122-07		
9X1191E	19501	2120-01	*19501	2122-11		
9X1202E	19501	2120-04	*19501	2122-13		
9X1213E	19501	2120-06	19501	2120-19	*19501	2122-10
9X1220E	*19501	2120-21	19501	2122-17		
9X1231E	*19501	2120-27	19501	2122-15		
9X1242E	*19501	2120-25	19501	2122-18		
9X1253E	*19501	2120-24	19501	2122-20	19501	2122-45
9X1260E	19501	2120-31	*19501	2122-47		
9X1271E	19501	2120-29	*19501	2122-51		
9X1282E	19501	2120-30	*19501	2122-56		
9X1293E	19501	2120-34	19501	2120-45	*19501	2122-52
9X1300E	*19501	2120-47	19501	2122-55		
9X1311E	*19501	2120-51	19501	2122-53		
9X1322E	*19501	2120-56	19501	2122-57		
9X1333E	*19501	2120-52	19501	2122-05	19501	2122-60
	20502	2125-29				

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9X1340E	*19502	2122-35	19502	2126-06	20502	2228-31
9X1351E	*19502	2122-39	19502	2124-34	20502	2226-15
9X138A	*19501	2133-39	19501	2137-24		
9X1383E	19501	2133-35	19501	2137-21	19502	2124-33
	*19502	2126-38				
9X2000E	*19502	2124-75	20001	1103-01	20001	1110-14
	26803	2147-01	27401	J006-01	27401	J009-01
9X2000R	27401	J006-02	*27401	J009-02		
9X2011E	*19502	2124-79	20001	1103-03	20001	1110-26
	26803	2147-03	27401	J006-03	27401	J009-03
9X2011R	27401	J006-04	*27401	J009-04		
9X2022E	*19502	2124-80	20001	1103-05	20001	1110-21
	26803	2147-05	27401	J006-05	27401	J009-05
9X2022R	27401	J006-06	*27401	J009-06		
9X2033E	*19502	2124-76	19502	2126-59	20001	1103-07
	20001	1110-30	26803	2147-07	27401	J006-07
	27401	J009-07				
9X2033R	27401	J006-08	*27401	J009-08		
9X2040E	*19502	2126-61	20001	1103-09	20001	1110-40
	26803	2147-09	27401	J006-09	27401	J009-09
9X2040R	27401	J006-10	*27401	J009-10		
9X2051E	*19502	2126-65	20001	1103-11	20001	1110-42
	26803	2147-11	27401	J006-11	27401	J009-11
9X2051R	27401	J006-12	*27401	J009-12		
9X2062E	*19502	2126-68	20001	1103-13	20001	1110-38
	26803	2147-13	27401	J006-13	27401	J009-13
9X2062R	27401	J006-14	*27401	J009-14		
9X2073E	19502	2124-45	*19502	2126-64	20001	1103-15
	20001	1110-46	26803	2147-15	27401	J006-15
	27401	J009-15				
9X2073R	27401	J006-16	*27401	J009-16		
9X2080E	*19502	2124-47	20002	1103-17	20002	1111-14
	26803	2147-17	27401	J006-17	27401	J009-17
9X2080R	27401	J006-18	*27401	J009-18		
9X2091E	*19502	2124-51	20002	1103-19	20002	1111-26
	26803	2147-19	27401	J006-19	27401	J009-19
9X2091R	27401	J006-20	*27401	J009-20		
9X2102E	*19502	2124-56	20002	1103-21	20002	1111-21
	26803	2147-21	27401	J006-21	27401	J009-21
9X2102R	27401	J006-22	*27401	J009-22		
9X2113E	*19502	2124-52	19502	2126-05	20002	1103-23
	20002	1111-30	26803	2147-23	27401	J006-23
	27401	J009-23				
9X2113R	27401	J006-24	*27401	J009-24		
9X2120E	*19502	2126-07	20002	1103-25	20002	1111-40
	26803	2147-25	27401	J006-25	27401	J009-25

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9X2120R	27401	J006-26	*27401	J009-26		
9X2131E	*19502	2126-11	20002	1103-27	20002	1111-42
	26803	2147-27	27401	J006-27	27401	J009-27
9X2131R	27401	J006-28	*27401	J009-28		
9X2142E	*19502	2126-13	20002	1103-29	20002	1111-38
	26803	2147-29	27401	J006-29	27401	J009-29
9X2142R	27401	J006-30	*27401	J009-30		
9X2150E	*19502	2124-35	20003	1103-33	20003	1112-14
	26803	2147-33	27401	J006-33	27401	J009-33
9X2150R	27401	J006-34	*27401	J009-34		
9X2161E	*19502	2124-39	20003	1103-35	20003	1112-26
	26803	2147-35	27401	J006-35	27401	J009-35
9X2161R	27401	J006-36	*27401	J009-36		
9X2172E	*19502	2124-42	20003	1103-37	20003	1112-21
	26803	2147-37	27401	J006-37	27401	J009-37
9X2172R	27401	J006-38	*27401	J009-38		
9X2180E	*19501	2120-07	20003	1103-39	20003	1112-30
	26803	2147-39	27401	J006-39	27401	J009-39
9X2180R	27401	J006-40	*27401	J009-40		
9X2191E	*19501	2120-11	20003	1103-41	20003	1112-40
	26803	2147-41	27401	J006-41	27401	J009-41
9X2191R	27401	J006-42	*27401	J009-42		
9X2202E	*19501	2120-13	20003	1103-43	20003	1112-42
	26803	2147-43	27402	J006-43	27402	J009-43
9X2202R	27402	J006-44	*27402	J009-44		
9X2213E	*19501	2120-10	19501	2122-19	20003	1103-45
	20003	1112-38	26803	2147-45	27402	J006-45
	27402	J009-45				
9X2213R	27402	J006-46	*27402	J009-46		
9X2220E	*19501	2122-21	20004	1103-49	20004	1113-14
	26803	2147-49	27402	J006-49	27402	J009-49
9X2220R	27402	J006-50	*27402	J009-50		
9X2231E	*19501	2122-27	20004	1103-51	20004	1113-26
	26803	2147-51	27402	J006-51	27402	J009-51
9X2231R	27402	J006-52	*27402	J009-52		
9X2242E	*19501	2122-25	20004	1103-53	20004	1113-21
	26803	2147-53	27402	J006-53	27402	J009-53
9X2242R	27402	J006-54	*27402	J009-54		
9X2253E	19501	2120-33	*19501	2122-24	20004	1103-55
	20004	1113-30	26803	2147-55	27402	J006-55
	27402	J009-55				
9X2253R	27402	J006-56	*27402	J009-56		
9X2260E	*19501	2120-35	20004	1103-57	20004	1113-40
	26803	2147-57	27402	J006-57	27402	J009-57
9X2260R	27402	J006-58	*27402	J009-58		
9X2271E	*19501	2120-39	20004	1103-59	20004	1113-42

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
	26803	2147-59	27402	J006-59	27402	J009-59
9X2271R	27402	J006-60	*27402	J009-60		
9X2282E	*19501	2120-42	20004	1103-61	20004	1113-38
	26803	2147-61	27402	J006-61	27402	J009-61
9X2282R	27402	J006-62	*27402	J009-62		
9X2293E	*19501	2120-38	19501	2122-59	20004	1103-63
	20004	1113-46	26803	2147-63	27402	J006-63
	27402	J009-63				
9X2293R	27402	J006-64	*27402	J009-64		
9X2300E	*19501	2122-61	20004	1114-14	20005	1103-65
	26803	2147-65	27402	J006-65	27402	J009-65
9X2300R	27402	J006-66	*27402	J009-66		
9X2311E	*19501	2122-65	20004	1114-26	20005	1103-67
	26803	2147-67	27402	J006-67	27402	J009-67
9X2311R	27402	J006-68	*27402	J009-68		
9X2322E	*19501	2122-68	20004	1114-21	20005	1103-69
	26803	2147-69	27402	J006-69	27402	J009-69
9X2322R	27402	J006-70	*27402	J009-70		
9X2333E	*19501	2122-64	19502	2124-73	20004	1114-30
	20005	1103-71	26803	2147-71	27402	J006-71
	27402	J009-71				
9X2333R	27402	J006-72	*27402	J009-72		
9X2343E	19501	2120-05	*19502	2126-10	20005	1103-73
	20005	1114-40	20502	2125-11	26803	2147-73
	27402	J006-73	27402	J009-73		
9X2343R	27402	J006-74	*27402	J009-74		
9X2353E	*19502	2124-38	19901	2115-45	20005	1103-75
	20005	1114-42	26803	2147-75	27402	J006-75
	27402	J009-75				
9X2353R	27402	J006-76	*27402	J009-76		
9X238JQ	*19501	2137-25	20002	1103-31	20002	1111-46
	26803	2147-31	27401	J006-31	27401	J009-31
9X238JR	27401	J006-32	*27401	J009-32		
9YAQ2A	20100	2138-17	*20100	2139-09		
9YAQ20	20100	2110-26	20100	2137-50	*20100	2138-21
9YF12JQ	20100	2137-47	20100	2138-54	*20100	2140-56
	20502	2227-15				
9YF12KQ	19903	2119-24	*20100	2140-51		
9YF22JQ	20100	2110-23	*20100	2137-56	20501	2227-47
	20502	2227-31				
9YF22KQ	*20100	2137-51	20100	2138-56	20100	2140-50
9YF32KQ	19600	2143-68	*20100	2110-27		
9YL22A	20100	2133-54	*20100	2138-52		
9YL220	20100	2101-26	20100	2101-66	20100	2127-54
	20100	2128-14	20100	2128-40	*20100	2133-52
9YMA20	20100	2133-48	*20100	2138-46		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9YMB20	20100	2133-50	*20100	2138-45		
9YMC2A	*20100	2133-46	20100	2140-47		
9YSP03E	20100	2127-05	20100	2127-48	*20100	2128-52
9YSP13E	19600	2128-59	20100	2101-60	*20100	2127-64
	20502	2125-19				
9YSP23E	*20100	2127-52	20100	2128-33		
9YSP33E	*20100	2101-64	20100	2127-59		
9YXC20V	*20100	2136-08	20100	2139-04		
9Y1000E	*20100	2127-07	20100	2128-03		
9Y1011E	*20100	2127-11	20100	2128-01		
9Y1022E	*20100	2127-13	20100	2128-04		
9Y1033E	*20100	2127-10	20100	2128-06	20100	2128-19
9Y1040E	20100	2101-17	*20100	2128-21		
9Y1051E	20100	2101-15	*20100	2128-27		
9Y1062E	20100	2101-18	*20100	2128-25		
9Y1073E	20100	2101-20	20100	2127-45	*20100	2128-24
9Y1080E	*20100	2127-35	20100	2128-31		
9Y1091E	*20100	2127-39	20100	2128-29		
9Y1102E	*20100	2127-42	20100	2128-30		
9Y1113E	*20100	2127-38	20100	2128-34	20100	2128-45
9Y1120E	20100	2127-43	*20100	2128-47		
9Y1131E	20100	2127-41	*20100	2128-51		
9Y1142E	20100	2127-46	*20100	2128-56		
9Y1150E	20100	2101-55	*20100	2127-61		
9Y1161E	20100	2101-53	*20100	2127-65		
9Y1172E	20100	2101-57	*20100	2127-68		
9Y2000E	19502	2125-51	19600	2135-38	*20100	2128-07
9Y2011E	19502	2125-57	19600	2135-36	*20100	2128-11
9Y2022E	19502	2125-54	19600	2135-34	*20100	2128-13
9Y2033E	19502	2125-62	19600	2135-30	20100	2127-33
	*20100	2128-10	20502	2125-21		
9Y2040E	19502	2125-69	19600	2135-52	*20100	2101-21
9Y2051E	19502	2125-75	19600	2135-50	*20100	2101-27
9Y2062E	19502	2125-70	19600	2135-48	*20100	2101-25
9Y2073E	19502	2125-76	19600	2135-46	*20100	2101-24
	20100	2128-05				
9Y2080E	19502	2123-51	19600	2135-64	*20100	2128-35
9Y2091E	19502	2123-57	19600	2135-62	*20100	2128-39
9Y2102E	19502	2123-54	19600	2135-60	*20100	2128-42
9Y2113E	19502	2123-62	19600	2135-57	20100	2101-19
	*20100	2128-38				
9Y2120E	19502	2123-69	19600	2135-76	*20100	2127-47
9Y2131E	19502	2123-75	19600	2135-74	*20100	2127-51
9Y2142E	19502	2123-70	19600	2135-72	*20100	2127-56
9Y2150E	19800	2113-55	19800	2133-76	*20100	2101-61
9Y2161E	19800	2129-66	*20100	2101-65		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9Y2172E	19800	2129-55	*20100	2101-68		
9ZAQ30	20300	2137-08	*20300	2138-09	20300	2140-22
9ZAV3A	20300	2138-03	*20300	2139-11		
9ZCA41C	19700	2131-14	19700	2135-24	*19700	2143-11
9ZCA42C	19700	2131-18	19700	2135-21	*19700	2143-14
9ZCA45U	*19700	2130-36	19700	2132-47	19700	2132-61
	19700	2134-47				
9ZCB41C	19700	2131-19	19700	2135-22	*19700	2143-27
9ZCB42C	19700	2131-20	19700	2135-19	*19700	2143-26
9ZCB45U	*19700	2132-36	19700	2134-48		
9ZCC41C	19700	2131-22	19700	2135-20	*19700	2143-39
9ZCC42C	19700	2131-24	19700	2135-17	*19700	2143-40
9ZCC45U	19700	2132-64	*19700	2134-36		
9ZCD41C	19700	2131-25	19700	2135-18	*19700	2143-51
9ZCD42C	19700	2131-26	19700	2135-15	*19700	2143-54
9ZCX3AV	*20300	2136-13	20300	2139-06		
9ZCX41C	*19700	2135-27	20300	2136-11		
9ZCY42C	*19700	2135-26	20300	2139-08		
9ZC001U	*19700	2130-38	19700	2132-39	19700	2143-07
	20502	2125-47				
9ZC012U	*19700	2130-40	19700	2132-41	19700	2143-05
	20502	2123-18				
9ZC023U	*19700	2130-42	19700	2132-43	19700	2143-03
	20502	2123-34				
9ZC034U	*19700	2130-46	19700	2132-45	19700	2143-01
	20502	2239-18				
9ZC041U	19700	2130-41	*19700	2132-38	19700	2143-21
	20502	2239-34				
9ZC052U	19700	2130-43	*19700	2132-40	19700	2143-19
	20502	2239-47				
9ZC063U	19700	2130-45	*19700	2132-42	19700	2143-17
	20502	2227-18				
9ZC074U	*19700	2132-46	19700	2134-39	19700	2143-15
	20502	2227-34				
9ZC081U	19700	2132-53	*19700	2134-38	19700	2143-35
	20502	2228-34				
9ZC092U	19700	2132-55	*19700	2134-40	19700	2143-33
	20502	2226-18				
9ZC103U	19700	2132-57	*19700	2134-42	19700	2143-31
	20502	2226-34				
9ZC114U	19700	2132-59	*19700	2134-46	19700	2143-29
	20502	2228-47				
9ZC121U	*19700	2132-54	19700	2134-41	19700	2143-47
	20502	2123-47				
9ZC132U	*19700	2132-56	19700	2134-43	19700	2143-45
	20502	2228-18				



Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9ZC143U	*19700	2132-60	19700	2134-45	19700	2138-08
	19700	2143-43	20502	2226-47		
9ZC154U	19700	2130-39	*19700	2132-62	19700	2138-10
	19700	2143-41	20502	2104-47		
9ZD130T	*20300	2130-24	20300	2131-73		
9ZD131T	*20300	2130-26	20300	2131-74		
9ZD135T	*20300	2130-23	20300	2131-75		
9ZD136T	*20300	2130-25	20300	2131-77		
9ZD139T	*20300	2130-34	20300	2131-78		
9ZEQ4A	*19700	2131-23	20400	2102-36	20400	2102-77
	20400	2110-36				
9ZF13JQ	20300	2137-07	20300	2138-11	*20300	2140-13
	20502	2226-17				
9ZF13KQ	19903	2118-07	*20300	2140-11		
9ZF23JQ	*20300	2137-13	20300	2140-21	20400	2107-17
	20400	2110-31	20400	2112-17	20501	2227-50
	20502	2226-33				
9ZF23KQ	*20300	2137-11	20300	2138-13	20300	2140-08
9ZF33JQ	20300	2137-14	*20300	2140-25		
9ZIC2A	*19700	2116-46	19700	2130-35	19700	2132-35
	19700	2132-49	19700	2134-35		
9ZIC20	*19700	2111-46	19700	2116-48		
9ZL23A	20300	2133-11	*20300	2138-15		
9ZL230	*20300	2133-15	20300	2141-14	20300	2141-40
	20300	2141-66	20300	2142-26	20300	2142-54
	20300	2142-78	20300	2144-14	20300	2144-40
	20300	2144-66				
9ZMC3A	*20300	2138-22	20300	2140-07		
9ZRL1R	19700	2133-20	19700	2137-36	*19700	2138-14
	20202	2106-18	20202	2114-05	20202	2119-19
9ZRL1S	*19700	2133-14	19700	2138-20	19700	2140-40
9ZRP5A	19700	2138-18	*19700	2139-21		
9ZR05JQ	19700	2111-48	19700	2139-18	*19700	2140-42
	19901	2119-08	19903	2111-10	20202	2114-64
9ZR05KQ	19700	2137-37	*19700	2140-39	19901	2110-05
	19903	2119-29	20201	2103-36	20201	2103-37
9ZR15JQ	*19700	2137-42	19700	2139-19		
9ZR15KQ	*19700	2137-39	19700	2140-36	20202	2114-62
9ZSA3A	20300	2131-71	*20300	2133-57		
9ZSB3A	20300	2131-72	*20300	2133-63		
9ZSP03E	*20300	2142-38	20300	2144-34	20300	2144-45
9ZSP13E	20300	2141-33	*20300	2144-38		
9ZTC4A	19700	2130-48	*19700	2138-06		
9ZOS0A	*20300	2133-72	20300	2138-26		
9ZOS30	*20300	2131-76	20300	2133-73	20300	2141-71
9Z0000	20001	1104-01	*2000'1	1110-47	20100	2127-03

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9Z0010	20300	2142-03	26803	2146-01		
	20001	1104-03	*20001	1110-52	20100	2127-01
	20300	2142-01	26803	2146-03		
9Z0020	20001	1104-05	*20001	1110-63	20100	2127-04
	20300	2142-04	26803	2146-05		
9Z0030	20001	1104-07	*20001	1110-62	20100	2127-06
	20300	2142-06	26803	2146-07		
9Z0040	20001	1104-09	*20001	1110-73	20100	2128-17
	20300	2144-17	26803	2146-09		
9Z0050	20001	1104-11	*20001	1110-71	20100	2128-15
	20300	2144-15	26803	2146-11		
9Z0060	20001	1104-13	*20001	1110-79	20100	2128-18
	20300	2144-18	26803	2146-13		
9Z0070V	20100	2128-20	*20300	2136-24	20300	2144-20
9Z0080	20002	1104-17	*20002	1111-47	20100	2127-31
	20300	2141-17	26803	2146-17		
9Z0090	20002	1104-19	*20002	1111-52	20100	2127-29
	20300	2141-15	26803	2146-19		
9Z0100	20002	1104-21	*20002	1111-63	20100	2127-30
	20300	2141-18	26803	2146-21		
9Z0110	20002	1104-23	*20002	1111-62	20100	2127-34
	20300	2141-20	26803	2146-23		
9Z0120	20002	1104-25	*20002	1111-73	20100	2128-43
	20300	2142-31	26803	2146-25		
9Z0130	20002	1104-27	*20002	1111-71	20100	2128-41
	20300	2142-29	26803	2146-27		
9Z0140	20002	1104-29	*20002	1111-79	20100	2128-46
	20300	2142-30	26803	2146-29		
9Z0150	20003	11'04-31	*20003	1112-73	20100	2127-55
	20300	2133-59	20300	2133-71	20300	2141-69
	26803	2146-31				
9Z0160	20003	1104-33	*20003	1112-71	20100	2127-53
	26803	2146-33				
9Z0170	20003	1104-35	*20003	1112-79	20100	2127-57
	20300	2130-20	20300	2133-53	26803	2146-35
9Z0180	20003	1104-37	*20003	1112-47	20300	2144-43
	26803	2146-37				
9Z0190	20003	1104-39	*20003	1112-52	20300	2144-41
	26803	2146-39				
9Z0200	20003	1104-41	*20003	1112-63	20300	2144-46
	26803	2146-41				
9Z0210	20003	1104-43	*20003	1112-62	20300	2144-48
	26803	2146-43				
9Z0220	20004	1104-45	*20004	1113-73	20300	2141-43
	26803	2146-45				
9Z0230	20004	1104-47	*20004	1113-71	20300	2141-41

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9Z0240	26803	2146-47				
	20004	1104-49	*20004	1113-79	20300	2141-46
	26803	2146-49				
9Z0250V	*20300	2136-54	20300	2141-48		
9Z0260	20004	1104-53	*20004	1113-47	20300	2142-55
	26803	2146-53				
9Z0270	20004	1104-55	*20004	1113-52	20300	2142-53
	26803	2146-55				
9Z0280	20004	1104-57	*20004	1113-63	20300	2142-57
	26803	2146-57				
9Z0290	20004	1104-59	*20004	1113-62	20300	2142-60
	26803	2146-59				
9Z0300	20005	1104-61	*20005	1114-47	20300	2144-71
	26803	2146-61				
9Z0320	20005	1104-65	*20005	1114-52	20300	2144-70
	26803	2146-65				
9Z0330	20005	1104-69	*20005	1114-63	20300	2144-72
	26803	2146-69				
9Z0350	20005	1104-73	*20005	1114-62	20300	2141-72
	26803	2146-73				
9Z0360	20005	1104-75	*20005	1114-73	20100	2138-43
	26803	2146-75				
9Z0380V	20300	2130-22	20300	2133-55	20300	2133-61
	*20300	2136-30				
9Z1000E	*20300	2142-07	20300	2144-03		
9Z1011E	*20300	2142-11	20300	2144-01		
9Z1022E	*20300	2142-13	20300	2144-04		
9Z1033E	*20300	2142-10	20300	2144-06	20300	2144-19
9Z1040E	20300	2141-03	*20300	2144-21		
9Z1051E	20300	2141-01	*20300	2144-27		
9Z1062E	20300	2141-04	*20300	2144-25		
9Z1073E	20300	2141-06	20300	2141-19	*20300	2144-24
9Z1080E	*20300	2141-21	20300	2142-17		
9Z1091E	*20300	2141-27	20300	2142-15		
9Z1102E	*20300	2141-25	20300	2142-18		
9Z1113E	*20300	2141-24	20300	2142-20	20300	2142-33
9Z1120E	*20300	2142-35	20300	2144-31		
9Z1131E	*20300	2142-39	20300	2144-29		
9Z1142E	*20300	2142-42	20300	2144-30		
9Z1150E	*20300	2141-75	20300	2142-71		
9Z1161E	*20300	2141-79	20300	2142-69		
9Z1180E	20300	2141-31	*20300	2144-47		
9Z1191E	20300	2141-29	*20300	2144-51		
9Z1202E	20300	2141-30	*20300	2144-56		
9Z1213E	20300	2141-34	20300	2141-45	*20300	2144-52
9Z1220E	*20300	2141-47	20300	2142-43		

Table 5-2. Key Signal Lookup Listing - Continued

Signal		Distribution				
9Z1231E	*20300	2141-51	20300	2142-41		
9Z1242E	*20300	2141-56	20300	2142-46		
9Z1253E	*20300	2141-52	20300	2142-48	20300	2142-59
9Z1260E	*20300	2142-61	20300	2144-55		
9Z1271E	*20300	2142-65	20300	2144-53		
9Z1282E	*20300	2142-68	20300	2144-57		
9Z1293E	*20300	2142-64	20300	2144-60	20300	2144-73
9Z1300E	20300	2141-55	*20300	2144-75		
9Z1311E	20300	2141-53	*20300	2144-79		
9Z1322E	20300	2141-57	*20300	2144-80		
9Z1333E	20300	2141-60	20300	2142-05	*20300	2144-76
	20502	2125-18				
9Z1342E	*20300	2141-80	20300	2142-70		
9Z1353E	20100	2101-59	*20300	2141-76	20300	2142-72
9Z2000E	19700	2143-10	*20300	2144-07		
9Z2011E	19700	2143-08	*20300	2144-11		
9Z2022E	19700	2143-06	*20300	2144-13		
9Z2033E	19700	2143-04	20300	2141-05	*20300	2144-10
9Z2040E	19700	2143-24	*20300	2141-07		
9Z2051E	19700	2143-22	*20300	2141-11		
9Z2062E	19700	2143-20	*20300	2141-13		
9Z2073E	19700	2143-18	*20300	2141-10	20300	2142-19
9Z2080E	19700	2143-38	*20300	2142-21		
9Z2091E	19700	2143-36	*20300	2142-27		
9Z2102E	19700	2143-34	*20300	2142-25		
9Z2113E	19700	2143-30	*20300	2142-24	20300	2144-33
9Z2120E	19700	2143-52	*20300	2144-35		
9Z2131E	19700	2143-50	*20300	2144-39		
9Z2142E	19700	2143-48	*20300	2144-42		
9Z2150E	08503	2343-34	20201	2113-38	*20300	2142-75
	26802	2349-33	26803	2148-33	27301	J005-33
	27301	J086-33				
9Z2150R	27301	J005-34	*27301	J086-34		
9Z2161E	08503	2343-30	20201	2113-35	*20300	2142-79
	26802	2349-45	26803	2148-45	27302	J005-45
	27302	J086-45				
9Z2161R	27302	J005-46	*27302	J086-46		
9Z2180E	08503	2247-72	*20300	2141-35	26802	2349-09
	26803	2148-09	27301	J005-09	27301	J086-09
9Z2180R	27301	J005-10	*27301	J086-10		
9Z2191E	08503	2247-70	*20300	2141-39	26802	2349-11
	26803	2148-11	27301	J005-11	27301	J086-11
9Z2191R	27301	J005-12	*27301	J086-12		
9Z2202E	08503	2247-69	*20300	2141-42	26802	2349-13
	26803	2148-13	27301	J005-13	27301	J086-13
9Z2202R	27301	J005-14	*27301	J086-14		

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9Z2213E	08503	2247-71	*20300	2141-38	20300	2142-45
	26802	2349-15	26803	2148-15	27301	J005-15
	27301	J086-15				
9Z2213R	27301	J005-16	*27301	J086-16		
9Z2220E	08503	2343-20	*20300	2142-47	26802	2349-17
	26803	2148-17	27301	J005-17	27301	J086-17
9Z2220R	27301	J005-18	*27301	J086-18		
9Z2231E	08503	2343-18	*20300	2142-51	26802	2349-19
	26803	2148-19	27301	J005-19	27301	J086-19
9Z2231R	27301	J005-20	*27301	J086-20		
9Z2240	27301	J005-21	*27301	J086-21		
9Z2240R	27301	J005-22	*27301	J086-22		
9Z2242E	08503	2343-15	*20300	2142-56	26802	2349-21
	26803	2148-21	27301	J005-41	27301	J086-41
9Z2242R	27301	J005-42	*27301	J086-42		
9Z2250	27301	J005-23	*27301	J086-23		
9Z2250R	27301	J005-24	*27301	J086-24		
9Z2253E	08503	2343-17	*20300	2142-52	20300	2144-59
	26802	2349-23	26803	2148-23		
9Z2260E	08503	2342-20	*20300	2144-61	26802	2349-25
	26803	2148-25				
9Z2271E	08503	2342-18	*20300	2144-65	26802	2349-27
	26803	2148-27	27301	J005-25	27301	J086-25
9Z2271R	27301	J005-26	*27301	J086-26		
9Z2282E	08503	2342-15	*20300	2144-68	26802	2349-29
	26803	2148-29	27301	J005-27	27301	J086-27
9Z2282R	27301	J005-28	*27301	J086-28		
9Z2293E	08503	2342-17	20300	2141-59	*20300	2144-64
	26802	2349-31	26803	2148-31	27301	J005-29
	27301	J086-29				
9Z2293R	27301	J005-30	*27301	J086-30		
9Z2300E	08503	2342-34	20201	2113-65	*20300	2141-61
	26802	2349-39	26803	2148-39	27301	J005-39
	27301	J086-39				
9Z2300R	27301	J005-40	*27301	J086-40		
9Z2311E	20201	2117-71	20202	2116-07	*20300	2141-65
9Z2322E	08503	2342-29	*20300	2141-68	26802	2349-47
	26803	2148-47	27302	J005-47	27302	J086-47
9Z2322R	27302	J005-48	*27302	J086-48		
9Z2333E	08503	2342-31	*20300	2141-64	20300	2144-05
	20502	2125-17	26802	2349-35	26803	2148-35
	27301	J005-35	27301	J086-35		
9Z2333R	27301	J005-36	*27301	J086-36		
9Z2342E	20201	2117-72	20202	2113-29	*20300	2142-80
9Z2353E	08503	2342-30	20300	2141-73	*20300	2142-76
	26802	2349-41	26803	2148-41	27301	J005-31

Table 5-2. Key Signal Lookup Listing - Continued

Signal	Distribution					
9Z2353R	27301	J086-31	*27301	J086-32		
90GND A	27301	J005-32	*26601	S31-01	28102	J023-61
90GNDAV	26601	J04-76				
	29302	J035-76				
	26803	1303-61				

5-563/(5-564 blank)

**By Order of the Secretary of the Army:**

**JOHN A. WICKHAM, JR.**  
*General, United States Army*  
*Chief of Staff*

**Official:**

**ROBERT M. JOYCE**  
*Major General, United States Army*  
*The Adjutant General*

Distribution:

To be distributed in accordance with DA Form 12-32, Section III, Organizational Maintenance requirement for AN/TSQ-73 Missile System.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

**SOMETHING WRONG WITH THIS PUBLICATION?**

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER	PUBLICATION DATE	PUBLICATION TITLE
--------------------	------------------	-------------------

BE EXACT... PIN-POINT WHERE IT IS				IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:
PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.	

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER	SIGN HERE:
--	------------

DA FORM 2028-2  
1 JUL 79

PREVIOUS EDITIONS ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.



# THE METRIC SYSTEM AND EQUIVALENTS

## WEIGHT MEASURE

1 Centimeter = 10 Millimeters = 0.01 Meters = 0.3937 Inches  
 1 Meter = 100 Centimeters = 1000 Millimeters = 39.37 Inches  
 1 Kilometer = 1000 Meters = 0.621 Miles

## WEIGHTS

1 Gram = 0.001 Kilograms = 1000 Milligrams = 0.035 Ounces  
 1 Kilogram = 1000 Grams = 2.2 lb.  
 1 Metric Ton = 1000 Kilograms = 1 Megagram = 1.1 Short Tons

## LIQUID MEASURE

1 Milliliter = 0.001 Liters = 0.0338 Fluid Ounces  
 1 Liter = 1000 Milliliters = 33.82 Fluid Ounces

## SQUARE MEASURE

1 Sq. Centimeter = 100 Sq. Millimeters = 0.155 Sq. Inches  
 1 Sq. Meter = 10,000 Sq. Centimeters = 10.76 Sq. Feet  
 1 Sq. Kilometer = 1,000,000 Sq. Meters = 0.386 Sq. Miles

## CUBIC MEASURE

1 Cu. Centimeter = 1000 Cu. Millimeters = 0.06 Cu. Inches  
 1 Cu. Meter = 1,000,000 Cu. Centimeters = 35.31 Cu. Feet


## TEMPERATURE

$5/9(^{\circ}\text{F} - 32) = ^{\circ}\text{C}$   
 212° Fahrenheit is equivalent to 100° Celsius  
 90° Fahrenheit is equivalent to 32.2° Celsius  
 32° Fahrenheit is equivalent to 0° Celsius  
 $9/5^{\circ}\text{C} + 32 = ^{\circ}\text{F}$

## APPROXIMATE CONVERSION FACTORS

TO CHANGE	TO	MULTIPLY BY
Inches	Centimeters	2.540
Feet	Meters	0.305
Yards	Meters	0.914
Miles	Kilometers	1.609
Square Inches	Square Centimeters	6.451
Square Feet	Square Meters	0.093
Square Yards	Square Meters	0.836
Square Miles	Square Kilometers	2.590
Acres	Square Hectometers	0.405
Cubic Feet	Cubic Meters	0.028
Cubic Yards	Cubic Meters	0.765
Fluid Ounces	Milliliters	29.573
its	Liters	0.473
arts	Liters	0.946
allons	Liters	3.785
Ounces	Grams	28.349
Pounds	Kilograms	0.454
Short Tons	Metric Tons	0.907
Pound-Feet	Newton-Meters	1.356
Pounds per Square Inch	Kilopascals	6.895
Miles per Gallon	Kilometers per Liter	0.425
Miles per Hour	Kilometers per Hour	1.609

TO CHANGE	TO	MULTIPLY BY
Centimeters	Inches	0.394
Meters	Feet	3.280
Meters	Yards	1.094
Kilometers	Miles	0.621
Square Centimeters	Square Inches	0.155
Square Meters	Square Feet	10.764
Square Meters	Square Yards	1.196
Square Kilometers	Square Miles	0.386
Square Hectometers	Acres	2.471
Cubic Meters	Cubic Feet	35.315
Cubic Meters	Cubic Yards	1.308
Milliliters	Fluid Ounces	0.034
Liters	Pints	2.113
Liters	Quarts	1.057
ers	Gallons	0.264
ms	Ounces	0.035
ograms	Pounds	2.205
Metric Tons	Short Tons	1.102
Newton-Meters	Pounds-Feet	0.738
Kilopascals	Pounds per Square Inch	0.145
ometers per Liter	Miles per Gallon	2.354
ometers per Hour	Miles per Hour	0.621



**PIN: 055836-002**