

DEPARTMENT OF THE ARMY TECHNICAL BULLETIN

OPERATOR/CREW BOAT SET LIST
BASIC ISSUE ITEMS AND ACCESSORY ITEMS
BARGE, REFRIGERATOR, NONPROPELLED
DESIGN 7010, NSN 1935-00-375-2990

Headquarters, Department of the Army, Washington, D. C.

17 June 1988

TB 55-1935-202-12, 30 September 1976, is changed as follows:

Page 1, Reporting of Errors. Change "ATTN: DRSTS-MPP, 4300 Goodfellow Blvd., St. Louis, MO 63120" to read "ATTN: AMSTR-MCTS, 4300 Goodfellow Blvd., St. Louis, MO 63120-1798.

Page 3, after item 4, add: 6630-01-067-3827 Comparator Set, Color (72345) EA 1.

Page 4, delete item 17, NSN 6630-00-074-0394 Test Kit-Chromate (71821) 121H.

By Order of the Secretary of the Army:

Official

CARL E. VUONO
General, United States Army
Chief of Staff

R. L. DILWORTH
Brigadier General, United States Army
The Adjutant General

DISTRIBUTION:

To be distributed in accordance with DA Form 12-25A, Operator Maintenance Requirements for Barge Deck, Non-propelled, Steel, 578-T or 4160 BBL, 120 Ft. Model 231B.

1/(2 blank)

DEPARTMENT OF THE ARMY TECHNICAL BULLETIN

**OPERATOR/CREW BOAT SET LIST
BASIEC ISSUE ITEMS AND ACCESSORY ITEMS
BARGE, REFRIGERATOR, NONPROPELLED
DESIGN 7010, NSN 1935-00-375-2990**

Headquarters, Department of the Army, Washington, DC
30 September 1976

REPORTING OF ERRORS

You can help to improve this bulletin by calling attention to errors and by recommending improvements. Your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms), and/or DA Form 2028-2 (Recommended Changes to Equipment Technical Manuals), may be used. Copies of DA Form 2028-2 are attached in the back of this bulletin for your use. Please mail your recommended changes direct to Commander, US Army Troop Support Command, ATTN: DRSTS-MPP, 4300 Goodfellow Blvd, St. Louis, MO 63120: A reply will be furnished direct to you.

		Paragraph	Page
Section	General	1	1
	Format of Technical Bulletin.....	2	1
	Excess Items	3	2
	Composition of Technical Bulletin	4	2
	Special Instructions	5	2
	Abbreviations.....	6	2
	I. Operating Equipment (BILI)	3	
	II. Operating Supplies (BILI)	4	
	III. O. Board Repair Part (BILI)	5	
	IV. Accessory Items (Non BILI)	8	

1. General. This bulletin for Barge, Refrigerator, Nonpropelled, Design 7010, is intended as an aid identification, procurement, requisitioning, assembly storage and issue of operating equipment, operating supplies, on board repair parts, and accessory items aboard the vessel.

b. The Boat Set will be issued initially complete by TROSCOM

c Requisitions for replacement of component items will be submitted to the managing activity having issue responsibility.

d When watercraft is transferred or returned to an inactive status, the boat set will be completed and turned in with the vessel.

2. Format of Technical Bulletin. This bulletin is divided into the following:

a. *Section I - Operating Equipment* This section

lists equipment necessary for the operation of the vessel exclusive of accessory equipment.

b. *Section II - Operating Supplies.* This section lists operating supplies which are consumed in use, exclusive of repair parts. They are required for the operation, maintenance, health and welfare of the crew.

c *Section III - On Board Repair Parts.* This section lists repair parts issued and required on board the vessel at all times when on active status. Due to configuration differences, it will be necessary to reflect hull numbers where differences exist.

d *Section IV - Accessory Items* This section lists accessory equipment on board which are installed by the manufacturer or by the issuing Agency and are considered as a part of the basic configuration of the vessel.

THIS PUBLICATION IS A COURTESY QUICK COPY FROM THE UNITED STATES ARMY PUBLICATIONS DISTRIBUTION CENTER, ST. LOUIS, MISSOURI, TO MEET YOUR NEEDS WHILE WE REPLENISH OUR REGULAR STOCK.

3. Excess Items. This bulletin does not constitute authorization for excessing or disposing of any operating equipment, supplies or on board spare parts which are currently on board or marked for this vessel. Excess items will be exhausted by normal attrition.

4. Composition of Technical Bulletin. The component listing within each section is in alphabetical sequence by item name and contains the following data:

a. *National Stock Number (NSN)*. A number listed in this publication for use in all supply operations.

b. *Description* The item descriptions included are listed in alphabetical sequence by item name, with additional descriptive information required for identification:

(1) Manufacturer's code, part numbers and/or the applicable specification references.

(2) Pertinent information and notes applicable to the set follow the last component.

c. *Quantity Per Set (QTY)*. This column lists the quantities of each component authorized.

D. *Expendability-Recoverability Code (REC)*. This one-digit code indicates the method or condition under which the repair parts can be recovered. Absence of a code indicates the item is expendable. Codes that appear are defined as follows:

Codes	Definition
Z	Non-reparable item. When unserviceable condemn and dispose at the level indicated by source, maintenance, and recoverability code.
O	Reparable item. When uneconomically repairable, condemn and dispose at organizational level.
F	Reparable item. When uneconomically repairable, condemn and dispose of at the following intermediate levels: USA -- Intermediate USA -- Direct Support USN -- Afloat USMC -- Third Echelon
H	Reparable item. When uneconomically repairable, condemn and dispose at the following levels: USAF - Intermediate USA - General Support USN- Ashore USMC - Fourth Echelon Safeguard Program, Code F, will be used to denote intermediate level. On joined programs, use of either Code F or H by the joining service will denote intermediate level of USAF and the USA Safeguard Programs.
D.....	Reparable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.

L Repairable item. Repair, condemnation and disposal not authorized below depot/specialized repair activity level.

A Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material) Refer to appropriate manuals/directives for specific instructions.

5. Special Instructions. Electronic and Communication Equipment Requirements for this vessel are not contained in this bulletin, but are contained in the following publications: TB 434117 and SB 116.

6. Abbreviations.

AC	Alternating Current
AMP	Ampere(s)
ASSY	Assembly
BE	Bale
BX	Box
C A	Capacity
CHG	Charge
CIRC	Circumference
CL	Coil
CN.....	Can
CO	Container
CO 2	Carbon Dioxide
CRES	Corrosion Resistance
DC.....	Direct Current
DIA	Diameter
DR.....	Drum
DRVN	Driven
EA.....	Each
ELEC	Electric
FT	Foot
GAL.....	Gallon
HP.....	Horsepower
IN.....	Inch
LB	Pound
LG.....	Long
LP	Liquid Propane
MDL.....	Model
MTD	Mounted
NC.....	National Course
NF.....	National Fine
OD	Outside Diameter
OZ.....	Ounce
PR.....	Pair
PT	Pint
QTY	Quantity
REC	Recoverability
RL	Reel
SE	Set
SL	Spool
U/I	Unit of Issue
V	Volt
W	Watt(s)
WIO Without	

Section I. OPERATING EQUIPMENT (BILI)

NSN	DESCRIPTION	U/M	QTY	REC
6625-00-237-9312	Ammeter-Portable, AC (90689) PA5STYLE1727795	EA	1	
5120-00-293-0665	Bar-Wrecking, 30" Lg. (81348) GGG-B-101	EA	1	
6140-00-234-7360	Battery-Filler, Gravity: Jug Type (72853) 75	EA	1	
4240-00-678-5263	Breathing Apparatus-Oxygen (81349) B-51254	EA	1	
7240-00-256-7700	Can-Flammable, Waste, 10 Gal. (81348) RR-C-114	EA	1	
7240-00-965-4427	Waste Receptacle, Removal, Open Top Type: 10 Gal. (81348) L-W-25	EA	2	
7240-00-857-2227	Waste Receptacle, Plastic Body, Gray, 24 Gal. (81348) L-W-25, Size 4, Class A	EA	2	
5120-00-529-4124	Carrier Storage Battery, Hand (81349) C-19482, Size 2	EA	1	
7105-00-269-8463	Chair-Folding, Metal (81348) AA-C-291	EA	2	
5110-00-554-7345	Chisel-Cape, Hand, 1/4" x 6 3/4" (81348) GGG-C-313	EA	1	
5110-00-222-2117	Chisel, Half, Round, Nose, Hand, 1/4" x 5 1/2" (81348) GG-C-313	EA	1	
5110-00-236-3272	Chisel-Cold, Hand: 3/4" x 6 1/2" (81348) GGG-C-313	EA	1	
5999-00-195-9689	Clip, Electric, Crocodile, 3 1/2" Lg. (81348) W-440	EA	4	
6680-00-242-9229	Counter-Rotary, 0-5000 RPM (57163) 107	EA	1	
5110-00-293-0460	Cutter-Pipe, s" - 2" (81348) GGGC171, Type I, Class A	EA	1	
5136-00-357-7494	Die & Tap Set-Thread Cutting, NC (81348) GGG-T-330	SE	1	
5136-00-357-7504	Die & Tap Set-Thread Cutting, NF (81348) GGG-T330	SE	1	
5210-00-266-7038	Divider, Mechanic-Ring Type-O" - 4" (81348) GGG-D-351	EA	1	
5130-00-853-4480	Drill-Electric, 3/8" AC/DC (81248) W-D-61	EA	1	
5133-00-293-0983	Drill Set, Twist, 29 ea (81348) GGG-D-751, Type I, Class A	SE	1	
8345-00-656-1434	Flag-National, U. S. 2' 4" x 4' 6" (81348) DDD-F416	EA	1	
6230-00-264-8261	Flashlight, Watertight; 2 cell (81349) F-3747	EA	4	
5120-00-892-5485	Hammer, Hand, Carpenter, 1 Lb. (81348) GGG-H-86	EA	1	
4720-00-202-6482	Hose, Assembly, Nonmetallic-Water, Y4" x 50" (81348) ZZH-601, Grade B	EA	2	
6545-00-922-1200	Kit-First Aid, Gen Purpose, 12 Unit (33333) NOREF	EA	1	
6230-00-781-3189	Lantern-Elec, 6 V, w/o relay (96906) MS100-2	EA	1	
4930-00-253-2478	Lubricating Gun, Hand, 16 Oz (81349) G-3859	EA	1	
7240-00-233-6013	Measure-Liquid, 1 Qt. (81348) RR-M-190	EA	1	
7240-00-233-6025	Measure-Liquid, 1 Gal. (81348) RR-M-190	EA	1	
8465-00-238-3344	Megaphone-Hand, 18" (81348) M-1263	EA	1	
3940-00-272-9291	Sling, Cargo, Net, 20' x 40' (81349) S-16626	EA	2	
6625-00-581-2466	Ohmmeter-0-1000 Meg Ohms Resist 66150) SG1000	EA	1	

NSN	DESCRIPTION	U/M	QTY	REC
4930-00-266-9182	Oiler-Hand, 8 Oz. (81348) GGG-O-591	EA	1	
4930-00-262-8868	Oiler-Hand, Flex Spout 1 Pt.- (81348) GGG-O-591	EA	1	
7240-00-160-0455	Pail-Utility: 3½ Gal. (81348) RR-P-35	EA	6	
5120-00-223-7397	Pliers, Slip Joint: Straight, 8" (81348) GGG-P-471, Type II, Class A	EA	1	
5120-00-243-2776	Puller-Fuze, No. 3 (81348) W-P-796	EA	1	
4310-00-289-5967	Pump, Vacuum, Unit Rotary 115 V AC, 13 CFM (Refrig) (33333) NOREF	EA	1	
5110-00-449-7313	Punch Set-Gasket Cutting E45225) HP7	SE	1	
4930-00-263-9886	Pump-Dispensing, Hand, Rotary (81349) D4078, Type 1, Class 1	EA	1	
4240-00-368-6149	Respirator-Air Filter (81349) R3308	EA	1	
5120-00-596-7816	Screwdriver-Flat, 6" (81348) GGG-S-121	EA	1	
5120-00-293-3309	Screwdriver-Flat, 10" (81348) GGG-S-121	EA	1	
5120-00-293-1041	Screwdriver-Flat, 18" (81348) GGG-S-121	EA	1	
5120-00-832-6219	Screwdriver-Cross Tip, 8" (11728) KP-28	EA	1	
8345-00-174-0453	Shape, Day, Maritime, Ball, Black (81349) S-29108	EA	1	
3439-00-930-1638	Soldering Gun-Elect, Trigger Operated (11103) 450	EA	1	
5210-00-526-0752	Tape-Tank, 'Measuring, 50 FL (37163) 14075	EA	1	
6630-00-531-1968	Test Kit-Chromate (71821) 121H	EA	1	
6630-00-531-1968	Test Kit-Oil Condition (531 Cmts) (81349) T-19467	EA	1	
6630-00-171-5126	Tester, Battery Electrolyte Solution (81348) GG-T-258	EA	1	
5180-00-357-7514	Threading Set-Pipe, 1/8" to 1" (81348) GGG-T-581	SE	1	
5180-00-672-2611	Tool Kit-General Mech, Light (19099) SC5180-97-E28	EA	1	
5120-00-221-1117	Vise-Machinist, 5 In. Jay (81348) GGG-V-410	EA	1	
6625-00-553-1364	Voltmeter-Portable, AC (79500) PA14AC	EA	1	
5120-00-277-1484	Wrench-Pipe Adj. 8" (81348) GGG-W-651	EA	2	
5120-00-277-1462	Wrench-Pipe Adj. 24" (81348) GGG-W-651	EA	2	
5120-00-293-0317	Wrench-Spanner, 1½ to 3" (81349) W-10442	EA	1	
5120-00-204-1999	Wrench Set-Socket, 3/4 In. (81348) GGG-W-614	SE	1	
7920-00-893-5869	Mopping Outfit, Floor (81348) RR-M-SL, Type II	EA	2	

Section II. OPERATING SUPPLIES (BILI)

NSN	DESCRIPTION	U/M	QTY	REC
7528-00-281-5911	Basket-Waste Paper (81348) RR-B-181	EA	1	
6135-00-050-3280	Battery, Dry-Battle Lantern (80063) BA-200U	EA	2	
6135-00-120-1020	Battery, Dry-Flashlight (80063) BA-30	PG	1	

NSN	DESCRIPTION	U/M	QTY	REC
7510-00-889-3494	Binder, Looseleaf (81349) B43064	EA	1	
6545-00-911-1300	Blanket Set, Bed, Medical (33333) NOREF	EA	1	
7920-00-267-2967	Broom-Push, Rattan, 16 In. (81348) H-B-71, Class 1	EA	2	
7920-00-291-8305	Broom-Upright, Corn (81348) H-B-51	EA	2	
7920-00-240-6358	Brush-Dusting, Bench (81348) H-B-190	EA	2	
7920-00-243-3407	Brush-Floor, Sweeping-Dusting, Floor (81348) H-B-651	EA	2	
7920-00-772-5800	Brush-Sanitary (81348) H-B-481	EA	1	
7920-00-240-7174	Brush Scrub (81348) H-B-1490	EA	2	
7920-00-291-5815	Brush-Wire, Scratch, Curved Handle (81348) H-B-178	EA	2	
4240-00-174-1365	Canister-OBA (40912) 92900	EA	2	
7520-00-240-5503	Clipboard-File (81348) LLL-A-650, Type II, Class B	EA	2	
4020-00-240-2164	Cord, Fibrous, 1/4", 200' Coil (81349) L-1145	CL	1	
68300584-3041	Cylinder Replacement-Propane (81348) BB-G-110	EA	1	
6830-00-264-9089	Dichlorodifluoromethane, Fed Spec. BB-F-1421, Type 12, 10 Lb., which includes Cylinder 81-00-248-0172	CY	6	
7290-00-224-8308	Dust Pan (81348) RR-D-00	EA	2	
7920-00-205-1170	Handle-Mop, Wood (81348) NN-H-101, Type II, Class 1	EA	2	
7920-00-263-0328	Handle-Wood, Acme Thread (81348) NN-H-104	EA	2	
6240-00-155-8655	Lamp-Incandescent, 40 Watt (81348) W-L-101 GSAFSS	EA	24	
6240-00-143-3119	Lamp-Incandescent, 60 Watt (81348) W-L-101-1-T	EA	24	
6240-00-143-3124	Lamp-Incandescent, 100 Watt (81348) W-L-101-1-T	EA	24	
4020-00-240-2185	Marline-Hemp, 20 Lb/Coil (81348) T-R650	CL	1	
7220-00-238-8852	Mat-Floor, Rubber, 18" x 29" (81348) ZZ-M-46	EA	2	
7920-00-171-1148	Mophead-Cotton (81348) T-M-561	EA	2	
8540-00-530-3769	Paper-Toilet, 96 Rolls/Case (81348) UU-P-556	BX	1	
7930-00-266-7173	Polish-Metal (81348) P-P-556, Type II, Class 1	PT	2	
7930-00-205-0442	Powder-Scouring (81348) P-S-311	CN	2	
7920-00-205-1711	Rag-Wiping, 50 Lb. Bale (81348) DDD-R-3O, Class 1 or 2	BE	1	
7510-00-161-6215	Ruler-Wood, 12" Long (81348) GG-R-791	EA	1	

Section III. ONBOARD REPAIR PARTS (BILI)**PART ONE**

The following is applicable to Hull Nos. BRM 6229, 6234 and 6438

NSN	DESCRIPTION	U/M	QTY	REC
2910-00-287-5473	Detroit Diesel Model 4061A 70MM Element, Fuel Filter (24617) TP511	EA	3	
2910-00-371-2846	Element, Fuel Strainer (72582) 5192854	EA	3	

NSN	DESCRIPTION	U/M	QTY	REC
5330-00-627-4085	Gasket: Non-Metallic, Filter, Fuel (72582) 5192801	EA	3'	
2940-00-141-9026	Element, Filter Lube Oil (81348) F-F-351	EA	3	
5330-00-290-7860	Gasket: Non-Metal, Filter, Lube Oil (70040) 5571024	EA	3	
4720 -00-980-1550	Hose, Non-Metallic, Rubber, Oil Cool Outlet (72582) 5167747	EA	3	
6620-00-377-3497	Thermostat, Water Temp Control (72582) 5172141	EA	1	
3030-00-269-7204	Belt, V, Drive, Crankcase Pulley (72582) 3224367	EA	3	
	Generator, Battery Charging 24V Delco Remy P/N 1106867			
5977-00-391-0635	Brush, Electrical Contact (16764) 1906911	EA	3	
5340-00-249-5903	Spring, Helical Extension: Brush (16764) 1910033	EA	3	
	Generator, AC Kurz & Root Model E9778M695, 40 KW, Type E.I. Frame 18, 230 V, 1200 RPM			
5977-00-097-0660	Brush, Electrical Contact (75377) 19-9465	EA	12	
5977-00-097-0661	Holder, Electrical Contact (75377) 182424	EA	6	
5340-00-305-6204	Spring, Brush Holder (75377) 20-954-7	EA	12	
	Exciter, DC, Kurz & Root Model E522M4, Type B, 1 KW, Frame 510,125V, 1200 RPM			
5977-00-230-6005	Brush, Electrical Contact (75377) 19-946-2	EA	4	
5977-00-968-0251	Holder, Electrical Contact Brush w/Spring (75377) 18-1103-1	EA	4	
	Heat Exchanger			
4720-00-678-8994	Hose, Rubber Flange to Thermostat (27315) 12135	EA	1	
2940-00097-0592	Hose, Rubber Water Inlet (27315) 12691	EA	2	
5340-00-278-1224	Anode, Corrosion Preventive, Zinc Electrode (72582) 8515851	EA	2	
	Pump, Rotary,Fairbanks-Morse, Model 5135, Type 7 w/Electric Motor, Type DZM, Spec 15065-1			
3120-00-589-4377	Bearing, Sleeve (16859) 1010782	EA	1	
5330-00-362-6538	Gasket, Pump Head, 0.002 In. (82796) RAC157A	EA	2	
5330-00-455-7091	Gasket, Pump Head, 0.005 In. (82796) RAC157B	EA	1	
5330-00-362-6539	Gasket, Pump Head, .015 (82796) RAC157C	EA	1	
5977-00-097-0686	Brush, Electrical Contact (82796) 383551	EA	4	
5977-00-097-0687	Holder, Electrical Contact Brush (82796)L63172	EA	2	
5360-00-312-3999	Spring, Helical Torsion Brush, Motor (82796) E38855	EA	4	

Section III. ONBOARD REPAIR PARTS (BILI)
PART TWO

The following is applicable to Hull Nos. BRM 6232 and 6233

NSN	DESCRIPTION	U/M	QTY	REC
2940-00-377-5550	Fairbanks-Morse Model 49A4-½ Element, Strainer, LO (27315) 13002	EA	3	

NSN	DESCRIPTION	U/M	QTY	REC
2940-00-141-9026	Filter Element, Fluid Pressure LO (82796) 40056	EA	3	
5330-00-694-9036	Gasket: Cover to Housing (82796) 40765	EA	3	
2815-00-297-5256	Gasket: Cover to Strainer Housing (89923) 14647	EA	3	
2815-00-338-4744	Hose, Lubricating Oil (89923) 15091	EA	1	
4720-00-289-0483	Hose, Rubber (89923) 15089	EA	1	
2910-00-371-3012	Filter Element, Fluid Pressure FO (13800) 11R4	EA	3	
5330-00-285-3825	Gasket: Cover Nut 13800) 32014	EA	3	
4330-00-287-5030	Filter Element, Fluid, Pressure FO (13800) I9X4-2T'V	EA	3	
5330-00-285-3825	Gasket: Cover Nut (13800) 32014	PG	3	
	Generator, Battery Charging 24 V Autolite P/N GDW4611			
5977-00-366-7055	Brush, Electrical Contact (19728) GDW2012S	EA	2	
5977-00-499-1251	Holder, Electrical Contact Brush (19728) GBG18R	EA	4	
5360-00-249-8299	Spring, Helical, Torsion: Brush (19728) GBG36	EA	4	
	Generator, AC,Kurz & Root Model E9778M695, 40 KW, Type EI.,Frame 18,230 V, 1200 RPM			
5977-0-97-0660	Brush, Electrical Contact (75377) 19-946-65	EA	12	
59770-97-0661	Holder, Electrical Contact (75377) 18-2424	EA	6	
5340-0005-204	Spring, Brush Holder (75377) 20-954-7	EA	12	
	Exciter, DC, Kurz & Root Model E5IM4, Type B, 1 KW, Frame 510,125 V,1200 RPM			
5977-00-230-6005	Brush, Electrical Contact (75377) 19-946-2	EA	4	
5977-00-968-0251	Holder, Electrical Contact Brush w/Spring (75377) 18-111	EA	4	
	Heat Exchanger			
2940-00-497-0590	Hose, Rubber: Flange to Thermostat (27315) 12135	EA	1	
2940-00-097-4592	Hose, Rubber: Water Inlet (27315) 12691	EA	2	
5340-00-278-1224	Anode, Corrosion Preventive, Zinc Electrode (72582) 8515851	EA	2	
	Pump, Rotary, Fairbank-Morse Model 5135, Type 7,w/Electric Motor Type DZM, Frame RX203, Spec 15065-1			
3120-00-589-4377	Bearing, Sleeve (16859) 1010782	EA	1	
3120-00-589-4378	Bearing, Sleeve (21387) RBC35B2	EA	1	
5330-00-362-6538	Gasket, Pump Head, .002 In. (82796) RAC157A	EA	2	
5330-00-455-7091	Gasket, Pump Head, .005 In (82796) RAC157B	EA	1	
5330-00-362-6539	Gasket, Pump Head, .015 (82796) RAC157C	EA	1	
5977-00-097-0686	Brush, Electrical Contact (82796) 335&1	EA	4	
5977-00-097-0687	Holder, Electrical Contact Brush (82796) 63172	EA	2	
5360-00-312-3999	Spring, Helical Torsion Brush, Motor (82796) E38855	EA	4	

NSN	DESCRIPTION	U/M	QTY	REC
5920-00-280-4431	Fuse, Cartridge, 10A, 250 V	EA	4	
5920-00-280-4429	Fuse, Cartridge, 20 A, 250 V	EA	4	
5920-00-280-4436	Fuse, Cartridge, 30 A, 250 V	EA	4	

Section IV. ACCESSORY ITEMS (NON BILI)

NSN	DESCRIPTION	U/M	QTY	REC
2040-00-377-8604	Anchor: Danforth, 500 Lb. (81349) A-15707.	EA	2	F
4210-00-142-4949	Axe: Fire, Pickhead, 6 Lb. (81348) GGG-A-926, Type U	EA	2	
6140-00-263-4603	Battery, Storage, 6 V' (81348) W-B-13, Type 7D	EA	12	F
3940-00-072-0324	Block: Single 1 In. Dia. Rope (81348) GGG-B-490, Type III	EA	1	
3940-00-926-3724	Block: Tackle, Double 1 In. Dia. Rope (81348) GGG-B490, Type III	EA	1	
6645-00-224-8631	Clock: Marine Mech, 8 Day, 6 In. Dial (81349) C-1194	EA	1	F
4210-00-70-4512	Extinguisher. Fire CO ₂ , 5 Lb. (81348) OE-910	EA		
4210-00-202-7858	Extinguisher: Fire CO ₂ , 15 Lb. (81348) OE-910	EA	10	F
4720-00-289-0483	Hook: Boat, Wood, 10 Ft. (81349) H-3496	EA	2	
4720-00-2894483	Hose Assembly, Textile, Fire: 2½" x 50' (89923) 15089	EA	4	
4220-00-200-0538	Life Preserver, Vest, Adult (81349) L-18045	EA	6	
6530-00-783-7810	Litter Stretcher Rigid (81349) L-1117	EA	1	
6230-00-255-0166	Light, Marker - Distress, Life Jacket (81349) L-573, Type II, Class 1	EA	6	
6230-00-782-0643	Light, Marker - Distress, Rail (81349) L-2648	EA	4	
4210-00-274-8545	Nozzle Fire Water 21",3 Position (81349) N-12314, Type II, Class B	EA	2	
2040-00-288-2866	Rat Guard Galvanized, 3 x 36 In. (81349) G-2767	EA	4	
4220-00-275-3157	Ring Buoy, Floating, 30" OD w/Line (81349) R-16847	EA	4	
4020-00-752-8878	Rope, Fibrous: 3" Circ (Mooring & Anchor) (81349) R-17343	RL	1	
4020-00-231-2568	Rope, Fibrous: 6" Circ, 600 Ft. Coil (81348) T-R-605	CL	1	
4030-00-542-3184	Shackle, Anchor, 11/8" (81348) RR-C-271, Type IV, Clam A	EA	2	
7520-00-162-6178	Sharpener, Pencil (81348) F-S-58	EA	1	
5110-00-161-6909	Shears, General Purpose (81348) GGG-S-278	EA	1	
8465-00-254-8803	Whistle Ball w/Lanyard (81349) W-1053	EA	6	
401040-185-6991	Wire Rope 78" Dia. (Anchor) (81349) RR-W410, Type 1, Class 1	FT	600	

NOTE

The quantity and unit of issue denotes the maximum required and does not conform to the standard package and unit of issue.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

SOMETHING WRONG WITH THIS PUBLICATION?



THEN. . JOT DOWN THE
DOPE ABOUT IT ON THIS
FORM, CAREFULLY TEAR IT
OUT, FOLD IT AND DROP IT
IN THE MAIL!

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT. . PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG
AND WHAT SHOULD BE DONE ABOUT IT:

PAGE
NO.

PARA-
GRAPH

FIGURE
NO. TABLE
NO.

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 1 JUL 78 2028-2

PREVIOUS EDITIONS
• ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR
RECOMMENDATION MAKE A CARBON COPY OF THIS
AND GIVE IT TO YOUR HEADQUARTERS.

PIN: 015601