

DEPARTMENT OF THE ARMY TECHNICAL BULLETIN

---

OPERATOR /CREW BOAT SET LIST  
BASIC ISSUE ITEMS AND ACCESSORY  
ITEMS  
CRANE, BARGE, DIESEL ELECTRIC,  
100 - TON CAPACITY, DESIGN 264B  
NSN 1935-00-264-6219,  
FLIGHT 1 HULL DESIGNATION BD

**DISTRIBUTION STATEMENT A:** Approved for public release; distribution is unlimited.

\*This technical bulletin supersedes TB 55-1935-204-12, 2 July 1985.

---

HEADQUARTERS, DEPARTMENT OF THE ARMY  
30 APRIL 1994

CHANGE  
NO 1

HEADQUARTERS  
DEPARTMENT OF THE ARMY  
WASHINGTON, D.C., 15 June 1995

**OPERATOR/CREW BOAT SET LIST  
BASIC ISSUE ITEMS AND ACCESSORY ITEMS  
CRANE, BARGE, DIESEL ELECTRIC,  
100-TON CAPACITY, DESIGN 264B  
NSN 1935-00-264-6219,  
FLIGHT 1 HULL DESIGNATION BD**

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited  
TM 55-1935-204-12, 30 April 1994, is changed as follows:


1. Remove and insert pages as indicated below. New or changed text material is indicated by a vertical bar in the margin. An illustration change is indicated by a miniature pointing hand.

Remove pages	Insert pages
29 and 30	29 through 32

2. Retain this sheet in front of manual for reference purposes.

By Order of the Secretary of the Army:

Official:



JOEL B. HUDSON  
Acting Administrative Assistant to the  
Secretary of the Army  
00456

GORDON R. SULLIVAN  
General, United States Army  
Chief of Staff

DISTRIBUTION:  
No - 12 series initial distribution. Resupply only

DEPARTMENT OF THE ARMY TECHNICAL BULLETIN

OPERATOR/CREW BOAT SET LIST  
BASIC ISSUE ITEMS AND ACCESSORY ITEMS  
CRANE, BARGE, DIESEL ELECTRIC,  
100 TON CAPACITY, DESIGN 264B  
NSN 1935-00-264-6219 FLIGHT 1  
HULL DESIGNATION BD

Current as of 30 April 1994

Headquarters, Department of the Army, Washington, D. C.  
30 April 1994

REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this manual. If you find any mistakes or if you know of a way to improve these procedures, please let us know. Mail your letter or DA Form 2028 (Recommended Changes to Publications and Blank Forms), or DA Form 2028-2 located in the back of this manual directly to: Commander, US Army Aviation and Troop Command, ATTN: AMSAT-I-MP, 4300 Goodfellow Blvd, St Louis MO 63120-1798. A reply will be furnished directly to you

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

SECTION		Paragraph	Page
I.	INTRODUCTION		
	General .....	1	2
	Format of Technical Bulletin.....	2	2
	Excess Items .....	3	2
	Composition of Technical Bulletin .....	4	2
	Abbreviations .....	5	3
	Special Instructions .....	6	4
	II. OPERATING EQUIPMENT (BIIL) .....		5
	III. OPERATING SUPPLIES (BIIL) .....		14
	IV. ON BOARD REPAIR PARTS (BIIL) .....		19
V. ACCESSORY ITEM (NON-BIIL) .....		28	
APPENDIX	A. PUBLICATIONS		32

\*This technical bulletin supersedes TB 55-1935-204-12, 2 July 1985.

## SECTION I. INTRODUCTION

### **1. General.**

- a. This bulletin for Crane, Barge, Diesel Electric, 100 short ton capacity, Design 264B, is intended as an aid in identification, procurement, requisitioning, assembly, storage, and issue of operating equipment, operating supplies, onboard repair parts, and accessory items aboard the vessel..
- b. The Boat Set will be issued initially complete by ATCOM.
- c.. Requisitions for replacement of component items will be submitted to the managing activity having issue responsibility.
- d. When watercraft is transferred or returned to inactive status, the Boat Set will be complete and turned in with the vessel.

### **2. Format of Technical Bulletin.** This technical bulletin is divided into the following sections:

- a. **Section II - Operating Equipment.** This section lists equipment necessary for the operation of the vessel exclusive of accessory equipment.
- b. **Section III - Operating Supplies.** This section lists operating supplies which are consumed in use, exclusive of repair parts. They are required for the operation, maintenance, health and welfare of the crew.
- c. **Section IV - On Board Repair Parts.** This section lists repair parts issued and required on board the vessel at all times when on active status. Due to configuration differences, it will be necessary to reflect hull numbers where differences exist.
- d. **Section V - Accessory Items.** This section lists accessory equipment on board which are installed by the manufacturer or by the Issuing agency and are considered as a part of the basic configuration of the vessel.

### **3. Excess Items.** This bulletin does not constitute authorization for excessing or disposing of any operating equipment, supplies, or on board spare parts which are currently on board or marked for this vessel. Excess items will be exhausted by normal attrition. .

### **4. Composition of Technical Bulletin.** The component listing within each section is in alphabetical sequence by item name and contains the following data:

- a. **National Stock Number (NSN).** A number listed in this publication for use in all supply operations.
- b. **Description.** The item descriptions included are listed in alphabetical sequence by item name, with additional descriptive information required for identification:
  - (1) Manufacturer's Code, part numbers, and/or the applicable specification references.
  - (2) Pertinent information and notes applicable to the set follow the last component.
- c. **Quantity Per Set (Qty).** This column lists the quantities of each component authorized.
- d. **Expendability - Recoverability (Rec) Code.** This one digit code indicates the method or condition under which the repair parts can be recovered. Absence of a code indicates the item is expendable. Codes that appear are defined as follows:

<b>Codes</b>	<b>Definition</b>
Z	Non-repairable item. When unserviceable, condemn and dispose at the level indicated by source, maintenance, and recoverability code.
O	Reparable item. When uneconomically repairable, condemn and dispose at organizational level.

Codes	Definition
F	<p>Reparable item. When uneconomically repairable, condemn and dispose of at the following intermediate levels:</p> <ul style="list-style-type: none"> <li>USAF - Intermediate</li> <li>USA - Direct Support</li> <li>USN - Afloat</li> <li>USMC - Third Echelon</li> </ul>
H	<p>Reparable item. When uneconomically repairable, condemn and dispose of at the following levels:</p> <ul style="list-style-type: none"> <li>USAF - Intermediate</li> <li>USA - General Support</li> <li>USN - Ashore</li> <li>USMC - Fourth Echelon</li> </ul>
	<b>NOTE</b>
	<p>For the Safeguard Program, Code F, will be used to denote intermediate level. On joined programs, use of either Code F or H by the joining service will denote intermediate level of USAF and the USA Safeguard Programs.</p>
D	Repairable item. When beyond lower level repair capability, return to depot, Condemnation and disposal not authorized below depot level.
L	Repairable item. Repair, condemnation and disposal not authorized below depot/specialized repair activity level.
A	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material). Refer to appropriate manuals/directives for specific instructions.

## 5. Abbreviations.

Ac.....	alternating current
amp.....	ampere(s)
ba .....	bale
bw .....	brake wheel
bx .....	box
chg.....	charge
cir .....	circumference
cl .....	coil
cn .....	can
co .....	container
co2 .....	carbon dioxide
cres .....	corrosion resistant steel
dc .....	direct current
dia .....	diameter
dr .....	drum
drv.....	driven
ea .....	each
elec .....	electric
ft.....	foot
fo .....	fuel oil
gal.....	gallon
hp .....	horsepower

in .....	inch
kt.....	kit
lb .....	pound
lg .....	long
lo.....	lube oil
lp.....	liquid propane
mdl.....	model
mtd.....	mounted
nc .....	national course
od.....	outside diameter
oz .....	oz
pg .....	package justification
pkg.....	package
pr.....	pair
qty .....	quantity
rec.....	recoverability
rl .....	reel
se .....	set
sl .....	spool
so .....	shot
U/I .....	unit of issue
v .....	volt
w .....	watt
w/o .....	without

**6. Special Instructions.** Electronic and Communication Equipment Requirements for this vessel are not contained in this TB, but are contained in the following publications: TB 43-0117, dated February 1976, Marine Electronics Configuration Directory; SB 11-636, dated February 1976, Watercraft, US Army Marine Communications Electronics.

## SECTION II. OPERATING EQUIPMENT BIIL - Continued

National Stock Number	Description	U/I	Qty	Rec
4210-00-209-5023	Adapter, 1-1/2 " National Pipe Thread to 1-1/2 " National Standard Thread	EA	2	
6350-01-126-6795	Alarm, Smoke, 9 Volt, W/ Flashing Red Light And Horn (56914) 2001	EA	2	
6625-00-237-9312	Ammeter: Portable, AC; (90689) PASTYLE1727795	EA	1	0
6625-00-519-2998	Ammeter: Portable, DC	EA	1	0
2040-00-275-7776	Anchor, Marine, Marine Fluke: Stockless Baldt, (4,000 lbs. (80064) Dwg-S-2602-860337	EA	2	F
4210-00-372-0864	Applicator, Fire, 1-112" X 4 Ft. Long, (00912) 2072-US-01 -03-004	EA	2	
4210-00-372-0865	Applicator, Fire, 1-1/2" X10 Ft. Long, (00912) 2070-US-01 -03-004	EA	2	
8415-00-082-6108	Apron, Rubber, Chemical Protection, (64067)	EA	1	
5120-00-273-0083	Auger, Pipe and Sewer, Hand (81348) GGG-A-821	EA	1	
4210-00-142-4949	Axe, Fire: Pick Head: 6 lb. (81348) GGG-A-926, Type II	EA	10	
8460-00-606-8366	Bag, Fire, Ensemble, (80020) 5433022	EA	4	
5120-00-293-0665	Bar, Wrecking: 30 in. lg. (81348) GGG-B-101, Type V, Class 1, Style A, Size 4	EA	2	
6140-00-635-3824	Battery, Filler, Jug Type (72853) 75	EA	1	
6350-00-256-9061	Bell, Ships: Bulkhead Mtd. (81349) B-674	EA	1	F
4140-01-039-9845	Blower, Ventilating, Portable, #GE-V8, (1 FP59), GEVB-3HP-1 500CFM	EA	1	
2090-00-190-8554	Boat Set Listing	EA	1	
8340-00-753-5935	Boots, Size 5	PR	4	
8340-00-753-5936	Boots, Size 6	PR	4	
8340-00-753-5937	Boots, Size 7	PR	4	
8340-00-753-5938	Boots, Size 8	PR	4	
8340-00-753-5939	Boots, Size 9	PR	4	
8340-00-753-5940	Boots, Size 10	PR	4	
8340-00-753-5941	Boots, Size 11	PR	4	
8340-00-753-5942	Boots, Size 12	PR	4	
8340-00-753-5943	Boots, Size 13	PR	4	
8340-00-753-5944	Boots, Size 14	PR	4	
8340-00-753-5945	Boots, Size 15	PR	4	
4240-01-297-5986	Breathing Apparatus, Oxygen Gen (81349) MIL-B-24692, TYPE A4	EA	2	0
4220-00-276-8926	Buoyant Vest, Work Type, (81349) MIL 17653	EA	6	
N/A	Bum Dressing Kit: Contains: 8" X 18" Face Mask Dressing,	KT EA	2 2	

## SECTION II. OPERATING EQUIPMENT BIIL - Continued

National Stock Number	Description	U/I	Qty	Rec
	4" X 16" Face Mask Dressing	EA	1	
	4" X 4" Face Mask Dressing	EA	4	
	12" X 16" Face Mask Dressing	EA	1	
	Bum-Jel Topical Dressing	PK	1	
	Ordering Information:			
	Water-Jel AWK Kit			
	H & H Associates, Inc.			
	P.O. Box 4469			
	Alexandria, VA 22303			
	Phone: 1-800-326-5708			
2040-01-162-3206	Cabinet, EEBD, Non-Shock Rated, (53711) 515-SK8126 One Hole (81348) WD-661	EA	9	
7240-00-256-7700	Can, Flammable Waste: 10 gal (81348), RRC-C-114, Type I	EA	12	
4240-00-159-1986	Canister, Training, Locker: (53655)	EA	1	
5120-00-529-4124	Carrier, Storage Battery, Hand (81349) C-19482, Size 2	EA	1	
4010-240-1033	**Chain, Anchor: 1-1/2 dia. (60 Fathoms) (81348) RR-C-251, Class C	SO	4	
7105-00-269-8463	Chair, Folding: Metal (81348) AA-C-291 Type I, Class 1, Style A	EA	6	
5120-00-240-5630	Clamp, "C" Heavy Duty, 4 in. (81348) GGG-C-406, Type I, Class A	EA	2	
2040-01-162-3206	Cabinet, EEBD, Non-Shock Rated, (53711) 515-SK8126 One Hole (81348) WD-661	EA	9	
7240-00-256-7700	Can, Flammable Waste: 10 gal (81348), RRC-C-114, Type I	EA	2	
4240-00-159-1986	Canister, Training, Locker: (53655)	EA	1	
5120-00-529-4124	Carrier, Storage Battery, Hand (81349) C-19482, Size 2	EA	1	
4010-240-1033	**Chain, Anchor: 1-1/2 dia. (60 Fathoms) (81348) RR-C-251, Class C	SO	4	
7105-00-269-8463	Chair, Folding: Metal (81348) AA-C-291 Type I, Class 1, Style A	EA	6	
5120-00-240-5630	Clamp, "C" Heavy Duty, 4 in. (81348) GGG-C-406, Type I, Class A	EA	2	
5130-00-203-6424	Chisel, Power Hammer( 81348) GGG-C-330, Type IV, Class A	EA	2	

\*\*Furnished in four separate continuous lengths of chain; each 15 fathoms (90 feet long)

## SECTION II. OPERATING EQUIPMENT BIIL - Continued

National Stock Number	Description	U/I	Qty	Rec
6630-01-067-3827	Comparator Set, Color (72345),	EA	1	
N/A	Coverall, Anti-exposure, Sterns Model 1 FS-580 Orange Ordering Information: Lifesaving Systems Corp. 720 4th St. SW, Ruskidn, FL 33570-1829 Phone: (813) 645-2768	EA	15	
N/A	Coverall, Fire Retardant, Armid Body			
8405-01-286-6336	Size 36 Regular, (81349), MIL-C-24945	EA	4	
8405-01-286-6337	Size 36 Regular, (81349), MIL-C-24945	EA	4	
8405-01-286-6338	Size 38 Short, (81349), MIL-C-24945	EA	4	
8405-01-286-6339	Size 38 Regular, (81349), MIL-C-24945	EA	4	
8405-01-286-6340	Size 38 Long, (81349), MIL-C-24945	EA	4	
8405-01-286-6341	Size 40 Short, (81349), MIL-C-24945	EA	4	
8405-01-286-6342	Size 40 Regular, (81349), MIL-C-24945	EA	4	
8405-01-286-6343	Size 40 Long, (81349), MIL-C-24945	EA	4	
8405-01-286-6344	Size 42 Short, (81349), MIL-C-24945	EA	4	
8405-01-286-6345	Size 42 Regular, (81349), MIL-C-24945	EA	4	
8405-01-286-6346	Size 42 Long, (81349), MIL-C-24945	EA	4	
8405-01-286-6347	Size 44 Short, (81349), MIL-C-24945	EA	4	
8405-01-286-6348	Size 44 Regular, (81349), MIL-C-24945	EA	4	
8405-01-286-6349	Size 44 Long, (81349), MIL-C-24945	EA	4	
8405-01-286-6350	Size 46 Short, (81349), MIL-C-24945	EA	4	
8405-01-286-6351	Size 46 Regular, (81349), MIL-C-24945	EA	4	
8405-01-286-6352	Size 46 Long, (81349), MIL-C-24945	EA	4	
8405-01-286-6353	Size 48 Regular, (81349), MIL-C-24945	EA	4	
8405-01-286-6354	Size 48 Long, (81349), MIL-C-24945	EA	4	
N/A	Coverall, Fire Fighter's:			
8415-01-300-6557	Medium (81349) MIL-C-24935	EA	1	
8415-01-300-6558	Large (81349) MIL-C-24935	EA	2	
8415-01-300-6559	X-Large (81349) MIL-C-24539	EA	1	
5110-00-188-2524	Cutter, Bolt: 36 in. Ig (81348) GGG-C-750	EA	1	
5110-00-293-0460	Cutter, Pipe: 1/8 in. to 2 in. (81348)	EA	1	
	GGG-C-771, Type I Class 1, Style B			
5110-00-224-7058	Cutter, Wire Rope, Hydraulic Hand Operated (81348) GGG-C-800, Type I, Class 1, Size 2	Ea	1	
5180-00-596-1038	Cutting and Flaring Set: Tubing (81348)	EA	1	
	GGG-C-744			
5136-00-357-7494	Die and Tap Set, Thread Cutting, NC (81348)	SE	1	
	GGG-T-330			
5136-00-357-7504	Die and Tap Set, Thread Cutting, NF (81348)	SE	1	
	GGG-T-330			
5210-00-266-7038	Divider, Mechanics: O-Ring (81348) GGG-D-351	EA	1	

## SECTION II. OPERATING EQUIPMENT BIIL - Continued

National Stock Number	Description	U/I	Qty	Rec
5133-00-293-0983	Drill Set, Twist (81348) Type I, Class 1, Set 2	SE	1	
4720-00-277-7225	Duct, 8" Dia X 15' Long, w/Carrier (80064) 53801-607819	EA	2	
4020-00-022-2946	Ear Protector (88001) S2027	EA	5	
4320-00-256-8206	Educator, 3" Suction X 2-1/2" Feed Hose (80064) 5000S4823-2501	EA	1	
4240-01-116-9888	Emergency Escape Breathing Device (EEBD) (2J495) 106125	EA	9	
4210-00-202-7858	Extinguisher, Fire: C02, 15 lb. (81348). O-E-910, Type I, Size 15	EA	4	F
4210-00-889-2491	Extinguisher, Fire, Portable, Dry Chemical, 10 lb., (58536) A-A-393	EA	4	
4240-00-542-2048	Face Shield, Industrial, Tilting, (58536) A-A-1770	EA	3	
2040-00-821-0808	Fender, Marine, 16" Dia. X 36 " Long, (80064) 805-1340571-16X36 in.	EA	20	
6510-01-242-2271	Fire Blanket, 72" X 60", (64616) 6-0306	EA	2	
6545-00-116-1410	First Aid Kit (64616) 68-1371	EA	1	
8345-00-926-6805	Flag D (81349) F-2692	EA	1	
8345-00-925-0447	Flag E (81349) F-2692	EA	1	
8345-00-926-9218	Flag F (81349) F-2692	EA	1	
8345-00-926-9987	Flag G (81349) F-2692	EA	1	
8345-00-935-0448	Flag H (81349) F-2692	EA	1	
8345-00-935-0449	Flag I (81349) F-2692	EA	1	
8345-00-926-6810	Flag J (81349) F-2692	EA	1	
8345-00-926-9988	Flag K (81349) F-2692	EA	1	
8345-00-935-0450	Flag L (81349) F-2692	EA	1	
8345-00-935-0444	Flag M (81349) F-2692	EA	1	
8345-00-926-6001	Flag N (81349) F-2692	EA	1	
8345-00-935-0451	Flag O (81349) F-2692	EA	1	
8345-00-935-0452	Flag P (81349) F-2692	EA	1	
8345-00-935-0453	Flag Q (81349) F-2692	EA	1	
8345-00-926-6812	Flag R (81349) F-2692	EA	1	
8345-00-935-0454	Rag S (81349) F-2692	EA	1	
8345-00-926-6002	Flag T (8139) F-2692	EA	1	
8345-00-926-6814	Flag U (81349) F-2692	EA	1	
8345-00-935-0445	Flag, Letter, "A", Size 6, (80064) 16696 SH 6B	EA	1	
8345-00-926-6803	Flag, Letter, "B", Size 6, (Dangerous Cargo) (80064) 16696 Sheet 6B	EA	1	
8345-00-935-0451	Flag. Letter, 'O)", Size 6 (Man Overboard) (80064) 16696 SH 7A,	EA	1	
8345-00-926-6814	Flag, Letter, "U", Size 6 (Standing Into Danger) (80064) 16696 SH 7A	EA	1	

## SECTION II. OPERATING EQUIPMENT BIIL - Continued

National Stock Number	Description	U/I	Qty	Rec
8345-00-935-0455	Flag, Letter, "V", Aize 6, (Require Assistance) (80064) 16696 SH 7A	EA	1	
8345-00-935-0456	Flag, Letter, "W", (Require Medical Assistance) (80064) 16696 SH 7A	EA	1	
8345-00-935-0457	Flag, Letter, "Y", Size 6 (81349) MIL-F-2692	EA	1	
8345-00-656-1434	Flag, National: US, 2' 4" X 4'6" (81348)	EA	1	
	DDD-F-416, Type I, Class 1			
6230-00-264-8261	Flashlight: Watercraft; 2 cell (21108) MX-991 U	EA	15	
4820-00-540-2381	Foot Valve w/Strainer, 3" ID, (20266) 315F-N	EA	1	
4240-01-258-1245	Fountain, Eye and Face Wash, Portable, 16 gal., (51542) 01-1040-50	EA	1	
7240-00-230-2393	Funnel: 1/2 qt. w/spout(81349) F-10814, Type II, Class 2	EA	1	
7240-223-4482	Funnel: 1 gal, galvanized (81348) RR-F-800	EA	1	
6840-01-267-4346	Fungicide, Additive, (Eye and Face Wash Fountain), (00236) ABA	BX	1	
8415-01-267-9661 N/A	Gloves, Anti-Flash (81349) MIL-G-2874 Gloves, Fire Fighter's Medium, (81349)	EA	15	
8415-01-335-7902	Medium, (81349)	EA	1	
8415-01-335-7903	Medium, Large, (81349)	EA	2	
8415-01-335-7904	Medium, X-Large, (81349)	EA	1	
4240-00-190-6432	Goggle, Industrial, No Vents, (Chemical Splash) (81348) GGG-G-521	EA	2	
4240-00-052-3776	Goggles, Industrial, Plastic Safety, (58536) A-A1110	PR	6	
8465-01-004-2893	Goggle, Safety, Wind, Dust, Sand, Water Spray (81348) MIL-G-43914	EA	6	
4930-00-287-5419	Gun, Fluid, Direct Delivery, 30 oz., (81348) GGG-0-591, Type I, Class C	EA	1	
5120-00-892-5485	Hammer, Hand Carpenter: 1 lb., (81348), GGG-H-86, Type I, Class 1, Style B	EA	1	
5120-00-224-4111	Hammer Hand: 1 lb., (81348), GGG-H-86 Type VII	EA	6	
5120-00-243-2957	Hammer, Hand, Sledge: 10 lb., (81348) GGG-H-86, Type X, Class 1	EA	1	
5130-00-190-6442	Hammer, Pneumatic: Portable, (81348) OO-H-116, Type I, Style A	EA	1	
8415-00-935-3139	Hard Hat, White, (58536), A-A-2269	EA	3	
8415-00-935-3136	Hard Hat, Orange, (58536) A-A-2269	EA	12	
4240-00-022-2522	Harness, Safety, Torso, (55119) 185-G	EA	2	
8415-01-271-8069	Helmet, Fire Fighter's, (10256), 660C	EA	4	

## SECTION II. OPERATING EQUIPMENT BIIL - Continued

National Stock Number	Description	U/I	Qty	Rec
3950-00-937-7978	Hoist, Wire Rope Lever and Ratchet: 1,000, pounds, (93601), 115R	EA	1	
3940-00-150-7108	Hoist, Wire Rope Lever and Ratchet: 3,000, pounds, (93601), 3000-30-M	EA	1	
8415-01-268-3473	Hood, Anti-Flash, (64067)	EA	15	
2040-00-268-9250	Hook, Boat. 10 ft., (21530), H389	EA	4	
4720-00-293-7874	Hose Assembly, Nonmetallic, 1/2" X 50' Ig. (81348) ZZ-H-500	EA	2	
4720-00-202-6482	Hose Assembly, Nonmetallic Water, 3/4" X 50' Ig. (81348) ZZ-H-611, Grade B	EA	2	
4210-00-776-0657	Hose, Exhaust, Engine, 2" ID X 20' Ig.,.. (25472), 47-60-4071	EA	1	
4210-01-131-0249	Hose, Fire, 1-1/2 " X 50', Orange	EA	5	
4210-01-248-8822	Hose, Potable Water, 1-1/2" X 50', Blue, (30951), 14DP6D-1.51NX50FTLG w/BRSCPL	EA	1	
4210-00-725-9234	Hose, Suction, 3" ID X 10 'lg., (96400) 592223	EA	1	
6545-01-155-1598	Kit, Flotation Assemble, (04624) G-OSR-4-8/82 Litter Includes: 2 Flotation Tubes w/Covers 5 Restraint Straps 1 Five Pound Ballast Bar	KT	1	
4730-00-542-3359	Kit, Pipe Repair, Emergency, (81349) MILR17882 Assembly 1	KT	1	
5180-00-391-1087	Kit, Tool, Electricians Repair, (80244)	KT	1	
5440-00-242-1000	Ladder, Extension, Wood, 24 ft. Ig. max., (81348) LLL-L-51 B, Type II	EA	1	
6230-00-828-6398	Lantern, Elec: w/relay, 6 v, (86796) 1500	EA	17	
4240-00-022-2521	Lanyard, Safety Harness, Dyna Brake (86809), 501017	EA	2	
4010-00-285-9901	Life Line, Oba Tending	EA	2	
4220-00-200-0538	Life Preserver, Vest Adult, No. Ref	EA	18	
6260-01-086-8077	Light, Distress, Personnel Marker, 8 Hours USCG Approved, (83289), 95270-58	EA	39	
6230-01-143-4778	Light, Marker, Distress, (Ring Buoy), (63607), L-2648	EA	4	
4020-01-344-0552	Line, Heaving, Safety, 100', (OGU87), NIS-G-0213	EA	4	
4020-00-530-0698	Line, Retrieving, Ring Buoy, (81349), MILR24049	EA	1	
6530-00-042-8131	Litter, Rigid:Stokes, (89875), 207485	EA	1	
4930-00-223-3389	Lubricating Gun, Hand: 28 oz. (57733), 7556	EA	2	
5120-00-221-2728	Marlinspike: Manila Rope, Type 6" Ig. (81348) GGG-M-100	EA	2	

## SECTION II. OPERATING EQUIPMENT BIIL - Continued

National Stock Number	Description	U/I	Qty	Rec
5120-00-221-2731	Marlinespike: Wire Rope Type w/Eye, 8" Ig. (81349), M-15926, Type I	EA	2	
5120-00-224-9443	Marlinespike: Wire Rope Type w/Eye, 14" Ig. (81349), M-15926, Type I	EA	2	
7340-00-233-6013	Measure, Liquid: 1 gal., (81348) RR-M-190 Type I	EA	2	
8465-00-238-3344	Megaphone, Hand: 18", (81349), M-1263	EA	1	
4210-00-288-6857	Nozzle, Fire Hose, Water, 1-1/2", 3 Position (00912), STYLES 2079 and 2082	EA	4	
6625-00-643-1030	Ohmmeter: 0 to 100 Megohms, (54907), 5G1000	EA	1	
4930-00-266-9182	Oiler, Hand: 8 oz., (81348), RR0376 Type I, Class A	EA	2	
4930-00-262-8868	Oiler, Hand: Flexible, 1 pt., (81349), GGG-)-591	EA	2	
5340-00293-0902	Padlock w/9" chain, (96906), MS21313-6	SE	1	
7240-00-160-0455	Pail, Utility: Metal; 31/2 gal., (81348), RR-P-35 Type II	EA	2	
5510-00-260-8953	Plug, Soft Wood, 1" X 0" X 3" Ig, (80064) 803-461043	EA	5	
5510-00-260-8958	Plug, Soft Wood, 2" X 0" X 4" Ig., (80064) 58800-461043	EA	5	
5510-00-260-8962	Plug, Soft Wood, 3" X 0" X 8" Ig., (80064), 803-461043	EA	5	
5510-00-260-8969	Plug, Soft Wood, 7" X 3" X 10" Ig.. (80064) 803-461043	EA	5	
5510-00260-8973	Plug, Soft Wood, 8" X 4" X 10" Ig., ( 80064) 58800-461043	EA	5	
5120-00-595-9304	Puller, Mechanical: Gear, 0 to 6", (81348), GGG-G-781, Type I, Class 1, Style B	EA	1	
5120-00-243-2776	Puller, Fuse: No. 3, (81348), W-P-796	EA	1	
4930-00-263-9886	Pump, Dispensing, Hand Driven: (81349) D-40078, Type I, Class 1	EA	1	0
4320-01-186-3377	Pump, Emergency, P-250, Navy MOD 1 (03950), P250PMP-MOD	EA	1	
5110-00-449-7313	Punch Set, Hollow: Gasket Cutting, (45225) HP 7	SE	1	
2040-00-288-2866	Ratguard, Ship, 3 X 36" galvanized, (81349) G-2767	EA	6	
4220-00-275-3157	Ring, Buoy, Lifesaving, 30", Outside Dia., (81349), MIL-R-16847, Class -2, Size 18	EA	5	
8345-00-174-0453	Shape, Day Maritime, Ball, Black, (81349) S-29108	EA	4	
8345-01-101-1101	Shape, Day Maritime, Diamond, Black, 4' Ig. X 2' Dia., (81349) MIL-S-29134	EA	3	

## SECTION II. OPERATING EQUIPMENT BIIL - Continued

National Stock Number	Description	U/I	Qty	Rec
2090-00-058-3737	Shoring, Steel, Adjustable, Short, 3' to 5': (81349), MIL-S-23965 Model 3-5	EA	5	
2090-00-052-1581	Shoring, Steel, Adjustable, Lg., 6' to 11': (81349), MILS23965	Ea	5	
1370-01-030-8330	Signal, Distress, Smoke and Illumination, Marine, MK 124, MOD 0, (10001), DL3139734	EA	12	
3940-00-272-9291	Sling, Cargo Net: 20 X 40 ft., (81349) S-16626	EA	2	
1670-01-226-5300	Sling, Rescue Helicopter Hoisting, P/N 190 (30003), 1554AS201	EA	1	
7520-00-298-7043	Stencil Set; Marking Letters, 1", (81348) RR-S-714, Type I	SE	1	
5440-00-227-1593	Stepladder, Wood, 6 ft., (81996), SM55-4-5180502	EA	1	
6350-00-783-7600	Stretcher, Neil Robertson, Canvas, (81349) MILL 16815	EA	1	
6680-00-351-9702	Tachometer, Mechanical, (57737), 1412	EA	1	
5210-00-526-0752	Tape, Measuring, Tank Level: 50 ft., (37163), 14075	EA	1	
9390-01-078-8660	Tape, Retroreflective, 3" X 50 yds., (94960), 3150-3X50 YD	RL	1	
6630-00-531-1968	Test Kit, Oil Conditioning, (531 CMTS) (81349), T-19467	EA	1	
6630-00-171-5126	Tester, Battery, Electrolyte Solution, (81348) GGG-T-258	EA	1	
5180-00-752-9360	Threading Set, Pipe: 1/8" to 1", (81348) GGG-T-581	SE	1	
5180-00-629-9783	Tool Kit, General Mechanics, (50980)	EA	2	
3439-00-542-0531	Torch Kit, Soldering, L.P. (81348) GGG-T-570	EA	1	
4240-01-116-9889	Training Unit, EEBD, (53655), 802300-03	EA	1	
4210-01-087-0815	Valve, Trigate, (31550), 503855-18-9950MHZ	EA	1	
5120-00-221-1117	Vise, Machinist's, 5" Jaw, (81348) GGG-V-410, Type VI, Class 2	EA	1	
5120-00-224-7088	Vise, Machinist's, 3" Jaw, 3/8" to 1-1/2" Dia., Wire Rope Capacity, (81348), GGG-V-412, Type III	EA	1	
5120-00-288-6518	Vise, Pipe, (81348), GGG-V-414	EA	1	0
6625-00-553-1364	Voltmeter, Portable, AC, (79500), PA14AC	EA	2	
6625-00-519-2499	Voltmeter, Portable, DC, (81349), M-16034	EA	1	
7240-00-965-4427	Waste Receptacle, 10 gal. w/Lid, (81348), L-W-25	EA	1	
7240-00-857-2277	Waste Receptacle, 20 gal. w/Lid, (81348) L-W-25	EA	2	
5510-00-268-3479	Wedge, Plug, Tapered, Hardwood, 2" X 2" X 8" lg., (80064) 58800-461043	EA	4	

## SECTION II. OPERATING EQUIPMENT BIIL - Continued

National Stock Number	Description	U/I	Qty	Rec
5510-00-268-3485	Wedge, Plug, Tapered, Hardwood, 4" X 2" X 8" Ig., (80064), 58800-461043	EA	4	
5510-00-268-3481	Wedge, Plug, Tapered, Hardwood,, 3" X 3" X 8" Ig., (80064), 803-461043	EA	4	
5510-00-268-3475	Wedge, Shoring, Tapered, Hardwood, 1/2" X 2" X 12, (80064), 58800-461043"	EA	4	
5510-00-268-3476	Wedge, Shoring, Tapered, Hardwood, 1-1/2" X 3" X 12", (80064), 58800-461043	EA	4	
8465-00-254-8803	Whistle, Plastic, Ball, w/Lanyard, (83421), W1053 Type II	EA	39	
5120-00-277-9076	Wrench, Spanner (P-250 Pump), (80244) GGG-W-665 TY1 CL1	EA	1	
5120-00-277-9075	Wrench, Spanner, Adj. 1-1/2" to 3", (80244) GGG-W-665 TY1 CL1	EA	4	
5120-00-204-1999	Wrench, Set: Socket, 3/4", (81348), GGG-W-614	SE		

## SECTION III. OPERATING SUPPLIES (BIIL)

National Stock Number	Description	U/I	Qty	Rec
7520-00-281-5911	Basket, Waste Paper (81348) RR-B-181 Type I, Style A	EA	3	
6135-00-050-0915	*Battery, Dry, Battle Lantern (81350) BA-23	EA	22	
6135-00-050-3280	*Battery, Dry, Emergency Light, 6 Volt (80063), BA-200U	PG	34	
6135-00-120-1020	*Battery, Dry, Flashlight (81349) BA-18 Type BA-30	PG	2	
7510-00-889-3494	Binder, Loose Leaf (81349) B-43064, Size 2	EA	1	
7210-00-282-7950	Blanket: Wool, OD (81349) B-844	EA	34	
6545-00-911-1300	Blanket Set, Bed: Medical	SE	2	
7350-00-251-8746	Bowl, Eating: Plastic, (81348) L-T-48, Item 4	DZ	2	
7330-00-262-2323	Bowl, Food Mixing, 5-1/2 qt. (81349) B-2054 Size 11"	EA	1	
7920-00-267-2967	Broom, Push: Rattan; 16" (6perU/I) (81348), H-B-71, Class 1 Size 11 in.	EA	1	
7920-00-291-8305	Broom, Upright: Corn, (12 per U/I) (81348) H-B0051	EA	1	
7920-00-240-6358	Brush, Dusting, Bench, (12 per U/I) (81348) H-B-190, Type I, Class 2, Style 2	EA	2	
7920-00-243-3407	Brush, Floor Sweeping, 18", (12 per U/I) (81348), H-B-651, Type I, Class 1, Size 18	EA	2	
7920-00-772-5800	Brush, Sanitary: (12 per U/I) (81348), H-B-00481	EA	4	
7920-00-240-7174	Brush, Scrub: (36 per U/I), (81348) H-B-1490	EA	6	
7920-00-291-5815	Brush, Wire: Curved Handle, (12per U/I) (81348) H-B-1 78, Type II, Class I	EA	2	
5130-00-293-0263	Brush, Wire: Rotary Wheel; 1/2" arbor (81348) H-B-771, Type ill, Class 1, Style A	EA	4	
7330-00-550-7592	Butchers Steel: 10" lg. (81348) GGG-C-746, Type XII, Class 1, Grade A	EA	1	
4240-00-174-1365	Canister: OBA, (81349), C-17671	EA	36	
7520-00-240-5503	Clip Board File (81348) LLL-A-00650	EA	4	
5999-00-195-9689	Clip, Electrical: Crocodile, 3-1/2" lg. (81348), W-C-440	PG	4	

\*The quantity and unit of issue shown for these items denotes the maximum required for this set and does not conform to the standard package or the authorized unit of issue.

## SECTION III. OPERATING SUPPLIES (BIIL) - Continued

National Stock Number	Description	U/I	Qty	Rec
7350-00-935-6635	Cruet, Condiment, (81348), DD-T-101, Type 1	EA	4	
7230-00-576-4934	Curtain, Shower: 48x 72"	EA	1	
6830-00584-3041	Cylinder, Propane, Replacement, (81348)	EA	1	
7330-00-272-2488	Dipper, Kitchen, (81348), RR-D-400, Size 1	EA	1	
7330-00-190-5190	Dishpan: Round, 20 qt. cres, (81348) RR-D-450, Size 3	EA	1	
7930-00-880-4454	Dishwashing Compound, Hand, (81348) PD-410, Type II	EA	1	
7350-00-641-6050	Dispenser: Sugar, 12 oz. (81348) DD-T-1 01	EA	1	
7330-00-205-3154	Double Boiler: 11 qt. (81348) RR-B-500	EA	1	
5130-00-853-4480	Drill, Electric: 3/8", AC/DC, (81348) W-D-661	EA	1	
7290-00-224-8308	Dust Pan (81348) RR-D-800	EA	2	
7330-00-822-9428	Egg Beater, 1-5/8 in. lg. (81348) RR-E-300	EA	1	
7330-00-634-1995	Food Turner: 8 in. (81348) RR-F-575, Type II	EA	1	
7340-00-223-7791	Fork: Food Preparation, 15 in. lg. (81349) U-10815, Type I, Size 1	EA	1	
7340-00-241-8169	Fork, Table, Plain, (24 per U/I) (81348), RR-F-450	BX	1	
7330-00-243-3418	Griddle Plate: 13-1/2 X 25", (81348) RR-G-681, Type I, Size 1	EA	1	
4020-00-174-3031	Halyard, 3/8 in. dia, 200 ft., 18 strands (81349), H226	CL	1	
7920-00-205-1170	Handle, Mop: Wood, (12 per U/I) (81348), NN-H-101, Type II, Class 1	EA	2	
7920-00-263-0328	Handle, Wood, Acme Threaded End, (12 per U/I) (81348) ,NN-H-104	EA	2	
7920-00-141-5452	Handle, Wood, Circular Tapeed End, (12 per U/I) 981348), NN-H-104, Type II, Size 3	EA	2	
7310-00-702-7025	Hot Plate: 2 Burner, AC/DC, (81349) WH-640	EA	1	
7340-00-223-7771	Knife, Cook's: 12 " (81348) GGG-C-746	EA	1	
7340-00-223-7769	Knife, Paring: 3-1/2", (81348) GGG-C-746	EA	1	
7340-00-223-7766	Knife, Slicing, (81348), GGG-C-746	EA	1	
7340-00-291-0625	Knife, Steak Scimitar, 10", (81348) GGG-C-746	EA	1	
7340-00-060-6057	Knife, Steak, Table, (24 per box) (81348), RR-F-450	BX	1	

## SECTION III. OPERATING SUPPLIES (BIIL) - Continued

National Stock Number	Description	U/I	Qty	Rec
7340-00-241-8170	Knife, Table, (24 per box), (81348), RR-F-450	BX	1	
7330-00-248-1153	Ladle, Kitchen, 8 oz. (81348) ,RR-L-30	EA	1	
6240-00-155-8655	Lamp, Incandescent: 40 watt ,(81348) W-L-101GSAFSS/22T	EA	18	
6240-00-143-3119	Lamp, Incandescent: 60 watt, (81348) W-L-101 -1 -T	EA	18	
6240-00-143-3124	Lamp, Incandescent: 100 watt, (81348) W-L-1 0/1T	EA	18	
7220-00-238-8852	Mat, Floor, Rubber, 18 x 29" (81348) ZZ-M-46, Class 2, Style A	EA	3	
7210-00-531-6476	Mattress, Bed, Cotton Felt; 72-1/2 X 26 x 4 ", (81348) VM-81	EA	15	
7920-00-171-1148	Mophead, Cotton (81348), T-M-561	EA	2	
7920-00-893-5869	Mopping Outfit (81348), RR-M-1075, Type II Class 1, Set A-1	EA	2	
7330-00-205-3151	Opener, Can: Mtd., *81348), FF-0-601	EA	1	
7330-00-485-9672	Pan, Baking and Roasting, 24 X 12 X 13", (81349) P-3852	EA	1	
7330-00-205-3164	Pan: Baking and Roasting, 13-1/4 X 9-1/2 X 2-1/4, (81348), RR-P-54	EA	2	
7330-00-205-3150	Pan, Cake: Round, 9" Dia., (81348) RR-P-62	EA	2	
7330-00-238-3805	Pan: Frying, 6", (81348) ,RR-P-89	EA	2	
7330-00-238-3805	Pan, Frying: 12", (81348), RR-P-89	EA	2	
8540-00-530-3769	Paper, Toilet ,(81349), UU-P-556, Type I, Class 1	BX	4	
7330-00-238-8316	Peeler, Potato, (81349), P-20583	EA	2	
7210-00-268-8675	Pillow, Bed, (81348), VP-356	EA	5	
7210-00-231-2373	Pillowcase: Bed, (81348), DDDP351	EA	30	
7350-00-195-4763	Pitcher, Syrup: 14 oz., (81348), DDD-T-101 Type I, Item 6	EA	2	
7350-00-249-5165	Pitcher, Water: 2 qt., (81348), RR-P-386 Size 2, Style A	EA	4	
7330-00-245-1224	Pot, Cooking: 6 qt., w/Cover, (81349) C-1588, Size 3	EA	2	
7330-00-205-4146	Pot, Cooking, 14 qt., w/Cover, (81348) RR-B-500	EA	1	
7930-00-205-0442	Powder, Scouring, (81348), P-S-311	CN	1	
7920-00-205-1711	Rag, Wiping: 50 lb. bale, (81348) DDD-R-30, Class 2, Grade B	BE	1	
4020-00-752-8878	Rope, Fibrous: 3" circ., (Mooring and Anchor) (81349), R-1 7343	RL	1	
4020-00-231-2568	Rope, Fibrous: 6" circ.: 600 ft. Coil, (81348) T-R-605. Type M, Class 2	CL	1	

## SECTION III. OPERATING SUPPLIES (BIIL) - Continued

National Stock Number	Description	U/I	Qty	Rec
7510-00-161-6215	Ruler, Wood: 12" lg. (81348), GG-R-791 Type III	EA	1	
7330-00-240-2134	Saucepan: 2 qt., w/Cover, (81349) S-40044, Size 1	EA	2	
7330-00-153-9760	Scoop, Kitchen, (81348), RR-S-131	EA	1	
7350-00-240-7068	Shaker, Pepper, 6 oz. aluminum (81348) RR-K-260, Type 8, Style B	EA	8	
7350-00-240-7069	Shaker, Salt: 6 oz., aluminum, (81348), RR-K-260, Type VIII, Style A	EA	8	
7520-00-162-6178	Sharpener, Pencil, (81348), F-S-58 Type II	EA	2	
5110-00-161-6909	Shears, Straight, General Purpose (81348) GGG-S-278	EA	2	
7210-00-148-1017	Sheet, Bed ,(81348), DDDS281	EA	36	
7330-00-184-0089	Sifter, Flour, (81348), RR-S-345	EA	1	
3940-00-542-4698	Sling, Cargo, Net: 14 ft. X 14 ft. (81349), S-166226	EA	2	
7930-00-579-8532	Soap, Laundry, 100 lb. drum, (81348), PS-579	DR	1	
8520-00-129-0803	Soap, Toilet: Salt Water, (81348), PS-617	BX	1	
3439-00-188-6986	Solder, Lead Alloy: Acid Core, 5 lb. (81348) QQ-S-571	SL	1	
3439-00-188-6988	Solder, Lead Alloy: Rosin Core: 1 lb. (81348)	LB	5	
7330-00-254-4791	Spatula, Steel: 8", (81348), GGG-C-746 Type X, Class 1 or 2, Grade A	EA	2	
7330-00-684-8740	Spatula, Steel: 14", (81348) GGG-C-746	EA	2	
7340-00-223-7800	Spoon, Food Basting, 21", (81349) U-10815 Type II, Size 2	EA	2	
7340-00-240-7080	Spoon, Food Service: 15", (81348) RR-S-617, Type I, Size 15"	EA	4	
7340-00-241-8171	Spoon, Dessert, (81348) RR-F-450 Style 2, Item 3	BX	3	
7340-00-205-1421	Spoon,, Food Service: Slotted, (81348) RR-S-617 Type III, Size 15	EA	2	
7340-00-205-3341	Spoon, Table, Cres., (81348) RR-F-450, Style 3 Item 3	BX	3	
7340-00-205-3340	Spoon, Tea: Cres, (81348), RR-F-450	BX	1	
7920-00-267-4639	Squeegee: Window, 8" lg. ,(81348) ZZ-S-666	EA	2	
6685-00-641-0189	Thermometer: Meat, Self-Indicating Liquid in Glass; Meat, (59310) 5939	EA	1	
6685-00-255-9981	Thermometer, Self-Indicating Liquid in Glass; Oven (81348) GG-T-351	EA	1	

## SECTION III. OPERATING SUPPLIES (BIIL) - Continued

National Stock Number	Description	U/I	Qty	Rec
7330-00-616-0997	Tongs, Food Serving, (81349) T-40097, Size 3	EA	1	
7350-00-195-7334	Tray ,Mess, Compartmented, (81349) T-46	EA	24	
7350-00-823-7301	Tray, Service, Plastic, (81349) T-43259	DZ	1	
7350-00-680-0645	Tumbler, Plastic, 8 oz., (81349) L-T-800	DZ	2	
4020-00-241-8886	Twine, Linen: 5 Ply, (81348), T-T-891, Type I	BZ	1	
6675-00-190-5862	Triangle: Plastic, 45 deg. (81348) GG-T-671	EA	2	
7350-00-680-0645	Tumbler: Plastic, 8 oz. (81348) L-T-800	DZ	1	
4020-00-241-8886	Twine, Linen: 5 ply (81348) TT-891, Type I	BZ	1	

## SECTION IV. ON-BOARD REPAIR PARTS (BIIL)

National Stock Number	Description	U/I	Qty	Rec
Model F2895-DMU (E640-E641) & Main Generator For Hull Nos. BD6700-BD6701				
6625-00-405-4086	Ammeter, (64104), 60902	EA	1	
3030-00-256-2174	Belt, Generator, (64104), 154761	EA	1	
3030-00-256-2177	Belt, Water Pump, (64104), A1 61325	EA	1	
3030-00-256-2176	Belt, Water Pump, (64104), 169144	EA	1	
5925-00-405-7623	Breaker, Circuit, (64104), 957557-A	EA	2	
5977-00-169-1682	Brush, Motor, (27315), 573F179D11	EA	16	
5977-00-848-2411	Brush, Set Bat Chg. Gen., (16764), 1906931	EA	1	
5977-00-976-4693	Brushm Starter Mtr., (16764), 1906986	EA	4	
6620-00-190-8175	Cable, Tachometer, (64104), 158859-J	EA	1	
4330-00-277-3273	Capacitor, Radio Suppression, (27315), 84Z139	EA	1	
5945-00-827-1759	Cartridge, Fuel Oil Filter, (15472), 2230F1	EA	2	
2910-00-80909798	Contactor, (64104), 954-067	EA	1	
2940-00-830-3885	Element, Fuel Filter, (64104), 151137	EA	1	
2940-00-830-3885	Element, Lube Filter, (64104), 167602	EA	1	
5920-00-280-4013	Element, Lube Filter, (64104), 167602	EA	4	
5920-00-430-0084	Fuse, Cartridge, 15A, Fusetron, (81348) W-F-791, Type I	EA	6	
5920-00-280-4013	Fuse, Electrical, 1A, 250 V, (01121) X183097 Fuse, 5A, Fusetron, (81349), F-15160115, Type F15B250V5A	EA	6	
5330-00-173-3114	Gasket, Element, Lube Filter, (64104), 168054	EA	1	
5330-00-375-3334	Gasket, Fuel Oil Filter, (79230), A28-213-040	EA	2	
5330-00-641-4108	Gasket, Fuel Oil Filter, (79230), A28-218-042	EA	2	
2940-00-529-6842	Gasket, Lube Filter Element, (64104), 120848	EA	4	
5330-00-507-4429	Gasket, Rocker Arm Cover, (64104), 135040-B	EA	1	
5330-00-757-6489	Gasket, Rocker Arm Cover, (64104), 153894	EA	6	
6620-00-190-8172	Gauge, Fuel Oil Pressure, (64104), 500003-H	EA	1	
3950-00-707-4842	Gauge, Lube Oil Pressure, (64104), 167549	EA	1	
6620-00-190-8178	Gauge, Pressure, Fuel Oil, (64104), 955633-A	EA	1	
6620-00-190-8176	Gauge, Pressure, Lube Oil, (64104), 955633-B	EA	1	
6620-00-190-8113	Gauge, Water Temp., (64104), 167552	EA	1	
6620-00-190-8112	Gauge, Temp., Water, (64104), 955477-B	EA	2	
2930-00-423-0487	Kit, Repair, Water Pump, (64104), 960-150	EA	1	
2930-00-244-0463	Kit, Repair, Water Pump, (64104), 960-192	EA	1	
6240-00-160-0517	Lamp, (64104), 956239-B	EA	1	
2910-00-508-1173	Nozzle, Injector, (64104), 60804	EA	6	
2910-00-244-0462	Nozzle, Fuel Injector, (64104), 69560-A	EA	1	

## SECTION IV. ON-BOARD REPAIR PARTS (BIIL)

National Stock Number	Description	U/I	Qty	Rec
4620-00-606-7187	Plug, Glow, (64104), AI 52606-E	EA	6	
2920-00-405-0006	Regulator, Voltage, (64104), 60448-B	EA	1	
5945-00-067-8582	Relay, (64104), 954976	EA	4	
5930-00-084-7570	Starter, Switch, (64104), 162284	EA	1	
5930-00-422-4806	Switch, Oil Pressure, (64104), 955233-C	EA	1	
5930-00-838-4869	Switch, Push Button, (15605), P488K2	EA	2	
5930-00-835-4869	Switch, Push Button, (15605), 8448K2	EA	1	
5930-00-424-9166	Switch, Safety, (64104), 161682	EA	1	
5930-00-636-1285	Switch, Toggle, Stop, (64104), 952447	EA	2	
5930-00-291-4050	Thermometer, (64104), 167080	EA	1	
4310-00-734-5097	Valve, Hydraulic, (49576), 7690-X Main Generator, Atlas Model 6EN668 Applicable to Hulls 6069 Thru 6075	EA	1	
5340-00-842-5121	Anode, Corrosion Preventive, Zinc Heat	EA	4	
2930-00-361-9624	Anode, Zinc, (51900), Z2R102	EA	1	
3030-00-838-9274	Belts, V, Matched Set (24161), B97	SE	1	
4330-00-416-7309	Filter Element, Fluid: Cartridge Refill, (08181) A414	EA	1	
5330-00-143-8845	Gasket Case, (00320), F6418P3	EA	2	
5330-00-252-3882	Gasket Drain Plug, (81321), 11217	EA	2	
5330-00-361-4135	Gasket Tank to Filter, (00320), S1 009	EA	1	
5330-00-414-9851	Packing Material, (37619), 772 Exchanger (07077) Z10R101 Main Generator, Atlas Model 5EN668 Applicable to Hull No. 6661	EA	1	
5340-00-842-5121	Anode, Corrosion Preventive, Heat	EA	4	
3030-00-180-2092	Belt, V. (98348), B75-2	EA	1	
2910-00-361-5474	Element Filter, (14541), PG78	EA	1	
5330-00-143-8845	Gasket Case, (00320), F6418P3	EA	2	
5330-00-252-3882	Gasket Drain Plug, (81321), 11217	EA	2	
5330-00-361-4135	Gasket Filter, (00320), S1009 Exchanger (07077) Z10R101 Main Generator, Enterprise Model DSM 6 Applicable to Hulls 6658 Thru 6660	EA	1	
5330-00-733-8798	Cartridge Filter Pack, (00736), 02FC06-231	EA	2	
5340-00-262-4147	Corrosion Preventive Zinc, (27462), 24R101	EA	2	
2910-00-377-5546	Element, Fuel Oil Secondary, (81321), 33269	EA	2	
2815-00-542-3855	Gasket, Drain, (20604), M1635	EA	2	
5330-00-530-3502	Packing, Preformed, (00736), 35010C For Hulls 6069-6075 and 6661	EA	2	

## SECTION IV. ON-BOARD REPAIR PARTS (BII)

National Stock Number	Description	U/I	Qty	Rec
5340-00-278-1225	Annode, Corrision Preventive, Zinc Heat	EA	1	
2910-00-377-5548	Filter, Element, Fuel Oil, (81321), PR151	EA	1	
2940-00-354-0919	Filter, Element, Lube Oil, (73370), C4P2	EA	1	
5330-00-641-0202	Gasket Cover, (64104), 101489	EA	1	
5330-00-291-4503	Gasket Cover, (82471), 10615 Exchanger, (07077), 23R104	EA	1	
3030-00-529-0481	Belt, V. F., w/Pump, (72781), B46	EA	1	
3030-00-330-8820	Belt, VR. W., Pump, (62242), 291412	EA	1	
5977-00-636-4487	Brush, Bat Chg., Gen., (199728), GBW2012AS Air Compressor Applicable to Hulls BD6069 Thru 6074 and 6658 Thru 6661	EA	1	
3030-00-529-0467	Drive Belts, (59379) BET 56	EA	3	
5365-01-165-2578	Strip Feather Valves, (59379), STR-116	EA	26	
4310-01-163-9928	Air Cleaner element, (92334), FLR-239	EA	1	
5930-00-629-2439	Pressure Control, (03824), 99-1200-0 Electrical Devices (All Hulls)	EA	1	
5920-00-252-2019	Fuse, 10A, 250 V, (79500), 37160	EA	3	
5920-00-543-0673	Fuse, 15A, 250 V, (80234), 1605C15	EA	6	
5920-00-050-4970	Fuse, 30A, 250 V, (81349), F15A25V30A Auxiliary Hoist For Flight 1 Hulls BD6700 and BD6701	EA	18	
	Gridmember, Coupling, for Falk 16 Brake Wheel Coupling, (21444), 16 FA-4	EA	1	
5330-00-361-5026	Kit, Seal, for Falk 16 Brake Wheel Coupling, (21444), 16 FAJ-8	EA	1	
6110-00-361-6510	Kit, Repair, Shaft Sea (63477), JFC-10799	EA	1	
5945-00-361-4105	Kit, Repair, Solenoid (63477), JFD 8474	EA	2	
5999-00-405-7629	Tip, Contact, (27315) 79H1 563 Boom Hoist for Flight 1 Hulls BD6700 and BD6701	EA	2	
5977-00-230-0847	Brush, Motor, CRM-616 (27315), 573F179D3 Capacitor, Radio Suppression (27315), 842Z139 Gridmember, Coupling, for 17 Brake Wheel Coupling, (2144), 17FA-4	SE	16	
		EA	1	
		SE	1	

## SECTION IV. ON-BOARD REPAIR PARTS (BIL) - Continued

National Stock Number	Description	U/I	Qty	Rec
	Kit, Seal, for 17 Brake Wheel Coupling, (21444), 7Fal-8 Switchboard for Flight 1 Hulls BD6700 and BD6701	EA	1	
5920-00-199-9483	Fuse, 6 Amp, 250V (714400), NON 6	EA	24	
5920-00-548-3125	Fuse, 10 Amp, 250V (71400). NON/0	EA	12	
6340-00-583-9609	Lamp, Incandescent,Double Contact, Bayonet, 120V, (93742) 1952-1156	EA	6	
6220-00-159-1997	Lens, Indicator, Blue (72619)51-0114-200	EA	1	
6210-00-007-8354	Lens, Indicator Clear (72619) 51-0117-200	Ea	2	
	Lens, Indicator, Red (72619) 541-0111-200	EA	1	
6220-00-159-2010	Lens, Indicator, White (72619), 521-0115-200 Switchboard for Flight 1 Hulls BD6700 and BD6701	Ea	2	
610-00-159-2013	Light Socket, Indicator (725619), 80-3402-05-201 Main Hoist for Flight 1 Hulls BD6700 and BD6701	EA	6	
	Gridmember, Coupling for 16 Brake Wheel Coupling, (21444), 16FA-4	EA	1	
5945-00-361-4105	Kit, Repair, Solenoid (63477), JFD-8474	EA	1	
5330-00-361-5026	Kit, Seal for Brake Wheel Coupling (21444), 61 FA1 -8	EA	1	
5999-00-405-7629	Tip, contact, (27315), 79H1563 Anchor Windlass New England Trawler Model R-9586-B for Flight 1 Hulls BD6700 and BD6701	EA	1	
5977-00-169-1681	Brush, Motor, (273150, 573F179D12	SE	1	

## SECTION IV. ON-BOARD REPAIR PARTS (BII)

National Stock Number	Description	U/I	Qty	Rec
	Anchor Windlass New England Trawler Model R-9586-D for Flight 1 Hulls BD6700 and BD6701			
	Capacitor, Radio Suppression (27315), 842139	Ea	1	
4540-00-221-8818	Heater Strip, 150V (913426), S-815	EA	1	
5945-00-405-3661	Interlock Assembly (27315), 100F584F1	EA	2	
5945-00-425-8712	Interlock Assembly (27315), 100E2783F1	EA	2	
	Relay Assembly, w/o Coil (27315), 61052-2	EA	1	
5905-00-405-3653	Resistor, 50 Ohm, (27315), 80Z3208	EA	2	
5905-00-405-3654	Resistor, 1,000 Ohm, (27315), 80Z32D13	EA	2	
5905-00-405-3655	Resistor, Adjustable, 500 Ohm, (27315) (27315), 80Z224D2	EA	1	
	Air Compressor, Quincy Compressor Co. Model No. D-325-5HP for Flight 1 Hulls BD6700 and BD6701			
3030-00-246-0167	Belt Set, (24161), B68-2	EA	1	
4310-00-148-5511	Diaphragm, (49576), 1855	EA	2	
5920-00-430-0084	Fuse, 1 Amp, 250V, (01121) X183097	EA	6	
5920-00-430-0076	Fuse, 10 Amp, 250V, (01021), X183100	EA	6	
5310-00-274-9823	Gasket Set, (49576) 7126	SE	1	
4310-00-871-1655	Insert, Connecting Rod, H.P., (49576) 6444	EA	2	
4310-00-413-2877	Ring, High Pressure, (49576), 4422	SE	2	
2805-00-354-8481	Ring Set, Piston, (49576), 4434-LP	SE	2	
4310-00-734-5097	Unloader Assembly, Hydraulic, (49576) 7690-X	EA	1	
4310-00-824-0384	Valve Assembly, Discharge, (49576), 7271-X	EA	2	
	Air Compressor, Quincy Compressor Co. Model No. D-325-5 HP for Flight 1 Hulls BD6700 and BD6701			

## SECTION IV. ON-BOARD REPAIR PARTS (BII)

National Stock Number	Description	U/I	Qty	Rec
4310-00-820-8811	Valve Assembly, Suction, (49576) 7277-XU GE Range Model M R73 for Flight 1 Hulls BD6700 and BD6701	EA	2	
6150-00-244-2211	Cable Assembly, (20070), N163P217	EA	1	
5945-00-405-7628	Contactor, (00261), 54B700537P3	EA	1	
	Oven Unit, (20070), 680086	EA	1	
	Switch, (20070), 34SW 126	EA	2	
6685-00-346-3306	Thermostat, (20070), 603880 Capstans for Flight 1 Hulls BD6700 and BD6701	EA	1	
5977-00-169-1671	Brush, Motor, (27315), 573F179D12	SE	1	
4540-00-221-8818	HeaterStrip, 150V, (65586), S815	EA	1	
5945-00-425-8712	Interlock Assembly, Electrical, (NONOC) (27315), 100F584F1	EA	4	
5945-00-405-3661	Interlock Assembly, Mechanical, A100 and A300, (27315), 1 00F584F1	EA	4	
5905-00-405-3653	Resistor, 50 Ohm, (for Shunt Brakes) (27315), 80Z32D8	EA	1	
5905-00-405-3654	Resistor, 1,000 Ohm, (27315) 80Z32D13 Air Conditioner Models MCMAC 7-1/2 and 10 Ton for Flight 1 Hulls BD6700 BD6701	EA	1	
6110-00-837-1257	Contactor, Fan, (73960), R5AC4 Air Conditioner Models MCMAC 7-1/2 and 10 Ton for Flight 1 Hulls BD6700 and BD6701	EA	1	
5930-00-570-9641	Control, High Pressure, (80439), HP3121-232	EA	1	
4130-00-837-1245	Control, Low Pressure, (06534), LOP-007			
4130-00-857-1967	Filter, Air, (06534), FLP-006	EA	2	
4130-00-903-8372	Filter, Drier, (06534), FDN-004	EA	1	
4130-00-867-5184	Kit, Valve Plate, (10119), GC 1162	EA	1	
4130-00-257-1308	Switch, Selector, (59227), 001V127	EA	1	
6680-00-837-1249	Thermostat, (00534), THU-007	EA	1	
5950-00-357-8645	Transformer, (06534), EXQ-002	EA	1	
4130-00-257-1307	Valve, Expansion, (06534), VAA-005 Air Conditioner Models MCMAC 7-1/2 and 10 Ton for Flight 1 Hulls BD6700 and BD6701	EA	1	
4820-00-106-2050	Valve, Water, (06534), VAM-018UE Refrigerator, Dual Temperature Model DTF2 2SC for Flight 1 Hulls BD6700 and BD6701	EA	1	

## SECTION IV. ON-BOARD REPAIR PARTS (BII)

National Stock Number	Description	U/I	Qty	Rec
4130-00-244-2290	Cam Hinge w/Cover, (39130), P12742	EA	1	
6685-00-428-5455	Control, Temperature, (39130), P1555	EA	1	
4130-00-262-6834	Drier, (39130), P2468	EA	1	
4130-00-244-2292	Gasket, (39130), P1939	EA	15	
4820-00-287-4355	Valve, Expansion, (39130), P1692 Fire and Bilge Pump Model 14 HEL-9 for Flight 1 Hulls BD6700 and BD6701	EA	1	
4320-00-351-7342	Bearing, (72038), 25583-00	EA	1	
4320-00-351-7344	Bearing, (27315), 25Z68506	EA	2	
4320-00-351-7340	Cap, Bearing, (Pump End), (72038), 15111-02	EA	1	
4320-00-256-2218	Collar, Throw OFF (Slinger) 972038), 15632-00	EA	1	
5330-00-351-7338	Gasket Tank-to Lantern (72038), 21034-00	EA	1	
4320-00-256-2216	Impeller, Bronze, (72038), 15168-06	EA	1	
4320-00-256-2215	Key, Impeller, (72038), 26809-00	EA	1	
4320-00-256-2217	Key, Power Input, (72038), 22903-010	EA	1	
4320-00-351-7343	Seal Assembly, (72038), 25354-00	EA	1	
4320-00-256-5502	Shaft, (72038), 15940-01	EA	1	
4320-00-257-0335	Shim, Impeller, (72938), 20622-00	EA	1	
	Valve Assembly, Check, (72038) 24218-00	EA	1	
4320-00-257-0332	Valve, Check, (72038), 15630-00	EA	1	
4320-00-256-5503	Washer, Impeller, (72038), 15957-00	EA	1	
4320-00-256-2213	Weight, Lower, (72038), 15753-02	EA	1	
4320-00-256-2214	Weight, Upper, (72038), 15112-02 Air Conditioner Model 4907 for Flight 1 Hulls BD6700 and BD6701	EA	1	
5910-00-432-6331	Capacitor, Motor, (17258), AI 531 -E	EA	1	
5910-00-432-6330	Capacitor, Run, (17258), B1237-35	EA	1	
4130-00-244-2289	Thermostat, (17258), B1062 Load and Radius Indicator Model SB-36 for Flight 1 Hulls BD6700 and BD6701	EA	1	
4330-00-277-3273	Filter Element, Fluid, Pressure, (79230) 2230F1	EA	2	
5330-00-375-3334	Gasket, Fuel Oil Filter, (79230), A28-213-040 Hot Water Heater for Flight 1 Hulls BD6700 and BD6701	EA	2	
5330-00-641-4108	Gasket, Fuel Oil Filter, (79230) A28-213-042	EA	2	

## SECTION IV. ON-BOARD REPAIR PARTS (BIIL)

National Stock Number	Description	U/I	Qty	Rec
5920-00-280-4013	Fuse, 5 Amp, (71400), FRN5	EA	6	
5920-00-131-9868	Fuse, 15 Amp, (71400), FRN15	EA	6	
	AC Generator 30KW w 2-71 Engines, All Hulls (Except BD6700 and BD6701)			
5360-01-132-8279	Spring, (44408), A5207	EA	1	
2940-00-078-9471	Filter Cartridge, (05191), 30002	EA	2	
5330-00-729-5094	Gasket Kit Engine Overhaul, (75282) 5192434	EA	1	
5330-00-255-0293	Gasket Hand Cover, (72582), 5152288	EA	1	
5330-00-582-7116	Gasket Cylinder Head Diesel, (72582) 5192433	EA	1	
5330-00-154-8874	Seal Crankshaft Front Oil, (72582) 5154314	EA	1	
6105-01-163-1933	Stator, (88785), 3304153001	EA	1	
5920-00-296-0679	Fuse, (73274), F03A250V5A	EA	1	
5330-00-301-6486	Gasket Outlet to Housing, (59431) 22256	EA	1	
5330-00-232-8436	Gasket Annular 1/2", (59431), 21248	EA	1	
5330-01-082-0755	Gasket, (45396), 11001259 X006	EA	1	
5330-01-132-5544	Shaft Seal, (45396) 1400 9951	EA	1	
5905-01-099-8231	Auto Rheostat, (32770), 867-41022-69	EA	1	
5961-00-944-3638	Rectifier, (32770), 850-31504-40	EA	1	
5330-01-132-5564	Gasket Housing Adapter, (59431), 22255	EA	1	
5330-00-933-5181	Packing, (44408), A5479	EA	2	
5330-00-178-3773	Seal Fuel Pump, (72582), 5230007	EA	2	
2910-00-792-8985	Element, Fuel Strainer, (72582), T553	EA	8	
3030-00-288-3569	Belt Set, (72582), 5167565	EA	1	
2910-00-073-3010	Overhaul Injector Kit, (72582), 5229649	EA	1	
5330-00-212-6290	Gasket, Fuel Pump, (72582), 5150193 CHT Room 240 Vac Power Bender Sys Hulls 6069 Thru 6074 and 6658 Thru 6661	EA	1	
6240-00-655-2431	Lamp, (03497), 656	EA	24	
5920-00-225-9983	Fuse, (71400), KTK-3	EA	5	
5920-01-111-5537	Fuse, (71400), KTK-1/2	EA	5	
5920-01-022-8106	Fuse, (71400), KTK-1-1/2 Battery Charger Hulls 6069 Thru 6074, 6658 Thru 6661	EA	5	
5920-00-548-3125	Fuse P-10, (92731), P-8-CI-B10	EA	3	

## SECTION V. ON-BOARD REPAIR PARTS (BILL) - Continued

National Stock Number	Description	U/I	Qty	Rec
5920-00-050-4968	Fuse P-20, (92731), P-8-CI-B20	EA	3	

## SECTION V. ACCESSORY ITEMS ALL HULLS (NON-BIIL)

National Stock Number	Description	U/I	Qty	Rec
6135-01-134-2531	Battery, Storage: Engine Starting; 12V	EA	4	F
3940-00-926-3724	Block, Tackle; Double, 1"Dia. Rope (81348), GGG-B-490, Type II	EA	1	F
3940-00-820-5145	Block Tackle: Single, 1" Dia. Rope (81348), GGG-B-490, Type III, Style 2, Rig 25	EA	1	
4030-00-243-4449	Clamp Wire Rope; Steel, Double Saddle, 1-1/4" Dia. Wire Rope, (81348), FF-C450, Type III	EA	12	
4030-00-634-8588	Clamp, Wire Rope, Steel, Double Saddle 5/8" Dia. Wire Rope, (81348), FF-C-450, Type III	EA	12	
4030-00-988-5637	Clamp, Wire Rope, Steel, Double Saddle, 3/4" Dia. Wire Rope, (81348), FF-C-450, Type III	EA	12	
4030-00-988-5638	Clamp, Wire Rope, Steel, Double Saddle, 7/8" Dia. Wire Rope, (81348), FF-C-450, Type III	EA	12	
4030-00-243-4448	Clamp, Wire Rope, Steel, Double Saddle, 1" Dia. Wire Rope, (81348), FF-C-450, Type III	EA	12	
6645-00-224-8631	Clock, Marine: Mech., 8 Day, 6 Dial, (81349) C-1194, Type B, Size 6" F	EA	2	F
6220-00-553-1125	Light, Navigation, Anchor, (ARC 3600 Clear)	EA	1	
6220-00-224-6238	Light, Navigational, Green, Emergency, (46567) 1008	EA	1	
6220-00-553-1123	Light, Navigational, Red, Emergency, (46576) 1008	EA	1	
6220-00-553-6237	Light, Navigational, Stbd. Side, (ARC 112-1/2 Green)	EA	1	
6220-00-553-1124	Light, Navigation, Stern, (ARC 135° Clear)	EA	1	
4020-00-689-5684	Rope, Fibrous; 2-1/4" circ. (3/4" Dia.), 300 Ft. Coil, (81348), T-R-605, Type M, Class 2	CL	1	
4020-00-289-8617	Rope, Fibrous; 3" circ., (1" Dia.), 600 Ft., (81348) Coil, (813480), T-R-605, Type M, Class 2	CL	1	
4020-00-238-7738	Rope, Fibrous; 4-1/2" circ., (1-1/2" Dia), 1,200 Ft. Coil, (81348), T-R-605	CL	1	
4020-00-184-9801	Rope, Fibrous; 8" circ., (3-5/8" Dia.) 600 Ft. Coil, (81348), T-R-605, Type M, Class 2	CL	1	
4030-00-270-5484	Shackle, 3/4" stock, 1-1/4" between eyes, 3" inside length, (81349), F-17280, Class 2, Type I	EA	12	
4030-00-542-3184	Shackle, 1-1/8" stock, 1-13/16" between eyes 4-1/4" inside length, (81348), RR-C-271, Type IV, Class	EA	12	
4030-00-169-9297	Shackle, 1-3/8" stock, 2-1/4" between eyes 4-1/4" inside length, (81348), RR-C-471, Type IV, Class	EA	12	
4030-00-184-9828	Shackle, 1-5/8" stock, 2-5/8" between eyes 6-1/4" inside length, (81348), RR-C-271, Type IV, Class	EA	6	
4030-00-244-6093	Shackle, 1-3/4" stock, 2-7/8" between eyes 7" inside length, (81348), RR-C-271, Type IV, Class	EA	6	
4030-00-184-9826	Shackle, 2-1/4" stock, 3-3/4" between eyes 9-1/4" inside length, (81348), RR-C-271, Type IV, Class	EA	3	

## SECTION V. ACCESSORY ITEMS ALL HULLS (NON-BILL) - Continued

National Stock Number	Description	U/I	Qty	Rec
4030-00-267-7072	Shackle, 2-1/2" stock, 4" Between Eyes 10-1/2" Inside Length, (81348), RR-271, Type IV, Class 1	EA	6	
	Sling Assembly, LARC-LX, Modified To Include NEWCO W-10 Slip Through Thimbles At Each End And Two Legs Connected At Top With Alloy Master Link Rated At 60 Tons Vertical, (97313), LX-05-012- 0008	EA	2	
	Sling, Nylon, 24 Ft. Type 7, 2 Ply, 2" Wide with Cordura-Lined Eyes and Body, Rated at 6,400 lbs. Vertical, (8D826), FE-2-902	EA	2	
	Sling, Nylon, 40 Ft. Type 7, 6" Wide, 4 Ply With Cordura-Lined Eyes and Body; Rated at 23,680 lbs. Vertical, (8D826), FE-4-904	EA	2	
	SLWT Lift Assembly As Identified in NAVSEA. (53711), DAG No.,6155101,	EA	1	
	Lift Assembly, LCM-8 As Identified in NAVSEA. (53711), DAG No.,5103217,	EA	1	
	Leg Wire Rope Sling, 4, With Thimble Eyes All Ends, 5 Ton Latched Eye Hoist Hooks At Bottom , And 1-1/2" Alloy Master Link At Bot- tom And 2" Diameter Oblong Alloy Master Link At Top; Rated 13 Tons At 30 Degrees, 5/8" X 12 Ft., (8D826), JHH- LDL-458-12,	EA	1	
	Leg Wire Rope Sling, 4, With Thimble Eyes All Ends, 10 Ton Latched Eye Hoist On Bottom, And 2" Diameter Oblong Alloy Master Link At Top; Rated 33 At 30 Degrees, 1" X 30 Ft., (8D826) ,JHH- LDL-41-30,	EA	1	
	Wire Rope Sling With 10 Ton Latch Eye Hoist Hook One End; Rate At 6.9 Tons Vertical, 1" X 20 Ft.. Type 5 (Thimbles Each End), (8D826), JHH- LDL-11-20	EA	4	

Change 1 29

## SECTION V. ACCESSORY ITEMS ALL HULLS (NON-BILL) - Continued

National Stock Number	Description	U/I	Qty	Rec
4010-00-263-4280	Wire, Rope Assembly, 5/5" Dia., 10 Ft. Lg., Both Ends W/Loop; Single Leg, (81348), W-3903, Type 1, Class 1	EA	1	
4010-00-263-4295	Wire, Rope Assembly, 1" Dia., 20 Ft. Lg., Both Ends W/Loop, Single Leg, 6 X 19 Fiber Core, 9* 1348), W-3903, Type 1, Class 1	EA	6	
4010-00-263-4297	Wire, Rope Assembly, 1" Dia., 40 Ft. Lg., Both Ends W/Loop, Single Leg, 6 X 19 Fiber Core, (81348), W-3903, Type 1, Class 1	EA	4	
4010-O0-263-4301	Wire, Rope Assembly, 1-1/4" Dia., 20 Ft. Lg., Both Ends, W/Loop, Single Leg; 6 X 19 Fiber Core, (81348), W-3903, Type 1, Class 1	EA	4	
4010-00-263-4303	Wire, Rope Assembly, 1-1/4" Dia., 20 Ft. Lg., Both Ends W/Loop, Single Leg, 6 X 19 Fiber Core, (81348), W-3903, Type 1, Class 1	EA	4	
4010-00-176-7922	Wire, Rope Assembly, 1-1/4" Dia., 6 X 19 Fiber Core, 50 Ft. Lg., Both Ends, W/Loop, 16,500 Lb. Working Safe Load, (81348), W-3903, Type 1, Class 1	EA	4	

**NOTE**

Not to be Issued with boat set

**AUXILIARY HOIST**

Wire, Rope, Improved Plow Steel, Fiber Core, 6 X 37 Construction, Right Regular Lay, 7/8" Dia., For Auxiliary Hoist Block 1100 Ft. Required, (81348), RR-W-410, Type 1 Class 3, Construction 1

**PORT BOOM HOIST**

Wire, Rope, Improved Plow Steel, Fiber Core, 6 X 37 Construction, Right Regular Lay, 1-1/4" Dia., Heavy Duty W/ RR-W-410, Type 1, Class 3, Construction 1

**30 Change 1**

**SECTION V. ACCESSORY ITEMS ALL HULLS (NON-BILL) - (Continued)**

National Stock Number	Description	U/I	Qty	Rec
-----------------------------	-------------	-----	-----	-----

**STARBOARD BOOM HOIST**

Wire, Rope, Improved Plow Steel, Fiber Core, 6  
 X 37 Construction, Right Lay, 1-1/4" Dia.,  
 1,050 Ft. Required, W/Closed Babbited  
 Socket One End And Open Babbited Socket  
 Other End, Mfgr, By Wire Rope Supplier,  
 (81348), RR-W-410, Type 1, Class 3,  
 Construction 1

**MAIN HOIST CABLE**

Wire, Rope, Improved Plow Steel, Fiber Core, 6  
 X 37 Construction, Right Regular Lay, 1-1/8"  
 Dia., for Main Hoist Block, 2,530 Ft. Required,  
 (81348), RR-W-410, Type 1, Class 3  
 Construction 1

**Change 1 31**

**APPENDIX A**

**PUBLICATIONS**

**1. Lubrication Orders.**

LO 55-1935-204-12-1 (Crane)

LO 55-1935-204-12-2 (Crane)

**2. Technical Manuals.**

TM 55-1935-204-12P (Crane)

\*U.S. GOVERNMENT PRINTING OFFICE:1995-655-121/20242


By Order of the Secretary of the Army:

Official:

GORDON R. SULLIVAN

*General, United States Army*

*Chief of Staff*



MILTON H. HAMILTON

Administrative Assistant to the

Secretary of the Army

07122

DISTRIBUTION:

No -12 series initial distribution. Resupply only.

# The Metric System and Equivalents

## *Linear Measure*

1 centimeter = 10 millimeters = .39 inch  
 1 decimeter = 10 centimeters = 3.94 inches  
 1 meter = 10 decimeters = 39.37 inches  
 1 dekameter = 10 meters = 32.8 feet  
 1 hectometer = 10 dekameters = 328.08 feet  
 1 kilometer = 10 hectometers = 3,280.8 feet

## *Weights*

1 centigram = 10 milligrams = .15 grain  
 1 decigram = 10 centigrams = 1.54 grains  
 1 gram = 10 decigrams = .035 ounce  
 1 dekagram = 10 grams = .35 ounce  
 1 hectogram = 10 dekagrams = 3.52 ounces  
 1 kilogram = 10 hectograms = 2.2 pounds  
 1 quintal = 100 kilograms = 220.46 pounds  
 1 metric ton = 10 quintals = 1.1 short tons

## *Liquid Measure*

1 centiliter = 10 milliliters = .34 fl. ounce  
 1 deciliter = 10 centiliters = 3.38 fl. ounces  
 1 liter = 10 deciliters = 33.81 fl. ounces  
 1 dekaliter = 10 liters = 2.64 gallons  
 1 hectoliter = 10 dekaliters = 26.42 gallons  
 1 kiloliter = 10 hectoliters = 264.18 gallons

## *Square Measure*

1 sq. centimeter = 100 sq. millimeters = .155 sq. inch  
 1 sq. decimeter = 100 sq. centimeters = 15.5 sq. inches  
 1 sq. meter (centare) = 100 sq. decimeters = 10.76 sq. feet  
 1 sq. dekameter (are) = 100 sq. meters = 1,076.4 sq. feet  
 1 sq. hectometer (hectare) = 100 sq. dekameters = 2.47 acres  
 1 sq. kilometer = 100 sq. hectometers = .386 sq. mile

## *Cubic Measure*

1 cu. centimeter = 1000 cu. millimeters = .06 cu. inch  
 1 cu. decimeter = 1000 cu. centimeters = 61.02 cu. inches  
 1 cu. meter = 1000 cu. decimeters = 35.31 cu. feet

## Approximate Conversion Factors

To change	To	Multiply by	To change	To	Multiply by
inches	centimeters	2.540	ounce-inches	newton-meters	.007062
feet	meters	.305	centimeters	inches	.394
yards	meters	.914	meters	feet	3.280
miles	kilometers	1.609	meters	yards	1.094
square inches	square centimeters	6.451	kilometers	miles	.621
square feet	square meters	.093	square centimeters	square inches	.155
square yards	square meters	.836	square meters	square feet	10.764
square miles	square kilometers	2.590	square meters	square yards	1.196
acres	square hectometers	.405	square kilometers	square miles	.386
cubic feet	cubic meters	.028	square hectometers	acres	2.471
cubic yards	cubic meters	.765	cubic meters	cubic feet	35.315
fluid ounces	milliliters	29.573	cubic meters	cubic yards	1.308
pints	liters	.473	milliliters	fluid ounces	.034
quarts	liters	.946	liters	pints	2.113
gallons	liters	3.785	liters	quarts	1.057
ounces	grams	28.349	liters	gallons	.264
pounds	kilograms	.454	grams	ounces	.035
short tons	metric tons	.907	kilograms	pounds	2.205
pound-feet	newton-meters	1.356	metric tons	short tons	1.102
pound-inches	newton-meters	.11296			

## Temperature (Exact)

°F	Fahrenheit temperature	5/9 (after subtracting 32)	Celsius temperature	°C

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



**SOMETHING WRONG WITH PUBLICATION**

*THEN...JOT DOWN THE  
DOPE ABOUT IT ON THIS FORM.  
CAREFULLY TEAR IT OUT, FOLD IT  
AND DROP IT IN THE MAIL.*

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT PIN-POINT WHERE IT IS

IN THIS SPACE, TELL WHAT IS WRONG  
AND WHAT SHOULD BE DONE ABOUT IT.

PAGE  
NO.

PARA-  
GRAPH

FIGURE  
NO.

TABLE  
NO.

PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER

SIGN HERE

DA FORM 1 JUL 79 2028-2

PREVIOUS EDITIONS  
ARE OBSOLETE.

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR  
RECOMMENDATION MAKE A CARBON COPY OF THIS  
AND GIVE IT TO YOUR HEADQUARTERS.

**PIN: 013234-001**