
HAND RECEIPT

COVERING CONTENTS OF COMPONENTS OF END ITEM (COEI) AND BASIC ISSUE ITEMS (BII)

MODULAR CAUSEWAY SYSTEM (MCS) WARPING TUG (WT) MODEL WT-1 NSN 1945-01-473-2285



SUPERSEDURE NOTICE: This manual supersedes TM 55-1945-205-10-3-HR, dated 13 September 2005.

**<u>DISTRIBUTION STATEMENT A:</u>** Approved for public release; distribution is unlimited.

HEADQUARTERS, DEPARTMENT OF THE ARMY

#### LIST OF EFFECTED PAGES

NOTE: The portion of text affected by the changes in indicated by a vertical line in the outer margins of the page. Changes to illustrations are indicated by miniature pointing hands. Changes to wiring diagrams are indicated by shaded areas.

Dates of issue for original and changed pages are:

Original 0 2 September 2005

# TOTAL NUMBER OF PAGES FOR FRONT AND REAR MATTER IS 12 AND TOTAL NUMBER OF PAGES IN CHAPTERS IS 24 CONSISTING OF THE FOLLOWING:

Page No.	*Change No.	Page No.	*Change No.
Cover	0	iii/vi blank	0
A/B blank	0	1 through 24	0
i/ii blank	0	DA FORM 2028 Pages	0

**TECHNICAL MANUAL** 

\*TM 55-1945-205-10-3-HR

NO. 55-1945-205-10-3-HR

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, D.C. 2 SEPTEMBER 2005

## HAND RECEIPT

## COVERING CONTENTS OF COMPONENTS OF END ITEM (COEI) AND BASIC ISSUE ITEMS (BII)

## MODULAR CAUSEWAY SYSTEM (MCS) WARPING TUG (WT) MODEL WT-1 NSN 1945-01-473-2285

## **REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS**

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Mail your letter or DA Form 2028 (Recommended Changes to Publications and Blank Forms), located in the back of this manual direct to: Commander, AMSTA-LC-CI/TECH PUBS, TACOM-RI, 1 Rock Island Arsenal, Rock Island, IL 61299-7630. You may also send in your recommended changes via electronic mail or by fax. Our fax number is DSN 793-0726 or Commercial (309) 782-0726. Our e-mail address is TACOM-TECH-PUBS@ria.army.mil. A reply will be furnished to you.

DISTRIBUTION STATEMENT A – Approved for public release; distribution is unlimited.

\*SUPERSEDURE NOTICE: This manual supersedes TM 55-1945-205-10-3-HR, dated 13 September 2005.

#### TABLE OF CONTENTS

PAGE

Section I.	INTRODUCTIONii	ii
Section II.	HAND RECEIPT	1

#### SECTION I. INTRODUCTION

 SCOPE. This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components of End Item (COEI) and Basic Issue Items (BII) related to the Modular Causeway System (MCS) Warping Tug, Model WT1.

#### 2. GENERAL.

- a. Section II is the overprinted DA Form 2062 which lists the line item entry for system/end item and the content of COEI and BII extracted from TM 55-1945-205-10-3. The listings consist of exactly the same items and are in the same sequence as those listings in TM 55-1945-205-10-3.
- b. The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist organizations in inventorying and accounting for property as required by AR 710-2.
- c. Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations will comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant or duplicating plant facilities.
- d. Additional copies may be requisitioned from the U.S. Army Publications Distribution Center, 2800 Eastern Boulevard, Baltimore, MD 21220-2896, in accordance with Chapter 12, AR 25-30.
- 3. EXPLANATION OF BLOCKS AND COLUMNS (DA FORM 2062). Refer to DA PAM 710-2-1, Chapter 6, for additional information required to complete DA Form 2062.
  - a. FROM. Enter the organization, unit, section or squad which issues the property.
  - b. TO. Enter the Unit Identifier Code (UIC) and the hand receipt file number of the unit/personnel receiving the property.
  - c. HAND RECEIPT NUMBER. Enter a locally designated number. Use it to post the location of property in the property book.
  - d. END ITEM STOCK NUMBER. Contains the National Stock Number (NSN) of the end item covered by the hand receipt.
  - e. END ITEM DESCRIPTION. Contains the end item short title.
  - f. PUBLICATION NUMBER. Contains the TM number of the technical manual containing the operator/crew instructions for the equipment.
  - g. PUBLICATION DATE. Date of the operator/crew technical manual.
  - h. QUANTITY. Quantity of the end item covered by this hand receipt.
  - i. STOCK NUMBER (column a). National stock number of the item described. Items without stock numbers should be requisitioned by Commercial and Government Entity Code (CAGEC) and part number with exception data in accordance with AR 710-2.
  - j. ITEM DESCRIPTION (column b). Enter a description of the end item, to include the make or model and the serial/USA number, followed by item description of COEI and BII items. In addition, it will contain the 5-digit Commercial and Government Entity Code (CAGEC), Part Number (P/N) and "Used On Code". The "Used On Code" will not be used in this manual.
  - k. \*ARC (column c). The Accounting Requirements Code (ARC) is provided here. One of the following ARC's will apply:

#### NOTE

The Accounting Requirements Code (ARC) refers to property accountability, not to disposal authority. Disposition action and authority for an unserviceable item is governed by the recoverability code (5th position of the SMR code) assigned to the item in the RPSTL.

- N Nonexpendable Items not consumed in use, retaining their identity during use and requiring that accountability be maintained throughout the life of the item.
- D Durable Nonconsumable components of sets, kits, outfits and assemblages; all tools in FSC's 5110, 5120, 5130, 5133, 5136, 5140, 5180, 5210, 5220 and 5280; and any other nonconsumable with a price in excess of \$50.00 not already "N".
- X- Expendable Items regardless of type classification or price and which are consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost \$50.00 or less and not already "N" or "D".
- SEC (column d). The Controlled Inventory Item Code (formerly SEC code) is entered here. This is a oneposition code which indicates the security classification, security risks, or pilferage controls required for storage or transportation of assets. Order of precedence for assignment of codes is classified, sensitive, pilferable, unclassified, as applicable. Codes applicable to this hand receipt are as follows.

SEC CODE	PHYSICAL SECURITY CODE
A	CONFIDENTIAL - Formerly Restricted Data
В	CONFIDENTIAL - Restricted Data
С	CONFIDENTIAL
D	CONFIDENTIAL - Cryptologic
E	SECRET - Cryptologic
F	TOP SECRET - Cryptologic
G	SECRET - Formerly Restricted Data
н	SECRET - Restricted Data
к	TOP SECRET - Formerly Restricted Data
L	TOP SECRET - Restricted Data
0	Naval Nuclear Propulsion Information
S	SECRET
т	TOP SECRET
U	UNCLASSIFIED

SEC CODE	SENSITIVE ITEMS CODE
Р	Ammunition and Explosives
Q	An item which is a drug or other substance determined by the Director, Drug Enforcement Administration (DEA), Department of Justice, to be designated schedule symbol III, IV or V as defined in the Controlled Substance Act of 1970 and other items requiring vault storage.
7	Sensitive information, prior to disposal, all nameplates, label plates, tags, stickers, documents or markings, which relate items to weapons system and item application, must be removed and destroyed.
SEC CODE	PILFERABLE ITEMS CODE
I	Aircraft engine equipment and parts
Μ	Handtools and shop equipment
Ν	Firearms
V	Individual clothing and equipment
W	Office machines
х	Photographic equipment and supplies
Y	Communication/electronic equipment and parts

- m. UI (column e). Unit of Issue. Refer to AR 708-1 and/or CDA PAM 18-1 (Catalog Data Activity) for explanation of abbreviations used in this column.
- n. QTY AUTH (column f). The quantity authorized to be on hand, or part of the end item.
- o. QUANTITY (column g). Actual quantity on hand. Subcolumns A through F are to be filled in by the receiving unit/personnel in accordance with DA PAM 710-2-1, chapter 6.
- p. PAGE\_\_\_OF\_\_\_PAGES. Contains page number and total number of pages for the COEI and BII portions of the hand receipt. Hand receipt holder will initial each page No. (only when two or more forms are involved). When hand receipt holders change, the old initial will be lined out and the new hand receipt holder will initial each page.

#### 4. AUTHORIZATION DOCUMENTS.

- a. Components of End Item (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).
- b. Basic Issue Items (BII) are authorized by the applicable operator's manual.

#### 5. SPECIAL INFORMATION. None.

#### SEC II. HAND RECEIPT

Following is the Hand Receipt for the Modular Causeway System (MCS) Warping Tug (WT).

FOR NNEX/ CR ONLY STOCK NUMBER	END ITEM DESCRIPTION WARPING TUG (WT)	PUBLICA	TION NUM	BED				1			
STOCK NUMBER		G TUG (WT) TM 55-1945-205-10-3-H			3-HR		RUAR		QUANTITY 05 1		
	STOCK NUMBER ITEM DESCRIPTION			UI QTY g.				UANTIT	Y		
a.	c.	d.	e.	AUTH <i>f.</i>	Α	В	С	D	E	F	
	COMPONENTS OF EN	ID ITEN	I (COE	EI)							
	A-FRAME (shipping rack and WT conversion kit) (19099) FCMWT-96-573-001	N	U	EA	1						
	CENTER END RAKE (ISOPAK) (34712) E02823	N	U	EA	1						
	CENTER MODULE WITH STORAGE AREA (34712) E36143	N	U	EA	1						
	CORNER FENDER (left hand) (BII container) (81340) MCS-582-004-15 LH	N	U	EA	1						
	CORNER FENDER (right hand) (BII container) (81340) MCS-582-004-15 RH	N	U	EA	1						
	D-RING MOORING ASSEMBLY (34712) E07803	N	U	EA	4						
(	FLEXOR COUPLING, PONTOON CAUSEWAY (left end rakes) (80091) 6138992	N	U	EA	2						
	_EFT END RAKE (ISOPAK) (34712) E36153	N	U	EA	2						

**DA** FORM **2062** JAN 82

**\_** 

PREVIOUS EDITIONS ARE OBSOLETE

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY	g.	Q	UANTIT	Y		
a.	b.	c.	d.	e.	AUTH f.	Α	В	С	D	Е	F
N/A	LIFELINES AND STANCHION ASSEMBLY (BII container) (34712) E03136	Ν	U	EA	1						
N/A	LIFE RING BUOY AND STANCHION ASSEMBLY (BII container) Consisting of:	N	U	EA	2						
4220-00-275-3157	Ring, Buoy, Lifesaving (81340) SUBPART 160.050-30 IN.										
6230-01-143-4778	Light, Marker, Distress (0FDD9) SS777										
N/A	Hanger, Bracket (06101) MCS-01-612-010-3										
N/A	Stanchion (06101) MCS-01-612-010-1										
N/A	Rubber Strip (39428) 9013K52										
5310-01-357-4696	Nut (39428) 90473A031										
N/A	Bolt (39428) 91309A628										
N/A	Clamp, Loop (06101) MCS-01-612-010-4										
N/A	Washer, Shouldered (06101) MCS-01-612-010-2										
N/A	Screw, Cap, Hexagon Head (39428) 92245A716										
N/A	MOORING CLEAT ASSEMBLY (BII container) (34712) E02783	Ν	U	EA	4						
N/A	PROPULSION MODULE (34712) E28403	Ν	U	EA	2						

PAGE <u>2</u> OF <u>23</u> PAGES

Reverse of DA Form 2062

N

CURRENT AS OF: 31 DECEMBER 2003

	For use of this for	T/ANNEX NUMBER     FROM:       m, see DA PAM 710-2-1.     agency is ODCSLOG.			то:				HAND	RECEIPT	NUMBE	R:
FOR ANNEX/ CR ONLY	END ITEM STOCK NUMBER 1945-01-473-2285	END ITEM DESCRIPTION WARPING TUG (WT)		TION NUN 5-1945	IBER •205-10•	-3-HR	PUBLICATION DATE 1 FEBRUARY 2005			QUANTITY 5 1		
ST	OCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	C	UANTIT	Y		
	а.	b.	с.	d.	e.	f.	Α	В	С	D	E	F
5825-0		RADIO SET (pilothouse) (BII container) (0WF67) DSC 500	N	U	EA	1						
5825-0		SATELLITE SIGNALS NAVIGATION SET (pilothouse) (BII container) (13499) 822-0077-103	N	U	EA	1						
5820-0		RECEIVER-TRANSMITTER, RADIO (BII container) (0JDM6) 50-200029	N	U	EA	2						
N/A		RIGHT END RAKE (ISOPAK) (powered section) (34712) E36173	N	U	EA	2						
N/A		SHIPPING RACK (ISOPAK), Plenums and 2 X 4 Fenders (arrangement 1) (06101) FCMWT-98699212	N	U	EA	2						
N/A		SHIPPING RACK (ISOPAK), Main Assembly Mast and A-frame Legs (arrangement 2) (06101) FCMWT-98699213	N	U	EA	1						
N/A		SHIPPING RACK (ISOPAK), Electrical Interconnect Assembly and Deck Covers (arrangement 3) (06101) FCMWT-98699214	N	U	EA	1						
HA HA HA		ceipt Annex Number RS FURNITURE, enter Condition Codes ONENTS RECEIPT, enter Accounting Requirements Code (ARC)								GE <u>3</u> OF		

**DA** FORM **2062** JAN 82

PREVIOUS EDITIONS ARE OBSOLETE

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY	g.	C	UANTIT	Y		
a.	b.	c.	d.	e.	AUTH <i>f.</i>	Α	В	С	D	Е	F
N/A	SHIPPING RACK (ISOPAK) (deck boxes) (arrangement 4) (06101) FCMWT-98699215	N	U	EA	1						
N/A	SKEG (WT conversion kit) (19207) MCS-02-114-001	N	U	EA	4						
N/A	STERN MAST NAVIGATION LIGHT (BII container) (06101) MCSWT-02-422-001-1-12	N	U	EA	1						
N/A	WARPING TUG CONVERSION KIT (20 ft end-opening container) (81340) MCS-99-673-001, Sheet 7	N	U	EA	1						
N/A	WINCH FOUNDATION ADAPTER (20 ft end-opening container) (19099) FCMWT-96-180-001	N	U	EA	4						
N/A	WINCH, DOUBLE DRUM (break bulk) (80091) 6304148	N	U	EA	1						
N/A	DECK BOX (shipping rack) (81340) MCSWT-02-671-17	N	U	EA	2						
N/A	CANOPY ASSEMBLY (BII container) (81340) MCSWT-02-613-001-11	N	U	EA	1						
N/A	CENTER END RAKE (anchor ISOPAK) (with fiberglass grates) (06101) MCSWT-02-581-001-42	N	U	EA	1						
N/A	SIDE FENDER (fender container) (81340) MCSWT-02-583-001	N	U	EA	16						
N/A	BOW FENDER (19207) MCSWT-02-582-001	N	U	EA	1						
	1		1		1	1			1	•	

PAGE 4\_OF 23\_PAGES

Reverse of DA Form 2062

CURRENT AS OF: 31 DECEMBER 2003

FOR ANNEX/ CR ONLY	END ITEM STOCK NUMBER 1945-01-473-2285	R END ITEM DESCRIPTION WARPING TUG (WT)			ON NUME	BER 205-10-	3-HR	PUBLICATION DATE 1 FEBRUARY 2005			QUANTITY 5 1		
S	TOCK NUMBER	ITEM DESCRIPTION			SEC	UI	QTY AUTH	g.	Q	UANTIT	Y	i	1
	a.	b.	c.	c.	d.	e.	f.	Α	в	С	D	Е	F
N/A		BII CONTAINER (06101) MCS-99-673-001			U	EA	1						
N/A		CONTAINER, SHIPPING, END ( (IRQA1) CMCONTAINER20	OPEN N	N	U	EA	3						
N/A		CONTAINER, SHIPPING, PART (IRQA1) CMCONTAINER20A	IAL ACCESS N	N	U	EA	1						
N/A		PILOTHOUSE SHIPPING CRAT (81340) MCSWT-02-671-30	E AND PALLET N	N	U	EA	1						
N/A		EXHAUST PLENUM (shipping rack) (34712) E18263			U	EA	2						
N/A		INTAKE PLENUM (shipping rac (06101) MCSWT-02-167-002-1-		N	U	EA	1						
N/A		PILOTHOUSE (operator cab) (p crate) (06101) MCSWT-02-085-001-1E		N	U	EA	1						
N/A		ELECTRICAL INTERCONNECT (shipping rack) (34712) E03003	ASSEMBLY N	N	U	EA	1						
N/A		DECK CABLE COVER (shipping (06101) MCSWT-02-304-1-6	g rack) N	N	U	EA	2						

TM 55-1945-205-10-3-HR

**DA** FORM **2062** 

PREVIOUS EDITIONS ARE OBSOLETE

CURRENT AS OF: 1 FEBRUARY 2005

S

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY	g.	Q	UANTIT	ſ		
a.	b.	c.	d.	е.	AUTH <i>f.</i>	Α	В	С	D	Е	F
N/A	NAVIGATION BELL AND FOUNDATION, PILOTHOUSE (BII container) (46576) 179012PLB	Ν	U	EA	1						
N/A	SEARCHLIGHT ASSEMBLY, PILOTHOUSE (BII container) (34712) E09438	И	U	EA	1						
N/A	NATO SLAVE CABLE (BII container) (34712) E44008	Ν	U	EA	1						
N/A	STERN ANCHORING SYSTEM (fender container) (34712) MCSCF-04-581-001	Ν	U	EA	1						
N/A	Consisting of: Stern Anchor (WT conversion kit)										
N/A	(34712) 6139063-1 1/4 in. Chain (1/4 in. X 3 ft long) (1/4 in. X 5 ft										
N/A	long) (1/4 in. X 6 ft long) (BII container) (75535) SPECTRUM 4										
N/A	Anchor Shackle, 1/4 in. (BII container) (75535) 1018375										
N/A	Turnbuckle, 5/8 in. Jaw-Eye (BII container) (75535) 1032652										
N/A	Locknut, RH thread, 5/8-11 UNC (BII container) (75535) 1075115										
N/A	Locknut, LH thread, 5/8-11 UNC (BII container) (75535) 1075491										
5325-01-500-7235	FASTENER, POSITIVE LOCK (twist locks, horizontal) (059E5) BLR1212	Ν	U	EA	18						

PAGE <u>6</u> OF <u>23</u> PAGES

Reverse of DA Form 2062

CURRENT AS OF: 31 DECEMBER 2003

QUANTITY 1		HAND						HAND RECEIPT/ANNEX NUMBER       FROM:         For use of this form, see DA PAM 710-2-1.       The proponent agency is ODCSLOG.			
		PUBLICATION DATE 1 FEBRUARY 2005				TION NUM 5-1945-			FOR ANNEX/ CR ONLY 1945-01-473-2285		
ТІТҮ	UANTITY	Q	g.	QTY AUTH	UI	SEC	*	ITEM DESCRIPTION	STOCK NUMBER		
D E	С	В	Α	f.	e.	d.	c.	b.	a.		
				64	EA	U	N	FASTENER, POSITIVE LOCK (twist locks, vertical) (94658) F633L-C	5325-01-495-6300		
				1	EA	U	N	FLOOR MAT, PILOTHOUSE (BII container) (OE328) 6915T55	N/A		
				1	EA	U	N	WINDSHIELD WIPER BLADE AND ARM, PILOTHOUSE (BII container) (24956) BD721620-10/LE721156	N/A		
				32	EA	U	N	CHAIN, 1/2 IN. OPEN LINK, 6 FT LONG, GALV (used with 2 X 4 fenders) (BII container) (OCJK9) 1/2OPENLINKMOORINGCHAIN	N/A		
				64	EA	U	N	SHACKLE, 5/8 IN. BOLT TYPE ANCHOR, GALV (used with 2 X 4 fenders) (BII container) (75535) 1019490	N/A		
				3	EA	U	N	T-BAR (for opening CO2, fuel and sludge tank hatches) (BII container) (34712) E23438	N/A		
				3	EA	U	N	T-WRENCH (for opening crew access hatches) (BII container) (34712) E23448	N/A		
PAGE	PAG							· · ·			

DA FORM 2062

PREVIOUS EDITIONS ARE OBSOLETE

HAND RECEIPT	(Continued)
--------------	-------------

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	Q	UANTIT	Y		
a.	b.	c.	d.	e.	f.	Α	В	С	D	Е	F
5975-01-188-8873	MOUNTING BASE, ELECTRICAL EQUIPMENT (operator cab) (80063) A3013367-1	N	U	EA	1						
5985-01-308-8988	TACTICAL COMMUNICATIONS ANTENNA WITH BASE (BII container) (not illustrated) (80063) A3017899-2	N	U	EA	1						
5830-01-397-7557	PUBLIC ADDRESS SET (pilothouse) (7H422) RAY430	Ν	U	EA	1						
N/A	2 X 4 MARINE FENDER (fender container and shipping rack) (5R766) UPCFENDER2X4	N	U	EA	4						
N/A	PILOTHOUSE HEATER HOSE, FEMALE Consisting of:	N	U	EA	1						
N/A	Female Quick Disconnect (2) (34712) E19138-1										
N/A	Nipple, Hose (2) (34712) E19028-1										
N/A	Clamp, Hose (2) (34712) E19038										
N/A	Hose, 120 in. Long (34712) E19108-1										
	1	1	I	1	1		1	PAGE _	<u>8</u> OF <u>23</u>	_ PAGES	

Reverse of DA Form 2062

œ

CURRENT AS OF: 31 DECEMBER 2003

	AND RECEIPT For use of this form The proponent a	FROM:			то:				HANDI	RECEIPT	T NUMBE	ER:	
ANNEX/	EM STOCK NUMBER 5-01-473-2285	END ITEM DESCRIPTION WARPING TUG	(WT)		TION NUN	I IBER - <b>205-10</b> -	-3-HR	PUBLICA 1 FEE			QUANTI	гү 1	
STOCK	NUMBER	ITEM DESCRIPTIO	ON	*	SEC	UI	QTY AUTH	g.	C	UANTIT	Y		_
i	a.	b.		c.	d.	e.	f.	Α	в	С	D	Е	F
N/A		PILOTHOUSE HEATER HOSE, Consisting of:	, MALE	Ν	U	EA	1						
N/A		Male Quick Disconnect (2) (34712) E19128-1											
N/A		Nipple, Hose (2) (34712) E19028-1											
N/A		Clamp, Hose (2) (34712) E19038											
N/A		Hose, 120 in. Long (34712) E19108-1											
			ON-BOARD	SPARES	5	1	1						
5325-01-50	r	ASTENER, POSITIVE LOCK ( norizontal) (BII container) 059E5) BLR1212	twist locks,	N	U	EA	2						
5325-01-49	v	ASTENER, POSITIVE LOCK ( rertical) (BII container) 94658) F633L-C	twist locks,	N	U	EA	4						
2990-01-43	s	GOVERNOR, DIESEL ENGINE witch) (BII container) 72582) 23514004	(overspeed	N	U	EA	1						
N/A		/OLTAGE REGULATOR (BII co 0AFF4) MC-624-AM165	ontainer)	N	U	EA	1						

TM 55-1945-205-10-3-HR

**DA** FORM **2062** 

PREVIOUS EDITIONS ARE OBSOLETE

CURRENT AS OF: 1 FEBRUARY 2005

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	Q	UANTIT	Y		
a.	Ь.	c.	d.	e.	f.	Α	В	С	D	Е	F
4820-01-163-9982	VALVE, BALL (engine cooling) (BII container) (81337) 6-1-6200-44	N	U	EA	1						
5330-01-206-3265	GASKET (engine side cover) (BII container) (72582) 8923792	N	U	EA	4						
5330-01-088-5982	GASKET (engine side cover) (BII container) (72582) 8923791	N	U	EA	2						
2815-01-074-2693	PARTS KIT, COVER (engine rocker cover) (BII container) (72582) 5149511	N	U	EA	1						
2910-01-334-0103	NOZZLE, FUEL INJECTION (BII container) (72582) 5227025	N	U	EA	4						
2910-01-024-9238	PUMP ASSEMBLY, FUEL (BII container) (72582) 5199735	N	U	EA	1						
4720-00-289-3306	HOSE, NONMETALLIC (engine hose) (BII container) (01276) 1503-20	N	U	EA	13						
2930-00-706-7753	PARTS KIT, ENGINE WATER PUMP (fresh water) (BII container) (72582) 23506367	N	U	EA	1						
5330-00-246-6380	SEAL, PLAIN ENCASED (engine thermostat seal) (BII container) (11083) 3S9643	N	U	EA	4						
6620-00-846-9848	THERMOSTAT, FLOW CONTROL (engine) (BII container) (78493) 4R313-401	N	U	EA	2						
								PAGE	10 OF 23	B_PAGES	

Reverse of DA Form 2062

CURRENT AS OF: 31 DECEMBER 2003

	For use of this form	T/ANNEX NUMBER n, see DA PAM 710-2-1. agency is ODCSLOG.	FROM:			TO:				HAND	RECEIPT	NUMBE	R:
FOR ANNEX/ CR ONLY	END ITEM STOCK NUMBER 1945-01-473-2285		(WT)		TION NUM	  BER - <b>205-10</b> -	-3-HR				QUANTIT	τΥ 1	
ST	TOCK NUMBER	ITEM DESCRIPT	ION	*	SEC	UI	QTY AUTH	g.	C	QUANTIT	Y		
	a.	Ь.		c.	d.	e.	f.	Α	В	С	D	E	F
5342-(		ANODE, CORROSION PREVE (BII container) (24617) 8517479	ENTIVE	N	U	EA	1						
2930-(		PARTS KIT, ENGINE WATER ( (BII container) (72582) 8927566	raw water pump)	N	U	EA	1						
3030-(		BELT, V (engine belts) (BII con (24161) N973	tainer)	N	U	EA	45						
5330-(		GASKET (engine, fuel line gas (55752) 11007	ket) (BII container)	N	U	EA	2						
2940-(		FILTER ELEMENT, FLUID (eng (BII container) (72582) 23530408	gine oil filter)	N	U	EA	4						
5330-(		GASKET (engine thermostat) ( (72582) 5175989	BII container)	N	U	EA	2						
N/A		ENGINE, FUEL FILTER ELEM (72582) 2910P25011017	ENT (BII container)	N	U	EA	2						
N/A		ENGINE, WATER FILTER ELE (BII container) (72582) 2940P23508425	N	U	EA	1							
HA HA		ceipt Annex Number RS FURNITURE, enter Condition Codes ONENTS RECEIPT, enter Accounting Requireme	ents Code (ARC)						<u> </u>	PAC	GE <u>11</u> C	) )F <u>23</u> PA	.GES

TM 55-1945-205-10-3-HR

**DA** FORM **2062** 

PREVIOUS EDITIONS ARE OBSOLETE

CURRENT AS OF: 1 FEBRUARY 2005

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY	<b>g</b> .	Q	UANTIT	Y		
a.	ь.	c.	d.	e.	AUTH <i>f.</i>	Α	в	С	D	Е	F
N/A	ENGINE, WATER FILTER ELEMENT (BII container) (72582) 2940P23508427	N	U	EA	1						
N/A	ENGINE, COOLING ANODE (BII container) (34712) 5340PE11308	N	U	EA	1						
N/A	ENGINE, OIL COOLER ANODE (BII container) (72582) 5340P23507233	N	U	EA	1						
5925-00-241-1441	CIRCUIT BREAKER (10 amp) (BII container) (30554) 80-6162	N	U	EA	4						
5925-01-025-6167	CIRCUIT BREAKER (40 amp) (BII container) (77342) W31-X2M1G-40	N	U	EA	2						
5925-00-869-1175	CIRCUIT BREAKER (5 amp) (BII container) (97403) 13225E1186	N	U	EA	2						
5925-00-947-8312	CIRCUIT BREAKER (15 amp) (BII container) (77342) W31-X2M1G-15	N	U	EA	2						
5925-00-199-9565	CIRCUIT BREAKER (50 amp) (BII container) (77342) W31-X2M1G-50	N	U	EA	2						
5925-00-855-3987	CIRCUIT BREAKER (20 amp) (BII container) (77342) W31-X2M1G-20	N	U	EA	2						
6240-01-186-9975	LAMP, INCANDESCENT (lamp main) (BII container) (61204) 904-00171	N	U	EA	14						
N/A	STRAINER, DUPLEX, GASKET (BII container) (34294) 5330P7248F7	N	U	EA	2						
N/A	HYD SYSTEM, FILTER ELEMENT (BII container) (1572X) 2940PN10	N	U	EA	1						

PAGE <u>12</u> OF <u>23</u> PAGES

Reverse of DA Form 2062

CURRENT AS OF: 31 DECEMBER 2003

	TION NUM 5-1945- 8EC d. U U U		QTY AUTH f. 1 1 2	PUBLICA 1 FEB g. A	RUAR	_	QUANTIT Y D	Y 1 E	F
c. N N N	<i>d</i> . U U	e. EA EA EA	AUTH f. 1 1 2	-		T		E	F
N N N	UUUU	EA EA EA	1 1 2	A	В	c	D	E	F
N	U	EA	1						
N	U	EA	2						<u> </u>
N	U	EA	•						
			3						
N	U	EA	3						
N	U	EA	1						
N	U	EA	2						
N	U	EA	4						
	N	N U	N U EA	N U EA 2	N U EA 2	N U EA 2	N         U         EA         2	N       U       EA       2	N U EA 2

**DA** FORM **2062** JAN 82 PREVIOUS EDITIONS ARE OBSOLETE

ITEM DESCRIPTION	*	SEC	UI	QTY	g.	Q	UANTIT	Y		
Ь.	c.	d.	e.	f.	Α	В	С	D	Е	F
LAMP, INDICATOR (operator cab lamp indicator) (BII container) (83330) 249-7872-3731-504	N	U	EA	4						
FUSE, CARTRIDGE (AGC-1) (BII container) (55588) 1912	N	U	EA	4						
FUSE, CARTRIDGE (AGC-5) (BII container) (81349) FO2A250V5A	N	U	EA	10						
BASIC ISSUE IT	EMS (E	BII)	•				•	•	•	•
2-TON 1/2 IN. ANCHOR SHACKLE (75535) 1019472	N	U	EA	8						
30-TON 1-1/2 IN. ANCHOR BOLT SHACKLE (75535) 102110	N	U	EA	4						
3-1/4 TON 5/8 IN. SHACKLE (75535) 1019490	N	U	EA	8						
40-TON 1-3/4 IN. ALLOY ANCHOR SHACKLE (75535) 1021138	N	U	EA	4						
4-3/4 TON 3/4 IN. SHACKLE (75535) 1019515	N	U	EA	8						
8 IN. SNATCH BLOCK (75535) 121022	N	U	EA	4						
APRON, UTILITY (64067) 8415-00-082-6108	Х	U	EA	2						
AX, PICKHEAD (76109) GGGA296TYPE2	D	U	EA	1						
BAR, WRECKING (57068) 55-136	D	U	EA	2						
	b.           LAMP, INDICATOR (operator cab lamp indicator) (BII container) (83330) 249-7872-3731-504           FUSE, CARTRIDGE (AGC-1) (BII container) (55588) 1912           FUSE, CARTRIDGE (AGC-5) (BII container) (81349) FO2A250V5A           BASIC ISSUE IT           2-TON 1/2 IN. ANCHOR SHACKLE (75535) 1019472           30-TON 1-1/2 IN. ANCHOR BOLT SHACKLE (75535) 102110           3-1/4 TON 5/8 IN. SHACKLE (75535) 102110           3-1/4 TON 5/8 IN. SHACKLE (75535) 1019490           40-TON 1-3/4 IN. ALLOY ANCHOR SHACKLE (75535) 1019515           4 IN. SNATCH BLOCK (75535) 121022           APRON, UTILITY (64067) 8415-00-082-6108           AX, PICKHEAD (76109) GGGA296TYPE2           BAR, WRECKING	b.c.LAMP, INDICATOR (operator cab lamp indicator) (BII container) (83330) 249-7872-3731-504NFUSE, CARTRIDGE (AGC-1) (BII container) (55588) 1912NFUSE, CARTRIDGE (AGC-5) (BII container) (81349) FO2A250V5ANEXECTION 1/2 IN. ANCHOR SHACKLE (75535) 1019472N30-TON 1-1/2 IN. ANCHOR SHACKLE (75535) 1019472N30-TON 1-1/2 IN. ANCHOR BOLT SHACKLE (75535) 102110N3-1/4 TON 5/8 IN. SHACKLE (75535) 1021138N4-3/4 TON 1-3/4 IN. ALLOY ANCHOR SHACKLE (75535) 1021138N4-3/4 TON 3/4 IN. SHACKLE (75535) 1019515N8 IN. SNATCH BLOCK (75535) 121022NAPRON, UTILITY (64067) 8415-00-082-6108AX, PICKHEAD (76109) GGGA296TYPE2BAR, WRECKINGD	b.c.d.LAMP, INDICATOR (operator cab lamp indicator) (BII container) (83330) 249-7872-3731-504NUFUSE, CARTRIDGE (AGC-1) (BII container) (55588) 1912NUFUSE, CARTRIDGE (AGC-5) (BII container) (81349) FO2A250V5ANU2-TON 1/2 IN. ANCHOR SHACKLE (75535) 1019472NU30-TON 1-1/2 IN. ANCHOR SHACKLE (75535) 102110NU30-TON 1-1/2 IN. ANCHOR BOLT SHACKLE (75535) 102110NU3-1/4 TON 5/8 IN. SHACKLE (75535) 1021138NU4-3/4 TON 3/4 IN. SHACKLE (75535) 1019515NU4-3/4 TON 3/4 IN. SHACKLE (75535) 1021138NU4-3/4 TON 3/4 IN. SHACKLE (75535) 121022NUAPRON, UTILITY (64067) 8415-00-082-6108NUAX, PICKHEAD (76109) GGGA296TYPE2DUBAR, WRECKINGDU	b.c.d.e.LAMP, INDICATOR (operator cab lamp indicator) (BII container) (83330) 249-7872-3731-504NUEAFUSE, CARTRIDGE (AGC-1) (BII container) (55588) 1912NUEAFUSE, CARTRIDGE (AGC-5) (BII container) (81349) FO2A250V5ANUEA2-TON 1/2 IN. ANCHOR SHACKLE (75535) 1019472NUEA30-TON 1-1/2 IN. ANCHOR BOLT SHACKLE (75535) 102110NUEA3-1/4 TON 5/8 IN. SHACKLE (75535) 1019490NUEA40-TON 1-3/4 IN. ALLOY ANCHOR SHACKLE (75535) 1019515NUEA4-3/4 TON 3/4 IN. SHACKLE (75535) 1019515NUEA8 IN. SNATCH BLOCK (75535) 121022NUEAAPRON, UTILITY (64067) 8415-00-082-6108DUEAAX, PICKHEAD (76109) GGGA296TYPE2DUEA	b.         c.         d.         e.         AUTH f.           LAMP, INDICATOR (operator cab lamp indicator) (BII container) (83330) 249-7872-3731-504         N         U         EA         4           FUSE, CARTRIDGE (AGC-1) (BII container) (55588) 1912         N         U         EA         4           FUSE, CARTRIDGE (AGC-5) (BII container) (81349) FO2A250V5A         N         U         EA         10           Z-TON 1/2 IN. ANCHOR SHACKLE (75535) 1019472         N         U         EA         8           30-TON 1-1/2 IN. ANCHOR SHACKLE (75535) 102110         N         U         EA         4           30-TON 1-1/2 IN. ANCHOR BOLT SHACKLE (75535) 102110         N         U         EA         8           30-TON 1-1/2 IN. ANCHOR BOLT SHACKLE (75535) 102110         N         U         EA         4           3-1/4 TON 5/8 IN. SHACKLE (75535) 1021138         N         U         EA         8           4-3/4 TON 3/4 IN. ALLOY ANCHOR SHACKLE (75535) 1021138         N         U         EA         4           4-3/4 TON 3/4 IN. SHACKLE (75535) 1019515         N         U         EA         4           8 IN. SNATCH BLOCK (75535) 121022         N         U         EA         2           APRON, UTILITY (64067) 8415-00-082-6108         D         U	b.         c.         d.         e.         AUTH f.         A           LAMP, INDICATOR (operator cab lamp indicator) (BII container) (83330) 249-7872-3731-504         N         U         EA         4           FUSE, CARTRIDGE (AGC-1) (BII container) (55588) 1912         N         U         EA         4           FUSE, CARTRIDGE (AGC-5) (BII container) (81349) FO2A250V5A         N         U         EA         10           2-TON 1/2 IN. ANCHOR SHACKLE (75535) 1019472         N         U         EA         8         -           30-TON 1-1/2 IN. ANCHOR SHACKLE (75535) 102110         N         U         EA         8         -           3-1/4 TON 5/8 IN. SHACKLE (75535) 1021138         N         U         EA         8         -           4-3/4 TON 3/4 IN. ALLOY ANCHOR SHACKLE (75535) 1021138         N         U         EA         8         -           8 IN. SNATCH BLOCK (75535) 1019515         N         U         EA         4         -           8 IN. SNATCH BLOCK (75535) 121022         N         U         EA         4         -           APRON, UTILITY (64067) 8415-00-082-6108         X         U         EA         1         -           AX, PICKHEAD (76109) GGGA296TYPE2         D         U         EA         1	b.         c.         d.         e.         AUTH f. $\overline{A}$ $\overline{B}$ LAMP, INDICATOR (operator cab lamp indicator) (BII container) (BII container) (B3330) 249-7872-3731-504         N         U         EA         4 $\overline{C}$	b.         c.         d.         e.         AUTH f.         A         B         C           LAMP, INDICATOR (operator cab lamp indicator) (BII container) (B330) 249-7872-3731-504         N         U         EA         4         Image: Container) (B1/(S5588) 1912         Image: Container) (S5588) 1912         N         U         EA         4         Image: Container) (S5588) 1912         N         U         EA         4         Image: Container) (S1349) FO2A250V5A         N         U         EA         10         Image: Container) (S1349) FO2A250V5A         N         U         EA         10         Image: Container) (S1349) FO2A250V5A         N         U         EA         8         Image: Container) (S1350) 1019472         Image: Container) (S14700 S16) IN. SNACKLE         N         U         EA         8         Image: Container) (S14700 S16) IN. SNACKLE         N         U         EA         8 </td <td>b.         c.         d.         e.         AUTH f.         AUTH A         B         C         D           LAMP, INDICATOR (operator cab lamp indicator) (BII container) (B1330) 249-7872-3731-504         N         U         EA         4         Image: Container) (B12000000000000000000000000000000000000</td> <td>b.         c.         d.         e.         AUTH f.         A         B         C         D         E           LAMP, INDICATOR (operator cab lamp indicator) (BII container) (83330) 249-7872-3731-504         N         U         EA         4         4         Image: Container) (S5588) 1912         Image: Container) (S5588) 1912         N         U         EA         4         Image: Container) (S5588) 1912         Image: Container) (S5588) 1912         N         U         EA         4         Image: Container) (S5588) 1912         N         U         EA         10         Image: Container) (S5588) 1912         N         U         EA         10         Image: Container) (S5588) 1912         Image: Container) (S5535) 102410         N         U         EA         10         Image: Container) (S5535) 1019472         Image: Container) (S5535) 102110         N         U         EA         8         Image: Container) (S5535) 102110         Image: Container) (S5535) 1019472         N         U         EA         4         Image: Container) (S5535) 102110         Image: Container) (S5535) 1019472         Image: Containe</td>	b.         c.         d.         e.         AUTH f.         AUTH A         B         C         D           LAMP, INDICATOR (operator cab lamp indicator) (BII container) (B1330) 249-7872-3731-504         N         U         EA         4         Image: Container) (B12000000000000000000000000000000000000	b.         c.         d.         e.         AUTH f.         A         B         C         D         E           LAMP, INDICATOR (operator cab lamp indicator) (BII container) (83330) 249-7872-3731-504         N         U         EA         4         4         Image: Container) (S5588) 1912         Image: Container) (S5588) 1912         N         U         EA         4         Image: Container) (S5588) 1912         Image: Container) (S5588) 1912         N         U         EA         4         Image: Container) (S5588) 1912         N         U         EA         10         Image: Container) (S5588) 1912         N         U         EA         10         Image: Container) (S5588) 1912         Image: Container) (S5535) 102410         N         U         EA         10         Image: Container) (S5535) 1019472         Image: Container) (S5535) 102110         N         U         EA         8         Image: Container) (S5535) 102110         Image: Container) (S5535) 1019472         N         U         EA         4         Image: Container) (S5535) 102110         Image: Container) (S5535) 1019472         Image: Containe

PAGE <u>14</u> OF <u>23</u> PAGES

Reverse of DA Form 2062

14 4

CURRENT AS OF: 31 DECEMBER 2003

FOR NNEX/ CR DNLY 1945-01-473-2285	END ITEM DESCRIPTION	ANNEX NUMBER see DA PAM 710-2-1. ency is ODCSLOG.  TO:  PUBLICATION NUMBER									
	WARPING TUG (WT)     TM 55-1945       ITEM DESCRIPTION     *				3-HR	PUBLICA			QUANTIT	Υ 1	
STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	Q	UANTIT	Y	1	
a.	Ь.	с.	d.	e.	f.	Α	В	С	D	E	F
	LANKET, BURN BJ97) 7260C	N	U	PG	1						
	DDY ASSEMBLY, LANTERN (red) 1349) MIL-F-16377/53-102.2	N	U	EA	1						
	DDY ASSEMBLY, LANTERN 1349) MIL-F-16377-53-001	N	U	EA	3						
	RACKET ASSEMBLY, LANTERN, HAND 1349) MIL-F-16377-53-003	N	U	EA	3						
	JRN CARE KIT, MEDICAL 6345) B95190	X	U	EA	1						
	ROWBAR 6161) 10501985	D	U	EA	2						
	KTINGUISHER, FIRE (15 lb) 1349) MIL-E-24269	N	U	EA	3						
	ACESHIELD, INDUSTRIAL 0204) ANSI Z87.1	D	U	EA	6						
(10	BER ROPE ASSEMBLY, SINGLE LEG 00 ft heaving line) 4249) 228	X	U	EA	2						

TM 55-1945-205-10-3-HR

**DA** FORM **2062** 

PREVIOUS EDITIONS ARE OBSOLETE

CURRENT AS OF: 1 FEBRUARY 2005

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY	g.	Q	UANTIT	Y		
a.	ь.	c.	d.	e.	AUTH <i>f.</i>	Α	В	С	D	E	F
5120-00-223-8921	FID (80244) A-A-52129	Х	U	EA	2						
8345-00-935-0445	FLAG, SIGNAL ("A" INTL CODE SIZE 6) (80064) 16696 SH 6B	N	U	EA	1						
8345-00-926-6803	FLAG, SIGNAL ("B" INTL CODE SIZE 6) (80064) 1669SHEET6B	N	U	EA	1						
8345-00-935-0451	FLAG, SIGNAL ("O" INTL CODE SIZE 6) (80064) 16696 SH 7A	N	U	EA	1						
8345-00-926-6814	FLAG, SIGNAL ("U" INTL CODE SIZE 6) (80064) 16696 SH 7A	N	U	EA	1						
8345-00-935-0455	FLAG, SIGNAL ("V" INTL CODE SIZE 6) (80064) 16696 SH 7A	N	U	EA	1						
8345-00-935-0456	FLAG, SIGNAL ("W" INTL CODE SIZE 6) (80064) 16696 SH 7A	N	U	EA	1						
8345-00-935-0457	FLAG, SIGNAL ("Y" INTL CODE SIZE 6) (80064) 16696 SH 7A	N	U	EA	1						
6230-00-264-8261	FLASHLIGHT (1CSX9) MX-991/U	D	U	EA	2						
8415-01-267-9661	GLOVES, ANTIFLASH (81349) MIL-G-2874	Х	U	PR	6						
8415-00-266-8677	GLOVES, CHEMICAL (81349) ZZ-G-381	Х	U	PR	2						
8415-01-158-9446	GLOVES, ELECTRICAL (81346) ASTM D-120-87	Х	U	PR	6						
8415-00-634-4658	GLOVES, MEN'S AND WOMEN'S (leather palm) (58536) A-A-50021	Х	U	PR	6						

PAGE <u>16</u> OF <u>23</u> PAGES

Reverse of DA Form 2062

CURRENT AS OF: 31 DECEMBER 2003

FOR ANNEX/ CR ONLY END ITEM STOCK NUI 1945-01-473-2		NG TUG (WT)		TION NUM		-3-HR		TION DAT	-	QUANTI	гү 1	
STOCK NUMBER	ITEM DE	SCRIPTION	*	SEC	UI	QTY AUTH	g.	C	QUANTIT	Y		
a.		b.	с.	d.	e.	f.	Α	В	С	D	Е	F
4240-00-052-3776	GOGGLES, INDUSTRI/ (80204) ANSI Z87.1	AL (chipping, chemical)	D	U	PR	6						
4240-00-190-6432	GOGGLES, INDUSTRIA (58536) A-A-110	AL	D	U	PR	2						
8465-01-328-8268	GOGGLES, SUN, WINE (99994) 43914	D, AND DUST (safety)	D	U	PR	6						
6230-00-776-5920	GRIP, HANDLE (battle I (81349) M16377-53-002	,	N	U	EA	3						
5120-00-243-2957	HAMMER, HAND (10 lb (70167) 23B28107-1	sledge)	D	U	EA	2						
5120-00-255-1476	HAMMER, HAND (5 lb s (58536) A-A-1285	ship's maul)	D	U	EA	1						
4240-00-022-2522	HARNESS, SAFETY IN (55799) 502644	DUSTRIAL	Х	U	EA	6						
8415-00-279-2205	HELMET, SAFETY (blue (80204) ISEA/ANSI Z89	,	Х	U	EA	2						
8415-00-823-7575	HELMET, SAFETY (bro (3A054) 9131T34	wn)	Х	U	EA	4						
6230-00-578-7401	HOLDER, LIGHT (battle (81349) MIL-F-16377/54	,	N	U	EA	3						

**DA** FORM **2062** 

17

PREVIOUS EDITIONS ARE OBSOLETE

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY	g.	C	QUANTIT	Y		
a.	b.	с.	d.	e.	AUTH f.	Α	В	С	D	Е	F
2040-00-268-9250	HOOK, BOAT (21530) H389	X	U	EA	2						
5440-01-499-8039	LADDER (06101) MCS-99-673-001-128	D	U	EA	2						
4240-00-022-2518	LANYARD, SAFETY HARNESS (80204) ANSI Z359.1	N	U	EA	6						
4220-01-415-9817	LIFE PRESERVER, VEST (work vest) (63806) IWV-222	N	U	EA	8						
4220-01-485-1135	LIFE PRESERVER, VEST (63806) MODEL I600-ORG-NAV	N	U	EA	8						
6260-01-086-8077	LIGHT, CHEMILUMINESCENT (0BY83) 9-80770	X	U	EA	780						
N/A	LOCKOUT TOOL BOX (1MZZ1) BRA 65289	D	U	KT	1						
N/A	OIL REMOVAL SYSTEM (FLOCS cart) (06101) MCSWT-02-167-002-35	D	U	EA	1						
6515-00-137-6345	PLUG, EAR (89875) 4-375	X	U	BX	1						
5510-00-260-8953	PLUG, WOOD (1 in. X 0 in. X 3 in.) (80064) 803-461043	Х	U	EA	5						
5510-00-260-8949	PLUG, WOOD (10 in. X 7 in. X 12 in.) (80064) S8800-461043	X	U	EA	5						
5510-00-260-8958	PLUG, WOOD (2 in. X 0 in. X 4 in.) (80064) S8800-461043	Х	U	EA	5						
5510-00-260-8962	PLUG, WOOD (3 in. X 0 in. X 8 in.) (80064) 803-461043	Х	U	EA	5						

PAGE <u>18</u> OF <u>23</u> PAGES

Reverse of DA Form 2062

18

CURRENT AS OF: 31 DECEMBER 2003

	For use of this form	<b>/ANNEX NUMBER</b> , see DA PAM 710-2-1. gency is ODCSLOG.	FROM:			то:				HAND	RECEIPT	NUMBE	ER:
NNEX/	EM STOCK NUMBER 5-01-473-2285	END ITEM DESCRIPTION WARPING TUG	; (WT)		TION NUM		-3-HR			TE Y 2005	QUANTI	гү 1	
STOCK	NUMBER	ITEM DESCRIPT	ION	*	SEC	UI	QTY AUTH	g.	C	QUANTIT	Υ		
é	a.	b.		c.	d.	e.	f.	Α	В	С	D	Е	F
5510-00-26		2LUG, WOOD (7 in. X 3 in. X 1 80064) 803-461043	l0 in.)	Х	U	EA	5						
5510-00-26		2LUG, WOOD (8 in. X 4 in. X 1 30064) S8800-461043	l0 in.)	X	U	EA	5						
4240-00-02		ROTECTOR, HEARING 58536) A-A-58084		X	U	EA	6						
1930-01-11		PUMP, SAMPLER 59578) 43-XV		N	U	EA	1						
4730-00-54		REPAIR (repair kit, emergency 81349) MILR17882 ASSEMBI		X	U	EA	1						
4020-00-24	n	OPE, FIBROUS (1/4 in. halya ylon, 300 ft) 31349) MILH226	ard line,	X	U	RL	1						
4020-00-53		OPE, FIBROUS (retrieving lir 81349) MILR24049	ne/ring buoy)	X	U	RL	1						
3345-01-10		HAPE, DAY, MARITIME (blac 81349) MIL-S-29134	k diamond)	N	U	EA	1						
3345-00-17		HAPE, DAY, MARITIME (blac 31349) MIL-S-29108	k round)	N	U	EA	2						

DA FORM 2062

PREVIOUS EDITIONS ARE OBSOLETE

STOCK NUMBER	ITEM DESCRIPTION	*	* SEC UI				g. QUANTITY							
a.	ь.	с.	d.	e.	AUTH <i>f.</i>	Α	В	С	D	Е	F			
2090-00-058-3737	SHORE, DAMAGE (81349) MIL-S-23965MODEL3-5	N	U	EA	4									
1370-01-030-8330	SIGNAL, SMOKE AND ILLUMINATION (10001) DL3139734	X	U	EA	12									
N/A 4010-01-477-8666	SLING, 36,000 LB ADJUSTABLE CHAIN Consisting of: 1-1/4 in. Alloy Master Link (75535) 1014342	N	U	EA	4									
4010-01-500-7624 4030-01-500-9386	200 ft 5/8 in. Chain (75535) 273563 5/8 in. Clevis Grab Hook													
2040-01-442-4055	(75535) 1027695 5/8 in. Lokalloy (19207) 12443057													
3940-01-501-1210	SLING, LIFTING, 53,000 lb (brown) (0VNA1) EN600X25FT	N	U	EA	4									
3940-01-501-0980	SLING, LIFTING, 5,300 lb (green) (0VNA1) EN60X4FT	N	U	EA	4									
3940-01-501-1220	SLING, LIFTING, 5,300 lb (green) (0VNA1) EN60X5FT	N	U	EA	4									
3940-01-501-0972	SLING, LIFTING, 5,300 lb (green) (0VNA1) EN60X6FT	N	U	EA	4									
N/A	SLING, LIFTING, 66,000 lb (olive) (0VNA1) EN800X30FT	N	U	EA	4									
3940-01-501-1216	SLING, LIFTING, 8,400 lb (yellow) (0VNA1) EN90X20FT	N	U	EA	4									
5340-00-275-4583	SNAP HOOK (81349) MIL-H-15021	X	U	EA	6									

PAGE 20 OF 23 PAGES

Reverse of DA Form 2062

CURRENT AS OF: 31 DECEMBER 2003

	HAND RECEIP For use of this for The proponent	FROM:			TO:				HAND RECEIPT NUMBER:				
FOR ANNEX/ CR ONLY	END ITEM STOCK NUMBER 1945-01-473-2285		G (WT)		TION NUN		-3-HR	PUBLICA		те Y 2005	QUANTITY 1		
STOCK NUMBER		ITEM DESCRIPT	ΓΙΟΝ	*	SEC	UI	QTY	g.	C	QUANTIT	Y		
	a.	b.		c.	d.	e.	AUTH f.	Α	В	С	D	Е	F
4220-(		SUIT, SURVIVAL, COLD (63806) ISS-590		N	U	EA	8						
9390-(	01-078-8660	TAPE, REFLECTIVE (94960) 3150-3X50 YD		X	U	RL	1						
5180-0	00-629-9783	TOOL KIT, GENERAL MECHA (rail and marine) (50980) SC 5180-95-N55	ANIC'S	D	U	EA	1						
5510-(	00-268-3475	WEDGE, WOOD (1-1/2 in. X 2 (80064) S8800-461043	2 in. X 12 in.)	X	U	EA	5						
5510-0	00-268-3479	WEDGE, WOOD (2 in. X 2 in. (80064) S8800-461043	X 8 in.)	Х	U	EA	5						
8465-0		WHISTLE, BALL (83421) 8465-00-254-8803		X	U	EA	24						
7240-(	00-089-3827	CAN, WATER, MILITARY (5 ga (81349) MIL-C-43613 TYPE 1	al)	N	U	EA	2						
6545-(		FIRST AID KIT, GENERAL PU (64616) 68-1371	IRPOSE	N	U	EA	2						
6680-(	01-499-8403	GAS-FREE METER (7J761) US ARMY-112160		N	U	EA	1						
HA HA		eceipt Annex Number RS FURNITURE, enter Condition Codes PONENTS RECEIPT, enter Accounting Requirem	nents Code (ARC)		1	1	1	1	<u> </u>	PAG	GE <u>21</u> C	)F <u>23</u> PA	AGES

**DA** FORM **2062** 

PREVIOUS EDITIONS ARE OBSOLETE

CURRENT AS OF: 1 FEBRUARY 2005

TE CURRENT

STOCK NUMBER	ITEM DESCRIPTION *	SEC	UI	QTY	g.	Q					
a.	b.	c.	d.	e.	AUTH f.	Α	В	С	D	Е	F
5120-01-501-6717	INSERTER AND REMOVER, PIN (pin retraction tool) (06101) MCS-99-673-001-132	N	U	EA	2						
N/A	TECHNICAL MANUAL, OPERATOR'S (TM 55-1945-205-10-3)	N	U	EA	1						
N/A	FID, HOLLOW (9L983) HOL 1276-SR	N	U	EA	1						
8345-00-245-2040	FLAG, NATIONAL (81349) DDD-F-416	N	U	EA	1						
N/A	HYDRAULIC TEST KIT (1C4B7) 1073430	N	U	EA	1						
8125-01-082-9697	BOTTLES, OIL SAMPLE (81996) PD8125-1	N	U	EA	100						
N/A	EXTENSION CORD, 50 FT (2V507) 7438K27	N	U	EA	1						
N/A	PADS, OIL ABSORBENT (bundle) (2V507) 72035T811	N	U	EA	1						
N/A	CHAIN HOIST, 3-TON (43969) LB030	N	U	EA	1						
4210-00-555-1283	BRACKET, CO2 FIRE EXTINGUISHER (0KDP7) 290511	N	U	EA	2						
N/A	ALTERNATOR BELT TIGHTENING TOOL (06101) MCSWT-02-259-001-9	N	U	EA	2						
N/A	SOCKET WRENCH, 2-5/16 IN., STEEL, 1 IN. DRIVE (0KEV6) 5546A44	N	U	EA	2						

PAGE <u>22</u> OF <u>23</u> PAGES

Reverse of DA Form 2062

CURRENT AS OF: 31 DECEMBER 2003

	For use of this for	T/ANNEX NUMBER     FROM:       m, see DA PAM 710-2-1.     agency is ODCSLOG.			то:			HAND RECEIPT NUMBER:					
FOR ANNEX/ CR ONLY	END ITEM STOCK NUMBER 1945-01-473-2285	R END ITEM DESCRIPTION WARPING TUG (WT)		TION NUM 5-1945-	BER •205-10-	3-HR	PUBLICA 1 FEB						
STOCK NUMBER ITEM DE		ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	Q	UANTIT	ANTITY C D E			
		b.		d.	e.	f.	Α	В	С	D	E	F	
N/A		SLIDING T-HANDLE (W/SOCKET WRENCH), STEEL, 1 IN. DRIVE (0KEV6) 5525A32	N	U	EA	2							
N/A		EXTENSION, 18 IN. (W/SOCKET WRENCH), STEEL, 1 IN. DRIVE (0KEV6) 5525A16	N	U	EA	2							
N/A		GUIDE PINS (06101) MCSWT-02-167-003-1	N	U	EA	6							
N/A		NAVIGATION MAST, HAND WINCH ASSEMBLY (06101) MCSWT-02-171-001-1	N	U	EA	1							
3950-	00-207-9352	CHAIN HOIST (3/4 ton) (27353) LB008	N	U	EA	2							
HA HA HA		eceipt Annex Number RS FURNITURE, enter Condition Codes PONENTS RECEIPT, enter Accounting Requirements Code (ARC) PREVIOUS EDITIO	ONS ARE		LETE		1	CURR		) 6E <u>23</u> 0 <b>OF: 1 FE</b>			

These are the instructions for sending an electronic 2028.

The following format must be used if submitting an electronic 2028. The subject line must be exactly the same and all fields must be included; however, only the following fields are mandatory: 1, 3, 4, 5, 6, 7, 8, 9, 10, 13, 15, 16, 17 and 27.

From: "Whomever" whomever@avma27.army.mil

- To: whomever@avma27.army.mil
- To: <u>TACOM-TECH-PUBS@ria.army.mil</u>

Subject:DA Form 2028

- 1. From: Joe Smith
- 2. Unit: home
- 3. Address: 4300 Park
- 4. City: Hometown
- 5. St: MO
- 6. Zip: 77777
- 7. Date Sent: 19-OCT-93
- 8. Pub no: 55-1915-200-10
- 9. Pub Title: TM
- 10. Publication Date: 11-APR-88
- 11. Change Number: 12
- 12. Submitter Rank: MSG
- 13. Submitter Fname: Joe
- **14.** Submitter Mname: ⊤
- 15. Submitter Lname: Smith
- 16. Submitter Phone: 123-123-1234
- 17. Problem: 1
- 18. Page: 1
- 19. Paragraph: 3
- 20. Line: 4
- 21. NSN: 5
- 22. Reference: 6
- 23. Figure: 7
- 24. Table: 8
- 25. Item: 9
- 26. Total: 123
- 27. Text:

This is the text for the problem below line 27.

	OMMENDED CH E his form, see AR 310-1; th	LANK FC	ORMS		Use Part II <i>(reverse)</i> for and Special Tool Lists Supply Catalogs/Supp SM).	(RPSTL) and	DATE: Date form is filled out.	
TO: (Forwa	ard to proponent of pu	ublication or fo	orm) (Include	ZIP Code)	FROM: (Activity and location) (Include ZIP Code)			
Mailinc	g address fou	nd on tit	le block	page.	Your mailin	g address.		
	,				NS (EXCEPT	RPSTL AND SC/SM) A	-	
PUBLICAT	ION/FORM NUMBER	:				DATE:		TITLE:
ТМ	X-XXXX-XXX	X-XXX				Date of the	TM.	Title of TM.
ITEM NO.	PAGE NO.	PARA- GRAPH	LINE NO.	FIGURE NO.	TABLE NO.			CHANGES AND REASON mended change must be given)
	0019 00 1	3	1	1			where to	e doors open with locking bar what? The bars or hooks are
	0019 00 4	4	1	1		hooks from wi not identified.	nere to wha Where ar	move locking bars, pins or at? The bars, pins or hooks are e they stored?
							M	PLE
	e to line numbers with ME, GRADE OR TITL		apn or subpar		E EXCHANG	E/AUTOVON, PLUS	SIGNATURE	
	ohn, CPL			EXTENSION	N			hn Doe
, -								

A FORM 2028, FEB 74

REPLACES DA FORM 2028, 1 DEC 68, WHICH WILL BE USED.

TO: (For Code)	rward to pr	oponent of	publication or form) (Inclu	de ZIP FROM	: (Activity and lo	cation) (Includ	e ZIP Code)	DATE:
,								
							CATALOGS/SUPPLY	MANUALS
PUBLIC	ATION/FO			RTS AND SPECIA	DATE:	AND SUFFEI	TITLE:	MANUALO
			xx-xxx		Date of th	ne TM	Title of TM.	
					2 0.10 0.1 1.		TOTAL NO.	RECOMMENDED ACTION
PAGE NO.	COLM NO.	LINE NO.	FEDERAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	OF MAJOR ITEMS SUPPORTED	
	nce to line	numbers w	ithin the paragraph or sub	Additional blank sh				ons and
TYPED N	NAME, GR	ADE OR T	ITLE	TELEPHONE EX EXTENSION	CHANGE/AUTO	VON, PLUS	SIGNATURE	
					3		CPL John	Doe

☆ U.S. GOVERNMENT PRINTING OFFICE 1981 341-646/8606

	OMMENDED CI E iis form, see AR 310-1; th	BLANK FO	RMS		Use Part II <i>(reverse)</i> f and Special Tool Lists Supply Catalogs/Supp SM).	(RPSTL) and	DATE:	
Con AMS 1 Re	ard to proponent of pl nmander STA-LC-CI / <sup>-</sup> ock Island Ar k Island, IL 6	TECH P senal	UBS, TA		FROM: (Activity and	location) (Include	ZIP Code)	
	-			UBLICATION	IS (EXCEPT	RPSTL AND SC/SM)	AND BLANK FOR	RMS
PUBLICAT	ION/FORM NUMBER	R:			-	DATE:		TITLE:
ТМ	55-1945-20	5-10-3-H	IR		2 Septem	ber 2005	Hand Receipt Covering Contents of Components of End Item (COEI) and Basic Issue Items (BII) For Modular Causeway System (MCS) Warping Tug (WT)	
ITEM NO.	PAGE NO.	PARA- GRAPH	LINE NO.	FIGURE NO.	TABLE NO.			CHANGES AND REASON Imended change must be given)
* Reference	e to line numbers with	in the paragra		agraph.				
				TELEPHON		E/AUTOVON, PLUS	SIGNATURE	
	TYPED NAME, GRADE OR TITLE TELEPHONE EXCHANGI							

TO: (Fo Code)	rward to pr	oponent o	f publication or form) (Inclu	de ZIP FRC	M: (Activity and lo	cation) (Includ	le ZIP Code)	DATE:				
			MANUALS									
PUBLIC	ATION/FO	RM NUME	ER:		DATE:		TITLE:					
PAGE NO.	COLM NO.	LINE NO.	FEDERAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION				
	Ρ	ART III - F						ons and				
* Referer	PART III - REMARKS ( <i>Any general remarks or recommendations, or suggestions for improvement of publications and</i> blank forms. Additional blank sheets may be used if more space is needed.)											
	NAME, GR				EXCHANGE/AUTO	VON, PLUS	SIGNATURE					

₩ U.S. GOVERNMENT PRINTING OFFICE 1981 341-646/8606

	OMMENDED CH E his form, see AR 310-1; th	BLANK FO	ORMS		Use Part II <i>(reverse)</i> fr and Special Tool Lists Supply Catalogs/Supp SM).	s (RPSTL) and	DATE:	
to: (Forwa Con AMS	ard to proponent of pu mmander STA-LC-CI / <sup>-</sup>	ublication or fo	orm) (Include .	ZIP Code)	FROM: (Activity and	location) (Include	ZIP Code)	
	ock Island Ar k Island, IL 6		330					
	·······			UBLICATION	IS (EXCEPT	RPSTL AND SC/SM)		RMS
	ion/form number 55-1945-20		IR			date: 2 Septem	ber 2005	TITLE: Hand Receipt Covering Contents of Components of End Item (COEI) and Basic Issue Items (BII) For Modular Causeway System
ITEM	PAGE	PARA-	LINE	FIGURE	TABLE	F		(MCS) Warping Tug (WT)
NO.	NO.	GRAPH	NO.	NO.	NO.			
* Reference	e to line numbers with	in the paragre	aph or subpar	ragraph.		RECOMMENDED CHANGES AND REASON (Exact wording of recommended change must be given)		
TYPED NAI	ME, GRADE OR TITL	LE		TELEPHONE EXTENSION		BE/AUTOVON, PLUS	SIGNATURE	

TO: (Fo. Code)	rward to pi	roponent o	f publication or form) (Inclu	de ZIP FROM	: (Activity and lo	cation) (Includ	le ZIP Code)	DATE:					
			PART II- REPAIR PA	RTS AND SPECIA		AND SUPPLY	CATALOGS/SUPPLY	MANUAI S					
PUBLIC	ATION/FO	RM NUMB			DATE:		TITLE:						
PAGE NO.	COLM NO.	LINE NO.	FEDERAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION					
	F	PART III - R	EMARKS (Any general re	marks or recomme	ndations, or sugg	gestions for im	provement of publication	ons and					
	PART III - REMARKS (Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.)												
		numbers w ADE OR T	vithin the paragraph or sub	paragraph. TELEPHONE EX		ON PLUS	SIGNATURE						
	NAIVIE, GR	ADE OK I		EXTENSION	GUDNGE/AUTU	VOIN, FLUD	SIGNATURE						

₩ U.S. GOVERNMENT PRINTING OFFICE 1981 341-646/8606

	OMMENDED CI E iis form, see AR 310-1; th	BLANK FO	RMS		Use Part II <i>(reverse)</i> f and Special Tool Lists Supply Catalogs/Supp SM).	(RPSTL) and	DATE:	
Con AMS 1 Re	ard to proponent of pl nmander STA-LC-CI / <sup>-</sup> ock Island Ar k Island, IL 6	TECH P senal	UBS, TA		FROM: (Activity and	location) (Include	ZIP Code)	
	-			UBLICATION	IS (EXCEPT	RPSTL AND SC/SM)	AND BLANK FOR	RMS
PUBLICAT	ION/FORM NUMBER	R:			-	DATE:		TITLE:
ТМ	55-1945-20	5-10-3-H	IR		2 Septem	ber 2005	Hand Receipt Covering Contents of Components of End Item (COEI) and Basic Issue Items (BII) For Modular Causeway System (MCS) Warping Tug (WT)	
ITEM NO.	PAGE NO.	PARA- GRAPH	LINE NO.	FIGURE NO.	TABLE NO.			CHANGES AND REASON Imended change must be given)
* Reference	e to line numbers with	in the paragra		agraph.				
				TELEPHON		E/AUTOVON, PLUS	SIGNATURE	
	TYPED NAME, GRADE OR TITLE TELEPHONE EXCHANGI							

<b>TO:</b> (Fo Code)	rward to pi	roponent o	f publication or form) (Inclu	de ZIP FROM	: (Activity and lo	cation) (Includ	le ZIP Code)	DATE:					
			PART II- REPAIR PA	RTS AND SPECIA	L TOOL LISTS	AND SUPPLY	CATALOGS/SUPPLY	MANUALS					
PUBLIC	ATION/FO	RM NUMB			AL TOOL LISTS AND SUPPLY CATALOGS/SUPPLY DATE: TITLE:								
PAGE NO.	COLM NO.	LINE NO.	FEDERAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION					
	F	PART III - R	EMARKS (Any general re	marks or recomme	endations, or sugg	gestions for im	provement of publication	ons and					
	PART III - REMARKS (Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.)												
		numbers w	vithin the paragraph or sub	paragraph. TELEPHONE EX	CHANGE/AUTO	VON. PLUS	SIGNATURE						
				EXTENSION		, 1 200	Source						

₩ U.S. GOVERNMENT PRINTING OFFICE 1981 341-646/8606

By Order of the Secretary of the Army:

Official:

Sandra R. Riley

SANDRA R. RILEY Administrative Assistant to the Secretary of the Army 0518118

**DISTRIBUTION:** To be distributed in accordance with the initial distribution requirements for IDN: 256757, requirements for TM 55-1945-205-10-3.

PETER J. SCHOOMAKER General, United States Army Acting Chief of Staff