
### TM 55-1945-216-10-HR

### HAND RECEIPT

### COVERING CONTENTS OF COMPONENTS OF END ITEM (COEI) AND BASIC ISSUE ITEMS (BII) FOR

MODULAR CAUSEWAY SYSTEM (MCS)
ROLL-ON/ROLL-OFF DISCHARGE FACILITY (RRDF)
NSN 1945-01-497-7059



**DISTRIBUTION STATEMENT A:** Approved for public release; distribution is unlimited.

**HEADQUARTERS, DEPARTMENT OF THE ARMY** 

**JUNE 2004** 

HAND RECEIPT

TM 55-1945-216-10-HR

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., 1 JUNE 2004

HAND RECEIPT
COVERING CONTENTS OF
COMPONENTS OF END ITEM (COEI)
AND BASIC ISSUE ITEMS (BII)
FOR

### MODULAR CAUSEWAY SYSTEM (MCS) ROLL-ON/ROLL-OFF DISCHARGE FACILITY (RRDF) NSN 1945-01-497-7059

### REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this publication. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Submit your DA Form 2028 (Recommended Changes to Equipment Technical Publications), through the Internet, on the Army Electronic Product Support (AEPS) website. The Internet address is <a href="http://aeps.ria.army.mil">http://aeps.ria.army.mil</a>. If you need a password, scroll down and click on "ACCESS REQUEST FORM". The DA Form 2028 is located in the ONLINE FORMS PROCESSING section of the AEPS. Fill out the form and click on SUBMIT. Using this form on the AEPS will enable us to respond quicker to your comments and better manage the DA Form 2028 program. You may also mail, fax or email your letter or DA Form 2028 direct to: AMSTA-LC-CI / TECH PUBS, TACOM-RI, 1 Rock Island Arsenal, Rock Island, IL 61299-7630. The email address is TACOM-TECH-PUBS@ria.army.mil. The fax number is DSN 793-0726 or Commercial (309) 782-0726.

**<u>DISTRIBUTION STATEMENT A</u>** – Approved for public release; distribution is unlimited.

### TM 55-1945-216-10-HR

### **TABLE OF CONTENTS**

		PAGE
Section I.	INTRODUCTION	iii
Section II.	HAND RECEIPT	V

### SECTION I. INTRODUCTION

 SCOPE. This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components of End Item (COEI) and Basic Issue Items (BII) related to the Modular Causeway System (MCS) Roll-On/Roll-Off Discharge Facility, Model RRDF1.

### 2. GENERAL.

- a. Section II is the overprinted DA Form 2062 which lists the line item entry for system/end item and the content of COEI and BII extracted from TM 55-1945-216-10. The listings consist of exactly the same items and are in the same sequence as those listings in TM 55-1945-216-10.
- b. The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist organizations in inventorying and accounting for property as required by AR 710-2.
- c. Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations will comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant or duplicating plant facilities.
- d. Additional copies may be requisitioned from the U.S. Army Publications Distribution Center, 1655 Woodson Road, St. Louis, MO 63114-6181, in accordance with the procedure in Chapter 12, DA Pam 25-30, and DA Pam 310-10.
- 3. EXPLANATION OF BLOCKS AND COLUMNS (DA FORM 2062). Refer to DA PAM 710-2-1, Chapter 6, for additional information required to complete DA Form 2062.
  - a. FROM. Enter the organization, unit, section or squad which issues the property.
  - b. TO. Enter the Unit Identifier Code (UIC) and the hand receipt file number of the unit/personnel receiving the property.
  - c. HAND RECEIPT NUMBER. Enter a locally designated number. Use it to post the location of property in the property book.
  - d. END ITEM STOCK NUMBER. Contains the National Stock Number (NSN) of the end item covered by the hand receipt.
  - e. END ITEM DESCRIPTION. Contains the end item short title.
  - f. PUBLICATION NUMBER. Contains the TM number of the technical manual containing the operator/crew instructions for the equipment.
  - g. PUBLICATION DATE. Date of the operator/crew technical manual.
  - h. QUANTITY. Quantity of the end item covered by this hand receipt.
  - STOCK NUMBER (column a). National stock number of the item described. Items without stock numbers should be requisitioned by Commercial and Government Entity Code (CAGEC) and part number with exception data in accordance with AR 710-2.
  - j. ITEM DESCRIPTION (column b). Enter a description of the end item, to include the make or model and the serial/USA number, followed by item description of COEI and BII items. In addition, it will contain the 5-digit Commercial and Government Entity Code (CAGEC), Part Number (P/N) and "Used On Code". The "Used On Code" will not be used in this manual.
  - k. \*ARC (column c). The Accounting Requirements Code (ARC) is provided here. One of the following ARC's will apply:

### NOTE

The Accounting Requirements Code (ARC) refers to property accountability, not to disposal authority. Disposition action and authority for an unserviceable item is governed by the recoverability code (5th position of the SMR code) assigned to the item In the RPSTL.

- (1). Refer to DA Pam 710-2-1, Chapter 6. Additional information required to complete DA Form 2062 is listed below.
- (2). Hand receipts shall identify the accounting requirements status of all line item entries via column c. One of the following codes will apply:

N - Nonexpendable Items not consumed in use, retaining their identity during use and

requiring that accountability be maintained throughout the life of

the item.

D - Durable Nonconsumable components of sets, kits, outfits and

assemblages; all tools in FSC's 5110, 5120, 5130, 5133, 5136, 5140, 5180, 5210, 5220 and 5280; and any other nonconsumable

with a price in excess of \$50.00 not already "N".

X - Expendable Items regardless of type classification or price and which are

consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost \$50.00 or less and not already

"N" or "D".

I. SEC (column d). The Controlled Inventory Item Code (formerly SEC code) is entered here. This is a one-position code which indicates the security classification, security risks, or pilferage controls required for storage or transportation of assets. Order of precedence for assignment of codes is classified, sensitive, pilferable, unclassified, as applicable.

SEC CODE	PHYSICAL SECURITY CODE
А	CONFIDENTIAL - Formerly Restricted Data
В	CONFIDENTIAL - Restricted Data
С	CONFIDENTIAL
D	CONFIDENTIAL - Cryptologic
E	SECRET - Cryptologic
F	TOP SECRET - Cryptologic
G	SECRET - Formerly Restricted Data
Н	SECRET - Restricted Data
K	TOP SECRET - Formerly Restricted Data
L	TOP SECRET - Restricted Data
Ο	Naval Nuclear Propulsion Information
S	SECRET
Т	TOP SECRET
U	UNCLASSIFIED

SEC CODE	SENSITIVE ITEMS CODE
Р	Ammunition and Explosives
Q	An item which is a drug or other substance determined by the Director, Drug Enforcement Administration (DEA), Department of Justice, to be designated schedule symbol III, IV or V as defined in the Controlled Substance Act of 1970 and other items requiring vault storage.
7	Sensitive information, prior to disposal, all nameplates, label plates, tags, stickers, documents or markings, which relate items to weapons system end item application, must be removed and destroyed.
SEC CODE	PILFERABLE ITEMS CODE
I	Aircraft engine equipment and parts
M	Handtools and shop equipment
N	Firearms
V	Individual clothing and equipment
W	Office machines
X	Photographic equipment and supplies
Υ	Communication/electronic equipment and parts
Z	Vehicular equipment and parts

- m. UI (column e). Unit of Issue. Refer to AR 708-1 and/or CDA PAM 18-1 (Catalog Data Activity) for explanation of abbreviations used in this column.
- n. QTY AUTH (column f). The quantity authorized to be on hand, or part of the end item.
- o. QUANTITY (column g). Actual quantity on hand. To be filled in by the receiving unit/personnel in accordance with DA PAM 710-2-1, chapter 6.
- p. PAGE\_\_\_OF\_\_\_PAGES. Contains page number and total number of pages for the COEI and BII portions of the hand receipt. Hand receipt holder will initial each page No. (only when two or more forms are involved). When hand receipt holders change, the old initials will be lined out and the new hand receipt holder will initial each page.

### 4. AUTHORIZATION DOCUMENTS.

- a. Components of End Item (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).
- b. Basic Issue Items (BII) are authorized by the applicable operator's manual.

### **SEC II. HAND RECEIPT**

Following is the Hand Receipt for the Modular Causeway System (MCS), Roll-On/Roll-Off Discharge Facility (RRDF).

PAGE 1 OF 26 PAGES

**CURRENT AS OF: 12 AUGUST 2003** 

	For use of this form	T/ANNEX NUMBER n, see DA PAM 710-2-1. ngency is ODCSLOG.	FROM:			то:				HAND	RECEIPT	NUMBE	R:
FOR ANNEX/	END ITEM STOCK NUMBER	END ITEM DESCRIPTION		PUBLICA <sup>*</sup>	TION NUM	BER		PUBLICA	TION DAT	E	QUANTIT	Υ	
CR ONLY	1945-01-497-7059	ROLL-ON/ROLL-OFF DISCHAR	GE FACILITY (RRDF)	TM :	55-1945	-216-10	)-HR	12 A	UGUST	2003		1	
S.	TOCK NUMBER	ITEM DESCRIPT	ION	*	SEC	UI	QTY	g.	C	UANTIT	Υ		
	a.	b.		c.	d.	e.	AUTH f.	Α	В	С	D	E	F
		CO	MPONENTS OF EN	D ITEN	I (COE	I)	•	•	•	•		•	•
No NS		ASSEMBLY, STANCHION, RINconsisting of: Ring, Buoy, Life Saving (7T351) JB-0-30 Light, Strobe (18560) SM-2 Hanger, Bracket (34712) E34682 Assembly, Stanchion (34712) E38203 Rope (39428) 3856T18 [BII stowage container; all but roof rope on storage room rear string buoy with 60 ft of rope on sport side shelf) [34712) E38873	ring buoy and 60 ft arboard wall hooks;	N	U	EA	4						
No NS	SN assigned I	BASIC ISSUE ITEMS (BII)		N	U	EA	1						

\* WHEN USED AS A:

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	Q	UANTIT	Y		
a.	b.	c.	d.	e.	f.	Α	В	С	D	E	F
	COMPONENTS OF END ITEM	(COE	) (CON	TINUE	D)	•	•	•	•	•	
No NSN assigned	BITT, MOORING HEAVY DUTY, STOWAGE ARRANGEMENT: 20 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, open end, HD MOORING BITT stenciled on container (34712) E33445	N	U	EA	1						
No NSN assigned	CBSE SECTION (85 ft. x 24 ft. x 4.5 ft.): comprised of three 40 ft. non-powered pontoon assy's, one 20 ft. right raked pontoon assy, one 20 ft. left raked pontoon assy, one 20 ft. center raked pontoon assy, and three 25 ft. beach end pontoon assemblies (34712) E19183	N	U	EA	1						
No NSN assigned	CONTAINER, GENERATOR (10 KW): 20 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, open end, GENERATOR stenciled on container (34712) E33228	N	U	EA	1						
No NSN assigned	CORNER FENDER ASSEMBLY, LH: steel frame with rubber fenders and polycarbon bumper, 26 in. x 19 in. x 22 in., 98 lbs. (deck fitting pallet in 5 x 10 FENDERS stowage container) (34712) E34793	N	U	EA	4						
No NSN assigned	CORNER FENDER ASSEMBLY, RH: steel frame with rubber fenders and polycarbon bumper, 26 in. x 19 in. x 22 in., 98 lbs. (deck fitting pallet in 5 x 10 FENDERS stowage container) (34712) E34553	N	U	EA	4						
HAND RECEIPT ANNEX/CO	DMPONENTS RECEIPT, enter Accounting Requirements Code (AF	RC)		ı		ı	ı	PAGE	2 OF 26	PAGES	

**DA** FORM **2062 JAN** 82

N

### ယ

### TM 55-1945-216-10-HR

**CURRENT AS OF: 12 AUGUST 2003** 

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY	g.	Q	UANTIT	Y		
a.	b.	c.	d.	e.	AUTH f.	Α	В	С	D	E	F
	COMPONENTS OF END ITEM	(COEI	) (CON	TINUE	D)						
No NSN assigned	D-RING FITTINGS: 9 in. x 9 in. x 12 in., steel, 42 lbs (deck fitting pallet in 5 x 10 FENDERS stowage container) (34712) E07803	N	U	EA	8						
No NSN assigned	DECK MATT STOWAGE ARRANGEMENT: 20 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, all access full opening, DECK MATT stenciled on container (34712) E33395	N	U	EA	1						
No NSN assigned	DUNNAGE MATT: 4 ft. x 10 ft. x 1.5 in. polyethylene sheets (DECK MATT stowage container, on the deck matting pallet) (34712) E33811	N	U	EA	36						
No NSN assigned	DUNNAGE MATT LOCK DOWN DOG ASSEMBLY: 7 lbs., circular, 5-5/8 in. dia. x 4 in. (DECK MATT stowage container, in the deck matting pallet stowage boxes) (34712) E33823	N	U	EA	40						
No NSN assigned	EMER ANCHOR SYS (EASY) ASSEMBLY: 20 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, all access full opening, EASY stenciled on container (34712) E32748	N	U	EA	1						
No NSN assigned	FENDER ASSEMBLY: 3 ft. by 5 ft. marine fender, 300 lbs, black (two in 4 x 12 & 3 x 5 FENDERS stowage container, in 3 x 5 fender pallet; twenty-four in each of two 3 x 5 FENDERS stowage containers, in 3 x 5 fender pallets) (59990) G03X05-2579	N	U	EA	50						
	300 lbs, black (two in 4 x 12 & 3 x 5 FENDERS stowage container, in 3 x 5 fender pallet; twenty-four in each of two 3 x 5 FENDERS stowage containers, in 3 x 5 fender pallets)		U	EA	50	0	0	0			PAGE 3 OF 26 PAGES

ITEM DESCRIPTION	*	SEC	UI	QTY	g.	Q	UANTIT	Y		
b.	c.	d.	e.	f.	Α	В	С	D	E	F
COMPONENTS OF END ITEM	(COE	) (CON	TINUE	D)		•	•	•	•	
FENDER ASSEMBLY: 4 ft. by 12 ft. marine fender, 1450 lbs., black (4 x 12 & 3 x 5 FENDERS stowage container, in the 4 x 12 fender pallets) (59990) G04X12-2456	N	U	EA	6						
FENDER ASSEMBLY: 5 ft. by 10 ft. marine fender, 1500 lbs, black (5 x 10 FENDERS stowage container, in the 5 x 10 fender pallets) (59990) G05X10-2237	N	U	EA	3						
FENDER ASSEMBLY: 6 ft. by 12 ft. marine fender, black, with tires and chains attached, 4548 lbs. (5R766) MG-6x12	N	U	EA	3						
FLEXOR COUPLING, PONTOON CAUSEWAY: 6 ft 5 in. x 1 ft 2 in. x 10 in., steel (one in each 20 ft. left raked pontoon assy's flexor receiver pocket) (34712) E02783	N	U	EA	35						
GENERATOR SET, DIESEL ENGINE: 10 kW, 32 in. x 32 in. x 60 in. (GENERATOR stowage container) (30554) MEP 803A	N	U	EA	1						
INTERMEDIATE SECTION (80 ft. x 24 ft. x 4.5 ft.) comprised of three 40 ft. non-powered pontoon assy's, two 20 ft. right raked pontoon assy's, two 20 ft. left raked pontoon assy's, and two 20 ft. center raked pontoon assy's (34712) E19193	N	U	EA	17						
•	COMPONENTS OF END ITEM  FENDER ASSEMBLY: 4 ft. by 12 ft. marine fender, 1450 lbs., black (4 x 12 & 3 x 5 FENDERS stowage container, in the 4 x 12 fender pallets) (59990) G04X12-2456  FENDER ASSEMBLY: 5 ft. by 10 ft. marine fender, 1500 lbs, black (5 x 10 FENDERS stowage container, in the 5 x 10 fender pallets) (59990) G05X10-2237  FENDER ASSEMBLY: 6 ft. by 12 ft. marine fender, black, with tires and chains attached, 4548 lbs. (5R766) MG-6x12  FLEXOR COUPLING, PONTOON CAUSEWAY: 6 ft 5 in. x 1 ft 2 in. x 10 in., steel (one in each 20 ft. left raked pontoon assy's flexor receiver pocket) (34712) E02783  GENERATOR SET, DIESEL ENGINE: 10 kW, 32 in. x 32 in. x 60 in. (GENERATOR stowage container) (30554) MEP 803A  INTERMEDIATE SECTION (80 ft. x 24 ft. x 4.5 ft.) comprised of three 40 ft. non-powered pontoon assy's, two 20 ft. left raked pontoon assy's, and two 20 ft. center raked pontoon assy's	COMPONENTS OF END ITEM (COEI  FENDER ASSEMBLY: 4 ft. by 12 ft. marine fender, 1450 lbs., black (4 x 12 & 3 x 5 FENDERS stowage container, in the 4 x 12 fender pallets) (59990) G04X12-2456  FENDER ASSEMBLY: 5 ft. by 10 ft. marine fender, 1500 lbs, black (5 x 10 FENDERS stowage container, in the 5 x 10 fender pallets) (59990) G05X10-2237  FENDER ASSEMBLY: 6 ft. by 12 ft. marine fender, black, with tires and chains attached, 4548 lbs. (5R766) MG-6x12  FLEXOR COUPLING, PONTOON CAUSEWAY: 6 ft 5 in. x 1 ft 2 in. x 10 in., steel (one in each 20 ft. left raked pontoon assy's flexor receiver pocket) (34712) E02783  GENERATOR SET, DIESEL ENGINE: 10 kW, 32 in. x 32 in. x 60 in. (GENERATOR stowage container) (30554) MEP 803A  INTERMEDIATE SECTION (80 ft. x 24 ft. x 4.5 ft.) comprised of three 40 ft. non-powered pontoon assy's, two 20 ft. left raked pontoon assy's, and two 20 ft. center raked pontoon assy's, and two 20 ft. center raked pontoon assy's, and two 20 ft. center raked pontoon assy's	COMPONENTS OF END ITEM (COEI) (CON  FENDER ASSEMBLY: 4 ft. by 12 ft. marine fender, 1450 lbs., black (4 x 12 & 3 x 5 FENDERS stowage container, in the 4 x 12 fender pallets) (59990) G04X12-2456  FENDER ASSEMBLY: 5 ft. by 10 ft. marine fender, 1500 lbs, black (5 x 10 FENDERS stowage container, in the 5 x 10 fender pallets) (59990) G05X10-2237  FENDER ASSEMBLY: 6 ft. by 12 ft. marine fender, black, with tires and chains attached, 4548 lbs. (5R766) MG-6x12  FLEXOR COUPLING, PONTOON CAUSEWAY: 6 ft5 in. x 1 ft2 in. x 10 in., steel (one in each 20 ft. left raked pontoon assy's flexor receiver pocket) (34712) E02783  GENERATOR SET, DIESEL ENGINE: 10 kW, 32 in. x 32 in. x 60 in. (GENERATOR stowage container) (30554) MEP 803A  INTERMEDIATE SECTION (80 ft. x 24 ft. x 4.5 ft.) comprised of three 40 ft. non-powered pontoon assy's, two 20 ft. right raked pontoon assy's, two 20 ft. left raked pontoon assy's, and two 20 ft. center raked pontoon assy's	COMPONENTS OF END ITEM (COEI) (CONTINUE  FENDER ASSEMBLY: 4 ft. by 12 ft. marine fender, 1450 lbs., black (4 x 12 & 3 x 5 FENDERS stowage container, in the 4 x 12 fender pallets) (59990) G04X12-2456  FENDER ASSEMBLY: 5 ft. by 10 ft. marine fender, 1500 lbs, black (5 x 10 FENDERS stowage container, in the 5 x 10 fender pallets) (59990) G05X10-2237  FENDER ASSEMBLY: 6 ft. by 12 ft. marine fender, 1509 black, with tires and chains attached, 4548 lbs. (5R766) MG-6x12  FLEXOR COUPLING, PONTOON CAUSEWAY: 6 ft 5 in. x 1 ft 2 in. x 10 in., steel (one in each 20 ft. left raked pontoon assy's flexor receiver pocket) (34712) E02783  GENERATOR SET, DIESEL ENGINE: 10 kW, 32 in. x 32 in. x 60 in. (GENERATOR stowage container) (30554) MEP 803A  INTERMEDIATE SECTION (80 ft. x 24 ft. x 4.5 ft.) comprised of three 40 ft. non-powered pontoon assy's, two 20 ft. left raked pontoon assy's, and two 20 ft. center raked pontoon assy's, and two 20 ft. center raked pontoon assy's.	COMPONENTS OF END ITEM (COEI) (CONTINUED)  FENDER ASSEMBLY: 4 ft. by 12 ft. marine fender, 1450 lbs., black (4 x 12 & 3 x 5 FENDERS stowage container, in the 4 x 12 fender pallets) (59990) G04X12-2456  FENDER ASSEMBLY: 5 ft. by 10 ft. marine fender, 1500 lbs, black (5 x 10 FENDERS stowage container, in the 5 x 10 fender pallets) (59990) G05X10-2237  FENDER ASSEMBLY: 6 ft. by 12 ft. marine fender, black, with tires and chains attached, 4548 lbs. (5R766) MG-6x12  FLEXOR COUPLING, PONTOON CAUSEWAY: 6 ft5 in. x 1 ft2 in. x 10 in., steel (one in each 20 ft. left raked pontoon assy's flexor receiver pocket) (34712) E02783  GENERATOR SET, DIESEL ENGINE: 10 kW, 32 in. x 32 in. x 60 in. (GENERATOR stowage container) (30554) MEP 803A  INTERMEDIATE SECTION (80 ft. x 24 ft. x 4.5 ft.) comprised of three 40 ft. non-powered pontoon assy's, two 20 ft. left raked pontoon assy's, and two 20 ft. center raked pontoon assy's.	COMPONENTS OF END ITEM (COEI) (CONTINUED)  FENDER ASSEMBLY: 4 ft. by 12 ft. marine fender, 1450 lbs., black (4 x 12 & 3 x 5 FENDERS stowage container, in the 4 x 12 fender pallets) (59990) G04X12-2456  FENDER ASSEMBLY: 5 ft. by 10 ft. marine fender, 1500 lbs, black (5 x 10 FENDERS stowage container, in the 5 x 10 fender pallets) (59990) G05X10-2237  FENDER ASSEMBLY: 6 ft. by 12 ft. marine fender, black, with tires and chains attached, 4548 lbs. (5R766) MG-6x12  FLEXOR COUPLING, PONTOON CAUSEWAY: 6 ft5 in. x 1 ft2 in. x 10 in., steel (one in each 20 ft. left raked pontoon assy's flexor receiver pocket) (34712) E02783  GENERATOR SET, DIESEL ENGINE: 10 kW, 32 in. x 32 in. x 60 in. (GENERATOR stowage container) (30554) MEP 803A  INTERMEDIATE SECTION (80 ft. x 24 ft. x 4.5 ft.) comprised of three 40 ft. non-powered pontoon assy's, two 20 ft. left raked pontoon assy's, and two 20 ft. center raked pontoon assy's and two 20 ft. center raked pontoon assy's and two 20 ft. center raked pontoon assy's and two 20 ft. center raked pontoon assy's, and two 20 ft. center raked pontoon assy's and two 20 ft. center and the fin	C. d. e. AUTH f. A B  COMPONENTS OF END ITEM (COEI) (CONTINUED)  FENDER ASSEMBLY: 4 ft. by 12 ft. marine fender, 1450 lbs., black (4 x 12 & 3 x 5 FENDERS stowage container, in the 4 x 12 fender pallets) (59990) G04X12-2456  FENDER ASSEMBLY: 5 ft. by 10 ft. marine fender, 1500 lbs, black (5 x 10 FENDERS stowage container, in the 5 x 10 fender pallets) (59990) G05X10-2237  FENDER ASSEMBLY: 6 ft. by 12 ft. marine fender, black, with tires and chains attached, 4548 lbs. (5R766) MG-6x12  FLEXOR COUPLING, PONTOON CAUSEWAY: 6 ft 5 in. x 1 ft 2 in. x 10 in., steel (one in each 20 ft. left raked pontoon assy's flexor receiver pocket) (34712) E02783  GENERATOR SET, DIESEL ENGINE: 10 kW, 32 in. x 32 in. x 60 in. (GENERATOR stowage container) (30554) MEP 803A  INTERMEDIATE SECTION (80 ft. x 24 ft. x 4.5 ft.) comprised of three 40 ft. non-powered pontoon assy's, two 20 ft. left raked pontoon assy's, and two 20 ft. center raked pontoon assy's.	COMPONENTS OF END ITEM (COEI) (CONTINUED)  FENDER ASSEMBLY: 4 ft. by 12 ft. marine fender, 1450 lbs., black (4 x 12 & 3 x 5 FENDERS stowage container, in the 4 x 12 fender pallets) (59990) G04X12-2456  FENDER ASSEMBLY: 5 ft. by 10 ft. marine fender, 1500 lbs, black (5 x 10 FENDERS stowage container, in the 5 x 10 fender pallets) (59990) G05X10-2237  FENDER ASSEMBLY: 6 ft. by 12 ft. marine fender, 1500 lbs, black (5 x 10 FENDERS stowage container, in the 5 x 10 fender pallets) (59990) G05X10-2237  FENDER ASSEMBLY: 6 ft. by 12 ft. marine fender, black, with tires and chains attached, 4548 lbs. (58766) MG-6x12  FLEXOR COUPLING, PONTOON CAUSEWAY: 6 ft5 in. x 1 ft2 in. x 10 in., steel (one in each 20 ft. left raked pontoon assy's flexor receiver pocket) (34712) E02783  GENERATOR SET, DIESEL ENGINE: 10 kW, 32 in. x 32 in. x 60 in. (GENERATOR stowage container) (30554) MEP 803A  INTERMEDIATE SECTION (80 ft. x 24 ft. x 4.5 ft.) comprised of three 40 ft. non-powered pontoon assy's, two 20 ft. left raked pontoon assy's, and two 20 ft. center raked pontoon assy's and two 20 ft. center	C.   d.   e.   AUTH   f.   A   B   C   D	Description

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)

PAGE 4 OF 26 PAGES

### 51

# TM 55-1945-216-10-HR

**CURRENT AS OF: 12 AUGUST 2003** 

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	Q	UANTIT	Y		
a.	b.	c.	d.	e.	f.	Α	В	С	D	E	F
	COMPONENTS OF END ITEM	(COE	) (CON	TINUE	D)		•	1	•	•	
No NSN assigned	LIGHTER FENDERING SYSTEM STOWAGE ARRANGEMENT: 40 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, open top (tarpaulin cover with ceiling bows), open end, 3 x 5 FENDERS stenciled on container (34712) E33555	N	U	EA	2						
No NSN assigned	LIGHTING SYSTEM STOWAGE CONTAINER ARRANGEMENT: 20ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, open end, LIGHTING 1 and LIGHTING 2 stenciled on two containers (34712) E33585	N	U	EA	2						
6220-01-505-1610	LIGHT TOWER: portable 2-wheel trailer with diesel-driven generator and telescoping tower with four 1000-watt high-pressure sodium lamps (LIGHTING 1 and LIGHTING 2 stowage containers; trailer on floor, telescoping tower on wall) (34712) E35658	N	U	EA	4						
2815-01-505-1614	LIGHT TOWER ENGINE: diesel (0XWR1) MODEL D905-B	N	U	EA	4						
No NSN assigned	MCS PERSONNEL SHELTER ARRANGEMENT: 20 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, open end, PERSONNEL SHELTER stenciled on container (34712) E32708	N	U	EA	1						
No NSN assigned	MOORING BITT: 24 in. x 80 in. x 180 in., 520 lbs., steel (in HD MOORING BITT stowage container, on mooring bitt pallets) (34712) E32718	N	U	EA	30						
HAND RECEIPT ANNEX/CO	DMPONENTS RECEIPT, enter Accounting Requirements Code (AF	RC)			•	1		PAGE	5 OF 26	PAGES	1

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	Q	TITANU	Y		
a.	ь.	c.	d.	e.	f.	Α	В	С	D	E	F
	COMPONENTS OF END ITEM	(COEI	) (CON	TINUE	D)			,			
No NSN assigned	MOORING CLEAT ASSEMBLY: 8 in. x 18 in. x 12 in., 60 lbs., steel (deck fitting pallet in 5 x 10 FEND-ERS stowage container) (34712) E07723	N	U	EA	8						
1940-01-505-1621	RHIB (rigid hull inflatable boat): inflatable boat with outboard, 8-person capacity., 15 ft 5 in. long (excluding outboard), black (RHIB stowage container) (34712) E34298	Z	U	EA	1						
2805-01-505-1613	RHIB OUTBOARD MOTOR (80256) MODEL 70	N	U	EA	1						
No NSN assigned	RHIB STOWAGE ARRANGEMENT: 20 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, all access full opening, RHIB stenciled on container (34712) E33295	N	U	EA	1						
No NSN assigned	SHIP FENDERING SYSTEM, (5 X 10) STOWAGE ARRANGEMENT: 40 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, open top (tarpaulin cover with ceiling bows), open end, 5 x 10 FENDERS stenciled on container (34712) E33635	N	U	EA	1						
No NSN assigned	SHIP FENDERING SYSTEM, (4 X 12 & 3 X 5) STOWAGE ARRANGEMENT: 40 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, open top (tarpaulin cover with ceiling bows), open end, 4 x 12 3 x 5 FEND- ERS stenciled on container (34712) E33595	N	U	EA	1						

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)

PAGE 6 OF 26 PAGES

6

	COMPONENTS OF END ITEM	(COEI	) (CON	ITINUE	D)			
No NSN assigned	TOWING BRIDLE: Consists of two 2 in. screw-pin type shackles, 45 lbs; one 2-1/2 in. anchor swivel, 527 lbs; two 1/2 in. screw pin shackles, .72 lbs.; two 60 ft. flexor rope assy's, 220 lbs; and two 2-1/2 in. bolt type anchor shackles, 98 lbs (BII stowage container, storage room floor) (34712) E34993 ITEMS 3-8	N	U	SET	1			
	TOWING LIGHTS Set contains the following items:	N	U	SET	2			
6220-01-501-6439	One of LIGHT, NAVIGATIONAL, MARINE, incandescent with base magnet, red lens, steady illumination. (0AGB3) 98-23804M	N	U	EA	1			
6220-01-501-6441	One of LIGHT, NAVIGATIONAL, MARINE, incandescent with base magnet, green lens, steady illumination. (0AGB3) 98-23805M	N	U	EA	1			
6220-01-501-6430	One of LIGHT, NAVIGATIONAL, MARINE, incandescent with base magnet, amber lens, flashing illumination. (0AGB3) 98-23400M	N	U	EA	1			
	One of LIGHT, NAVIGATIONAL, MARINE, incandescent with base magnet, white lens, steady illumination. (0AGB3) 98-23803M	N	U	EA	1			
	(BII stowage container, cabinet room, starboard side, cabinet B, drawers 3 and 4) (34712) E53528							

SEC

d.

UI

e.

QTY

**AUTH** 

g.

Α

QUANTITY

С

D

Ε

В

F

ITEM DESCRIPTION

b.

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)

PAGE 7 OF 26 PAGES

**CURRENT AS OF: 12 AUGUST 2003** 

STOCK NUMBER

a.

**DA** FORM **2062** JAN 82

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY	g.	Q	UANTIT	Y		
a.	b.	c.	d.	e.	AUTH f.	Α	В	С	D	E	F
	ON-BOARD SI	PARES					•				
4020-01-500-1232	AMSTEL BLUE LINE: 4 1/2 in. circ. x 250 ft., blue color (BII stowage container, storage room center, top layer) (5A457) 830	Х	U	RL	2						
1945-01-495-5249	BAR, GUILLOTINE: 54 in. x 4.5 in. x 6.75 in., 30 lbs., steel (BII stowage container, storage room floor starboard side) (34712) E04282	Х	U	EA	20						
NSN pending	BOLT, CARRIAGE: 1/2 in13UNC x 2 in. lg. (BII stowage container, cabinet room, starboard side, cabinet B, drawer 1) (39428) 93548A720	Х	U	PG	50						
NSN pending	BOLT, square head, steel, 3/4 in10 x 7 in. lg. (BII stowage container, cabinet room, starboard side, cabinet B, drawer 1) (39428) 91465A266	Х	U	EA	12						
5925-00-844-4132	BREAKER: 20 amp, manual reset, trip free, two pole, 120/240 VAC (BII stowage container, cabinet room, starboard side, cabinet B, drawer 1) (56303) QO220	Х	U	EA	1						
5925-00-583-7941	CIRCUIT BREAKER: 20 amp, 120/240 VAC, single pole (BII stowage container, cabinet room, starboard side, cabinet B, drawer 1) (56365) QO120	Х	U	EA	1						
HAND RECEIPT ANNEX/CO	L  DMPONENTS RECEIPT, enter Accounting Requirements Code (AF	RC)	I	<u>I</u>	<u> </u>	I	1	PAGE	8 OF 26	PAGES	1

PREVIOUS EDITIONS ARE OBSOLETE

 $\infty$ 

9

# TM 55-1945-216-10-HR

**CURRENT AS OF: 12 AUGUST 2003** 

### HAND RECEIPT (CONTINUED)

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY	4					
a.	ь.	c.	d.	e.	AUTH f.	Α	В	С	D	E	F
	ON-BOARD SPARES	(CONT	INUED	)	•		•	•	•	•	
NSN pending	COVER, FLEXOR WELL: steel, 30 in. x 12 in. x 9 in., 42 lbs. (BII stowage container, storage room port side floor, beneath shelf) (34712) E32782	Х	U	EA	2						
2040-01-092-3081	FLEXOR COUPLING, PONTOON CAUSEWAY: 6 ft 5 in. x 1 ft 2 in. x 10 in., steel (BII stowage container, storage room floor) (34712) E02783	Х	U	EA	4						
NSN pending	FUSE, CARTRIDGE: time delay, class rk5, 70 amp (BII stowage container, cabinet room, starboard side, cabinet B, drawer 1) (75915) FLNR070	Х	U	EA	2						
4235-01-416-8465	KIT, SPILL: 30 gallon white drum, 30 in. tall x 23 in. dia. (BII stowage container, storage room, port side shelf) (50378) P-SKFL31	X	U	KT	1						
6240-01-460-4076	LAMP, FLUORESCENT: 20 watt, type T12 bulb, cool white, 24 in. long (BII stowage container, cabinet room, port side, cabinet E, drawer 1) (62607) 046677-22154-9	X	U	EA	5						
NSN pending	LAMP, INCANDESCENT: high-pressure sodium, 1000 watt (BII stowage container, cabinet room, port side, cabinet D, drawer 2) (33968) 36847747	Х	U	EA	2						
6240-01-419-2503	LAMP, INCANDESCENT: 6 volt (BII stowage container, cabinet room, port side, cabinet D, drawer 2) (62607) 04-6677-21183-9	Χ	U	EA	2						

**DA** FORM **2062** 

**CURRENT AS OF: 12 AUGUST 2003** 

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	Q	UANTIT	Y		
a.	b.	c.	d.	e.	f.	Α	В	С	D	E	F
	ON-BOARD SPARES	(CON	INUED	))	•		•		•		
NSN pending	LAMP, MARINE: 12 volt, 75 watt (BII stowage container, cabinet room, port side, cabinet D, drawer 2) (39428) 8357K16	Х	U	EA	2						
NSN pending	LINE, HAWSER: 75 ft. long with 3 ft. eyes, 8 in. circ. (BII stowage container, storage room, center) (5A457) W6	Х	U	RL	4						
5325-01-500-7235	LOCK, TWIST, HORIZONTAL: 3.5 in. dia x 8in. long (BII stowage container, storage room, port side, floor beneath shelf, in box 2) (059E5) BLR1212	N	U	EA	8						
NSN pending	LOCK, TWIST, VERTICAL: 8.58 in. x 7in. x 4.7 in. (BII stowage container, storage room, port side, floor beneath shelf, in boxes 3 and 4) (0SW64) C5AM-DF	N	U	EA	16						
5310-00-765-2280	NUT, PLAIN, HEXAGON: 1/2 in13UNC (BII stowage container, cabinet room, starboard side, cabinet B, drawer 1) (0BDC6) D7760D	Х	U	EA	50						
5310-00-763-8921	NUT, PLAIN, HEXAGON: 3/4 in 10UNC (BII stowage container, cabinet room, starboard side, cabinet B, drawer 1) (96906) MS51967-23	Х	U	EA	12						
5310-00-762-6223	NUT, PLAIN, HEXAGON: 1-1/2 in 6UNC (BII stowage container, cabinet room, starboard side, cabinet B, drawer 1) (53711) 5277671	X	U	EA	5						
HAND RECEIPT ANNEX/C	OMPONENTS RECEIPT, enter Accounting Requirements Code (AF	RC)	1	ı	1	ı	1	PAGE_	<u>10</u> OF <u>2</u>	6 PAGES	

## TM 55-1945-216-10-HR

**CURRENT AS OF: 12 AUGUST 2003** 

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY	g.	Q	UANTIT	Υ		
a.	b.	c.	d.	e.	AUTH f.	Α	В	С	D	E	F
	ON-BOARD SPARES	(CONT	INUED	)	•	•	•	•	•	•	
5310-00-880-8188	NUT, PLAIN, HEXAGON: 2 in 4-1/2 UNC (BII stowage container, cabinet room, starboard side, cabinet B, drawer 1) (96906) MS51967-47	Х	U	EA	2						
NSN pending	PIN, CONNECTOR: 4 in. x 17 in. x 1.75 in., 24 lbs. (BII stowage container, cabinet room, starboard side, cabinet C, drawer 5) (34712) E04222	Х	U	EA	20						
5315-00-899-4116	PIN, COTTER: 3/16 in. (BII stowage container, cabinet room, starboard side, cabinet B, drawer 1) (81348) FFP386	Х	U	HD	100						
4020-00-752-8879	SPOOL: 4 in. circ., 3-strand, nylon, 600 ft. continuous (the BII stowage container storage room, center rear, lower level) (81349) MIL-R-17343-4CRCM	Х	U	RL	1						
NSN pending	SPRING, PIN: 1.68 in. dia. x 10 in. lg. (BII stowage container, cabinet room, starboard side, cabinet C, drawer 5) (34712) E04251	Х	U	EA	20						
5310-00-809-5997	WASHER, FLAT: 1/2 in. (BII stowage container, cabinet room, starboard side, cabinet B, drawer 1) (51563) 145-4510923-104	Х	U	HD	50						
5310-00-982-6584	WASHER, FLAT: 7/8 in. (BII stowage container, cabinet room, starboard side, cabinet B, drawer 1) (81348) FF-W-92	Х	U	EA	50						
HAND RECEIPT ANNEX/0	COMPONENTS RECEIPT, enter Accounting Requirements Code (AF	RC)	1	<u> </u>	<u>I</u>	<u> </u>	1	PAGE _	11_OF_2	L <u>6</u> PAGES	

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY	g.	Q	'TITNAU	′		
a.	b.	c.	d.	e.	AUTH f.	Α	В	С	D	E	F
	BASIC ISSUE IT	EMS (E	BII)								
3930-01-499-8041	ADAPTER, FORKLIFT: 74 in. x 36 in. x 10 in., 470 lbs., steel (BII stowage container, cabinet room, center floor) (06101) MCS-673-99-001-167	N	C	EA	2						
5120-00-144-5207	ADAPTER, SOCKET WRENCH: 3/4 in. male to 1/2 in. female (dunnage mat stowage container, pallet toolbox, inside tool bag) (07BY4) 5523A38	Z	C	EA	1						
4020-01-500-1232	AMSTEL BLUE LINE: 4 1/2 in. circ. x 250 ft., blue color (BII stowage container, storage room center, top layer) (5A457) 830	X	U	RL	2						
4010-01-477-0497	ASSEMBLY, ANCHOR CHAIN: 30 ft. long ratchet assembly with 3 in. wide polyester webbing and chain anchor end fittings (in BII stowage container, cabinet room, cabinet A drawer 5, cabinet C drawer 7, cabinet D drawer 8) (23755) 20489	Х	U	EA	15						
NSN pending	ASSEMBLY, BRIDLE, TOWING: Consists of two 2 in. screw-pin type shackles, 45 lbs; one 2-1/2 in. anchor swivel, 527 lbs; two 1/2 in. screw pin shackles, .72 lbs.; two 60 ft. flexor rope assy's, 220 lbs; and two 2-1/2 in. bolt type anchor shackles, 98 lbs (BII stowage container, storage room floor) (34712) E34993 ITEMS 3-8	N	U	EA	1						
HAND RECEIPT ANNEX/CO	MPONENTS RECEIPT, enter Accounting Requirements Code (AF	RC)		Ī	ı			PAGE_	12_OF_26	PAGES	

### $\vec{\omega}$

# TM 55-1945-216-10-HR

**CURRENT AS OF: 12 AUGUST 2003** 

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	1 0					
a.	b.	c.	d.	e.	f.	Α	В	С	D	E	F
	BASIC ISSUE ITEMS (B	II) (CO	NTINU	ED)	•		•	•	•	•	
NSN pending	ASSEMBLY, CONTAINER PUSH ROD: 108 in. x 12 in. x 8 in. (retracted), steel (5 x 10 FENDERS stowage container, rear starboard side, on floor) (34712) E35863	N	U	EA	1						
NSN pending	ASSEMBLY, LIFTING DEVICE, FLEXOR: 24 in. x 6.75 in. x 17 in. (assembled) (disassembled and EASY stowage container: two halves hanging on inside of front door; attaching hardware inside of EASY toolbox) (34712) E49591	N	U	EA	1						
NSN pending	ASSEMBLY, MANLIFT: 38 in. x 78 in. x 62 in., aluminum (5 x 10 FENDERS stowage container, on top of the deck fittings pallet) (1PL62) 1001064	N	U	EA	1						
NSN pending	ASSEMBLY, QUICK DISCONNECT (BII stowage container, storage room, starboard side, hanging rack) (94658) ASC20-1	N	U	EA	6						
HAND RECEIPT ANNEX/CO	DMPONENTS RECEIPT, enter Accounting Requirements Code (Al	RC)			1		<u>I</u>	PAGE_	13_OF <u>2</u>	<u>6</u> PAGES	

**CURRENT AS OF: 12 AUGUST 2003** 

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH						
a.	b.	c.	d.	e.	f.	Α	В	С	D	E	F
	BASIC ISSUE ITEMS (BI	II) (CO	NTINUI	ED)							
No NSN assigned	ASSEMBLY, STANCHION, RING: consisting of: Ring, Buoy, Life Saving (7T351) JB-0-30 Light, Strobe (18560) SM-2 Hanger, Bracket (34712) E34682 Assembly, Stanchion (34712) E38203 Rope (39428) 3856T18 (BII stowage container; all but ring buoy and 60 ft of rope on storage room rear starboard wall hooks; ring buoy with 60 ft of rope on storage room rear port side shelf) (34712) E38873	N	U	EA	4						
4210-00-142-4949	AX, FIRE: hickory handle, overall length 34.5 in., axe blade on one end, pick on other end (BII stowage container, storage room, port side shelf) (76109) GGGA296TYPE2	D	U	EA	2						
8105-01-438-9279	BAG, TOOLS AND SPARE PARTS (dunnage mat stowage container, pallet toolbox) (39428) 6565A11	N	U	EA	1						
6510-01-439-0862	BLANKET, FIRE: 72 in. x 60 in. (BII stowage container, cabinet room, port side, cabinet F, drawer 7) (1BJ97) 7260C	N	U	PG	1						
HAND RECEIPT ANNEX/CO	ECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)									<u>6</u> PAGES	

### 5

## TM 55-1945-216-10-HR

**CURRENT AS OF: 12 AUGUST 2003** 

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	H					
a.	ь.	c.	d.	e.	f.	Α	В	С	D	E	F
	BASIC ISSUE ITEMS (B	II) (CO	NTINU	ED)			•	•			
NSN pending	CABLE, 50 FT NATO SLAVE: connector, plug, electrical (BII stowage container, cabinet room, starboard side, cabinet C, drawer 8) (61090) TGC2336-2	N	U	EA	1						
7240-01-337-5269	CAN, GAS, MILITARY: 5 gal. rectangular, olive drab, plastic (in BII stowage container, storage room rear, port shelf) (56161) 10502788	N	U	EA	8						
7240-00-089-3827	CAN, WATER, MILITARY: 5 gal. water container, plastic, rectangular (BII stowage container, storage room rear, port shelf) (81349) MIL-C-43613 TYPE 1	N	U	EA	2						
NSN pending	CHAIN, OPEN LINK: 6 ft. of 1/2 in. open length chain (in BII stowage container, port side, below shelf in 30 gal. drum) (75535) SPECTRUM 8	Х	U	PC	134						
NSN pending	CHARGER, RADIO: rapid charger for VHF/FM marine handheld transceiver (PERSONNEL SHELTER stowage container, mounted to radio shelf) (1SU04) CSA280	N	U	EA	4						
NSN pending	COVER, FLEXOR WELL: steel, 30 in. x 12 in. x 9 in., 42 lbs (BII stowage container, storage room port side floor, beneath shelf) (34712) E32782	N	U	EA	24						
HAND RECEIPT ANNEX/CC	MPONENTS RECEIPT, enter Accounting Requirements Code (AF	RC)			1			PAGE	15 OF 2	<u>6</u> PAGES	

**CURRENT AS OF: 12 AUGUST 2003** 

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	Q	UANTIT	Y		
a.	b.	c.	d.	e.	f.	Α	В	С	D	E	F
	BASIC ISSUE ITEMS (BI	I) (CO	NTINU	ED)	•	•	•	•	•	•	
5110-01-423-8503	CUTTER, WIRE: combination wide flat nose/wire cutter (BII stowage container, cabinet room, starboard side, cabinet C, drawer 4) (55719) 659ACP	D	U	EA	4						
4210-00-889-2491	EXTINGUISHER, FIRE: 10 lb. dry chemical, stored pressure, refillable, for type A, B, and C fires (the BII stowage container, cabinet room, port side, cabinet D, drawer 7) (80244) A-A-393 TY1CL1SZ10	N	U	EA	2						
6230-00-264-8261	FLASHLIGHT: watertight, regular, standard, right- angle, 2-cell (D-size) (BII stowage container, cabi- net room, starboard side, cabinet C, drawer 2) (80063) MX991U	D	U	EA	2						
NSN pending	GLOVES, ANTIFLASH: 19 in. x 5 in., cotton flannel, flame retardant, elastic braid at wrist and elbow (BII stowage container, cabinet room, starboard side, cabinet C, drawer 6) (7J761) GUAP201524416	Х	U	PR	18						
NSN pending	GLOVES, CHEMICAL BATTERY: rubberized exterior (BII stowage container, cabinet room, port side, cabinet D, drawer 4) (85953) CGC9636-12	Х	U	PR	6						
8415-00-634-4658	GLOVES, LEATHER PALM: 12-1/2 in. x 5-1/4 in., leather palm, 5 in. lg. gauntlet, leather knuckle reinforcement (BII stowage container, cabinet room, port side, cabinet D, drawer 4) (58536) A-A-50021	Х	U	PR	18						
HAND RECEIPT ANNEX/Co	OMPONENTS RECEIPT, enter Accounting Requirements Code (AR	RC)						PAGE_	<u>16</u> OF <u>2</u>	6 PAGES	

### 7

## TM 55-1945-216-10-HR

**CURRENT AS OF: 12 AUGUST 2003** 

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	Q	UANTIT	Υ		
a.	ь.	c.	d.	e.	f.	Α	В	С	D	E	F
	BASIC ISSUE ITEMS (BI	I) (CO	NTINU	ED)	•	•	•	•		•	
4240-00-052-3776	GOGGLES, CHIPPING: 7-1/4 in. wide x 5-1/2 in. tall, perforated, PVC plastic frame, polycarbonate lens (the BII stowage container, cabinet room, starboard side, cabinet A, drawer 2) (80204) ANSI Z87.1	D	U	PR	18						
NSN pending	GOGGLES, SAFETY: rubber frame, two plastic lenses provided, clear and neutral grey, with carrying case (BII stowage container, cabinet room, starboard side, cabinet A, drawer 2) (7J761) CRE2230R	D	U	PR	18						
3950-01-495-8333	GRIP HOIST: 8000 lb. rating, 13 in. x 27 in. x 6.125 in., 105 lbs. (BII stowage container, cabinet room, port side floor, beside cabinet F) (12708) TU-32	D	U	EA	2						
4930-00-965-0288	GUN, GREASE: lever operated (the BII stowage container, cabinet room, starboard side, cabinet C, drawer 3) (77335) 30415	D	U	EA	2						
8415-00-935-3135	HAT, HARD: brown (BII stowage container, cabinet room, starboard side, cabinet B, drawer 5) (80204) ISEA/ANSI Z89.1	X	U	EA	10						
NSN pending	INSERT, FLEXOR: 300 lbs., 10 in. x 41 in. x 14 in., steel (BII stowage container, storage room, forward starboard side floor) (34712) E34712	N	U	EA	2						
HAND RECEIPT ANNEX/0	COMPONENTS RECEIPT, enter Accounting Requirements Code (AF	RC)	<u> </u>	l	<u> </u>	<u> </u>	<u> </u>	PAGE	<u>17</u> OF <u>2</u>	<u>1</u> PAGES	I

**CURRENT AS OF: 12 AUGUST 2003** 

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	Q	UANTIT	Y		
a.	ь.	c.	d.	e.	f.	Α	В	С	D	E	F
	BASIC ISSUE ITEMS (B	II) (CO	NTINU	ED)					•		
6545-00-116-1410	KIT, FIRST AID: (BII stowage container, cabinet room, port side, cabinet D, drawer 1) (64616) UA-68-1371	Х	U	EA	2						
NSN pending	KIT, FLUSH, OUTBOARD: rectangular cups (BII stowage container, cabinet room, starboard side, cabinet A, drawer 4) (8C297) 380160	N	U	EA	1						
4235-01-416-8465	KIT, SPILL: 30 gallon white drum, 30 in. tall x 23 in. dia. (BII stowage container, storage room, port side shelf) (50378) P-SKFL31	Х	U	KT	1						
8340-01-501-5741	KIT, TARP REPAIR: kit includes 3 ft. x 5 ft. canvas sheet, qt. vinyl cement, wooden roller (BII stowage container, cabinet room, starboard side, cabinet C, drawer 5) (1B651) A149	Х	U	EA	1						
5440-01-499-8039	LADDER: 85 in. x 28 in. x 20 in. folded, steel (BII stowage container, storage room center floor, top level) (06101) MCS-99-673-001-128	D	U	EA	2						
6220-01-495-5953	LIGHT, WHITE: 4.75 in. dia. x 9.5 in. high, white and black (BII stowage container, cabinet room, port side, cabinets D drawer 6, E drawer 3) (50818) 556-60-14	N	U	EA	10						
HAND RECEIPT ANNEX/C	OMPONENTS RECEIPT, enter Accounting Requirements Code (AF	RC)	<u> </u>		1	<u> </u>		PAGE_	18_OF <u>2</u>	6 PAGES	

# TM 55-1945-216-10-HR

**CURRENT AS OF: 12 AUGUST 2003** 

### **HAND RECEIPT (CONTINUED)**

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	Q	UANTIT	Y		
a.	ь.	c.	d.	e.	f.	Α	В	С	D	E	F
	BASIC ISSUE ITEMS (B	II) (CO	NTINU	ED)	•	•	•	•	•	•	•
	LIGHTS, TOWING Set contains the following items:	N	U	SET	2						
6220-01-501-6439	One of LIGHT, NAVIGATIONAL, MARINE, incandescent with base magnet, red lens, steady illumination. (0AGB3) 98-23804M	N	U	EA	1						
6220-01-501-6441	One of LIGHT, NAVIGATIONAL, MARINE, incandescent with base magnet, green lens, steady illumination. (0AGB3) 98-23805M	N	U	EA	1						
6220-01-501-6430	One of LIGHT, NAVIGATIONAL, MARINE, incandescent with base magnet, amber lens, flashing illumination. (0AGB3) 98-23400M	N	U	EA	1						
	One of LIGHT, NAVIGATIONAL, MARINE, incandescent with base magnet, white lens, steady illumination. (0AGB3) 98-23803M	N	U	EA	1						
	(BII stowage container, cabinet room, starboard side, cabinet B, drawers 3 and 4) (34712) E53528										
NSN pending	LINE, HAWSER: 75 ft. long with 3 ft. eyes, 8 in. circ. (BII stowage container, storage room, center) (5A457) W6	Х	U	RL	10						
NSN pending	MARLINESPIKE: 16 in. long, metal (BII stowage container cabinet room, starboard side, cabinet C, drawer 4) (0RA00) 16IMS	Х	U	EA	8						
HAND RECEIPT ANNEX/C	OMPONENTS RECEIPT, enter Accounting Requirements Code (Af	RC)	I	<u>I</u>	1	I	I	PAGE _	1 19 OF <u>2</u>	l <u>:6</u> PAGES	<u> </u>

**DA** FORM **2062** JAN 82

STOCK NUMBER	ITEM DESCRIPTION	ITEM DESCRIPTION * SEC			QTY AUTH	g.	Q	UANTIT	Y		
a.	b.	b. c. d.		e.	f.	Α	В	С	D	E	F
	BASIC ISSUE ITEMS (BI	I) (CO	NTINU	ED)	•	•	•	•	•	•	
6680-01-499-8403	METER, GAS-FREE: kit contains gas detection unit, 25 ft. long sample line, 1ft. probe, plastic belt clip, protective leather jacket, and plastic carrying case (in BII stowage container, cabinet room, starboard side, cabinet C, drawer 2) (7J761) US ARMY-112160	N	U	EA	1						
NSN pending	PAN, SPILL: stake wall model, ethylene copolymer construction, 4 ft. x 6 ft. x 1 ft., 44 lbs, 179 gal. containment capacity (BII stowage container, storage room, port side shelf, in 30 gal. drum) (7J761) BRE8308	N	U	EA	1						
6515-00-137-6345	PLUG, EAR: box of 400 plugs, cylindrical, disposable (BII stowage container, cabinet room, port side, cabinet D, drawer 3) (89875) 4-375	Х	U	BX	1						
4240-00-022-2946	PROTECTOR, SOUND: earmuffs with headband (BII stowage container, cabinet room, port side, cabinet D, drawer 3) (58536) A-A-58084	D	U	EA	4						
4320-01-500-9383	PUMP AND HOSES, DEFUELING: box contains pump, nozzle, teflon tape, steel telescoping suction pipe, owners manual, 2 in. tank adapter, pipe fittings, water deflector, and 8 ft. static guard hose (BII stowage container, cabinet room, starboard side, cabinet B, drawer 6) (08915) FR112	D	U	EA	1						
HAND RECEIPT ANNEX/CO	DMPONENTS RECEIPT, enter Accounting Requirements Code (AF	RC)	1	ı	1	ı	1	PAGE_	20_OF_2	6 PAGES	

## TM 55-1945-216-10-HR

### HAND RECEIPT (CONTINUED)

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	Q	UANTIT	Υ		
a.	ь.			f.	Α	В	С	D	E	F	
	BASIC ISSUE ITEMS (BI	I) (CO	NTINUI	ED)			•	•		•	
NSN pending	RADIO, MARINE BAND: VHF/FM marine handheld transceiver (BII stowage container, cabinet room, port side cabinet F, drawers 1 and 2) (1SU04) HX350SAS	N	U	EA	4						
NSN pending	ROPE, TOWING: 35 ft. of 12 strand, 10 in. circ. rope, with two nylite connector assy's (BII stowage container; nylite connector assy's in storage room on floor; rope on top of connectors) (34712) E35011	N	U	EA	2						
4030-01-499-9284	SHACKLE: 2 ton, 1/2 in. bolt type anchor shackle with nut and cotter pin (BII stowage container, storage room, box 5) (75535) 1019472	N	U	EA	330						
4030-01-499-9284	SHACKLE: 1/2 in., 2-ton, anchor shackle, high strength, screw-pin type (BII stowage container, box 5) (75535) 1019472	N	U	EA	18						
NSN pending	SHACKLE: 1-1/2 in., 30-ton, anchor shackle, bolt type with cotter key (BII stowage container, boxes 7 and 8) (75535) 1021110	N	U	EA	8						
NSN pending	SHACKLE: 2 in., 35 ton, anchor shackle, bolt type with cotter key (BII stowage container, storage room, starboard side, in 30 gal. drum) (75535) 1019677	N	U	EA	2						

**CURRENT AS OF: 12 AUGUST 2003** 

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY	g.	Q	UANTIT	Y		ı			
a.	b.	c. d. e.		c. d. e.		e.	AUTH f.	Α	В	С	D	E	F	
	BASIC ISSUE ITEMS (BII) (CONTINUED)													
4030-00-343-5433	SHACKLE: 3/4 in., 4-3/4 TON, anchor shackle, high strength, screw-pin type (BII stowage container, box 6) (75535) 1019515	N	U	EA	36									
4030-01-251-7677	SHACKLE: 5/8 in., 3-1/4 TON, anchor shackle, high strength, screw-pin type (BII stowage container, box 6) (39428) 8966T52	N	U	EA	36									
4030-01-175-3570	SHACKLE: anchor shackle, 2-1/2 in., 55 ton, bolt type with cotter key (BII stowage container, storage room, starboard side, in 30 gal. drum) (75535) 1019695	N	U	EA	2									
5120-00-243-2957	SLEDGEHAMMER: 34 in. hickory handle, 10 lb double faced head (in BII stowage container, cabinet room, starboard cabinets, forward and aft sides, and in storage room port side shelf) (66080) 75H-01116	D	U	EA	8									
3940-01-501-0980	SLING: 5,300 lb. rated capacity, 4 ft. long, green (BII stowage container, cabinet room, starboard side, cabinet B, drawer 2) (OVNA1) EN60X4FT	N	U	EA	4									
3940-01-501-1220	SLING: 5,300 lb. rated capacity, 5ft. long, green (BII stowage container, cabinet room, starboard side, cabinet A, drawer 6) (OVNA1) EN60X5FT	N	U	EA	4									
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)  PAGE 22 OF 26 PAGES														

### 23

## TM 55-1945-216-10-HR

**CURRENT AS OF: 12 AUGUST 2003** 

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.	Q	UANTIT	Υ		
a.	ь.			f.	Α	В	С	D	E	F	
	BASIC ISSUE ITEMS (BI	I) (CO	NTINU	ED)							
3940-01-501-0972	SLING: 5,300 lb. rated capacity, 6ft. long, green (BII stowage container, cabinet room, starboard side, cabinet B, drawer 2) (OVNA1) EN60X6FT	N	U	EA	4						
3940-01-501-1210	SLING: 53,000 lb. rated capacity, 25 ft. long, brown (BII stowage container, storage room, port side shelves) (OVNA1) EN600X25FT	N	U	EA	8						
3940-01-501-1216	SLING: 8400 lb. rated capacity, 20 ft. long, yellow (BII stowage container, cabinet room, starboard side, cabinet A, drawer 7) (OVNA1) EN90X20FT	N	U	EA	2						
	SLING, CHAIN: 36,000 lb. adjustable (BII stowage container, storage room, starboard side, on wall hooks)	D	U	EA	4						
4010-01-477-8666	Consisting Of: One of LINK, CHAIN, END: 1-1/4 in. nominal, grade 8 steel alloy, 36000 lbs. nominal (75535) 1014342										
NSN pending	One of CHAIN, WELDED: 54 in. lg., 5/8 in. trade size, alloy steel (75535) SPECTRUM 8										
4030-01-500-9386	One of HOOK, GRAB: 5/8 in. Clevis Grab Hook (75535) 1027695										
NSN pending	Two of CONNECTING, LINK: alloy connecting link, 5/8 in. (75535) 1015145										

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY	g.	Q	UANTIT	Y				
a.	ь.	c.	d.	e.	AUTH f.	Α	В	С	D	E	F		
BASIC ISSUE ITEMS (BII) (CONTINUED)													
3940-01-500-1241	SNATCH BLOCK: 8 in. sheave size, 20 ton load limit, steel (BII stowage container, storage room, starboard side, in 30 gal. drum) (75535) 121022	D	U	EA	3								
5120-00-199-7765	SOCKET, SOCKET WRENCH: 1 5/8 in., 3/4 in. square drive (dunnage mat stowage container, pallet toolbox, inside tool bag) (07BY4) 5547A24	N	U	EA	1								
5120-01-514-2231	SOCKET, SOCKET WRENCH: 2 3/4 in., 3/4 in. square drive (dunnage mat stowage container, pallet toolbox, inside tool bag) (45225) 1923	N	U	EA	1								
4020-00-752-8879	SPOOL: reel of 4 in. circumference, 3-strand twisted nylon, 600 ft. continuous (BII stowage container storage room, center rear, lower level) (81349) MIL-R-17343-4CRCM	X	U	RL	2								
6230-01-315-8506	SPOTLIGHT, HAND-HELD: 6-volt plastic hand lantern (BII stowage container cabinet room, port side cabinet E, drawer 3) (1XRW6) 2206	D	U	SET	2								
7240-00-177-6154	SPOUT, CAN, GAS: 16 in. long, 1.25 in. dia., with filter screen (BII stowage container, cabinet room, starboard side, cabinet A, drawer 4) (19207) 11677020	N	U	EA	2								
HAND RECEIPT ANNEX/CO	HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)  PAGE 24 OF 26 PAGES												

### 25

# TM 55-1945-216-10-HR

**CURRENT AS OF: 12 AUGUST 2003** 

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	-		UANTIT	Y		
a.	b.	c.	d.	e.	f.	Α	В	С	D	E	F
	BASIC ISSUE ITEMS (BI	I) (CO	NTINUI	ED)	•		•		•		
5120-00-224-1390	TANKER BAR: 60 in. pinch point bar (in BII stowage container; in bar rack at front side of port side cabinet D) (56161) 10501985	D	U	EA	8						
5120-01-501-6717	TOOL, PIN RETRACT: tool consists of two pieces of 2-7/8 in. pipe—65-1/2 in. long and 52-1/2 in. long with angle piece, two 4 in. long quick release pins, and two lanyards (BII stowage container, in cabinet room, on front side of cage - both sides) (06101) MCS-99-673-001-132	D	U	EA	2						
5180-00-629-9783	TOOLBOX (hand tools): rail and marine diesel engine tool kit (BII stowage container, port side shelf) (50980) SC 5180-90-CL-N55	N	U	EA	1						
NSN pending	VEST, WORK, STEARNS: (BII stowage container, cabinet room, cabinets A, B, C, and E) (6D887) 290EFRT	N	U	EA	18						
8465-00-254-8803	WHISTLE: plastic with cork ball and lanyard (BII stowage container, cabinet room, starboard side, cabinet C, drawer 2) (58536) A-A-55106	Х	U	EA	24						
NSN pending	WORKSUIT, STEARNS: orange coverall type suit (BII stowage container, cabinet room, port side, cabinets D and E) (6D887) I580OXL	N	U	EA	18						
HAND RECEIPT ANNEX/0	COMPONENTS RECEIPT, enter Accounting Requirements Code (AF	RC)	<u> </u>		<u> </u>		<u> </u>	PAGE_	25_OF_2	6 PAGES	

These are the instructions for sending an electronic 2028.

The following format must be used if submitting an electronic 2028. The subject line must be exactly the same and all fields must be included; however, only the following fields are mandatory: 1, 3, 4, 5, 6, 7, 8, 9, 10, 13, 15, 16, 17 and 27.

From: "Whomever" whomever@avma27.army.mil

whomever@avma27.army.mil To:

To: TACOM-TECH-PUBS@ria.army.mil

### Subject:DA Form 2028

1. From: Joe Smith

2. Unit: home

3. Address: 4300 Park 4. City: Hometown

5. St: MO 6. Zip: 77777

**7.** *Date Sent:* 19-OCT-93 **8.** *Pub no:* 55-1915-200-10

9. Pub Title: TM

10. Publication Date: 11-APR-88

11. Change Number: 12 12. Submitter Rank: MSG 13. Submitter Fname: Joe 14. Submitter Mname: ⊤ 15. Submitter Lname: Smith

16. Submitter Phone: 123-123-1234

17. Problem: 1 18. Page: 1

19. Paragraph: 3

20. Line: 4 21. NSN: 5 22. Reference: 6 23. Figure: 7 24. Table: 8 **25.** *Item:* 9 **26.** *Total*: 123 27. Text:

This is the text for the problem below line 27.

RECO	RECOMMENDED CHANGES TO PUBLICATION BLANK FORMS  For use of this form, see AR 25-30; the proponent agency is OA						Special To	ol Lists	e) for Repair Parts an (RPSTL) and Supply Manuals (SC/SM).	d DAT	E
TO: (For	rward to pro	ponent of p	nublication	n or form)	(Include .	ZIP Code)	FROM: (A	ctivity a	and location) (Include .	ZIP Code)	
		P	ART I - A	LL PUBLI	CATIONS	(EXCEPT R	PSTL AND	SC/SM)	AND BLANK FORMS		
PUBLICA	ATION/FORM	/I NUMBER				DATE		TITLE			
ITEM	PAGE	PARA- GRAPH	LINE	FIGURE NO.	TABLE		RE	СОММІ	ENDED CHANGES AN	O REASO	N
			* 8	eference	to line nu	mbers withi	n the parag	raph or	subparagraph.		
TYPED N	AME, GRAI	DE OR TITLI		eference_	TELEPH PLUS EX	mbers withi ONE EXCH XTENSION	n the parag	ovon,	subparagraph. SIGNATURE		

TO: (Forward direct to addressee listed in publication) FROM: (Activity and location) (Include ZIP Code)									P Code)	DATE		
		DAP	Γ II - REPAIR PARTS AN	D SPECI	ΔΙ ΤΩΟΙ	LISTS AN	ID SUPE	LY CA	TALOGS/	SUPPLY MAN	IUALS	
PUBLICA	TION NI		III IIII AIII FAIII O AIV	o Ci Coli	DATE	LIOTO AIN	.5 50.1	TITLE		-2		
				T				TOT.				
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER		RENCE IO.	FIGURE NO.	ITEM NO.	OF N	AL NO. MAJOR EMS PORTED	RECC	MMENDED ACTION	
	PAF	RT III - REI	MARKS (Any general re blank forms. Ad	marks ol Iditional	r recomn blank sh	nendations, leets may l	or sugg De used	gestion if more	s for impi space is	rovement of p needed.)	ublications and	
			. 2									
TYPED N	AME, G	RADE OR	TITLE	TELEPH	ONE EX	CHANGE/A	UTOVO	N,	SIGNATI	URE		
				PLUS EX	X I ENSIC	M						

By Order of the Secretary of the Army:

PETER J. SCHOOMAKER General, United States Army Chief of Staff

Official:

JOEL B. HUDSON
Administrative Assistant to the
Secretary of the Army
0316903

DISTRIBUTION: To be distributed in accordance with the initial distribution number (IDN) 256774 requirements for TM 55-1945-216-10-HR.

PIN: 080877-000