


TM 55-1945-227-10-HR

HAND RECEIPT

COVERING CONTENTS OF
COMPONENTS OF END ITEM (COEI)
AND BASIC ISSUE ITEMS (BII)
FOR

MODULAR CAUSEWAY SYSTEM (MCS)
FLOATING CAUSEWAY (FC)
NSN 1945-01-505-1665



DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

HEADQUARTERS, DEPARTMENT OF THE ARMY

30 DECEMBER 2005

LIST OF EFFECTIVE PAGES

Dates of issue for original and change pages are:

Original 30 December 2005

TOTAL NUMBER OF PAGES IN THIS PUBLICATION IS 44 CONSISTING OF THE FOLLOWING:

Page No.	*Change No.
Cover/Reverse blank	0
A/B blank	0
i thru v/vi blank	0
1 thru 20	0
DA Forms 2028	0
Back Cover/PIN	0

* Zero in this column indicates an original page or work package.

A/B blank

HAND RECEIPT

TM 55-1945-227-10-HR

TM 55-1945-227-10-HR
HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., 30 DECEMBER 2005

**HAND RECEIPT
COVERING CONTENTS OF
COMPONENTS OF END ITEM (COEI)
AND BASIC ISSUE ITEMS (BII)
FOR**

**MODULAR CAUSEWAY SYSTEM (MCS)
FLOATING CAUSEWAY (FC)
NSN 1945-01-505-1665**

REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this publication. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Submit your DA Form 2028 (Recommended Changes to Equipment Technical Publications), through the Internet, on the Army Electronic Product Support (AEPS) website. The Internet address is <https://aeps.ria.army.mil>. The DA Form 2028 is located under the Public Applications section in the AEPS Public Home Page. Fill out the form and click on SUBMIT. Using this form on the AEPS will enable us to respond quicker to your comments and better manage the DA Form 2028 program. You may also mail, fax or E-mail your letter or DA Form 2028 direct to: AMSTA-LC-LPIT / TECH PUBS, TACOM-RI, 1 Rock Island Arsenal, Rock Island, IL 61299-7630. The email address is TACOM-TECH-PUBS@ria.army.mil. The fax number is DSN 793-0726 or Commercial (309) 782-0726.

DISTRIBUTION STATEMENT A – Approved for public release; distribution is unlimited.

TABLE OF CONTENTS

PAGE

Section I. INTRODUCTION	iii
Section II. HAND RECEIPT	1

SECTION I. INTRODUCTION

1. **SCOPE.** This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components of End Item (COEI) and Basic Issue Items (BII) related to the Modular Causeway System (MCS) Floating Causeway (FC).
2. **GENERAL.**
 - a. Section II is the overprinted DA Form 2062 which lists the line item entry for system/end item and the content of COEI and BII extracted from TM 55-1945-216-10. The listings consist of exactly the same items and are in the same sequence as those listings in TM 55-1945-216-10.
 - b. The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist organizations in inventorying and accounting for property as required by AR 710-2.
 - c. Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations will comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant or duplicating plant facilities.
 - d. Additional copies may be requisitioned from the U.S. Army Publications Distribution Center, 1655 Woodson Road, St. Louis, MO 63114-6181, in accordance with the procedure in Chapter 12, DA Pam 25-30, and DA Pam 310-10.
3. **EXPLANATION OF BLOCKS AND COLUMNS (DA FORM 2062).** Refer to DA PAM 710-2-1, Chapter 6, for additional information required to complete DA Form 2062.
 - a. FROM. Enter the organization, unit, section or squad which issues the property.
 - b. TO. Enter the Unit Identifier Code (UIC) and the hand receipt file number of the unit/personnel receiving the property.
 - c. HAND RECEIPT NUMBER. Enter a locally designated number. Use it to post the location of property in the property book.
 - d. END ITEM STOCK NUMBER. Contains the National Stock Number (NSN) of the end item covered by the hand receipt.
 - e. END ITEM DESCRIPTION. Contains the end item short title.
 - f. PUBLICATION NUMBER. Contains the TM number of the technical manual containing the operator/crew instructions for the equipment.
 - g. PUBLICATION DATE. Date of the operator/crew technical manual.
 - h. QUANTITY. Quantity of the end item covered by this hand receipt.
 - i. STOCK NUMBER (column a). National stock number of the item described. Items without stock numbers should be requisitioned by Commercial and Government Entity Code (CAGEC) and part number with exception data in accordance with AR 710-2.
 - j. ITEM DESCRIPTION (column b). Enter a description of the end item, to include the make or model and the serial/USA number, followed by item description of COEI and BII items. In addition, it will contain the 5-digit Commercial and Government Entity Code (CAGEC), Part Number (P/N) and "Used On Code". The "Used On Code" will not be used in this manual.
 - k. *ARC (column c). The Accounting Requirements Code (ARC) is provided here. One of the following ARC's will apply:

NOTE

The Accounting Requirements Code (ARC) refers to property accountability, not to disposal authority. Disposition action and authority for an unserviceable item is governed by the recoverability code (5th position of the SMR code) assigned to the item in the RPSTL.

- (1). Refer to DA Pam 710-2-1, Chapter 6. Additional information required to complete DA Form 2062 is listed below.
- (2). Hand receipts shall identify the accounting requirements status of all line item entries via column c. One of the following codes will apply:

N - Nonexpendable	Items not consumed in use, retaining their identity during use and requiring that accountability be maintained throughout the life of the item.
D - Durable	Nonconsumable components of sets, kits, outfits and assemblages; all tools in FSC's 5110, 5120, 5130, 5133, 5136, 5140, 5180, 5210, 5220 and 5280; and any other nonconsumable with a price in excess of \$50.00 not already "N".
X - Expendable	Items regardless of type classification or price and which are consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost \$50.00 or less and not already "N" or "D".

- I. SEC (column d). The Controlled Inventory Item Code (formerly SEC code) is entered here. This is a one-position code which indicates the security classification, security risks, or pilferage controls required for storage or transportation of assets. Order of precedence for assignment of codes is classified, sensitive, pilferable, unclassified, as applicable.

SEC CODE	PHYSICAL SECURITY CODE
A	CONFIDENTIAL - Formerly Restricted Data
B	CONFIDENTIAL - Restricted Data
C	CONFIDENTIAL
D	CONFIDENTIAL - Cryptologic
E	SECRET - Cryptologic
F	TOP SECRET - Cryptologic
G	SECRET - Formerly Restricted Data
H	SECRET - Restricted Data
K	TOP SECRET - Formerly Restricted Data
L	TOP SECRET - Restricted Data
O	Naval Nuclear Propulsion Information
S	SECRET
T	TOP SECRET
U	UNCLASSIFIED

SEC CODE	SENSITIVE ITEMS CODE
P	Ammunition and Explosives
Q	An item which is a drug or other substance determined by the Director, Drug Enforcement Administration (DEA), Department of Justice, to be designated schedule symbol III, IV or V as defined in the Controlled Substance Act of 1970 and other items requiring vault storage.
7	Sensitive information, prior to disposal, all nameplates, label plates, tags, stickers, documents or markings, which relate items to weapons system end item application, must be removed and destroyed.

SEC CODE	PILFERABLE ITEMS CODE
I	Aircraft engine equipment and parts
M	Handtools and shop equipment
N	Firearms
V	Individual clothing and equipment
W	Office machines
X	Photographic equipment and supplies
Y	Communication/electronic equipment and parts
Z	Vehicular equipment and parts

- m. UI (column e). Unit of Issue. Refer to AR 708-1 and/or CDA PAM 18-1 (Catalog Data Activity) for explanation of abbreviations used in this column.
- n. QTY AUTH (column f). The quantity authorized to be on hand, or part of the end item.
- o. QUANTITY (column g). Actual quantity on hand. To be filled in by the receiving unit/personnel in accordance with DA PAM 710-2-1, chapter 6.
- p. PAGE ____ OF ____ PAGES. Contains page number and total number of pages for the COEI and BII portions of the hand receipt. Hand receipt holder will initial each page No. (only when two or more forms are involved). When hand receipt holders change, the old initials will be lined out and the new hand receipt holder will initial each page.

4. AUTHORIZATION DOCUMENTS.

- a. Components of End Item (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).
- b. Basic Issue Items (BII) are authorized by the applicable operator's manual.

SEC II. HAND RECEIPT

Following is the Hand Receipt for the Modular Causeway System (MCS), Floating Causeway (FC).

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.</i>			FROM:			TO:			HAND RECEIPT NUMBER:			
FOR ANNEX/CR ONLY	END ITEM STOCK NUMBER 1945-01-505-1665	END ITEM DESCRIPTION FLOATING CAUSEWAY (FC)				PUBLICATION NUMBER TM 55-1945-227-10-HR			PUBLICATION DATE 1 JUNE 2005		QUANTITY 1	
STOCK NUMBER <i>a.</i>		ITEM DESCRIPTION <i>b.</i>				* <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY		
						A	B	C	D	E	F	
COMPONENTS OF END ITEM (COEI)												
NSN pending		ASSEMBLY, STANCHION, RING: consisting of the following components (BII container, storage room shelf and wall) (34712) E38873				N	U	EA	4			
No NSN assigned		RING, BUOY, LIFE SAVING (7T351) JB-0-30										
No NSN assigned		LIGHT, STROBE (18560) SM-2										
No NSN assigned		HANGER, BRACKET (34712) E34682										
No NSN assigned		ASSEMBLY, STANCHION (34712) E38203										
No NSN assigned		ROPE (39428) 3856T18										
<p>* WHEN USED AS A: HAND RECEIPT, enter Hand Receipt Annex Number HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)</p> <p style="text-align: right;">PAGE <u>1</u> OF <u>20</u> PAGES</p>												

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
COMPONENTS OF END ITEM (COEI) (CONTINUED)											
NSN pending	ASSEMBLY, BRIDLE, TOWING: consists of the following items (BII container, storage room, center) (34712) E34993	N	U	EA	1						
No NSN assigned	ROPE, FLEXOR: 35 ft (BII container, storage room, center) (34712) E35011										
No NSN assigned	ROPE, FLEXOR: 60 ft (BII container, storage room, center) (34712) E35721										
NSN pending	SHACKLE: 2 in., 35 ton, anchor type, bolt with cotter key (BII container, storage room, 30 gal. drum) (75535) 1018650										
4030-00-185-0489	SHACKLE: 1/2 in., 2-ton, anchor shackle, screw-pin type (BII container, cabinet C1) (75535) 1018455										
4030-01-175-3570	SHACKLE: anchor type, 2-1/2 in., 55 ton, bolt-type with cotter key (BII container, storage room floor, 30 gal. drum) (75535) 1019695										
NSN pending	SWIVEL, ANCHOR: for 2-1/2 in. chain (BII container, storage room floor) (50194) 2.5U-3SW										
	BASIC ISSUE ITEMS (BII), STOWAGE ARRANGEMENT: 20 ft. ISO cargo container (34712) E50765	N	U	EA	1						
<p>HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC) PAGE <u>2</u> OF <u>20</u> PAGES</p>											

2

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
COMPONENTS OF END ITEM (COEI) (CONTINUED)											
No NSN assigned	CBSE SECTION: 85 ft. x 24 ft. x 4.5 ft. Each section consists of the following modules: (34712) E19183	N	U	EA	2						
No NSN assigned	40 FT NON POWERED PONTOON (P40) (34712) E02803 (Qty. 3)										
No NSN assigned	20 FT RIGHT RAKE PONTOON (P20RR) (34712) E02813 (Qty. 1)										
No NSN assigned	20 FT CENTER RAKE PONTOON (P20CR) (34712) E02823 (Qty. 1)										
No NSN assigned	20 FT LEFT RAKE PONTOON (P20LR) (34712) E02833 (Qty. 1)										
No NSN assigned	25 FT BEACH END MODULE (P25B) (34712) E02853 (Qty. 3)										
No NSN assigned	CONTAINER, GENERATOR (10 KW): 20 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, open end, GENERATOR stenciled on container (34712) E33228	N	U	EA	1						
No NSN assigned	CORNER FENDER ASSEMBLY, LH: steel frame with rubber fenders and polycarbon bumper, 26 in. x 19 in. x 22 in., 98 lbs. (deck mat stowage container) (34712) E34793	N	U	EA	4						
No NSN assigned	CORNER FENDER ASSEMBLY, RH: steel frame with rubber fenders and polycarbon bumper, 26 in. x 19 in. x 22 in., 98 lbs. (deck mat stowage container) (34712) E34553	N	U	EA	4						
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>3</u> OF <u>20</u> PAGES					

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
COMPONENTS OF END ITEM (COEI) (CONTINUED)											
No NSN assigned	D-RING ASSEMBLY: (deck mat stowage container) (34712) E07803	N	U	EA	8						
No NSN assigned	DECK MAT: 4 ft. x 10 ft. x 1.5 in. (deck mat stowage container) (34712) E33811	N	U	EA	24						
No NSN assigned	DECK MAT STOWAGE ARRANGEMENT: 20 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, all access full opening (34712) E50685	N	U	EA	1						
No NSN assigned	DECK MAT LOCK DOWN DOG ASSEMBLY: 7 lbs., circular, 5-5/8 in. dia. x 4 in. (deck mat stowage container, in the deck mat pallet stowage boxes) (34712) E33823	N	U	EA	30						
3040-01-387-4048	FASTENER, POSITIVE LOCK: horizontal twistlock (BII container storage room, box 1) (94658) CTC1012-23-1	N	U	EA	176						
5325-01-495-6300	FASTENER, POSITIVE LOCK: vertical twistlock (BII container storage room, box 2) (94658) CTC2000-L-CH	N	U	EA	376						
No NSN assigned	FENDER ASSEMBLY: 3 ft. by 5 ft. marine fender, 300 lbs, black (two in 4 x 12 & 3 x 5 fenders stowage container, in 3 x 5 fender pallet; twenty-four in each of two 3 x 5 fenders stowage containers, in 3 x 5 fender pallets) (59990) G03X05-2579	N	U	EA	30						
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>4</u> OF <u>20</u> PAGES					

4

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
COMPONENTS OF END ITEM (COEI) (CONTINUED)											
No NSN assigned	FENDER ASSEMBLY: 4 ft. by 12 ft. marine fender, 1450 lbs., black (4 x 12 & 3 x 5 fenders stowage container, in the 4 x 12 fender pallets) (59990) G04X12-2456	N	U	EA	4						
No NSN assigned	FENDER ASSEMBLY: 5 ft. by 10 ft. marine fender, 1500 lbs, black (5 x 10 fenders stowage container, in the 5 x 10 fender pallets) (59990) G05X10-2237	N	U	EA	2						
2040-01-092-3081	FLEXOR COUPLING, PONTOON CAUSEWAY: 6 ft. - 5 in. x 1 ft. - 2 in. x 10 in., steel (34712) E02783	N	U	EA	62						
6155-01-275-5061	GENERATOR SET, DIESEL ENGINE: 10 kW, 32 in. x 32 in. x 60 in. (generator stowage container) (30554) MEP 803A	N	U	EA	1						
No NSN assigned	INTERMEDIATE SECTION: 80 ft. x 24 ft. x 4.5 ft. Each section consists of the following modules: (34712) E19193	N	U	EA	26						
No NSN assigned	40 FT NON POWERED PONTOON (P40) (34712) E02803 (Qty. 3)										
No NSN assigned	20 FT RIGHT RAKE PONTOON (P20RR) (34712) E02813 (Qty. 2)										
No NSN assigned	20 FT CENTER RAKE PONTOON (P20CR) (34712) E02823 (Qty. 2)										
No NSN assigned	20 FT LEFT RAKE PONTOON (P20LR) (34712) E02833 (Qty. 2)										
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>5</u> OF <u>20</u> PAGES					

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
COMPONENTS OF END ITEM (COEI) (CONTINUED)											
No NSN assigned	LIGHTING SYSTEM STOWAGE CONTAINER ARRANGEMENT: 20ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, open end (34712) E33585	N	U	EA	1						
6220-01-505-1610	LIGHT TOWER: portable 2-wheel trailer with diesel-driven generator and telescoping tower with four 1000-watt high-pressure sodium lamps (lighting stowage container) (34712) E35658	N	U	EA	2						
2815-01-505-1614	LIGHT TOWER ENGINE: diesel (OXWR1) MODEL D905-B	N	U	EA	2						
No NSN assigned	MCS PERSONNEL SHELTER ARRANGEMENT: 20 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, open end (34712) E32708	N	U	EA	1						
No NSN assigned	MOORING BITT: 24 in. x 80 in. x 180 in., 520 lbs., steel (in 4 ft x 12 ft fender stowage container) (34712) E32718	N	U	EA	8						
No NSN assigned	MOORING CLEAT ASSEMBLY: 8 in. x 18 in. x 12 in., 60 lbs., steel (deck mat stowage container) (34712) E07723	N	U	EA	8						
No NSN assigned	OFFSHORE LEG MOORING SYSTEM: (offshore mooring stowage container) (34712) E50123	N	U	EA	16						
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>6</u> OF <u>20</u> PAGES					

9

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
COMPONENTS OF END ITEM (COEI) (CONTINUED)											
No NSN assigned	OFFSHORE MOORING CONTAINER STOWAGE ARRANGEMENT: 20 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, all access full opening (34712) E49913	N	U	EA	8						
No NSN assigned	ONSHORE LEG MOORING SYSTEM, INNER: (onshore mooring stowage container) (34712) E52343	N	U	EA	2						
No NSN assigned	ONSHORE LEG MOORING SYSTEM, OUTER: (onshore mooring stowage container) (34712) E52003	N	U	EA	2						
No NSN assigned	ONSHORE MOORING CONTAINER STOWAGE ARRANGEMENT: 20 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, all access full opening (34712) E50213	N	U	EA	1						
No NSN assigned	PIERHEAD SECTION: extension. Each section consists of the following modules: (34712) E48663	N	U	EA	2						
No NSN assigned	40 FT NON POWERED PONTOON (P40) (34712) E02803 (Qty. 5)										
No NSN assigned	20 FT RIGHT RAKE PONTOON (P20RR) (34712) E02813 (Qty. 4)										
No NSN assigned	20 FT CENTER RAKE PONTOON (P20CR) (34712) E02823 (Qty. 2)										
No NSN assigned	20 FT LEFT RAKE PONTOON (P20LR) (34712) E02833 (Qty. 4)										
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>7</u> OF <u>20</u> PAGES					

7

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
COMPONENTS OF END ITEM (COEI) (CONTINUED)											
No NSN assigned	SHIP FENDERING (3 X 5 & 5 X 10) STOWAGE ARRANGEMENT: 40 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, open top (34712) E50735	N	U	EA	1						
No NSN assigned	SHIP FENDERING (3 X 5 & 5 X 10) STOWAGE ARRANGEMENT: 40 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, open top (34712) E50745	N	U	EA	1						
No NSN assigned	SHIP FENDERING (4 X 12) & MOORING BITT STOWAGE ARRANGEMENT: 40 ft. x 8 ft. 6 in. x 8 ft. ISO cargo container, open top (34712) E50695	N	U	EA	1						
ON-BOARD SPARES											
3040-01-387-4048	FASTENER, POSITIVE LOCK: horizontal twistlock (BII container storage room, box 1) (94658) CTC1012-23-1	N	U	EA	10						
5325-01-495-6300	FASTENER, POSITIVE LOCK: vertical twistlock (BII container storage room, box 2) (94658) CTC2000-L-CH	N	U	EA	20						
2040-01-092-3081	FLEXOR COUPLING, PONTOON CAUSEWAY: 6 ft. - 5 in. x 1 ft. - 2 in. x 10 in., steel (BII stowage container, storage room floor) (34712) E02783	X	U	EA	6						
<p>HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC) PAGE <u>8</u> OF <u>20</u> PAGES</p>											

8

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
BASIC ISSUE ITEMS (BII)											
3930-01-499-8041	ADAPTER, FORKLIFT: 74 in. x 36 in. x 10 in., 470 lbs., steel (BII stowage container, cabinet room, center floor) (34712) E35332	N	U	EA	2						
5120-00-144-5207	ADAPTER, SOCKET WRENCH: 3/4 in. male to 1/2 in. female (deck mat stowage container, pallet toolbox, inside tool bag) (39428) 5523A38	N	U	EA	1						
4010-01-477-0497	ASSEMBLY, ANCHOR CHAIN: 30 ft. long ratchet assembly with 3 in. wide polyester webbing and chain anchor end fittings (BII container, cabinets A5, C7, D8) (23755) 20489	X	U	EA	15						
NSN pending	ASSEMBLY, CONTAINER PUSH ROD: 108 in. x 12 in. x 8 in. (retracted), steel (4 x 12 fender container) (34712) E35863	N	U	EA	1						
NSN pending	ASSEMBLY, LIFTING DEVICE, FLEXOR: 24 in. x 6.75 in. x 17 in. (BII container, storage room) (34712) E49591	N	U	EA	1						
4210-00-142-4949	AX, PICK HEAD: hickory handle, overall length 34.5", axe blade on one end, pick on other end (BII container, storage room shelf) (76109) GGGA296TYPE2	D	U	EA	2						
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>9</u> OF <u>20</u> PAGES					

6

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
BASIC ISSUE ITEMS (BII) (CONTINUED)											
8105-01-438-9279	BAG, TOOLS AND SPARE PARTS (deck mat container) (39428) 6565A11	N	U	EA	1						
6510-01-439-0862	BLANKET, BURN: 72 in. x 60 in. (BII container, cabinet F) (1BJ97) 7260C	N	U	PG	1						
3940-01-500-1241	BLOCK, TACKLE: 8 in. sheave size, 20 ton load limit, steel (BII container, storage room shelf, 30 gal. drum) (75535) 121022	N	U	EA	3						
7240-01-337-5269	CAN, GASOLINE, MILITARY: 5 gal. rectangular, olive drab, plastic (BII container, storage room shelf) (56161) 10502788	N	U	EA	4						
7240-00-089-3827	CAN, WATER, MILITARY: 5 gal. water container, plastic, rectangular (BII container, storage room shelf) (81349) MIL-C-43613 TYPE 1	N	U	EA	4						
NSN pending	CHAIN, OPEN LINK: 6 ft. (BII container, storage room, drum) (50194) 1/2" LLLC	X	U	PC	74						
NSN pending	CHARGER, RADIO: marine band radio (personnel shelter) (1SU04) CSA280	N	U	EA	4						
NSN pending	CONNECTOR, PLUG, ELECTRICAL: cable, 50 ft. nato slave (BII container, cabinet C8) (61090) TGC2336-2	N	U	EA	1						
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>10</u> OF <u>20</u> PAGES					

10

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
BASIC ISSUE ITEMS (BII) (CONTINUED)											
NSN pending	COVER, FLEXOR WELL: (BII container, storage room shelf) (34712) E32782	N	U	EA	46						
5120-00-224-1390	CROWBAR: 60" pinch point bar (BII container; 8 in bar rack at front side of port cabinet; 4 on storage room port shelf) (56161) 10501985	N	U	EA	12						
No NSN assigned	EXTENSION, SOCKET: 1 in. square drive, 18 in. long, rigid (BII container, cabinet C1) (39428) 5525A16	N	U	EA	3						
4210-00-889-2491	EXTINGUISHER, FIRE: 10 lb. dry chemical, stored pressure, refillable, for type A, B, and C fires (BII container, cabinet D7) (80244) A-A-393 TY1CL1SZ10	N	U	EA	2						
6545-00-116-1410	FIRST AID KIT, GENERAL PURPOSE: (BII container, cabinet D1) (64616) UA-68-1371	X	U	EA	2						
6230-00-264-8261	FLASHLIGHT: watertight, regular, standard, right-angle, 2-cell (D-size) (BII container, cabinet C2) (80063) MX991U	D	U	EA	6						
8415-01-267-9661	GLOVES, ANTIFLASH: 19" x 5", cotton flannel, flame retardant, elastic braid at wrist and elbow (BII container, cabinet C6) (81349) MIL-G-2874	X	U	PR	18						
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>11</u> OF <u>20</u> PAGES					

11

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
BASIC ISSUE ITEMS (BII) (CONTINUED)											
8415-00-634-4658	GLOVES, MEN'S AND WOMEN'S: 2-1/2" x 5-1/4", leather palm, 5" lg. gauntlet, leather knuckle reinforcement (BII container, cabinet D4) (58536) A-A-50021	X	U	PR	18						
8415-00-266-8677	GLOVES, RUBBER, INDUSTRIAL: black, size 10, 14" long (BII container, cabinet D4) (81349) MIL-DTL-32066 TYPE I STYLE 1 SZ 10	X	U	PR	6						
4240-00-052-3776	GOGGLES, INDUSTRIAL: 7-1/4" wide x 5-1/2" tall, perforated, PVC plastic frame, polycarbonate lens (BII container, cabinet A2) (7J761) CRE2220	D	U	PR	18						
8465-01-004-2893	GOGGLES, SUN, WIND AND DUST: rubber frame, two plastic lenses provided, clear and neutral grey, with carrying case (BII container, cabinet A2) (81349) MIL-G-43914 TYPE 1 CLASS 2	D	U	PR	18						
5120-00-243-2957	HAMMER, HAND: 34" hickory handle, 10 lb double faced head (BII container, cabinet racks) (94563) 11206	D	U	EA	12						
8415-00-935-3135	HELMET, SAFETY: brown (BII container, cabinet F) (80204) ISEA/ANSI Z89.1	X	U	EA	12						
3950-01-495-8333	HOIST, WIRE ROPE: 8000 lb. rating, 13" x 27" x 6.125", 105 lbs. (BII container, cabinet room, port side floor, beside cabinet F) (12708) TU-32	D	U	EA	2						
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>12</u> OF <u>20</u> PAGES					

12

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
BASIC ISSUE ITEMS (BII) (CONTINUED)											
2040-00-268-9250	HOOK, BOAT: wooden pole, 10' long with cast metal hook (BII container, storage room, starboard wall) (81349) MILH3496	D	U	EA	2						
NSN pending	INSERT, FLEXOR: 300 lbs., 10" x 41" x 14", steel (BII container, storage room floor, right) (34712) E34712	N	U	EA	4						
6230-01-315-8506	LANTERN, ELECTRIC: 6-volt plastic hand lantern (BII container, cabinet E3) (1XRW6) MODEL2206	D	U	EA	2						
6220-01-495-5953	LIGHT, NAVIGATIONAL, MARINE: 4.75" dia. x 9.5" high, white and black (BII container, cabinets B5, D6, E3, E4) (50818) 556-60-14	N	U	EA	30						
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>13</u> OF <u>20</u> PAGES					

13

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
BASIC ISSUE ITEMS (BII) (CONTINUED)											
NSN pending	LIGHTS, NAVIGATIONAL, MARINE, SET: (BII container, cabinets B3, B4) set contains the following navigational lights (34712) E53528	N	U	SET	2						
6220-01-501-6430	LIGHT, NAVIGATIONAL, MARINE: incandescent with base magnet, amber lens, flashing illumination (OAGB3) 98-23400M										
6220-01-501-6439	LIGHT, NAVIGATIONAL, MARINE: incandescent with base magnet, red lens, steady illumination (OAGB3) 98-23804M										
6220-01-501-6441	LIGHT, NAVIGATIONAL, MARINE: incandescent with base magnet, green lens, steady illumination (OAGB3) 98-23805M										
NSN pending	LIGHT, NAVIGATIONAL, MARINE: incandescent with base magnet, white lens, steady illumination (OAGB3) 98-23803M										
4930-00-965-0288	LUBRICATING GUN, HAND: lever operated (BII container, cabinet C3) (77335) 30415	D	U	EA	2						
5120-00-224-9440	MARLINESPIKE: 16 in. long, metal (BII container, cabinet C4) (80244) 5120-00-224-9440	X	U	EA	16						
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>14</u> OF <u>20</u> PAGES					

14

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
BASIC ISSUE ITEMS (BII) (CONTINUED)											
6680-01-499-8403	METER, GAS VOLUME, DRY TEST: kit contains gas detection unit, 25' long sample line, 1' probe, plastic belt clip, protective leather jacket, and plastic carrying case (BII container, cabinet C2) (7J761) US ARMY-112160	N	U	KT	1						
NSN pending	PAN, SPILL: (BII container, storage room shelf) (7J761) BRE8308	N	U	EA	1						
5110-01-423-8503	PLIERS: combination wide flat nose/wire cutter (BII container, cabinet C4) (55719) 659ACP	D	U	EA	4						
6515-00-137-6345	PLUG, EAR: box of 400 plugs, cylindrical, disposable (BII container, cabinet D3) (89875) 4-375	X	U	BX	1						
4240-00-022-2946	PROTECTOR, HEARING: earmuffs with headband (BII container, cabinet D3) (58536) A-A-58084	D	U	EA	4						
4320-01-500-9383	PUMP, ROTARY: box contains pump, nozzle, teflon tape, steel telescoping suction pipe, owners manual, 2" tank adapter, pipe fittings, waste deflector, and 8' static guard hose (BII container, cabinet B6) (08915) FR112	D	U	KT	1						
NSN pending	RADIO, VHF, SUBMERSIBLE: VHF/FM (BII container, cabinets F1, F2) (61057) HX350SAS1S1	N	U	EA	4						
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>15</u> OF <u>20</u> PAGES					

15

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
BASIC ISSUE ITEMS (BII) (CONTINUED)											
8340-01-501-5741	REPAIR KIT, COVERS: kit includes 3' x 5' canvas sheet, qt. vinyl cement, wooden roller (BII container, cabinet C5) (1B651) A149	X	U	KT	1						
4020-00-752-8879	ROPE, FIBROUS: reel of 4 in. circumference, 3-strand twisted nylon, 600 ft. continuous (BII container, storage room, center) (81349) MILR17343-4CRCM	X	U	RL	3						
4030-01-251-7677	SHACKLE: 5/8 in. nominal size, 3-1/4 ton, anchor shackle, with cotter pin and nut (BII container, storage room floor, box 2) (39428) 8966T52	N	U	EA	8						
4030-00-343-5433	SHACKLE: 3/4 in. nominal size, 4-3/4 ton, anchor shackle, with cotter pin and nut (BII container, storage room floor, box 2) (75535) 1019515	N	U	EA	8						
4030-01-499-9284	SHACKLE: 2 ton, 1/2 in. bolt type anchor shackle with nut and cotter pin (BII container, storage room floor, 30 gal. drum) (75535) 1019472	N	U	EA	236						
4030-01-499-9284	SHACKLE: 2 ton, 1/2 in. bolt type anchor shackle with nut and cotter pin (BII container, storage room floor, box 2) (75535) 1019472	N	U	EA	8						
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>16</u> OF <u>20</u> PAGES					

16

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
BASIC ISSUE ITEMS (BII) (CONTINUED)											
NSN pending	SHACKLE: 1-1/2 in. nominal size, 30 ton, anchor type, with cotter pin and nut (BII container, storage room shelf, 30 gal. drum) (75535) 1021110	N	U	EA	8						
4010-01-477-8666 NSN pending 4030-01-500-9386 NSN pending	SLING, CHAIN: 36,000 lb. adjustable (BII stowage container, storage room, starboard side, on wall hooks) Consisting of: LINK, CHAIN, END: 1-1/4 in. nominal, grade 8 steel alloy, 36000 lbs. nominal (75535) 1014342 CHAIN, WELDED: 54 in. lg., 5/8 in. trade size, alloy steel (75535) SPECTRUM 8 HOOK, GRAB: 5/8 in. Clevis Grab Hook (75535) 1027695 CONNECTING, LINK: alloy connecting link, 5/8 in. (75535) 1015145 (Qty. 2)	D	U	EA	4						
3940-01-501-0972	SLING, ENDLESS: 5,300 lb. rated capacity, 6ft. long, green (BII container, cabinet B2) (OVNA1) EN60X6FT	N	U	EA	4						
3940-01-501-0980	SLING, ENDLESS: 5,300 lb. rated capacity, 4 ft. long, green (BII container, cabinet B2) (OVNA1) EN60X4FT	N	U	EA	4						
3940-01-501-1210	SLING, ENDLESS: 53,000 lb. rated capacity, 25 ft. long, brown (BII container, storage room, center) (OVNA1) EN600X25FT	N	U	EA	8						
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>17</u> OF <u>20</u> PAGES					

17

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
BASIC ISSUE ITEMS (BII) (CONTINUED)											
3940-01-501-1216	SLING, ENDLESS: 8400 lb. rated capacity, 20 ft. long, yellow (BII container, storage room, center) (OVNA1) EN90X20FT	N	U	EA	4						
3940-01-501-1220	SLING, ENDLESS: 5,300 lb. rated capacity, 5ft. long, green (BII container, cabinet A6) (OVNA1) EN60X5FT	N	U	EA	4						
5120-00-199-7765	SOCKET, SOCKET WRENCH: 1-5/8 in., 3/4 in. sq. drive, 6 pt. (deck mat container) (39428) 5547A24	N	U	EA	1						
5120-01-514-2231	SOCKET, SOCKET WRENCH: 2-3/4 in., 3/4 in. sq. drive, 6 pt.(deck mat container) (45225) 1923	N	U	EA	1						
5120-01-382-2742	SOCKET, SOCKET WRENCH: 1/2 in. square drive, 12 pt., 1-5/16 in. (BII container, cabinet C5) (39428) 5545A91	N	U	EA	1						
NSN pending	SOCKET, SOCKET WRENCH: 1/2 in. square drive, 12 pt., 1-1/2 in. (BII container, cabinet C5) (39428) 5545A94	N	U	EA	1						
NSN pending	SOCKET, SOCKET WRENCH: 1 in. square drive, 12 pt., 2-15/16 in. (BII container, cabinet C1) (39428) 5546A44	N	U	EA	3						
4235-01-416-8465	SPILL CLEAN-UP KIT, HAZARDOUS MATERIAL: bright white 20 gallon drum, 22" dia. x 17" high (BII container, storage room shelf) (50378) P-SKFL31	X	U	KT	2						
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>18</u> OF <u>20</u> PAGES					

18

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
BASIC ISSUE ITEMS (BII) (CONTINUED)											
7240-00-177-6154	SPOUT, CAN, FLEXIBLE: 16 in. long, 1.25 in. dia., with filter screen (BII container, cabinet A1) (19207) 11677020	N	U	EA	2						
5440-01-499-8039	STEP, LADDER: 85" x 28" x 20" folded, steel (BII container, storage room center floor, top level) (34712) E32973	D	U	EA	2						
5120-01-501-6717	TOOL, PIN RETRACT: tool consists of two pieces of 2-7/8" pipe, 65-1/2" long and 52-1/2" long with angle piece, two 4 in. long quick release pins, and two lanyards (BII container, storage room cage) (34712) E56222	D	U	EA	2						
5180-00-177-7033	TOOLKIT, GENERAL MECHANIC'S: rail and marine diesel engine tool kit (BII container, storage room floor) (34712) E53548	N	U	EA	1						
NSN pending	VEST, WORK, STEARNS: (BII container, cabinets A, B, C, E) (6D887) 290EFRT	N	U	EA	18						
8465-00-254-8803	WHISTLE, BALL: plastic with cork ball and lanyard (BII container, cabinet C2) (58536) A-A-55106	X	U	EA	24						
NSN pending	WORKSUIT: (BII container, cabinets D, E) (6D887) I580OXL	N	U	EA	18						
NSN pending	WRENCH, SOCKET: 1 in. square drive, sliding t-handle, 20 in. long (BII container, cabinet C1) (39428) 5525A32	D	U	EA	3						
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)						PAGE <u>19</u> OF <u>20</u> PAGES					

19

HAND RECEIPT (CONTINUED)

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	*	SEC	UI	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
						A	B	C	D	E	F
BASIC ISSUE ITEMS (BII) (CONTINUED)											
5120-00-277-1462	WRENCH, PIPE: 24 in. iron and steel (BII container, cabinet C4) (19204) TKCX1D	D	U	EA	2						
<p>HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)</p>											

20

By Order of the Secretary of the Army:

Official:



SANDRA R. RILEY

*Administrative Assistant to the
Secretary of the Army*

0420309

PETER J. SCHOOMAKER
*General, United States Army
Acting Chief of Staff*

To be distributed in accordance with the initial distribution number (IDN) 56809 requirements for
TM 55-1945-227-10-HR.

The following format must be used if submitting an electronic 2028. The subject line must be exactly the same and all fields must be included; however, only the following fields are mandatory: 1, 3, 4, 5, 6, 7, 8, 9, 10, 13, 15, 16, 17 and 27.

From: "Whoever" whomever@avma27.army.mil
To: whomever@avma27.army.mil
To: TACOM-TECH-PUBS@ria.army.mil

Subject: DA Form 2028

1. **From:** Joe Smith
2. **Unit:** home
3. **Address:** 4300 Park
4. **City:** Hometown
5. **St.:** MO
6. **Zip:** 77777
7. **Date Sent:** 19-OCT-93
8. **Pub no:** 55-1915-200-10
9. **Pub Title:** TM
10. **Publication Date:** 11-APR-88
11. **Change Number:** 12
12. **Submitter Rank:** MSG
13. **Submitter Name:** Joe
14. **Submitter FName:** T
15. **Submitter Lname:** Smith
16. **Submitter Phone:** 123-123-1234
17. **Problem:** 1
18. **Page:** 1
19. **Paragraph:** 3
20. **Line:** 4
21. **NSN:** 5
22. **Reference:** 6
23. **Figure:** 7
24. **Table:** 8
25. **Item:** 9
26. **Total:** 123
27. **Text:**

This is the text for the problem below line 27.

RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS For use of this form, see AR 25-30; the proponent agency is OAASA						Use Part II (<i>reverse</i>) for Repair Parts and Special Tool Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM).	DATE Date form is filled out
TO: (<i>Forward to proponent of publication or form</i>) (<i>Include ZIP Code</i>) Mailing address found on title block page.						FROM: (<i>Activity and location</i>) (<i>Include ZIP Code</i>) Your mailing address.	
PART I - ALL PUBLICATIONS (EXCEPT RPSTL AND SC/SM) AND BLANK FORMS							
PUBLICATION/FORM NUMBER TM XX-XXXX-XX-XX						DATE Date of the TM	TITLE Title of the TM
ITEM	PAGE	PARA-GRAPH	LINE	FIGURE NO.	TABLE	RECOMMENDED CHANGES AND REASON	
	0019 00-1	3	1	1		Step No. 2 says to secure doors open with locking bar or hooks from where to what? The bars or hooks are not identified.	
	0019 00-4	4	1	1		Step No. 19 states to remove locking bar, pins or hooks from where to what? The bars, pins or hooks are not identified. Where are they stored?	
<p style="font-size: 48px; transform: rotate(-15deg); opacity: 0.5;">SAMPLE</p>							
<i>* Reference to line numbers within the paragraph or subparagraph.</i>							
TYPED NAME, GRADE OR TITLE Doe, John, CPL					TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION 755-1313		SIGNATURE CPL John Doe

TO: <i>(Forward direct to addressee listed in publication)</i>				FROM: <i>(Activity and location) (Include ZIP Code)</i>			DATE	
PART II - REPAIR PARTS AND SPECIAL TOOL LISTS AND SUPPLY CATALOGS/SUPPLY MANUALS								
PUBLICATION NUMBER TM XX-XXXX-XX-XX				DATE Date of the TM			TITLE Title of the TM	
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION
PART III - REMARKS <i>(Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.)</i>								
TYPED NAME, GRADE OR TITLE Doe, John, CPL			TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION 755-1313			SIGNATURE CPL John Doe		

SAMPLE

RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS For use of this form, see AR 25-30; the proponent agency is OAASA						Use Part II (<i>reverse</i>) for Repair Parts and Special Tool Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM).	DATE
TO: (<i>Forward to proponent of publication or form</i>) (<i>Include ZIP Code</i>)						FROM: (<i>Activity and location</i>) (<i>Include ZIP Code</i>)	
PART I - ALL PUBLICATIONS (EXCEPT RPSTL AND SC/SM) AND BLANK FORMS							
PUBLICATION/FORM NUMBER TM 55-1945-227-10						DATE 30 December 2005	TITLE Operator's Manual for Modular Causeway System (MCS) Floating Causeway (FC)
ITEM	PAGE	PARA- GRAPH	LINE	FIGURE NO.	TABLE	RECOMMENDED CHANGES AND REASON	
<i>* Reference to line numbers within the paragraph or subparagraph.</i>							
TYPED NAME, GRADE OR TITLE						TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION	SIGNATURE

TO: <i>(Forward direct to addressee listed in publication)</i>				FROM: <i>(Activity and location) (Include ZIP Code)</i>				DATE	
PART II - REPAIR PARTS AND SPECIAL TOOL LISTS AND SUPPLY CATALOGS/SUPPLY MANUALS									
PUBLICATION NUMBER				DATE			TITLE		
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION	
PART III - REMARKS <i>(Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.)</i>									
TYPED NAME, GRADE OR TITLE				TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION			SIGNATURE		

RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS For use of this form, see AR 25-30; the proponent agency is OAASA						Use Part II (<i>reverse</i>) for Repair Parts and Special Tool Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM).	DATE
TO: (<i>Forward to proponent of publication or form</i>) (<i>Include ZIP Code</i>)						FROM: (<i>Activity and location</i>) (<i>Include ZIP Code</i>)	
PART I - ALL PUBLICATIONS (EXCEPT RPSTL AND SC/SM) AND BLANK FORMS							
PUBLICATION/FORM NUMBER TM 55-1945-227-10						DATE 30 December 2005	TITLE Operator's Manual for Modular Causeway System (MCS) Floating Causeway (FC)
ITEM	PAGE	PARA- GRAPH	LINE	FIGURE NO.	TABLE	RECOMMENDED CHANGES AND REASON	
<i>* Reference to line numbers within the paragraph or subparagraph.</i>							
TYPED NAME, GRADE OR TITLE						TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION	SIGNATURE

TO: <i>(Forward direct to addressee listed in publication)</i>				FROM: <i>(Activity and location) (Include ZIP Code)</i>				DATE	
PART II - REPAIR PARTS AND SPECIAL TOOL LISTS AND SUPPLY CATALOGS/SUPPLY MANUALS									
PUBLICATION NUMBER				DATE			TITLE		
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION	
PART III - REMARKS <i>(Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.)</i>									
TYPED NAME, GRADE OR TITLE				TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION			SIGNATURE		

PIN: 081688-000