

**HAND RECEIPT MANUAL
COVERING END ITEM/COMPONENTS OF END ITEM (COEI),
BASIC ISSUE ITEMS (BII), AND
ADDITIONAL AUTHORIZATION LIST (AAL)**

FOR

**TRUCK TRACTOR, LINE HAUL,
50,000 GVWR, 6X4, M915 (NSN 2320-01-028-4395);**

**TRUCK TRACTOR, LIGHT EQUIPMENT TRANSPORTER (LET),
56,000 GVWR, 6X6, W/WINCH, M916 (NSN 2320-01-028-4396);**

**TRUCK TRACTOR, MEDIUM EQUIPMENT TRANSPORTER (MET),
75,000 GVWR, 8X6, W/WINCH, M920 (NSN 2320-01-028-4397);**

**TRUCK CHASSIS, 75,000 GVWR, 8X6 FOR
20 TON DUMP TRUCK, M917 (NSN 3805-01-028-4389);**

**TRUCK CHASSIS, 56,000 GVWR, 6X6 FOR
BITUMINOUS DISTRIBUTOR TRUCK, M918 (NSN 3895-01-028-4390);**

**TRUCK CHASSIS, 75,000 GVWR, 8X6, FOR
CONCRETE-MOBILE® MIXER TRUCK, M919 (NSN 3895-01-028-4391)**

H E A D Q U A R T E R S , D E P A R T M E N T O F T H E A R M Y

F E B R U A R Y 1 9 8 4

HAND RECEIPT
TM 9-2320-273-10-HR

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, DC., 3 February 1984

**HAND RECEIPT MANUAL
COVERING END ITEM/COMPONENTS OF END ITEM (COEI),
BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL)
FOR
22 1/2-TON, M915 SERIES TRUCK**

MODEL	NSN
TRUCK TRACTOR, LINE HAUL, M915	2320-01-028-4395
TRUCK TRACTOR, LIGHT EQUIPMENT TRANSPORTER (LET) M916	2320-01-028-4396
TRUCK TRACTOR, MEDIUM EQUIPMENT TRANSPORTER (MET) M920	2320-01-028-4397
TRUCK CHASSIS, FOR 20-TON DUMP TRUCK M917	3805-01-028-4389
TRUCK CHASSIS, FOR BITUMINOUS DISTRIBUTOR TRUCK M918	3895-01-028-4390
TRUCK(CHASSIS, FOR CONCRETE-MOBILE MIXER M919	3895-01-028-4391

REPORTING OF ERRORS

You can improve this manual by recommending improvements using DA Form 2028 (Recommended Changes to Publications and Blank Forms) or DA Form 2028-2 (Recommended Changes to Equipment Technical Publications) and mail the form to Commander, US Army Tank-Automotive Command, ATTN: DRSTA-MB, Warren, MI 48090. A reply will be furnished directly to you.

TABLE OF CONTENTS

	Page
SECTION I. INTRODUCTION	1
SECTION II. HAND RECEIPT	3

Section I. INTRODUCTION

1. SCOPE

This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components Of End Item (COEI), Basic Issue Items (BII), and Additional Authorization List (AAL) items related to the M915 22 1/2-Ton Series Trucks.

2. GENERAL

a. Section II is the overprinted DA Form 2062 which lists the content of COEI, BII, and AAL extracted from

TM 9-2320-273-10. The listings consist of exactly the same items and are in the same sequence as those listings in TM 9-2320-273-10.

b. The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist organizations in inventorying and accounting for property as required by AR 710-2.

c. Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant, or duplicating plant facilities.

d. Additional copies may be requisitioned from: Commander, Baltimore AG Publications Center, 2800 Eastern Blvd., Baltimore, MD 21220.

3. EXPLANATION OF BLOCKS AND COLUMNS (DA FORM 2062)

Refer to DA Pam 710-2-1, Chapter 5. Additional information required to complete DA Form 2062 is listed below:

a. Hand receipts shall identify the accounting requirement status of all line entries in Column C. One of the following Accounting Requirement Codes (ARC) will apply:

(N) for Nonexpendable: Items not consumed in use, retaining their identity during use, and requiring that accountability be maintained throughout the life of the item.

(D) for Durable: Nonconsumable components of sets, kits, outfits, and assemblies: all tools in FSC's 5110, 5120, 5130, 5133, 5136, 5140, 5180, 5210, 5220, and 5280; and any other nonconsumable with a price in excess of \$50.00 not already "N".

(X) for Expendable: Items regardless of type classification of price and which are consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost \$50.00 or less and not already "N" or "D".

b. "Usable on" codes, listed in the "Description" column, identify which items are used on different models. Codes used in this hand receipt are:

Code	Used on
A11	All
U21	M915
U22	M916
U23	M917
U24	M918
U25	M919
U26	M920

c. Authorization documents are as follows:

(1) Components Of End Item (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).

(2) Basic Issue Items (BII) are authorized by the applicable operator's manual.

(3) Additional Authorization List (AAL) items are authorized by appropriate MTOE, TDA, CTA, or JTA authorization documents.

Section II. HAND RECEIPT

HAND RECEIPT / ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.</i>		FROM:	TO:	HAND RECEIPT NUMBER								
FOR ANNEX/CR ONLY	END ITEM STOCK NUMBER See Below	END ITEM DESCRIPTION TRUCK, 22-1/2 Ton M915 Series	PUBLICATION NUMBER TM9-2330-273-10-HR	PUBLICATION DATE	QUANTITY							
STOCK NUMBER <i>a.</i>	EXP. CODE, NAME, FSCM, P/N, USABLE ON CODE <small>ITEM DESCRIPTION</small> <i>b.</i>		*	SEC	UI	QTY AUTH	<i>g.</i> QUANTITY					
			<i>c.</i>	<i>d.</i>	<i>e.</i>	<i>f.</i>	A	B	C	D	E	F
2320-01-028-4395	TRUCK, TRACTOR, LINE HAUL											
2320-01-028-4396	TRUCK, TRACTOR, LET											
2320-01-028-4397	TRUCK, TRACTOR, MET											
3805-01-028-4389	TRUCK, CHASSIS, FOR M917											
3395-01-028-4390	TRUCK, CHASSIS, FOR M918											
3895-01-028-4391	TRUCK, CHASSIS, FOR M919											
	COMPONENTS OF END ITEM (COEI)											
	NOT APPLICABLE											
	BASIC ISSUE ITEMS (BII)											
5120-00-224-7330	JACK, HYD: 12 TON (04720) D120, U21		(N)	M	EA	1						
5120-00-188-1788 01-107-5724	JACK, HYD: 20 ³⁰ TON (96906) MS16283-5		(N)	M	EA	1						
	U22 Thru U26											
* WHEN USED AS A: HAND RECEIPT, enter Hand Receipt Annex Number HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).												

2-1

2-2

TM 9-2330-273-10-HR TRUCK, 22-1/2 Ton M915 Series

STOCK NUMBER a.	ITEM DESCRIPTION b.	* c.	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
	BII - CONTINUED										
5120-00-316-9217	WRENCH: Socket (09386) 34379, ALL	(D)	M	EA	1						
5120-00-084-3298	HANDLE, WRENCH (34623) 967556, ALL	(D)	U	EA	1						
4210-00-889-2221	EXTINGUISHER, D FIRE (33525) DCKR-6, ALL	(N)	U	EA	1						
4910-01-003-9599	TIRE PRESSURE GAGE (19207) 7974576-1, ALL	(X)	U	EA	1						
4720-00-328-5422	HOSE, PNEUMATIC, TIRE INFLATOR: 40 Ft.	(N)			1						
	Long, Quick Disconnect: (19207) 11624422-7,										
	ALL										
9905-01-090-9819	TRIANGLES, FOLDING - REFLECTIVE (51442)	(X)	U	EA	1						
	950, ALL										
6545-00-922-1200	FIRST AID KIT, GEN. PURPOSE (19207)	(D)	U	EA	1						
	11677011, ALL										
2540-00-670-2459	BAG, PAMPHLET (19207) 7961712, ALL	(D)	U	EA	1						
7510-00-889-3494	BINDER, LOOSELEAF (72094)	(X)	U	EA	1						
	43986-1, ALL										
2510-00-714-7585	BOARD, JACK SUPPORT (34623) MA207-20094,	(N)	U	EA	1						
	U22 Thru U26										
6150-01-022-6004	KIT, POWER CABLE (19207) 11682336-1, ALL	(N)	U	EA	1						

TM 9-2330-273-10-HR TRUCK, 22-1/2 Ton M915 Series

STOCK NUMBER a.	ITEM DESCRIPTION b.	*	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
	BII - CONTINUED										
148-6944 2920-01-082-6214	CABLE ASSY., TRACTOR, TRLR.: 12 Ft.	(N)	U	EA	1						
	12 Volt 7 Pin. Recept. (34623) MA73-20001, U21, U22 & U26										
2590-01-082-3172	HARNESS ASSY., INTERVEHICULAR: 12 Ft.	(X)	U	EA	1						
	24 Volt (34623) MA365-20000, U21, U22 & U26										
6220-01-091-8016	LAMP, WORK, PORTABLE: (34623)	(N)	U	EA	1						
	M-A191A-20001, U22 & U26										
5120-00-234-8913	SCREWDRIVER, CROSS TIP: Tip Sy No. 2, Blade 4 In. (19207) 11655777-12, ALL	(D)	M	EA	1						
5120-00-222-8852	SCREWDRIVER, FLAT TIP: Flared Tip, Blade 4 In. (77948) 225498, ALL	(D)	M	EA	1						
5120-00-278-1280	SCREWDRIVER, FLAT TIP: Plastic Handle, Rd. Blade 3/8 In. Wide Tip, 8 In. Long (55719) SSD8, ALL	(D)	M	EA	1						
5120-00-224-7375	SCREWDRIVER, CROSS TIP: Phillips-type, Plastic Handle, 8 In. Long (55719) RGP84, ALL	(D)	M	EA	1						
5140-00-473-6256	BAG, COTTON DUCK: 10 x 20 X/Flap (81348) MIL-B-43663, ALL	(D)	M	EA	1						

2-3

2-4

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	* <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
BII - CONTINUED											
5120-00-240-5328	WRENCH, OPEN END: Adjustable Type 8 In. Long (80063) TL476U, ALL	(D)	M	EA	1						
5120-00-264-3796	WRENCH, OPEN END: Adjustable Type 0-1.322, 12 In. Long: (19207) 5323324, ALL	(D)	M	EA	1						
5120-00-223-7397	PLIERS, SLIP JOINT: Str. Nose, 8 In. Long: (19207) 5214421, ALL	(D)	M	EA	1						

HAND RECEIPT / ANNEX NUMBER For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.		FROM:	TO:	HAND RECEIPT NUMBER								
FOR ANNEX/CR ONLY	END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE			QUANTITY					
STOCK NUMBER a.		EXP. CODE, NAME, FSCM, P/N, ITEM DESCRIPTION, b.	* c.	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
							A	B	C	D	E	F
ADDITIONAL AUTHORIZATION LIST (AAL)												
5110-00-293-2336		AX: SGL-Bit 4-16-HD-WT 35.5 in. to 36.5 in. lg. (81348) GGG-A-926, ALL	(D)	M	EA							
5110 5510-00-491-0307		BLOCK: Hydraulic Jack Support, Wood, 4x8x9 in. (19207) CPR-103023-2	(X)	U	EA							
5110 5510-00-491-0306		BLOCK: Hydraulic Jack Support, Wood, 7x8x9 in.: (19207) CPR-103023-1	(X)	U	EA							
2540-00-933-6935		CHAINS, TIRE: 11.00x24 Tire, (96906) MS-500055-23 U22 Thru U26	(X)	U	EA							
2540-00-933-9034		CHAINS, TIRE: 10.00x20 Tire, (96906) MS-50055-16 U21	(X)	U	EA							
5120-00-288-6574		HANDLE: Mattock-Pick, 35.5 in. to 36.5 in. lg. (81348) NN-H-93, ALL	(D)	M	EA							
5120-00-243-2395		MATTOCK: Pick Type 5 lb. W/O Handle (19207) 11677022, ALL	(D)	M	EA							
* WHEN USED AS A: HAND RECEIPT, enter Hand Receipt Annex Number HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).												

2-5

2-6

TM 9-2330-273-10-HR TRUCK, 22-1/2 Ton M915 Series

STOCK NUMBER a.	ITEM DESCRIPTION b.	*	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
5120-00-293-3336	SHOVEL, Handle RD-PT, D-HDL, Short Size 2 (81348) GGG-S-326, ALL	(D)	M	EA							
2540-00-378-2012	TOW BAR, Medium duty (19207) 8383802, ALL COMPOSED OF:	(X)	U	EA							
5340-00-545-2337	CLEVIS (19207) 8724449, ALL	(X)	U	EA							
5315-00-539-9174	PIN (19207) 10929861, ALL	(X)	U	EA							
5315-00-350-4326	PIN, Locking (19207) 5213744, ALL	(X)	U	EA							
4720-00-740-9662	HOSE: Air Connection (19207) 7409662, ALL	(X)	U	EA							
4230-00-720-1618	M11 DECONTAMINATION UNIT W/MOUNTING BRACKET AND HARDWARE: (81349) MIL-D-51048, ALL	(X)	U	EA							
5120-00-293-3336	Wheel Alignment Gauge			EA							
6200-01-200-0922	Repair Kit, Air (M915) (19207)			Kit							
6200-01-200-0922	Repair Kit, Air (19207)			Kit							
5340-00-545-2337	Clevis, Turn Pin			EA							
6200-01-091-8016	Work Lamp, Portable			EA							

By Order of the Secretary of the Army:

Official:

JOHN A. WICKHAM, JR.
General, United States Army
Chief of Staff

ROBERT M. JOYCE
Brigadier General, United States Army
The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-38, Operator Maintenance requirements for Truck, Tractor, M915 Series.

