## HAND RECEIPT

COVERING CONTENTS OF
COMPONENTS OF END ITEM (COEI),
BASIC ISSUE ITEMS (BII), AND
ADDITIONAL AUTHORIZATION LIST (AAL)
FOR

TRUCK, TRACTOR, LINE HAUL 52,000 GVWR, 6 X 4, M915A2 (NSN 2320-01-272-5029)

## **AND**

TRUCK, TRACTOR, LIGHT EQUIPMENT TRANSPORTER
(LET)
68,000 GVWR, 6 X 6, W/WINCH, M916A1
(NSN 2320-01-272-5028)

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

HAND RECEIPT

HEADQUARTERS
DEPARTMENT OF THE ARMY
Washington D.C., 30 October 1991

TM 9-2320-363-10-HR

HAND RECEIPT
COVERING CONTENTS OF
COMPONENTS OF END ITEM (COEI),
BASIC ISSUE ITEMS (BII), AND
ADDITIONAL AUTHORIZATION LIST (AAL)

**FOR** 

TRUCK, TRACTOR, LINE HAUL 52,000 GVWR, 6 X 4, M915A2

(NSN 2320-01-272-5029)

**AND** 

TRUCK, TRACTOR, LIGHT EQUIPMENT TRANSPORTER (LET) 68,000 GVWR, 6 X 6, W/WINCH, M916A1

(NSN 2320-01-272-5028)

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

#### REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms), or DA Form 2028-2 located in the back of this manual, direct to: Commander, U.S. Army Tank-Automotive Command, ATTN: AMSTA-MB, Warren, MI 48397-5000. A reply will be furnished to you.

#### TABLE OF CONTENTS

		90
SECTION I	INTRODUCTION	1-1
SECTION II	HAND RECEIPT	2-1

Page

### Section I. INTRODUCTION

**1. SCOPE.** This publication provides an overprinted DA Form 2062 (Hand Receipt), which lists the contents of Components of End Item (COEI), Basic Issue Items (BII), and Additional Authorization List (AAL) items related to the M915A2 and M916A1 truck tractors.

#### 2. GENERAL.

- **a.** Section II is the overprinted DA Form 2062, which lists the contents of COEI, BII, and AAL extracted from TM 9-2320-363-10. The listings consist of exactly the same items and are in the same sequence as those listings in TM 9-2320-363-10.
- **b.** The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist organizations in inventorying and accounting for property as required by AR 710-2.
- **c.** Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant, or duplicating plant facilities.
- **d.** Additional copies of this publication may be requisitioned from the Commander, U.S. Army Adjutant General Publications Center, 2800 Eastern Blvd, Baltimore, MD 21220, in accordance with Chapter 3, AR 310-2.

## 3. EXPLANATION OF BLOCKS AND COLUMNS (DA FORM 2062).

- **a. From.** Enter the organization for which the property book is maintained.
- **b.** <u>To.</u> Enter the Unit Identifier Code (UIC) and the hand receipt file number of the unit/personnel receiving the property.
- **c.** <u>Hand Receipt Number.</u> Enter a locally designated number. Use it to post the location of property in the property book.
- **d.** End Item Stock Number. Contains the National Stock Number (NSN) of the end item covered by the hand receipt.
- e. End Item Description. Contains the end item short title.
- **f.** Publication Number. Contains the TM number of the technical manual containing the Operator/Crew instructions for the equipment.
- g. Publication Date. Date of the Operator/Crew TM.
- h. Quantity. Quantity of the end item covered by this hand receipt.
- **i.** Stock Number (Column a). National stock number of the item described. Items without stock numbers should be requisitioned by Federal Supply Code for Manufacturers (FSCM) and part number with exception data in accordance with AR 710-2.

## TM 9-2320-363-10-HR

**j. Item Description (Column b).** Identifies the item contained in the COEI, BII, and the AAL. It will also contain nomenclature, serial/USA number (if applicable) that will be useful in identifying and controlling the item. Serial number is to be inserted and initialed on all copies by hand receipt holder. In addition, it will contain the 5-digit Federal Supply Code for Manufacturers (FSCM), Part Number (P/N), and Used On Code if applicable.

Used On Codes, listed in the item description column, identify which items are used on different models. Used On Codes used in this hand receipt are:

Used On Code	Model
(Blank)	All
5A2	M915A2
6A1	M916A1

k. (Column c). The Accounting Requirements Code (ARC) is entered here.

#### NOTE

The Accounting Requirements Code (ARC) refers to property accountability, not to disposal authority. Disposition action and authority for an unserviceable item is governed by the recoverability code (5th position of the SMR code) assigned to the item in the RPSTL.

One of the following codes will apply:

(N) for Nonexpendable: Items not consumed in use, retaining their identity during use, and requiring that accountability be maintained throughout the

life of the item.

(D) for Durable: Nonconsumable components of sets, kits, outfits, and

assemblages; all tools in FSC'S 5110, 5120, 5130, 5133, 5140, 5180, 5210, 5220, and 5280; and any other nonconsumable

with a price in excess of \$50.00 not already (N).

(X) for Expendable: Items regardless of type classification or price and which are

consumed in use. Includes all class 9 repair parts. Items not consumed in use that cost \$50.00 or less and not already (N)

or (D).

(**III**) Stands for: Information not available.

1. <u>SEC (Column d).</u> The Physical Security/Pilferage code is entered here. This is a one-position code that indicates the security classification or pilferage control for storage or transportation of assets. Order of precedence for assignment of codes is classified, sensitive, pilferable, unclassified, as applicable.

SEC CODE	Physical Security Code
A	CONFIDENTIAL - Former Restricted Data
В	CONFIDENTIAL - Restricted Data
C	CONFIDENTIAL
D	CONFIDENTIAL - Cryptologic
E	SECRET - Cryptologic
F	TOP SECRET - Cryptologic
G	SECRET - Former Restricted Data
Н	SECRET - Restricted Data
K	TOP SECRET - Former Restricted Data
L	TOP SECRET - Restricted Data
O	Naval Nuclear Propulsion Information
S	SECRET
T	TOP SECRET
U	Unclassified
	Sensitive Items
P	Ammunition and Explosives
Q	An item that is a drug or other substance determined by the Director, Drug Enforcement Administration (DEA), Department of Justice, to be designated schedule symbol III, IV, or V as defined in the Controlled Substance Act of 1970, and other items requiring secure storage.
R	Alcohol, alcoholic beverage, precious metal, drug, or other substance determined by the Director, Drug Enforcement Administration (DEA), Department of Justice, to be designated schedule symbol II as defined in the Controlled Substance Act of 1970, and other items requiring vault storage.
7	Sensitive information, prior to disposal, all nameplates, label plates, tags, stickers, documents or markings, which relate items to weapons system end item application, must be removed and destroyed.

SEC CODE	Ammunition and Explosives Security Risk Code
1	Highest Sensitivity (Category I) – Nonnuclear missiles and rockets in a "ready to fire" configuration (e.g., Hamlet, Redeye, Stinger, Dragon, LAW, VIPER) and explosive rounds for nonnuclear missiles and rockets. This category also applies in situations where the launcher (tube) and explosive rounds, though not in a "ready to fire" configuration, are jointly stored or transported.
2	High Sensitivity (Category II) - Arms, Ammunition, and Explosives.
3	Moderate Sensitivity (Category III) - Arms, Ammunition, and Explosives.
4	Low Sensitivity (Category IV) - Arms, Ammunition, and Explosives.
5	Highest Sensitivity (Category I) – Arms, Ammunition, and Explosives with a physical security classification of SECRET.*
6	Highest Sensitivity (Category I) – Arms, Ammunition, and Explosives with a physical security classification of CONFIDENTIAL. *
8	High Sensitivity (Category II) - Arms, Ammunition, and Explosives with a physical security classification of SECRET. *
	Pilferable Items
I	Aircraft engine equipment and parts
M	Handtools and shop equipment
N	Firearms
V	Individual clothing and equipment
W	Office machines
X	Photographic equipment and supplies
Y	Communications/electronic equipment and parts
Z	Vehicular equipment and parts
J	Pilferable item, due to its size, shape, and utility, which does not fall under one of the above categories. Pilferage controls may be designated by the coding activity to items coded U (unclassified) by recoding the items to J.

**m.** <u>UI (Column e).</u> Unit of Issue. Refer to AR 708-1 and/or CDA Pam 18-1 (Catalog Data Activity) for explanation of abbreviations used in this column.

n. QTY AUTH (Column f). The quantity authorized to be on hand, or part of the end item.

<sup>\*</sup> Items coded 5, 6, or 8 will be stored and transported in accordance with the provisions of DOD 5100.76-M or DOD 5200.1-R, whichever is more stringent.

- **o.** Quantity (Column g). Actual quantity on hand. SubColumns A through F are to be filled in by the receiving unit/personnel in accordance with DA PAM 710-2-1, Chapter 6.
- **p.** <u>Page No./No. of Pages.</u> Contains page number and total number of pages for the COEI, BII, and AAL portions of the hand receipt. Hand receipt holder will initial each page No. (only when two or more forms are involved). When hand receipt holders change, the old initials will be lined out and the new hand receipt holder will initial each page.
- 4. SPECIAL INFORMATION. Not applicable.

#### 5. AUTHORIZATION DOCUMENTS.

- a. Components of End Items (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).
- b. Basic Issue Items (BII) are authorized by the applicable operator's manual.
- c. Additional Authorization List (AAL) items are authorized by the appropriate MTOE, TDA, CTA, or JTA authorization documents.

#### NOTE

The M915A2 and M916A1 vehicles are delivered from the Contractor with Basic Issue Items included. Some of the items delivered by the Contractor will be replaced by standard Army items when replacement is required. In those cases, the replacement items are listed in the Hand Receipt. Those items may not be the same as the items originally delivered with the truck; however, they perform the same function.

# Section II. HAND RECEIPT

HAND RECEIPT/ANNEX NI For use of this form, see DA PA The proponent agency is ODCS	M 710-2-1. LOG.						<del></del>	HAI	ND RECE	IPT ŅU	IMBER
FOR ANNEX/CR ONLY END ITEM STOCK NUMBER 2320-01-2320-01-	END ITEM DESCRIPTION Truck Tractor 6x4, M915A2 PUBLICATION NUMBER Truck Tractor 6x6, M916A1	TH S	-2320-:	363-10	PUBL	CATION	DATE	QU.	ANTITY		
STOCK NUMBER	ITEM DESCRIPTION	*	SEC	Ui	QTY	8.		QUAN	TITY		
a.	b. Used On Code	,	d.	e.	f.	A	В	С	D	E	F
	COMPONENTS OF END ITEM (COEI): Not Applicable	_	ļ								
								!			
	BASIC ISSUE ITEMS (BII)										
2540-00-670-2459	Bag, Pamphlet										
	(19207) 11676920	Х	U	EA	1						
5140-01-356-8471	Bag, Tool										
	(19204) 7541507	Х	U	EA	1			.!			
7510-00-889-3494	Binder, Looseleaf										
	(19207) 11677003	х	U	EA	1						
6150-01-022-6004	Cable Assembly, Power: NATO w/Adapters										
	(19207) 11682336-1	D	U	EA	1						
2920-01-148-6944	Cable Assembly, Tractor-Trl: 12 Volt, 12-Ft										
	(64678) A22-17212-144	N	Z	EA	1						
2540-00-678-3469	Chock, Wheel										
	(96906) MS52127-3	Х	U	EA	2						
* WHEN USED AS A:											

HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

PAGE 1 OF 6 PAGES.

## TM 9-2320-363-10 M915A2 and M916A1 TRACTOR TRUCKS

STOCK NUMBER	ITEM DESCRIPTION Used On Code		SEC	Ui	ΩΤΥ	g.		QUANTITY			
a	b. Used On Code	* c.	d.	e.	AUTH f.	A	В	С	٥	E	F
	(BII) - Continued										
	Extinguisher, Fire			İ							
	(64173) 447	D	М	EA	1						
4910-01-003-9599	Gauge, Tire (19207) 7974571-1	D	υ	EA	1						
5120-00-902-0092	Hammer: 2 Lb										
	(58536) A-A-1292	D	М	EA	1						
5120-00-243-2419	Handle: 30-In. Long										
	(09386) 44201	D	М	EA	1						
6150-00-772-8814	Harness Assembly: 24 Volt, 12-Ft										
	(51831) 7728814	D	М	EA	1						
	Hook										
	(74410) XA-0756	N	Z	EA	1						
4910-01-038-2820	Hose, Pneumatic (Tire Inflation):										
	w/Gauge, 40-Ft Long										
· · · · · · · · · · · · · · · · · · ·	(19207) 11677140-7	N	Z	EA	1			<u> </u>			<u></u>
	Jack, Hydraulic: w/Handle										
	(61674) 76412	D	М	EA	1						
6220-01-327-3225	Lamp, Work: Portable, 12 Volt, 25-Ft Cord										
	(78422) 1401152	D	М	EA	2						
5340-00-158-3805	Padlock, Key Operated										
	(96906) MS35647-10	Х	U	EA	7		1	T	1		

TM 9-2320-363-10 M915A2 and M916A1 TRACTOR TRUCKS

STOCK NUMBER	ITEM DESCRIPTION Used On Code	*	SEC	u	QΥ	y g. QUANTITY							
a.	<u> </u>		d.	e.	AUTH f.	A	В	С	٥	E			
5100 00 100	(BII) - Continued										Γ		
5120-00-181-6819	Pliers, Combination: General Purpose	1									T		
	(72368) J26	D	М	EA	1		-				H		
5140-00-356-8471	Roll, Tools and Accessories			-							$\vdash$		
	(81349) MIL-R-45804/8	D	М	EA	1		<u> </u>				$\vdash$		
5120-00-227-7357	Screwdriver, Flat Tip	<del>                                     </del>		-							H		
	(55719) SSDE-66	D	М	EA	1		ļ			<del></del>	$\vdash$		
5120-00-234-8913	Screwdriver, Cross Tip	<del>                                     </del>									-		
	(79061) BD122	D	М	EA	1						r		
4030-00-542-3185	Shackles, Towing	-		-	-						$\vdash$		
	(75535) 10-18222	N	z	EA	2						t		
3990-01-327-1278	Tie-Down, Hood: Molded Rubber				-						-		
	(OC1E6) CR15A	x	U	EA	2						┝		
9905-01-156-7300	Triangle, Warning: 3 per Box	<b>†</b>									H		
	(75175) 610-4646	х	U	EA	1					<del></del>	-		
5120-00-240-5328	Wrench, Adjustable: 8-In. Long	1									+		
	(19207) 11655778-3	D	м	EA	1						$\vdash$		
5120-00-293-1289	Wrench, Lug										H		
	(09386) 18806	D	М	EA	1						-		
											-		
		<del>                                     </del>	<del> </del>								-		

For u.	AND RECEIPT/ANNEX No use of this form, see DA PA proponent agency is ODCS	4 M 710-2-1	FROM:		TO:		<del></del>					HAND RECEIPT NUMBER					
FOR ANNEX/CR ONLY	END ITEM STOCK NUMBER 2320-01- 2320-01-	-272-5029	ND ITEM DESCRIPTION Truck Tractor 6x4, M915A Truck Tractor 6x6, M916A	A2 A1	N NUMBER	TH 9	-2320-3	63-10	PUBLIC	CATION	DATE	QU.	ANTITY				
	STOCK NUMBER		ITEM DESCRIPTION			*	SEC	UI	ατν	g.		QUAN	ιπτγ				
	а.		b.	Used C	On Code	c.	d.	e.	AUTH f.	A	В	С	۵	E	F		
			ADDITIONAL AUTHORIZED L	IST (AAI	L)												
511	10-00-293-2336	Axe,	Single Bit, 4-16-HD WT,														
		35.5-	-36.5 In. Long														
		(1920	07) 6150925			D	М	EA	1								
5510	0-00-491-0307	Block	t, Hydraulic Jack Support,														
		Wood,	7"x8"x9"		· · · · · · · · · · · · · · · · · · ·												
		(1920	7) CPR-103023-1			Х	U	EA	1								
5510	0-00-491-0306	Block	, Hydraulic Jack Support,											-			
		Wood,	4"x8"x9"														
		(1920	7) CPR-103023-2			Х	U	EA	1								
		Chains	s, Tire (19207) 11R22.5		5A2	Х	U	SE	1								
		Chains	s, Tire (19207) 80R22.5		6A1	Х	U	SE	1								
5340	0-00-545-2337	Clevis	s, Part of Tow Bar #2540-0	0-378-20	012	<del>                                     </del>	<del>                                     </del>			<b> </b>							
		(19207	7) 8724449			Х	U	EA	2								
8415	5-00-634-4658	Gloves	s, Leather														
	NUISCO AC A	(90142	2) 2762940	(	6A1	Х	U	PR	1								

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

TM 9-2320-363-10-HR

TM 9-2320-363-10 M915A2 and M916A1 TRACTOR TRUCKS

STOCK NUMBER	ITEM DESCRIPTION	Sed On Code		SEC	5	QTY	g. QUANTITY					
<u>a.</u>	b.	osed on code	* c.	d.	٠ د	f.	A	8	С	D	E	F
	(AAL) - Continued											
5120-00-288-6574	Handle, Mattock, 35.5-36.5 In.	Long										
	(81348) NN-H-93	****	Х	М	EA	1	,					
	Kit, Arctic Personnel Engine Ho	eater										
	(64678) N31-01429-000		Х	U	KT	1						_
	Kit, Arctic Personnel Heater										<del></del>	Γ
	(64678) N31-01430-000	5A2	Х	υ	KT	1						
	Kit, Arctic Personnel Heater											
	(64678) N31-01430-001	6A1	Х	U	KT	1						_
	Kit, Beacon Warning Light											
	(64678) N31-01428-000		х	Z	KT	1						_
6545-00-922-1200	Kit, First Aid											
	(19207) 11677011	·	Х	U	EA	1						一
4230-01-133-4124	Kit, M13 Decon. Apparatus											_
	(81361) E5-51-527	5A2	Х	U	KT	1						
	Kit, M13 Decon. Mounting											
	(64678) N31-01427-001	6A1	Х	U	KT	1						_
	Kit, Rifle Mounting											_
	(64678) N31-01426-000		Х	U	KT	1						
5120-00-243-2395	Pick, Mattock, 5 Lb, w/o Handle											
	(19207) 11677022		D	М	EA	1						

# TM 9-2320-363-10 M915A2 and M916A1 TRACTOR TRUCKS

STOCK NUMBER	ITEM DESCRIPTION ILGO d	0 0-1		SEC	UI	QTY ATUA	TY g. QUANTITY		YTITIY			
<i>a</i> .	b. Osed	osed off code   *   see   o		e.	AUTH f.	A	В	С	D	E	F	
	(AAL) - Continued											
5315-00-350-4326	Pin, Locking, Part of Tow Bar											
	#2540-00-378-2012											
	(19207) 5213744		Х	U	EA	2					·	_
5315-00-513-9174	Pin, Part of Tow Bar											
	#2540-00-378-2012										-	
	(19207) 10929861		Х	Ū	EA	2		ļ				$\vdash$
5120-00-293-3336	Shovel, Hand, RD-PT, D-HDL,					<del></del>						
	Short, Size 2											
	(81348) 11655784		Ď	М	EA	1						
2540-00-378-2012	Tow Bar, Medium Duty											
	(19207) 8383802		N	Ŭ	EA	1						
												-
												_
									-			
		7										-
												$\vdash$
												-
					_							H
			<u> </u>		<del>                                     </del>	<del>                                     </del>		<del> </del>	<del>                                     </del>			$\vdash$

By Order of the Secretary of the Army:

GORDON R. SULLIVAN General, United States Army Chief of Staff

Official:

Milto A. Samulloo MILTON H. HAMILTON Administrative Assistant to the Secretary of the Army

Distribution:

To be distributed in accordance with DA Form 12–38–E (Block 0881) Operator maintenance requirements for TM9–2320–363–10–HR



#### SOMETHING WRONG WITH THIS PUBLICATION?

THEN. JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT. FOLD IT AND DROP IT IN THE MAIL!

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

Your mailing address

DATE SENT

Date you fill out this form

PUBLICATION NU	MBER
TM	X-XXXX-XXX-XX

PUBLICATION DATE Date of TM

PUBLICATION TITLE

Title of TM

BE EXAC		OINT WHE		IN THIS SPACE TELL WHAT IS WRONG
PAGE NO	PARA- GRAPH	FIGURE NO	TABLE NO	AND WHAT SHOULD BE DONE ABOUT IT:
3		Z		Item 10. Change illustration. Reason: Tube end shown assembled on wrong side of lever cam.
109		51		Item 3. The NSN and P/N are not listed on the AMDF nor the MCRL. Request correct NSN and P/N be furnished.
2-8			2-1	Preventive Maintenance Checks and Services.  Item 7 under "Items to be inspected" should be changed to read as follows: Firing linkage and firing mechanism pawl.
12	1-6a			Since there are both 20- and 30- round Magazines for this rifle, data on both should be listed.
PRINTED	NAME. GRAC	E OR TITLE	AND TELE	PHONE NUMBER SIGN HERE:

DA 1 JUL 79 2028-2

PREVIOUS EDITIONS ARE OBSOLETE.

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

FOLD BACK

**DEPARTMENT OF THE ARMY** 

OFFICIAL BUSINESS

Commander

**US Army Tank-Automotive Command** 

ATTN: AMSTA-MB

Warren, Michigan 48397-5000

TEAR ALONG PERFORATED LINE

## RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

	, ,							
7		$\sqrt{}$			SOMET	MINE	WRONG	WITH THIS PUBLICATION?
1 ( )		ן יו				FROM	: (PRINT YOUR UNI	T'S COMPLETE ADDRESS)
		/ 1	THEN	JOT DO	WN THE	<b>)  </b>		
مكاا					ON THIS LY TEAR IT	} ]		
	E		OUT. FO	LD IT A	ND DROP IT	1		
		为 (	IN THE	MAIL!		DATES	SEN1	
PUBLICA	ATION NUM				PUBLICATION		PUBLICATION TITE	
	Т	M 9-2320	)-363-10-H	IR	30 Oct 9	1		HAND RECEIPT M915A2 AND M916A1 TRUCKS
BE EXA	CT. PIN-	POINT WHE	RE IT IS	IN THE	S SPACE TELL	WHAT	S WRONG	
PAGE	PARA- GRAPH	FIGURE	TABLE	AND W	HAT SHOULD	BE DON	E ABOUT IT:	
NO	GHAPH	, NO.	NO					
	}	j						
	İ							
	ł	ł						
	1	1						
	j							
	1	}						
	1							
	}							
			[					İ
	!							
	1							
	1 1							
	1 1	1	İ					ſ
			I					1
			.[					
PRINTED !	NAME, GRADI	E OR TITLE	AND TELEP	ONE NUMB	ER I	SIGN HER	}F	
	2		;	3 <b>20</b>		J. G. 1 116F	· <b>-</b> ·	1

FILL IN YOUR UNIT'S ADDRESS	FOLD BACK	
DEPARTMENT OF THE ARMY		
OFFICIAL BUSINESS		

Commander
US Army Tank-Automotive Command
ATTN: AMSTA-MB
Warren, Michigan 48397-5000

#### RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



#### SOMETHING WRONG WITH THIS PUBLICATION?

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

THEN. . JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT. FOLD IT AND DROP IT IN THE MAIL'

DATE SENT

PUBLICAT	TION NUME		20-363-10	-HR	30 Oct 9		HAND RECEIPT M915A2 AND M916A1 TRUCKS	
BE EXAC	T PIN-F	POINT WHE	ERE IT IS	IN THIS	IS SPACE TELL WHAT IS WRONG			
PAGE	PARA- GRAPH	FIGURE	TABLE	AND W	HAT SHOULD	BE DON	ONE ABOUT IT:	
. PRINTED N	GRAU	, on mee.	AND TELEPH	ONE NUMB	En	SIGN HEI	TENE	

FILL IN YOUR UNIT'S ADDRESS	FOLD BACK	TEAR ALONG P
DEPARTMENT OF THE ARMY		ERFORAT
OFFICIAL BUSINESS		ED LINE

Commander
US Army Tank-Automotive Command
ATTN: AMSTA-MB
Warren, Michigan 48397-5000

PIN: 069011-000