


SEMITRAILER, VAN, REFRIGERATOR, 7½-TON, 2-WHEEL, MM349A1

Reference TM 9-2330-222-15

Lubrication will not be performed more often than prescribed by this order, except as required under unusual conditions as described in referenced TM.

Clean fittings before lubricating. Clean parts with THINNER, paint, volatile mineral spirits (TPM) or SOLVENT, dry cleaning (SD). Dry before lubricating. Lubricate dotted arrow points on both sides of equipment



-KEY-

LUBRICANTS	EXPECTED TEMPERATURE			FOR ARCTIC OPERATION refer to TM 9-207	LUBRICANTS	INTERVALS
	above +32°F	+40°F to -10°F	0°F to -65°F			
OE - OIL, LUBR, ENGINE	OE 30	OE 10	OES		OES - OIL, LUBR, ENGINE SUB-ZERO	Q - Quarterly (3 Months)
GAA - GREASE, LUBR, AUTOMOTIVE AND ARTILLERY	GAA	GAA	GAA		HBA - FLUID, HYDRAULIC BRAKE ARCTIC	A - Annually (Each 2 nd "S" P.M. Service)
HB - FLUID, HYDRAULIC BRAKE	HB	HB	HB			

-NOTES-

- OIL CAN POINTS**
Quarterly, lubricate all door hinges and latches, landing gear wheels, spare wheel carrier, spare wheel lifting cable with OE.
- DO NOT LUBRICATE**
Springs or radius rods.
- INTERVAL**
Points requiring lubrication quarterly will be lubricated every 3 months. Points requiring lubrication annually will be lubricated at time of the 2nd "S" P.M. service.
- HYDRAULIC BRAKE FLUID**
Use hydraulic brake fluid (HB or HBA) non-petroleum base only. The use of petroleum base hydraulic fluid will render brakes inoperative.
- LUBRICATION INTERVALS "O"**
May be performed by the operator if supervised by qualified maintenance personnel.

Copy of this lubrication order will remain with the equipment at all times; instructions contained herein are mandatory and supersede all conflicting lubrication instructions dated prior to the date of this lubrication order.

BY ORDER OF THE SECRETARY OF THE ARMY:

EARLE G. WHEELER
General, United States Army,
Chief of Staff

OFFICIAL:

J.C. LAMBERT
Major General, United States Army,
The Adjutant General.

LO 9-2330-222-12

LO 9-2330-222-12 DISTRIBUTION - Active Army: DCSLOG (1); CNGB (1); USCONARC (3); USAMC (5); USAMOCOM (2); USAWECOM (2); USAMICOM (2); USAECOM (2); ARADCOM (2); ARADCOM Rgn (2); OS Maj Comd (2); OS Base Comd (2); LOGCOMD (2); Armies (3) except Sixth US Army (1); Corps (2); Div (2); Instl (1) except Ft Belvoir (7); Ft Bliss (9); Ft Bragg (2); Ft Hood (7); Ft Meade (3), Ft Sam Houston (7); Ft Sill (6); Svc Colleges (2); Br Svc Sch (2) except USA Ord Sch (50); USA Tk-Autmv Cen (105); GENDEP (OS) (2); Ord Sec, GENDEP (5); Ord Dep (OS) (1); Army Dep (1) except

Black Hills (5); Rossford (5); USAOSA (1); POE (2), USA Trans Tml Comd (2); Army Tml (2); Ord PG (10); Ord Arsenal (5) except Benicia (10), Frankford (2), Joliet (2), Raritan (10); Springfield Armory (2); Proc Dist (Ord) (1) except New York Philadelphia, Chicago (None); St Louis (3); Plants & Works (5) except Radford (1); Mil Msn (1); Ord Cen (2); Units organized under following TOE's: 9-7, 9-12, 9-25, 9-26, 9-27, 9-65, 9-66, 9-67, 9-76, 9-127, 9-137, 9-197, 9-357, 9-500 (CA, CB), 10-22, 10-127, 10-227, 10-247, 10-536, 29-55, 55-18 (2). NG: None. For explanation of abbreviations used, see AR 320-50.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

SOMETHING WRONG WITH THIS PUBLICATION?

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER TM 11-5825-270-10	PUBLICATION DATE 23 Jul 81	PUBLICATION TITLE Radio Frequency R-2176/FRN
---	-------------------------------	---

BE EXACT... PIN-POINT WHERE IT IS				IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:
PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.	

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 2028-2 JUL 79

PREVIOUS EDITIONS ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

