
# HAND RECEIPT

COVERING CONTENT OF COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL)

FOR

# CARRIER, AMMUNITION, TRACKED M992A2

NSN 2350-01-368-9500 (EIC: AE2)



**<u>DISTRIBUTION STATEMENT A:</u>** Approved for public release; distribution is unlimited.

SUPERSEDURE NOTICE:

Modified: This manual is to be used after MWO 9-2350-293-30-3 dated 1 March 2005 has been applied. Unmodified: TM 9-2350-293 Series manuals are to be used until MWO 9-2350-293-30-3 dated 1 March 2005 has been applied.

# HEADQUARTERS, DEPARTMENT OF THE ARMY OCTOBER 2005

# TM9-2350-372-10HR

# LIST OF EFFECTIVE PAGES/WORK PACKAGES

Date of issue for original pages / work packages is:

Original ... 0 ... 1 October 2005

# TOTAL NUMBER OF PAGES FOR FRONT AND REAR MATTER IS 14 AND TOTAL NUMBER OF WORK PACKAGES (WP's) IS 2, CONSISTING OF THE FOLLOWING:

Page / WP No.	*Change No.
Cover	0
A/B blank	0
i/ii blank	0
WP 0001 00 and WP 0002 00	0

\*Zero in this column indicates an original page or work package.

A/B blank

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON D.C., 1 OCTOBER 2005

### HAND RECEIPT

### COVERING CONTENT OF COMPONENTS OF END ITEMS (COEI),

#### BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL) FOR CARRIER, AMMUNITION, TRACKED M992A2

NSN 2350-01-368-9500 (EIC: AE2)

# REPORTING ERRORS AND RECOMMENDING IMPROVEMENT

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Mail your letter or DA form 2028 (Recommended Changes to Publications and Blank Forms), located in the back of this manual, directly to: Commander, U.S. Army Tank-automotive and Armaments Command, ATTN: AMSTA-LC-CIP-WT, Rock Island, IL 61299-7630. You may also send in your recommended changes via electronic mail or by fax. Our fax number is DSN 793-0726, Commercial (309) 782-0726. Our e-mail address is amsta-ac-nml@ria.army.mil. A reply will be furnished to you.

**DISTRIBUTION STATEMENT A:** Approved for public release; <u>distribution is unlimited.</u>

**SUPERSEDURE NOTICE:** Modified: This manual is to be used after MWO 9-2350-293-30-3 dated 1 March 2005 has been applied. Unmodified: TM 9-2350-293 Series manuals are to be used until MWO 9-2350-293-30-3 dated 1 March 2005 has been applied.

TABLE OF CONTENTS

WP Sequence No.

Section I		0001 00	C
Section II	HAND RECEIPT	0002 00	C

i/ii blank

# HAND RECEIPT FOR CARRIER, AMMUNITION, TRACKED, M992A2

#### SECTION I. INTRODUCTION

1. SCOPE. This publication provides an overprinted DA Form 2062 (Hand Receipt), which lists the contents of Components of End Item (COEI), Basic Issue Items (BII), and Additional Authorization List (AAL) items related to the Carrier, Ammunition, Tracked, M992A2.

# 2. GENERAL.

- a. Section II is the overprinted DA Form 2062, which lists the content of COEI, BII, and AAL extracted from TM 9-2350-372-10. The listings contain the same items and are in the same sequence as those listings in TM 9-2350-372-10.
- b. The overprinted DA Form 2062 eliminates manual preparation of the form and will assist organizations in inventorying and accounting for property as required by DA Pam 710-2-1 and DA PAM 710-2-2, contained in Unit Supply Update.
- c. Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies when reproducing DA Form 2062 by office copying equipment, field printing plant, or duplicating plant facilities.
- d. Additional copies of this publication may be requisitioned from the U.S. Army Publishing Agency Distribution Operations Facility, 1655 Woodson Road, St. Louis, MO 63114-6181, in accordance with AR 25-30.

#### 3. EXPLANATION OF BLOCKS AND COLUMNS ON DA FORM 2062.

- a. FROM. Enter the organization for which the property book is maintained.
- b. TO. Enter the Unit Identifier Code (UIC) and the hand receipt file number of the unit/personnel receiving the property.
- c. HAND RECEIPT NO. Enter a locally designated number. Use it to post the location of the property in the property book.
- d. END ITEM STOCK NUMBER. Contains the national stock number (NSN) of the end item covered by the hand receipt.
- e. END ITEM DESCRIPTION. Contains the end item short title.
- f. PUBLICATION NUMBER. Contains the technical manual (TM) number of the TM containing the operator/crew instructions for the equipment.
- g. PUBLICATION DATE. Date of the operator/crew TM.
- h. QUANTITY. Quantity of the end item covered by this hand receipt.
- i. STOCK NUMBER (Column a). National stock number of the item described. Items without stock numbers should be requisitioned by Commercial and Government Entity Code (CAGEC) and part number, with the exception of data in accordance with AR 710-2, contained in Unit Supply Update.
- j. ITEM DESCRIPTION (Column b). Identifies the item contained in the COEI, BII, and AAL. It will also contain nomenclature and serial/USA number (if applicable) that will be useful in identifying and controlling the item.

# SECTION I. INTRODUCTION (continued)

Serial number is to be inserted and initiated on all copies by hand receipt holder. In addition, it will contain the 5-digit CAGEC, part number (P/N), and "Usable on" code, if applicable.

k. Column c. The Accounting Requirements Code (ARC) is inserted here.

#### NOTE

The ARC refers to property accountability, not disposal authority. Disposition action and authority for an unserviceable item is governed by the recoverability code (5th position of the Source, Maintenance, and Recoverability [SMR] code) assigned to the item in the Repair Parts and Special Tools List (RPSTL).

One of the following will apply:

Ν	Nonexpendable	Items not consumed in use, retaining its identity during use, and requiring that accountability be maintained throughout the life of the item.
D	Durable	Nonconsumable components of sets, kits, outfits, and assemblies; all tools in federal supply codes 5110, 5120, 5130, 5133, 5140, 5180, 5210, 5220, and 5280; and any other nonconsumable with a price in excess of \$50.00 not already "N."
Х	Expendable	Items that are consumed in use, regardless of type classification or price. Includes all class 9 repair parts. Items not consumed in use, costing \$50.00 or less, and not already "N" or "D."

1. SEC (Column d). The Physical Security/Pilferage code is entered here. This is a one-position code that indicates the security classification or pilferage control for storage or transportation of assets. Order of precedence for assignment of codes is classified, sensitive, pilferable, and unclassified, as applicable.

SEC CODE	Physical Security Code
А	CONFIDENTIAL - Former Restricted Data
В	<b>CONFIDENTIAL</b> - Restricted Data
С	CONFIDENTIAL
D	CONFIDENTIAL - Cryptologic
Е	SECRET - Cryptologic
F	TOP SECRET - Cryptologic
G	SECRET - Former Restricted Data
Н	SECRET - Restricted Data

- H SECRET Restricted Data
- K TOP SECRET Former Restricted Data
- L TOP SECRET Restricted Data

## TM9-2350-372-10HR

# SECTION I. INTRODUCTION (continued)

SEC CODE	Physical Security Code (continued)
O S T U	Naval Nuclear Propulsion Information SECRET TOP SECRET UNCLASSIFIED
	Sensitive Items
Р	Ammunition and Explosives
Q	A drug or other substance determined by the Director, Drug Enforcement Administration, Department of Justice, to be designated schedule symbol III, IV, or V, as defined in the Controlled Substance Act of 1970, and other items requiring secure storage.
R	Alcohol, alcoholic beverage, precious metal, drug, or other substance determined by the Director, Drug Enforcement Administration, Department of Justice, to be designated schedule symbol II, as defined in the Controlled Substance Act of 1970, and other items requiring vault storage.
7	Prior to disposal, sensitive information-all nameplates, label plates, tags, stickers, documents, or markings-that relate items to weapons system end item application and must be removed and destroyed.
	Ammunition and Explosives Security Risk Code
1	HIGHEST SENSITIVITY (CATEGORY I): Nonnuclear missiles and rockets in a "ready to fire" configuration (e.g., Hamlet, Redeye, Stinger, Dragons, LAW, VIPER) and explosive rounds for nonnuclear missiles and rockets. This category also applies in situations where the launcher (tube) and explosive rounds, though not in a ready-to-fire configuration, are jointly stored or transported.
2	HIGH SENSITIVITY (CATEGORY II): Arms, ammunition, and explosives.
3	MODERATE SENSITIVITY (CATEGORY III): Arms, ammunition, and explosives.
4	LOW SENSITIVITY (CATEGORY IV): Arms, ammunition, and explosives.
5	HIGHEST SENSITIVITY (CATEGORY I): Arms, ammunition, and explosives with a physical security classification of SECRET.*
6	HIGHEST SENSITIVITY (CATEGORY I): Arms, ammunition, and explosives with a physical security classification of CONFIDENTIAL.*
8	HIGHEST SENSITIVITY (CATEGORY II): Arms, ammunition, and explosives with a physical security classification of CONFIDENTIAL.*

<sup>\*</sup> Items coded 5, 6, or 8 will be stored and transported in accordance with the provisions of DOD 5100.76-M or DOD 5200.1-R, whichever is more stringent.

#### **SECTION I. INTRODUCTION (continued)**

CODE	Pilferage Items
Ι	Aircraft engine equipment and parts.
М	Hand tools and shop equipment.
Ν	Firearms.
V	Individual clothing and equipment.
W	Office machines.
Х	Photographic equipment and supplies.
Y	Communications/electronic equipment and parts.
Ζ	Vehicular equipment and parts.
J	Pilferage item that, due to its size, shape, and utility, does not fall under one of the above categories. Pilferage controls may be designated by the coding activity to items coded U (unclassified) by recoding the items to J.

- m. UI (Column e). Unit of Issue. Refer to AR 708-1 and/or CDA Pam 18-1 (Catalog Data Activity) for an explanation of abbreviations used in this column.
- n. QTY AUTH (Column f). The quantity authorized to be on hand, or part of the end item.
- o. QUANTITY (Column g). Actual quantity on hand. Subcolumns A through F are to be filled in by the receiving unit/personnel in accordance with DA Pam 710-2-1 and DA Pam 710-2-2, contained in Unit Supply Update.
- p. PAGE\_\_\_\_ of\_\_\_\_ PAGES. Contains the page number and total number of pages for the COEI, BII, and AAL portions of the hand receipt. The hand receipt holder will initial each page number (only when two or more forms are involved). When the hand receipt holder changes, the old initials will be lined out and the new hand receipt holder will initial each page.

#### 4. SPECIAL INFORMATION. Not applicable.

#### 5. AUTHORIZATION DOCUMENTS.

- a. Components of End Item (COEI) are authorized by the applicable RPSTL.
- b. Basic Issue Items (BII) are authorized by the applicable operator's manual.
- c. Additional Authorization List (AAL) items are authorized by the appropriate MTOE, TDA, CTA, or JTA authorization documents.

#### END OF WORK PACKAGE

# Section II

For use of th	<b>CEIPT/ANNEX N</b> is form, see DA PAM nt agency is ODCSLO	710-2-1.	FROM:	Т	O:						HAND RECEIPT NO.		
FOR ANNEX/CR ONLY	END ITEM STOCH 2350-01-3		END ITEM DESCRIPTION CARRIER, AMMUNITION, TRACKED M992A2	PUBLICATI TM	ON NUMI 1 9-2350-3		P	UBLICA	ATION DA	ΛTE	QUANTI	ΤY	
STOC	K NUMBER		ITEM DESCRIPTION		050		QTY	. g.		QU	ANTITY		
	a.		b.	* C.	SEC d.	UI e.	AUTH	1 A	В	С	D	E	F
23	350-01-368-9500	CARRIER, AI	MMUNITION, TRACKED								<b>_</b>		
			Components of End Item (COEI)										
1. 58	830-01-449-2251	AN/VIC-3(V) IN	TERCOMMUNICATION SET	N	Y	SET	1						
2. 10	025-01-202-0418	ARM, ADAPTE	R ASSEMBLY	Х	Z	EA	1						
3. 39	990-01-179-9141	BINDER, LOAD	HOIST	Х	Z	EA	1						
4. 2	590-01-220-0123	LIFTING FIXTU	RE	Х	Z	EA	1						
5. 10	005-00-704-6650	MOUNT, MACH	IINE GUN, CALIBER 0.50	Х	Z	EA	1						
6. 12	240-01-319-8995	PERISCOPE, A	RMORED VEHICLE, M27	Х	Z	EA	1						
7. 66	650-01-418-6658	PERISCOPE, A	RMORED VEHICLE, M45	Х	Z	EA	3						
			Basic Issue Items (BII)		_			_	_				
1. 593	35-00-322-8959	ADAPTER, CO	NNECTOR CABLE	X	М	EA	2	_		<u> </u>			<u> </u>
2. 493	30-00-204-2550	ADAPTER, GRI		X	М	EA	1	_		<u> </u>			<u> </u>
3. 254	40-00-670-2459	BAG ASSEMBL	Y, PAMPHLET	X	Z	EA	1	_		<u> </u>			
4. 514	40-00-473-6256	BAG, TOOL, SA	ATCHEL	D	Z	EA	1	_		ļ			
5. 254	40-00-906-4741	BOX ASSEMBL	Y, SPARE BULB	X	M	EA	1						
* WHEN U	SED AS A:					<u> </u>	1			ļ	<u> </u>	ļ	ļ
HAND REC		ERS FURNITURE	mber E, enter Condition Codes EIPT, enter Accounting Requirements Co	de (ARC)					PAG	E_1	OF _	F	PAGES

ST	OCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.		QUA	NTITY		
	а.	b.	c.	d.	e.	f.	Α	В	С	D	E	F
		BII (continued)										
6.	6150-01-248-9555	CABLE ASSEMBLY, POWER	Х	Y	EA	1						
7.	7240-00-089-3827	CAN, WATER, MILITARY, 5-GALLON, TYPE-1 (TAN)			<b>F</b> A							
	7240-01-365-5317	CAN, WATER, MILITARY, 5-GALLON, TYPE-2 (GREEN)	X	М	EA	4						
8.	5120-00-224-1390	CROWBAR	D	М	EA	1						
9.	5110-00-595-8229	CUTTER, WIRE ROPE	D	М	EA	1						
10.	5120-00-243-7326	EXTENSION, SOCKET WRENCH, 1/2-INCH DRIVE, 5-INCH	D	М	EA	1						
11.	5120-00-227-8074	EXTENSION, SOCKET WRENCH, 1/2-INCH DRIVE, 10-INCH	D	М	EA	1						
12.	4210-01-388-7854	EXTINGUISHER, FIRE (C0 <sub>2</sub> )	Х	Z	EA	2						
13.	5110-00-156-0059	FILE, HAND	D	М	EA	1						
14.	6545-00-922-1200	FIRST AID KIT	D	Z	EA	1						
15.	5120-00-605-3926	FIXTURE, TRACK	D	Z	EA	2						
16.	6230-00-264-8261	FLASHLIGHT	Х	М	EA	2						
17.	7510-01-065-0166	FOLDER, EQUIPMENT RECORD	Х	Z	EA	1						
18.	5120-01-355-2052	HAMMER, HAND	D	М	EA	1						
19.	5340-01-199-9941	HANDLE EXTENSION, PROJECTILE LOCK	D	М	EA	1						
20.	5120-00-249-1076	HANDLE, SOCKET WRENCH, 3/4 DRIVE	D	М	EA	1						
21.	5120-00-236-7590	HANDLE, SOCKET WRENCH, HINGED, 1/2 DRIVE	D	М	EA	1						
22.	5120-01-179-8997	HOOK, CARTRIDGE REMOVER	D	М	EA	1						
23.	5120-00-240-5300	KEY, SOCKET HEAD SCREW, 3/16-INCH, HEX	D	М	EA	1						
24.	5120-00-240-5274	KEY, SOCKET HEAD SCREW, 5/16-INCH, HEX	D	М	EA	1						
25.	5120-00-198-5390	KEY, SOCKET HEAD SCREW, 3/8-INCH, HEX	D	М	EA	1						
26.	5120-00-224-2510	KEY, SOCKET HEAD SCREW, 5/8-INCH, HEX	D	М	EA	1						
27.	6240-00-266-9940	LAMP, INCANDESCENT	х	U	EA	3						
28.	5980-01-296-2793	LIGHT-EMITTING DIODE (LED)	Х	Z	EA	2						
												1

Reverse of DA Form 2062

GPO 1981 0 341 646 8623

USAPPC V2.10

For use of th	<b>CEIPT/ANNEX N</b> is form, see DA PAM nt agency is ODCSLO	710-2-1.	FROM:	тс	):						HAND RECEIPT NO.			
FOR ANNEX/CR ONLY	END ITEM STOCI 2350-01-		END ITEM DESCRIPTION CARRIER, AMMUNITION, TRACKED M992A2	PUBLICATIO	DN NUME 9-2350-3		P	UBLIC	ATION DA	ATE	QUANT	ITY		
STOC	K NUMBER		ITEM DESCRIPTION	*	SEC	U	QTY AUTH	, g.		QU	ANTITY			
	а.		b.	č.	d.	e.	f.	A	В	С	D	E	F	
			BII (continued)											
29. 49	30-00-766-3545	LUBRICATION C	GUN, HAND	х	М	EA	1							
30. TN	A 9-2350-372-10	MANUAL, OPER	RATOR'S	х	Z	EA	1							
31. 84	15-01-092-0039	MITTEN, HEAT	PROTECTION	х	V	PR	2							
32. 51	10-00-221-1499	NIPPERS, END	CUTTING	D	М	EA	1							
33. 49	30-00-262-8868	OILER, HAND		X	М	EA	1							
34. 53	340-01-269-9345	PADLOCK SET		X	Z	EA	1							
35. 83	845-00-174-6865	PANEL MARKER	२	X	U	EA	2							
36. 66	50-01-418-6658	PERISCOPE, AF	RMORED VEHICLE, M45	X	Z	EA	1							
37. 51	20-00-239-8251	PLIERS		D	М	EA	1							
38. 51	80-01-477-8120	PULLER KIT, UN	IIVERSAL	D	М	EA	1							
39. 53	315-01-501-3452	PIN, SHOULDEF	R, HEADLESS	X	М	EA	1							
40. 51	20-00-596-8502	SCREWDRIVER	, FLAT TIP	D	U	EA	1		_			ļ		
41. 40	30-01-397-7347	SHACKLE		X	U	EA	1					ļ		
42. 51	20-00-237-0984	SOCKET, SOCK	ET WRENCH, 1/2-INCH, 1/2-INCH DRIVE	E D	М	EA	1					ļ		
43. 51	20-00-189-7932	SOCKET, SOCK	ET WRENCH, 9/16-INCH, 1/2-INCH DRIV	/E D	М	EA	1	_	_					
								_						
		I								ļ		ļ		
HAND REC	SED AS A: CEIPT, enter Hand CEIPT FOR QUAR		mber 5, enter Condition Codes									_	PAGES	

DA FORM 2062 JAN 82

EDITION OF JAN 58 IS OBSOLETE

	ITEM DESCRIPTION b.		* SEC UI			g.		QUA			
a.	b.	C.	d.	e.	AUTH f.	Α	В	С	D	E	F
	BII (continued)										
5120-00-189-7985	SOCKET, SOCKET WRENCH, 3/4-INCH, 1/2-INCH DRIVE	D	М	EA	1						
5120-00-189-7946	SOCKET, SOCKET WRENCH, 5/8-INCH, 1/2-INCH DRIVE	D	М	EA	1						
5120-00-189-7934	SOCKET, SOCKET WRENCH, 7/8-INCH, 1/2-INCH DRIVE	D	М	EA	1						
5120-00-935-7425	SOCKET, SOCKET WRENCH, 15/16-INCH, 1/2-INCH DRIVE	D	М	EA	1						
5120-00-189-7927	SOCKET, SOCKET WRENCH, 1-INCH, 1/2-INCH DRIVE	D	М	EA	1						
5120-00-239-0021	SOCKET, SOCKET WRENCH, 1 1/8-INCH, 3/4-INCH DRIVE	D	М	EA	1						
5120-00-235-5871	SOCKET, SOCKET WRENCH, 1 1/4-INCH, 3/4-INCH DRIVE	D	М	EA	1						
5120-00-293-0094	SOCKET, SOCKET WRENCH, 1 1/2-INCH, 3/4-INCH DRIVE	D	М	EA	1						
2540-00-653-7589	TARPAULIN	Х	Z	EA	1						
2530-01-346-9233	TRACK SHOE ASSEMBLY, T-154	Х	Z	EA	4						
4010-01-041-9752	WIRE ROPE ASSEMBLY, SINGLE LEG, 15 FT	Х	Z	EA	1						
5120-00-240-5328	WRENCH, ADJUSTABLE, 8-INCH	D	М	EA	1						
5120-00-264-3796	WRENCH, ADJUSTABLE, 12-INCH	D	М	EA	1						
	5120-00-189-7946   5120-00-189-7934   5120-00-935-7425   5120-00-189-7927   5120-00-239-0021   5120-00-235-5871   5120-00-293-0094   2540-00-653-7589   2530-01-346-9233   4010-01-041-9752   5120-00-240-5328	5120-00-189-7985   SOCKET, SOCKET WRENCH, 3/4-INCH, 1/2-INCH DRIVE     5120-00-189-7946   SOCKET, SOCKET WRENCH, 5/8-INCH, 1/2-INCH DRIVE     5120-00-189-7934   SOCKET, SOCKET WRENCH, 7/8-INCH, 1/2-INCH DRIVE     5120-00-935-7425   SOCKET, SOCKET WRENCH, 15/16-INCH, 1/2-INCH DRIVE     5120-00-189-7927   SOCKET, SOCKET WRENCH, 15/16-INCH, 1/2-INCH DRIVE     5120-00-189-7927   SOCKET, SOCKET WRENCH, 1-INCH, 1/2-INCH DRIVE     5120-00-239-0021   SOCKET, SOCKET WRENCH, 1 1/8-INCH, 3/4-INCH DRIVE     5120-00-235-5871   SOCKET, SOCKET WRENCH, 1 1/4-INCH, 3/4-INCH DRIVE     5120-00-293-0094   SOCKET, SOCKET WRENCH, 1 1/4-INCH, 3/4-INCH DRIVE     5120-00-293-0094   SOCKET, SOCKET WRENCH, 1 1/2-INCH, 3/4-INCH DRIVE     2540-00-653-7589   TARPAULIN     2530-01-346-9233   TRACK SHOE ASSEMBLY, T-154     4010-01-041-9752   WIRE ROPE ASSEMBLY, SINGLE LEG, 15 FT     5120-00-240-5328   WRENCH, ADJUSTABLE, 8-INCH	Bll (continued)5120-00-189-7985SOCKET, SOCKET WRENCH, 3/4-INCH, 1/2-INCH DRIVED5120-00-189-7946SOCKET, SOCKET WRENCH, 5/8-INCH, 1/2-INCH DRIVED5120-00-189-7934SOCKET, SOCKET WRENCH, 7/8-INCH, 1/2-INCH DRIVED5120-00-935-7425SOCKET, SOCKET WRENCH, 15/16-INCH, 1/2-INCH DRIVED5120-00-189-7927SOCKET, SOCKET WRENCH, 1-INCH, 1/2-INCH DRIVED5120-00-239-0021SOCKET, SOCKET WRENCH, 1 -INCH, 3/4-INCH DRIVED5120-00-235-5871SOCKET, SOCKET WRENCH, 1 1/4-INCH, 3/4-INCH DRIVED5120-00-293-0094SOCKET, SOCKET WRENCH, 1 1/2-INCH, 3/4-INCH DRIVED2540-00-653-7589TARPAULINX2530-01-346-9233TRACK SHOE ASSEMBLY, T-154X4010-01-041-9752WIRE ROPE ASSEMBLY, SINGLE LEG, 15 FTX5120-00-240-5328WRENCH, ADJUSTABLE, 8-INCHD	Bll (continued)Image: continued image: contimage: continued image:	Bil (continued)M5120-00-189-7985SOCKET, SOCKET WRENCH, 3/4-INCH, 1/2-INCH DRIVEDMEA5120-00-189-7946SOCKET, SOCKET WRENCH, 5/8-INCH, 1/2-INCH DRIVEDMEA5120-00-189-7934SOCKET, SOCKET WRENCH, 7/8-INCH, 1/2-INCH DRIVEDMEA5120-00-355-7425SOCKET, SOCKET WRENCH, 15/16-INCH, 1/2-INCH DRIVEDMEA5120-00-189-7927SOCKET, SOCKET WRENCH, 1-INCH, 1/2-INCH DRIVEDMEA5120-00-239-0021SOCKET, SOCKET WRENCH, 1 1/8-INCH, 3/4-INCH DRIVEDMEA5120-00-235-5871SOCKET, SOCKET WRENCH, 1 1/4-INCH, 3/4-INCH DRIVEDMEA5120-00-233-0094SOCKET, SOCKET WRENCH, 1 1/2-INCH, 3/4-INCH DRIVEDMEA2540-00-653-7589TARPAULINXZEA2530-01-346-9233TRACK SHOE ASSEMBLY, T-154XZEA5120-00-240-5328WRENCH, ADJUSTABLE, 8-INCHDMEA	BII (continued)   Image: Marcine Section 2014     5120-00-189-7985   SOCKET, SOCKET WRENCH, 3/4-INCH, 1/2-INCH DRIVE   D   M   EA   1     5120-00-189-7986   SOCKET, SOCKET WRENCH, 5/8-INCH, 1/2-INCH DRIVE   D   M   EA   1     5120-00-189-7934   SOCKET, SOCKET WRENCH, 5/8-INCH, 1/2-INCH DRIVE   D   M   EA   1     5120-00-189-7934   SOCKET, SOCKET WRENCH, 7/8-INCH, 1/2-INCH DRIVE   D   M   EA   1     5120-00-935-7425   SOCKET, SOCKET WRENCH, 15/16-INCH, 1/2-INCH DRIVE   D   M   EA   1     5120-00-189-7927   SOCKET, SOCKET WRENCH, 1-INCH, 1/2-INCH DRIVE   D   M   EA   1     5120-00-239-0021   SOCKET, SOCKET WRENCH, 1 1/8-INCH, 3/4-INCH DRIVE   D   M   EA   1     5120-00-235-5871   SOCKET, SOCKET WRENCH, 1 1/4-INCH, 3/4-INCH DRIVE   D   M   EA   1     5120-00-293-0094   SOCKET, SOCKET WRENCH, 1 1/2-INCH, 3/4-INCH DRIVE   D   M   EA   1     5120-00-293-0094   SOCKET, SOCKET WRENCH, 1 1/2-INCH, 3/4-INCH DRIVE   D   M   EA   1	Bil (continued)Image: Continued of the image: Continu	BII (continued)Image: Continued in the image: Continu	BII (continued)Image: Continued in the image: Continu	BII (continued)Image: Continued in the image: Continu	BII (continued)Image: Continued in the image: Continu

PAGE \_\_\_\_\_ OF \_\_\_\_ PAGES

e proponent agency is ODCSLOG.		):						HAND RECEIPT NO.				
FOR NEX/CR ONLY END ITEM STOCK NUMBER 2350-01-368-9500 END ITEM DESCRIPTION CARRIER, AMMUNITION, TRACKED M992A2 PU	BLICATIC	)n nume 9-2350-3		P	PUBLICA	TION DA	TE	QUANTI	ΤY			
STOCK NUMBER ITEM DESCRIPTION		050		QTY AUTI	g.		QU	ANTITY				
a. b.	* C.	SEC d.	UI e.	AUT		В	С	D	E	F		
Additional Authorization List (AAL)												
4930-00-288-1511 ADAPTER, GREASE GUN	Х	М	EA	1								
5895-01-119-9900 AMPLIFIER, POWER SUPPLY GROUP OG-174 VRC	N	Y	EA	1								
5110-00-293-2336 AX, SINGLE BIT	D	М	EA	1								
5120-00-526-6044 BAR, PINCH	D	М	EA	1								
6135-00-450-3528 BATTERY, NONRECHARGEABLE, DRY	Х	Y	EA	1								
6135-00-930-0030 BATTERY, NONRECHARGEABLE, DRY	Х	М	EA	4								
2540-00-906-4741 BOX, ACCESSORIES STOWAGE	Х	Z	EA	1								
5140-00-261-4994 CARRIER, TOOL	D	М	EA	1								
1290-00-824-7245 CASE, FUSE SETTER	Х	М	EA	1								
6665-01-105-5623 CHEMICAL AGENT ALARM, M8A1	N	Z	EA	1								
5110-00-236-3272 CHISEL, COLD, HAND	D	М	EA	1								
4230-01-133-4124 DECONTAMINATION APPARATUS, M13	N	Z	EA	1								
6665-01-133-4964 DETECTOR KIT, M256	N	Z	EA	1								
5120-00-227-8079 EXTENSION, SOCKET WRENCH, 16-INCH, 3/4-INCH DRIVE	E D	М	EA	1								
5120-00-273-9208 EXTENSION, SOCKET WRENCH, 3-INCH, 3/4-INCH DRIVE	D	М	EA	1								
5110-00-241-9160 FILE, HAND	D	М	EA	1								
5120-00-900-6097 HAMMER, HAND	D	М	EA	1								
5120-00-288-6574 HANDLE, MATTOCK PICK	D	М	EA	2								
5120-00-241-3142 HANDLE, SOCKET WRENCH, T-SLIDING	D	М	EA	1								
5120-00-249-1071 HANDLE, SOCKET WRENCH, NUT SPEEDER	D	М	EA	1								

DA FORM 2062 JAN 82

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.		QUA	NTITY		
a.	b.	c.	d.	e.	f.	Α	В	С	D	Е	F
	AAL (continued)										
5120-00-230-6385	HANDLE, SOCKET WRENCH, RATCHET	D	М	EA	1						
5120-00-099-8544	HANDLE, SOCKET WRENCH, T-SLIDING	D	М	EA	1						
5110-00-222-0457	HATCHET, CLAW	D	М	EA	1						
5120-00-224-4659	KEY, SOCKET HEAD SCREW, 1/4-INCH, HEX	D	М	EA	1						
5120-00-240-5292	KEY, SOCKET HEAD SCREW, 1/8-INCH, HEX	D	М	EA	1						
5120-00-198-5392	KEY, SOCKET HEAD SCREW, 5/32-INCH, HEX	D	М	EA	1						
5120-00-242-7410	KEY, SOCKET HEAD SCREW, 3/32-INCH, HEX	D	М	EA	1						
5120-01-108-1729	MAINTENANCE KIT, CBR EQUIPMENT, M273	D	Z	EA	1						
5120-00-243-2395	MATTOCK: PICK W/O HANDLE	D	М	EA	1						
7310-01-387-1305	MOUNTED WATER RATION HEATER (MWRH)	N	Z	EA	1						[
5120-00-194-9458	PICK, DIGGING: RAILROAD W/O HANDLE	D	М	EA	1						
5315-00-861-1473	PIN, LOCK	х	М	EA	1						
5120-00-223-7397	PLIERS, SLIP JOINT, COMB. SLIP JOINT, W/CUTTER	D	М	EA	1						
5825-01-374-6643	PRECISION LIGHTWEIGHT GLOBAL POSITIONING SYSTEM (GPS) RECIEVER (PLGR)	N	Y	EA	1						
5120-00-293-0791	PUNCH, DRIVE PIN	D	М	EA	1						
5820-01-079-9260	RADIO SET	N	Y	EA	1						
4933-00-796-4537	ROLL ASSEMBLY, TOOL	х	М	EA	1						1
5120-00-234-5223	RULE, STEEL MACHINIST'S	D	М	EA	1						
5120-00-236-2127	SCREWDRIVER, FLAT TIP, 3-INCH	D	М	EA	1						
5120-00-278-1283	SCREWDRIVER, FLAT TIP, 6-INCH	D	М	EA	1						
5120-00-227-7338	SCREWDRIVER, FLAT TIP, 5-INCH	D	М	EA	1						
5120-00-188-8450	SHOVEL, HAND, GENERAL PURPOSE, LG HANDLE	D	М	EA	1						
5120-00-293-3336	SHOVEL, HAND	D	М	EA	1						
5120-00-189-7931	SOCKET, SOCKET WRENCH, 1 7/16-INCH, 3/4-INCH DRIVE	D	М	EA	1						
5120-00-189-7930	SOCKET, SOCKET WRENCH, 1 3/8-INCH, 3/4-INCH DRIVE	D	М	EA	1						
5120-00-232-5681	SOCKET, SOCKET WRENCH, 1 5/16-INCH, 3/4-INCH DRIVE	D	М	EA	1						
5120-00-189-7913	SOCKET, SOCKET WRENCH, 1 1/16-INCH, 1/2-INCH DRIVE	D	М	EA	1						
5130-00-221-8007	SOCKET, SOCKET WRENCH, 9/16-INCH, 1/2-INCH DRIVE	D	М	EA	1						

Reverse of DA Form 2062

GPO 1981 0 341 646 8623

USAPPC V2.10

PAGE \_\_\_\_\_\_\_ OF \_\_\_\_\_ PAGES

For use of th	<b>CEIPT/ANNEX N</b> is form, see DA PAM nt agency is ODCSLO	710-2-1.	FROM:	Т	0:				HAND RECE				ΓNO.
FOR ANNEX/CR ONLY	END ITEM STOCI 2350-01-	K NUMBER 368-9500	END ITEM DESCRIPTION CARRIER, AMMUNITION, TRACKED M992A2	PUBLICAT	ON NUM		P	JBLICAT	ATION DATE QUANTITY				
STOC	K NUMBER		ITEM DESCRIPTION		050		QTY	g.		QU	ANTITY		
	a.		b.	* C.	SEC d.	UI e.	AUTH f.	АВС			D E		F
			AAL (continued)										
512	0-00-189-7924	SOCKET. SOCH 1/2-INCH DRIVE	ET WRENCH. 7/16-INCH. , MANUAL	D	м	EA	1						
513	0-00-221-8005	SOCKET, SOCH 1/2-INCH DRIVE	KET WRENCH, 7/16-INCH, , POWER	D	м	EA	1			,			
512	0-00-189-7911	SOCKET, SOCK	ET WRENCH, 3/8-INCH, 1/2-INCH DRI	VE D	М	EA	1						
512	0-00-189-7914	SOCKET, SOCKET WRENCH, 1-1/8 INCH, 1/2-INCH DRIVE			М	EA	1						
731	0-01-310-5155	STOVE, MULTIF	UEL BURNER	N	Z	EA	1						
512	0-00-269-7971	UNIVERSAL JO	INT SOCKET, 1/2-INCH DRIVE	D	М	EA	1						
401	0-00-202-2425	WIRE ROPE AS	SEMBLY (10-FOOT)	Х	М	EA	1						
512	0-00-277-7025	WRENCH, OPE	N END, 15/16 X 1 INCH	D	М	EA	1						
512	0-00-187-7130	WRENCH, OPE	N END, 13/16 X 7/8 INCH	D	М	EA	1						
512	0-00-224-3102	WRENCH, OPE	N END, 5/8 X 3/4 INCH	D	М	EA	1						
512	0-00-293-2134	WRENCH, OPE	N END, 9/16 X 11/16 INCH	D	М	EA	1						
512	0-00-187-7123	WRENCH, OPE	N END, 7/16 X 1/2 INCH	D	М	EA	1						
512	0-00-277-2307	WRENCH, OPE	N END, 5/16 X 3/8 INCH	D	М	EA	1						
512	0-00-264-3777	WRENCH, SPA	NNER, ADJUSTABLE FACE PIN	D	М	EA	1						
512	0-00-277-9076	WRENCH, SPA	NNER, ADJUSTABLE HOOK	D	М	EA	1						
						<b> </b>	<b> </b>						
* WHEN U	SED AS A:												
HAND REC		TERS FURNITURE	mber 5, enter Condition Codes 5IPT, enter Accounting Requirements Co	de (ARC)					PAG	E_7	OF _	_7F	PAGES

By Order of the Secretary of the Army:

PETER J. SCHOOMAKER General, United States Army Chief of Staff

Official: Sandra R. Riley SANDRA R. RILEY

Administrative Assistant to the Secretary of the Army

0509703

DISTRIBUTION: To be distributed in accordance with the Initial Distribution Number (IDN) 372387, requirements for TM 9-2350-372-10HR.

RECO	For use of thi		IK FOR	MS			Use Part II <i>(reverse)</i> for Repair Parts and Special Tools Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM) DATE (Date You Will Fill Out This Form)							
TO: (Fo	orward to pro	ponent of p	ublication	or form )(	Include Zij	o Code)	FROM: (Activity and location)(Include Zip Code)							
							)							
			PART I - A	LL PUBLI	CATIONS	-	(CEPT RPSTL AND SC/SM) AND BLANK FORMS							
PUBLICA	TION FORM					DATE	1.000.5	TITLE						
	Т	M 9-2350	-372-10F	łR		29 Api	ril 2005		HAND RECEIPT M992	2A2				
ITEM	PAGE NO.	PARA- GRAPH	LINE	FIGURE NO.	TABLE		RE	COMM	ENDED CHANGES AND RE	EASON				
	0004 00-3								t are numbered incorre and 5 should be 6, 7, a					
				Reference			n the paragra	aph or s	sub paragraph.					
TYPED	NAME, GRA	DE OR TITI			TELEPH	IONE EXCH	IANGE/AUT		SIGNATURE					
	John Doe	SSG			PLUS E	XTENSION XXX-7	xxxx		John D	roe				

<b>ТО:</b> (Fo	rward dii	rect to add	lressee listed in publication	ו)	FROM:	(Activity (Your Ma		Zip Code)	DATE (Date You Will Fill Out This Form)				
			II - REPAIR PARTS AND	SPECIA	1	S LISTS A	ND SUI	1	S/SUPPLY MAI	NUALS			
PUBLICA	ATION N	UMBER			DATE			TITLE					
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	RENCE IO.			TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECC	MMENDED ACTION				
260			4730-00-273-6772 4730-00-273-6772			134	4	1	Change f Socket P	from Hex to 'lug			
260-1							4	1	Change part Number to 12301694.				
	PA	RT III - RE	MARKS (Any general re blank forms. Ac	marks o Iditional	r recomr blank sh	nendations eets may b	, or sug e use d	gestions for impro if more space is n	ovement of pub eeded.)	lications and			
		GRADE OI			PHONE EXCHANGE/AUTOVON, SIGNATURE EXTENSION XXX-XXXX John 0					Toe			

RECO	MMENDE		IK FOR	MS			Use Part II <i>(reverse)</i> for Repair Parts and Special Tools Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM)					
<b>TO:</b> (Fo	rward to pro	pponent of p	oublication	or form )(	include Zij	o Code)	Code) FROM: (Activity and location)(Include Zip Code)					
	PART I - ALL PUBLICATIONS (EXCEPT RPSTL AND SC/SM) AND BLANK FORMS											
PUBLICA	TION FORM	I NUMBER				DATE		TITLE				
	Т	M 9-2350	-372-10H	łR		29 Api	ril 2005		HAND RECEIPT M99	2A2		
ITEM	PAGE NO.	PARA- GRAPH	LINE	FIGURE NO.	TABLE		RE	ECOMM	IENDED CHANGES AND RI	EASON		
									sub paragraph.			
TYPED N	IAME, GRA	DE OR TITI			TELEPH	IONE EXCH	IANGE/AUT					
	,				PLUSE	HONE EXCHANGE/AUTOVON EXTENSION						

<b>ТО:</b> (Fo	orward dii		ressee listed in publicatior		FROM: (Activity and location)(Include Zip Code) DATE							
PUBLICA	ATION N		II - REPAIR PARTS AND	SPECI	AL TOOL	S LISTS A	ND SUF	OGS/SUPPLY MA	NUALS			
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	RENCE	FIGURE NO.	ITEM NO.	TOTAL NC OF MAJOI ITEMS SUPPORTE	R RECO	DMMENDED ACTION			
	PA	RT III - RE	MARKS (Any general reblank forms. Ad	marks o	or recomi	nendations	, or sug	gestions for i.	mprovement of put	lications and		
			Diank forms. Au	anona	DIALIK SI	eets may b	e use u	n more space	e is needed.)			
TYPED	NAME, G	GRADE OF	RTITLE		PHONE E EXTENS	EXCHANGE ION	E/AUTO	VON, SIGN	ATURE			

RECO	For use of th		NK FOR	MS			Use Part II <i>(reverse)</i> for Repair Parts and Special Tools Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM)					
<b>TO:</b> (Fe	orward to pro	oponent of p	or form )(	(Include Zij	o Code)	FROM: (Activity and location)(Include Zip Code)						
		F	ART I - A	LL PUBL	RPSTL AND	SC/SM	) AND BLANK FORMS					
PUBLICA	ATION FORM T	M NUMBER TM 9-2350	łR		DATE 29 Api	ril 2005 HAND RECEIPT M992A2						
ITEM	PAGE NO.	PARA- GRAPH	LINE	FIGURE NO.	TABLE		RE	COMM	ENDED CHANGES AND R	EASON		
				Referenc					ub paragraph.			
TYPED	NAME, GRA	DE OR TIT	LE			HONE EXCH XTENSION	IANGE/AUT	OVON,	SIGNATURE			

<b>TO:</b> (Fo	rward di	rect to add	Iressee listed in publicatior	))	FROM: (Activity and location)(Include Zip Code) DATE							
			II - REPAIR PARTS AND	SPECI/	1	S LISTS A	ND SUI	OGS/SUPPLY MA	NUALS			
PUBLIC/	ATION N	UMBER		-	DATE			TITLE				
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER		RENCE IO.	FIGURE NO.	ITEM NO.	TOTAL NO OF MAJOF ITEMS SUPPORTE	RECO	DMMENDED ACTION		
	PA	RT III - RE	MARKS (Any general re blank forms. Ad	marks o ditional	or recomi blank sh	nendations eets may b	, or sug e use d	gestions for in if more space	mprovement of pub is needed.)	lications and		
TYRED	PART III - REMARKS (Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be use dif more space is needed.)											
TYPED	NAME, C	GRADE OI	RTITLE	TELEF PLUS	PHONE E EXTENS	EXCHANGE ION	E/AUTO	VON, SIGN/	ATURE			

PIN: 082429-000