

# **TM 5-3431-205-35P**

---

## **TECHNICAL MANUAL**

**DIRECT AND GENERAL SUPPORT AND DEPOT MAINTENANCE**

**REPAIR PARTS AND SPECIAL TOOLS LISTS**

**WELDING MACHINE, ARC, GENERATOR, GED, 300 AMP, DC**

**(LIBBY WELDING MODELS)**

**(MODEL LE-300) FSN 3431-810-9696**

**(MODEL LEW-300) FSN 3431-991-2961**

**(MODEL LEB-300) FSN 3431-072-0327**

---

**HEADQUARTERS, DEPARTMENT OF THE ARMY**

**JANUARY 1971**



TECHNICAL MANUAL  
No. 5-3431-205-35P}

HEADQUARTERS  
DEPARTMENT OF THE ARMY  
WASHINGTON, D. C., 13 January 1971

**DIRECT AND GENERAL SUPPORT AND DEPOT MAINTENANCE REPAIR PARTS  
AND SPECIAL TOOLS LIST**

**WELDING MACHINE, ARC, GENERATOR, GED, 300 AMP, DC  
(LIBBY WELDING MODELS)**

**(MODEL LE-300) FSN 3431-810-9696**

**(MODEL LEW-300) FSN 3431-991-2961**

**(MODEL LEB-300) FSN 3431-072-0327**

**Current as of 31 December 1970**

	Paragraph	Page
<b>SECTION I. INTRODUCTION . . . . .</b>	1	iii
Scope . . . . .	1	iii
General . . . . .	2	iii
Explanation of columns . . . . .	3	iii
Special information . . . . .	4	iv
How to locate repair parts . . . . .	5	v
Abbreviations . . . . .	6	v
Federal supply codes for manufacturers . . . . .	7	v
Recommendations for maintenance publication improvements . . . . .	8	vi
<b>II. REPAIR PARTS FOR DS, GS, AND DEPOT MAINTENANCE . . . . .</b>	1	
<b>Group 01.</b> Battery Cables . . . . .	1	
02. Battery Box . . . . .	1	
03. Enclosure and Skid . . . . .	3	
04. <del>Refr</del> . . . . .	12	
05. Instrument Panel . . . . .	12	
06. Remote Control . . . . .	20	
07. Current Control . . . . .	21	
08. Heater and Blower Assembly . . . . .	23	
09. Fuel Tank and Strainer . . . . .	26	
10. Brush Holder, Brushes and Cover . . . . .	28	
11. Brush Holders, Capacitors, Exciter . . . . .	29	
12. Welding Generator . . . . .	30	
13. Generator Exciter . . . . .	32	
14. Timing and Speed Control . . . . .	34	
15. Air Cleaner . . . . .	36	
16. Muffler . . . . .	36	
17. Carburetor and Fuel Pump . . . . .	37	
18. Oil Filter . . . . .	38	
19. Manifolds . . . . .	40	
20. Governor, Controls and Engine Speed . . . . .	42	
21. Engine Speed Idler and Lines . . . . .	45	
22. Generator, Battery Charging . . . . .	47	
23. Regulator, Generator Voltage . . . . .	50	

\*This manual supersedes TM 5-3431-205-35P, 5 February 1964, and applicable portions of TM 5-3431-215-25P, 9 August 1965, including all changes.

	Page
24. Starter, Engine and Relay .....	51
25. Magneto, Spark Plug Leads, Housing and Impulse Coupling .....	56
26. Water Pump .....	<b>62</b>
27. Transmitter, Switches and Nameplate .....	63
28. Block, Cylinder Head and Valve Cover .....	64
29. Motor, Oil Pan and Nameplates .....	67
30. Oil Pump .....	71
31. Camshaft, Valves and Timing Gear .....	73
32. Pistons and Connecting Rods .....	75
33. Crankshaft, Flywheel .....	77
34. Fire Extinguisher .....	79
<b>SECTION III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR DS, GS, AND DEPOT MAINTENANCE. (Not Applicable. )</b>	
<b>IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER .....</b>	<b>119</b>

# SECTION I

## INTRODUCTION

---

### 1. Scope

This manual lists repair parts required for the performance of direct support, general support, and depot maintenance of the welding machine.

### 2. General

This Repair Parts and Special Tools List is divided into the following sections:

a. *Repair Parts-Section II.* A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level in figure and item number sequence.

b. *Special Tools, Test and Support Equipment-Section III.* A list of special tools, test and support equipment authorized for the performance of maintenance at the direct support, general support, and depot level. (Not applicable.)

c. *Index-Federal Stock Number and Reference Number-Section IV.* A list of Federal stock numbers in ascending numerical sequence followed by a list of reference numbers in ascending alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

Note. Items not, illustrated are cross-referenced to page number.

### 3. Explanation of Columns

The following provides an explanation of columns in the tabular lists in Sections II and III.

a. *Source, Maintenance, and Recoverability Codes (SMR).*

(1) Source code indicates the selection status and source for the listed item. Source codes used are:

Code	Explanation
------	-------------

P Repair parts which are stocked in or supplied from the GSA/DSA, or Army supply system and authorized for use at indicated maintenance categories.

P2 Repair parts which are procured and stacked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.

Code	Explanation
M	Repair parts which are not procured or stocked, but m-e to be manufactured in indicated maintenance levels.
A	Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories.
X	Parts and assemblies which are not procured or stocked and the mortality of which normally is below that of the end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
X1	Repair parts which are not procured or stocked. The requirement for such items will be filled by use of the next higher assembly or component.
X2	Repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain same through cannibalization. Where such repair parts are not obtainable through cannibalization, requirements will be requisitioned, with accompanying justification, through normal supply channels.
G	Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and DSU level. These assemblies will not be stocked above DSU and DSU level or returned to depot supply level.

(2) Maintenance code indicates the lowest category of maintenance authorized to install the listed item. Repair parts and special tools assigned maintenance code "C" may be stocked at the operator level of maintenance when authorized by the Unit Commander. The maintenance level codes are:

Code	Explanation
C.....	Crew or operator maintenance
O.....	Organizational maintenance
F.....	Direct support maintenance
H.....	General support maintenance
D.....	Depot maintenance

(3) Recoverability code indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability Codes are:

<i>Code</i>	<i>Explanation</i>
R	Applied to repair parts and assemblies which are economically repairable at DSU and GSU activities and are normally furnished by supply on an exchange basis.
S	Repair parts and assemblies which are economically repairable at DSU and GSU activities and which are normally furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically repairable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T	High dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts normally are repaired or overhauled at depot maintenance activities.
U	Repair parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, or high dollar value reusable casings or castings.

b. *Federal Stock Number.* This column indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. *Description.* This column indicates the Federal item name and any additional description of the item required. Assembly components and sub-assemblies are indented under major assemblies. The abbreviation "w/e", when used as a part of the nomenclature, indicates the Federal stock number includes all armament, equipment, accessories, and repair parts issued with the item. A part number or other reference number is followed by the applicable five-digit Federal supply code for manufacturers in parenthesis. Repair parts quantities included in kits and sets are shown in front of the repair part name. Material required for manufacture or fabrication is identified.

d. *Unit of Measure (U/M).* A two-character alphabetic abbreviation indicating the amount or quantity of the item upon which the allowances are based, e.g., ft, ea, pr, etc.

e. *Quantity Incorporated in Unit.* This column indicates the quantity of the item used in the assembly group. A "V" appearing in this column in lieu of a quantity indicates that a definite quantity cannot be indicated (e. g., shims, spacers, etc.)

#### f. *Thirty-Day DS/GS Maintenance Allowances.*

Note. Allowances in GS column are for GS maintenance only.

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the applicable allowance column. To locate the

referenced item, locate the FSN or reference number in the index. The earliest figure and item number is the referenced item. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for DS/GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) To determine allowances when supporting more than 100 of these equipments: First, divide the number of equipments supported by 100 by moving the decimal two places left; second, multiply the result by the quantity in the 51-100 density column. Example, authorized allowance for 51-100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.

g. *One-Year Allowance Per 100 Equipments/Contingency Planning Purposes.* This column indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year. Subsequent appearances of the same item will have the letters "REF" in the allowance column. To locate the referenced item, locate the FSN or reference number in the index. The earliest figure and item is the referenced item.

h. *Depot Maintenance Allowance Per 100 Equipments.* This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments. Subsequent appearances of the same item will have the letters "REF" in the allowance column. To locate the referenced item, locate the FSN or reference number in the index. The earliest figure and item number is the referenced item. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

i. *Illustration.* This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration in which the item is shown.

(2) *Item number.* Indicates the callout number used to reference the item in the illustration.

## 4. Special Information

a. Identifications of the usable on codes included in the description column of this publication are:

<i>Code</i>	<i>Used on</i>
A	(Model LEB-300) FSN 3431-072-0327
B	(Model LE 300) FSN 3431-810-9696
C	(Model LEW-300) FSN 3431-991-2961

Repair parts not symbolized are applicable to all models covered in this manual.

b. Repair parts mortality has been based on 1,500 hours operation per year.

c. Parts which require manufacure or assembly at a category higher than that authorized for installation will indicate in the source column the higher category.

d. The following publications pertain to the welding machine and its components.

LO 5-3431-205-12	Lubrication order.
TM 5-3431-205-15	Operator, organizational, field and depot maintenance manual.
TM 5-3431-214-15	Operator, organizational, field and depot maintenance manual.
TM 5-3431-215-15	Organizational, DS, GS, and depot maintenance manual.
TM 5-3431-205-20P	Organizational maintenance repair parts and special tool lists.

## 5. How to Locate Repair Parts

a. When Federal Stock Number or Reference Number is Unknown:

(1) *First.* Using the table of contents, determine the assembly group within which the repair part belongs. This is necessary since illustrations are prepared for assembly groups, and listings are divided into the same groups.

(2) *Second.* Find the illustration covering the assembly group to which the repair part belongs.

(3) *Third.* Identify the repair part on the illustration and note the illustration figure number and item number of the repair part.

(4) *Fourth.* Using the Repair Parts Listing, find the assembly group to which the repair part belongs and locate the illustration figure and item number noted on the illustration.

b. When the Federal Stock Number or Reference Number is Known:

(1) *First.* Using the Index of Federal Stock

Numbers and Reference Numbers find the pertinent Federal stock number or reference number. This index is in ascending FSN sequence followed by a list of referenced numbers in ascending alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

(2) *Second.* Using the Repair Part Listing, find the assembly group of the repair part and the illustration figure number and item number referenced in the Index of Federal Stock Numbers and Reference Numbers.

c. When the Federal Stock Number or Reference Number is Known and the Repair Part is not Illustrated:

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers find the pertinent Federal stock number or reference number in the section titled Items not Illustrated and note the page number. This section is in ascending FSN sequence followed by a list of reference numbers in alpha-numeric sequence, cross-referenced to page number.

(2) *Second.* Using the Table of Contents, locate the assembly group number and page number.

(3) *Third.* Using the applicable group number and page number, locate the pertinent stock number or reference number in the Repair Parts Listing. Items which are not illustrated are listed at the end of the assembly group to which they belong.

## 6. Abbreviations

ac/dc	alternating current/direct current
EA	each
FT	foot (feet)
id	inside diameter(s)
in.	inch (es)
lh	left hand
lg	long (length)
mtg	mounting
NEMA	National Electric Manufacturing Association
rpm	revolution per minute
rh	right hand
thd	thread(s) (ed)
thk	thick(ness)

## 7. Federal Supply Codes for Manufacturers

<i>Code</i>	<i>Manufacturer</i>
00000	Ordnance Corp
00736	Air Maze Division of Rockwell Standard Corp
04009	Arrow-Hart and Hegeman Electric Co
04255	The Weatherhead Co
06840	The Bendix Corp
08484	Breeze Corporations, Inc
14351	Continental Motors Corp
14655	Cornell-Dubilier Electric Corp
14959	Crane Co

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
16764	Delco & Remy Division of General Motors Corp	77342	American Machine and Foundry Co Potter and Brumfield Division
19239	Echlin Mfg Co	78189	Illinois Tool Works Inc Shakeproof Division
21387	Fairbanks Morse, Inc	78385	South Wind Div of Stewart Warner Corp
24446	General Electric Co	79470	Weatherhead Co, The
27315	Harnischfeger Corp	79497	Western Rubber Co
36024	Libby Welding Co., Inc	79960	Bendix Corp, The Fuel Devices Division
36232	Lincoln Electric Co	81336	Chief of Engineers
38443	Marlin-Rockwell Co Division of TRW Inc	82796	Fairbanks Morse Inc Fairbanks Morse Powers Systems Division
39215	McCord Corp	88044	Aeronautical Standards Group Dept of Navy and Air Force
43999	North American Rockwell Corp Los Angeles Div	88223	General Products Corp
44655	Ohmite Mfg Co	92219	Waldom Electronics Inc
59730	The Thomas and Betts Co	94257	De Koven Mfg Co
65092	Weston Instruments Inc Weston-Newark	95875	Hallett Mfg Co Shielding Division
70040	AC Spark Plug Div of General Motors Corp	96452	American Standard Controls Division of American Radiator and Standard Sanitary Corp
70842	Balkamp Inc	96906	Military Standards Promulgated by Standardization Div Directorate of Logistic Services DSA
71400	Bussmann Mfg Division of McGraw and Edison Co		
71590	Globe-Union Inc Centralab Division		
71747	Chicago Hardware and Fixture Co		
72005	Driver Wilbur & Co		
72055	Clum Mfg Co		
72619	Dialight Corp		
72653	G. C. Electronics Co A Division of Hydro-metals Inc		
73370	Fram Corp		
73631	Curtis Development and Mfg Co		
74465	Hoof C. M. Co		
74545	Hubbell Harvey Inc		
75042	I. R. C. Division of TRW Co		
76005	Lord Manufacturing Co. Division of Lord Corporation		
76062	Marlin Rockwell Co Division of TRW Inc Sales Service Division		

## 8. Recommendations for Maintenance Publication Improvements

Report of errors, omission, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications), and forwarded direct to Commanding General, U. S. Army Mobility Equipment Command, ATTN: AMSME-MPP, 4300 Goodfellow Boulevard, St. Louis, Mo, 63120.

(1) SMP CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	(4) USABLE ON CODE	(5) QTY OF MEAS	(6) 30-DAY GS MAINT ALLOWANCE (a)	(7) 30-DAY GS MAINT ALLOWANCE (a)	(8) 1-YR DEPOT ALW PER 100 EQUIP CNTGTY	(9) DEPOT ALW PER 100 EQUIP	(10) ILLUS- TRATION (a)	(10) ILLUS- TRATION (b)
					1-20	21-50	51-100	1-20	21-50	51-100
SECTION II REPAIR PARTS FOR DS,GS AND DEPOT MAINTENANCE										
GROUP 01-BATTERY CABLES										
P O		LEAD, ELECTRICAL LA300-1831 (36024)	EA	1	*	1	1	*	1	15 5 1 1
P O	6150-242-3716	LEAD, ELECTRICAL: ELECTRODE LA300-1832 (36024)	EA	1	*	1	1	*	1	15 5 1 2
P O	5940-549-6581	TERMINAL,LUG: POSITIVE MS75004-1 (96906)	EA	2	*	*	*	*	*	1 * 1 3
X20		LEAD, ELECTRICAL: BATTERY TO STARTER SOLENOID LB2283 (36024)	EA	1						1 4
P O	6140-088-5564	LEAD, STORAGE BATTERY: BATTERY TO STARTER SOLENOID, 48 IN. LG LB1749 (36024)	EA	1	*	1	1	*	1	15 25 1 4
X20		LEAD, BATTERY: BATTERY CHARGING RECEPTACLE LB1928 (36024)	EA	1						1 4
X20		LEAD, ELECTRICAL: BATTERY GROUND LB2281 (36024)	EA	1						1 5
P O	6140-088-5566	LEAD, STORAGE BATTERY: JUMPER,25 IN. LG LB1751 (36024)	EA	1	*	1	1	*	1	15 25 1 5
P O	6140-088-5565	LEAD, STORAGE BATTERY: GROUND,14 IN.LG LB1750 (36024)	EA	1	*	1	1	*	1	15 25 1 6
X20		LEAD, ELECTRICAL: JUMPER LB2282 (36024)	A	EA	1					1 6
X20		LEAD, BATTERY: BATTERY CHARGING RECEPTACLE LB1927 (36024)	B	EA	1					1 6
X20		HOLDER ASSEMBLY,ELECTRODE INS (36232)	EA	1						1 7
P O	5940-549-6583	TERMINAL,LUG: NEGATIVE MS75004-2 (96906)	EA	2	*	*	*	*	*	1 * 1 8
GROUP 02-BATTERY BOX										
P O	5310-833-3340	WASHER,FLAT: HOLDOWN ROD	A	EA	4	*	*	*	*	1 * 2 1
P O	5310-732-0558	NUT,PLAIN,HEXAGON: HOLDOWN ROD	A	EA	6	*	*	*	*	1 * 2 2
X20		BRACKET,RETAINER,BATTERY LB22311 (36024)	A	EA	1					2 3
X20		ROD,HOLDOWN LB22310 (36024)	A	EA	4					2 4
X20		BOX,BATTERY LB22312 (36024)	A	EA	1					2 5
P O	5310-021-9430	NUT,PLAIN,HEXAGON: RAIL TO BATTERY BOX	EA	6	*	*	*	*	*	1 * 2 6

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (a)	DIS- TRIBU- TION (b)
		REF NUMBER & MFR CODE		UNIT IN UNIT	1-20	21-50	51-100	1-20	21-50
P O	5310-889-2528	WASHER,LOCK: RAIL TO BATTERY BOX AND RAIL TO FRAME	A	EA	14	*	*	*	*
P O	5305-988-1724	SCREW, MACHINE: RAIL TO BATTERY BOX AND RAIL TO FRAME AN526-420-10 (88044)	A	EA	14	*	*	*	*
X20		RAIL; BATTERY BOX LEW2354 (36024)	A,B	EA	1				
P O	5310-595-7237	WASHER,LOCK: BATTERY BOX RAIL	A	EA	2	*	*	*	*
P O	5305-958-1013	SCREW, MACHINE HEAD: BATTERY BOX RAIL MS35219-58 (96906)	A	EA	2	*	*	*	*
X20		GROMMET, RUBBER G1059 (79497)	A	EA	1				
P O	5310-934-9757	NUT, PLAIN, HEXAGON MS35649-82 (96906)	C	EA	4	*	*	*	*
X20		INSULATION BOARD, TERMINAL LEW2233 (36024)	C	EA	2				
P O	5305-988-1724	SCREW, MACHINE AN526-420-10 (88044)	C	EA	6	REF	REF	REF	REF
X20		MOUNT, THERMOSTAT LEW2226 (36024)	C	EA	1				
P O	5310-559-0070	WASHER,LOCK	C	EA	4	*	*	*	*
X20		SPACER LEW2227 (36024)	C	EA	4				
P O	5930-056-0104	SWITCH, THERMOSTATIC LEW2228 (36024)	C	EA	1	*	*	1	*
X20		SCREW, MACHINE MS35206-247 (96906)	C	EA	4				
P O	5930-973-0937	THERMOSTAT, SWITCH, BATTERY HEAT LEW2225 (36024)	C	EA	1	*	*	1	*
P F	3431-056-4600	ELEMENT, HEATER LEW2234 (36024)	C	EA	2	*	1	1	*
X2F		SHIELD, ELEMENT LEW2235 (36024)	C	EA	2				
P F	5310-809-4058	WASHER, FLAT MS15795-210 (96906)	C	EA	8	*	*	*	*
P F	5305-819-5132	SCREW, TAPPING, THREAD FORMING AN504-428-8 (88044)	C	EA	4	*	*	*	*
P O	5310-889-2528	WASHER,LOCK 4014-22-00 (78189)	C	EA	6	REF	REF	REF	REF
X20		LEAD ASSEMBLY LEW2229 (36024)	C	EA	1				
P O	5305-988-1724	SCREW, MACHINE AN526-420-10 (88044)	C	EA	4	REF	REF	REF	REF
X20		NUT, PLAIN, HEXAGON AN438-416 (88044)	C	EA	4				
X20		JUMPER LEW2224 (36024)	C	EA	2				
X20		BOX, BATTERY LEW2181 (36024)	C	EA	1				

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)			
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (a)	DIS- TRIBU- TION (b)			
		REF NUMBER & MFR CODE		IN UNIT	1-20	21-50	51-100	1-20	21-50	51-100		
X20		DOOR, BATTERY BOX LEW2183 (36024)	C	EA	1							
X20		INSULATION BOARD, THERMAL LOCK LEW2231 (36024)	C	EA	16							
X20		INSULATOR BOARD, THERMAL LOCK LEW2230 (36024)	C	EA	4							
X20		GASKET, BOX LEW2223 (36024)	C	EA	1							
X20		PIN ASSEMBLY LEW2118 (36024)	C	EA	5							
X20		LEAD, BATTERY LEW2239 (36024)	C	EA	1							
X20		LEAD, BATTERY LEW2241 (36024)	C	EA	1							
X20		LEAD, BATTERY LEW2240 (36024)	C	EA	1							
X20		INSULATION BOARD, THERMAL LEW2232 (36024)	C	EA	2							
X20		LID, BATTERY BOX LEW2182 (36024)	C	EA	1							
P O	6140-057-2554	BATTERY, STORAGE 12 V M535000-3 (96906)		EA	2	*	*	*	*	1	*	
P O	6810-249-9354	SULPHURIC ACID: BATTERY STRAP, RETAINING 7502 (72653)		GL V	*	*	*	*	*	1	*	
X20		TRACK, BATTERY BOX LEW2178 (36024)	C	EA	1							
X20		TRACK, BATTERY BOX LEW2177 (36024)	C	EA	1							
		GROUP 03-ENCLOSURE AND SKID								3	1	
X20		TOP PANEL LEB2296 (36024)	A	EA	1							
X20		PANEL, TOP LP1889 (36024)	B	EA	1							
P O	5305-988-1724	SCREW, MACHINE: GRILLE AND SHELL MTG AN526-420-10 (88044)	A, B	EA	18	REF	REF	REF	REF	REF	3	2
P O	5305-988-1724	SCREW, MACHINE: DOOR JAM	A	EA	12	REF	REF	REF	REF	REF	3	2
P O	5305-144-3607	SCREW, MACHINE: TOP PANEL ATTACHING REAR SHELL TO SKID, LOWER PANEL TO REAR SHELL CENTER PANEL TO SKID SUPPORT MTG AN526-420-10 (88044)	B	EA	60	*	*	*	*	*	1	*
P O	5305-988-1724	SCREW, MACHINE: REAR SHELL AND TOP PANEL MTG AN526-420-10 (88044)	A	EA	29	REF	REF	REF	REF	REF	3	2
P F	5305-988-1724	SCREW, MACHINE: INSTRUMENT PANEL TO RH CENTER PANEL, AND REAR SHELL AN526-420-10 (88044)	B	EA	2	REF	REF	REF	REF	REF	3	2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW PER 100 EQUIP CNTG	DEPOT ALW PER 100 EQUIP CNTG	ILLUS- TRATION (a)
		REF NUMBER & MFR CODE	UNIT	UNIT		(b)	(c)	(b)	(b)	(b)
P O	5305-144-3607	SCREW, MACHINE: RADIATOR TO SKID MTG AN526-420-ID (88044)	B	EA	8	REF	REF	REF	REF	3 2
P O	5310-696-5173	NUT, ASSEMBLED WASHER: RADIATOR TO SKID SCREW	B	EA	8	*	*	*	*	3 3
X20		NUT, PLAIN, HEXAGON: GRILL AND SHELL MTG AN438-416 (88044)	A	EA	18					3 3
X20		NUT, ASSEMBLED WASHER: REAR SHELL TO SKID AND LOADON PANEL TO REAR SHELL CENTER PANEL TO SKID, SUPPORT MTG, TOP PANEL ATTACHING, DOOR JAM TO SKID 271172 (00000)	B	EA	50					3 3
X20		RAIL, DRIP: TOP PANEL LEB2313 (36024)	A	EA	2					3 4
X20		RAIL, DRIP LF1921 (36024)	B	EA	2					3 4
X20		GASKET: TOP PANEL TO FUEL TANK NECK LEB1918 (36024)	B	EA	1					3 5
X20		SHELL, REAR LEB2294 (36074)	A	EA	1					3 6
X2F		SHELL, REAR LE1884 (36024)	B	EA	1					3 6
P O	5305-993-1848	SCREW, MACHINE: SHUTTER CONTROL BRACKET TO REAR SHELL AN520-10-12 (88044)		EA	2	*	*	*	*	3 7
X20		PAN, DRIP: GENERATOR LE1919 (36024)	B	EA	1					3 8
X20		STRAP, GROUND: CONTROL PANEL TO FRAME STRUCTURE LE1909 (36024)	B	EA	1					3 9
X20		COVER, PROTECT LE1903 (36024)	B	EA	1					1 10
X20		SCREW, MACHINE: PROTECT COVER TO PANEL AN515-8-8 (88044)	B	EA	2					3 11
X20		SUPPORT, PANEL LE1912 (36024)	B	EA	1					3 12
X20		DOOR, ACCESS LF1902 (36024)	B	EA	1					3 13
X2F		MOUNT, RESILIENT: INSTRUMENT PANEL J4624-4 (76005)	B	EA	4					3 14
P O	5305-058-1082	SCREW, TAPPING, THREAD FORMING: FAN GUARD MTG	A	EA	7	*	*	*	*	3 15
X20		SCREW, TAPPING, THREAD FORMING: DRIP RAIL MTG	A	EA	12					3 15
P O	5305-012-8720	SCREW, TAPPING, THREAD FORMING: SIDE DOOR TO TOP PANEL ATTACHING: DRIP RAIL TO TOP PANEL, ACCESS TO CONTROL PANEL	B	EA	16	*	*	*	*	3 15

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP	DIS- TRIBU- TION (a) (b)	
		REF NUMBER & MFR CODE		IN UNIT	(c)	(c)	(c)	PER 100 EQUIP	FIG. NO.	ITEM NO.
X20		PANEL: CENTER, LH LFB2293 (36024)	A	EA	1				3	16
X20		PANEL, CENTER: LH LF1897 (36024)	B	EA	1				3	16
X20		DOOR, SIDE LFB2297 (36024)	A	EA	4				3	17
X20		DOOR, SIDE LF1901 (36024)	B	EA	4				3	17
X20		JAM, DOOR LFB2299 (36024)	A	EA	4				3	18
X20		JAM, DOOR LF1911 (36924)	B	EA	4				3	18
X		SKID, WELDING MACHINE LFB2286 (36024)	A	EA	1				3	19
X2H		SKID, FRAME LF1880 (36924)	B	EA	1				3	19
X2F		PAN: ENGINE OIL DRIP LFB2290 (36024)	A	EA	1				3	20
X20		PAN, DRIP: ENGINE LF1910 (36024)	B	EA	1				3	20
X20		SHELL, RADIATOR LFB2287 (36024)	A	EA	1				3	21
X20		SHELL, RADIATOR LF1881 (36024)	B	EA	1				3	21
P O	5305-984-6191	SCREW, MACHINE: DOOR MTG MS35223-43 (96906)	A	EA	15	*	*	*	1	*
P O	5305-984-6191	SCREW, MACHINE: SIDE DOOR TO TOP PANEL ATTACHING MS35223-43 (96906)	B	EA	31	REF	REF	REF	REF	REF
A O		NUT, ASSEMBLED WASHER RADIATOR FILLER DOOR TO SHELL MTG	B	EA	2					3
P O	5310-591-3472	NUT, PLAIN, HEXAGON	B	EA	2	*	*	*	*	*
P O	5310-045-3299	WASHER, LOCK	B	EA	2	*	*	*	*	*
A O		NUT, ASSEMBLED WASHER: SIDE DOOR TO TOP PANEL SCREW ATTACHING	B	EA	31					3
P O	5310-045-3299	WASHER, LOCK	B	EA	31	REF	REF	REF	REF	REF
P O	5310-591-3472	NUT, PLAIN, HEXAGON	B	EA	31	REF	REF	REF	REF	REF
X20		DOOR: RADIATOR FILLER LFB2289 (36024)	A	EA	1					3
X20		DOOR, RADIATOR FILLER LF1900 (36024)	B	EA	1					3
X20		RADIATOR, ENGINE LFB2326 (36074)	A	EA	1					3
P O	2930-994-9298	RADIATOR, ENGINE LF1883 (36024)	B,C	EA	1	*	*	*	*	5
X20		CAP, RADIATOR A7 (39215)	B	EA	1					3
										26

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)					
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW 100 PER EQUIP 100 FIG. NO.	DEPOT ALW PER EQUIP 100 FIG. NO.					
		REF NUMBER & MFR CODE		UNIT		1-20	21-50	51-100	1-20	21-50	51-100			
X20		GUARD, FAN LB2B355 (36024)	A	EA	1						3	27		
X20		GUARD, FAN LE1882 (36024)	B	EA	1						3	27		
X20		PANEL, CENTER, RH LB2B292 (36024)	A	EA	1						3	28		
X20		PANEL, CENTER, RH LB1898 (36024)	B	EA	1						3	28		
X2F		RAIL, FUEL TANK BRACKET AND CONTROL BOX BRACKET LB2B308 (36024)	A	EA	1						3	29		
X2F		RAIL, FUEL TANK BRACKET AND CONTROL BOX BRACKET LB2B307 (36024)	A	EA	1						3	29		
X2F		RAIL, FUEL TANK BRACKET AND REFLECTOR BRACKET LB1892 (36024)	B	EA	1						3	29		
P F	5305-269-3209	SCREW, CAP, HEXAGON HEAD: RAIL MTG MS35291-58 (96906)		EA	8	*	*	*	*	*	1	*	3	30
X2F		BRACKET, REACTOR LB2B309 (36024)	A	EA	1							3	31	
X2F		BRACKET, REACTOR LE1893 (36024)	B	EA	1							3	31	
X20		BRACKET, FUEL TANK LB1890 (36024)		EA	1							3	32	
X20		BRACKET, FUEL TANK LB1889 (36024)	B	EA	1							3	33	
P O	5305-068-0502	SCREW, CAP, HEXAGON HEAD: SHUTTER LINK TO SHUTTER ARM MS35297-6 (96906)		EA	2	*	*	*	*	*	1	*	3	34
X20		LINK, SHUTTER LE1886 (36024)	B	EA	1							3	35	
P O	5305-269-3213	SCREW, CAP, HEXAGON HEAD: SHUTTER LINK TO SHUTTER BRACKET MS35291-62 (96906)		EA	1	*	*	*	*	*	1	*	3	36
X20		SPRING LE1888 (36024)	B	EA	1							3	37	
X20		ARM, SHUTTER LE1885 (36024)	B	EA	1							3	38	
X20		BRACKET, SHUTTER CONTROL LB1887 (36024)	B,C	EA	1							3	39	
A O		NUT, ASSEMBLED WASHER: SHUTTER CONTROL TO REAR SHELL SCREW		EA	2							3	40	
P O	5310-934-9751	NUT, PLAIN, HEXAGON		EA	2	*	*	*	*	*	1	*		
P O	5310-043-2226	WASHER, LOCK		EA	2	*	*	*	*	*	1	*		
P O	5310-045-1009	NUT, SELF-LOCKING HEXAGON: SHUTTER LINK TO SHUTTER BRACKET SCREW		EA	1	*	*	*	*	*	1	*	3	41
P O	5310-013-1245	NUT, SELF-LOCKING HEXAGON: SHUTTER	B	EA	2	*	*	*	*	*	1	*	3	42
			B											

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR DEPOT ALW 100 PER EQUIP 100 CNTGY	DEPOT MAINT ALW PER EQUIP FIG. NO.
		REF NUMBER & MFR CODE		UNIT	(b)	(c)	(b)	(c)	ITEM NO.
X2F		RAIL: FUEL TANK BRACKET AND REACTOR BRACKET LE19191 (36024)	B	EA	1				3 43
P F	5310-732-0558	NUT, PLAIN, HEXAGON: RAIL MTG, 3/8-16 THD SIZE	A	EA	8	REF	REF	REF	3 44
P F	5310-696-5176	NUT, ASSEMBLED WASHER: RAIL AND REACTOR BRACKET SCREW MTG	B	EA	8	*	*	*	3 44
X20		ROD, HOLDDOWN: BATTERY LE19114 (36024)	B	EA	2				3 45
P O	5310-828-8189	NUT, PLAIN, WING: BATTERY HOLDDOWN	EA	4	*	*	*	*	3 46
P O	5310-081-4219	WASHER, FLAT: BATTERY HOLDDOWN MS15793-212 (96906)	B	EA	4	*	*	*	3 47
P O	5310-167-0721	WASHER, LOCK: BATTERY HOLDDOWN MS35333-41 (96906)	B	EA	4	*	*	*	3 48
X20		STUD, HOLDDOWN: BATTERY, CADMIUM OR ZINC PLATED, THD ONE END 5/16 THD SIZE, OTHER END UN THD BENT FOR HOOK, 7 IN. LG, 3/8 IN. LG OF HOOK LE19113 (36024)	B	EA	4				3 49
P O	5310-595-7237	WASHER, LOCK: RADIATOR TO SHELL SCREW MTG	A, B	EA	6	REF	REF	REF	3 50
P O	5305-269-3209	SCREW, CAP, HEXAGON HEAD: MS35291-58 (96906)	EA	6	REF	REF	REF	REF	3 51
X20		SCREW, CAP, HEXAGON HEAD: FAN GUARD ATTACHING MS35291-58 (96906)	B	EA	5				3 51
P O	5310-550-1130	WASH R, LOCK: FAN GUARD SCREW MS3533-40 (96906)	EA	5	*	*	*	*	3 52
P O	4730-930-0548	CLAMP, HOSE OS500M24S (08484)	S	EA	4	*	*	*	3 53
P O	2930-994-9297	HOSE, RADIATOR: LOWER LE19165 (36024)	EA	1	*	1	2	*	20 20 3 54
M O		HOSE, RUBBER: RADIATOR OVERFLOW MANUFACTURE FROM	A	EA	1				
		HOSE, NONMETALLIC, 21 IN. REQUIRED FSN 4720-289-5218	A	EA					
P F	5310-917-6221	WASHER, LOCK: RAIL MTG. 3/8 IN. SCREW SIZE	A	EA	8	*	*	*	1 *
P O	5310-934-9751	NUT, PLAIN, HEXAGON: DOOR JAM	A	EA	12	REF	REF	REF	REF
P O	5310-285-1655	NUT, PLAIN, HEXAGON: RADIATOR MTG	A	EA	6	*	*	*	1 *
P O	5310-045-3296	WASHER, LOCK: DOOR JAM	A	EA	12	*	*	*	1 *

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW 100 PER EQUIP 100 CNTGY	DEPOT ALW PER EQUIP FIG. ITEM NO.
		REF NUMBER & MFR CODE		UNIT		(b)	(c)	(b)	(a) (b)
P O	5310-012-0217	WASHER, LOCK: GRILLE AND SHELL MTG	A	EA	18	*	*	*	1 *
X20		SEAL, WEATHER: DOOR JAM AND CENTER PANEL LEB2303 (36024)	A	EA	8				
P O	5305-984-6191	SCREW, MACHINE: RADIATOR FILLER DOOR MOUNTING MS35223-43 (96906)	A	EA	2	REF	REF	REF	REF REF REF REF
X20		NUT, PLAIN, HEXAGON: RADIATOR FILLER DOOR MTG AN428-8 (88044)	A	EA	2				
P O	5310-596-7693	WASHER, LOCK: RADIATOR FILLER DOOR MTG	A	EA	2	*	*	*	1 *
X20		SEAL, WEATHER, RADIATOR SHELL LEB2305 (36024)	A	EA	2				
X20		SEAL, WEATHER: RADIATOR SHELL AND REAR SHELL LEB2302 (36024)	A	EA	4				
X20		SEAL, WEATHER: BATTERY BOX STOP BRACKET LEB2304 (36024)	A	EA	1				
X20		GRILLE, RADIATOR LEB2288 (36024)	A	EA	1				
P O	5310-061-1258	WASHER, LOCK 4020-26-00 (78189)	C	EA	6	*	*	*	1 *
X2F		SHUTTER, RADIATOR LEW2188 (36024)	C	EA	1				
P F	5305-266-3209	SCREW, CAP, HEXAGON HEAD MS35291-58 (96906)	C	EA	6	REF	REF	REF	REF REF REF
P F	5310-061-1258	WASHER, LOCK 4020-26-00 (78189)	C	EA	6	REF	REF	REF	REF REF REF
X20		PAN, DRIP LEW2180 (36024)	C	EA	1				
X20		PAN, DRIP LEW2179 (36024)	C	EA	1				
X2H		SKID LEW2176 (36024)	C	EA	1				
X20		BRACKET, RAIL LEW2198 (36024)	C	EA	1				
X20		BRACKET, RAIL LEW2197 (36024)	C	EA	1				
X20		BRACKET, RADIATOR LEW2186 (36024)	C	EA	1				
X20		BRACKET, RADIATOR LEW2185 (36024)	C	EA	1				
X20		SHELL, RADIATOR LEW2184 (36024)	C	EA	1				
X1		JAM, BATTERY DOOR LEW2216 (36024)	C	EA	1				
X20		NUT, PLAIN, HEXAGON AN436-616 (88044)	C	EA	10				
X20		NUT, PLAIN, HEXAGON AN438-416 (88044)	C	EA	4				

(1)	(2)	(3)	(4)	(5)	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP		(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUS-TRATION	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY IN UNIT	(a)	(b)	(c)	(a)	(b)	(c)	100	100	(a)	(b)
P O	5305-988-1724	SCREW, MACHINE AN526-420-10 (88044)	C	EA	4	REF	REF	REF	REF	REF	REF	PER EQUIP	PER EQUIP	PIG. NO.	ITEM NO.
X20		DOOR, RADIATOR FILLER LEW2215 (36024)	C	EA	1										
P O	5305-151-2491	SCREW AN510-8-6 (88044)	C	EA	3	*	*	*	*	*	*	1	*		
X20		NUT, PLAIN, HEXAGON AN438-8 (88044)	C	EA	3										
X20		RAIL, DRIP LEW2211 (36024)	C	EA	2										
X20		PANEL, CENTER LEW2196 (36024)	C	EA	1										
X20		PANEL, CENTER LEW2195 (36024)	C	EA	1										
P O	5305-988-1724	SCREW, MACHINE AN526-420-10 (88044)	C	EA	8	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF
X20		DOOR, SIDE LEW2207 (36024)	C	EA	4										
X2F		JAM, DOOR LEW2202 (36024)	C	EA	4										
P O	5305-984-6191	SCREW, MACHINE MS35223-43 (96906)	C	EA	20	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF
X20		LINK, SHUTTER LE1886 (36024)	C	EA	1										
X20		SPRING, SHUTTER LE1887 (36024)	C	EA	1										
X20		ARM, SHUTTER LE1885 (36024)	C	EA	1										
P F	5310-067-6357	WASHER, LOCK: PANEL MTG	A	EA	8	*	*	*	*	*	*	1	*		
X2F		SHELL, GENERATOR END LEW2203 (36024)	C	EA	1										
P F	5305-988-1724	SCREW, MACHINE AN526-420-10 (88044)	C	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF
X2F		NUT, PLAIN, HEXAGON AN438-416 (88044)	C	EA	4										
X20		NUT, PLAIN, HEXAGON AN438-416 (88044)	C	EA	8										
X2F		SHUTTER, SHELL LEW2205 (36024)	C	EA	1										
P F	5305-988-1724	SCREW, MACHINE AN526-420-10 (88044)	C	EA	10	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF
X2F		NUT, PLAIN, HEXAGON AN438-416 (88044)	C	EA	10										
X20		NUT, PLAIN, HEXAGON AN438-8 (88044)	C	EA	20										
X20		PANEL, TOP LEW2208 (36024)	C	EA	1										
P O	5305-988-1724	SCREW, MACHINE AN526-420-10 (88044)	C	EA	10	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF
X20		NUT, PLAIN, HEXAGON AN438-416 (88044)	C	EA	10										
P O	5305-984-6191	SCREW, MACHINE AN515-8-6 (88044)	C	EA	12	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF

(1)	(2)	(3)	(4)	(5)	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALM PER 100 EQUIP CNTG			(9) DEPOT MAINT ALM PER 100 EQUIP		(10) ILLUS- TRATION FIG. ITEM NO.	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT MEAS	QTY INC	UNIT	(a)	(b)	(c)	(a)	(b)	(c)	PER 100 EQUIP	CNTG	PER 100 EQUIP	FIG. NO.	ITEM NO.
		REF NUMBER & MFR CODE					1-20	21-50	51-100	1-20	21-50	51-100					
X2F		NUT, PLAIN, HEXAGON AN436-416 (88044)	C	EA	12												
P F	5305-988-1724	SCREW, MACHINE AN526-420-10 (88044)	C	EA	12	REF	REF	REF	REF	REF	REF	REF					
X20		NUT, PLAIN, HEXAGON: RADIATOR SHELL MTG, 1/4-20 THD SIZE AN438-416 (88044)	A	EA	6												
P O	2990-980-5844	SCREW, MACHINE: RADIATOR GRILLE AND SHELL MTG AN526-420-10 (88044)	A	EA	12	*	*	*	*	*	*	*			5	5	
X20		SEAL, WEATHER: ACCESS DOOR LE2259 (36024)	B	EA	2												
X20		SEAL, WEATHER: CONTROL PANEL LE2258 (36024)	B	EA	1												
X20		SEAL, WEATHER: SIDE DOOR JAMS AND CONTROL PANEL, AND ACCESS DOOR LE2256 (36024)	B	EA	4												
X2F		SUPPORT, PANEL LEE2300 (36024)	A	EA	1												
X20		SEAL, WEATHER: CENTER PANEL, RH, LH, AND RADIATOR SHELL LE2257 (36024)	B	EA	5												
P O	5310-550-1130	WASHER, LOCK: TOP PANEL MTG	B	EA	6	REF	REF	REF	REF	REF	REF	REF					
X20		EXTENSION, RADIATOR LEE2353 (36024)	A	EA	1												
X20		EXTENSION, RADIATOR LEW2187 (36024)	C	EA	1												
P O	5310-732-0558	NUT, PLAIN, HEXAGON MS35690-602 (96906)	C	EA	12	REF	REF	REF	REF	REF	REF	REF					
P O	5306-616-1336	SCREW, ASSEMBLED WASHER XS914 (14351)	C	EA	4	*	*	*	*	*	*	*			1	*	
X20		LOUVER, REAR LEE2295 (36024)	A	EA	1												
P O	5305-988-1724	SCREW, MACHINE: LOUVER MTG AN526-420-10 (88044)	A	EA	16	REF	REF	REF	REF	REF	REF	REF					
X20		CABLE, GROUND LEW2237 (36024)	A,C	EA	1												
P O	5310-021-9430	NUT, PLAIN, HEXAGON: LOUVER MTG	A	EA	16	REF	REF	REF	REF	REF	REF	REF					
P O	5310-021-9430	NUT, PLAIN, HEXAGON: REAR SHELL AND TOP PANEL MTG	A	EA	29	REF	REF	REF	REF	REF	REF	REF					
P O	5310-934-9757	NUT, PLAIN, HEXAGON: DOOR MTG	A	EA	15	REF	REF	REF	REF	REF	REF	REF					
P O	5310-559-0070	WASHER, LOCK: DOOR MTG	A	EA	15	REF	REF	REF	REF	REF	REF	REF					
P O	5310-889-2528	WASHER, LOCK: REAR SHELL AND TOP PANEL MTG		EA	29	REF	REF	REF	REF	REF	REF	REF					
P O	5310-889-2528	WASHER, LOCK: LOUVER MTG	A	EA	16	REF	REF	REF	REF	REF	REF	REF					

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW 100 PER EQUIP 100 CNTGTY	DEPOT ALW PER EQUIP FIG. ITEM NO.
		REF NUMBER & MFR CODE		UNIT UNIT	1-20 21-50 51-100 1-20 21-50 51-100				
X20		SCREW, TAPPING, THREAD FORMING: DOOR MTG AN30-8P6 (88044)	A	EA	5				
P O	5305-269-3213	SCREW, CAP, HEXAGON HEAD MS35291-62 (96906)	C	EA	4	REF	REF	REF	REF
P O	5305-269-3209	SCREW, CAP, HEXAGON HEAD MS35291-58 (96906)	C	EA	2	REF	REF	REF	REF
X20		WASHER, LOCK 4020-26-00 (79189)	C	EA	4				
P O	5310-732-0558	NUT, PLAIN, HEXAGON MS35690-602 (96906)	C	EA	4	REF	REF	REF	REF
X20		NUT, PLAIN, HEXAGON AN436-616 (88044)	C	EA	2				
X20		WASHER, BEVEL 7-16 (71747)	C	EA	4				
X20		BRACKET, HEATER 489544-1 (78385)	C	EA	2				
X20		BRACKET, FUEL TANK LNW2199 (36024)	C	EA	1				
X20		BRACKET, FUEL TANK LNW2200 (36024)	C	EA	1				
X20		BRACKET, REACTOR LNW2201 (36024)	C	EA	1				
P O	5305-269-3209	SCREW, CAP, HEXAGON HEAD MS35291-58 (96906)	C	EA	4	REF	REF	REF	REF
X20		NUT, PLAIN, HEXAGON AN436-616 (88044)	C	EA	4				
X20		BRACKET, AIR CLEARNER LNW2212 (36024)	C	EA	1				
X2F		PANEL, SHELL LNW2204 (36024)	C	EA	1				
X20		HOSE, HEATER LNW2191 (36024)	C	EA	1				
X20		HOSE, HEATER LNW2190 (36024)	C	EA	1				
P O	5305-269-3209	SCREW, CAP, HEXAGON HEAD MS35291-58 (96906)	C	EA	10	REF	REF	REF	REF
X20		CONTROL, REMOTE ASSEMBLY LNW2249 (36024)	C	EA	1				
X20		HOSE, RADIATOR H101 (79470)	C	EA	1				
X2F		INSULATION LNW2219 (36024)	C	EA	1				
X2F		HOSE, INSULATION LNW2200 (36024)	C	EA	1				
X20		NUT, PLAIN, HEXAGON AN438-8 (88044)	C	EA	12				

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (a)	DIS- TRIBU- TION (b)
REF NUMBER & MFR CODE									
GROUP 04-REAR PANEL									
P O	5310-696-5173	NUT, ASSEMBLED WASHER: RECEPTACLE SCREW MTG		EA	4	REF	REF	REF	REF
X20		PANEL, LOWER REAR SHELL LE1907 (36024)	B	EA	1				
X20		CONNECTOR, RECEPTACLE ELECTRICAL: BATTERY CHARGING 7821299 (00000)		EA	1				4 3
X20		LEAD, BATTERY LEW2243 (360224)	C	EA	1				4 4
X20		LEAD, BATTERY: BATTERY CHARGING RECEPTACLE LE1928 (36024)	A,B	EA	1				4 4
P O	5305-068-0502	SCREW, CAP, HEXAGON HEAD: RECEPTACLE MTG	B	EA	4	REF	REF	REF	REF
X20		LEAD, BATTERY LEW2242 (36024)	C	EA	1				4 6
X20		LEAD, BATTERY: BATTERY CHARGING RECEPTACLE LE1927 (36024)	A,B	EA	1				4 6
P O	5305-988-1724	SCREW, MACHINE: TOP PANEL ATTACHING REAR SHELL TO SKID, LOWER PANEL TO REAR SHELL, CENTER PANEL TO SKID SUPPORT MTG AN526-420-10 (88044)		EA	60	REF	REF	REF	REF
GROUP 05-INSTRUMENT PANEL									
P O		SWITCH, MAGNETO 20304 (72005)	A,B,	EA	1	*	*	1	*
P O	5930-656-7360	SWITCH, ROTARY M7057 (36232)		EA	1	*	*	1	*
P F	5305-817-5443	SCREW, MACHINE: RESISTOR TO BRACKET MTG		EA	1	*	*	*	*
P F	5310-761-6882	NUT, PLAIN, HEXAGON: FIXED RESISTOR AND VARIABLE RESISTOR TO CONTROL PANEL		EA	4	*	*	*	*
P F	5310-045-3299	WASHER, LOCK: FIXED RESISTOR AND VARIABLE RESISTOR TO CONTROL PANEL MTG	A	EA	4	REF	REF	REF	REF
X2F		BRACKET, RESISTOR LE2262 (36024)	A,C	EA	2				
P F	5905-752-7467	RESISTOR, FIXED, WIREWOUND: POLARITY SWITCH TB280 (36232)		EA	1	*	1	1	*
P F	5315-285-7037	WASHER, LOCK: RESISTOR TO BRACKET MTG AI-12A5 (75042)		EA	2	*	*	*	*
P O	5310-262-3505	WASHER, LOCK: AMMETER AND VOLTMETER MTG		EA	12	*	*	*	*
			A						

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP	ILLUS- RATION (a) (b)
		REF NUMBER & MFR CODE		UNIT IN UNIT	1-20	21-50	51-100	1-20	21-50
P F	5310-934-9758	NUT, PLAIN, HEXAGON: RESISTOR TO BRACKET MTG	EA	1	*	*	*	*	1
P O	5310-934-9758	NUT, PLAIN, HEXAGON: CIRCUIT BREAKER MTG	EA	2	REF	REF	REF	REF	REF
		A							
X2F		SHUNT: INSTRUMENT 41202 (65092)	EA	1					5 10
X2F		HOLDER, BRUSH ASSEMBLY: CURRENT CONTROL 77852 (36232)	EA	1					
P O	5310-822-0984	NUT, PLAIN, HEXAGON TERMINAL STUD	EA	4	*	*	*	*	1 *
P O	5310-721-7879	WASHER, FLAT: TERMINAL STUD	EA	4	*	*	*	*	5 11
		A							
X20		STUD, SHOULDERED T6931-2 (36232)	EA	2					5 13
P O	5935-974-5439	CONNECTOR, RECEPTACLE 7586 (74545)	EA	2	*	*	1	*	1 9 10 5 14
X2F		PANEL, INSTRUMENT LBB2352 (36024)	EA	1					5 15
P F	5310-696-5173	NUT, ASSEMBLED WASHER: SHOCK MOUNT	EA	8	REF	REF	REF	REF	REF 5 16
P F	5905-994-9087	RESISTOR: VARIABLE, GENERATOR EXCITER CIRCUIT AI-12A5 (75042)	EA	1	*	1	1	*	1 15 15 5 17
P O	6645-089-8842	METER, TIME TOTALIZING LE1753 (36024)	EA	1	*	*	1	*	1 8 5 5 18
P O	5305-889-3000	SCREW, MACHINE: TIME TOTALIZING METER MTG	EA	3	*	*	*	*	1 *
P O	6625-990-7087	VOLTMETER MR36W150DCVVR (65092)	EA	1	*	*	1	*	1 8 5 5 20
P O	6625-553-7622	AMMETER MR36W050DCAAR (65092)	EA	1	*	*	1	*	1 8 5 5 21
P O	5305-013-2731	SCREW, MACHINE: AMMETER AND VOLTMETER MTG	EA	12	*	*	*	*	1 *
P O	6625-842-0898	VOLTMETER MR36W1H1DCVVR (65092)	EA	1	*	*	1	*	1 8 5 5 23
P O	6625-842-0898	METER, AMMETER MR36W4H4DCAAR (65092)	EA	1	REF	REF	REF	REF	REF 5 24
P O	5930-358-6374	BUTTON, STARTER STB5 (19239)	EA	1	*	*	1	*	1 8 5 5 25
X20		COVER, PROTECTOR LBB2314 (36024)	EA	1					5 26
P O	5305-984-6193	SCREW, MACHINE: PROTECTOR COVER MTG	EA	2	*	*	*	*	5 5 27
		A							
X20		INSULATOR BUSHING: TERMINAL STUD T4122 (36232)	EA	2					5 28
P O	5305-045-5266	SCREW, MACHINE: CIRCUIT BREAKER MTG	EA	2	*	*	*	*	1 *
		A							

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP	ILLUS- RATION (a) (b)
		REF NUMBER & MFR CODE		UNIT IN UNIT	1-20	21-50	51-100	1-20	21-50
P F	5305-988-1727	SCREW, MACHINE: MAIN GENERATOR SHUNT MTG	A	EA	2	*	*	*	*
P F	5305-889-3001	SCREW, MACHINE: AUXILIARY, GENERATOR SHUNT AND TERMINAL BLOCK MTG	A	EA	4	*	*	*	*
X20		CONTROL, THROTTLE 3-4700 (70842)		EA	1				5 32
P O		INDICATOR, LIQUID QUANTITY MS24544 (96906)		EA	1	*	*	1	8 5 5 33
P O		METER, BATTERY MS24532-1 (96906)		EA	1	*	*	1	8 5 5 34
X20		HANDLE: JOB SELECTOR SB158 (36232)	A,B	EA	1				5 35
P O	5305-723-9399	SETScrew: HANDLE, JOB SELECTOR AN565D1024H3 (88044)	A,B	EA	1	*	*	*	1 *
X20	5305-012-1287	SCREW, MACHINE: SLAVE RECEPTACLE MTG	A	EA	4				5 37
X20		CONNECTOR, RECEPTACLE: SLAVE 7321299 (00000)		EA	1				5 38
P O		INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE MS245-32 (96906)		EA	1	*	*	1	8 5 5 39
P O		INDICATOR, PRESSURE MS24541 (96906)		EA	1	*	*	*	1 *
X20		LEAD, ELECTRICAL: SLAVE RECEPTACLE INPUT, POSITIVE LB2285 (36024)	A	EA	1				5 41
X20		LEAD, ELECTRICAL: SLAVE RECEPTACLE INPUT, NEGATIVE LB2284 (36024)	A	EA	1				5 42
P O	5310-889-2528	WASHER, LOCK: BRACKET MTG	A	EA	8	REF	REF	REF	REF REF REF REF 5 43
P O	5310-696-5173	NUT, EXTENDED WASHER: SLAVE RECEPTACLE MTG		EA	4	REF	REF	REF	REF REF REF REF 5 44
X2F		BLOCK, TERMINAL 142-4 (36024)		EA	1				5 45
P F	5310-013-1044	WASHER, LOCK: AUXILIARY, MAIN GENERATOR SHUNT, AND TERMINAL BOARD MTG	A	EA	6	*	*	*	*
P F	5310-934-9747	NUT, PLAIN, HEXAGON: AUXILIARY, MAIN GENERATOR SHUNT, AND TERMINAL BOARD MTG	A	EA	4	*	*	*	*
X2F		SHUNT, INSTRUMENT LB1931 (36024)		EA	1				5 48
P O		RHEOSTAT: JOB SELECTOR MS090C (36232)		EA	2	1	1	3	1 1 3 30 30 5 49
P O	5920-994-9299	CIRCUIT BREAKER, INSTRUMENT PANEL E1035 (56054)		EA	1	*	*	1	8 10 5 50
P O	5310-285-7037	WASHER, LOCK: CIRCUIT BREAKER MTG	A	EA	2				5 51

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)						
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW 100 EQUIP 100 CNTGY	DEPOT ALW PER EQUIP FIG. NO.	ILLUS- MAINT TRATION (a) (b)						
		REF NUMBER & MFR CODE		UNIT IN UNIT	1-20	21-50	51-100	1-20	21-50						
P O	3531-966-3796	RECEPTACLE M3572 (74545)	A,C	EA	1	*	*	*	*	5	5	5	52		
P O	5930-994-9385	SWITCH, TOGGLE 82605P (04009)	A,C	EA	1	*	*	*	*	5	5	5	53		
P O	5930-583-2953	SWITCH, TOGGLE 82601P (04009)		EA	2	*	*	1	*	1	9	10	5	54	
X20		LIGHT, PANEL 211310 (72619)	A,B	EA	2								5	55	
P O	5930-072-6865	SWITCH, TOGGLE 82721P (04009)	A	EA	1	*	*	*	*	*	5	5	5	56	
P O	3431-994-9382	SWITCH, TOGGLE 82723O (04009)	A,B	EA	1	*	*	1	*	*	1	8	5	57	
P O		CAPACITOR, FIXED, PAPER DIELECTRIC, INSTRUMENT PANEL (MINIMUM STOCKAGE OF 2 IS AUTHORIZED) MC8098 (14655)		EA	2	1	1	3	1	1	3	30	40	5	58
P O	5310-934-9741	NUT, PLAIN, HEXAGON: TIME TOTALIZING METER MTG		EA	3	*	*	*	*	*	1	*	5	59	
P O	5310-579-0079	WASHER, LOCK: TIME TOTALIZING METER MTG	A,B	EA	3	*	*	*	*	*	1	*	5	60	
P O	6240-155-8714	LAMP, INCANDESCENT: 28 V, LAMP, NO. 313 INSTRUMENT PANEL 313 (24446)	A,B	EA	2	3	6	13	3	6	13	150	40	5	61
X2F		MOUNT, RESILIENT: INSTRUMENT PANEL J4624-4 (76005)		EA	4									5	62
P F	5305-012-1832	SCREW, MACHINE: FIXED AND VARIABLE RESISTOR MTG	A	EA	4	*	*	*	*	*	1	*	5	63	
P O	5305-984-6192	SCREW, MACHINE: REMOTE CONTROL RECEPTACLE MTG	A	EA	2	*	*	*	*	*	1	*	5	64	
X20		SCREW, MACHINE: SWITCH MTG AN515C1024-8 (88044)	A	EA	3									5	65
P F	3431-085-5946	RELAY PR5D24 (77342)	C	EA	1	*	*	1	*	*	1	8	5		
P F	3431-085-5947	RELAY PR5D110 (77342)	C	EA	1	*	*	1	*	*	1	8	5		
X20		LIGHT, INDICATOR: PILOT 81410-113 (72619)	C	EA	1										
P O	6240-155-8714	LAMP, INCANDESCENT 313 (24446)	C	EA	1	REF	REF	REF	REF	REF	REF	REF	REF		
M O		LEAD ASSEMBLY: REMOTE CONTROL RECEPTACLE TO TOGGLE SWITCH MANUFACTURE FROM WIRE, ELECTRICAL, 6 IN. REQUIRED FNN 6145-845-1861	B	EA	1										
		TERMINAL, LUG, 4 EA FNN 5940-681-9713	B												
P O	5920-280-5002	FUSE, CARTRIDGE GLH10 (71400)		EA	1	1	2	4	1	2	4	45	20		

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	QTY UNIT OF MEAS IN UNIT	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP	DEPOT- ALW ITEM FIG. NO.
X20		FUSEHOLDER HHP (71400)	C	EA	1				
P O	5930-583-2953	SWITCH, TOGGLE 82601P (04009)	C	EA	1	REF	REF	REF	REF
P O	5310-017-8556	WASHER, LOCK: GROUND STRAP TO FRAME STRUCTURE	B	EA	2	*	*	*	*
P O	5310-080-9786	WASHER, LOCK: GROUND STRAP SCREW TO CONTROL PANEL	B	EA	2	*	*	*	*
P O	5310-527-3288	WASHER, LOCK: GROUND STRAP SCREW TO CONTROL PANEL	B	EA	1	*	*	*	*
X20		STRAP, GROUND: CONTROL PANEL TO FRAME STRUCTURE LE1090 (36024)	A,B	EA	1				
P O	5305-989-7434	SCREW, MACHINE: GROUND STRAP TO CONTROL PANEL	B	EA	1	*	*	*	*
P O	5310-934-9751	NUT, PLAIN, HEXAGON: GROUND STRAP SCREW TO CONTROL PANEL	B	EA	1	REF	REF	REF	REF
M F		LEAD ASSEMBLY: CAPACITOR TO AUXILIARY GENERATOR OUTLET MANUFACTURE PRM	B	EA	4				
		WIRE, ELECTRICAL, 8 IN. REQUIRED FOR EACH LEAD ASSEMBLY FSN 6145-845-1861	B						
		TERMINAL, LUG, 8 EA FSN 5945-050-6207	B						
		RELAY, OVERSPEED LBB2356 (36024)	A						
X1		TERMINAL BOARD RELAY GFT6 (73631)	A	EA	1				
X1		RESISTOR, FIXED 174D (44655)	A	EA	1				
X1		RELAY, OVERSPEED KBD524 (77342)	A	EA	1				
X1		POTENTIOMETER BA401-074 (71590)	A	EA	1				
X1		CAPACITOR, RELAY WMF2WF	A	EA	1				
M F		LEAD ASSEMBLY: CIRCUIT BREAKER TO SHUNT MANUFACTURE FROM WIRE, ELECTRICAL, 12 IN. REQUIRED FSN 6145-160-5155	B	EA	1				
		TERMINAL, LUG, 1 EA FSN 5945-050-6215	B						
		TERMINAL, LUG, 1 EA FSN 5945-020-0072	B						
P F	5310-582-5965	WASHER, LOCK: MAIN GENERATOR SHUNT TO CONTROL PANEL SCREW	B	EA	2	*	*	*	*
P O	5310-574-3912	WASHER, LOCK: LEADS TO TERMINAL STUD MTG	B	EA	4	*	*	*	*

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW PER 100 EQUIP CNTG	DEPOT ALW PER 100 EQUIP FIG. NO.	ILLUS- MAINT (a) (b) TRATION ITEM NO.
		REF NUMBER & MFR CODE		UNIT IN		1-20 21-50 51-100	1-20 21-50 51-100	100	100	
P O	5310-584-5272	WASHER, LOCK: CONTROL PANEL TO STUD MTG	B	EA	2	*	*	*	1	*
P O	5310-721-7879	WASHER, FLAT: CONTROL PANEL TO STUD MTG	B	EA	2	REF	REF	REF	REF	REF
P O	5310-042-2957	NUT, PLAIN, HEXAGON: STUD TO CONTROL PANEL MTG	B	EA	2	*	*	*	1	*
P F	5305-988-1727	SCREW, MACHINE: MAIN GENERATOR SHUNT TO CONTROL PANEL	B	EA	2	REF	REF	REF	REF	REF
P O	5310-823-8756	NUT, PLAIN, WING: TERMINAL STUD	B	EA	2	*	*	*	1	*
P F	5310-761-6882	NUT, PLAIN, HEXAGON: MAIN GENERATOR SHUNT TO CONTROL PANEL TO SCREW	B	EA	2	REF	REF	REF	REF	REF
P O	5310-768-0318	NUT, PLAIN, HEXAGON: LEADS TO TERMINAL STUD MTG	B	EA	2	*	*	*	1	*
M O		LEAD ASSEMBLY: JUMPER TERMINAL BOARD MANUFACTURE FROM	B	EA	2					
		TERMINAL, 1 EA T2090 (92219)	B							
		WIRE, ELECTRICAL, 4 IN. REQUIRED FOR EACH LEAD ASSEMBLY	B							
M O		CABLE ASSEMBLY: ELECTRODE TERMINAL TO SHUNT MANUFACTURE FROM	B	EA	1					
		WIRE, ELECTRICAL, 8 IN. REQUIRED FSN 6145-190-6930	B							
		TERMINAL, LUG, 2 EA FSN 5940-577-7570	B							
X2F		CABLE L62261 (36024)	A	EA	1					
X2F		WIRING HARNESS L62260 (36024)	A	EA	1					
P F	5305-012-1832	SCREW, MACHINE: FIXED RESISTOR AND VARIABLE RESISTOR TO CONTROL PANEL MTG	B	EA	1	REF	REF	REF	REF	REF
X2F		HARNESS ASSEMBLY WIRING L6B2280 (36024)	A	EA	1					
X2F		BRACKET, INSTRUMENT PANEL: MOUNTING MANL1666 (36024)	A	EA	4					
A O		NUT, ASSEMBLED WASHER: PROTECT COVER TO PANEL SCREW	B	EA	2					

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW 100 PER EQUIP 100 PER EQUIP CNTGTY	DEPOT ALW (a)	DEPOT ALW (b)
P O	5310-596-7693	WASHER,LOCK	B	EA	2	REF	REF	REF	REF
P O	5310-591-3472	NUT, PLAIN, HEXAGON	B	EA	2	REF	REF	REF	REF
X2F		WIRING HARNESS: GENERATOR LE2260 (36024)	B	EA	1				
M F		LEAD ASSEMBLY: HOURMETER TO CONTROL PANEL MANUFACTURE FROM		EA	1				
		WIRE, ELECTRICAL, 6 IN. REQUIRED FSN 6145-845-1861		B					
		TTERMINAL LUG, 2 EA FSN 5940-681-9713		B					
M F		LEAD ASSEMBLY: BATTERY INDICATION TO CONTROL PANEL MANUFACTURE FROM		EA	1				
		WIRE, ELECTRICAL, 4 IN. REQUIRED FSN 6145-845-1861		B					
		TTERMINAL LUG, 2 EA FSN 5940-681-9713		B					
X20		STRAP, GROUND LP1009 (36024)	C	EA	1				
X20		DIAL MS735 (36232)	C	EA	1				
X20		PLATE, DIAL MS6484 (36232)	C	EA	1				
P F	6625-842-0898	VOLTMETER	C	EA	1	REF	REF	REF	REF
P F	5930-983-2788	SWITCH, PULL-PUSH 20304 (72055)	C	EA	1	*	*	*	*
P F	2920-358-6374	BUTTON, STARTER STS5 (19239)	C	EA	1	*	*	*	*
P F	5930-994-9382	SWITCH, HOLDDOWN 82723P (04009)	C	EA	1	*	*	1	1
P F	5305-816-8476	SCREW, TAPPING THREAD FORGING: SWITCH MTG AN530-10-8 (88044)	C	EA	3	*	*	*	*
X2F		PLATE, POLARITY SWITCH SE624 (36232)		EA	1				
P F	3431-994-9389	RELAY KALLIDY (77342)	C	EA	1	*	*	1	1
X2F		BLOCK, TERMINAL 141-10 (88223)	C	EA	1				
X2F		BLOCK, TERMINAL 141-8 (88223)	C	EA	1				
X20		SCREW, MACHINE: CABLE PLUG AN515-8-8 (88044)	C	EA	2				
X20		SCREW, ROUND HEAD AN515C102-8 (88044)	C	EA	3				
X2F		PANEL, INSTRUMENT LEW2206 (36024)	C	EA	1				

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW PER 100 EQUIP CQTY	DEPOT ALW PER 100 EQUIP	ILLUS- RATION (a) (b)
		REF NUMBER & MFR CODE		IN IN UNIT	(b)	(c)	(b)	(c)	FIG. ITEM NO.
X2F		HARNESS ASSEMBLY LEW2255 (36024)	C	EA	1				
X2F		WIRING HARNESS: ENGINE GAGES AND CONTROLS LE2254 (36024)	B	EA	1				
X20		LIGHT, PANEL 211310 (72619)	C	EA	2				
P O	6240-155-8714	LAMP, INCANDESCENT 313 (24446)	C	EA	2	REF	REF	REF	REF
P O	5310-550-1130	WASHER, LOCK: CAPACITOR TO CONTROL PANEL SCREW	B	EA	R	REF	REF	REF	REF
P O	5305-988-1170	SCREW, MACHINE: CAPACITOR TO CONTROL PANEL MTG	B	EA	1	*	*	*	*
P F	5310-013-1044	WASHER, LOCK: AUXILIARY GENERATOR SHUNT TO CONTROL PANEL SCREW AND TERMINAL BOARD MTG	B	EA	4	REF	REF	REF	REF
P F	5310-045-3299	WASHER, LOCK: RELAY TO CONTROL PANEL SCREW	B	EA	2	REF	REF	REF	REF
P F	5310-934-9757	NUT, PLAIN, HEXAGON: RELAY TO CONTROL PANEL SCREW	B	EA	2	REF	REF	REF	REF
P F	5310-205-7782	WASHER, FLAT: CIRCUIT BREAKER TO CONTROL PANEL SCREW	B	EA	2	*	*	*	*
P F	5310-285-7037	WASHER, LOCK: CIRCUIT BREAKER TO CONTROL PANEL SCREW	B	EA	2	REF	REF	REF	REF
P F	5310-934-9757	NUT, PLAIN, HEXAGON: FIXED RESISTOR AND VARIABLE RESISTOR TO CONTROL PANEL MTG	B	EA	4	REF	REF	REF	REF
P F	5310-934-9758	NUT, PLAIN, HEXAGON: CIRCUIT BREAKER TO CONTROL PANEL SCREW	B	EA	2	REF	REF	REF	REF
P F	5310-934-9747	NUT, PLAIN, HEXAGON; AUXILIARY GENERATOR SHUNT TO CONTROL PANEL SCREW AND TERMINAL BOARD MTG	B	EA	4	REF	REF	REF	REF
P F	5310-934-9747	NUT, PLAIN, HEXAGON: WELDING AND AUXILIARY AMMETER AND VOLTMETER MTG	B	EA	12	REF	REF	REF	REF
P O	5310-934-9747	NUT, PLAIN, HEXAGON: AUXILIARY GENERATOR RECEPTACLE MTG	B	EA	4	REF	REF	REF	REF
P O		CONNECTOR, RECEPTACLE ELECTRICAL: AUXILIARY GENERATOR OUTLET MS15482 (96906)	B	EA	2	*	*	1	*
P F	3431-994-9389	RELAY KA11DY (77342)	B	EA	1	REF	REF	REF	REF

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW PER EQUIP	DEPOT ALW PER EQUIP	ILLUS- TRATION (a) (b)
		REF NUMBER & MFR CODE	IN IN UNIT	(b)	(c)	(b)	(c)	100 CNTG	FIG. ITEM NO.
P F	3431-994-9389	RESISTOR, VARIABLE GENERATOR EXCITER CIRCUIT TO IDLE CONTROL, 100 OHM, 12 W KAIIDY (77342)	B,C	EA	1	REF	REF	REF	REF
X2F		PANEL, INSTRUMENT LE1904 (36024)	B	EA	1				
P F	5305-889-3001	SCREW, MACHINE: AUXILIARY GENERATOR SHUNT TO CONTROL PANEL AND TERMINAL BOARD MTG	B	EA	4	REF	REF	REF	REF
P F	5305-013-2731	SCREW, MACHINE: WELDING AND AUXILIARY AMMETER AND VOLTMETER MTG	B	EA	12	REF	REF	REF	REF
P F	5310-262-3505	WASHER, LOCK: WELDING AND AUXILIARY AMMETER AND VOLTMETER MTG	B	EA	12	REF	REF	REF	REF
P O	5305-889-3000	SCREW, MACHINE: AUXILIARY GENERATOR RECEPTACLE MTG	B	EA	4	REF	REF	REF	REF
P F	5305-012-1832	SCREW, MACHINE: RELAY TO CONTROL PANEL MTG	B	EA	2	REF	REF	REF	REF
P F	5305-068-0523	SCREW, TAPPING, THREAD FORMING: POLARITY SWITCH MTG	B	EA	3	*	*	*	*
P F	5305-151-2904	SCREW, MACHINE: RHEOSTAT TO CONTROL PANEL MTG	B	EA	2	*	*	*	*
X20		PLATE, DIAL: RHEOSTAT M5735 (36732)	B	EA	1				
P O	5305-844-9888	SCREW, TAPPING, THREAD FORMING: CURRENT CONTROL, PLATE MTG	B	EA	4	*	*	*	*
X20		PLATE, DIAL: CURRENT CONTROL M6484 (36232)	B	EA	1				
P O	5305-984-6192	SCREW, MACHINE: REMOTE CONTROL RECEPTACLE	B	EA	2	REF	REF	REF	REF
X2F	5305-045-5266	SCREW, MACHINE: CIRCUIT BREAKER TO CONTROL PANEL MTG	B	EA	2				
		GROUP 06-REMOTE CONTROL							
P O	5305-723-9399	SETSCREW AN565D104H3 (88044)	A,B	EA	1	REF	REF	REF	REF
X20		HANDLE, CONTROL: RHEOSTAT SB158 (36232)		EA	1				6 2
X20		PLATE, DIAL: JOB SELECTOR M10088 (36232)	A	EA	2				6 3
X20		DIAL, INDICATOR: JOB SELECTOR, REMOTE M5735 (36232)	B,C	EA	1				6 3
X20		SCREW, MACHINE: RHEOSTAT MTG M535206-263 (96906)	A,B	EA	2				6 4

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP	DIS- TRIBU- TION (a) (b)
P O	5310-550-1130	WASHER, LOCK: RHEOSTAT SCREW MTG AM936A416 (88044)	EA	2	REF	REF	REF	REF	6 5
X20		CONTROL REMOTE LE1905 (36024)	EA	1					6 6
P O	5905-718-6063	RHEOSTAT: JOB SELECTOR MS090C (36232)	EA	2	*	1	1	15 30	6 7
X20		COVER: REMOTE CONTROL BOX LE1906 (36024)	EA	1					6 8
P O	5305-969-6914	SCREW, TAPPING, THREAD FORMING: COVER TO REMOTE BOX	EA	4	*	*	*	*	1 * 6 9
		A,B							
X20		CABLE ASSEMBLY: REMOTE CONTROL BOX TO PANEL LE1970 (36024)	EA	1					6 10
X20		PLUG, CABLE: REMOTE CONTROL 7554 (74545)	EA	1					6 11
		GROUP 07-CURRENT CONTROL							
P F	5950-961-1209	REACTOR L2036C (36232)	A	EA	1	*	*	1 8 5 7 1	
P F		COIL, CURRENT REACTOR L2036B (36232)	B,C	EA	1	*	*	1 8 10 7 1	
X2F		WASHER, LOCK: CURRENT CONTROL CABLE MTG E1035 (75042)	A,B	EA	2				7 2
P F	5305-761-4227	SCREW, CAP, HEXAGON HEAD: CURRENT CONTROL CABLE MTG	A,B	EA	1	*	*	*	1 * 7 3
X2F		NUT, PLAIN, HEXAGON: STUD T10114 (36232)	A	EA	2				7 4
P F	5310-768-0318	NUT, PLAIN, HEXAGON: STUD	B,C	EA	2	REF	REF	REF	REF 7 4
X2F		WASHER, LOCK: STUD E106A5 (36232)	A	EA	1				7 5
P F	5310-584-5272	WASHER, LOCK: STUD	B,C	EA	1	REF	REF	REF	REF 7 5
X2F		WASHER, PLAIN: STUD T9262-1 (36232)	A	EA	1				7 6
X2F		WASHER, NONMETALLIC: STUD INSULATING, 11/16 IN. ID, 1-3/8 IN. OD, 1/8 IN. THK T2719 (36232)	A	EA	2				7 7
X2F		BUSHING, STUD INSULATING T5411 (36232)	A	EA	1				7 8
P F	5310-761-6882	NUT, PLAIN, HEXAGON: BRACKET MTG AM335-4 (88044)	A	EA	2	REF	REF	REF	REF 7 9
P F	5310-082-0650	WASHER, LOCK: BRACKET MTG MS45904-70 (96906)	A,B	EA	2	*	*	*	1 * 7 10
X2F		BRACKET, STUD T7850 (36232)	A,B	EA	1				7 11
P F	5305-068-0500	SCREW, CAP, HEXAGON HEAD: STUD MTG MS35291-3 (96906)	A,B	EA	2				7 12

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)				
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (a)	DIS- TRIBU- TION (b)				
		REF NUMBER & MFR CODE		IN UNIT	1-20	21-50	51-100	1-20	21-50	51-100			
X2F		WASHER, STUD T8485 (36232)		EA	1					7 13			
X2F		STUD, HOLDER: BRUSH T9107 (36232)		EA	1					7 14			
M F		CABLE ASSEMBLY: WELDING TERMINAL TO CURRENT CONTROL MANUFACTURE FROM		EA	1					7 15			
		TERMINAL, LGG, 2 EA FSN 5940-577-7570											
		WIRE, ELECTRICAL, 36 IN. REQUIRED FSN 6145-190-6930											
X20		CABLE: REACTOR TO SHUNT LBB59 (36024)	A	EA	1					7 15			
X20		HANDLE, REACTOR: CURRENT CONTROL M7808 (36232)	A	EA	1					7 16			
X2F		INDICATOR ASSEMBLY: CURRENT CONTROL S7995-2 (36232)	B	EA	1					7 16			
X20		SETScrew: HANDLE, CURRENT CONTROL AN565E416H6 (88044)	A	EA	1					7 17			
X2F		SETScrew: INDICATOR RETAINING AN565E416H6 (88044)	B	EA	2					7 17			
X2F		HOLDER, ELECTRICAL M6277 (36232)		EA	1								
X2F		CLIP, ELECTRICAL S7297 (36232)		EA	1					7 18			
X2F		SPRING, SHAFT T8236 (36232)		EA	1					7 19			
X2F		SHAFT, HOLDER: BRUSH T8218 (36232)		EA	1					7 20			
X2F		WASHER, SHAFT T6367 (36232)		EA	1					7 21			
X2F		TUBE, INSULATION: SHAFT T8219 (36232)		EA	1					7 22			
X2F		HOLDER, ELECTRICAL M6264 (36232)		EA	1					7 23			
X2F		SCREW, MACHINE: BRUSH HOLDER AN515C516-16 (88044)		EA	2					7 24			
X2F		ARM, ELECTRICAL CONTACT TT7494 (36232)		EA	4					7 25			
P F	5310-045-3296	WASHER, LOCK AN935-10 (88044)		EA	4	REF	REF	REF	REF	REF 7 26			
P F	5305-050-9227	SCREW, FINGER: ARM MTG AN515C10-6 (88044)		EA	4	*	*	*	*	*	1	*	7 27
P F	5305-269-3209	SCREW, CAP, HEXAGON HEAD: REACTOR MTG MS35291-58 (96906)	A,B	EA	2	REF	REF	REF	REF	REF	REF	REF	7 28
P F	5310-889-2528	WASHER, LOCK: REACTOR MTG	A,B	EA	2	REF	REF	REF	REF	REF	REF	REF	7 29
P O	5310-768-0318	NUT, PLAIN, HEXAGON: CURRENT CONTROL CABLE MTG	A,B	EA	1	REF	REF	REF	REF	REF	REF	REF	7 30

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW 100 PER EQUIP CQNTGY	DEPOT ALW 100 PER EQUIP	ILLUS- RATION (a) (b)
		REF NUMBER & MFR CODE		UNIT IN UNIT	1-20	21-50	51-100	1-20	21-50
X2F		SPRING, REACTOR: CONTACT ARM T6985 (36232)		EA	4				7 31
X20		HANDLE S0158 (36232)	C	EA	1				
		GROUP 08-HEATER AND BLOWER ASSEMBLY							
X20R		HEATER, COOLANT, ENGINE 939C24 (78385)	C	EA	1				8
X2F		HEATER, COOLANT, ENGINE G701156 (78385)	C	EA	1				8
P O	4730-770-9059	CLAMP, HOSE: COMBUSTION AIR 488788 (78385)	C	EA	1	*	*	*	1 *
X20		HOSE, AIR DUCT 484105 (78385)	C	EA	1				8 2
P O	4730-277-5868	CLAMP, HOSE 489408 (78385)	C	EA	1	*	*	*	1 *
P O	5310-333-7341	NUT, PLAIN, HEXAGON 487283 (78385)	C	EA	1	*	*	*	1 *
X20		BLOWER, COMBUSTION, CENTRIFUGAL G489460 (78385)	C	EA	1				8 5
P O	5930-678-1214	SWITCH, FLAME DETECTOR G489439 (78385)	C	EA	1	*	1	*	1 8 5
P O	5310-333-7341	NUT, PLAIN, HEXAGON 487283 (78385)	C	EA	2	REF	REF	REF	REF REF REF REF 8 7
X20		COVER, INLET, IGNITER END 489406 (78385)	C	EA	1				8 8
X20		LEAD, ELECTRICAL: GROUND G486216 (78385)	C	EA	1				8 9
P O	5310-685-7051	NUT, EXTENDED WASHER 487283 (78385)	C	EA	1	*	*	*	1 *
P O	5310-579-0079	WASHER, LOCK 79372 (78385)	C	EA	3	REF	REF	REF	REF REF REF REF 8 11
P O	5305-537-0450	SCREW, ASSEMBLED WASHER 487274 (78385)	C	EA	1	*	*	*	1 *
P O	5310-061-0004	WASHER, LOCK 475005 (78385)	C	EA	2	*	*	*	1 *
P O	2540-312-2017	IGNITER, HEATER G474942 (78385)	C	EA	1	2	3	6	2 3 6 75 100 8 14
P O	5310-934-9762	NUT, PLAIN, HEXAGON 7728 (78385)	C	EA	2	*	*	*	1 *
P O	2540-752-0358	GASKET, IGNITER 475067 (78385)	C	EA	1	*	1	1	1 15 100 8 16
P O	4520-714-1927	VALVE, SOLENOID: FUEL G701155 (78385)	C	EA	1	*	1	*	1 8 3 8 17
X20		SCREW, ASSEMBLED WASHER 700158 (78385)	C	EA	2				8 18
X20		FLANGE, FUEL LINE 488164 (78385)	C	EA	1				8 19

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	QTY UNIT OF MEAS IN UNIT	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP	DIS- TRIBU- TION (a) (b)
X20		PLATE, TAPPING 488163 (78385)	C	EA	1	*	*	*	8 20
P O	4730-278-8829	NUT, TUBE COUPLING 39337 (78385)	C	EA	1	*	*	*	8 21
P O	4730-278-8764	SLEEVE, COMPRESSION, TUBE: HOSE FITTING 4208 (78385)	C	EA	1	*	*	*	8 22
P O	5905-651-7272	RESISTOR, FIXED, WIRE WOUND 489852 (78385)	C	EA	1	*	1	1	15 20
X20		COVER, THERMOSTAT 489414 (78385)	C	EA	1				8 24
P O	5310-011-2432	NUT, PLAIN, HEXAGON 64459 (78385)	C	EA	1	*	*	*	8 25
X20		WASHER, LOCK 61086 (78385)	C	EA	1				8 26
P O	4520-678-7768	CONTROL, TEMPERATURE, OVERHEAT 700245 (78385)	C	EA	1	*	*	1	8 5 8 27
X20		PACKING, PREFORMED 700138 (78385)	C	EA	1				8 28
P O	5305-182-5191	SCREW 489426 (78385)	C	EA	2	*	*	*	8 29
X20		LEAD, ELECTRICAL G489436 (78385)	C	EA	1				8 30
X20		TOTAL BOARD 488961 (78385)	C	EA	1				8 31
P O	5305-592-9988	SCREW, ASSEMBLED WASHER 488559 (78385)	C	EA	4	*	*	*	8 32
P O	5305-826-3654	SCREW, ASSEMBLED WASHER 488066 (78385)	C	EA	14	*	*	*	8 33
X20		STRIP, HEATER 701172 (78385)	C	EA	1				8 34
X20		SUPPORT, TERMINAL 701173 (78385)	C	EA	1				8 35
X20		GROMMET, RUBBER 485346 (78385)	C	EA	1				8 36
X20		GROMMET, RUBBER 475127 (78385)	C	EA	1				8 37
X20		BURNER ASSEMBLY, HEATER G489424 (78385)	C	EA	1				8 38
X20		NAMEPLATE HEATER 701157 (78385)	C	EA	1				8 39
P O	5320-801-1548	RIVET, BLIND 488755 (78385)	C	EA	4	*	*	*	8 40
X2F		HOUSING ASSEMBLY G700944 (78385)	C	EA	1				8 41
X20		SCREW 488730 (78385)	C	EA	1				8 42
P O	2540-319-5934	NICK 488842 (78385)	C	EA	1	1	2	4	1 2 4 45 100
P O	2910-735-4014	PUMP, FUEL, ELECTRIC: HEATER 475953 (06840)	C	EA	1	*	*	1	8 8 8 43
X20		HOSE ASSEMBLY LEW2246 (36024)	C	EA	1				8 44

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)			
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP	DIS- TRIBU- TION (a) (b)			
		REF NUMBER & MFR CODE		IN UNIT	1-20	21-50	51-100	1-20	21-50	51-100	FIG. NO.	ITEM NO.
X2F		BUSHING ASSEMBLY, TUBE G489442 (78385)	C	EA	1	*	*	*	*	*	8	45
P O	4730-274-7406	CLAMP, HOSE 488290 (78385)	C	EA	2	*	*	*	*	*	8	46
P O	5305-794-1104	SCREW, MACHINE 18672 (78385)	C	EA	9	*	*	*	*	*	9	1
P O	5310-791-1402	NUT, SHEET, SPRING 489319 (78385)	C	EA	9	*	*	*	*	*	9	2
X20		COVER, BLOWER HOUSING 489458 (78385)	C	EA	1						9	3
X20		FAN, CENTRIFUGAL: BLOWER G484-46 (78385)	C	EA	1						9	4
P O	5305-181-0866	SCREW 487276 (78385)	C	EA	3	*	*	*	*	*	9	5
X20		HOUSING, BLOWER G489459 (78385)	C	EA	1						9	6
P O	6105-787-8532	MOTOR, DIRECT CURRENT G700139 (78385)	C	EA	1	*	*	1	*	*	9	7
X20		SPACER, SLEEVE 484125 (78385)	C	EA	3						9	8
P O	5910-860-5413	CAPACITOR ASSEMBLY, ENGINE HEATER G489407 (78385)	C	EA	1	*	1	1	*	1	15	20
P O	5977-636-1400	BRUSH, ELECTRICAL CONTACT 486534 (78385)	C	EA	2	3	6	13	3	6	13	150
X2F		FIELD COIL ASSEMBLY G488630 (78385)	C	EA	1							
X2F		CASE 489397 (78385)	C	EA	1							
X2F		TERMINAL, GROUND 432042 (78385)	C	EA	1							
X20		BELL, END G488739 (78385)	C	EA	1							
X20		BELL, END G489404 (78385)	C	EA	1							
P O	5310-559-0070	WASHER, LOCK 79404 (78385)	C	EA	2	REF	REF	REF	REF	REF	REF	REF
X20		NUT 94291 (78385)	C	EA	2							
X20		WASHER, LOCK 76842 (78385)	C	EA	2							
X20		WASHER, SPRING 485281 (78385)	C	EA	1							
X20		SPACER, BRUSH HOLDER 489222 (78385)	C	EA	4							
P O	5305-456-2582	SCREW, MACHINE 170677 (78385)	C	EA	1	*	*	*	*	*	1	*
X2F		ARMATURE ASSEMBLY G488629 (78385)	C	EA	1							
X2F		BEARING, BALL 484115 (78385)	C	EA	2							
X2F		RING, RETAINING 484123 (78385)	C	EA	2							

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	QTY UNIT OF MEAS IN UNIT	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP 100	DIS- TRIBU- TION (a) (b)
X2F		ARMATURE ASSEMBLY G488628 (78385)	C	EA	1				
X2F		HOLDER ASSEMBLY G489165 (78385)	C	EA	1				
X2F		SPRING, HELICAL, COMPRESSION 99780 (78385)	C	EA	2				
X20		TUBE 48X4 (79470)	C	EA	2				
X20		NAMERPLATE: HEATER 701157 (78385)	C	EA	1				
P O	5320-801-1548	RIVET, BLIND 488755 (78385)	C	EA	4	REF	REF	REF	REF
X20		ADAPTER, STRAIGHT, PIPE TO TUBE LF1883 (36024)	C	EA	1				
P O	4730-555-1152	ADAPTER, STRAIGHT, TUBE 10004-404 (79470)	C	EA	1	*	*	*	*
X20		HOSE, RADIATOR H101 (79470)	C	EA	1				
X20		ADAPTER, STRAIGHT 10004-102 (79470)	C	EA	1				
P O	4730-555-1152	ADAPTER, STRAIGHT, TUBE 10004-404 (79470)	C	EA	2	REF	REF	REF	REF
		GROUP09-FUEL TANK AND STRAINER							
P O	6680-980-5843	TRANSMITTER, LIQUID LM62-1816 (36024)		EA	1	*	*	1	*
X20		SCREW, TAPPING, THREAD FORMING: FUEL SENDER MTG 111688 (00000)	A,B	EA	5				10 2
P O	2910-141-9758	CAP, FUEL TANK MS35645-1 (96906)	A,B	EA	1	*	1	1	*
P O	2910-992-8626	CAP, FUEL TANK LF1917 (36024)	C	EA	1	*	1	1	*
X1		GASKET, FUEL TANK CAP MS35643-1 (96906)	A,B	EA	1				10 4
X20		GASKET: TANK CAP LF1918 (36024)	C	EA	1				10 4
X20		STRAINER, FUEL TANK LFW2252 (36024)	A,B	EA	1				10 5
X20		STRAINER, FUEL TANK LBN2253 (36024)	C	EA	1				10 5
X20		TANK, FUEL ENGINE LF1917 (36024)		EA	1				10 6
P O	4730-204-1993	BUSHING, PIPE: FUEL TANK TO NIPPLE 3226X2 (79470)		EA	1	*	*	*	*
P O	4730-204-1993	BUSHING, PIPE: BUSHING TO STRAINER 3326X2 (79470)		EA	1	REF	REF	REF	REF
X20		STRAINER, FUEL MS51086 (96906)	A,C	EA	1				

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW PER 100 EQUIP 100 FIG. NO.	DEPOT ALW PER 100 EQUIP 100 ITEM NO.	
		REF NUMBER & MFR CODE		UNIT	(b)	(c)	(b)	(c)	(b)	
X1		COVER, FUEL STRAINER 854071 (70040)		EA	1				10 9	
X1		GASKET: SEALING X170040854347EA11011 FILTER ELEMENT, FLUID PRESSURE 854390 (70040)		EA	1				10 10	
P O	2910-594-2293	GASKET: BOWL 854389 (70040)		EA	1	4	8	16	100 10 12	
P O	2910-025-6407	BOWL, SEDIMENT, FUEL PUMP GLASS 854237 (70040)		EA	1	1	2	4	100 10 13	
X20		TUBE ASSEMBLY, METAL: FUEL LE1929 (36024)		EA	1				10 14	
X20		BRACKET, FUEL TANK: REAR LEB2306 (36024)	A	EA	1				10 15	
M O		HOSE: FUEL TANK DRAIN MANUFACTURE FROM		EA	1				10 16	
		HOSE, NONMETALLIC, 3 FT, 6 IN. REQUIRED FSN 4720-289-0065	A,B							
P O		LINE LEN2248 (36024)	C	EA	1	*	*	1	10 10 16	
X20		COCK, DRAIN 211273 (79470)		EA	1				10 17	
P O	5305-269-3209	SCREW, CAP, HEXAGON HEAD: FUEL TANK MOUNTING MS35291-58 (96906)	A	EA	8	REF	REF	REF	REF 10 18	
X20		BRACKET, FUEL TANK: FRONT LEB2301 (36024)	A	EA	1				10 19	
P O	5310-061-1258	WASHER, LOCK: FUEL TANK TO BRACKET AND BRACKET TO BRACKET	A	EA	8	REF	REF	REF	REF 10 20	
P O	5310-616-1737	NUT, PLAIN, HEXAGON: FUEL TANK TO BRACKET AND BRACKET TO BRACKET	A	EA	8	*	*	*	*	10 21
P O	2910-065-5280	GASKET: SENDER LE1918 (36024)	A,B	EA	1	*	*	1	*	10 10 22
P O	5315-514-2660	PIN, RETAINING: FUEL TANK CAP MS29523-1 (96906)	A,B	EA	1	*	*	*	*	10 23
M O		CHAIN, WELDLESS MANUFACTURE FROM	A,B	EA	1				10 24	
		CHAIN, WELDLESS, 7 IN. REQUIRED FSN 4010-262-152	A,B							
X20		WASHER, FLAT: FUEL TANK TO FUEL TANK BRACKET SCREW STEMBOEESMF15-101 (43999)	B	EA	4					
P O	5310-696-5176	NUT, ASSEMBLED WASHER: FUEL TANK BRACKET TO RAIL AND FUEL TANK TO BRACKET	B	EA	6	REF	REF	REF	REF 10 25	
P O	5305-269-3210	SCREW, CAP, HEXAGON HEAD: FUEL TANK BRACKET TO BAIL, FUEL TANK TO BRACKET MTG	B	EA	6	*	*	*	*	10 26

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW PER 100 EQUIP	DEPOT ALW PER 100 EQUIP	DIS- TRIBU- TION (a) (b)
		REF NUMBER & MFR CODE		IN UNIT	(c)	(a)	(b)	(c)	FIG. ITEM NO.
X20		SEAL: FUEL TANK FILLER NECK TO TOP PANEL MTG 287H2 (27315)	A	EA	1				
X20		FILTER, FLUID PRESSURE MS51086-1 (96906)	B	EA	1				
X20	4820-287-4268	COCK, DRAIN: RADIATOR	B	EA	1				
X20		HOSE, FUEL LINE LBN2245 (36024)	C	EA	1				
X20		SCREW, TAPPING, THREAD FORMING 111688 (00000)	C	EA	5				
P O	4730-263-2733	TEE, PIPE 3750X2 (79470)	C	EA	1	*	*	*	*
		GROUP 10-BRUSH HOLDER, BRUSHES AND COVER							
P O	5305-984-6210	SCREW, MACHINE: COVER MTG AN515-10-8 (88044)	EA	1	*	*	*	*	1
P O	5310-576-5752	WASHER, LOCK: COVER MTG	EA	1	*	*	*	*	11
X20		COVER, END: EXCITER M7087 (36232)	EA	1					3
P O	5310-889-2528	WASHER, LOCK: CAPACITOR TO EXCITER FRAME SCREW	A,B	EA	2	REF	REF	REF	REF
X20	5305-988-1170	SCREW, MACHINE: CAPACITOR TO EXCITER FRAME SCREW	A,B	EA	2				11
P F	5977-980-5832	HOLDER, ELECTRICAL, CONTACT: EXCITER SS562C (36232)	EA	2	*	*	1	*	11
P F	5306-225-8494	BOLT, MACHINE: BRUSH HOLDER MTG	A,B	EA	2	*	*	*	7
P O	5977-165-0845	BRUSH, ELECTRICAL CONTACT (MINIMUM STOCKAGE OF 4 IS AUTHORIZED) TT554 (36232)	EA	4	6	13	25	6	300
P O	5305-989-7434	SCREW, MACHINE: BRUSH LEAD MTG	A,B	EA	2	REF	REF	REF	REF
P F	5977-718-6055	SPRING, GENERATOR, BRUSH HOLDER T6887 (36232)	EA	4	1	1	3	1	30
M O		LEAD ASSEMBLY: EXCITER CAPACITOR TO BRUSH MANUFACTURE FROM TERMINAL, LUG, 4 EA FSN 5940-050-6207	A,B	EA	2				11
		WIRE, ELECTRICAL, 4 1/2 IN. REQUIRED FOR EACH LEAD ASSEMBLY FSN 6145-845-1861	A,B						
P O	5310-761-6882	NUT, PLAIN, HEXAGON: CAPACITOR TO EXCITER FRAME SCREW	A,B	EA	2	REF	REF	REF	REF

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (a)	DIS- TRIBU- TION (b)	
		REF NUMBER & MFR CODE		UNIT IN UNIT	1-20	21-50	51-100	1-20	21-50	51-100
P O		CAPACITOR: WELDING GENERATOR AND EXCITER C4A82 (14655)	EA	6	2	4	8	2	4	8
		GROUP 11-BUSH HOLDERS, CAPACITOR, EXCITER								
P F	5977-088-7134	BRUSH, ELECTRICAL CONTACT: WELDING GENERATOR M6964-9A (36232)	EA	4	*	1	2	*	1	2
A F		SCREW, ASSEMBLED WASHER: HOLDER MTG	EA	4						
P F	5305-269-3209	SCREW, CAP, HEXAGON HEAD	EA	4	REF	REF	REF	REF	REF	REF
P F	5310-637-9541	WASHER, LOCK	EA	4	*	*	*	*	*	1
X2F		WASHER, MOUNTING: HOLDER STUD T2414 (36232)	EA	4						12
X2F		INSULATOR ELECTRICAL: STUD T4479 (36232)	EA	4						12
X2F		INSULATOR: STUD T1450 (36232)	EA	4						5
X2F		INSULATOR ELECTRIC: BRUSH HOLDER STUD T4479 (36232)	EA	4						6
X2F		WASHER, STUD: INNER T9020 (36232)	EA	4						7
X2F		STUD, BRUSH HOLDER M6963-6 (36232)	EA	4						8
X2F		PLATE, BRUSH HOLDER M6304-2B (36232)	EA	4						9
M O		LEAD ASSEMBLY: CAPACITOR TO GENERATOR BRUSH HOLDER MANUFACTURE FROM TERMINAL, LUB, 4 EA	EA	4						10
		TERMINAL, LUB, 4 EA								
		WIRE, ELECTRICAL, 6 IN. REQUIRED FOR EACH LEAD ASSEMBLY FSN 6145-845-1861								
P O	5306-225-8494	BOLT, MACHINE: CAP PLATE TO LEAD	EA	4	REF	REF	REF	REF	REF	12
P O	5977-237-1582	BRUSH, ELECTRICAL CONTACT WELDING GENERATOR (MINIMUM STOCKAGE OF 8 IS AUTHORIZED) T244 (36232)	EA	8	12	26	50	12	26	50
X2O		SCREW, MACHINE: PLATE TO LEAD MTG ANS15CS16-8 (88044)	EA	4						13
X2F		SPRING, HELICAL, TORSION: BRUSH HOLDER STUD T8495 (36232)	EA	8						14

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (b)	DIS- TRIBU- TION (b)
		REF NUMBER & MFR CODE		IN UNIT	(b)	(c)	(b)	PER 100 EQUIP CNTGTY (b)	FIG. ITEM NO.
A F		SCREW, ASSEMBLED WASHER: SPRING ASSEMBLY MTG		EA	8				
P F	5310-582-5965	WASHER, LOCK		EA	8	REF	REF	REF	REF
P F	5305-988-1724	SCREW, MACHINE		EA	8	REF	REF	REF	REF
P O	5305-088-5964	SCREW, TAPPING, THREAD FORMING: ( COVER MTG S5255-2 (36232)		EA	3	*	*	*	*
X2O		COVER, GENERATOR BRACKET: GENERATOR M5583 (36232)		EA	1				12 18
P O	5305-988-1170	SCREW, MACHINE: CAPACITOR MTG, GENERATOR BRUSH	A, B	EA	4	REF	REF	REF	REF
P O	5310-889-2528	WASHER, LOCK: CAPACITOR MTG, GENERATOR BRUSH	A, B	EA	4	REF	REF	REF	REF
P O		CAPACITOR: WELDING GENERATOR AND EXCITER CA482 (14655)	A, C	EA	6	REF	REF	REF	REF
P O	5910-577-1348	CAPACITOR, FIXED, PAPER DIELECTRIC: 0.01 UF, 500 V, AC/DC CA472 (14655)	B	EA	4	1	3	5	60 80 12 21
P O	5310-761-6882	NUT, PLAIN, HEXAGON: CAPACITOR MTG, GENERATOR BRUSH	A, B	EA	4	REF	REF	REF	REF
		GROUP 12-WELDING GENERATOR							
X2H		GENERATOR, WELDING SPL650 (36232)	A	EA	1				13
X2HR		GENERATOR ASSEMBLY, WELDING: 40 V, NEMA, 1400 RPM, SERIAL NO. A446224 SPL573 (36232)	B	EA	1				13
X2H		GENERATOR, WELDING SPL573 (36232)	C	EA	1				13
P H	5305-030-1076	SCREW, CAP, HEXAGON HEAD: COUPLING RING MTG		EA	8	*	*	*	13 1
X2H		CLIP, LOCK: COUPLING RING SCREWS T904BA (36232)		EA	4				13 2
X2H		RING, COUPLING: DRIVE DISC TO GENERATOR S7803 (36232)		EA	1				13 3
X2H		PLATE, DISC, BACKING: GENERATOR DRIVE S8042 (36232)		EA	2				13 4
X2H		DISC, COUPLING: GENERATOR TO FLYWHEEL M6730 (36232)		EA	1				13 5
X2H		FAN, BLOWER M6729 (36232)		EA	1				13 6

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (a)	DIS- TRIBU- TION (b)	
		REF NUMBER & MFR CODE		IN UNIT	1-20	21-50	51-100	1-20	21-50	51-100
X2H		CLIP, LOCK: FAN TO FLYWHEEL COUPLING T5049B (36232)		EA	4					13 7
X2H		SCREW, CAP, HEXAGON HEAD: FLYWHEEL COUPLING T5833-1 (36232)		EA	8					13 8
X2HT		ARMATURE, WELD L2667-11 (36232)		EA	1					13 9
X2H		CAP, DUST: INNER S4700 (36232)		EA	1					13 10
P H	3431-800-0240	GASKET: GENERATOR BEARING DUST CAP T5633-11 (36232)		EA	2	*	1	1	15 200	13 11
X2H		BEARING, BALL, ANNULAR: GENERATOR 310cff (38443)	A	EA	1					13 12
P F		BEARING, BALL, ANNULAR: MAIN MRC310cff (76062)	B,C	EA	1	*	*	1	8 10	13 12
X2H		BRACKET, MOUNTING: GENERATOR TO EXCITER MT519-1 (36232)		EA	1					13 13
P H	5306-225-8510	BOLT, MACHINE: GENERATOR BEARING DUST CAP MS35297-46 (96906)		EA	4	*	*	*	1 *	13 14
X2H		CAP, DUST, OUTER: GENERATOR BEARING S11560 (36232)		EA	1					13 15
P H	5305-782-9494	SCREW, CAP, HEXAGON HEAD: CASE TO FRAME MS35297-114 (96906)		EA	4	*	*	*	1 *	13 16
X2F		ROCKER, BRUSH HOLDER: GENERATOR SS960 (36232)		EA	1					13 17
P F	5310-685-3228	WASHER, LOCK: ROCKER HOLDING SCREW MS35333-26 (96906)		EA	1	*	*	*	1 *	13 18
P F	5305-984-5682	SCREW, MACHINE: ROCKER HOLDING AN515-516-32 (88044)		EA	1	*	*	*	1 *	13 19
X2H		POLE PIECE MAGNET S4584 (36232)	B,C	EA	4					13 20
X2H		POLE PIECE MACHINE S12261-6 (36232)	A	EA	4					13 20
M F		CABLE ASSEMBLY: GENERATOR CONTROL TO CURRENT CONTROL MANUFACTURE FROM A,B		EA	1					13 21
		TERMINAL, LUG, 1 EA FSN 5940-115-4995	A,B							
		WIRE, ELECTRICAL, 3 FT, 6 IN REQUIRED FSN 6145-635-9433	A,B							
X2H		WINDING, GENERATOR FIELD FPLL120M (36232)	A	EA	2					13 22
M H		LEAD ASSEMBLY: GENERATOR COIL TO RELAY MANUFACTURE FROM		EA	1					13 23
			A,B							

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (a)	DIS- TRIBU- TION (b)
		REF NUMBER & MFR CODE			1-20	21-50	51-100	1-20	21-50
		TERMINAL, LUG, 1 EA FSN 5940-114-1300			A,B				
		TERMINAL, LUG, 1 EA FSN 5940-113-9820			A,B				
		WIRE, ELECTRICAL, 36 IN. REQUIRED FSN 6145-299-4413			A,B				
P H	5310-732-0560	NUT, PLAIN, HEXAGON: GENERATOR MTG		EA	2	*	*	*	13 24
				A					
X2H		WASHER, LOCK: GENERATOR MTG AN936AB8B16 (88044)		EA	4				13 25
P H	5305-725-4183	SCREW, CAP, HEXAGON HEAD: GENERATOR MTG		EA	2	*	*	*	13 26
				A					
P F	5305-269-3213	SCREW, CAP, HEXAGON HEAD: GENERATOR TO FLYWHEEL PLATE		EA	4	REF	REF	REF	13 27
				A					
X2H		FRAME, GENERATOR M6528-2 (36232)		EA	1				13 28
X2O		PLATE, IDENTIFICATION: GENERATOR T8293 (36232)		EA	1				13 29
P O	5305-253-5620	SCREW, DRIVE: GENERATOR PLATE		EA	2	*	*	*	13 30
				A,B					
P H	3431-994-9369	WINDING, GENERATOR SP434A (36232)		EA	2	*	*	1	9 10 13 31
X2H		COIL SET, WELDER FRL5M (36232)		EA	2				13 31
X2H		POLE PIECE: GENERATOR S10745-1 (36232)		EA	4				13 32
P H	6115-994-9388	WINDING, GENERATOR FRL405F (36232)		EA	2	*	*	1	9 10
X2O		WASHER, LOCK AN936AB8B16 (88044)		C	4				
P F	5310-194-1483	WASHER, LOCK MS35333-27 (96906)		EA	4	*	*	*	1 *
		GROUP 13-GENERATOR EXCITER							
P H	5305-980-5930	SETScrew: FAN HUB S11604-17 (36232)		EA	1	*	*	*	14 1
P H	5305-980-5831	SETScrew: FAN HUB S11604-17 (36232)		EA	1	*	*	*	14 2
X2H		KEY, FAN HUB M8776-14 (36232)		EA	1				14 3
X2H		BLOWER L3761 (36232)		EA	1				14 4
X2H		CLIP, COUPLING BOLT SS156 (36232)		EA	3				14 5
P F	5306-637-4914	BOLT, MACHINE: COUPLING, EXCITER MS35297-34 (96906)		EA	6	*	*	*	14 6

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)			
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP	DIS- TRIBU- TION (a) (b)			
		REF NUMBER & MFR CODE		UNIT IN UNIT	(b)	(c)	(b)	(c)	FIG. NO.	ITEM NO.		
X2FT		ARMATURE, EXCITER L7520 (36232)	A,B	EA	1		*	*	14	7		
P H	6115-802-6860	ARMATURE, AUXILIARY: EXCITER	C	EA	1		*	*	5	5		
X2F		RING, CLAMP: BEARING CASE T9720 (36232)		EA	1				14	8		
X2F		BEARING, BALL ANNULAR 2045FF (38443)		EA	1				14	9		
X2F		CASE, BEARING: EXCITER MT500 (36232)		EA	1				14	10		
X2F		PLUG, PIPE: BEARING CASE		EA	1				14	11		
P F	5305-990-6444	SCREW, MACHINE: EXCITER LEAD MTG	A,B	EA	1	*	*	*	14	12		
P F	5310-576-5752	WASHER, LOCK: EXCITER LEAD MTG	A,B	EA	2	REF	REF	REF	REF	14	13	
P F	5310-045-5210	WASHER, FLAT: EXCITER LEAD MTG	A,B	EA	1	*	*	*	1	*	14	14
P F	5310-934-9751	NUT, PLAIN, HEXAGON: EXCITER LEAD MTG	A,B	EA	1	REF	REF	REF	REF	REF	14	15
P F	5305-269-3209	SCREW, CAP, HEXAGON HEAD: EXCITER FRAME MTG MS35297-58 (96906)	A,B	EA	4	REF	REF	REF	REF	REF	14	16
P O	5310-595-7237	WASHER, LOCK: CASE TO FRAME, EXCITER MS35333-25 (96906)		EA	2	REF	REF	REF	REF	REF	14	17
P O	5305-071-2240	SCREW, CAP, HEXAGON HEAD: CASE TO FRAME MS35297-11 (96906)		EA	2	*	*	*	1	*	14	18
X2F		FRAME, EXCITER L2536 (36232)		EA	1				14	19		
P F	5305-269-3213	SCREW, CAP, HEXAGON HEAD: EXCITER POLE SHOE MS35297-62 (96906)		EA	4	REF	REF	REF	REF	REF	14	20
X2F		POLE PIECE: EXCITER MS8773-3 (36232)		EA	2				14	21		
X2F		WINDING GENERATOR FDR125B (36232)	A,B	EA	2				14	22		
M F		LEAD ASSEMBLY: EXCITER MANUFACTURE PRM	A,B	EA	2				14	23		
		TERMINAL, LUG, 2 EA FSN 5940-114-1300	A,B									
		TERMINAL, LUG, 2 EA FSN 5940-113-9819	A,B									
		WIRE, ELECTRICAL, 4 FT, 6 IN. REQUIRED FOR EACH LEAD ASSEMBLY FSN 6145-284-0328	A,B									
X2F		CLAMP, HARNESS: EXCITER LEADS 21 (59730)	A,B	EA	3				14	24		
P F	5305-269-3209	SCREW, CAP, HEXAGON HEAD MS35297-58 (96906)	C	EA	4	REF	REF	REF	REF	REF		

(1) SMP CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REF NUMBER & MFR CODE  GROUP 14-TIMING AND SPEED CONTROL	(4) USABLE ON CODE	(5) QTY OF MEAS	(6) 30-DAY GS MAINT ALLOWANCE (a)	(7) 30-DAY GS MAINT ALLOWANCE (a)	(8) 1-YR ALW PER 100 EQUIP CNTGTY	(9) DEPOT ALW PER 100 EQUIP	(10) ELIM- INATION (a)	(10) ELIM- INATION (b)
					1-20	21-50	51-100	1-20	21-50	51-100
X20		CONTROL ASSEMBLY: SPEED CONTROLLER RS7 (36232)	C	EA	1					15
P F	5310-934-9760	NUT, PLAIN, HEXAGON AN340C10 (88044)	C	EA	2	*	*	*	*	15 1
P F	4730-013-7395	INVERTED NUT, TUBE COUPLING 105X2 (79470)	C	EA	1	*	*	*	*	15 2
X2F		CLIP T9744 (36232)	C	EA	1					15 3
X2F		PIN, PIVOT T9751-1 (36024)	C	EA	1					15 4
P F	5305-068-0500	SCREW, CAP, HEXAGON HEAD MS35291-3 (96906)	C	EA	2	REF	REF	REF	REF	15 5
P F	5310-194-1483	WASHER, LOCK MS35333-10 (96906)	C	EA	2	REF	REF	REF	REF	15 6
X2F		ROD, IDLER 10150 (36024)	C	EA	1					15 7
P F	3431-994-9384	SPRING 9284 (36024)	C	EA	1	*	*	1	*	15 8
X2F		CLIP 9744 (36024)	C	EA	1					15 9
X2F		PIN, PIVOT T9751-2 (36024)	C	EA	1					15 10
X2F		LEVER S8939 (36232)	C	EA	1					15 11
X2F		CLIP, SPRING T9744 (36232)	C	EA	1					15 12
X2F		PIN, PIVOT T9751-1 (36024)	C	EA	1					15 13
X2F		CLIP T9744 (36232)	C	EA	1					15 14
X2F		PIN T9751-1 (36024)	C	EA	1					15 15
X2F		PIN, LATCH S10750-1 (36024)	C	EA	1					15 16
X2F		CHAIN, LATCH T10122 (36024)	C	EA	1					15 17
P F	5305-840-6694	SCREW, TAPPING, THREAD FORMING AN530-8-6 (88044)	C	EA	1	*	*	*	*	15 18
P F	5305-057-9611	SCREW, TAPPING, THREADED SS025-13 (36232)	C	EA	2	*	*	*	*	15 19
P F	5310-167-0801	WASHER, FLAT AN960C10 (88044)	C	EA	2	*	*	*	*	15 20
X2F		VALVE, FLOAT T9746 (36232)	C	EA	1					15 21
P F	3431-994-9383	SPRING, FLOAT T9747 (36232)	C	EA	1	*	*	1	*	15 22
X2F		SEAL, DUST T9732 (36232)	C	EA	1					15 23

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW PER 100 EQUIP CQNTGY	DEPOT ALW PER 100 EQUIP	ILLUS- RATION (a) (b)
X2F		CORE AND CAP T10454 (36232)	C	EA	1	*	*	15	24
P F	3431-994-9386	SPRING T9750 (36232)	C	EA	1	*	*	8	10
X2F		SPACER T10172 (36232)	C	EA	1			15	26
P F	2920-802-7322	SOLENOID, ELECTRICAL S9951A (36232)	C	EA	1	*	*	1	8
P F	5310-761-6882	NUT, PLAIN, HEXAGON AM335-4 (88044)	C	EA	2	REF	REF	REF	15
P F	5310-167-0803	WASHER, FLAT AN960C516 (88044)	C	EA	2	*	*	*	15
P F	5305-071-2235	SCREW, CAP, HEXAGON HEAD MS35291-16 (69506)	C	EA	1	*	*	*	15
P F	5310-934-9760	NUT, PLAIN, HEXAGON AM340C10 (88044)	C	EA	3	REF	REF	REF	15
P F	5310-045-3296	WASHER, LOCK AN935-10 (88044)	C	EA	2	REF	REF	REF	15
P F	5310-167-0801	WASHER, FLAT AN960C10 (88044)	C	EA	2	REF	REF	REF	15
X2F		SEAT, VALVE T10171 (36232)	C	EA	1			15	34
X2F		SPACER, SEAT T10173 (36232)	C	EA	1			15	35
X2F		PETCOCK S10725-2 (36232)	C	EA	1			15	36
P F	2910-802-7330	DIAPHRAGM S9258-2 (36232)	C	EA	1	*	*	1	8
P F	5310-176-8097	NUT, PLAIN, HEXAGON AM340C10 (88044)	C	EA	2	*	*	*	15
P F	5310-167-0801	WASHER, FLAT AN960C10 (88044)	C	EA	2			15	39
X2F		WASHER, INSULATING S10773-14 (36232)	C	EA	2			15	40
X2F		BUSHING, INSULATING T118516 (36232)	C	EA	2			15	41
X2F		WASHER, INSULATING S10773-14 (36232)	C	EA	2			15	42
P F	5310-167-0801	WASHER, FLAT AN960C10 (88044)	C	EA	2	REF	REF	REF	15
P F	5310-596-7691	WASHER, LOCK AN936B10 (88044)	C	EA	2	*	*	*	15
P F	5305-050-9231	SCREW, MACHINE AN515C10-12 (88044)	C	EA	2	*	*	*	15
X2F		CASE I2946 (36232)	C	EA	1			15	46
X2F		LINE AP08-1011 (36232)	C	EA	1			15	47
P F	4730-043-3750	NUT, TUBE COUPLING 61X3 (79470)	C	EA	1	*	*	1	15
P F	4730-701-7737	SLEEVE, COMPRESSION 60X3 (79470)	C	EA	1	*	*	1	15
P F	4730-278-0187	ELBOW, PIPE TO TUBE 69X3 (79740)	C	EA	1	*	*	1	15

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW 100 PER EQUIP CNTGTY	DEPOT ALW 100 PER EQUIP	DIS- TRIBU- TION (a) (b)
		REF NUMBER & MFR CODE		IN UNIT	(c)	(a)	(b)	(c)	FIG. ITEM NO.
		GROUP 15-AIR CLEANER							
X2O		AIR CLEANER, INTAKE C1894 (00736)		EA	1				16
P O	5310-889-2606	NUT, PLAIN, WING: COVER TO BOWL	A,B	EA	1	*	*	*	16 1
X2O		COVER, AIR CLEANER F140-800 (00736)	A,B	EA	1				16 2
X2O		ELEMENT, AIR CLEANER F140-07 (00736)	A,B	EA	1				16 3
X2O		BOWL, AIR CLEANER F16950-851 (00736)	A,B	EA	1				16 4
P O	5330-542-1186	GASKET, AIR CLEANER 30B06 (00736)	A,B	EA	1	*	1	1	15 30 16 5
X1		BASE, AIR CLEANER 71F (00736)	A,B	EA	1				
X2O		HOSE, AIR CLEANER LP1895 (36024)		EA	1				16 6
X2O		TUBE, MANIFOLD T100 (36024)		EA	1				16 7
X2O		CLAMP, HOSE QS500M322 (08484)		EA	4				16 8
X2O		HOSE, AIR CLEANER: AIR CLEANER TO CARBURETOR LP1896 (36024)		EA	1				16 9
X2O		BRACKET, AIR CLEANER LP1894 (36024)		EA	1				16 10
P O	5310-616-1737	NUT, PLAIN, HEXAGON: AIR CLEANER BRACKET		EA	2	REF	REF	REF	16 11
P O	5310-061-1258	WASHER, LOCK: AIR CLEANER BRACKET MOUNTING		EA	5	REF	REF	REF	16 12
P O	5305-269-3209	SCREW, CAP, HEXAGON HEAD: AIR CLEANER BRACKET MTG		EA	2	REF	REF	REF	16 13
X2O		STRAP, HEATER LE1915 (36024)		EA	1				16 14
P O	5310-559-0070	WASHER, LOCK: HEATER STRAP TO MANIFOLD MTG		EA	2	REF	REF	REF	16 15
P O	5305-989-7435	SCREW, MACHINE: HEATER STRAP TO MANIFOLD MTG		EA	2	*	*	*	16 16
		GROUP 16-MUFFLER							
X1O		GASKET, ADAPTER E600S210 (14351)		EA	1	SEE KIT FSN 2805-679-5780			17 1
X2O		FLANGE EXHAUST: MUFFLER TO MANIFOLD F226E212 (14351)		EA	1				17 2
X2O		WASHER, LOCK: ADAPTER TO MANIFOLD MOUNTING A7 (39215)		EA	2				17 3

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP	DIS- TRIBU- TION (a) (b)
P O	5310-732-0558	NUT, PLAIN, HEXAGON: ADAPTER TO MANIFOLD MTG		EA	2	REF	REF	REF	REF
P O	2990-983-8825	MUFFLER, EXHAUST LE1752 (36024)		EA	1	*	1	1	*
X2O		CLAMP, LOOP: EXHAUST METAL HOSE AND ELBOW MTG 4075 (94257)		EA	3				17 6
X2O		ELBOW: EXHAUST MUFFLER LM62-1809 (36024)		EA	1				17 7
X2O		HOSE, METAL: EXHAUST LM62-1811 (36024)	A,B	EA	1				17 8
X2O		TUBE, EXHAUST LM62-1782 (36024)		EA	1				17 9
P O	5305-013-2768	SCREW, MACHINE: CLAMP MTG		EA	1	*	*	*	*
X2O		CLAMP: EXHAUST TUBE MTG LM62-1820 (36024)		EA	1				17 11
P O	5305-958-4359	SCREW, MACHINE: RAIN CAP CLAMPING AN520-8-10 (88044)		EA	1	*	*	*	*
X2O		CAP, ASSEMBLY, PROTECTION LM62-1808 (36024)		EA	1				17 13
P O	5315-298-1481	PIN, COTTER: RAIN CAP AN380-4-6 (88044)		EA	1	*	*	*	*
X2O		NUT, PLAIN, HEXAGON: RAIN CAP AND EXHAUST TUBE CLAMP MTG AN438-8 (88044)		EA	3				17 15
		GROUP 17-CARBURETOR AND FUEL PUMP							
P O	4730-524-7818	ELBOW, PIPE TO TUBE: STRAINER TO LINE	A,B	EA	2	*	*	*	*
P O	2910-358-5057	PUMP, FUEL		EA	1	1	2	4	1
X1O		GASKET: FUEL PUMP MTG 16EV201 (14351)		EA	1	SEE KIT FSN 2805-679-5780			18 3
P O	4730-288-9953	ADAPTER, STRAIGHT, PIPE TO TUBE: FUEL PUMP	A,B	EA	1	*	*	*	*
X2O		LINE, FUEL PUMP: FUEL PUMP TO CARBURETOR, 5/16 IN. OD, 10-5/8 IN. LG LE1930 (36024)	B	EA	1				18 5
X2O		STUD, CARBURETOR MTG LE1923 (36024)		EA	2				18 6
X1O		GASKET: CARBURETOR MTG SA4F203 (14351)		EA	1	SEE KIT FSN 2805-679-5780			18 7
P O	5310-595-7237	WASHER, LOCK: CARBURETOR MTG MS35333-42 (69606)		EA	2	REF	REF	REF	REF
P O	5310-176-8162	NUT, PLAIN, HEXAGON: CARBURETOR MTG AN335-6 (88044)		EA	2	*	*	*	*

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	UNIT IN UNIT	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR DEPOT ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP
P O	2910-951-8231	CARBURETOR, FLOAT 0-12368 (79960)		EA	1	1	2	4	15
P O	5306-576-0537	BOLT, MACHINE: FUEL PUMP ATTACHING		EA	2	*	*	*	18
X20		WASHER, LOCK: FUEL PUMP MTG 13XX202 (14351)	B	EA	2				12
P O	2910-422-9293	GASKET SET: CARBURETOR C181-74 (79960)	A,B	EA	1	1	2	4	45
		1 EA, GASKET: CARBURETOR BOWL C142-21 (79960) FSN 5330-360-7638	A,B					100	13
		O EA, WASHER, NONMETALLIC (1) T56-12 (79960) FSN 5330-362-2436	A,B						
		O EA, WASHER, NONMETALLIC (1) T56-4 (79960) FSN 5330-291-9923	A,B						
		O EA, WASHER, NONMETALLIC (1) T56-48 (79960)	A,B						
		O EA, WASHER, NONMETALLIC (1) T56-24 (79960) FSN 5330-358-5683	A,B						
		O EA, WASHER, NONMETALLIC (3) T56-23 (79960) FSN 5330-176-4123	A,B						
P O	5310-880-7744	NUT, PLAIN, HEXAGON	C	EA	2	*	*	*	1
X20		NUT, PLAIN, HEXAGON: FUEL PUMP MTG 1539837 (70040)	A	EA	2				
P O	5310-407-9566	WASHER, LOCK	C	EA	2	*	*	*	1
P O	5330-291-8972	GASKET C141-4-1 (79960)	C	EA	1	1	2	4	45
X20		WASHER, NONMETALLIC: HEAD T56-3 (79960)	B	EA	1				
		GROUP 18-OIL FILTER							
P O	5306-396-0855	BOLT, SHOULDER: OIL FILTER COVER 11580 (73370)	B	EA	1	*	*	*	19
P O	5305-710-4195	SCREW, CAP, HEXAGON HEAD: OIL FILTER COVER MS35290-90 (96906)	A,C	EA	1	*	*	*	1
X20		WASHER, FLAT: OIL FILTER COVER BOLT MS15795-517 (96906)	A,C	EA	1				2
P O	5310-262-3000	WASHER, FLAT: OIL FILTER COVER BOLT 11581 (73370)	B	EA	1	*	*	*	19
								*	2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY	DIS- TRIBU- TION (a) (b)	
		REF NUMBER & MFR CODE		IN UNIT	1-20	21-50	51-100	1-20	21-50	51-100
X20		COVER, OIL FILTER 11559 (73370)		EA	1					19 3
P O	2940-679-3595	GASKET: COVER TO CASE 11582 (73370)	A,C	EA	1	30	63	126	30	63 126 1500 100
X20		SPRING, HELICAL, COMPRESSION: OIL FILTER COVER 11583 (73370)		EA	1					19 5
P O	2940-141-9025	FILTER ELEMENT, FLUID, PRESSURE C21P (73370)		EA	1	30	63	126	30	63 126 1500 100
X20		FILTER, BODY FLUID 5310 (73370)		EA	1					19 7
P O	4730-231-5632	ELBOW, PIPE TO TUBE: INLET AND OUTLET FILTER HOSE X12489 (14351)		EA	2	*	*	*	*	1 *
M O		LINE ASSEMBLY: OIL FILTER TO CRANKCASE, FILTER INLET TO BLOCK TEE MANUFACTURE FROM		EA	1					
		ADAPTER, STRAIGHT, TUBE TO HOSE, 1 EA FSN 4730-362-6656	B							19 9
		HOSE NONMETALLIC, 10 IN. REQUIRED FSN 4720-289-5213	B							19 10
		ADAPTER, STRAIGHT, TUBE TO HOSE, 1 EA FSN 4730-202-9381	B							19 11
M O		HOSE ASSEMBLY, NONMETALLIC: OIL FILTER OUTLET TO BLOCK MANUFACTURE FROM		EA	1					
		HOSE, NONMETALLIC, 8 IN. REQUIRED FSN 4720-289-5213	B							19 12
		ADAPTER, STRAIGHT, TUBE TO HOSE, 1 EA FSN 4730-362-6656	B							
		ADAPTER, STRAIGHT, PIPE TO HOSE, 1 EA FSN 4730-202-9381	B							
P O	5305-781-7241	SCREW, MACHINE: FILTER STRAP		EA	2	*	*	*	*	1 *
P O	5310-407-9566	WASHER, LOCK: FILTER STRAP MTG MS35338-45 (96906)		EA	2	REF	REF	REF	REF	REF REF REF REF
P O	5310-407-9566	WASHER, LOCK: OIL FILTER STRAP MS35338-45 (96906)		EA	2	REF	REF	REF	REF	REF REF REF REF
X20		STRAP, BRACKET, OIL FILTER 102153 (73370)		EA	2					19 15
P O	5310-880-7744	NUT, PLAIN, HEXAGON: OIL FILTER TO BRACKET STUD MTG MS35690-502 (96906)		EA	4	REF	REF	REF	REF	REF REF REF REF
P O	5310-167-0721	WASHER, LOCK: FILTER STRAP MTG MS35333-41 (96906)	B	EA	4	REF	REF	REF	REF	REF REF REF REF
P O	5310-081-4219	WASHER, FLAT: FILTER STRAP MTG MS15795-212 (96906)		EA	4	REF	REF	REF	REF	REF REF REF REF

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP	DIS- TRIBU- TION (a) (b)
		REF NUMBER & MFR CODE		IN UNIT	(b)	(c)	(a)	(b)	ITEM NO.
P O	5310-199-6946	NUT, PLAIN, SQUARE: OIL FILTER STRAP 12384 (73370)	A,C	EA	2	*	*	*	19 19
X2O		BRACKET, FILTER ASSEMBLY F2128-3510 (14351)		EA	1				19 20
X2O		HOSE ASSEMBLY, RUBBER: OIL FILTER TO BLOCK X8016-10 (14351)	A,C	EA	1				
P O	4730-639-9988	HOSE ASSEMBLY, RUBBER: OIL FILTER X8016-8 (14351)		EA	1	*	1	1	15 25
P O	5305-984-5684	SCREW, MACHINE: FILTER STRAP MNG AN515-516-40 (88044)		EA	2	*	*	*	1 *
P O	5310-880-7744	NUT, PLAIN, HEXAGON: OIL FILTER TO BRACKET STUD M535690-502 (96906)	A,C	EA	4	REF	REF	REF	REF REF REF REF
X2O		FILTER, FLUID, PRESSURE F21P (73370)	A,C	EA	1				
X2O		FILTER, LIQUID PRESSURE F21P2 (73370)	B	EA	1				
X2O		COVER 5241 (73370)	A,C	EA	1				
P O	5305-054-6650	SCREW, MACHINE AN515C6-4 (88044)	C	EA	2	*	*	*	1 *
P O	5310-045-4007	WASHER, LOCK AN935-6 (88044)	C	EA	2	*	*	*	1 *
P O	5310-407-9566	WASHER, LOCK CADMIUM CHROMATE, 0.382 IN. ID, 0.688 IN. OD, 0.094 IN. THK M535338-45 (96906)	C	EA	2	REF	REF	REF	REF REF REF REF
P F	4730-230-1996	NIPPLE, PIPE 3326X2 (79470)	C	EA	1	*	*	*	1 *
X2F		BUSHING, SLEEVE 3224X2 (04255)	C	EA	1				
P O		TRANSMITTER, PRESSURE 2904C20 (96452)	C	EA	1	*	*	1	8 5
P O	6620-993-5546	TRANSMITTER, PRESSURE: OIL M524539-1 (96906)	C	EA	1	*	*	1	8 5
		GROUP 19-MANIFOLDS							
X2O		MANIFOLD, EXHAUST F21B5E02 (14351)		EA	1	SEE KIT FSN 2805-679-5780			20 1
X1O		GASKET: MANIFOLD MTG F600E306 (14351)		EA	1				20 2
P O	5310-894-9407	WASHER, FLAT: EXHAUST MANIFOLD TO INTAKE MANIFOLD MTG X14323 (14351)		EA	4	*	*	*	20 3
P O	5310-353-8927	NUT, PLAIN, HEXAGON: EXHAUST MANIFOLD MTG X18278 (14351)		EA	15	*	*	*	20 4
P O	5307-384-8477	STUD, PLAIN: MUFFLER ADAPTER TO MANIFOLD MTG X19004C (14351)	A,B	EA	2	*	*	*	20 5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP	DIS- TRIBU- TION (a) (b)
P O	5310-209-0994	WASHER, FLAT: EXHAUST AND INTAKE MANIFOLD MTG X1375 (14351)	A,B	EA 8	*	*	*	*	20 6
X2O		MANIFOLD, INTAKE F600PF506 (14351)		EA 1					20 7
X2O		PLUG, PIPE: INTAKE MANIFOLD X100 (14351)	A,C	EA 1					20 8
X2O		PLUG, PIPE: INTAKE MANIFOLD X100 (14351)	B	EA 1					20 8
P O	4730-204-1993	BUSHING, PIPE 3226X2 (79470)	B,C	EA 1	REF	REF	REF	REF	20 9
P O	4730-278-0187	ELBOW, PIPE TO TUBE: DIAPHRAGM VACUUM LINE 693X (79470)	A,B	EA 1	REF	REF	REF	REF	20 10
X2O		BEARING, SLEEVE: MANIFOLD HEAT CONTROL F600G200 (14351)		EA 2					20 11
P O	5310-616-1330	NUT, PLAIN, HEXAGON: MANIFOLD, HEAT CONTROL MTG X1800C (14351)		EA 1	*	*	*	*	20 12
P O	5310-221-3213	WASHER, FLAT: MANIFOLD HEAT CONTROL WEIGHT MTG X202A (14351)		EA 1	*	*	*	*	20 13
P O	5307-364-4942	STUD, PLAIN: MANIFOLD HEAT CONTROL MTG X19871 (14351)		EA 1	*	*	*	*	20 14
X2O		WEIGHT, HEAT CONTROL VALVE: EXHAUST MANIFOLD F600E237 (14351)	B	EA 1					20 15
X2O		VALVE, EXHAUST, MANIFOLD HEAT CONTROL F600E208 (14351)		EA 1					20 16
X1O		GASKET, EXHAUST TO INTAKE MANIFOLD (CAN BE MANUFACTURED FROM ASBESTOS SHEET, STOCK NO. 5330-233-5840) F600E212 (14351)		EA 1	SEE KIT FSN 2805-679-5780				20 17
P O	5307-680-6128	STUD, PLAIN: EXHAUST MANIFOLD TO INTAKE MANIFOLD X4275 (14351)		EA 4	*	*	*	*	20 18
X2O		SHAFT, HEAT CONTROL F600E238 (14351)		EA 1					20 19
X2P		PLUG, PIPE X104 (14351)		EA 1					
X2O		KEY, MANIFOLD COUNTERWEIGHT F600E211 (14351)	C	EA 1					
P O	5305-794-9180	SCREW, MACHINE X3009 (14351)	C	EA 1	*	*	*	*	1 *
P O	5310-492-6600	WASHER, FLAT EXHAUST AND INTAKE MANIFOLD MTG (SPECIAL) F600E218 (14351)	A	EA 1	*	*	*	*	1 *
P O	5310-080-6004	WASHER, FLAT EXHAUST AND INTAKE MANIFOLD MTG X14141 (14351)	A	EA 2	*	*	*	*	1 *

(1) SMP CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	(4) USABLE ON CODE	(5) QTY OF MEAS	(6) 30-DAY GS MAINT ALLOWANCE (a)	(7) 30-DAY GS MAINT ALLOWANCE (a)	(8) 1-YR DEPOT ALW PER 100 EQUIP CNTGTY	(9) DEPOT ALW PER 100 EQUIP	(10) ELIM- INATION (a) (b)	
					1-20	21-50	51-100	1-20	21-50	51-100
		GROUP 20-GOVERNOR, CONTROLS AND ENGINE SPEED								
X20		BALL, JOINT GOVERNOR LEVER AND CARBURETOR AD278-6 (88044)		EA	2					21 1
P O	5310-768-0319	NUT, PLAIN, HEXAGON: GOVERNOR ROD MS35690-422 (96906)		EA	2	*	*	*	*	21 2
X20		ROD, GOVERNOR X5692-15-1-2 (14351)		EA	1					21 3
P O	5310-550-1130	WASHER, LOCK: BALL JOINT TO GOVERNOR AND CARBURETOR MS35333-40 (96906)		EA	2	REF	REF	REF	REF	21 4
X10		GASKET: GOVERNOR FLANGE F400S202 (14351)		EA	1	SEE KIT	FSN 2805-679-5780			21 5
X10		GASKET: GOVERNOR BOLT X318 (14351)		EA	1	SEE KIT	FSN 2805-679-5780			21 6
P O	5306-680-6323	BOLT, MACHINE: GOVERNOR MTG X3311 (14351)		EA	1	*	*	*	*	21 7
X20		COVER, ACCESS: GOVERNOR MTG F4008S201 (14351)		EA	1					21 8
A O		BOLT ASSEMBLED WASHER: GOVERNOR MTG	A,B	EA	1					
P O	5305-269-3212	SCREW, CAP, MACHINE THREAD: GOVERNOR MTG	A,B	EA	1	*	*	*	*	21 9
P O	5310-261-7340	WASHER, LOCK: GOVERNOR MTG	A,B	EA	1	*	*	*	*	21 10
M O		GASKET: GOVERNOR MTG MANUFACTURE FROM PAPER, GASKET, 4 IN. BY 4 IN. REQUIRED FSN 5330-233-5845		EA	1					21 11
P OR	2990-994-9300	GOVERNOR, GASOLINE ENGINE GD303C4612 (74465)		EA	1	*	*	1	*	21 12
P F	5305-830-6585	SCREW, MACHINE, BODY COVER TO BODY MTG D114-128 (74465)		EA	1	*	*	*	*	22 1
X2F		BODY ASSEMBLY, GOVERNOR D164-406 (74465)		EA	1					
X1		PLUG, EXPANSION D140-24 (74465)		EA	1					22 2
X1		WASHER, FLAT D150-101 (74465)		EA	1					22 3
X1		RING, RETAINING D165-31 (74465)		EA	1					22 4
X1		BEARING, BALL, ANNULAR D133-24 (74465)		EA	2					22 5
X1		BODY, GOVERNOR D101-244 (74465)		EA	6					22 6
X1		SCREW, DRIVE: NAMEPLATE MTG D114-68 (74465)		EA	2					22 7

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (a)	DIS- TRIBU- TION (b)	
		REF NUMBER & MFR CODE		IN UNIT	1-20	21-50	51-100	1-20	21-50	51-100
X1		PLATE, IDENTIFICATION: GOVERNOR D120-10 (74465)		EA	1					22 8
X1		SHAFT, ROCKER, GOVERNOR D127-133 (74465)		EA	1					22 9
X1		PIN, GROOVED, HEADLESS: THROTTLE LEVER TO SHAFT D132-76 (74465)		EA	1					22 10
X1		SEAL D108-23 (74465)		EA	1					22 11
X1		WASHER, FLAT: THROTTLE LEVER SPACER D117-72 (74465)	A,B	EA	1					22 12
X1		LEVER ASSEMBLY, THROTTLE D164-290A (74465)		EA	1					22 13
X1		BUSHING, SLEEVE: REAR MAIN D133-14 (74465)	A,B	EA	1					22 14
P F	5310-485-8069	NUT, PLAIN, HEXAGON: SPEED ADJUSTING SCREW AND SENSITIVITY SCREW D115-29 (74465)		EA	2	*	*	*	*	22 15
X2O		SCREW, SPEED ADJUSTING D114-132 (74465)		EA	1					22 16
X2F		SPRING, HELICAL, EXTENSION: THROTTLE LEVER TENSION D110-73A (74465)		EA	1					22 17
X2F		RETAINER, SPRING: ADJUSTING PIN D165-18 (74465)		EA	1					22 18
P F		SPACER, RING: SPRING LINK SPACER D117-85 (74465)		EA	1					22 19
X2F		PIN, ENGINE GOVERNOR D132-83 (74465)		EA	1					22 20
X2F		LINK, ENGINE GOVERNOR D105-80 (74465)		EA	1					22 21
P F	5310-524-9065	WASHER, LOCK: ADJUSTING LEVER TO BODY, AND ADJUSTING PIN D117-87 (74465)		EA	2	*	*	*	*	22 22
X2F		WASHER, FLAT: ADJUSTING PIN H117-46 (74465)		EA	1					22 23
X2F		SPRING, HELICAL, EXTENSION: SPEED ADJUSTING D110-40 (74465)		EA	2					22 24
X2F		BUSHING, SLEEVE: ADJUSTING LEVER PIVOT D129-18 (74465)		EA	1					22 25
X2F		SCREW, TAPPING, THREAD CUTTING: ADJUSTING LEVER TO BODY D114-179 (74465)		EA	1					22 26
X2F		LEVER ASSEMBLY, ENGINE GOVERNOR D104-59 (74465)		EA	1					22 27
X2F		LEVER, GOVERNOR D105-67 (74465)		EA	1					22 28

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW PER 100 EQUIP CQNTGY	DEPOT ALW PER 100 EQUIP	ILLUS- RATION (a) (b)
P F	5306-952-8801	BOLT, ASSEMBLED WASHER: ROCKER LEVER TO SHAFT D114-163 (74465)	A,B	EA	2	*	*	*	22 29
X2F		RETAINER, FLYWEIGHT D165-32 (74465)		EA	4				22 30
X2F		SHAFT ASSEMBLY, GOVERNOR: MAIN D164-597 (74465)	A,B	EA	1				
X1		PIN, GROOVED, HEADLESS: FLYWEIGHT D132-88 (74465)		EA	2				22 31
X2F		WEIGHT ASSEMBLY, GOVERNOR D164-476 (74465)	A,B	EA	2				
X1		BUSHING, SLEEVE: GOVERNOR WEIGHT D133-42 (74465)	A,B	EA	1				22 32
X1		PIN, THRUST: GOVERNOR WEIGHT D132-34 (74465)	A,B	EA	1				22 33
X1		WEIGHT, GOVERNOR D173-4 (74465)	A,B	EA	1				22 34
X1		BUSHING, SLEEVE: GOVERNOR SLEEVE D133-43 (74465)	A,B	EA	1				22 35
X2F		SHAFT ASSEMBLY, GOVERNOR D164-327 (74465)	A,B	EA	1				
X1		COVER ASSEMBLY, GOVERNOR D164-295 (74465)		EA	1				
X1		COVER, GOVERNOR D101-280 (74465)	A,B	EA	1				22 36
X1		BEARING: RAIN SHAFT D132-22 (74465)	A,B	EA	1				22 37
X1		RIVET, TUBULAR D116-32 (74465)	A,B	EA	2				22 38
X1		YOKE, GOVERNOR D172-18 (74465)		EA	1				22 39
X1		SHAFT AND GEAR ASSEMBLY, GOVERNOR D164-326 (74465)		EA	1				
X1		GEAR, HELICAL: MAIN SHAFT D171-51 (74465)	A,B	EA	1				22 40
X1		SHAFT ASSEMBLY, MAIN D104-288 (74465)	A,B	EA	1				22 41
X2F		SLEEVE ASSEMBLY, GOVERNOR D164-393 (74465)		EA	1				
X1		SLEEVE, THRUST D129-37 (74465)		EA	1				22 42
X1		WASHER, THRUST: GOVERNOR SLEEVE D117-121 (74465)	A,B	EA	2				22 43
X1		BEARING: GOVERNOR SLEEVE D133-35 (74465)		EA	1				22 44
X1		RING, RETAINING: GOVERNOR SLEEVE BEARING D165-28 (74465)		EA	1				22 45

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (a)	DIS- TRIBU- TION (b)
		REF NUMBER & MFR CODE		UNIT IN UNIT	1-20	21-50	51-100	1-20	21-50
X2F		FLYWHEEL ASSEMBLY, GOVERNOR D165-476 (74465)	C	EA	2				
X2F		SPACER D150-102 (74465)	C	EA	1				
		GROUP 21-ENGINE SPEED IDLER AND LINES							
X2O		ROD, IDLER 10150 (36024)	A,B	EA	1				23 1
P O	3431-994-9384	SPRING, CONTROL ROD 9284 (36024)	A,B	EA	1	REF	REF	REF	REF 23 2
X2O		PIN, ROD TO CARBURETOR 9744-2 (36024)	A,B	EA	1				23 3
X2O		CLIP, PIN RETAINING 9744 (36024)	A,B	EA	1				23 4
P O	5310-550-1130	WASHER, LOCK: SOLENOID CASE MS35333-40 (96906)		EA	2	REF	REF	REF	REF 23 5
P O	5305-068-0500	SCREW,CAP,HEXAGON HEAD: SOLENOID MS35291-3 (96906)		EA	2	REF	REF	REF	REF 23 6
M O		LINE ASSEMBLY: IDLER CONTROL TO MANIFOLD MANUFACTURE FROM		EA	1				
		INVERTED NUT, TUBE COUPLING: DIAPHRAGM VACUUM LINE, 1 EA 105X2 (79470) FSN 4730-013-7395	A,B						23 7
		TUBE, COPPER, 4 FT. REQUIRED	A,B						23 8
		NUT, TUBE COUPLING: DIAPHRAGM VACUUM LINE, 1 EA 6X3 (79470) FSN 4730-043-3750	A,B						23 9
		SLEEVE, COMPRESSION, 1 EA 60X3 (79470) FSN 4730-701-7737	A,B						23 10
X2O		CONTROL ASSEMBLY R57 (36232)	A,B	EA	1				23 11
X2O		LEVER, ROD CONTROL S9338 (36232)	A,B	EA	1				24 1
X1		SCREW, TAPPING, THREADED: CHAIN MTG AM350-8-6 (88044)		EA	1				24 2
X1		CHAIN, CONTROL LEVER T10122 (36024)	A,B	EA	1				24 3
X1		PIN,COTTER: CHAIN S10750-1 (36024)	A,B	EA	1				24 4
X2F		CASE, IDLER L2946 (36232)	A,B	EA	1				24 5
X1		SCREW,CAP,HEXAGON HEAD: SOLENOID MS35291-16 (96906)		EA	1				24 6

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW 100 PER EQUIP CNTGTY	DEPOT ALW 100 PER EQUIP	DIS- TRIBU- TION (a) (b)
		REF NUMBER & MFR CODE		UNIT IN UNIT	(b)	(c)	(a)	(b)	(c)
X1		WASHER, FLAT: SOLENOID SCREW AN960C516 (88044)	A,B	EA	2				24 7
P F	2910-802-7330	DIAPHRAGM, IDLER SS128-2 (36232)	A,B	EA	1	REF	REF	REF	24 8
X2O		COCK, DRAIN S10725-2 (36232)	A,B	EA	1				24 9
X1		SCREW, MACHINE: SOLENOID LEAD MTG AN515C10-12 (88044)	A,B	EA	1				24 10
X1		WASHER, LOCK: SOLENOID LEAD MTG AN936B10 (88044)	A,B	EA	1				24 11
X1		WASHER, FLAT: SOLENOID LEAD MOUNTING AN960C10 (88044)	A,B	EA	7				24 12
X1		WASHER, SOLENOID LEAD S10773-14 (36232)	A,B	EA	2				24 13
X2F		BUSHING, IDLER T418516 (36232)	A,B	EA	1				24 14
X1		CORE AND CAP T10454 (36232)	A,B	EA	1				24 15
P F	3431-994-9386	SPRING, CAP AND CORE T9750 (36232)	A,B	EA	1	REF	REF	REF	24 16
P F	2910-802-7322	SOLENOID, IDLER SS951A (36232)	A,B	EA	1	*	1	1	24 17
P F	5310-595-6509	WASHER, FLAT: SOLENOID MTG	A,B	EA	2	*	*	*	24 18
X1		SCREW, TAPPING SS8025-13 (36232)	A,B	EA	2				24 19
X1		NUT, HEXAGON: SOLENOID LEAD MTG AN340C10 (88044)	A,B	EA	4				24 20
X1		NUT, PLAIN, HEXAGON: SOLENOID AN335-4 (88044)	A,B	EA	2				24 21
X1		SPACER, DIAPHRAGM T10172 (36232)	A	EA	1				24 22
X2F		SPACER, SEAT T10173 (36232)	A,B	EA	1				24 22
X2O		SEAT, VALVE T10171 (36232)	A,B	EA	1				24 23
P F	3431-994-9383	SPRING, FLOAT T9747 (36232)	A,B	EA	1	REF	REF	REF	24 24
X1		VALVE, FLOAT T9746 (36232)	A,B	EA	1				24 25
X1		SEAL, SOLENOID T9732 (36232)	A,B	EA	1				24 26
X1		PIN, LATCH T9751-1 (36024)	A,B	EA	3				24 27
X1		CLIP, SPRING T9744 (36232)	A,B	EA	4				24 28
X1		WASHER, LOCK: DIAPHRAGM MTG AN935-10 (88044)	A,B	EA	2				24 29

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW 100 PER EQUIP CNTGTY	DEPOT ALW 100 PER EQUIP	DIS- TRIBU- TION (a) (b)
		REF NUMBER & MFR CODE		UNIT IN UNIT	(b)	(c)	(a)	(b)	(c)
		GROUP 22-GENERATOR, BATTERY CHARGING			1-20	21-50	51-100	1-20	21-50
P OR	2920-391-2989	GENERATOR, ENGINE ACCESSORY (INCLUDES COMPONENTS OF REPAIR KIT, STOCK NO. 2920-536-5413) 1105993 (16764)	EA	1	*	*	1	*	1 8 2
X1		SHOE 1903427 (16764)	EA	2					25 1
X1		INSULATION, TAPE, ELECTRICAL FIELD 1925835 (16764)	EA	1					25 2
X1		WINDING, GENERATOR FIELD 1926187 (16764)	EA	1					25 3
X1		ADAPTER, RECEPTACLE ELBOW 1927912 (16764)	EA	1					25 4
X1		ELBOW, ELECTRICAL CONDUIT 1922994 (16764)	EA	1					25 5
A O		SCREW, ASSEMBLED WASHER: BRUSH AND FIELD COIL GROUND LEAD MTG	EA	3					
X1	5310-045-9299	WASHER, LOCK	EA	1					25 6
X1	5305-622-9477	SCREW, MACHINE	EA	1					25 7
X1		CONNECTOR, RECEPTACLE, ELECTRICAL 1924861 (16764)	EA	1					25 8
A O		SCREW, ASSEMBLED WASHER: RECEPTACLE MTG	EA	4					
X1		WASHER, LOCK MS35338-41 (96906)	EA	4					25 9
X1		SCREW, MACHINE MS35265-28 (96906)	EA	4					25 10
X1		BOLT, EXTERNALLY RELIEVED: BODY THRU 1914755 (16764)	EA	2					25 11
X1		NUT, PLAIN, HEXAGON: COVER BAND 34816 (16764)	EA	1					25 12
X1		SCREW, MACHINE: COVER BAND 453479 (16764)	EA	1					25 13
X1		ARMATURE, GENERATOR 1926186 (16764)	EA	1					25 14
P O	5310-917-6221	WASHER, LOCK: GENERATOR MTG BRACKET TO BLOCK, STRAP TO PUMP AND GENERATOR	EA	5	REF	REF	REF	REF	REF 25 15
P O	5310-732-0558	NUT, PLAIN, HEXAGON: GENERATOR MTG, BRACKET TO BLOCK	EA	3	REF	REF	REF	REF	REF 25 16
P O	5310-880-8189	NUT, PLAIN, HEXAGON: GENERATOR TO MTG BRACKET	EA	2	*	*	*	*	1 * 25 17

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY DS MAINT ALLOWANCE (a) (b) (c)	30-DAY GS MAINT ALLOWANCE (a) (b) (c)	1-YR ALW PER 100 EQUIP	DEPOT ALW PER 100 EQUIP	ILLUS- TRATION (a) (b)
P O	5310-905-5454	WASHER, LOCK: GENERATOR TO MTG BRACKET	A,B	EA 2	* * * *	* * * *	1	*	25 18
P O	5305-050-1076	SCREW, CAP, HEXAGON HEAD: GENERATOR TO MTG BRACKET, 7/16-14 THD, SIZE, 1-1/2 IN, LG	A,B	EA 2	* * * *	* * * *	1	*	25 19
P O	5305-269-3211	SCREW, CAP, HEXAGON HEAD: ADJUSTING STRAP TO PUMP AND GENERATOR	A,B	EA 2	* * * *	* * * *	1	*	25 20
P O	5310-584-7762	WASHER, FLAT: AJUSTING STRAP TO GENERATOR	A,B	EA 1	* * * *	* * * *	1	*	25 21
X2O		STRAP, ADJUSTING: BELT TENSION F162M280 (14351)	A,B	EA 1					25 22
X1		PLATE, BEARING, RETAINING 1925415 (16764)	B	EA 1					25 23
X1		WASHER, FLAT 1925416 (16764)		EA 1					25 24
X2O		FAN, ELECTRICAL ROTATING EQUIPMENT: GENERATOR PULLEY F218M314 (14351)	A,B	EA 1					25 25
X2O		BAFFLE, GENERATOR PULLEY FAN F218M315 (14351)	A,B	EA 1					25 26
X2O		PULLEY, GENERATOR DRIVE M330M344 (14351)	A,B	EA 1					25 27
X1		WASHER, FLAT: SHAFT DRIVE END 1918043 (16764)		EA 1					25 28
X1		NUT, SLOTTED, HEXAGON: SHAFT, DRIVE END 274938 (16764)		EA 1					25 29
X1		BEARING, BALL, ANNULAR: COMMUTATOR END 900529 (16764)		EA 1					25 30
X1	5305-889-3002	SCREW, MACHINE		EA 3					25 31
X1	5310-045-3299	WASHER,LOCK		EA 3					25 32
X1		TERMINAL, LUG 1860801 (16764)		EA 1					25 33
X1		SCREW, MACHINE: LEAD TO RECEPTACLE MTG MS35223-26 (96906)	A,B	EA 1					25 34
X1		TERMINAL, LUG: RECEPTACLE 200362 (16764)		EA 1					25 35
X1		WASHER, LOCK: THRU BOLT 453301 (16764)		EA 2					25 36
X1		END BELL, ELECTRICAL 1941684 (16764)		EA 1					25 37
X1		WASHER, FLAT: SPRING MTG 1914741 (16764)		EA 2					25 38
X1		SPRING, HELICAL, TORSION 1905219 (16764)		EA 2					25 39

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)				
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (a)	DIS- TRIBU- TION (b)				
		REF NUMBER & MFR CODE		IN UNIT	1-20	21-50	51-100	1-20	21-50	51-100			
X1		ARM, ELECTRICAL, BRUSH 1904514 (16764)		EA	2					25 40			
X1		BRUSH, ELECTRICAL CONTACT 1906935 (16764)		EA	2					25 41			
X1		PIN, STRAIGHT, HEADLESS: FRAME 809062 (16764)		EA	2					25 42			
X1		COVER ACCESS 1924878 (16764)		EA	1					25 43			
X1		KEY, WOODRUFF, PULLEY 124545 (16764)		EA	1					25 44			
X2O		BRACKET, GENERATOR MOUNTING F162M343 (14351)	A,B	EA	1					25 45			
A O		SCREW, ASSEMBLED WASHER: PLATE AND COLLECTOR MTG		EA	3								
X1		SCREW, MACHINE MS35224-61 (96906)		EA	3					25 46			
X1		WASHER, LOCK MS35335-32 (96906)		EA	3					25 47			
X1		CONTACT SET 1925413 (16764)		EA	1					25 48			
X1		PLATE, ELECTRICAL SHIELD 1920728 (16764)	A,B	EA	1					25 49			
X1		BEARING, BALL, ANNULEAR: DRIVE END 904793 (16764)	A	EA	1					25 50			
X1		SCREW, MACHINE: POLE SHOE MTG 1914750 (16764)		EA	2					25 51			
X1		WASHER, THRUST: DC MS13811-1 (96906)	A	EA	1					25 52			
X1		INSULATION, SHEET: BRUSH LEAD 1930640 (16764)		EA	1					25 53			
X1		END BELL, ELECTRICAL 1924877 (16764)	A,C	EA	1								
P O	5305-044-6610	SCREW, ASSEMBLED WASHER 455341 (16764)	C	EA	3	*	*	*	*	1 *			
P O	5305-226-7226	SCREW, MACHINE: ELBOW TO FRAME 455154 (16764)		EA	4	*	*	*	*	1 *			
X1		PIN, STRAIGHT, HEADLESS 809062 (16764)	C	EA	1								
X1		SCREW, MACHINE 543460 (16764)	C	EA	1								
X1		BEARING, BALL, ANNULEAR 954753 (16764)	C	EA	1								
P O	2920-536-5413	REPAIR KIT, GENERATOR 1939192 (16764)		EA	1	2	3	6	2	3	6	75	100
		2 EA, SPRING, HELICAL, TORSION 1905219 (16764) FSN 5360-358-7778											
		2 EA, BRUSH, ELECTRICAL CONTACT 1906935 (16764) FSN 5977-391-0640											

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)					
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	UNIT IN UNIT	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW 100 PER 100 EQUIP CNTGTY	DEPOT ALW PER EQUIP 100 FIG. ITEM NO.					
		REF NUMBER & MFR CODE				1-20	21-50	51-100	1-20					
		1 EA, CONTACT SET 1925413 (16764) FSN 2920-900-9681							A,B					
		1 EA, PLATE, ELECTRICAL SHIELD (16764) 1920-728 (16764)												
		2 EA, SCREW, MACHINE: POLY SHEE MTG 1914750 (16764) FSN 5305-514-8436												
		0 EA, BRUSH, ELECTRICAL (1) 1906941 (16764) FSN 5977-378-2901							A,B					
		1 EA, CAPACITOR, FIXED, PAPER, DIELECTRICAL 1920702 (16864) FSN 5910-538-4982							A,B					
		2 EA, INSULATOR, BUSHING 1885090 (16764) FSN 5970-501-2328							A,B					
		1 EA, WASHER, FLAT 1914213 (16764) FSN 5310-424-3750							A,B					
		1 EA, SPACER KING 1916377 (16764) FSN 5340-353-9939							A,B					
		2 EA, SPRING, HELICAL, TORSION 191324 (16764) FSN 2920-249-8283							A,B					
		GROUP 23-REGULATOR, GENERATOR VOLTAGE												
P O	5305-882-8060	SCREW, CAP, HEXAGON HEAD: REGULATOR MTG	A,B	EA	4	*	*	*	1	*	26	1		
P O		REGULATOR, ENGINE GENERATOR MS13805 (96906)		EA	1	*	1	1	*	1	15	20		
X20		CABLE, SHIELDED: GENERATOR TO REGULATOR LEW2253 (36024)		EA	1							26	3	
P O	5310-880-7746	NUT, PLAIN, HEXAGON: REGULATOR MTG	A,B	EA	4	*	*	*	*	*	1	*	26	4
P O	5310-889-2527	WASHER, LOCK: REGULATOR MTG	A,B	EA	8	*	*	*	*	*	1	*	26	5
P O	5306-225-8497	SCREW, CAP, HEXAGON HEAD	C	EA	4	*	*	*	*	*	1	*		
P O	5310-880-7744	NUT, PLAIN, HEXAGON	C	EA	4	REF	REF	REF	REF	REF	REF	REF		
P O	5310-514-6674	WASHER, LOCK	C	EA	4	*	*	*	*	*	1	*		

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (a)	DIS- TRIBU- TION (b)
REF NUMBER & MFR CODE									
GROUP 24-STARTER, ENGINE AND RELAY									
X2F		SPACER: STARTER AF09-13002 (36024)		EA	1				27 1
P O	5310-637-9541	WASHER, LOCK: STARTER MTG		EA	3	REF	REF	REF	REF 27 2
P O	5305-269-3217	SCREW, CAP, HEXAGON HEAD: STARTER MTG		EA	3	*	*	*	*
X2O		BUSH, ELECTRICAL CONTACT 828448 (16764)		EA	4				27 4
P O	2920-500-7366	RELAY, SOLENOID, ENGINE STARTER, ELECTRICAL 1118152 (16764)		EA	1	*	1	1	15 20 27 5
X1		PLUNGER, SOLENOID 1917073 (16764)		EA	1				27 6
X1		PUSH ROD ASSEMBLY 1917119 (16764)	C	EA	1				
X1		NUT, PLAIN, HEXAGON 1904419 (16764)	C	EA	2				
X1		COVER 1917125 (16764)	C	EA	1				
X1		SCREW, SOLENOID SWITCH CONTROL 1917126 (16764)	C	EA	1				
X1		SCREW 1917123 (16764)	C	EA	2				
X1		WASHER, LOCK 453789 (16764)	C	EA	2				
X1		WASHER, LOCK 453297 (16764)		EA	2				
X1		WASHER, FLAT 1917114 (16764)	C	EA	2				
X1		WASHER, NORMETALLIC INSULATING 1917113 (16764)	C	EA	2				
X1		STUD 1917112 (16764)		EA	2				
X1		NUT, PLAIN, HEXAGON 134569 (16764)	C	EA	2				
X1		INSULATOR 1917111 (16764)	C	EA	2				
X1		STUD 1950435 (16764)	C	EA	1				
X1		NUT, PLAIN, HEXAGON 453434 (16764)	C	EA	2				
X1		WASHER, LOCK 1915334 (16764)		EA	2				
X1		WASHER, COVER 1914476 (16764)	C	EA	1				
X1		WASHER, INSULATING 1917117 (16764)	C	EA	2				
X1		CLIP 1917116 (16764)	C	EA	1				

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (a)	DIS- TRIBU- TION (b)	
		REF NUMBER & MFR CODE		IN UNIT	1-20	21-50	51-100	1-20	21-50	51-100
X1		TERMINAL BRACKET ASSEMBLY 1917109 (16764)	C	EA	1					
X1		CUP, SPRING 1917127 (16764)	C	EA	1					
X1		SPRING, HELICAL, COMPRESSION 1914478 (16764)	C	EA	1					
X1		WASHER, RECESSED 1913043 (16764)	C	EA	1					
X1		WASHER, INSULATING 1917121 (16764)	C	EA	1					
X1		BUSHING 1915667 (16764)	C	EA	1					
X1		SPRING, HELICAL, COMPRESSION 1917128 (16764)	C	EA	1					
X1		WASHER, FLAT 1913044 (16764)	C	EA	1					
X1		WASHER, SPECIAL 1917122 (16764)	C	EA	1					
X1		DISK: PUSH ROD 1912059 (16764)	C	EA	1					
X1		COIL AND CASE ASSEMBLY 1917087 (16764)	C	EA	1					
P OR	2920-945-1606	STARTER, ENGINE ELECTRICAL (INCLUDES COMPONENTS OF REPAIR KIT, STOCK NO. 2920-536-5422) 1108232 (16764)		EA	1	*	*	1	*	*
X1		BEARING, SLEEVE: DRIVE HOUSING 826462 (16764)		EA	1					28 1
X1		NUT, PLAIN, HEXAGON: SHAFT LEVER AND TERMINAL STUD 1904419 (16764)		EA	3					28 2
X1	5310-637-9541	WASHER, LOCK: SHIFT LEVER AND TERMINAL STUD		EA	3					28 3
X1		WICK: DRIVE END 802691 (16764)		EA	1					28 4
X1		CUP, OIL, LUBRICATING DRIVE END 1914958 (16764)		EA	1					28 5
X1		HOUSING, DRIVE 1946261 (16764)		EA	1					28 6
X1		PIN, STRAIGHT, HEADLESS DRIVE END 1914843 (16764)		EA	1					28 7
X1		DRIVE ASSEMBLY, ELECTRICAL STARTER 1922594 (16764)		EA	1					28 8
X1		WASHER, FLAT BRAKE, CENTER BEARING 821453 (16764)		EA	1					28 9
X1		BEARING UNIT, ARMATURE SHAFT 1904444 (16764)		EA	1					28 10

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	UNIT IN	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR DEPOT ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP ITEM NO.
		REF NUMBER & MFR CODE			(b)	(c)	(b)	(c)	(b)
X1	5310-043-2226	WASHER, LOCK: CENTER BEARING UNIT SCREW MTG		EA	2				28 11
X1		SCREW, MACHINE: CENTER BEARING UNIT MTG 1913099 (16764)		EA	2				28 12
X1		ARMATURE, MOTOR 1916255 (16764)		EA	1				28 13
X1		WASHER, FLAT: WASHER BRAKE 1914842 (16764)		EA	2				28 14
X1		BOLT, EXTERNALLY, RELIEVED BODY: THRU 1914243 (16764)		EA	2				28 15
X1		PLUG, EXPANSION: COMMUTATOR END 1914854 (16764)		EA	1				28 16
X1		BEARING, SLEERVE: COMMUTATOR END 1867610 (16764)		EA	1				28 17
X1		END BELL, ELECTRICAL ROTATING EQUIPMENT 1919308 (16764)		EA	1				28 18
X1		PIN, STRAIGHT, HEADLESS: BRUSH HOLDER HINGE 1904430 (16764)		EA	2				28 19
X1		PIN, GROOVED, HEADLESS: BRUSH HOLDER HINGE 1904431 (16764)		EA	2				28 20
X1	5305-984-6189	SCREW, MACHINE: BRUSH MTG		EA	4				28 21
X1		WASHER, LOCK: BRUSH MTG 454007 (16764)		EA	4				28 22
X1		LEAD, ELECTRICAL: GROUND 1914952 (16764)		EA	2				28 23
X1		WASHER, LOCK: BRUSH LEAD MTG 453299 (16764)		EA	2				28 24
X1		SCREW, MACHINE: BRUSH GROUND LEAD MTG 1222159 (16764)		EA	2				28 25
X1		COVER, ACCESS 1915156 (16764)		EA	1				28 26
X1		LEAD ASSEMBLY, ELECTRICAL BRUSH AND FIELD CONNECTING 1929906 (16764)		EA	1				28 27
X1		SCREW, MACHINE: BRUSH LEAD TO FIELD 453286 (16764)		EA	1				28 28
X1	5310-045-3296	WASHER, LOCK: BRUSH LEAD TO FIELD		EA	1				28 29
X1		WASHER, FLAT: TERMINAL STUD 1913959 (16764)		EA	2				28 30
X1		WASHER, NONMETALLIC TERMINAL STUD 1913958 (16764)	A,B	EA	2				28 31
X1		LINK, TERMINAL CONNECTING 1917083 (16764)		EA	1				28 32

(1) SMP CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	(4) USABLE ON CODE	(5) QTY UNIT OF MEAS	(6) 30-DAY GS MAINT ALLOWANCE (a)	(7) 30-DAY GS MAINT ALLOWANCE (a)	(8) 1-YR ALW PER 100 EQUIP CNTGTY	(9) DEPOT ALW PER 100 EQUIP	(10) DIS- TRIBU- TION (a)	(10) DIS- TRIBU- TION (b)
X1		PIN, STRAIGHT, HEADLESS: SHAFT LEVER LINK MTG 1904452 (16764)	EA	1					28	33
X1		PIN, COTTER: SHAFT LEVER LINK 453323 (16764)	EA	1					28	34
X1		BOLT, EXTERNALLY RELIEVED: SWITCH MTG 1917084 (16764)	EA	4					28	35
X1		WASHER, FLAT: TERMINAL STUD 1914535 (16764)	EA	1					28	36
X1		SCREW, MACHINE: FIELD TERMINAL 1911610 (16764)	EA	1					28	37
X1		WINDING, MOTOR FIELD: SHUNT 1905872 (16764)	EA	1					28	38
X1		WINDING, MOTOR FIELD: RH 1905870 (16764)	EA	1					28	39
X1		WINDING, MOTOR FIELD: LH 1889333 (16764)	EA	1					28	40
X1		POLE PIECE, MAGNET 1904418 (16764)	EA	4					28	41
X1		SCREW, MACHINE: POLE SHOE 1913100 (16764)	EA	4					28	42
X1		SPRING, HELICAL, TORSION: SHIFT LEVER 1904446 (16764)	EA	1					28	43
X1		SEAT, HELICAL, COMPRESSION 1917079 (16764)	EA	1					28	44
X1		SHAFT, SHIFTER LEVER 1917078 (16764)	EA	1					28	45
X1		LEVER, STARTING MOTOR 1928110 (16764)	EA	1					28	46
X1		BEARING, SLEEVE: CENTER 820148 (16764)	EA	1					28	47
X1		WASHER, LOCK: THRU BOLT 453294 (16764)	EA	2					28	48
X1		PIN, STRAIGHT, HEADLESS: COMMUTATOR END 1914853 (16764)	EA	1					28	49
X1		PIN, INSULATION: BRUSH HOLDER HINGE 1904426 (16764)	EA	2					28	50
X1		PIN, INSULATOR: BRUSH HOLDER STOP 1904428 (16764)	EA	2					28	51
X1		SPRING, HELICAL, TORSION BRUSH 1904303 (16764)	EA	4					28	52
X1		HOLDER, ELECTRICAL CONTACT BRUSH 1914954 (16764)	EA	4					28	53
X1		SCREW: FIELD COIL TO GROUND 455965 (16764)	EA	1					28	54

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)				
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	UNIT INC IN UNIT	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW 100 PER 100 EQUIP CNTGTY	DEPOT ALW PER EQUIP 100 FIG. ITEM NO.				
P O	2920-536-5422	REPAIR KIT, STARTING MOTOR 1939201 (16764)		EA	1	*	1	2	*	1	2	23	15
		1 EA, BEARING, SLEEVE 1880822 (16764) FSN 3120-661-8973											
		1 EA, BEARING, SLEEVE 1838670 (16764) FSN 3120-287-7132											
		1 EA, BEARING, SLEEVE 350598 (16764) FSN 3120-424-3756											
		1 EA, BEARING, SLEEVE: COMUTATOR END 1867610 (16764) FSN 3120-661-9126											
		1 EA, BEARING, SLEEVE: DRIVE HOUSING 826462 (16764) FSN 2920-358-6421											
		4 EA, BRUSH, ELECTRICAL CONTACT 828448 (16764)											
		1 EA, BUSHING, SLEEVE BRONZE 810217 (16764) FSN 2920-143-5368											
		4 EA, SCREW, MACHINE: POLE SHOE 1913100 (16764) FSN 5305-957-2644											
		1 EA, BUSHING, RUBBER: OIL 1867150 (16764) FSN 5340-200-4152											
		4 EA, SPRING, HELICAL, TORSION: BRUSH 1904303 (16764) FSN 2920-248-9594											
		1 EA, WASHER, NONMETALLIC: BRAKE 8222190 (16764) FSN 5310-032-1955											
		2 EA, WASHER, FLAT: WASHER BRAKE 1914842 (16764) FSN 5310-178-9612											
		1 EA, WASHER, FLAT: SPACE 1915154 (16764) FSN 5310-209-6809											
		1 EA, WASHER, FLAT: SPACE 1915148 (16764) FSN 5310-262-4764											
		1 EA, WASHER, FLAT: SPACE 1913969 (16764) FSN 5310-262-4826											
		1 EA, WASHER, FLAT: SPACE 1918227 (16764) FSN 5310-262-5435											

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	UNIT IN UNIT	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW 100 PER 100 EQUIP CNTGTY	DEPOT ALM PER EQUIP 100 FIG. ITEM NO.
		REF NUMBER & MFR CODE				1-20	21-50	51-100	1-20
		1 EA. WASHER, FLAT: SPACE 1914844 (16764) FSN 5310-262-4487							
		1 EA. WASHER, NONMETALLIC: BRAND: CENTER BEARING 821453 (16764) FSN 5310-291-4619							
		1 EA. WASHER, NONMETALLIC: FELT 1915149 (16764) FSN 5330-248-0208							
		1 EA. WASHER, NONMETALLIC: FELT 191939 (16764) FSN 5330-374-4446							
		2 EA. WASHER, FLAT: TERMINAL STUD 1913958 (16764) FSN 5310-282-7566	A,B						
		2 EA. WASHER, FLAT: TERMINAL STUD 1913959 (16764) FSN 5310-753-9604							
		GROUP 25-MAGNETO, SPARK PLUG LEADS, HOUSING AND IMPULSE COUPLING							
X10		GASKET: MAGNETO MTG (CAM BE MANUFACTURED FROM PAPER, STOCK NO. 5330-467-3615) F140M232 (14351)	EA	2	SEE KIT FSN 2805-679-5780			29	1
X20		SPACER, MAGNETO TO ENGINE F600M225 (14351)	EA	1				29	2
P O		CABLE ASSEMBLY RW340-38 (95875)	EA	1	*	*	1	8	10
P O		CABLE ASSEMBLY RW338-34 (95875)	EA	1	*	*	1	8	10
P O		CABLE ASSEMBLY RW330-29 (95875)	EA	1	*	*	1	8	10
P O		CABLE ASSEMBLY RW330-27 (95875)	EA	1	*	*	1	8	10
P O		CABLE ASSEMBLY RW340-23 (95875)	EA	1	*	*	1	8	10
P O		CABLE ASSEMBLY RW338-20 (95875)	EA	1	*	*	1	8	10
X20		GROMMET, RUBBER: BRACKET AND SUPPORT B600M287 (14351)	EA	2				29	9
X20		SUPPORT, IGNITION CABLE GROMMET Y69M244 (14351)	B,C	EA	1			29	10
X20		BRACKET, ANGLE: LEADS, SPARK PLUGS Y69M245 (14351)	A,C	EA	1			29	10
P O	5330-599-4517	GASKET: SPARK PLUG	EA	6	7	13	26	315	*
P O	2920-810-7082	SPARK, PLUG: SHIELDED (MINIMUM STOCKAGE OF 6 IS AUTHORIZED) MSS1009-1 (96906)	EA	6	36	76	152	1800	600

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (a)	DIS- TRIBU- TION (b)	
		REF NUMBER & MFR CODE		UNIT IN UNIT	1-20	21-50	51-100	1-20	21-50	51-100
X20		SUPPORT, FUEL LINE: SPARK PLUG HEAD Y69M251 (14351)	EA	1						29 13
P O	5305-269-3223	SCREW, CAP, HEXAGON HEAD: MAGNETO MTG MS3529-73 (96906)	EA	1	*	*	*	*	1	29 14
P O	5310-637-9541	WASHER, LOCK: MAGNETO MTG MS35338-46 (96906)	EA	1	REF	REF	REF	REF	REF	29 15
X10		CAPACITOR: MAGNETO HX2433X (82796)	EA	1	SEE KIT	FSN 2920-725-4438				29 16
P O	5310-809-4061	WASHER, FLAT: MAGNETO MTG MS15795-215 (96906)	A,C	EA	1	*	*	*	1	29 17
P OR	2920-607-3490	MAGNETO, IGNITION (INCLUDES COMPONENTS OF REPAIR KIT, STOCK NO. 2920-725-4438) FM66B16V (82796)		EA	1	*	*	1	8 2	29 18
X1		ROTOR, IGNITION DISTRIBUTION Z2765X (82796)	EA	1						30 1
X1		RING, RETAINING: DISTRIBUTOR SHAFT C1498 (82796)	EA	1						30 2
X1		RING, RETAINING: DISTRIBUTOR BEARING A1498A (82796)	EA	1						30 3
X1		BEARING, BALL, ANNULLAR DISTRIBUTOR A5949C (82796)	EA	1						30 4
X1		SUPPORT ASSEMBLY, MAGNETO Z4631 (82796)	EA	1						30 5
X1		GEAR ASSEMBLY, MAGNETO BX5939X (82796)	EA	1						30 6
X1		PIN, STRAIGHT, HEADLESS: ROTOR GEAR D2533 (82796)	EA	1						30 7
X1		GEAR, SPUR: ROTOR E5952 (82796)	EA	1						30 8
X1		SPACER RING: ROTOR BEARING A2665B (82796)	EA	1						30 9
X1		ROTOR ASSEMBLY, MAGNETO C22480 (82796)	EA	1						30 10
X1		WASHER, FLAT: MAGNETO ROLLER BEARING A6304 (82796)	EA	1						30 11
X1		SHIM, THRUST BEARING: MAGNETO C2723 (82796)	EA	3						30 12
X1		BEARING, BALL, ANNULLAR ROTOR B5949 (82796)	EA	1						30 13
X1		GASKET: MAGNETO HOUSING M2498 (82796)	EA	1						30 14
X1		SCREEN, VENTILATOR A6032A (82796)	EA	1						30 15
X1		SHIELD, VENTILATING B1232 (82796)	EA	1						30 16
X1		SCREW, VENT COVER MOUNTING 656N (82796)	EA	1						30 17

(1) SMP CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	(4) USABLE ON CODE	(5) QTY UNIT OF MEAS	(6) 30-DAY GS MAINT ALLOWANCE (a)	(7) 30-DAY GS MAINT ALLOWANCE (a)	(8) 1-YR ALW PER 100 EQUIP CNTGTY	(9) DEPOT ALW PER 100 EQUIP	(10) DIS- TRIBU- TION (a)	(10) ITEM NO. (b)
X1		CAP, END: IGNITION DISTRIBUTOR Z2430A (82796)		EA	1				30	18
X1		WASHER, LOCK		EA	2				30	19
X1		SCREW, MACHINE		EA	2				30	20
X1		WASHER, FLAT H2473 (82796)		EA	1				30	21
X1		BRUSH, ELECTRICAL CONTACT E2460B (82796)		EA	1				30	22
X1	5310-045-3299	WASHER, LOCK		EA	2				30	23
X1	5305-984-4989	SCREW, MACHINE		EA	2				30	24
X1	5305-046-1626	SCREW, MACHINE		EA	2				30	24
X1		WASHER, LOCK: BEARING SUPPORT AND DISTRIBUTOR BLOCK 81M3 (82796)		EA	3				30	25
X1		SCREW, MACHINE: DISTRIBUTOR BLOCK MTG 859D (82796)		EA	4				30	26
X1		GASKET: END CAP COVER D682A (82796)		EA	1				30	27
X1		CAP, IGNITION MAGNET C000A (82796)		EA	1				30	28
X1		SCREW, MACHINE: BEARING SUPPORT AND END CAP COVER MTG 858A (82796)	A,C	EA	7				30	29
X1		SCREW, ASSEMBLED WASHER 858D (82796)	B,C	EA	4				30	29
X1		SCREW, ASSEMBLED WASHER: CONTACT SUPPORT 858G (82796)		EA	1					
X1	5305-046-1626	SCREW, MACHINE		EA	1				30	30
X1	5310-045-3299	WASHER, LOCK		EA	1				30	31
X1		WASHER, FLAT: CONTACT SUPPORT SCREW B5969 (82796)		EA	1				30	32
X1		CAM WICK AND HOLDER ASSEMBLY G2788 (82796)		EA	1				30	33
X1	5310-045-4007	WASHER,LOCK		EA	2				30	34
X1		WASHER, FLAT: CONTACT LOCKING SCREW D2458 (82796)		EA	1				30	35
X1		CONTACT SET, DISTRIBUTOR A2437A (82796)		EA	1				30	36
X1		PIN, LOCK: BREAKER ARM FULCRUM PIN T1498 (82796)		EA	1				30	37

(1) SMP CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	(4) USABLE ON CODE	(5) QTY UNIT OF MEAS	(6) 30-DAY GS MAINT ALLOWANCE (a)      (b)      (c)	(7) 30-DAY GS MAINT ALLOWANCE (a)      (b)      (c)	(8) 1-YR ALW PER 100 EQUIP CQTY	(9) DEPOT ALW PER 100 EQUIP	(10) ILLUS- RATION (a)      (b)
X1		NICK, BREAKER ARM L2788 (82796)		EA	1				30 38
X1		BEARING, BALL, ANNUULAR MOTOR A5949A (82796)		EA	1				30 39
X1		SCREW, ASSEMBLED WASHER: CAPACITOR MTG 8540 (82796)		EA	2				
X1	5305-291-8672	SCREW, MACHINE		EA	2				30 40
X1		INSULATOR: MAGNETO SUPPRESSOR D1182 (82796)		EA	4				30 41
X1		SUPPRESSOR ASSEMBLY: DISTRIBUTOR LEAD E593B (82796)		EA	1				30 42
X1		BLOCK, DISTRIBUTOR W2474X (82796)		EA	1				30 43
X1		KNOB, MAGNETO: HIGH TENSION CABLE OUTLET MAGNETO B2741X (82796)		EA	6				30 44
X1	5305-638-9552	SCREW, MACHINE: PRIMARY GROUND		EA	1				30 45
X1		SPRING, FLAT: PRIMARY GROUND H2513 (82796)		EA	1				30 46
X1		WASHER, FLAT: IMPULSE COUPLING A2492A (82796)		EA	1				31 1
X1		SEAL, ROTOR SHAFT: DRIVE END G3861 (82796)		EA	1				31 2
X1		WASHER, FLAT: IMPULSE COUPLING A2492C (82796)		EA	1				31 3
X1		KEY: COUPLING SHAFT 3K1 (82796)		EA	1				31 4
X1		SPRING, HELICAL, TORSION B5963 (82796)		EA	1				31 5
X1		HUB, IMPULSE COUPLING S2563 (82796)		EA	1				31 6
X1		SPRING, HELICAL, TORSION COUPLING E2565 (82796)		EA	1				31 7
X1		SHELL: MAGNETO IMPULSE HOUSING N5957 (82796)		EA	1				31 8
X1		WASHER, KEY: IMPULSE COUPLING A59318 (82796)		EA	1				31 9
X1		NUT, SLEEVE: IMPULSE COUPLING K2570 (82796)		EA	1				31 10
X1		SCREW, MACHINE: COIL BRIDGE 25SS14A (82796)		EA	2				31 11

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	UNIT IN UNIT	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (c)	DEPOT ALW (a)	ILLUS- RATION (b)
		REF NUMBER & MFR CODE				1-20	21-50	51-100	1-20	21-50
X1		SETScrew: PAWL STOP A2568 (82796)		EA	1					31 12
X1		HOUSING: MAGNETO Z72425 (82796)		EA	1					31 13
X1		SCREEN, VENT COVER MOUNTING 656N (82796)		EA	1					
X1		PIN, STRAIGHT, HEADLESS: END CAP TO FRAME G2533 (82796)		EA	2					31 14
X1		COIL, MAGNETO F247C (82796)		EA	1					31 15
X1		SCREW, MACHINE: BREAKER ARM TERMINAL AND CONTACT SUPPORT 656D (82796)		EA	3					
X1		COUPLING: IMPULSE S2563C (82796)		EA	1					
X1		SCREW AN515C8-5 (88044)	C	EA	1					
X1		WASHER AM395-8 (88044)	C	EA	4					
X1		RING, RETAINING (1) C1498D (82796)		EA						
X1		PIN, LOCK: BREAKER ARM FULCRUM PIN (1) B1498G (82796)		EA						
X1		NAMEPLATE A195 (21387)	B	EA	1					
P O	5310-637-9541	WASHER, LOCK: MAGNETO MTG MS35338-46 (96906)		EA	3	REF	REF	REF	REF	REF
P O	2920-725-4438	REPAIR KIT, IGNITION, MAGNETO SK58 (82796)		EA	1	3	6	13	3	6
		1 EA, BRUSH, ELECTRICAL CONTACT F2460H (82796) FSN 5977-239-7079								
		1 EA, CAPACITOR: MAGNETO HD2433X (82796)								
		1 EA, WASHER, LOCK: CAPACITOR LEAD MS35335-31 (96906) FSN 5310-596-7693								
		1 EA, SCREW AN515C8-5 (88044) FSN 5305-054-6667								
		1 EA, CONTACT SET, DISTRIBUTOR A2437A, (82796) FSN 2920-319-5055								
		1 EA, GASKET: MAGNETO HOUSING M2498 (82796) FSN 5330-354-0758								

(1) SMP CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	(4) USABLE ON CODE	(5) QTY OF MEAS	(6) 30-DAY GS MAINT ALLOWANCE (a)	(7) 30-DAY GS MAINT ALLOWANCE (a)	(8) 1-YR ALW PER 100 100 PER EQUIP 100 PER EQUIP	(9) DEPOT ALW PER 100 ITEM NO.	(10) ELIM- INAT- ION (a) (b)
		4 EA, INSULATOR: MAGNIFTO SUPPRESSOR D1182 (82796) FSN 5970-656-7335							
		1 EA, PIN, LOCK: BREAKER ARM FULCRUM PIN T1498 (82796) FSN 5315-291-7167							
		1 EA, RING, RETAINING DISTRIBUTOR BEARING A1498A (82796) FSN 5340-205-5132							
		1 EA, RING, RETAINING DISTRIBUTOR SHAFT C1498 (82796) FSN 5340-428-7565							
		2 EA, SCREW, CAP: END CAP MTG 10S22D (82796) FSN 5305-880-9791							
		2 EA, SCREW, MACHINE							
		2 EA, WASHER, LOCK							
		2 EA, SCREW, ASSEMBLED WASHER: END CAP MTG 10S10D (82796) FSN 5305-281-6387							
		2 EA, SCREW, MACHINE							
		2 EA, WASHER, LOCK							
		1 EA, SEAL CAPACITOR H2473 (82796)							
		1 EA, SEAL, ROTOR SHAFT DRIVE G3861 (82796) FSN 5330-737-2635							
		3 EA, SHIM, THRUST BEARING, MAGNETO C2723 (82796) FSN 5340-576-5825							
		1 EA, WASHER, FLAT IMPULSE COUPLING A2492C (82796) FSN 5310-205-7981							
		1 EA, WASHER, FLAT IMPULSE COUPLING A2492A (82796) FSN 5310-285-1591							
		1 EA, WASHER, FLAT MAGNETO ROLLER BEARING A6304 (82796) FSN 5310-171-3617							

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP	DIS- TRIBU- TION (a) (b)	
		REF NUMBER & MFR CODE		UNIT IN UNIT	(b)	(c)	(b)	(c)	FIG. NO.	ITEM NO.
GROUP 26-WATER PUMP										
P O	5305-832-4607	SCREW, CAP, HEXAGON HEAD: FAN MTG		EA	4	*	*	*	1	*
P O	5310-407-9566	WASHER, LOCK: FAN MTG		EA	4	REF	REF	REF	REF	32 1
X20		FAN, ENGINE COOLING F226K213 (14351)		EA	1					32 3
X20		SPACER HUB F162K201 (14351)		EA	1					32 4
X20		HUB, FAN F209K307 (14351)		EA	1					32 5
P F	2930-302-1809	REPAIR KIT, ENGINE F400T204 (14351)	A	EA	1	*	1	2	*	1
		1 EA, RING, RETAINING WATER PUMP SHAFT X7021 (14351) FSN 5340-282-0088		A						32 6
		1 EA, SHAFT, WATER PUMP F226K233 (14351) FSN 2930-353-8669		A						32 7
		1 EA, DEFLECTOR, DIRT AND LIQUID F400K291 (14351) FSN 2930-099-0924		A						32 8
		1 EA, RING, RETAINING WATER PUMP SEAL X7022 (14351) FSN 5340-281-6668		A						32 9
P F	2930-876-2776	PUMP, WATER (INCLUDES COMPONENTS OF REPAIR KIT, STOCK NO. 2930-302-1809) F162K3972 (14351)		EA	1	*	*	1	*	1 8 2
X1		ADAPTER, STRAIGHT, PIPE TO TUBE: LINE ASSEMBLY TO BLOCK X5035 (14351)		EA	1					32 10
M F		LINE ASSEMBLY: WATER PUMP TO BLOCK MANUFACTURE FROM  INVERTED NUT, TUBE COUPLING, 2 EA FSN 4730-013-7401	B,C	EA	1					32 11
		TUBE, COPPER, 10 IN. REQUIRED FSN 4710-277-5522								
X1		SCREW, MACHINE: WATER PUMP COVER MTG X3794 (14351)	A	EA	4					32 12
X1		GASKET: WATER PUMP TO BLOCK F400K340 (14351)		EA	1					32 13
X1		COVER, WATER PUMP F400K392 (14351)	A	EA	1					32 14
X1		GASKET: WATER PUMP COVER TO BODY F400K399 (14351)	A	EA	1					32 15

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)					
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY (a)	DIS- TRIBU- TION (b)					
		REF NUMBER & MFR CODE		IN UNIT	1-20	21-50	51-100	1-20	21-50	51-100				
X1		IMPELLER: WATER PUMP F162K2560 (14351)	A	EA	1					32 16				
X1		SEAL, WATER PUMP NG2K211 (14351)	A	EA	1					32 17				
X1		PLUG, PIPE: WATER PUMP X110 (14351)	A,B	EA	1					32 18				
X1		BODY, WATER PUMP F162K397 (14351)	A	EA	1					32 19				
X1	5310-261-7340	WASHER, LOCK: WATER PUMP MTG	A,B	EA	3					32 20				
X1		BOLT, ASSEMBLED WATER PUMP MTG X3979 (14351)	A,C	EA	1					32 21				
X1		WASHER, FLAT: WATER PUMP MTG X4134 (14351)		EA	1					32 22				
X1		SCREW, CAP, HEXAGON HEAD: WATER PUMP MTG X3939 (14351)		EA	3					32 23				
X1		ELBOW, PIPE TO TUBE: LINE ASSEMBLY TO WATER PUMP X5036 (14351)		EA	1					32 24				
X20		SCREW, ASSEMBLED WASHER X4793 (14351)	C	EA	2									
P O	3030-876-2774	BELT, V F244K17 (14351)  GROUP 27 -TRANSMITTER, SWITCHES AND NAMEPLATE		EA	1	1	2	4	1	2	4	45	50	
P O	4730-263-2733	TEE, PIPE 3750X2 (79470)		EA	1	REF	REF	REF	REF	REF	REF	REF	33 1	
P O	5930-669-7872	SWITCH, PRESSURE: OIL 1506983 (70040)		EA	1	*	*	1	*	*	1	8	8 33 2	
P O		SWITCH: LOW OIL PRESSURE 2904C20 (51240)	A,B	EA	1	*	*	1	*	*	1	8	8 33 3	
X20		TEE, PIPE: OIL PRESSURE SWITCH 150M1Y8 (14959)		EA	1								33 4	
X20		NIPPLE, PIPE: OIL PRESSURE SWITCH 3326X2 (79470)	A,B	EA	1								33 5	
X20		BUSHING, PIPE: OIL PRESSURE SWITCH 3224X2 (79470)	A,B	EA	1								33 6	
P O	4730-415-3172	COUPLING, PIPE: OIL PRESSURE SWITCH 3200X2 (79470)		EA	1	*	*	*	*	*	*	1	*	33 7
P O	4730-014-6763	TEE, PIPE 3750X4 (79470)		EA	1	*	*	*	*	*	*	1	*	33 8
P O	6620-993-5546	TRANSMITTER: OIL PRESSURE MS24539-1 (96906)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	33 9
X20		PLATE, ENGINE DATA X6064 (14351)	B	EA	1									33 10

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR DEPOT ALW 100 PER EQUIP 100 CNTGY	DEPOT MAINT ALW 100 PER EQUIP 100 FIG. NO.
P O	4730-263-3124	PLUG, PIPE: OIL PAN DRAIN SIDE		EA	1	*	*	1	33 11
		GROUP 28-BLOCK, CYLINDER HEAD AND VALVE COVER	B						
X20		PLUG, EXPANSION: CYLINDER HEAD X9538 (14351)		EA	1				34 1
X20		HEAD, CYLINDER BLOCK F244A402 (14351)		EA	1				34 2
X20		BUSHING, PIPES: THERMOSTAT SENDER		EA	1				34 3
P O	6685-814-5271	TRANSMITTER, TEMPERATURE 6400587 (70040)		EA	1	*	*	1	34 4
P O	5306-703-0227	BOLT, MACHINE X6588 (14351)	A,B	EA	1	*	*	1	34 5
P O	5310-167-0821	WASHER, FLAT: CYLINDER HEAD TO BLOCK SCREW 3XX1435 (14351)	A,B	EA	1	*	*	1	34 6
P O	5306-271-2280	BOLT, MACHINE: CYLINDER BLOCK X3940 (14351)	A	EA	3	*	*	1	34 7
P O	5310-188-4233	WASHER, FLAT: CYLINDER BLOCK X14134 (14351)	A,B	EA	3	*	*	1	34 8
P O	5930-994-9366	SWITCH, THERMOSTAT 1512473 (70040)	A	EA	1	*	*	1	34 9
P O	5305-843-6442	SCREW, CAP, HEXAGON HEAD: CYLINDER HEAD MTG, 3/8-16 THD SIZE, 3 IN. LG X3963 (14351)	A,B	EA	32	*	*	1	34 10
P O	5310-809-0940	WASHER, FLAT: CYLINDER HEAD MTG	A	EA	32	*	*	1	34 11
X20		PLUG, PIPE: HOLE CLOSING 3150X2 (14351)		EA	1				34 12
X20		ADAPTER, WATER OUTLET: THERMOSTAT F400K395 (14351)		EA	1				34 13
P O	4730-930-0548	CLAMP, HOSE: RADIATOR HOSE MTG QS500M244 (08484)		EA	4	REF	REF	REF	34 14
P O	2930-994-9296	HOSE, RADIATOR: UPPER LE1964 (36024)	A,B	EA	1	*	1	1	34 15
P O	5310-880-7744	NUT, PLAIN, HEXAGON: ADAPTER MTG X1801E (14351)		EA	2	REF	REF	REF	34 16
P O	5310-959-4679	WASHER, LOCK: THERMOSTAT ELBOW MTG X202 (14351)	A,B	EA	2	*	*	1	34 17
X10		GASKET: WATER OUTLET ELBOW C400K215 (14351)		EA	1	SEE KIT FSN 2805-679-5780			34 18
X20		STUD, PLAIN: THERMOSTAT ELBOW MTG X1952 (14351)		EA	2				34 19

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW PER 100 EQUIP CNTY	DEPOT ALW PER 100 EQUIP CNTY	ILLUS- TRATION (a)
		REF NUMBER & MFR CODE	UNIT			(b)	(c)	(b)	(c)	ITEM NO.
X20		DIPSTICK F600L3444 (14351)	EA	1						34 20
X20		CAP, FILLER OPENING D600L2270 (14351)	EA	1						34 21
P O		WASHER, NORMETALLIC: OIL GAGE K404L210 (14351)	EA	1	*	*	1	*	1	8 100 34 22
P O	4730-196-1470	NIPPLE, PIPE, GALVANIZED OIL FILLER X12210 (14351)	EA	1	*	*	*	*	*	1 * 34 23
X20		SUPPORT, OIL LEVEL GAGE 10EL227 (14351)	EA	1						34 24
X20		COCK, DRAIN: RADIATOR X12543 (14351)	EA	1						34 25
P O	4730-193-0875	RUSHING, PIPE: RADIATOR DRAIN COCK X12190 (14351)	EA	1	*	*	*	*	*	1 * 34 26
P H	5307-274-1403	STUD, PLAIN: TIMING GEAR COVER X4200 (14351)	EA	3			*	*	*	1 * 34 27
P H	4730-142-1851	PLUG, MACHINE THREAD: FRONT ENGINE BLOCK X137A (14351)	EA	3			*	*	*	1 * 34 28
X2H		BEARING, SLEEVE: GEAR COVER D600B203 (14351)	EA	1						34 29
X2H		PLATE, END, CRANKCASE: TIMING P244B300 (14351)	EA	1						34 30
A H		SCREW, ASSEMBLED WASHER HEAD: FRONT END PLATE MTG	EA	2						
P H	5310-261-7340	WASHER, LOCK	EA	2			REF	REF	REF	REF 34 31
P H	5305-269-3209	SCREW, CAP, HEXAGON HEAD	EA	2			REF	REF	REF	REF 34 32
X1		GASKET: FRONT END PLATE F244B301 (14351)	EA	1		SEE KIT FSN 2805-679-5780				34 33
X2H		BUSHING, SLEEVE: GEAR COVER 87C200 (14351)	EA	1						34 34
X2HR		BLOCK, ENGINE F244A506 (14351)	EA	1						34 35
X2H		BEARING, SLEEVE: OIL PUMP DRIVE SHAFT F400L210 (14351)	EA	1						34 36
X20		STUD, PLAIN: VALVE TAPPET COVER X1915 (14351)	EA	2						34 37
X20		VALVE, OIL PRESSURE RELIEF 1SSL2H (14351)	EA	1						34 38
P O	5310-754-1686	WASHER, RELIEF VALVE X14324 (14351)	A,B	2	*	*	*	*	*	1 * 34 39
P O	2805-246-7611	SPRING, HELICAL, COMPRESSION: RELIEF VALVE 10EL230 (14351)	EA	1	*	*	1	*	*	8 5 34 40
X10		GASKET: OIL PRESSURE RELIEF X365 (14351)	EA	1		SEE KIT FSN 2805-679-5780				34 41

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)					
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR DEPOT ALW 100 PER EQUIP 100 CNTGY	DEPOT MAINT (a)	ILLUS- TRATION (b)				
		REF NUMBER & MFR CODE	UNIT			1-20	21-50	51-100	1-20	21-50	51-100	ITEM NO.		
X20		PLUG, MACHINE: THREAD RELIEF VALVE 4IAL200 (14351)		EA	1							34 42		
X10		GASKET: VALVE COVER F600A369 (14351)		EA	1	SEE KIT FSN 2805-679-5780						34 43		
X20		COVER ASSEMBLY, VALVE TAPPET F600A3670 (14351)		EA	1							34 44		
X10		GASKET: VALVE COVER NUT X334 (14351)		EA	3	SEE KIT FSN 2805-679-5780						34 45		
P O	5310-012-1932	NUT, PLAIN, HEXAGON: TAPPET COVER MOUNTING X18237 (14351)		EA	3	*	*	*	*	*	1	*	34 46	
P O	5307-339-1404	STUD, PLAIN: VALVE TAPPET COVER, CENTER X4016 (14351)		EA	1	*	*	*	*	*	1	*	34 47	
P O	5307-206-2583	STUD, PLAIN: FUEL PUMP MTG X19837 (14351)		EA	2	*	*	*	*	*	1	*	34 48	
P O	4730-011-3175	PLUG, PIPE: OIL, CYLINDER BLOCK 3151X2 (79470)		EA	2	*	*	*	*	*	1	*	34 49	
X2F		BAFFLE ASSEMBLY, TAPPET COVER F600A3990 (14351)		EA	2							34 50		
X2F		BAFFLE, TAPPET COVER F600A3980 (14351)		EA	1							34 51		
X2H		PLUG, EXPANSION: CAMSHAFT X2236 (14351)		EA	1							34 52		
P O	4730-684-5094	PLUG, PIPE: CYLINDER BLOCK, REAR X101B (14351)	A,C	EA	1	*	*	*	*	*	1	*	34 53	
P O	5307-550-3887	STUD, PLAIN: INTAKE MANIFOLD MTG X4266 (14351)		EA	8	*	*	*	*	*	1	*	34 54	
P O	5307-206-5452	STUD, PLAIN: EXHAUST MANIFOLD MTG X19006 (14351)		EA	3	*	*	*	*	*	1	*	34 55	
X20		PLUG, CYLINDER: EXPANSION X2279 (14351)		EA	9							34 56		
P H	5307-988-9143	STUD, PLAIN: GENERATOR 13XX19002 (14351)	A,B	EA	3				*	*	*	1	*	34 57
X10		GASKET, CYLINDER HEAD F244A500 (14351)		EA	1	SEE KIT FSN 2805-568-7950						34 58		
P O	6620-606-8178	THERMOSTAT, FLOW CONTROL GDI57K204 (14351)		EA	1	1	1	2	1	1	2	27	50	34 59
X20		ADAPTER F218K202 (14351)		EA	1							34 60		
X2F		HOLDDOWN LEW2194 (36024)	C	EA	1									
X2F		NUT, WING LEW2250 (36024)	C	EA	2									
P F	5310-167-0721	WASHER, LOCK X297A (14351)	C	EA	4	REF	REF	REF	REF	REF	REF	REF		
P F	5310-550-1130	WASHER, LOCK MS35333-40 (96906)	C	EA	2	REF	REF	REF	REF	REF	REF	REF	34	
X2F		ROD, HOLDDOWN LEW2193 (36024)	C	EA	2									

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW PER 100 EQUIP CNTGY	DEPOT ALW PER 100 EQUIP CNTGY	ILLUS- MAINT (a)	TRATION (b)
P O	5307-265-9187	STUD, PLAIN	C	EA	2	*	*	*	*	1	*
X10		GASKET, OIL PAN: FILLER BLOCK TO OIL PAN F400B255 (14351)	C	EA	2	SEE KIT FSN 2805-679-5780					
P F	5310-167-0721	WASHER, LOCK X297A (14351)	C	EA	2	REF	REF	REF	REF		
X2F		SCREW, CAP, SOCKET HEAD X3924 (14351)	C	EA	4						
		GROUP 29-MOTOR, OIL PAN AND NAMEPLATES									
X2FR		ENGINE: GASOLINE (CONTINENTAL MOTORS, MODEL FS244SPEC6080) LE1971 (37-24)	A	EA	1					35	
X2HR		ENGINE ASSEMBLY, GASOLINE (CONTINENTAL MODEL FS244SPEC6065) LE1971 (36024)	B	EA	1					35	
P FR	2805-994-9367	ENGINE, GASOLINE LE1971 (36024)	C	EA	1	*	*	*	*	2	2
P F	5305-269-3213	SCREW, CAP, HEXAGON HEAD ADAPTER PLATE TO BLOCK MTG	C	EA	5	REF	REF	REF	REF	REF	35
P F	5310-261-7340	WASHER, LOCK: ADAPTER PLATE TO BLOCK MTG	C	EA	5	REF	REF	REF	REF	REF	35
X2F		PLATE, ADAPTER: GENERATOR MFG AF09-13001 (36024)		EA	1					35	3
X20		PLATE, INTERCHANGEABLE PARTS X6066 (14351)		EA	1					35	4
X20		PLATE, ENGINE NAME X6065 (14351)		EA	1					35	5
P O	5315-466-4416	PIN, STRAIGHT, HEADED ENGINE NAMEPLATE		EA	4	*	*	*	*	1	*
X2F		STUD, PLAIN: ENGINE TIMING COVER TO SKID MTG, BOTH ENDS 5/8-11 THD SIZE, 4 1/4 IN. LG T8911 (36232)		EA	1					35	7
X2F		WASHER T9054 (36232)	C	EA	2					35	8
X2F		WASHER, STEEL: ENGINE MTG T9054 (36232)	A,B	EA	3					35	8
X20		MOUNT T8823 (36232)	C	EA	2					35	9
X2F		MOUNT, RUBBER: ENGINE MTG T8823 (136232)	A,B	EA	2					35	9
X2F		MOUNT, RUBBER: ENGINE MTG T7355 (36232)	A,B	EA	1					35	10
X20		MOUNT T7355 (36232)	C	EA	1					35	10

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY INC MEAS	30-DAY DS MAINT ALLOWANCE (a) (b) (c)	30-DAY GS MAINT ALLOWANCE (a) (b) (c)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP	ILLUS- MAINT TRATION (a) (b)
X2F		NUT, SELF-LOCKING, HEXAGON ENGINE MTG, 5/8-11 THD SIZE T9187-3 (36024)	A,B	EA 1					35 11
X20		NUT, PLAIN, HEXAGON T9187-3 (36024)	C	EA 1					35 11
X2P		PAN ASSEMBLY, OIL F218B4000 (14351)		EA 1					35 12
P O	5310-728-2044	WASHER, LOCK: GROUND CABLE TO TIMING GEARCOVER		EA 2	*	*	*	*	35 13
P F	5306-225-8497	BOLT, MACHINE	B	EA 18	REF REF REF REF	REF REF REF	REF REF REF	REF REF	35 14
X1		GASKET: OIL PAN FRONT AND REAR F400B255 (14351)	A,B	EA 2	SEE KIT FSN 2805-679-5780				35 15
X1		GASKET: OIL PAN, SIDE F600B443 (14351)	A,B	EA 2	SEE KIT FSN 2805-679-5780				35 16
P O	5306-225-8494	BOLT, MACHINE: GROUND STRAP TO ENGINE GEAR COVER		EA 1	REF REF REF REF	REF REF REF	REF REF REF	REF REF	35 17
P O	5310-728-2044	WASHER, LOCK: GROUND STRAP TO ENGINE GEAR COVER		EA 2	REF REF REF REF	REF REF REF	REF REF REF	REF REF	35 18
M O		STRAP, GROUND: SKID TO ENGINE GEAR COVER MANUFACTURE FROM BRAID, WIRE, 12 IN. REQUIRED		EA 1					35 19
P O	4730-196-1505	NIPPLE: OIL PAN DRAIN	A	EA 1	*	*	*	*	35 20
P O	4820-060-9289	COCK: OIL PAN DRAIN	A	EA 1	*	*	*	*	35 21
P O	4730-196-0892	BUSHING OIL PAN DRAIN	A	EA 1	*	*	*	*	35 22
M O		NIPPLE: OIL PAN DRAIN MANUFACTURE FROM PIPE, STEEL, AS REQUIRED FSN 4710-278-5411	A	EA 1					35 23
P O	4730-202-8972	CLAMP, LOOP: OIL PAN DRAIN	A	EA 1	*	*	*	*	35 24
M O		HOSE, RUBBER: OIL PAN DRAIN MANUFACTURE FROM HOSE, RUBBER, 18 IN. REQUIRED FSN 4720-289-2620	A	EA 1					35 25
P F	5310-407-9566	WASHER, LOCK	A	EA 18	REF REF REF REF	REF REF REF	REF REF REF	REF REF	
P F	5306-298-4871	BOLT, MACHINE: OIL PAN MTG X3896 (14351)	A	EA 18	*	*	*	*	1 *
X1		GASKET SET, OIL PAN F226U102 (14351)	A,B	EA 1	SEE KIT FSN 2805-679-5780				
		2 EA, GASKET: OIL PAN F400B255 (14351)	A,B						

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT INC OF IN MEAS	30-DAY DS MAINT (a)	30-DAY GS MAINT (a)	1-YR ALW ALLOWANCE (b)	DEPOT ALW MAINT (a)	ILLUS- TRATION (b)
		REF NUMBER & MFR CODE	UNIT	UNIT	(b)	(c)	(b)	PER EQUIP 100	PER EQUIP 100
					1-20	21-50	51-100	PER ALW CNTGTY	FIG. NO.
								ITEM NO.	
		2 EA, GASKET: OIL PAN F600B443 (14351)	A,B						
		2 EA, PACKING MATERIAL REAR BEARING, FILLER BLOCK, OIL PAN T427B201 (14351)	A,B						
		0 EA, GASKET: OIL PAN DRAIN PLUG (1) W4B108 (14351)	A,B						
P O	4730-068-5876	CLAMP, HOSE QS500M28S (08484)	C	EA	5	*	*	*	*
X2F		JACKET, CRANKCASE LEW9192 (36024)	C	EA	1				
X1		GASKET, OIL PAN F600B443 (14351)	C	EA	2	SEE KIT FSN 2805-679-5780			
X20		DECAL, INSTRUCTION: ENGINE DATA X6064 (14351)	C	EA	1				
X2F		INSULATION LEW2221 (36024)	C	EA	1				
X20		HOSE, HEATER LEW2217 (36024)	C	EA	1				
P O	4730-215-7390	PLUG, MACHINE THREAD: OIL PAN 22RB221 (14351)	C	EA	1	*	*	*	*
X10	5330-291-6496	PACKING MATERIAL: REAR BEARING REAR BEARING FILLER BLOCK	C	EA	2	SEE KIT FSN 2805-679-5780			
P O	2805-679-5780	PARTS KIT ENGINE OVERHAUL (INCLUDES COMPONENTS OF GASKET SET, STOCK NO. 2805-568-7950) FS244U107 (14351)		EA	1	1	1	2	1
		1 EA, GASKET: WATER OUTLET ELBOW C400K215							2
		1 EA, GASKET: CARBURETOR MTG S4F203 (14351) FSN 5330-171-9010							28
		1 EA, FELT, OIL GUARD REAR BEARING, OIL F400B251 (14351) FSN 5330-327-4042							100
		1 EA, GASKET: EXHAUST TO INTAKE MANIFOLD F600E212 (14351) FSN 2805-399-7018	A,B						
		1 EA, GASKET: FRONT END PLATE F244B301 (14351) FSN 2805-353-8675							
		1 EA, GASKET: FUEL PUMP MTG 16FV201 (14351) FSN 5330-360-8491							

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN UNIT	30-DAY DS MAINT (a) (b)	30-DAY GS MAINT (a) (b)	1-YR ALM PER	DEPOT MAINT PER	ILLUS- TRATION (a) (b)
		REF NUMBER & MFR CODE				51-100	51-100	1-20	100	FIG. EQUIP NO.
		1 EA, GASKET: GOVERNOR BOLT X318 (14351) FSN 5330-190-4221				21-50	21-50	21-50	100	ITEM NO.
		1 EA, GASKET: GOVERNOR FLANGE F4005202 (14351) FSN 5330-358-4785								
		2 EA, GASKET: MAGNETO MTG F140M232 (14351) FSN 2990-848-4599								
		0 EA, GASKET: MAGNETO TO SPACER (1) F244M220 (14351)								
		1 EA, GASKET: OIL PRESSURE RELIEF X365 (14351) FSN 5330-190-4224								
		1 EA, GASKET: OIL PUMP COVER C400L231 (14351) FSN 2805-383-8705		A,B						
		1 EA, GASKET: OIL PUMP STRAINER TO COVER 17EL204 (14351) FSN 5330-383-8694								
		1 EA, GASKET SET, OIL PAN F2626U102 (14351) FSN 2805-030-0803								
		1 EA, GASKET: TIMING GEAR COVER F600B357 (14351) FSN 2805-358-2619		A,B						
		1 EA, GASKET: WATER PUMP COVER (1) F400K391 (14351) FSN 5330-025-6638								
		1 EA, GASKET: WATER PUMP TO BLOCK F400K340 (14351) FSN 5330-384-8404								
		1 EA, PACKING MATERIAL: FAN DRIVE PULLEY KEYWAY C400K217 (14351) FSN 5330-202-3266								
		1 EA, SEAL, PLAIN, ENCASED: CRANKSHAFT N155K (14351) FSN 5330-297-4560								
		1 EA, SEAL, PLAIN, ENCASED: WATER PUMP N62K211 (14351) FSN 2930-353-8897								
		1 EA, GASKET: CARBURETOR S4F203 (14351) FSN 2805-364-6861	C							
		2 EA, GASKET, OIL PAN: FILLER BLOCK TO OIL PAN F400B255 (14351) FSN 2805-586-5175	C							
		1 EA, GASKET: DRAIN PLUG W4B101 (14351)	C							
		3 EA, GASKET: VALVE TAPPET X334 (14351)	C							

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY DS MAINT (a)	30-DAY GS MAINT (a)	1-YR ALM PER 100	DEPOT ALM PER 100	ILLUS- MAINT TRATION (a)
		REF NUMBER & MFR CODE		UNIT	(b)	(c)	(b)	(c)	(b)
		1 EA, GASKET: VALVE CHAMBER COVER F600A369 (14351) FSN 2805-347-1852	C						
		2 EA, GASKET: OIL PAN F600B443 (14351) FSN 2805-347-1856	C						
		0 EA, GASKET: GEAR COVER TO FRONT ENN PLATE (1) F226B386 (14351) FSN 2805-739-4353	C						
		1 EA, GASKET: MANIFOLD F600F306 (14351) FSN 2805-383-8745	C						
		1 EA, GASKET: WATER OUTLET ELBOW C400K215 (14351) FSN 5330-384-8402	C						
		0 EA, GASKET: EXHAUST TO INTAKE MANIFOLD F600E205 (14351) FSN 2805-399-6959	C						
		0 EA, GASKET: WATER PUMP COVER (1) F400K399 (14351) FSN 2930-371-5008	C						
P O	2805-568-7950	GASKET SET, ENGINE F244U102 (14351)		EA	1	1	2	4	1
		1 EA, GASKET: CYLINDER HEAD F844A500 (14351)	C				2	4	45
		1 EA, GASKET: CYLINDER HEAD F244A500 (14351) FSN 2805-353-8674							*
		1 EA, GASKET: MANIFOLD F600F306 (14351) FSN 2805-383-8745							
		1 EA, GASKET: VALVE COVER F600A369 (14351) FSN 2805-347-1852							
		3 EA, GASKET: VALVE COVER NUT X334 (14351) FSN 5330-286-8895							
		GROUP 30-OIL PUMP							
P FR	2805-322-0530	PUMP, OIL (INCLUDES COMPONENTS OF REPAIR KIT, STOCK NO. 2805-567-8940) F600L4146 (14351)		EA	1	*	*	1	*
X1		COVER ASSEMBLY, OIL PUMP F4000L2512 (14351)	A, B	EA	1				
X1		FRAME, STRAINER SCREEN F600L343 (14351)		EA	1				
X1		BRACKET: OIL PUMP STRAINER, SCREEN FRAME TO COVER F600L229 (14351)	A, B	EA	1				

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)			
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN UNIT	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALW PER 100 EQUIP CNTG	DEPOT ALW PER 100 EQUIP CNTG	ILLUS- TRATION (a)		
		REF NUMBER & MFR CODE				1-20	21-50	51-100	1-20	21-50	51-100	
A F		BOLT, ASSEMBLY WASHER OIL PUMP COVER TO BODY		EA	6							
X1		WASHER, LOCK- OIL PUMP COVER TO BODY		EA	6					36	4	
X1		SCREW, CAP, HEXAGON HEAD: OIL PUMP COVER TO BODY		EA	6						36	5
X2F		STRAINER, OIL PUMP D600L2120 (14351)		EA	1						36	6
X1		BODY, OIL PUMP F600L414 (14351)		EA	1						36	7
X1		BEARING, SLEEVE: OIL PUMP D600G274 (14351)		EA	1						36	8
P F	2805-371-5009	BEARING, SLEEVE F400L210 (14351)	C	EA	1	*	1	1	*	1	12	*
P F	2805-567-8940	PARTS KIT, LUBRICATING F600T293 (14351) 1 EA, GEAR, HELICAL: 9 TEETH F600H205 (14351) FSN 2805-200-2065		EA	1	*	1	1	*	1	15	25
		1 EA, GASKET: OIL PUMP COVER C400L231 (14351) FSN 2805-383-8705									36	9
		1 EA, GASKET: OIL PUMP STRAINER TO COVER 17EL204 (14351) FSN 5330-383-8694									36	10
		1 EA, RING, RETAINING: OIL PUMP DRIVE SHAFT D600L204 (14351) FSN 5340-424-7125									36	11
		1 EA, GEAR, SPUR: 9 TEETH F600H217 (14351) FSN 2805-353-8724									36	12
		1 EA, KEY, WOODRUFF: NO. 3 X584 (14351) FSN 5315-616-5514									36	13
		1 EA, SHAFT, OIL PUMP F218L204 (14351) FSN 2805-371-5003									36	14
		1 EA, GEAR, SPUR: 9 TEETH F600H218 (14351) FSN 2805-353-8725									36	15
		1 EA, STUD BUL212 (14351) FSN 2805-352-2146									36	16
		1 EA, PIN, STRAIGHT, HEADLESS: DRIVE GEAR TO SHAFT X17095 (14351) FSN 5315-010-3723									36	17
P F	5310-011-7062	NUT, PLAIN, HEXAGON: OIL PUMP MTG X1802G (14351)		EA	1	*	*	*	*	*	1	*
P F	5310-261-7340	WASHER, LOCK: OIL PUMP MTG X203 (14351)		EA	1	REF	REF	REF	REF	REF	REF	36
												20

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC UNIT	30-DAY DS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (a)	1-YR ALM PER 100 EQUIP CNTGTY	DEPOT ALM PER 100 EQUIP EQUIP NO.
P F	5310-825-7379	WASHER, FLAT: OIL PUMP MTG X14294 (14351)		EA	1	*	*	*	*
P F	5307-207-1272	STUD, PLAIN: OIL PUMP MTG X20040 (14351)		EA	1	*	*	*	*
X10		GASKET: DRAIN PLUG W4B108 (14351)	C	EA	1	SEE KIT FSN2805-679-5780			
P O	6150-242-3717	LEAD, ELECTRICAL: GROUND LA300-1831 (36024) GROUND 31-CAMSHAFT, VALVES AND TIMING GEAR	C	EA	1	*	1	*	1
P F	2805-382-8033	VALVE POPPET, ENGINE INTAKE MS13999-8 (96906)		EA	6	2	4	8	2
P F		LOCK, VALVE SPRING, RETAINER F1621203 (14351)		EA	24	4	8	15	4
P F	2805-097-2653	GUIDE, VALVE STEM F4001230 (14351)		EA	6	1	2	4	1
P F		SPRING, HELICAL, COMPRESSION VALVE Y40011215 (14351)		EA	12	4	8	15	4
P F	2805-382-8027	SEAT, HELICAL, COMPRESSION F4001228 (14351)		EA	12	1	2	3	1
P F	2805-374-9746	CAP, VALVE STEM MS13998-1 (96906)		EA	12	1	2	3	1
P F	2805-305-8265	TAPPET ASSEMBLY F21812030 (14351)		EA	12	1	2	3	1
X1		SCREW, TAPPET, SELF-LOCKING F6001253 (14351)		EA	12				37
X1		TAPPET, VALVE, ENGINE F2181203 (14351)		EA	12				37
X2H		CAMSHAFT, ENGINE F6001425 (14351)		EA	1				37
P H	5315-545-4160	KEY, SPROCKET WATER CAMSHAFT GEAR X506 (14351)		EA	1		*	*	*
X2H		WASHER, THRUST: CAMSHFT Y4001203 (14351)		EA	1				37
A H		BOLT, ASSEMBLY WASHER: THRUST PLATE MTG		EA	2				11
P H	5310-407-9566	WASHER, LOCK		EA	2		REF	REF	37
P H	5306-010-8587	BOLT, MACHINE: CAMSHAFT, THRUST WASHER		EA	2		*	*	12
X2H		GEAR, HELICAL: CAMSHAFT, TIMING F400H401 (14351)		EA	1				37
X2H		WASHER, KEY: CAMSHAFT GEAR MTG PYC202 (14351)		EA	1				14
P H	5310-596-2516	NUT, PLAIN, HEXAGON CAMSHAFT MTG X18156 (14351)		EA	1		*	*	37

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)					
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP	DIS- TRIBU- TION (a) (b)					
		REF NUMBER & MFR CODE		IN UNIT	1-20	21-50	51-100	1-20	21-50	51-100				
P F	5306-217-8620	BOLT, MACHINE: TIMING GEAR COVER PLATE X5823 (14351)	EA	1	*	*	*	*	*	1	*	37	17	
X1		GASKET: TIMING GEAR COVER F600B357 (14351)	EA	1	SEE KIT FSN2805-479-5780							37	18	
P F	5310-209-0965	WASHER, LOCK: TIMING GEAR COVER AN935-716 (88044)	EA	1	*	*	*	*	*	1	8	37	19	
P F	5310-012-4573	NUT, PLAIN, HEXAGON: TIMING GEAR COVER X1803H (14351)	EA	1	*	*	*	*	*	1	*	37	20	
P F	5310-261-7340	WASHER, LOCK: TIMING GEAR COVER X203 (14351)	EA	3								37	21	
P F	5310-011-7062	NUT, PLAIN, HEXAGON: TIMING GEAR COVER MTG X1802G (14351)	EA	3	REF	REF	REF	REF	REF	REF	REF	37	22	
P F	5306-104-7727	BOLT, SPECIAL: TIMING GEAR COVER X368 (14351)	EA	1	REF	REF	REF	REF	REF	REF	REF	37	23	
P F	5310-188-4233	WASHER, FLAT: TIMING GEAR COVER X1413A (14351)	EA	2	REF	REF	REF	REF	REF	REF	REF	37	24	
P F	5305-269-3216	SCREW, CAP, HEXAGON HEAD: TIMING GEAR COVER X3299 (14351)	EA	1	*	*	*	*	*	1	*	37	25	
X1		SEAL, PLAIN, ENCASED CRANKSHAFT, FRONT X1555 (14351)	EA	1	SEE KIT FSN2805-679-5780							37	26	
P F	5305-269-3216	SCREW, CAP, HEXAGON HEAD: TIMING GEAR COVER X3299 (14351)	EA	1	REF	REF	REF	REF	REF	REF	REF	37	27	
X2F		COVER ASSEMBLY, GEAR: TIMING F600BA163 (14351)	EA	1								37	28	
P F	2805-214-2911	GUIDE, VALVE STEM F400I229 (14351)	EA	6	1	2	4	1	2	4	45	150	37	29
P F	2805-382-8000	SEAT, VALVE F400A288-010 (14351)	EA	12	2	4	8	2	4	8	90	300	37	30
P F	2805-374-9751	VALVE, POPPET, ENGINE EXHAUST MS1999-3 (96906)	EA	6	1	2	4	1	2	4	45	150	37	31
X2H		BEARING SET, SLEEVE CAMSHAFT F600T250 (14351)	EA	1										
		1 EA, BEARING, SLEEVE CAMSHAFT, REAR Y400G232 (14351)										37	32	
		1 EA, BEARING, SLEEVE CAMSHAFT, REAR INTERMEDIATE Y400G231 (14351)										37	33	
		1 EA, BEARING, SLEEVE CAMSHAFT, FRONT INTERMEDIATE F226G227 (14351)										37	34	
		1 EA, BEARING, SLEEVE CAMSHAFT, FRONT F226G226 (14351)										37	35	


(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW PER 100 EQUIP CNTGTY	DEPOT ALW PER 100 EQUIP	DIS- TRIBU- TION (a) (b)
P O		LEAD, ELECTRICAL LA300-1831 (36024)	C	EA	1	*	*	1	*
P O	6150-242-3716	LEAD, ELECTRICAL LA300-1832 (36024)	C	EA	1	REF	REF	REF	REF
P F	5305-068-0504	SCREW, CAP, HEXAGON HEAD	C	EA	1	*	*	1	*
P F	5310-275-0611	WASHER, FLAT MS15795-512 (96906)		EA	1	*	*	1	*
X1		GASKET, FRONT END PLATE F244B301 (14351)	C	EA	1	SEE KIT FSN2805-679-5780			
P F	5310-113-3882	WASHER, SPECIAL: TIMING GEAR COVER X270 (14351)	A	EA	1	*	*	1	*
		GROUP 32-PISTONS AND CONNECTING RODS							
X2H		RING SET, PISTON: 0.020 IN. OVERSIZE RSMS13975-2 (96906)	B	EA	6				
		6 EA, RING, PISTON: UPPER COMPRESSION MS13933-8 (96906)	B					38	1
		6 EA, RING, PISTON: INTERMEDIATE COMPRESSION MS13932-8 (96906)	B					38	2
		6 EA, RING EXPANSION, PISTON RING: COMPRESSION MS13930-3 (96906)	B					38	3
		12 EA, RING, PISTON: OIL MS13931-11 (96906)	B					38	4
		12 EA, RING EXPANSION, PISTON RING: OIL MS13929-4 (96906)	B					38	5
X2H		RING SET, PISTON: 0.040 IN. OVERSIZE RSMS13957-3 (81336)	B	EA	6				
		6 EA, RING, PISTON: UPPER COMPRESSION MS13933-9 (96906)	B						
		6 EA, RING, PISTON: INTERMEDIATE COMPRESSION MS13932-9 (96906)	B						
		6 EA, RING, EXPANSION, PISTON RING: COMPRESSION MS13930-3 (96906)	B						
		12 EA, RING, PISTON: OIL MS13931-12 (96906)	B						
		12 EA, RING, EXPANSION, PISTON RING: OIL MS13929-4 (96906)	B						

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CNTGTY	DIS- TRIBU- TION (a)
P H		RING SET, PISTON RSMS13957-1 (96906)		EA	6		2	4	8
		6 EA RING, PISTON: UPPER COMPRESSION MS13933-7 (96906)	A,B						600
		6 EA, RING, PISTON: INTERMEDIATE COMPRESSION MS13932-7 (96906)	A,B						
		6 EA, EXPANDER, PISTON RING: COMPRESSION MS13930-3 (96906)	A,B						
		12 EA, RING, PISTON: OIL MS13931-10 (96906)	A,B						
		12 EA, RING, EXPANSION, PISTON RING: OIL MS13929-4 (96906)	A,B						
P H	2805-374-9710	BEARING, SLEEVE: PISTON PIN MS13963-1 (96906)		EA	6		1	2	5
P H	5306-362-2085	BOLT, MACHINE: CONNECTING ROD C600D206 (14351)		EA	12	* 1 2		18	60
P H	2805-374-9739	BEARING, HALF SLEEVE: CONNECTING ROD MS13994-1 (96906)		EA	12	2 5 9		108	1200
P H	5310-199-5302	NUT, SLOTTED, HEXAGON: CONNECTING ROD X18188 (14351)		EA	12	*	*	*	1
P H	5315-565-1701	PIN, COTTER: CONNECTING ROD BOLT X601 (14351)		EA	12	*	*	*	1
P H	2805-382-8021	ROD ASSEMBLY, CONNECTING F218D3031 (14351)		EA	3	*	*	1	9
P H	2805-305-8263	ROD ASSEMBLY, CONNECTING F218D3021 (14351)		EA	3	*	*	1	9
P H	5340-374-9707	RING, RETAINING: PISTON PIN MS13962-1 (96906)		EA	12	2	4	8	90
P H	2805-554-9255	PISTON, INTERNAL COMBUSTION ENGINE (INCLUDES 2 EA. RING, STOCK NO. 5340-374-9707) MS13957-1 (96906)		EA	6	*	1	2	18
X1		PIN, PISTON MS13996-2 (96906)		EA	6				38
X2H		PISTON, INTERNAL COMBUSTION ENGINE: 0.040 IN. OVERSIZE (INCLUDES 2 EA. RING. STOCK NO. 5340-374-9707) MS13957-3 (96906)	B	EA	6				14
X1		PIN, PISTON MS13996-2 (96906)		EA	6				38
X2H		PISTON, INTERNAL COMBUSTION ENGINE: 0.020 IN. OVERSIZE (INCLUDES 2 EA RING. STOCK NO. 5340-374-9707) MS13957-2 (96906)	B	EA	6				14
X1		PIN, PISTON MS13996-2 (96906)	B	EA	6				

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW (a)	DEPOT ALW PER 100 EQUIP CQTY	ILLUS- RATION (a) (b)	
		REF NUMBER & MFR CODE		IN UNIT	1-20	21-50	51-100	1-20	21-50	51-100
GROUP 33-CRANKSHAFT, FLYWHEEL										
X2F		STUD COUPLING: FLYWHEEL TO GENERATOR T9663 (36232)		EA	4				39 1	
X2F		PLUG, FLYWHEEL BALANCE HOLE X163 (14351)		EA	3				39 2	
X2F		FLYWHEEL ASSEMBLY, ENGINE 7671-1 (36024)		EA	1				39 3	
X1		PACKING MATERIAL: FILLER BLOCK TO CRANKSHAFT, REAR T427B201 (14351)	A,B	EA	2	SEE KIT FSN2805-679-5780			39 4	
X2H		GUARD, OIL, CRANKCASE BEARING: REAR D600B305 (14351)		EA	1				39 5	
X1		FELT, OIL GUARD: REAR BEARING OIL F400B251 (14351)		EA	1	SEE KIT FSN2805-679-5780			39 6	
P H	2805-374-9733	BEARING, MALE, SLEEVE: REAR MAIN MS13987-1 (969006)		EA	2	*	1	1	200 39 7	
P H	2805-374-9721	BEARING, SLEEVE: CRANKSHAFT, FRONT MS13974-1 (96906)	B	EA	2	*	1	1	12 200 39 8	
P H	2805-374-9734	BEARING, HALF, SLEEVE: INTERMEDIATE, MAIN MS13988-1 (96906)		EA	4	*	1	1	24 400 39 8	
P H	2805-374-9721	BEARING, SLEEVE: FRONT MAIN MS13974-1 (96906)		EA	2		REF	REF	REF 39 9	
X2HT		CRANKSHAFT, ENGINE F218C318 (14351)		EA	1				39 10	
P O	5315-012-4553	KEY, WOODRUFF: CRANKSHAFT PULLEY X511 (14351)		EA	2	*	*	*	1 * 39 11	
X2H		PLATE, THRUST, CRANKSHAFT FRONT A600C210 (14351)		EA	1				39 12	
X2H		GEAR, HELICAL: TIMING D600H300 (14351)		EA	1				39 13	
X2H		DEFLECTOR, DIRT AND LIQUID A600C204 (14351)		EA	1				39 14	
X20		PULLEY, GROOVED: CRANKSHAFT F140K309 (14351)		EA	1				39 15	
X10		PACKING, MATERIAL: FAN DRIVE PULLEY KEYWAY C400K217 (14351)		EA	1	SEE KIT FSN2805-679-5780			39 16	
P O	5310-353-8694	WASHER, FLAT F600-0-205 (14351)		EA	1	*	*	*	1 * 39 17	
X20		JAM, STARTING F600-0-206 (14351)		EA	1				39 18	
X2H		BLOCK, FILLER: CRANKSHAFT BEARING D600B340 (14351)		EA	1				39 19	
X2H		SCREW, CAP, SOCKET HEAD: FRONT FILLER BLOCK MTG X3924 (14351)	A,B	EA	4				39 20	


(1)	(2)	(3)	(4)	(5)	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100	(9) DEPOT ALW PER 100	(10) ILLUS- TRATION	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY INC IN	(b)	(c)	(a)	(b)	(c)	PER EQUIP	EQUIP CNTGTY	FIG. EQUIP NO.	ITEM NO.
P H	5310-167-0721	WASHER, LOCK: FILLER BLOCK MTG X297A (14351)		EA	6				REF	REF	REF	REF	REF	39 21
X2H		WIRE, LOCK: MAIN BEARING CAP MTG BOLT 6SH100 (14351)		EA	4									39 22
P H	5306-033-7495	BOLT, MACHINE: MAIN BEARING CAP MTG X2986 (14351)		EA	6			*	*	*	1	*	39	23
X2H		WASHER, FLAT: MAIN BERING CAP MTG 3X1B28110 (14351)	A, B	EA	8									39 24
P H	5306-272-3725	BOLT, MACHINE: MAIN BEARING CAP MTG X3511 (14351)		EA	2			*	*	*	1	*	39	25
X2H		BLOCK, FILLER: CRANKSHAFT BEARING D600B406 (14351)		EA	1									39 26
P H	5305-207-4682	SCREW, CAP, SOCKET HEAD: REAR FILLER BLOCK MTG X2958 (14351)		EA	2			*	*	*	1	*	39	27
X2H		CAP, BEARING: REAR MAIN F218B308 (14351)		EA	1									39 28
P H	5306-459-4782	BOLT, MACHINE X5822 (14351)		EA	6			*	*	*	1	8	39	29
P F	5310-012-1932	NUT, PLAIN, HEXAGON: FLYWHEEL MTG X18237 (14351)		EA	6	REF	REF	REF	REF	REF	REF	REF	REF	39 30
P F	5310-167-0721	WASHER, LOCK: FLYWHEEL MTG X297A (14351)		EA	6	REF	REF	REF	REF	REF	REF	REF	REF	39 31
X2H		BEARING, SLEEVE: CRANKSHAFT, REAR END, PILOT 15LG202 (14351)		EA	1									39 32
X2H		PIN, STRAIGHT, HEADLESS: REAR MAIN BEARING CAP P600B247 (14351)		EA	5									39 33
X2H		CAP, BERING, FRONT: MAIN F400B368 (14351)		EA	1									39 34
X2H		CAP, BERING: INTERMEDIATE MAIN F218B309 (14351)		EA	1									39 35
X2H		CAP, BEARING: INTERMEDIATE MAIN F218B310 (14351)		EA	1									39 36
X2H		BUSHING, SLEEVE: INTERMEDIATE MAIN BEARING CAP 14HC215 (14351)		EA	1									39 37
P O	5305-269-3213	SCREW, CAP, HEXAGON HEAD	A	EA	5	REF	REF	REF	REF	REF	REF	REF	REF	
P O	5310-261-7340	WASHER	A	EA	5	REF	REF	REF	REF	REF	REF	REF	REF	
X2F		ADAPTER 20-4004-3 (36024)	A	EA	1									
X2F		SUPPORT 20-4003-3 (36024)	A	EA	1									
P F	5305-044-4153	SCREW, CAP, HEXAGON HEAD MS35297-109 (96906)		EA	2	*	*	*	*	*	*	1	*	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMP CODE	FEDERAL STOCK NUMBER	DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	QTY UNIT OF MEAS	30-DAY GS MAINT ALLOWANCE (a)	30-DAY GS MAINT ALLOWANCE (b)	1-YR ALW 100 PER EQUIP 100 PER EQUIP CNTGTY	DEPOT ALW PER ITEM (a)	DIS- TRIBU- TION (b)	
				IN UNIT	(c)	(c)	(c)	PER ITEM NO.	FIG. ITEM NO.	
P F	5310-584-5272	WASHER MS35338-48 (96906)	A	EA	2	REF	REF	REF	REF	REF
X2F		SCREW MS35298-142 (96906)	A	EA	2					
X2F		MOUNT, SHOCK T8823 (36232)	A	EA	2					
X2F		NUT, HEXAGON MS20395-91B (96906)	A	EA	2					
X2F		MOUNT, SHOCK 20-4002-3 (36024)	A	EA	1					
P F	5310-584-5272	WASHER, LOCK MS35337-48 (96906)	A	EA	1	REF	REF	REF	REF	REF
X2F		NUT MS35650-823 (96906)	A	EA	1					
X2F		CABLE, GROUND LEN2236 (36024)	A	EA	1					
P F	5310-362-2069	WASHER, FLAT 3XB2B110 (14351) GROUP 34-FIRE EXTINGUISHER	C	EA	8	*	*	*	*	*
P O	4210-555-8837	EXTINGUISHER, FIRE, MONOBROMOTRIFLUOROMETHANE	C	EA	1	*	*	*	*	*
P OR	4210-708-0031	CYLINDER, FIRE EXTINGUISHER FOR EXTINGUISHER, FIRE, MONOBROMOTRIFLUOROMETHANE, CF3BR	C	EA	1	*	*	*	*	*
P O	4210-779-3516	SEAL, FIRE EXTINGUISHER, SELF-LOCKING: FOR FIRE EXTINGUISHER, MONOBROMOTRIFLUOROMETHANE, CF3BR	B,C	EA	1	1	1	3	1	30
										30




ME 3431-205-35P/1

Figure 1. Battery Cables and Holders,




ME 3431-205-35P/2

Figure 2. Battery Box.




ME 3431-205-35P/3

Figure 3. Enclosure and Skid.




ME 3431-205-35P/4

Figure 4. Rear Panel and Connector.




ME 3431-205-35P/5

Figure 5. Instrument Panel.




ME 3431-205-35P/6

Figure 6. Remote Control.




ME 3431-205-35P/7

Figure 7. Current Control.




ME 3431-205-35P/8

Figure 8. Coolant Heater.




ME 3431-205-35P/9

Figure 9. Blower Assembly.




ME 3431-205-35P/10

Figure 10. Fuel Tank and Fuel Strainer.




ME 3431-205-35P/11

Figure 11. Cover, Brush Holder, and Brushes.




ME 3431-205-35P/12

Figure 12. Brush Holders, Capacitors, Exciter.




ME 3431-205-35P/13

Figure 13. Generator, Welding.




ME 3431-205-35P/14

Figure 14. Generator Exciter.




ME 3431-205-35P/15

Figure 15. Timing and Speed Control Symbol C.




ME 3431-205-35P/16

Figure 16. Air Cleaner.




ME 3431-205-35P/17

Figure 17. Muffler.




ME 3431-205-35P/18

Figure 18. Carburetor and Fuel Pump.




ME 3431-205-35P/19

Figure 19. Oil Filter.




ME 3431-205-35P/20

Figure 20. Manifolds.




ME 3431-205-35P/21

Figure 21. Governor and Controls.




ME 3431-205-35P/22

Figure 22. Governor, Engine Speed.




ME 3431-205-35P/23

Figure 23. Engine Speed idler and Lines.




ME3431-205-35P/24

Figure 24. Engine Speed Idler.




ME 3431-205-35P/25

Figure 25. Generator, Battery Charging.




ME 3431-205-35P/26

Figure 26. Regulator, Generator Voltage.




ME 3431-205-35P/27

Figure 27. Starter and Relay.




ME 3431-205-35P/28

Figure 28. Starter, Engine.




ME 3431-205-35P/29

Figure 29. Magneto and Spark Plug Leads.




ME 3431-205-35P/30

**Figure 30. Magneto.**



ME 3431-205-35P/31

**Figure 31. Magneto Housing and Impulse Coupling.**



ME 3431-205-35P/32

Figure 32. Water Pump.






Figure 33. Transmitter, Switches and Nameplate.




ME 3431-205-35P/34

Figure 34. Block, Cylinder Head, Valve Cover.




ME 3431-205-35P/35

Figure 35. Motor Mount, Oil Pan and Nameplates.




ME 3431-205-35P/36

Figure 36. Oil Pump.




ME 3431-205-35P/37

Figure 37. Camshaft, Valves and Timing Gear.



ME 3431-205-35P/38

Figure 38. Piston and Connecting Rods.



ME 3431-205-35P/39

**Figure 39. Crankshaft, Flywheel.**

## SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER

## CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

Stock Number	Figure No.	Item No.	Stock Number	Figure No.	Item No.
2540-312-2017	8	14	4730-263-3124	33	11
2540-752-0358	8	16	4730-274-7406	8	46
2805-097-2653	37	3	4730-277-5868	8	3
2805-214-2911	37	29	4730-278-0187	15	50
2805-246-7611	34	40	4730-278-0187	20	10
2805-305-8263	38	11	4730-278-8764	8	22
2805-374-9710	38	6	4730-278-8829	8	21
2805-374-9721	39	8	4730-288-9953	18	4
2805-374-9721	39	9	4730-415-3172	33	7
2805-374-9733	39	7	4730-524-7818	18	1
2805-374-9734	39	8	4730-684-5094	34	53
2805-374-9739	38	8	4730-701-7737	15	49
2805-374-9746	37	6	4730-770-9059	8	1
2805-374-9751	37	31	4730-930-0548	3	53
2805-382-8000	37	30	4730-930-0548	34	14
2805-382-8021	38	11	4820-060-9289	35	21
2805-382-8027	37	5	5305-012-1287	5	37
2805-382-8033	37	1	5305-012-1832	5	63
2805-554-9255	38	13	5305-012-8270	3	15
2805-994-9367	35		5305-013-2731	5	22
2910-025-6407	10	13	5305-013-2768	17	10
2910-065-5280	10	22	5305-030-1076	13	1
2910-141-9758	10	3	5305-045-5266	5	29
2910-358-5057	18	2	5305-046-1626	30	24
2910-594-2293	10	12	5305-046-1626	30	30
2910-735-4014	8	43	5305-050-1076	25	19
2910-802-7322	24	17	5305-050-9227	7	27
2910-802-7330	15	37	5305-050-9231	15	45
2910-802-7330	24	8	5305-057-9611	15	19
2910-951-8231	18	10	5305-058-1082	3	15
2910-992-8626	10	3	5305-068-0500	7	12
2920-500-7366	27	5	5305-068-0500	15	5
2920-607-3490	29	18	5305-068-0500	23	6
2920-802-7322	15	27	5305-068-0502	3	34
2920-810-7082	29	12	5305-068-0502	4	5
2920-945-1606	27	7	5305-071-2235	15	30
2930-994-9296	34	15	5305-071-2240	14	18
2930-994-9297	3	54	5305-088-5964	12	17
2930-994-9298	3	25	5305-144-3607	3	2
2940-141-9025	19	6	5305-144-3607	3	2
2940-679-3595	19	4	5305-181-0866	9	5
2990-983-8825	5		5305-182-5191	8	29
2990-994-9300	21	12	5305-207-4682	39	27
3431-800-0240	13	11	5305-253-5620	13	30
3431-994-9369	13	31	5305-269-3209	3	30
3431-994-9382	5	57	5305-269-3209	3	51
3431-994-9383	15	22	5305-269-3209	7	28
3431-994-9383	24	24	5305-269-3209	10	18
3431-994-9384	15	8	5305-269-3209	12	1
3431-994-9384	23	2	5305-269-3209	14	16
3431-994-9386	15	25	5305-269-3209	16	13
3431-994-9386	24	16	5305-269-3209	34	32
3531-966-3796	5	52	5305-269-3211	25	20
4520-678-7768	8	27	5305-269-3212	21	9
4520-714-1927	8	17	5305-269-3213	3	36
4730-011-3175	34	49	5305-269-3213	13	27
4730-013-7395	15	2	5305-269-3213	14	20
4730-014-6763	33	8	5305-269-3213	35	1
4730-043-3750	15	48	5305-269-3216	37	25
4730-142-1851	34	28	5305-269-3216	37	27
4730-193-0875	34	26	5305-269-3217	27	3
4730-196-0892	35	22	5305-269-3223	29	14
4730-196-1470	34	23	5305-291-8672	30	40
4730-196-1505	35	20	5305-537-0450	8	12
4730-202-8972	35	24	5305-592-9988	8	32
4730-204-1993	10	7	5305-622-9477	25	7
4730-204-1993	10	8	5305-638-9552	30	45
4730-204-1993	20	9	5305-710-4195	19	1
4730-231-5632	19	8	5305-723-9399	5	36
4730-263-2733	33	1	5305-723-9399	6	1

## SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER

## CROSS-REFERENCE TO FIGURE AND ITEM NUMBER (CONTINUED)

Stock Number	Figure No.	Item No.	Stock Number	Figure No.	Item No.
5305-725-4183	13	26	5307-988-9143	34	57
5305-761-4227	7	3	5310-011-2432	8	25
5305-781-7241	19	13	5310-011-7062	36	19
5305-782-9494	13	16	5310-011-7062	37	22
5305-794-1104	9	1	5310-012-1932	34	46
5305-817-5443	5	3	5310-012-1932	39	30
5305-826-3654	8	33	5310-012-4573	37	20
5305-830-6585	22	1	5310-013-1044	5	46
5305-832-4607	32	1	5310-013-1245	3	42
5305-840-6694	15	18	5310-021-9430	2	6
5305-843-6442	34	10	5310-043-2226	28	11
5305-882-8060	26	1	5310-045-1009	3	41
5305-889-3000	5	19	5310-045-3296	7	26
5305-889-3001	5	31	5310-045-3296	15	32
5305-889-3002	25	31	5310-045-3296	28	29
5305-958-1013	2	11	5310-045-3299	5	5
5305-958-4359	17	12	5310-045-3299	25	32
5305-969-6914	6	9	5310-045-3299	30	23
5305-980-5831	14	2	5310-045-3299	30	31
5305-980-5930	14	1	5310-045-4007	30	34
5305-984-4989	30	24	5310-045-5210	14	14
5305-984-5682	13	19	5310-045-9299	25	6
5305-984-6189	28	21	5310-061-0004	8	13
5305-984-6191	3	22	5310-061-1258	10	20
5305-984-6191	3	22	5310-061-1258	16	12
5305-984-6192	5	64	5310-081-4219	3	47
5305-984-6193	5	27	5310-081-4219	19	18
5305-984-6210	11	1	5310-082-0650	7	10
5305-988-1170	11	5	5310-167-0721	3	48
5305-988-1170	12	19	5310-167-0721	19	17
5305-988-1724	2	8	5310-167-0721	39	21
5305-988-1724	3	2	5310-167-0721	39	31
5305-988-1724	3	2	5310-167-0801	15	20
5305-988-1724	3	2	5310-167-0801	15	33
5305-988-1724	3	2	5310-167-0801	15	39
5305-988-1724	4	7	5310-167-0801	15	43
5305-988-1724	12	16	5310-167-0803	15	29
5305-988-1727	5	30	5310-167-0821	34	6
5305-989-7434	11	9	5310-176-8097	15	38
5305-989-7435	16	16	5310-176-8162	18	9
5305-990-6444	14	12	5310-188-4233	34	8
5305-993-1848	3	7	5310-188-4233	37	24
5306-010-8587	37	13	5310-194-1483	15	6
5306-033-7495	39	23	5310-199-5302	38	9
5306-104-7727	37	23	5310-199-6946	19	19
5306-217-8620	37	17	5310-209-0965	37	19
5306-225-8494	11	7	5310-209-0994	20	6
5306-225-8494	12	11	5310-221-3213	20	13
5306-225-8494	35	17	5310-261-7340	21	10
5306-225-8497	35	14	5310-261-7340	32	20
5306-225-8510	13	14	5310-261-7340	34	31
5306-271-2280	34	7	5310-261-7340	35	2
5306-272-3725	39	25	5310-261-7340	36	20
5306-362-2085	38	7	5310-261-7340	37	21
5306-396-0855	19	1	5310-262-3000	19	2
5306-459-4782	39	29	5310-262-3505	5	8
5306-576-0537	18	11	5310-285-7037	5	51
5306-637-4914	14	6	5310-333-7341	8	4
5306-680-6323	21	7	5310-333-7341	8	7
5306-703-0227	34	5	5310-353-8694	39	17
5306-952-8801	22	29	5310-353-8927	20	4
5307-206-2583	34	48	5310-407-9566	19	14
5307-206-5452	34	55	5310-407-9566	19	14
5307-207-1272	36	22	5310-407-9566	32	2
5307-274-1403	34	27	5310-407-9566	37	12
5307-339-1404	34	47	5310-485-8069	22	15
5307-364-4942	20	14	5310-524-9065	22	22
5307-384-8477	20	5	5310-550-1130	3	52
5307-550-3887	34	54	5310-550-1130	6	5
5307-680-6128	20	18	5310-550-1130	21	4

## SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER

## CROSS-REFERENCE TO FIGURE AND ITEM NUMBER(CONTINUED)

Stock Number	Figure No.	Item No.	Stock Number	Figure No.	Item No.
5310-550-1130	23	5	5310-889-2606	16	1
5310-550-1130	34		5310-894-9407	20	3
5310-559-0070	16	15	5310-905-5454	25	18
5310-576-5752	11	2	5310-917-6221	25	15
5310-576-5752	14	13	5310-934-9741	5	59
5310-579-0079	5	60	5310-934-9747	5	47
5310-579-0079	8	11	5310-934-9751	14	15
5310-582-5965	12	15	5310-934-9758	5	9
5310-584-5272	7	5	5310-934-9758	5	9
5310-584-7762	25	21	5310-934-9760	15	1
5310-595-6509	24	18	5310-934-9760	15	31
5310-595-7237	2	10	5310-934-9762	8	15
5310-595-7237	3	50	5310-959-4679	34	17
5310-595-7237	14	17	5315-012-4553	39	11
5310-595-7237	18	8	5315-285-7037	5	8
5310-596-2516	37	16	5315-298-1481	17	14
5310-596-7691	15	44	5315-466-4416	35	6
5310-616-1330	20	12	5315-514-2660	10	23
5310-616-1737	10	21	5315-545-4160	37	10
5310-616-1737	16	11	5315-565-1701	38	10
5310-637-9541	12	2	5320-801-1548	8	40
5310-637-9541	27	2	5330-542-1186	16	5
5310-637-9541	28	3	5330-599-4517	29	11
5310-637-9541	29	15	5340-374-9707	38	12
5310-685-3228	13	18	5905-651-7272	8	23
5310-685-7051	8	10	5905-718-6063	6	7
5310-696-5173	3	3	5905-752-7467	5	7
5310-696-5173	4	1	5905-994-9087	5	17
5310-696-5173	5	16	5910-577-1348	12	21
5310-696-5173	5	44	5910-860-5413	9	9
5310-696-5176	3	44	5920-994-9299	5	50
5310-721-7879	5	12	5930-072-6865	5	56
5310-728-2044	35	13	5930-358-6374	5	25
5310-728-2044	35	18	5930-583-2953	5	54
5310-732-0558	2	2	5930-656-7360	5	2
5310-732-0558	3	44	5930-669-7872	33	2
5310-732-0558	17	4	5930-678-1214	8	6
5310-732-0558	25	16	5930-994-9366	34	9
5310-732-0560	13	24	5930-994-9385	5	53
5310-754-1686	34	39	5935-974-5439	5	14
5310-761-6882	5	4	5940-549-6581	1	3
5310-761-6882	7	9	5940-549-6583	1	8
5310-761-6882	11	12	5950-961-1209	7	1
5310-761-6882	12	22	5977-165-0845	11	8
5310-761-6882	15	28	5977-237-1582	12	12
5310-768-0318	7	4	5977-636-1400	9	10
5310-768-0318	7	30	5977-718-6055	11	10
5310-768-0319	21	2	5977-980-5832	11	6
5310-791-1402	9	2	6105-787-8532	9	7
5310-809-0940	34	11	6115-802-6860	14	7
5310-809-4061	29	17	6140-088-5564	1	4
5310-822-0984	5	11	6140-088-5565	1	6
5310-825-7379	36	21	6140-088-5566	1	5
5310-828-8189	3	46	6150-242-3716	1	2
5310-833-3340	2	1	6240-155-8714	5	61
5310-880-7744	19	16	6620-606-8178	34	59
5310-880-7744	34	16	6620-993-5546	33	9
5310-880-7746	26	4	6625-553-7622	5	21
5310-880-8189	25	17	6625-842-0898	5	23
5310-889-2527	26	5	6625-842-0898	5	24
5310-889-2528	2	7	6625-990-7087	5	20
5310-889-2528	5	43	6645-089-8842	5	18
5310-889-2528	7	29	6680-980-5843	10	1
5310-889-2528	11	4	6685-814-5271	34	4

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER(Continued)

REFERENCE NO	MFG CODE	FIG NO	ITEM NO	REFERENCE NO	MFG CODE	FIG NO	ITEM NO
AF08-1011	36232	15	47	BX5939X	82796	30	6
AF09-13001	36024	35	3	B1232	82796	30	16
AF09-13002	36024	27	1	B2741X	82796	30	44
AN276-6	88044	21	1	B5949	82796	30	13
AN335-4	88044	7	9	B5963	82796	31	5
AN335-4	88044	15	28	B5969	82796	30	32
AN335-4	88044	24	21	CA472	14655	12	21
AN335-6	88044	18	9	CA482	14655	11	13
AN340C10	88044	15	1	CA482	14655	12	21
AN340C10	88044	15	31	CZ2480	82796	30	10
AN340C10	88044	15	38	C1498	82796	30	2
AN340C10	88044	24	20	C18994	00736	16	
AN380-4-6	88044	17	14	C21P	73370	19	6
AN438-416	88044	3	3	C2723	82796	30	12
AN438-8	88044	17	15	C400K215	14351	34	18
AN515-10-8	88044	11	1	C400K217	14351	39	16
AN515-516-32	88044	13	19	C600D206	14351	38	7
AN515-8-8	88044	3	11	C800A	82796	30	28
AN515C10-12	88044	15	45	D101-244	74465	22	6
AN515C10-12	88044	24	10	D101-280	74465	22	36
AN515C10-6	88044	7	27	D104-288	74465	22	41
AN515C1024-8	88044	5	65	D104-59	74465	22	27
AN515C516-16	88044	7	24	D105-67	74465	22	28
AN515C516-8	88044	12	13	D105-80	74465	22	21
AN520-10-12	88044	3	7	D108-23	74465	22	11
AN520-8-10	88044	17	12	D110-40	74465	22	24
AN526-420-10	88044	2	8	D110-73A	74465	22	17
AN526-420-10	88044	3	2	D114-128	74465	22	1
AN526-420-10	88044	3	2	D114-132	74465	22	16
AN526-420-10	88044	3	2	D114-163	74465	22	29
AN526-420-10	88044	3	2	D114-179	74465	22	26
AN526-420-10	88044	3	2	D114-68	74465	22	7
AN526-420-10	88044	4	7	D115-29	74465	22	15
AN530-8-6	88044	15	18	D116-32	74465	22	38
AN530-8-6	88044	24	2	D117-121	74465	22	43
AN56SE416H6	88044	7	17	D117-72	74465	22	12
AN56SD1024H3	88044	5	36	D117-85	74465	22	19
AN56SD1024H3	88044	6	1	D117-87	74465	22	22
AN56SF416H6	88044	7	17	D1182	82796	30	41
AN935-10	88044	7	26	D120-10	74465	22	8
AN935-10	88044	15	32	D127-133	74465	22	9
AN935-10	88044	24	29	D129-18	74465	22	25
AN935-716	88044	37	19	D129-37	74465	22	42
AN936AB816	88044	13	25	D132-22	74465	22	37
AN936A416	88044	6	5	D132-34	74465	22	33
AN936B10	88044	15	44	D132-76	74465	22	10
AN960C10	88044	15	20	D132-83	74465	22	20
AN960C10	88044	15	33	D132-88	74465	22	31
AN960C10	88044	15	39	D133-14	74465	22	14
AN960C10	88044	15	43	D133-24	74465	22	5
AN960C10	88044	24	12	D133-35	74465	22	44
AN960C516	88044	15	29	D133-42	74465	22	32
AN960C516	88044	24	7	D133-43	74465	22	35
A1-12A5	75042	5	8	D140-24	74465	22	2
A1-12A5	75042	5	17	D150-101	74465	22	3
A1498A	82796	30	3	D164-290A	74465	22	13
A2437A	82796	30	36	D165-18	74465	22	18
A2492A	82796	31	1	D165-28	74465	22	45
A2492C	82796	31	3	D165-31	74465	22	4
A2568	82796	31	12	D165-32	74465	22	30
A2665F	82796	30	9	D171-51	74465	22	40
A5931B	82796	31	9	D172-18	74465	22	39
A5949A	82796	30	39	D173-4	74465	22	34
A5949C	82796	30	4	D2458	82796	30	35
A600C204	14351	39	14	D2533	82796	30	7
A600C210	14351	39	12	D600B203	14351	34	29
A6032A	82796	30	15	D600B305	14351	39	5
A6304	82796	30	11	D600B340	14351	39	19
A7	39215	3	26	D600B406	14351	39	26
A7	39215	17	3	D600G274	14351	36	8

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER(Continued)

REFERENCE NO	MFG CODE	FIG NO	ITEM NO	REFERENCE NO	MFG CODE	FIG NO	ITEM NO
D60CH300	14351	39	13	F600B357	14351	37	18
D600L2120	14351	36	6	F600B4163	14351	37	28
D600L2270	14351	34	21	F600B443	14351	35	16
D600M287	14351	29	9	F600E208	14351	20	16
D682A	82796	30	27	F600E212	14351	20	17
FA	88044	11		F600E237	14351	20	15
F1035	56054	5	50	F600E238	14351	20	19
F1035	75042	7	2	F600F306	14351	20	2
F106A5	36232	7	5	F600F506	14351	20	7
F2460B	82796	30	22	F600G200	14351	20	11
F2565	82796	31	7	F600I253	14351	37	7
F5952	82796	30	8	F600I425	14351	37	9
F600S210	14351	17	1	F600L229	14351	36	3
F983B	82796	30	42	F600L343	14351	36	2
FDR125R	36232	14	22	F600L3440	14351	34	20
FKL120M	36232	13	22	F600L414	14351	36	7
FKL5M	36232	13	31	F600M225	14351	29	2
FME6B16V	82796	29	18	GD157K204	14351	34	59
F140-07	00736	16	3	GD303C4612	74465	21	12
F140-800	00736	16	2	G1059	79497	2	12
F140K309	14351	39	15	G2533	82796	31	14
F140M232	14351	29	1	G2788	82796	30	33
F162I203	14351	37	2	G3861	82796	31	2
F162K201	14351	32	4	G474942	78385	8	14
F162K2560	14351	32	16	G484-46	78385	9	4
F162K397	14351	32	19	G486216	78385	8	9
F162M280	14351	25	22	G489407	78385	9	9
F162M343	14351	25	45	G489424	78385	8	38
F209K307	14351	32	5	G489436	78385	8	30
F218B308	14351	39	28	G489439	78385	8	6
F218B309	14351	39	35	G489442	78385	8	45
F218B310	14351	39	36	G489459	78385	9	6
F218B4000	14351	35	12	G489460	78385	8	5
F218C318	14351	39	10	G700139	78385	9	7
F218D3021	14351	38	11	G700944	78385	8	41
F218D3031	14351	38	11	G701155	78385	8	17
F218E502	14351	20	1	G701156	78385	8	
F218I203	14351	37	8	HX2433X	82796	29	16
F218K202	14351	34	60	H117-46	74465	22	23
F218M314	14351	25	25	H2473	82796	30	21
F218M315	14351	25	26	H2513	82796	30	46
F226F212	14351	17	2	INS	36232	1	7
F226K213	14351	32	3	I2946	36232	15	46
F244A402	14351	34	2	J4624-4	76005	3	14
F244A4500	14351	34	58	J4624-4	76005	5	62
F244A506	14351	34	35	K2570	82796	31	10
F244B300	14351	34	30	K404L210	14351	34	22
F244B301	14351	34	33	LA300-1831	36024	1	1
F400A288-010	14351	37	30	LA300-1832	36024	1	2
F400B251	14351	39	6	LEB2281	36024	1	5
F400B255	14351	35	15	LEB2282	36024	1	6
F400B368	14351	39	34	LEB2283	36024	1	4
F400H401	14351	37	14	LEB2286	36024	3	19
F400I228	14351	37	5	LEB2287	36024	3	21
F400I229	14351	37	29	LEB2289	36024	3	24
F400I230	14351	37	3	LEB2290	36024	3	20
F400K340	14351	32	13	LEB2292	36024	3	28
F400K392	14351	32	14	LEB2293	36024	3	16
F400K395	14351	34	13	LEB2294	36024	3	6
F400K399	14351	32	15	LEB2296	36024	3	1
F400L210	14351	34	36	LEB2297	36024	3	17
F400L2512	14351	36	1	LEB2299	36024	3	18
F400S202	14351	21	5	LEB2301	36024	10	19
F4008S201	14351	21	8	LEB2306	36024	10	15
F600-0-205	14351	39	17	LEB2307	36024	3	29
F600-0-206	14351	39	18	LEB2308	36024	3	29
F600A3670	14351	34	44	LEB2309	36024	3	31
F600A369	14351	34	43	LEB2310	36024	2	4
F600A3980	14351	34	51	LEB2311	36024	2	3
F600A3990	14351	34	50	LEB2312	36024	2	5

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER(Continued)

REFERENCE NO	MFG CODE	FIG NO	ITEM NO	REFERENCE NO	MFG CODE	FIG NO	ITEM NO
LEB2314	36024	5	26	LE1971	37-24	35	
LEB2326	36024	3	25	LE1971	36024	35	
LEB2352	36024	5	15	LE1971	36024	35	
LEB2354	36024	2	9	LE2262	36024	5	6
LEB2355	36024	3	27	LE2313	36024	3	4
LEB59	36024	7	15	LM62-1782	36024	17	9
LEW2242	36024	4	6	LM62-1808	36024	17	13
LEW2243	36024	4	4	LM62-1809	36024	17	7
LEW2246	36024	8	44	LM62-1810	36024	17	8
LEW2248	36024	10	16	LM62-1816	36024	10	1
LEW2252	36024	10	5	LM62-1820	36024	17	11
LEW2253	36024	10	5	L2036B	36232	7	1
LEW2253	36024	26	3	L2036C	36232	7	1
LEW1749	36024	1	4	L2536	36232	14	19
LE1750	36024	1	6	L2667-11	36232	13	9
LF1751	36024	1	5	L2788	82796	30	38
LF1752	36024	5		L2946	36232	24	5
LE1753	36024	5	18	L3B2284	36024	5	42
LE1880	36024	3	19	L3B2285	36024	5	41
LF1881	36024	3	21	L3761	36232	14	4
LE1882	36024	3	27	L7520	36232	14	7
LF1883	36024	3	25	MC8098	14655	5	58
LE1884	36024	3	6	MRC310CFF	76062	13	12
LE1885	36024	3	38	MR36W050DCAAR	65092	5	21
LF1886	36024	3	35	MR36W1H1DCVVR	65092	5	23
LE1887	36024	3	39	MR36W150DCVVR	65092	5	20
LE1888	36024	3	37	MR36W4H1DCAAR	65092	5	24
LF1889	36024	3	1	MS13805	96906	26	2
LE1889	36024	3	33	MS13811-1	96906	25	52
LE1890	36024	3	32	MS13957-1	96906	38	13
LE1891	36024	3	43	MS13962-1	96906	38	12
LE1892	36024	3	29	MS13963-1	96906	38	6
LF1893	36024	3	31	MS13974-1	96906	39	8
LE1894	36024	16	10	MS13974-1	96906	39	9
LE1895	36024	16	6	MS13987-1	96906	39	7
LE1896	36024	16	9	MS13988-1	96906	39	8
LE1897	36024	3	16	MS13994-1	96906	38	8
LE1898	36024	3	28	MS13996-2	96906	38	14
LE1900	36024	3	24	MS13996-2	96906	38	14
LE1901	36024	3	17	MS13998-1	96906	37	6
LE1902	36024	3	13	MS13999-3	96906	37	31
LE1903	36024	3	10	MS13999-8	96906	37	1
LE1905	36024	6	6	MS15795-212	96906	3	47
LE1906	36024	6	8	MS15795-212	96906	19	18
LE1907	36024	4	2	MS15795-215	96906	29	17
LE1909	36024	3	9	MS15795-517	96906	19	2
LE1910	36024	3	20	MS245-32	96906	5	39
LE1911	36024	3	18	MS24532-1	96906	5	34
LE1912	36024	3	12	MS24539-1	96906	33	9
LE1913	36024	3	49	MS24541	96906	5	40
LF1914	36024	3	45	MS24544	96906	5	33
LE1915	36024	16	14	MS29523-1	96906	10	23
LF1917	36024	10	3	MS35206-263	96906	6	4
LE1917	36024	10	6	MS35219-58	96906	2	11
LE1918	36024	3	5	MS35223-26	96906	25	34
LE1918	36024	10	4	MS35223-43	96906	3	22
LE1918	36024	10	22	MS35223-43	96906	3	22
LF1919	36024	3	8	MS35224-61	96906	25	46
LF1921	36024	3	4	MS35265-28	96906	25	10
LF1923	36024	18	6	MS35290-90	96906	19	1
LF1927	36024	1	6	MS35291-16	96906	15	30
LE1927	36024	4	6	MS35291-16	96906	24	6
LF1928	36024	1	4	MS35291-3	96906	7	12
LE1928	36024	4	4	MS35291-3	96906	15	5
LF1929	36024	10	14	MS35291-3	96906	23	6
LF1930	36024	18	5	MS35291-58	96906	3	30
LF1931	36024	5	48	MS35291-58	96906	3	51
LF1964	36024	34	15	MS35291-58	96906	3	51
LE1965	36024	3	54	MS35291-58	96906	7	28
LE1970	36024	6	10	MS35291-58	96906	10	18

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER(Continued)

REFERENCE NO	MFG CODE	FIG NO	ITEM NO	REFERENCE NO	MFG CODE	FIG NO	ITEM NO
MS35291-62	96906	3	36	R57	36232	23	11
MS35291-73	96906	29	14	SPL434A	36232	13	31
MS35297-11	96906	14	18	SPL573	36232	13	
MS35297-114	96906	13	16	SPL650	36232	13	
MS35297-34	96906	14	6	SQL573	36232	13	
MS35297-46	96906	13	14	STB5	19239	5	25
MS35297-58	96906	14	16	S10725-2	36232	15	36
MS35297-6	96906	3	34	S10725-2	36232	24	9
MS35297-62	96906	14	20	S10745-1	36232	13	32
MS3533-40	96906	3	52	S10750-1	36024	15	16
MS3533-10	96906	15	6	S10750-1	36024	24	4
MS3533-25	96906	14	17	S10773-14	36232	15	40
MS3533-26	96906	13	18	S10773-14	36232	15	42
MS3533-40	96906	21	4	S10773-14	36232	24	13
MS3533-40	96906	23	5	S11560	36232	13	15
MS3533-40	96906	34		S11604-16	36232	14	1
MS3533-41	96906	3	48	S11604-17	36232	14	2
MS3533-41	96906	19	17	S12261-6	36232	13	20
MS3533-42	96906	18	8	S2563	82796	31	6
MS35335-32	96906	25	47	S4F203	14351	18	7
MS35338-41	96906	25	9	S4584	36232	13	20
MS35338-45	96906	19	14	S4700	36232	13	10
MS35338-45	96906	19	14	S5960	36232	13	17
MS35338-46	96906	29	15	S7297	36232	7	18
MS35643-1	96906	10	4	S7803	36232	13	3
MS35645-1	96906	10	3	S7995-2	36232	7	16
MS35690-422	96906	21	2	S8025-13	36232	15	19
MS35690-502	96906	19	16	S8025-13	36232	24	19
MS45904-70	96906	7	10	S8042	36232	13	4
MS51009-1	96906	29	12	S8156	36232	14	5
MS75004-1	96906	1	3	S8158	36232	5	35
MS75004-2	96906	1	8	S8158	36232	6	2
M10088	36232	6	3	S8938	36232	24	1
M2498	82796	30	14	S8939	36232	15	11
M330M344	14351	25	27	S8951A	36232	15	27
M3572	74545	5	52	S8951A	36232	24	17
M5090C	36232	5	49	S9225-2	36232	12	17
M5090C	36232	6	7	S9258-2	36232	15	37
M5583	36232	12	18	S9258-2	36232	24	8
M5735	36232	6	3	S9562C	36232	11	6
M6264	36232	7	23	T100	36024	16	7
M6304-2B	36232	12	9	T10114	36232	7	4
M6528-2	36232	13	28	T10122	36024	15	17
M6729	36232	13	6	T10122	36024	24	3
M6730	36232	13	5	T10171	36232	15	34
M6963-6	36232	12	8	T10171	36232	24	23
M7057	36232	5	2	T10172	36232	15	26
M7087	36232	11	3	T10172	36232	24	22
M7500	36232	14	10	T10173	36232	15	35
M7519-1	36232	13	13	T10173	36232	24	22
M7808	36232	7	16	T10454	36232	15	24
M8773-3	36232	14	21	T10454	36232	24	15
M8776-14	36232	14	3	T118516	36232	15	41
N5957	82796	31	8	T1450	36232	12	5
N62K211	14351	32	17	T1498	82796	30	37
PF218-3510	14351	19	20	T2414	36232	12	3
PYC202	14351	37	15	T2719	36232	7	7
P16950-851	00736	16	4	T344	36232	12	12
P2477C	82796	31	15	T3633-11	36232	13	11
P600B247	14351	39	33	T4122	36232	5	28
QS500M24S	08484	3	53	T418516	36232	24	14
QS500M24S	08484	34	14	T427B201	14351	39	4
QS500M32S	08484	16	8	T4479	36232	12	4
RW330-27	95875	29	6	T4479	36232	12	6
RW330-29	95875	29	5	T5411	36232	7	8
RW338-20	95875	29	8	T6367	36232	7	21
RW338-34	95875	29	4	T6887	36232	11	10
RW340-23	95875	29	7	T6931-2	36232	5	13
RW340-38	95875	29	3	T6985	36232	7	31
R57	36232	15		T7355	36232	35	10

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER(Continued)

REFERENCE NO	MFG CODE	FIG NO	ITEM NO	REFERENCE NO	MFG CODE	FIG NO	ITEM NO
T7355	36232	35	10	X18278	14351	20	4
T7494	36232	7	25	X19004C	14351	20	5
T7554	36232	11	8	X19006	14351	34	55
T7850	36232	7	11	X1915	14351	34	37
T8218	36232	7	20	X1952	14351	34	19
T8219	36232	7	22	X19837	14351	34	48
T8236	36232	7	19	X19871	14351	20	14
T8280	36232	5	7	X20040	14351	36	22
T8293	36232	13	29	X202	14351	34	17
T8485	36232	7	13	X202A	14351	20	13
T8495	36232	12	14	X203	14351	36	20
T8823	36232	35	9	X203	14351	37	21
T8823	36232	35	9	X2236	14351	34	52
T8833-1	36232	13	8	X2279	14351	34	56
T8911	36232	35	7	X2538	14351	34	1
T9020	36232	12	7	X2958	14351	39	27
T9048A	36232	13	2	X297A	14351	39	21
T9049B	36232	13	7	X297A	14351	39	31
T9054	36232	35	8	X2986	14351	39	23
T9054	36232	35	8	X318	14351	21	6
T9107	36232	7	14	X3299	14351	37	25
T9187-3	36024	35	11	X3299	14351	37	27
T9187-3	36024	35	11	X3311	14351	21	7
T9262-1	36232	7	6	X334	14351	34	45
T9663	36232	39	1	X3368	14351	37	23
T9720	36232	14	8	X3511	14351	39	25
T9732	36232	15	23	X365	14351	34	41
T9732	36232	24	26	X3794	14351	32	12
T9744	36232	15	3	X3924	14351	39	20
T9744	36232	15	12	X3939	14351	32	23
T9744	36232	15	14	X3940	14351	34	7
T9744	36232	24	28	X3963	14351	34	10
T9746	36232	15	21	X3979	14351	32	21
T9746	36232	24	25	X4016	14351	34	47
T9747	36232	15	22	X4200	14351	34	27
T9747	36232	24	24	X4266	14351	34	54
T9750	36232	15	25	X4275	14351	20	18
T9750	36232	24	16	X5035	14351	32	10
T9751-1	36024	15	4	X5036	14351	32	24
T9751-1	36024	15	13	X506	14351	37	10
T9751-1	36024	15	15	X511	14351	39	11
T9751-1	36024	24	27	X5692-15-1-2	14351	21	3
W2474X	82796	30	43	X5822	14351	39	29
X100	14351	20	8	X5823	14351	37	17
X100	14351	20	8	X601	14351	38	10
X101B	14351	34	53	X6064	14351	33	10
X110	14351	32	18	X6065	14351	35	5
X12190	14351	34	26	X6066	14351	35	4
X12210	14351	34	23	X6588	14351	34	5
X12489	14351	19	8	Y40011215	14351	37	4
X12543	14351	34	25	Y4001203	14351	37	11
X137A	14351	34	28	Y69M244	14351	29	10
X1375	14351	20	6	Y69M245	14351	29	10
X14134	14351	32	22	Y69M251	14351	29	13
X14134	14351	34	8	ZZ2425	82796	31	13
X14134	14351	37	24	Z2430A	82796	30	18
X14294	14351	36	21	Z2765X	82796	30	1
X14323	14351	20	3	Z4631	82796	30	5
X14324	14351	34	39	0-12368	79960	18	10
X153	14351	39	2	10EL227	14351	34	24
X1555	14351	37	26	10EL230	14351	34	40
X1800C	14351	20	12	10150	36024	15	7
X1801F	14351	34	16	10150	36024	23	1
X1802G	14351	36	19	102153	73370	19	15
X1802G	14351	37	22	105X2	79470	15	2
X1803H	14351	37	20	1108232	16764	27	7
X18156	14351	37	16	111688	00000	10	2
X18188	14351	38	9	1118152	16764	27	5
X18237	14351	34	46	11559	73370	19	3
X18237	14351	39	30	11580	73370	19	1

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER(Continued)

REFERENCE NO	MFG CODE	FIG NO	ITEM NO	REFERENCE NO	MFG CODE	FIG NO	ITEM NO
11581	73370	19	2	1925835	16764	25	2
11582	73370	19	4	1926186	16764	25	14
11583	73370	19	5	1926187	16764	25	3
122159	16764	28	25	1927912	16764	25	4
12384	73370	19	19	1928110	16764	28	46
124545	16764	25	44	1929906	16764	28	27
13XX19002	14351	34	57	1930640	16764	25	53
13XX202	14351	18	12	1941684	16764	25	37
14HC215	14351	39	37	1946261	16764	28	6
142-4	36024	5	45	200362	16764	25	35
15LG202	14351	39	32	20304	72005	5	1
15SL2H	14351	34	38	204SFF	38443	14	9
150MLY8	14959	33	4	21	59730	14	24
1506983	70040	33	2	211273	79470	10	17
1512473	70040	34	9	211310	72619	5	55
16FV201	14351	18	3	25SS14A	82796	31	11
1860801	16764	25	33	271172	00000	3	3
18672	78385	9	1	274938	16764	25	29
1867610	16764	28	17	2904CZ0	51240	33	3
1889333	16764	28	40	3-4700	70842	5	32
1903427	16764	25	1	3K1	82796	31	4
1904303	16764	28	52	3XX1435	14351	34	6
1904418	16764	28	41	3X1B2B110	14351	39	24
1904419	16764	28	2	30B06	00736	16	5
1904426	16764	28	50	310CFF	38443	13	12
1904428	16764	28	51	313	24446	5	61
1904430	16764	28	19	3150X2	14351	34	12
1904431	16764	28	20	3151X2	79470	34	49
1904444	16764	28	10	3200X2	79470	33	7
1904446	16764	28	43	3224X2	79470	33	6
1904452	16764	28	33	3226X2	79470	10	7
1904514	16764	25	40	3226X2	79470	20	9
1905219	16764	25	39	3326X2	79470	10	8
1905870	16764	28	39	3326X2	79470	33	5
1905872	16764	28	38	34816	16764	25	12
1906935	16764	25	41	3750X2	79470	33	1
1911610	16764	28	37	3750X4	79470	33	8
1913100	16764	28	42	39337	78385	8	21
1913958	16764	28	31	4075	94257	17	6
1913959	16764	28	30	41AL200	14351	34	42
1914243	16764	28	15	41202	65092	5	10
1914535	16764	28	36	4208	78385	8	22
1914741	16764	25	38	453286	16764	28	28
1914750	16764	25	51	453294	16764	28	48
1914755	16764	25	11	453299	16764	28	24
1914842	16764	28	14	453301	16764	25	36
1914843	16764	28	7	453323	16764	28	34
1914853	16764	28	49	453479	16764	25	13
1914854	16764	28	16	454007	16764	28	22
1914952	16764	28	23	455965	16764	28	54
1914954	16764	28	53	475005	78385	8	13
1914958	16764	28	5	475067	78385	8	16
1915099	16764	28	12	475127	78385	8	37
1915156	16764	28	26	475953	06840	8	43
1916255	16764	28	13	484105	78385	8	2
1917073	16764	27	6	484125	78385	9	8
1917078	16764	28	45	485346	78385	8	36
1917079	16764	28	44	486534	78385	9	10
1917083	16764	28	32	487274	78385	8	12
1917084	16764	28	35	487276	78385	9	5
1918043	16764	25	28	487283	78385	8	4
1919308	16764	28	18	487283	78385	8	7
1920728	16764	25	49	487283	78385	8	10
1922594	16764	28	8	488066	78385	8	33
1922994	16764	25	5	488163	78385	8	20
1924861	16764	25	8	488164	78385	8	19
1924878	16764	25	43	488290	78385	8	46
1925413	16764	25	48	488559	78385	8	32
1925415	16764	25	23	488730	78385	8	42
1925416	16764	25	24	488755	78385	8	40

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER (CONTINUED)

REFERENCE NO	MFG CODE	FIG NO	ITEM NO	REFERENCE NO	MFG CODE	FIG NO	ITEM NO
488788	78385	8	1	7671-1	36024	39	3
488961	78385	8	31	79372	78385	8	11
489319	78385	9	2	8LW3	82796	30	25
489406	78385	8	8	8S8A	82796	30	29
489408	78385	8	3	8SD	82796	30	29
489414	78385	8	24	8SD	82796	30	26
489426	78385	8	29	8TC200	14351	34	34
489458	78385	9	3	802691	16764	28	4
489852	78385	8	23	809062	16764	25	42
5310	73370	19	7	820148	16764	28	47
6SH100	14351	39	22	821453	16764	28	9
6S6N	82796	30	17	82601P	04009	5	54
60X3	79470	15	49	82605P	04009	5	53
61X3	79470	15	48	826462	16764	28	1
61086	78385	8	26	82721P	04009	5	56
6400587	70040	34	4	82723P	04009	5	57
64459	78385	8	25	828448	16764	27	4
69X3	79470	15	50	854071	70040	10	9
69X3	79470	20	10	854237	70040	10	13
700138	78385	8	28	854389	70040	10	12
700158	78385	8	18	854390	70040	10	10
700245	78385	8	27	900529	16764	25	30
701157	78385	8	39	904793	16764	25	50
701172	78385	8	34	9284	36024	15	8
701173	78385	8	35	9284	36024	23	2
7228	78385	8	15	939C24	78385	8	
7321299	00000	4	3	9744	36024	15	9
7321299	00000	5	38	9744	36024	23	4
7554	74545	6	11	9751-2	36024	15	10
7586	74545	5	14	9751-2	36024	23	3

PARTS NOT ILLUSTRATED

STOCK NUMBER	PAGE NO	STOCK NUMBER	PAGE NO
2805-305-8265	73	5305-013-2731	20
2805-322-0530	71	5305-044-4153	78
2805-371-5009	72	5305-044-6610	49
2805-567-8940	72	5305-045-5266	20
2805-568-7950	71	5305-054-6650	40
2805-679-5780	69	5305-068-0504	75
2910-422-9293	38	5305-068-0523	20
2920-358-6374	18	5305-151-2491	9
2920-391-2989	47	5305-151-2904	20
2920-536-5413	49	5305-226-7226	49
2920-536-5422	55	5305-269-3209	8
2920-725-4438	60	5305-269-3209	11
2930-302-1809	62	5305-269-3209	11
2930-876-2776	62	5305-269-3209	11
2990-980-5844	10	5305-269-3209	33
3030-876-2774	63	5305-269-3210	27
3431-056-4600	2	5305-269-3213	11
3431-085-5946	15	5305-269-3213	78
3431-085-5947	15	5305-456-2582	25
3431-994-9389	18	5305-794-9180	41
3431-994-9389	19	5305-819-5132	2
3431-994-9389	20	5305-836-8476	18
4210-555-8837	79	5305-844-9888	20
4210-708-0031	79	5305-889-3000	20
4210-779-3516	79	5305-889-3001	20
4730-068-5876	69	5305-984-5684	40
4730-215-7390	69	5305-984-6191	8
4730-230-1996	40	5305-984-6191	9
4730-263-2733	28	5305-984-6191	9
4730-555-1152	26	5305-984-6192	20
4730-555-1152	26	5305-988-1170	19
4730-639-9988	40	5305-988-1724	2
4820-287-4268	28	5305-988-1724	2
5305-012-1832	17	5305-988-1724	9
5305-012-1832	20	5305-988-1724	9

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER(CONTINUED)

STOCK NUMBER	PAGE NO	STOCK NUMBER	PAGE NO
5305-988-1724	9	5310-584-5272	79
5305-988-1724	9	5310-584-5272	79
5305-988-1724	9	5310-591-3472	5
5305-988-1724	10	5310-591-3472	5
5305-988-1724	10	5310-591-3472	18
5305-988-1727	17	5310-596-7693	8
5305-989-7434	16	5310-596-7693	18
5306-225-8497	50	5310-637-9541	60
5306-298-4871	68	5310-696-5176	27
5306-616-1336	10	5310-721-7879	17
5307-265-9187	67	5310-732-0558	10
5310-012-0217	8	5310-732-0558	11
5310-013-1044	19	5310-761-6882	17
5310-017-8556	16	5310-768-0318	17
5310-021-9430	10	5310-809-4058	2
5310-021-9430	10	5310-823-8756	17
5310-042-2957	17	5310-880-7744	38
5310-043-2226	6	5310-880-7744	40
5310-045-3296	7	5310-880-7744	50
5310-045-3299	5	5310-889-2528	2
5310-045-3299	5	5310-889-2528	10
5310-045-3299	19	5310-889-2528	10
5310-045-4007	40	5310-917-6221	7
5310-061-1258	8	5310-934-9747	19
5310-061-1258	8	5310-934-9747	19
5310-067-6357	9	5310-934-9747	19
5310-080-6004	41	5310-934-9751	6
5310-080-9786	16	5310-934-9751	7
5310-113-3882	75	5310-934-9751	16
5310-167-0721	66	5310-934-9757	2
5310-167-0721	67	5310-934-9757	10
5310-194-1483	32	5310-934-9757	19
5310-205-7782	19	5310-934-9757	19
5310-261-7340	78	5310-934-9758	19
5310-262-3505	20	5320-801-1548	26
5310-275-0611	75	5330-291-6496	69
5310-285-1655	7	5330-291-8972	38
5310-285-7037	19	5920-280-5002	15
5310-362-2069	79	5930-056-0104	2
5310-407-9566	38	5930-583-2953	16
5310-407-9566	40	5930-973-0937	2
5310-407-9566	68	5930-983-2788	18
5310-492-6600	41	5930-994-9382	18
5310-514-6674	50	5977-088-7134	29
5310-527-3288	16	6115-994-9388	32
5310-550-1130	10	6140-057-2554	3
5310-550-1130	19	6150-242-3716	75
5310-559-0070	2	6150-242-3717	73
5310-559-0070	10	6240-155-8714	15
5310-559-0070	25	6240-155-8714	19
5310-574-3912	16	6620-993-5546	40
5310-582-5965	16	6625-842-0898	18
5310-584-5272	17	6810-249-9354	3

REFERENCE NO	MFG CODE	PAGE NO	REFERENCE NO	MFG CODE	PAGE NO
AN395-8	88044	60	AN438-416	88044	10
AN428-8	88044	8	AN438-8	88044	9
AN436-416	88044	10	AN438-8	88044	9
AN436-616	88044	8	AN438-8	88044	11
AN436-616	88044	11	AN504-428-8	88044	2
AN436-616	88044	11	AN510-8-6	88044	9
AN438-416	88044	2	AN515-516-40	88044	40
AN438-416	88044	8	AN515-8-6	88044	9
AN438-416	88044	9	AN515-8-8	88044	18
AN438-416	88044	9	AN515C102-8	88044	18
AN438-416	88044	9	AN515C6-4	88044	40
AN438-416	88044	9	AN515C8-5	88044	60

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER(CONTINUED)

REFERENCE NO	MFG CODE	PAGE NO	REFERENCE NO	MFG CODE	PAGE NO
AN526-420-10	88044	2	LEB2300	36024	10
AN526-420-10	88044	2	LEB2302	36024	8
AN526-420-10	88044	9	LEB2303	36024	8
AN526-420-10	88044	9	LEB2304	36024	8
AN526-420-10	88044	9	LEB2305	36024	8
AN526-420-10	88044	9	LEB2353	36024	10
AN526-420-10	88044	9	LEW2176	36024	8
AN526-420-10	88044	10	LEW2177	36024	3
AN526-420-10	88044	10	LEW2178	36024	3
AN526-420-10	88044	10	LEW2179	36024	8
AN530-10-8	88044	18	LEW2180	36024	8
AN935-6	88044	40	LEW2181	36024	2
AN936AB816	88044	32	LEW2182	36024	3
A195	21387	60	LEW2183	36024	3
A6032A	82796	60	LEW2184	36024	8
BA401-074	71590	16	LEW2185	36024	8
B1232	82796	60	LEW2186	36024	8
B1498G	82796	60	LEW2187	36024	10
C141-4-1	79960	38	LEW2188	36024	8
C1498D	82796	60	LEW2190	36024	11
C181-74	79960	38	LEW2191	36024	11
D150-102	74465	45	LEW2193	36024	66
D164-295	74465	44	LEW2194	36024	66
D164-326	74465	44	LEW2195	36024	9
D164-327	74465	44	LEW2196	36024	9
D164-393	74465	44	LEW2197	36024	8
D164-406	74465	42	LEW2198	36024	8
D164-476	74465	44	LEW2199	36024	11
D164-597	74465	44	LEW2200	36024	11
D165-476	74465	45	LEW2201	36024	11
FKL405F	36232	32	LEW2202	36024	9
FS244U107	14351	69	LEW2203	36024	9
F162K3972	14351	62	LEW2204	36024	11
F21P	73370	40	LEW2205	36024	9
F21P2	73370	40	LEW2206	36024	18
F218I2030	14351	73	LEW2207	36024	9
F226U102	14351	68	LEW2208	36024	9
F244B301	14351	75	LEW2211	36024	9
F244K217	14351	63	LEW2212	36024	11
F244U102	14351	71	LEW2215	36024	9
F400B255	14351	67	LEW2216	36024	8
F400L210	14351	72	LEW2217	36024	69
F400T204	14351	62	LEW2218	36024	3
F600B443	14351	69	LEW2219	36024	11
F600E211	14351	41	LEW2220	36024	11
F600F218	14351	41	LEW2221	36024	69
F600L4146	14351	71	LEW2223	36024	3
F600T250	14351	74	LEW2224	36024	2
F600T293	14351	72	LEW2225	36024	2
GFT6	73631	16	LEW2226	36024	2
GLH10	71400	15	LEW2227	36024	2
G488628	78385	26	LFW2228	36024	2
G488629	78385	25	LEW2229	36024	2
G488630	78385	25	LEW2230	36024	3
G488739	78385	25	LEW2231	36024	3
G489165	78385	26	LEW2232	36024	3
G489404	78385	25	LEW2233	36024	2
HKP	71400	16	LEW2234	36024	2
H101	79470	11	LEW2235	36024	2
H101	79470	26	LEW2236	36024	79
KA11DY	77342	18	LEW2237	36024	10
KA11DY	77342	19	LEW2239	36024	3
KA11DY	77342	20	LEW2240	36024	3
KB5D24	77342	16	LEW2241	36024	3
LA300-1831	36024	73	LFW2245	36024	28
LA300-1831	36024	75	LFW2249	36024	11
LA300-1832	36024	75	LEW2250	36024	66
LEB2280	36024	17	LEW2255	36024	19
LEB2288	36024	8	LEW9192	36024	69
LEB2295	36024	10	LE1090	36024	16

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER(CONTINUED)

REFERENCE NO	MFG CODE	PAGE NO	REFERENCE NO	MFG CODE	PAGE NO
LE1883	36024	26	X104	14351	41
LE1885	36024	9	X14141	14351	41
LE1886	36024	9	X270	14351	75
LE1887	36024	9	X297A	14351	66
LE1904	36024	20	X297A	14351	67
LF1909	36024	18	X3009	14351	41
LE2254	36024	19	X3896	14351	68
LE2256	36024	10	X3924	14351	67
LE2257	36024	10	X4793	14351	63
LE2258	36024	10	X5914	14351	10
LE2259	36024	10	X6064	14351	69
LE2260	36024	17	X8016-10	14351	40
LF2260	36024	18	X8016-8	14351	40
LE2261	36024	17	10004-102	79470	26
MS13957-2	96906	76	10004-404	79470	26
MS13957-3	96906	76	10004-404	79470	26
MS13996-2	96906	76	1105993	16764	47
MS15482	96906	19	111688	00000	28
MS15795-210	96906	2	134569	16764	51
MS15795-512	96906	75	141-10	88223	18
MS20395-918	96906	79	141-8	88223	18
MS24539-1	96906	40	1539837	70040	38
MS35000-3	96906	3	170677	78385	25
MS35206-247	96906	2	174D	44655	16
MS35223-43	96906	8	1904419	16764	51
MS35223-43	96906	9	1912059	16764	52
MS35291-58	96906	8	1913043	16764	52
MS35291-58	96906	11	1913044	16764	52
MS35291-58	96906	11	1914476	16764	51
MS35291-58	96906	11	1914478	16764	52
MS35291-62	96906	11	1915334	16764	51
MS35297-109	96906	78	1915667	16764	52
MS35297-58	96906	33	1917087	16764	52
MS35298-142	96906	79	1917109	16764	52
MS35333-27	96906	32	1917111	16764	51
MS35337-48	96906	79	1917112	16764	51
MS35338-45	96906	40	1917113	16764	51
MS35338-46	96906	60	1917114	16764	51
MS35338-48	96906	79	1917116	16764	51
MS35649-82	96906	2	1917117	16764	51
MS35650-823	96906	79	1917119	16764	51
MS35690-502	96906	40	1917121	16764	52
MS35690-602	96906	10	1917122	16764	52
MS35690-602	96906	11	1917123	16764	51
MS51086	96906	26	1917125	16764	51
MS51086-1	96906	28	1917126	16764	51
M5735	36232	18	1917127	16764	52
M5735	36732	20	1917128	16764	52
M6277	36232	22	1924877	16764	49
M6484	36232	18	1939192	16764	49
M6484	36232	20	1939201	16764	55
M6964-9A	36232	29	1950435	16764	51
PR5D110	77342	15	20-4002-3	36024	79
PR5D24	77342	15	20-4003-3	36024	78
QS500M28S	08484	69	20-4004-3	36024	78
RSMS13957-1	96906	76	20304	75055	18
RSMS13957-3	81336	75	211310	72619	19
RSMS13975-2	96906	75	22RB221	14351	69
SK58	82796	60	287H2	27315	28
STB5	19239	18	2904C20	96452	40
STDMBOESMF15-101	43999	27	3XB2B110	14351	79
S2563C	82796	60	313	24446	15
S6824	36232	18	313	24446	19
S8158	36232	23	3224X2	04255	40
T56-3	79960	38	3326X2	79470	40
T7852	36232	13	3750X2	79470	28
T8823	36232	79	4014-22-00	78189	2
WAW1666	36024	17	4020-26-00	78189	8
WMP2WF	14655	16	4020-26-00	78189	8
W4B108	14351	73	4020-26-00	79189	11

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER(CONTINUED)

REFERENCE NO	MFG CODE	PAGE NO	REFERENCE NO	MFG CODE	PAGE NO
432042	78385	25	6S6N	85796	60
453297	16764	51	6S6N	82796	60
453434	16764	51	7-16	71747	11
453789	16764	51	701157	78385	26
455154	16764	49	71B	00736	36
455341	16764	49	7502	72653	3
48X4	79470	26	76842	78385	25
484115	78385	25	79404	78385	25
484123	78385	25	8S4U	82796	59
485281	78385	25	8S6U	82796	58
488755	78385	26	809062	16764	49
488842	78385	24	81410-113	72619	15
489222	78385	25	82601P	04009	16
489397	78385	25	82723P	04009	18
489544-1	78385	11	94291	78385	25
5241	73370	40	954753	16764	49
543460	16764	49	99780	78385	26

By Order of the Secretary of the Army:

W. C. WESTMORELAND,  
*General, United States Army,*  
*Chief of Staff.*

Official :

KENNETH G. WICKHAM,  
*Major General, United States Army,*  
*The Adjutant General.*

Distribution:

To be distributed in accordance with DA Form 12-25, Section I (qty rqr block no. 183) Direct and General Support Maintenance requirements for Equipment: Welding.





<sup>T</sup>  
**TM 5-3431-205-35P WELDING MACHINE, ARC, GENERATOR, GED, 300 AMP, DC-1971**