HAND RECEIPT

COVERING THE END ITEM/ COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL)

FOR

AIR CONDITIONER HORIZONTAL COMPACT 9,000 BTU/HR 230 VOLT, 1 PHASE 60 HERTX MODEL F9000H-2A NSN 4120-01-092-7503

HAND RECEIPT

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, D.C., 25 June 1981

TM 5-4120-342-14-HR

HAND RECEIPT MANUAL COVERING END ITEM/ COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST ITEMS (AAL) FOR

AIR CONDITIONER HORIZONTAL COMPACT 9,000 BTU/HR 230 VOLT, 1 PHASE 60 HERTZ MODEL F9000H-2A NSN 4120-01-092-7503

REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms(, or DA Form 2028-2, located in the back of this manual, direct to: Commander, US Army Troop Support and Aviation Materiel Readiness Command, ATTN: DRSTS-MTT, 4300 Goodfellow Blvd., St. Louis, MO 63120. A reply will be furnished directly to you.

TABLE OF CONTENTS

		Pag
Section I.	Introduction	1
	Hand Receipt	0

Section I INTRODUCTION

Section I. INTRODUCTION

1. SCOPE.

This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components of End Item (COEI), Basic Issue Items (BII) and Additional Authorization List (AAL) items related to the Air Conditioner Horizontal Compact.

2. GENERAL.

- **a.** Section II is the overprinted DA Form 2062 which lists the line item entry for System/End Item and the content of COEI, BII, and AAL extracted from TM 5-4120-342-14. The listings consist of exactly the same items and are in the same sequence as those listings in TM 5-4120-342-14.
- **b.** The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist

organizations in inventorying and accounting for property as required by AR 710-2.

- **c.** Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies in the reproduction of DA form 2062 by office copying equipment, field printing plant or duplicating plant facilities.
- **d.** Additional copies of this publication may be requisitioned from the US Army Publications Center, 1655 Woodson Road, St. Louis, MO 63114, in accordance with Chapter 2, AR 310-2.

3. EXPLANATION OF BLOCKS AND COL-UMNS (DA FOR 2062).

Refer to Chapter 2, AR 710-2. Additional information required to complete DA Form 2062 is listed below:

TM 5-4120-342-14-HR

a. Hand receipts shall identify the accounting requirement status of all line item entries via the description column for each item: (i.e., the first entry in the description column) shall be the line item's Expendability (EXP)/Accounting Requirements Code (ARC), in parentheses, in front of the line item name. One of the following codes will apply:

(N) for Nonexpendable: Items not consumed in

use, retaining their identity during use, and requiring that accountability be maintained throughout the life of the

item.

(D) for Durable: Nonconsumable

components of sets, kits, outfits, and assemblages; all tools in FSC's, 5110, 5120, 5130, 5133, 5136, 5140, 5180, 5210, 5220 and 5280: and any other

nonconsumable with a price in excess of \$50.00 not already "N".

(X) for Expendable:

Items regardless of type classification or price and which are consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost \$50.00 or less and not already "N" or "D".

- **b.** Authorization documents are as follows:
- (1) Components of End Item (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).
- (2) Basic Issue Items (BII) are authorized by the applicable operator's manual.
- (3) Additional Authorization List (AAL) items are authorized by the appropriate MTOE, TDA, CTA, or JTA authorization documents.

HAND RECEIPT/ANNEX NO. For use of this form, see AR 735-35; the proponent agency is the office of the Deputy Chief of Staff for Logistics.									7	ro:						
is	r use of this form, see AR 735-35; the proponent agency the office of the Deputy Chief of Staff for Logistics.			-						Hand	i Rece	ipt F	ile No.).		
T 11 1 1 1 1			Fill ir	n the	follow								Receipt			
Following last item, state in each balance column the type of action (e.g. issue, turn-in, inventory, etc.) producing this balance, date of action, and signature.			CATALOG NO. CURR OF ALW ITEM RAIT Conditioner TM 5-4120-342-14 Horizontal 9,000 BTU										; rti			
STOCK No.	ITEM DESCRIPTION	ITEM DESCRIPTION T' (c) BA								BALANCE						
4120-01-092-7503	(N) Air Conditioner Horizontal Compact				2	3		5	6	7	8	•	10	11	12	
	9,000 BTU/HR 60 Hertz KECO Model F9000H-2A	'	ļ'		<u>'</u>											
	13216E5920 (97403)	<u> </u> '	<u> </u>	<u> </u>	<u> </u> '	<u></u>	<u> </u>	<u> </u>								
		<u> '</u>	<u> </u>	-	<u> '</u>	<u> </u>	<u> </u> '	<u> '</u>	<u> '</u>	ļ!	ļ!	ļ				
	System/End Item, Components of End Item	+-'			<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>		
	(COEIL)	1_'	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> '</u>			<u></u> '		'		1_1		
5935-00-482-2390	(X) Connector, Receptacle Electrical	<u> </u>		<u> </u>			<u> </u>									
	13216E6177 (97403)						!	[]	1				1	, 1	1	
5935-00-482-2388	(X) Connector, Plug Electrical	1														
	13216E6209-1 (97403)											1				
5935-00-725-4153	(X) Connector, Plug Electrical														- 	
	MS3106R18-11S (96906)			11		1	1		,			_		,		
5305-00-269-2807	(X) Screw, Cap Hex Head MS90726-64	4													 I	
	(96906)	Ш													I	
										.		,	_		,	
	T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand	Annes I Recei	tes. pt An	nezes.						-	PAGE No. C	E No.				

							BALANCE								
STOCK No.	ITEM DESCRIPTION	(a)	(t)		2	3	4	5	6	7	8	9	10	11	12
5310-00-566-9504	(X) Washer 13216E6138-2 (97403)	4		ļ					-						
5340-01-042-5759	(X) Mount, Resilient 13216E6137 (97403)	8						_							
5365-01-044-6408	(X) Spacer 13216E6152 (97403)	4			-	_			-	-	_				
4720-01-038-2334 (X) Tube, Elastomeric 13216E6153 (97403)															
	Basic Issue Items											-			-
7520-00-599-9618	(X) Case: Maintenance and Operation Manual	1							-						
	Additional Authorization		-	<u> </u>		-	-	-		_					
7520-00-599-9618	List (AAL) (X) Cotton Duck Case MIL-C-11743 (80244)	1	-								-				
		-	-		-			-	-			ļ			-
					 -		-								
		-	-	-	-	-	+-	-			-	 		-	-
	T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Rece C - Current operating allowance for Hand Receipts. (t) Total authorized for Ha	ipt An	neres.	nneres	·.							GE NO	PAGES		

By Order of the Secretary of the Army:

E. C. MEYER

General, United States Army

Chief of Staff

Official:

J. C. PENNINGTON
Major General, United States Army
The Adjutant General

DISTRIBUTION:

To be distributed in accordance with DA Form 12-25C, Operator Maintenance Requirements for Environmental Equipment, Air Conditioner, $9000\ BTU$.

* U.S. GOVERNMENT PRINTING OFFICE: 1993 0-342-421(62933)



SOMETHING WRONG WITH THIS PUBLICATION?

THEN. . JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT. FOLD IT AND DROP IT IN THE MAIL!

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS) PFC JOHN DOE COA, 34 ENGINEER BN **DATE SENT**

PUBLICATION NUMBER

ALONG PERFORATED LINE

TM 5-4120-342-14-HR

PUBLICATION DATE 25 June 1981

PUBLICATION TITLE Air Conditioner Horiz., Compact 9,000 BTU/HR 230 Volt, 1 Phase 60 Hertz

				Volt, I Phase 60 Hertz
BE EXAC		POINT WHE	RE IT IS	IN THIS SPACE TELL WHAT IS WRONG
PAGE NO	PARA- GRAPH	FIGURE NO	TABLE NO	AND WHAT SHOULD BE DONE ABOUT IT:
6	2-1			In line 6 g paragraph 2-10 the
	a			manual states the ensure has
				manual states the engine has
				set only has 4 Cylinder.
				change the manual to show L
				Cylenders.
ы		4-3		Callant 16 on figure 4-3 is pointing at a bolt. In key
01		4-5		a this star belt. In key
				pointing of the
				to figure 4-3, item 16 is called
				a shim - Please Correct
				one or the other.
	0	•	20	I ordered a gasket, item
123	u	ie e		a district a gentle of the
				19 on figure B-16 ky NSN
				2910-05-762-3001. Il get a
			:	gasket but it dress t fit.
				I am some I get what
				Supply says I got what
				I ordered so the NSN is
				Wrong. Please give me a
PRINTED N	AME GRADI	F OR TITLE	AND TELEGR	ONE NUMBER SIGN HERE ON L. PAR
CHINALED M	GRADI	ON THEE	WIND IELEPT	TOTAL HOMBER SIGN FICKE

MYN - BOE

JOHN DOE, PFC (268) 317.7111

A 1 JUL 79 2028-2

PREVIOUS EDITIONS ARE OBSOLETE.

DRSTS-M Overprint 1, 1 Nov 80

PS -- IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



SOMETHING WRONG WITH THIS PUBLICATION?

THEN. JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT. FOLD IT AND DROP IT IN THE MAIL'

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

TM 5-4120-342-14-HR

PUBLICATION DATE 25 June 1981

PUBLICATION TITLE Air Conditioner Horiz., Compact 9,000 BTU/HR 230

Volt, 1 Phase 60 Hertz

BE EXACT PIN-POINT WHERE IT IS	IN THE COACE TELL WHAT IS WOONS
PAGE PARA- FIGURE TABLE NO GRAPH NO NO	IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:
NO SHAFFI NO NO	
PRINTED NAME, GRADE OR TITLE, AND TELEPH	HONE NUMBER SIGN HERE

DA 1 JUL 79 2028-2

PREVIOUS EDITIONS ARE OBSOLETE. DRSTS-M Overprint 2, 1 Nov 80.

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

The Metric System and Equivalents

Linear Measure

1 centimeter = 10 millimeters = .39 inch 1 decimeter = 10 centimeters = 3.94 inches 1 meter = 10 decimeters = 39.37 inches 1 dekameter = 10 meters = 32.8 feet 1 hectometer = 10 dekameters = 328.08 feet 1 kilometer = 10 hectometers = 3,280.8 feet

Weights

1 centigram = 10 milligrams = .15 grain 1 decigram = 10 centigrams = 1.54 grains 1 gram = 10 decigram = .035 ounce 1 dekagram = 10 grams = .35 ounce 1 hectogram = 10 dekagrams = 3.52 ounces 1 kilogram = 10 hectograms = 2.2 pounds 1 quintal = 100 kilograms = 220.46 pounds 1 metric ton = 10 quintals = 1.1 short tons

Liquid Measure

1 centiliter = 10 milliters = .34 fl. ounce 1 deciliter = 10 centiliters = 3.38 fl. ounces 1 liter = 10 deciliters = 33.81 fl. ounces 1 dekaliter = 10 liters = 2.64 gallons 1 hectoliter = 10 dekaliters = 26.42 gallons 1 kiloliter = 10 hectoliters = 264.18 gallons

Square Measure

1 sq. centimeter = 100 sq. millimeters = .155 sq. inch 1 sq. decimeter = 100 sq. centimeters = 15.5 sq. inches 1 sq. meter (centare) = 100 sq. decimeters = 10.76 sq. feet 1 sq. dekameter (are) = 100 sq. meters = 1,076.4 sq. feet 1 sq. hectometer (hectare) = 100 sq. dekameters = 2.47 acres 1 sq. kilometer = 100 sq. hectometers = .386 sq. mile

Cubic Measure

1 cu. centimeter = 1000 cu. millimeters = .06 cu. inch 1 cu. decimeter = 1000 cu. centimeters = 61.02 cu. inches 1 cu. meter = 1000 cu. decimeters = 35.31 cu. feet

Approximate Conversion Factors

To change	To	Multiply by	To change	To	Multiply by
inches	centimeters	2.540	ounce-inches	newton-meters	.007062
feet	meters	.305	centimeters	inches	.394
yards	meters	.914	meters	feet	3.280
miles	kilometers	1.609	meters	yards	1.094
square inches	square centimeters	6.451	kilometers	miles	.621
square feet	square meters	.093	square centimeters	square inches	.155
square yards	square meters	.836	square meters	square feet	10.764
square miles	square kilometers	2.590	square meters	square yards	1.196
acres	square hectometers	.405	square kilometers	square miles	.386
cubic feet	cubic meters	.028	square hectometers	acres	2.471
cubic yards	cubic meters	.765	cubic meters	cubic feet	35.315
fluid ounces	milliliters	29,573	cubic meters	cubic yards	1.308
pints	liters	.473	milliliters	fluid ounces	.034
quarts	liters	.946	liters	pints	2.113
gallons	liters	3.785	liters	quarts	1.057
ounces	grams	28.349	liters	gallons	.264
pounds	kilograms	.454	grams	ounces	.035
short tons	metric tons	.907	kilograms	pounds	2.205
pound-feet	newton-meters	1.365	metric tons	short tons	1.102
pound-inches	mewton-meters	.11375			

Temperature (Exact)

۰F	Fahrenheit	5/9 (after	Celsius	°C
	temperature	subtracting 32)	temperature	

PIN: 049112-000