# HAND RECEIPT

COVERING THE END ITEM/COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL)

FOR

AIR CONDITIONER, HORIZONTAL, COMPACT
9000 BTU/HR, 208 VOLT, 3 PHASE, 60 HERTZ

MODEL F9000H-3

NSN 4120-01-088-3791

# HAND RECEIPT

TM 5-4120-347-14-HR

# HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, D.C. 25 January 1981

# HAND RECEIPT COVERING END ITEM/COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL) FOR AIR CONDITIONER, HORIZONTAL, COMPACT 9000 BTU/HR, 208 VOLT, 3 PHASE, 60 HERTZ MODEL F9000H-3 NSN 4120-01-088-3791

# REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms), or DA Form 2028-2, located in the back of this manual, direct to: Commander, U.S. Army Troop Support and Aviation Materiel Readiness Command, ATTN: DRSTS-MTT, 4300 Goodfellow Boulevard, St. Louis, Missouri 63120. A reply will be furnished to you.

# TABLE OF CONTENTS

		Pag
Section I.	Introduction	1
Section II.	Hand Receipt	3

# Section I. INTRODUCTION

**1. Scope.** This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components of End Item (COEI), Basic Issue Items (BII) and Additional Authorization List (AAL) items related to the Air Conditioner Horizontal Compact.

# 2. General.

*a.* Section II is the overprinted DA Form 2062 which lists the line item entry for System End Item and the content of COEI, BII, and AAL extracted from TM 5-4120-347-14. The listings consist of exactly the same items and are in the same sequence as those listings in TM 5-4120-347-14.

- **b.** The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist organizations in inventorying and accounting for property as required by AR 710-2.
- c. Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant or duplicating plant facilities.
- **d.** Additional copies of this publication may be requisitioned from the US Army Publications Center, 1655 Woodson Road, St. Louis, MO 63114, in accordance with Chapter 2, AR 310-2.

- **3. Explanation of Blocks and Columns (DA Form 2062).** Refer to Chapter 2, AR 710-2. Additional information required to complete DA Form 2062 is listed below:
- **a.** Hand receipts shall identify an Expendability (EXP)/Accounting Requirements Code (ARC), in parentheses, as listed below and shall be the first entry in the item description column.
- (N) for Nonexpendable: Items not consumed in  $\,use,\,$

retaining their identity during use, and requiring that accountability be maintained throughout the life of

the item.

(D) for Durable: Nonconsumable components of sets kits outfits

nents of sets, kits, outfits, and assemblages; all tools in FSCs, 5110, 5120, 5130, 5133, 5136, 5140, 5180, 5210, 5220 and 5280: and any

other nonconsumable with a price in excess of \$50.00 not already "N".

(X) for Expendable:

Items regardless of type classification or price and which are consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost \$50.00 or less and not already "N" or "D".

- **b.** Authorization documents areas follows:
- (1) Components of End Item (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).
- (2) Basic Issue Items (BII) are authorized by the applicable operator's manual.
- (3) Additional Authorization List (AAL) items are authorized by the appropriate MTOE, TDA, CTA, or JTA authorization documents.

STOCK No.	ITEM DESCRIPTION	T' (a)	(t) C'		· · · · · · ·	,	BALANCE							<del></del>	
		1 (2)		<u>'</u>	2	3	4	5	6	7	8	9	10	11	12
5310-00-566-9504	(X) Washer 13216E6138-2 (97403)	4		ļ											
5340-01-042-5759	(X) Mount, Resilient 13216E6137 (97403)	8													
5 <u>365-01-044-640</u> 8	(X) Spacer 13216E6152 (97403)	4	ļ 												
4720-01-038-2334	(X) Tube, Elastomeric 13216E6153 (97403)	4													
	Basic Issue Items	-													
7520-00-599 <b>-96</b> 18	(X) Case: Maintenance and Operation Manual	1							-						
		-													
	Additional Authorization  List (AAL)	-								<u> </u>					
7520-00-559-9618	(X) Cotton Duck Case MIL-C-11743 (80244)	1													
															ļ
									_						
					_										-
									<b></b> -						-
															-
	T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Recei C - Current operating allowance for Hand Receipts. (1) Total authorized for Han	pt Anno id Rece	ezes.	RESTS.								E No.			<del>-</del>

# By Order of the Secretary of the Army:

E. C. MEYER

General, United States Army

Chief of Staff

Official:

J. C. PENNINGTON

Major General, United States Army

The Adjutant General

DI STRI BUTI ON:

To be distributed in accordance with DA Form 12-25C, Operator Maintenance Requirements for Environmental Equipment, Air Conditioners, 9000 BTU.



# SOMETHING WRONG WITH THIS PUBLICATION?

THEN. JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS) PFC JOHN DOE COA, 3d ENGINEER BN FT. LEONARDWOOD, MO. 63108 DATESENT

**PUBLICATION NUMBER** TM 5-4120-347-14-HR

TEAR ALONG PERFORATED LINE

**PUBLICATION DATE** 25 Jan 81 PUBLICATION TITLE Air Conditioner, Horiz., Compact, 9000 BTU/HR 208 Volt, 3 Phase, 60 Hertz

BE EXA	CT. PIN-F	POINT WHE	RE IT IS	IN THIS SPACE TELL WHAT IS WRONG
PAGE NO	PARA- GRAPH	FIGURE NO.	TABLE NO	AND WHAT SHOULD BE DONE ABOUT IT:
6	2-1			In line 6 g paragraph 2-10 The
	a			manual states the ensure has
				b Cylenders. The engine on my
				- sychold. The engine of my
				set only has 4 Cylinder.
				change the manual to show L
				Cylindero.
81		4-3		Callant 16 on figure 4-3 is pointing at a bolt. In key
				pointing at a bolt, in rug
				to figure 4-3, item 16 is called
				a shim - Please Correct
				the Atlanta
				one or the other.
125	le	ne o	20	I ordered a gasket, item
				19 on figure B-16 ley NSN
		6		2910-00-762-3001. Il get a
	d	E//	j	1.4 1:4 + 1.4
į	1		ł	gasket but it dresn't fit.
-	C 8 //		ĺ	Supply says I got what
1	1//		1	I ordered so the NSN is
	Ì		i	(1) ma flease Que me a
	<u></u>			Grand NSN give me a
			AND TELEPH	SIGN HERE JAN L BOE
JOHN	DOE,	PFC	(268)	317.7111 JOHN DOE

DA 1 JUL 79 2028-2

PREVIOUS EDITIONS ARE OBSOLETE.

DRSTS-M Overprint 1, 1 Nov 80

PS -- IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS

FILL IN YOUR UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

POSTAGE AND FEES PAID DEPARTMENT OF THE ARMY DOD 314



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300

COMMANDER
U S ARMY SUPPORT AND AVIATION MATERIEL READINESS COMMAND
ATTN: DRSTS-MTT
4300 GOODFELLOW BOULEVARD
ST. LOUIS, MO 63120

# RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



SOMETHING WRONG

WITH THIS PUBLICATION?

THEN. JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

**PUBLICATION NUMBER** TM 5-4120-347-14-HR PUBLICATION DATE 25 Jan 81

PUBLICATION TITLE Air Conditioner, Horiz., Compact, 9000 BTU/HR 208 Volt 3 Phase 60 Hertz

					25 0411		<u> 208 Volt.</u>	3 Phase.	_60 Hert:	Z
BE EXA	<del></del>	OINT WHE		IN THIS	SPACE TELI	. WHAT IS	WRONG			
PAGE NO.	PARA- GRAPH	FIGURE NO	TABLE NO	AND W	HAT SHOULD	BE DONE	ABOUT IT:			
l		i :								
•	}	}								
1	j			!						
1	l i		]							
•										
j										
j										
]										
ł			}							
1										
	į į									
			i i							
i										
	}									
				! !						
i										
1										
l				! ·						
}										
			i							
PRINTED	NAME, GRAD	E OR TITLE.	AND TELEPH	ONE NUMB	EA	SIGN HER	Ε.			<del></del>

DA 1 JUL 79 2028-2

PREVIOUS EDITIONS ARE OBSOLETE. DRSTS-M Overprint 2, 1 Nov 80.

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.



FOLD BACK

DEPARTMENT OF THE ARMY

POSTAGE AND FEES PAID DEPARTMENT OF THE ARMY DOD 314



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300

COMMANDER
U S ARMY SUPPORT AND AVIATION MATERIEL READINESS COMMAND
ATTN: DRSTS-MTT
4300 GOODFELLOW BOULEVARD
ST. LOUIS, MO 63120

# RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



# SOMETHING WRONG

WITH THIS PUBLICATION?

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

THEN. . JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

**DATE SENT** 

**PUBLICATION NUMBER** 

ALONG PERFORATED LINE

TM 5-4120-347-14-HR

PUBLICATION DATE
25 Jan 81

PUBLICATION TITLE Air Conditioner, Horiz., Compact, 9000 BTU/HR 208 Volt, 3 Phase, 60 Hertz

BE EXACT. PIN-POINT WHERE IT IS			RE IT IS	IN THIS SPACE TELL WHAT IS WRONG				
PAGE NO	PARA- GRAPH	FIGURE NO	TABLE NO	AND WHAT SHOULD BE DONE ABOUT IT:				
.,,	G							
1								
			į					
			}					
	<u> </u>							
	1							
	•							
	1							
			{					
	1							
	ł	ţ						
	}							
PRINTED	NAME, GRAD	E OR TITLE	AND TELEP	HONE NUMBER SIGN HERE:				

DA 1 JUL 79 2028-2

PREVIOUS EDITIONS ARE OBSOLETE.

DRSTS-M Overprint 2, 1 Nov 80.

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

FILL IN YOUR UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

POSTAGE AND FEES PAID DEPARTMENT OF THE ARMY DOD 314



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300

COMMANDER
U S ARMY SUPPORT AND AVIATION MATERIEL READINESS COMMAND
ATTN: DRSTS-MTT
4300 GOODFELLOW BOULEYARD
ST. LOUIS, MO 63120

# **RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS**



# SOMETHING WRONG

WITH THIS PUBLICATION?

THEN. . JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

TEAR ALONG PERFORATED LINE

TM 5-4120-347-14-HR

PUBLICATION DATE
25 Jan 81

PUBLICATION TITLE Air Conditioner, Horiz., Compact, 9000 BTU/HR 208 Volt, 3 Phase, 60 Hertz

BE EXACT PIN-POINT WHERE IT IS			RE IT IS	IN THIS SPACE TELL	WHAT IS WRONG
PAGE NO.	PARA- GRAPH	FIGURE NO	TABLE NO	AND WHAT SHOULD	BE DONE ABOUT IT:
		{			
		}			
		}			
DOINTES	IAME CRAS	E OR TITLE	AND TO SE	HOUS AND DESCRIPTION OF THE PROPERTY OF THE PR	SIGN HERE:
PHINIEU	NAME, GHAD	E UM IIILE.	AND IELEPI	HONE NUMBER	SIGN FIERE.

DA 1 FORM 2028-2

PREVIOUS EDITIONS ARE OBSOLETE. DRSTS-M Overprint 2, 1 Nov 80.

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

FILL IN YOUR UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

POSTAGE AND FEES PAID DEPARTMENT OF THE ARMY DOD 314



OFFICIAL BUSINESS PENALTY FOR PRIVATE USE \$300

> COMMANDER U S ARMY SUPPORT AND AVIATION MATERIEL READINESS COMMAND ATTN: DRSTS-MTT 4300 GOODFELLOW BOULEVARD ST. LOUIS, MO 63120

# The Metric System and Equivalents

### Linear Measure

1 centimeter = 10 millimeters = .39 inch 1 decimeter = 10 centimeters = 3.94 inches 1 meter = 10 decimeters = 39.37 inches 1 dekameter = 10 meters = 32.8 feet 1 hectometer = 10 dekameters = 328.08 feet 1 kilometer = 10 hectometers = 3,280.8 feet

### Weights

1 centigram = 10 milligrams = .15 grain 1 decigram = 10 centigrams = 1.54 grains 1 gram = 10 decigram = .035 ounce 1 dekagram = 10 grams = .35 ounce 1 hectogram = 10 dekagrams = 3.52 ounces 1 kilogram = 10 hectograms = 2.2 pounds 1 quintal = 100 kilograms = 220.46 pounds 1 metric ton = 10 quintals = 1.1 short tons

### Liquid Measure

1 centiliter = 10 milliters = .34 fl. ounce 1 deciliter = 10 centiliters = 3.38 fl. ounces 1 liter = 10 deciliters = 33.81 fl. ounces 1 dekaliter = 10 liters = 2.64 gallons 1 hectoliter = 10 dekaliters = 26.42 gallons 1 kiloliter = 10 hectoliters = 264.18 gallons

## Square Measure

1 sq. centimeter = 100 sq. millimeters = .155 sq. inch 1 sq. decimeter = 100 sq. centimeters = 15.5 sq. inches 1 sq. meter (centare) = 100 sq. decimeters = 10.76 sq. feet 1 sq. dekameter (are) = 100 sq. meters = 1,076.4 sq. feet 1 sq. hectometer (hectare) = 100 sq. dekameters = 2.47 acres 1 sq. kilometer = 100 sq. hectometers = .386 sq. mile

## Cubic Measure

1 cu. centimeter = 1000 cu. millimeters = .06 cu. inch 1 cu. decimeter = 1000 cu. centimeters = 61.02 cu. inches 1 cu. meter = 1000 cu. decimeters = 35.31 cu. feet

# **Approximate Conversion Factors**

To change	To	Multiply by	To change	To	Multiply by
inches	centimeters	2.540	ounce-inches	newton-meters	.007062
feet	meters	.305	centimeters	inches	.394
yards	meters	.914	meters	feet	3.280
miles	kilometers	1.609	meters	yards	1.094
square inches	square centimeters	6.451	kilometers	miles	.621
square feet	square meters	.093	square centimeters	square inches	.155
square yards	square meters	.836	square meters	square feet	10.764
square miles	square kilometers	2.590	square meters	square yards	1.196
acres	square hectometers	.405	square kilometers	square miles	.386
cubic feet	cubic meters	.028	square hectometers	acres	2.471
cubic yards	cubic meters	.765	cubic meters	cubic feet	35.315
fluid ounces	milliliters	29,573	cubic meters	cubic yards	1.308
pints	liters	.473	milliliters	fluid ounces	.034
quarts	liters	.946	liters	pints	2.113
gallons	liters	3.785	liters	quarts	1.057
ounces	grams	28.349	liters	gallons	.264
pounds	kilograms	.454	grams	ounces	.035
short tons	metric tons	.907	kilograms	pounds	2.205
pound-feet	newton-meters	1.365	metric tons	short tons	1.102
pound-inches	mewton-meters	.11375			

# Temperature (Exact)

۰F	Fahrenheit	5/9 (after	Celsius	°C
	temperature	subtracting 32)	temperature	