# DEPARTMENT OF THE ARMY TECHNICAL MANUAL

OPERATOR'S, ORGANIZATIONAL DIRECT SUPPORT, AND GENERAL SUPPORT MAINTENANCE MANUAL (INCLUDING REPAIR PARTS LIST)

FOR

TABLE, WORK, MODEL 7225

(NSN 4910-00-205-3046)

(RUST MANUFACTURING, INC.)

Headquarters, Department of the Army, Washington, DC 18 November 1981

#### **REPORTING OF ERRORS**

You can help improve this manual by recommending improvements using DA Form 2028 (Recommended Changes to Publications and Blank Forms) or DA Form 2028-2 located in the back of this manual and mail the form direct to Commander, US Army Armament Materiel Readiness Command, ATTN: DRSAR-MAS, Rock Island, IL 61299. A reply will be furnished direct to you.

### NOTE

This manual is published for the purpose of identifying an authorized commercial manual for the use of the personnel to whom this work table is issued.

Manufactured by: Rust Manufacturing, Inc. 1541 Paramount Azusa, CA 91702

Procured under contract No.: DAAA09-76-C-6811

 Page

 SECTION 1. INTRODUCTION
 1

 2. REPAIR PARTS LIST
 3

This technical manual is an authentication of the manufacturers' commercial literature and does not conform with the format and content specified in AR 310-3, Military Publications. This technical manual does, however, contain available information that is essential to the operation and maintenance of the equipment.

# INSTRUCTIONS FOR REQUISITIONING PARTS NOT IDENTIFIED BY NSN

When requisitioning parts not identified by National Stock Number, it is mandatory that the following information be furnished the supply officer.

- 1 Manufacturer's Federal Supply Code Number. 6L455
- 2 Manufacturer's Part Number exactly as listed herein.
- 3 Nomenclature exactly as listed herein, including dimensions, if necessary.
- 4 Manufacturer's Model Number. Model 7225
- 5 Manufacturer's Serial Number (End Item).
- 6 Any other information such as Type, Frame Number, and Electrical Characteristics, if applicable.
- 7 If DD Form 1348 is used, fill in all blocks except 4, 5,6, and Remarks field in accordance with AR 725-50.

**Complete Form as Follows:** 

- (a) In blocks 4,5,6, list manufacturer's Federal Supply Code Number 6L455 followed by a colon and manufacturer's Part Number for the repair part.
- (b) Complete Remarks field as follows: Noun: (nomenclature of repair part) For: NSN: 4910-00-205-3046 Manufacturer: Rust Mfg., Inc. 1541 Paramount Model: 7225 Azusa, CA 91702 Serial: (of end item)

Any other pertinent information such as Frame Number, Type, Dimensions, etc.

## Work Table - Model 7225

### **1-1. Description**

This work table is equipped with 23 sliding drawers, each having 3 dividers. Each drawer and divider is embossed to receive an identification tab. There are also two hinged doors on the bottom shelf and two locking bars that secure all the drawers and bottom doors. The top is laminated particleboard bolted to a metal frame. (Fig. 1)

1-2. Operation

Use for general maintenance work.

1-3. Trouble Shooting

There should not be any problems with the 7225 work table other than to tighten nuts and bolts.

1-4. Repair

Check parts list, page 3, for replacements.




Figure 1. Breakdown of work table, model 7225.

SECTION 2 REPAIR PARTS LIST--MODEL 7225 WORK TABLE

PARTS NO.	ITEM
1-7225-3 1-7225-4 1-7225-5 1-7225-6 1-7225-7 1-7225-8 1-7225-9 1-7225-10 2-7225-11 2-7225-12 1-7225-13	TOP SHELF, LARGE SHELF, SMALL LEFT LEG ASSEMBLY RIGHT LEG ASSEMBLY CENTER LEG ASSEMBLY END PANEL, LARGE END PANEL, SMALL REAR PANEL, SMALL DOOR W/HINGE LOCKING BAR RIGHT END SLIDE LEFT END SLIDE
1-7225-15	SIDE CENTER
6-7225-16	MOUNTING PLATE
4-7225-25-B 3-7225-25-D # 48-7225-30-4	DRAWER 2 5/8 X 5 5/8 X 17 9/16 DRAWER 2 5/8 X 11 1/4 X 17 9/16 DRAWER 4 1/2 X 11 1/4 X 17 9/16 DIVIDER 2 3/8 X 5 3/8
12-7225-30-5	DIVIDER 2 3/8 X 11 DIVIDER 4 1/4 X 11
50-7225-50-2 50-7225-50-3 12-7225-50-4 12-7225-50-5 12-7225-50-7 6-7225-50-8 6-7225-50-5 6-7225-50-10 2-7225-50-11 2-7225-50-12	5/16-18 X 2 1/2 FLAT HEAD SCREW 5/16 LOCKWASHER 5/16-18 NUT 5/16-18 X 3 SQUARE HEAD BOLT 5/16 LOCKWASHER 5/16 FLATWASHER 5/16-18 NUT 1/2-13 X 2 3/4 SQUARE HEAD BOLT

By Order of the Secretary of the Army

Official:

E. C. MEYER General, United States Army Chief of Staff

ROBERT M. JOYCE Brigadier General, United States Army The Adjutant General

CU.S. GOVERNMENT PRINTING OFFICE: 1994 - 300-421/82405

	RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS
7 [1]	SOMETHING WRONG WITH THIS PUBLICATION?
	FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)
DOPE AL FORM, C	JOT DOWN THE BOUT IT ON THIS AREFULLY TEAR IT LD IT AND DROP IT
IN THE	
PUBLICATION NUMBER	PUBLICATION DATE PUBLICATION TITLE
TM 9-XXXX-XXX-XX	Date of TM Title of TM
BE EXACT. PIN-POINT WHERE IT IS PAGE PARA- FIGURE TABLE	IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:
NO GRAPH NO NO	
2	Quille Later for is
	Vert No. for working where a
	Part No. for locking bar is missing. What is part No. ?
	J. J
	, ADLE
	CAIN'
	SAMPLE
PRINTED NAME, GRADE OR TITLE, AND TELE	
JOY EDGE, SP-4, AUTOVON	951/XXXX
	REVIOUS EDITIONS P.SIF YOUR OUTFIT WANTS TO KNOW ABOUT YOU REOBSOLETE. RECOMMENDATION MAKE A CARBON COPY OF THIS



DEPARTMENT OF THE ARMY

FOLD BACK

OFFICIAL BUSINESS

Commander US Army Armament Materiel Readiness Command ATTN: DRSAR-MAS Rock Island, IL 61299 L

TEAR ALONG PERFORATED LW

					SOMET	UNG	WEONE WITH THIS PUBLICATION
55			DOPE AI			and the second s	(PRINT YOUR UNIT'S COMPLETE AODRESS)
		1 > 0		וא דו סו	ND DROP IT	DATE	SENT
PUBLICAT		ER			PUBLICATION	DATE	PUBLICATION TITLE Maintenance Manu
T	<u>9-491(</u>	0-617-1	4&P				for TABLE, WORK, MODEL 7225
PAGE	PARA- GRAMM	FIGURE	TABLE		SPACE TELL HAT SHOULD		
PRIMITED	NAME GRAD	E OR TITLE	ANO TELE	PHONE MUM	667	SIGN H	ERE:
1 12 21		_				1	



FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS


Commander US Army Armament Materiel Readiness Command ATTN: DRSAR-MAS Rock Island, IL 61299 I.

TEAR ALONG PERFORATED LINE


Ł

THEN JOT DOWN THE DOME ABOUT IT ON THIS DOME ABOUT IT ON THIS DOTE TADU TO AND DROP IT IN THE MAIL! RELATION NAMES TH 9-4910-617-14&FP TH 9-4910-617-14&F		$\backslash$	SOMET	UING	WRONG	WITH THIS PUBLICATION
TM 9-4910-617-14&P       for TABLE, WORK, MODEL 7225         BE EXACT       PIN-POINT WHERE IT IS MOR       IN THIS SPACE TELL WHAT IS WRONG MOR WHAT SHOULD BE DONE ABOUT IT:         MAR       MOR       THO         MOR       THO       THO         MOR       THO       THO         MOR       THO       THO         MOR       THO       THO         MOR </th <th></th> <th>DOPE AL FORM. C OUT. FO</th> <th>BOUT IT ON THIS AREFULLY TEAR IT LD IT AND DROP IT</th> <th></th> <th></th> <th>IT'S COMPLETE AOORESS)</th>		DOPE AL FORM. C OUT. FO	BOUT IT ON THIS AREFULLY TEAR IT LD IT AND DROP IT			IT'S COMPLETE AOORESS)
BE EXACT. PIN-POINT WHERE IT IS AND PARAME PICUME TABLE NOT THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT: NOT THE SPACE TELL WHAT IS WRONG AND WHAT IS WRONG TELL WHAT IS WRONG AND WHAT IS WRONG TELL WHAT IS WRONG T			PUBLICATION			
PRINTED HAME GRADE OR TITLE AND TELEPHONE NUMBER	PAGE PARA	FIGURE TABLE		WHAT IS	S WRONG	
TEMPTED NAME GRADE OF TITLE AND TELEPHONE NUMBER SIGN MERE:						
PRINTED NAME GRADE CR TITLE, AND TELEPHONE NUMBER SIGN HERE:						
PRINTED NAME GRADE OR TITLE AND TELEPHONE MIMSER SIGN MERE:						
THE STATE AND GRITTLE, AND TELEPHONE NUMBER SIGN MEME:						
		GH TITLE AND TELEP	UNE MUMBER	SIGN ME		

## REVERSE OF DA FORM 2028-2



THEN. JOT DOWN THE DOPE ABOUT IT ON THIS FORM. CAREFULLY TEAR IT OUT. FOLD IT AND DROP IT IN THE MAIL'		Curd T			SOME	FMING	WRONG	WITH THIS PUBLICATION
IN THE MAIL!       CATESENT         PUBLICATION NUMBER       PUBLICATION CATE       PUBLICATION TITLE Maintenance Manual for TABLE, WORK, MODEL 7225         BE EXACT.       PIN-POINT WHERE IT IS PAGE       IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:	2			DPE ABOUT RM. CAREFU	T ON THIS		: (PRINT YOUR UN	IT'S COMPLETE ADDRESS)
TM 9-4910-617-14&P for TABLE, WORK, MODEL 7225 BE EXACT. PIN-POINT WHERE IT IS IN THIS SPACE TELL WHAT IS WRONG PAGE PAGE FIGURE TABLE AND WHAT SHOULD BE DONE ABOUT IT:					AND DROP II		SENT	
BE EXACT. PIN-POINT WHERE IT IS IN THIS SPACE TELL WHAT IS WRONG PAGE PAGE FIGURE TABLE AND WHAT SHOULD BE DONE ABOUT IT:	PUBLICAT	TON NUMB	ER		PUBLICATION	OATE	PUBLICATION TIT	LE Maintenance Manua
PAGE PARA FIGURE TABLE AND WHAT SHOULD BE DONE ABOUT IT:	And And And						for TABLE,	WORK, MODEL 7225
	1 <sup>-1</sup>					1		



OFFICIAL BUSINESS

Commander US Army Armament Materiel Readiness Command ATTN: DRSAR-MAS Rock Island, IL 61299

PIN : 049892 - 000

1

TEAN ALONG PERFORATED LINE

1

T