

**TECHNICAL MANUAL**

**DIRECT SUPPORT AND GENERAL SUPPORT  
MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS  
LISTS (INCLUDING DEPOT MAINTENANCE REPAIR  
PARTS AND SPECIAL TOOLS)**

**CENTRAL OFFICE, TELEPHONES,  
MANUAL  
AN/TTC-7 (FSN 5805-503-1210) AND  
AN/TTC-7A (FSN 5805-820-9549)**

**This copy is a reprint which includes current  
pages from Changes 1.**

Change  
No. 1



HEADQUARTERS

DEPARTMENT OF THE ARMY  
Washington, DC, 30 June 1983

**Direct Support and General Support Maintenance  
Repair Parts and Special Tools Lists  
(Including Depot Maintenance Repair Parts and Special Tools)  
CENTRAL OFFICE, TELEPHONES, MANUAL  
ANITCC-7 (NSN 5805-00-503-1210)  
AND  
ANITTC-7A (NSN 5805-00-820-9549)**

**Current as of March 1973**

**This Change is current as of December 1982**

TM 11-5805-234-34P, 25 October 1973, is changed as follows:

Title of manual is changed as shown above.

Page 2. Paragraph 1-3b is superseded as follows:

*b. Federal Stock Number.* This column indicates the Federal stock number assigned to the item.

**NOTE**

**For requisitioning purposes, the Federal stock number must be converted to the National stock number by adding "-00-" after the Federal stock classification (FSC) code (first four digits). For example, FSN 6625-553-0142 converts to NSN 6625-00-553-0142.**

Page 3. Paragraph 1-4. Subparagraph *c* is added after subparagraph *b*.

*c.* Action change codes indicated in the left-hand margin of the listing page denote the following:

N - Indicates an added item.

C - Indicates a change in data.

R - Indicates a change in NSN.

Page 4. Paragraph 1-7 is superseded as follows:

**1-7. Reporting Errors and Recommending Improvements**

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Mail your letter or DA

Form 2028 (Recommended Changes to Publications and Blank Forms) directly to: Commander, US Army Communications-Electronics Command and Fort Monmouth, ATTN: DRSEL-ME-MP, Fort Monmouth, NJ 07703. In either case a reply will be furnished directly to you.

Page 10. Add the following after first item in columns as indicated:

Left-hand margin, N

Column 1, PAFZZ

Column 2, 5910-00-812-9459

Column 3, CAPACITOR, FIXED, ELECTROLYTIC, 60 UF, 100 VDCW, D68758AY (04773)

Column 4, EA

Column 5, 1

Columns 6(a), (b), and (c) add: \*

Columns 7(a), (b), and (c) add: \*

Column 8, blank Column 9, 5

Columns 10(a) 89, (b) N/A

Page 15. Add the following after tenth item in columns as indicated.

Left-hand margin, N

Column 1, PAFZZ

Column 2, 5905-00-982-3337

Column 3, RESISTOR, FIXED, WIREWOUND 200 OHM, 5 WATT, RW 69V201 (81349)

Column 4, EA

Column 5, 1

Columns 6(a), (b), and (c) add: \*

Columns 7 (a), (b), and (c) add: \*

Column 8, blank

Column 9, 3

Columns 10(a) 89, (b) N/A

Page 40, section IV. Add the following note after section heading:

**NOTE: LATEST NATIONAL STOCK NUMBER ASSIGNMENTS ARE INCLUDED AT END OF INDEX.**

Page 42. Add the following after the last stock number in first column:

**LATEST NATIONAL STOCK NUMBER**

**ASSIGNMENTS**

<b><u>STOCK NUMBER</u></b>	<b><u>FIGURE NO.</u></b>	<b><u>ITEM NO.</u></b>
5905-00-982-3337	89	N/A
5910-00-812-9459	89	N/A

By Order of the Secretary of the Army:

Official:

ROBERT M. JOYCE  
Major General, United States Army  
The Adjutant General

E. C. MEYER  
General, United States Army  
Chief of Staff

Distribution:

To be distributed in accordance with Special List.



**Direct Support and General Support Maintenance  
Repair Parts and Special Tools Lists (Including  
Depot Maintenance Repair Parts and Special Tools)**

**CENTRAL OFFICE, TELEPHONES, MANUAL  
AN/TTC-7 (FSN 5805-503-1210) AND  
AN/TTC-7A (FSN 5805-820-9549)**

*Current as of March 1973*

	Paragraph	Page
<b>SECTION I. INTRODUCTION</b>		
Scope .....	1-1	1
General.....	1-2	1
Explanation of columns.....	1-3	1
Special information .....	1-4	3
Location of repair parts .....	1-5	3
Abbreviations (Not applicable) .....	1-6	4
Reporting of equipment publication improvements.....	1-7	4
<b>II. REPAIR PARTS LIST</b> .....		6
Main Distributing Frame, Telephone TA-257/TTC .....		8
Switchboard, Telephone, Manual SB-249/TTC; SB-249A/TTC .....		9
Telephone Circuit, Line Relay TA-223/TTC; TA-223A/TTC .....		16
Telephone Circuit, Trunk Relay TA-226/TTC; TA-226A/TTC .....		18
Test Set, Telephone TS-1361/G.....		20
Switchboard, Telephone, Manual SB-1398/GTA-14(V).....		21
Panels, Power Distribution SB-1399/GTA-14(V) and SB-1032/TTC.....		34
Telephone Circuit Line Relay TA-452/GTA-14(V).....		35
Telephone Circuit Trunk Relay TA-453/GTA-14(V).....		37
Main Distributing Frame Telephone TA-454/GTA-14(V) .....		38
<b>SECTION III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)</b>		
<b>IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS- REFERENCE TO FIGURE AND ITEM NUMBER.....</b>		<b>40</b>

\*This manual supersedes TM 11-5805234-35P, 29 July 1963, including all changes.

SECTION I

INTRODUCTION

**1-1. Scope**

This manual lists repair parts and special tools required for the performance of direct support, general support, and depot maintenance of the AN/TTC-7 and AN/TCC-7A. The PCCN for the equipment is GCWAAP for all models.

**1-2. General**

This repair parts and special tools list is divided into the following sections:

a. *Repair Parts List-Section II.* A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level. This repair parts list is arranged in alphabetical order.

b. *Special Tools, Test and Support Equipment - Section III.* Not applicable.

c. *Index-Federal Stock Number and Reference number Cross-Reference to Figure and Item Number-Section IV.* A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphameric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

**1-3. Explanation of Columns**

The following provides an explanation of columns found in the tabular list.

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are—

<i>Code</i>	<i>Explanation</i>
-	Item procured and stocked for anticipated or known usage.
PB	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC	Item procured and stocked and which other Code Explanation wise would be coded PA

<i>Code</i>	<i>Explanation</i>
-	except that it is deteriorative in nature.
PD	- Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
PE	- Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF	- Support equipment which will not be stocked but which will be centrally procured on demand.
PG	- Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD	- An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF	- An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB	- Item included in both a depot overhaul/repair kit and a maintenance kit.
MO	- Item to be manufactured or fabricated at organizational level.
MF	- Item to be manufactured or fabricated at direct support maintenance level.
MH	- Item to be manufactured or fabricated at general support maintenance level.
MD	- Item to be manufactured or fabricated at depot maintenance level.
AO	- Item to be assembled at organizational level.
AF	- Item to be assembled at direct support maintenance level.
AH	- Item to be assembled at general support maintenance level.

<i>Code</i>	<i>Explanation</i>
AD	- Item to be assembled at depot maintenance level.
XA	- Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB	- Item is not procured or stocked. If not available through salvage, requisition.
XC	- Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.
XD	- Support items can be requisitioned with justification.

**NOTE**

**Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.**

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows—

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application/Explanation</i>
O	- Support item is removed, replaced, used at the organizational level of maintenance.

**NOTE**

**A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.**

F	- Support item is removed, replaced, used at the direct support maintenance level.
H	- Support item is removed, replaced, used at the general support maintenance.
D	- Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multiservice equipment/systems or when a code is entered, this position will contain one of the following maintenance

codes as assigned by the service(s) that require the code

<i>Code</i>	<i>Application/Explanation</i>
O	- The lowest maintenance level capable of complete repair of the support item is the organizational level.
F	- The lowest maintenance level capable of complete repair of the support item is direct support.
H	- The lowest maintenance level capable of complete repair of the support item is general support.
D	- The lowest maintenance level capable of complete repair of the support item is the depot level.
L	- Repair restricted to designated Specialized Repair Activity.
Z	- Nonrepairable. No repair is authorized.
B	- No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows—

<i>Code</i>	<i>Explanation</i>
Z	- Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O	- Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F	- Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H	- Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D	- Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L	- Repairable item. Repair, condemnation, and disposal not authorized below depot/ Specialized Repair Activity level.
A	- Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).
b.	<i>Federal Stock Number.</i> Indicates the Federal

stock number assigned to the item and will be used for requisitioning purposes.

c. *Description*. Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

d. *Unit of Measure (U/M)*. Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. *Quantity Incorporated in Unit*. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. *15-Day Organizational Maintenance Allowances*.

**NOTE**

**Allowances in GS column are for GS maintenance only.**

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and CS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. *1-Year Allowances Per 100 Equipments/Contingency Planning Purposes*. Column intentionally left blank.

h. *Depot Maintenance Allowance Per 100 Equipments*. This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

i. *Illustration*. This column is divided as follows:

(1) *Figure number*. Indicates the figure TM 11-5805-234-34P number of the illustration on which the item is shown in TM 11-2146.

(2) *Item number*. Indicates the item number or reference designation used to reference the item in the illustration.

**1-4. Special Information**

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are

<i>Code</i>	<i>Used on</i>
ABC	AN/TCC-7
ABD	AN/TCC-7A

b. The following publications pertain to the equipment and its components:

TM 11-2146 Central Office, Telephone, Manual AN/TCC-7 and AN/TCC-7A and Telephone Central Office Group, Manual AN/GTA-14 (V).

TM 11-5805-234-20P Organizational Maintenance Repair Parts and Special Tools List: Central Office, Telephones, Manual AN/TCC-7 and AN/TTC-7A.

**1-5. Location of Repair Parts**

a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index.

c. When the figure and item number or reference

designation are known, scrutinize columns 10a and 10b of the repair parts list (sec II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (sec II), which is arranged in alphabetical order.

**1-6. Abbreviations**

Not applicable.

**1-7. Reporting of Equipment Publication Improvements**

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CW, Fort Monmouth, N.J. 07703.

(Next printed page is 6)



SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5935-259-9828	ADAPTER, CABLE TO CONNECTOR U-W CX-369A-U	NO-REF-DESIG.	EA	6	*	*	*	*	*	*		4	11.1	
PAFZZ	6350-295-1766	AN3057-6 (02660) BELL, ELECTRICAL	ABC,ABD NO-REF-DESIG NIGHT	EA	1	*	*	*	*	*	*		4	9.1	
PAOZZ	5120-308-3779	ALARM BELL 57152 (80252)	ABC,ABD	EA	2	*	*	*	*	*	*		5		
PAOZZ	5110-243-3011	BLADE CLEANING CONT POINTS 5 IN LG X 17-64 IN WD X 0-018 IN THK 374C (64959)	NO-REF-DESIG CONT BURNISHER FOR	EA	2	*	*	*	*	*	*		3		
PAFZZ	6145-617-1359	BURNISHER, CONTACT, HAND BLADE FOR BURNISHER 374A (64959)	NO-REF-DESIG	FT	30	*	*	*	*	*	*		5		
PAFZZ	6145-643-0053	CABLE, POWER, ELECTRICAL ELECTRICAL POWER CABLE WT22U 3 NO. 8 AWG STRANDED COND MILP10582 (81349)	NO-REF-DESIG	FT	50	*	*	*	*	*	*		5	11.1	
PAFZZ	6145-188-3650	CABLE, POWER, ELECTRICAL FOR FABRICATING CORD CD409 CO-02H6F(2- 18)ST0830 MILC3432 (81349)	ABC,ABD NO-REF-DESIG	FT	54	*	*	*	*	*	*		5	11.1	
PAFZZ	6145-635-3740	CABLE, POWER, ELECTRICAL REQUIRED TO FABRICATE CX4845-U CD393 CX-3692/U CO-02HGF-2-080*	ABC,ABD NO-REF-DESIG	FT	258	*	*	*	*	*	*		5		
PAFZZ	6145-160-1844	CABLE, POWER, ELECTRICAL REQUIRED TO FABRICATE CX-3694/U CO-02HGF2-8-0800 (81349)	ABC,ABD NO-REF-DESIG	FT	15	*	*	*	*	*	*		5	11.1	
PAFZZ	6145-537-3713	CABLE, POWER, ELECTRICAL REQUIRED TO FABRICATE CX-4762/U CO-O2HGF2-18SJ04*	ABC,ABD NO-REF-DESIG	FT	62	*	*	*	*	*	*		5	11.1	
PAFZZ	6145-545-7148	CABLE, TELEPHONE FABRICATING CABLE CX2584-U 27 PR, NO.24 AWG 0-540 IN DIA 602-387 (58189)	ABC,ABD NO-REF-DESIG FOR	FT	2150	*	*	*	*	*	*		5	11.1	
PAOZZ	8040-200-6302	CEMENT, SEALING GLYPTOL PURPLE 1-2 OZ BOTTLE 207350 (58189)	ABC,ABD NO-REF-DESIG LIQUID	EA	2	*	*	*	*	*	*		1		

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5940-546-6745	CLIP, ELECTRICAL IN X 35-64 IN 41647 (89110)	NO-REF-DESIG BASS 1-8 ABC	EA	4420	*	*	*	*	*	*		3		
PAFZZ	5940-523-6737	CLIP, ELECTRICAL 32 X 3-164 IN 41278 (89110)	NO-REF-DESIG BRASS 3- ABC	EA	4420	*	*	*	*	*	*		3		
PAFZZ	5935-644-9401	CONNECTOR, PLUG, ELECTRICAL CABLE ASSY CX-3694/U 4 FEMALE RD CONT AN3106A14S2S (81349)	I P/O ABC,ABD	EA	6	*	*	*	*	*	*		3	11.1	I
PAHZZ	5935-201-8924	CONNECTOR, PLUG, ELECTRICAL P-O CABLE, CX2584-U 104 RD CONT 52 MALE, 52 FEMALE DTB6281 (09922)	NO-REF-DESIG. ABC,ABD	EA	170				*	*	*		3		
PAOZZ	5935-173-8682	CONNECTOR, PLUG, ELECTRICAL P-O CABLE, CX4762-U 2 CURVED FEMALE CONT SMB143101 (80063)	NO-REF-DESIG ABC,ABD	EA	8	*	*	*	*	*	*		3		
PAOZZ	5935-231-1169	CONNECTOR, PLUG, ELECTRICAL P-O CORD CD409 2 CURVED MALE CONT TWIST LOCK TYPE HC11476 (88315)	NO-REF-DESIG ABC,ABD	EA	1	*	*	*	*	*	*		3		
PAFZZ	5935-149-3563	CONNECTOR, PLUG, ELECTRICAL P-O CORD CD413 AND C0414 7224 (88315)	NO-REF-DESIG ABC,ABD	EA	3	*	*	*	*	*	*		3		
PAFZZ	5935-201-8474	CONNECTOR, PLUG, ELECTRICAL P-O CORD CD413 AND C0414 7238 (88315)	NO-REF-DESIG ABC,ABD	EA	3	*	*	*	*	*	*		3		
PAOZZ	5935-201-8910	CONNECTOR, PLUG, ELECTRICAL CORD CX-3692, CD393, CD409, CX-4845/U 2 MALE RD CONT SMB143121 (80063)	P/O ABC,ABD	EA	19	*	*	*	*	*	*		3		
PAOZZ	5935-201-8910	CONNECTOR, PLUG, ELECTRICAL CORD CX-3692, CD393, C0409. CX-4945/U 2 MALE RD CONT SMB143121 (80063)	P/O ABC,ABD	EA	REF	*	*	*	*	*	*		3		
PAOZZ	5935-201-8910	CONNECTOR, PLUG, ELECTRICAL CORD CX-3692, CD393, CD409, CX-4845/U 2 MALE RD CONT SMB143121 (80063)	P/O ABC,ABD	EA	REF	*	*	*	*	*	*		3		
PAOZZ	5995-170-7992	CORD CD38 NO-REF-DESIG .....	ABC,ABD	EA	3	*	*	*	*	*	*		1		
PAFHD	5805-806-1894	DIAL MOUNTING ASSEMBLY ALUMINUM SMB142834 (80063)	NO-REF-DESIG ABC,ABD	EA	1	*	*	*	*	*	*		2		
PAFZZ	5120-266-7023	HANDLE WOOD 34 IN LG NNH0093 (81348)	NO-REF-DESIG SLEDGE HAMMER ABC,ABD	EA	1	*	*	*	*	*	*		2		
PAFZZ	5305-527-5753	SCREW, MACHINE RETAINING CUP FIL HD NO. 0-073 IN -64 X 5-16 IN LG A3873-15 (09922)	NO-REF-DESIG FASTENS ABC,ABD	EA	340	*	*	*	*	*	*		5		
PAOZZ	5835-701-9183	SLEEVE, KEY INDICATE CORD CKT KEYS IN TROUBLE 35-64 IN CONTINUED	NO-REF-DESIG USED TO ABC,ABD	EA	18	*	*	*	*	*	*		3		

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.	
						1-20	21-50	51-100	1-20	21-50	51-100					
		CONTINUED														
PAOZZ	5805-681-9710	MALE PD CONT 589782 (44039)	ABC,ABD	EA	60	*	*	*	*	*	*		5			
		SLEEVE, TELEPHONE CORD TO INDICATE CORD CKT PLUGS IN TROUBLE 1-1/8 IN LG X 0-305 IN DIA	NO-REF-DESIG USED													
PAFZZ	5307-532-3287	589825 (44038)	ABC,ABD	EA	340	*	*	*	*	*	*		2			
		STUD, EXTENSION PLUG TO RECP SS 10-32 NF2A 2-489 IN LG O-A	NO-REF-DESIG SECURES													
PAFZZ	5940-187-5056	60F17893-3 (71785)	ABC,ABD	EA	2	*	*	*	*	*	*		5			
		TERMINAL, LUG ASSY CX4845-U	NO-REF-DESIG U-W CABLE													
PAFZZ	5940-238-8534	RLA3144D (80063)	ABC,ABD	EA	2	*	*	*	*	*	*		5			
		TERMINAL, LUG CD258-A	NO-REF-DESIG U-W CORD													
PAFZZ	5940-050-6252	1017 (77147)	ABC,ABD	EA	2	*	*	*	*	*	*		5			
		TERMINAL, LUG CD393	NO-REF-DESIG U-W CORD													
PAFZZ	5310-527-5768	8502-4 (C8808)	ABC,ABD	EA	340	*	*	*	*	*	*		5			
		WASHER, FLAT EXTENSION STUD RD STEEL 0-297 IN DIA X 0-032 IN THK	NO-REF-DESIG U-W SPRING FOR													
PAFZZ	6145-688-4853	A3873-8 (C9922)	ABC,ABD	FT	50	*	*	*	*	*	*		2			
		WIRE, ELECTRICAL FABRICATING CD258A	NO-REF-DESIG FOR													
PAFZZ	6145-184-5491	CE123796 (82903)	ABD	FT	3	*	*	*	*	*	*		2			
		WIRE, ELECTRICAL SINGLE NO-10 AWG STRANDED COP COND U.S.	NO-REF-DESIG INSULTED													
PAFZZ	6145-184-5491	ARMY SPEC NO. 71-4945 C001HGF1-12-0285 (81349)	ABC	FT	50	*	*	*	*	*	*		2			
		WIRE, ELECTRICAL STRANDED COPPER JACKET COND TYPES EXCEPT INSULATED AND JACKETED PER U. S. ARMY 71-4945 10 (81554)	NO-REF-DESIG 12 AWG													
PAOZZ	5920-295-9826	MAIN DISTRIBUTING FRAME, TELEPHONE TA-257/TTC ARRESTOR, LIGHTNING E1 RESISTOR TYPE 1-11-32 IN LG X 1-2 IN OD 300 VDCW 41-260 (26063)	ABC	EA	200	*	*	*	*	*	*		4	3	E1	
PAFZZ	5935-259-0086	CONNECTOR, RECEPTACLE, ELECTRICAL DESIG 52 RD FEMALE CONT STRAIGHT TYPE 4-1-16 IN LG X 1-1-8 IN WD X 9-16 IN H 540-17894 (71785) USED ON ORD NO 11659-PH-52,52218-PH-57	NO-REF-	EA	4	*	*	*	*	*	*		3			
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL DESIG 52 CONTACTS STRAIGHT TYPE 4-054 X 9-16X 1-1-8 IN	NO-REF-	EA	4	*	*	*	*	*	*		3			
PAOZZ	5920-285-0347	DTB6280 (09922) USED ON ORD NO. 14386-PC-58 DISK, TELEPHONE PROTECTOR CARBON CYLINDRICAL SHAPE 1-2 X 5-16 IN 41-273 (26063)	NO-REF-DESIG	EA	200	*	*	*	*	*	*		5			
PAFZZ	5805-532-3242	PLATE NO-REF-DESIG CAD STEEL RECTANGULAR SHADE 1-1/8 IN LG X 1/2 IN W		EA	8	*	*	*	*	*	*		5			
		CONTINUED														

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
CONTINUED															
PAFZZ	5805-705-5906	0.125 IN THK O/A USED ON ON ORDER NOS. 11659-PH-52, 52218-PH-57 20H17894-4 (71735) PLATE NO-REF-DESIG PROVIDES :FOR MTG BUGGIE CONNECTOR PLUG SS 3-16 IN THK X 15-32 IN W X 1-3-32 IN		EA	8	*	*	*	*	*	*		5		
PAFZZ	5940-504-3993	2874-4 (09922) USED ONLY ON ORD NO. 14386-PC-58 POST. BINDING. 1 NO-REF-DESIG LOCKING CAD 1 IN H ABOVE MTG, SURFACE 5/8 IN OD 602120 (58189)		EA	600	*	*	*	*	*	*		1	4	
PAFZZ	5305-682-5499	SCREW, EXTERNALLY RELIEVED BODY STEEL FIL HD WITH SLOT 1-405 LG O-A A3874-6 (09922)USED ONLY ON ORD NO 14386-PC-58	A	EA	8	*	*	*	*	*	*		5		A
PAFZZ	5305-638-6205	SCREW, EXTERNALLY RELIEVED BODY NO-REF- DESIG STEEL OVAL HD WITH SLOT 0-388 IN LG 60F17894-5 (71785) USED ON ORD NO 11659-PH-52, 52218-PH-57		EA	8	*	*	*	*	*	*		5		
PAFZZ	5945-259-6626	SWITCHBOARD, TELEPHONE, MANUAL SB-249/TTC, -249A ARMATURE, RELAY 10 OPER RELAY SPRING'. 1-9-64 X 7-8 X 59-64 IN 35509 (58189) USED ONLY IN THE SB-249/TTC		EA	76	*	*	*	*	*	*		2	43	10
PAFZZ	5945-259-6627	ARMATURE, RELAY NO-REF-DESIG OPER RELAY SPRING 1-9-64 X 7-8 X 59-64 36502 (58189) USED ONLY IN THE SB-249/TTC		EA	2	*	*	*	*	*	*		2		
PAFZZ	6350-688-5101	BUZZER NO-REF-DESIG VIBRATING TYPE 48 VDC 4 IN LG X 2-1-2 IN WD X 1-7-6 IN H SMB142336 (80063)		EA	1	*	*	*	*	*	*		2	47	
PAFZZ	5910-801-2962	CAPACITOR, FIXED, PAPER DIELECTRIC NO- REF-DESIG 2 UF PORM10PCT 100 VDCW 589724 (44038)USED ONLY IN THE SB-249A/TTC		EA	17	*	*	*	*	*	*		5		
PAFZZ	5910-280-6986	CAPACITOR, FIXED, PAPER DIELECTRIC NO- REF-DFSIG 2 SECT 2 UF PORM20PCT M10PCT 160 VDCW 42375 (14100) USED ONLY IN THE SB-249/TTC		EA	17	*	*	*	*	*	*		5		
PAFZZ	5910-721-1996	CAPACITOR, FIXED, PAPER DIELECTRIC NO- REF-DESIG 2 SECTS 2 UF PORM10PCT 100 VDCW 589720 (44038) USED ONLY IN THE SB-249A/TTC		EA	17	*	*	*	*	*	*		5		
PAFZZ	5910-688-7214	CAPACITOR, FIXED, PAPER DIELECTRIC NO- REF-DESIG 3 UF PORM10PCT 100 VDCW 589722 (440381) USED ONLY IN THE SB-249A/TTC		EA	1	*	*	*	*	*	*		5		
PAFZZ	5910-547-2951	CAPACITOR, FIXED, PAPER DIELECTRIC 5 UF, PORM10PCT 100 VDCW 589723 (44038) USED ONLY IN THE SB-249A/TTC	C4	EA	1	*	*	*	*	*	*		5	51	C4
PAFZZ	5910-666-8301	CAPACITOR, FIXED, PAPER DIELECTRIC 0-5 MF, P20M10PCT 160 VDCW 64 (58189) USED ONLY IN THE SB-249/TTC	C4	EA	1	*	*	*	*	*	*		5	51	C4
PAFZZ	5910-280-7324	CAPACITOR, FIXED, PAPER DIELECTRIC 2 MF P20M10PCT 160 VDCW 56 (58189) USED ONLY IN THE SB-249/TTC	C5	EA	1	*	*	*	*	*	*		5	51	C5
PAFZZ	5910-668-4607	CAPACITOR, FIXED, PAPER DIELECTRIC 3-0 UF P20M10PCT 160 VDCW 57 (58189) USED ONLY IN THE SB-249/TTC	C3	EA	1	*	*	*	*	*	*		5	49	C3

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5915-688-3269	CAPACITOR RESISTOR R3,C3 1 UF PORM10PCT 100 VDCW 500 OHMS PORM10PCT 1W 589729 (40038) USED ONLY IN THE SB-249A/TTC		EA	1	*	*	*	*	*	*		2	49	R3 C3
PAOHD	5805-701-9143	CIRCUIT PLATE ASSEMBLY NO-REF-DESIG 48 VDC PROVIDES OPERATOR WITH FACILITIES FOR TALKING AND DIALING 589855 (40038) USED ONLY IN THE SB-249A/TTC		EA	1	*	*	*	*	*	*		5		
PAOHD	5805-701-9142	CIRCUIT PLATE ASSEMBLY NO-REF-DESIG 48 VDC PROVIDES TALKING RINGING AND SUPERVISORY CIRCUITS BETWEEN OPERATOR AND CALLED AND CALLING 589854 (40038) USED ONLY IN THE SB-249A/TTC		EA	5	*	*	*	*	*	*		5		
PAFZZ	5950-648-4217	COIL, RELAY NO-REF-DESIG REPLACEMENT COIL FOR FREE AND RESTRICTED SERVICE RELAYS 24 VDC, 8-5 TO 13-0 MA 601810 (58189) USED ONLY IN THE SB-249/TTC		EA	30	*	*	*	*	*	*		3		
PAFZZ	5950-645-4175	COIL, RELAY NO-REF-DESIG REPLACEMENT COIL FOR FRONT AND REAR CORD BRIDGE RELAYS 48 VDC, 12-5 TO 19-5 MA 601809 (58189) USED ONLY IN THE SB-249/TTC		EA	30	*	*	*	*	*	*		3		
PAFZZ	5950-648-4291	COIL, RELAY NO-REF-DESIG REPLACEMENT COIL FOR MAGNETIC RING OFF ANDMONITOR, COIL 48 VDC 10 TO 15-1-2 MA 601811 (58189) USED ONLY IN THE SB-249/TTC		EA	16	*	*	*	*	*	*		3		
PAFZZ	5950-648-4285	COIL, RELAY NO-REF-DESIG REPLACEMENT COIL FOR OPER BATT RELAY 48 VDC 9 TO 13 MA 601813 (58189)USED ONLY IN THE SB-249/TTC		EA	1	*	*	*	*	*	*		3		
PAFZZ	5950-648-4539	COIL, RELAY NO-REF-DESIG 560 OHM DC RESISTANCE 604211 (58189)USED ONLY IN THE SB-249/TTC		EA	1	*	*	*	*	*	*		3		
PAFZZ	5950-648-4289	COIL, RELAY NO-REF-DESIG 983 OHM DC RESISTANCE 604212 (58189) USED ONLY IN THE SB-249/TTC		EA	1	*	*	*	*	*	*		3		
PAFZZ	5950-645-4555	COIL, TELEPHONE INDUCTION NO-REF-DESIG P-O OPERATOR'S TELEPHONE CIRCUIT 5 WND 1-8, 14-6, 16-4, 450 AND 12-7 OHMS DC RES 601894 (58189)		EA	1	*	*	*	*	*	*		3		
PAFZZ	5950-537-5147	COIL, TELEPHONE, INDUCTION NO-REF-DESIG 1 WND 900 OHMS DC RES SMB142878 (80063)		EA	1	*	*	*	*	*	*		3		
PAFZZ	5959-645-4553	COIL, TELEPHONE REPEATING NO-REF-DESIG BOOSTS TRANSMISSION IN OPERATOR'S CKT 2 WND 2 AND 16-5 OHMS DC RES 601895 (58189)		EA	1	*	*	*	*	*	*		3		
PAFZZ	5950-645-4528	COIL, TELEPHONE RETARDATION NO-REF-DESIG RUSY TEST COIL 2 WND 1000 AND 1000 OHMS DC RES SMB142866 (80063)		EA	1	*	*	*	*	*	*		3		

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5935-687-1067	CONNECTOR, PLUG, ELECTRICAL	NO-REF-DESIG	EA	6	*	*	*	*	*	*		3		
		FOR CONNECTING OPERATORS TEL AND DIAL CKT WITH KEY SHELF CKT 40 CONT 3-5-16 IN LG X 1-27-32 IN W X 19-32 IN H													
PAFZZ	5935-686-3995	57624 (40038) USED ONLY IN THE SB-249A/TTC CONNECTOR, RECEPTACLE, ELECTRICAL	NO-REF-DESIG	EA	6	*	*	*	*	*	*		3		
		FOR CONNECTING OPERATORS TEL AND DIAL CKT WITH KEYSHELF CKT 40 CONT 3-11-32 IN LG X 1-1-16 X 1-11-32 IN H													
PAFZZ	5935-161-9764	574812 (44038) USED ONLY IN THE SB-249A/TTC CONNECTOR., RECEPTACLE, ELECTRICAL	NO-REF-DESIG	EA	1	*	*	*	*	*	*		3		
		2 CURVED-OBLONG FEMALE CONT STRAIGHT TYPE 3-5-8 IN LG X 1-468 IN W X 1-312 IN H 7210 (88315)													
PAFZZ	5935-201-7932	CONNECTOR, RECEPTACLE, ELECTRICAL	NO-REF-DESIG	EA	2	*	*	*	*	*	*		3		
		2 FEMALE RD CONT STR TYPE 3 IN LG X 2IN WX 2 IN H BRM73C2M3 (15235)													
PAFZZ	5935-279-9337	CONNECTOR, RECEPTACLE, ELECTRICAL	NO-REF-DESIG	EA	1	*	*	*	*	*	*		3		
		4 FLAT DOUBLE T FEMALE CONT STRAIGHT TYPE2-625 LESS MTG X 1-328 IN WD 1-1-8 IN THK 9575 (88315)													
PAFZZ	5935-259-0086	CONNECTOR, RECEPTACLE, ELECTRICAL	NO-REF-DESIG	EA	62	*	*	*	*	*	*		3		
		52 RD FEMALE CONT STRAIGHT TYPE 4-1-16 IN LG, X 1-1-8 IN WD X 9-16 IN H 54D17894 (71785) USED ONLY IN THE SB-249/TTC													
PAFZZ	5935-644-6750	CONNECTOR, RECEPTACLE, ELECTRICAL	NO-REF-DESIG	EA	2	*	*	*	*	*	*		3		
		2 MALE, CONT STRAIGHT TYPE 1-625 IN DIA X 0-937 IN D O-A 7467 (88315)													
PAFZZ	5935-149-2754	CONNECTOR, RECEPTACLE, ELECTRICAL	NO-REF-DESIG	EA	1	*	*	*	*	*	*		3		
		2 MALE CONT STRAIGHT 2-1-2 IN LG X 1-23-32 IN W XX 1-500 IN H 9105 (98315)													
PAFZZ	5935-149-3462	CONNECTOR, RECEPTACLE, ELECTRICAL	NO-REF-DESIG	EA	2	*	*	*	*	*	*		3		
		4 RD MALE CONT STRAIGHT 15-16 IN LG X 1-3-16 IN W X 1-3-16 IN H O-A AN3102A14S2P (02660)													
PAFZZ	5935-686-3681	CONNECTOR; RECEPTACLE, ELECTRICAL	NO-REF-DESIG	EA	62	*	*	*	*	*	*		3		
		52 CONTACTS STRAIGHT TYPE 4-054 X 9-16 X1-1-8 IN DTB6280 (09922) USED ONLY IN THE SB-249A/TTC													
PAFZZ	5935-549-2646	CONNECTOR, RECEPTACLE U-79/U	NO-REF-DESIG	EA	2	*	*	*	*	*	*		3		
		10 CONT MILC10544A (81349)													
PAFHD	5945-322-4017	CONTACT ASSEMBLY, ELECTRICAL	NO-REF-DESIG	EA	1	*	*	*	*	*	*		8		
		1A CONT ARRANGEMENT 350000 (58189) USED ONLY IN THE SB-249/TTC													
PAFHD	5945-322-4020	CONTACT ASSEMBLY, ELECTRICAL	NO-REF-DESIG	EA	15	*	*	*	*	*	*		8		
		1A2B CONT ARRANGEMENT 350149 (58189) USED ONLY IN THE SB-249/TTC													

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFHD	5945-322-4019	CONTACT ASSEMBLY, ELECTRICAL	NO-REF-DESIG	EA	30	*	*	*	*	*	*		8		
PAFHD	5945-500-7443	1A2C CONT ARRANGEMENT 350103 (58199) USED ONLY IN THE SB-249/TTC	NO-REF-DESIG	EA	30	*	*	*	*	*	*		8		
PAFHD	5945-523-9963	CONTACT ASSEMBLY, ELECTRICAL	NO-REF-DESIG	EA	1	*	*	*	*	*	*		8		
PAFHD	5945-322-4018	2A CONT ARRANGEMENT 350170 (58189) USED ONLY IN THE SB-249/TTC	NO-REF-DESIG	EA	1	*	*	*	*	*	*		8		
PAFHD	5945-523-9964	CONTACT ASSEMBLY, ELECTRICAL	NO-REF-DESIG	EA	1	*	*	*	*	*	*		8		
PAOZZ	5995-173-8830	2C2D CONT ARRANGEMENT 350144 (58189) USED ONLY IN THE SB-249/TTC	NO-REF-DESIG	EA	1	*	*	*	*	*	*		8		
PAOZZ	5995-173-8830	CONTACT ASSEMBLY ELECTRICAL	NO-REF-DESIG	EA	10	*	*	*	*	*	*		5		
PAOZZ	5995-681-8551	3A CONT ARRANGEMENT 350127 (58189) USED ONLY IN THE SB-249/TTC	NO-REF-DESIG	EA	10	*	*	*	*	*	*		5		
PAOZZ	5995-173-8829	CORD ASSEMBLY, ELECTRICAL	NO-REF-DESIG	EA	10	*	*	*	*	*	*		5		
PAOZZ	5995-681-8552	GREEN CABLE 3 TINSEL COND 8 FT LG O-A SMB142817A3 (80063) USED ONLY IN THE SB/249/TTC	NO-REF-DESIG	EA	10	*	*	*	*	*	*		5		
PAOZZ	5995-681-8553	CORD ASSEMBLY, ELECTRICAL	NO-REF-DESIG	EA	10	*	*	*	*	*	*		5		
PAOZZ	5995-173-8828	GREEN CABLE 3 TINSEL COND 8 FT 3-13-64 IN LG O-A S3B (64959) USED ONLY IN THE SB-249A/TTC	NO-REF-DESIG	EA	10	*	*	*	*	*	*		5		
PAFHD	5805-806-1894	COND ASSEMBLY, ELECTRICAL	NO-REF-DESIG	EA	10	*	*	*	*	*	*		5		
PAOZZ	5805-688-2685	SLATE CABLE, 3 TINSEL COND 8 FT 3-13-64 IN LG O-A S3B (64959) USED ONLY IN THE SB-249A/TTC	NO-REF-DESIG	EA	10	*	*	*	*	*	*		5		
PAFZZ	5915-537-7240	CORD ASSEMBLY, ELECTRICAL	NO-REF-DESIG	EA	10	*	*	*	*	*	*		5		
PAOZZ	5920-156-0840	WHITE CABLE 3 TINSEL CONT 8 FT LG O-A SMB142817-2 (80063) USED ONLY IN THESE-249/TTC	NO-REF-DESIG	EA	10	*	*	*	*	*	*		5		
PAOZZ	5930-258-4767	DIAL MOUNTING ASSEMBLY	NO-REF-DESIG	EA	1	*	*	*	*	*	*		2		
PAOZZ	5805-688-2685	ALUMINUM SMB142834 (80063) USED ONLY IN THE SB-249A/TTC	NO-REF-DESIG	EA	1	*	*	*	*	*	*		2		
PAFZZ	5915-537-7240	DIAL, TELEPHONE	NO-REF-DESIG	EA	1	*	*	*	*	*	*		2		
PAOZZ	5920-156-0840	TYPE SHUNT SPRING CONT ARRANGEMENT 3-3- 32 IN DIA X 1-1-4 IN H 591449 (44038)USED ONLY IN THE SB-249A/TTC	NO-REF-DESIG	EA	1	*	*	*	*	*	*		2		
PAFZZ	5915-537-7240	FILTER. RADIO, INTERFERENCE C3,R3 1 MF 604358 (58189) USED ONLY IN THE SB-249/TTC	NO-REF-DESIG	EA	1	*	*	*	*	*	*		3	49	C3 R3
PAOZZ	5920-156-0840	USE, INDICATOR, ALARM NO-REF-DESIG 1-1- 3 AMP, 48 V 1-43-64 IN LG X 13-32 IN W X 3-8 IN H 35A (64959)	NO-REF-DESIG	EA	10	*	*	*	*	*	*		50	47	
PAOZZ	5930-258-4767	HANDLE NO-REF-DESIG FOR CAM TYPE KEYS CONTINUED	NO-REF-DESIG	EA	2	*	*	*	*	*	*		3		

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
CONTINUED															
PAOZZ	5930-548-6747	7/8 IN IL X 3/8 IN OD O/A 4926 (58189) HANDLE NO-REF-DESIG FOR CAM TYPE KEYS	EA	30	*	*	*	*	*	*			3		
PAOZZ	5930-814-4362	6541 (58189) HANDLE NO-REF-DESIG LEVER SW WHITE PLASTIC	EA	1	*	*	*	*	*	*			3		
PAFZZ	5805-393-1688	SMB142908 (80063) INSULATOR, TRANSPOSITION NO-REF-DESIG BROWN PHENOLIC 1-17-32 IN LG X 0-218 IN WX 0-031 IN THK O-A	EA	80	*	*	*	*	*	*			1		
PAFHD	5935-665-7349	36694 (58189) USED ONLY IN THE SB-249/TTC JACK ASSEMBLY, TELEPHONE NO-REF-DESIG 20 JACKS ON BLACK PHENOLIC STRIP ,FOR 3 COND PLUG 10-3-4 IN LG X 31-64 IN WD X 3-1-16 IN D O-A 601913 (58189) USED ONLY IN THE SB-249/TTC	EA	1	*	*	*	*	*	*			5		
PAFHD	5935-665-7339	JACK ASSEMBLY, TELEPHONE NO-REF-DESIG 20 JACKS ON BLACK PHENOLIC STRIP FOR 3 COND PLUG 10-3-4 IN LG X 31-64 IN WD X 3-1-16 IN DIA O-A 601914 (58189) USED ONLY IN THE SB-249/TTC	EA	29	*	*	*	*	*	*			5		
PAFHD	5935-686-9641	JACK ASSEMBLY TELEPHONE NO-REF-DESIG CONFERENCE CIRCUIT JACKS MTD ON METAL STRIP 11-1-8 IN LG X 31-64 IN WD X 3-1-16 IN DIA D3701 (81568) USED ONLY IN THE SB-249A/TTC	EA	1	*	*	*	*	*	*			5		
PAFHD	5935-686-9642	JACK ASSEMBLY, TELEPHONE NO-REF-DESIG CONFERENCE CIRCUIT JACKS MTD ON METAL STRIP 11-1-8 IN LG X 31-64 IN WD X 3-1-16 IN DIA D3702 (81568) USED ONLY IN THE SB-249A/TTC	EA	29	*	*	*	*	*	*			5		
PAOZZ	6240-715-0037	LAMP, INCANDESCENT NO-REF-DESIG CALL LAMPS FOR LINES AND TRK TP SB TYPE 48 V 0-032 TO 0-038 AMP CUR RANGE 48C (08808)	EA	675	*	*	*	*	*	*			50	31	
PAOZZ	6240-237-7877	LAMP, INCANDESCENT NO-REF-DESIG TP SB TYPE 6 V, 0-035 TO 0-045 AMP SLIDEBASE, 1-11-16 IN MAX LG O-A INTENDED FOR REPLACEMENT BY THE REPAIRMAN, 6C (08808)	EA	30	*	*	*	*	*	*			50	31	
PAFZZ	6250-196-8902	LAMPHOLDER NO-REF-DESIG MOUNTS FIXED WW RESISTOR MED SCREW BASE 1-5-8 IN H X 1-1-2 IN OD O-A A40194 (81091)	EA	2	*	*	*	*	*	*			5		
PAFZZ	6250-186-6401	LAMPHOLDER NO-REF-DESIG MOUNTS RESISTOR MED SCREW BASE 2-1-2 IN LG X 1-7-16 IN DI A O-A 46A 46A (64959)	EA	1	*	*	*	*	*	*			5	47	
PAFHD	6250-295-1172	LAMPHOLDER ASSEMBLY NO-REF-DESIG SLIDE BASE 11-15-32 IN LG X 1-2 IN WD X 2-7-8 601920 (58189) USED ONLY IN THE SB-249/TTC	EA	33	*	*	*	*	*	*			5		



SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	6210-299-6686	LAMPHOLDER SLIDE BASE 2-29/32 IN LG X 1/2 IN OD 601869 (81568)		EA	45	*	*	*	*	*	*		5		
PAFHD	6250-722-1261	LAMPHOLDER ASSEMBLY NO-REF-DESIG FOR MOUNTING ORIGINATING CALL LAMPS 11-1-8 IN LG X 1-2 IN W X 2-5-16 IN H D3725 (81568) USED ONLY IN THE SB-249A/TTC		EA	33	*	*	*	*	*	*		5		
PAOZZ	6210-726-4534	LENS, INDICATOR LIGHT NO-REF-DESIG GREEN SMB142804-3 (80063)		EA	15	*	*	*	*	*	*		5		
PAOZZ	6210-726-4536	LENS, INDICATOR LIGHT NO-REF-DESIG RED SMB142804-2 (80063)		EA	15	*	*	*	*	*	*		5		
PAOZZ	6210-726-4537	LENS, INDICATOR LIGHT NO-REF-DESIG WHITE SMB142911 (80063)		EA	580	*	*	*	*	*	*		5		
PAOZZ	6210-726-4535	LENS, INDICATOR LIGHT NO-REF-DESIG WHITE SMB142804-1 (80063)		EA	15	*	*	*	*	*	*		5		
PAFZZ	5805-705-5906	PLATE NO-REF-DESIG PROVIDES FOR MTG BUGGIE CONNECTOR PLUG SS 3-16 IN THK X 15-32 IN W X 1-3-32 IN LG SMC339886 (09922) USED ONLY IN THE SB-249A/TTC		EA	124	*	*	*	*	*	*		5		
PAFZZ	5805-532-3242	PLATE NO-REF-DESIG PROVIDES FOR MTG CINCH CONNECTOR PLUG CAD STEEL 1-1-8 LG X 1-2 IN W X 0-125 INXTHK O/A 20H17894-4 (71785) USED ONLY IN THE SB-249/TTC		EA	124	*	*	*	*	*	*		5		
PAFZZ	5935-192-4762	PLUG, TELEPHONE NO-REF-DESIG 3 COND RED 3-1-4 IN O-A LG OF PLUG 310 (64959)		EA	30	*	*	*	*	*	*		5	2	
PAFZZ	5805-407-4861	PULLEY, CORD NO-REF-DESIG TEL SB CORD PULLEY 3 3-16 W X 2 29-32 H X 27-64 IN THK O/A 113A (64959)		EA	30	*	*	*	*	*	*		25		
PAFZZ	6130-567-2799	RECTIFIER, METALLIC NO-REF-DESIG PREVENTS ACOUSTIC SHOCK TO OPERATOR 33L (64959)		EA	1	*	*	*	*	*	*		3	54	
PAFZZ	5945-686-7773	RELAY, ARMATURE RU LB LINE CORD SUPERVISORY RELAY 50V DC MAXI-2 AMP RES CUR 1 WND 1310 OHM RES 0-006AMP OPER CUR 585887 (44038) USED ONLY IN THE SB-249A/TTC		EA	15	*	*	*	*	*	*		3		RU
PAFZZ	5945-685-9334	RELAY, ARMATURE DL DIAL OFF NORMAL RELAY 50V DC MAX, 1-2 AMPERES CUR 1 WND 560 OHM RES O-010 AMP OPER CUR 585891 (44038) USED ONLY IN THE SB-249A/TTC		EA	1	*	*	*	*	*	*		3		DL
PAFZZ	5945-686-7776	RELAY, ARMATURE CO REMOVES OPERATOR'S CKT FROM DIALING CKT 50V DC MAX, 1-2 AMP RES CUR 1 WND 983 OHM RES 0-0125 AMP OPER CUR 585892 (44038) USED ONLY IN THE SB-249A/TTC		EA	1	*	*	*	*	*	*		3		CO

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5945-685-9333	RELAY, ARMATURE MC MONITOR RELAY 50V. DC MAX, 1-2 AMP RES CUR 1 WND 1310 OHMS RES 0-018 AMP OPER CUR		EA	1	*	*	*	*	*	*	3		MO	
PAFZZ	5945-688-2681	585893 (44038) USED ONLY IN THE SB-249A/TTC RELAY, ARMATURE RB REAR CORD BRIDGE RELAY 50 VDC MAX, 1-2 AMP RES CUR 3 WND 200 OHMS (A-C) 200 OHMS(B-D), 635 OHMS (A- 0-035 AMP OPER CUR		EA	30	*	*	*	*	*	*	3		RB	
PAFZZ	5945-686-7777	585897 (44038) USED ONLY IN THE SB-249A/TTC RELAY, ARMATURE RS REAR CORD SUPERVISORY RELAY 50 VDC MAX, 1-2 AMP RES CUR 2 WND 2000 OHMS (A-C), 2000 OHMS (B- 0-0145 AMP OPER CUR		EA	30	*	*	*	*	*	*	3		RS	
PAFZZ	5945-685-9337	585898 (44038) USED ONLY IN THE SB-249A/TTC RELAY, ARMATURE OB BATT TO OPER XMTR 50 VDC MAX, 1-2 AMP RESCUR 2 WND 200 OHMS AND 200 OHMS RES CUR		EA	1	*	*	*	*	*	*	3		OB	
PAFZZ	5905-192-4408	585899 (44038) USED ONLY IN THE SB-249A/TTC RESISTOR, FIXED, COMPOSITION      R3 5600 OHMS PORM10PCT 1-2 W RC20G562K (81349)		EA	1	*	*	*	*	*	*	3		R3	
PAFZZ	5905-259-2914	RESISTOR, FIXED, COMPOSITION      R1 8200 OHMS, PORM10PCT 1-2 W RC20GF822K (81349)		EA	1	*	*	*	*	*	*	3		R1	
PAFZZ	5905-258-0260	RESISTOR, FIXED, COMPOSITION      R2 18000 OHM PORM10PCT 1-2 W RC20GF183K (81349)		EA	1	*	*	*	*	*	*	3		R2	
PAFZZ	5905-537-6781	RESISTOR, FIXED, FILM NO-REF-DESIG      4200 OHM 4E (56289) USED ONLY IN THE SB-249/TTC		EA	30	*	*	*	*	*	*	3			
PAFZZ	5905-186-0081	RESISTOR, FIXED, WIRE WOUND NO-REF-DESIG PROVIDES HEAT FOR SWBD 250 OHMS PORM10PCT 60W EB8Z5050-2 (63743)		EA	2	*	*	*	*	*	*	3			
PAOZZ	5905-299-1749	RESISTOR, CURRENT REGULATING NO-REF-DESIG GEN RESISTANCE I AMP 10 V 0-049 AMP TO 0-169 AMP T9 T9 (81349)		EA	1	*	*	*	*	*	*	3			
PAFZZ	5305-396-3426	SCREW, ADJUSTMENT NO-REF-DESIG FOR RELAY ARM C-O 1 EA NO. 3-48 X 19-64 FIL HD BRASS MACH SCREW AND 1 EA NO. 3-48 BRASS MACH SCREW AND 1 EA NO. 3-48 BRASS NUT P16201 (58189) USED ONLY IN THE SB-249/TTC		EA	76	*	*	*	*	*	*	5			
PAFZZ	5305-682-5499	SCREW, EXTERNALLY RELIEVED BODY STEEL FIL HD WITH SLOT 1-405 LG O-A A3874-6 (09922) USED ONLY IN THE SB-249A/TTC		EA	124	*	*	*	*	*	*	5			
PAFZZ	5305-638-6205	SCREW, EXTERNALLY RELIEVED BODY NO-REF- DESIG STEEL OVAL HD WITH SLOT 0-388 IN LG 60F17894-5 (71785) USED ONLY IN THE SB-249/TTC		EA	124	*	*	*	*	*	*	5			
PAOZZ	5935-392-6340	SLEEVE NO-REF-DESIG FOR TP JACK USED ON 20 PER STRIP JACK ASSY 0-562 IN LG X O- CONTINUED		EA	600	*	*	*	*	*	*	3			

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.	
						1-20	21-50	51-100	1-20	21-50	51-100					
		CONTINUED														
PAFZZ	5945-792-8408	.365 IN DIA O/A 48356 (58189) USED ONLY IN THE SB-249/TTC STOP, SPRING. NO-REF-DESIG BROWN		EA	80	*	*	*	*	*	*		2			
PAFHD	5930-510-7647	PHENOLIC 1-1-16 IN LG X 0-165 IN W X 0-031 IN THK O-A 36708 (58189) USED ONLY IN THE SB-249/TTC SWITCH ASSEMBLY NO-REF-DESIG 10-3-8 IN		EA	4	*	*	*	*	*	*		5			
PAFZZ	5930-201-3608	LG X 1-2 IN W X 2-1-2 IN H EXCLUDING TERM 602056 (58189) USED ONLY IN THE SB-249/TTC SWITCH, LEVER WO 2 POSITIONS 2C2C		EA	1	*	*	*	*	*	*		5			WO
PAFZZ	5930-201-3580	CONT ARRANGEMENT 40125 (58189) SWITCH, LEVER GR POSITIONS LOCKING 48		EA	1	*	*	*	*	*	*		5			GR
PAFZZ	5930-548-3489	V DC, 1 AMP 602075 (58189) SWITCH, LEVER NO-REF-DESIG 3 POSITIONS		EA	15	*	*	*	*	*	*		5			
PAFZZ	5930-642-9329	2 LOCKING, 1 MOMENTARY 48 VDC 1 AMP 602057 (58189) SWITCH, LEVER MR, MON 3 POSITIONS 2		EA	1	*	*	*	*	*	*		5	49		MR MON
PAFZZ	5930-548-3492	LOCKING, 1 MOMENTARY 48 VDC, 1 AMP 602058 (58189) SWITCH, LEVER NO-REF-DESIG 3 POSITIONS		EA	15	*	*	*	*	*	*		5			
PAFZZ	5930-548-6082	CONT ARRANGEMENT 1ST POSN 2C.SEC POSN OFF, 3RD POSN 4C 604360 (58189) SWITCH, ROTARY NO-REF-DESIG TRANSFERS		EA	1	*	*	*	*	*	*		5			
PAFZZ	5945-259-6629	RNGG FROM AUTO TO MNL 2C POSN NO 1 OFF POSN NO 2 338C (58189) TELEPHONE CIRCUIT, LINE RELAY TA-223/TTC;TA-223A/TTC		EA	100	*	*	*	*	*	*		2			
PAFZZ	5945-259-6628	ARMATURE, RELAY NO-REF-DESIG OPER RELAY. SPRING LH 1-1-8 IN LG X 3-8 IN WD X 1 IN H		EA	100	*	*	*	*	*	*		2			
PAFZZ	6350-688-5101	36664 (58189) USED ONLY IN THE TA-223/TTC ARMATURE, RELAY NO-REF-DESIG OPER RELAY. SPRING RH 1-1-8 IN LG X 3-8 IN W X 1 IN H		EA	1	*	*	*	*	*	*		2			
PAFZZ	5910-801-2962	36666 (58189) USED ONLY IN THE TA-223/TTC BUZZER NO-REF-DESIG VIBRATING TYPE 48		EA	20	*	*	*	*	*	*		5			
PAFZZ	5910-280-6986	VDC 4 IN LG X 2-1-2 SMB142336 (80063) CAPACITOR, FIXED, PAPER DIELECTRIC NO-		EA	40	*	*	*	*	*	*		5			
PAFZZ	5910-721-1996	REF-DESIG 2 UF PORM10PCT 100 VDCW 589724 (44038) USED ONLY IN THE TA-223A/TTC CAPACITOR, FIXED, PAPER DIELECTRIC NO-		EA	40	*	*	*	*	*	*		5			
		REF-DESIG 2 SECT 2 UF PORM20PCT M10PCT 160 VDCW 42375 (58189) USED ONLY IN THE TA-223/TTC CAPACITOR, FIXED, PAPER DIELECTRIC NO-		EA	40	*	*	*	*	*	*		5			
		CONTINUED														

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
CONTINUED															
PAFZZ	5910-283-7324	REF-DESIG 2 SECT 2UF ±110% 100 VDCW 589720 (44038) USED ONLY IN THE TA-223A/TTC	NO-	EA	20	*	*	*	*	*	*		5		
PAFZZ	5950-393-1473	CAPACITOR, FIXED, PAPER DIELECTRIC REF-DESIG 2 MF P20M10PCT 160 VDCW 56 (58189) USED ONLY IN THE TA-223/TTC		EA	200	*	*	*	*	*	*		3		
PAFZZ	5935-201-7932	COIL, RELAY NO-REF-DESIG FOR LINE CKT AND CUT-OFF RELAY 48 VDC 14 TO 28 MA 2- 5-8 IN LG X 7-8 IN H X 7-16 IN W 601812 (58189) USED ONLY IN THE TA-223/TTC		EA	2	*	*	*	*	*	*		3		
PAFZZ	5935-259-0086	CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF- DESIG 2 FEMALE RD CONT STRAIGHT TYPE 3 IN LG X 2 IN W X 2 IN H BRM7302M3 (15235)		EA	14	*	*	*	*	*	*		3		
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF- DESIG 52 RD FEMALE CONT STRAIGHT TYPE 4-1-16 IN LG; X 1-1-8 IN WD X 9-16 IN H 54D17894 (71785) USED ONLY IN THE TA-223/TTC		EA	14	*	*	*	*	*	*		3		
PAFHD	5945-322-4023	CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF- DESIG 52 CONTACTS STRAIGHT TYPE 4-054 X 9-16 X1-1-8 IN DTB6280 (09922) USED ONLY IN THE TA-223A/TTC		EA	100	*	*	*	*	*	*		8		
PAOZZ	5920-156-0840	CONTACT ASSEMBLY, ELECTRICAL NO-REF-DESIG 2B1C AND 3A CONT ARRANGEMENT FOR LINE AND CUT OFF RELAY 350148 (58189) USED ONLY IN THE TA-223/TTC		EA	11	*	*	*	*	*	*		50		
PAFZZ	5805-393-1688	FUSE, INDICATOR, ALARM NO-REF-DESIG 1-1- 3 AMP, 48 V 1-43-64 IN LG X 13-32 IN W X 3-8 IN H 35A (64959)		EA	200	*	*	*	*	*	*		1		
PAFZZ	5805-705-5906	INSULATOR, TRANSPOSITION NO-REF-DESIG BROWN PHENOLIC 1-17-32 IN LG X 0-218 IN WX 0-031 IN THK O-A 36694 (58189) USED ONLY IN THE TA-223/TTC		EA	28	*	*	*	*	*	*		5		
PAFZZ	5805-532-3242	PLATE NO-REF-DESIG PROVIDES FOR MTG BUGGIE CONNECTOR PLUG SS 3-16 IN THK X 15-32 IN W X 1-3-32 IN LG A3874-4 (09922) USED ONLY IN THE TA-223A/TTC		EA	28	*	*	*	*	*	*		5		
PAFZZ	5940-681-9857	PLATE NO-REF-DESIG PROVIDES FOR MTG CINCH CONNECTOR PLUG CAD STEEL 'RECTANGULAR SHAPE' 1-1-8 X 1-2 W X 0-125 IN THK O-A 20H17894-4 (71785) USED ONLY IN THE TA-223/TTC		EA	2	*	*	*	*	*	*		1		
PAFZZ	6130-643-0791	POST, BINDING NO-REF-DESIG NYLON CAP BRASS BASE 1-3-64 IN H O-A X 5-8 INN DIA O-A C1245 (14740) RECTIFIER, METALLIC NO-REF-DESIG SELENIUM 48 VDC INPUT 48 VDC OUTPUT 1- 5-32 IN LG FMS X 1 IN W X 1-7-32 IN H EXCLUDING TERM 22-713 (80048) USED ONLY 7N! 'HE TA-223/TTC		EA	100	*	*	*	*	*	*		3		

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	6130-500-2043	RECTIFIER, METALLIC	RF SELENIUM 90 V	EA	100	*	*	*	*	*	*		3		RF
PAFZZ	5945-686-7774	RMS INPUT 110 MA MAX DC OUTPUT 1-3-16 IN LG X 1 IN DIA X 1 IN H EXCLUDING TERM EB1039 (06571) USED ONLY :IN THE TA-223A/TTC		EA	100	*	*	*	*	*	*		3		LR CO
PAFZZ	5305-682-5499	RELAY, ARMATURE LR-CO	LINE RELAY ANDO CUT- OFF RELAY 50 VDC MAX	EA	100	*	*	*	*	*	*		3		
PAFZZ	5305-682-5499	WND 1200 OHMS AND 1200OHMS RES 585912 (44038) USED ONLY IN THE TA-223A/TTC		EA	100	*	*	*	*	*	*		3		
PAFZZ	5305-682-5499	SCREW, EXTERNALLY RELIEVED BODY	NO-REF- DESIG STEEL FIL HD WITH SLOT 1-405 LG O-A	EA	28	*	*	*	*	*	*		5		
PAFZZ	5305-638-6205	A3874-6 (09922) USED ONLY IN THE TA-223A/TTC		EA	28	*	*	*	*	*	*		5		
PAFZZ	5305-682-5486	SCREW, EXTERNALLY RELIEVE BODY	NO-REF- DESIG STEEL OVAL HD WITH SLOT 0-388 IN LG	EA	28	*	*	*	*	*	*		5		
PAFZZ	5305-682-5486	60F17894-5 (71785) USED ONLY IN THE TA-223/TTC		EA	4	*	*	*	*	*	*		5		
PAFZZ	5945-792-8408	SCREW, MACHINE	NO-REF-DESIG SECURES GATE HEX HD 3-8-16 X 1-3-4 IN LG	EA	4	*	*	*	*	*	*		5		
PAFZZ	5945-792-8408	100-14S6-7 (96906) USED ONLY IN THE TA-223A/TTC		EA	200	*	*	*	*	*	*		2		
PAFZZ	5930-548-6423	STOP. SPRING	NO-REF-DESIG BROWN PHENOLIC 1-1-16 IN LG X 0-165 IN W X 0-031 IN THK O-A	EA	1	*	*	*	*	*	*		5		
PAFZZ	5930-050-2708	36708 (58189) USED ONLY IN THE TA-223/TTC		EA	1	*	*	*	*	*	*		5		
PAFZZ	5930-050-2708	SWITCH, ROTARY	NO-REF-DESIG 2 POSITION 2A CONT ARRANGEMENT 1ST POSITION 2ND OFF	EA	100	*	*	*	*	*	*		5		
PAFZZ	5945-259-6629	339A (58189)		EA	20	*	*	*	*	*	*		2		
PAFZZ	5945-259-6629	SWITCH, TOGGLE	NO-REF-DESIG PROVIDES FOR SELECTION OF CB OR LB OPER JANST52P (81350)	EA	20	*	*	*	*	*	*		2		
PAFZZ	5945-259-6628	TELEPHONE CIRCUIT, TRUNK RELAY TA-226/TTC. -226A		EA	20	*	*	*	*	*	*		2		
PAFZZ	5945-259-6628	ARMATURE, RELAY	NO-REF-DESIG OPER RELAY SPRING LH 1-1-8 IN LG X 3-8 IN WD X 1 IN H	EA	20	*	*	*	*	*	*		2		
PAFZZ	5945-259-6626	36664 (58189) USED ONLY IN THE TA-226/TTC		EA	20	*	*	*	*	*	*		2		
PAFZZ	5945-259-6626	ARMATURE, RELAY	NO-REF-DESIG OPER RELAY SPRING RH 1-1-8 IN LG X 3-8 IN W X 1 IN H	EA	20	*	*	*	*	*	*		2		
PAFZZ	6350-688-5101	36666 (58189) USED ONLY IN THE TA-226/TTC		EA	20	*	*	*	*	*	*		2		FA
PAFZZ	5910-721-1997	BUZZER EA VIBRATING TYPE	48 VDC 4 IN LG X 2-1-2 IN WD X 1-7-6 IN H	EA	1	*	*	*	*	*	*		2		
PAFZZ	5910-721-1997	SMB142336 (80063)		EA	20	*	*	*	*	*	*		5		C1
		CAPACITOR, FIXED,	PAPER DIELECTRIC	C1	20	*	*	*	*	*	*		5		
		DC BLOCKING CAPACITOR 1 SECT 1 UF													
		PORM10PCT 100 VDCW HC METAL CAN 31-32													
		CONTINUED													

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
CONTINUED															
PAFZZ	5910-262-8534	N DEEP X 3-3/4 IN H X 1.665 IN W 589672 (44038) USED ONLY IN THE TA-226A/TTC CAPACITOR, FIXED, PAPER DIELECTRIC C1 1 SECT 1 MF M10PCT P20PCT 160 VDCW HS METAL CAN 1-665 IN LG X 1 IN W X 3-3-4 IN H		EA	20	*	*	*	*	*	*		5		C1
PAFZZ	5950-393-1473	601989 (58189) USED ONLY IN THE TA-226/TTC COIL, RELAY      NO-REF-DESIG FOR LINE CKT CODE AND CUT-OFF DELAY 48 VDC 14 TO 28 MA 2- 5-8 IN LG X 7-8 IN H X 7-16 INW 601812 (58189) USED ONLY IN THE TA-226/TTC		EA	40	*	*	*	*	*	*		3		
PAFZZ	5950-646-3034	COIL RELAY      NO-REF -DESIG LINE RELAY 1310, 2020 OHM DC, 13900, 13500 TURNS 601814 (58189) USED ONLY IN THE TA-226/TTC		EA	20	*	*	*	*	*	*		5		C1
PAFZZ	5950-645-4559	COIL, TELEPHONE EATING RC1 4 WND 8- 3 OHM DC RESISTANCE BETWEEN TERM NO. 5-7 AND NO. 6-8, 5-7 OHM DC RESISTANCE BETWEEN TERM NO. 1-3 AND NO. 2-4 602083 (58189)		EA	20	*	*	*	*	*	*		3		RC1
PAFZZ	5950-645-4559	COIL, TELEPHONE REPEATING RC2 4 WND 8- 3 OHM DC RESISTANCE BETWEEN TERM NO. 5-7 AND NO. 6-8, 5-7 OHM DC RESISTANCE BETWEEN TERM NO. 1-3 AND NO. 2-4 602083 (58189)		EA	REF	*	*	*	*	*	*		3		RC2
PAFZZ	5935-201-7932	CONNECTOR, RECEPTACLE, ELECTRICAL      NO-REF- DESIG 2 FEMALE RD CONT STRAIGHT TYPE 3 IN LG X 2 IN W X 2 IN H BRM7302M3 (15235)		EA	2	*	*	*	*	*	*		3		
PAFZZ	5935-259-0086	CONNECTOR, RECEPTACLE, ELECTRICAL      NO-REF- DESIG 52 RD FEMALE CONT STRAIGHT TYPE 4-1-16 IN LG X 1-1-8 IN WD X 9-16 IN H 54D17894 (71785) USED ONLY IN THE TA-226/TTC		EA	3	*	*	*	*	*	*		3		
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL      NO-REF- DESIG 52 CONTACTS STRAIGHT TYPE 4-054 X 9-16 X 1-1-8 IN DTB6280 (09922) USED ONLY IN THE TA-226A/TTC		EA	3	*	*	*	*	*	*		3		
PAFHD	5945-080-0186	CONTACT ASSEMBLY, ELECTRICAL      NO-REF-DESIG CONT ARRANGEMENT 1A1B1C AND TYPE AND 2D 350668 (58189) USED ONLY IN THE TA-226/TTC		EA	20	*	*	*	*	*	*		8		
PAFHD	5945-322-4022	CONTACT ASSEMBLY, ELECTRICAL      NO-REF-DESIG XA,B,3A CONT ARRANGEMENT 8 LEAF TYPE SPRINGS 2 CONT PER SPRING 350160 (58189) USED ONLY IN THE TA-226/TTC		EA	20	*	*	*	*	*	*		8		
PAOZZ	5920-156-0840	FUSE, INDICATOR, ALARM      NO-REF-DESIG 1-1- 3 AMP, 48 V 1-43-64 IN LG X 13-32 IN W X 3-8 IN H 35A (64959)		EA	11	*	*	*	*	*	*		50		
PAFZZ	5805-393-1688	INSULATOR, TRANSPOSITION      NO-REF-DESIG BROWN PHENOLIC 1-17-32 IN LG X 0-218 IN WX 0-031 IN THK O-A 36694 (58189) USED ONLY IN THE TA-226/TTC		EA	200	*	*	*	*	*	*		1		

## SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
					1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5805-705-5906	PLATE. NO-REF-DESIG PROVIDES FOR MTG BUGGIE CONNECTOR PLUG SS 3-16 IN THK X 15-32 IN W X 1-1-32 IN	EA	6	*	*	*	*	*	*		5		
PAFZZ	5805-532-3242	A3874-4 (09922) USED ONLY IN THE TA-226A/TTC PLATE                      NO-REF-DESIG PROVIDES FOR MTG CINCH CONNECTOR PLUG CAD STEEL                      1-1-8 LG	EA	6	*	*	*	*	*	*		5		
PAFZZ	5940-681-9857	20H17894-4 (71785) USED ONLY IN THE TA-226/TTC POST, BINDING NA NYLON CAP BRASS BASE 1-3-64 IN H 0-A X 5-8 IN DIA 0-A	EA	2	*	*	*	*	*	*		1		NA
PAFZZ	5945-854-7475	C1245 (14740) RELAY, ARMATURE DL-CO TRUNK CUT-OFF RELAY 50 VDC, MAX 1-2 4 AMP RES CUR 2 WND 1200 OHMS AND 1200 OHMS RES 0-018 AND 0-      021 AMP OPER CUR 585888 (44038) USED ONLY IN THE TA-226A/TTC	EA	20	*	*	*	*	*	*		3		DL CO
PAFZZ	5945-686-9060	RELAY, ARMATURE LR TRUNK LINE RELAY 50 VDC MAX 1-2 AMP RES CUR 2 WND 1310 OHMS-S AND 2020 OHMS RES 0-00082 AND 0-016 AMP OPER CUR 585889 (44039) USED ONLY IN THE TA-226A/TTC	EA	20	*	*	*	*	*	*		3		LR
PAFZZ	5905-295-4086	RESISTOR, FIXED, WIRE WOUND R1 BATT REDUCING RESISTOR 680 OHM PORM5PCT 5W 36278 (58189)	EA	20	*	*	*	*	*	*		3		R1
PAFZZ	5905-702-2548	RESISTOR, THERMAL                      NO-REF-DESIG PREVENTS. FALSE OPERATION OF LR RELAY AC, DC 20 MA AND 5V MAX OPER V 1D ( 64959)	EA	20	*	*	*	*	*	*		3	83	
PAFZZ	5305-396-3426	SCREW, ADJUSTMENT                      NO-REF-DESIG FOR RELAY ARM C-0 1 EA NO. 3-48 X 19-64 FIL HD BRASS MACH SCREW AND 1 EA NO. 3-48 BRASS MACH SCREW AND 1 EA NO. 3-48 BRASS NUT P16201 (58189)R USED ONLY IN THE TA-226/TTC	EA	20	*	*	*	*	*	*		5	46.1	
PAFZZ	5305-682-5499	SCREW, EXTERNALLY RELIEVED BODY A STEEL FIL HD WITH SLOT 1-405 LG 0-A A3874-6 (09922) USED ONLY IN THE TA-226/TTC	EA	6	*	*	*	*	*	*		5		A
PAFZZ	5305-638-6205	SCREW, EXTERNALLY RELIEVED BODY                      NO-REF- DESIG STEEL OVAL HD WITH SLOT 0-385 IN 60F17894-5 (71785)USED ONLY IN THE TA-226/TTC	EA	6	*	*	*	*	*	*		5		
PAFZZ	5945-792-8408	STOP, SPRING                      NO-REF-DESIG BRN PHN 1- 1/16 IN LG X 0.165 IN W X 0.031 IN THK 0/A 36708 (58189) USED ONLY IN THE TA-226/TTC	EA	200	*	*	*	*	*	*		2		
PAFZZ	5930-548-6423	SWITCH, ROTARY 2 POSITION, 2A CONT ARRANGEMENT 1ST POSITION. 2ND OFF 602089 (58189) TEST SET, TELEPHONE TS-1361/G	EA	1	*	*	*	*	*	*		5		

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5940-256-1641	CLIP, ELECTRICAL NO-REF-DESIG CLIP FOR.....		EA	1	*	*	*	*	*	*		3		
		GROUND CORD; ALLIGATOR STYLE 45AT (80633)													
PAFZZ	5935-833-6320	JACK, TELEPHONE NO-REF-DESIG SPRING LEAF TYPE JJ103 (81349)		EA	2	*	*	*	*	*	*		3		
PAFZZ	6625-682-4428	LEAD, ELECTRICAL NO-REF-DESIG GROUND CLIP CORD 3 FT LG O-A INCL TERM TLG (81349)		EA	1	*	*	*	*	*	*		2		
PAFZZ	5905-682-4236	RESISTOR, FIXED, WIRE WOUND NO-REF-DESIG FOR CHECKING LINE LOOP 1000 OHM PORM10PCT10W 564492 (44038)		EA	1	*	*	*	*	*	*		3		
PAFZZ	5905-688-4407	RESISTOR, FIXED WIRE WOUND NO-REF-DESIG FOR CHECKING LINE SHUNT 100 OHM PORM10PCT10 W 564473 (44038)		EA	1	*	*	*	*	*	*		3		
PAFZZ	5340-682-1815	RUBBER, BUMPER NO-REF-DESIG FEET FOR TEST SET TO SIT ON BLACK 1685 (73734)		EA	4	*	*	*	*	*	*		5		
PAFZZ	5930-681-4394	SWITCH, DISH NO-REF-DESIG SPST4001 (81073) TRANSFORMER TF-11		EA	2	*	*	*	*	*	*		5		
PAFZZ	5935-161-9764	CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF- DESIG 2 CURVED OBLONG FEMALE CONT STRAIGHT TYPE3-5-8 IN LG X 1-463 IN W X 1-312 IN H 7210 (83315)		EA	1	*	*	*	*	*	*		3		
PAFZZ	5935-201-7932	CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF- DESIG 2 FEMALE RD CONT STRAIGHT TYPE 3 IN LG X 2 IN W X 2 IN H BRM7302M3 (15235)		EA	1	*	*	*	*	*	*		3		
		SWITCHBOARD, TELEPHONE, MANUAL SB-1398/GTA-14(V)													
PAOZZ	6350-688-5101	BUZZER DS800 VIBRATING TYPE 48 VDC SMB142336 (80063)		EA	1	*	*	*	*	*	*		2		DS800
PAFZZ	5910-547-2951	CAPACITOR, FIXED PAPER DIELECTRIC 5 UF, PORM10PCT 100 VDCW 589723 (80063)	C4	EA	1	*	*	*	*	*	*		5		C4
PAFZZ	5910-801-2962	CAPACITOR, FIXED, PAPER DIELECTRIC 2 UF PORM10PCT 100 VDCW SMB142871 (80063)	C5	EA	1	*	*	*	*	*	*		5		C5
PAFZZ	5910-721-1996	CAPACITOR, FIXED, PAPER DIELECTRIC 2 SECTS 2 UF PORM10PCT 100 VDCW SMB142861 (81063)	C1	EA	17	*	*	*	*	*	*		5		C1
PAFZZ	5910-721-1996	CAPACITOR, FIXED PAPER DIELECTRIC 2 SECTS 2 UF PORM10PCT 100 VDCW SM8142361 (815063)	C2	EA	REF	*	*	*	*	*	*		5		C2
PAFZZ	5910-688-7214	CAPACITOR, FIXED PAPER DIELECTRIC CONTINUED	ABC,ABD,BIJ C3	EA	1	*	*	*	*	*	*		5		C3



SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
CONTINUED															
PAFZZ	5915-688-3269	3UF ±10% 10 VDCW SMB142869 (80063)		EA	1	*	*	*	*	*	*		2	54	R3 C3
PAOHD	5805-701-9142	CAPACITOR RESISTOR C3, R3 1 UF PORM10PCT 100 VDCW 500 OHMS PORM10PCT 1W SMB142901 (80063)		EA	5	*	*	*	*	*	*		5		
PAOHD	5805-701-9143	CIRCUIT PLATE ASSEMBLY NO-REF-DESIG 48. VDC PROVIDES TALKING RINGING AND SUPERVISORY CIRCUITS BETWEEN OPERATOR AND CALLED AND CALLING 589854 (44038)		EA	1	*	*	*	*	*	*		5		
PAFZZ	5950-645-4555	CIRCUIT PLATE, ASSEMBLY NO-REF-DESIG 48. VDC PROVIDES OPERATOR WITH FACILITIES FOR TALKING AND DIALING 589855 (44038)		EA	1	*	*	*	*	*	*		3		48A
PAFZZ	5950-537-5147	COIL, TELEPHONE INDUCTION 48A P-O OPERATOR'S TELEPHONE CIRCUIT 5 WND 1-8, 14-6, 16-4, 450 AND 12-7 OHMS DC RES SMC142867 (80063)		EA	1	*	*	*	*	*	*		3		RE2
PAFZZ	5950-645-4553	COIL, TELEPHONE INDUCTION RE2 1 WDN 500 OHMS DC RES SMB142878 (80063)		EA	1	*	*	*	*	*	*		3		14AL
PAFZZ	5950-645-4528	COIL, TELEPHONE REPEATING 14AL BOOSTS TRANSMISSION IN OPERATORS CKT 2 WND 2 AND 16-5 OHMS DC RES SMC42868 (80063)		EA	1	*	*	*	*	*	*		3		RE
PAFZZ	5935-687-1067	COIL, TELEPHONE RETARDATION RE BUSY TEST COIL 2 WND 1000 AND 1000 OHMS DC RES SMB142866 (80063)		EA	6	*	*	*	*	*	*		3		
PAFZZ	5935-149-2754	CONNECTOR. PLUG, ELECTRICAL NO-REF-DESIG FOR CONNECTING OPERATOR'S TO AND DIAL CKT WITH KEY SHELF CKT 40 CONT 3-5-16 IN LG X 1-27-32 IN W X 19-32 IN H SMB339939 (80063)	J16 2	EA	1	*	*	*	*	*	*		3		J16
PAFZZ	5935-149-3462	CONNECTOR, RECEPTACLE, ELECTRICAL RD MALE CONT STRAIGHT 15-16 IN L5 X 1-3- 16 IN W X 1-3-16 IN H O-A AN3102A14S2P (02660)	J42 4	EA	2	*	*	*	*	*	*		3		J42
PAFZZ	5935-149-3462	CONNECTOR, RECEPTACLE, ELECTRICAL RD MALE CONT STRAIGHT 15-16 IN LG X 1-3- 16 IN W X 1-3-16 IN H O-A AN3102A14S2D (02660)	J43 4	EA	REF	*	*	*	*	*	*		3		J43
PAFZZ	5935-161-9764	CONNECTOR, RECEPTACLE, ELECTRICAL CURVED OBLONG FEMALE CONT STRAIGHT TYPE3- 5-8 IN LG X 1-468 IN W X 1-312 IN H SMB143066 (80063)	J18 2	EA	1	*	*	*	*	*	*		3		J18
PAFZZ	5935-279-9337	CONNECTOR, RECEPTACLE. ELECTRICAL FLAT DOUBLE T FEMALE CONT STRAIGHT TYPE2- CONTINUED	J17 4	EA	1	*	*	*	*	*	*		3		J17

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.	
		CONTINUED														
PAFZZ	5935-201-7932	<b>SMB142694 (80063)</b> CONNECTOR, RECEPTACLE, ELECTRICAL J46 2 FEMALE PO CONT STRAIGHT TYPE 3 IN L9 X 2 IN W X 2 IN H RRM7302M3 (80063)		EA	2	*	*	*	*	*	*		3		J46	
PAFZZ	5935-201-7932	CONNECTOR, RECEPTACLE, ELECTRICAL J47 2 FEMALE RD CONT STRAIGHT TYPE 3 IN LG X 2 IN W X 2 IN H RRM7302M3 (80063)		EA	REF	*	*	*	*	*	*		3		J47	
PAFZZ	5935-644-6750	CONNECTOR, RECEPTACLE, ELECTRICAL J44 2 MALE, CONT STRAIGHT TYPE 1-625 IN DIA X 0-937 IN 0 9-A SMB142695 (80063)		EA	2	*	*	*	*	*	*		3		J44	
PAFZZ	5935-644-6750	CONNECTOR, RECEPTACLE, ELECTRICAL J4; 2 MALE, CONT STRAIGHT T TYPE 1-625 IN DIA X 0-937 IN D 0-A SM91426S5 (80063)		EA	REF	*	*	*	*	*	*		3		J45	
<b>PAFZZ</b>	<b>5935-696-3681</b>	<b>CONNECTOR, RECEPTACLE, ELECTRICAL J100</b> 52 CONT SMC339861 (80063)		<b>EA</b>	<b>62</b>	*	*	*	*	*	*		<b>3</b>		<b>J100</b>	
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J101 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J101	
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J102 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J102	
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J103 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J103	
PAFZZ	5935-696-3681	CONNECTOR RECEPTACLE, ELECTRICAL J104 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J104	
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE ELECTRICAL J105 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J105	
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J106 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J106	
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J107 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J107	
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J108 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J108	
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J109 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J109	
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J 110 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J110	

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J111 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J111
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J112 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J112
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J113 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J113
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J114 52 CONT *		EA	REF	*	*	*	*	*	*		3		J114
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J115 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J115
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J116 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J116
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J117 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J117
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J118 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J118
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J119 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J119
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J120 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J120
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J121 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J121
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J122 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J122
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J113 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J123
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J114 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J124
PAFZZ	5935-656-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J125 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J125
PAFZZ	593-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J126 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J126
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J127 52 CONT SMC339861 (80063)		EA	REF	*	*	*	*	*	*		3		J127
PAFZZ	5935-696-3681	CONNECTOR, RECEPTACLE, ELECTRICAL J128 CONTINUED		EA	REF	*	*	*	*	*	*		3		J128

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
CONTINUED															
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J129	EA	REF	*	*	*	*	*	*			3	J129	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J130	EA	REF	*	*	*	*	*	*			3	J130	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J131	EA	REF	*	*	*	*	*	*			3	J131	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J132	EA	REF	*	*	*	*	*	*			3	J132	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J133	EA	REF	*	*	*	*	*	*			3	J133	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J134	EA	REF	*	*	*	*	*	*			3	J134	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J135	EA	REF	*	*	*	*	*	*			3	J135	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J136	EA	REF	*	*	*	*	*	*			3	J136	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J137	EA	REF	*	*	*	*	*	*			3	J137	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J138	EA	REF	*	*	*	*	*	*			3	J138	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J139	EA	REF	*	*	*	*	*	*			3	J139	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J143	EA	REF	*	*	*	*	*	*			3	J140	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J141	EA	REF	*	*	*	*	*	*			3	J141	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J142	EA	REF	*	*	*	*	*	*			3	J142	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J143	EA	REF	*	*	*	*	*	*			3	J143	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J144	EA	REF	*	*	*	*	*	*			3	J144	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J145	EA	REF	*	*	*	*	*	*			3	J145	
CONTINUED															

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
CONTINUED															
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J146	EA	REF	*	*	*	*	*	*		3	J146	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J147	EA	REF	*	*	*	*	*	*		3	J147	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J148	EA	REF	*	*	*	*	*	*		3	J148	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J149	EA	REF	*	*	*	*	*	*		3	J149	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J150	EA	REF	*	*	*	*	*	*		3	J150	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J151	EA	REF	*	*	*	*	*	*		3	J151	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J152	EA	REF	*	*	*	*	*	*		3	J152	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J153	EA	REF	*	*	*	*	*	*		3	J153	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J154	EA	REF	*	*	*	*	*	*		3	J154	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J155	EA	REF	*	*	*	*	*	*		3	J155	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J156	EA	REF	*	*	*	*	*	*		3	J156	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J157	EA	REF	*	*	*	*	*	*		3	J157	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J158	EA	REF	*	*	*	*	*	*		3	J158	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J159	EA	REF	*	*	*	*	*	*		3	J159	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J160	EA	REF	*	*	*	*	*	*		3	J160	
PAFZZ	5935-696-3681	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J161	EA	REF	*	*	*	*	*	*		3	J161	
PAFZZ	5935-686-3995	52 CONT SMC339861 (80063)	CONNECTOR, RECEPTACLE, ELECTRICAL J40	EA	6	*	*	*	*	*	*		3	J40	
CONTINUED															

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.	
						1-20	21-50	51-100	1-20	21-50	51-100					
		CONTINUED														
PAFZZ	5935-549-2646	RO CONNECTING OPERATORS TEL AND DIAL CKT WITH KEYSHELF CKT SMB339940 (80063)		EA	2	*	*	*	*	*	*		3		J30	
PAFZZ	5935-549-2646	CONNECTOR, RECEPTACLE U-79/U J30 10 MILC10544A (81349)		EA	REF	*	*	*	*	*	*		3		J31	
PAOZZ	5995-173-8830	CONNECTOR, RECEPTACLE U-79/U J31 10 MILC10544A (81349)		EA	10	*	*	*	*	*	*		5			
PAOZZ	5995-173-8829	CORD ASSEMBLY, ELECTRICAL      NO-REF-DESIG GREEN CABLE SMC142817GRIII (80063)		EA	10	*	*	*	*	*	*		5			
PAOZZ	5995-173-8828	CORD ASSEMBLY, ELECTRICAL      NO-REF-DESIG RED CABLE SMC142817DGP1 (89063)		EA	13	*	*	*	*	*	*		5			
PAFHD	5805-806-1894	CORD ASSEMBLY, ELECTRICAL      NO-REF-DESIG WHITE CABLE SMC142817GP1I (80063)		EA	1	*	*	*	*	*	*		2			
PAOZZ	5805-688-2685	DIAL MOUNTING, ASSEMBLY      NO-REF-DESIG ALUMINUM 5M8142034 (80063)		EA	2	*	*	*	*	*	*		2			
PAOZZ	5920-156-0840	DIAL, TELEPHONE      NO-REF-DESIG TYPE SHUNT SPRING CONT ARRANGEMENT 3-3- 32 IN 91A X 1-1-4 IN H 591449 (44038)		EA	10	*	*	*	*	*	*		50		F10	
PAOZZ	5920-156-0840	FUSE, INDICATOR ALARM F10 1-1-3 AMP, 48 V 1-43-64 IN LS X 13-32 IN W X 3-8 IN H SMB142343 (80063)		EA	REF	*	*	*	*	*	*		50		F11	
PAOZZ	5920-156-0840	FUSE, INDICATOR ALARM F10 1-1-3 AMP, 48 V 1-43-64 1 IN LG X 13-32 IN W X 3-8 IN H SMB142343 (80063)		EA	REF	*	*	*	*	*	*		50		F12	
PAOZZ	5920-156-0840	FUSE, INDICATOR ALARM F12 1-1-3 AMP, 48 V 1-43-64 IN LG X 17-32 IN W X 3-8 IN H SMB142343 (80063)		EA	REF	*	*	*	*	*	*		50		F13	
PAOZZ	5920-156-0840	FUSE, INDICATOR ALARM F13 1-1-3 AMP. 48 V 1-43-64 IN LG X 13-32 IN W X 3-8 IN H SMB142343 (80063)		EA	REF	*	*	*	*	*	*		50		F14	
PAOZZ	5920-156-0840	FUSE, INDICATOR ALARM F14 1-1-3 AMP, 48 V 1-43-64 IN LG X 13-32 I' W X 3-8 IN H SMB142343 (80063)		EA	REF	*	*	*	*	*	*		50		F15	
PAOZZ	5920-156-0840	FUSE, INDICATOR ALARM F15 1-1-3 AMP, 48 V 1-43-64 IN LG X 11-32 IN W X 3-8 IN H SMB142343 (80063)		EA	REF	*	*	*	*	*	*		50		F16	
PAOZZ	5920-156-0840	FUSE, INDICATOR ALARM F16 1-1-3 AMP, 48 V 1-43-64 IN LG X 13-32 I' W X 3-8 IN H SMB142343 (80063)		EA	REF	*	*	*	*	*	*		50		F17	
PAOZZ	5920-156-0840	FUSE, INDICATOR ALARM F17 1-1-3 AMP, 48 V 1-43-64 IN LG X 13-32 IN W X 3-8 IN H SMB142343 (80063)		EA	REF	*	*	*	*	*	*		50		F18	
PAOZZ	5920-156-0840	FUSE INDICATOR ALARM F18 1-1-3 AMP, 48 V 1-43-64 IN LG X 13-32 IN W X 3-8 IN H SMB142343 (80063)		EA	REF	*	*	*	*	*	*		50		F18	

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAOZZ	5920-156-0840	FUSE, INDICATOR ALARM F19 1-1-3 AMP, V 1-43-64 IN LG X 13-32 IN H X 3-8 IN 1 SMB142343 (80063)	48	EA	REF	*	*	*	*	*	*		50		F19
PAOZZ	5930-814-4362	HANDLE NO-REF-DESIG LEVER SW WHITE PLASTIC SMB142909 (80063)		EA	1	*	*	*	*	*	*		3		
PAOZZ	5930-258-4767	HANDLE NO-REF-DESIG -FOR CAM TYPE KEYS 7-8 IN LG X 3-8 IN OD n-A SMB142907 (80063)		EA	7	*	*	*	*	*	*		3		
PAOZZ	5930-548-6747	HANDLE NO-REF-DESIG FOP CAM TYPE KEYS 13-16 IN LG X 3-8 IN OD -A SMB142512 (80063)		EA	30	*	*	*	*	*	*		3		
PAFZZ	5805-393-1688	INSULATOR, TRANSPOSITION NO-REF-DESIG BROWN PHENOLIC 1-17-32 IN LG X 0-21q IN WX 0-031 IN THK O-A 36694-000 (58189)		EA	80	*	*	*	*	*	*		1		
PAFHD	5935-686-9641	JACK ASSEMBLY, TELEPHONE NO-REF-DESIG JACKS CONT ARRANGEMENT J2 SMC142812 (80063)	20	EA	1	*	*	*	*	*	*		5		
PAFHD	5935-686-9642	JACK ASSEMBLY, TELEPHONE NO-REF-DESIG JACKS CONT ARRANGEMENT J2-1A SMC142813 (80063)	20	EA	29	*	*	*	*	*	*		5		
PAOZZ	6240-237-7877	LAMP, INCANDESCENT DS761 THRU DS790 TEL SWBD TYPE M5142912 (80063)		EA	30	*	*	*	*	*	*		50		DS761 THRU DS790
PAOZZ	6240-715-0037	LAMP, INCANDESCENT DS3 CALL LAMPS FOR LINES AND TRK SMB142803 (80063)		EA	595	*	*	*	*	*	*		50		053
PAOZZ	6240-715-0037	LAMP, INCANDESCENT DS4 CALL LAMPS FOR LINES AND TRK SMB142803 (80063)		EA	REF	*	*	*	*	*	*		50		DS4
PAOZZ	6240-715-0037	LAMP, INCANDESCENT DS5 CALL LAMPS FOR LINES AND TRK SMB142803 (80063)		EA	REF	*	*	*	*	*	*		50		DS5
PAOZZ	6240-715-0037	LAMP, INCANDESCENT DS6 CALL LAMPS FOR LINES AND TRK SMB142803 (80063)		EA	REF	*	*	*	*	*	*		50		DS6
PAOZZ	6240-715-0037	LAMP, INCANDESCENT DS7 CALL LAMPS FOR LINES AND TRK SMB142803 (80063)		EA	REF	*	*	*	*	*	*		50		DS7
PAOZZ	6240-715-0037	LAMP, INCANDESCENT DS8 CALL LAMPS FOR LINES AND TRK SMB142803 (80063)		EA	REF	*	*	*	*	*	*		50		DS8
PAOZZ	6240-715-0037	LAMP, INCANDESCENT DS9 CALL LAMPS FOR LINES AND TRK SMB142803 (80063)		EA	REF	*	*	*	*	*	*		50		DS9
PAOZZ	6240-715-0037	LAMP, INCANDESCENT DS10 CALL LAMPS FOR LINES AND TRK SMB142803 (80063)		EA	REF	*	*	*	*	*	*		50		DS10
PAFHD	6250-722-1261	LAMPHOLDER ASSEMBLY NO-REF-DESIG FOR MTG ORIGINATING CALL LAMPS D3725 (81568)		EA	29	*	*	*	*	*	*		5		

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAFZZ	6210-299-6686	LAMPHOLDER NO-REF-DESIG FOR CORD SUPERVISORY LAMPS SLIDE BASE SMB142801 (80063)	EA	45	*	*	*	*	*	*				
PAFZZ	6250-186-6401	LAMPHOLDER NO-REF-DESIG MTS RESISTOR MED SCREW BASE 142885 (80063)	EA	1	*	*	*	*	*	*		5		
PAFZZ	6250-196-8902	LAMPHOLDER NO-REF-DESIG MTS FIXED WW RESISTOR MED SCREW BASE SMB143065 (80063)	EA	2	*	*	*	*	*	*		5		
PAOZZ	6210-726-4534	LENS, INDICATOR LIGHT NO-REF-DESIG GREEN SMB142804-3 (80063)	EA	15	*	*	*	*	*	*		5		
PAFZZ	6210-726-4536	LENS, INDICATOR LIGHT NO-REF-DESIG RED SMB142804-2 (80063)	EA	15	*	*	*	*	*	*		5		
PAFZZ	6210-726-4535	LENS, INDICATOR LIGHT NO-REF-DESIG WHITE SMB142804-1 (80063)	EA	15	*	*	*	*	*	*		5	31	
PAFZZ	6210-726-4537	LENS, INDICATOR LIGHT NO-REF-DESIG WHITE SMB142911 (80063)	EA	580	*	*	*	*	*	*		5		
PAFZZ	5805-705-5906	PLATE NO-REF-DESIG P/O 52 PIN CONN 3/16 IN THK X 13/32 IN W X 1-3/32' IN LG SMC339886 (83063)	EA	124	*	*	*	*	*	*		5		
PAFZZ	5935-192-4762	PLUG, TELEPHONE NO-REF-DESIG 3 COND RED 3-1-4 IN 0-A LG OF PLUG, 310 (64959)	EA	30	*	*	*	*	*	*		5		2
PAFZZ	5805-407-4861	PULLEY, CORD NO-REF-DESIG TO SB CORD PULLEY 3-3-16 W X 2-29-32 H X 27-64 IN THK 3-A 113A (64959)	EA	30	*	*	*	*	*	*		25		2
PAFZZ	6130-567-2799	RECTIFIER, METALLIC R41 PREVENTS ACOUSTIC SHOCK T3 OPERATOR SMk142904 (83093)	EA	30	*	*	*	*	*	*		3		R41
PAFZZ	5945-685-9333	RELAY, ARMATURE MC MONITOR RELAY 50V DC MAX, 1-2 AMP RES CUR 1 WND 1310 OHMS RES 0-018 AMP OPER CUR SMC142864 (80063)	EA	1	*	*	*	*	*	*		3		MO
PAFZZ	5945-685-9334	RELAY, ARMATURE DL DIAL OFF NORMAL RELAY 50V DC MAX, 1-2 AMPERES CUR 1 WND 560 OHM RES -010 AMP OPER CUR- SMC142877 (80063)	EA	1	*	*	*	*	*	*		3		DL
PAFZZ	5945-685-9337	RELAY, ARMATURE OB FURNISHES BTRY TO XMTR WHEN OPERATED 50V DC MAX 1-2 AMP RES CUR 2 WND 200 OHMS RES OF WND SMC142865 (80063)	EA	1	*	*	*	*	*	*		3		CB
PAFZZ	5945-686-7776	RELAY, ARMATURE CO REMOVES OPERATOR'S CKT FROM DIALING CKT 50.VDC MAX, 1-? AMP RES CUR 1 WND 983 OHM RES 0-0125 AMP OPER CUR SMC142876 (80063)	EA	1	*	*	*	*	*	*		3		CO
PAFZZ	5945-686-7777	RELAY, ARMATURE RS REAR CORD SUPERVISORY RELAY 50 VDC MAX, 1-2 AMP RES CONTINUED	EA	30	*	*	*	*	*	*		3		RS



SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5945-686-7777	CONTINUED CUR 2 WND 2000 OHMS RES OF WIND 0-0145 AMP OPER CUR SMC142858 (80063) RELAY, ARMATURE FS REAR CORD SUPERVISORY RELAY 50 VDC MAX, 1-2 AMP RES		EA	REF	*	*	*	*	*	*		3		FS
PAFZZ	5945-688-2681	CUR 2 WND 2000 OHMS FS OF WND 3-0145 AMP OPER CUR SMC142858 (80063) RELAY, ARMATURE: RB FOR BRIDGING REAR CORD IN CKT 50V AC AX, 1-2 AMP RES CUR 3 WND, 200 OHMS, 200 OHMS635 OHMS RES 0-035 AMP OPER CUR		EA	30	*	*	*	*	*	*		3		PB
PAFZZ	5945-688-2681	SMC142859 (80063) RELAY, ARMATURE FB FOR BRIDGING REAR CORD IN CKT 50V AC MAX, 1-2 AMP RES CUR 3 WND. 200 OHMS, 210 OHMS635 OHMS RES' 0-035 AMP OPER CUR		EA	REF	*	*	*	*	*	*		3		FB
PAFZZ	5945-686-7773	SMC142859 (80063) RELAY, ARMATURE RU LB LINE CORD SUPERVISORY RELAY 50V MAXI-2 AMP RES CUR I WND 1310 OHM RES 0-006AMP OPER CUR		EA	15	*	*	*	*	*	*		3		RU
PAOZZ	5905-299-1749	SMC142860 (80063) RESISTOR, CURRENT REGULATING R40 GEN RESISTANCE 1 AMP 10 V 0-049 AMP TO 0-169 AMP PER MIL-E-1B		EA	1	*	*	*	*	*	*		3		R40
PAFZZ	5905-192-4408	T9 (81349) RESISTOR, FIXED, COMPOSITION R3 5600 OHMS PORM10PCT 1-2 W		EA	1	*	*	*	*	*	*		3		R3
PAFZZ	5905-259-2914	RC20GF562J (81349) RESISTOR, FIXED, COMPOSITION R1 8200 OHMS, PORM10PCT 1-2 W		EA	1	*	*	*	*	*	*		3		R1
PAFZZ	5905-258-0260	RC20GF822K (81349) RESISTOR, FIXED, COMPOSITION R2 18000 OHM PORM10PCT 1-2 W		EA	1	*	*	*	*	*	*		3		R2
PAFZZ	5905-186-0081	RC20GF183K (81349) RESISTOR, FIXED, WIRE WOUND R30 PROVIDES HEAT FOR SWBD 250 OHMS PORM10PCT 60W EB (14841)		EA	2	*	*	*	*	*	*		3		R30
PAFZZ	5905-186-0081	RESISTOR. FIXED, WIRE WOUND R31 PROVIDES HEAT FOR SWBD 250 OHMS PORM10PCT 60W E8 (14841)		EA	REF	*	*	*	*	*	*		3		R31
PAOZZ	5805-701-9183	SLEEVE, KEY NO-REF-DESIG USED TO INDICATE CORD CKT KEYS IN TROUBLE 35-64 IN DIA X 19-32 IN L0 5S9782 (44038)		EA	10	*	*	*	*	*	*		3		
PAOZZ	5805-681-9710	SLEEVE, TELEPHONE CORD NO-REF-DESIG USED TO INDICATE CORD CKT PLUGS IN TROUBLE-1-6 IN LG X 0-305 IN DIA SMB182398 (80063)		EA	60	*	*	*	*	*	*		5		
PAFZZ	5305-682-5499	SCREW, EXTERNALLY RELIEVED BODY P/O 52 PIN CONN FIL HD 10-32 X 1.405 IN SMB339887 (80063)		EA	124	*	*	*	*	*	*		5		

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
					1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5945-792-8408	STOP SPRING NO-REF-DESIG BROWN PHENOLIC 1-1-16 IN LG X 0-165 IN W X O- 031 IN THK 0-A	EA	80	*	*	*	*	*	*		2		
PAFZZ	9930-201-3580	367C8 (14100) SWITCH, LEVER 571 POSITIONS LOCKING 48 V DC, 1 AMP	EA	1	*	*	*	*	*	*		5		S71
PAFZZ	5930-201-3608	SMC142544 (80063) SWITCH, LEVER S73 2 POSITIONS 2C2C CONT ARRANGEMENT	EA	1	*	*	*	*	*	*		5		S73
PAFZZ	5930-548-3489	SMC142891 (80063) SWITCH, LEVER S56 CORD CKT TALK AN RING CALL SW 3 POSITIONS 1ST POSITION 2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B	EA	15	*	*	*	*	*	*		5		S56
PAFZZ	5930-548-3489	SMC142815 (80063) SWITCH, LEVER S57 CORD CKT TALK AND RING CALL SW 3 POSITIONS 1ST POSITION 2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B	EA	REF	*	*	*	*	*	*		5		S57
PAFZZ	5930-548-3489	SMC142815 (80063) SWITCH, LEVER S58 CORD CKT TALK AND RING CALL SW 3 POSITIONS 1ST POSITION 2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B	EA	REF	*	*	*	*	*	*		5		S58
PAFZZ	5930-548-3489	SMC142815 (80063) SWITCH, LEVER S59 CORD CKT TALK AND RING CALL SW 3 POSITIONS 1ST POSITION 2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B	EA	REF	*	*	*	*	*	*		5		S59
PAFZZ	5930-548-3489	SMC142815 (80063) SWITCH, LEVER S60 CORD CKT TALK AND RING CALL SW 3 POSITIONS 1ST POSITION 2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B	EA	REF	*	*	*	*	*	*		5		S60
PAFZZ	5930-548-3489	SMC142815 (80063) SWITCH, LEVER S61 CORD CKT TALK AND RING CALL SW 3 POSITIONS 1ST POSITION 2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B	EA	REF	*	*	*	*	*	*		5		S61
PAFZZ	5930-548-3489	SMC142815 (80063) SWITCH, LEVER S62 CORD CKT TALK AND RING CALL SW 3 POSITIONS 1ST POSITION 2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B	EA	REF	*	*	*	*	*	*		5		S62
PAFZZ	5930-548-3489	SMC142815 (80063) SWITCH, LEVER S63 CORD CKT TALK AND RING CALL SW 3 POSITIONS 1ST POSITION 2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B	EA	REF	*	*	*	*	*	*		5		S63
PAFZZ	5930-548-3489	SMC142815 (80063) SWITCH, LEVER S64 CORD CKT TALK AND RING CALL SW 3 POSITIONS 1ST POSITION CONTINUED	EA	REF	*	*	*	*	*	*		5		S64

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.	
						1-20	21-50	51-100	1-20	21-50	51-100					
		CONTINUED														
PAFZZ	5930-548-3489	2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B SMC142815 (80063) SWITCH, LEVER S65 CORD CKT TALK AND RING CALL SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S65
PAFZZ	5930-548-3489	2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B SMC142815 (80063) SWITCH, LEVER S66 CORD CKT TALK AND RING CALL SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S66
PAFZZ	5930-548-3489	2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B SMC142815 (80063) SWITCH, LEVER S67 CORD CKT TALK AND RING CALL SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S67
PAFZZ	5930-548-3489	2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B SMC142815 (80063) SWITCH, LEVER S68 CORD CKT TALK AND RING CALL SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S68
PAFZZ	5930-548-3489	2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B SMC142815 (80063) SWITCH, LEVER S69 CORD CKT TALK AND RING CALL SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S69
PAFZZ	5930-548-3489	2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B SMC142815 (80063) SWITCH, LEVER S70 CORD CKT TALK AND RING CALL SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S70
PAFZZ	5930-548-3492	2C CTR POSITION NEUTRAL, 2ND POSITION 2C1B SMC142815 (80063) SWITCH, LEVER S41 CORD CKT DIAL AND RING ANSWER SW 3 POSITIONS. 1ST POSITION		EA	15	*	*	*	*	*	*		5			S41
PAFZZ	5930-548-3492	2C CTR POSITION NEUTRAL, 2ND POSITION 4C SMB142900 (80063) SWITCH, LEVER S42 CORD CKT DIAL AND RING ANSWER SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S42
PAFZZ	5930-548-3492	2C CTR POSITION NEUTRAL, 2ND POSITION 4C SMB142900 (80063) SWITCH, LEVER S43 CORD CKT DIAL AND RING ANSWER SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S43
PAFZZ	5930-548-3492	2C CTR POSITION NEUTRAL, 2ND POSITION 4C SMB142900 (80063) SWITCH, LEVER S44 CORD CKT DIAL AND RING ANSWER SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S44
PAFZZ	5938-548-3492	PING ANSWER SW 3 POSITIONS 1ST POSITION CONTINUED		EA	REF	*	*	*	*	*	*		5			S45

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.	
						1-20	21-50	51-100	1-20	21-50	51-100					
		CONTINUED														
PAFZZ	5930-548-3492	2C, CTR POSITION NEUTRAL, 2ND POSITION 4C SMB142900 (80063) SWITCH, LEVER S46 CORD CKT DIAL AND RING ANSWER SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S46
PAFZZ	5930-548-3492	2C, CTR POSITION NEUTRAL, 2ND POSITION 4C SMB142900 (80063) SWITCH, LEVER S47 CORD CKT DIAL AND RING ANSWER SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S47
PAFZZ	5930-548-3492	2C, CTR POSITION NEUTRAL, 2ND POSITION 4C SMB142900 (80063) SWITCH, LEVER S48 CORD CKT DIAL AND RING ANSWER SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S48
PAFZZ	5930-548-3492	2C, CTR POSITION NEUTRAL, 2ND POSITION 4C SMB142900 (80063) SWITCH, LEVER S49 CORD CKT DIAL AND RING ANSWER SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S49
PAFZZ	5930-548-3492	2C, CTR POSITION NEUTRAL, 2ND POSITION 4C SMB142900 (80063) SWITCH, LEVER S50 CORD CKT DIAL AND RING ANSWER SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S50
PAFZZ	5930-548-3492	2C, CTR POSITION NEUTRAL, 2ND POSITION 4C SMB142900 (80063) SWITCH, LEVER S51 CORD CKT DIAL AND RING ANSWER SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S51
PAFZZ	5930-548-3492	2C, CTR POSITION NEUTRAL, 2ND POSITION 4C SMB142900 (80063) SWITCH, LEVER S52 CORD CKT DIAL AND RING ANSWER SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S52
PAFZZ	5930-548-3492	2C, CTR POSITION NEUTRAL, 2ND POSITION 4C SMB142900 (80063) SWITCH, LEVER S53 CORD CKT DIAL AND RING ANSWER SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S53
PAFZZ	5930-548-3492	2C, CTR POSITION NEUTRAL, 2ND POSITION 4C SMB142900 (80063) SWITCH, LEVER S54 CORD CKT DIAL AN RING ANSWER SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S54
PAFZZ	5930-548-3492	2C, CTR POSITION NEUTRAL, 2ND POSITION 4C SMB142900 (80063) SWITCH, LEVER S55 CORD CKT DIAL AND RING ANSWER SW 3 POSITIONS 1ST POSITION		EA	REF	*	*	*	*	*	*		5			S55
PAFZZ	5930-642-9329	2C, CTR POSITION NEUTRAL, 2ND POSITION 2C SMC142816 (80063) SWITCH, LEVER S72 MASTER RING AND MONITOR SW 3 POSITIONS 1ST POSITION		EA	1	*	*	*	*	*	*		5			S72
PAFZZ	5930-548-6062	2C POSITION NO. 1 OFF POSITION NC. 2 SMB142807 (80063) SWITCH, ROTARY NO-REF-DESIG		EA	1	*	*	*	*	*	*		5			

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAFZZ	6625-881-2557	PANELS, POWER DISTRIBUTION SB-1399/GTA-14(V) AND SB-1032/TTC AMMETER                      NO-REF-DESIG W-INT SHUNT		EA	1	*	*	*	*	*	*		3		
PAOZZ	5977-702-5258	BRUSH, ELECTRICAL CONTACT                      NO-REF-DESIG AC BRUSHES FOR CONVERTER CARBON W-TERM		EA	2	*	*	*	*	*	*		10		
PAOZZ	5977-702-5259	15-16 IN LG X 0-250 IN W X 0-375 IN THK A173A732B (97475) USED ONLY IN SB-1032/TTC BRUSH, ELECTRICAL CONTACT                      NO-REF-DESIG DC BRUSHES FOR CONVERTER CARBON W-TERM		EA	2	*	*	*	*	*	*		10		
PAOZZ	5977-883-2344	15-16 IN LG X 0-250 IN W X 0-375 IN THK A173A732A (97475) USED ONLY IN SB-1032/TTC BRUSH, ELECTRICAL CONTACT                      NO-REF-DESIG AC BRUSHES FOR CONVERTER CARBON W-TERM		EA	2	*	*	*	*	*	*		10		
PAOZZ	5977-883-2345	1-1-8 IN LG X 5-8 IN N X 5-16 IN THK 19745-14 (82497) USED ONLY IN SB-1399/GTA-14(V) BRUSH, ELECTRICAL CONTACT                      NO-REF-DESIG DC BRUSHES FOR, CONVERTER CARBON W-TERM		EA	2	*	*	*	*	*	*		10		
PAFZZ	5910-643-9005	1-3-16 IN LG X 3-4 IN W X 5-16 IN THK 19745-15 (82497) USED ONLY IN SB-1399/GTA-14(V) CAPACITOR, FIXED, PAPER DIELECTRIC C20		EA	1	*	*	*	*	*	*		5		C20
PAFZZ	5925-721-0676	CD27A1EG103K (81349) USED ONLY IN SB-1399/GRA-14 CIRCUIT BREAKER                      NO-REF-DESIG DPST DC		EA	1	*	*	*	*	*	*		5		
PAFZZ	5925-174-3339	125V, 15 AMP 61-361MG4 (74193) CIRCUIT BREAKER                      NO-REF-DESIG DPST AC		EA	1	*	*	*	*	*	*		5		
PAFZZ	5925-688-4331	250V, 15 AMP, 60 CYC SMC142627 (80063) CIRCUIT BREAKER                      NO-REF-DESIG SPST DC		EA	1	*	*	*	*	*	*		5		
PAFZZ	5935-279-9337	125V, 10 AMP 60-360MG4 (74193) CONNECTOR, RECEPTACLE, ELECTRICAL J11 4		EA	1	*	*	*	*	*	*		3		J11
PAFZZ	5935-187-4504	FLAT DOUBLE T FEMALE CONT STRAIGHT TYPE SMB142694 (89063) CONNECTOR, RECEPTACLE, ELECTRICAL J7 2		EA	2	*	*	*	*	*	*		3		J7
PAFZZ	5935-187-4504	CONT SMB142602 (83063) CONNECTOR, RECEPTACLE, ELECTRICAL J8 2		EA	REF	*	*	*	*	*	*		3		J8
PAFZZ	5935-201-7932	CONT SMB142602 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J12 2		EA	4	*	*	*	*	*	*		3		J12
PAFZZ	5935-201-7932	FEMALE RD CONT SMB142337 (80063) CONNECTOR, RECEPTACLE, ELECTRICAL J13 2		EA	REF	*	*	*	*	*	*		3		J13
		CONTINUED													

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
CONTINUED															
PAFZZ	5935-201-7932	FEMALE RD CONT SMB142337 (89063)		EA	REF	*	*	*	*	*	*		3	J14	
PAFZZ	5935-201-7932	CONNECTOR, RECEPTACLE, ELECTRICAL J14 2 FEMALE RD CONT SMB142337 (80063)		EA	REF	*	*	*	*	*	*		3	J15	
PAFZZ	5935-259-4054	CONNECTOR, RECEPTACLE, ELECTRICAL J15 2 FEMALE RD CONT SMB142337 (80063)		EA	1	*	*	*	*	*	*		3	J6	
PAFZZ	5935-644-6750	CONNECTOR, RECEPTACLE, ELECTRICAL J6 3 CONT SMB142603 (80063)		EA	2	*	*	*	*	*	*		3	J9	
PAFZZ	5935-644-6750	CONNECTOR, RECEPTACLE, ELECTRICAL J9 2 MALE, CONT STRAIGHT TYPE 1-625 IN DIA X 0-937 IN D 0-A SMB142695 (80063)		EA	REF	*	*	*	*	*	*		3	J10	
PAFHD	5805-875-1215	CONNECTOR, RECEPTACLE, ELECTRICAL J10 2 MALE, CONT STRAIGHT TYPE 1-625 IN DIA X 0-937 IN D 0-A SMB142695 (80063)	NO-REF-DESIG	EA	2	*	*	*	*	*	*		4		
PAFZZ	5930-669-6839	GENERATOR, RINGING, MACHINE KS5492-01 (64991)		EA	2	*	*	*	*	*	*		4		
PAFZZ	5930-669-6839	SWITCH, TOGGLE S11 DPST 250V, 10 AMP, AC 80825 (04009)		EA	1	*	*	*	*	*	*		5	S11	
PAFZZ	5930-202-5252	SWITCH, TOGGLE S10 SPDT 3 POST, 250V, 5 AMP, AC 4356 (80063)		EA	1	*	*	*	*	*	*		5	S10	
PAFZZ	6625-752-7623	VOLTMETER NO-REF-DESIG DC TYPE 0 TO 75. CW LIN 5 SCALE DIV SMC142622 (80063)		EA	1	*	*	*	*	*	*		3		
PAFZZ	6350-688-5101	TELEPHONE CIRCUIT LINE RELAY TA-452/GTA-14(V) BUZZER DS801 SMB142336 (80063)		EA	2	*	*	*	*	*	*		2	DS801	
PAFZZ	5910-721-1996	CAPACITOR, FIXED, PAPER DIELECTRIC C1 2 SECTS 2 UF PORM10PCT 100 VDCW SMB142861 (80063)		EA	40	*	*	*	*	*	*		5	C1	
PAFZZ	5913-721-1996	CAPACITOR, FIXED, PAPER DIELECTRIC C2 2 SECTS 2 UF PORM10PCT 100 VDCW SMB142861 (80063)		EA	REF	*	*	*	*	*	*		5	C2	
PAFZZ	5910-801-2962	CAPACITOR, FIXED PAPER DIELECTRIC 2 UF PORM10PCT 100 VDCW SMB142871 (80063)		EA	23	*	*	*	*	*	*		5	54	
PAFZZ	5935-201-7932	CONNECTOR, RECEPTACLE, ELECTRICAL J65 2 FEMALE RD CONT 59M142337 (80063)		EA	2	*	*	*	*	*	*		3	J65	

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAFZZ	5935-201-7932	CONNECTOR, RECEPTACLE, ELECTRICAL FEMALE RD CONT SMB142337 (80063)	J66 2	EA	REF	*	*	*	*	*	*		3		J66
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J50	EA	14	*	*	*	*	*	*		3		J50
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J51	EA	REF	*	*	*	*	*	*		3		J51
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J52	EA	REF	*	*	*	*	*	*		3		J52
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J53	EA	REF	*	*	*	*	*	*		3		J53
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J54	EA	REF	*	*	*	*	*	*		3		J54
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J55	EA	REF	*	*	*	*	*	*		3		J55
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J56	EA	REF	*	*	*	*	*	*		3		J56
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J57	EA	REF	*	*	*	*	*	*		3		J57
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J58	EA	REF	*	*	*	*	*	*		3		J58
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J59	EA	REF	*	*	*	*	*	*		3		J59
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J60	EA	REF	*	*	*	*	*	*		3		J60
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J61	EA	REF	*	*	*	*	*	*		3		J61
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J62	EA	REF	*	*	*	*	*	*		3		J62
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J63	EA	REF	*	*	*	*	*	*		3		J63
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J64	EA	REF	*	*	*	*	*	*		3		J64
PAOZZ	5920-156-0840	FUSE, INDICATOR ALARM AMP 48V SM8142343 (80063)	NO-REF-DESIG 1-1/3	EA	11	*	*	*	*	*	*		50		
PAFZZ	5805-393-1688	INSULATOR. TRANSPOSITION CONTINUED	NO-REF-DESIG	EA	200	*	*	*	*	*	*		1		

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.	
						1-20	21-50	51-100	1-20	21-50	51-100					
		CONTINUED														
PAFZZ	5805-705-5906	U/O ST CARL RELAYS BROWN PHENOLIC 1-17/32 IN LG X 0.218 IN W X 0.031 IN THK 36694-000 (58189)		EA	28	*	*	*	*	*	*		5			
PAFZZ	5940-681-9857	PLATE NO-REF-DESIG 3/16 IN THK X 15/32 IN W X 1-3/32 IN LG SMC339986 (80063)		EA	2	*	*	*	*	*	*		1			
PAFZZ	6130-500-2043	POST, BINDING NO-REF-DESIG SMC142351 (80063)		EA	100	*	*	*	*	*	*		3	56	CR10	
PAFZZ	5945-686-7774	RECTIFIER, METALLIC CR10 SELENIUM 90V AC MAX INPUT 110 MA MAX DC OUTPUT SMB142463 (80063)		EA	100	*	*	*	*	*	*		3	56	CO	
PAFZZ	5945-686-7774	RELAY, ARMATURE CO LINE RELAY AND CUT-OFF RELAY 50 VDC MAX 1-2 AMP RES CUR 2 WND, 1200 OHMS AND 1200OHMS RES SMC142395 (80063)		EA	REF	*	*	*	*	*	*		3	56	LP	
PAFZZ	5305-682-5499	RELAY, ARMATURE LR LINE RELAY AND CUT OFF RELAY 50 VDC MAX 1-2 AMP RES CUR 2 WND, 1200 OHMS AND 1200OHMS RES SMC142395 (80063)		EA	28	*	*	*	*	*	*		5			
PAFZZ	5305-682-5456	SCREW, EXTERNALLY RELIEVED BODY P/O 52 PIN CONN FIL HD 10-32 X 1.405 IN LG SMB-339887 (80063)		EA	4	*	*	*	*	*	*		5			
PAFZZ	5945-792-8408	SCREW MACHINENO-REF-DESIG SECURES GATE HEX HD 3-8-16 X 1-3-4 IN LG MS35291-65 (96906)		EA	200	*	*	*	*	*	*		2			
PAFZZ	5930-548-6423	STOP , SPRING NO-REF-DESIG BROWN PHENOLIC 1-1-16 IN LG X 0-165 IN W X 0-031 IN THK 0-A 36708 (58189)		EA	1	*	*	*	*	*	*		5		S31	
PAFZZ	5930-050-2708	SWITCH, ROTARY S31 1 AMP 250V AC MAX SMB142361 (80063)		EA	100	*	*	*	*	*	*		5			
PAOZZ	6350-688-5101	SWITCH, TOGGLE NO-REF-DESIG PROVIDES FOR SELECTION OF CB OR LB OPER ST52P (02287)		EA	1	*	*	*	*	*	*		2		DS802	
PAFZZ	5910-721-1997	TELEPHONE CIRCUIT TRUNK RELAY TA-453/GTA-14(V) BUZZER DS802 48 VDC SMB142336 (80063)		EA	20	*	*	*	*	*	*		5			
PAFZZ	5950-645-4559	CAPACITOR, FIXED, PAPER DIELECTRIC C1 DC BLOCKING CAPACITOR 1 SECT 1 UF PORM10PCT 100 VDCW HC METAL CAN 31-32 INDEEP X 3-3-4 IN H X 1-665 IN W 585672 (80063)		EA	20	*	*	*	*	*	*		3	56	RC1	
PAFZZ	5950-645-4559	COIL, TELEPHONE REPEATING RC1 4 WND 8-3 OHM DC RESISTANCE BETWEEN TERM NO. 5-7 AND NO. 6-8. 5-7 OHM DC RESISTANCEBETWEEN TERM NO. 1-3 AND NO. 2-4 602C83 (80063)		EA	REF	*	*	*	*	*	*		3	56	RC2	
		COIL, TELEPHONE REPEATING RC2 4 WND 8-3 OHM DC RESISTANCE BETWEEN TERM NO. 5-7 AND NO. 6-8. 5-7 OHM DC RESISTANCEBETWEEN TERM NO. 1-3 AND NO. 2-4 602083 (80063)		EA	REF	*	*	*	*	*	*		3	56	RC2	



SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAFZZ	5935-201-7932	CONNECTOR, RECEPTACLE, ELECTRICAL 3MB142337 (80063)	J70	EA	2	*	*	*	*	*	*		3		J70
PAFZZ	5935-201-7932	CONNECTOR, RECEPTACLE, ELECTRICAL 3MB142337 (80063)	J71	EA	REF	*	*	*	*	*	*		3		J71
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL SMC339861 (81063)	NO-REF-DESIG	EA	3	*	*	*	*	*	*		3		
PAOZZ	5920-156-0840	FUSE, INDICATOR ALARM SMB142343 (80063)	NO-REF-DESIG	EA	11	*	*	*	*	*	*		50		
PAFZZ	5905-393-1688	INSULATOR, TRANSPOSITION BROWN PHENOLIC 36694-000 (58189)	NO-REF-DESIG	EA	200	*	*	*	*	*	*		1		
PAFZZ	5805-705-5906	PLATE- P/O 52 PIN CONN SMC 339886 (80063)		EA	6	*	*	*	*	*	*		3		
PAFZZ	5940-681-9857	POST BINDING SMC142351 (80063)	NO-REF-DESIG	EA	2	*	*	*	*	*	*		1		
PAFZZ	5945-849-6653	RELAY ARMATURE LR TRUNK LINE RELAY 50V DC MAX 1-2 AMP CUR 2 WND 1310 OHMS AND 2020 OHMS RES SMC142442 (80063)		EA	20	*	*	*	*	*	*		3		LR
PAFZZ	5945-854-7475	RELAY, ARMATURE DL TRUNK CUT-OFF RELAY 50V DC, MAX 1-2 AMP 2 WND 1200 OHMS AND 1200 OHMS RES SMC142441 (80063)		EA	20	*	*	*	*	*	*		3		DL CO
PAFZZ	5945-854-7475	RELAY, ARMATURE DL TRUNK CUT-OFF RELAY 50V DC, MAX 1-2 AMP 2 WND 1200 OHMS AND 1200 OHMS RES SMC142441 (80063)		EA	REF	*	*	*	*	*	*		3		CO DL
PAFZZ	5905-295-4086	RESISTOR, FIXED WIRE WOUND R1 BATT REDUCING RESISTOR 680 OHM PORM5PCT 5W SMB142444-1 (80063)		EA	20	*	*	*	*	*	*		3		R1
PAFZZ	5905-702-2548	RESISTOR, THERMAL PREVENTS FALSE OPERATION OF LR RELAY AC, DC 20 MA AND 5V .MAX OPER V SM142446 (80063)	NO-REF-DESIG	EA	20	*	*	*	*	*	*		3		
PAFZZ	5305-682-5499	SCREW, EXTERNALLY RELIEVED BODY SMB339887 (80063)	NO-REF-DESIG	EA	6	*	*	*	*	*	*		5		
PAFZZ	5945-792-8408	STOP, SPRING BROWN PHENOLIC 367C8 (58189)	NO-REF-DESIG	EA	200	*	*	*	*	*	*		2		
PAFZZ	5930-548-6423	SWITCH, ROTARY S31 1 AMP 250V AC MAX SMB142361 (80063)		EA	1	*	*	*	*	*	*		5		S31
PAFZZ	5920-295-9826	MAIN DISTRIBUTING FRAME TELEPHONE TA-454-/GTA-14(V) ARRESTOR. LIGHTING RESISTOR TYPE 300 VDCW SMB142497 (80063)	NO-REF-DESIG	EA	200	*	*	*	*	*	*		4		
PAFZZ	5935--686--3681	CONNECTOR-, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J1	EA	4	*	*	*	*	*	*		3		J1

SECTION II

TM 11-5805-234-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAYS DS MAINT ALLOWANCE			(7) 30-DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAFZZ	5935-686-3681	CONNECTOR, RECEPTACLE, ELECTRICAL 52 CONT SMC339861 (80063)	J4	EA	REF	*	*	*	*	*	*		3		J4
PAFZZ	5920-285-0347	DISK, TELEPHONE PROTECTOR CARBON, CYLINDRICAL SHAPE 1-2 X 5-16 IN. 41-273 (26063)	NO-REF-DESIG	EA	200	*	*	*	*	*	*		5		
PAFZZ	5805-705-5906	PLAT SMC339886 (80063)	NO-REF-DESIG	EA	8	*	*	*	*	*	*		5		
PAFZZ	5940-681-9857	POST, BINDING BRASS BASE 1-3-64 IN H O-A X 5-8 IN DIA O-A	NO-REF-DESIG NYLON CAP	EA	600	*	*	*	*	*	*		1		
PAFZZ	5805-682-5499	SCREW, EXTERNALLY BELIEVED RELIEVED DESIG FIL HD 10-32 X 1.405 IN LG SMB339887 (80063)	NO-REF-	EA	8	*	*	*	*	*	*		5		

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5110-243-3011			5920-156-0840		F16
5120-266-7023			5920-156-0840		F17
5120-308-3779			5920-156-0840		F18
5305-396-3426			5920-156-0840		F19
5305-396-3426	46.1		5920-156-0840	47	
5305-527-5753			5920-285-0347		
5305-638-6205			5920-295-9826		
5305-682-5456			5920-295-9826	3	F1
5305-682-5486			5925-174-3339		
5305-682-5499			5925-688-4331		
5305-682-5499		A	5925-721-0676		
5307-532-3207			5930-050-2708		
5310-527-5768			5930-201-3580		GR
5340-682-1815			5930-201-3580		S71
5805-393-1688			5930-201-3608		WO
5805-407-4861			5930-201-3608		S73
5805-407-4861	2		5930-202-5252		S10
5805-532-3242			5930-258-4767		
5805-681-9710			5930-510-7647		
5805-682-5499			5930-548-3489		
5805-688-2685	2		5930-548-3489		S56
5805-688-4852			5930-548-3489		S57
5805-701-9142			5930-548-3489		S58
5805-701-9143			5930-548-3489		S59
5805-701-9183			5930-548-3489		S60
5805-705-5906			5930-548-3489		S61
5805-806-1894			5930-548-3489		S62
			5930-548-3489		S63
			5930-548-3489		S64
			5930-548-3489		S65
			5930-548-3489		S66
5805-875-1215			5930-548-3489		S67
			5930-548-3489		S68
			5930-548-3489		S69
5905-186-0081			5930-548-3489		S70
5905-186-0081		R30	5930-548-3489		
5905-186-0081		R31	5930-548-3492		
5905-192-4408		R3	5930-548-3492		S41
5905-258-0260		R2	5930-548-3492		S42
5905-259-2914		R1	5930-548-3492		S43
5905-295-4086		R1	5930-548-3492		S44
5905-299-1749			5930-548-3492		S45
5905-299-1749		R40	5930-548-3492		S46
5905-537-6781			5930-548-3492		S47
5905-682-4236			5930-548-3492		S48
5905-688-4407			5930-548-3492		S49
5905-702-2548			5930-548-3492		S50
5905-702-2548	83		5930-548-3492		S51
5910-262-8534		C1	5930-548-3492		S52
5910-280-6986			5930-548-3492		S53
5910-280-7324			5930-548-3492		S54
5910-280-7324	51	C5	5930-548-3492		S55
5910-547-2951		C4	5930-548-6062		
5910-547-2951	51	C4	5930-548-6082		
5910-643-9005		C20	5930-548-6423		
5910-666-8301	51	C4	5930-548-6423		S31
5910-668-4607	49	C3	5930-548-6747		
5910-688-7214			5930-642-9329		S72
5910-688-7214		C3	5930-642-9329	49	MR
5910-721-1996			5930-642-9329	49	MON
5910-721-1996		C1	5930-669-6839		S11
5910-721-1996		C2	5930-681-4394		
5910-721-1997		C1	5930-814-4362		
5910-801-2962			5935-149-2754		
5910-801-2962		C5	5935-149-2754		J16
5910-801-2962	54	C5	5935-149-3462		
5915-537-7240	49	C3	5935-149-3462		J42
5915-537-7240	49	R3	5935-149-3462		J43
5915-688-3269	49	C3	5935-149-3563		
5915-688-3269	49	R3	5935-161-9764		
5915-688-3269	54	R3	5935-161-9764		J18
5920-156-0840			5935-173-8682		
5920-156-0840		F10	5935-187-4504		J7
5920-156-0840		F11	5935-187-4504		J8
5920-156-0840		F12	5935-192-4762	2	
5920-156-0840		F13	5935-201-7932		
5920-156-0840		F14	5935-201-7932		J12
5920-156-0840		F15	5935-201-7932		J13

**SECTION IV**

**TM 11-5805-234-34P**

<b>STOCK NUMBER</b>	<b>FIGURE NO.</b>	<b>ITEM NO.</b>	<b>STOCK NUMBER</b>	<b>FIGURE NO.</b>	<b>ITEM NO.</b>
5935-201-7932		J14	5935-696-3681		J125
5935-201-7932		J15	5935-696-3681		J126
5935-201-7932		J46	5935-696-3681		J127
5935-201-7932		J47	5935-696-3681		J128
5935-201-7932		J65	5935-696-3681		J129
5935-201-7932		J66	5935-696-3681		J130
5935-201-7932		J70	5935-696-3681		J131
5935-201-7932		J71	5935-696-3681		J132
5935-201-8474			5935-696-3681		J133
5935-201-8910		C	5935-696-3681		J134
5935-201-8910		D	5935-696-3681		J135
5935-201-8910		F	5935-696-3681		J136
5935-201-8924			5935-696-3681		J137
5935-231-1169			5935-696-3681		J138
5935-259-0086			5935-696-3681		J139
5935-259-4054		J6	5935-696-3681		J140
5935-259-9828	11.1		5935-696-3681		J141
5935-279-9337			5935-696-3681		J142
5935-279-9337		J11	5935-696-3681		J143
5935-279-9337		J17	5935-696-3681		J144
5935-392-6340			5935-696-3681		J145
5935-549-2646			5935-696-3681		J146
5935-549-2646		J30	5935-696-3681		J147
5935-549-2646		J31	5935-696-3681		J148
5935-644-6750			5935-696-3681		J149
5935-644-6750		J9	5935-696-3681		J150
5935-644-6750		J10	5935-696-3681		J151
5935-644-6750		J44	5935-696-3681		J152
5935-644-6750		J45	5935-696-3681		J153
5935-644-9401	11.1	I	5935-696-3681		J154
5935-665-7339			5935-696-3681		J155
5935-665-7349			5935-696-3681		J156
5935-686-3681			5935-696-3681		J157
5935-686-3681		J1	5935-696-3681		J158
5935-686-3681		J4	5935-696-3681		J159
5935-686-3681		J50	5935-696-3681		J160
5935-686-3681		J51	5935-696-3681		J161
5935-686-3681		J52	5935-833-6320		
5935-686-3681		J53	5940-050-6252		
5935-686-3681		J54	5940-187-5056		
5935-686-3681		J55	5940-238-8534		
5935-686-3681		J56	5940-256-1641		
5935-686-3681		J57	5940-504-3993	4	
5935-686-3681		J58	5940-523-6737		
5935-686-3681		J59	5940-546-6745		
5935-686-3681		J60	5940-681-9857		
5935-686-3681		J61	5947-681-9857		NA
5935-686-3681		J62	5945-030-0186		
5935-686-3681		J63	5945-259-6626		10
5935-686-3681		J64	5945-259-6626	43	10
5935-686-3995			5945-259-6627		
5935-686-3995		J40	5945-259-6628		
5935-696-9641			5945-259-6629		
5935-686-9642			5945-322-4017		
5935-687-1067			5945-322-4018		
5935-696-3681		J100	5945-322-4019		
5935-696-3681		J101	5945-322-4020		
5935-696-3681		J102	5945-322-4022		
5935-696-3681		J103	5945-322-4023		
5935-696-3681		J104	5945-500-7443		
5935-696-3681		J105	5945-523-9963		
5935-696-3681		J106	5945-523-9964		
5935-696-3681		J107	5945-685-9333		MO
5935-696-3681		J108	5945-685-9334		DL
5935-696-3681		J109	5945-685-9337		OB
5935-696-3681		J110	5945-686-7773		RU
5935-696-3681		J111	5945-686-7774		CO
5935-696-3681		J112	5945-686-7774		LR
5935-696-3681		J113	5945-686-7774	56	CO
5935-696-3681		J114	5945-686-7774	56	LR
5935-696-3681		J115	5945-686-7776		CO
5935-696-3681		J116	5945-686-7777		FS
5935-696-3681		J117	5945-686-7777		RS
5935-696-3681		J118	5945-686-9060		LR
5935-696-3681		J119	5945-688-2681		FB
5935-696-3681		J120	5945-688-2681		RB
5935-696-3681		J121	5945-792-8408		
5935-696-3681		J122	5943-849-6653		LR
5935-696-3681		J123	5945-854-7475		CO
5935-696-3681		J124	5945-854-7475		DL

SECTION IV

TM 11-5805-234-34P

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5950-393-1473			6145-537-3713		
5950-537-5147			6145-537-3713	11.1	
5950-537-5147		RE2	6145-545-7148	11.1	
5950-645-4175			6145-617-1359		
5950-645-4528			6145-635-3740		
5950-645-4528		RE	6145-643-0053	11.1	
5950-645-4553			6145-688-4853		
5950-645-4553		14AL	6210-299-6686		
5953-645-4555			6210-299-6688		
5950-645-4555		48A	6210-726-4534		
5950-645-4559		RC1	6210-726-4535		
5950-645-4559		RC2	6210-726-4535		
5950-645-4559	56	RC1	6210-726-4536		
5950-645-4559	56	RC2	6210-726-4537		
5950-646-3034			6240-237-7877		
5950-648-4217			6240-237-7877	31	
5950-648-4285			6240-715-0037		DS3
5950-648-4289			6240-715-0037		DS4
5950-648-4291			6240-715-0037		DS5
5950-648-4239			6240-715-0037		DS6
5977-702-5258			6240-715-0037		DS7
5977-702-5259			6240-715-0037		DS8
5977-883-2344			6240-715-0037		DS9
5977-883-2345			6240-715-0037		DS10
5995-170-7992			6240-715-0037	31	
5995-173-8828			6250-186-6401		
5995-173-8829			6250-186-6401	47	
5995-173-8830			6250-196-8902		
5995-681-8551			6250-295-1172		
5995-681-8552			6250-722-1261		
5995-681-8553			6350-295-1766	9.1	
6130-500-2043		RE	6350-688-5101		
6130-500-2043	56	CE10	6350-688-5101		EA
6130-567-2799		R41	6350-688-5101	47	
6130-567-2799	54		6625-682-4428		
6130-643-0791			6625-752-7623		
6145-160-1844	11.1		6625-881-2557		
6145-184-5491			8040-200-6302		
6145-188-3650	11.1				

By Order of the Secretary of the Army:

CREIGHTON W. ABRAMS  
*General, United States Army*  
*Chief of Staff*

Official:

VERNE L. BOWERS  
*Major General, United States Army*  
*The Adjutant General*

Distribution:

Active Army:

CNGB (1)  
ACSC-E (2)  
USAARENBD (2)  
USAMB (10)  
AMP (1)  
ARADCOM (2)  
ARADCOM Rgn (2)  
OS Maj Comd (4)  
LOGCOMDS (5)  
MICOM (2)  
TECOM (2)  
USASTRATCOM (4)  
HISA (ECOM) (18)  
MDW (1)  
Armies (2)  
Corps (2)  
Svqc Colleges (2)  
USASESS (5)  
USAADS (2)  
USAFAS (2)  
USAARMS (2)  
USAIS (2)  
USAES (2)  
USAINTS (3)  
USACDCEC (5)  
USASA (2)

NG: None.

USAR: None.

Instl (2) except  
Fort Gordon (10)  
Fort Huachuca (10)  
WSMR (2)  
Fort Carson (10)  
Ft Richardson (ECOM Ofc) (2)  
Army Dep (2) except  
LBAD (14)  
SAAD (80)  
TOAD (14)  
LEAD (7)  
ATAD (10)  
USA Dep (2)  
Sig See USA Dep (2)  
Sig Dep (5)  
Sig FLDMS (1)  
USAERDAA (1)  
USAERDAW (1)  
MAAG (1)  
USARMIS (1)  
WRAMC (1)  
Units org under fol TOE  
(1 copy each):  
11-158  
29-184  
29-186

For explanation of abbreviations used, see AR 810-50.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM. CAREFULLY TEAR IT OUT. FOLD IT AND DROP IT IN THE MAIL!

**SOMETHING WRONG WITH THIS PUBLICATION?**

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT... PIN-POINT WHERE IT IS

PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 2028-2 JUL 79

PREVIOUS EDITIONS ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

