

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS LISTS (INCLUDING
DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)
TERMINALS, TELEGRAPH TH-5/TG (FSN 5805-246-8734)
AND TH-5A/TG (FSN 5805-020-5720)

Headquarters, Department of the Army, Washington, D.C.
31 July 1973

Current as of January 1973

	Paragraph	Page
SECTION I. INTRODUCTION		
scope	1-1	2
General	1-2	2
Explanation of columns	1-3	2
Special Information	1-4	4
Location of repair parts	1-5	4
Abbreviations (Not applicable)	1-6	5
Reporting of equipment publication improvements	1-7	5
II. REPAIR PARTS LIST		6
III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
IV. INDEX—FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS- REFERENCE TO FIGURE AND ITEM NUMBER		21

*This manual supersedes TM 11-5805-24645P, 27 september 1963, including all changes.

SECTION I

INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of direct support, general support, and depot maintenance of the TH-5/TG and TH-5A/TG. The PCCN for the equipment is GCWAAC.

1-2. General.

This repair parts and special tools list is divided into the following sections:

a. Repair Parts List--Section II. A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level. This repair parts list is arranged in alphabetical order.

b. Special Tools, Test and Support Equipment--Section III. Not applicable.

c. Index - Federal Stock Number and Reference Number Cross - Reference to Figure and Item Number - Section IV. A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphameric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross - referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) Source code. Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are-

<i>Code</i>	<i>Explanation</i>
PA	Item procured and stocked for anticipated or known usage.
PB	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.
PD	Support item, excluding support equip-

<i>Code</i>	<i>Explanation</i>
	ment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfitting. Not subject to automatic replenishment.
PE	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF	Support equipment which will not be stocked but which will be centrally procured on demand.
PG	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
PB	Item included in both a depot overhaul/repair kit and a maintenance kit.
MO	Item to be manufactured or fabricated at organizational level.
MF	Item to be manufactured or fabricated at direct support maintenance level.
MH	Item to be manufactured or fabricated at general support maintenance level.
MD	Item to be manufactured or fabricated at depot maintenance level.
AO	Item to be assembled at organizational level.
AF	Item to be assembled at direct support maintenance level.
AH	Item to be assembled at general support maintenance level.
AD	Item to be assembled at depot maintenance level.
XA	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB	Item is not procured or stocked. If not available through salvage, requisition.

<i>Code</i>	<i>Explanation</i>
XC	- Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.
X D	- Support items can be requisitioned with justification.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 70042.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows-

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application/Explanation</i>
O	- Support item is removed, replaced, used at the organizational level of maintenance.

NOTE

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

F - Support item is removed, replaced, used at the direct support maintenance level.

H - Support item is removed, replaced, used at the general support maintenance.

D - Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used q dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service (s) that require the code-

<i>Code</i>	<i>Application/Explanation</i>
O	- The lowest maintenance level capable of

<i>Code</i>	<i>Application/Explanation</i>
	complete repair of the support item is the organizational level.
F	- The lowest maintenance level capable of complete repair of the support item is direct support.
H	- The lowest maintenance level capable of complete repair of the support item is general support.
D	- The lowest maintenance level capable of complete repair of the support item is the depot level.
	&Repair restricted to designated Specialized Repair Activity.
Z	- Non-repairable. No repair is authorized.
B	- No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows-

<i>Code</i>	<i>Application/Explanation</i>
Z	- Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O	- Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F	- Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H	- Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D	- Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L	- Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
A	- Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. *Federal Stock Number.* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. *Description.* Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference

number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

d. Unit of Measure (U/M). Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. Quantity Incorporated in Unit. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. 30-Day DS/GS Maintenance Allowances.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. 1-Year Allowances Per 100 Equipments/Contingency Planning Purposes. Column intentionally left blank,

h. Depot Maintenance Allowance Per 100 Equipments. This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

i. Illustration. This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 11-5805-246-10, TM 11-5805-246-20, and TM 11-5805-24645.

(2) *item number.* Indicates the item number

or reference designation used to reference the item in the illustration.

1-4. Special Information

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are-

Code	Used on
AAF	TH-5/TG
B3F	TH-5A/TG

b. The following publications pertain to the equipment and its components:

TM 11-5805-246-10

Operator's Manual: Terminal, Telegraph TH-5/TG.

TM 11-5805-246-20

Organizational Maintenance Manual: Terminal, Telegraph TH-5/TG.

TM 11-5805-246-20P

Organizational Maintenance Repair Parts and Special Tools Lists: Terminals, Telegraph TH-5/TG and TH-5A/TG.

TM 11-5805-248-85

DS, GS, and Depot Maintenance Manual: Terminal, Telegraph TH-5/TG.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (see IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (see IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (see II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns

10a and 10b of the repair parts list (see II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (see II), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CW, Fort Monmouth, N.J., 07703.

(Next printed page is 6)

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATION	
					(A)	(B)	(C)	(A)	(B)	(C)	100	100	(A) FIGURE NO.	(B) ITEM NO.
PAFZZ	5975-843-4192	BUSHING, STRAIN RELIEF CABLE NO-REF-DESIG SCB98353 (80063)	EA	1	*	*	*	*	*	*	3			
PAFZZ	6350-251-2367	BUZZER DS3 SCB98435 (80063)	EA	1	*	*	*	*	*	*	2		DS3	
PAFZZ	6145-548-1258	CABLE, POWER, ELECTRICAL NO-REF-DESIG (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 7FT.) CO02MF2-18-0300 (81349)	FT	7	*	*	*	*	*	*	5	5		
PAOZZ	5920-244-5150	CAP, ELECTRICAL NO-REF-DESIG 9435-1-2 (71400)	EA	1	*	*	*	*	*	*	3			
PAFZZ	5910-160-6756	CAPACITOR VARIABLE, CERAMIC DIELECTRIC C30 2 SECT 7 UUF TO 45 UUF 500 VDCW CV21C450 (81349)	EA	1	*	*	*	*	*	*	3		7A	C30
PAFZZ	5910-280-5876	CAPACITOR, FIXED, CERAMIC DIELECTRIC C32 270 UUF PORM5PCT 500 VDCW CC35UJJ271J (81349)	EA	2	*	*	*	*	*	*	5		7C	C32
PAFZZ	5910-280-5876	CAPACITOR, FIXED, CERAMIC DIELECTRIC C33 270 UUF PORM5PCT 500 VDCW CC35UJJ271J (81349)	EA	REF	*	*	*	*	*	*	5		7C	C33
PAFZZ	5910-983-7308	CAPACITOR, FIXED, ELECTROLYTIC C46 12 UF, 450 VDCW CE33F120R (81349)	EA	1	*	*	*	*	*	*	3		5	C46
PAFZZ	5910-552-8330	CAPACITOR, FIXED, ELECTROLYTIC C48 15 UF, 250 VDCW CE31C150M (81349)	EA	1	*	*	*	*	*	*	3		5	C48
PAFZZ	5910-251-1562	CAPACITOR, FIXED, ELECTROLYTIC C6 12 UF, 350 VDCW CE33C120P (81349)	EA	2	*	*	*	*	*	*	3		4	C6
PAFZZ	5910-251-1562	CAPACITOR, FIXED, ELECTROLYTEC C47 12 UF, 350 VDCW CE33C120P (81349)	EA	REF	*	*	*	*	*	*	3		5	C47
PAFZZ	5910-191-2865	CAPACITOR, FIXED MICA DIELECTRIC C34 8, 200 UUF PORM5PCT 500 VDCW CM500822JJ (81349)	EA	1	*	*	*	*	*	*	3		7A	C34
PAFZZ	5910-101-4881	CAPACITOR, FIXED, MICA DIELECTRIC C39 510 UUF PORM5PCT 500 VDCW CM200D511J 981349)	EA	1	*	*	*	*	*	*	3		7B	C39
PAFZZ	5910-836-0914	CAPACITOR, FIXED, MICA DIELECTRIC C15 43,000 UUF PORM5PCT 600 VDCW SCD98417-3 (80063)	EA	1	*	*	*	*	*	*	3		4	C15
PAFZZ	5910-964-6485	CAPACITOR, FIXED, MICA DIELECTRIC C14 39,000 UUF PORM5PCT 600 VDCW SCD98417 (80063)	EA	1	*	*	*	*	*	*	3		4	C14
PAFZZ	5910-836-0912	CAPACITOR, FIXED, MICA DIELECTRIC C11 33,000 UUF PORM5PCT 600 VDCW SCD98417-1 (80063)	EA	1	*	*	*	*	*	*	3		4	C11
PAFZZ	5910-807-3569	CAPACITOR, FIXED, MICA DIELECTRIC C12 20,000 UUF PORM5PCT 600 VDCW CM55C203J (81349)	EA	1	*	*	*	*	*	*	3		4	C12
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC C16 10,000 UUF PORM5PCT 500 VDCW CM35D103J (81349)	EA	10	*	*	*	*	*	*	3		7B	C16

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) USABLE ON CODE	(5) UNIT OF MEAS	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATION (A) (B) FIGURE ITEM NO. NO.	
					QTY INC IN UNIT	(A)	(B)	(C)	(A)	(B)	(C)	100 EQUIP	100 EQUIP	(A)
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC 10,000 UUF PORM5PCT 500 VDCW CM35D103J (81349)	C17	EA	REF	*	*	*	*	*	*	3	7B	C17
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC 10,000 UUF PORM5PCT 500 VDCW CM35D103J (81349)	C18	EA	REF	*	*	*	*	*	*	3	7B	C18
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC 10,000 UUF PORM5PCT 500 VDCW CM35D103J (81349)	C19	EA	REF	*	*	*	*	*	*	3	7B	C19
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC 10,000 UUF PORM5PCT 500 VDCW CM35D103J (81349)	C20	EA	REF	*	*	*	*	*	*	3	7B	C20
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC 10,000 UUF PORM5PCT 500 VDCW CM35D103J (81349)	C21	EA	REF	*	*	*	*	*	*	3	7B	C21
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC 10,000 UUF PORM5PCT 500 VDCW CM35D103J (81349)	C40	EA	REF	*	*	*	*	*	*	3	7B	C40
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC 10,000 UUF PORM5PCT 500 VDCW CM35D103J (81349)	C41	EA	REF	*	*	*	*	*	*	3	7B	C41
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC 10,000 UUF PORM5PCT 500 VDCW CM35D103J (81349)	C42	EA	REF	*	*	*	*	*	*	3	7B	C42
PAFZZ	5910-161-4490	CAPACITOR, FIXED, MICA DIELECTRIC 10,000 UUF PORM5PCT 500 VDCW CM35D103J (81349)	C43	EA	REF	*	*	*	*	*	*	3	7B	C43
PAFZZ	5910-725-7641	CAPACITOR, FIXED MICA DIELECTRIC 200 UUF PORM5PCT 500 WVDC CM35E622J (81349)	C36 6,	EA	1	*	*	*	*	*	*	3		C36
PAHZZ	5910-101-5799	CAPACITOR, FIXED, MICA DIELECTIC 3,00 UUF PORM5PCT 500 VDCW CAPACITORS DESIGNTED C35 AND C37 ARE REQUIRED TO TUNE OSCILLATOR COILS AND WILL CONSIST OF 1 OR 2 CAP. IN THIS GR CM30D302J (81349)	C35	EA	2				*	*	*	3	7B	C35
PAHZZ	5910-101-5799	CAPACITOR, FIXED, MICA DIELECTRIC 3,00 UUF PORM5PCT 500 VDCW CAPACITORS DESIGNATED C35 AND C37 ARE REQUIRED TO TUNE OSCILLATOR COILS AND WILL CONSIST OF 1 OR 2 CAP. IN THIS GR CM30D302J (81349)	C34	EA	REF				*	*	*	3	7B	C37
PAHZZ	5910-190-9438	CAPACITOR, FIXED, MICA DIELECTRIC 3,900 UUF PORM5PCT 500 WVDC NOTE SEE FSN5910-101-5799 CM35D392J (81349)	C35	EA	2				*	*	*	3	7A	C35
PAHZZ	5910-190-9438	CAPACITOR, FIXED, MICA DIELECTRIC 3,900 UUF PORM5PCT 500 WVDC NOTE SEE FSN5910-101-5799 CM35D392J (81349)	C37	EA	REF				*	*	*	3	7A	C37
PAFZZ	5910-191-2865	CAPACITOR, FIXED MICA DIELECTRIC 200 UUF PORM5PCT 500 WVDC NOTE SEE FSN CONTINUED	C35 8,	EA	2	*	*	*	*	*	*	3		C35

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) USABLE ON CODE	(5) QTY INC IN UNIT MEAS	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP CNTGCV	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATION	
					(A)	(B)	(C)	(A)	(B)	(C)	100	(A)	(B)	
CONTINUED														
PAHZZ	5910-101-5799	CAPACITOR, FIXED, MICA DIELECTRIC CM40D822J (81349)	C37	EA	REF				*	*	*	3	7B	C37
PAFZZ	5910-191-2865	CAPACITOR, FIXED MICA DIELECTRIC 200 UUF PORM5PCT 500 WVDC NOTE SEE FSN 5910-101-5799 CM40D822J (81349)	C37 8,	EA	REF	*	*	*	*	*	*	3		C37
PAFZZ	5910-161-4490	CAPACITOR, FIXED MICA DIELECTRIC 10,000 UUF PORM5PCT 500 WVDC NOTE SEE FSN5910-101-5799 CM35D103J (81349)	C35	EA	2	*	*	*	*	*	*	3		C35
PAFZZ	5910-161-4490	CAPACITOR, FIXED MICA DIELECTRIC 10,000 UUF PORM5PCT 500 WVDC NOTE SEE FSN5910-101-5799 CM35D103J (81349)	C37	EA	REF	*	*	*	*	*	*	3		C37
PAHZZ	5910-101-5781	CAPACITOR, FIXED, MICA DIELECTRIC 2,000 UUF PORM5PCT 500 WVDC NOTE SEE FSN5910-101-5799 CM30D202J (81349)	C35	EA	2				*	*	*	3	7B	C35
PAHZZ	5910-101-5781	CAPACITOR, FIXED, MICA DIELECTRIC 2,000 UUF PORM5PCT 500 WVDC NOTE SEE FSN5910-101-5799 CM35D202J (81349)	C37	EA	REF				*	*	*	3	7B	C37
PAHZZ	5910-101-4891	CAPACITOR, FIXED, MICA DIELECTIC 470 UUF PORM10PCT 500 WVDC NOTE SEE FSN 5910-101-5799 CM20D471K (81349)	C35	EA	2				*	*	*	3	7B	C35
PAHZZ	5910-101-4891	CAPACITOR, FIXED, MICA DIELECTRIC 470 UUF PORM10PCT 500 WVDC NOTE SEE FSN 5910-101-5799 CM20D471K (81349)	C37	EA	REF				*	*	*	3	7B	C37
PAHZZ	5910-101-4679	CAPACITOR, FIXED, MICA DIELECTIC 5,100 UUF PORM5PCT 500 WVDC NOTE SEE FSN5910-101-5799 CM35D513J (81349)	C35	EA	2				*	*	*	3	7B	C35
PAHZZ	5910-101-4679	CAPACITOR, FIXED, MICA DIELECTRIC 5,100 UUF PORM5PCT 500 WVDC NOTE SEE FSN5910-101-5799 CM35D512J (81349)	C37	EA	REF				*	*	*	3	7B	C37
PAHZZ	5910-101-4016	CAPACITOR, FIXED, MICA DIELECTRIC 1,000 UUF PORM5PCT 500 WVDC NOTE SEE FSN 5910-101-5799 CM35D102J (81349)	C35	EA	2	*	*	*	*	*	*	3	7B	C35
PAHZZ	5910-101-4016	CAPACITOR, FIXED, MICA DIELECTIC 1,000 UUF PORM5PCT 500 WVDC NOTE SEE FSN 5910-101-5799 CM30D102J (81349)	C37	EA	REF				*	*	*	3	7B	C37
PAHZZ	5910-195-2078	CAPACITOR, FIXED, MICA DIELECTRIC 7,500 UUF PORM5PCT 300 WVDC NOTE SEE FSN5910-101-5799 CM35D952J (81349)	C35	EA	2				*	*	*	3	7B	C35
PAHZZ	5910-195-2078	CAPACITOR, FIXED, MICA DIELECTIC CONTINUED	C37	EA	REF				*	*	*	3	7B	C37

SECTION II

(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)		
		DESCRIPTION		QTY	30-DAY DS MAINT ALLOWANCE			30-DAY GS MAINT ALLOWANCE			1-YR	DEPOT	ILLUSTRATION		
	FEDERAL STOCK		UNIT	INC	(A)	(B)	(C)	(A)	(B)	(C)	ALW PER	MAINT	ALW PER	(A)	(B)
SMR	NUMBER	REFERENCE NUMBER & MFR. CODE	OF	IN							EQUIP	100	FIGURE	ITEM	
CODE		USABLE ON CODE	MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGCBY	EQUIP	NO.	NO.	
		CONTINUED													
		5,100 UUF PORM5PCT 500 WVDC NOTE SEE FSN5910-101-5799													
		CM35D752J (81349)													
PAFZZ	5910-725-7641	CAPACITOR, FIXED MICA DIELECTRIC C35 6, 200 UUF PORM5PCT 500 WVDC NOTE SEE FSN 5910-101-5799	EA	2	*	*	*	*	*	*			3	7B	C35
		CM35E622J (81349)													
PAFZZ	5910-725-7641	CAPACITOR, FIXED MICA DIELECTRIC C37 6, 200 UUF PORM5PCT 500 WVDC NOTE SEE FSN 5910-101-5799	EA	REF	*	*	*	*	*	*			3	7B	C37
		SM35E622J (81349)													
PAFZZ	5910-101-4016	CAPACITOR, FIXED MICA DIELECTRIC C10 1, 000 UUF PORM5PCT, 500 WVDC NOTE CAPACITORS DESIGNATED C10 ARE REQUIRED TO TUNE D ISCRIMINATOR COILS AND WILL CONSIST OF 1 OR 2 CAP. IN THIS G	EA	1	*	*	*	*	*	*			3		C10
		CM30D102J (81349)													
PAHZZ	5910-195-0539	CAPACITOR, FIXED, MICA DIELECTRIC C10 520 UUF PORM5PCT 500 VDCW NOTE SEE FSN 5910-101-4016	EA	1				*	*	*			3	6	C10
		CM30D621J (81349)													
PAHZZ	5910-195-1971	CAPACITOR, FIXED, MICA DIELECTRIC C10 910 UUF PORM5PCT 500 VDCW NOTE SEE FSN 5910-101-4016	EA	1				*	*	*			3	6	C10
		CM35D911J (81349)													
PAHZZ	5910-161-4501	CAPACITOR, FIXED, MICA DIELECTRIC C10 200 UUF PORM5PCT 500 VDCW NOTE SEE FSN 5910-101-4016	EA	1				*	*	*			3	6	C10
		CM20D201J (81349)													
PAHZZ	5910-190-6200	CAPACITOR, FIXED, MICA DIELECTRIC C10 1,100 UUF PORM5PCT 500 WVDC NOTE SEE FSN5910-101-4016	EA	1				*	*	*			3	6	C10
		CM35D112J (81349)													
PAHZZ	5910-984-2274	CAPACITOR, FIXED, MICA DIELECTRIC C10 300 UUF PORM5PCT 500 VDCW NOTE SEE FSN 5910-101-4016	EA	1				*	*	*			3	6	C10
		CM20D301J (81349)													
PAHZZ	5910-160-1157	CAPACITOR, FIXED, MICA DIELECTRIC C10 1,200 UUF KPORM5PCT 500 VDCW NOTE SEE FSN5910-101-4016	EA	1				*	*	*			3	4	C10
		CM30D122J (81349)													
PAHZZ	5910-983-7295	CAPACITOR, FIXED, MICA DIELECTRIC C10 100 UUF PORM10PCT 500 VDCW NOTE SEE FSN 5910-101-4016	EA	1				*	*	*			3	6	C10
		CM20C101K (81349)													
PAHZZ	5910-101-4909	CAPACITOR, FIXED, MICA DIELECTRIC C10 390 UUF PORM5PCT 500 VDCW NOTE SEE FSN 5910-101-4016	EA	1				*	*	*			3	6	C10
		CM20D391J (81349)													
PAHZZ	5910-101-4901	CAPACITOR, FIXED, MICA DIELECTRIC C10 47 UUF PORM10PCT 500 VDCW NOTE SEE FSN	EA	1				*	*	*			3	6	C10

CONTINUED

SECTION II

(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
		DESCRIPTION		QTY	30-DAY DS MAINT ALLOWANCE			30-DAY GS MAINT ALLOWANCE			1-YR	DEPOT	ILLUSTRATION	
			UNIT	INC	(A)	(B)	(C)	(A)	(B)	(C)	ALW PER	MAINT	(A)	(B)
SMR	FEDERAL		OF	IN							100	ALW PER	FIGURE	ITEM
CODE	STOCK	REFERENCE NUMBER & MFR. CODE	MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGCBY	EQUIP	NO.	NO.
	NUMBER	USABLE ON CODE												
		CONTINUED												
		5910-101-4016												
		CM20C470K (81349)												
PAHZZ	5910-636-2084	CAPACITOR, FIXED, MICA DIELECTRIC C10	EA	1				*	*	*		3	6	C10
		750 UUF PORM5PCT 500 VDCW NOTE SEE FSN												
		5910-101-4016												
		CM30D751J (81349)												
PAFZZ	5910-101-4881	CAPACITOR, FIXED, MICA DIELECTRIC C10	EA	1	*	*	*	*	*	*		3		C10
		510 UUF PORM5PCT 500 WVDC NOTE SEE FSN												
		5910-101-4016												
		CM20D511J (81349)												
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C7	EA	12	*	*	*	*	*	*		3	7B	C7
		10,000 UUF PORM20PCT 600 VDCW												
		CN35AF103M (81349)												
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C8	EA	REF	*	*	*	*	*	*		3	7B	C8
		10,000 UUF PORM20PCT 600 VDCW												
		CN35AF103M (81349)												
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C9	EA	REF	*	*	*	*	*	*		3	7B	C9
		10,000 UUF PORM20PCT 600 VDCW												
		CN35AF103M (81349)												
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C22	EA	REF	*	*	*	*	*	*		3	7B	C22
		10,000 UUF PORM20PCT 600 VDCW												
		CN35AF103M (81349)												
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C23	EA	REF	*	*	*	*	*	*		3	7B	C23
		10,000 UUF PORM20PCT 600 VDCW												
		CN35AF103M (81349)												
PAFZZ	5910-668-0588	CAPACITOR, FEDED, PAPER DIELECTRIC C24	EA	REF	*	*	*	*	*	*		3	7B	C24
		10,000 UUF PORM20PCT 600 VDCW												
		CN35AF103M (81349)												
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C25	EA	REF	*	*	*	*	*	*		3	7B	C25
		10,000 UUF PORM20PCT 600 VDCW												
		CN35AF103M (81349)												
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C26	EA	REF	*	*	*	*	*	*		3	7B	C26
		10,000 UUF PORM20PCT 600 VDCW												
		CN35AF103M (81349)												
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C27	EA	REF	*	*	*	*	*	*		3	7A	C27
		10,000 UUF PORM20PCT 600 VDCW												
		CN35AF103M (81349)												
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C28	EA	REF	*	*	*	*	*	*		3	7A	C28
		10,000 UUF PORM20PCT 600 VDCW												
		CN35AF103M (81349)												
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C29	EA	REF	*	*	*	*	*	*		3	7A	C29
		10,000 UUF PORM20PCT 600 VDCW												
		CN35AF103M (81349)												
PAFZZ	5910-668-0588	CAPACITOR, FIXED, PAPER DIELECTRIC C31	EA	REF	*	*	*	*	*	*		3	7C	C31
		10,000 UUF PORM20PCT 600 VDCW												
		CN35AF103M (81349)												
PAFZZ	5910-270-5167	CAPACITOR, FIXED, PAPER DIELECTRIC C3	EA	1	*	*	*	*	*	*		3	6	C3
		4 UF PORM20PCT 400 VDCW												
		SCB98439 (80063)												
PAFZZ	5910-250-0391	CAPACITOR, FIXED, PAPER DIELECTRIC C1	EA	4	*	*	*	*	*	*		3	7B	C1
		500,000 UUF PORM20PCT 400 VDCW												
		SCB98412-5 (80063)												

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATION	
					(A)	(B)	(C)	(A)	(B)	(C)	100	100	(A) FIGURE NO.	(B) ITEM NO.
PAFZZ	5910-250-0391	CAPACITOR, FIXED, PAPER DIELECTRIC 500,000 UUF PORM20PCT 400 VDCW SCB98412-5 (80063)	EA	REF	*	*	*	*	*	*	3	7B	C2	
PAFZZ	5910-250-0391	CAPACITOR, FIXED, PAPER DIELECTRIC 500,000 UUF PORM20PCT 400 VDCW SCB98412-5 (80063)	EA	REF	*	*	*	*	*	*	3	7B	C4	
PAFZZ	5910-250-0391	CAPACITOR, FIXED, PAPER DIELECTRIC 500,000 UUF PORM20PCT 400 VDCW SCB98412-5 (80063)	EA	REF	*	*	*	*	*	*	3	7B	C5	
PAFZZ	5910-250-0390	CAPACITOR, FIXED, PAPER DIELECTRIC 250,000 UUF PORM20PCT 400 VDCW SCB98412-3 (80063)	EA	1	*	*	*	*	*	*	3	7A	C38	
PAFZZ	5910-644-6498	CAPACITOR, FIXED, PAPER DIELECTRIC 100,000 UUF PORM20PCT 400 VDCW SCB98412-6 (80063)	EA	1	*	*	*	*	*	*	3	7A	C44	
PAFZZ	5910-250-0388	CAPACITOR, FIXED, PAPER DIELECTRIC 1 UF PORM5PCT 200 VDCW SCB98412-4 (80063)	EA	1	*	*	*	*	*	*	3	7A	C45	
PAHZZ	5340-682-2205	CATCH, LUGGAGE NO-REF-DESIG SCB98331 (80063)	EA	4				*	*	*	3			
PAOZZ	5935-518-9653	CONNECTOR, PLUG ELECTRICAL P1 UP120M (81349)	EA	1	*	*	*	*	*	*	3	2	P1	
PACZZ	5960-166-7664	ELECTRON TUBE V1 12X7 (81349)	EA	2	*	*	*	*	*	*	100	4	V1	
PACZZ	5960-166-7664	ELECTRON TUBE V7 12AX7 (81349)	EA	REF	*	*	*	*	*	*	100	4	V7	
PACZZ	5960-166-7663	ELECTRON TUBE V2 12U7 (81349)	EA	7	*	*	*	*	*	*	100	4	V2	
PACZZ	5960-166-7663	ELECTRON TUBE V5 12U7 (81349)	EA	REF	*	*	*	*	*	*	100	4	V5	
PACZZ	5960-166-7663	ELECTRON TUBE V8 12U7 (81349)	EA	REF	*	*	*	*	*	*	100	4	V8	
PACZZ	5960-166-7663	ELECTRON TUBE V9 12U7 (81349)	EA	REF	*	*	*	*	*	*	100	4	V9	
PACZZ	5960-166-7663	ELECTRON TUBE V10 12U7 (81349)	EA	REF	*	*	*	*	*	*	100	4	V10	
PACZZ	5960-166-7663	ELECTRON TUBE V11 12U7 (81349)	EA	REF	*	*	*	*	*	*	100	4	V11	
PACZZ	5960-166-7663	ELECTRON TUBE V12 12U7 (81349)	EA	REF	*	*	*	*	*	*	100	4	V12	
PAFZZ	5920-285-0755	FUSEHOLDER XF1 SCB98350 (80063)	EA	1	*	*	*	*	*	*	3		XF1	
PACZZ	5920-280-9328	FUSE, CARTRIDGE F1 1.5 AMP 125 V FO2DIR508 (81349)	EA	1	*	*	*	*	*	*	50	1	F1	
PAFZZ	5330-672-6262	GASKET NO-REF-DESIG SCB98313 (80063)	EA	1	*	*	*	*	*	*	5			

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP	(9) DEPOT MAINT 100 EQUIP	(10) ILLUSTRATION (A) (B) FIGURE ITEM NO. NO.	
					(A)	(B)	(C)	(A)	(B)	(C)	CNTGCV	ALW PER	FIGURE	ITEM
PAFZZ	5805-244-1915	GENERATOR, RINGING STATIC D8 SCB104853 (80063)	EA	1	*	*	*	*	*	*		4		D8
PAFZZ	5805-012-8559	GENERATOR, RINGING SEMICONDUCTOR NC -REF DESING REPLACES FSN 5805-244-1915 WHEN IT BECONESDEFECTIVE DUE TO OVERHEATING SCDL16820 (80063)	EA	1	*	*	*	*	*	*		4		
PAHZZ	5325-174-5317	GROMMET, RUBBER NO-REF-DESIG AN931-3-5 (81350)	EA	1				*	*	*		4		
PAFZZ	5970-754-9362	INSULATION, TAPE, ELECTRICAL NO-REF-DESIG 7 (76381)	EA	2	*	*	*	*	*	*		10		
PAFZZ	5970-583-9427	INSULATOR, BUSHING NO-REF-DESIG SCB98360 (80063)	EA	4	*	*	*	*	*	*		3		
PAFZZ	5935-192-4789	JACK, TELEPHONE J1 JJ089 (81349)	EA	3	*	*	*	*	*	*		3	5	J1
PAFZZ	5935-192-4789	JACK, TELEPHONE J2 JJ089 (81349)	EA	REF	*	*	*	*	*	*		3	5	J2
PAFZZ	5935-192-4789	JACK, TELEPHONE J3 JJ089 (81349)	EA	REF	*	*	*	*	*	*		3	5	J3
PAOZZ	5355-644-2163	KNOB NO-REF-DESIG 1-5-8 IN LG X 3-4 IN W X 19-32 IN THK O/A SCB98432 (80063)	EA	1	*	*	*	*	*	*		3		2
PAOZZ	5355-160-6850	KNOB NO-REF-DESIG 1-1-4 IN LG X 3-4 IN W X5-8 IN THK O/A SCB98352 (80063)	EA	2	*	*	*	*	*	*		3		2
PAFZZ	6250-299-6648	LAMPHOLDER XDS1 F/LAMP DS1 SCB98369 (80063)	EA	1	*	*	*	*	*	*		5		XDS1
PACZZ	624C-223-9100	LAMP, GLOW DS2 1-25W, 115V T-3-4 BULB NE51 (24446)	EA	1	*	*	*	*	*	*		10		DS2
PACZZ	6240-143-3060	LAMP, INCANDESCENT DS1 120V, S-6 CLEAR BULB 6S6DC (24446)	EA	1	*	*	*	*	*	*		50		DS1
PAOZZ	6210-299-3883	LENS, INDICATOR LIGHT NO-REF-DESIG RED PLASTIC LENS 91-931 (72619)	EA	1	*	*	*	*	*	*		5		
PAFZZ	6210-504-2136	LIGHT, INDICATOR XDS2 W/O LENS 1-1-2 IN LG X 13-16 IN DIA 91410-93 (72619)	EA	1	*	*	*	*	*	*		5		XDS2
PAHZZ	5310-682-5498	NUT, PLAIN CAP NO-REF-DESIG SCB98421 (80063)	EA	1				*	*	*		3		
PAFZZ	5940-283-5386	POST, BINDING E1 U106U (81349)	EA	6	*	*	*	*	*	*		1	5	E1
PAFZZ	5940-283-5386	POST, BINDING E2 U106U (81349)	EA	REF	*	*	*	*	*	*		1	5	E2
PAFZZ	5940-283-5386	POST, BINDING E3 U106U (81349)	EA	REF	*	*	*	*	*	*		1	5	E3
PAFZZ	5940-283-5386	POST, BINDING E4 U106U (81349)	EA	REF	*	*	*	*	*	*		1	5	E4
PAFZZ	5940-283-5386	POST, BINDING E5 U106U (81349)	EA	REF	*	*	*	*	*	*		1	5	E5
PAFZZ	5940-283-5386	POST, BINDING E6 U106U (81349)	EA	REF	*	*	*	*	*	*		1	5	E6
PAFZZ	5950-376-9664	REACTOR L1 100 OHM PORM10PCT DC RES SCC97438 (80063)	EA	1	*	*	*	*	*	*		2	4	L1

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP CNTGCV	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATION (A) (B) FIGURE ITEM NO. NO.	
					(A)	(B)	(C)	(A)	(B)	(C)	100	(A)	(B)	
PACZZ	6130-076-3545	RECTIFIER SEMI-CONDUCTOR DEVICE V3 SCC141342 (80063)	EA	4	*	*	*	*	*	*	2	4	V3	
PACZZ	6130-076-3545	RECTIFIER SEMI-CONDUCTOR DEVICE V4 SCC141342 (80063)	EA	REF	*	*	*	*	*	*	2	4	V4	
PACZZ	6130-076-3545	RECTIFIER SEMI-CONDUCTOR DEVICE V6 SCC141342 (80063)	EA	REF	*	*	*	*	*	*	2	4	V6	
PACZZ	6130-076-3545	RECTIFIER SEMI-CONDUCTOR DEVICE V14 SCC141345 (80063)	EA	REF	*	*	*	*	*	*	2	4	V14	
PACZZ	6130-076-3546	RECTIFIER SEMI-CONDUCTOR DEVICE V13 SCC141343 (80063)	EA	2	*	*	*	*	*	*	2	4	V13	
PACZZ	6130-076-3546	RECTIFIER SEMI-CONDUCTOR DIVICE V15 SCC141343 (80063)	EA	REF	*	*	*	*	*	*	2	4	V15	
PAFZZ	5945-255-6786	RELAY, ARMATURE K1 DC, 58V MAX, 2 AMP RES AX, 115 MAX, AMP RES SCB98371-2 (80063)	EA	1	*	*	*	*	*	*	3	4	K1	
PAFZZ	5905-299-2027	RESISTOR, FIXED, COMPOSITION R59 12,000 OHM, PORM10PCT 1W RC32GF123K (81349)	EA	1	*	*	*	*	*	*	3	7	R59	
PAFZZ	5905-299-2020	RESISTOR, FIXED, COMPOSITION R61 27,000 OHM, PORM5PCT 1W RC32GF273J (81349)	EA	1	*	*	*	*	*	*	3	7	R61	
PAFZZ	5905-299-2011	RESISTOR, FIXED, COMPOSITION R56 56,000 OHM, PORM5PCT 1W RC32GF563J (81349)	EA	1	*	*	*	*	*	*	3	7	R56	
PAFZZ	5905-299-2009	RESISTOR, FIXED, COMPOSITION R70 62,000 OHM, PORM5PCT 1W RC32GFF623J (81349)	EA	1	*	*	*	*	*	*	3	7	R70	
PAFZZ	5905-299-1971	RESISTOR, FIXED, COMPOSITION R34 82,00 OHM, PORM5PCT 1-2W RC20GF822J (81349)	EA	1	*	*	*	*	*	*	3	7	R34	
PAFZZ	5905-295-3410	RESISTOR, FIED, COMPOSITON R48 47,000 OHM, PORM10PCT 1-2W RC20GF473K (81349)	EA	1	*	*	*	*	*	*	3	7	R48	
PAFZZ	5905-295-3409	RESISTOR, FIXED, COMPOSITION R8 220, 000 OHM, PORM10PCT 1-2W RC20GF224K (81349)	EA	11	*	*	*	*	*	*	3	7B	R8	
PAFZZ	5905-295-3409	RESISTOR, FIXED, COMPOSITION R13 220, 00 OHM, PORM10PCT 1-2W RC20GF224K (81349)	EA	REF	*	*	*	*	*	*	3	7B	R13	
PAFZZ	5905-295-3409	RESISTOR, FIXED, COMPOSITION R18 220, 000 OHM, PORM10PCT 1-2W RC20GF224K (81349)	EA	REF	*	*	*	*	*	*	3	7B	R18	
PAFZZ	5905-295-3409	RESISTOR, FIXED, COMPOSITION R23 220, 000 OHM, PORM10PCT 1-2W RC20GF224K (81349)	EA	REF	*	*	*	*	*	*	3	7B	R23	
PAFZZ	5905-295-3409	RESISTOR, FIXED, COMPOSITION R32 220, 000 OHM, PORM10PCT 1-2W RC20GF224K (81349)	EA	REF	*	*	*	*	*	*	3	7B	R32	
PAFZZ	5905-295-3409	RESISTOR, FIXED, COMPOSITION R37 220, 000 OHM, PORM10PCT 1-2W RC20GF224K (81349)	EA	REF	*	*	*	*	*	*	3	7B	R37	
PAFZZ	5905-295-3409	RESISTOR, FIXED, COMPOSITION R66 220, CONTINUED	EA	REF	*	*	*	*	*	*	3	7B	R66	

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATION (A) (B) FIGURE ITEM NO. NO.	
					(A)	(B)	(C)	(A)	(B)	(C)	CNTGCV	100	(A)	(B)
CONTINUED														
PAFZZ	5905-295-3409	RESISTOR, FIXED, COMPOSITION R13 220, RC20GF224K (81349)	EA	REF	*	*	*	*	*	*		3	7B	R13
PAFZZ	5905-295-3409	RESISTOR, FIXED, COMPOSITION R71 220, 000 OHM, PORM10PCT 1-2W RC20GF224K (81349)	EA	REF	*	*	*	*	*	*		3	7B	R71
PAFZZ	5905-295-3409	RESISTOR, FIXED, COMPOSITION R72 2206 000 OHM, PORM10PCT 1-2W RC20GF224K (81349)	EA	REF	*	*	*	*	*	*		3	7B	R72
PAFZZ	5905-295-3409	RESISTOR, FIXED, COMPOSITION R78 220, 000 OHM, PORM10PCT 1-2W RC20GF224K (81349)	EA	REF	*	*	*	*	*	*		3	7B	R78
PAFZZ	5905-295-3409	RESISTOR, FIXED, COMPOSITION R82 220, 000 OHM, PORM10PCT 1-2W RC20GF224K (81349)	EA	REF	*	*	*	*	*	*		3	7B	R82
PAFZZ	5905-279-3500	RESISTOR, FIXED, COMPOSITION R64 18,000 OHM, PORM5PCT 1-2W RC20GF183J (81349)	EA	1	*	*	*	*	*	*		3	7C	R64
PAFZZ	5905-279-2667	RESISTOR, FIXED, COMPOSITION R87 11,000 OHM, PORM5PCT 1-2W RC20GF113J (81349)	EA	1	*	*	*	*	*	*		3		R87
PAFZZ	5905-279-2542	RESISTOR, FIXED, COMPOSITION R55 43,000 OHM, PORM5PCT 1W RC32GF433J (81349)	EA	1	*	*	*	*	*	*		3	7A	R55
PAFZZ	5905-279-2518	RESISTOR, FIXED, COMPOSITION R73 430, 000 OHM, PORM5PCT 1-2W RC20GF434J (81349)	EA	1	*	*	*	*	*	*		3	7A	R73
PAFZZ	5905-279-2515	RESISTOR, FIXED, COMPOSITION E7 470, 000 OHM, PORM5PCT 1-2W RC20GF474J (81349)	EA	3	*	*	*	*	*	*		3	7D	R7
PAFZZ	5905-279-2515	RESISTOR, FIXED, COMPOSITION R22 470, 000 OHM, PORM5PCT 1-2W RC20GF474J (81349)	EA	REF	*	*	*	*	*	*		3	7D	R22
PAFZZ	5905-279-2515	RESISTOR, FIXED, COMPOSITION R43 470, 000 OHM, PORM5PCT 1-2W RC20GF474J (81349)	EA	REF	*	*	*	*	*	*		3	7D	R43
PAFZZ	5905-279-1882	RESISTOR, FIXED, COMPOSITION R57 2.7 MEG, PORM10PCT 1-2W RC20GF275K (81349)	EA	2	*	*	*	*	*	*		3	7C	R57
PAFZZ	5905-279-1882	RESISTOR, FIXED, COMPOSITION R62 2.7 MEG, PORM10PCT 1-2W RC20GF275K (81349)	EA	REF	*	*	*	*	*	*		3	7C	R62
PAFZZ	5905-279-1878	RESISTOR, FIXED, COMPOSITION R83 24,000 OHM, PORM5PCT 1-2W RC20GF243J 981349)	EA	1	*	*	*	*	*	*		3	7A	R83
PAFZZ	5905-279-1871	RESISTOR, FIXED, COMPOSITION R31 160, 000 OHM, PORM5PCT 1-2W RC20GF164J (81349)	EA	1	*	*	*	*	*	*		3	7D	R31
PAFZZ	5905-279-1761	RESISTOR, FIXED, COMPOSITION R6 620 OHM, PORM5PCT 1-2W RC20GF621J (81349)	EA	1	*	*	*	*	*	*		3	7A	R6
PAFZZ	5905-254-7100	RESISTOR, FIXED, COMPOSITION R28 91,000 CONTINUED	EA	1	*	*	*	*	*	*		3	7B	R28

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATION (A) (B) FIGURE ITEM NO. NO.	
					(A)	(B)	(C)	(A)	(B)	(C)	CNTGCV	100	7C	7D
		CONTINUED												
PAFZZ	5905-279-1882	RESISTOR, FIXED, COMPOSITION R57 2.7 RC20GF913J (81349)	EA	2	*	*	*	*	*	*		3	7C	R57
PAFZZ	5905-249-4248	RESISTOR, FIXED, COMPOSITION R24 33,000 OHM, PORM10PCT 1-2W RC20GF333K (81349)	EA	4	*	*	*	*	*	*		3	7D	R24
PAFZZ	5905-249-4248	RESISTOR, FIXED, COMPOSITION R25 33,000 OHM, PORM10PCT 1-2W RC20GF333K (81349)	EA	REF	*	*	*	*	*	*		3	7B	R25
PAFZZ	5905-249-4248	RISISTOR, FIXED, COMPOSITION R44 33,000 OHM, PORM10PCT 1-2W RC20GF333K (81349)	EA	REF	*	*	*	*	*	*		3	7C	R44
PAFZZ	5905-249-4248	RESISTOR, FIXED, COMPOSITION R76 33,000 OHM, KPORM10PCT 1-2W RC20GF333K (81349)	EA	REF	*	*	*	*	*	*		3	7A	R76
PAFZZ	5905-249-4225	RESISTOR, FIXED, COMPOSITION R69 18,000 OHM, PORM5PCT 2W RC42GF183J (81349)	EA	1	*	*	*	*	*	*		3	7A	R69
PAFZZ	5905-245-0023	RESISTOR, FIXED, COMPOSITION R9 6,800 OHM, PORM10PCT 1-2W RC20GF682K (81349)	EA	2	*	*	*	*	*	*		3	7B	R9
PAFZZ	5905-245-0023	RESISTOR, FIXED, COMPOSITION R14 6,800 OHM, PORM10PCT 1-2W RC20GF682K (81349)	EA	REF	*	*	*	*	*	*		3	7B	R14
PAFZZ	5905-221-5860	RESISTOR, FIXED, COMPOSITION R10 330, 000 OHM, PORM10PCT 1-2W RC20GF334K (81349)	EA	4	*	*	*	*	*	*		3	7D	R10
PAFZZ	5905-221-5860	RESISTOR, FIXED, COMPOSITION R15 330, 000 OHM, PORM10PCT 1-2W RC20GF334K (81349)	EA	REF	*	*	*	*	*	*		3	7D	R15
PAFZZ	5905-221-5860	RESISTOR, FIXED, COMPOSITION R53 330, 000 OHM, PORM10PCT 1-2W RC20GF334K 981349)	EA	REF	*	*	*	*	*	*		3	7C	R53
PAFZZ	5905-221-5860	RESISTOR, FIXED, COMPOSITION R54 330, 000 OHM, PORM10PCT 1-2W RC20GF334K (81349)	EA	REF	*	*	*	*	*	*		3	7C	R54
PAFZZ	5905-221-5841	RESISTOR, FIXED, COMPOSITION R26 620, 000 OHM, PORM5PCT 1-2W RC20GF624J (81349)	EA	6	*	*	*	*	*	*		3	7D	R26
PAFZZ	5905-221-5841	RESISTOR, FIXED, COMPOSITION R58 620, 000 OHM, PORM5PCT 1-2W RC20GF824J (81349)	EA	REF	*	*	*	*	*	*		3	7A	R58
PAFZZ	5905-221-5841	RESISTOR, FIXED, COMPOSITION R63 620, 000 OHM, PORM5PCT 1-2W RC20GF624J (81349)	EA	REF	*	*	*	*	*	*		3	7C	R63
PAFZZ	5905-221-5841	RESISTOR, FIXED, COMPOSITION R74 620, 000M OHM, PORM5PCT 1-2W RC20GF624J (81349)	EA	REF	*	*	*	*	*	*		3	7A	R74
PAFZZ	5905-221-5841	RESISTOR, FIXED, COMPOSITION R75 620, 000 OHM, PORM5PCT 1-2W RC20GF624J (81349)	EA	REF	*	*	*	*	*	*		3	7A	R75
PAFZZ	5905-221-5841	RESISTOR, FIXED, COMPOSITION R81 620, CONTINUED	EA	REF	*	*	*	*	*	*		3	7A	R81

SECTION II

(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
		DESCRIPTION		QTY	30-DAY DS MAINT			30-DAY GS MAINT			1-YR	DEPOT	ILLUSTRATION	
			UNIT	INC	(A)	(B)	(C)	(A)	(B)	(C)	ALW PER	MAINT	(A)	(B)
SMR	FEDERAL		OF	IN							100	ALW PER	FIGURE	ITEM
CODE	STOCK	REFERENCE NUMBER & MFR. CODE	MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGCV	EQUIP	NO.	NO.
	NUMBER	USABLE ON CODE												
		CONTINUED												
PAFZZ	5905-221-5841	RESISTOR, FIXED, COMPOSITION R26 620, RC20GF624J (81349)	EA	6	*	*	*	*	*	*		3	7D	R26
PAFZZ	5905-221-5840	RESISTOR, FIXED, COMPOSITION R12 560, 000 OHM PROM10PCT 1-2W RC20GF564K (81349)	EA	3	*	*	*	*	*	*		3	7D	R12
PAFZZ	5905-221-5840	RESISTOR, FIXED, COMPOSITION R17 560, 000 OHM PORM10PCT 1-2W RC20GF564K (81349)	EA	REF	*	*	*	*	*	*		3	7D	R17
PAFZZ	5905-221-5840	RESISTOR, FIXED, COMPOSITION R29 560, 000 OHM PORM10PCT 1-2W RC20GF564K (81349)	EA	REF	*	*	*	*	*	*	3		7B	R29
PAFZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION R19 1000 OHM, PORM5PCT 1-2W RC20GF102J (81349)	EA	1	*	*	*	*	*	*		3	7B	R19
PAFZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R20 100, 000 OHM, PORM5PCT 1-2W RC20GF104J (81349)	EA	4	*	*	*	*	*	*		3	7D	R20
PAFZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R21 100, 000 OHM, PORM5PCT 1-2W RC20GF104J (81349)	EA	REF	*	*	*	*	*	*		3	7D	R21
PAFZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R35 100, 000 OHM, PORM5PCT 1-2W RC20GF104J (81349)	EA	REF	*	*	*	*	*	*		3	7D	R35
PAFZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R51 100, 000 OHM, PORM5PCT 1-2W RC20GF104J (81349)	EA	REF	*	*	*	*	*	*		3	7C	R51
PAFZZ	5905-192-4408	RESISTOR, FIXED, COMPOSITION R30 5,600 OHM, PORM10PCT 1-2W RC20GF562 (81349)	EA	1	*	*	*	*	*	*		3	7B	R30
PAFZZ	5905-192-3988	RESISTOR, FIXED, COMPOSITION R39 56,000 OHM, PORM10PCT 1-2W RC20GF563K (81349)	EA	1	*	*	*	*	*	*		3	7D	R39
PAFZZ	5905-192-3981	RESISTOR, FIXED, COMPOSITION R45 120, 000 OHM, PORM5PCT 1-2W RC20GF124J (81349)	EA	1	*	*	*	*	*	*		3	7C	R45
PAFZZ	5905-192-3973	RESISTOR, FIXED, COMPOSITION R49 470 OHM, PORM5PCT 1-2W RC20GF471J (81349)	EA	1	*	*	*	*	*	*		3	7A	R49
PAFZZ	5905-192-0667	RESISTOR, FIXED, COMPOSITION R65 220, 000 OHM, PORM5PCT 1-2W RC20GF224J (81349)	EA	3	*	*	*	*	*	*		3	7A	R65
PAFZZ	5905-192-0667	RESISTOR, FIXED, COMPOSITION R77 220, 000 OHM, PORM5PCT 1-2W RC20GF224J (81349)	EA	REF	*	*	*	*	*	*		3	7C	R77
PAFZZ	5905-192-0667	RESISTOR, FIXED, COMPOSITION R84 220, 000 OHM, PORM5PCT 1-2W RC20GF224J (81349)	EA	REF	*	*	*	*	*	*		3	7C	R84
PAFZZ	5905-192-0662	RESISTOR, FIXED, COMPOSITION R41 180, 000 OHM, PORM10PCT 1-2W RC20GF184K (81349)	EA	1	*	*	*	*	*	*		3	7C	R41
PAFZZ	5905-192-0649	RESISTOR, FIXED, COMPOSITION R42 20,000	EA	1	*	*	*	*	*	*		3	7C	R42
		CONTINUED												

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP CMTGCV	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATION (A) (B) FIGURE ITEM NO. NO.	
					(A)	(B)	(C)	(A)	(B)	(C)	100	(A)	(B)	
		CONTINUED												
PAFZZ	5905-192-3973	RESISTOR, FIXED, COMPOSITION R49 470 RC20GF203J (81349)	EA	1	*	*	*	*	*	*		3	7A	R49
PAFZZ	5905-192-0390	RESISTOR, FIXED, COMPOSITION R3 1 MEG, PORM5PCT 1-2W RC20GF105J (81349)	EA	1	*	*	*	*	*	*		3	7D	R33
PAFZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R1 100 OHM, PORM5PCT 1-2W RC20GF101J (81349)	EA	4	*	*	*	*	*	*		3	7B	R1
PAFZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R2 100 OHM, PORM5PCT 1-2W RC20GF101J (81349)	EA	REF	*	*	*	*	*	*		3	7B	R2
PAFZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R4 100 OHM, PORM5PCT 1-2W RC20GF101J (81349)	EA	REF	*	*	*	*	*	*		3	7B	R4
PAFZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R5 100 OHM, PORM5PCT 1-2W RC20GF101J (81349)	EA	REF	*	*	*	*	*	*		3	7B	R5
PAFZZ	5905-190-8885	RESISTOR, FIXED, COMPOSITION R36 2.2 MEG PORM5PCT 1-2W RC20GF225J (81349)	EA	3	*	*	*	*	*	*		3	7D	R36
PAFZZ	5905-190-8885	RESISTOR, FIXED, COMPOSITION R38 2.2 MEG PORM5PCT 1-2W RC20GF225J (81349)	EA	REF	*	*	*	*	*	*		3	7D	R38
PAFZZ	5905-190-8885	RESISTOR, FIXED, COMPOSITION R85 2.2 MEG PORM5PCT 1-2W RC20GF225J (81349)	EA	REF	*	*	*	*	*	*		3	7A	R85
PAFZZ	5905-190-8865	RESISTOR, FIXED, COMPOSITION R46 270, 000 OHM, PORM5PCT 1-2W RC20GF274J (81349)	EA	4	*	*	*	*	*	*		3	7C	R46
PAFZZ	5905-190-8865	RESISTOR, FIXED, COMPOSITION R50 270, 000 OHM, PORM5PCT 1-2W RC20GF274J (81349)	EA	REF	*	*	*	*	*	*		3	7C	R50
PAFZZ	5905-190-8865	RESISTOR, FIXED, COMPOSITION R79 270, 000 OHM, PORM5PCT 1-2W RC20GF274J (81349)	EA	REF	*	*	*	*	*	*		3	7C	R79
PAFZZ	5905-190-8865	RESISTOR, FEDED, COMPOSITION R80 270, 000 OHM, PORM5PCT 1-2W RC20GF274J (81349)	EA	REF	*	*	*	*	*	*		3	7C	R80
PAFZZ	5905-185-6944	RESISTOR, FIXED, COMPOSITION R86 390, 000 OHM, PORM10PCT 1-2W RC20GF394K (81349)	EA	1	*	*	*	*	*	*		3		R86
PAFZZ	5905-185-6935	RESISTOR, FIXED, COMPOSITION R67 3,000 OHM, PORM5PCT 2W RC42GF302J (81349)	EA	1	*	*	*	*	*	*		3	7A	R67
PAFZZ	5905-171-2004	RESISTOR, FIXED, COMPOSITION R11 22,000 OHM, PORM5PCT 1-2W RC20GF223J (81349)	EA	3	*	*	*	*	*	*		3		R11
PAFZZ	5905-171-2004	RESISTOR, FIXED, COMPOSITION R16 22,000 OHM, PORM5PCT 1-2W RC20GF223J (81349)	EA	REF	*	*	*	*	*	*		3		R16
PAFZZ	5905-171-2004	RESISTOR, FIXED, COMPCITON R47 22,000 CONTINUED	EA	REF	*	*	*	*	*	*		3	7C	R47

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATION	
					(A)	(B)	(C)	(A)	(B)	(C)	100	100	(A) FIGURE NO.	(B) ITEM NO.
CONTINUED														
PAFZZ	5905-190-8865	RESISTOR, FIXED, COMPOSITION R80 270, RC20GF223J (81349)	EA	REF	*	*	*	*	*	*	3	7C	R80	
PAFZZ	5905-171-1999	RESISTOR, FIXED, COMPOSITION R3 820 OHM, PORM5PCT 1-2W RC20GF821J (81349)	EA	1	*	*	*	*	*	*	3	7D	R3	
PAFZZ	5905-171-1986	RESISTOR, FIXED, COMPOSITION R52 56,000 OHM, PORM5PCT 1-2W RC20GF563J (81349)	EA	1	*	*	*	*	*	*	3	7A	R52	
PAFZZ	5905-100-6302	RESISTOR, FIXED, WIREWOUND R68 2,500 OHM, PORM5PCT 1-2W RW32G252 (81349)	EA	1	*	*	*	*	*	*	3	6	R68	
PAFZZ	5905-752-7346	RESISTOR, FIXED, WIREWOUND R27 10, 000OHM, PORM5PCT 12W SCB98442-2 (80063)	EA	1	*	*	*	*	*	*	3		R27	
PAFZZ	5905-260-5001	RESISTOR, FIXED, WIREWOUND R40 8,000 OHM, PORM5PCT 2 IN LG X 1-2 IN OD X5-16 IN ID O/A SCB98442-1 (80063)	EA	1	*	*	*	*	*	*	3		R40	
PAFZZ	5905-108-6174	RESISTOR, VARIABLE R60 10,000 OHM, PORM10PCT 2W RA20NASAL03A (81349)	EA	1	*	*	*	*	*	*	3	5	R60	
PAFZZ	5910-681-6874	RETAINER, CAPACITOR NO-RE-DESIG LIN DIA X 3-4 IN H SCB98372 (80063)	EA	1	*	*	*	*	*	*	2			
PAFZZ	5910-683-7310	RETAINER, CAPACITOR NO-REF-DESIG 1-3-8 IN DIA X 3-4 IN H SCB98373 (80063)	EA	3	*	*	*	*	*	*	2	7		
PAOZZ	5960-264-3004	SHIELD, ELECTRON TUBE E15 TS103U02 (81349)	EA	9	*	*	*	*	*	*	8		E15	
PAOZZ	5960-264-3004	SHIELD, ELECTRON TUBE E16 TS103U02 (81349)	EA	REF	*	*	*	*	*	*	8		E16	
PAOZZ	5960-264-3004	SHIELD, ELECTRON TUBE E17 TS103U02 (81349)	EA	REF	*	*	*	*	*	*	8		E17	
PAOZZ	5960-264-3004	SHIELD, ELECTRON TUBE E18 TS103U102 (81349)	EA	REF	*	*	*	*	*	*	8		E18	
PAOZZ	5960-264-3004	SHIELD, ELECTRON TUBE E19 TS103U02 (81349)	EA	REF	*	*	*	*	*	*	8		E19	
PAOZZ	5960-264-3004	SHIELD, ELECTRON TUBE E20 TS103U02 (81349)	EA	REF	*	*	*	*	*	*	8		E20	
PAOZZ	5960-264-3004	SHIELD, ELECTRON TUBE E21 TS103U02 (81349)	EA	REF	*	*	*	*	*	*	8		E21	
PAOZZ	5960-264-3004	SHIELD, ELECTRON TUBE E22 TS103U02 (81349)	EA	REF	*	*	*	*	*	*	8		E22	
PAOZZ	5960-264-3004	SHIELD, ELECTRON TUBE E23 TS103U02 (81349)	EA	REF	*	*	*	*	*	*	8	E23		
PAFZZ	5935-160-1365	SOCKET, ELECTRON TUBE XV1 9 CONT TS103P01 (81349)	EA	9	*	*	*	*	*	*	3	6	XV1	
PAFZZ	5935-160-1365	SOCKET, ELECTRON TUBE XV2 9 CONT TS103P01 (81349)	EA	REF	*	*	*	*	*	*	3	6	XV2	

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATION FIGURE ITEM NO.	
					(A)	(B)	(C)	(A)	(B)	(C)	100	100	(A)	(B)
PAFZZ	5935-160-1365	SOCKET, ELECTRON TUBE XV5 9 CONT TS103P01 (81349)	EA	REF	*	*	*	*	*	*		3	6	XV5
PAFZZ	5935-160-1365	SOCKET, ELECTRON TUBE XV7 9 CONT TS103P01103 (81349)	EA	REF	*	*	*	*	*	*		3	6	XV7
PAFZZ	5935-160-1365	SOCKET, ELECTRON TUBE XV8 9 CONT TS103P01 (81349)	EA	REF	*	*	*	*	*	*		3	6	XV8
PAFZZ	5935-160-1365	SOCKET, ELECTRON TUBE XV9 9 CONT TS103P01 (81349)	EA	REF	*	*	*	*	*	*		3	6	XV9
PAFZZ	5935-160-1365	SOCKET, ELECTRON TUBE XV10 9 CONT TS103P01 (81349)	EA	REF	*	*	*	*	*	*		3	6	XV10
PAFZZ	5935-160-1365	SOCKET, ELECTRON TUBE XV11 9 CONT TS103P01 (81349)	EA	REF	*	*	*	*	*	*		3	6	XV11
PAFZZ	5935-160-1365	SOCKET, ELECTRON TUBE XV12 9 CONT TS103P01 (81349)	EA	REF	*	*	*	*	*	*		3	6	XV12
PAFZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV3 7 CONT TS102P01 (81349)	EA	6	*	*	*	*	*	*		3	6	XV3
PAFZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV4 7 CONT TS012P01 (81349)	EA	REF	*	*	*	*	*	*		3	6	XV4
PAFZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV6 7CONT TS102P01 (81349)	EA	REF	*	*	*	*	*	*		3	6	XV6
PAFZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV13 7 CONT TS102P01 (81349)	EA	REF	*	*	*	*	*	*		3	6	XV13
PAFZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV14 7 CONT TS102P01 (81349)	EA	REF	*	*	*	*	*	*		3	6	XV14
PAFZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV15 7 CONT TS102P01 (81349)	EA	REF	*	*	*	*	*	*		3	6	XV15
PAFZZ	5930-254-0170	SWITCH, ROTARY S1 1 SECT, 2 POSITIONS SCB98430 (80063)	EA	1	*	*	*	*	*	*		5	5	S1
PAFZZ	5930-263-7851	SWITCH, ROTARY S3 1 SECT, 3 POSITIONS SCB98429 (80063)	EA	1	*	*	*	*	*	*		5	5	S3
PAFZZ	5930-309-5563	SWITCH, ROTARY S2 2 SECT, 3 POSITIONS SBC98428 (80063)	EA	1	*	*	*	*	*	*		5		S2
PAFZZ	5940-681-9519	TERMINAL BOARD E10 3-4 IN LG X 3-4 IN X 7-16 IN THK SBC98345 (80063)	EA	1	*	*	*	*	*	*		3		E10
PAFZZ	5950-240-0773	TRANSFORMER, AUDIO FREQUENCY T1 600 OHM PRI 300,000 OHM SEC 1-7-16 IN LGX 31-32-IN W X 1-13-32 IN H SCC98437 (80063)	EA	1	*	*	*	*	*	*		3	4	T1
PAFZZ	5950-645-5343	TRANSFORMER, AUDIO FREQUENCY T4 600 OHM PRI 10,000 OHM SEC 5 SOLDER LUG TERM 15-16 IN H X 1-13-32 IN LG X 1-7-16 IN W SCC98367 (80063)	EA	1	*	*	*	*	*	*		3	4	T4
PAFZZ	5950-645-5366	TRANSFORMER, AUDIO FREQUENCY T5 2,500 OHM PRI 2,500 OHM SEC 1-5-8 IN H X 1-3-8 IN LG X 1-3-8 IN W SCC98364 (80063)	EA	1	*	*	*	*	*	*		3	4	T5
PAFZZ	5950-645-5399	TRANSFORMER, DISCRIMINATOR T2 1225 CYC TO 1325 CYC FREQ RANGE 1-5-8 IN X 1-3-8 IN W X 1-3-8 IN D O/A SCC98366 (80063)	EA	2	*	*	*	*	*	*		3	4	T2

SECTION II

(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
		DESCRIPTION		QTY	30-DAY DS MAINT ALLOWANCE			30-DAY GS MAINT ALLOWANCE			1-YR	DEPOT	ILLUSTRATION	
SMR	FEDERAL		UNIT	INC	(A)	(B)	(C)	(A)	(B)	(C)	ALW PER	MAINT	(A)	(B)
CODE	STOCK	REFERENCE NUMBER & MFR. CODE	OF	IN							100	ALW PER	FIGURE	ITEM
	NUMBER	USABLE ON CODE	MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTG	EQUIP	NO.	NO.
PAFZZ	5950-645-5399	TRANSFORMER, DISCRIMINATOR T3 1225 CYC TO 1325 CYC FREQ RANGE 1-5-8 IN X 1-3-8 IN W X 1-3-8 IN D O/A SCC98366 (80063)	EA	REF	*	*	*	*	*	*		3	4	T3
PAFZZ	5950-973-3822	TRANSFORMER, POWER STEP-DOWN & STEP-UP T6 PRI WINDING INPUT, 115V, 47 TO 420 CPS SECD WINDING 556 V 12 TERMS 4.187 IN H X3.094 IN LG X2.875 IN W O/A STANCOR ELECTRONIC 31638 (8CC89)	EA	1	*	*	*	*	*	*		3	4	T6
PAFZZ	5330-684-3422	WASHER, NON-METALLC NO-REF-DESIG SCB98431 (80063)	EA	4	*	*	*	*	*	*		5		

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5310-682-5498			5905-279-2518	7A	R73
5325-174-5317			5905-279-2542	7A	R55
5330-672-6262			5905-279-2667		R87
5330-684-3422			5905-279-3500	7C	R64
			5905-295-3409	7B	R8
5340-682-2205			5905-295-3409	7B	R13
5355-160-6850	2		5905-295-3409	7B	R18
5355-644-2163	2		5905-295-3409	7B	R23
5805-012-8559			5905-295-3409	7B	R32
5805-244-1915		D8	5905-295-3409	7B	R37
			5905-295-3409	7B	R66
			5905-295-3409	7B	R71
5905-100-6302	6	R68	5905-295-3409	7B	R72
5905-108-6174	5	R60	5905-295-3409	7B	R78
5905-171-1986	7A	R52	5905-295-3409	7B	R82
5905-171-1999	7D	R3	5905-295-3410	7	R48
5905-171-2004		R11	5905-299-1971	7	R34
5905-171-2004		R16	5905-299-2009	7	R70
5905-171-2004	7C	R47	5905-299-2011	7	R56
5905-185-6935	7A	R67	5905-299-2020	7	R61
5905-185-6944		R86	5905-299-2027	7	R59
5905-190-8865	7C	R46	5905-752-7346		R27
5905-190-8865	7C	R50	5910-101-4016		C10
5905-190-8865	7C	R79	5910-101-4016	7B	C35
5905-190-8865	7C	R80	5910-101-4016	7B	C37
5905-190-8885	7A	R85	5910-101-4679	7B	C35
5905-190-8885	7D	R36	5910-101-4679	7B	C37
5905-190-8885	7D	R38	5910-101-4881		C10
5905-190-8889	7B	R1	5910-101-4881	7B	C39
5905-190-8889	7B	R2	5910-101-4891	7B	C35
5905-190-8889	7B	R4	5910-101-4891	7B	C37
5905-190-8889	7B	R5	5910-101-4901	6	C10
5905-192-0390	7D	R33	5910-101-4909	6	C10
5905-192-0649	7C	R42	5910-101-5781	7B	C35
5905-192-0662	7C	R41	5910-101-5781	7B	C37
5905-192-0667	7A	R65	5910-101-5799	7B	C35
5905-192-0667	7C	R77	5910-101-5799	7B	C37
5905-192-0667	7C	R84	5910-160-1157	4	C10
5905-192-3973	7A	R49	5910-160-6756	7A	C30
5905-192-3981	7C	R45	5910-161-4490		C35
5905-192-3988	7D	R39	5910-161-4490		C37
5905-192-4408	7B	R30	5910-161-4490	7B	C16
5905-195-6761	7C	R51	5910-161-4490	7B	C17
5905-195-6761	7D	R20	5910-161-4490	7B	C18
5905-195-6761	7D	R21	5910-161-4490	7B	C19
5905-195-6761	7D	R35	5910-161-4490	7B	C20
5905-195-6806	7B	R19	5910-161-4490	7B	C21
5905-221-5840	7B	R29	5910-161-4490	7B	C40
5905-221-5840	7D	R12	5910-161-4490	7B	C41
5905-221-5840	7D	R17	5910-161-4490	7B	C42
5905-221-5841	7A	R58	5910-161-4490	7B	C43
5905-221-5841	7A	R74	5910-161-4501	6	C10
5905-221-5841	7A	R75	5910-190-6200	6	C10
5905-221-5841	7A	R81	5910-190-9438	7A	C35
5905-221-5841	7C	R63	5910-190-9438	7A	C37
5905-221-5841	7D	R26	5910-191-2865		C35
5905-221-5860	7C	R53	5910-191-2865		C37
5905-221-5860	7C	R54	5910-191-2865	7A	C34
5905-221-5860	7D	R10	5910-195-0539	6	C10
5905-221-5860	7D	R15	5910-195-1971	6	C10
5905-245-0023	7B	R9	5910-195-2078	7B	C35
5905-245-0023	7B	R14	5910-195-2078	7B	C37
5905-249-4225	7A	R69	5910-250-0388	7A	C45
5905-249-4248	7A	R76	5910-250-0390	7A	C38
5905-249-4248	7B	R25	5910-250-0391	7B	C1
5905-249-4248	7C	R44	5910-250-0391	7B	C12
5905-249-4248	7D	R24	5910-250-0391	7B	C4
5905-254-7100	7B	R28	5910-250-0391	7B	C5
5905-260-5001		R40	5910-251-1562	6	C6
5905-279-1761	7A	R6	5910-251-1562	6	C47
5905-279-1871	7D	R31	5910-270-5167	6	C3
5905-279-1878	7A	R83	5910-280-5876	7C	C32
5905-279-1882	7C	R57	5910-280-5876	7C	C33
5905-279-1882	7C	R62	5910-552-8330	5	C48
5905-279-2515	7D	R7	5910-636-2084	6	C10
5905-279-2515	7D	R22	5910-644-6498	7A	C44
5905-279-2515	7D	R43	5910-668-0588	7A	C27

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.		
5910-668-0588	7A	C28	5940-283-5386	5	E2		
5910-668-0588	7A	C29	5940-283-5386	5	E3		
5910-668-0588	7B	C7	5940-283-5386	5	E4		
5910-668-0588	7B	C8	5940-283-5386	5	E5		
5910-668-0588	7B	C7	5940-283-5386	5	C6		
5910-668-0588	7B	C22	5940-681-9519		E10		
5910-668-0588	7B	C23	5945-255-6786	4	K1		
5910-668-0588	7B	C24	5950-240-0773	4	T1		
5910-668-0588	7B	C25	5950-376-9664	4	L1		
5910-668-0588	7B	C26	5950-645-5343	4	T4		
5910-668-0588	7C	C31	5950-645-5366	4	T5		
5910-681-6874			5950-645-5399	4	T2		
5910-683-7310	7		5950-645-5399	4	T3		
5910-725-7641		C36	5950-973-3822	4	T6		
5910-725-7641	7B	C35	5960-166-7663	4	V2		
5910-725-7641	7B	C37	5960-166-7663	4	V5		
5910-807-3569	4	C12	5960-166-7663	4	V8		
5910-836-0912	4	C11	5960-166-7663	4	V9		
5910-836-0914	4	C15	5960-166-7663	4	V10		
5910-964-6485	4	C14	5960-166-7663	4	V11		
5910-983-7295	6	C10	5960-166-7663	4	V12		
5910-983-7308	5	C46	5960-166-7664	4	V1		
5910-984-2274	6	C10	5960-166-7664	4	V7		
5920-244-5150			5960-264-3004				
5920-280-9328	1	F1	5960-264-3004		E16		
5920-285-0755		XF1	5960-264-3004		E17		
5930-254-0170	5	S1	5960-264-3004		E18		
5930-263-7851	5	S3	5960-264-3004		E19		
5930-309-5563		S2	5960-264-3004		E20		
5935-160-1365	6	XV1	5960-264-3004		E21		
5935-160-1365	6	XV2	5960-264-3004		E22		
5935-160-1365	6	XV5	5960-264-3004		E23		
5935-160-1365	6	XV7	5970-583-9427				
5935-160-1365	6	XV8	5970-754-9362				
5935-160-1365	6	XV9	5975-843-4192				
5935-160-1365	6	XV10	6130-076-3545	4	V3		
5935-160-1365	6	XV11	6130-076-3545	4	V4		
5935-160-1365	6	XV12	6130-076-3545	4	V6		
5935-192-4789	5	J1	6130-076-3545	4	V14		
5935-192-4789	5	J2	6130-076-3546	4	V13		
5935-192-4789	5	J3	6130-076-3546	4	V15		
5935-260-0516	6	XV3	6145-548-1258	5			
5935-260-0516	6	XV4	6210-299-3883				
5935-260-0516	6	XV6	6210-504-2136		XDS2		
5935-260-0516	6	XV13	6240-143-3060		DS1		
5935-260-0516	6	XV14	6240-223-9100		DS2		
5935-260-0516	6	XV15	6250-299-6648		XDS1		
5935-518-9653	2	P1	6350-251-2367		DS3		
5940-283-5386	5	E1					
Reference No.	Mfg Code	Fig No.	Item No.	Reference No.	Mfg Code	Fig No.	Item No.
AN931-3-5	81350			CM30D621J	81349	6	C10
CC35UJJ271J	81349	7C	C32	CM30D751J	81349	6	C10
CC35UJJ271J	81349	7C	C33	CM30D911J	81349	6	C10
CE31C150M	81349	5	C48	CM35D103J	81349		C35
CE33C120P	81349	6	C6	CM35D103J	81349		C37
CE33C120P	81349	6	C47	CM35D103J	81349	7B	C16
CE33F120R	81349	5	C46	CM35D103J	81349	7B	C17
CM20C101K	81349	6	C10	CM35D103J	81349	7B	C18
CM20C470K	81349	6	C10	CM35D103J	81349	7B	C19
CM20D201J	81349	6	C10	CM35D103J	81349	7B	C20
CM20D301J	81349	6	C10	CM35D103J	81349	7B	C21
CM20D391J	81349	6	C10	CM35D103J	81349	7B	C40
CM20D471K	81349	7B	C35	CM35D103J	81349	7B	C41
CM20D471K	81349	7B	C37	CM35D103J	81349	7B	C42
CM20D511J	81349		C10	CM35D103J	81349	7B	C43
CM20D511J	81349	7B	C39	CM35D392J	81349	7A	C35
CM30D102J	81349		C10	CM35D392J	81349	7A	C37
CM30D102J	81349	7B	C35	CM35D512J	81349	7B	C35
CM30D102J	81349	7B	C37	CM35D512J	81349	7B	C37
CM30D112J	81349	6	C10	CM35D752J	81349	7B	C35
CM30D122J	81349	4	C10	CM35D752J	81349	7B	C37
CM30D202J	81349	7B	C35	CM35E622J	81349		C36
CM30D202J	81349	7B	C37	CM35E622J	81349	7B	C35
CM30D302J	81349	7B	C35	CM35E622J	81349	7B	C37
CM30D302J	81349	7B	C37	CM40D822J	81349		C35

Reference No.	Mfg Code	Fig No.	Item No.	Reference No.	Mfg Code	Fig No.	Item No.
CM40D822J	81349		C37	RC20GF474J	81349	7D	R43
CM40D822J	81349	7A	C34	RC20GF562J	81349	7B	R30
CM55C203J	81349	4	C12	RC20GF563J	81349	7A	R52
CN35AF103M	81349	7A	C27	RC20GF563K	81349	7D	P39
CN35AF103M	81349	7A	C28	RC20GF564K	81349	7B	R29
CN35AF103M	81349	7A	C29	RC20GF564K	81349	7D	R12
CN35AF103M	81349	7B	C7	RC20GF564K	81349	7D	R17
CN35AF103M	81349	7B	C8	RC20GF621J	81349	7A	R6
CN35AF103M	81349	7B	C9	RC20GF624J	81349	7A	R58
CN35AF103M	81349	7B	C22	RC20GF624J	81349	7A	R74
CN35AF103M	81349	7B	C23	RC20GF624J	81349	7A	P75
CN35AF103M	81349	7B	C24	RC20GF624J	81349	7A	R81
CN35AF103M	81349	7B	C25	RC20GF624J	81349	7C	R63
CN35AF103M	81349	7B	C26	RC20GF624J	81349	7D	R26
CN35AF103M	81349	7C	C31	RC20GF682K	81349	7B	R9
CO02MF2-18-0300	81349	5		RC20GF682K	81349	7B	R14
CV21C450	81349	7A	C30	RC20GF821J	81349	7D	R3
FO2D1R50B	81349	1	F1	RC20GF822J	81349	7	R34
JJ089	81349	5	J1	RC20GF913J	81349	7B	R26
JJ089	81349	5	J2	RC32GF123K	81349	7	R59
JJ089	81349	5	J3	RC32GF273J	81349	7	R61
NE51	24446		DS2	RC32GF433J	81349	7A	R55
RA20NASAL03A	81349	5	R60	RC32GF563J	81349	7	R56
RC20GF101J	81349	7B	R1	RC32GF623J	81349	7	R70
RC20GF101J	81349	7B	R2	RC42GF183J	81349	7A	R69
RC20GF101J	81349	7B	R4	RC42GF302J	81349	7A	R67
RC20GF101J	81349	7B	R5	RW32G252	81349	6	R68
RC20GF102J	81349	7B	R19	SCB104853	80063		D8
RC20GF104J	81349	7C	R51	SCB98313	80063		
RC20GF104J	81349	7D	R20				
RC20GF104J	81349	7D	R21	SCB98331	80063		
RC20GF104J	81349	7D	R35	SCB98345	80063		E10
RC20GF105J	81349	7D	R33	SCB98350	80063		XF1
RC20GF113J	81349		R87	SCB98352	80063	2	
RC20GF124J	81349	7C	R45	SCB98353	80063		
RC20GF164J	81349	7D	R31	SCB98360	80063		
RC20GF183J	81349	7C	R64	SCB98369	80063		XDS1
RC20GF184K	81349	7C	R41	SCB98371-2	80063	4	K1
RC20GF203J	81349	7C	R42	SCB98372	80063		
RC20GF223J	81349		R11	SCB98373	80063	7	
RC20GF223J	81349		R16	SCB98412-3	80063	7A	C38
RC20GF223J	81349	7C	R47	SCB98412-4	80063	7A	C45
RC20GF224J	81349	7A	R65	SCB98412-5	80063	7B	C1
RC20GF224J	81349	7C	R77	SCB98412-5	80063	7B	C2
RC20GF224J	81349	7C	R84	SCB98412-5	80063	7B	C4
RC20GF224K	81349	7B	R8	SCB98412-5	80063	7B	C5
RC20GF224K	81349	7B	R18	SCB98421	80063		
RC20GF224K	81349	7B	R23	SCB98428	80063		S2
RC20GF224K	81349	7B	R32	SCB98429	80063	5	S3
RC20GF224K	81349	7B	R37	SCB98430	80063	5	S1
RC20GF224K	81349	7B	R66	SCB98431	80063		
RC20GF224K	81349	7B	R71	SCB98432	80063	2	
RC20GF224K	81349	7B	R72	SCB98435	80063		DS3
RC20GF224K	81349	7B	R78	SCB98439	80063	6	C3
RC20GF224K	81349	7B	R82	SCB98442-1	80063		R40
RC20GF225J	81349	7A	R85	SCB98442-2	80063		R27
RC20GF225J	81349	7D	R36	SCC141342	80063	4	V3
RC20GF225J	81349	7D	R38	SCC141342	80063	4	V4
RC20GF243J	81349	7A	R83	SCC141342	80063	4	V6
RC20GF274J	81349	7C	R46	SCC141342	80063	4	V14
RC20GF274J	81349	7C	R50	SCC141343	80063	4	V13
RC20GF274J	81349	7C	R79	SCC141343	80063	4	V15
RC20GF274J	81349	7C	R80				
RC20GF275K	81349	7C	R57	SCC98364	80063	4	T5
RC20GF275K	81349	7C	R62	SCC98366	80063	4	T2
RC20GF333K	81349	7A	R76	SCC98366	80063	4	T3
RC20GF333K	81349	7B	R25	SCC98367	80063	4	T4
RC20GF333K	81349	7C	R44	SCC98437	80063	4	T1
RC20GF333K	81349	7D	R24	SCC98438	80063	4	L1
RC20GF334K	81349	7C	R53	SCDL16820	80063		
RC20GF334K	81349	7C	R54				
RC20GF334K	81349	7D	R10	SCD98417-1	80063	4	C11
RC20GF334K	81349	7D	R15	SCD98417-3	80063	4	C15
RC20GF394K	81349		R86	SCD98417-4	80063	4	C14
RC20GF434J	81349	7A	R73	TS102P01	81349	6	XV3
RC20GF471J	81349	7A	R49	TS102P01	81349	6	XV4
RC20GF473K	81349	7	R48	TS102P01	81349	6	XV6
RC20GF474J	81349	7D	R7	TS102P01	81349	6	XV13
RC20GF474J	81349	7D	R22	TS102P01	81349	6	XV14

SECTION IV

TM11-5805-246-34P

Reference No.	Mfg Code	Fig No.	Item No.	Reference No.	Mfg Code	Fig No.	Item No.
TS102P01	81349	6	XV15	U106U	81349	5	E2
TS102P01	81349	6	XV1	U106U	81349	5	E3
TS103P01	81349	6	XV5	U106U	81349	5	E5
TS103P01	81349	6	XV7	U106U	81349	5	E6
TS103P01	81349	6	XV8	12AU7	81349	4	V2
TS103P01	81349	6	XV9	12AU7	81349	4	V5
TS103P01	81349	6	XV10	12AU7	81349	4	V8
TS103P01	81349	6	XV11	12AU7	81349	4	V9
TS103P01	81349	6	XV12	12AU7	81349	4	V10
TS103U02	81349		E15	12AU7	81349	4	V11
TS103U02	81349		E16	12AU7	81349	4	V12
TS103U02	81349		E17	12AX7	81349	4	V1
TS103U02	81349		E18	12AX7	81349	4	V7
TS103U02	81349		E19	31638	80063	4	T6
TS103U02	81349		E20	6S6DC	24446		DS1
TS103U02	81349		E21	7	76381		
TS103U02	81349		E22	91-931	72619		
TS103U02	81349		E23	91410-93	72619		XDS2
UP120M	81349	2	P1	9435-1-2	71400		
U106U	81349	5	E1				

By Order of the Secretary of the Army:

CREIGHTON W. ABRAMS
General, *United States Army*
Chief of Staff

Official:

VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution:

Active Army:

USASA (2)
CNGB (1)
ACSC-E (2)
USAARENBD (2)
USAMB (10)
AMC (1)
MICOM (2)
TECOM (2)
USASTRATCOM (4)
HISA (ECOM) (18)
CONARC (5)
ARADCOM (2)
ARADCOM Rgn (2)
OS Maj Comd (4)
LOGCOMD (5)
USACDCEC (5)
MDW (1)
Armies (2)
Corps (2)
Instl (2) except
 Ft Gordon (10)
 Ft Huachuca (10)
 Ft Carson (10)
Svc Colleges (2)
USASESS (5)
USAINTS (3)

USAADS (2)
USAFAS (2)
USAARMS (2)
USAIS (2)
USAES (2)
AD (2) except
 SAAD (30)
 LBAD (14)
 TOAD (14)
 ATAD (10)
 LEAD (7)
Gen Dep (2)
Sig Sec, Gen Dep (2)
Sig Dep (5)
MAAG (1)
WRAMC (1)
USARMIS (1)
USAERDAA (1)
USAERDAW (1)
Sig FLDMS (1)
Ft Richardson (ECOM Ofc) (2)
Units org under fol TOE: - 1 ea.
 11-158
 29-134
 29-136

NG: State AG (3).

USAR: None.

For explanation of abbreviations used, see AR 310-50.

