

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

**ORGANIZATIONAL MAINTENANCE REPAIR PARTS
AND SPECIAL TOOLS LISTS
TERMINALS, TELEGRAPH
AN/TCC-4 (FSN 5805-537-7387) AND
AN/TCC-20 (FSN 5305-338-4451)**

Headquarters, Department of the Army, Washington, DC
29 November 1974

Current as of 18 September 1974

		Paragraph	Page
SECTION	I. INTRODUCTION		
	Scope	1-1	2
	General	1-2	2
	Explanation of columns	1-3	2
	Special information	1-4	4
	Location of repair parts	1-5	4
	Abbreviations (Not applicable)	1-6	4
	Reporting of equipment publication improvements	1-7	4
	II. PRESCRIBED LOAD ALLOWANCE (Not applicable)		
	III. REPAIR PARTS LIST		6
GROUP	0001. Modem, Telegraph TH-14/TCC-4		6
	0005. Modem, Telegraph TH-16/TTT-4		7
	0007. Modem, Telegraph TH-17/TCC-4		9
	IV. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
	V. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER.....		12

This manual supersedes TM 11-5805-250-20P, 3 June 1963, including all changes.

SECTION I INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of organizational maintenance of the AN/TCC-4 and AN/TCC-20. The PCCN for the AN/TCC-4 is GCWAML and GCWAMM for the AN/TCC-20

1-2. General

This repair parts and special tools list is divided into the following sections:

a. Prescribed Load Allowance (PLA) - Section II.

Not applicable.

b. Repair Parts List - Section III. A list of repair parts authorized for the performance of maintenance at the organizational level. This repair parts list is arranged in alphabetical order.

c. Special Tools, Test and Support Equipment - Section IV. Not applicable.

d. Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number - Section V. A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphanumeric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns in the tabular lists:

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are-

<i>Code</i>	<i>Explanation</i>
PA—	Item procured and stocked for anticipated or known usage.
PB—	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC—	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.
PD—	Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues

<i>Code</i>	<i>Explanation</i>
	or outfittings. Not subject to automatic replenishment.
PE—	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF—	Support equipment which will not be stocked but which will be centrally procured on demand.
PG—	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD—	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF—	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels. of maintenance.
KB—	Item included in both a depot over- kit and a maintenance kit.
MO—	Item to be manufactured or fabricated at organizational level.
MF—	Item to be manufactured or fabricated at direct support maintenance level.
MH—	Item to be manufactured or fabricated at general support maintenance level.
MD—	Item to be manufactured or fabricated at depot maintenance level.
AO—	Item to be assembled at organizational level.
AF—	Item to be assembled at direct support maintenance level.
AH—	Item to be assembled at general support maintenance level.
AD—	Item to be assembled at depot maintenance level.
XA—	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB—	Item is not procured or stocked. If not available through salvage, requisition.
XC—	Installation drawing, diagram instruction sheet, field service drawing, that is identified by

<i>Code</i>	<i>Explanation</i>
	manufacturers part number.
XD—	Support items can be requisitioned with justification.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 70042.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows:

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application/Explanation</i>
O—	Support item is removed, replaced, used at the organizational level of maintenance.

NOTE

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

F—	Support item is removed, replaced, used at the direct support maintenance level
H—	Support item is removed, replaced, used at the general support maintenance.
D—	Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multiservice equipment V systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code:

<i>Code</i>	<i>Application/Explanation</i>
O—	The lowest maintenance level capable of complete repair of the support item is the organizational level.
F—	The lowest maintenance level capable of complete repair of the support item is direct support.

<i>Code</i>	<i>Application/Explanation</i>
H—	The lowest maintenance level capable of complete repair of the support item is general support.
D—	The lowest maintenance level capable of complete repair of the support item is the depot level.
L—	Repair restricted to designated Specialized Repair Activity.
Z—	Non-repairable. No repair is authorized.
B—	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows:

<i>Code</i>	<i>Explanation</i>
Z—	Non-repairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O—	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F—	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H—	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D—	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L—	Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
A—	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. *Federal Stock Number.* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

NOTE

To convert a Federal stock number to a National stock number (NSN), add "00" after the Federal Stock Classification (FSC) code (first four digits). For example, FSN 6625553-0142 when converted is NSN 6625-00-553-0142.

c. Description. Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacture (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42

d. Unit of Measure (U/M). Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. Quantity Incorporated in Unit. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. 15-Day Organizational Maintenance Allowance.

(1) The repair parts indicated by an asterisk in the allowance column represent those authorized for use at the organizational category, and will be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2

(2) Major Army commanders are authorized to approve reduction in the range of support items authorized for use in units within their commands. Recommendations for increase in range of items authorized for use will be forwarded to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CW, Fort Monmouth, NJ, 07703. Any changes approved will be reflected in a revision to the RPSTL.

(3) Allowance quantities are indicated in the special tools list section for special tools, TMDE, and other equipment.

g. Illustration. This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 11-5895-250-10.

(2) *Item number.* Indicates the item number or reference designation used to reference the item in the illustration.

1-4. Special Information

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification

of the usable on codes used in this publication are—

<i>Code</i>	<i>Used on</i>
BWF	AN/TCC-4
BWG	AN/TCC-20

b. The following publications pertain to the equipment and its components:

TM 11-580-250-10	Operator's Manual: Telegraph Terminals AN/TCC4 and AN/TCC-20.
TM 11-5805-250-20/ TO 31W1-2TCC-172	Organizational Maintenance Terminals, Telegraph AN/TCC-4 & AN/TCC-20.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (see V) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (see V) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (see III) and locate the figure number (col 7a) and item number or reference designation (col 7b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 7a and 7b of the repair parts list (see III) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (see III), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on

DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forwarded direct to Com-

mander, US Army Electronics Command, ATTN: AMSEL-MA-CW, Fort Monmouth, NJ, 07703.

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE				(7) ILLUSTRATION	
						(a)	(b)	(c)	(d)	(a)	(b)
						1-5	6-20	21-50	51-100	FIGURE NO.	ITEM NO.
PAOZZ	5305-506-9299	GROUP 0001 MODEM, TELEGRAPH TH-14/TCC-4		.	EA	2	*	*	*	*	
PAOZZ	5305-506-9299	BOLT, EXTERNALLY RELIEVED BODY H1002..... SMB289771 (80063) BWF			EA	REF	*	*	*	*	
PAOZZ	5960-166-7663	ELECTRON TUBE V1003..... 12AU7 (81349) BWF		EA	3	1	*	*	*	29	
PAOZZ	5960-166-7663	ELECTRON TUBE V1005..... 12AU7 (81349) BWF		EA	REF	*	*	*	*		
PAOZZ	5960-166-7663	ELECTRON TUBE V1006..... 12AU7 (81349) BWF		EA	REF	*	*	*	*		
PAOZZ	5960-166-7664	ELECTRON TUBE V1002..... 12AX7 (81349) BWF		EA	1	*	*	*	*	29	
PAOZZ	5960-193-5145	ELECTRON TUBE V1004..... 5751 (81349) BWF		EA	1	*	*	*	*	29	
PAOZZ	5355-667-5486	KNOB E1012 FOR LINE SEND FREQ SWITCH..... SCB104717 (80063) BWF			EA	1	*	*	*	*	
XDOZZ		SHIELD, ELECTRON TUBE E1002..... TS103U02 (81349) BWF		EA	5	*	*	*	*		
XDOZZ		SHIELD, ELECTRON TUBE E1003..... TS103U02 (81349) BWF		EA	REF	*	*	*	*		
XDOZZ		SHIELD, ELECTRON TUBE E1004..... TS103U02(81349) BWF		EA	REF	*	*	*	*		
XDOZZ		SHIELD, ELECTRON TUBE E1005..... TS103UOZ (813491) BWF		EA	REF	*	*	*	*		
XDOZZ		SHIELD, ELECTRON TUBE E1009..... TS103U02 (813491) BWF		EA	REF	*	*	*	*		
PAOZZ	5805-393-2205	STRAP, CARRYING H1102 CASE CARRYING STRAP..... SCC104663 (80063) BWF		EA	2	*	*	*	*		
PAOZZ	5805-393-2205	STRAP, CARRYING H1103 CASE CARRYING STRAP..... SCC104663 (80063) BWF		EA	REF	*	*	*	*		
PAOZZ	5805-393-2205	STRAP CARRYING NO-REF-DESIG CASE CARRYING.. STRAP SCC104663 (80063) BWG		EA	2	*	*	*	*		
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E810..... SCB63039 (80063) BWG		EA	4	*	*	*	*		E810
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E811..... SCB63039 (80063) BWG		EA	REF	*	*	*	*		E811
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E812..... SCB63039 (80063) BWG		EA	REF	*	*	*	*		E812
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E813..... SCB63039 (80063) BWG		EA	REF	*	*	*	*		E813
PAOZZ	5306-616-1334	BOLT, EXTERNALLY RELIEVED BODY M804..... SCB104723 (80063) BWG		EA	2	*	*	*	*		H804
PAOZZ	5306-616-1334	BOLT, EXTERNALLY RELIEVED BODY M805..... SCB104723 (80063) BWG		EA	REF	*	*	*	*		H805
PAOZZ	5960-166-7663	ELECTRON TUBE V801..... 12AU7 (81349) BWG		EA	2	*	*	*	*	27	V801
PAOZZ	5960-166-7663	ELECTRON TUBE V802..... 12AU7 (81349) BWG		EA	REF	*	*	*	*		V802
PAOZZ	5355-667-5486	KNOB E815..... SCB104717 (80063) BWG		EA	6	*	*	*	*		E815
PAOZZ	5355-667-5486	KNOB E816..... SCB1J4717 (80063) BWG		EA	REF	*	*	*	*		E816
PAOZZ	5355-667-5486	KNOB E817..... SCB104717 (80063) BWG		EA	REF	*	*	*	*		E817
PAOZZ	5355-667-5486	KNOB E818..... SCB104717 (80063) BWG		EA	REF	*	*	*	*		E818
PAOZZ	5355-667-5486	KNOB E819..... SCB104717 (80063) BWG		EA	REF	*	*	*	*		E819
PAOZZ	5355-667-5486	KNOB E820..... SCB104717 (80063) BWG		EA	REF	*	*	*	*		E820
XDOZZ		SHIELD, ELECTRON TUBE 0801..... TS103002 (81349) BWG		EA	2	*	*	*	*		O801
XDOZZ		SHIELD ELECTRON TUBE 0802..... TS103002 (81349) BWG		EA	REF	*	*	*	*		O802
PAOZZ	5306-616-1334	BOLT, EXTERNALLY RELIEVED BODY H904..... SCB104723 (80063) BWG		EA	2	*	*	*	*		H904
PAOZZ	5306-616-1334	BODY, EXTERNALLY RELIEVED BODY H905..... SCB104723 (80063) BWG		EA	REF	*	*	*	*		H905
XDOZZ		CAP, ELECTRICAL XF901A..... FCR FUSEHOLDER		EA	1	*	*	*	*		
PAOZZ	5499-244-5150	9789-1-2 (71400) CAP, ELECTRICAL XF902A..... 9435-1-2 (71400) BWG		EA	4	*	*	*	*		
PAOZZ	5999-244-5150	CAP, ELECTRICAL XF902A..... 9435-1-2 (71400) BWG		EA	REF	*	*	*	*	*	
PAOZZ	5999-244-5150	CAP, ELECTRICAL XF908A..... 9435-1-2 (71400) BWG		EA	REF	*	*	*	*		
XDOZZ		CONNECTOR PLUG, ELECTRICAL P902..... UP120M (81349) BWG		EA	1	*	*	*	*		P902

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE				(7) ILLUSTRATION			
						(a)	(b)	(c)	(d)	(a)	(b)		
						1-5	6-20	21-50	51-100	FIGURE NO.	ITEM NO.		
PAOZZ	5960-188-3565	ELECTRON TUBE V908	OA3 (81349)	BWG	EA	1	*	*	*	*		V908	
XDCZZ		ELECTRON TUBE V903	5R4WGY (81349)	BWG	EA	2	*	*	*	*		V903	
XDCZZ		ELECTRON TUBE V904	5R4WGY (81349)	BWG	EA	REF	*	*	*	*		V904	
XDCZZ		ELECTRON TUBE V907	6A06WA (81349)	BWG	EA	1	*	*	*	*		V907	
PAOZZ	5960-272-9182	ELECTRON TUBE V901	6X4W (81349)	BWG	EA	2	*	*	*	*		V901	
PAOZZ	5960-272-9182	ELECTRON TUBE V902	6X4W (81349)	BWG	EA	REF	*	*	*	*		V902	
PAOZZ	5960-543-1001	ELECTRON TUBE V905	6080WA (81349)	BWG	EA	2	*	*	*	*		V905	
PAOZZ	5960-543-1001	ELECTRON TUBE V906	6080WA (81349)	BWG	EA	REF	*	*	*	*		V906	
PAOZZ	5355-667-5486	KNOB E910	SCB104717 (80063)	BWG	EA	1	*	*	*	*		E910	
PAOZZ	6210-299-3915	LENS, INDICATOR LIGHT X19018 GREEN	92-112 (72619)	BWG	EA	1	*	*	*	*			
XDOZZ		SHIELD, ELECTRON TUBE 0932	TS102U02 (81349)	BWG	EA	1	*	*	*	*		932	
XDOZZ		SHIELD, ELECTRON TUBE 0930	TS102U03 (81349)	BWG	EA	2	*	*	*	*		930	
XDOZZ		SHIELD, ELECTRON TUBE 0931	TS102U03 (81349)	BWG	EA	REF	*	*	*	*		931	
PAOHD	5805-219-9966	CASE, ELECTRICAL COMPONENTS NO-REF-DESIG	SCD104653 (80063)	BWG	EA	1	*	*	*	*			
PAOZZ	5805-393-2206	STRAP, CARRYING 17	SCC104663 (80063)	BWG	EA	2	*	*	*	*		17	
PAOZZ	5920-356-2103	GROUP 0005 MODEM, TELEGRAPH TH-16/TCC-4	ARRESTER, LIGHTNING E501	SCB63039 (80063)	BWG	EA	8	*	*	*	*		E501
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E502	SCB63039 (80063)	BWG	EA	REF	*	*	*	*		E502	
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E503	SCB63039 (80063)	BWG	EA	REF	*	*	*	*		E503	
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E504	SCB63039 (80063)	BWG	EA	REF	*	*	*	*		E504	
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E701	SCB63039 (80063)	BWG	EA	REF	*	*	*	*		E701	
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E702	SCB63039 (80063)	BWG	EA	REF	*	*	*	*		E702	
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E703	SCB63039 (80063)	BWG	EA	REF	*	*	*	*		E703	
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E704	SCB63039 (80063)	BWG	EA	REF	*	*	*	*		E704	
PAOZZ	5306-616-1334	BOLT, EXTERNALLY RELIEVED BODY H7	SCB104723 (80063)	BWG	EA	2	*	*	*	*		H7	
PAOZZ	5306-616-1334	BOLT, EXTERNALLY RELIEVED BODY H207	SCB104723 (80063)	BWG	EA	REF	*	*	*	*		H207	
X0027		CAP, ELECTRICAL NO-REF-DESIG RUBBER TPR	BINDING POST	SCC76202-2 (80063)	BWG	EA	8	*	*	*	*		
PAOZZ	5960-166-7663	ELECTRON TUBE V402	12AU7 (81349)	BWG	EA	26	*	*	*	*		V402	
PAOZZ	5960-166-7663	ELECTRON TUBE V403	12AU7 (81349)	BWG	EA	REF	*	*	*	*		V403	
PAOZZ	5960-166-7663	ELECTRON TUBE V404	12AU7 (81349)	BWG	EA	REF	*	*	*	*		V404	
PAOZZ	5960-166-7603	ELECTRON TUBE V405	12AU7 (81349)	BWG	EA	REF	*	*	*	*		V405	
PAOZZ	5960-166-7663	ELECTRON TUBE V406	12AU7 (81349)	BWG	EA	REF	*	*	*	*		V406	
PAOZZ	5960-166-7663	ELECTRON TUBE V407	12AU7 (81349)	BWG	EA	REF	*	*	*	*		V407	
PAOZZ	5960-166-7663	ELECTRON TUBE V408	12AU7 (81349)	BWG	EA	REF	*	*	*	*		V408	
PAOZZ	5960-166-7663	ELECTRON TUBE V409	12AU7 (81349)	BWG	EA	REF	*	*	*	*		V409	
PAOZZ	5960-166-7663	ELECTRON TUBE V410	12AU7 (81349)	BWG	EA	REF	*	*	*	*		V410	
PAOZZ	5960-166-7663	ELECTRON TUBE V411	12AU7 (81349)	BWG	EA	REF	*	*	*	*		V411	
PAOZZ	5960-166-7663	ELECTRON TUBE V412	12AU7 (81349)	BWG	EA	REF	*	*	*	*		V412	
PAOZZ	5960-166-7663	ELECTRON TUBE V413	12AU7 (81349)	BWG	EA	REF	*	*	*	*		V413	
PAOZZ	5960-166-7663	ELECTRON TUBE V414	12AU7 (81349)	BWG	EA	REF	*	*	*	*		V414	

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE				(7) ILLUSTRATION	
						(a)	(b)	(c)	(d)	(a)	(b)
						1-5	6-20	21-50	51-100	FIGURE NO.	ITEM NO.
PAOZZ	5960-166-7663	ELECTRON TUBE V602	BWG	EA	REF	*	*	*	*		V602
PAOZZ	5960-166-7663	12AU7 (81349) ELECTRON TUBE V603	BWG	EA	REF	*	*	*	*		V603
PAOZZ	5960-166-7663	12AU7 (81349) ELECTRON TUBE V604	BWG	EA	REF	*	*	*	*		V604
PAOZZ	5960-166-7663	12AU7 (81349) ELECTRON TUBE V605	BWG	EA	REF	*	*	*	*		V605
PAOZZ	5960-166-7663	12AU7 (81349) ELECTRON TUBE V606	BWG	EA	REF	*	*	*	*		V606
PAOZZ	5960-166-7663	12AU7 (81349) ELECTRON TUBE V607	BWG	EA	REF	*	*	*	*		V607
PAOZZ	5960-166-7663	12AU7 (81349) ELECTRON TUBE V608	BWG	EA	REF	*	*	*	*		V608
PAOZZ	5960-166-7663	12AU7 (81349) ELECTRON TUBE V609	BWG	EA	REF	*	*	*	*		V609
PAOZZ	5960-166-7663	12AU7 (81349) ELECTRON TUBE V610	BWG	EA	REF	*	*	*	*		V610
PAOZZ	5960-166-7663	12AU7 (81349) ELECTRON TUBE V611	BWG	EA	REF	*	*	*	*		V611
PAOZZ	5960-166-7663	12AU7 (81349) ELECTRON TUBE V612	BWG	EA	REF	*	*	*	*		V612
PAOZZ	5960-166-7663	12AU7 (81349) ELECTRON TUBE V613	BWG	EA	REF	*	*	*	*		V613
PAOZZ	5960-166-7663	12AU7 (81349) ELECTRON TUBE V614	BWG	EA	REF	*	*	*	*		V614
PAOZZ	5960-166-7664	12AX7 (81349) ELECTRON TUBE V401	BWG	EA	4	*	*	*	*		V401
PAOZZ	5960-166-7664	12AX7 (81349) ELECTRON TUBE V415	BWG	EA	REF	*	*	*	*		V415
PAOZZ	5960-166-7664	12AX7 (81349) ELECTRON TUBE V601	BWG	EA	REF	*	*	*	*		V601
PAOZZ	5960-166-7664	12AX7 (81349) ELECTRON TUBE V615	BWG	EA	REF	*	*	*	*		V615
PAOZZ	5355-667-5486	12AX7 (81349) KNOB E408	BWG	EA	3	*	*	*	*		E408
PAOZZ	5355-667-5486	SCB104717 (80063) KNOB E409	BWG	EA	REF	*	*	*	*		E409
PAOZZ	5355-667-5486	SCB104717 (80063) KNOB E609	BWG	EA	REF	*	*	*	*		E609
XDOZZ		SCB104717 (80063) SHIELD, ELECTRON TUBE O401	BWG	EA	30	*	*	*	*		O401
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O402	BWG	EA	REF	*	*	*	*		O402
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O403	BWG	EA	REF	*	*	*	*		O403
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O404	BWG	EA	REF	*	*	*	*		O404
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O405	BWG	EA	REF	*	*	*	*		O405
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O406	BWG	EA	REF	*	*	*	*		O406
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O407	BWG	EA	REF	*	*	*	*		O407
XDOZZ		TS103002 (81349) SHIELD, ELECTRON TUBE O408	BWG	EA	REF	*	*	*	*		O408
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O409	BWG	EA	REF	*	*	*	*		O409
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O410	BWG	EA	REF	*	*	*	*		O410
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O411	BWG	EA	REF	*	*	*	*		O411
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O412	BWG	EA	REF	*	*	*	*		O412
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O413	BWG	EA	REF	*	*	*	*		O413
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O414	BWG	EA	REF	*	*	*	*		O414
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O415	BWG	EA	REF	*	*	*	*		O415
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O601	BWG	EA	REF	*	*	*	*		O601
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O602	BWG	EA	REF	*	*	*	*		O602
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O603	BWG	EA	REF	*	*	*	*		O603
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O604	BWG	EA	REF	*	*	*	*		O604
XDOZZ		TS103U02 (81349) SHIELD, ELECTRON TUBE O605	BWG	EA	REF	*	*	*	*		O605

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE				(7) ILLUSTRATION	
						(a)	(b)	(c)	(d)	(a)	(b)
						1-5	6-20	21-50	51-100	FIGURE NO.	ITEM NO.
XDOZZ		SHIELD, ELECTRON TUBE O606 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O606
XDOZZ		SHIELD, ELECTRON TUBE O607 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O607
XDOZZ		SHIELD, ELECTRON TUBE O608 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O608
XDOZZ		SHIELD, ELECTRON TUBE O609 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O609
XDOZZ		SHIELD, ELECTRON TUBE O610 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O610
XDOZZ		SHIELD, ELECTRON TUBE O611 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O611
XDOZZ		SHIELD, ELECTRON TUBE O612 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O612
XDOZZ		SHIELD, ELECTRON TUBE O613 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O613
XDOZZ		SHIELD, ELECTRON TUBE O614 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O614
XDOZZ		SHIELD, ELECTRON TUBE O615 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O615
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E101 SCB63039 (80063) BWG		EA	8	*	*	*	*		E101
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E102 SCB63039 (80063) BWG		EA	REF	*	*	*	*		E102
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E103 SCB63039 (80063) BWG		EA	REF	*	*	*	*		E103
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E104 SCB63039 (80063) BWG		EA	REF	*	*	*	*		E104
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E301 SCB63039 (80063) BWG		EA	REF	*	*	*	*		E301
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E302 SCB63039 (80063) BWG		EA	REF	*	*	*	*		E302
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E303 SCB63039 (80063) BWG		EA	REF	*	*	*	*		E303
PAOZZ	5920-356-2103	ARRESTER, LIGHTNING E304 SCB63039 (80063) BWG		EA	REF	*	*	*	*		E304
PAOZZ	5306-616-1334	BOLT, EXTERNALLY RELIEVED BODY H407 SCB104723 (80063) BWG		EA	2	*	*	*	*		H407
PAOZZ	5306-616-1334	BOLT, EXTERNALLY RELIEVED BODY H607 SCB104723 (80063) BWG		EA	REF	*	*	*	*		H607
XDOZZ		CAP, ELECTRICAL NO-REF-DESIG SCC76202-2 (80063) BWG		EA	8	*	*	*	*		
PAOZZ	5960-166-7663	ELECTRON TUBE V2 12AU7 (81349) BWG		EA	26	*	*	*	*	26	V2
PAOZZ	5960-166-7663	ELECTRON TUBE V3 12AU7 (81349) BWG		EA	REF	*	*	*	*	26	V3
PAOZZ	5960-166-7663	ELECTRON TUBE V4 12AU7 (81349) BWG		EA	REF	*	*	*	*		V4
PAOZZ	5960-166-7663	ELECTRON TUBE V5 12AU7 (81349) BWG		EA	REF	*	*	*	*		V5
PAOZZ	5960-166-7663	ELECTRON TUBE V6 12AU7 (81349) BWG		EA	REF	*	*	*	*		V6
PAOZZ	5960-166-7663	ELECTRON TUBE V7 12AU7 (81349) BWG		EA	REF	*	*	*	*		V7
PAOZZ	5960-166-7663	ELECTRON TUBE V8 12AU7 (81349) BWG		EA	REF	*	*	*	*		V8
PAOZZ	5960-166-7663	ELECTRON TUBE V9 12AU7 (81349) BWG		EA	REF	*	*	*	*		V9
PAOZZ	5960-166-7663	ELECTRON TUBE V10 12AU7 (81349) BWG		EA	REF	*	*	*	*		V10
PAOZZ	5960-166-7663	ELECTRON TUBE V11 12AU7 (81349) BWG		EA	REF	*	*	*	*		V11
PAOZZ	5960-166-7663	ELECTRON TUBE V12 12AU7 (81349) BWG		EA	REF	*	*	*	*		V12
PAOZZ	5960-166-7663	ELECTRON TUBE V13 12AU7 (81349) BWG		EA	REF	*	*	*	*		V13
PAOZZ	5960-166-7663	ELECTRON TUBE V14 12AU7 (81349) BWG		EA	REF	*	*	*	*		V14
PAOZZ	5960-166-7663	ELECTRON TUBE V202 12AU7 (81349) BWG		EA	REF	*	*	*	*		V202
PAOZZ	5960-166-7663	ELECTRON TUBE V203 12AU7 (81349) BWG		EA	REF	*	*	*	*		V203
PAOZZ	5960-166-7663	ELECTRON TUBE V204 12AU7 (81349) BWG		EA	REF	*	*	*	*		V204
PAOZZ	5960-166-7663	ELECTRON TUBE V205 12AU7 (81349) BWG		EA	REF	*	*	*	*		V205
PAOZZ	5960-166-7663	ELECTRON TUBE V206 12AU7 (81349) BWG		EA	REF	*	*	*	*		V206

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE				(7) ILLUSTRATION	
						(a)	(b)	(c)	(d)	(a)	(b)
						1-5	6-20	21-50	51-100	FIGURE NO.	ITEM NO.
PAOZZ	5960-166-7663	ELECTRON TUBE V207 12AU7 (81349) BWG		EA	REF	*	*	*	*		V207
PAOZZ	5960-166-7663	ELECTRON TUBE V208 12AU7 (81349) BWG		EA	REF	*	*	*	*		V208
PAOZZ	5960-166-7663	ELECTRON TUBE V209 12AU7 (81349) BWG		EA	REF	*	*	*	*		V209
PAOZZ	5960-166-7663	ELECTRON TUBE V210 12AU7 (81349) BWG		EA	REF	*	*	*	*		V210
PAOZZ	5960-166-7663	ELECTRON TUBE V211 12AU7 (81349) BWG		EA	REF	*	*		*		V211
PAOZZ	5960-166-7663	ELECTRON TUBE V212 12AU7 (81349) BWG		EA	REF	*	*	*	*		V212
PAOZZ	5960-166-7663	ELECTRON TUBE V213 12AU7 (81349) BWG		EA	REF	*	*	*	*		V213
PAOZZ	5960-166-7663	ELECTRON TUBE V214 12AU7 (81349) BWG		EA	REF	*	*	*	*		V214
PAOZZ	5960-166-7664	ELECTRON TUBE V1 12AX7 (81349) BWG		EA	4	*	*	*	*	26	V1
PAOZZ	5960-166-7664	ELECTRON TUBE V15 12AX7 (81349) BWG		EA	REF	*	*	*	*	26	V15
PAOZZ	5960-166-7664	ELECTRON TUBE V201 12AX7 (81349) BWG		EA	REF	*	*	*	*		V201
PAOZZ	5960-166-7664	ELECTRON TUBE V215 12AX7 (81349) BWG		EA	REF	*	*	*	*		V215
PAOZZ	5355-667-5486	KNOB E8 SCB104717 (80063) BWG		EA	3	*	*	*	*		E8
PAOZZ	5355-667-5486	KNOB E9 SCB104717 (80063) BWG		EA	REF	*	*	*	*		E9
PAOZZ	5355-667-5486	KNOB E208 SCB104717 (80063) BWG		EA	REF	*	*	*	*		E208
XDOZZ		SHIELD, ELECTRON TUBE O1 TS103U02 (81349) BWG		EA	30	*	*	*	*		O1
XDOZZ		SHIELD, ELECTRON TUBE O2 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O2
XDOZZ		SHIELD, ELECTRON TUBE O3 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O3
XDOZZ		SHIELD, ELECTRON TUBE O4 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O4
XDOZZ		SHIELD, ELECTRON TUBE O5 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O5
XDOZZ		SHIELD, ELECTRON TUBE O6 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O6
XDOZZ		SHIELD, ELECTRON TUBE O7 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O7
XDOZZ		SHIELD, ELECTRON TUBE O8 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O8
XDOZZ		SHIELD, ELECTRON TUBE O9 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O9
XDOZZ		SHIELD, ELECTRON TUBE O10 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O10
XDOZZ		SHIELD, ELECTRON TUBE O11 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O11
XDOZZ		SHIELD, ELECTRON TUBE O12 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O12
XDOZZ		SHIELD, ELECTRON TUBE O13 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O13
XDOZZ		SHIELD, ELECTRON TUBE O14 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O14
XDOZZ		SHIELD, ELECTRON TUBE O15 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O15
XDOZZ		SHIELD, ELECTRON TUBE O201 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O201
XDOZZ		SHIELD, ELECTRON TUBE O202 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O202
XDOZZ		SHIELD, ELECTRON TUBE O203 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O203
XDOZZ		SHIELD, ELECTRON TUBE O204 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O204
XDOZZ		SHIELD, ELECTRON TUBE O205 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O205
XDOZZ		SHIELD, ELECTRON TUBE O206 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O206
XDOZZ		SHIELD, ELECTRON TUBE O207 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O207
XDOZZ		SHIELD, ELECTRON TUBE O208 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O208
XDOZZ		SHIELD, ELECTRON TUBE O209 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O209
XDOZZ		SHIELD, ELECTRON TUBE O210 TS103U02 (81349) BWG		EA	REF	*	*	*	*		O210

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE				(7) ILLUSTRATION	
						(a)	(b)	(c)	(d)	(a)	(b)
						1-5	6-20	21-50	51-100	FIGURE NO.	ITEM NO.
XDOZZ		SHIELD, ELECTRON TUBE O211		EA	REF	*	*	*	*		O211
		TS103U02 (81349)	BWG								
XDOZZ		SHIELD, ELECTRON TUBE O212		EA	REF	*	*	*	*		O212
		TS103U02 (81349)	BWG								
XDOZZ		SHIELD, ELECTRON TUBE O213		EA	REF	*	*	*	*		O213
		TS103U02 (81349)	BWG								
XDOZZ		SHIELD, ELECTRON TUBE O214		EA	REF	*	*	*	*		O214
		TS103U02 (81349)	BWG								
XDOZZ		SHIELD, ELECTRON TUBE O215		EA	REF	*	*	*	*		O215
		TS103U02 (81349)	BWG								

INDEX – FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5305-508-9299			5960-166-7663		V602
5306-616-1334		H207	5960-166-7663		V603
5306-616-1334		H407	5960-166-7663		V604
5306-616-1334		H607	5960-166-7663		V605
5306-616-1334		H804	5960-166-7663		V606
5306-616-1334		H805	5960-166-7663		V607
5306-616-1334		H904	5960-166-7663		V608
5306-616-1334		H905	5960-166-7663		V609
5306-616-1334		H7	5960-166-7663		V610
5355-667-5486			5960-166-7663		V611
5355-667-5486		E208	5960-166-7663		V612
5355-667-5486		E408	5960-166-7663		V613
5355-667-5486		E409	5960-166-7663		V614
5355-667-5486		E609	5960-166-7663		V10
5355-667-5486		E815	5960-166-7663		V11
5355-667-5486		E816	5960-166-7663		V12
5355-667-5486		E817	5960-166-7663		V13
5355-667-5486		E818	5960-166-7663		V14
5355-667-5486		E819	5960-166-7663		V4
5355-667-5486		E820	5960-166-7663		V5
5355-667-5486		E910	5960-166-7663		V6
5355-667-5486		E8	5960-166-7663		V7
5355-667-5486		E9	5960-166-7663		V8
5805-219-9966			5960-166-7663		V9
5805-393-2205			5960-166-7663	26	V2
5805-393-2206			5960-166-7663	26	V3
5805-393-2206		17	5960-166-7663	27	V801
			5960-166-7663	27	V802
5920-356-2103		E101	5960-166-7663	29	
5920-356-2103		E102	5960-166-7664		V201
5920-356-2103		E103	5960-166-7664		V215
5920-356-2103		E104	5960-166-7664		V401
5920-356-2103		E301	5960-166-7664		V415
5920-356-2103		E302	5960-166-7664		V601
5920-356-2103		E303	5960-166-7664		V615
5920-356-2103		E304	5960-166-7664	26	V15
5920-356-2103		E501	5960-166-7664	26	V1
5920-356-2103		E502	5960-166-7664	29	
5920-356-2103		E503	5960-188-3565		V908
5920-356-2103		E504			
5920-356-2103		E701			
5920-356-2103		E702	5960-193-5145	29	
5920-356-2103		E703			
5920-356-2103		E704			V907
5920-356-2103		E810			
5920-356-2103		E811			
5920-356-2103		E812			
5920-356-2103		E813			
5960-166-7663					
5960-166-7663		V202			
5960-166-7663		V203			
5960-166-7663		V204			
5960-166-7663		V205			
5960-166-7663		V206			
5960-166-7663		V207			
5960-166-7663		V208			
5960-166-7663		V209			
5960-166-7663		V210			
5960-166-7663		V211			
5960-155-7663		V212			
5960-166-7663		V213			
5960-166-7663		V214			
5960-166-7663		V402			
5960-166-7663		V403			
5960-166-7663		V404			
5960-166-7663		V405			
5960-166-7663		V406			
5960-166-7663		V407			
5960-166-7663		V408			
5960-166-7663		V409			
5960-166-7663		V410			
5960-166-7663		V411			
5960-166-7663		V412			
5960-166-7663		V413			
5960-166-7663		V414			

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.		
			5960-272-9182		V901		
			5960-272-9182		V902		
			5960-543-1001		V905		
			5960-543-1001		V906		
			5999-244-5150				
			6210-299-3915				
REFERENCE NO.	MFR CODE	FIG NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
SCB104717	80063			TS103U02	81349		05
SCB104717	80063		E8	TS103U02	81349		06
SCB104717	80063		E9	TS103U02	81349		07
SCB104717	80063		E208	TS103U02	81349		08
SCB104717	80063		E408	TS103U02	81349		09
SCB104717	80063		E409	TS103U02	81349		010
SCB104717	80063		E609	TS103U02	81349		011
SCB104717	80063		E815	TS103U02	81349		012
SCB104717	80063		E816	TS103U02	81349		013
SCB104717	80063		E817	TS103U02	81349		014
SCB104717	80063		E818	TS103U02	81349		015
SCB104717	80063		E819	TS103U02	81349		0201
SCB104717	80063		E820	TS103U02	81349		0202
SCB104717	80063		E910	TS103U02	81349		0203
SCB104723	80063		H7	TS103U02	81349		0204
SCB104723	80063		H207	TS103U02	81349		0205
SCB104723	80063		H407	TS103U02	81349		0206
SCB104723	80063		H607	TS103U02	81349		0207
SCB104723	80063		H804	TS103U02	81349		0208
SCB104723	80063		H805	TS103U02	81349		0209
SCB104723	80063		H904	TS103U02	81349		0210
SCB104723	80063		H905	TS103U02	81349		0211
SCB63039	80063		E101	TS103U02	81349		0212
SCB63039	80063		E102	TS103U02	81349		0213
SCB63039	80063		E103	TS103U02	81349		0214
SCB63039	80063		E104	TS103U02	81349		0215
SCB63039	80063		E301	TS103U02	81349		0401
SCB63039	80063		E302	TS103U02	81349		0402
SCB63039	80063		E303	TS103U02	81349		0403
SCB63039	80063		E304	TS103U02	81349		0404
SCB63039	80063		E501	TS103U02	81349		0405
SCB63039	80063		E502	TS103U02	81349		0406
SCB63039	80063		E503	TS103U02	81349		0407
SCB63039	80063		E504	TS103U02	81349		0408
SCB63039	80063		E701	TS103U02	81349		0409
SCB63039	80063		E702	TS103U02	81349		0410
SCB63039	80063		E703	TS103U02	81349		0411
SCB63039	80063		E704	TS103U02	81349		0412
SCB63039	80063		E810	TS103U02	81349		0413
SCB63039	80063		E811	TS103U02	81349		0414
SCB63039	80063		E812	TS103U02	81349		0415
SCB63039	80063		E813	TS103U02	81349		0601
SCC104663	80063			TS103U02	81349		0602
SCC104663	80063		17	TS103U02	81349		0603
SCC76202-2	80063			TS103U02	81349		0604
SCD104653	80063			TS103U02	81349		0605
SM8289771	80063			TS103U02	81349		0606
TS102U02	81349		932	TS103U02	81349		0607
TS102U03	81349		930	TS103U02	81349		0608
TS102U03	81349		931	TS103U02	81349		0609
TS103U02	81349			TS103U02	81349		0610
TS103U02	81349		01	TS103U02	81349		0611
TS103U02	81349		02	TS103U02	81349		0612
TS103U02	81349		03	TS103U02	81349		0613
TS103U02	81349		04	TS103U02	81349		0614

REFERENCE NO.	MFR CODE	FIG NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
TS103U02	81349		0615	12AU7	81349		V413
TS103U02	81349		0801	12AU7	81349		V414
TS103U02	81349		0802	12AU7	81349		V602
UP120M	81349		P902	12AU7	81349		V603
0A3	81349		V908	12AU7	81349		V604
12AU7	81349			12AU7	81349		V605
12AU7	81349		V4	12AU7	81349		V606
12AU7	81349		V5	12AU7	81349		V607
12AU7	81349		V6	12AU7	81349		V608
12AU7	81349		V7	12AU7	81349		V609
12AU7	81349		V8	12AU7	81349		V610
12AU7	81349		V9	12AU7	81349		V611
12AU7	81349		V10	12AU7	81349		V612
12AU7	81349		V11	12AU7	81349		V613
12AU7	81349		V12	12AU7	81349		V614
12AU7	81349		V13	12AU7	81349	26	V2
12AU7	81349		V14	12AU7	81349	26	V3
12AU7	81349		V202	12AU7	81349	27	V801
12AU7	81349		V203	12AU7	81349	27	V802
12AU7	81349		V204	12AU7	81349	29	
12AU7	81349		V205	12AX7	81349		V201
12AU7	81349		V206	12AX7	81349		V215
12AU7	81349		V207	12AX7	81349		V401
12AU7	81349		V208	12AX7	81349		V415
12AU7	81349		V209	12AX7	81349		V601
12AU7	81349		V210	12AX7	81349		V615
12AU7	81349		V211	12AX7	81349	26	V1
12AU7	81349		V212	12AX7	81349	26	V15
12AU7	81349		V213	12AX7	81349	29	
12AU7	81349		V214	5R4WGY	81349		V903
12AU7	81349		V402	5R4WGY	81349		V904
12AU7	81349		V403	5751	81349	29	
12AU7	81349		V404	6AU6WA	81349		V907
12AU7	81349		V405	6X4W	81349		V901
12AU7	81349		V406	6X4W	81349		V902
12AU7	81349		V407	6080WA	81349		V905
12AU7	81349		V408	6080WA	81349		V906
12AU7	81349		V409	92-112	72619		
12AU7	81349		V410	9435-1-2	71400		
12AU7	81349		V411	9789-1-2	71400		
12AU7	81349		V412				

By Order of the Secretary of the Army:

FRED C WEYAND
General, United States Army
Chief of Staff

Official:

VERNE L BOWERS
Major General, United States Army
The Adjutant General

Distribution:

Active Army:

USASA (2)	Fort Gordon (10)
CNGB (1)	Fort Huachuca (10)
Dir of Trans (1)	WSMR (1)
COE (1)	Fort Carson (5)
TSG (1)	Ft Richardson (ECOM Ofc) (2)
USAARENBD (1)	Army Dep (1) except
AMC (1)	LBAD (14)
TRADOC (2)	SAAD (30)
ARADCOM (2)	TOAD (4)
ARADCOM Rgn (2)	ATAD (10)
OS Maj Comd (4)	USA Dep (2)
LOGCOMDS (3)	Sig Sep USA Dep (2)
MICOM (2)	Sig Dep (2)
TECOM (2)	Sig FLDMS (1)
USACC (4)	USAERDAA (1)
MDW (1)	USAERDAW (1)
Armies (1)	MAAG (1)
Corps (2)	USARMIS (1)
HISA (Ft Monmouth) (18)	Units org under fol TOE
Svc Colleges (2)	(1 copy each) unit):
USASESS (5)	9-227
USAADS (2)	11-16
USAFAS (2)	11-97
USAARMS (2)	11-98
USAIS (2)	11-117
USAES (2)	11-5000(AA-AC)
USAINTS (3)	32-56
WRAMC (1)	32-78
ATS (1)	32-500

NG: State AG (3)

USAR: None.

For explanation of abbreviations used, see AR 310-50.

U.S.. GOVERNMENT PRINTING OFFICE: 1974-665135/319

610-447

U.S. ARMY ADJUTANT GENERAL PUBLICATIONS CENTER, ST. LOUIS, MO. 1985

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN...JOT DOWN THE DOPE ABOUT IT ON THIS FORM. CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL.

SOMETHING WRONG WITH PUBLICATION

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT PIN-POINT WHERE IT IS

PAGE NO.

PARA-GRAPH

FIGURE NO.

TABLE NO.

IN THIS SPACE, TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT.

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER

SIGN HERE

DA FORM 1 JUL 79 2028-2

PREVIOUS EDITIONS ARE OBSOLETE.

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

PIN: 021851