

TECHNICAL MANUAL

**DIRECT SUPPORT AND GENERAL SUPPORT
MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS
LISTS [INCLUDING DEPOT MAINTENANCE REPAIR
PARTS AND SPECIAL TOOLS]**

**CENTRAL OFFICE, TELEPHONE,
MANUAL AN/MTC-9
FSN 5805-831-6063**

**HEADQUARTERS, DEPARTMENT OF THE ARMY
AUGUST 1973**

TECHNICAL MANUAL
No. 11-5805-288-34P

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., 31 August 1973

**Direct Support and General Support Maintenance Repair Parts and Special Tools Lists
(Including Depot Maintenance Repair Parts and Special Tools)**

**CENTRAL OFFICE, TELEPHONE, MANUAL AN/MTC-9
FSN 5805-831-6063**

Current as of February 1973

SECTION		Paragraph	Page
I.	INTRODUCTION		
	Scope	1-1	1
	General.....	1-2	1
	Explanation of columns.....	1-3	1
	Special information	1-4	3
	Location of repair parts	1-5	3
	Abbreviations (Not applicable)	1-6	4
	Reporting of equipment publication improvements.....	1-7	4
II.	REPAIR PARTS LIST	---	6
III.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
IV.	INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS- REFERENCE TO FIGURE AND ITEM NUMBER	---	26

*This manual supersedes so much of TM 11-5805-288-15, 26 May 1961, including all changes as pertains to DS, GS, and depot repair parts list.

SECTION I

INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of direct support, general support, and depot maintenance of the AN/MTC-9. The PCCN for the AN/MTC-9 is GCWAAD for all models.

1-2. General

This repair parts and special tools list is divided into the following sections:

a. *Repair Parts List, Section II.* A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level. This repair parts list is arranged in alphabetical order.

b. *Special Tools, Test and Support Equipment-Section III.* Not applicable.

c. *Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number-Section IV.* A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphanumeric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) Source code. Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are:

<i>Code</i>	<i>Explanation</i>
-------------	--------------------

PA-Item procured and stocked for anticipated or known usage.

PB-Item procured and stocked for insurance purposes because essentially dictates that a minimum quantity be available in the supply systems.

PC-Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.

<i>Code</i>	<i>Explanation</i>
PD-Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.	
PE-Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.	
PF-Support equipment which will not be stocked but which will be centrally procured on demand.	
PG-Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.	
KD-An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.	
KF-An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.	
KB-Item included in both a depot overhaul/repair kit and a maintenance kit.	
MO-Item to be manufactured or fabricated at organizational level.	
MF-Item to be manufactured or fabricated at direct support maintenance level.	
MH-Item to be manufactured or fabricated at general support maintenance level.	
MD-Item to be manufactured or fabricated at depot maintenance level.	
AO-Item to be assembled at organizational level.	
AF-Item to be assembled at direct support	

<i>Code</i>	<i>Explanation</i>
	maintenance level.
AH-Item	to be assembled at general support maintenance level.
AD-Item	to be assembled at depot maintenance level.
XA-Item	is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB-Item	is not procured or stocked. If not available through salvage, requisition.
XC-Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers part number.	
XD-Support items	can be requisitioned with justification.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows-

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application Explanation</i>
O-Support item	is removed, replaced, used at the organizational level of maintenance.

NOTE

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

F-Support item is removed, replaced, used at the direct support maintenance level.

H-Support item is removed, replaced, used at the general support maintenance.

D-Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position

indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code-

<i>Code</i>	<i>Application/Explanation</i>
O-The	lowest maintenance level capable of complete repair of the support item is the organizational level.
F-The	lowest maintenance level capable of complete repair of the support item is direct support.
H-The	lowest maintenance level capable of complete repair of the support item is general support.
D-The	lowest maintenance level capable of complete repair of the support item is the depot level.
L-Repair	restricted to designated Specialized Repair Activity.
Z-Non-repairable.	No repair is authorized.
B-No	repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows-

<i>Code</i>	<i>Application/Explanation</i>
Z-Nonrepairable item.	When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O-Repairable item.	When uneconomically repairable, condemn and dispose at organizational level.
F-Repairable item.	When uneconomically repairable, condemn and dispose at the direct support level.
H-Repairable item.	When uneconomically repairable, condemn and dispose at the general support level.
D-Repairable item.	When beyond lower level repair capability, return to depot. Condemnation

<i>Code</i>	<i>Application/Explanation</i>
	and disposal not authorized below depot level.
L-Repairable item.	Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
A-Item	requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).
b. <i>Federal Stock Number.</i>	Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.
c. <i>Description.</i>	Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.
d. <i>Unit of Measure (U/M).</i>	Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.
e. <i>Quantity Incorporated in Unit.</i>	This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".
f. <i>30-Day DS/GS Maintenance Allowances.</i>	
NOTE	
Allowances in GS column are for GS maintenance only.	
(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.	
(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.	
g. <i>1-Year Allowances Per 100 Equipments/Contingency Planning Purposes.</i> Column intentionally left blank.	

h. *Depot Maintenance Allowance Per 100 Equipments.* This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

i. *Illustration.* This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 11-5805-288-15.

(2) *Item number.* Indicates the item number or reference designation used to reference the item in the illustration.

1-4. Special Information

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are-

<i>Code</i>	<i>Used on</i>
AAG	AN/MTC-9
BYW	AN/MTC-5
BYX	ANJMTC-5A
BYY	AN/MTC-7
BYZ	AN/MTC-7A

b. The following publications pertain to the AN/MTC-9 and its components:

TM 11-5805-288-15 Organizational, DS, GS, and Depot Maintenance Manual: Central Office, Telephone, Manual AN/MTC-9.

TM 11-5805-288-20P Organizational Maintenance Repair Parts and Special Tools Lists: Central Office, Telephone, Manual AN/MTC-9.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures

given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (sec II) until the item is located.

d. When the FSN, reference number, figure

number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (sec II), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CW, Fort Monmouth, N.J. 07703.

(Next printed page is 6.)

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAOZZ	5410-792-6335	ADAPTER, TIE DOWN, FLOOR FDCl225M5 (98313)	NO-REF-DESIG.... AAG,BYW,BYX	EA	18	*	*	*	*	*	*		4	
PAOZZ	5805-856-0797	ADAPTER TIE DOWN, FLOOR FDC1225M8-1 (98313)	NO-REF-DESIG.... AAG,BYW,BYX	EA	4	*	*	*	*	*	*		4	
PAOZZ	6625-752-8464	AMMETER NO-REF-DESIG 60 CYC MR36W100ACAAR (81349)	0-100 CW.. AAG,BYW,BYX	EA	1	*	*	*	*	*	*		3	41
PAOZZ	4213-764-2905	AXE, PICK HEAD NO-REF-DESIG 35 LG APPROX	3 1/2 LB,.. AAG,BYW,BYX	EA	1	*	*	*	*	*	*		2	5
PAOZZ	4210-727-8111	AXE, PICK HEAD NO-REF-DESIG 27 LG APPROX	2 1/4 LB,.. AAG,BYW,BYX	EA	1	*	*	*	*	*	*		2	
PAOZZ	6250-804-3449	GGGA926-1-1A (81349) BALLAST LAMP	AAG,BYN,BYX NO-REF-DESIG.....	EA	22	*	*	*	*	*	*		10	6
PAOZZ	5805-034-0974	F/FLUORESCENT 89G381 (08808)	AAG,BYW,BYX	EA	2	*	*	*	*	*	*		3	4
PAOZZ	5805-034-0973	BRACKET, ROOF SUPPORT PASSAGEWAY ONE FOR EACH VAN 35 LG X5 1/2 H X 3 1/2 0 APPROX	NO-REF-DESIG P-O..	EA	2	*	*	*	*	*	*		3	4
PAOZZ	7920-291-8305	SMB377690 (80063) BRACKET, SUPPORT ASSEMBLY	AAG,BYW,BYX NO-REF-DESIG....	EA	2	*	*	*	*	*	*		3	4
PAOZZ	7920-178-8315	P-O PASSAGEWAY F-SUPPORTING CROSSWALK 36 LG X 5 3/4 W X 6 H	NO-REF-DESIG....	EA	1	*	*	*	*	*	*		10	
PAOZZ	5935-752-2473	SMC377682 (800631) BROOM UPRIGHT NO-REF-DESIG	AAG,BYW,BYX 54 IN LG ...	EA	1	*	*	*	*	*	*		10	
PAOZZ	6145-985-7704	1820 (45092) BRUSH DUSTING BENCH	AAG,BYW,BYX NO-REF-DESIG.....	EA	1	*	*	*	*	*	*		10	
PAOZZ	6145-752-2562	FIBER HB190 (81348)	AAG,BYW,BYX	FT	165	*	*	*	*	*	*		5	2
PAFZZ	6145-82 3-2259	CABLE, POWER, ELECTRICAL COND (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 165 FT.)	NO-REF-DESIG 3.	FT	6	*	*	*	*	*	*		5	60
PAHZZ	6145-577-8480	SCA46608 (80063) CABLE POWER ELECTRICAL	AAG,BYW, BYX NO-REF-DESIG....	FT	18	*	*	*	*	*	*		5	58
PAOHD	5805-764-5899	(AUTORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 6 FT.) C002MGF2-16-0338 (81349)	NO-REF-DESIG....	FT	8	*	*	*	*	*	*		5	3
		FOR HEATER 2 COND TYPE 65 --0063 (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 6 FT.) S1-5325-65-0063 (16784)	NO-REF-DESIG....	FT	5280									
		WM111AU (80058) CABLE SPECIAL PURPOSE ELECTRICAL	NO-REF-DESIG (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 8 FT.)	FT										
		WM130A-G	NO-REF-DESIG USED WITH CX-4566/G 54 COND (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 290 FT.)	FT										
		WM130GANDWM130AG (80058)	AAG,BYW,BYX	EA	4	*	*	*	*	*	*			
		CABLE ACCESSORY ASSEMBLY	NO-REF-DESIG P-O 50 FT SPECIAL CIRCUITS CABLE ASSEMBLY CONTINUED											

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
		CONTINUED 4 (12143)			*	*	*	*	*	*				
PAOHD	5995-889-1500	CABLE ASSEMBLY POWER ELECTRICAL CX-... 7453/U NO-REF-DESIG 100 FT POWER CABLE	EA	1	*	*	*	*	*	*			5	3
PAOHD	5995-823-2955	CX7453U 1800581 AAG,BYW,BYX CABLE ASSEMBLY, TELEPHONE NO-REF-DESIG 6 FT LG O-A 1 PJ-047B ONE END, OTHER END STRIPPED AND TINNED	EA	2	*	*	*	*	*	*			5	2
PAOHD	5995-985-8146	SMC377563 (80063) AAG,BYW,BYX CABLE ASSEMBLY, TELEPHONE NO-REF-DESIG 2 COND 61 LG APPROX	EA	1	*	*	*	*	*	*			5	4
PAOHD	5995-823-2807	SNC377563-4 (80063) AAG,BYW,BYX CABLE ASSEMBLY TELEPHONE NO-REF-DESIG 2 COND APPROX 2 FT 4 IN LG	EA	2	*	*	*	*	*	*			5	2
PAOHD	5995-823-2618	SMC377563-1 (800631) AAG,BYW,BYX CABLE ASSEMBLY TELEPHONE NO-REF-DESIG 2 COND APPROX 3 FT 3 IN LG O-A	EA	1	*	*	*	*	*	*			5	1
PAOHD	5995-823-2619	SMC377563-2 (8063) AAG,BYW,BYX CABLE ASSEMBLY TELEPHONE NO-REF-DESIG 2 COND APPROX 3 FT 7 IN LG O-A	EA	2	*	*	*	*	*	*			5	2
PAOZZ	5910-553-6096	SMC377563-3 (80063) AAG,BYW,BYX CAPACITOR, FIXED, PAPER DIELECTRIC NO-.... REF-DESIG 10,000 UUF PORM10PCT	EA	22	*	*	*	*	*	*			5	
PAOZZ	5910-713-8313	591A (98569) AAG,BYW,BYX CAPACITOR, FIXED, PAPER DIELECTRIC C1 F-FAN 4 UF PORM10PCT	EA	2	*	*	*	*	*	*			5	75 C1
PAOZZ	5910-880-6898	P150F83 (00656) AAG,BYW CAPACITOR, FIXED, PAPER DIELECTRIC C1 F-FAN 1 SECT, 5 UF, PORM10PCT, 330 V	EA	2	*	*	*	*	*	*			5	60 C1
PAOZZ	5910-892-7496	49F3319 (01002) AAG,BYX CAPACITOR, FIXED, PAPER DIELECTRIC NO- REF-DESIG FOR BTRYFAN 5 UF PORM10PCT	EA	1	*	*	*	*	*	*			5	61
PAOZZ	5925-752-6642	KKT23A50 (09023) AAG,BYW CIRCUIT BREAKER CB15 AIR ARC QUENCHING, QO270 (88434)	EA	1	*	*	*	*	*	*			5	63 C815
PAOZZ	5925-583-7941	CIRCUIT BREAKER CB6 AIR ARC QUENCHING, QO120 (88434)	EA	3	*	*	*	*	*	*			5	63 CB6
PAOZZ	5925-583-7941	CIRCUIT BREAKER CB8 AIR ARC QUENCHN . QO120 (88434)	EA	REF	*	*	*	*	*	*			5	63 CB8
PAOZZ	5925-583-7941	CIRCUIT BREAKER CB9 AIR ARC QUENCHING QO120 (88434)	EA	REF	*	*	*	*	*	*			5	63 CB9
PAOZZ	5925-958-1665	CIRCUIT BREAKER CB7 AIR ARC QUENCHING QO140 (884341)	EA	1	*	*	*	*	*	*			5	63 CB7
PAOZZ	5925-823-2485	CIRCUIT BREAKER CB3 AIR ARC QUENCHING QO150 (88434)	EA	1	*	*	*	*	*	*			5	63 CB3
PAOZZ	5925-818-4811	CIRCUIT BREAKER CB1 AIR ARC QUENCHING QO115 (88434)	EA	8	*	*	*	*	*	*			5	63 CB1

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.	
PAOZZ	5925-818-4811	CIRCUIT BREAKER CB2 AIR ARC QUENCHING. QO115 (88434) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			5	63	CB2
PAOZZ	5925-818-4811	CIRCUIT BREAKER CB4 AIR ARC QUENCHING. QO115 (88434) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			5	63	CB4
PAOZZ	5925-818-4811	CIRCUIT BREAKER CB5 AIR ARC QUENCHING. QO115 (88434) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			5	63	CB5
PAOZZ	5925-818-4811	CIRCUIT BREAKER CB11 AIR ARC QUENCHING. QO115 (88434) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			5	63	C811
PAOZZ	5925-818-4811	CIRCUIT BREAKER CB12 AIR ARC QUENCHING. QO115 (88434) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			5	63	C812
PAOZZ	5925-818-4811	CIRCUIT BREAKER CB13 AIR ARC QUENCHING. QO115 (88434) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			5	63	CB13
PAOZZ	5925-818-4811	CIRCUIT BREAKER CB14 AIR ARC QUENCHING. QO115 (88434) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			5	63	CB14
PAOZZ	5925-682-4096	CIRCUIT BREAKER CB10 AIR ARC QUENCHING. QO130 (88434) AAG,BYW,BYX	EA	1	*	*	*	*	*	*			5	63	CB10
PAOZZ	5930-734-5202	CIRCUIT BREAKER NO-REF-DESIG FOR HEATER 10172H334A (28771) AAG,BYW,BYX	EA	3	*	*	*	*	*	*			5	63	
PAOZZ	6645-892-4369	CLOCK WALL NO-REF-DESIG..... P642A (89584) AAG,BYW	EA	1	*	*	*	*	*	*			4	38	
PAOZZ	6645-950-8599	CLOCK NO-REF-DESIG..... MILC3956M2AN5743* AAG,BYX L2 (96906)	EA	1	*	*	*	*	*	*			5	38	
PAOZZ	5935-283-2950	CONNECTOR PLUG U-77/U NO-REF-DESIG 10. CONT U77U (80058) AAG,BYW,BYX	EA	1	*	*	*	*	*	*			3		
PAOZZ	5935-283-2884	CONNECTOR PLUG U-78/U NO-REF-DESIG 10. CONT U78U (80058) AAG,BYW,BYX	EA	1	*	*	*	*	*	*			3		
PAHZZ	5935-045-9830	CONNECTOR PLUG ELECTRICAL U-1859/G NO- REF-DESIG 104 CONT U185BG (80058) AAG,BYW,BYX	EA	182				*	*	*			3		
PAOZZ	5935-429-5511	CONNECTOR PLUG ELECTRICAL NO-REF-DESIG. F-HEATER 2 CONT 7102 (83315) AAG,BYW	EA	3	*	*	*	*	*	*			3	38	
PAOZZ	5935-064-5731	CONNECTOR, PLUG, ELECTRICAL U-237/G NO-.. REF-DESIG F-POWER CABLES U237G (80058) AAG,BYW,BYX	EA	5	*	*	*	*	*	*			3	3	
PAOZZ	5935-518-9653	CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG. F-HEATER UPI20M (80058) AAG,BYX	EA	3	*	*	*	*	*	*			3	28	
PAOZZ	5935-764-5900	CONNECTOR, PLUG,ELECTRICAL NO-REF-DESIG. P-O 50 FT SPÉCIAL CIRCUITS CABLE ASSEMBLY QWLD194628-12P (12143) AAG,BYW,BYX	EA	4	*	*	*	*	*	*			3		
PAOZZ	5935-149-3985	CONNECTOR PLUG ELECTRICAL NO-REF-DESIG. 2 CONT 9754 (83315) AAG,BYW,BYX	EA	2	*	*	*	*	*	*			3	2	
PAOZZ	5935-149-3988	CONNECTOR PLUG ELECTRICAL NO-REF-DESIG. 2 CONT 7545 (83315) AAG,BYW,BYX	EA	1	*	*	*	*	*	*			3	2	

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAOZZ	5935-045-9832	CONNECTOR, RECEPTACLE ELECTRICAL U-187A/G NO-REF-DESIG U187AG (80058)	EA	109	*	*	*	*	*	*			3	19
PAOZZ	5935-064-5732	CONNECTOR, RECEPTACLE, ELECTRICAL U-238/G J67 U238G (80058)	EA	2	*	*	*	*	*	*			3	26
PAOZZ	5935-064-5732	CONNECTOR, RECEPTACLE, ELECTRICAL U-238/G J68 U238G (80058)	EA	REF	*	*	*	*	*	*			3	26
PAOZZ	5935-199-6675	CONNECTOR, RECEPTACLE, ELECTRICAL J69... QE8302 (15235)	EA	1	*	*	*	*	*	*			3	17
PAOZZ	5935-764-5897	CONNECTOR, RECEPTACLE, ELECTRICAL J70... F-SPECIAL CIRCUITS QWLD10-194228-12* S (12143)	EA	1	*	*	*	*	*	*			3	J70
PAOZZ	5935-359-6025	CONNECTOR, RECEPTACLE, ELECTRICAL J73 2 CONT 9210 (83315)	EA	7	*	*	*	*	*	*			3	17
PAOZZ	5935-359-6025	CONNECTOR, RECEPTACLE, ELECTRICAL J74 2 CONT 9210 (83315)	EA	REF	*	*	*	*	*	*			3	17
PAOZZ	5935-359-6025	CONNECTOR, RECEPTACLE, ELECTRICAL J75 2 CONT 9210 (83315)	EA	REF	*	*	*	*	*	*			3	J75
PAOZZ	5935-359-6025	CONNECTOR, RECEPTACLE, ELECTRICAL J76 2 CONT 9210 (83315)	EA	REF	*	*	*	*	*	*			3	J76
PAOZZ	5935-359-6025	CONNECTOR, RECEPTACLE, ELECTRICAL J77 2 CONT 9210 183315)	EA	REF	*	*	*	*	*	*			3	J77
PAOZZ	5935-359-6025	CONNECTOR, RECEPTACLE, ELECTRICAL J78 2 CONT 9210 (83315)	EA	REF	*	*	*	*	*	*			3	J78
PAOZZ	5935-359-6025	CONNECTOR, RECEPTACLE, ELECTRICAL J79 2 CONT 9210 (83315)	EA	REF	*	*	*	*	*	*			3	J79
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL J71 4 CONT 9200 (83315)	EA	13	*	*	*	*	*	*			3	17
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL J72 4 CONT 9200 (83315)	EA	REF	*	*	*	*	*	*			3	J72
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL J80 4 CONT 9200 (83315)	EA	REF	*	*	*	*	*	*			3	J80
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL J81 4 CONT 9200 (83315)	EA	REF	*	*	*	*	*	*			3	J81

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.	
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			3	17	J82
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			3	17	J83
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONTJ 9200 (83315) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			3	17	J83
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			3	17	J85
PADZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			3	17	J85
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			3	17	J86
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			3	17	J87
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			3	17	J89
PAOZZ	7920-872-6062	COVER, BROOM, NO-REF-DESIG.....	EA	1	*	*	*	*	*	*			2		
PAOZZ	5805-034-0969	COVER, CANVAS, PASSAGEWAY NO-REF-DESIG... NYLON, NEOPRENE COVERED 216 LG X 120 W APPROX	EA	1	*	*	*	*	*	*			2	50	
PAOZZ	5805-764-5898	SMD377694 (800631) AAG,BYW,BYX COVER, ELECTRICAL CONNECTOR NO-REF-DESIG, F-SPECIAL CIRCUITS RECEPTACLE	EA	1	*	*	*	*	*	*			2	7	
PAOZZ	5805-871-5703	QWLD10-350694-28 (12143) AAG,BYW,BYX DOOR, FOLDING NO-REF-DESIG.....	EA	2	*	*	*	*	*	*			5	39	
PAOZZ	5120-752-8862	2F2385 (28996) AAG,BYW,BYX EXTRACTOR, ELECTRON TUBE NO-REF-DESIG F-	EA	1	*	*	*	*	*	*			3	18	
PAOZZ	5120-293-2692	7 PIN ELECTRON TUBE ETP7 (95344) AAG,BYW,BYX EXTRACTOR, ELECTRON TUBE NO-REF-DESIG F-	EA	1	t	*	*	*	*	*			3	18	
PAOZZ	4140-8564501	9 PIN ELECTRON TUBE TYPE 9113 024-0129-00 (13499) AAG,BYW,BYX FAN, IMPELLER NO-REF-DESIG FOR BTRY FAN, 5 BLADES	EA	1	*	*	*	*	*	*			5	32	
PAOZZ	6210-855-9091	68-15-2 (99743) AAG,BYW Fixture, Light NO-REF-DESIG MTD IN..... CEILING 9-5-8 LG X 5-1-2 DIA	EA	4	*	*	*	*	*	*			5	32	
PAOZZ	5920-284-6787	E24BM (99872) AAG,BYW FUSE CARTRIDGE F1 5 AMP, 250V TYPE... NO. MTH5	EA	1	*	*	*	*	*	*			50		F1
PAOZZ	5920-686-0021	F02A250V5A (71400) AAG,BYW,BYX FUSEHOLDER NO-REF-DESIG EXTRACTOR POST.. TYPE ACCOM 1 CARTRIDGE FUSE HKL (71400) AAG,BYW,BYX	EA	1	*	*	*	*	*	*			3	2	

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
		Reference Number & Mfr Code Usable On Code												
PAOZZ	5120-776-9917	GRIP, CABLE, JAW NO-RFF-DESIG..... EQAG-8P (95344) AAG,BYW,BYX	EA	6	*	*	*	*	*	*			3	2
PAOZZ	5120-776-9918	GRIP CABLE JAW NO-REF-DESIG..... EQA26S (95344) AAG,BYW,BYX	EA	119	*	*	*	*	*	*			3	
PAOZZ	5120-251-4489	HAMMER, HAND NO-REF-DESIG 8 LB TYPE SA, CLASS 2 CGGH86 (81348) AAG,BYW,BYX	EA	1	*	*	*	*	*	*			2	18
PAOZZ	4540-174-4585	HEATING ELEMENT, ELECTRICAL NO-REF-DESIG. FOR HEATER 120 V, 125 W, 1.04 AMP PT512 (65586) AAG,BYW,BYX	EA	5	*	*	*	*	*	*			5	58
PAOZZ	4540-404-9232	HEATING ELEMENT, ELECTRICAL NO-REF-DESIG. FOR HEATER 3954E (15605) AAG,BYW,BYX	EA	3	*	*	*	*	*	*			5	58
PAOZZ	5965-892-3201	HOOK, HEADSET NO-REF-DESIG..... 5565-1 (78467) AAG,BYW,BYX	EA	2	*	*	*	*	*	*			5	32
PAOZZ	6630-171-9572	HYDROMETER NO-REP-DESIG..... 13142V28 (19481) AAG,BYW,BYX	EA	1	*	*	*	*	*	*			5	
PAOZZ	4140-855-9079	IMPELLER, FAN, AXIAL NO-REF-DESIG 5.... BLADES CW 12706-1 (828771) AAG,BYW	EA	1	*	*	*	*	*	*			5	61
PAOZZ	4520-792-8398	IMPELLER, FAN, AXIAL NO-REF-DESIG FOR... HEATER 20 (60399) AAG,BYW,BYX	EA	3	*	*	*	*	*	*			5	61
PAOZZ	4140-856-4501	IMPELLER, FAN, CENTRIFUGAL NO-REFYDESCG.... 68-15-2 (99743) AAG,BYW	EA	1	*	*	*	*	*	*			5	
PAOZZ	5935-192-4826	JACK, TELEPHONE NO-REF-OESIG CONT ARR.... J1 JJ086 (81349) AAG,BYW,BYX	EA	8	*	*	*	*	*	*			3	67
PAOZZ	6210-665-5376	KNOB NO-REF-DESIG FOR FUSEHOLDER..... BAYONET TYPE 6279-1-2 (71400) AAG,BYW,BYX	EA	1	*	*	*	*	*	*			3	58
PACZZ	6240-155-7786	LAMP LM-35 NO-REF-DESIG 2.4 V, 0.5 AMP, LM35 (80058) AAG,BYW,BYX	EA	3	*	*	*	*	*	*			100	6
PACZZ	6240-152-2996	LAMP, FLUORESCENT NO-REF-DESIG..... F20T12CW (58854) AAG,BYW,BYX	EA	22	*	*	*	*	*	*			20	6
PACZZ	6240-179-1814	LAMP, GLOW NO-REF-DESIG 1/4 W 65 V AC NE45 (81349) AAG,BYW,BYX	EA	16	*	*	*	*	*	*			10	6
PACZZ	6240-179-1816	LAMP, GLOW I32 NE30 (81349) AAG,BYW,BYX	EA	3	*	*	*	*	*	*			10	6
PACZZ	6240-179-1816	LAMP, GLOW I33 NE30 (81349) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			10	6
PACZZ	6240-179-1816	LAMP, GLOW I34 NE30 (81349) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			10	6
PACZZ	6240-153-6517	LAMP, INCANDESCENT NO-REF-DESIG 48V 1: 3-4 LG O-A 48B (58854) AAG,BYW,BYX	EA	2	*	*	*	*	*	*			50	6
PACZZ	6240-143-3070	LAMP, INCANDESCENT NO-REF-DESIG..... 50ARS (24446) AAG,BYW,BYX	EA	5	*	*	*	*	*	*			50	6
PACZZ	6240-044-6914	LAMP, INCANDESCENT NO-REF-DESIG F-..... EMERGENCY LIGHTING 28 V, 1-02 AMP WLI48B (81348) AAG,BYW,BYX	EA	3	*	*	*	*	*	*			50	6
PAOZZ	6250-158-8918	LAMPHOLDER DS31 CANDELABRA SCREW BASE CONTINUED	EA	1	*	*	*	*	*	*			5	32
														DS31

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
		CONTINUED			*	*	*	*	*	32				
	6290-299-6033	NE45 (81349) 6-08 (72619)	AAG,BYW,BYX AAG,BYW,BYX	EA	22	*	*	*	*	32				
PAOZZ	6250-299-6697	LAMPHOLDER 2937 (83315)	NO-REF-DESIG..... AAG,BYW,BYX	EA	22	*	*	*	*	*	*	5	32	
PAOZZ	6250-892-4365	LAMPHOLDER 2943 (83315)	NO-REF-DESIG..... AAG,BYW,BYX	EA	3	*	*	*	*	*	*	5	32	DS32
PAOZZ	6250-892-4365	LAMPHOLDER 9062 (75582)	D532..... AAGBTYW,BYX	EA	REF	*	*	*	*	*	*	5	32	DS33
PAOZZ	6250-892-4365	LAMPHOLDER 9062 (75582)	D533	EA	REF	*	*	*	*	*	*	5	32	DS34
PAOZZ	6250-892-4365	LAMPHOLDER 9062 (75582)	D534..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5	32	DS35
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS35 MED SCREW TYPE..... AAG,BYW,BYX	EA	15	*	*	*	*	*	*	5		DS35
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS36 MED SCREW TYPE..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5		DS36
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS37 MED SCREW TYPE..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5		DS37
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS38 MED SCREW TYPE..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5		DS38
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS39 MED SCREW TYPE..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5		DS39
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS40 MED SCREW TYPE..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5		DS40
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS41 MED SCREW TYPE..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5		DS41
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS42 MED SCREW TYPE..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5		DS42
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS43 MED SCREW TYPE..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5		DS43
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS44 MED SCREW TYPE..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5		DS44
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS45 MED SCREW TYPE..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5		DS45
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS46 MED SCREW TYPE..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5		DS46
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS47 MED SCREW TYPE..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5		DS47
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS48 MED SCREW TYPE..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5		DS48
PAOZZ	6250-752-1233	LAMPHOLDER, 4-74-6 (72619)	DS49 MED SCREW TYPE..... AAG,BYW,BYX	EA	REF	*	*	*	*	*	*	5		DS49
PAOZZ	6230-729-9614	LANTERN, ELECTRIC 2106-7(32572)	NO-REF-DESIG..... AAG,BYW,BYX	EA	3	*	*	*	*	*	*	10	17	
PAOZZ	4940-752-2525	LEAD, ELECTRICAL STRAP	NO-REF-DESIG FOR GRD...	EA	2	*	*	*	*	*	*	2	2	
PAOHD	6625-615-5385	SMB35266 (80063) LIGHT, EXTENSION 506KS25-16-2SJ (79409)	AAG,BYW,BYX AAG,BYW,BYX	EA	1	*	*	*	*	*	*	3	2	
PAFZZ	5935-283-2950	MAINTENANCE KIT, CONTINUED	ELECTRONIC EQUIPMENT.... NO-REF-DESIG FOR MAINTENANCE OF	EA	1	*	*	*	*	*	*	10		

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
		Reference Number & Mfr Code Usable On Code												
PAHZZ	5410-973-2936	CONTINUED 4-74-6 (72619) AAG,BYW,BYX SCDL68417 (80063) AAG,BYW,BYX MAINTENANCE KIT ELECTRCNIC EQUIPMENT... SHELTER MK-679 NO-REF-DESIG TO REPAIR PUNCTURES IN SHELTER SKIN NOTE TO BE REQUISITIONED FOR IMMEDIATE USE ONLY, ORDER DIRECT FROM DEPOT STOCK	EA	1	*	*	*	*	*	*	*		5	
PAOHD	6105-876-8624	MK679G (80058) AAG,BYW,BYX MOTOR ALTERNATING CURRENT NO-REF-DESIG.. FOR BATTERY FAN IISV 60 CYC INDUCTION, SINGLE PH	EA	1	*	*	*	*	*	*	*		3	
PAOHD	6105-560-5739	BC2910-17 (99743) AAG,BYW MOTOR, ALTERNATING CURRENT NO-REF-DESIG.. FOR HEATER 115V 60 CYC, SINGLE PH	EA	3	*	*	*	*	*	*	*		3	58
PAOHD	6105-792-8384	5KSP51AL74 (24446) AAG,BYW,BYX MOTOR, ALTERNATING CURRENT NO-REF-DESIG.. 115 V, 50-60 CYC, SINGLE PH	EA	1	*	*	*	*	*	*	*		3	60
PAOZZ	5805-034-0966	23396-01 (82877) AAG,BYM PANEL, FLOOR NO-REF-DESIG P-0..... PASSAGEWAY 37 LG X 8 W X 2 THK	EA	6	*	*	*	*	*	*	*		2	
PAOZZ	5940-553-2581	SMC377689 (80063) AAG,BYW,BYX POST, BINDING U-106/U NO-REF-DESIG	EA	26	*	*	*	*	*	*	*		1	16
PAOZZ	5940-823-1804	U106U (80058) AAG,BYW,BYX POST, BINDING NO-REF-DESIG	EA	2358	*	*	*	*	*	*	*		1	16
PAOZZ	5805-034-0975	SCC136011-3 (80063) AAG,BYW,BYX RAIL, OVERHEAD ASSEMBLY NO-REF-DESIG P-0	EA	1	*	*	*	*	*	*	*		5	50
PAOZZ	5805-034-0972	PASSAGEWAY 126 1/2 LG X 36 W APPROX SMD377691 (80063) AAG,BYW,BYX RAMP NO-REF-DESIG P-0 PASSAGEWAY 37... 1/4 X 10 1/2 IN X 2 IN APPROX	EA	2	*	*	*	*	*	*	*		5	50
PAOZZ	8130-656-1090	SMC377714 (80063) AAG,BYW,BYX REEL CABLE RC-435/U NO-REF-DESIG	EA	16	*	*	*	*	*	*	*		5	18
PAOZZ	5945-615-7738	RC435U (80058) AAG,BYW,BYX RELAY, ARMATURE NO-REF-DESIG DPDT	EA	1	*	*	*	*	*	*	*		3	75
PAFZZ	5410-771-3354	SMC210071-1 (80063) AAG,BYW,BYX REPAIR KIT, ELECTRICAL EQUIPMENT SHELTER	EA	1	*	*	*	*	*	*	*		5	
PAOZZ		M4K-681/G NI-REF-DESIG TO REPAIR PUNCTURES TO SHELTER SKIN NLTE TO BE REQUISITIONED FOR IMMEDIATE USE ONLY, ORDER DIRECT FROM DEPOT STOCK												
PAOZZ		NK681G (80058) AAG,BYW,BYX RETAINER, LAMP FLUORESCENT, NO-REF-DESIG. HOLDS LANPS IN SOCKETS			*	*	*	*	*	*	*		3	
PAOZZ	5975-224-5260	P40M4CW10B226 (83301) AAG,BYW,BYX ROD, GROUND MX-148/G NO-REF-DESIG..... MX148G (80058) AAG,BYW,BYX	EA	2	*	*	*	*	*	*	*		3	18

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAOZZ	6210-754-8134	SHIELD, LIGHT NO-REF-DESIG.....SKC349983 (80063) AAG,BYW,BYX	EA	22	*	*	*	*	*	*			5	
PACZZ	6250-299-2884	STARTER, FLUORESCENT LAMP NO-REF-DESIG..FS2 (71183) AAG,BYW,BYX	EA	22	*	*	*	*	*	*			10	6
PAOZZ	5340-857-1424	STRAP, RETAINING NO-REF-DESIG 1 1/16 IN. LG, 15/16 IN W, 3/32 IN D N1 (06229) AAG,BYW,BYX	EA	496	*	*	*	*	*	*			2	2
PAOZZ	5805-856-6202	STRAP, RETAINING NO-REF-DESIG 1.624 IN. LG, 1 IN Wt 0.115 IN THK N3 (06229) AAG,BYW,BYX	EA	171	*	*	*	*	*	*			2	2
PAOZZ	5340-884-9983	STRAP, RETAINING NO-REF-DESIG 3.179 IN..LG, 1 IN W, 0.135 IN THK N7 (06229) AAG,BYW,BYX	EA	14	*	*	*	*	*	*			2	2
PAOZZ	5340-823-5235	STRAP WEBBING NO-REF-DESIG 20 IN LG X 1 IN W FDC1730-65-2 (98313) AAG,BYW,BYX	EA	100	*	*	*	*	*	*			2	2
PAOZZ	5340-823-5232	STRAP WEBBING NO-REF-DESIG 24 IN LG X 1 IN W FDC1730-58-1 (98313) AAG,BYM,BYX	EA	1	*	*	*	*	*	*			2	2
PAOZZ	5340-823-5261	STRAP, WEBBING NO-REF-DESIG 24 LG.... FDC1730-56-3 (98313) AAG,BYW,BYX	EA	3	*	*	*	*	*	*			2	2
PAOZZ	5340-823-5234	STRAP, WEBBING NO-REF-DESIG 34 IN LGX 1 IN W FDC1730-58-2 (98313) AAG,BYW,BYX	EA	2	*	*	*	*	*	*			2	2
PAOZZ	5340-823-5262	STRAP, WEBBING NO-REF-DESIG 38 IN LG X 1 IN W FOC1730-57-2 (98313) AAG,BYW,BYX	EA	2	*	*	*	*	*	*			2	2
PAOZZ	5340-823-5236	STRAP, WEBBING NO-REF-DESIG 54 IN LG X 1 IN W FOC1730-57-1 (98313) AAG,BYW,BYX	EA	6	*	*	*	*	*	*			2	2
PAOZZ	5930-823-0895	SWITCH, SENSITIVE, S21 DT2RS1A7 (91929) AAG,BYW,BYX	EA	1	*	*	*	*	*	*			5	S21
PAOZZ	5840-900-0418	STRAP, WEBBING, NO-REF-DESIG LONG FOC1730-58-3 (98313) AAG,BYW,BYX	EA	1	*	*	*	*	*	*			2	
PAOZZ	5930-855-9058	SWITCH, SENSITIVE S22 DTF2-2RQ9RH (91929) AAG,BYW,BYX	EA	1	*	*	*	*	*	*			5	S22
PAOZZ	5930-738-8204	SWITCH, SENSITIVE S20 DTF2-2RQ9LH (91929) AAG,BYW,BYX	EA	1	*	*	*	*	*	*			5	S20
PAOZZ	5930-682-0508	SWITCH, SENSITIVE S16 BZ2RSP4 (91929) AAG,BYW,BYX	EA	2	*	*	*	*	*	*			5	S16
PAOZZ	5930-682-0508	SWITCH, SENSITIVE S18 BZ2RSP4 (91929) AAG,BYW,BYX	EA	REF	*	*	*	*	*	*			5	S18
PAOZZ	5930-823-0797	SWITCH, SENSITIVE S19 BZE6-2RQ81 (91929) AAG,BYW,BYX	EA	5	*	*	*	*	*	*			5	S19
PAOZZ	5930-504-9923	SWITCH, TOGGLE NO-REF-DESIG 7563K4 (86022) AAG,BYW,BYX	EA	3	*	*	*	*	*	*			5	32
PAOZZ	5930-615-9376	SWITCH, TOGGLE S1 MS35059-21 (81349) AAG,BYW,BYX	EA	1	*	*	*	*	*	*			5	S1
PAOZZ	5930-655-1575	SWITCH, TOGGLE S24 MS35059-22 (81349) AAG,BYW,BYX	EA	1	*	*	*	*	*	*			5	S24

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
		Reference Number & Mfr	Code	Usable On Code										
PAOZZ	5930-636-4014	SWITCH, TOGGLE NO-REF-DESIG 9711 (83315)	SPST.....	EA	7	*	*	*	*	*			5	32
PAOZZ	5930-615-7896	SWITCH, TOGGLE S13 MS25098-22 (81349)	SPST	EA	1	*	*	*	*	*			5	32
PAOZZ	5930-577-2523	SWITCH, TOGGLE MS25068-24 (81349)	S2.....	EA	1	*	*	*	*	*			5	S2
PAOZZ	5930-504-7107	SWITCH, TOGGLE 9641 (83315)	S10.....	EA	3	*	*	*	*	*			5	32
PAOZZ	5930-504-707	SWITCH, TOGGLE 9641 (83315)	S11	EA	REF	*	*	*	*	*			5	32
PADZZ	5930-504-7107	SWITCH, TOGGLE 9641 (83315)	S12.....	EA	REF	*	*	*	*	*			5	32
PAOZZ	6685-892-5669	THERMOMETER NO-REF-DESIG 26929 (15481)	F/BATTERY	EA	1	*	*	*	*	*			2	
PAOZZ	6683-793-9575	THERMOSTAT, FLOW CONTROL NO-REF-DESIG.... BIMETALLIC TYPE	H2727A (02688)	EA	3	*	*	*	*	*			2	58
PADZZ	5950-892-8208	TRANSFORMER, CURRENT 3CT11B (94118)	AAG,BYW,BYX	EA	1	*	*	*	*	*			3	63
PAOZZ	6625-883-4272	VOLTMETER MR36W150ACVVR (81349)	NO-REF-DESIG.....	EA	1	*	*	*	*	*			3	63
PAFZZ	6145-635-3740	CABLE ASSEMBLY GROUPNO-REF-DESIG .	ZZZZZZZZZZZZZZZZZ (ZZZZZ)	EA	1	*	*	*	*	*			5	
PAFZZ		CABLE, POWER, ELECTRIC (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 276 FT)	NO-REF-DESIG F-..	EA	276	*	*	*	*	*			5	3
PAFZZ	6145-537-3713	C002HGF2-80800 (81349)	AAG,BYW,BYX	FT	8	*	*	*	*	*			5	
PAFZZ	6145-643-0053	CABLE, POWER, ELECTRICAL F/FABRICATING CX 4762U (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 8 FT)	NO-REF-DESIG F-	FT	202	*	*	*	*	*			5	
PAFZZ		C002HGF2-18SJ040* 0 (81349)	AAG,BYW,BYX											
PAFZZ	6145-643-0053	CABLE, POWER ELECTRICAL, NO-REF-DESIG.... F/FABRICATING CD 409 (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 202 FT)												
		C002HGF2-18ST083* 0 (81349)	AAG,BYW,BYX											

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAFZZ	6145-545-7148	CABLE TELEPHONE NO-REF-DESIG F-..... FABRICATING CX-2584A/U 27 PR NO. 24 AWG(AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 3032 FT) SMB183218 (80063) AAG,BYW,BYX	EA	3032	*	*	*	*	*	*		5		
PAFZZ	5935-201-8924	CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG P-O CX-2584A/U 104 RD CONT 52 MALE, 52 FEMALE	EA	128	3	*	*	*	*	*		3		
PAFZZ	5935-201-8910	CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG P-O CX-3692/U, CD-409, CX-4845/U 2 CONT SMB143121 (80063) AAG,BYW,BYX	EA	31	*	*	*	*	*	*		3	3	
PAFZZ	5935-173-8682	CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG P-O CX-4762/U 2 FEMALE CONT SMB143101 (80063) AAG,BYW,BYX	EA	4	*	*	*	*	*	*		3		
PAFZZ	5935-231-1169	CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG P/O CO 409 2 CURVED MALE CONT HC11476 (83315) AAG,BYW,BYX	EA	5	*	*	*	*	*	*		3		
PAFZZ	5307-527-5753	SCREW, MACHINE NO-REF-DESIG FASTENS..... RETAINING CUP P/O CONN F/CX 2584A/U A3873-15 (09922) AAG,BYW,BYX	EA	256	*	*	*	*	*	*		5		
PAFZZ	5307-532-3287	STUD, EXTENSION NO-REF-DESIG SECURES..... PLUG TO RECEPTACLE P-O CONN FOR CX- 2584A/U	EA	256	*	*	*	*	*	*		2		
PAFZZ	5940-187-5056	403-94-22-168 (71785) AAG,BYW,BYX TERMINAL NO-REF-DESIG P/O CX 4845/U.... TM200 (ZZZZZ) AAG,BYW,BYX	EA	2	*	*	*	*	*	*		3		
PAFZZ	5310-527-5768	WASHER, FLAT NO-REF-DESIG U-W SPRING F- EXTENSION STUD P-O CONN F-X-2584A/U 600-17893-4 (71785) AAG,BYW,BYX	EA	256	*	*	*	*	*	*		5		
PAOZZ	6625-752-8464	AMMETER NO-REF- DESIG 60 CYC 0-100 CW.. MR36W100ACAAR (81349) AAG,BYY,BYZ	EA	1	*	*	*	*	*	*		3	5	
PAOZZ	4210-764-2905	AXE, PICK HEAD NO-REF-DESIG 3-½ LB,... 35 LG APPROX	EA	1	*	*	*	*	*	*		2	18	
PAOZZ	4210-727-8111	AXE, PICK HEAD NO-REF-DESIG 2-½ LB,... 27 LG APPROX	EA	1	*	*	*	*	*	*		2	6	
PAOZZ	6250-804-3449	GGGA926-1-1A (81348) AAG,BYY,BYZ BALLAST, LAMP NO-EF-DESIG..... F/FLUORESCENT	EA	28	*	*	-*	*	*	*		10	6	
PAOZZ	6350-295-1766	89G381 (24446) AAG,BYY,BYZ BELL, ELECTRICAL NO-REF-DESIG NIGHT.... ALARMS	EA	1	*	*	*	*	*	*		4		
PAOZZ	7920-291-8305	183246 (80063) AAG,BYY,BYZ BROOM, UPRIGHT NO-REF-DESIG.....	EA	1	*	*	*	*	*	*		10	18	
PAOZZ	7920-178-8315	HB51-2C (81346) AAG,BYY,BYZ BRUSH, DUSTING, BENCH NG-REF-DESIG.....	EA	1	*	*	*	*	*	*		10	18	
PAOZZ	6145-752-2562	HB190 (81348) AAG,BYY,BYZ CABLE, POWER, ELECTRICAL NO-REF-DESIG.... FOR HEATER 2 COND TYPE 65/.0063 S15325 (24446) AAG,BYY,BYZ	FT	18	*	*	*	*	*	*		5	58	
PAOZZ	6145-985-7704	CABLE, POWER, ELECTRICAL NO-REF-DESIG 2... CONTINUED	FT	6	*	*	*	*	*	*		5	60	

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
		CONTINUED												
PAOZZ	6145-752-2473	27 LG APPROX C002MGF2-16-0338 (81349) AAG,BYY,BYZ CABLE, POWER, ELECTRICAL NO-REF-DESIG 3. COND	FT	115	*	*	*	*	*	*			5	2
PAHZZ	6145-577-8480	2CA46608 (80063) AAG,BYY,BYZ CABLE, TELEPHONE NO-REF-DESIG USED WITH. CY-4566/G	FT	4030				*	*	*			5	2
PAOHD	5995-889-1500	WMI30AG (80058) AAG,BYY,BYZ CABLE ASSEMBLY, POWER, ELECTRICAL CX-... 7453/U NO-REF-DESIG 100 FT POWER CABLE	EA	1	*	*	*	*	*	*			5	2
PAOHD	5995-923-2619	CX7453U (80056) AAG,BYY,BYZ CABLE ASSEMBLY, TELEPHONE NO-REF-DESIG 2 COND APPROX 3 FT 7 IN LG O/A	EA	4	*	*	*	*	*	*			5	2
PAOZZ	6210-299-7107	SMC377563-2 (80063) AAG,BYY,BYZ CAP, LENS NO-REF-DESIG 15/16 IN DIA...	EA	1	*	*	*	*	*	*			3	
PAOZZ	6210-299-6064	52-993 (72619) AAG,BYY,BYZ CAP, LENS NO-REF-DESIG 5/16 IN DIA....	EA	1	*	*	*	*	*	*			3	
PAOZZ	6210-163-2614	52-991 (72600) AAG,BYY,BYZ CAP, LENS NO-REF-DESIG RED.....	EA	2	*	*	*	*	*	*			3	
PAOZZ	5910-553-6096	801413-31B (14100) AAG,BYY,BYZ CAPACITOR, FIXED, PAPER DIELECTRIC NO-... REF-DESIG F/FLUORESCENT 10,000 UUF PORM10PCT	EA	28	*	*	*	*	*	*			5	75
PAOZZ	5910-713-8313	591A (98569) AAG,BYY,BYZ CAPACITOR, FIXED, PAPER DIELECTRIC C1... 4 UF, PORM10PCT	EA	2	*	*	*	*	*	*			5	75
PAOZZ	5910-880-6898	P150F83 (24222) AAG,BYY CAPACITOR, FIXED, PAPER DIELECTRIC C1... F/FAN 1 SECT, 5 UF, PORM10PCT, 330 V	EA	2	*	*	*	*	*	*			5	60
PAOZZ	5925-818-4811	49F3319 (24446) AAG,BYZ CIRCUIT BREAKER CB1 AIR ARC QUENCHING..	EA	10	*	*	*	*	*	*			5	63
PAOZZ	5925-818-4811	Q0115 (88434) AAG,BYY,BYZ CIRCUIT BREAKER CB2 AIR ARC QUENCHING..	EA	REF	*	*	*	*	*	*			5	CB2
PAOZZ	5925-818-4811	Q0115 (88434) AAG,BYY,BYZ CIRCUIT BREAKER CB4 AIR ARC QUENCHING..	EA	REF	*	*	*	*	*	*			5	CB4
PAOZZ	5925-810-4811	Q0115 (88434) AAG,BYY,BYZ CIRCUIT BREAKER CB7 AIR ARC QUENCHING..	EA	REF	*	*	*	*	*	*			5	CB7
PAOZZ	5925-818-4811	Q0115 (88434) AAG,BYY,BYZ CIRCUIT BREAKER CB11 AIR ARC QUENCHING..	EA	REF	*	*	*	*	*	*			5	CB11
PAOZZ	5925-818-4811	Q0115 (88434) AAG,BYY,BYZ CIRCUIT BREAKER CB14 AIR ARC QUENCHING..	EA	REF	*	*	,	*	*	*			5	CB14
PAOZZ	5925-818-4811	Q0115 (88434) AAG,BYY,BYZ CIRCUIT BREAKER CB5 AIR ARC QUENCHING..	EA	REF	*	*	*	*	*	*			5	CB5
PAOZZ	5925-818-4811	Q0115 (88434) AAG,BYY,BYZ CIRCUIT BREAKER CB6 AIR ARC QUENCHING..	EA	REF	*	*	*	*	*	*			5	CB6
PAOZZ	5925-818-4811	Q0115 (88434) AAG,BYY,BYZ CIRCUIT BREAKER CB12 AIR ARC QUENCHING..	EA	REF	*	*	*	*	*	*			5	CB12
PAOZZ	5925-818-4811	Q0115 (88434) AAG,BYY,BYZ CIRCUIT BREAKER CB13 AIR ARC QUENCHING..	EA	REF	*	*	*	*	*	*			5	CB13
PAOZZ	5925-752-6642	Q0270 (88434) AAG,BYY,BYZ CIRCUIT BREAKER CBM1 AIR ARC QUENCHING..	EA	1	*	*	*	*	*	*			5	63

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAOZZ	5925-752-6642	CIRCUIT BREAKER CBM2 AIR ARC QUENCHING.. Q0270 (88434) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*		5		CBM2
PAOZZ	5925-823-2485	CIRCUIT BREAKER CB3 AIR ARC QUENCHING.. Q0-150 (88434) AAG,BYY,BYZ	EA	1	*	*	*	*	*	*		5	63	CB3
PAOZZ	5925-583-7941	CIRCUIT BREAKER CB8 AIR ARC QUENCHING.. Q0-120 (88434) AAG,BYY,BYZ	EA	3	*	*	*	*	*	*		5	63	C88
PAOZZ	5925-583-7941	CIRCUIT BREAKER CB10 AIR ARC QUENCHING.. Q0-120 (88434) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*		5		CB10
PAOZZ	5925-583-7941	CIRCUIT BREAKER CB9 AIR ARC QUENCHING.. Q0-120 (88434) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*		5		CB9
PAOZZ	5930-734-5202	CIRCUIT BREAKER NO-REF-DESIG FOR HEATER. 10172H334A (86022) AAG,BYY,BYZ	EA	3	*	*	*	*	*	*		5	63	
PAOZZ	6645-950-8599	CLOCK NO-REF-DESIG MIL-C-3946 M2..... AN5743L2 (81350) AAG,BYZ	EA	2	*	*	*	*	*	*		5	38	
PAOZZ	6645-892-4369	CLOCK, WALL NO-REF-DESIG TYPE A..... P642 (11755) AAG,BYY	EA	2	*	*	*	*	*	*		4	38	
PAHZZ	5935-045-9830	CONNECTOR, PLUG, ELECTRICAL U-185B/G NO-. REF-DESIG 26 PAIR U1858G (80058) AAG,BYY,BYZ	EA	34	*	*	*	*	*	*		3	38	
PAOZZ	5935-518-9653	CONNECTOR, PLUG, ELECTRICAL UP-120/N NO-. REF-DESIG F/HEATER UP120M (80058) AAG,BYZ	EA	3	*	*	*	*	*	*		3	28	
PAOZZ	5935-429-5511	CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG. F/HEATER 2 COND 7102 (833151) AAG,BYY	EA	3	*	*	*	*	*	*		3	2	
PAOZZ	5935-149-3988	CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG. 2 COND 7545 (83315) AAG,BYY,BYZ	EA	1	*	*	*	*	*	*		3	2	
PAOZZ	5935-149-3985	CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG. 2 COND 9754 (83315) AAG,BYY,BYZ	EA	2	*	*	*	*	*	*		3	2	
PAOZZ	5935-064-5731	CONNECTOR, PLUG, ELECTRICAL U-237/G NO.. REF-DESIG U237G (80058) AAG,BYY,BYZ	EA	3	*	*	*	*	*	*		3	2	
PAOZZ	5935-045-9832	CONNECTOR, RECEPTACLE, ELECTRICAL U-187A/G NO-REF-DESIG U187AG (80058) AAG,BYY,BYZ	EA	66	*	*	*	*	*	*		3	16	
PAOZZ	5935-061-2042	CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF-DESIG 2 CONT 9768 (83315) AAG,BYY,BYZ	EA	1	*	*	*	*	*	*		3	16	
PAOZZ	5935-199-6675	CONNECTOR, RECEPTACLE, ELECTRICAL J69... QE8302 (15235) AAG,BYY,BYZ	EA	1	*	*	*	*	*	*		3	16	J69
PAOZZ	5935-764-5897	CONNECTOR, RECEPTACLE, ELECTRICAL J70... F/SPECIAL CIRCUITS QWLD10-194228-12* AAG,BYY,BYZ S(12143)	EA	1	*	*	*	*	*	*		3	16	J70
PAOZZ	5935-359-6025	CONNECTOR, RECEPTACLE, ELECTRICAL J72 2 CONT 9210 (83315) AAG,BYY,BYZ	EA	6	*	*	*	*	*	*		3	26	J72

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAOZZ	5935-359-6025	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9210 (83315) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*			3	J73
PAOZZ	5935-359-6025	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9210 (83315) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*			3	J74
PAOZZ	5935-359-6025	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9210 (83315) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*			3	J75
PAOZZ	5935-359-6025	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9210 (83315) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*			3	J76
PAOZZ	5935-359-6025	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9210 (83315) AAG,BIYY,BYZ	EA	REF	*	*	*	*	*	*			3	J77
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYY,BYZ	EA	13	*	*	*	*	*	*			3	26 J71
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*			3	J72
PADZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*			3	J80
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*			3	J81
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*			3	J82
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*			3	J83
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*			3	J84
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*			3	J85
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*			3	J86
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*			3	J87
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,IBYY,BYZ	EA	REF	*	*	*	*	*	*			3	J88
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 9200 (83315) AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*			3	J89
PAOZZ	5935-549-3562	CONNECTOR, RECEPTACLE, ELECTRICAL CONTINUED 9200 (83315) AAG,BYY,YZ,	EA	REF	*	*	*	*	*	*			3	

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.	
		CONTINUED													
PAOZZ	5935-064-5732	9200 (83315) AAG,BYY,BYZ CONNECTOR, RECEPTACLE,ELECTRICAL U-238/G J67	EA	2	*	*	*	*	*	*	*		3	16	J67
PAOZZ	5935-064-5732	U238G (44038) AAG,BYY,BYZ CONNECTOR, RECEPTACLE,ELECTRICAL U-238/G J68	EA	REF	*	*	*	*	*	*	*		3		J68
PAOZZ	7920-872-6062	U238G (44038) AAG,BYY,BYZ COVER, BROOM NO-REF-DESIG.....	EA	1	*	*	*	*	*	*	*		2	18	
PAOZZ	5805-764-5898	SMB379217 (80063) AAG,BYY,BYZ COVER, ELECTRICAL CONNECTORNO-REF-DESIG F/SPECIAL CIRCUITS RECEPTACLE	EA	1	*	*	*	*	*	*	*		2	7	
PAOZZ	5805-872-5703	QWLD10-350694-28 (12143) AAG,BYY,BYZ DOOR, FOLDING NO-REF-DESIG.....	EA	1	*	*	*	*	*	*	*		5	11	
PAOZZ	5120-752-8862	2F2385 (28996) AAG,BYY,BYZ EXTRACTOR, ECTRON TUBE NO-REF-DESIG.....	EA	1	*	*	*	*	*	*	*		3	18	
PAOZZ	5120-293-2692	ETP7 (95344) AAG,RYY,BYZ EXTRACTOR, ELECTRON TUBE NO-REF-DESIG....	EA	1	*	*	*	*	*	*	*		3	18	
PAOZZ	6210-855-9091	024-0129-00 (13499) AAG,BYY,BYZ FIXTURE, LIGHT NO-REF-DESIG .MTD IN.....	EA	10	*	*	*	*	*	*	*		5	32	
PACZZ	5920-284-6787	CEILING 9-5/8 LG X 5-1/2 DIA E24BM (99872) AAG,BYY TYPE.	EA	1	*	*	*	*	*	*	*		50		F1
PAOZZ	5920-686-0021	F02A250V5A (71400) AAG,BYY,BYZ FUSEHOLDER NO-REF-DESIG EXTRACTOR POST TYPE ACCOM 1 CARTRIDGEFUSE	EA	1	*	*	*	*	*	*	*		3	2	
PAOZZ	5120-776-9917	HKL (10133) AAG,BYY,BYZ GRIP, CABLE, JAW NO-REF-DESIG.....	EA	6	*	*	*	*	*	*	*		3	2	
PAOZZ	5120-776-9918	EQA6-8P (95344) AAG,BYY,BYZ GRIP, CABLE, JAW NO-REF-DESIG	EA	94	*	*	*	*	*	*	*		3		
PAOZZ	5120-251-4489	EQA26S (95344) AAG,BYY,BYZ HAMMER, HAND NO-REF-DESIG 8 LB TYPF SA, CLASS 2	EA	1	*	*	*	*	*	*	*		2	28	
PAOZZ	4540-404-9232	GGGH86 (81348) AAG,BYY,BYZ HEATING ELEMENT, ELECTRICAL NO-REF-DESIG. FOR HEATER	EA	3	*	*	*	*	*	*	*		5	28	
PAOZZ	4540-174-4585	3954E (15605) AAG,BYY,BYZ HEATING ELEMENT, ELECTRICAL NO-REF-DESIG. FOR HEATER	EA	5	*	*	*	*	*	*	*		5	32	
PAOZZ	4520-792-8398	PT512 (65586) AAG,BYY,BYZ IMPELLER, FAN. AXIAL NO-REF-DESIG FOR...	EA	3	*	*	*	*	*	*	*		5	61	
PAOZZ	4140-855-9079	20 (60399) AAG,BYY,BYZ IMPELLER, FAN, AXIAL NO-REF-DESIG 5.....	EA	2	*	*	*	*	*	*	*		5	38	
PAOZZ	5935-192-4826	BLADES CW 12706-1 (82877) AAG,BYY JACK, TELEPHONE NO-REF-DESIG CONT ARR J1 JJ086 (81349)	EA	4	*	*	*	*	*	*	*		3	67	
PAOZZ	5120-198-5410	KEY, SOCKET HEADSCREW NO-REF-DESIG.....	EA	1	*	*	*	*	*	*	*		5	35	
		316L (96155) AAG,BYY,BYZ													

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.	
PAOZZ	5120-198-5413	KEY, SOCKET HEADSCREW NO-REF-DESIG..... 532L (96155) AAG,BYY,BYZ	EA	1	*	*	*	*	*	*			3	5	
PAOZZ	6210-665-5376	KNOB NO-REF-DESIG FOR FUSEHOLDER BAYONET TYPE	EA	1	*	*	*	*	*	*			3	58	
PACZZ	6240-155-7786	6279-1-2 (10133) AAG,BYY,BYZ LAMP LM-35 NO-REF-DESIG F/LANTERN 2.4. V, 0.5 AMP	EA	1	*	*	*	*	*	*			100	6	
PACZZ	6240-152-2996	LM35 (80058) AAG,BYY,BYZ LAMP, FLUORESCENT NO-REF-DESIG..... F20T12CW (58854) AAG,BYY,BYZ	EA	28	*	*	*	*	*	*			20	6	
PACZZ	6240-223-9100	LAMP, GLOW NO-REF-DESIG 1/25 W 65 V AC NE51 (24446) AAG,BYY,BYZ	EA	2	*	*	*	*	*	*			10	6	
PACZZ	6240-179-1814	LAMP, GLOW 1 1/4 W 65 V AC..... NE45 (81349) AAG,BYY,BYZ	EA	16	*	*	*	*	*	*			10	6	I46
PACZZ	6243-179-1814	LAMP, GLOW 160 1/4 W 65 V AC	EA	REF	*	*	*	*	*	*			10	6	I60
PACZZ	6240-179-1816	NE45 (81349) AAG,BYY,BYZ LAMP, GLOW 144.....	EA	1	*	*	*	*	*	*			10	6	I44
PACZZ	6240-153-6517	LAMP, INCANDESCENT NO-REF-DESIG FOR INFO TURRET 4BV	EA	2	*	*	*	*	*	*			50	6	
PACZZ	6240-143-3070	801374-48B2 (14100) AAG,BYY,BYZ LAMP, INCANDESCENT NO-REF-DESIG.....	EA	1	*	*	*	*	*	*			50	6	
PACZZ	6240-044-6914	50ARS (24446) AAG,BYY,BYZ LAMP, INCANDESCENT NO-REF-DESIG..... F/EMERGENCY LIGHT, TRADE NO. 1683	EA	5	*	*	*	*	*	*			50	6	
PAOZZ	6250-158-8918	WL111B1693 (81348) AAG,BYY,BYZ LAMPHOLDER DS45 CANDELABRA SCREW BASE..	EA	1	*	*	*	*	*	*			5	32	DS45
PAOZZ	6250-782-9040	6-08 (72619) AAG,BYY,BYZ LAMPHOLDER DS46 F/GLOW LAMPS 125 V, 75. W	EA	15	*	*	*	*	*	*			5	32	DS46
PAOZZ	6250-782-9040	4-74-18 (95263) AAG,BYY,BYZ LAMPHOLDER DS60 F/GLOW LAMPS 125 V, 75. W	EA	REF	*	*	*	*	*	*			5		DS60
PAOZZ	6250-299-6093	4-74-18 (95263) AAG,BYY,BYZ LAMPHOLDER NO-REF-DESIG..... 2937 (83315) AAG,BYY,BYZ	EA	28	*	*	*	*	*	*			5	32	
PAOZZ	6250-299-6697	LAMPHOLDER NO-REF-DESIG..... 2943 (83315) AAG,BYY,BYZ	EA	28	*	*	*	*	*	*			5	32	
PAOZZ	6250-892-4365	LAMPHOLDER DS44..... 9062 (75582) AAG,BYY,BYZ	EA	1	*	*	*	*	*	*			5	32	DS44
PAOZZ	6230-729-9614	LANTERN, ELECTRIC NO-REF-DESIG..... 2106-7 (32572) AAG,BYY,BYZ	EA	1	*	*	*	*	*	*			10	17	
PAOZZ	4940-752-2525	LEAD, ELECTRICAL NO-REF-DESIG FOR GRD... STRAP	EA	2	*	*	*	*	*	*			2	2	
PAOHD	6625-615-5385	SMB352166 (80063) AAG,BYY,BYZ LIGHT, EXTENSION NO-REF-DESIG 25 FT LG.	EA	1	*	*	*	*	*	*			3	2	
PAOZZ	6210-238-2766	506KS25-16-2SJ (79409) AAG,BYY,BYZ LIGHT, INDICATOR NO-REF-DESIG RED.....	EA	1	*	*	*	*	*	*			5		
DAOZZ		52408H991 (72619) AAG,BYY,BYZ LIGHT, INDICATOR NO-REF-DESIG F/INFO..... TURRET 801421-13 (14100) AAG,BYY,BYZ	EA	2	*	*	*	*	*	*			5		

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.	
PAOZZ		LIGHT ASSEMBLY, INDICATOR NO-REF-DESIG... AMBER		EA	1	*	*	*	*	*	*		3		
PAFZZ	5935-752-8011	52408H933 (72619) AAG,BYY,BYZ MAINTENANCE KIT, ELECTRONIC EQUIPMENT NO-REF-DESIG FOR MAINTENANCE OF CONNECTOR, PLUG U-77/U		EA	1	*	*	*	*	*	*		10		
PAHZZ	5410-973-2936	SC868420 (80063) AAG,BYY,BYZ MAINTENANCE KIT, ELECTRONIC EQUIPMENT..... SHELTER MK-679 NO-REF-DESIG TO REPAIR PUNCTURES IN SHELTER SKIN, NOTE		EA	1				*	*	*		5		
PAODD	6105-560-5739	MOTOR, ALTERNATING CURRENT NO-REF-DESIG.. FOR HEATER 115 V, 60 CYC SINGLE PH		EA	3	*	*	*	*	*	*		3	58	
PAODD	6105-792-8384	5KSP51AL74 (24446) AAG,BYY,BYZ MOTOR, ALTERNATING CURRENT NO-REF-DESIG.. 115 V, 50-60 CYC, SINGLE PH		EA	2	*	*	*	*	*	*		3	60	
PAOZZ	5340-984-5499	23396-01 (82877) AAG,BYY PADLOCK SET NO-REF-DESIG 3 PADLOCKS.... WITH CHAIN		EA	1	*	*	*	*	*	*		2		
PAOZZ	5940-553-2581	1742C (81741) AAG,BYY,BYZ POST, BINDING U-106/U NO-REF-DESIG.....		EA	26	*	*	*	*	*	*		1	16	
PAOZZ	5940-823-1804	U106U (80058) AAG,BYY,BYZ POST, BINDING NO-REF-DESIG.....		EA	6	*							1	16	
PAOZZ	5945-615-7738	SCC136011-3 (80063) AAG,BYY,BYZ RELAY, SWITCH K1 DPDT		EA	1	*	*	*	*	*	*		5	75	K1
PAFZZ	5410-771-3354	REPAIR KIT, ELECTRONIC EQUIPMENT SHELTER MK-681/G NO-REF-DESIG TO REPAIR PUNCTURES TO SHELTER SKIN, NOTE		EA	1	*	*	*	*	*	*		5		
PAOZZ	5905-252-5428	SMC21007-1 (80063) AAG,BYY,BYZ RESISTOR, FIXED, COMPOSITION R1 68 OHM PORM10PCT		EA	2	*	*	*	*	*	*		3	R1	
PAOZZ	5905-252-5428	RC20GF680K (81349) AAG,BYY,BYZ RESISTOR, FIXED, COMPOSITION R2 68 OHM PORM10PCT		EA	REF	*	*	*	*	*	*		3	R2	
PAOZZ		RC20GF680K (81349) AAG,BYY,BYZ RETAINER, LAMP FLUORESCENT NO-REF-DESIG.. HOLDS LAMPS IN SOCKETS		EA	56	*	*	*	*	*	*		3	32	
PAOZZ	5975-224-5260	P40M4CW10b226 (83301) AAG,BYY,BYZ ROD, GROUND MX-148/G NO-REF-DESIG.....		EA	2	*	*	*	*	*	*		3	18	
PAOZZ	6210-754-8134	MXI48G (80058) AAG,RYY,BYZ SHIELD, LIGHT NO-REF-DESIG.....		EA	28	*	*	*	*	*	*		5	32	
PAOZZ	5210-855-9077	SMC349983 (80063) AAG,BYY,BYZ SPIRIT LEVEL ASSEMBLY NO-REF-DESIG FOR.. LEVELING VAN INCL LEVEL AND L BKT		EA	4	*	*	*	*	*	*		5	32	
		SMC377560 (80063) AAG,BYY,BYZ													

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PACZZ	6250-299-2884	STARTER, FLUORESCENT LAMP NO-REF-DESIG... FS2 (71183)	AAG,BYY,BYZ	EA	28	*	*	*	*	*	*	10	6	
PAOZZ	5340-857-1424	STRAP, RETAINING NO-REF-DESIG HOLDS..... CABLE IN CRADLE CLAMPS NEOPRENE 1-1/16 IN LG, 15/16 IN W, 3/32 IN D N1 (06229)	AAG,BYY,BYZ	EA	479	*	*	*	*	*	*	2	2	
PAOZZ	5975-705-5841	STRAP, RETAINING NO-REF-DESIG HOLDS..... CABLES IN CRADLE CLAMPS NEOPRENE 1-5/8 LG X 1W X 1/8 THK N3 (06229)	AAG,BYY,BYZ	EA	221	*	*	*	*	*	*	2	2	
PAOZZ	5340-884-9983	STRAP, RETAINING NO-REF-DESIG SECURES..... CABLES TO CRADLE CLAMPS 3.179 LG X 1 W X 0.135 THK N7 (06229)	AAG,BYY,BYZ	EA	14	*	*	*	*	*	*	2	2	
PAOZZ	5840-900-0418	STRAP, WEBBING NO-REF-DESIG FDC1730-58-3 (98313)	AAG,BYY,BYZ	EA	34	*	*	*	*	*	*	2	2	
PAOZZ	5340-823-5235	STRAP, WEBBING NO-REF-DESIG IN W FDC1730-65-2 (98313)	AAG,BYY,BYZ	EA	100	*	*	*	*	*	*	2	2	
PAOZZ	5340-823-5232	STRAP, WEBBING NO-REF-DESIG IN W FDC1730-58-1 (98313)	AAG,BYY,BYZ	EA	18	*	2	*	*	*	*	2	2	
PAOZZ	5340-823-5233	STRAP, WEBBING NO-REF-DESIG IN W FDC1730-57-3 (98313)	AAG,BYY,BYZ	EA	2	*	*	*	*	*	*	2	2	
PAOZZ	5340-823-5234	STRAP, WEBBING N-REF-DESIG IN W FOC1730-58-2 (98313)	AAG,BYY,BYZ	EA	2	*	*	*	*	*	*	2	2	
PAOZZ	5340-823-5236	STRAP, WEBBING NO-REF-DESIG IN W FDC1730-57-1 (98313)	AAG,BYY,BYZ	EA	1	*	*	*	*	*	*	2	2	
PAOZZ	5930-823-0827	SWITCH, LEVER SI USED ON INFO TURRET.. ASSY 4 IN LG X 1-11/16 IN H X 5/8 IN W CODE 175-B 206790-000 (14100)	AAG,BYY,BYZ	EA	2	*	*	*	*	*	*	5	2	S1
PAOZZ	5930-823-0827	SWITCH, LEVER S2 USED ON INFO TURRET ASSY 4 IN LG X 1-11/16 IN H X 5/8 IN W CODE 175-B 206790-000 (14100)	AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*	5		S2
PAOZZ	5930-855-9058	SWITCH, SENSITIVE S16 DTF2-2RQ9RH (91929)	AAG,BYY,BYZ	EA	1	*	*	*	*	*	*	5	32	S16
PAOZZ	5930-682-0508	SWITCH, SENSITIVE S17 DPST	AAG,BYY,BYZ	EA	1	*	*	*	*	*	*	5	32	S17
PAOZZ	5930-823-0797	SWITCH, SENSITIVE S14 BZE6-2RQ81 (91929)	AAG,BYY,BYZ	EA	3	*	*	*	*	*	*	5	32	S14
PAOZZ	5930-823-0797	SWITCH, SENSITIVE S15 BZE6-2RQ81 (91929)	AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*	5		S15
PAOZZ	5930-823-0797	SWITCH, SENSITIVE S18 BZE6-2RQ81 (91929)	AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*	5		S18
PAOZZ	5930-504-9923	SWITCH, TOGGLE NO-REF-DESIG 7563K4 (80058)	DPTD	AAG,BYY,BYZ	EA	3	*	*	*	*	*	5	32	

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.	
PAOZZ	5930-615-9376	SWITCH, TOGGLE S1 MS3505c—21 (81349)	DPDT..... AAG,BYY,BYZ	EA	1	*	*	*	*	*	*		5	32	S1
PAOZZ	5930-655-1575	SWITCH, TOGGLE S2 MS35059-22 (81349)	DPDT..... AAG*BYY,BYZ	EA	2	*	*	*	*	*	*		5	32	S2
PAOZZ	5930-655-1575	SWITCH, TOGGLE S19 MS35059-22 (81349)	DPDT..... AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*		5		S19
PAOZZ	5930-615-7896	SWITCH, TOGGLE S13 MS25098-22 (81349)	SPST..... AAG,BYY,BYZ	EA	3	*	*	*	*	*	*		5	32	S13
PAOZZ	5930-615-7896	SWITCH, TOGGLE S20 MS25098-22 (81349)	SPST..... AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*		5		S20
PAOZZ	5930-615-7896	SWITCH, TOGGLE S21 MS25098-22 (81349)	SPST..... AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*		5		S21
PAOZZ	5930-504-7107	SWITCH, TOGGLE S10 9641 (83315)	SPST..... AAG,BYY,BYZ	EA	2	*	*	*	*	*	*		5	32	S10
PAOZZ	5930-504-7107	SWITCH, TOGGLE S12 9641 (83315)	SPST..... AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*		5		S12
PAOZZ	5930-636-4014	SWITCH, TOGGLE 9711 (83315)	S3..... AAG,BYY,BYZ	EA	8	*	*	*	*	*	*		5	32	S3
PAOZZ	5930-636-4014	SWITCH, TOGGLE 9711 (83315)	S4..... AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*		5		S4
PAOZZ	5930-636-4014	SWITCH, TOGGLE 9711 (83315)	S5..... AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*		5		S5
PAOZZ	5930-636-4014	SWITCH, TOGGLE 9711 183315)	S6..... AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*		5		S6
PAOZZ	5930-636-4014	SWITCH, TOGGLE 9711 (83315)	S7..... AAGOBYY,BYZ	EA	REF	*	*	*	*	*	*		5		S7
PAOZZ	5930-636-4014	SWITCH, TOGGLE 9711 (83315)	S8..... AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*		5		S8
PAOZZ	5930-636-4014	SWITCH, TOGGLE 9711 (83315)	S9..... AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*		5		S9
PAOZZ	5930-636-4014	SWITCH, TOGGLE 9711 (83315)	S11..... AAG,BYY,BYZ	EA	REF	*	*	*	*	*	*		5		S11
PAOZZ	6680-793-9575	THERMOSTAT, FLOW CCNT ROL NO-REF-DESIG.... BIMETALLIC TYPE H2727A (02688)	AAG,BYY,BYZ	EA	3	*	*	*	*	*	*		2	58	
PAOZZ	5950-892-8208	TRANSFORMER, CURRENT 3CT11B (94118)	T1..... AAR,BYY,BYZ	EA	1	*	*	*	*	*	*		3	63	T1
PAOZZ	6625-883-4272	VOLTmeter NO-REP-DESIG..... MR36WI50ACVVR (81349)	AAG,BYY,BYZ	EA	1	*	*	*	*	*	*		3	63	
PAFZZ	5935-259-9828	ADAPTER CABLE To CONNECTOR NO-REF-DESIG.. U/W CX-3694/U 1/2 IN CABLE OPENING	AAG,BYY,BYZ	EA	18	*	*	*	*	*	*		4	3	
PAFZZ	6145-635-3740	CABLE, POWER, ELECTRICAL NO-REF-DESIG..... F/FABRICATING CX-3692/U AND CX-4845/U (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 90 FT)	AAG,BYY,BYZ	EA	90	*	*	*	*	*	*		5	3	
PAFZZ	6145-537-3713	CABLE, POWER, ELFCTRICAL NO-REF-DESIG..... F/FABRICATING CX-4762/U (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A CONTINUED	AAG,BYY,BYZ	EA	129	*	*	*	*	*	*		5		

SECTION II

TM11-5805-288-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
		CONTINUED 3CT11B (94118) C002HGF2-18SJ040* 0 (81349)		AAG,BYY,BYZ AAG,BYY,BYZ										
PAFZZ	6145-160-1844	CABLE, POWER, ELECTRICAL CO (81349)	NO-REF-DESIG.... AAG,BYY,BYZ	FT	50	*	*	*	*	*	*		5	
PAFZZ	6145-188-3650	CABLE, POWER, ELECTRICAL F/FABRICATING CD-413 (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 27 FT) 2 NO. 14 AWG COND.	NO-REF-DESIG.... SNEC (80058)	EA	27	*	*	*	*	*	*		5	
PAFZZ	6145-545-7148	CABLE, TELEPHONE F/FABRICATING CX-2584A/U (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 3540 FT) 27 PR NO. 24 AWG	NO-REF-DESIG..... AAG,BYY,BYZ	EA	3540	*	*	*	*	*	*		5	
PAFZZ	5935-201-8924	CONNECTOR, PLUG, ELECTRICAL P/O CX-2584A/U 104 RD CONT 52 MALE, 52 FEMALE	NO-REF-DESIG. AAG,BYY,BYZ	EA	536	*	*	*	*	*	*		3	
PAFZZ	5935-201-8910	CONNECTOR, PLUG, ELECTRICAL P/O CX-3692/U, CD-409, CX-4845/U 2 CONT	NO-REF-DESIG. AAG,BYY,BYZ	EA	8	*	*	*	*	*	*		3	3
PAFZZ	5935-173-8682	CONNECTOR, PLUG, ELECTRICAL P/O CX-4762/U 2 FEMALE CONT	NO-REF-DESIG. AAG,BYY,BYZ	EA	18	*	*	*	*	*	*		3	
PAFZZ	5935-644-9401	CONNECTOR, PLUG, ELECTRICAL P/O CX-3694/U 4 CONT	NO-REF-DESIG. AAG,BYY,BYZ	EA	18	*	*	*	*	*	*		3	
PAFZZ	5935-149-3563	MS3106A14S2SC (81349)	NO-REF-DESIG. AAG,BYY,BYZ	EA	8	*	*	*	*	*	*		3	
PAFZZ	5935-201-8474	CONNECTOR, PLUG, ELECTRICAL P/O CD-413 2 CURVED MALE CONT 7224 (83315)	NO-REF-DESIG. AAG,BYY,BYZ	EA	8	*	*	*	*	*	*		3	
PAFZZ	5307-527-5753	SCREW, MACHINE RETAINING CUP P/0 CONN F/CX-2584A/U	NO-REF-DESIG FASTENS..... AAG,BYY,BYZ	EA	1072	*	*	*	*	*	*		5	
PAFZZ	5307-532-3287	A3873-15 (71225)	NO-REF-DESIG STUD, EXTENSION NO-REF-DESIG PLUG TO RECEDTACLE	EA	1072	*	*	*	*	*	*		2	
PAFZZ	5310-527-5768	403-94-22-168 (71785) WASHER, PLAT NO-P¢F-DESIG F/EXTENSION STUD 600-17893-4 (71785)	U/W SPRING..... D/, CONN F/CX-2584A/1' AAG,BYY,BYZ	EA	1072	*	*	*	*	*	*		5	

**INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER**

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
4140-855-9079	38		5925-818-4811		CB11
4140-855-9079	61		5925-818-4811		CB12
4140-856-4501			5925-818-4811		CB13
4140-856-4501	32		5925-818-4811		CB14
4210-727-8111			5925-818-4811	63	CB1
4210-727-8111	6		5925-818-4811	63	CB2
4210-764-2905	5		5925-818-4811	63	CB4
4210-764-2905	18		5925-816-4811	63	CB5
4520-792-8398	61		5925-818-4811	63	CB11
4540-174-4585	32		5925-818-4811	63	CB12
4540-174-4585	58		5925-818-4811	63	CB13
4540-404-9232	28		5925-818-4811	63	CB14
4540-404-9232	58		5925-823-2485	63	CB3
4940-752-2525	2		5925-958-1665	63	CB7
5120-198-5410	35		5930-504-7107		S12
5120-198-5413	35		5930-504-7107	32	S10
5120-251-4489	18		5930-504-7107	32	S11
5120-251-4489	28		5930-504-7107	32	S12
5120-293-2692	18		5930-504-9923	32	
5120-752-8862	18		5930-577-2523		S2
5120-776-9917	2		5933-615-7896		S20
5120-776-9918			5939-615-7896		S21
5210-855-9077	32		5930-615-7896	32	S13
5307-527-5753			5930-615-9376	32	S1
5307-532-3287			5930-636-4014		S4
5310-527-5768			5930-636-4014		S5
5340-823-5232	2		5930-636-4014		S6
5340-823-5233	2		5930-636-4014		S7
5340-823-5234	2		5939-636-4014		S8
5340-823-5235	2		5939-636-4014		S9
5340-823-5236	2		5933-636-4014		S11
5340-823-5261	2		5930-636-4014	32	
5340-823-5262	2		5930-636-4014	32	S3
5340-857-1424	2		5930-655-1575		S19
5340-884-9983	2		5930-655-1575	32	S2
5340-984-5499			5930-655-1575	32	S24
5410-771-3354			5930-682-0508	32	S16
5410-792-6335			5930-682-0508	32	S17
			5930-682-0508	32	S18
5410-973-2936			5930-734-5202	63	
5805-034-0966			5930-738-8204		S20
5805-034-0969	50		5930-823-0797		S15
5805-034-0972	50		5930-823-0797		S18
5805-034-0973	4		5930-823-0797	32	S19
5805-034-0974	4		5930-823-0827		S2
5805-034-0975	50		5930-823-0827	2	S1
5805-764-5898	7		5930-823-0895		S21
			5930-855-9058	32	S16
5805-856-0797			5930-855-9058	32	S22
5805-856-6202	2		5935-045-9830		
5805-871-5703	11		5935-045-9830	38	
5805-871-5703	39		5935-045-9832	16	
5840-900-0418			5935-045-9832	19	
5840-900-0418	2		5935-061-2042	16	
5905-252-5428		R1	5935-064-5731	2	
5905-252-5428		R2	5935-064-5731	3	
5910-553-6096			5935-064-5732		J68
5910-553-6096	75		5935-064-5732	16	J67
5910-713-8313	75	C1	5935-964-5732	26	J67
5910-880-6898	60	C1	5935-064-5732	26	J68
5910-892-7496	61		5935-149-3563		
5920-284-6787		F1	5935-149-3985	2	
5920-686-0021	2		5935-149-3988	2	
5925-583-7941		CB9	5935-173-8682		
5925-583-7941		CB10	5935-192-4826	67	
5925-583-7941	63	CB6	5935-199-6675	16	J69
5925-583-7941	63	CB8	5935-199-6675	17	J69
5925-583-7941	63	CB9	5935-201-8474		
5925-682-4096	63	CB10	5935-201-8910	3	
5925-752-6642		CBM2	5935-201-8924		
5925-752-6642	63	CBM1	5935-231-1169		
5925-752-6642	63	CB15	5935-259-9828	3	
5925-818-4811		CB2	5935-283-2884		
5925-818-4811		CB4	5935-283-2950		
5925-818-4811		CB5	5935-359-6025		J73
5925-818-4811		CB6	5935-359-6025		J74
5925-818-4811		CB7	5935-359-6025		J75

SECTION IV**TM 11-5805-288-34P**

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5935-359-6025		J76	6145-752-2471	2	
5935-359-6025		J77	6145-752-2562	58	
5935-359-6025	17	J73	6145-823-2259		
5935-359-6025	17	J74	6145-985-7704	60	
5935-359-6025	17	J75	6210-163-2614		
5935-359-6025	17	J76	6210-238-2766		
5935-359-6025	17	J77	6210-299-6064		
5935-359-6025	17	J78	6210-299-7107		
5935-359-6025	17	J79	6210-665-5376	58	
5935-359-6025	26	J72	6210-754-8134		
5935-429-5511	2		6210-754-8134	32	
5935-429-5511	38		6210-855-9091	32	
5935-518-9653	28		6230-729-9614	17	
5935-549-3562		J78			
5935-549-3562		J79			
5935-549-3562		J80	6240-044-6914	6	
5935-549-3562		J81	6240-143-3070	6	
5935-549-3562		J82	6240-152-2996	6	
5935-549-3562		J83	6240-153-6517	6	
5935-549-3562		J84	6240-155-7786	6	
5935-549-3562		J85	6240-179-1814	T60	
5935-549-3562		J86	6240-179-1814	6	
5935-549-3562		J87	6240-179-1814	I46	
5935-549-3562		J88	6240-179-1816	I32	
5935-549-3562		J89	6240-179-1816	I33	
5935-549-3562	17	J71	6240-179-1816	I34	
5935-549-3562	17	J72	6240-179-1816	I44	
5935-549-3562	17	380	6240-223-9100	6	
5935-549-3562	17	J81	6250-158-8918	32	DS31
5935-549-3562	17	J82	6250-158-8918	32	DS45
5935-549-3562	17	J83	6250-299-2884	6	
5935-549-3562	17	J84	6250-299-6093	32	
5935-549-3562	17	J85	6250-299-6697	32	
5935-549-3562	17	J86	6250-752-1233	DS35	
5935-549-3562	17	J87	6250-752-1233	DS36	
5935-549-3562	17	J88	6250-752-1233	DS37	
5935-549-3562	17	J89	6250-752-1233	DS38	
5935-549-3562	26	J71	6250-752-1233	DS39	
5935-644-9401			6250-752-1233	DS40	
5935-752-2473	2		6250-752-1233	DS41	
5935-752-8011			6250-752-1233	DS42	
			6250-752-1233	DS43	
			6250-752-1233	DS44	
5935-764-5897	3	J70	6250-752-1233	DS45	
5935-764-5897	16	J70	6250-752-1233	DS46	
5935-764-5900			6250-752-1233	DS47	
5940-187-5056			6250-752-1233	D548	
5940-553-2581	16		6250-752-1233	DS49	
5940-823-1804	16		6250-782-9040	DS60	
5945-615-7738	75	K1	6250-782-9040	32	D546
5945-615-7738	75		6250-804-3449	6	
5950-892-8208	63		6250-892-4365	32	DS32
5965-892-3201	32		6250-892-4365	32	DS33
5975-224-5260	18		6250-892-4365	32	DS34
5975-705-5841	2		6250-892-4365	32	DS44
5995-823-2618	1		6350-295-1766		
5995-823-2619	2		6625-615-5385	2	
5995-823-2807	2		6625-752-8464	5	
5995-823-2955	2		6625-752-8464	41	
5995-889-1500	2		6625-883-4272	63	
5995-889-1500	3		6630-171-9572		
5995-985-8146	4		6645-892-4369	38	
6105-560-5739	58		6645-950-8599	38	
6105-792-8384	60		6680-793-9575	58	
6105-876-8624			6685-892-5669		
6145-160-1844			7920-178-8315		
6145-188-3650					
7920-178-8315	18				
6145-545-7148			7920-291-8305		
6145-577-8480			7920-291-8305	18	
6145-577-8480	2		7920-872-6062		
6145-635-3740	3		7920-872-6062	18	
6145-643-0053			8130-656-1090	18	

By Order of the Secretary of the Army:

Official:

VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution:

Active Army
 USASA (2)
 CNGB (1)
 ACSC-E (2)
 USAARENBD (2)
 USAMB (10)
 AMC (1)
 FORSCOM (5)
 ARADCOM (2)
 ARADCOM Rgn (2)
 OS Maj Comd (4)
 LOGCOMDS (5)
 MICOM (2)
 TECOM (2)
 USASTRATCOM (4)
 HISA (ECOM) (21)
 MDW (1)
 Armies (2)
 Corps (2)
 Svc Colleges (2)
 USASESS (5)
 USAADS (2)
 USAFAS (2)
 USAARMS (2)
 USAIS (2)
 USAES (2)
 USAINTS (3)
 USACDCEC (5)

USNG: None

USAR: None

For explanation of abbreviations used, see AR 310-50.

CREIGHTON W. ABRAMS
General, United States Army
Chief of Staff

Instl (2) except
 Fort Carson (10)
 Fort Huachuca (10)
 Fort Gordon (10)
 Ft Richardson (ECOM Ofc) (2)
 WSMR (2)
 Army Dep (2) except
 LBAD (14)
 SAAD (30)
 TOAD (14)
 ATAD (10)
 LEAD (7)
 USA Dep (2)
 Sig Sec USA Dep (2)
 Sig Dep (5)
 Sig FLDMS (1)
 USAERDAA (1)
 USAERDAW (1)
 MAAG (1)
 USARMIS (1)
 WRAMC (1)
 Units org under fol TOE:
 (1 copy each unit)
 11-158
 29-134
 29-136
 11-95

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



SOMETHING WRONG WITH PUBLICATION

*THEN...JOT DOWN THE
DOPE ABOUT IT ON THIS FORM.
CAREFULLY TEAR IT OUT, FOLD IT
AND DROP IT IN THE MAIL.*

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT PIN-POINT WHERE IT IS

IN THIS SPACE, TELL WHAT IS WRONG
AND WHAT SHOULD BE DONE ABOUT IT.

PAGE
NO.

PARA-
GRAPH

FIGURE
NO.

TABLE
NO.

PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER

SIGN HERE

DA FORM 1 JUL 79 2028-2

PREVIOUS EDITIONS
ARE OBSOLETE.

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR
RECOMMENDATION MAKE A CARBON COPY OF THIS
AND GIVE IT TO YOUR HEADQUARTERS.

The Metric System and Equivalents

Linear Measure

1 centimeter = 10 millimeters = .39 inch
 1 decimeter = 10 centimeters = 3.94 inches
 1 meter = 10 decimeters = 39.37 inches
 1 dekameter = 10 meters = 32.8 feet
 1 hectometer = 10 dekameters = 328.08 feet
 1 kilometer = 10 hectometers = 3,280.8 feet

Weights

1 centigram = 10 milligrams = .15 grain
 1 decigram = 10 centigrams = 1.54 grains
 1 gram = 10 decigram = .035 ounce
 1 decagram = 10 grams = .35 ounce
 1 hectogram = 10 decagrams = 3.52 ounces
 1 kilogram = 10 hectograms = 2.2 pounds
 1 quintal = 100 kilograms = 220.46 pounds
 1 metric ton = 10 quintals = 1.1 short tons

Liquid Measure

1 centiliter = 10 milliliters = .34 fl. ounce
 1 deciliter = 10 centiliters = 3.38 fl. ounces
 1 liter = 10 deciliters = 33.81 fl. ounces
 1 dekaliter = 10 liters = 2.64 gallons
 1 hectoliter = 10 dekaliters = 26.42 gallons
 1 kiloliter = 10 hectoliters = 264.18 gallons

Square Measure

1 sq. centimeter = 100 sq. millimeters = .155 sq. inch
 1 sq. decimeter = 100 sq. centimeters = 15.5 sq. inches
 1 sq. meter (centare) = 100 sq. decimeters = 10.76 sq. feet
 1 sq. dekameter (are) = 100 sq. meters = 1,076.4 sq. feet
 1 sq. hectometer (hectare) = 100 sq. dekameters = 2.47 acres
 1 sq. kilometer = 100 sq. hectometers = .386 sq. mile

Cubic Measure

1 cu. centimeter = 1000 cu. millimeters = .06 cu. inch
 1 cu. decimeter = 1000 cu. centimeters = 61.02 cu. inches
 1 cu. meter = 1000 cu. decimeters = 35.31 cu. feet

Approximate Conversion Factors

To change	To	Multiply by	To change	To	Multiply by
inches	centimeters	2.540	ounce-inches	Newton-meters	.007062
feet	meters	.305	centimeters	inches	.394
yards	meters	.914	meters	feet	3.280
miles	kilometers	1.609	meters	yards	1.094
square inches	square centimeters	6.451	kilometers	miles	.621
square feet	square meters	.093	square centimeters	square inches	.155
square yards	square meters	.836	square meters	square feet	10.764
square miles	square kilometers	2.590	square meters	square yards	1.196
acres	square hectometers	.405	square kilometers	square miles	.386
cubic feet	cubic meters	.028	square hectometers	acres	2.471
cubic yards	cubic meters	.765	cubic meters	cubic feet	35.315
fluid ounces	milliliters	29,573	cubic meters	cubic yards	1.308
pints	liters	.473	milliliters	fluid ounces	.034
quarts	liters	.946	liters	pints	2.113
gallons	liters	3.785	liters	quarts	1.057
ounces	grams	28.349	liters	gallons	.264
pounds	kilograms	.454	grams	ounces	.035
short tons	metric tons	.907	kilograms	pounds	2.205
pound-feet	Newton-meters	1.356	metric tons	short tons	1.102
pound-inches	Newton-meters	.11296			

Temperature (Exact)

°F	Fahrenheit temperature	5/9 (after subtracting 32)	Celsius temperature	°C

PIN: 028966-000