

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS (INCLUDING DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS) TERMINAL BOX TA-125/GT FSN 5805-538-0777

Headquarters, Department of the Army, Washington, D.C. 29 September 1973

Current as of February 1973

	Paragraph	Page
Section I. INTRODUCTION		
scope	1-1	2
General	1-2	2
Explanation of columns	1-3	2
Special information	1-4	4
Location of repair parts	1-5	4
Abbreviations (Not applicable)	1-6	4
Reporting of equipment publication improvements	1-7	4
II. PRESCRIBED LOAD ALLOWANCE (Not applicable)		
III. REPAIR PARTS LIST (Nonapplicable)		
IV. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
V. REPAIR PARTS LIST		6
VI. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER		
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER		13

*This manual supersedes SIG 7 & 8 TA-125/GT, 9 May 1957.

SECTION I INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of organizational, direct support, general support, and depot maintenance of the TA-125/GT. The PCCN for the TA-125/GT is GCW ABC for all models.

1-2. General

This repair parts and special tools list is divided into the following sections

a. Prescribed Load Allowance (PLA)-Section II. Not applicable.

b. Repair Parts List-Section III. Not applicable.

c. Special Tools, Test and Support Equipment — Section IV. Not applicable.

d. Repair Parts List—Section V. A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level.

e. Special Tools, Test and Support Equipment — Section VI. Not applicable.

f. Index-Federal Stock Number and Reference Number Cross-Reference to figure and Item Number-Section VII. A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphameric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are—

Code	Explanation
PA	Item procured and stocked for anticipated or known usage.
PB	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.

Code	Explanation
PD	Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
PE	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF	Support equipment which will not be stocked but which will be centrally procured on demand.
PG	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove unemnomical to reproduce at a later time.
KD	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB	Item included in both a depot overhaul/repair kit and a maintenance kit.
MO	Item to be manufactured or fabricated at organizational level.
MF	Item to be manufactured or fabricated at direct support maintenance level.
MH	Item to be manufactured or fabricated at general support maintenance level.
MD	Item to be manufactured or fabricated at depot maintenance level.
AO	Item to be assembled at organizational level.
AF	Item to be assembled at direct support maintenance level.
AH	Item to be assembled at general support maintenance level.
AD	Item to be assembled, at depot maintenance level.
XA	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB	Item is not procured or stocked. If not available through salvage, requisition.
XC	Installation drawing, diagram instruction

sheet, field service drawing, that is identified by manufacturers' part number.

XD - Support items can be requisitioned with justification.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance males are entered in the third and fourth positions of the Uniform SMR Code Format as follows—

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

Code

Application/Explanation

O – Support item is removed, replaced, used at the organizational level of maintenance.

NOTE

A code “C” may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

F – Support item is removed, replaced, used at the direct support maintenance level.

H – Support item is removed, replaced, used at the general support maintenance.

D – Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code—

Code

Application/Explanation

O – The lowest maintenance level capable of complete repair of the support item is the organizational level.

F – The lowest maintenance level capable of complete repair of the support item is direct support.

H – The lowest maintenance level capable of complete repair of the support item is general support.

D – The lowest maintenance level capable of complete repair of the support item is the depot level.

L – Repair restricted to designated Specialized Repair Activity.

Z – Non-repairable. No repair is authorized.

B – No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows—

Code

Explanation

Z – Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.

O – Repairable item. When uneconomically repairable, condemn and dispose at organizational level.

F – Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.

H – Repairable item. When uneconomically repairable, condemn and dispose at the general support level.

D – Repairable item When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.

L – Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.

A – Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. Federal Stock Number. Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description. Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government

agency, etc., and is identified in SB 708-42.

d. Unit of Measure (U/M). Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. Quantity Incorporated in Unit. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. 15-Day Organizational Maintenance Allowances. Not applicable.

g. 80-Day DS/GS Maintenance Allowances.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

h. 1-Year Allowances Per 100 Equipments/Contingency Planning Purposes. Column intentionally left blank.

i. Depot Maintenance Allowance Per 100 Equipments. This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

j. Illustration.

(1) *Figure number.* Not applicable.

(2) *Item number.* Indicates the item number or reference designation used to identify the item.

1-4. Special Information

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are -

<i>Code</i>	<i>Used on</i>
ABV	TA-125/GT

b. The following publications pertain to the TA-125/GT and its oomponents:

TM 11-2138 Terminal Box TA-125/GT, Telephone Repeating Coil Assembly TA-145/GT, Maintenance Kit MX-842/GT, and Switchboard Signal TA-123/GT.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec VII) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (see VII), and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (see III and V) and locate the figure number (col 7a-20P, 10a-34P) and item number or reference designation (col 7b-20P, 10b-34P) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 7a and 7b-20P and 10a and 10b-34P, of the repair parts list (sec III and V) until the item is located.

d. When the FSN, reference number, figure number, and item number are not known, scrutinize column 3 of the repair parts list (see III and V), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Change a to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CW, Fort Monmouth, NJ., 07703.

(Next printed page is 6)

SECTION V

(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)		
		DESCRIPTION			30-DAY DS MAINT ALLOWANCE			30-DAY GS MAINT ALLOWANCE			1-YR	DEPOT	ILLUSTRATION		
SMR	FEDERAL STOCK		UNIT	QTY	(A)	(B)	(C)	(A)	(B)	(C)	ALW PER	ALW PER	(A)	(B)	
CODE	NUMBER	REFERENCE NUMBER & MFR. CODE	OF	IN	1-20	21-50	51-100	1-20	21-50	51-100	EQUIP	EQUIP	FIGURE	ITEM	
		USABLE ON CODE	MEAS	UNIT							CNTGNCY	100	100	NO.	NO.
PAFZZ	6150-635-1383	BUS BAR NO-REF-DESIG PHOSPHOR BRONZE HALF HARD RECTANGULAR, 0.025 X 3-8 X 1- 1-16 LG O-A 6-61611 (14496)	EA	24	*	*	*	*	*	*				4	
PAFZZ	6150-635-1384	BUS BAR NO-REF-DESIG PHOSPHOR BRONZE HALF HARD RECTANGULAR, 0.025 X 3-8 1- 5-8 LG O-A 6-61612 (14496)	EA	24	*	*	*	*	*	*				4	
PAFZZ	5935-356-4720	JACK, TELEPHONE J1 SINGLE COND PLUG K6-1613 (14496)	EA	48	*	*	*	*	*	*				3	J1
PAFZZ	5935-356-4720	JACK, TELEPHONE J2 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J2
PAFZZ	5935-356-4720	JACK, TELEPHONE J3 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J3
PAFZZ	5935-356-4720	JACK, TELEPHONE J4 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J4
PAFZZ	5935-356-4720	JACK, TELEPHONE J5 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J5
PAFZZ	5935-356-4720	JACK, TELEPHONE J6 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J6
PAFZZ	5935-356-4720	JACK, TELEPHONE J7 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J7
PAFZZ	5935-356-4720	JACK, TELEPHONE J8 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J8
PAFZZ	5935-356-4720	JACK, TELEPHONE J9 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J9
PAFZZ	5935-356-4720	JACK, TELEPHONE J10 SINGLE COND PLUG K16-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J10
PAFZZ	5935-356-4720	JACK, TELEPHONE J11 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J11
PAFZZ	5935-356-4720	JACK, TELEPHONE J12 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J12
PAFZZ	5935-356-4720	JACK, TELEPHONE J13 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J13
PAFZZ	5935-356-4720	JACK, TELEPHONE J14 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J14
PAFZZ	5935-356-4720	JACK, TELEPHONE J15 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J15
PAFZZ	5935-356-4720	JACK, TELEPHONE J16 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J16
PAFZZ	5935-356-4720	JACK, TELEPHONE J17 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J17
PAFZZ	5935-356-4720	JACK, TELEPHONE J18 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J18
PAFZZ	5935-356-4720	JACK, TELEPHONE J19 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J19
PAFZZ	5935-356-4720	JACK, TELEPHONE J20 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J20
PAFZZ	5935-356-4720	JACK, TELEPHONE J21 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J21
PAFZZ	5935-356-4720	JACK, TELEPHONE J22 SINGLE COND PLUG K6-1613 (14496)	EA	REF	*	*	*	*	*	*				3	J22

SECTION V

(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)			
		DESCRIPTION		QTY	30-DAY DS MAINT			30-DAY GS MAINT			1-YR	DEPOT	ILLUSTRATION			
SMR	FEDERAL		UNIT	INC	ALLOWANCE	ALLOWANCE	ALLOWANCE	ALLOWANCE	ALLOWANCE	ALW PER	MAINT	(A)	(B)			
CODE	STOCK	REFERENCE NUMBER & MFR. CODE	OF	IN	(A)	(B)	(C)	(A)	(B)	EQUIP	100	FIGURE	ITEM			
	NUMBER		MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGCV	NO.	NO.			
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J23	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J23
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J24	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J24
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J25	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J25
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J26	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J26
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J27	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J27
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J28	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J28
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J29	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J29
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J30	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J30
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J31	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J31
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J32	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J32
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J33	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J33
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J34	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J34
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J35	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J35
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J36	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J36
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J37	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J37
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J38	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J38
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J39	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J39
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J40	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J40
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J41	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J41
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J42	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J42
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J43	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J43
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J44	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J44
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J45	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J45
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J46	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J46
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J47	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J47
PAFZZ	5935-356-4720	JACK, TELEPHONE K6-1613 (14496)	J48	SINGLE	COND	PLUG	EA	REF	*	*	*	*	*	*	3	J48

SECTION V

(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
	FEDERAL STOCK NUMBER	DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	UNIT OF MEAS	QTY INC IN UNIT	30-DAY DS MAINT ALLOWANCE (A) (B) (C)			30-DAY GS MAINT ALLOWANCE (A) (B) (C)			1-YR ALW PER EQUIP CNTGCV	DEPOT MAINT ALW PER EQUIP	(A) FIGURE NO.	(B) ITEM NO.
PAFZZ	5310-356-4283	NUT, PLAIN HEXAGON NO-REF-DESIG BRASS #1-4-28 NF-2 6-61622 (14496)	EA	48	*	*	*	*	*	*		3		
PAFZZ	5310-291-4046	NUT, SHEET SPRING NO-REF-DESIG U TYPE STEEL 7-16 LG X 13-64 THK FOR NO. 6 SHEET METAL SCREW A9222-621 (78553)	EA	8	*	*	*	*	*	*		3		
PAFZZ	5940-351-6993	POST BINDING E1 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	48	*	*	*	*	*	*		1		E1
PAFZZ	5940-351-6993	POST BINDING E2 C.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*		1		E2
PAFZZ	5940-351-6993	POST BINDING E3 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*		1		E3
PAFZZ	5940-351-6993	POST BINDING E4 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*		1		E4
PAFZZ	5940-351-6993	POST BINDING E5 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*		1		E5
PAFZZ	5940-351-6993	POST BINDING E6 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*		1		E6
PAFZZ	5940-351-6993	POST BINDING E7 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*		1		E7
PAFZZ	5940-351-6993	POST BINDING E8 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*		1		E8
PAFZZ	5940-351-6993	POST BINDING E9 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*		1		E9
PAFZZ	5940-351-6993	POST BINDING E10 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*		1		E10
PAFZZ	5940-351-6993	POST BINDING E11 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*		1		E11
PAFZZ	5940-351-6993	POST BINDING E12 0.90 X 0.120 DIA OF. CONTINUED	EA	REF	*	*	*	*	*	*		1		E12

SECTION V

(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
		DESCRIPTION		QTY	30-DAY DS MAINT			30-DAY GS MAINT			1-YR	DEPOT	ILLUSTRATION	
SMR	FEDERAL		UNIT	INC	ALLOWANCE	ALLOWANCE	ALLOWANCE	ALLOWANCE	ALLOWANCE	ALW PER	MAINT	ALW PER	(A)	(B)
CODE	STOCK	REFERENCE NUMBER & MFR. CODE	OF	IN	(A)	(B)	(C)	(A)	(B)	(C)	EQUIP	100	FIGURE	ITEM
	NUMBER	USABLE ON CODE	MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGCY	EQUIP	NO.	NO.
		CONTINUED												
		WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)												
PAFZZ	5940-351-6993	POST BINDING E13 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E13
PAFZZ	5940-351-6993	POST BINDING E14 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E14
PAFZZ	5940-351-6993	POST BINDING E15 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E15
PAFZZ	5940-351-6993	POST BINDING E16 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E16
PAFZZ	5940-351-6993	POST BINDING E17 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E17
PAFZZ	5940-351-6993	POST BINDING E18 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E18
PAFZZ	5940-351-6993	POST BINDING E19 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E19
PAFZZ	5940-351-6993	POST BINDING E20 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E20
PAFZZ	5940-351-6993	POST BINDING E21 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E21
PAFZZ	5940-351-6993	POST BINDING E22 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E22
PAFZZ	5940-351-6993	POST BINDING E23 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E23
PAFZZ	5940-351-6993	POST BINDING E24 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E24

SECTION V

(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
		DESCRIPTION			30-DAY DS MAINT ALLOWANCE			30-DAY GS MAINT ALLOWANCE			1-YR	DEPOT	ILLUSTRATION	
SMR	FEDERAL STOCK		UNIT	QTY	(A)	(B)	(C)	(A)	(B)	(C)	ALW PER	ALW PER	(A)	(B)
CODE	NUMBER	REFERENCE NUMBER & MFR. CODE USABLE ON CODE	OF	IN	1-20	21-50	51-100	1-20	21-50	51-100	100	100	FIGURE	ITEM
			MEAS	UNIT							EQUIP	EQUIP	NO.	NO.
PAFZZ	5940-351-6993	POST BINDING E25 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 61-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E25
PAFZZ	5940-351-6993	POST BINDING E26 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E26
PAFZZ	5940-351-6993	POST BINDING E27 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E27
PAFZZ	5940-351-6993	POST BINDING E28 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E28
PAFZZ	5940-351-6993	POST BINDING E29 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E29
PAFZZ	5940-351-6993	POST BINDING E30 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E30
PAFZZ	5940-351-6993	POST BINDING E31 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E31
PAFZZ	5940-351-6993	POST BINDING E32 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E32
PAFZZ	5940-351-6993	POST BINDING E33 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E33
PAFZZ	5940-351-6993	POST BINDING E34 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E34
PAFZZ	5940-351-6993	POST BINDING E35 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E35
PAFZZ	5940-351-6993	POST BINDING E36 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E36
PAFZZ	5940-351-6993	POST BINDING E37 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E37

SECTION V

(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
		DESCRIPTION		QTY	30-DAY DS MAINT ALLOWANCE			30-DAY GS MAINT ALLOWANCE			1-YR	DEPOT	ILLUSTRATION	
SMR	FEDERAL		UNIT	INC	(A)	(B)	(C)	(A)	(B)	(C)	ALW PER	ALW PER	(A)	(B)
CODE	STOCK	REFERENCE NUMBER & MFR. CODE	OF	IN	1-20	21-50	51-100	1-20	21-50	51-100	EQUIP	100	FIGURE	ITEM
	NUMBER	USABLE ON CODE	MEAS	UNIT							CNTGCV	EQUIP	NO.	NO.
PAFZZ	5940-351-6993	POST BINDING E38 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E38
PAFZZ	5940-351-6993	POST BINDING E39 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E39
PAFZZ	5940-351-6993	POST BINDING E40 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E40
PAFZZ	5940-351-6993	POST BINDING E41 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E41
PAFZZ	5940-351-6993	POST BINDING E42 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E42
PAFZZ	5940-351-6993	POST BINDING E43 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E43
PAFZZ	5940-351-6993	POST BINDING E44 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E44
PAFZZ	5940-351-6993	POST BINDING E45 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E45
PAFZZ	5940-351-6993	POST BINDING E46 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E46
PAFZZ	5940-351-6993	POST BINDING E47 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E47
PAFZZ	5940-351-6993	POST BINDING E48 0.90 X 0.120 DIA OF. WIRE HOLE TWO PARALLEL MARKS SCORED ACROSS TOP 5-8 LG 6-61606 (14496)	EA	REF	*	*	*	*	*	*			1	E48
PAFZZ	3010-360-8278	SCREW, TAPPING, THREAD FORMING NO-REF DESIG SLOT DRIVE FLAT HEAD 0.137 IN DIA 5-8 IN LG Z6-5-8 (45722)	EA	8	*	*	*	*	*	*			5	
PAFZZ	5930-351-7129	SWITCH, ROTARY S1 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	24	*	*	*	*	*	*			5	S1
PAFZZ	5930-351-7129	SWITCH, ROTARY S2 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*			5	S2

SECTION V

(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
	FEDERAL STOCK	DESCRIPTION	UNIT OF MEAS	QTY INC IN UNIT	30-DAY DS MAINT ALLOWANCE			30-DAY GS MAINT ALLOWANCE			1-YR ALW PER 100 EQUIP	DEPOT MAINT ALW PER 100 EQUIP	ILLUSTRATION	
SMR CODE	NUMBER	REFERENCE NUMBER & MFR. CODE USABLE ON CODE			(A)	(B)	(C)	(A)	(B)	(C)	CNTGCT		(A) FIGURE NO.	(B) ITEM NO.
PAFZZ	5930-351-7129	SWITCH, ROTARY S3 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S3
PAFZZ	5930-351-7129	SWITCH, ROTARY S4 DPST 7-8 X 7-8 IN. K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S4
PAFZZ	5930-351-7129	SWITCH, ROTARY S5 DPST 7-8 X 7-8 IN. K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S5
PAFZZ	5930-351-7129	SWITCH, ROTARY S6 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S6
PAFZZ	5930-351-7129	SWITCH, ROTARY S7 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S7
PAFZZ	5930-351-7129	SWITCH, ROTARY S8 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S8
PAFZZ	5930-351-7129	SWITCH, ROTARY S9 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S9
PAFZZ	5930-351-7129	SWITCH, ROTARY S10 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S10
PAFZZ	5930-351-7129	SWITCH, ROTARY S11 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S11
PAFZZ	5930-351-7129	SWITCH, ROTARY S12 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S12
PAFZZ	5930-351-7129	SWITCH, ROTARY S13 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S13
PAFZZ	5930-351-7129	SWITCH, ROTARY S14 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S14
PAFZZ	5930-351-7129	SWITCH, ROTARY S15 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S15
PAFZZ	5930-351-7129	SWITCH, ROTARY S16 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S16
PAFZZ	5930-351-7129	SWITCH, ROTARY S17 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S17
PAFZZ	5930-351-7129	SWITCH, ROTARY S18 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S18
PAFZZ	5930-351-7129	SWITCH, ROTARY S19 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S19
PAFZZ	5930-351-7129	SWITCH, ROTARY S20 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S20
PAFZZ	5930-351-7129	SWITCH, ROTARY S21 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S21
PAFZZ	5930-351-7129	SWITCH, ROTARY S22 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S22
PAFZZ	5930-351-7129	SWITCH, ROTARY S23 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		S23
PAFZZ	5930-351-7129	SWITCH, ROTARY S24 DPST 7-8 X 7-8 IN K6-1616 (14496)	EA	REF	*	*	*	*	*	*		5		
XBFZZ		WASHER, LOCK NO-REF-DESIG RD. 0.256 ID X 15-32 OD X 0.262 IN THK 1214-12 (78189)	EA	48										

SECTION VII

INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
3010-360-8278			5935-356-4720		J37
5310-291-4046			5935-356-4720		J38
5310-356-4283			5935-356-4720		J39
5930-351-7129		S1	5935-356-4720		J40
5930-351-7129		S2	5935-356-4720		J41
5930-351-7129		S3	5935-356-4720		J42
5930-351-7129		S4	5935-356-4720		J43
5930-351-7129		S5	5935-356-4720		J44
5930-351-7129		S6	5935-356-4720		J45
5930-351-7129		S7	5935-356-4720		J46
5930-351-7129		S8	5935-356-4720		J47
5930-351-7129		S9	5935-356-4720		J48
5930-351-7129		S10	5940-351-6993		E1
5930-351-7129		S11	5940-351-6993		E2
5930-351-7129		S12	5940-351-6993		E3
5930-351-7129		S13	5940-351-6993		E4
5930-351-7129		S14	5940-351-6993		E5
5930-351-7129		S15	5940-351-6993		E6
5930-351-7129		S16	5940-351-6993		E7
5930-351-7129		S17	5940-351-6993		E8
5930-351-7129		S18	5940-351-6993		E9
5930-351-7129		S19	5940-351-6993		E10
5930-351-7129		S20	5940-351-6993		E11
5930-351-7129		S21	5940-351-6993		E12
5930-351-7129		S22	5940-351-6993		E13
5930-351-7129		S23	5940-351-6993		E14
5930-351-7129		S24	5940-351-6993		E15
5935-356-4720		J1	5940-351-6993		E16
5935-356-4720		J2	5940-351-6993		E17
5935-356-4720		J3	5940-351-6993		E18
5935-356-4720		J4	5940-351-6993		E19
5935-356-4720		J5	5940-351-6993		E20
5935-356-4720		J6	5940-351-6993		E21
5935-356-4720		J7	5940-351-6993		E22
5935-356-4720		J8	5940-351-6993		E23
5935-356-4720		J9	5940-351-6993		E24
5935-356-4720		J10	5940-351-6993		E25
5935-356-4720		J11	5940-351-6993		E26
5935-356-4720		J12	5940-351-6993		E27
5935-356-4720		J13	5940-351-6993		E28
5935-356-4720		J14	5940-351-6993		E29
5935-356-4720		J15	5940-351-6993		E30
5935-356-4720		J16	5940-351-6993		E31
5935-356-4720		J17	5940-351-6993		E32
5935-356-4720		J18	5940-351-6993		E33
5935-356-4720		J19	5940-351-6993		E34
5935-356-4720		J20	5940-351-6993		E35
5935-356-4720		J21	5940-351-6993		E36
5935-356-4720		J22	5940-351-6993		E37
5935-356-4720		J23	5940-351-6993		E38
5935-356-4720		J24	5940-351-6993		E39
5935-356-4720		J25	5940-351-6993		E40
5935-356-4720		J26	5940-351-6993		E41
5935-356-4720		J27	5940-351-6993		E42
5935-356-4720		J28	5940-351-6993		E43
5935-356-4720		J29	5940-351-6993		E44
5935-356-4720		J30	5940-351-6993		E45
5935-356-4720		J31	5940-351-6993		E46
5935-356-4720		J32	5940-351-6993		E47
5935-356-4720		J33	5940-351-6993		E48
5935-356-4720		J34	6150-635-1383		
5935-356-4720		J35	6150-635-1384		
5935-356-4720		J36			

Reference No.	Mfg Code	Fig No.	Item No.	Reference No.	Mfg Code	Fig No.	Item No.
A9222-6Z1	78553			K6-1613	14496		J8
K6-1613	14496		J1	K6-1613	14496		J9
K6-1613	14496		J2	K6-1613	14496		J10
K6-1613	14496		J3	K6-1613	14496		J11
K6-1613	14496		J4	K6-1613	14496		J12
K6-1613	14496		J5	K6-1613	14496		J13
K6-1613	14496		J6	K6-1613	14496		J14
K6-1613	14496		J7	K6-1613	14496		J15

SECTION VII

Reference No.	Mfg Code	Fig No.	Item No.	Reference No.	Mfg Code	Fig No.	Item No.
K6-1613	14496		J16	K6-1616	14496		S23
K6-1613	14496		J17	K6-1616	14496		S24
K6-1613	14496		J18	Z6-5-8	45722		
K6-1613	14496		J19	1214-12	78189		
K6-1613	14496		J20	6-61606	14496		E1
K6-1613	14496		J21	6-61606	14496		E2
K6-1613	14496		J22	6-61606	14496		E3
K6-1613	14496		J23	6-61606	14496		E4
K6-1613	14496		J24	6-61606	14496		E5
K6-1613	14496		J25	6-61606	14496		E6
K6-1613	14496		J24	6-61606	14496		E7
K6-1613	14496		J27	6-61606	14496		E8
K6-1613	14496		J28	6-61606	14496		E9
K6-1613	14496		J29	6-61606	14496		E10
K6-1613	14496		J30	6-61606	14496		E11
K6-1613	14496		J31	6-61606	14496		E12
K6-1613	14496		J32	6-61606	14496		E13
K6-1613	14496		J33	6-61606	14496		E14
K6-1613	14496		J34	6-61606	14496		E15
K6-1613	14496		J35	6-61606	14496		E16
K6-1613	14496		J36	6-61606	14496		E17
K6-1613	14496		J37	6-61606	14496		E18
K6-1613	14496		J38	6-61606	14496		E19
K6-1613	14496		J39	6-61606	14496		E20
K6-1613	14496		J40	6-61606	14496		E21
K6-1613	14496		J41	6-61606	14496		E22
K6-1613	14496		J42	6-61606	14496		E23
K6-1613	14496		J43	6-61606	14496		E24
K6-1613	14496		J44	6-61606	14496		E25
K6-1613	14496		J45	6-61606	14496		E26
K6-1613	14496		J46	6-61606	14496		E27
K6-1613	14496		J47	6-61606	14496		E28
K6-1613	14496		J48	6-61606	14496		E29
K6-1616	14496		S1	6-61606	14496		E30
K6-1616	14496		S2	6-61606	14496		E31
K6-1616	14496		S3	6-61606	14496		E32
K6-1616	14496		S4	6-61606	14496		E33
K6-1616	14496		S5	6-61606	14496		E34
K6-1616	14496		S6	6-61606	14496		E35
K6-1616	14496		S7	6-61606	14496		E36
K6-1616	14496		S8	6-61606	14496		E37
K6-1616	14496		S9	6-61606	14496		E38
K6-1616	14496		S10	6-61606	14496		E39
K6-1616	14496		S11	6-61606	14496		E40
K6-1616	14496		S12	6-61606	14496		E41
K6-1616	14496		S13	6-61606	14496		E42
K6-1616	14496		S14	6-61606	14496		E43
K6-1616	14496		S15	6-61606	14496		E44
K6-1616	14496		S16	6-61606	14496		E45
K6-1616	14496		S17	6-61606	14496		E46
K6-1616	14496		S18	6-61606	14496		E47
K6-1616	14496		S19	6-61606	14496		E48
K6-1616	14496		S20	6-61611	14496		
K6-1616	14496		S21	6-61612	14496		
K6-1616	14496		S22	6-61622	14496		

CREIGHTON W. ABRAMS
General, United States Army
Chief of Staff

Official:

VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution:

Active Army:

USASA (2)
CNGB (1)
ACSC-E (2)
USAARENBD (2)
USAMB (10)
AMC (1)
MICOM (2)
TECOM (2)
USASTRATCOM (4)
HISA (ECOM) (18)
FORSCOM (5)
ARADCOM (2)
ARADCOM Rgn (2)
OS Maj Comd (4)
LOGCOMD (5)
USACDCEC (5)
MDW (1)
Armies (2)
Corps (2)
INSTL (2) except
 Ft Gordon (10)
 Ft Huachuca (10)
 Ft Carson (10)
Svc Colleges (2)
USASESS (5)
USAINTS (3)

USAADS (2)
USAFAS (2)
USAARMS (2)
USAIS (2)
USAES (2)
AD (2) except
 SAAD (30)
 LBAD (14)
 TOAD (14)
 ATAD (10)
 LEAD (7)
Gen Dep (2)
Sig Sec, Gen Dep (2)
Sig Dep (5)
MAAG (1)
WRAMC (1)
USARMIS (1)
USAERDAA (1)
USAERDAW (1)
Sig FLDMS (1)
Ft Richardson (ECOM Ofc) (2)
Units org under fol TOE: - 1 ea.
 11-158
 29-134
 29-136

ARNG & USAR: None.

For explanation of abbreviations used, see AR 310-50.

029050