

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE  
REPAIR PARTS AND SPECIAL TOOLS LISTS (INCLUDING  
DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)  
RADIO TELETYPEWRITER SETS AN/GRC-46,  
AN/GRC-46A, AN/GRC-46B, kN/GRC-46C  
(FSN 5815-543-1760), AND ANNRC-29 (FSN 5815-543-1758)

Headquarters, Department of the Army, Washington, D.C.  
21 December 1973

Current as of May 1973

SECTION		Paragraph	Page
	I. INTRODUCTION		
	Scope .....	1-1	2
	General.....	1-2	2
	Explanation of columns .....	1-3	2
	Special information.....	1-4	4
	Location of repair parts .....	1-5	4
	Abbreviations (Not applicable).....	1-6	5
	Reporting of equipment publication improvements	1-7	5
	II. REPAIR PARTS LIST .....	.....	6
	III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
	IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM .....	.....	20

\*This manual supersedes TM 11-5815-204-, 12 July, 1960, including all changes.

## SECTION I INTRODUCTION

### **1-1. Scope.**

This manual lists repair parts and special tools required for the performance of direct support, general support, and depot maintenance of the AN/GRC-46, AN/GRC-46A, AN/GRC-46B, AN/GRC-46C, and AN/VRC-29. The PCCN for the AN/GRC-46, AN/GRC-46A, AN/GRC-46B, and AN/GRC-46C is GCRAAC for all models. The PCCN for the AN/VRC-29 is GCRAAD for all models.

### **1-2. General**

This repair parts and special tools list is divided into the following sections:

a. *Repair Parts List-Section II.* A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level. This repair parts list is arranged in alphabetical order.

b. *Special Tools, Test and Support Equipment-Section III.* Not applicable.

c. *Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number-Section IV.* A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphabetic sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

### **1-3. Explanation of Columns**

The following provides an explanation of columns found in the tabular list:

a. *Source, Maintenance, and Recoverability Codes (SMR).*

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are -

<i>Code</i>	<i>Explanation</i>
PA - Item procured and stocked for anticipated or known usage.	PA - Item procured and stocked for anticipated or known usage.
PB - Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.	PB - Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC - Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.	PC - Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.

<i>Code</i>	<i>Explanation</i>
PD - Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.	PD - Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
PE - Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.	PE - Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF - Support equipment which will not be stocked but which will be centrally procured on demand.	PF - Support equipment which will not be stocked but which will be centrally procured on demand.
PG - Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.	PG - Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD - An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair. KF An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.	KD - An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair. KF An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB - Item included in both a depot overhaul/repair kit and a maintenance kit.	KB - Item included in both a depot overhaul/repair kit and a maintenance kit.
MO - Item to be manufactured or fabricated at organizational level.	MO - Item to be manufactured or fabricated at organizational level.
MF - Item to be manufactured or fabricated at direct support maintenance level.	MF - Item to be manufactured or fabricated at direct support maintenance level.
MH - Item to be manufactured or fabricated at general support maintenance level.	MH - Item to be manufactured or fabricated at general support maintenance level.
MD - Item to be manufactured or fabricated at depot maintenance level.	MD - Item to be manufactured or fabricated at depot maintenance level.
AO - Item to be assembled at organizational level.	AO - Item to be assembled at organizational level.
AF - Item to be assembled at direct support maintenance level.	AF - Item to be assembled at direct support maintenance level.
AH - Item to be assembled at general support maintenance level.	AH - Item to be assembled at general support maintenance level.
AD - Item to be assembled at depot maintenance level.	AD - Item to be assembled at depot maintenance level.
XA - Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.	XA - Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB - Item is not procured or stocked. If not available through salvage, requisition.	XB - Item is not procured or stocked. If not available through salvage, requisition.

<i>Code</i>	<i>Explanation</i>
XC - Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.	
XD - Support items can be requisitioned with justification.	

**NOTE**

**Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.**

(2) *code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application/Explanation</i>
O- Support item is removed, replaced, used at the organizational level of maintenance.	

**NOTE**

**A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.**

- F- Support item is removed, replaced, used at the direct support maintenance level.
- H- Support item is removed, replaced, used at the general support maintenance.
- D- Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code-

<i>Code</i>	<i>Application/Explanation</i>
O- The lowest maintenance level capable of complete repair of the support item is the organizational level.	

<i>Code</i>	<i>Application/Explanation</i>
F-	The lowest maintenance level capable of complete repair of the support item is direct support.
H-	The lowest maintenance level capable of complete repair of the support item is general support.
D-	The lowest maintenance level capable of complete repair of the support item is the depot level.
L-	Repair restricted to designated Specialized Repair Activity.
Z-	Non-repairable. No repair is authorized.
B-	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows-

<i>Code</i>	<i>Explanation</i>
Z-	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O-	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F-	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H-	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D-	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L-	Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
A-	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. *Federal Stock Number.* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. *Description.* Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM), in parentheses. The FSCM is used as an element in

item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

*d. Unit of Measure (UIM).* Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

*e. Quantity Incorporated in Unit.* This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

*f. 30-Day DS/GS Maintenance Allowances.*

#### NOTE

Allowance in GS column are maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

*g. 1-Year Allowances Per 100 Equipments/Contingency Planning Purposes.* Column intentionally left blank.

*h. Depot Maintenance Allowance Per 100 Equipments.* This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

*i. Illustration.* This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 11-5815-204-35.

(2) *Item number.* Indicates the item number or reference designation used to reference the item in the illustration.

#### 1-4. Special Information

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are/

Code	Used on
ABX	AN/GRC-46
ABY	AN/GRC-46A
ABZ	AN/GRC-46B

BYQ AN/GRC-46C  
ABO AN/VRC-29

*b. The following publications pertain to the equipment and its components:*

TM 11-5815-204-10 Operator's Manual: Radio Teletypewriter Sets AN/GRC-46, AN/GRC-46A, AN/GRC-46B, AN/GRC-46C, and AN/VRC-29.

TM 5815-204-20 Organizational Maintenance Manual: Radio Teletypewriter Sets AN/GRC-46, AN/GRC-46A, AN/GRC-46B, and AN/VRC-29.

TM 11-5815-204-35 Field and Depot Maintenance Manual: Radio Teletypewriter Sets AN/GRCA46, AN/GRC-46A, AN/GRC-46B, and AN/VRC-29.

#### 1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (sec II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are now known, scrutinize column 3 of the repair parts list (sec II), which is arranged in alphabetical order.

**1-6. Abbreviations**

Not applicable.

**1-7. Reporting of Equipment Publication Improvements**

The reporting of errors, omissions, and

recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CR, Fort Monmouth, NJ 07703.

## SECTION II

TM11-5815-204-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  Reference Number & Mfr. Code      Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAFZZ	5935-259-9828	ADAPTER, CABLE TO CONNECTOR MP201,..... MP245 AN3057-6 (969061 ABX,ABY	EA	2	*	*	*	*	*	*			4	
PAOZZ	5935-204-9010	ADAPTER, CABLE TO CONNECTOR NO-REF-DESIG. AN3057-24B (81349) ABX,ABY	EA	1	*	*	*	*	*	*			4	
PAFZZ	6145-504-0944	CABLE, POWER, ELECTRICAL W210 (NOTE TO. BE REQUISITIONED AS REQUIRED IN MINIMUM LENGTHS OF 3 FT, 5 Ft 10 FT OR MULTIPLES THEREOF)	FT	21	*	*	*	*	*	*			5	W210
PAFZZ	6145-504-0944	C002MGF2-16-0338 (81349) ABX,ABY CABLE, POWER9 ELECTRICAL W214 (NOTE TO. BE REQUISITIONED AS REQUIRED IN MINIMUM LENGTHS OF 3 FT, 5 FT, 10 FT OR MULTIPLES THEREOF)	FT	REF	*	*	*	*	*	*			5	W214
PAFZZ	6145-504-0944	C002MGF2-16-0338 (81349) ABX,ABY CABLE, POWER, ELECTRICAL W232 (NOTE TO. LENGTHS OF 3 FT, 5 Ft 10 FT OR MULTIPLES THEREOF)	FT	REF	*	*	*	*	*	*			5	W232
PAFZZ	6145-504-0944	C002ZMGF2-16-0338 (81349) ARX,ABY CABLE, POWER, ELECTRICAL W234 (NOTE TO. BE REQUISITIONED AS REQUIRED IN MINIMUM LENGTHS OF 3 FT, 5 FT, 10 FT OR MULTIPLES THEREOF)	FT	REF	*	*	*	*	*	*			5	W234
PAFZZ	6145-617-0310	C002MGF2-16-0338 (81349) ABX,ABY CABLE, POWER, ELECTRICAL W222 (NOTE TO. BE REQUISITIONED AS REQUIRED IN MINIMUM LENGTHS OF 7 FT OR MULTIPLES THEREOF)	FT	14	*	*	*	*	*	*			5	W222
PAFZZ	6145-682-3341	C002HGF2-10-0640 (81349) ABX,ABY CABLE, POWER, ELECTRICAL W230 (NOTE TO BE REQUISITIONED AS REQUIRED IN MINIMUM LENGTHS OF 9 FT OR MULTIPLES THEREOF)	FT	9	*	*	*	*	*	*			5	W230
PAFZZ	6145-542-6092	C002HGF2-4-1130 (81349) ABXTABY CABLE, RADIO FREQUENCY W208 (NOTE TO BE REQUISITIONED AS REQUIRED IN MINIMUM LENGTHS OF 3 FT, 5 FT, OR MULTIPLES THEREOF)	FT	8	*	*	*	*	*	*			5	W208
PAFZZ	6145-542-6092	RG58CU (81349) ABX,ABY CABLE1 RADIO FREQUENCY W212 (NOTE TO BE REQUISITIONED AS REQUIRED IN MINIMUM LENGTHS OF 3 FT, 5 FT, OR MULTIPLES THEREOF)	FT	REF	*	*	*	*	*	*			5	W212
PAFZZ	6145-161-0913	RG58CU (81349) ABX,ABY CABLE, RADIO FREQUENCY W204 (NOTE TO BE REQUISITIONED AS REQUIRED IN MINIMUM LENGTHS OF 3 FT OR MULTIPLES THEREOF)	FT	6	*	*	*	*	*	*			5	W204
PAFZZ	6145-161-0913	RG62AU (81349) ABXTABY CABLE* RADIO FREQUENCY W206 (NOTE TO BE REQUISITIONED AS REQUIRED IN MINIMUM LENGTHS OF 3 FT OR MULTIPLES THEREOF)	FT	REF	*	*	*	*	*	*			5	W206
PAFZZ	6145-284-O579	RG62AU (81349) ABX,ABY CABLE* SPECIAL PURPOSE, ELECTRICAL CONTINUED W246	FT	4	*	*	*	*	*	*			5	W246

## SECTION II

TM11-5815-204-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  Reference Number & Mfr.      Code    Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAFZZ	6145-617-0311	CONTINUED (NOT TO BE REQUISITIONED A8 REQUIRED IN MINIMUM LENGTHS OF 4 FT OR MULTIPLES THEREOF) C003MGF3-18-0330 (81349) ABX,ABY CABLE, SPECIAL PURPOSE, ELECTRICAL W216 (NOTE TO BE REQUISITIONED AS REQUIRED IN MINIMUM LENGTHS OF 6 FT OR MULTIPLES THEREOF) WS4 (81349)	FT	6	*	*	*	*	*	*		5		W216
PAFZZ	5935-148-9378	CONNECTOR, PLUG, ELECTRICAL ABX,ABY AN3106A14S7S (81349) P220.....	EA	1	*	*	*	*	*	*		3		P220
PAFZZ	5935-149-2901	CONNECTOR, PLUG, ELECTRICAL ABX,ABY AN3106A14S7S?P (81349) P245.....	EA	1	*	*	*	*	*	*		3		P245
PAFZZ	5935-149-4066	CONNECTOR, PLUG, ELECTRICAL ABX,ABY UG88U (81349) P207.....	EA	2	*	*	*	*	*	*		3		P207
PAFZZ	5935-149-4066	CONNECTOR, PLUG, ELECTRICAL ABX,ABY UG88U (81349) P208.....	EA	REF	*	*	*	*	*	*		3		P208
PAFZZ	5935-173-5895	CONNECTOR, PLUG, ELECTRICAL ABX,ABY UG260BU (81349) P203.....	EA	4	*	*	*	*	*	*		3		P203
PAFZZ	5935-173-5895	CONNECTOR, PLUG, ELECTRICAL ABX,ABY UG260BU (81349) P204.....	EA	REF	*	*	*	*	*	*		3		P204
PAFZZ	5935-173-5895	CONNECTOR, PLUG, ELECTRICAL ABX,ABY UG260BU (81349) P205.....	EA	REF	*	*	*	*	*	*		3		P205
PAFZZ	5935-173-5895	CONNECTOR, PLUG, ELECTRICAL ABX,ABY UG260BU (81349) P206.....	EA	REF	*	*	*	*	*	*		3		P206
PAFZZ	5935-201-3142	CONNECTOR, PLUG, ELECTRICAL ABX,ABY CS1320-1S315 (81349) P209.....	EA	2	*	*	*	*	*	*		3		P209
PAFZZ	5935-201-3142	CONNECTOR, PLUG, ELECTRICAL ABX,ABY CS1320-1S315 (81349) P213.....	EA	REF	*	*	*	*	*	*		3		P213
PAFZZ	5935-201-3167	CONNECTOR, PLUG, ELECTRICAL ABX,ABY CS1320-1P375 (81349) P210.....	EA	5	*	*	*	*	*	*		3		P210
PAFZZ	5935-201-3167	CONNECTOR, PLUG, ELECTRICAL ABX,ABY CS1320-1P375 (81349) P214.....	EA	REF	*	*	*	*	*	*		3		P214
PAFZZ	5935-201-3161	CONNECTOR, PLUG, ELECTRICAL ABX,ABY CS1320-1P375 (81349) P215.....	EA	REF	*	*	*	*	*	*		3		P215
PAFZZ	5935-201-3167	CONNECTOR, PLUG, ELECTRICAL ABX,ABY CS1320-1P375 (81349) P231.....	EA	REF	*	*	*	*	*	*		3		P231
PAFZZ	5935-201-3167	CONNECTOR, PLUG, ELECTRICAL ABX,ABY CS1320-1P375 (81349) P233.....	EA	REF	*	*	*	*	*	*		3		P233
PAFZZ	5935-201-9172	CONNECTOR, PLUG, ELECTRICAL ABX,ABY CS1320-1S475 (81349) P229.....	EA	1	*	*	*	*	*	*		3		P229
PAFZZ	5935-643-6658	CONNECTOR, PLUG, ELECTRICAL ABX,ABY UG913U (81349) P211.....	EA	2	*	*	*	*	*	*		3		P211
PAFZZ	5935-643-6658	CONNECTOR, PLUG, ELECTRICAL ABX,ABY UG913U (81349) P212.....	EA	REF	*	*	*	*	*	*		3		P212
PAFZZ	5935-283-2950	CONNECTOR, PLUG, ELECTRICAL ABX,ABY U77U (81349) P201.....	EA	2	*	*	*	*	*	*		3		P2O1
PAFZZ	5935-283-2950	CONNECTOR, PLUG, ELECTRICAL ABX,ABY U77U (81349) P202.....	EA	REF	*	*	*	*	*	*		3		P202
PAFZZ	5935-615-7309	CONNECTOR, PLUG, ELECTRICAL ABX,ABY C51320-1P690 (81349) P221.....	EA	2	*	*	*	*	*	*		3		P221

## SECTION II

TM11-5815-204-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  Reference Number & Mfr.      Code    Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAFZZ	5935-615-7309	CONNECTOR, PLUG, ELECTRICAL CS1320-1P690 (81349)	P2232..... ABX,ABY	EA	REF	*	*	*	*	*	*		3	P223
PAFZZ	5935-681-4036	CONNECTOR, PLUG, ELECTRICAL CS1320-2S375 (81349)	P216..... ABX,ABY	EA	1	*	*	*	*	*	*		3	P216
PAFZZ	5935-162-5094	CONNECTOR, PLUG, ELECTRICAL P-O W261	NO-REF-DESIG.	EA	1	*	*	*	*	*	*		3	
PAFZZ	6145-669-5584	MS3108812S3P (81349) CORD, ELECTRICAL REQUISITION AS REQUIRED IN MINIMUM LENGTHS OF 4 FT OR MULTIPLES THEREOF)	ABX,ABY W202 (NOTE TO BE.....)	FT	4	*	*	*	*	*	*		1	W202
PAFZZ	6145-283-9634	COS2-23 (81349) CORD, ELECTRICAL REQUISITICNEO AS REQUIRED IN MINIMUM LENGTHS OF 5 FT, 6 FT, 7 FT OR B FT OR MULTIPLES THEREOF)	ABX,ABY W218 (NOTE TO BE.....)	FT	38	*	*	*	*	*	*		1	W218
PADZZ	4140-633-6729	IMPELLER, FAN, CENTRIFUGAL BLADES, CCW 326-300 (603991)	8130..... ABX,ABY	EA	1								5	B1
PAFZZ	5995-617-1878	LEAD ELECTRICAL 1 IN	W239 GNDING LEAD2 FT.	EA	1	*	*	*	*	*	*		2	W239
PAFZZ	5995-617-1879	42P2022289 (987381) LEAD, ELECTRICAL E241 AND E242 APPROX 3-3-16 IN	ABX,ABY W241 JUMPER BETWEEN.....	EA	1	*	*	*	*	*	*		2	241
PAFHO	6105-617-1873	01X202290 (98738)	ABX,ABY B2 BLOWER MOTOR.....	EA	1	*	*	*	*	*	*		3	B2
PAFZZ	5935-192-4760	59P200455-3 (98738)	ABX,ABY PLUG, TELEPHONE	EA	7	*	*	*	*	*	*		5	P217
PAFZZ	5935-192-4760	PJOS5B (81349)	ABX,ABY PLUG, TELEPHONE	EA	REF	*	*	*	*	*	*		5	P218
PAFZZ	5935-192-4760	PJOB55 (81349)	ABX,ABY PLUG, TELEPHONE	EA	REF	*	*	*	*	*	*		5	P225
PAFZZ	5935-192-4760	PJOS5B (813491)	ABX,ABY PLUG, TELEPHONE	EA	REF	*	*	*	*	*	*		5	P227
PAFZZ	5935-192-4760	PJOS5B (813491)	ABX,ABY PLUG, TELEPHONE	EA	REF	*	*	*	*	*	*		5	P228
PAFZZ	5935-192-4760	PJOSS8 (81349)	ABX,ABY PLUG, TELEPHONE	EA	REF	*	*	*	*	*	*		5	P235
PAFZZ	5935-192-4760	PJOSS8 (81349)	ABX,ABY PLUG, TELEPHONE	EA	REF	*	*	*	*	*	*		5	P237
PAFZZ	5935-820-2269	PJOS8 (81349)	ABX,ABY PLUG, TELEPHONE BLUE	EA	I	-	*	*	*	*	*		5	
PAFZZ	5935-089-9340	09205981-2 (98738)	ABX,ABY PLUG, TIP 2BP202604-1 (987381)	EA	I	*	*	*	*	*	*		1	
PAFZZ	5935-502-9966	PLUG, TIP 2BP2d2604-2 (987381)	ABX,ABY P219A P-O W219 CABLE ASSY.....	*	EA	I	*	*	*	*	*		1	5.1
PAFZZ	5930-519-8144	SWITCH, INTERLOCK MS16106-1 (81349)	S1..... ABX,ABY	EA	I	*	*	*	-	*	*		5	S1
PAFZZ	5930-630-0020	SWITCH LEVER 45P200383 (987381)	MP20 IRREGULAR SHAPE..... ABX,ABY	EA	1	*	*	*	*	*	*		5	MP20

## SECTION II

TM11-5815-204-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  Reference Number & Mfr.      Code    Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAFZZ	5930-642-2452	SWITCH, TOGGLE S245..... MS35059-21 (96906) ABX,ABY	EA	*	*	*	*	*	*	*		5		S245
PAHZZ		HEATER INSTALLATION GROUP AN/GRC-46 NO-... REF-DESIG	EA	1				*	*	*		5		
PAHZZ	4520-670-5613	ANGRCA46 (ZZZZ) ABX,ABY ADAPTER, EXHAUST EXHAUST	DIRECT	EA				*	*	*		4		
PAHZZ	4730-670-5668	01P200213-4 (98738) ABX,ABY ADAPTER, AND ELBOW ASSEMBLY C-O 1 ELBOW, PIPE, 1 NIPPLE 1 ADAPTER	EA	1				*	*	*		4		
PAHZZ	4520-670-5670	58X202858 (98738) ABX,ABY BRACKET, SUPPORT, FUEL LINE	EA	1				*	*	*		3		
PAFZZ	4520-799-3364	CABLE AND SOLENOID ASSEMBLY NO-REF-DESIG.	EA	1	*	*	*	*	*	*		5		
PAFZZ	5910-557-5299	CAPACITOR, FIXED, CERAMIC DIELECTRIC 5,000 UUF 1000 VDCW	EA	1	*	*	*	*	*	*		5		C1
PAFZZ	5910-660-7961	D0502 (11590) ABX,ABY CAPACITOR, FIXED, PAPER DIELECTRIC 220,000 UUF PORMOZOPCT 400 VDCW	EA	1	*	*	*	*	*	*		5		C2
PAFZZ	5910-673-3283	TWC4P22EGS (14665) ABX,ABY CAPACITOR, FIXED, PAPER DIELECTRIC 2 MFD POR1420PCT 100 VDCW	EA	2	*	*	*	*	*	*		5		C5
PAFZZ	5910-673-3283	MFT310-2 1146551 ABX,ABY CAPACITOR, FIXEOD, PAPER DIELECTRIC 2 NFD PORM2OPCT 100 VOCW	EA	REF	*	*	*	*	*	*		5		C6
PAFZZ	5910-681-2581	MFT310-2 (14655) ABX,ABY CAPACITOR, FIXED, PAPER DIELECTRIC 100,000 UUF PORM2OPCT 200 VDCW	EA	1	*	*	*	*	*	*		5		C3
PAFZZ	5910-685-9685	P123ZNGB (04222) ABX,ABY CAPACITOR, FIXED, PAPER DIELECTRIC 290,000 UUF PORMZOPCT 100 VDCW	EA	1	*	*	*	*	*	*		5		C4
PAHZZ	4730-618-4379	NFT311 (14655) ABX,ABY CLAMP, HOSE NO-REF-DESIG. SEALS BLOWER HOSE	EA	1				*	*	*		3		
PADZZ	4730-670-5664	700816 (78385) ABX,ABY CLAMP, HOSE NO-REF-DESIG. SUPPORT, SPACE. HEATER KIT	EA	1								3		20
PAFLZZ	4520-671-5857	70083- (78385) ABX,ABY COCK, SHUT-OFF, SCREW STEM SHUT-OFF F/FUEL LINE	EA	1	*	*	*	*	*	*		5		
PAHZZ	4520-6170-4963	58P202879 (98738) ABX,ABY COIL, IGNITION NO-REF-DESIG. HIGH VOLTAGE COIL 24 V, DC	EA	1				*	*	*		3		
PAHZZ	5950-683-3258	700819-24V (78385) ABX,ABY COIL, SOLENOID NO-REF-DESIG.1 WND, 24 V, 13-16 X 1-7-16 X 9-16 IN	EA	1				*	*	*		3		
PAHZZ	4520-670-5672	G700637-46 (78385) ABX,ABY CONNECTOR NO-REF-DESIG.P-O FUEL PUMP..... COUPLING ON MOTOR SHAFT	EA	2				*	*	*		3		
PAHZZ	4520-679-3015	735100 (78385) ABX,ABY COUPLING NO-REF-DESIG.FUEL PUMP..... CONTINUED	EA	1				*	*	*		5		

## SECTION II

TM11-5815-20434P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  Reference Number & Mfr.      Code    Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.	
					CONTINUED										
PAFZZ	2990-356-1740	COUPLING 735101 (78385) COUPLING ASSEMBLY      NO-REF-DESIG FOR..... EXHAUST, FLEXIBLE TUBING	ABX,ABY	EA	1	*	*	*	*	*	*		5		
PAHZZ	4820-783-7813	DIAPHRAGM ASSEMBLY      NO-REF-DESIG F/VALVE. NO. G-t01129	ABX,ABY	EA	1				*	*	*		2		
PAOZZ	4520-670-5671	G484035 (98738) ELBOW AND BRACKET ASSEMBLY      NO-REF-DESIG... C-O ELBOW, PIPE TO TUBE BRACKET9 ANGLE	ABX,ABY	EA,	1								2		
PAHZZ	4730-277-8265	58X202938 (98738) ELBOW, PIPE      NO-REF-DESIG P-O FUEL LINE. TERM 90DG STREET TYPE 1-8 - 27 NPT AT BOTH ENDS	ABX,ABY	EA	3				*	*	*		2		
PAHZZ	4730-673-3284	3400X2 (79470) ELBOW, PIPE TO TUBE      NO-REF-DESIG 90DG. BEND 1-8 NPT EXTERNAL THD ONE END, 11-4 IN TUBE ACCOM OTHER END	ABX,ABY	EA	1				*	*	*		2		
PAHZZ	4520-670-4965	FILTER, GASOLINE      NO-REF-DESIG FILTERS	ABX,ABY	EA	1				*	*	*		3		
PAHHD	4730-670-5667	8665252X (90005) FLANGE, PIPE      NO-REF-DESIG P-O FUEL LINE	ABX,ABY	EA	1				*	*	*		3		
PAFZZ	4520-670-4964	58X202944 (98738) FUEL LINE      NO-REF-DESIG PUMP TO HEATER	ABX,ABY	EA	1	*	*	*	*	*	*		1		
PAHZZ	4520-670-4966	700797 (78385) FUEL PUMP      NO-REF-DESIG ROTARY DRIVEN....	ABX,ABY	EA	1				*	*	*		1	10	
PAFZZ	5920-284-9636	G700843 (78385) FUSEHOLDER      XF1 CARTRIDGE TYPE.....	ABX,ABY	EA	1	*	*	*	*	*	*		3		XF1
PAHZZ	4520-618-4826	155020 (75915) GASKET      NO-REF-DESIG F-EXHAUST PIPE 1-1-8 IN 8 IN DIA APERTURE X 2-1-4 IN OD X 1-16 IN	ABX,ABY	EA	2				*	*	*		5	10	
PAFZZ	4S20)-670-5669	THK 73538 (78385) HEATER, SUB-ASSEMBLY      NO-REF-DES G P-O	ABX,ABY	EA	1	*	*	*	*	*	*		5		
PAHZZ	4720-673-3282	58X202947 (98738) HOSE ASSEMBLY, RUBBER      NO-REF-DESIG TANK. TO HEATER 15 IN LG O-A	ABX,ABY	EA	2				*	*	*		5		
PAFZZ	6105-672-0008	CT701 (06493) MOTOR, DIRECT CURRENT      B1 24 V DC, 4 5-8 X 2-31-32 IN	ABX,ABY	EA	1	*	*	*	*	*	*		3		B1
PAFZZ	6105-672-0680	700767 (78385) MOTOR, DIRECT CURRENT      B2 FAN MOTOR 24 V DC 4-53-64 X 2-21-32 IN	ABX,ABY	EA	1	*	*	*	*	*	*		3		B2
PAFZZ	5340-537-8961	700774 (783851) MOUNT, RESILIENT NO-REF-DESIG BLOWER MOTOR ASSY 1 X 1-2 IN	ABX,ABY	EA	3	*	*	*	*	*	*		1		
PAFLZ	4730-192-9464	J2927-1-2 (76005) NIPPLE NO-REF-DESIG PIPE CONNECTOR FOR., EXHAUST WWN351-1 (81348)	ABX,ABY	EA	1	*	*	*	*	*	*		5		

## SECTION II

TM11-5815-204-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  Reference Number & Mfr.      Code    Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAFZZ	4730-580-6414	NIPPLE, PIPE NO-REF-DESIG P-O HEATER INSTALLATION U-W 3-8 IN NOM PIPE SIZE 58P202136 (98738)	ABX,ABY NO-	EA	4	*	*	*	*	*	*		5	
PAHZZ	4530-670-5663	NOZZLE, OIL BURNER PRESSURE ATOMIZING REF-DESIG 13-16 X 5-8 IN ACROSS HEX FLATS	ABX,ABY NO-	EA	1				*	*	*		5	
PAFZZ	5935-246-5280	SOCKET, ELECTRON TUBE XG1 F-VIBRATOR 735060 (18385)	ABX,ABY	EA	1	*	*	*	*	*	*		3	XG1
PAHZZ	4520-327-5879	SPRING, HELICAL, COMPRESSION 7854 (02660)	ABX,ABY NO-REF-DESIG	EA	1					*	*		3	
PAHZZ	5340-327-5868	SPRING, HELICAL COMPRESSION 476339 (78385)	ABX,ABY NO-REF-DESIG.	EA	1					*	*		3	
PAHZZ	5930-679-5925	SWITCH, OVERHEAT S1 SAFETY SWITCH 484033 (78385)	ABX,ABY	EA	1				*	*	*		5	S1
PAFZZ	5930-892-9175	SWITCH, SENSITIVE G700791 (78385)	ABX,ABY NO-REF-DESIG ON-OFF	EA	1	*	*	*	*	*	*		5	
PAHZZ	5930-691-0586	ACTION F-HEATER WZ1RW84354D3 (91929)	SPST ABX,ABY	EA	1				*	*	*		5	S3
PAFZZ	5930-655-1520	SWITCH, TOGGLE S2.....	ABX,ABY MS35058 (96906)	EA	1	*	*	*	*	*	*		5	S2
PAFZZ	4520-670-5666	TUBING, COPPER, PREFORMED 701068 (18385)	NO-REF-DESIG	EA	1	*	*	*	*	*	*		5	
PAHZZ	5335-030-7395	WIRE FABRIC NO-REF-DESIG 474695 (78385)	FUEL STRAINER . ABX,ABY	EA	1				*	*	*		2	
PAFZZ	5977-617-1259	INTERCONNECTING BOX J-668/GRC MOTOR GENERATOR GROUP ZZZZZZZZZZZZZZ (ZZZZZ)	ABX,ABY NO-REF-DESIG	EA	1	*	*	*	*	*	*		2	
PAOZZ	5977-617-1259	BRUSH, ELECTRICAL CONTACT EI 1-15-64 X 1-1-4 X 19-64 IN 01X200122-1 (98738)	ABX,ABY	ST	1	*	*	*	*	*	*		10	E1
PAOZZ	5977-617-1954	BRUSH, ELECTRICAL CONTACT E2 37-64 X 3-8 X 1-4 IN 01X200122-2 (98738)	ABX,ABY	ST	1	*	*	*	*	*	*		10	E2
PAFZZ	5910-577-9293	CAPACITOR, FIXED, PAPER DIELECTRIC 800,000 UUF M1-2 UF PORM20PCT 512G10501 (84411)	C1 100 VCW ABX,ABY	EA	1	*	*	*	*	*	*		10	C1
PAFZZ	5910-171-2952	CAPACITOR, FIXED, PAPER DIELECTRIC 4 UF PORM10PCT 100 VDCW CP53B1EB405K (81349)	C2 ABX,ABY	EA	1	*	*	*	*	*	*		5	C2
PAFZZ	5910-577-9126	CAPACITOR, FIXED, PAPER DIELECTRIC 470,000 MMF PORM20PCT 400 VDCW 512G47404C (84411)	C3 ABX,ABY	EA	1	*	*	*	*	*	*		5	C3
PAFZZ	5910-683-7396	CAPACITOR, FIXED, PAPER DIELECTRIC 1 MF PORM20PCT 400 VDCW 512G10504C (84411)	C4 ABX,ABY	EA	1	*	*	*	*	*	*		5	C4
PAFZZ	5905-080-6833	CAPACITOR, FIXED, PAPER DIELECTRIC 100,000 UUF PORM20PCT 100 VDCW MC898 (14655)	C5 ABX,ABY	EA	1	*	*	*	*	*	*		5	C5

## SECTION II

TM11-5815-204-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  Reference Number & Mfr.      Code    Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.	
PAFZZ	5910-184-6712	CAPACITOR, FIXED MICA DIELECTRIC CH3SE 03K. (813491)	C6 ABX,ABY	EA	1	*	*	*	*	*			3		C6
PAFZZ	5950-656-2349	COIL, RADIO FREQUENCY 0-440 IN THK	LI 3-8 IN DIA X. A2T343 (66099)	EA	1	*	*	*	*	*			3		L1
PAFZZ	5950-656-2350	COIL, RADIO FREQUENCY IN	ABX,ABY L2 5-B X 1-3-4.	EA	1	*	*	*	*	*			3		L2
PAFZZ	5935-660-3825	A27412 (66099) CONNECTOR, RECEPTACLE, ELECTRICAL FEMALE CONT 5252 (74545)	ABX,ABY J1 3	EA	1	*	*	*	*	*			3		J1
PAFZZ		SHELTER, ELECTRICAL EQUIPMENT, GROUP AN/GRC-46 NO-REF-DESIG ZZZZZZZZZZZZZZZZZZ(ZZZZ)	ABX,ABY	EA	1	*	*	*	*	*			2		
PAOZZ	4130-585-7847	FILTER, AIR CONDITIONING L-2 X 1-2 IN	FL5 5-1-2 X 5-	EA	3	*	*	*	*	*			3		FL5
PAOZZ	4130-585-7847	75P200179 (98738) FILTER, AIR CONDITIONING 1-2 X 1-2 IN	ABX,ABY FL6 5-1-2 X 5-	EA	REF	*	*	*	*	*			3		FL6
PAOZZ	4130-585-7847	75P200179 (98738) FILTER, AIR CONDITIONING 1-2 X 1-2-11	ABX,ABY FL7 5-1-2 X 5-	EA	REF	*	*	*	*	*			3		FL7
PAFZZ	5410-542-1064	GASKET LOUVER 32P300205 (98738)	ABX,ABY MP103, MP104, NP185 SEAL F-	EA	3	*	*	*	*	*			5		
PADZZ	5935-089-9334	HOUSING,RECEPTACLE PASSAGE, INCL SCREW CAP W-CHAIN AND 4 MTG SCREWS	A34 U-F CABLE	EA	2								3		A34
PADZZ	5935-089-9334	RNEJ200 (49367) HOUSING, RECEPTACLE PASSAGE, INCL SCREW CAP W-CHAIN AND 4 NTG SCREWS	A35 U-F CABLE	EA	REF								3		A35
PAFZZ	5410-646-7841	RNEJ200 (49367) SEAL, RUBBER, SPECIAL SHAPED NP102 SEAL F-LOUVER	ABX,ABY MP100 THRU	EA	3	*	*	*	*	*			3		
PAFZZ	5935-259-9828	32P200206 (98738) ADAPTER, CABLE TO CONNECTOR NP204	ARX, ABY MP201	EA	2	*	*	*	*	*			4		
PAFZZ	5935-223-0574	AN3057-6 (81349) ADAPTER, CABLE TO CONNECTOR AN3097-10 (81349)	ABO MP213	EA	1	*	*	*	*	*			4		
PAFZZ	6145-504-0944	CABLE, POWER, ELECTRICAL C002GFF2-16-0338 (81349)	NO-REF-DESIG A,BO	FT	14	*	*	*	*	*			5		
PAFZZ	6145-617-0310	CABLE, POWER, ELECTRICAL C002HGF2-10-0640 (81349)	NO-REF-OESIG ABO	FT	7	*	*	*	*	*			5		
PAFZZ	6145-682-3341	CABLE, POWER, ELECTRICAL C002HGF2-11-1130 (81349)	NO-REF-OESIG ABO	FT	7	*	*	*	*	*			5		
PAFZZ	6145-542-6092	CABLE, RADIO FREQUENCY RG-58C/U CONTINUED	NO-REF-DESIG RG511CU (80058)	FT	6	*	*	*	*	*			5		
PAFZZ	6145-161-0913	CABLE, RADIO FREQUENCY RG-62A/U	ABO NO-REF-	FT	4	*	*	*	*	*			5		

## SECTION II

TM11-5815-204-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  Reference Number & Mfr.      Code    Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.	
PAFZZ	6145-284-0579	CONTINUED  DESIG RG62AU (80058) ABO CABLE, SPECIAL PURPOSE, ELECTRICAL NO-.... REF-DESIG CO03MGF3-18-0330 (81349) ABO CABLE, SPECIAL PURPOSE, ELECTRICAL NO-.... REF-DESIG WS4 (81349) ABO CLAMP, LOOP NO-RE;-DESIG ANT ROPE CLAMP, ABO 42X200114 (98738) ABO CONNECTOR, PLUG, ELECTRICAL P219 ..... AN3106A14S7S (81349) ABO CONNECTOR, PLUG, ELECTRICAL P245 ..... AN3106A14S1P (81349) ABO CONNECTOR, PLUG, ELECTRICAL P207 ..... UG88U (81349) ABO CONNECTOR, PLUG, ELECTRICAL P208 ..... UG88U (81349) ABO CONNECTOR, PLUG, ELECTRICAL P203 ..... UG260BU (81349) ABO CONNECTOR, PLUG, ELECTRICAL P204 ..... UG260BU (81349) ABO CONNECTOR, PLUG, ELECTRICAL P205 ..... UG260BU (81349) ABO CONNECTOR, PLUG, ELECTRICAL P206 ..... UG260BU (81349) ABO CONNECTOR, PLUG, ELECTRICAL P209 ..... CS1320-15375 (81349) ABO CONNECTOR, PLUG, ELECTRICAL P213 ..... CS1320-1S315 (81349) ABO CONNECTOR, PLUG, ELECTRICAL P210 ..... C51320-1P375 (81349) ABO CONNECTOR, PLUG, ELECTRICAL P214 ..... CS1320-1P375 (81349) ABO CONNECTOR, PLUG, ELECTRICAL P215 ..... CS1320-IP315 (81349) ARO CONNECTOR, PLUG, ELECTRICAL P247 ..... CS1320-1P375 (81349) ABO CONNECTOR, PLUG, ELECTRICAL P211 ..... UG913U (81349) ABO CONNECTOR, PLUG, ELECTRICAL P212 ..... UG913U (81349) ABO CONNECTOR, PLUG, ELECTRICAL P201 ..... UG77U (81349) ABO CONNECTOR, PLUG, ELECTRICAL P202 ..... UG77U (81349) ABO CONNECTOR, PLUG, ELECTRICAL P221 ..... CS1320-1P690 (81349) ABO CONNECTOR, PLUG, ELECTRICAL P223 ..... C51320-1P690 (81349) ABO CONNECTOR, PLUG, ELECTRICAL P229 ..... AN3108B18-6S (81349) ABO	FT	5	*	*	*	*	*	*	*		5		
PAFZZ	6145-611-0311			FT	4	*	*	*	*	*	*		5		
PAOZZ	5340-619-1353			EA	1	*	*	*	*	*	*		3		
PAFZZ	5935-148-9378			EA	1	*	*	*	*	*	*		3	P219	
PAFZZ	5935-149-2901			EA	1	*	*	*	*	*	*		3	P245	
PAFZZ	5935-149-4066			EA	2	*	*	*	*	*	*		3	P201	
PAFZZ	5935-149-4066			EA	REF	*	*	*	*	*	*		3	P208	
PAFZZ	5935-173-5895			EA	4	*	*	*	*	*	*		3	P203	
PAFZZ	5935-173-5895			EA	REF	*	*	*	*	*	*		3	P204	
PAFZZ	5935-173-5895			EA	REF	*	*	*	*	*	*		3	P205	
PAFZZ	5935-113-5895			EA	REF	*	*	*	*	*	*		3	P206	
PAFZZ	5935-201-3142			EA	2	*	*	*	*	*	*		3	P209	
PAFZZ	5935-201-3142			EA	REF	*	*	*	*	*	*		3	P213	
PAFZZ	5935-201-3167			EA	4	*	*	*	*	*	*		3	P210	
PAFZZ	5935-201-3167			EA	REF	*	*	*	*	*	*		3	P214	
PAFZZ	5935-231-3167			EA	REF	*	*	*	*	*	*		3	P215	
PAFZZ	5935-201-3167			EA	REF	*	*	*	*	*	*		3	P241	
PAFZZ	5935-614-3962			EA	2	*	*	*	*	*	*		3	P211	
PAFZZ	5935-614-3962			EA	REF	*	*	*	*	*	*		3	P212	
PAFZZ	5935-283-2950			EA	2	*	*	*	*	*	*		3	P201	
PAFZZ	5935-283-2950			EA	REF	*	*	*	*	*	*		3	P202	
PAFZZ	5935-615-7309			EA	2	*	*	*	*	*	*		3	P221	
PAFZZ	5935-615-7309			EA	REF	*	*	*	*	*	*		3	P223	
PAFZZ	5935-643-6658			EA	1	*	*	*	*	*	*		3	P229	

## SECTION II

TM11-5815-204-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  Reference Number & Mfr.      Code    Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAFZZ	5935-681-4036	CONNECTOR, PLUG, ELECTRICAL P216..... CS1320-25315 (81349) ABO	EA	1	*	*	*	*	*	*		3		P216
PAFZZ	6145-669-5584	CORD, ELECTRICAL W202..... COS2-23 (81349) ABO	FT	7	*	*	*	*	*	*		1		W202
PAFZZ	6145-283-9634	CORD, ELECTRICAL NO-REF-DESIG .....	FT	63	*	*	*	*	*	*		1		
PAFZZ	5995-517-1879	COS2-1B (81349) LEAD, ELECTRICAL W2412-11/16 IN LG O/A. ABO	EA	1	*	*	*	*	*	*		2		W241
PAFZZ	5935-192-4760	PLUG, TELEPHONE P217 .....	EA	8	*	*	*	*	*	*		5		P217
PAFZZ	5935-192-4760	PLUG, TELEPHONE PJ055B (81349) ABO	EA	REF	*	*	*	*	*	*		5		P218
PAFZZ	5935-192-4760	PLUG, TELEPHONE PJ055B (81349) ABO	EA	REF	*	*	*	*	*	*		5		P225
PAFZZ	5935-192-4760	PLUG, TELEPHONE PJ055B (81349) ABO	EA	REF	*	*	*	*	*	*		5		P227
PAFZZ	5935-192-4760	PLUG, TELEPHONE PJ055B (81349) ABO	EA	REF	*	*	*	*	*	*		5		P228
PAFZZ	5935-192-4760	PLUG, TELEPHONE PJ055B (81349) ABO	EA	REF	*	*	*	*	*	*		5		P235
PAFZZ	5935-192-4760	PLUG, TELEPHONE PJ055B (81349) ABO	EA	REF	*	*	*	*	*	*		5		P236
PAFZZ	5935-192-4760	PLUG, TELEPHONE PJ055B (81349) ABO	EA	REF	*	*	*	*	*	*		5		P237
PAFZZ	5935-201-7941	PLUG, TELEPHONE P253 .....	EA	1	*	*	*	*	*	*		5		P253
PAFZZ	5935-283-1230	PLUG, TELEPHONE P255 .....	EA	1	*	*	*	*	*	*		5		P255
PAFZZ	5935-089-9340	PLUG, TIP NO-REF-DESIG ANGLE TYPE, RED . ITEM NO. P219B 28P202604-1 (98738)	EA	1	*	*	*	*	*	*		1		
PAFZZ	5935-502-9966	PLUG, TIP NO-REF-DESIG ANGLE TYPE, BLK . ITEM NO. P219A 28P202604-2 (98738)	EA	1	*	*	*	*	*	*		1		
PAFZZ	5930-706-3049	SWITCH, TOGGLE S245 3 POS .....	EA	1	*	*	*	*	*	*		5		S245
PAFH0	6625-752-7854	ANMMETER M2 .....	EA	1	*	*	*	*	*	*		3		M2
PAFZZ	5940-254-2243	MR26W1000CHAR (81349) CAP, ELECTRICAL E7 RUBBER COVER FOR BINDING POST 15P202177 (91738) ABO	EA	4	*	*	*	*	*	*		3		E7
PAFZZ	5940-254-2243	CAP, ELECTRICAL E8 RUBBER COVER FOR BINDING POST 15P202177 (98738) ABO	EA	REF	*	*	*	*	*	*		3		E8
PAFZZ	5940-254-2243	CAP, ELECTRICAL E9 RUBBER COVER FOR BINDING POST 15P202177 (98738) ABO	EA	REF	*	*	*	*	*	*		3		E9
PAFZZ	5940-254-2243	CAP, ELECTRICAL E10 RUBBER COVER FOR BINDING POST 15P202177 (98738) ABO	EA	REF	*	*	*	*	*	*		3		E10
PAOZZ	5920-577-6778	CAP, ELECTRICAL E11 FUSE CAP 342012SA2 (75915) ABO	EA	2	*	*	*	*	*	*		3		E11

## SECTION II

TM11-5815-204-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  Reference Number & Mfr.      Code    Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAOZZ	5920-577-6778	CAP, ELECTRICAL E12 FUSE CAP ..... 342012SA2 (75915) ABO	EA	REF	*	*	*	*	*	*			3	E12
PAFZZ	5910-615-5672	CAPACITOR, FIXED, PAPER DIELECTRIC C2. CP10A3EFZ23K (81349) ABO	EA	1	*	*	*	*	*	*			5	C2
PAFZZ	5910-577-7955	CAPACITOR, FIXED, PAPER DIELECTRIC C1.. 22000 UUF PORM10PCT 400 VDCW 08P202953 (98738) ABO	EA	2	*	*	*	*	*	*			5	C1
PAFZZ	5910-577-7955	CAPACITOR, FIXED, PAPER DIELECTRIC C3 22000 UUF PORM10PCT 400 VDCW 08P202953 (98738) ABO	EA	REF	*	*	*	*	*	*			5	C3
PAFZZ	5925-615-7166	CIRCUIT BREAKER CB1. 2XAM1516MG3 (74193) ABO	EA	1	*	*	*	*	*	*			5	CB1
PAFZZ	5940-177-1700	CLIP, ELECTRICAL E39 FUSE CLIP 9-16 X. 13-32 X 0.345 IN 123001 (75915) ABO	EA	4	*	*	*	*	*	*			3	E39
PAFZZ	5940-177-1700	CLIP, ELECTRICAL E40 FUSE CLIP 9-16 X. 13-32 X 0.345 IN 123001 (75915) ABO	EA	REF	*	*	*	*	*	*			3	E40
PAFZZ	5940-177-1700	CLIP, ELECTRICAL E41 FUSE CLIP 9-16 X. 13-32 X 0.345 IN 123001 (75915) ABO	EA	REF	*	*	*	*	*	*			3	E41
PAFZZ	5940-177-1700	CLIP, ELECTRICAL E42 FUSE CLIP 9-16 X. 13-32 X 0.345 IN 123001 (75915) ABO	EA	REF	*	*	*	*	*	*			3	E42
PAFZZ	5950-617-4472	COIL, RADIO FREQUENCY L1..... 24X200254 (98738) ABO	EA	4	*	*	*	*	*	*			3	L1
PAFZZ	5950-617-4472	COIL, RADIO FREQUENCY L2..... 24X200254 (98738) ASO	EA	REF	*	*	*	*	*	*			3	L2
PAFZZ	5950-617-4472	COIL, RADIO FREQUENCY L3..... 24X200254 (98738) ABO	EA	REF	*	*	*	*	*	*			3	L3
PAFZZ	5950-611-4472	COIL, RADIO FREQUENCY L4..... 24X200254 (98738) ABO	EA	REF	*	*	*	*	*	*			3	L4
PAFZZ	5935-149-3419	CONNECTOR, RECEPTACLE, ELECTRICAL J14.. AN3102A14S7P (81349) ABO	EA	1	*	*	*	*	*	*			3	J14
PAFZZ	5935-643-7098	CONNECTOR, RECEPTACLE, ELECTRICAL J12.. AN3102A14S575 (81349) ABO	EA	1	*	*	*	*	*	*			3	J12
PAFZZ	5935-236-3137	CONNECTOR, RECEPTACLE, ELECTRICAL J1... MS3102A18-6P (81349) ABO	EA	1	*	*	*	*	*	*			3	J1
PAFZZ	5935-201-3997	CONNECTOR, RECEPTACLE, ELECTRICAL J2.. CS2020_1S (81349) ABO	EA	8	*	*	*	*	*	*			3	J2
PAFZZ	5935-201-39q7	CONNECTOR, RECEPTACLE, ELECTRICAL J3... CS2020_1S (81349) ABO	EA	REF	*	*	*	*	*	*			3	J3
PAFZZ	5935-201-3997	CONNECTOR, RECEPTACLE, ELECTRICAL J4... CS2020_1S (81349) ASO	EA	REF	*	*	*	*	*	*			3	J4
PAFZZ	5935-201-3997	CONNECTOR, RECEPTACLE, ELECTRICAL J5... CS2020_1S (81349) ABO	EA	REF	*	*	*	*	*	*			3	J5
PAFZZ	5935-201-3997	CONNECTOR, RECEPTACLE, ELECTRICAL J6.. CS2020_1S (81349) ABO	EA	REF	*	*	*	*	*	*			3	J6
PAFZZ	5935-201-3997	CONNECTOR, RECEPTACLE, ELECTRICAL J7.. CS2020_1S (81349) ABO	EA	REF	*	*	*	*	*	*			3	J7
PAFZZ	5935-201-3997	CONNECTOR, RECEPTACLE, ELECTRICAL J8... CS2020_1S (81349) ABO480	EA	REF	*	*	*	*	*	*			3	J8

## SECTION II

TM11-5815-204-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  Reference Number & Mfr.      Code    Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.	
PAFZZ	5935-201-3997	CONNECTOR, RECEPTACLE, ELECTRICAL CS2020-1S (81349)	J9... ABO	EA	REF	*	*	*	*	*	*		3		J9
PAFZZ	5935-257-7198	CONNECTOR, RECEPTACLE, ELECTRICAL CS2020-2P (81349)	J13... ABO	EA	1	*	*	*	*	*	*		3		J13
PAFZZ	5935-549-2646	CONNECTOR, RECEPTACLE, ELECTRICAL U79U (81349)	J11... ABO	EA	1	*	*	*	*	*	*		3		J11
PAFZZ	5935-892-9035	CONNECTOR, RECEPTACLE, ELECTRICAL UG657U (81349)	J10... ABO	EA	1	*	*	*	*	*	*		3		J10
PAFZZ	5923-504-8634	COVER, FUSE MP1 COVER FOR FUSES FI, F2, 15X202018 (98378)	ABO	EA	1	*	*	*	*	*	*		2		MP1
PACZZ	5923-543-0425	FUSE, CARTRIDGE F02GR250B (81349)	F2 ..... ABO	EA	1	*	*	*	*	*	*		50		F2
PACZZ	5920-284-6795	FUSE# CARTRIDGE F04A10ROB (81349)	F1 ..... ABO	EA	1	*	*	*	*	*	*		50		F1
PACZZ	5920-142-4820	FUSE, CARTRIDGE F05A30ROB (81349)	F3 ..... ABO	EA	2	*	*	*	*	*	*		50		F3
PACZZ	5920-142-4820	FUSE, CARTRIDGE F05A30ROB (81349)	F4 ..... ABO	EA	REF	*	.	*	*	*	*		50		F4
PAFZZ	5920-683-5517	FUSEHOLDER 342012SA1 (75915)	XF1 ..... ABO	EA	2	*	*	*	*	*	*		3		XF1
PAFZZ	5920-683-5517	FUSEHOLDER 342012SA1 (75915)	XF2 ..... ARO	EA	REF	*	*	*	*	*	*		3		XF2
PAFZZ	5935-552-1828	JACK, TELEPHONE XA4563 (82389)	J16 ..... ABO	EA	4	*	*	*	*	*	*		3		J16
PAFZZ	5935-552-1828	JACK, TELEPHONE XA4563 (82389)	J7 ..... ABO	EA	REF	*	*	*	*	*	*		3		J17
PAFZZ	5935-552-1828	JACK, TELEPHONE XA4563 (82389)	J8 ..... ABO	EA	REF	*	*	*	*	*	*		3		J18
PAFZZ	5935-552-1828	JACK, TELEPHONE XA4563 (82389)	J19 ..... ABO	EA	REF	*	*	*	*	*	*		3		J19
PAFZZ	5935-552-1815	JACK, TELEPHONE XA4880 (82389)	J15 ..... ABO	EA	1	*	*	*	*	*	*		3		J15
PAOZZ	5355-616-9824	KNOB E19 CONTROL FOR R2 ANO R3 36P200072 (98738)	ABO	EA	2	*	*	*	*	*	*		3		E19
PAOZZ	5355-616-9824	KNOB E20 CONTROL FOR RZ AND R3 36P200072 (98738)	ABO	EA	REF	*	*	*	*	*	*		3		E20
PAFZZ	5940-553-2581	POST, BINDING U106U (81350)	E21 ..... ABO	EA	4	*	*	*	*	*	*		1		E21
PAFZZ	5940-553-2581	POST, BINDING U106U (81350)	E22 ..... ABO	EA	REF	*	*	*	*	*	*		1		E22
PAFZZ	5940-553-2581	POST, BINDING U106U (81350)	E23 ..... ABO	EA	REF	*	*	*	*	*	*		1		E23
PAFZZ	5940-553-2581	POST, BINDING U106U (81350)	E24 ..... ABO	EA	REF	*	*	*	*	*	*		1		E24
PAFZZ	5960-633-3592	POST, ELECTRON TUBE RETAINER MOUNTING MP15 MTG FOR POLAR RELAY RETAINER 58P200218 (98738)	ABO	EA	1	*	*	*	*	*	*		2		MP15
PAFZZ	5960-678-5395	POST9 ELECTRON TUBE RETAINER MOUNTING MP16 FOR TR RELAY RETAINER 46P202990 (98738)	ABO	EA	2	*	*	*	*	*	*		2		MP16
PAFZZ	5960-678-5395	POST, ELECTRON TUBE RETAINER MOUNTING MP17 FOR TR RELAY RETAINER 46P202990 (98738)	ABO	EA	REF	*	*	*	*	*	*		2		MP17

## SECTION II

TM11-5815-204-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  Reference Number & Mfr.      Code    Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAOZZ	5945-542-7058	RELAY, ARMATURE K1 ..... 80P200049 (98738) ABO	EA	1	*	*	*	*	*	*			3	K1
PAOZZ	5945-615-7182	RELAY, ARPATURE K2 ..... 80P200106 (98738) ABO	EA	1	*	*	*	*	*	*			3	K2
PAFZZ	5905-219-1911	RESISTOR, FIXED, CONPOSITION R1..... RC42GF391K (81349) ABO	EA	1	*	*	*	*	*	*			3	R1
PAFZZ	5905-100-4968	RESISTOR, FIXED, MIRE WOUND R4 ..... RW30G501 (81349) ABO	EA	1	*	*	*	*	*	*			3	R4
PAFZZ	5905-617-6892	RESISTOR, VARIABLE R3 5000 OHMS..... PORM10PCT 25 W 18P200070 (98138) ABO	EA	1	*	*	*	*	*	*			5	R3
PAFZZ	5905-617-6481	RESISTOR, VARIABLE R2 1000 OHMS..... PORM10PCT 18P200071 (98738) ABO	EA	1	*	*	*	*	*	*			5	R2
PAOZZ	5960-636-3875	RETAINER, ELECTRICAL RELAY MP8 RETAINS K2 RELAY	EA	1	*	*	*	*	*	*			2	MP8
PAOZZ	5960-295-9582	G204765 (96458) RETAINER, ELECTRICAL RELAY MP9 FOR..... RELAY K1 BL16786 (96458) ASO	EA	1	*	*	*	*	*	*			2	MP9
PAFZZ	5355-667-5457	SHAFT, LOCK, ELECTRONIC COMPONENT FOR LOCKING R2 K10062T (76487) ABO	EA	2	*	*	*	*	*	*			2	MP10
PAFZZ	5355-667-5457	SHAFT, LOCK, ELECTRONIC COMPONENT FOR LOCKING R2 K10062T (76487) ABO	EA	REF	*	*	*	*	*	*			2	MP11
PAFZZ	5935-063-5789	SOCKET XK1..... TS101P01 (81349) A8S	EA	2	*	*	*	*	*	*			3	XK1
PAFZZ	5935-063-5189	SOCKET XK2..... TS101P01 (81349) ABO	EA	REF	*	*	*	*	*	*			3	XK2
PAFZZ	5930-655-1514	SWITCH, TOGGLE, SPST S1..... MS35058-22 (81349) A	EA	5	*	*	*	*	*	*			5	S1
PAFZZ	5930-655-1514	SWITCH1 TOGGLE, SPST S2..... MS35058-22 (81349) ABO	EA	REF	*	*	*	*	*	*			5	S2
PAFZZ	5930-504-8895	SWITCH, TOGGLE S3 ACTUATOR FOR AMMETER CIRCUIT 7665K4 (27191) ABO	EA	1	*	*	*	*	*	*			5	S3
PAFZZ	5930-050-2704	SWITCH, TOGGLE, DPST S4..... MS35059-9 (96906) ABO	EA	2	*	*	*	*	*	*			5	S4
PAFZZ	5933-050-2704	SWITCH, TOGGLE, DPST S5..... MS35059-9 (96906) ABO	EA	REF	*	*	*	*	*	*			5	S5
PAFZZ	5940-633-0364	TERMINAL E21 BRASS 1-5-32 X 13-32 X 19-32 IN 29P200094 (98738) ABO	EA	3	*	*	*	*	*	*			3	E21
PAFZZ	5940-633-0364	TERMINAL E22 BRASS 1-5-32 X 13-32 X 19-32 IN 29P200094 (98738) ABO	EA	REF	*	*	*	*	*	*			3	E22
PAFZZ	5940-633-0364	TERMINAL E23 BRASS 1-5-32 X 13-32 X 19-32 IN 29P200094 (98138) ABO	EA	REF	*	*	*	*	*	*			3	E23
PAFZZ	5940-633-3611	TERMINAL E24 BRASS 1-5-32 X 13-32 X 19-32 IN 29P200095 (98738) ABO	EA	11	*	*	*	*	*	*			3	E24

## SECTION II

TM11-5815-204-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  Reference Number & Mfr.      Code    Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.
PAFZZ	5940-633-3611	TERMINAL E25 BRASS 1-5-32 X 13-32 X 19-32 IN 29P200095 (98738)	EA	REF	*	*	*	*	*	*			3	E25
PAFZZ	5940-633-3611	TERMINAL E26 BRASS 1-5-32 X 13-32 X 19-32 IN 29P200095 (98738)	ABO	EA	RFF	*	*	*	*	*	*		3	E26
PAFZZ	5940-633-3611	TERMINAL E27 BRASS 1-5-32 X 13-32 X 19-32 IN 29P200095 (98738)	ABO	EA	REF	*	*	*	*	*	*		3	E27
PAFZZ	5940-633-3611	TERMINAL E28 BRASS 1-5-32 X 13-32 X 19-32 IN 29P2-00095 (98738)	ABO	EA	REF	*	*	*	*	*	*		3	E28
PAFZZ	5940-633-3611	TERMINAL E29 BRASS 1-5-32 X 13-32 X 19-32 IN 29P200095 (98738)	ABO	EA	REF	*	*	*	*	*	*		3	E29
PAFZZ	5940-633-3611	TERMINAL E30 BRASS 1-5-32 X 13-32 X 19-32 IN 29P200095 (98738)	ABO	EA	REF	*	*	*	*	*	*		3	E30
PAFZZ	5940-633-3611	TERMINAL E31 BRASS 1-5-32 X 13-32 X 19-32 IN 29P200095 (98738)	ABO	EA	REF	*	*	*	*	*	*		3	E31
PAFZZ	5940-633-3611	TERMINAL E32 BRASS 1-5-32 X 13-32 X 19-32 IN 29P200095 (98738)	ABO	EA	REF	*	*	*	*	*	*		3	E32
PAFZZ	5940-633-3611	TERMINAL E33 BRASS 1-5-32 X 13-32 X 19-32 IN 29P200095 (98738)	ABO	EA	REF	*	*	*	*	*	*		3	E33
PAFZZ	5940-633-3611	TERMINAL E34 BRASS 1-5-32 X 13-32 X 19-32 IN 29P200095 (98738)	ABO	EA	REF	*	*	*	*	*	*		3	E34
PAFZZ	5940-617-7249	TERMINAL LUG E2 BRASS TINNED 13-16 X. 19-32 X 0-157 X 0-032 IN MTG PORTION 29P202143 (98738)	ABO	EA	4	*	*	*	*	*	*		5	E2
PAFZZ	5940-617-7249	TERMINAL LUG E3 BRASS TINNED 13-16 X. 19-32 X 0-157 X 0-032 IN MTG PORTION 29P202143 (98738)	ABO	EA	REF	*	*	*	*	*	*		5	E3
PAFZZ	5940-617-7249	TERMINAL LUG E4 BRASS TINNED 13-16 X. 19-32 X 0-157 X 0-032 IN MTG PORTION 29P202143 (98738)	ABO	EA	REF	*	*	*	*	*	*		5	E4
PAFZZ	5940-617-7249	TERMINAL LUG E5 BRASS TINNED 13-16 X. 19-32 X 0-S67 X 0-032 IN MTG PORTION 29P202143 (98738)	ABO	EA	REF	*	*	*	*	*	*		5	ES
PAFZZ	6625-643-1800	VOLTMETER 1 MR26W050DCVVR (81349)	ABO	EA	1	*	*	*	*	*	*		3	M1
PAFZZ		INTERCONNECTING BOX RS668/GRCT MOTOR GENERATOR GROUP NO-REF-DESIG ZZZZZZZZZZZZ(ZZZZZ)	ABO	EA	1	*	*	*	*	*	*		2	
PAOZZ	5977-617-1259	BRUSH1 ELECTRICAL CONTACT E1 1-15-64 X 1-1-4 X 19-64 IN 01X200122-1 (98738)	ABO	ST	1	*	*	*	*	*	*		10	E1
PADZZ	5977-617-1954	BRUSH, ELECTRICAL CONTACT E2 37-64 X. 3-8 X 1-N IN 01X200122-2 (98738)	ABOI	ST	1	*	*	*	*	*	*		10	E2

## SECTION II

TM11-5815-204-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  Reference Number & Mfr.      Code    Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO.	
PAFZZ	5910-577-9293	CAPACITOR, FIXED, PAPER DIELECTRIC 800,000 UUF M1-2 UF POR20OPCT 100 VOCW 512G10501 (84411)	C1..	EA	1	*	*	*	*	*	*		5		C1
PAFZZ	5910-171-2952	CAPACITOR, FIXED, PAPER DIELECTRIC 4 UF PORM10PCT 100 VDCW CPS381EB4S5K (81349)	ABO C2..	EA	1	*	*	*	*	*	*		5		C2
PAFZZ	5910-577-9126	CAPACITOR, FIXED, PAPER DIELECTRIC 470000 MH4F PORM20PCT 100 VOCW 512G47404C (84411)	ABO C3..	EA	1	*	*	*	*	*	*		5		C3
PAFZZ	5910-683-7396	CAPACITOR, FIXED, PAPER DIELECTRIC 1 MF POR20PCT 400 VDCW 512G10504C (68411)	ABO C4..	FA	1	*	*	*	*	*	*		5		C4
PAFZZ	5910-577-9125	CAPACITOR, FIXED, PAPER DIELECTRIC 100,000 UUF POR20PCT 100 VDCW MC898 (14655)	ABO C5..	EA	1	*	*	*	*	*	*		5		CS
PAFZZ	5910-184-6712	CAPACITOR, FIXED, MICA DIELECTRIC CM35E103K (81349)	ABO C6..	EA	1	*	*	*	*	*	*		3		C6
PAFZZ	5950-656-2349	COIL, RADIO FREQUENCY LI 0.440 IN THK A27343 (66099)	ABO IN	3/8 IN DIA X. EA	1	*	*	*	*	*	*		3		L1
PAFZZ	5950-656-2350	COIL, RADIO FREQUENCY LZ 5-8 X 1-3-4 IN A27412 (66099)	ABO IN	EA	1	*	*	*	*	*	*		3		L2
PAFZZ	5935-660-3825	CONNECTOR, RECEPTACLE, ELECTRICAL FEMALE CONT 5252 (83315)	ABO J1 3	EA	1	*	*	*	*	*	*		3		J1

**INDEX - FEDERAL STOCK NUMBER AND REFERENC NUMBER  
CROSS-REFERENC TO FIGURE AND ITEM NUMBER**

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
2990-356-1740			5930-642-2452		S245
4130-585-7847		FL5	5930-655-1514		S1
4130-585-7347		FL6	5930-655-1514		S2
4130-585-7847		FL7	5930-655-1520		S2
4140-633-6729		B1	5930-679-5925		S1
4520-327-5879			5930-681-0586		S3
4520-618-4826	10		5930-706-3049		S245
4520-670-4963			5930-892-9175		
4520-670-4964			5935-063-5789	XK1	
4521-670-4965			5935-063-5789	XK2	
4520-670-4966	10		5935-089-9334	A34	
4520-670-5666			5935-089-9334	A35	
4520-670-5669			5935-089-9340		
4520-670-5670			5935-148-9378	P219	
4520-670-5671			5935-148-9378	P220	
4520-670-5672			5935-149-2901	P245	
4520-670-5673			5935-149-3419	J14	
4520-671-5857			5935-149-4066	P207	
4520-679-3015			5935-149-4068	P208	
4520-799-3364			5935-162-5094		
4530-670-5663			5935-173-5895	P203	
4720-673-3282			5935-173-5895	P204	
4730-192-9464			5935-173-5895	P205	
4730-277-8265			5935-173-5895	P206	
4730-580-6414			5935-192-4760	P217	
4730-618-4379			5935-192-4760	P218	
4730-670-5664	20		5935-192-4760	P225	
4730-670-5667			5935-192-4760	P227	
4730-670-5668			5935-192-4760	P228	
4730-673-3284			5935-192-4760	P235	
4820-783-7813			5935-192-4760	P236	
5335-030-1395			5935-192-4760	P237	
5340-327-5868			5935-201-3142	P209	
5340-537-8961			5935-201-3142	P213	
5340-619-1353			5935-201-3167	P210	
5355-616-9824	E19		5935-201-3167	P214	
5355-616-9824	E20		5935-201-3167	P215	
5355-667-5457	MP10		5935-201-3167	P231	
5355-667-5457	MP11		5935-201-3167	P233	
5410-542-1064			5935-201-3167	P247	
5410-646-7841			5935-201-3997	J2	
5905-080-6833	C5		5935-201-3997	J3	
5905-100-4968	R4		5935-201-3997	J4	
5905-279-1911	R1		5935-201-3997	J5	
5905-617-6481	R2		5935-201-3997	J6	
5935-617-6892	R3		5935-201-3997	J7	
5910-171-2952	C2		5935-201-3997	J8	
5910-184-6712	C6		5935-201-3997	J9	
5910-557-5299	C1		5935-201-7941	P253	
5910-577-7955	C1		5935-201-9772	P229	
5910-577-7955	C3		5935-204-9010		
5910-577-9125	C5		5935-223-0574		
5910-577-9126	C3		5935-236-3137	J1	
5910-577-9293	CI		5935-246-5280	XG1	
5910-615-5672	C2		5935-257-7198	J13	
5910-660-7961	C2		5935-259-9828		
5910-673-3283	Cs		5935-283-1230	P255	
5910-673-3283	C6		5935-283-2950	P201	
5910-681-2581	C3		5935-283-2950	P202	
5910-683-7396	C4		5935-502-9966		
5910-685-9685	C4		5935-502-9966	5.1	
5920-142-4820	F3		5935-549-2646	J11	
5920-142-4820	F4		5935-552-1815	J15	
5920-284-6795	F1		5935-552-828	J16	
5920-284-9636	XF1		5935-552-1828	J17	
5920-504-8634	MP1		5935-552-1828	J18	
5920-543-0425	F2		5935-552-1828	J19	
5920-577-6778	E11		5935-614-3962	P211	
5920-577-6778	E12		5935-614-3962	P212	
5920-683-5517	XF1		5915-615-7309	P221	
5920-683-5517	XF2		5935-615-7309	P223	
5925-615-7166	CB1		5935-643-6658	P211	
5930-050-2704	S4		5935-643-6658	P212	
5930-050-2704	S5		5935-643-6658	P229	
5930-504-8895	S3		5935-643-7098	J12	
5930-519-8144	S1		5935-660-3825	J1	
5930-630-0020	MP20		5935-681-4036	P216	

**SECTION IV****TM11-5815-204-34P**

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5935-681-4036	5.1	P216	5950-656-2350		L2
5935-820-2269			5950-683-3258		
5935-892-9035		J10	5960-295-9582		MP9
5940-177-1700		E39	5960-633-3592		MP15
5940-177-1700		E40	5960-636-3975		MP8
5940-177-1700		E41	5960-678-5395		MP16
5940-177-1700		E42	5960-678-5395		MP17
5940-254-2243		E7	5977-617-1259		E1
5940-254-2243		E8	5977-617-1954		E2
5940-254-2243		E9	5995-517-1879		W241
5940-254-2243		E10	5995-617-1878		W239
5940-553-2581		E21	5995-617-1879		W241
5940-553-2581		E22	6105-617-1873		82
5940-553-2581		E23	6105-672-0308		81
5940-553-2581		E24	6105-672-0680		82
5940-617-7249		E2	6145-161-0913		
5940-617-7249		E3	6145-161-0913		W204
5940-617-7249		E4	6145-161-0913		W206
5940-617-7249		E5	6145-283-9634		
5940-633-0364		E21	6145-283-9634		W218
5940-633-0364		E22	6145-284-0579		
5940-633-0364		E23	6145-284-0579		W246
5940-633-3611		E24	6145-504-0944		
5940-633-3611		E25	6145-504-0944		W210
5940-633-3611		E26	6145-504-0944		W214
5940-633-3611		E27	6145-504-0944		W232
5940-633-3611		E28	6145-504-0944		W234
5940-633-3611		E29	6145-542-6092		
5940-633-3611		E30	6145-542-6092		W208
5940-633-3611		E31	6145-542-6092		W212
5940-633-3611		E32	6145-617-0310		
5940-633-3611		E33	6145-617-0310		w222
5940-633-3611		E34	6145-617-0311		
5945-542-7058		K1	6145-617-0311		W216
5945-615-7182		K2	6145-669-5584		W202
5950-617-4472		L1	6145-682-3341		
5950-617-4472		L2	6145-682-3341		W230
5950-617-4472		L3	6625-643-1800		M1
5950-617-4472		L4	6625-752-7854		M2
5950-656-2349		L1			

By Order of the Secretary of the Army:

Official:

**VERNE L. BOWERS**

*Major- General, United States Army  
The Adjutant General*

**CREIGHTON W. ABRAMS**  
*General, United States Army  
Chief of Staff*

Distribution:

To be distributed in accordance with DA Form 12-51, direct and general support maintenance requirements for AN/GRC-46 and AN/VRC-29.

★U.S. GOVERNMENT PRINTING OFFICE: 1994 - 342-421/81703

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

**SOMETHING WRONG WITH PUBLICATION**



THEN...JOT DOWN THE  
DOPE ABOUT IT ON THIS FORM.  
CAREFULLY TEAR IT OUT, FOLD IT  
AND DROP IT IN THE MAIL.

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT PIN-POINT WHERE IT IS

PAGE  
NO.

PARA-  
GRAPH

FIGURE  
NO.

TABLE  
NO.

IN THIS SPACE, TELL WHAT IS WRONG  
AND WHAT SHOULD BE DONE ABOUT IT.

PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER

SIGN HERE

**DA FORM 1 JUL 79 2028-2**

PREVIOUS EDITIONS  
ARE OBSOLETE.

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR  
RECOMMENDATION MAKE A CARBON COPY OF THIS  
AND GIVE IT TO YOUR HEADQUARTERS.

## The Metric System and Equivalents

### **Linear Measure**

1 centimeter = 10 millimeters = .39 inch  
 1 decimeter = 10 centimeters = 3.94 inches  
 1 meter = 10 decimeters = 39.37 inches  
 1 dekameter = 10 meters = 32.8 feet  
 1 hectometer = 10 dekameters = 328.08 feet  
 1 kilometer = 10 hectometers = 3,280.8 feet

### **Weights**

1 centigram = 10 milligrams = .15 grain  
 1 decigram = 10 centigrams = 1.54 grains  
 1 gram = 10 decigram = .035 ounce  
 1 decagram = 10 grams = .35 ounce  
 1 hectogram = 10 decagrams = 3.52 ounces  
 1 kilogram = 10 hectograms = 2.2 pounds  
 1 quintal = 100 kilograms = 220.46 pounds  
 1 metric ton = 10 quintals = 1.1 short tons

### **Liquid Measure**

1 centiliter = 10 milliters = .34 fl. ounce  
 1 deciliter = 10 centiliters = 3.38 fl. ounces  
 1 liter = 10 deciliters = 33.81 fl. ounces  
 1 dekaliter = 10 liters = 2.64 gallons  
 1 hectoliter = 10 dekaliters = 26.42 gallons  
 1 kiloliter = 10 hectoliters = 264.18 gallons

### **Square Measure**

1 sq. centimeter = 100 sq. millimeters = .155 sq. inch  
 1 sq. decimeter = 100 sq. centimeters = 15.5 sq. inches  
 1 sq. meter (centare) = 100 sq. decimeters = 10.76 sq. feet  
 1 sq. dekameter (are) = 100 sq. meters = 1,076.4 sq. feet  
 1 sq. hectometer (hectare) = 100 sq. dekameters = 2.47 acres  
 1 sq. kilometer = 100 sq. hectometers = .386 sq. mile

### **Cubic Measure**

1 cu. centimeter = 1000 cu. millimeters = .06 cu. inch  
 1 cu. decimeter = 1000 cu. centimeters = 61.02 cu. inches  
 1 cu. meter = 1000 cu. decimeters = 35.31 cu. feet

## Approximate Conversion Factors

<b>To change</b>	<b>To</b>	<b>Multiply by</b>	<b>To change</b>	<b>To</b>	<b>Multiply by</b>
inches	centimeters	2.540	ounce-inches	Newton-meters	.007062
feet	meters	.305	centimeters	inches	.394
yards	meters	.914	meters	feet	3.280
miles	kilometers	1.609	meters	yards	1.094
square inches	square centimeters	6.451	kilometers	miles	.621
square feet	square meters	.093	square centimeters	square inches	.155
square yards	square meters	.836	square meters	square feet	10.764
square miles	square kilometers	2.590	square meters	square yards	1.196
acres	square hectometers	.405	square kilometers	square miles	.386
cubic feet	cubic meters	.028	square hectometers	acres	2.471
cubic yards	cubic meters	.765	cubic meters	cubic feet	35.315
fluid ounces	milliliters	29,573	cubic meters	cubic yards	1.308
pints	liters	.473	milliliters	fluid ounces	.034
quarts	liters	.946	liters	pints	2.113
gallons	liters	3.785	liters	quarts	1.057
ounces	grams	28.349	liters	gallons	.264
pounds	kilograms	.454	grams	ounces	.035
short tons	metric tons	.907	kilograms	pounds	2.205
pound-feet	Newton-meters	1.356	metric tons	short tons	1.102
pound-inches	Newton-meters	.11296			

### Temperature (Exact)

°F	Fahrenheit temperature	5/9 (after subtracting 32)	Celsius temperature	°C
----	------------------------	----------------------------	---------------------	----

PIN: 018304-0