

TECHNICAL MANUAL

**DIRECT SUPPORT AND GENERAL SUPPORT
MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS
LISTS (INCLUDING DEPOT MAINTENANCE REPAIR
PARTS AND SPECIAL TOOLS)

CONVERTERS, FREQUENCY SHIFT
CV-116/URR, CV-116A/URR, CV-116B/URR,
AND CV-116C/URR
FSN 5815-519-6962**

HEADQUARTERS, DEPARTMENT OF THE ARMY

MARCH 1974

* TM 11-5815-221-34P

TECHNICAL MANUAL }
No. 11-5815-221-34P }

HEADQUARTERS

DEPARTMENT OF THE ARMY
WASHINGTON, DC., 22, March 1974

Direct Support and General Support Maintenance

Repair Parts and Special Tools Lists

(Including Depot Maintenance Repair Parts and Special Tools)

CONVERTERS, FREQUENCY SHIFT CV-116/URR,

CV-116A/URR, CV-116B/URR, AND CV-116C/URR

FSN 5815-519-6962

Current as of August 1973

| | | Paragraph | Page |
|------------|--|-----------|------|
| Section I. | INTRODUCTION | | |
| | Scope | 1-1 | 3 |
| | General | 1-2 | 3 |
| | Explanation of columns | 1-3 | 3 |
| | Special information | 1-4 | 5 |
| | Location of repair parts | 1-5 | 5 |
| | Abbreviations (Not applicable}..... | 1-6 | 5.1 |
| | Reporting of equipment publication improvements | 1-7 | 5.1 |
| II.. | REPAIR PARTS LIST | | 6 |
| III. | SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable) | | |
| IV.. | INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER | | 43 |

*This manual supersedes TM 11-5895 221-35P, 4 August 1958, including a11 changes.

SECTION I INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of direct support, general support, and depot maintenance of the CV-116/ URR, CV-116A/ URR, CV-116B /URR, and CV-116 C/ URR. The PCCN for the equipment is GCRADM for a11 models.

1-2. General

This repair parts and special list is divided into the following sections:

a. *Repair Parts List-Section II.* A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level. This repair parts list is arranged in alphabetical order.

b. *Special Tools Test and Support Equipment-Section III.* Not applicable.

c. *Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item number Section IV.* A list, in ascending numerical sequence of a11 Federal stock numbers appearing in the listings followed by a list in alphanumeric sequence of a11 reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

a. *Source Maintenance and Recoverability Codes (SMR)*

(1) *Source code.* Indicates the manner of acquiring support items for maintenance repair or overhaul of end items. Source codes are -

Code Explanation

PA - Item procured and stocked for anticipated or known usage.

PB - Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.

PC - Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.

PD - Support item excluding support equipment procured for initial issue or outfitting and stocked only

for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.

Code Explanation
PE - Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.

PF - Support equipment which will not be stocked but which will be centrally procured on demand.

PG - Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.

KD - An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.

KF - An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.

KB - Item included in both a depot overhaul/repair kit and a maintenance kit.

MO - Item to be manufactured or fabricated at organizational level.

MF - Item to be manufactured or fabricated at direct support maintenance level.

MH - Item to be manufactured or fabricated at general support maintenance level.

MD - Item to be manufactured or fabricated at depot maintenance level.

AO - Item to be assembled at organizational level.

AF - Item to be assembled at direct support maintenance level.

AH - Item to be assembled at general support maintenance level.

AD - Item to be assembled at depot maintenance level.

XA - Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.

XB - Item is not procured or stocked. If not available through salvage requisition.

XC - Installation drawing diagram instruction sheet, field service drawing, that is identified by manufacturers part number.

Code Explanation

XD - Support items can be requisitioned with justification.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows -

(a) *Use (third position)*. The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance

Code Application / Explanation

O - Support item is removed, replaced, used at the organizational level of maintenance.

NOTE

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

F - Support item is removed, replaced, used at the direct support maintenance level.

H - Support item is removed, replaced, used at the general support maintenance.

D - Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position)*. The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment / systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code -

Code Application / Explanation

O - The lowest maintenance level capable of complete repair of the support item is the organizational level.

F - The lowest maintenance level capable of complete repair of the support item is direct support

H - The lowest maintenance level capable of complete repair of the support item is general support.

D - The lowest maintenance level capable of complete repair of the support item is the depot level.

L - Repair restricted to designated Specialized Repair Activity.

Z - Non-repairable. No repair is authorized.

B - No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code*. Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows-

Code Explanation

Z - Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.

O - Repairable item. When uneconomically repairable, condemn and organizational level.

F - Repairable item. When uneconomically repairable, condemn and dispose at the direct support Level .

H - Repairable item. When uneconomically repairable, condemn and dispose at the general support level.

D - Repairable item . When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.

L - Repairable item. Repair, condemnation, and disposal not authorized below depot / Specialized Repair Activity level.

A - Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. *Federal Stock Number* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

TM 1 1-5815-221-34P

c. *Description.* Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

d. *Unit of Measure (U/M).* Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. *Quantity Incorporated in Unit.* This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. 30-Day DS / GS Maintenance Allowances.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. *1-Year Allowances Per 100 Equipments / Contingency Planning Purposes.* Column intentionally left blank.

h. *Depot Maintenance Allowance Per 100 Equipments.* This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

i. Illustration.

This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 11-2241.

(2) *Item number.* Indicates the item number or reference designation used to reference the item in the illustration.

1-4. Special Information

a. Usable on codes are included in column 3. Un-coded items are applicable to all models. Identification of the usable on codes used in this publication are -

| Code | Used on |
|----------|-------------|
| A2V..... | CV-116/URR |
| BUH..... | CV-116A/URR |
| BUI..... | CV-116B/URR |
| BUJ..... | CV-116C/URR |

b. The following publications pertain to the equipment and its components:

| | |
|--------------------|---|
| TM 11-2241 | Frequency Shift Converters CV-116/URR, CV-116A/URR, CV-116B/URR, and CV-116C/URR. |
| TM 11-5815-221-20P | Organizational Maintenance Repair Parts and special Tools Lists: Converters, Frequency Shift CV-116/URR, CV-116A/URR, CV-116B/URR, CV-116C/URR, |

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturers part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturers part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (sec II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation

are not known, scrutinize column 3 of the repair parts (sec II), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CR, Fort Monmouth, NJ 07703.

(Next printed page is 6)

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|-------|--------|--------------------------------------|-------|--------|--|--|----------------------|--------------|
| | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) FIGURE NO. | (b) ITEM NO. |
| | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | | | |
| PAOZZ | 5935-552-4372 | GROUP 0001 CONVERTER, FREQUENCY SHIFT CON VERTER CV-116/URR, CV 116A, B, C/URR ADAPTER CONNECTORNO-REF-DESIG F/GROUNDING CABLE 5273-1 (74545) | EA | 1 | * | * | * | * | * | * | | | 3 | |
| PAFZZ | 5935-280-195 | ADAPTER, CABLE TO CONNECTOR.....NO-REF-DESIG. AN3057-6B (ZZZZZ) | EA | 1 | * | * | * | * | * | * | | | 3 | |
| PAFZZ | 5930-548-9363 | ADAPTER, SWITCH ACTUATOR S1 JS5 (91929)BUH,BUI,BUJ | EA | 2 | * | * | * | * | * | * | | | 3 | 18 S1 |
| PAFZZ | 5930-548-9363 | ADAPTER, SWITCH, ACTUATOR S6 JS5 (91929)BUH,BUI,BUJ | EA | REF | * | * | * | * | * | * | | | 18 | S6 |
| PAFDD | 6625-539-8152 | AMMETER M1 0 TO 100 MICROAMPERES | EA | 2 | * | * | * | * | * | * | | | 3 | 45 M1 |
| PAFDD | 6625-539-81525 | AMMETER M2 0 TO 100 MICROAMPERES | EA | REF | * | * | * | * | * | * | | | 45 | M2 |
| PAFDD | 6625-542-0935 | AMMETER M3 100-0-100 MICROAMPERES | EA | 2 | * | * | * | * | * | * | | | 3 | 45 M3 |
| PAFDD | 6625-542-0935 | AMMETER M4 100-0-100 MICROAMPERES | EA | REF | * | * | * | * | * | * | | | 45 | M4 |
| PAFDD | 5820-342-5853 | AUTOMATIC, FREQUENCY CONTROL UNIT | EA | 2 | * | * | * | * | * | * | | | 3 | 47 Z9 |
| PAFDD | 5820-342-5853 | ASSEMBLY Z9 SMD108887 (80063) | EA | REF | * | * | * | * | * | * | | | 47 | Z10 |
| PAFDD | 5820-342-5853 | AUTOMATIC FREQUENCY CONTROL UNIT | EA | REF | * | * | * | * | * | * | | | 47 | Z10 |
| PAFZZ | 6350-132-9504 | ASSEMBLY Z10 SMD108887 (80063) BELL, ELECTRICAL 11 INDICATES FREQ..... | EA | 1 | * | * | * | * | * | * | | | 3 | 45 11 |
| PAFZZ | 6145-284-0579 | DRIFT 115 V AC. 0.050 SMC108835 (80063) | EA | 1 | * | * | * | * | * | * | | | 10 | |
| PAFZZ | 6145-284-0579 | CABLE POWER ELECTRICAL NO-REF-DESIG..... 3 COND, COLOR CODED TYPE, 6 FEET LONG CO-03MGF3-18-034* | EA | 1 | * | * | * | * | * | * | | | 10 | |
| PAFZZ | 6145-542-6092 | 0 (81349) CABLE, RADIO FREQUENCY NO-REF-DESIG..... 8. | EA | 1 | * | * | * | * | * | * | | | 10 | |
| PAHZZ | 5820-532-3233 | FEET LONG RG58CU (80058) | EA | 2 | | | | | | * | | | 3 | |
| PAOZZ | 5975-244-5150 | CAM, CONTROL NO-REF-DESIG | EA | 2 | | | | | | * | | | 3 | |
| PAOZZ | 5975-244-5150 | SMC108894 (80063) | EA | 2 | | | | | | * | | | 3 | |
| PAFZZ | 5910-577-1153 | CAP, ELECTRICAL NO-REF-DESIG.....CAP FOR. FUSEHOLDER 111KP 171400) | EA | 1 | | | | | | * | | | 3 | 46 C88 |
| PAFZZ | 5910-583-0278 | CAPACITOR, FIXED, ELECTROLYTIC UF, 150 VDCW CE41F100R (96906) | EA | 3 | | | | | | * | | | 3 | 46 C87 |
| PAFZZ | 5910-583-0278 | CAPACITOR, FIXED, ELECTROLYTIC SECT 16-16 UF, 100 VDCW CE12C160Q (81349).....A2V,BUH,BUI | EA | REF | | | | | | * | | | 46 | C89 |
| PAFZZ | 5910-583-0278 | SECT, 16-16 UF 100 VOCW CE12C160Q (81349).....A2V,BUH,BUI | EA | REF | | | | | | * | | | 46 | C89 |
| PAFZZ | 5910-583-0278 | CAPACITOR, FIXED, ELECTROLYTIC SECT, 16-16 UF 100 VDCW CE12C160Q (81349).....A2V,BUH,BUI | EA | REF | | | | | | * | | | 46 | C90 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) I11USTRATION | | | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|-----|-----|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. | | |
| | | | | | | | | | | | | | | | | |
| PAFZZ | 5910 649 3188 | CAPACITOR, FIXED MICA DIELECTRIC.....C9 22 UUF PORM5PCT 300 VDCW CM15C220J (81349) | EA | 6 | * | * | * | * | * | * | | | 3 | 62 | C9 | |
| PAFZZ | 5910-649-3188 | CAPACITOR , MICA DIELECTRIC.....C14 22 UUF PORM5PCT, 300 VDCW CM15C220J (81349) | EA | REF | * | * | * | * | * | * | | | | 46 | C14 | |
| PAFZZ | 5910-6S9-3188 | CAPACITOR, FIXED. MICA DIELECTRIC.....C61 22 UUF PORM5PCT, 300 VDCW CM15C220J (81349) | EA | REF | * | * | * | * | * | * | | | | 46 | C61 | |
| PAFZZ | 5910-649-3188 | CAPACITOR FIXED, MICA DIELECTRIC..... C67 22 UUF PORM5PCT, 300 VDCW CM15C220J (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | C67 | |
| PAFZZ | 5910-649-3188 | CAPACITOR, FIXED, MICA DIELECTRIC.....C92 22 UUF PORM5PCT, 300 VDCW CM15C220J (81349) | EA | REF | * | * | * | * | * | * | | | | 46 | C92 | |
| PAFZZ | 5910-649-3188 | CAPACITOR, FIXED, MICA DIELECTRIC.....C93 22 UUF PORM5PCT, 300 VDCW CM15C220J (81349) | EA | REF | * | * | * | * | * | * | | | | 46 | C93 | |
| PAFZZ | 5910-649-3188 | CAPACITOR, FIXED MICA DIELECTRIC.....C9 22 UUF PORM5PCT CM15C220J (81349) | EA | 4 | * | * | * | * | * | * | | | 3 | 63 | C9 | |
| PAFZZ | 5910-649-3188 | CAPACITOR, FIXED, MICA DIELECTRIC.....C14 22 UUF PORM5PCT CM15C220J (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | C14 | |
| PAFZZ | 5910-649-3188 | CAPACITOR, FIXED. MICA DIELECTRIC.....C61 22 UUF PORM5PCT CM15C220J (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | C61 | |
| PAFZZ | 5910-649-3188 | CAPACITOR, FIXED, MICA DIELECTRIC..... C67 22 UUF PORM5PCT CM15C220J (81349) | EA | REF | * | * | * | * | * | * | | | | 63 | C67 | |
| PAFZZ | 5910-187-2798 | CAPACITOR, FIXED, MICA DIELECTRIC.....C13 88 UUF PORM5PCT, 300 VDCW CM5D820J (81349) | EA | 2 | * | * | * | * | * | * | | | 3 | 46 | C13 | |
| PAFZZ | 5910-187-2798 | CAPACITOR FIXED MICA DIELECTRIC.....C66 82 UUF PORM5PCT, 300 VDCW CM5D820J (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | C66 | |
| PAFZZ | 5910-717-0169 | CAPACITOR FIXED MICA DIELECTRICC15 100 UUF PORM5PCT, 500 VDCW CM15D101J (81349) | EA | 2 | * | * | * | * | * | * | | | | 3 | 46 | C15 |
| PAFZZ | 5910-717-0169 | CAPACITOR FIXED, MICA DIELECTRICC68 100 UUF PORM5PCT, 500 VDCW CM15D101J (81349) | EA | REF | * | * | * | * | * | * | | | | 46 | C68 | |
| PAFZZ | 5910-951-7074 | Capacitor, FIXED MICA DIELECTRICC20 120 UUF PORM10PCT, 500 VDCW CM15C121J (81349) | EA | 2 | * | * | * | * | * | * | | | | 3 | 62 | C20 |
| PAFZZ | 5910-951-7074 | Capacitor, FIXED MICA DIELECTRICC73 120 UUF PORM10PCT, 500 VDCW CM15C121J (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | C73 | |
| PAFZZ | 5910-284-4046 | CAPACITOR FIXED, MICA DIELECTRICC21 390 UUF PORM10PCT, 300 VDCW CM15C391K (813491) | EA | 9 | * | * | * | * | * | * | | | | 3 | 62 | C21 |
| PAFZZ | 5910-284-4046 | CAPACITOR, FIXED, MICA DIELECTRICC22 CONTINUED | EA | REF | * | * | * | * | * | * | | | | 62 | C22 | |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|--|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. |
| | | | | | | | | | | | | | | |
| PAFZZ | 5910-284-4046 | CONTINUED 390 UUF PORM10PCT, 300 VDCW CM15C391K (81349) CAPACITOR, FIXED, MICA DIELECTRIC.....C31 | EA | REF | * | * | * | * | * | * | | | 62 | C34 |
| PAFZZ | 5910-284-4046 | CAPACITOR, FIXED, MICA DIELECTRIC.....C34 | EA | REF | * | * | * | * | * | * | | | 62 | C3. |
| PAFZZ | 5910-284-4046 | 390 UUF PORM10PCT, 300 VDCW CM15C391K (81349) CAPACITOR, FIXED, MICA DIELECTRIC.....C41 | EA | REF | * | * | * | * | * | * | | | 62 | C41 |
| PAFZZ | 5910-284-4046 | 390 UUF PORM10PCT, 300 VDCW CM15C391K (81349) CAPACITOR, FIXED, MICA DIELECTRIC.....C44 | EA | REF | * | * | * | * | * | * | | | 46 | C44 |
| PAFZZ | 5910-284-4046 | 390 UUF PORM10PCT, 300 VDCW CM15C391K (81349) CAPACITOR, FIXED, MICA DIELECTRIC.....C74 | EA | REF | * | * | * | * | * | * | | | 62 | C74 |
| PAFZZ | 5910-284-4346 | CAPACITOR, FIXED, MICA DIELECTRIC.....C75 | EA | REF | * | * | * | * | * | * | | | 62 | C75 |
| PAFZZ | 5910-284-4046 | 390 UUF PORM10PCT, 300 VDCW CM15C391K (81349) CAPACITOR, FIXED, MICA DIELECTRIC.....C84 | EA | REF | * | * | * | * | * | * | | | 62 | C84 |
| PAFZZ | 5910-190-8J31 | CAPACITOR, FIXED MICA DIELECTRIC.....C7 | EA | 2 | * | * | * | * | * | * | 3 | 62 | C7 | |
| PAFZZ | 5910-190-8031 | 2200 UUF PORM2PCT, 500 VDCW CM30D22G (81349) CAPACITOR, FIXED MICA DIELECTRIC.....C59 | EA | REF | * | * | * | * | * | * | | | 62 | C59 |
| PAFZZ | 5910-666-9110 | 2200 UUF PORM2PCT, 500 VDCW CM30D22G 1813491 CAPACITOR, FIXED, PAPER DIELECTRIC.....C94 | EA | 2 | * | * | * | * | * | * | | | 3 | 46 |
| PAFZZ | 5910-666-9110 | 15,000 UUF PORM10PCT CP05A1KC153K (81349) CAPACITOR, FIXED, PAPER DIELECTRIC.....C95 | EA | REF | * | * | * | * | * | * | | | 46 | C95 |
| PAFZZ | 5910-557-5539 | 15,000 UUF PORM10PCT CP05A1KC153K (81349) CAPACITOR, FIXED, PAPER DIELECTRIC.....C96 | EA | 1 | * | * | * | * | * | * | | | 3 | 461 |
| PAFZZ | 5910-879-4776 | 68,000 UUF PORM5PCT 400 VDCW 16J4683-1 (96733).....BUH CAPACITOR, FIXED, PAPER DIELECTRIC.....C96 | EA | 1 | * | * | * | * | * | * | | | 3 | C96 |
| PAFZZ | 5910-578-1318 | 68,000 UUF PORM20PCT 13-16 IN LG X0.312 IN DIA CP05A3KC683K3 (81349).....BUI CAPACITOR, FIXED, PAPER DIELECTRIC.....C96 | EA | 1 | * | * | * | * | * | * | | | 3 | C96 |
| PAFZZ | 5910-807-2688 | 100,000 UUF PORM20PCT, 400 VDCW 186P10404ST (56289) CAPACITOR, FIXED, PAPER DIELECTRIC.....C6 | EA | 2 | * | * | * | * | * | * | | | 3 | 59 |
| PAFZZ | 5910-807-2688 | 100,000 UUF PORM20PCT, 400 VDCW 186P10404ST (56289) CAPACITOR, FIXED, PAPER DIELECTRIC.....C57 | EA | REF | * | * | * | * | * | * | | | 59 | C57 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|-----|-----|--------------------------------------|-----|-----|--|--|----------------------|--------------|---------------|
| | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) 1-20 | (b) 21-50 | (c) 51-100 |
| | | | | | | | | | | | | | | | |
| PAFZZ | 5910-826-2717 | CAPACITOR, FIXED PAPER DIELECTRIC.....C24 100,000 UUF PORM20PCT CP04A3KE104M (81349) | EA | 3 | * | * | * | * | * | * | | | 3 | 46 | C24 |
| PAFZZ | 5910-826-2717 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C43 100,000 UUF PORM20PCT CP04A3KE104M (81349) | EA | REF | * | * | * | * | * | * | | | | 46 | C43 |
| PAFZZ | 5910-826-2717 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C77 100,000 UUF PORM20PCT CP04A3KE104M (81349) | EA | REF | * | * | * | * | * | * | | | | 46 | C77 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C4 100,000 UUF PORM20PCT CP11A3KE104M (81349) | EA | 25 | * | * | * | * | * | * | | | 3 | 45 | C4 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C5 100,000 UUF PORM20PCT CP11A3KB154M (81349) | EA | REF | * | * | * | * | * | * | | | 3 | 45 | C5 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C11 100,000 UUF PORM20PCT MS3057-6A (96906) | EA | REF | * | * | * | * | * | * | | | * | 45 | C11 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C12 100,000 UUF PORM20PCT CP11A3KE104M (81349) | EA | REF | * | * | * | * | * | * | | | | 59 | C12 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C16 100,000 UUF PORM20PCT CP11A3KE104M (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | C16 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C18 100,000 UUF PORM20PCT CP11A3KE104M (81349) | EA | REF | * | * | * | * | * | * | | | | 46 | C18 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C19 100,000 UUF PORM20PCT CP11A3KE104M (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | C19 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C23 100,000 UUF PORM20PCT CP11A3KE104M (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | C23 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C26 100,000 UUF PORM20PCT CP11A3KE104M (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | C26 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C27 100,000 UUF PORM20PCT CP11A3KE104M (81349) | EA | REF | * | * | * | * | * | * | | | | 59 | C27 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C35 100,000 UUF PORM20PCT CP11A3KE104M (81349) | EA | REF | * | * | * | * | * | * | | | | 59 | C35 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C36 100,000 UUF PORM20PCT CP11A3KE104M (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | C36 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C39 100,000 UUF PORM20PCT CP11A3KE104M (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | C39 |
| PAFZZ, | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C40 100,000 UUF PORM20PCT CP11A3KE104M (81349) | EA | REF | * | * | * | * | * | * | | | | 46 | C40 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C42 CONTINUED | EA | REF | * | * | * | * | * | * | | | | 45 | C42 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|--|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. |
| | | | | | | | | | | | | | | |
| PAFZZ | 5910-617-4042 | CONTINUED 100,000 UUF PORM20PCT CP11A3KE104M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC.....C47 | EA | REF | * | * | * | * | * | * | | | 45 | C47 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C56 | EA | REF | * | * | * | * | * | * | | | 45 | C56 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C63 | EA | REF | * | * | * | * | * | * | | | 45 | C63 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C64 | EA | REF | * | * | * | * | * | * | | | 59 | C64 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C69 | EA | REF | * | * | * | * | * | * | | | 45 | C69 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C71 | EA | REF | * | * | * | * | * | * | | | 46 | C71 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C72 | EA | REF | * | * | * | * | * | * | | | 45 | C72 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C76 | EA | REF | * | * | * | * | * | * | | | 45 | C76 |
| PAFZZ | 5910-617-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C79 | EA | REF | * | * | * | * | * | * | | | 45 | C79 |
| PAFZZ | 5910-611-4042 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C80 | EA | REF | * | * | * | * | * | * | | | 45 | C80 |
| PAFZZ | 5910-892-2815 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C10 | EA | 9 | * | * | * | * | * | * | | 3 | 45 | C10 |
| PAFZZ | 5910-892-2815 | 150,000 UUF PORM20PCT CP11A3KB154M (81349) | | | | | | | | | | | 46 | C17 |
| PAFZZ | 5910-892-2815 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C17 | EA | REF | * | * | * | * | * | * | | | 45 | C25 |
| PAFZZ | 5910-892-2815 | 150,000 UUF PORM20PCT CP11A3KB154M (81349) | | | | | | | | | | | 45 | C37 |
| PAFZZ | 5910-892-2815 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C37 | EA | REF | * | * | * | * | * | ~ | | | 45 | C38 |
| PAFZZ | 5910-892-2815 | 150,000 UUF PORM20PCT CP11A3KB154M (81349) | | | | | | | | | | | 62 | C45 |
| PAFZZ | 5910-892-2815 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C45 | EA | REF | * | * | * | * | * | * | | | 45 | C62 |
| PAFZZ | 5910-892-2815 | CONTINUED | EA | REF | * | * | * | * | * | * | | | | |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|-----|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. | |
| | | | | | | | | | | | | | | | |
| PAFZZ | 5910-892-2815 | CONTINUED 150,000 UUF PORM20PCT CP11A3KB154M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC.....C70 | EA | REF | * | * | * | * | * | * | | | 46 | C70 | |
| PAFZZ | 5910 - 892-2815 | 150,000 UUF PORM20PCT CP11A3KB154M (81349) CAPACITOR FIXED, PAPER DIELECTRIC.....C78 | EA | REF | * | * | * | * | * | * | | | 45 | C78 | |
| PAFZZ | 5910-112-7161 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C32 250,000 UUF PORM10PCT, 600 VDCW CP53B1EF254K (81349) | EA | 2 | * | * | * | * | * | * | | | 3 | C32 | |
| PAFZZ | 5910-112-7161 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C85 250,000 UUF PORM10PCT, 600 VDCW CP53B1EF254K (81349) | EA | REF | * | * | * | * | * | * | | | 46 | C85 | |
| PAFZZ | 5910-11-7408 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C33 500,000 UUF PORM10PCT CP53B1EF504K (81349) | EA | 3 | * | * | * | * | * | * | | | 3 | C33 | |
| PAFZZ | 5910-112-7408 | CAPACITOR, FIXED PAPER DIELECTRIC.....C86 500,000 UUF PORM10PCT CP53B1EF504K (81349) | EA | REF | * | * | * | * | * | * | | | 46 | C86 | |
| PAFZZ | 5910-112-7408 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C91 500,000 UUF PORM10PCT CP53B1EF504K (81349) | EA | REF | * | * | * | * | * | * | | | 46 | C91 | |
| PAFZZ | 5910-171-2952 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C30 4 UF PORM 20PCT C053B1EB405K (81349) | EA | 2 | * | * | * | * | * | * | | | 3 | C30 | |
| PAFZZ | 5910-171-2952 | CAPACITOR, FIXED, PAPER DIELECTRIC.....C83 4 UF PORM 20PCT C053B1EB405K (81349) | EA | REF | * | * | * | * | * | * | | | 46 | C83 | |
| PAHZZ | 5910 - 667 - 7210 | CAPACITOR, VARIABLE, AIR DIELECTRIC.....C8 7.6 TO 59.6 UUF 2-11-32 IN LONG X 1-3-8 IN WIDE X 1-13-16 IN HIGH SMC108890 (80063) | EA | 2 | | | | * | * | * | | | 2 | 62 | C8 |
| PAHZZ | 5910-667-7210 | CAPACITOR, VARIABLE, AIR DIELECTRICC60 7.6 TO 59.6 UUF 2-11-32 IN LONG X 1-3-8 IN WIDE X 1 - 1-13-16 IN HIGH SMC108890 (80063) | EA | REF | | | | * | * | * | | | 62 | C60 | |
| PAHZZ | 5910-578-1623 | CAPACITOR, VARIABLE, CERAMIC DIELECTRICC28 7 TU 45 UUF 500 VDCW CV110450 (81349) | EA | 8 | | | | * | * | * | | | 2 | 62 | C28 |
| PAHZZ | 5910-578-1623 | CAPACITOR, VARIABLE, CERAMIC DIELECTRICC29 7 TU 45 UUF 500 VDCW CV110450 (81349) | EA | REF | | | | * | * | * | | | 62 | C29 | |
| PAHZZ | 5910-578-1823 | CAPACITOR, VARIABLE CERAMIC DIELECTRICC48 7 TO 45 UUF 500 VDCW CV110450 (81349) | EA | REF | | | | * | * | * | | | 62 | C48 | |
| PAHZZ | 5910-578-1623 | CAPACITOR VARIABLE CERAMIC DIELECTRICC49 7 TO 45 UUF 500 VDCW CV110450 (81349) | EA | REF | | | | * | * | * | | | 62 | C49 | |
| PAHZZ | 5910-578-1623 | CAPACITOR VARIABLE, CERAMIC DIELECTRICC50 7 TO 45 UUF 500 VDCW CV110450 (81349) | EA | REF | | | | * | * | * | | | 62 | C50 | |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. |
| | | | | | | | | | | | | | | |
| PAHZZ | 5910-578-1623 | CAPACITOR VARIABLE, CERAMIC DIELECTRIC C51 to 45 UUF 500 VDCW CV110450 (81349) | EA | REF | * | * | * | * | * | * | | | 62 | C51 |
| PAHZZ | 5910-518-1623 | CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C81 7 TO 45 UUF 500 VDCW CV110450 (81349) | EA | REF | * | * | * | * | * | * | | | 62 | C81 |
| PAHZZ | 5910-578-1623 | CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C82 7 TO 45 UUF 500 VDCW CV110450 (81349) | EA | REF | * | * | * | * | * | * | | | 62 | C82 |
| PAHZZ | 5815-604-7822 | CAPACITOR DRIVE SHAFT SUB-ASSEMBLY.....NO- REF.DES1G 1.2708 IN DIA GEAR. 0.251 IN DIA SHAFT 1-3/16 IN LG O/A SMC108913 (80063) ..BUJ | EA | 2 | * | * | * | * | * | * | | 3 | | |
| PAFZZ | 5340-598-0498 | CLAMP: LOOP NO-REF-DESIG MOLDED..... PLASTIC HOLDS 5/16 IN DIA CABLE HP 5N . (09922) | EA | 2 | * | * | * | * | * | * | | 3 | | |
| PAFZZ | 5340-257-0043 | CLAMP . LOOP, NO. REF. DESIG 0.890 IN LG X..... 0.375 IN DIA 1/2 IN D | EA | 2 | * | * | * | * | * | * | | 3 | | |
| PAFZZ | 5950-219-6509 | COIL RADIO FREQUENCY L1 CHANNEL A OSC..... COIL 1 WDG.& SHIELD SMC10881 7A (80063) | EA | 2 | * | * | * | * | * | * | | 3 | 45 | L1 |
| PAFZZ | 5950-219-6509 | COIL RADIO FREQUENCY L2 CHANNEL A OSC..... COIL 1 WDG. SHIELDED SMC10881 7A (80063) | EA | REF | * | * | * | * | * | * | | 45 | L2 | |
| PAFZZ | 5945-904-3611 | CONNECTOR RECEPTACLE, ELECTRICAL J3..... 7 PIN HEX SHAPE, 9/16 IN LONG X 5/8 IN WIDE X 5/8 IN HIGH 126-197 (026600) ..BUJ | EA | 2 | * | * | * | * | * | * | | 3 | 48 | J3 |
| PAFZZ | 5935-904-3611 | CONNECTOR, RECEPTACLE, ELECTRICAL J7..... 7 PIN HEX SHAPE 9/16 IN LONG X 5/8 IN WIDE X 5/8 IN HIGH 126-197 (02660) ..BUJ | EA | REF | * | * | * | * | * | * | | 63 | J3 | |
| PAFZZ | 5935-280-2017 | CONNECTOR RECEPTACLE, ELECTRICAL J3..... 7 MALE CONT STRAIGHT TYPE POL 23/32 IN LG X 21/32 IN W X 19/32 IN H M7PLRN (81312) ..A2V,BUH,BUI | EA | 2 | * | * | * | * | * | * | | 3 | 63 | J3 |
| PAFZZ | 5935-280-2017 | CONNECTOR, RECEPTACLE ELECTRICAL J7..... 7 MALE CONT STRAIGHT TYPE POL 23/32 IN LG X 21/32, IN W X 19/32 IN H M7PLRN (81312) ..A2V,BUH,BUI | EA | REF | * | * | * | * | * | * | | 62 | J7 | |
| PAFZZ | 5935-295-5360 | CONNECTOR, PLUG, ELECTRICAL P1 | EA | 2 | * | * | * | * | * | * | | 3 | 46 | P1 |
| PAFZZ | 5935-295-5350 | CONNECTOR, PLUG, ELECTRICAL P3 | EA | REF | * | * | * | * | * | * | | 46 | P3 | |
| PAFZZ | 5935-843-7362 | CONNECTOR, PLUG, ELECTRICAL.....NO-REF-DESIG. MS24663 1 96906) | EA | 1 | * | * | * | * | * | * | | 3 | | |
| PAFZZ | 5935-280-2829 | CONNECTOR, PLUG, ELECTRICAL.....NO-REF-DESIG. AN3106B14S2P (81349) ..BUH | EA | 1 | * | * | * | * | * | * | | 3 | | |
| PAFZZ | 5935-148-9378 | CONNECTOR, PLUG, ELECTRICAL P63RD FEMALE CONT MS3106A14S7SC (96906) | EA | 1 | * | * | * | * | * | * | | 3 | | P6 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|-----|-----|--------------------------------------|-----|-----|--|--|----------------------|--------------|---------------|
| | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) 1-20 | (b) 21-50 | (c) 51-100 |
| | | | | | | | | | | | | | | | |
| PAFZZ | 5935-835-0508 | CONNECTOR, PLUG, ELECTRICAL P8..... UG88GU (80058).....A2V,BUI,BUJ | EA | 4 | * | * | * | * | * | * | | | 3 | | P8 |
| PAFZZ | 5935-835-0508 | CONNECTOR, PLUG, ELECTRICAL P9..... UG88GU (80058).....A2V,BUI,BUJ | EA | REF | * | * | * | * | * | * | | | | | P9 |
| PAFZZ | 5935-835-0508 | CONNECTOR, PLUG, ELECTRICAL.....P10 UG88GU (80058).....A2V,BUI,BUJ | EA | REF | * | * | * | * | * | * | | | | | P10 |
| PAFZZ | 5935-835-0508 | CONNECTOR, PLUG, ELECTRICAL.....P11 UG88GU (80058).....A2V,BUI,BUJ | EA | REF | * | * | * | * | * | * | | | | | P11 |
| PAFZZ | 5935-259-0083 | CONNECTOR, PLUG, ELECTRICAL.....P2 7 RD FEMALE CONT STRAIGHT TYPE POL 7/8 IN LG X 19/32 IN OD M7LSLN (81312) | EA | 2 | * | * | * | * | * | * | | | 3 | 46 | P2 |
| PAFZZ | 5935-259-0083 | CONNECTOR, PLUG, ELECTRICALP47 RD FEMALE CONT STRAIGHT TYPE POL 7/8 IN LG X 19/32 IN OD M7LSLN 181312) | EA | REF | * | * | * | * | * | * | | | | 46 | P4 |
| PAFZZ | 5935-926-7460 | CONNECTOR RECEPTACLE, ELECTRICALJ1 UG291DU (80058) | EA | 2 | * | * | * | * | * | * | | | 3 | 45 | J1 |
| PAFZZ | 5935-926-7460 | CONNECTOR, RECEPTACLE, ELECTRICALJ5 UG291DU (80058) | EA | REF | * | * | * | * | * | * | | | | 62 | J5 |
| PAFZZ | 5935-577-2293 | CONNECTOR, RECEPTACLE, ELECTRICAL J9..... 1 RD MALE COAX CONT 1-1/16 IN LG X 3/4 IN W X 3/14 IN H 3150 (74868) | EA | 2 | * | * | * | * | * | * | | | 3 | | J9 |
| PAFZZ | 5935-577-2293 | CONNECTOR, RECEPTACLE, ELECTRICAL J10..... 1 RD MALE COAX CONT 1-1~16 IN LG X 3/4 IN W X 3/4 IN H 3150 (74868) | EA | REF | * | * | * | * | * | * | | | | 46 | J10 |
| PAFZZ | 5935-549-2656 | CONNECTOR, RECEPTACLE, ELECTRICALJ2 MS35120-1 (96906) | EA | 2 | * | * | * | * | * | * | | | 3 | 48 | J2 |
| PAFZZ | 5935-549-2656 | CONNECTOR, RECEPTACLE, ELECTRICALJ6 MS35120-1 (96906) | EA | REF | * | * | * | * | * | * | | | | 62 | J6 |
| PAFZZ | 5935-801-6616 | CONNECTOR, RECEPTACLE, ELECTRICALJ8 MS3102R1457P 969061..... A2V,8UH,BUI | EA | 1 | * | * | * | * | * | * | | | 3 | 46 | J8 |
| PAFZZ | 5935-800-2824 | CONNECTOR, RECEPTACLE, ELECTRICALJ4 4 RD FEMALE CONT POL MS3102R1452SC (96906).....A2V,BUH,BUI | EA | 1 | * | * | * | * | * | * | | | 3 | 46 | J4 |
| PAFZZ | 5815-511-4284 | COUPLING, SHAFT, FLEXIBLENO-REF-DESIG P/O AFC ASSY SMB108897 (80063) | EA | 2 | * | * | * | * | * | * | | | 3 | | |
| PAHZZ | 5815-536-3280 | COVER ASSEMBLY, DUST NO-REF-DESIG FOR CHASSIS C/O CROSS PIN, FASTENERS AND STUDS L SHAPED | EA | 1 | | | | | * | * | | | 3 | | |
| PAHZZ | 5815-536-3281 | SMD109009A (80063)BUH,BUI COVER DUSTNO-REF-DESIG SMC108889B (80063).....BUH,BUI | EA | 2 | | | | | * | * | | | 3 | | |
| XBFZZ | | COVER NO-REF-DESIGN CLEAR PLASTIC 5/16 IN LG X 0.685 TO 0.69 IN OD X 0.26 IN TO 0.628 IN ID X 1/32 IN THK. FOR AFC INDICATOR | EA | 2 | | | | | | | | | | | |
| PAOZZ | 5955-813-9687 | 991-38 (82983)BUH CRYSTAL UNIT, QUARTZ CR25U Y1..... MTD IN CONTINUED | EA | 1 | * | * | * | * | * | * | | | 3 | 45 | Y1 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|--|--------------------|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|-----|
| | | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. | |
| | | REFERENCE NUMBER & MFR CODE | USABLE ON CODE | | | * | * | * | * | * | * | | | | | |
| PAOZZ | 5955-892-3653 | CONTINUED HOLDER 405 KC NOM FREQ CR25AU405-0 (81349) | Y2.....MTD | EA | 1 | * | * | * | * | * | * | | | 3 | 45 | Y2 |
| PAHZZ | 5820-211-4293 | CRYSTAL UNIT. QUARTZ CR-25/U IN HOLDER 405 KC NOM FREQ CA25U425-7KHZ (81349) | AFC..... | EA | 2 | | | | * | * | * | | | 3 | | |
| PAOZZ | 5960-262-0152 | DISK, SPINNER NO-REF-DESIG INDICATOR SMB108893A (80063) | | EA | 12 | * | * | * | * | * | * | | | 100 | 59 | V1 |
| PAOZZ | 5960-262-0152 | ELECTRON TUBE V1..... | 6AU6WA (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | V4 |
| PAOZZ | 5960-262-0152 | ELECTRON TUBE V4..... | 6AU6WA (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | V5 |
| PAOZZ | 5960-262-0152 | ELECTRON TUBE V5..... | 6AU6WA (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | V7 |
| PAOZZ | 5960-262-0152 | ELECTRON TUBE V7..... | 6AU6WA (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | V16 |
| PAOZZ | 5960-262-0152 | ELECTRON TUBE V16..... | 6AU6WA (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | V17 |
| PAOZZ | 5960-262-0152 | ELECTRON TUBE V17..... | 6AU6WA (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | V18 |
| PAOZZ | 5960-262-0152 | ELECTRON TUBE V18..... | 6AU6WA (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | V20 |
| PAOZZ | 5960-262-0152 | ELECTRON TUBE V20..... | 6AU6WA (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | V27 |
| PAOZZ | 5960-262-0152 | ELECTRON TUBE V27..... | 6AU6WA (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | V30 |
| PAOZZ | 5960-262-0152 | ELECTRON TUBE V30..... | 6AU6WA (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | V31 |
| PAOZZ | 5960-262-0152 | ELECTRON TUBE V31..... | 6AU6WA (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | V33 |
| PAOZZ | 5960-262-0152 | ELECTRON TUBE V33..... | 6AU6WA (81349) | REF | REF | * | * | * | * | * | * | | | | 45 | V3 |
| PAOZZ | 5960-188-0806 | ELECTRON TUBE V3..... | 6BA7 (81349) | EA | 2 | * | * | * | * | * | * | | | 100 | 45 | V29 |
| PAOZZ | 5960-188-0806 | ELECTRON TUBE V29..... | 6BA7 (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | V41 |
| PAOZZ | 5960-272-9182 | ELECTRON TUBE V41..... | 6X4W (81349) | EA | 5 | * | * | * | * | * | * | | | 100 | 59 | V42 |
| PAOZZ | 5960-272-9182 | ELECTRON TUBE V42..... | 6X4W (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | V43 |
| PAOZZ | 5960-272-9182 | ELECTRON TUBE V43..... | 6X4W (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | V44 |
| PAOZZ | 5960-272-9182 | ELECTRON TUBE V44..... | 6X4W (81349) | EA | REF | * | * | * | * | * | * | | | | 59 | V45 |
| PAOZZ | 5960-272-9182 | ELECTRON TUBE V45..... | 6X4W (81349) | EA | REF | * | * | * | * | * | * | | | | 100 | V6 |
| PAOZZ | 5960-262-0185 | ELECTRON TUBE V6..... | 5726-6AL5W (81350) | EA | 9 | * | * | * | * | * | * | | | | 62 | V8 |
| PAOZZ | 5960-262-0185 | ELECTRON TUBE V8..... | 5726-6AL5W (81350) | EA | REF | * | * | * | * | * | * | | | | 45 | V11 |
| PAOZZ | 5960-262-0185 | ELECTRON TUBE V11..... | 5726-6AL5W (81349) | EA | REF | * | * | * | * | * | * | | | * | | |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|-----|-----|--------------------------------------|-----|-----|--|--|----------------------|--------------|---------------|-----|
| | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | |
| | | | | | | | | | | | | | | | | |
| PAOZZ | 5960-262-0185 | ELECTRON TUBE V19..... 5726-6AL5W (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V19 |
| PAOZZ | 5960-262-0185 | ELECTRON TUBE V21..... 5726-6AL5W (81349) | EA | REF | * | * | * | * | * | * | | | | | 62 | V21 |
| PAOZZ | 5960-262-0185 | ELECTRON TUBE V22..... 5726-6AL5W (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V22 |
| PAOZZ | 5960-262-0185 | ELECTRON TUBE V32..... 5726-6AL5W (81349)' | EA | REF | * | * | * | * | * | * | | | | | 45 | V32 |
| PAOZZ | 5960-262-0185 | ELECTRON TUBE V34..... 5726-6AL5W (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V34 |
| PAOZZ | 5960-262-0815 | ELECTRON TUBE V37..... 5726-6AL5W (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V37 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V2..... 5814A (81349) | EA | 15 | * | * | * | * | * | * | | | | 100 | 45 | V2 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V9..... 5814A (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V9 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V10..... 5814A (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V10 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V12..... 5814A (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V12 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V13..... 5814A (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V13 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V14..... 5814A (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V14 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V15..... 5814A (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V15 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V23..... 5814A (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V23 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V24..... 5814A (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V24 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V28..... 5814A (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V28 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V35..... 5814A (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V35 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V36..... 5814A (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V36 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V38..... 5814A (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V38 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V39..... 5814A (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V39 |
| PAOZZ | 5960-262-0210 | ELECTRON TUBE V40..... 5814A (81349) | EA | REF | * | * | * | * | * | * | | | | | 45 | V40 |
| PAOZZ | 5960-669-6861 | ELECTRON TUBE V25..... 60056AQ5W (81349) | EA | 2 | * | * | * | * | * | * | | | | 100 | 45 | V25 |
| PAOZZ | 5960-669-6861 | ELECTRON TUBE V26..... 60056AQ54 (81349) | EA | REF | * | * | * | * | * | * | | | | * | 45 | V26 |
| PAFZZ | 5915-392-7548 | FILTER ASSEMBLY, ELECTRICAL Z5 C/O 2..... LOW PASS FILTERS 1 AT 240 CYC. 1 AT 500 CYC 3-3/4 IN LG X 2-1/4 IN W X 1-1/2 IN D XMC108814C (80063) | EA | 1 | * | * | * | * | * | * | | | | 3 | 45 | Z5 |
| PAFZZ | 5915-281-0248 | FILTER, BANDPASS Z1 50 KC OPER FREQ..... CONTINUED | EA | 1 | * | * | * | * | * | * | | | | 3 | 46 | Z1 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|-----|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. | |
| | | | | | | | | | | | | | | | |
| PAFZZ | 5915-281-0249 | CONTINUED 2-7/16 IN LG X 2-3/8 .N W X 1-19/32 IN D SMD108964A (80063) FILTER, BANDPASS Z6 29.3 KC OPER FREQ..... 2-7/16 IN LG X 2-3/8 IN W X 1-19/32 IN D SMD108815B (80063) | EA | 1 | * | * | * | * | * | * | | | 3 | 46 | Z6 |
| PAFZZ | 5915-636-9755 | FILTER BAND-PASS SUPPRESSION Z4 29.3..... KC OPER FREQ 2 KC BAND WIDTH 3-3/8 IN LG X 1-3/4 IN SQ SMD108813 (80063)..... FILTER, BAND-PASS SUPPRESSION Z7 29.3..... KC OPER FREQ 2 KC BAND WIDTH 3-3Z8 IN LG X 1-3/4 IN SQ | EA | 2 | * | * | * | * | * | * | | | 3 | 45 | Z4 |
| PAFZZ | 5915-636-9755 | SMD108813 (80063)..... FILTER, BAND-PASS SUPPRESSION Z7 29.3..... KC OPER FREQ 2 KC BAND WIDTH 3-3Z8 IN LG X 1-3/4 IN SQ | EA | REF | * | * | * | * | * | * | | | 45 | Z7 | |
| PAFZZ | 5915-096-7330 | SMD108813 (80063)..... FILTER, BAND SUPPRESSION Z2 50 KC..... OPER FREQ 2 KC BAND WIDTH 3-3/8 IN LG X 1-3/4 IN SQ 0-108760 (80063)..... A2V,BUH | EA | 2 | * | * | * | * | * | * | | | 3 | 45 | Z2 |
| PAFZZ | 5915-096-7330 | FILTER, BAND SUPPRESSION Z3 50 KC..... OPER FREQ 2 KC BAND WIDTH 3-3/8 IN LG X 1-3/4 IN SQ 0-108760 (80063)..... A2V,BUH | EA | REF | * | * | * | * | * | * | | | 45 | Z3 | |
| PAOZZ | 5920-681-0918 | FUSE CARTRIDGE F1 3 AMP, 125 V 1-1/4 IN LG X 1/4 IN DIA MS90078-27 (81349) | EA | 2 | * | * | * | * | * | * | | | 50 | 62 | F1 |
| PAOZZ | 5920-681-0918 | FUSE CARTRIDGE F2 3 AMP, 125 V 1-1/4 IN LG X 1/4 IN DIA MS90078-27 (81349) | EA | REF | * | * | * | * | * | * | | | 62 | F2 | |
| PAFZZ | 5920-285-0755 | FUSEHOLDER XF1 EXTRACTOR POST TYPE 2- 1/8 IN LG X 11/16 IN DIA SCB76681 (80063) | EA | 2 | * | * | * | * | * | * | | | 3 | 45 | XF1 |
| PAFZZ | 5920-285-0755 | FUSEHOLDER XF2 EXTRACTOR POST TYPE 2- 1/8 IN LG X 11/16 IN DIA SCB76681 (80063) | EA | REF | * | * | * | * | * | * | | | 46 | XF2 | |
| PAHZZ | 3040-338-4385 | GEAR NO-REF-DESIG 12 TEETH 0.146 IN DIA, 0.125 IN PITCH DIA X 0.300 IN W OF FACE X 0.983 IN LG SMB108900 (80063) | EA | 2 | | | | | | | | | 3 | | |
| PAHZZ | 3020-294-7675 | GEAR NO-REF-DESIG SPUR TYPE BRASS 72..... TEETH 0.7708 OD X 0.750 IN PITCH DIA X 0.063 IN FACE X 0.108 IN LG SMB108901 (80063) | EA | 2 | | | | * | * | * | | | 3 | | |
| PAHZZ | 3020-507-2449 | GEAR NO-REF-DESIG SPUR TYPE 12 TEETH .. 0.1458 IN OD X 0.294 IN W FACE X 0.750 IN LG O/A SMB108903 (80063)..... BUH,BUI,BUJ | EA | 2 | | | | * | * | * | | | 3 | | |
| PAHZZ | 5815-294-7854 | GEAR NO-REF-DESIG SPUR TYPE 90 TEETH .. 0.9583 IN OD X 0.063 IN W FACE X 0.108 IN LG O/A SMB108904 (80063) | EA | 2 | | | | * | * | * | | | 3 | | |
| PAHZZ | 3040-338-4387 | GEAR NO-REF-DESIG SPUR TYPE 10 TEETH .. 0.1246 IN OD X 0.178 IN W FACE X 0.750 IN CONTINUED | EA | 2 | | | | * | * | * | | | 3 | | |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. |
| | | | | | | | | | | | | | | |
| PAHZZ | 5815-294-7848 | CONTINUED LG O/A SMB108906 (80063).....BUI,BUJ GEAR NO-REF-DESIG SPUR TYPE.....90 TEETH .. 0.95 8 IN OD X 0.063 IN W FACE 0.108 IN LG O/A SMB108907 (80063).....A2V,BUI,BUJ GEAR NO-REF-DESIG SPUR TYPE 120 TEETH .. 1.2708 IN OD X 0.063 IN W FACE | EA | 2 | | | | * | * | * | | | | 3 |
| PAHZZ | 3020-Z94-7853 | SMB108914 (80063) GEAR ASSEMBLY NO-REF-DESIG PINION AND SPUR TYPE 12 TOOTH PINION AND 90 TOOTH SPUR 0.750 IN LG X 0.9593 IN DIA 991-3008 (82983)BUH GEAR, ASSEMBLY NO-REF-DESIG PINION AND SPUR TYPE 12 TOOTH PINION AND 72 TOOTH SPUR 0.983 IN LG X 0.7698 IN DIA | EA | 2 | | | | * | * | * | | | | 3 |
| XBHZZ | | | | | | | | | | | | | | |
| XBHZZ | | 991-3008 (82983)BUH GEAR, ASSEMBLY NO-REF-DESIG PINION AND SPUR TYPE 12 TOOTH PINION AND 72 TOOTH SPUR 0.983 IN LG X 0.7698 IN DIA | EA | 2 | | | | * | * | * | | | | |
| PAHZZ | 5815-562-5948 | 991-3008 (82983)BUH GEAR, ASSEMBLY NO-REF-DESIG PINION AND SPUR ASSEMBLY 10 TOOTH PINION AND 90 TOOTH SPUR 0.750 IN LG X 0.9593 IN DIA 991-3008 NOTES (82983)BUH | EA | 2 | | | | * | * | * | | | | 3 |
| PAHZZ | 3040-338-4387 | GEAR, SHAFT SPUR NO-REF-DESIG SPUR TYPE .. 10 TEETH 0.125 IN OD X 0.750 IN LG | EA | 2 | | | | * | * | * | | | | 3 |
| PAHZZ | 5815-338-4386 | SMB108906 (80063).....A2V GEAR, SPUR NO-REF-DESIG SPUR TYPE.....12 TEETH 0.146 IN OD X 0.750 IN LG SM108903 (80063).....A2V | EA | 2 | | | | * | * | * | | | | 3 |
| PCHZZ | 5815-511-6466 | GROMMET, SEALING NO-REF-DESIG FOR AFC..... UNIT 0.302 IN LG X 0.317 IN DIA SMB108899 (80063).....A2V,BUH,BUI GROMMET NO-REF-DESIG RUBBER.....4-5/16 IN. | EA | 8 | * | * | * | * | * | * | | | | 4 |
| PCHZZ | 9320-290-1969 | OD X 3-31/32 IN ID X 1/4 IN W SMB109003 (80063).....A2V,BUH | EA | 1 | | | | * | * | * | | | | 4 |
| PCFZZ | 5815-511-6466 | GROMMET, RUBBER NO-REF-DESIGP/O AFC SMB108898 (80063).....BUJ | EA | 8 | * | * | * | * | * | * | | | | 4 |
| PACZZ | 5355-667-9199 | KNOB NO-REF-DESIG RD POINTER TYPE FOR..... 1/4 IN SHAFT 1-3/16 IN LG X 7/8 IN W X 15/32 IN THK SMC108875A (80063) | EA | 2 | * | * | * | * | * | * | | | | 3 |
| PACZZ | 5355-667-9125 | KNOB NO-REF-DESIG RD POINTER TYPE FOR .. 1/4 IN SHAFT 1-7/16 IN LG X 7/8 IN WX 7/16 IN THK SMC108874A (80063) | EA | 2 | * | * | * | * | * | * | | | | 3 |
| PACZZ | 5355-667-9078 | KNOB NO-REF-DESIG RD FOR 1/4 IN SHAFT. 23/32 IN DIA X 15/32 IN THK SMC108876A (80063) | EA | 5 | * | * | * | * | * | * | | | | 3 |
| PACZZ | 5355-667-9234 | KNOB NO-REF-DESIG RD POINTER TYPE FOR .. 1/4 IN SHAFT 1-15/16 1 N LG X 15/32 IN THK SMC108951A (80063) | EA | 1 | * | * | * | * | * | * | | | | 3 |
| PACZZ | 5355-667-9468 | KNOB NO-REF-DESIG FOR CHASIS LATCH.....1 CONTINUED | EA | 2 | * | * | * | * | * | * | | | | 3 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|--|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. |
| | | | | | | | | | | | | | | |
| PACZZ | 6240-223-9100 | CONTINUED 7/16 IN LG X 5/8 IN W X 1 IN H SMC108952 (80063) LAMP, GLOW 12 1/25 W | EA | 1 | * | * | * | * | * | * | | 100 | 49 | 12 |
| PAHZZ | 5815-511-6467 | LATCH ASSEMBLY NO-REF-DESIGLEFT HAND . SMC106984A (80063).....BUI | EA | 1 | | | | * | * | * | | | 3 | |
| PAHZZ | 5825-532-3226 | LATCH ASSEMBLY NO-REF-DESIGRIGHT HAND SMC108990A (80063).....BUI | EA | 1 | | | | * | * | * | | | 3 | |
| PAOZZ | 6210-635-9921 | LENS, INDICATOR LIGHT NO-REF-DESIG COLORLESS 13/16 IN LG X 5/8 IN DIA 88-117 (72619) | EA | 1 | * | * | * | * | * | * | | | 5 | |
| PAFZZ | 6210-295-2926 | LIGHT, INDICATOR X12 2-9/32 IN LG X 1. IN DIA INCLUDES 100,000 OHM RESISTOR 88408-1 (72619) | EA | 1 | * | * | * | * | * | * | | | 3 | 45 |
| PAFZZ | 6105-537-5971 | MOTOR, ALTERNATING CURRENT B1 115 V., 50-60 CYC 2875 RPM 2-1/64 IN LG X 1-3/4 IN W X 1-7/8 IN H | EA | 2 | * | * | * | * | * | * | | 2 | 48 | B1 |
| PAFZZ | 6105-537-5971 | SMC108895 (80063) MOTOR, ALTERNATING CURRENT B2 115 V, 50-60 CYC 2875 RPM 2-1/64 IN LG X 1/3/4 IN W X 1-7/8 IN H SMC108895 (80063) | EA | REF | * | * | * | * | * | * | | | | B2 |
| PAFZZ | 6105-567-2793 | MOTOR, ALTERNATING CURRENT B3..... CAPACITOR TYPE 115 V, 50-60 CYC, SINGLE PH 3000 RPH 2-49/64 IN LG X 1-3/4 IN DIA SMC108996 (80063) | EA | 1 | * | * | * | * | * | * | | 2 | 45 | B3 |
| PAHZZ | 5330-263-7994 | PACKING, PREFORMED NO-REF-DESIG NEOPRENE 1/4 IN ID X 3/8 IN OD X 1/16 IN DIA AN62Z7585 (81349)BUH,BUI,BUJ | EA | 4 | | | | * | * | * | | | 2 | |
| PAHZZ | 5330-187-3635 | PACKING, PREFORMED NO-REF-DESIG NEOPRENE 9/16 IN OD X 3/4 IN OD X 3/32 IN DIA AN6227B11 (81349).....BUH,BUI | EA | 4 | | | | * | * | * | | | 2 | |
| PAHZZ | 5330-641-0642 | PACKING, PREFORMED NO-REF-DESIG NEOPRENE 11/16 IN ID X 7/8 IN OD X 3/32 IN DIA AN6227B13 (81349)BUI,BUJ | EA | 4 | | | | * | * | * | | | 2 | |
| PAHZZ | 5815-536-3354 | PAD ASSEMBLY, FRICTION NO-REF-DESIG..... FRICTION CLUTCH FOR AFC C/O 2 PADS FELT 2 PLATES, STEEL SMC108918 (80063) | EA | 4 | | | | * | * | * | | | 3 | |
| PAHZZ | 5315-537-8564 | PIN, SHOULDER, HEADLESS NO-REF-DESIG..... SS RETAINER FOR CLUTCH PLATES 0.312 IN LG X 0.083/0.092 IN DIA 991-27 (82983) | EA | 1 | | | | * | * | * | | | 3 | |
| PADZZ | 5815-511-4331 | BRACKET NO-REF-DESIG DIAL FOR METER SW,..... S11 INDICATED POSITION OF METER SW 1-3/4 IN LG X 1-9/16 IN W X 11/16 D SMC108992 (80063) | EA | 1 | | | | | | | | | 3 | |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|--|---------------------------|---------------------------------|--------------------------------------|-------|--------|--------------------------------------|-------|--------|--|--|----------------------|-----|------|
| | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) | (b) | |
| | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | | | | |
| PAHZZ | 4140-585-2105 | PROPELLER, FAN CENTRIFUGAL NO-REF-DESIG..... FOR VENTILATING FAN 4 BLADES CW ROTATION 3 IN DIA X 15/32 IN HUB 0-327-4 (60380) | EA | 1 | * | * | * | * | * | * | | | 3 | | |
| PAFZZ | 5950-647-7528 | REACTOR L5 12.5 HENRIES 65 MA DC 3.040 IN LG X 2.490 IN W X 2.370 IN D SMC108816 (80063) | EA | 1 | * | * | * | * | * | * | | | 2 | 45 | L5 |
| PAFZZ | 5950-645-2093 | REACTOR L3 2.3 HENRIES 160 MA DC 2.241 IN LG X 2.101 IN W X 2.680 IN H SMC108959C (80063) | EA | 2 | * | * | * | * | * | * | | | 2 | 45 | L3 |
| PAFZZ | 5950-645-2093 | REACTOR L4 2.3 HENRIES 160 MA DC 2.241 IN LG X 2.101 IN W X 2.680 IN H SMC108959C (80063) | EA | REF | * | * | * | * | * | * | | | | 45 | L4 |
| PAFZZ | 5945-201-8644 | RELAY, ARMATURE K1 1A, 1B CONT ARRANGEMENT SINGLE WDG 10,000 OHM DC RESISTANCE 1-7/16 IN LG X 1 IN W X 1-1/4 IN H SMC108823 (80063) | EA | 2 | * | * | * | * | * | * | | | 3 | 46 | K1 |
| PAFZZ | 5945-201-8644 | RELAY, ARMATURE K2 1A, 1B CONT ARRANGEMENT SINGLE WDG 10,000 OHM DC RESISTANCE 1-7/16 IN LG X 1 IN W X 1-1/4 IN H SMC108823 (80063) | EA | REF | * | * | * | * | * | * | | | | 46 | K2 |
| PAFZZ | 5905-280-1674 | RESISTOR, FIXED, FILM R106 3.9 OHM PORM1PCT 1/2 W 15/32 IN LG X 0.155 IN DIA NA15-3R90F (79729) | EA | 1 | * | * | * | * | * | * | | | 3 | 62 | R106 |
| PAFZZ | 5905-239-0572 | RESISTOR, FIXED, COMPOSITION R70 10 OHM PORM10PCT, 1/2 W RC20GF100K (81349) | EA | 2 | * | * | * | * | * | * | | | 3 | 62 | R70 |
| PAFZZ | 5905-239-0572 | RESISTOR, FIXED COMPOSITION R180 10 OHM PORM10PCT, 1/2 W RC20GF100K (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | R180 |
| PAFZZ | -5905-279-1898 | RESISTOR, FIXED, COMPOSITION R6 56 OHM PORM10PCT, 1/2 W RC20GF560K (81349) | EA | 3 | * | * | * | * | * | * | | | 3 | 62 | R6 |
| PAFZZ | 5905-279-1698 | RESISTOR, FIXED, COMPOSITION R108 56 OHM PGRM10PCT 1/2 W RC20GF560K (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | R108 |
| PAFZZ | 5905-279-1898 | RESISTOR, FIXED, COMPOSITION R116 56 OHM PGRM10PCT, 1/2 W RC20GF560K (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | R116 |
| PAFZZ | 5905-191--5043 | RESISTOR FIXED, WIRE WOUND R191 80 OHM. PORM5PCT, 8 W RW30G800 (81349) | EA | 1 | * | * | * | * | * | * | | | 3 | 46 | R191 |
| PAFZZ | 5905-279-2674 | RESISTOR, FIXED, COMPOSITION R26 200 OHM PORM5PCT 1/2 W (NOTE USE IN PLAIN MODELS SERIAL NO.1 THRU 200 ONLY) RC20GF20J (81349).....A2V | EA | 2 | * | * | * | * | * | * | | | 3 | 62 | R26 |
| PAFZZ | 5905-279-2674 | RESISTOR, FIXED, COMPOSITION R136 200 OHM PGRM5PCT 1/2 W (NOTE USE IN PLAIN MODELS SERIAL NO.1 THRU 200 ONLY) RC20GF20J (81349).....A2V | EA | REF | * | * | * | * | * | * | | | | 62 | R136 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|--|---------------------------|---------------------------------|--------------------------------------|-----|-----|--------------------------------------|-----|-----|--|--|----------------------|--------------|---------------|
| | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) 1-20 | (b) 21-50 | (c) 51-100 |
| | | | | | | | | | | | | | | | |
| PAFZZ | 5905-786-2042 | RESISTOR, FIXED FILM R185 265 OHM..... PORM1PCT 1/2 W | EA | 2 | * | * | * | * | * | * | | | 3 | 46 | R185 |
| PAFZZ | 5905-786-2042 | RIRCIF2650 (28959).....A2V RESISTOR, FIXED, FILM R193 265 OHM..... PORM1PCT 1/2 W | EA | REF | * | * | * | * | * | * | | | 62 | R193 | |
| PAFZZ | 5905-577-0612 | RESISTOR, FIXED, FILM R185 267 OHM..... PORM1PCT 1/8 IN W | EA | 2 | * | * | * | * | * | * | | | 3 | 62 | R185 |
| PAFZZ | 5905-577-0612 | RN60B2670F (81349).....BUH,BUI,BUJ RESISTOR, FIXED, FILM R193 267 OHM..... PORM1PCT 1/8 IN W | EA | REF | * | * | * | * | * | * | | | 63 | R193 | |
| PAFZZ | 5905-171-2006 | RESISTOR, FIXED, COMPOSITION R190 270..... OHM PORM5PCT, 1/2 W | EA | 1 1 | * | * | * | * | * | * | | | 3 | 62 | R190 |
| PAFZZ | 5905-192-3971 | RESISTOR, FIXED, COMPOSITION R26.....330 OHM PORM5PCT 1/2 W | EA | 1 | * | * | * | * | * | * | | | 3 | 63 | R26 |
| PAFZZ | 5905-192-3971 | RC20GF331J (81349).....BUJ RESISTOR, FIXED, COMPOSITION R26.....330 OHM PORM5PCT, 1/2 W (NOTE USED ON PLAIN MODELS SERIAL NO. 201 WP) | EA | 2 | * | * | * | * | * | * | | | 3 | 30 | R26 |
| PAFZZ | 5905-192-3971 | RC20GF331J (81349).....A2V,BUH,BUI RESISTOR, FIXED, COMPOSITION R126330 OHM PORM5PCT, 1/2 W (NOTE USED ON PLAIN MODELS SERIAL NO. 201 WP) | EA | REF | * | * | * | * | * | * | | | | | R126 |
| PAFZZ | 5905-279-3511 | RC20GF331J (81349).....A2V,BUH,BUI RESISTOR, FIXED, COMPOSITION R189510 OHM PORM5PCT, 1/2 W | EA | 1 | * | * | * | * | * | * | | | 3 | 62 | R189 |
| PAFZZ | 5905-195-6806 | RESISTOR, FIXED, COMPOSITION R721000- OHM PGRM5PCT 1/2 W | EA | 2 | * | * | * | * | * | * | | | 3 | 62 | R72 |
| PAFZZ | 5905-195-6806 | RC20GF102J (81349).....A2V,BUH,BUI RESISTOR, FIXED, COMPOSITION R781000.- OHM PORM5PCT 1/2 W | EA | REF | * | * | * | * | * | * | | | 62 | R78 | |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION R41000- OHM PORM10PCT, 1/2 W | EA | 17 | * | * | * | * | * | * | | | 3 | 46 | R4 |
| PAFZZ | 5905-195-6817 | RC20GF102K (81349).....A2V,BUH,BUI RESISTOR, FIXED, COMPOSITION R101000 OHM PORM10PCT, 1/2 W | EA | REF | * | * | * | * | * | * | | | 62 | R10 | |
| PAFZZ | 5905-195-6817 | RC20GF102K (81349).....A2V,BUH,BUI RESISTOR, FIXED, COMPOSITION R201000 OHM PORM10PCT, 1/2 W | EA | REF | * | * | * | * | * | * | | | 62 | R20 | |
| PAFZZ | 5905-195-6817 | RC20GF102K (81349).....A2V,BUH,BUI RESISTOR, FIXED, COMPOSITION R21 1000 OHM PORM10PCT, 1/2 W | EA | REF | * | * | * | * | * | * | | | 62 | R21 | |
| PAFZZ | 5905-195-6817 | RC20GF102K (81349).....A2V,BUH,BUI RESISTOR, FIXED, COMPOSITION R271000 OHM PORM10PCT, 1/2 W | EA | REF | * | * | * | * | * | * | | | 62 | R27 | |
| PAFZZ | 5905-195-6817 | RC20GF102K (81349).....A2V,BUH,BUI RESISTOR, FIXED, COMPOSITION R341000 OHM PORM10PCT, 1/2 W | EA | REF | * | * | * | * | * | * | | | 62 | R34 | |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | | |
|--------------------|-----------------------------------|--|---------------------------|---------------------------------|--------------------------------------|-----|-----|--------------------------------------|-----|-----|--|--|----------------------|--------------|---------------|------|
| | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | |
| | | | | | | | | | | | | | | | | |
| PAFZZ | 5905-195-6817 | RESISTOR FIXED COMPOSITION R75.....1000 OHM PORM10PCT 1/2 W RC20GF102K (81349).....A2V,BUH,BUI | EA | REF | * | * | * | * | * | * | | | | | 62 | R75 |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION R81.....1000 OHM PORM10PCT, 1/2 W RC20GF102K (81349).....A2V,BUH,BUI | EA | REF | * | * | * | * | * | * | | | | | 62 | R81 |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION R86.....1000 OHM PORM10PCT, 1/2 W RC20GF102K (81349).....A2V,BUH,BUI | EA | REF | * | * | * | * | * | * | | | | | 62 | R86 |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION R91.....1000 OHM PORM10PCT, 1/2 W RC20GF102K (81349).....A2V,BUH,BUI | EA | REF | * | * | * | * | * | ~ | | | | | 62 | R91 |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION.....R107 1000 OHM PORM10PCT, 1/2 W RC20GF102K (81349).....A2V,BUH,BUI | EA | REF | * | * | * | ~ | * | * | | | | | 62 | R107 |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION R114.....1000 OHM PORM10PCT, 1/2 W RC20GF102K (81349).....A2V,BUH,BUI | EA | REF | * | * | * | * | * | * | | | | | 62 | R114 |
| PAFZZ | 5905-195-6817 | RESISTOR FIXED, COMPOSITION R120.....1000. OHM PORM10PCT, 1/2 W RC20GF102K (81349).....A2V,BUH,BUI | EA | REF | * | * | * | * | * | * | | | | | 62 | R120 |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION R130.....1000 OHM PORM10PCT, 1/2 W RC20GF102K (81349).....A2V,BUH,BUI | EA | REF | * | * | * | * | * | ~ | | | | | 62 | R130 |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED COMPOSITION.....R131 1000 OHM PORM10PCT, 1/2 W RC20GF102K (81349).....A2V,BUH,BUI | EA | REF | * | * | * | * | * | * | | | | | 62 | R131 |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION.....R137 1000 OHM PORM10PCT 1/2 W RC20GF102K (81349).....A2V,BUH,BUI | EA | REF | * | * | * | * | * | * | | | | | 62 | A137 |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION R144.....1000 OHM PORM10PCT, 1/2 W RC20GF102K (81349).....A2V,BUH,BUI | EA | REF | * | * | * | * | * | * | | | | | 62 | R144 |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION R4.....1000 OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ | EA | 18 | * | * | * | * | * | * | | | | 3 | 46 | R4 |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION R10.....1000 OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ | EA | REF | * | * | * | ~ | * | * | | | | | 63 | R10 |
| PAFZZ | 59u5-195-6817 | RESISTOR, FIXED, COMPOSITION R20.....1000 OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ | EA | REF | * | * | * | * | * | * | | | | | 63 | R20 |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION R21.....1000 OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ | EA | REF | * | * | * | * | * | * | | | | | 63 | R21 |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION R27.....1000 OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ | EA | REF | * | * | * | * | * | * | | | | | 63 | R27 |
| PAFZZ | 5905-195-6817 | RESISTOR, FIXED, COMPOSITION R34.....1000 OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ | EA | REF | * | * | * | * | * | * | | | | | 63 | R34 |
| PAFZZ | 5905-195-6817 | RESISTOR FIXED, COMPOSITION R75.....1000 CONTINUED | EA | REF | * | * | * | * | * | * | | | | | 63 | R75 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. |
| | | | | | | | | | | | | | | |
| PAFZZ | 5905-195-6817 | CONTINUED OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ RESISTOR, FIXED, COMPOSITION R81.....1000 | EA | REF | * | * | * | * | * | * | | | 63 | R81 |
| PAFZZ | 5905-195-6817 | OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ RESISTOR, FIXED, COMPOSITION R86.....1000. | EA | REF | * | * | * | * | * | * | | | 63 | R86 |
| PAFZZ | 5905-195-6817 | OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ RESISTOR, FIXED, COMPOSITION R91.....1000 | EA | REF | * | * | * | * | * | * | | | 63 | R91 |
| PAFZZ | 5905-195-6817 | OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ RESISTOR, FIXED, COMPOSITION R107.....1000 | EA | REF | * | * | * | * | * | * | | | 63 | R107 |
| PAFZZ | 5905-195-6817 | OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ RESISTOR, FIXED, COMPOSITION R111.....1000 | EA | REF | * | * | * | * | * | * | | | 46 | R111 |
| PAFZZ | 5905-195-6817 | OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ RESISTOR, FIXED, COMPOSITION R114.....1000 | EA | REF | * | * | * | * | * | * | | | 63 | R114 |
| PAFZZ | 5905-195-6817 | OHM PORM10PCT 1/2 W RC20GF102K (81349).....BUJ RESISTOR, FIXED, COMPOSITION R120.....1000 | EA | REF | * | * | * | * | * | * | | | 63 | R120 |
| PAFZZ | 5905-195-6817 | OHM PORM10PCT 1/2 W RC20GF102K (81349).....BUJ RESISTOR, FIXED, COMPOSITION R130.....1000 | EA | REF | * | * | * | * | * | * | | | 63 | R130 |
| PAFZZ | 5905-195-6817 | OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ RESISTOR, FIXED, COMPOSITION R131.....1000 | EA | REF | * | * | * | * | * | * | | | 63 | R131 |
| PAFZZ | 5905-195-6817 | OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ RESISTOR, FIXED, COMPOSITION R137.....1000 | EA | REF | * | * | * | * | * | * | | | 63 | R137 |
| PAFZZ | 5905-195-6817 | OHM PORM10PCT, 1/2 W RC20GF102K (81349).....BUJ RESISTOR, FIXED, COMPOSITION R144.....1000. | EA | REF | * | * | * | * | * | * | | | 63 | R144 |
| PAFZZ | 5905-195-5514 | OHM PORM5PCT, 1/2 W NOTE. FOR R1, R11, CROSLEY ORDERS PO-28459-P-55, 21316-P-56 USE MIL TYPE RC20GF471J. RC20GF152J (81349) | EA | 6 | * | * | * | * | * | * | | | 3 | R1 |
| PAFZZ | 5905-195-5514 | OHM PORM5PCT, 1/2 W NOTE. FOR R1, R11, CROSLEY ORDERS PO-28459-P-55, 21316-P-56, USE MIL TYPE RC20GF471J. RC20GF152J (81349) | EA | REF | * | * | * | * | * | * | | | 46 | R32 |
| PAFZZ | 5905-195-5514 | OHM PORM5PCT, 1/2 W NOTE. FOR R1, R11, CROSLEY ORDERS PO-28459-P-55, 21316-P-56, USE MIL TYPE RC20GF471J. RC20GF152J (81349) | EA | REF | * | * | * | * | * | * | | | 62 | R89 |
| PAFZZ | 5905-195-5514 | CONTINUED RESISTOR, FIXED, COMPOSITION R111.....1500 | EA | REF | * | * | * | * | * | * | | | 62 | R111 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. |
| | | | | | | | | | | | | | | |
| PAFZZ | 5905-195-5514 | CONTINUED OHM PORM5PCT 1/2 W NOTE FOR R1 R11 CROSLEY ORDERS PO-28459-P-55,21316-P-56, USE MIL TYPE RC20GF471J. RC20GF152J (81349) RESISTOR, FIXED, COMPOSITION R142.....1500 | EA | REF | * | * | * | * | * | * | | | 46 | R142 |
| PAFZZ | 5905-195-5514 | RESISTOR, FIXED, COMPOSITION R197.....1500 OHM PORM5PCT, 1/2 W NOTE. FOR R1, R11, CROSLEY ORDERS PO-28459-P-55,21316-P-56, USE MIL TYPE RC20GF471J. RC20GF152J (81349) | EA | REF | * | * | * | * | * | * | | | 62 | R197 |
| PAFZZ | 5905-195-6741 | RESISTOR, FIXED, COMPOSITION R188.....2700 OHM PORM5PCT 1/2 W RC20GF272J (81349) | EA | 1 | * | * | * | * | * | * | | | 3 | R188 |
| PAFZZ | 5905-195-6502 | RESISTOR, FIXED, COMPOSITION R44.....3300 OHM PORM10PCT, 1/2 W RC20GF332K (81349) | EA | 2 | * | * | * | * | * | * | | | 3 | R44 |
| PAFZZ | 5905-195-6502 | RESISTOR, FIXED, COMPOSITION R154.....3300 OHM PORM10PCT 1/2 W RC20GF332K (81349) | EA | REF | * | * | * | * | * | * | | | 62 | R154 |
| PAFZZ | 5905-502-4193 | RESISTOR, FIXED, COMPOSITION R199.....3920 OHM PORM1PCT 1/2 W RN15R3921F (81349) | EA | I | * | * | * | * | * | * | | | 3 | R199 |
| PAFZZ | 5905-192-3973 | RESISTOR, FIXED, COMPOSITION R1.....NOTE. USED ON CROSLEY ORDERS 28459-PH-55 AND 21316-PH-56 ONLY. RC20GF471J (81349) | EA | 2 | * | * | * | * | * | * | | | 3 | R1 |
| PAFZZ | 5905-192-3973 | RESISTOR, FIXED, COMPOSITION R11NOTE USED ON CROSLEY ORDERS 28459-PH-55 AND 21316-PH-56 ONLY. RC20GF471J (81349) | EA | REF | * | * | * | * | * | * | | | 62 | R11 |
| PAFZZ | 5905-192-4408 | RESISTOR, FIXED, COMPOSITION R16.....5600 OHM PORM10PCT, 1/2 W RC20GF562K (81349).....A2V,BUH,BUI | EA | 4 | * | * | * | * | * | * | | | 3 | R16 |
| PAFZZ | 5905-192-4408 | RESISTOR, FIXED, COMPOSITION R126.....5600 OHM PORM10PCT 1/2 W RC20GF562K (81349).....A2V,BUH,BUI | EA | REF | * | * | * | * | * | * | | | 62 | R126 |
| PAFZZ | 5905-192-4408 | RESISTOR, FIXED, COMPOSITION R202.....5600 OHM PORM10PCT, 1/2 W RC20GF562K (81349).....A2V,BUH,BUI | EA | REF | * | * | * | * | * | * | | | 46 | R202 |
| PAFZZ | 5905-192-4408 | RESISTOR, FIXED, COMPOSITION R203.....5600 OHM PORM10PCT, 1/2 W RC20GF562K (81349).....A2V,BUH,BUI | EA | REF | * | * | * | * | * | * | | | 46 | R203 |
| PAFZZ | 5905-192-4408 | RESISTOR, FIXED, COMPOSITION R16.....5600 OHM PORM10PCT 1/2 W RC20GF562K (81349).....BUJ | EA | 2 | * | * | * | * | * | * | | | 3 | R16 |
| PAFZZ | 5905-192-4408 | RESISTOR, FIXED, COMPOSITION R126.....5600 OHM PORM10PCT 1/2 W RC20GF562K (81349).....BUJ | EA | REF | * | * | * | * | * | * | | | 63 | R126 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|--|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. | |
| | | | | | | | | | | | | | | | |
| PAFZZ | 5905-141-1165 | RESISTOR, FIXED, COMPOSITION R17 6800 OHM PORM10PCT 1/2 RC20GF682K (81349) | EA | 2 | * | * | * | * | * | * | | | 3 | 46 | R17 |
| PAFZZ | 5905-141-1165 | RESISTOR, FIXED, COMPOSITION R128 6800 OHM PORM10PCT 1/2 W RC20GF682K (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | R128 |
| PAFZZ | 5905-279-2295 | RESISTOR, FIXED, COMPOSITION R182 6800 OHM PORM10PCT 2 W RC42GF682K (81349) | EA | 2 | * | * | * | * | * | * | | | 3 | 46 | R182 |
| PAFZZ | 5905-279-2295 | RESISTOR, FIXED, COMPOSITION R183 6800 OHM PORM10PCT 2 W RC42GF682K (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | R183 |
| PAFZZ | 5905-185-8515 | RESISTOR, FIXED, COMPOSITION R7 10,000 OHM PORM10PCT 1/2 IN W RC20GF103K (81349) | EA | 6 | * | * | * | * | * | * | | | 3 | 46 | R7 |
| PAFZZ | 5905-185-8515 | RESISTOR, FIXED, COMPOSITION R8 10,000 OHM PORM10PCT 1/2 IN W RC20GF103K (81349) | EA | REF | * | * | * | * | * | * | | | | 46 | R8 |
| PAFZZ | 5905-185-8515 | RESISTOR, FIXED, COMPOSITION R40 10,000 OHM PORM10PCT 1/2 IN W RC20GF103K (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | R40 |
| PAFZZ | 5905-185-8515 | RESISTOR, FIXED, COMPOSITION R117 10,000 OHM PORM10PCT 1/2 IN W RC20GF103K (81349) | EA | REF | * | * | * | * | * | * | | | | 46 | R117 |
| PAFZZ | 5905-185-8515 | RESISTOR, FIXED, COMPOSITION R118 10,000 OHM PORM10PCT 1/2 IN W RC20GF103K (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | R118 |
| PAFZZ | 5905-185-8515 | RESISTOR, FIXED, COMPOSITION R150 10,000 OHM PORM10PCT 1/2 IN W RC20GF103K (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | R150 |
| PAFZZ | 5905-185-8516 | RESISTOR, FIXED, COMPOSITION R186 10,000 OHM PORM5PCT 2 W RC42GF103J (81349) | EA | 2 | * | * | * | * | * | * | | | 3 | 62 | R186 |
| PAFZZ | 5905-185-8516 | RESISTOR, FIXED, COMPOSITION R195 10,000 OHM PORM5PCT 2 W RC42GF103J (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | R195 |
| PAFZZ | 5905-171-1976 | RESISTOR, FIXED, COMPOSITION R11 15,000 OHM PORM5PCT 2 W RC42GF153J (81349) | EA | 5 | * | * | * | * | * | * | | | 3 | 63 | R11 |
| PAFZZ | 5905-171-1976 | RESISTOR, FIXED, COMPOSITION R110 15,000 OHM PORM5PCT 2 W RC42GF153J (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | R110 |
| PAFZZ | 5905-171-1976 | RESISTOR, FIXED, COMPOSITION R121 15,000 OHM PORM5PCT 2 W RC42GF153J (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | R121 |
| PAFZZ | 5905-171-1976 | RESISTOR, FIXED, COMPOSITION R187 15,000 OHM PORM5PCT 2 W RC42GF153J (81349) | EA | REF | * | * | * | * | * | * | | | | 62 | R187 |
| PAFZZ | 5905-171-1976 | RESISTOR, FIXED, COMPOSITION R194 15,000 OHM PORM5PCT 2 W OHM PORM5PCT (81349) | EA | REF | * | * | * | * | * | * | | | | 45 | R194 |
| PAFZZ | 5905-249-4227 | RESISTOR, FIXED, COMPOSITION R196 18,000 CONTINUED | EA | 2 | * | * | * | * | * | * | | | 3 | 62 | R196 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|--|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. | |
| | | | | | | | | | | | | | | | |
| PAFZZ | 5905-186-2987 | CONTINUED OHM PORM10PCT 2 W RC42GF183K (81349) RESISTOR, FIXED, COMPOSITION R2 22,000 | EA | 4 | * | * | * | * | * | * | | | 3 | 46 | R2 |
| PAFZZ | 5905-186-2987 | OHM PORM10PCT, 1/2 W RC20GF223K (81349) RESISTOR, FIXED, COMPOSITION R5 22,000 | EA | REF | * | * | * | * | * | * | | | | 62 | R5 |
| PAFZZ | 5905-186-2987 | OHM PORM10PCT, 1/2 W RC20GF223K (81349) RESISTOR, FIXED, COMPOSITION R112 22,000 | EA | REF | * | * | * | * | * | * | | | | 46 | R112 |
| PAFZZ | 5905-186-2987 | OHM PORM10PCT, 1/2 W RC20GF223K (81349) RESISTOR, FIXED, COMPOSITION R115 22,000 | EA | REF | * | * | * | * | * | * | | | | 62 | R115 |
| PAFZZ | 5905-249-4233 | RESISTOR, FIXED, COMPOSITION R119 22,000 | EA | 2 | * | * | * | * | * | * | | | 3 | 62 | R119 |
| PAFZZ | 5905-249-4233 | OHMS, PORM10PCT, 2 W RC42GF223K (81349) RESISTOR, FIXED, COMPOSITION R129 22,000 | EA | REF | * | * | * | * | * | * | | | | 62 | R129 |
| PAFZZ | 5905-279-3499 | OHMS, PORM10PCT, 2 W RC42GF223K (81349) RESISTOR, FIXED, COMPOSITION R204 27,000 | EA | 4 | * | * | * | * | * | * | | | 3 | 30 | R204 |
| PAFZZ | 5905-279-3499 | OHM PORM5PCT RC20GF273J (81349) RESISTOR, FIXED, COMPOSITION R205 27,000 | EA | REF | * | * | * | * | * | * | | | | 20 | R205 |
| PAFZZ | 5905-279-3499 | OHM PORM5PCT RC20GF273J (81349) RESISTOR, FIXED, COMPOSITION R206 27,000 | EA | REF | * | * | * | * | * | * | | | | 20 | R206 |
| PAFZZ | 5905-279-3499 | OHM PORM5PCT RC20GF273J (81349) RESISTOR, FIXED, COMPOSITION R207 27,000 | EA | REF | * | * | * | * | * | * | | | | 59 | R207 |
| PAFZZ | 5905-254-9201 | RESISTOR, FIXED, COMPOSITION R13 47,000 | EA | 4 | * | * | * | * | * | * | | | 3 | 62 | R13 |
| PAFZZ | 5905-254-9201 | OHM PORM5PCT, 1/2 W RC20GF473J (81349) RESISTOR, FIXED, COMPOSITION R37 47,000 | EA | REF | * | * | * | * | * | * | | | | 62 | R37 |
| PAFZZ | 5905-254-9201 | OHM PORM5PCT, 1/2 W RC20GF473J (81349) RESISTOR, FIXED, COMPOSITION R123 47,000 | EA | REF | * | * | * | * | * | * | | | | 62 | R123 |
| PAFZZ | 5905-254-9201 | OHM PORM5PCT, 1/2 W RC20GF473J (81349) RESISTOR, FIXED, COMPOSITION R147 47,000 | EA | REF | * | * | * | * | * | * | | | | 45 | R147 |
| PAFZZ | 5905-195-6754 | OHM PORM5PCT, 2 W RC42GF473J (81349) RESISTOR, FIXED, COMPOSITION R64 47,000 | EA | 4 | * | * | * | * | * | * | | | 3 | 62 | R64 |
| PAFZZ | 5905-195-6754 | OHM PORM5PCT, 2 W RC42GF473J (81349) RESISTOR, FIXED, COMPOSITION R65 47,000 | EA | REF | * | * | * | * | * | * | | | | 62 | R65 |
| PAFZZ | 5905-195-6754 | CONTINUED RESISTOR, FIXED, COMPOSITION R172 47,000 | EA | REF | * | * | * | * | * | * | | | | 62 | R172 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. |
| | | | | | | | | | | | | | | |
| PAFZZ | 5905-195-6754 | CONTINUED OHM PORM5PCT, 2 W RC20GF473J (81349) RESISTOR, FIXED, COMPOSITION R173.....47,000 | EA | REF | * | * | * | * | * | * | | | 62 | R173 |
| PAFZZ | 5905-171-1986 | RESISTOR, FIXED, COMPOSITION R14.....56,000 | EA | 2 | * | * | * | * | * | * | | 3 | 62 | R14 |
| PAFZZ | 5905-171-1986 | OHM PORM5PCT, 1/2 W RC20GF563J (81349) RESISTOR, FIXED, COMPOSITION R124.....56,000 | EA | REF | * | * | * | * | * | * | | | 46 | R124 |
| PAFZZ | 5905-249-3661 | OHM PORM5PCT 1/2 W RC20GF563J (81349) RESISTOR, FIXED, COMPOSITION R33.....68,000 | EA | 3 | * | * | * | * | * | * | | 3 | 46 | R33 |
| PAFZZ | 5905-249-3661 | RESISTOR, FIXED, COMPOSITION R90.....68,000 | EA | REF | * | * | * | * | * | * | | | 62 | R90 |
| PAFZZ | 5905-249-3661 | OHM PORM5PCT 1/2 W RC20GF683J (81349) RESISTOR, FIXED, COMPOSITION R143.....68,000 | EA | REF | * | * | * | * | * | * | | | 46 | R143 |
| PAFZZ | 5905-254-7087 | OHM PORM10PCT, 1/2 W RC30GF683K (81349).BUI RESISTOR, FIXED, COMPOSITION R148.....68,000 | EA | 3 | * | * | * | * | * | * | | 3 | 62 | R38 |
| PAFZZ | 5905-254-7087 | OHM PORM10PCT, 1/2 W RC30GF683K (81349).BUI RESISTOR, FIXED, COMPOSITION R38.....68,000 | EA | REF | * | * | * | * | * | * | | | 62 | R148 |
| PAFZZ | 5905-254-7087 | OHM PORM10PCT, 1/2 W RC30GF683K (81349).BUI RESISTOR, FIXED, COMPOSITION R143.....68,000 | EA | REF | * | * | * | * | * | * | | | 62 | R143 |
| PAFZZ | 5905-254-7087 | OHM PORM10PCT, 1/2 W RC30GF683K (81349).BUI RESISTOR, FIXED, COMPOSITION R38.....68,000 | EA | 4 | * | * | * | * | * | * | | 3 | 63 | R38 |
| PAFZZ | 5905-254-7087 | OHM PORM10PCT, 1/2 W RC20GF683K (81349).A2V,BUH,BUI RESISTOR, FIXED, COMPOSITION R148.....68,000 | EA | REF | * | * | * | * | * | * | | | 63 | R148 |
| PAFZZ | 5905-754-7087 | OHM PORM10PCT, 1/2 W RC20GF683K (81349).A2V,BUH,BUI RESISTOR, FIXED, COMPOSITION R22.....68,000 | EA | REF | * | * | * | * | * | * | | | 62 | R22 |
| PAFZZ | 5905-254-7087 | OHM PORM10PCT, 1/2 W RC20GF683K (81349).A2V,BUH,BUI RESISTOR, FIXED, COMPOSITION R132.....68,000 | EA | REF | * | * | * | * | * | * | | | 62 | R132 |
| PAFZZ | 5905-299-2010 | OHM PORM10PCT, 1/2 W RC20GF683K (81349).A2V,BUH,BUI RESISTOR, FIXED, COMPOSITION R74.....68,000 | EA | 2 | * | * | * | * | * | * | | 3 | 62 | R74 |
| PAFZZ | 5905-299-2010 | OHM PORM5PCT, 1 W (NOTE USE IN SERIAL NO. 1-200 ONLY) RC32GF683J (81349).A2V RESISTOR, FIXED, COMPOSITION R79.....68,000 | EA | REF | * | * | * | * | * | * | | | 62 | R79 |
| PAFZZ | 5905-299-2007 | OHM PORM5PCT, 1 W (NOTE USE IN SERIAL NO. 1-200 ONLY) RC32GF683J (81349).A2V RESISTOR, FIXED, COMPOSITION R28.....68,000 | EA | 4 | * | * | * | * | * | * | | 3 | 62 | R28 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. | |
| | | | | | | | | | | | | | | | |
| PAFZZ | 5905-299-2007 | RESISTOR, FIXED, COMPOSITION R85..... OHM PORM10PCT, 1 W RC32GF683K (81349) | 68,000 | EA | REF | * | * | * | * | * | * | | | 62 | R85 |
| PAFZZ | 5905-299-2007 | RESISTOR FIXED, COMPOSITION R102..... OHM PORM10PCT, 1 W RC32GF683K (81349) | 68,000 | EA | REF | * | * | * | * | * | * | | | 62 | R102 |
| PAFZZ | 5905-299-2007 | RESISTOR, FIXED, COMPOSITION R138..... OHM PORM10PCT 1 W RC32GF683K (81349) | 68,000 | EA | REF | * | * | * | * | * | * | | | 62 | R138 |
| PAFZZ | 5905-254-7090 | RESISTOR, FIXED, COMPOSITION R97..... OHM PORM10PCT, 1 W RC42GF683K (81349) | 68,000 | EA | 1 | * | * | * | * | * | * | | 3 | 62 | R97 |
| PAFZZ | 5905-279-3494 | RESISTOR, FIXED, COMPOSITION R46..... OHM PORM10PCT 1/2 W RC20GF823K (81349) | 82,000 | EA | 3 | * | * | * | * | * | * | | 3 | 62 | R46 |
| PAFZZ | 5905-279-3494 | RESISTOR, FIXED, COMPOSITION R103..... OHM PORM10PCT 1/2 W RC20GF823K (81349) | 82,000 | EA | REF | * | * | * | * | * | * | | | 62 | R103 |
| PAFZZ | 5905-279-3494 | RESISTOR, FIXED, COMPOSITION R156..... OHM PORM10PCT 1/2 W RC20GF823K (81349) | 82,000 | EA | REF | * | * | * | * | * | * | | | 62 | R156 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION R12..... OHM PORM10PCT 1/2 W RC20GF104K (81349) | 100,000 | EA | 32 | * | * | * | * | * | * | | 3 | 62 | R12 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION R15..... OHM PORM10PCT 1/2 W RC20GF104K (81349) | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R15 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION R18..... OHM PORM10PCT 1/2 W RC20GF104K (81349) | 100,000 | EA | REF | * | * | * | * | * | * | | | 46 | R18 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION R24..... OHM PORM10PCT 1/2 W RC20GF104K (81349) | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R24 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION R30..... OHM PORM10PCT 1/2 W RC20GF104K (81349) | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R30 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION R39..... OHM PORM10PCT 1/2 W RC20GF104K (81349) | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R39 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION R43..... OHM PORM5PCT 1/2 W RC20GF104K (81349) | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R43 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION R51..... OHM PORM10PCT 1/2 W RC20GF104K (81349) | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R51 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION R55..... OHM PORM10PCT 1/2 W RC20GF104K (81349) | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R55 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION R59..... OHM PORM10PCT 1/2 W RC20GF104K (81349) | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R59 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION R67..... CONTINUED | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R67 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. | |
| PAFZZ | 5905-192-3987 | CONTINUED OHM PORM10PCT 1/2 W RC20GF104K (81349) RESISTOR, FIXED, COMPOSITION..... R69 | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R69 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION..... R71 | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R71 |
| PAFZZ | 5905-192-3987 | OHM PORM10PCT 1/2 W RC20GF104K (81349) RESISTOR, FIXED, COMPOSITION..... R77 | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R77 |
| PAFZZ | 5905-192-3987 | OHM PORM10PCT 1/2 W RC20GF104K (81349) RESISTOR, FIXED, COMPOSITION..... R87 | 100,000 | EA | REF | * | * | * | * | * | * | | | 46 | R87 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION..... R92 | 100,000 | EA | REF | * | * | * | * | * | * | | | 46 | R92 |
| PAFZZ | 5905-192-3987 | OHM PORM10PCT 1/2 W RC20GF104K (81349) RESISTOR, FIXED, COMPOSITION..... R96 | 100,000 | EA | REF | * | * | * | * | * | * | | | 46 | R96 |
| PAFZZ | 5905-192-3987 | OHM PORM10PCT 1/2 W RC20GF104K (81349) RESISTOR, FIXED, COMPOSITION..... R98 | 100,000 | EA | REF | * | * | * | * | * | * | | | 46 | R98 |
| PAFZZ | 5905-192-3987 | RC20GF104K (81349) RESISTOR, FIXED, COMPOSITION..... R101 | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R101 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION..... R122 | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R122 |
| PAFZZ | 5905-192-3987 | OHM PORM10PCT 1/2 W RC20GF104K (81349) RESISTOR, FIXED, COMPOSITION..... R125 | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R125 |
| PAFZZ | 5905-192-3987 | OHM PORM10PCT 1/2 W RC20GF104K (81349) RESISTOR, FIXED, COMPOSITION..... R127 | 100,000 | EA | REF | * | * | * | * | * | * | | | 46 | R127 |
| PAFZZ | 5905-192-3987 | RC20GF104K (81349) RESISTOR, FIXED, COMPOSITION..... R134 | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R134 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION..... R145 | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R145 |
| PAFZZ | 5905-192-3987 | OHM PORM10PCT 1/2 W RC20GF104K (81349) RESISTOR, FIXED, COMPOSITION..... R149 | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R149 |
| PAFZZ | 5905-192-3987 | RC20GF104K (81349) RESISTOR, FIXED, COMPOSITION..... R153 | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R153 |
| PAFZZ | 5905-192-3987 | OHM PORM10PCT 1/2 W RC20GF104K (81349) RESISTOR FIXED, COMPOSITION..... R158 | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R158 |
| PAFZZ | 5905-192-3987 | RC20GF104K (81349) RESISTOR, FIXED, COMPOSITION..... R165 | 100,000 | EA | REF | * | * | * | * | * | * | | | 62 | R165 |
| | | CONTINUED | | | | | | | | | | | | | |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) | (5) UNIT OF MEAS | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|--|-----|---------------------------|--------------------------------------|-------------|--------------|--------------------------------------|-------------|--------------|--|--|----------------------|--------------------|------|
| | | | | | QTY INC IN UNIT | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | (a) FIGURE NO. | (b) ITEM NO. | |
| PAFZZ | 5905-192-3987 | CONTINUED OHM PORM10PCT 1/2 W RC20GF104K (81349) RESISTOR, FIXED, COMPOSITION R171 100,000 | EA | REF | * | * | * | * | * | * | * | | | 62 | R171 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION R176 100,000 OHM PORM10PCT 1/2 W RC20GF104K (81349) | EA | REF | * | * | * | * | * | * | * | | | 62 | R176 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION R179 100,000 OHM PORM10PCT 1/2 RC20GF104K (81349) | EA | REF | * | * | * | * | * | * | * | | | 62 | R179 |
| PAFZZ | 5905-192-3987 | RESISTOR, FIXED, COMPOSITION R200 100,000 OHM PORM10PCT 1/2 W RC20GF104K (81349) | EA | REF | * | * | * | * | * | * | * | | | 62 | R200 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R22 100,000 OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 1-710 ONLY) RC32GF104K (81349)..... | EA | REF | * | * | * | * | * | * | * | | 3 | 63 | R22 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R23 100,000 OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 1-710 ONLY) RC32GF104K (81349)..... | A2V | EA | REF | * | * | * | * | * | * | | | 62 | R23 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R29 100,000 OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 1-710 ONLY) RC32GF104K (81349)..... | A2V | EA | REF | * | * | * | * | * | * | | | 62 | R29 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R45 100,000 OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 1-710 ONLY) RC32GF104K (81349)..... | A2V | EA | REF | * | * | * | * | * | * | | | 62 | R45 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION RS2 100,000 OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 1-710 ONLY) RC32GF104K (81349)..... | A2V | EA | REF | * | * | * | * | * | * | | | 62 | R52 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R53 100,000 OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 1-710 ONLY) RC32GF104K (81349)..... | A2V | EA | REF | * | * | * | * | * | * | | | 62 | R53 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R54 100,000 OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 1-710 ONLY) RC32GF104K (81349)..... | A2V | EA | REF | * | * | * | * | * | * | | | 62 | R54 |
| PAFZZ | 590S-299-2004 | RESISTOR, FIXED, COMPOSITION R74 100,000 OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 1-710 ONLY) RC32GF104K (81349)..... | A2V | EA | REF | * | * | * | * | * | * | | | 63 | R74 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R79 100,000 OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 1-710 ONLY) RC32GF104K (81349)..... | A2V | EA | REF | * | * | * | * | * | * | | | 63 | R79 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R84 100,000 CONTINUED | A2V | EA | REF | * | * | * | * | * | * | | | 63 | R84 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|--|---------------------------|---------------------------------|--------------------------------------|--------------------|-----|--------------------------------------|-----|-----|--|--|----------------------|--------------|---------------|
| | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) 1-20 | (b) 21-50 | (c) 51-100 |
| | | | | | (a) FIGURE NO. | (b) ITEM NO. | | | | | | | | | |
| | | CONTINUED OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 1-710 ONLY) RC32GF104K (81349). RESISTOR, FIXED, COMPOSITION R133.....100,000 | A2V | EA | REF | * | * | * | * | * | * | | | | |
| PAFZZ | 5905-299-2004 | OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 1-710 ONLY) RC32GF104K (81349). RESISTOR, FIXED, COMPOSITION R155.....100,000 | A2V | EA | 4 | * | * | * | * | * | * | | | 3 | 62 R155 |
| PAFZZ | 5905-299-2004 | OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 201-710 ONLY) RC32GF104K (81349). RESISTOR, FIXED, COMPOSITION R162.....100,000 | A2V | EA | REF | * | * | * | * | * | * | | | 62 | R162 |
| PAFZZ | 5905-299-2004 | OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 201-710 ONLY) RC32GF104K (81349). RESISTOR, FIXED, COMPOSITION R163.....100,000 | A2V | EA | REF | * | * | * | * | * | * | | | 62 | R163 |
| PAFZZ | 5905-299-2004 | OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 201-710 ONLY) RC32GF104K (81349). RESISTOR, FIXED, COMPOSITION R164.....100,000 | A2V | EA | REF | * | * | * | * | * | * | | | 62 | R164 |
| PAFZZ | 5905-299-2004 | OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 201-710 ONLY) RC32GF104K (81349). RESISTOR, FIXED, COMPOSITION R132.....100,000 | A2V | EA | 2 | * | * | * | * | * | * | | | 3 | 63 R132 |
| PAFZZ | 5905-299-2004 | OHM PORM10PCT 1 W (NOTE USED IN SERIAL NO. 1-200 ONLY) RC32GF104K (81349). RESISTOR, FIXED, COMPOSITION R139.....100,000 | A2V | EA | REF | * | * | * | * | * | * | | | 62 | R139 |
| PAFZZ | 5905-299-20U4 | OHM PORM10PCT 1 W RC32GF104K (81349). RESISTOR, FIXED, COMPOSITION R22.....100,000 | A2V | EA | 15 | * | * | * | * | * | * | | | 3 | 59 R22 |
| PAFZZ | 5905-299-2004 | OHM PORM10PCT 1 W RC32GF104K (81349). RESISTOR, FIXED, COMPOSITION R29.....100,000 | BUH,BUI | EA | REF | * | * | * | * | * | * | | | 63 | R29 |
| PAFZZ | 5905-299-2004 | OHM PORM10PCT 1 W RC32GF104K (81349). RESISTOR, FIXED, COMPOSITION R45.....100,000 | BUH,BUI | EA | REF | * | * | * | * | * | * | | | 63 | R45 |
| PAFZZ | 5905-299-2004 | OHM PORM10PCT 1 W RC32GF104K (81349). RESISTOR, FIXED, COMPOSITION R52.....100,000 | BUH,BUI | EA | REF | * | * | * | * | * | * | | | 63 | R52 |
| PAFZZ | 5905-299-2004 | OHM PORM10PCT 1 W RC32GF104K (81349). RESISTOR, FIXED, COMPOSITION R53.....100,000 | BUH,BUI | EA | REF | * | * | * | * | * | * | | | 63 | R53 |
| PAFZZ | 5905-299-2004 | OHM PORM10PCT 1 W RC32GF104K ((81349)). RESISTOR, FIXED, COMPOSITION R54.....100,000 | BUH,BUI | EA | REF | * | * | * | * | * | * | | | 63 | R54 |
| PAFZZ | 5905-299-2004 | OHM PORM10PCT 1 W RC32GF104K (81349). RESISTOR, FIXED, COMPOSITION R132.....100,000 | BUH,BUI | EA | REF | * | * | * | * | * | * | | | 59 | R132 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------------|-----|--------------------------------------|-----|-----|--|--|----------------------|--------------|---------------|------|
| | | | | | (a) | (b) | (c) | (a) | (b) | (c) | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | |
| | | | | | (a) FIGURE NO. | (b) ITEM NO. | | | | | | | | | | |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R139 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | EA | REF | * | * | * | * | * | * | | | | | 63 | R139 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R155 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUH,BUI | EA | REF | * | * | * | * | * | | | | | 63 | R155 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R162 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUH,BUI | EA | REF | * | * | * | * | * | | | | | 63 | R162 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R163 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUH,BUI | EA | REF | * | * | * | * | * | | | | | 63 | R163 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R164 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUH,BUI | EA | REF | * | * | * | * | * | | | | | 63 | R164 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R22 100,000 OHM PORM10PCT 1 W RC32GF104K 181349)..... | BUH,BUI | EA | 13 | * | * | * | * | * | | | | 3 | 30 | R22 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R29 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUJ | EA | REF | * | * | * | * | * | | | | | 59 | R29 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R52 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUJ | EA | REF | * | * | * | * | * | | | | | 59 | R52 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R53 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUJ | EA | REF | * | * | * | * | * | | | | | 59 | R53 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R54 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUJ | EA | REF | * | * | * | * | * | | | | | 59 | R54 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R84 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUJ | EA | REF | * | * | * | * | * | | | | | 63 | R84 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R139 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUJ | EA | REF | * | * | * | * | * | | | | | 59 | R139 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R155 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUJ | EA | REF | * | * | * | * | * | | | | | 59 | R155 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R162 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUJ | EA | REF | * | * | * | * | * | | | | | 59 | R162 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R163 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUJ | EA | REF | * | * | * | * | * | | | | | 59 | R163 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R45 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUJ | EA | REF | * | * | * | * | * | | | | | 59 | R45 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R164 100,000 OHM PORM10PCT 1 W RC32GF104K (81349)..... | BUJ | EA | REF | * | * | * | * | * | | | | | 59 | R164 |
| PAFZZ | 5905-299-2004 | RESISTOR, FIXED, COMPOSITION R132 100,000 CONTINUED | BUJ | EA | REF | * | * | * | * | * | | | | | 43 | R132 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. | |
| | | | | | | | | | | | | | | | |
| PAFZZ | 5905-299-2003 | OHM PORM10PCT 1 W RC32GF104K (81349). RESISTOR, FIXED, COMPOSITION R73..... | 100,000 | BUJ | EA | 2 | * | * | * | * | * | | 3 | 62 | R73 |
| PAFZZ | 5905-299-2003 | OHM PORM5PCT 1 W (NOTE USED ON SERIAL NO. 1-200 ONLY) RC32GF104J (81349). RESISTOR, FIXED, COMPOSITION R80..... | 100,000 | A2V | EA | REF | * | * | * | * | * | | 62 | R80 | |
| PAFZZ | 5905-114-1844 | OHM PORM5PCT 1 W RC32GF134J (80063) RESISTOR, FIXED, COMPOSITION R42..... | 130,000 | A2V | EA | 2 | * | * | * | * | * | | 3 | 62 | R42 |
| PAFZZ | 5905 - 114 - 1844 | OHM PORM5PCT 1 W RC32GF134J (80063) RESISTOR, FIXED, COMPOSITION R152..... | 130,000 | EA | REF | * | * | * | * | * | * | | 62 | R152 | |
| PAFZZ | 5905-565-5389 | RESISTOR, FIXED, FILM R184..... PORM1PCT, 1 W, 2 1/4 IN LG X 21/64 IN DIA RN80B2003F (81349) | 200,000 OHM | EA | 2 | * | * | * | * | * | * | | 3 | 46 | R184 |
| PAFZZ | 5905-565-5389 | RESISTOR, FIXED, FILM R192..... PORM1PCT, 1 W, 2 1/4 IN LG X 21/64 IN DIA RN80B2003F (81349) | 200,000 OHM | EA | REF | * | * | * | * | * | * | | 62 | R192 | |
| PAFZZ | 5905-192-0667 | RESISTOR, FIXED, COMPOSITION R63..... OHM PORM5PCT 1/2 W RC20GF224J (81349) | 220,000 | EA | | 6 | * | * | * | * | * | | 3 | 62 | R63 |
| PAFZZ | 5905-192-0667 | RESISTOR, FIXED, COMPOSITION R66..... OHM PORM5PCT 1/2 W RC20GF224J (81349) | 220,000 | EA | REF | * | * | * | * | * | * | | 62 | R66 | |
| PAFZZ | 5905-192-0667 | RESISTOR, FIXED, COMPOSITION R76..... OHM PORM5PCT 1/2 W RC20GF224J (81349) | 220,000 | EA | REF | * | * | * | * | * | * | | 62 | R76 | |
| PAFZZ | 5905-192-0667 | RESISTOR, FIXED, COMPOSITION R82..... OHM PORM5PCT 1/2 W RC20GF224J (81349) | 220,000 | EA | REF | * | * | * | * | * | * | | 62 | R82 | |
| PAFZZ | 5905-192-0667 | RESISTOR, FIXED, COMPOSITION R174..... OHM PORM5PCT 1/2 W RC20GF224J (81349) | 220,000 | EA | REF | * | * | * | * | * | * | | 62 | R174 | |
| PAFZZ | 5905-192-0667 | RESISTOR, FIXED, COMPOSITION R175..... OHM PORM5PCT 1/2 W RC20GF224J (81349) | 220,000 | EA | REF | * | * | * | * | * | * | | 62 | R175 | |
| PAFZZ | 5905-192-0667 | RESISTOR, FIXED, COMPOSITION R9..... OHM PORM10PCT 1/2 W (NOTE IN MODEL COLUMN 1 USED ONLY IN EQUIPMENT SERIAL NO. 1 THRU NO. 710) (NOTE IN MODEL COLUMN 1 USED ONLY) RC20GF224K (81349) | 220,000 | EA | 8 | * | * | * | * | * | * | | 3 | 62 | R9 |
| PAFZZ | 5905-192-0667 | RESISTOR, FIXED, COMPOSITION R119..... OHM PORM10PCT 1/2 W (NOTE IN MODEL COLUMN 1 USED ONLY IN EQUIPMENT SERIAL NO. 1 THRU NO. 710) (NOTE IN MODEL COLUMN 1 USED ONLY) RC20GF224K (81349) | 220,000 | EA | REF | * | * | * | * | * | * | | 62 | R119 | |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. | |
| | | | | | | | | | | | | | | | |
| PAFZZ | 5905-192-0667 | RESISTOR, FIXED, COMPOSITION R198..... OHM PORM10PCT 1/2W (NOTE IN MODEL COLUMN 1 USED ONLY IN EQUIPMENT SERIAL NO. 1 THRU NO. 710) (NOTE IN MODEL COLUMN 1 USED ONLY) RC20GF224K (81349) | 220,000 | EA | REF | * | * | * | * | * | * | | | 62 | R198 |
| PAFZZ | 5905-192-0667 | RESISTOR, FIXED, COMPOSITION R201..... OHM PORM10PCT 1/2 W (NOTE IN MODEL COLUMN 1- USED ONLY IN EQUIPMENT SERIAL NO. 1 THRU NO. 710) (NOTE IN MODEL COLUMN 2 USED ONLY) RC20GF224K (81349) | 220,000 | EA | REF | * | * | * | * | * | * | | | 62 | R201 |
| PAFZZ | 5905-192-0667 | RESISTOR, FIXED, COMPOSITION R23..... OHM PORM10PCT 1/2 W (NOTE IN MODEL COLUMN 1 USED ONLY IN EQUIPMENT SERIAL NO. 1 THRU NO. 710) (NOTE IN MODEL COLUMN 1 USED ONLY) RC20GF224K (81349) | 220,000 | EA | REF | * | * | * | * | * | * | | | 63 | R23 |
| PAFZZ | 5905-192-0667 | RESISTOR, FIXED, COMPOSITION R80..... OHM PORM10PCT 1/2 W (NOTE IN MODEL COLUMN 1 USED ONLY IN EQUIPMENT SERIAL NO. 1 THRU NO. 710) (NOTE IN MODEL COLUMN 1 USED ONLY) RC20GF224K (81349) | 220,000 | EA | REF | * | * | * | * | * | * | | | 63 | R80 |
| PAFZZ | 5905-192-0667 | RESISTOR, FIXED, COMPOSITION R73..... OHM PORM10PCT 1/2 W (NOTE IN MODEL COLUMN 1 USED ONLY IN EQUIPMENT SERIAL NO. 1 THRU NO. 710) (NOTE IN MODEL COLUMN 1 USED ONLY) RC20GF224K (81349) | 220,000 | EA | REF | * | * | * | * | * | * | | | 63 | R73 |
| PAFZZ | 5905-192-0667 | RESISTOR, FIXED, COMPOSITION R133..... OHM PORM10PCT 1/2 W (NOTE IN MODEL COLUMN 1 USED ONLY IN EQUIPMENT SERIAL NO. 1 THRU NO. 710) (NOTE IN MODEL COLUMN 1 USED ONLY) RC20GF224K (81349) | 220,000 | EA | REF | * | * | * | * | * | * | | | 63 | R133 |
| PAFZZ | 5905-249-9491 | RESISTOR, FIXED, COMPOSITION R56..... OHM PORM10PCT 1/2 W RC20GF274K (81349) | 270,000 | EA | 4 | * | * | * | * | * | * | | 3 | 63 | R56 |
| PAFZZ | 5905-249-9491 | RESISTOR, FIXED, COMPOSITION R58..... OHM PORM10PCT 1/2 W RC20GF274K (81349) | 270,000 | EA | REF | * | * | * | ~ | * | * | | | 62 | R58 |
| PAFZZ | 5905-249-9491 | RESISTOR, FIXED, COMPOSITION R166..... OHM PORM10PCT 1/2 W RC20GF274K (81349) | 270,000 | EA | REF | * | * | * | ~ | * | * | | | 62 | R166 |
| PAFZZ | 5905-249-9491 | RESISTOR, FIXED, COMPOSITION R168..... OHM PORM10PCT 1/2 W RC20GF274K (81349) | 270,000 | EA | REF | * | * | * | * | * | * | | | 62 | R168 |
| PAFZZ | 5905-221-5860 | RESISTOR, FIXED, COMPOSITION R60..... OHM PORM10PCT 1/2 W RC20GF334K (81349) | 330,000 | EA | 6 | * | * | * | * | * | * | | 3 | 62 | R60 |
| PAFZZ | 5905-221-5860 | RESISTOR, FIXED, COMPOSITION R61 | 330,000 | EA | REF | * | * | * | * | * | * | | | 62 | R61 |
| | | CONTINUED | | | | | | | | | | | | | |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. | |
| | | | | | | | | | | | | | | | |
| PAFZZ | 5905-221-5860 | OHM PORM10PCT 1/2 W RC20GF334K (81349) RESISTOR, FIXED, COMPOSITION R95 | 330,000 | EA | REF | * | * | * | * | * | * | | | 62 | R95 |
| PAFZZ | 5905-221-5860 | OHM PORM10PCT 1/2 W RC20GF334K (81349) RESISTOR, FIXED, COMPOSITION R100 | 330,000 | EA | REF | * | * | * | * | * | * | | | 62 | R100 |
| PAFZZ | 5905-221-5860 | OHM PORM10PCT 1/2 W RC20GF334K (81349) RESISTOR, FIXED, COMPOSITION R169 | 330,000 | EA | REF * | * | * | * | * | * | * | | | 62 | R169 |
| PAFZZ | 5905-221-5360 | OHM PORM10PCT 1/2 W RC20GF334K (81349) RESISTOR, FIXED, COMPOSITION R170 | 330,000 | EA | REF | * | * | * | * | * | * | | | 62 | R170 |
| PAFZZ | 5905-185-6944 | OHM PORM10PCT 1/2 W RC20GF394K (81349) RESISTOR, FIXED, COMPOSITION R3 | 390,000 | EA | 6 | * | * | * | * | * | * | | 3 | 46 | R3 |
| PAFZZ | 5905-185-6944 | OHM PORM10PCT 1/2 W RC20GF394K (81349) RESISTOR, FIXED, COMPOSITION R48 | 390,000 | EA | REF | * | * | * | * | * | * | | | 62 | R48 |
| PAFZZ | 5905-185-6944 | OHM PORM10PCT 1/2 W RC20GF394K (81349) RESISTOR, FIXED, COMPOSITION R105 | 390,000 | EA | REF | * | * | * | * | * | * | | | 62 | R105 |
| PAFZZ | 5905-185-6944 | OHM PORM10PCT 1/2 W RC20GF394K (81349) RESISTOR, FIXED, COMPOSITION R113 | 390,000 | EA | REF | * | * | * | * | * | * | | | 46 | R113 |
| PAFZZ | 5905-185-6944 | OHM PORM10PCT 1/2 W RC20GF394K (81349) RESISTOR, FIXED, COMPOSITION R159 | 390,000 | EA | REF | * | * | * | * | * | * | | | 62 | R159 |
| PAFZZ | 5905-171-2000 | OHM PORM5PCT 1/2 RC20GF394K (81349) RESISTOR, FIXED, COMPOSITION R62 | 680,000 | EA | 4 | * | * | * | * | * | * | | 3 | 62 | R62 |
| PAFZZ | 5905-171-2000 | OHM PORM5PCT 1/2 RC20GF394K (81349) RESISTOR, FIXED, COMPOSITION R68 | 680,000 | EA | REF | * | * | * | * | * | * | | | 62 | R68 |
| PAFZZ | 5905-171-2000 | OHM PORM5PCT 1/2 RC20GF394K (81349) RESISTOR, FIX ED, COMPOSITION R177 | 680,000 | EA | REF | * | * | * | * | * | * | | | 62 | R177 |
| PAFZZ | 5905-171-2000 | OHM PORM5PCT 1/2 RC20GF394K (81349) RESISTOR, FIXED, COMPOSITION R178 | 680,000 | EA | REF | * | * | * | * | * | * | | | 62 | R178 |
| PAFZZ | 5905-192-3982 | RESISTOR, FIXED, COMPOSITION R25 | 1 MEG. | EA | 8 | * | * | * | * | * | * | | 3 | 62 | R25 |
| PAFZZ | 5905-192-3982 | RC20GF105K (81349).....A2V,BUI,BUJ RESISTOR, FIXED, COMPOSITION R31 | 1 MEG. | EA | REF | * | * | * | * | * | * | | | 46 | R31 |
| PAFZZ | 5905-192-3982 | PORM10PCT 1/2 W RC20GF105K (81349).....A2V,BUI,BUJ RESISTOR, FIXED, COMPOSITION R49 | 1 MEG. | EA | REF | * | * | * | * | * | * | | | 37 | R49 |
| PAFZZ | 5905-192-3982 | RC20GF105K (81349).....A2V,BUI,BUJ RESISTOR, FIXED, COMPOSITION R83 | 1 MEG. CONTINUED | EA | REF | * | * | * | * | * | * | | | 62 | R83 |

SECTION II

TM 11-5815-221-34P

| (1) | (2) | (3) | | (4) | (5) | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) | (9) | (10) ILLUSTRATION | | |
|-------|---------------|---|--|--------------|------|--------------------------------|--------|------|--------------------------------|--------|------|-------|--------|---------------------------------|-------------------------------|------|
| | | | | | | QTY INC IN UNIT | (a) | (b) | (c) | (a) | (b) | (c) | | (a) FIGURE NO. | (b) ITEM NO. | |
| | | DESCRIPTION | REFERENCE NUMBER & MFR CODE | UNIT OF MEAS | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | 1-YEAR ALW PER 100 EQUIP CNTGCY | DEPOT MAINT ALW PER 100 EQUIP | |
| PAFZZ | 5905-192-3982 | CONTINUED PORM10PCT 1/2 W RC20GF105K (81349)..... | A2V,BUI,BUJ 1 MEG. | EA | REF | * | * | * | * | * | * | * | | | 62 | R88 |
| PAFZZ | 5905-192-3982 | RESISTOR, FIX ED, COMPOSITIONR88 | 1 MEG. | EA | REF | * | * | * | * | * | * | * | | | 62 | R135 |
| PAFZZ | 5905-192-3982 | PORM10PCT 1/2 W RC20GF105K (81349)..... | A2V,BUI,BUJ 1 MEG. | EA | REF | * | * | * | * | * | * | * | | | 46 | R141 |
| PAFZZ | 5905-192-3982 | RESISTOR, FIXED, COMPOSITION R135 | 1 MEG. | EA | REF | * | * | * | * | * | * | * | | | 62 | R160 |
| PAFZZ | 5905-192-3982 | PORM10PCT 1/2 W RC20GF105K (81349)..... | A2V,BUI,BUJ 1 MEG. | EA | REF | * | * | * | * | * | * | * | | | 63 | R25 |
| PAFZZ | 5905-539-4565 | RESISTOR, FIXED, FILM R25..... | A2V,BUI,BUJ 1 MEG. | EA | 2 | * | * | * | * | * | * | * | | | 63 | R135 |
| PAFZZ | 5905-539-4565 | PORM1PCT 1/2 W 350 V (USE ONLY ON AMF ORDER NO- 25209) RN15X1004F (81349)..... | BUH 1 MEG. | EA | REF | * | * | * | * | * | * | * | | | 63 | R41 |
| PAFZZ | 5905-295-5118 | RESISTOR, VARIABLE R41..... | BUH COMP 25,000 OHM | EA | 2 | * | * | * | * | * | * | * | | | 46 | R151 |
| PAFZZ | 5905-295-5118 | PORM10PCT 2 W 1-3/32 IN D SMB108972A (80063) RESISTOR, VARIABLE R151..... | COMP 25,000 OHM | EA | REF | * | * | * | * | * | * | * | | | 46 | R109 |
| PAFZZ | 5905-577-6670 | PORM10PCT 2 W 1-3/32 IN D SMB108972A (80063) RESISTOR, VARIABLE R109 WW | 15,000 OHM | EA | 1 | * | * | * | * | * | * | * | | | 45 | R94 |
| PAFZZ | 5905-257-8497 | PORM10PCT 4 W 1-17/32 IN DIA X 11/16 IN D (USED IN EQUIPMENT SERIAL NO. 1 THRU 200) RA30NASA (81349)..... | A2V 50,000 OHM | EA | 1 | * | * | * | * | * | * | * | | | 45 | R57 |
| PAFZZ | 5905-502-6689 | RESISTOR, VARIABLE R94 WW COMP..... | PORM10PCT 2 W 1-1/8 IN DIA X 1/2 IN D SMB108821 (80063) | EA | 1 | * | * | * | * | * | * | * | | | 62 | R99 |
| PAFZZ | 5905-502-9335 | RESISTOR, VARIABLE R109 WW 1 SECT..... | OHM PORM10PCT 4 W 1.78 IN DIA X 0.98 IN D (NOTE IN PLAIN MODEL USED IN EQUIPMENT SERIAL NO. 201 THUR 710) SMB108955 (80063) | EA | 6 | * | * | * | * | * | * | * | | | 62 | R47 |
| PAFZZ | 5905-502-9335 | RESISTOR, VARIABLE R47 COMP..... | PORM10PCT 2 W 1-3/32 IN DIA X 21/32 IN D SMB108820 (80063) | EA | REF | * | * | * | * | * | * | * | | | 45 | R99 |
| PAFZZ | 5905-502-9335 | RESISTOR, VARIABLE R57 COMP..... | PORM10PCT 2 W 1-3/32 IN DIA X 21/32 IN D SMB108820 (80063) | EA | REF | * | * | * | * | * | * | * | | | 45 | R99 |
| PAFZZ | 5905-502-9335 | RESISTOR, VARIABLE R99 COMP..... | PORM10PCT 2 W 1-3/32 IN DIA X 21/32 CONTINUED | EA | REF | * | * | * | * | * | * | * | | | | |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|--|----|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|
| | | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. |
| PAFZZ | 5905-502-9335 | CONTINUED IN D SMB108820 (80063) RESISTOR, VARIABLE R104 COMP..... 150,000 OHM | EA | REF | * | * | * | * | * | * | * | | | 62 | R104 |
| PAFZZ | 5905-502-9335 | RESISTOR, VARIABLE R157 COMP..... 150,000 OHM | EA | REF | * | * | * | * | * | * | * | | | 45 | R157 |
| PAFZZ | 5905-502-9335 | SMB108820 (80063) RESISTOR, VARIABLE R167 COMP..... 150,000 OHM | EA | REF | * | * | * | * | * | * | * | | * | 45 | R167 |
| PAFZZ | 5905-295-3895 | PORM10PCT 2 W 1-3/32 IN DIA X 21/32 IN D SMD108820 (80063) RESISTOR, VARIABLE R50 COMP..... 500,000 OHM | EA | 2 | * | * | * | * | * | * | * | | 3 | 46 | R50 |
| PAFZZ | 5905-295-3895 | PORM10PCT 2 W 1-3/32 IN DIA X 27/32 IN D INCL SWITCH SMB108973A (80063) RESISTOR, VARIABLE R161 COMP..... 500,000 OHM | EA | REF | * | * | * | * | * | * | * | | | 46 | R161 |
| PAFZZ | 5935-392-6362 | SOCKET, CRYSTAL A4 2-7/8 IN LG X 1..... 1/16 IN W X 5/8 IN THK SMC108854 (80063) | EA | 2 | * | * | * | * | * | * | * | | 3 | | A4 |
| PAFZZ | 5075-284-a940 | RING, ELECTRICAL BONDING..... COPPER 0.682 IN OD X 0.557 IN ID X 0.020 IN THK AN3111-3 (88044)..... SHELL, ELECTRICAL, CONNECTOR..... LG X 21/32 IN DIA | EA | 1 | * | * | * | * | * | * | * | | | 3 | |
| PAFZZ | 5935-258-1757 | H19C (81312)..... SHELL, ELECTRICAL CONNECTOR..... LG X 21/32 IN DIA | EA | 2 | * | * | * | * | * | * | * | | 3 | | E17 |
| PAFZZ | 5935-258-1757 | H19C (81312)..... SHELL, ELECTRICAL CONNECTOR..... LG X 21/32 IN DIA | EA | REF | * | * | * | * | * | * | * | | | | E18 |
| PAOZZ | 5960-868-4365 | SHIELD, ELECTRON TUBE BAYONET TYPE W/ADDITION OF BLACK OXIDE TREATMENT M24251-6-3 (81349) | EA | 7 | * | * | * | * | * | * | * | | 10 | | |
| PAOZZ | 5960-686- 8085 | SHIELD, ELECTRON TUBE BAYONET TYPE MTG 1-3/8 IN LG X 0.840 IN DIA TYPE TS102U01 W/ADDITION OF BLACK OXIDE TREATMENT PER 72-53 (81349) | EA | 9 | * | * | * | * | * | * | * | | 10 | | |
| PAOZZ | 5960-646-4616 | SHIELD, ELECTRON TUBE BAYONET TYPE MTG 1-3/4 IN LG X 0.840 IN DIA TYPE TS102U02 W/ADDITION OF BLACK OXIDE FINISH PER 72-53 (81349) | EA | 12 | * | * | * | * | * | * | * | | 10 | | |
| PAOZZ | 5960-646-4617 | SHIELD, ELECTRON TUBE BAYONET TYPE MTG 2-3/8 IN LG X 0.980 IN CONTINUED | EA | 2 | * | * | * | * | * | * | * | | 10 | | |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | | |
|--------------------|-----------------------------------|---|--|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|------|------|
| | | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. | | |
| | | REFERENCE NUMBER & MFR CODE | USABLE ON CODE | | | | | | | | | | | | | | |
| PAFZZ | 5935-283-3406 | DIA TYPE TS103U03 W/ADDITION OF BLACK OXIDE TREATMENT PER 72-53 (81349) | | | | | | | | | | | | 3 | 64 | XY1 | |
| PAFZZ | 5935-283-3406 | SOCKET PLUG-IN ELEC XY1 | 55/64 IN LG X 3/8 IN W X 9/16 IN THK SC700-2BE (95354)..... | EA | 2 | * | * | * | * | * | * | | | | * | 64 | XY2 |
| PAFZZ | 5935-260-0516 | SOCKET, PLUG-IN ELECTRICAL | XY2 55/64 IN LG X 3/8 IN W X 9/16 IN THK SC7700-2BE (95354)..... | EA | REF | * | * | * | * | * | * | | | | 3 | 64 | XVI |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV1 7 CONT | EA | 30 | * | * | * | * | * | * | | | | 64 | 64 | XV2 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV3 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV2 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV4 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV5 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV3 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV6 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV7 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV4 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV8 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV11 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV5 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV16 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV17 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV6 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV18 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV19 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV7 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV20 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | | | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV8 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV11 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV16 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV9 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV17 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV18 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV10 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV19 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV20 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV11 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV11 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV16 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV12 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV17 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV18 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV13 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV19 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV20 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV14 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV11 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV16 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV15 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV17 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV18 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV16 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV19 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV20 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV17 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV11 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV16 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV18 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV17 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV18 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV19 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV19 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | | | | | | | | | | | | 64 | XV20 | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV20 7 CONT | EA | REF | * | * | * | * | * | * | | | | 64 | 64 | XV20 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION | | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|--|----------------|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|
| | | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. |
| | | REFERENCE NUMBER & MFR CODE | USABLE ON CODE | | | * | * | * | * | * | * | | | | |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV21 7 CONT | EA | REF | * | * | * | * | * | * | | | 64 | XV21 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | EA | REF | * | * | * | * | * | * | | | 64 | XV22 |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV22 7 CONT | EA | REF | * | * | * | * | * | * | | | 64 | XV25 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | EA | REF | * | * | * | * | * | * | | | 64 | XV26 |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV26 7 CONT | EA | REF | * | * | * | * | * | * | | | 64 | XV27 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | EA | REF | * | * | * | * | * | * | | | 64 | XV30 |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV27 7 CONT | EA | REF | * | * | * | * | * | * | | | 64 | XV31 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | EA | REF | * | * | * | * | * | * | | | 64 | XV32 |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV31 7 CONT | EA | REF | * | * | * | * | * | * | | | 64 | XV33 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | EA | REF | * | * | * | * | * | * | | | 64 | XV34 |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV34 7 CONT | EA | REF | * | * | * | * | * | * | | | 64 | XV37 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | EA | REF | * | * | * | * | * | * | | | 64 | XV41 |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV37 7 CONT | EA | REF | * | * | * | * | * | * | | | 64 | XV42 |
| PAFZZ | 5935-260-0516 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | EA | REF | * | * | * | * | * | * | | | 64 | XV43 |
| PAFZZ | 5935-260-0516 | SOCKET, ELECTRON TUBE | XV44 7 CONT | EA | REF | * | * | * | * | * | * | | | 64 | XV44 |
| PAFZZ | 5935-260-US16 | MINIATURE 1 PIECE SADDLE MTG TS102P01 (81350) | | EA | REF | * | * | * | * | * | * | | | 64 | XV45 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBE | XV2 9 CONT | EA | 17 | * | * | * | * | * | * | | 3 | 65 | XV2 |
| PAFZZ | 5935-160-1365 | MINIATURE 1 PIECE SADDLE MTG TS103P01 (81350) | | EA | REF | * | * | * | * | * | * | | | 65 | XV3 |
| | | SOCKET, ELECTRON TUBE | XV3 9 CONT | | | | | | | | | | | | |
| | | CONTINUED | | | | | | | | | | | | | |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|---|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. |
| | | | | | | | | | | | | | | |
| PAFZZ | 5935-160-1365 | MINATURE 1 PIECE SADDLE MTG TS103P01 (81350) SOCKET, ELECTRON TUBEXV9 9 CONT MINATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV9 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBEXV10 9 CONT MINATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV10 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBEXV12 9 CONT MINATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV12 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBEXV13 9 CONT MINATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV13 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBEXV14 9 CONT MINATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV14 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBEXV15 9 CONT MINATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV15 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBEXV23 9 CONT MINATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV23 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBEXV24 9 CONT MINATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV24 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBEXV28 9 CONT MINATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV28 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBEXV29 9 CONT MINIATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV29 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBEXV35 9 CONT MINIATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV35 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBEXV36 9 CONT MINIATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV36 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBEXV38 9 CONT MINIATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV38 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBEXV39 9 CONT MINIATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV39 |
| PAFZZ | 5935-160-1365 | SOCKET, ELECTRON TUBEXV40 9 CONT MINIATURE 1 PIECE SADDLE MTG TS103P01 (81350) | EA | REF | * | * | * | * | * | * | | | 64 | XV40 |
| PAOZZ | 5960-686-8087 | SHIELD, ELECTRON TUBENO-REF-DESIG F/NO. 5814A TUBE HEAD DISSIPATING TYPE MS2433-5 (96906) | EA | 15 | * | * | * | * | * | * | | | 10 | |
| PAFZZ | 5820-562-8874 | SPRING, HELICAL COMPRESSIONH10 FOR CONTINUED | EA | 1 | * | * | * | * | * | * | | | 3 | H10 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|---|---|---------------------------------|--------------------------------------|-------|--------|--------------------------------------|-----|-----|--|--|----------------------|--------------------|
| | | | | | 1-20 | 21-50 | 51-100 | (a) | (b) | (c) | | | (a) FIGURE NO. | (b) ITEM NO. |
| PAFZZ | 5935-259-3054 | CONTINUED CHASIS LATHES 5 ACTIVE COILS 6 TOTAL COILS 0.469 IN DIA, 1 IN FREE PCT LG X 15/32 IN OD OF SPRING X 3/8 IN ID OF SPRING 991-22 (82983) | BUH NO-REF- | EA | 7 | * | * | * | * | * | * | | | 3 |
| PAFZZ | 5935-497-0301 | STRAP NUT, ELECTRON TUBE SOCKET DESIG BRASS CAD PL FINISH 1.096 IN LG O/A ACROSS MTG ENDS TYPE NO. 7 1052 (71785)..... | BU1 NO-REF- | EA | 21 | * | * | * | * | * | * | | | 3 |
| PAFZZ | 5935-395-8972 | STRAP NUT, ELECTRON TUBE SOCKET DESIG BRASS, CAD PL FINISH 1.252 IN LG O/A ACROSS MTG ENDS TYPE NO. 4 1060 (71785)..... | BU1 NO-REF- | EA | 17 | * | * | * | * | * | * | | | 3 |
| PAFZZ | 5915-503-2232 | STRAP NUT, ELECTRON TUBE SOCKET DESIG BRASS, CAD PL FINISH 1.47 IN LG O/A ACROSS MTG END, T TYPE NO. 4 14167 (71785)..... | BUI Z8 | EA | 1 | * | * | * | * | * | * | | | 3 |
| PAFZZ | 5930-785-1730 | SUPPRESSOR, ELECTRICAL NOISE..... CAPACITOR AND COIL TYPE, 125 V AC 2 - 5 AMP 2 IN LG X 2 IN W X 1 - 1/4 IN H SMC1089658 (80063) | CAPACITOR AND COIL TYPE, 125 V AC 2 - 5 AMP 2 IN LG X 2 IN W X 1 - 1/4 IN H SMC1089658 (80063) | EA | 1 | * | * | * | * | * | * | | | 46 |
| PAFZZ | 5930-548-9055 | SWITCH, PUSH S10 MOMENTARY ACTION 59/64 IN LG X 1 - 7/16 IN L X 3/4 IN W SMC108881 (80063) | SWITCH, PUSH S10 MOMENTARY ACTION 59/64 IN LG X 1 - 7/16 IN L X 3/4 IN W SMC108881 (80063) | EA | 1 | * | * | * | * | * | * | | | S10 |
| PAFZZ | 5930-548-9055 | SWITCH, ROTARY S1 5 SECT, 10 POLE, 25..... THROW 2 3/8 IN LG X 1 5/16 IN H X 1-1/4 IN W SMC108966 (80063) | SWITCH, ROTARY S1 5 SECT, 10 POLE, 25..... THROW 2 3/8 IN LG X 1 5/16 IN H X 1-1/4 IN W SMC108966 (80063) | EA | 2 | * | * | * | * | * | * | | | S1 |
| PAFZZ | 5930-548-9055 | SWITCH, ROTARY S7 5 SECT, 10 POLE, 25..... THROW 2 3/8 IN LG X 1 5/16 IN H X 1-1/4 IN W SMC108966 (80063) | SWITCH, ROTARY S7 5 SECT, 10 POLE, 25..... THROW 2 3/8 IN LG X 1 5/16 IN H X 1-1/4 IN W SMC108966 (80063) | EA | REF | * | * | * | * | * | * | | | S7 |
| PAFZZ | 5930-636-2765 | SWITCH, ROTARY S5 2 SECT, 6 POLE 3..... THROW 1-1/4 IN LG X 1-5/16 IN H X 1-1/4 IN W SMC108967A (80063) | SWITCH, ROTARY S5 2 SECT, 6 POLE 3..... THROW 1-1/4 IN LG X 1-5/16 IN H X 1-1/4 IN W SMC108967A (80063) | EA | 1 | * | * | * | * | * | * | | | S5 |
| PAFZZ | 5930-567-2843 | SWITCH, ROTARY S11 3 SECT 3 POLE 11..... THROW 1-13/16 IN LG X 1-5/16 1 N H X 1-1/4 IN W SMC108879 (80063) | SWITCH, ROTARY S11 3 SECT 3 POLE 11..... THROW 1-13/16 IN LG X 1-5/16 1 N H X 1-1/4 IN W SMC108879 (80063) | EA | 1 | * | * | * | * | * | * | | | S11 |
| PAFZZ | 5930-646-4619 | SWITCH, SENSITIVE S4 SPDT 25/32 IN LG | X 1/4 IN W X 31/64 IN L M8805-2-001 (81349) | EA | 2 | * | * | * | * | * | * | | | 64 |
| PAFZZ | 5930-646-4619 | SWITCH, SENSITIVE S6 SPDT 25/32 IN LG | X 1/4 IN W X 31/64 IN L M8805-2-001 (81349) | EA | REF | * | * | * | * | * | * | | | 64 |
| PAFZZ | 5930-050-2704 | SWITCH, TOGGLE S2 DPST | MS35059 - (81349) | EA | 2 | * | * | * | * | * | * | | | 45 |
| PAFZZ | 5930-050-2704 | SWITCH, TOGGLE S9 DPST | MS35059 - 9 (81349) | EA | REF | * | * | * | * | * | * | | | 45 |
| PAFZZ | 5930-050-2707 | SWITCH, TOGGLE S12..... | MS35059-15 (81349) | EA | 2 | * | * | * | * | * | * | | | 46 |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE | (4) | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | | |
|--------------------|-----------------------------------|---|---------|---------------------------------|--------------------------------------|-------------|--------------|--------------------------------------|-------------|--------------|--|--|----------------------|--------------------|-----|
| | | | | | UNIT OF MEAS | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | (a) FIGURE NO. | (b) ITEM NO. | |
| PAFZZ | 5930-050-2707 | SWITCH TOGG LE S13..... MS3505915 (81349) | EA | REF | * | * | * | * | * | * | * | | * | | S13 |
| PAFZZ | 5940-578-0752 | TERMINAL, STUD NO-REF-DESIG SILVER PL..... 0.386 IN LG X 0.325 IN DIA | EA | 13 | * | * | * | * | * | * | * | | 1 | | |
| PAFZZ | 5945-536-3360 | TERMINAL, STUD NO-REF-DESIG BRASS | BUH,BUI | EA | 15 | * | * | * | * | * | * | | 1 | | |
| PAFZZ | 5950-578-8557 | SILVER PL 0.586 IN LG X 0.325 IN DIA 1400B (88245)..... 1410B (88245)..... TRANSFORMER, DISCRIMINATOR Z2 50.0 | BUI | EA | 2 | * | * | * | * | * | * | | 3 | | Z2 |
| PAFZZ | 5950-578-8557 | PEAK FREQ 1-3/4 IN LG X 1-3/4 IN W X 3-3/8 IN H SMD346445 (80063)..... TRANSFORMER, DISCRIMINATOR Z3 50.0 | BUI,8UJ | EA | REF | * | * | * | * | * | * | | | | Z3 |
| PAFZZ | 5950-578-8558 | PEAK FREQ 1-3/4 IN LG X 1-3/4 IN W X 3-3/8 IN H SMD346445 (80063)..... TRANSFORMER, DISCRIMINATOR Z4 29.3 KC | BUI,BUJ | EA | 2 | * | * | * | * | * | * | | 3 | | Z4 |
| PAFZZ | 5950-578-8558 | PEAK FREQUENCY 1-3/4 IN LG X 1-3/4 IN W X 3-3/8 IN H SMD346444 (80063)..... TKANSFORMER, DISCRIMINATOR Z7 29.3 KC | BUH,BU1 | EA | REF | * | * | * | * | * | * | | | | Z7 |
| PAFZZ | 5950-645-5783 | PEAK FREQUENCY 1-3/4 IN LG X 1-3/4 IN W X 3-3/8 IN H SMD346444 (80063)..... TRANSFORMER, POWER, STEP-DOWN AND STEP-UP T5 INPUT 115 V AC, 50-60 CYC, SINGLE PH | BUH,BU1 | EA | 1 | * | * | * | * | * | * | | 3 | 45 | T5 |
| PAFZZ | 5950-219-6446 | 4 OUTPUT WND, HS METAL CASE 8 IN LG X 3-5/8 IN W X 3-1/2 IN L SMD10895BD (80063)..... TRANSFORMER, RADIO FREQUENCY T1 | 2 WND | EA | 4 | * | * | * | * | * | * | | 3 | 45 | T1 |
| PAFZZ | 5950-219-6446 | 440-555 KC TUNING RANGE RECTANGULAR ALUMINUM CAN 1-15/16 IN L6 X 7/8 IN W X 7/8 IN D SMC108812A (80063)..... TRANSFORMER, RADIO FREQUENCY T2 | 2 WND | EA | REF | * | * | * | * | * | * | | | 45 | T2 |
| PAFZZ | 5950-219-6446 | 440-555 KC TUNING RANGE RECTANGULAR..... ALUMINUM CAN 1-15/16 IN LG X 7/8 IN W X 7/8 IN D SMC108812A (80063)..... TRANSFORMER, RADIO FREQUENCY T3 | 2 WND | EA | REF | * | * | * | * | * | * | | | 45 | T3 |
| PAFZZ | 5950-219-6446 | 440-555 KC TUNING RANGE RECTANGULAR ALUMINUM CAN 1-15/16 IN LG X 7/8 IN W X 7/8 IN D SMC108812A (80063)..... TRANSFORMER, RADIO FREQUENCY T4 | 2 WND | EA | REF | * | * | * | * | * | * | | | 45 | T4 |
| PAFZZ | 5310-392-8301 | WASHER, FLAT MS1 HARD FELT MATERIAL | A2V | EA | 1 | * | * | * | * | * | * | | 5 | | MS1 |
| | | CLUTCH FACING FOR AFC UNIT DRIVE 1 IN OD X 5/16 IN ID X 1/32 1N THK 3450 (70367) | | | | | | | | | | | | | |

SECTION II

TM 11-5815-221-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAYS DS MAINT ALLOWANCE | | | (7) 30 DAYS GS MAINT ALLOWANCE | | | (8) 1-YEAR ALW PER 100 EQUIP CNTGCY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUSTRATION | |
|--------------------|-----------------------------------|--|---------------------------|---------------------------------|--------------------------------------|--------------|---------------|--------------------------------------|--------------|---------------|--|--|----------------------|--------------------|
| | | | | | (a) 1-20 | (b) 21-50 | (c) 51-100 | (a) 1-20 | (b) 21-50 | (c) 51-100 | | | (a) FIGURE NO. | (b) ITEM NO. |
| | | | | | | | | | | | | | | |
| PAHZZ | 5970-519-8417 | WASHER, NON-METALLIC NO REF-DESIG COMPRESSION WASHER FOR R191 MICA 1/2 IN ORD X 1/4 IN ID X 1/32 IN THK SMB108834 (80063) | EA | 2 | * | * | * | * | * | * | | 5 | | |
| PAHZZ | 5330-544-9216 | WASHER, NON-METALLIC NO REF-DESIG P/O AFC UNIT ASSEMBLIES, PLASTIC TYPE MFG SMB108923 (80063) | BUH,BU1 | EA | 2 | * | * | * | * | * | | 5 | | |
| PAFZZ | 5310-596-9785 | WASHER, SPRING TENSION H2 RD, CONVEX BEND W/2 SLIT SIDES PHOSPHOR BRONZE, NICKELPL 1 IN OD X 0.323 IN ID X 0.1404 IN PCT H SMB108917 (80063) | BUH, BUI | EA | 1 | * | * | * | * | * | | 5 | | H2 |
| PADZZ | 5820-510-4691 | WASHER, THRUST 013 CLUTCH SHAFT BEARING, P/O Z9 AND Z10 SMB108912 (80063) | BUH | EA | 2 | | | | | | | 5 | | 013 |
| PADZZ | 3120-510-4690 | WASHER, THRUST 012 CLUTCH SHAFT BEARING P/O Z9 AND Z10 SMB108911 (80063) | BUH | EA | 2 | | | | | | | 3 | | 012 |
| PADZZ | 3120-510-4692 | WASHER, THRUST 011 P/O Z9 AND Z10 ... OILITE BRONZE SELF IMPREGNATED A107-1 (12204)..... | BUH | EA | 12 | | | | | | | 3 | | 011 |
| PAFZZ | S815-511-4286 | WINDOW, DIAL NO REF DESIG PLASTIC MATERIAL COLORLESS CIRCULAR SHAPE 0.687 IN DIA X 0.312 IN D SMB108896 (80063) | BUH,BUI | EA | 2 | * | * | * | * | * | | 3 | | |

| STOCK NUMBER | FIGURE NO. | ITEM NO. | STOCK NUMBER | FIGURE NO. | ITEM NO. |
|---------------|------------|----------|---------------|------------|----------|
| 3020-294-7675 | | | 5905-192-0667 | 62 | R119 |
| 3020-294-7853 | | | 5905-192-0667 | 62 | R174 |
| 3020-507-2449 | | | 5905-192-0667 | 62 | R175 |
| 3040-338-4385 | | | 5905-192-0667 | 62 | R198 |
| 3040-338-4387 | | | 5905-192-0667 | 62 | R201 |
| 3120-510-4690 | 12 | | 5905-192-0667 | 62 | R63 |
| 3120-510-4692 | 11 | | 5905-192-0667 | 62 | R66 |
| 4140-585-2105 | | | 5905-192-0667 | 62 | R76 |
| 5075-284-8940 | | | 5905-192-0667 | 62 | R82 |
| 5310-392-8301 | MS1 | | 5905-192-0667 | 62 | R9 |
| 5310-596-9785 | H2 | | 5906-192-0667 | 63 | R133 |
| 5315-537-8564 | | | 5905-192-0607 | 63 | R23 |
| 5330-187-3635 | | | 5905-192-0667 | 63 | R73 |
| 5330-263-7994 | | | 5905-192-0667 | 63 | R80 |
| 5330-544-9216 | | | 5905-192-3971 | | R126 |
| 5330-641-0642 | | | 5905-192-3971 | 30 | R26 |
| 5340-257-0043 | | | 5905-192-3971 | 63 | R26 |
| 5340-596-0498 | | | 5905-192-3973 | 46 | R1 |
| 5355-667-9078 | | | 5905-192-3973 | 62 | R11 |
| 5355-667-9125 | | | 5905-192-3982 | 37 | R49 |
| 5355-667-9199 | | | 5905-192-3982 | 46 | R141 |
| 5355-667-9234 | | | 5905-192-3982 | 46 | R31 |
| 5355-667-9468 | | | 5905-192-3982 | 62 | R135 |
| 5815-294-7848 | | | 5905-192-3982 | 62 | R160 |
| 5815-294-7854 | | | 5905-192-3982 | 62 | R25 |
| 5815-338-4386 | | | 5905-192-3982 | 62 | R83 |
| 5815-511-4284 | | | 5905-192-3982 | 62 | R88 |
| 5815-511-4286 | | | 5905-192-3987 | 46 | R127 |
| 5815-511-4331 | | | 5905-192-3987 | 46 | R18 |
| 5815-511-6466 | | | 5905-192-3987 | 46 | R87 |
| 5815-511-6467 | | | 5905-192-3987 | 46 | R92 |
| 5815-536-3280 | | | 5905-192-3987 | 46 | R96 |
| 5815-536-3281 | | | 5905-192-3987 | 46 | R98 |
| 5815-536-3354 | | | 5905-192-3987 | 62 | R101 |
| 5815-562-5948 | | | 5905-192-3987 | 62 | R122 |
| 5815-604-7822 | | | 5905-192-3987 | 62 | R125 |
| 5820-211-4293 | | | 5905-192-3987 | 62 | R134 |
| 5820-342-5853 | 47 | Z10 | 5905-192-3987 | 62 | R145 |
| 5820-342-5853 | 47 | Z9 | 5905-192-3987 | 62 | R149 |
| 5820-510-4691 | | 13 | 5905-192-3987 | 62 | R153 |
| 5820-532-3233 | | | 5905-192-3987 | 62 | R158 |
| 5820-562-8874 | | H10 | 5905-192-3987 | 62 | R165 |
| 5825-532-3226 | | | 5905-192-3987 | 62 | R171 |
| 6905-114-1844 | 62 | R152 | 5905-192-3987 | 62 | R176 |
| 5905-114-1844 | 62 | R42 | 5905-192-3987 | 62 | R179 |
| 5905-141-1165 | 46 | R17 | 5905-192-3987 | 62 | R200 |
| 5905-141-1165 | 62 | R128 | 5905-192-3987 | 62 | R12 |
| 5905-171-1976 | 45 | R194 | 5905-192-3987 | 62 | R15 |
| 5905-171-1976 | 62 | R110 | 5905-192-3987 | 62 | R24 |
| 5905-171-1976 | 62 | R121 | 5905-192-3987 | 62 | R30 |
| 5905-171-1976 | 62 | R187 | 5905-192-3987 | 62 | R39 |
| 5905-171-1976 | 63 | R11 | 5905-192-3987 | 62 | R43 |
| 5905-171-1986 | 46 | R124 | 5905-192-3987 | 62 | R51 |
| 5905-171-1986 | 62 | R14 | 5905-192-3987 | 62 | R55 |
| 5905-171-2000 | 62 | R177 | 5905-192-3987 | 62 | R59 |
| 5990-171-2000 | 62 | R178 | 5905-192-3987 | 62 | R67 |
| 5905-171-2000 | 62 | R62 | 5905-192-3987 | 62 | R69 |
| 5905-171-2000 | 62 | R68 | 5905-192-3987 | 62 | R71 |
| 5905-171-2006 | 62 | R190 | 5905-192-3987 | 62 | R77 |
| 5905-185-6944 | 46 | R113 | 5905-192-4408 | 46 | R202 |
| 5905-185-6944 | 46 | R3 | 5905-192-4408 | 46 | R203 |
| 5905-185-6944 | 62 | R105 | 5905-192-4408 | 62 | R126 |
| 5905-185-6944 | 62 | R159 | 5905-192-4408 | 62 | R16 |
| 5905-185-6944 | 62 | R48 | 5905-192-4408 | 63 | R126 |
| 5905-185-8515 | 46 | R117 | 5905-192-4408 | 63 | R16 |
| 5905-185-8515 | 46 | R7 | 5905-195-5514 | 46 | R142 |
| 5905-185-8515 | 46 | R8 | 5905-195-5514 | 46 | R32 |
| 5905-185-8515 | 62 | R118 | 5905-195-5514 | 46 | R1 |
| 5905-185-8515 | 62 | R150 | 5905-195-5514 | 62 | R111 |
| 5905-185-8515 | 62 | R40 | 5905-195-5514 | 62 | R197 |
| 5905-186-8516 | 62 | R186 | 5905-195-5514 | 62 | R89 |
| 5905-185-6516 | 62 | R195 | 5905-195-6502 | 62 | R154 |
| 5905-186-2987 | 46 | R112 | 5905-195-6502 | 62 | R44 |
| 5905-186-2987 | 46 | R2 | 5905-195-6741 | 62 | R188 |
| 5905-186-2987 | 62 | R115 | 5905-195-6754 | 62 | R172 |
| 5905-186-2987 | 62 | R5 | 5905-195-6754 | 62 | R173 |
| 5905-191-5043 | 46 | R191 | 5905-195-6754 | 62 | R64 |

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

| STOCK NUMBER | FIGURE NO. | ITEM NO. | STOCK NUMBER | FIGURE NO. | ITEM NO. |
|---------------|------------|----------|---------------|------------|----------|
| 5905-195-6754 | 62 | R65 | 5905-279-3499 | 30 | R204 |
| 5905-195-6806 | 62 | R72 | 5905-279-3499 | 59 | R207 |
| 5905-195-6806 | 62 | R78 | 5905-279-3511 | 62 | R189 |
| 5905-195-6817 | 46 | R111 | 5905-280-1674 | 62 | R106 |
| 5905-195-6817 | 46 | R4 | 5905-295-3895 | 46 | R161 |
| 5905-195-6817 | 62 | R107 | 5905-295-3895 | 46 | R50 |
| 5905-195-6817 | 62 | R114 | 5905-295-5118 | 46 | R151 |
| 5905-195-6817 | 62 | R120 | 5905-295-5118 | 46 | R41 |
| 5905-195-6817 | 62 | R130 | 5905-299-2003 | 62 | R73 |
| 5905-195-6817 | 62 | R131 | 5905-299-2003 | 62 | R80 |
| 5905-195-6817 | 62 | R137 | 5905-299-2004 | 30 | R22 |
| 5905-195-6817 | 62 | R144 | 5905-299-2004 | 43 | R132 |
| 5905-195-6817 | 62 | R10 | 5905-299-2004 | 59 | R132 |
| 5905-195-6817 | 62 | R20 | 5905-299-2004 | 59 | R139 |
| 5905-195-6817 | 62 | R21 | 5905-299-2004 | 59 | R155 |
| 5905-195-6817 | 62 | R27 | 5905-299-2004 | 59 | R162 |
| 5905-195-6817 | 62 | R34 | 5905-299-2004 | 59 | R163 |
| 5905-195-6817 | 62 | R75 | 5905-299-2004 | 59 | R164 |
| 5905-195-6817 | 62 | R81 | 5905-299-2004 | 59 | R22 |
| 5905-195-6817 | 62 | R86 | 5905-299-2004 | 59 | R29 |
| 5905-195-6817 | 62 | R91 | 5905-299-2004 | 59 | R45 |
| 5905-195-6817 | 63 | R107 | 5905-299-2004 | 59 | R52 |
| 5905-195-6817 | 63 | R114 | 5905-299-2004 | 59 | R53 |
| 5905-195-6817 | 63 | R120 | 5905-299-2004 | 59 | R54 |
| 5905-195-6817 | 63 | R130 | 5905-299-2004 | 62 | R133 |
| 5905-195-6817 | 63 | R131 | 5905-299-2004 | 62 | R139 |
| 5905-195-6817 | 63 | R137 | 5905-299-2004 | 62 | R155 |
| 5905-195-6817 | 63 | R144 | 5905-299-2004 | 62 | R162 |
| 5905-195-6817 | 63 | R10 | 5905-299-2004 | 62 | R163 |
| 5905-195-6817 | 63 | R20 | 5905-299-2004 | 62 | R164 |
| 5905-195-6817 | 63 | R21 | 5905-299-2004 | 62 | R23 |
| 5905-195-6817 | 63 | R27 | 5905-299-2004 | 62 | R29 |
| 5905-195-6817 | 63 | R34 | 5905-299-2004 | 62 | R45 |
| 5905-195-6817 | 63 | R75 | 5905-299-2004 | 62 | R52 |
| 5905-195-6817 | 63 | R81 | 5905-299-2004 | 62 | R53 |
| 5905-195-6817 | 63 | R86 | 5905-299-2004 | 62 | R54 |
| 5905-195-6817 | 63 | R91 | 5905-299-2004 | 63 | R132 |
| 5905-221-5860 | 62 | R100 | 5905-299-2004 | 63 | R139 |
| 5905-221-5860 | 62 | R169 | 5905-299-2004 | 63 | R155 |
| 5905-221-5860 | 62 | R170 | 5905-299-2004 | 63 | R162 |
| 5905-221-5860 | 62 | R60 | 5905-299-2004 | 63 | R163 |
| 5905-221-5860 | 62 | R61 | 5905-299-2004 | 63 | R164 |
| 5905-221-5860 | 62 | R95 | 5905-299-2004 | 63 | R22 |
| 5905-239-0572 | 62 | R180 | 5905-299-2004 | 63 | R29 |
| 5905-239-0572 | 62 | R70 | 5905-299-2004 | 63 | R45 |
| 5905-249-3661 | 46 | R143 | 5905-299-2004 | 63 | R52 |
| 5905-249-3661 | 46 | R33 | 5905-299-2004 | 63 | R53 |
| 5905-249-3661 | 62 | R90 | 5905-299-2004 | 63 | R54 |
| 5905-249-4227 | 62 | R196 | 5905-299-2004 | 63 | R74 |
| 5905-249-4233 | 62 | R119 | 5905-299-2004 | 63 | R79 |
| 5905-249-4233 | 62 | R129 | 5905-299-2004 | 63 | R84 |
| 5905-249-9491 | 62 | R166 | 5905-299-2007 | 62 | R102 |
| 5905-249-9491 | 62 | R168 | 5905-299-2007 | 62 | R138 |
| 5905-249-9491 | 62 | R58 | 5905-299-2007 | 62 | R28 |
| 5905-249-9491 | 63 | R56 | 5905-299-2007 | 62 | R85 |
| 5905-254-7087 | 62 | R132 | 5905-299-2010 | 62 | R74 |
| 5905-254-7087 | 62 | R143 | 5905-299-2010 | 62 | R79 |
| 5905-254-7087 | 62 | R148 | 5905-502-4193 | 62 | R199 |
| 5905-254-7087 | 62 | R22 | 5905-502-6689 | 62 | R109 |
| 5905-254-7087 | 62 | R38 | 5905-502-9335 | 45 | R157 |
| 5905-254-7087 | 63 | R148 | 5905-502-9335 | 45 | R167 |
| 5905-254-7087 | 63 | R38 | 5905-502-9335 | 45 | R57 |
| 5905-254-7090 | 62 | R97 | 5905-502-9335 | 45 | R99 |
| 5905-254-9201 | 45 | R147 | 5905-502-9335 | 62 | R104 |
| 5905-254-9201 | 62 | R123 | 5905-502-9335 | 62 | R47 |
| 5905-254-9201 | 62 | R13 | 5905-539-4565 | 63 | R135 |
| 5905-254-9201 | 62 | R37 | 5905-539-4565 | 63 | R25 |
| 5905-257-8497 | 45 | R94 | 5905-565-5389 | 46 | R184 |
| 5905-279-1898 | 62 | R108 | 5905-565-5389 | 62 | R192 |
| 5905-279-1898 | 62 | R116 | 5905-577-0612 | 62 | R185 |
| 5905-279-1898 | 62 | R6 | 5905-577-0612 | 63 | R193 |
| 5905-279-2295 | 46 | R182 | 5905-577-6670 | 45 | R109 |
| 5905-279-2295 | 62 | R183 | 5905-786-2042 | 46 | R185 |
| 5905-279-2674 | 62 | R136 | 5905-786-2042 | 62 | R193 |
| 5905-279-2674 | 62 | R26 | 5910-112-7161 | 46 | C32 |
| 5905-279-3494 | 62 | R103 | 5910-112-7161 | 46 | C85 |
| 5905-275-3494 | 62 | R156 | 5910-112-7408 | 46 | C33 |
| 5905-Z79-3494 | 62 | R46 | 5910-112-7408 | 46 | C86 |
| 5905-279-3499 | 20 | R205 | 5910-112-7408 | 46 | C91 |
| 5905-279-3499 | 20 | R206 | 5910-171-2952 | 46 | C30 |

| STOCK NUMBER | FIGURE NO. | ITEM NO. | STOCK NUMBER | FIGURE NO. | ITEM NO. |
|---------------|------------|----------|---------------|------------|----------|
| 5910-171-2952 | 46 | C83 | 5910-892-2815 | 45 | C78 |
| 5910-187-2798 | 46 | C13 | 5910-892-2815 | 46 | C17 |
| 5910-187-2798 | 62 | C66 | 5910-892-2815 | 46 | C70 |
| 5910-190-8031 | 62 | C59 | 5910-892-2815 | 62 | C45 |
| 5910-190-8031 | 62 | C7 | 5910-951-7074 | 62 | C20 |
| 5910-284-4046 | 46 | C44 | 5910-951-7074 | 62 | C73 |
| 5910-284-4046 | 62 | C21 | 5915-096-7330 | 45 | Z2 |
| 5910-284-4046 | 62 | C22 | 5915-096-7330 | 45 | Z3 |
| 5910-284-4046 | 62 | C31 | 5915-281-0248 | 46 | Z1 |
| 5910-284-4046 | 62 | C34 | 5915-281-0249 | 46 | Z6 |
| 5910-264-4046 | 62 | C41 | 5915-392-7548 | 45 | Z5 |
| 5910-284-4046 | 62 | C74 | 5915-503-2232 | 46 | Z8 |
| 5910-284-4046 | 62 | C75 | 5915-636-9755 | 45 | Z4 |
| 5910-284-4046 | 62 | C84 | 5915-636-9755 | 45 | Z7 |
| 5910-557-5539 | 461 | C96 | 5920-285-0755 | 45 | XF1 |
| 5910-577-1153 | 46 | C88 | 5920-285-0755 | 46 | XF2 |
| 5910-578-1318 | | C96 | 5920-681-0918 | 62 | F1 |
| 5910-578-1623 | 62 | C28 | 5920-681-0918 | 62 | F2 |
| 5910-578-1623 | 62 | C29 | 5930-050-2704 | 45 | S2 |
| 5910-578-1623 | 62 | C48 | 5930-050-2704 | 45 | S9 |
| 5910-578-1623 | 62 | C49 | 5930-050-2707 | | S13 |
| 5910-578-1023 | 62 | C50 | 5930-050-2707 | 46 | S12 |
| 5910-578-1623 | 62 | C51 | 5930-548-9055 | | S1 |
| 5910-578-1623 | 62 | C81 | 5930-548-9055 | | S7 |
| 5910-578-1623 | 62 | C82 | 5930-548-9363 | 18 | S1 |
| 5910-583-0278 | 46 | C87 | 5930-548-9363 | 18 | S6 |
| 5910-583-0278 | 46 | C89 | 5930-567-2843 | 45 | S11 |
| 5910-583-0278 | 46 | C90 | 5930-636-2765 | 45 | S5 |
| 5910-617-4042 | 45 | C11 | 5930-646-4619 | 64 | S4 |
| 5910-617-4042 | 45 | C16 | 5930-646-4619 | 64 | S6 |
| 5910-617-4042 | 45 | C19 | 5930-785-1730 | 45 | S10 |
| 5910-617-4042 | 45 | C23 | 5935-148-9378 | | P6 |
| 5910-617-4042 | 45 | C26 | 5935-160-1365 | 64 | XV10 |
| 5910-617-4042 | 45 | C39 | 5935-160-1365 | 64 | XV12 |
| 5910-617-4042 | 45 | C42 | 5935-160-1365 | 64 | XV13 |
| 5910-617-4042 | 45 | C47 | 5935-160-1365 | 64 | XV14 |
| 5910-617-4042 | 45 | C56 | 5935-160-1365 | 64 | XV15 |
| 5910-617-4042 | 45 | C63 | 5935-160-1365 | 64 | XV23 |
| 5910-617-4042 | 45 | C69 | 5935-160-1365 | 64 | XV24 |
| 5910-617-4042 | 45 | C72 | 5935-160-1365 | 64 | XV28 |
| 5910-617-4042 | 45 | C76 | 5935-160-1365 | 64 | XV29 |
| 5910-617-4042 | 45 | C79 | 5935-160-1365 | 64 | XV35 |
| 5910-617-4042 | 45 | C80 | 5935-160-1365 | 64 | XV36 |
| 5910-617-4042 | 45 | C4 | 5935-160-1365 | 64 | XV38 |
| 5910-617-4042 | 45 | C5 | 5935-160-1365 | 64 | XV39 |
| 5910-617-4042 | 46 | C18 | 5935-160-1365 | 64 | XV40 |
| 5910-617-4042 | 46 | C40 | 5935-160-1365 | 64 | XV9 |
| 5910-617-4042 | 46 | C71 | 5935-160-1365 | 65 | XV2 |
| 5910-617-4042 | 59 | C12 | 5935-160-1365 | 65 | XV3 |
| 5910-617-4042 | 59 | C27 | 5935-258-1757 | | E17 |
| 5910-617-4042 | 59 | C35 | 5935-258-1757 | | E18 |
| 5910-617-4042 | 59 | C64 | 5935-259-0083 | 46 | P2 |
| 5910-617-4042 | 62 | C36 | 5935-259-0083 | 46 | P4 |
| 5910-649-3188 | 46 | C14 | 5935-259-3054 | | |
| 5910-649-3188 | 46 | C61 | 5935-260-0516 | | XV4 |
| 5910-649-3188 | 46 | C92 | 5935-260-0516 | | XV7 |
| 5910-649-3188 | 46 | C93 | 5935-260-0516 | 64 | XVII |
| 5910-649-3188 | 62 | C14 | 5935-260-0516 | 64 | XV16 |
| 5910-649-3188 | 62 | C61 | 5935-260-0516 | 64 | XV17 |
| 5910-649-3188 | 62 | C67 | 5935-260-0516 | 64 | XV18 |
| 5910-649-3188 | 62 | C9 | 5935-260-0516 | 64 | XV19 |
| 5910-649-3188 | 63 | C67 | 5935-260-0516 | 64 | XV20 |
| 5910-649-3188 | 63 | C9 | 5935-260-0516 | 64 | XV21 |
| 5910-666-9110 | 46 | C94 | 5935-260-0516 | 64 | XV22 |
| 5910-666-9110 | 46 | C95 | 5935-260-0516 | 64 | XV25 |
| 5910-666-7210 | 62 | C60 | 5935-260-0516 | 64 | XV26 |
| 5910-667-7210 | 62 | C8 | 5935-260-0516 | 64 | XV27 |
| 5910-717-0169 | 46 | C15 | 5935-260-0516 | 64 | XV30 |
| 5910-717-0169 | 46 | C68 | 5935-260-0516 | 64 | XV31 |
| 5910-807-2688 | 59 | C57 | 5935-260-0516 | 64 | XV32 |
| 5910-807-2688 | 59 | C6 | 5935-260-0516 | 64 | XV33 |
| 5910-826-2717 | 46 | C24 | 5935-260-0516 | 64 | XV34 |
| 5910-826-2717 | 46 | C43 | 5935-260-0516 | 64 | XV37 |
| 5910-826-2717 | 46 | C77 | 5935-260-0516 | 64 | XV41 |
| 5910-879-4776 | | C96 | 5935-260-0516 | 64 | XV42 |
| 5910-892-2815 | 45 | C10 | 5935-260-0516 | 64 | XV43 |
| 5910-892-2815 | 45 | C25 | 5935-260-0516 | 64 | XV44 |
| 5910-892-2815 | 45 | C37 | 5935-260-0516 | 64 | XV45 |
| 5910-892-2815 | 45 | C38 | 5935-260-0516 | 64 | XVI |
| 5910-892-2815 | 45 | C62 | 5935-260-0516 | 64 | XV2 |

| STOCK NUMBER | FIGURE NO. | ITEM NO. | STOCK NUMBER | FIGURE NO. | ITEM NO. |
|---------------|------------|----------|---------------|------------|----------|
| 5933-260-0516 | 64 | XV3 | 5960-262-0152 | 45 | V33 |
| 5935-260-0516 | 64 | XV5 | 5960-262-0152 | 45 | V4 |
| 5935-260-0516 | 64 | XV6 | 5960-262-0152 | 45 | V5 |
| 5935-260-0516 | 64 | XV8 | 5960-262-0152 | 45 | V7 |
| 5935-280-2017 | 62 | J7 | 5960-262-0152 | 59 | V18 |
| 5935-280-2017 | 63 | J3 | 5960-262-0152 | 59 | V1 |
| 5935-280-2195 | | | 5960-262-0185 | 45 | V11 |
| 5935-280-2829 | | | 5960-262-0185 | 45 | V19 |
| 5935-283-3406 | 64 | XY1 | 5960-262-0185 | 45 | V22 |
| 5935-283-3406 | 64 | XY2 | 5960-262-0185 | 45 | V32 |
| 5935-295-5360 | 46 | P1 | 5960-262-0185 | 45 | V34 |
| 5935-295-5360 | 46 | P3 | 5960-262-0185 | 45 | V37 |
| 5935-392-6362 | | A4 | 5960-262-0185 | 45 | V6 |
| 5935-395-8972 | | | 5960-62-0185 | 62 | V21 |
| 5935-497-0301 | | | 5960-262-0185 | 62 | V8 |
| 5935-549-2656 | 48 | J2 | 5960-262-0210 | 45 | V10 |
| 5935-549-2656 | 62 | J6 | 5960-262-0210 | 45 | V12 |
| 5935-552-4372 | | | 5960-262-0210 | 45 | V13 |
| 5935-577-2293 | | J9 | 5960-262-0210 | 45 | V14 |
| 5935-577-2293 | 46 | J10 | 5960-262-0210 | 45 | V15 |
| 5935-577-2824 | 46 | J4 | 5960-262-0210 | 45 | V23 |
| 5935-801-6616 | 46 | J8 | 5960-262-0210 | 45 | V24 |
| 5935-835-0508 | | P10 | 5960-262-0210 | 45 | V28 |
| 5935-835-0508 | | P11 | 5960-262-0210 | 45 | V35 |
| 5935-835-0508 | | P8 | 5960-262-0210 | 45 | V36 |
| 5935-835-0508 | | P9 | 5960-262-0210 | 45 | V38 |
| 5935-843-7362 | | | 5960-262-0210 | 45 | V39 |
| 5935-904-3611 | 48 | J3 | 5960-262-0210 | 45 | V40 |
| 5935-904-3611 | 63 | J7 | 5960-262-0210 | 45 | V2 |
| 5935-926-7460 | 45 | J1 | 5960-262-0210 | 45 | V9 |
| 5935-926-7460 | 62 | J5 | 5960-272-9182 | 45 | V43 |
| 5940-578-0752 | | | 5960-272-9182 | 45 | V44 |
| 5945-201-8644 | 46 | K1 | 5960-272-9182 | 59 | V41 |
| 5945-201-8644 | 46 | K2 | 5960-272-9182 | 59 | V42 |
| 5945-536-3360 | | | 5960-272-9182 | 59 | V45 |
| 5950-219-6446 | 45 | T1 | 5960-646-4616 | | |
| 5950-219-6446 | 45 | T2 | 5960-646-4617 | | |
| 5950-219-6446 | 45 | T3 | 5960-669-6861 | 45 | V25 |
| 5950-219-6446 | 45 | T4 | 5960-669-6861 | 45 | V26 |
| 5950-219-6509 | 45 | L1 | 5960-669-8085 | | |
| 5950-219-6509 | 45 | L2 | 5960-686-8087 | | |
| 5950-578-8557 | | Z2 | 5960-868-4365 | | |
| 5950-578-8557 | | Z3 | 5970-519-8417 | | |
| 5950-578-8558 | | Z4 | 5975-244-5150 | | |
| 5950-578-8558 | | Z7 | 6105-537-5971 | | B2 |
| 5950-645-2093 | 45 | L3 | 6105-537-5971 | 48 | B1 |
| 5950-645-2093 | 45 | L4 | 6105-537-2793 | 45 | B3 |
| 5950-645-5783 | 45 | T5 | 6145-284-0579 | | |
| 5950-647-7266 | 45 | L5 | 6145-542-6092 | | |
| 5955-813-9687 | 45 | Y1 | 6210-295-2926 | 45 | X12 |
| 5955-892-3653 | 45 | Y2 | 6210-635-9921 | | |
| 5960-188-0806 | 45 | V29 | 6240-223-9100 | 49 | I2 |
| 5960-188-0806 | 45 | V3 | 6350-132-9504 | 45 | II |
| 5960-262-0152 | 45 | V16 | 6625-539-8152 | 45 | MI |
| 5960-262-0152 | 45 | V17 | 6625-539-8152 | 45 | M2 |
| 5960-262-0152 | 45 | V20 | 6625-542-0935 | 45 | M3 |
| 5960-262-0152 | 45 | V27 | 6625-542-0935 | 45 | M4 |
| 5960-262-0152 | 45 | V30 | 9320-290-1969 | | |
| 5960-262-0152 | 45 | V31 | | | |

| REFERENCE NO. | MFR CODE | FIG. NO. | ITEM NO. | REFERENCE NO. | MFR CODE | FIG. NO. | ITEM NO. |
|---------------|----------|----------|----------|---------------|----------|----------|----------|
| AN3057-6B | ZZZZZ | | | CM15C220J | 81349 | 46 | C92 |
| AN3106B14S2P | 81349 | | | CM15C220J | 81349 | 46 | C93 |
| AN3111-3 | 88044 | | | CM15C220J | 81349 | 62 | C9 |
| AN6227B11 | 81349 | | | CM15C220J | 81349 | 62 | C14 |
| AN6227B13 | 81349 | | | CM15C220J | 81349 | 62 | C61 |
| AN62275B5 | 81349 | | | CM15C220J | 81349 | 62 | C67 |
| AI07 - 1 | 12204 | 011 | | CM15C220J | 81349 | 63 | C9 |
| CE12C160Q | 81349 | 46 | C87 | CM15C220J | 81349 | 63 | C67 |
| CE12C160Q | 81349 | 46 | C89 | CM15C391K | 81349 | 46 | C44 |
| CE12C160Q | 81349 | 46 | C90 | CM15C391K | 81349 | 62 | C21 |
| CE41F100R | 96906 | 46 | C88 | CM15C391K | 81349 | 62 | C22 |
| CM15C121J | 81349 | 62 | C20 | CM15C391K | 81349 | 62 | C31 |
| CM15C121J | 81349 | 62 | C73 | CM15C391K | 81349 | 62 | C34 |
| CM15C220J | 81349 | 46 | C14 | CM15C391K | 81349 | 62 | C41 |
| CM15C220J | 81349 | 46 | C61 | CM15C391K | 81349 | 62 | C74 |

| REFERENCE NO. | MFR CODE | FIG. NO. | ITEM NO. | REFERENCE NO. | MFR CODE | FIG. NO. | ITEM NO. |
|-------------------|-------------|-------------|-------------|------------------|-------------|-------------|-------------|
| CM15C391K | 81349 | 62 | C75 | MS3106A14S7SC | 96906 | P6 | |
| CM15C391K | 81349 | 62 | C84 | MS350S9-15 | 81349 | S12 | |
| CM15D101J | 81349 | 46 | C15 | MS35059-9 | 81349 | S2 | |
| CM15D101J | 81349 | 46 | C68 | MS35059-9 | 81349 | S9 | |
| CM30D22G | 81349 | 62 | C7 | MS3505915 | 81349 | S13 | |
| CM30D22G | 81349 | 62 | C59 | MS35120-1 | 96906 | J2 | |
| CM50820J | 81349 | 46 | C13 | MS35120-1 | 96906 | J6 | |
| CM50820J | 81349 | 62 | C66 | MS90078-27 | 81349 | F1 | |
| CO53B1E6405K | 81349 | 46 | C83 | MS90078-27 | 81349 | F2 | |
| CP04A3KC683K | 81349 | | C96 | M24251-6-3 | 81349 | | |
| CP04A3KE104M | 81349 | 46 | C24 | M7PLRN | 81312 | J7 | |
| CP04A3KE104M | 81349 | 46 | C43 | M7PLRN | 81312 | J3 | |
| CP04A3KE104M | 81349 | 46 | C77 | M7LSLN | 81312 | P2 | |
| CPO5A1KC153K | 81349 | 46 | C94 | M7LSLN | 81312 | P4 | |
| CPO5A1KC153K | 81349 | 46 | C95 | M8805-2-001 | 81349 | S4 | |
| CPO5A3KC683K3 | 81349 | | C96 | M8805-2-001 | 81349 | S6 | |
| CP11A3KB154M | 81349 | 45 | C5 | NA15-3R90F | 79729 | R106 | |
| CP11A3KB154M | 81349 | 45 | C10 | NE51 | 08108 | I2 | |
| CP11A3KB154M | 81349 | 45 | C25 | RAJ0NASA | 81349 | R109 | |
| CP11A3KB154M | 81349 | 45 | C37 | RC20GF100K | 81349 | R70 | |
| CP11A3KB154M | 81349 | 45 | C38 | RC20GF100K | 81349 | R180 | |
| CP11A3KB154M | 81349 | 45 | C62 | RC20GF102J | 81349 | R72 | |
| CP11A3KB154M | 81349 | 45 | C78 | RC20GF102J | 81349 | R78 | |
| CP11A3KB154M | 81349 | 45 | C80 | RC20GF102K | 81349 | R4 | |
| CP11A3KB154M | 81349 | 46 | C17 | RC20GF102K | 81349 | R111 | |
| CP11A3KB154M | 81349 | 46 | C70 | RC20GF102K | 81349 | R10 | |
| CP11A3KB154M | 81349 | 62 | C45 | RC20GF102K | 81149 | R20 | |
| CP11A3KE104M | 81349 | 45 | C4 | RC20GF102K | 81349 | R21 | |
| CP11A3KE104M | 81349 | 45 | C16 | RC20CF102K | 81349 | R27 | |
| CP11A3KE104M | 81349 | 45 | C19 | KC20GF102K | 81349 | R34 | |
| CP11A3KE104M | 81349 | 45 | C23 | RC20GF102K | 81349 | R75 | |
| CP11A3KE104M | 81349 | 45 | C26 | RC20GF102K | 81349 | R81 | |
| CP11A3KE104M | 81349 | 45 | C39 | RC20GF102K | 81349 | R86 | |
| CP11A3KE104M | 81349 | 45 | C42 | RC20GF102K | 81349 | R91 | |
| CP11A3KE104M | 81349 | 45 | C47 | RC20GF102K | 81349 | R107 | |
| CP11A3KE104M | 81349 | 45 | C56 | RC20GF102K | 81349 | R114 | |
| CP11A3KE104M | 81349 | 45 | C63 | RC20GF102K | 81349 | R120 | |
| CP11A3KE104M | 81349 | 45 | C69 | RC20GF102K | 81349 | R130 | |
| CP11A3KE104M | 81349 | 45 | C72 | RC20GF102K | 81349 | R131 | |
| CP11A3KE104M | 81349 | 45 | C76 | RC20GF102K | 81349 | R137 | |
| CP11A3KE104M | 81349 | 45 | C79 | RC20GF102K | 81349 | R144 | |
| CP11A3KE104M | 81349 | 46 | C18 | RC20GF102K | 81349 | R10 | |
| CP11A3KE104M | 81349 | 46 | C40 | RC20GF102K | 81349 | R20 | |
| CP11A3KE104M | 81349 | 46 | C71 | RC20GF102K | 81349 | R21 | |
| CP11A3KE104M | 81349 | 59 | C12 | RC20GF102K | 81349 | R27 | |
| CP11A3KE104M | 81349 | 59 | C27 | RC20GF102K | 81349 | R34 | |
| CP11A3KE104M | 81349 | 59 | C35 | RC20CF102K | 81349 | R75 | |
| CP11A3KE104M | 81349 | 59 | C64 | RC20GF102K | 81349 | R81 | |
| CP11A3KE104M | 81349 | 62 | C36 | RC20GF102K | 81349 | R86 | |
| CP53B1EF254K | 81349 | 46 | C32 | RC20GF102K | 81349 | R91 | |
| CP53B1EF254K | 81349 | 46 | C85 | RC20GF102K | 81349 | R107 | |
| CP53B1EF504K | 81349 | 46 | C33 | RC20GF102K | 81349 | R114 | |
| CP53B1EF504K | 81349 | 46 | C86 | RC20GF102K | 81349 | R120 | |
| CP53B1EF504K | 81349 | 46 | C91 | RC20GF102K | 81349 | R130 | |
| CR25AU405-0 | 81349 | 45 | Y1 | RC20GF102K | 81349 | R131 | |
| CR25U425-7KHZ | 81349 | 45 | Y2 | RC20GF102K | 81349 | R137 | |
| CV110450 | 81349 | 62 | C28 | RC20GF102K | 81349 | R144 | |
| CV110450 | 81349 | 62 | C29 | RC20GF103K | 81349 | R7 | |
| CV110450 | 81349 | 62 | C48 | RC20GF103K | 81349 | R8 | |
| CV110450 | 81349 | 62 | C49 | RC20GF103K | 81349 | R117 | |
| CV110450 | 81349 | 62 | C50 | RC20GF103K | 81349 | R40 | |
| CV110450 | 81349 | 62 | C51 | RC20GF103K | 81349 | R118 | |
| CV110450 | 81349 | 62 | C81 | RC20GF103K | 81349 | R150 | |
| CV110450 | 81349 | 62 | C82 | RC20GF104K | 81349 | R18 | |
| CO-03MGF3-18-0340 | 81349 | | | RC20GF104K | 81349 | R87 | |
| C053B1EB405K | 81349 | 46 | C30 | RC20GF104K | 81349 | R92 | |
| HP5N | 09922 | | | RC20GF104K | 81349 | R96 | |
| H19C | 81312 | | E17 | RC20GF104K | 81349 | R98 | |
| H19C | 81312 | | E18 | RC20GF104K | 81349 | R127 | |
| JS5 | 91929 | 18 | S1 | RC20GF104K | 81349 | R12 | |
| JS5 | 91929 | 18 | S6 | RC20GF104K | 81349 | R15 | |
| MR26W1H1DCUAR | 81349 | 45 | M3 | RC20GF104K | 81349 | R24 | |
| MR26W1H1DCUAR | 81349 | 45 | M4 | RC20GF104K | 81349 | R30 | |
| MR26W100DCUAR | 81349 | 45 | MH1 | RC20GF104K | 81349 | R39 | |
| MR26W100DCUAR | 81349 | 45 | M2 | RC20GF104K | 81349 | R43 | |
| MS2433-5 | 96906 | | | RC20GF104K | 81349 | R51 | |
| MS24663 | 96906 | | | RC20GF104K | 81349 | R55 | |
| MS3057-6A | 96906 | 45 | C11 | RC20GF104K | 81349 | R59 | |
| MS3102R14S2SC | 96906 | 46 | J4 | RC20GF104K | 81349 | R67 | |
| MS3102R14S7P | 96906 | 46 | J8 | RC20GF104K | 81349 | R69 | |

| REFERENCE NO. | MFR CODE | FIG. NO. | ITEM NO. | REFERENCE NO. | MFR CODE | FIG. NO. | ITEM NO. |
|------------------|-------------|-------------|-------------|------------------|-------------|-------------|-------------|
| RC20GF104K | 81349 | 62 | R71 | RC20GF471J | 81349 | 62 | R11 |
| RC20GF104K | 81349 | 62 | A77 | RC20GF473J | 81349 | 45 | R147 |
| RC20GF104K | 81349 | 62 | R101 | RC20GF473J | 81349 | 62 | R13 |
| RC20GF104K | 81349 | 62 | R122 | RC20GF473J | 81349 | 62 | R37 |
| RC20GF104K | 81349 | 62 | R125 | RC20GF473J | 81349 | 62 | R65 |
| RC20GF104K | 81349 | 62 | R134 | RC20GF473J | 81349 | 62 | R123 |
| RC20GF104K | 81349 | 62 | R145 | RC20GF473J | 81349 | 62 | R172 |
| RC20GF104K | 81349 | 62 | R149 | RC20GF473J | 81349 | 62 | R173 |
| RC20GF104K | 81349 | 62 | R153 | RC20GF511J | 81349 | 62 | R189 |
| RC20GF104K | 81349 | 62 | R158 | RC20GF560K | 81349 | 62 | R6 |
| RC20GF104K | 81349 | 62 | R165 | RC20GF560K | 81349 | 62 | R108 |
| RC20GF104K | 81349 | 62 | R171 | RC20GF560K | 81349 | 62 | R116 |
| RC20GF104K | 81349 | 62 | R176 | RC20GF562K | 81349 | 46 | R202 |
| RC20GF104K | 81349 | 62 | R179 | RC20GF562K | 81349 | 46 | R203 |
| RC20GF104K | 81349 | 62 | R200 | RC20GF562K | 81349 | 62 | R16 |
| RC20GF105K | 81349 | 37 | R49 | RC20GF562K | 81349 | 62 | R126 |
| RC20GF105K | 81349 | 46 | R31 | RC20GF562K | 81349 | 63 | R16 |
| RC20GF105K | 81349 | 46 | R141 | RC20GF562K | 81349 | 63 | R126 |
| RC20GF105K | 81349 | 62 | R25 | RC20GF563J | 81349 | 46 | R124 |
| RC20GF105K | 81349 | 62 | R83 | RC20GF563J | 81349 | 62 | R14 |
| RC20GF105K | 81349 | 62 | R88 | RC20GF682K | 81349 | 46 | R17 |
| RC20GF105K | 81349 | 62 | R135 | RC20GF682K | 81349 | 62 | K128 |
| RC20GF105K | 81349 | 62 | R160 | RC20GF683J | 81349 | 46 | R33 |
| RC20GF152J | 81349 | 46 | R1 | RC20GF683J | 81349 | 46 | R143 |
| RC20GF152J | 81349 | 46 | R32 | RC20GF683J | 31349 | 62 | R90 |
| RC20GF152J | 81349 | 46 | R142 | RC20GF683K | 81349 | 62 | R22 |
| RC20GF152J | 81349 | 62 | R89 | RC20GF683K | 81349 | 62 | R132 |
| RC20GF152J | 81349 | 62 | R111 | RC20GF683K | 81349 | 63 | R38 |
| RC20GF152J | 81349 | 62 | R197 | RC20GF683K | 81349 | 63 | R148 |
| RC20GF201J | 81349 | 62 | R26 | RC20GF823K | 81349 | 62 | R46 |
| RC20GF201J | 81349 | 62 | R136 | RC20GF823K | 81349 | 62 | R103 |
| RC20GF223K | 81349 | 46 | R2 | RC20GF823K | 81349 | 62 | R156 |
| RC20GF223K | 81349 | 46 | R112 | RC30GF683K | 81349 | 62 | R38 |
| RC20GF223K | 81349 | 62 | RS | RC30GF683K | 81349 | 62 | R143 |
| RC20GF223K | 81349 | 62 | R115 | RC30GF683K | 81349 | 62 | R148 |
| RC20GF224J | 81349 | 62 | R63 | RC32GF104J | 81349 | 62 | R73 |
| RC20GF224J | 81349 | 62 | R66 | RC32GF104J | 81349 | 62 | R80 |
| RC20GF224J | 81349 | 62 | R76 | RC32GF104K | 81349 | 30 | R22 |
| RC20GF224J | 81349 | 62 | R82 | RC32GF104K | 81349 | 43 | R132 |
| RC20GF224J | 81349 | 62 | R174 | RC32GF104K | 81349 | 59 | R22 |
| RC20GF224J | 81349 | 62 | R175 | RC32GF104K | 81349 | 59 | R29 |
| RC20GF224K | 81349 | 62 | R9 | RC32GF104K | 81349 | 59 | R45 |
| RC20GF224K | 81349 | 62 | R119 | RC32GF104K | 81349 | 59 | R52 |
| RC20GF224K | 81349 | 62 | R198 | RC32GF104K | 81349 | 59 | R53 |
| RC20GF224K | 81349 | 62 | R201 | RC32GF104K | 81349 | 59 | R54 |
| RC20GF224K | 81349 | 63 | R23 | RC32GF104K | 81349 | 59 | R132 |
| RC20GF224K | 81349 | 63 | R73 | RC32GF104K | 81349 | 59 | R139 |
| RC20GF224K | 81349 | 63 | R80 | RC32GF104K | 81349 | 59 | R155 |
| RC20GF224K | 81349 | 63 | R133 | RC32GF104K | 81349 | 59 | R162 |
| RC20GF271J | 81349 | 62 | R190 | RC32GF104K | 81349 | 59 | R163 |
| RC20CF272J | 81349 | 62 | R188 | RC32GF104K | 81349 | 59 | R164 |
| RC20GF273J | 81349 | 20 | R205 | RC32GF104K | 81349 | 62 | R23 |
| RC20GF273J | 81349 | 20 | R206 | RC32GF104K | 81349 | 62 | R29 |
| RC20GF273J | 81349 | 30 | R204 | RC32GF104K | 81349 | 62 | R45 |
| RC20GF273J | 81349 | 59 | R207 | RC32GF104K | 81349 | 62 | R52 |
| RC20GF274K | 81349 | 62 | R58 | RC32GF104K | 81349 | 62 | R53 |
| RC20GF274K | 81349 | 62 | R166 | RC32GF104K | 81349 | 62 | R54 |
| RC20CF274K | 81349 | 62 | R168 | RC32GF104K | 81349 | 62 | R133 |
| RC20GF274K | 81349 | 63 | R56 | RC32GFI04K | 81349 | 62 | R139 |
| RC20GF331J | 81349 | 62 | R126 | RC32GF104K | 81349 | 62 | R155 |
| RC20GF331J | 81349 | 30 | R26 | RC32GF104K | 81349 | 62 | R162 |
| RC20GF331J | 81349 | 63 | R26 | RC32GF104K | 81349 | 62 | R163 |
| RC20GF332K | 81349 | 62 | R44 | RC32GF104K | 81349 | 62 | R164 |
| RC20GF332K | 81389 | 62 | R154 | RC32CF104K | 81349 | 63 | R22 |
| RC20GF334K | 81349 | 62 | R60 | RC32GF104K | 81349 | 63 | R29 |
| RC20GF334K | 81349 | 62 | R61 | RC32GF104K | 81349 | 63 | R45 |
| RC20GF334K | 81349 | 62 | R95 | RC32GF104K | 81349 | 63 | R52 |
| RC20GF334K | 81349 | 62 | R100 | RC32GF104K | 81349 | 63 | R53 |
| RC20GF334K | 81349 | 62 | R169 | RC32GF104K | 81349 | 63 | R54 |
| RC20CF334K | 81349 | 62 | R170 | RC32GF104K | 81349 | 63 | R74 |
| RC20GF394K | 81349 | 46 | R3 | RC32GF104K | 81349 | 63 | R79 |
| RC20CF394K | 81349 | 46 | R113 | RC32GF104K | 81349 | 63 | R84 |
| RC20GF394K | 81349 | 62 | R48 | RC32CF104K | 81349 | 63 | R132 |
| RC20GF394K | 81349 | 62 | R62 | RC32GF104K | 81349 | 63 | R139 |
| RC20GF394K | 81349 | 62 | R68 | RC32GF104K | 81349 | 63 | R155 |
| RC20GF394K | 81349 | 62 | R105 | RC32GF104K | 81349 | 63 | R162 |
| RC20GF394K | 81349 | 62 | R159 | RC32GF104K | 81349 | 63 | R163 |
| RC20GF394K | 81349 | 62 | R177 | RC32CF104K | 81349 | 63 | R164 |
| RC20GF394K | 81349 | 62 | R178 | RC32GF134J | 80063 | 62 | R42 |
| RC20GF394K | 81349 | 46 | R1 | RC32GF134J | 80063 | 62 | R152 |

| REFERENCE NO. | MFR CODE | FIG. NO. | ITEM NO. | REFERENCE NO. | MFR CODE | FIG. NO. | ITEM NO. |
|------------------|-------------|-------------|-------------|------------------|-------------|-------------|-------------|
| RC32GF683J | 81349 | 62 | R74 | SHC108890 | 80063 | 62 | C8 |
| RC32GF683J | 81349 | 62 | R79 | SHC108890 | 80063 | 62 | C60 |
| RC32GF683K | 81349 | 62 | R28 | SMC108894 | 80063 | | |
| RC32GF683K | 81349 | 62 | R85 | SMC108895 | 80063 | 48 | B2 |
| RC32GF683K | 81349 | 62 | R102 | SMC108895 | 80063 | | B1 |
| RC32GF683K | 81349 | 62 | R138 | SMC108913 | 80063 | | |
| RC42GF103J | 81349 | 62 | R186 | SMC108918 | 80063 | | |
| RC42GF103J | 81349 | 62 | R195 | SMC108951A | 80063 | | |
| RC42GF153J | 81349 | 45 | R194 | SMC108952 | 80063 | | |
| RC42GF153J | 81349 | 62 | R110 | SMC108959C | 80063 | 45 | L3 |
| RC42GF153J | 81349 | 62 | R121 | SMC108959C | 80063 | 45 | L4 |
| RC42GF153J | 81349 | 62 | R187 | SMC1089658 | 80063 | 46 | Z8 |
| RC42GF153J | 81349 | 63 | R11 | SMC108966 | 80063 | | 51 |
| RC42GF183K | 81349 | 62 | R196 | SMC108966 | 80063 | | S1 |
| RC42GF223K | 81349 | 62 | R119 | SHC108967A | 80063 | 45 | S5 |
| RC42GF223K | 81349 | 62 | R129 | SMC108984A | 80063 | | |
| RC420F473J | 81349 | 62 | R64 | SMC108990A | 80063 | | |
| RC42GF 682K | 81349 | 46 | R182 | SMC108992 | 80063 | | |
| RC42GF682K | 81349 | 62 | R183 | SMC108996 | 80063 | 45 | B3 |
| RC42GF683K | 81349 | 62 | R97 | SMD108813 | 80063 | 45 | Z4 |
| RG58CU | 80058 | | | SHD108813 | 80063 | 45 | Z7 |
| RIRCIF2650 | 28959 | 46 | R185 | SMD108815B | 80063 | 46 | Z6 |
| RIRCIF2650 | 28959 | 62 | R193 | SMD108820 | 80063 | 45 | R167 |
| RN15R392 IF | 81349 | 62 | R1Y9 | SMD108887 | 80063 | 47 | Z9 |
| RN15X1004F | 81349 | 63 | R25 | SMD108887 | 80063 | 47 | Z10 |
| RN15X1004F | 81349 | 63 | R135 | SMD108958D | 80063 | 45 | T5 |
| RN60B2670F | 81349 | 62 | R185 | SMD108964A | 80063 | 46 | Z1 |
| RN60B2670F | 81349 | 63 | R193 | SMD109099A | 80063 | | |
| RN8062003F | 81349 | 46 | R184 | SMD346444 | 80063 | | Z4 |
| RN8062003F | 81349 | 62 | R192 | SMD346444 | 80063 | | Z7 |
| RW30G800 | 81349 | 46 | R141 | SMD346445 | 80063 | | Z2 |
| SCB76681 | 80063 | 45 | XF1 | SMD346445 | 80063 | | Z3 |
| SCB76681 | 80063 | 46 | XF2 | SM108903 | 80063 | | |
| SC700-2BE | 95354 | 64 | XY1 | TS102P01 | 81350 | | XV4 |
| SC7700-2BE | 95354 | 64 | XY2 | TS102P01 | 81350 | | XV7 |
| SMB108820 | 80063 | 45 | R57 | TS102P01 | 81350 | 64 | XVI |
| SMB108820 | 80063 | 45 | R99 | TS102P01 | 81350 | 64 | XV2 |
| SMB108820 | 80063 | 45 | R157 | TS102P01 | 81350 | 64 | XV3 |
| SMB108820 | 80063 | 62 | R47 | TS102P01 | 81350 | 64 | XV5 |
| SMB108820 | 80063 | 62 | R104 | TS102P01 | 81350 | 64 | XV6 |
| SMB108821 | 80063 | 45 | R94 | TS102P01 | 81350 | 64 | XV8 |
| SMB108834 | 80063 | | | TS102P01 | 81350 | 64 | XVII |
| SMB108893A | 80063 | | | TS102P01 | 81350 | 64 | XV16 |
| SMB108896 | 80063 | | | TS102P01 | 81350 | 64 | XV17 |
| SMB108896 | 80063 | | | TS102P01 | 81350 | 64 | XV18 |
| SMB108897 | 80063 | | | TS102P01 | 81350 | 64 | XV19 |
| SMB108898 | 80063 | | | TS102P01 | 81350 | 64 | XV20 |
| SMB108901 | 80063 | | | TS102P01 | 81350 | 64 | XV21 |
| SMB108903 | 80063 | | | TS102P01 | 81350 | 64 | XV22 |
| SMB108904 | 80063 | | | TS102P01 | 81350 | 64 | XV25 |
| SMB108906 | 80063 | | | TS102P01 | 81350 | 64 | XV26 |
| SMB108907 | 80063 | | | TS102P01 | 81350 | 64 | XV27 |
| SMB108911 | 80063 | 012 | | TS102P01 | 81350 | 64 | XV30 |
| SMB108912 | 80063 | 013 | | TS102P01 | 81350 | 64 | XV31 |
| SMB108914 | 80063 | | | TS102P01 | 81350 | 64 | XV32 |
| SMB108917 | 80063 | | H2 | TS102P01 | 81350 | 64 | XV33 |
| SMB108923 | 80063 | | | TS102P01 | 81350 | 64 | XV34 |
| SMB108955 | 80063 | 62 | R109 | TS102P01 | 81350 | 64 | XV37 |
| SMB108972A | 80063 | 46 | R41 | TS102P01 | 81350 | 64 | XV41 |
| SMB108972A | 80063 | 46 | R151 | TS102P01 | 81350 | 64 | XV42 |
| SMB108973A | 80063 | 46 | A50 | TS102P01 | 81350 | 64 | XV43 |
| SMB108973A | 80063 | 46 | R161 | TS102P01 | 81350 | 64 | XV44 |
| SMB109003 | 80063 | | | TS102P01 | 81350 | 64 | XV45 |
| SMC108812A | 80063 | 45 | T1 | TS103P01 | 81350 | 64 | XV9 |
| SMC108812A | 80063 | 45 | T2 | TS103P01 | 81350 | 64 | XVIO |
| SMC108812A | 80063 | 45 | T3 | TS103P01 | 81350 | 64 | XV12 |
| SMC108812A | 80063 | 45 | T4 | TS103P01 | 81350 | 64 | XV13 |
| SMC108816 | 80063 | 45 | L5 | TS103P01 | 81350 | 64 | XV14 |
| SMC108817A | 80063 | 45 | L1 | TS103P01 | 81350 | 64 | XV15 |
| SMC108817A | 80063 | 45 | L2 | TS103P01 | 81350 | 64 | XV23 |
| SMC108823 | 80063 | 46 | K1 | TS103P01 | 81350 | 64 | XV24 |
| SMC108823 | 80063 | 46 | K2 | TS103P01 | 81350 | 64 | XV28 |
| SMC108835 | 80063 | 45 | 11 | TS103P01 | 81350 | 64 | XV29 |
| SMC108854 | 80063 | | A4 | TS103P01 | 81350 | 64 | XV35 |
| SMC108874A | 80063 | | | TS103P01 | 81350 | 64 | XV36 |
| SMC108875A | 80063 | | | TS103P01 | 81350 | 64 | XV38 |
| SMC108876A | 80063 | | | TS103P01 | 81350 | 64 | XV39 |
| SMC108879 | 80063 | 45 | S11 | TS103P01 | 81350 | 64 | XV40 |
| SMC108881 | 80063 | 45 | S10 | TS103P01 | 81350 | 65 | XV2 |
| SMC108889B | 80063 | | | TS103P01 | 81350 | 65 | XV3 |

| REFERENCE NO. | MFR CODE | FIG. NO. | ITEM NO. | | REFERENCE NO. | MFR CODE | FIG. NO. | ITEM NO. |
|------------------|-------------|-------------|-------------|---------------|------------------|-------------|-------------|-------------|
| UG291DU | 80058 | 45 | J1 | 5814A | 81349 | 45 | V13 | |
| UG291DU | 80058 | 62 | J5 | 5814A | 81349 | 45 | V14 | |
| UG699U | 80058 | 46 | P1 | 5814A | 81349 | 45 | V15 | |
| UG699U | 80058 | 46 | P3 | 5814A | 81349 | 45 | V23 | |
| UG88GU | 80058 | | P8 | 5814A | 81349 | 45 | V24 | |
| UG88GU | 80058 | | P9 | 5814A | 81349 | 45 | V28 | |
| UG88GU | 80058 | | P10 | 5814A | 81349 | 45 | V35 | |
| UG88GU | 80058 | | P11 | 5814A | 81349 | 45 | V36 | |
| XM108814C | 80063 | 45 | Z5 | 5814A | 81349 | 45 | V38 | |
| 0-108760 | 80063 | 45 | Z2 | 5814A | 81349 | 45 | V39 | |
| 0-108760 | 80063 | 45 | Z3 | 5814A | 81349 | 45 | V40 | |
| 0-327-4 | 60380 | | | 6AU6WA | 81349 | 45 | V4 | |
| 1052 | 71785 | | | 6AU6WA | 81349 | 45 | V5 | |
| 1060 | 71785 | | | 6AU6WA | 81349 | 45 | V7 | |
| 11KP | 71400 | | | 6AU6WA | 81349 | 45 | V16 | |
| 126-197 | 02660 | 48 | J3 | 6AU6WA | 81349 | 45 | V17 | |
| 126-197 | 02660 | 63 | J7 | 6AU6WA | 81349 | 45 | V20 | |
| 1400B | 88245 | | | 6AU6WA | 81349 | 45 | V27 | |
| 1410B | 88245 | | | 6AU6WA | 81349 | 45 | V30 | |
| 14167 | 71785 | | | 6AU6WA | 81349 | 45 | V31 | |
| 164J683-1 | 96733 | 461 | C96 | 6AU6WA | 81349 | 45 | V33 | |
| 186P10404ST | 56289 | 59 | C6 | 6AU6WA | 81349 | 59 | V1 | |
| 186P10404ST | 56289 | 59 | C57 | 6AU6WA | 81349 | 59 | V18 | |
| 1942-6 | 71616 | | | 6BA7 | 81349 | 45 | V3 | |
| 3150 | 74868 | | J9 | 6BA7 | 81349 | 45 | V29 | |
| 3150 | 74868 | 46 | J10 | 6X4W | 81349 | 45 | V43 | |
| 3450 | 70367 | | MS1 | 6X4W | 81349 | 45 | V44 | |
| 5273-1 | 74545 | | | 6X4W | 81349 | 59 | V41 | |
| 5726-6AL5W | 81349 | 45 | V11 | 6X4W | 81349 | 59 | V42 | |
| 5726-6AL5W | 81349 | 45 | V19 | 6X4W | 81349 | 59 | V45 | |
| 5726-6AL5W | 81349 | 45 | V22 | 60056AQ5W | 81349 | 45 | V25 | |
| 5726-6AL5W | 81349 | 45 | V32 | 60056AQ54 | 81349 | 45 | V26 | |
| 5726-6AL5W | 81349 | 45 | V34 | 72-53 | 81349 | | | |
| 5726-6AL5W | 81349 | 45 | V37 | 88-117 | 72619 | | | |
| 5726-6AL5W | 81349 | 62 | V21 | 88408-1 | 72619 | 45 | X12 | |
| 5726-6AL5W | 81350 | 45 | V6 | 991-22 | 82983 | | H10 | |
| 5726-6AL5W | 81350 | 62 | V8 | 991-27 | 82983 | | | |
| 5814A | 81349 | 45 | V2 | 991-3008 | 82983 | | | |
| 5814A | 81349 | 45 | V9 | 991-3008NOTES | 82983 | | | |
| 5814A | 81349 | 45 | V10 | 991-38 | 82983 | | | |
| 5814A | 81349 | 45 | V12 | | | | | |

By Order of the Secretary of the Army:

Official:

VERNE L. BOWERS

Major General, United States Army

The Adjutant General

CREIGHTON W. ABRAMS

General, United States Army

Chief of Staff

Distribution:

To be distributed in accordance with DA Form 12 - 51 (qty rqr block No. 99) direct and general support maintenance requirements for AN / GRC-26.

U. S. GOVERNMENT PRINTING OFFICE: 1979 288-779/2233

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



SOMETHING WRONG WITH PUBLICATION

THEN...JOT DOWN THE
DOPE ABOUT IT ON THIS FORM.
CAREFULLY TEAR IT OUT, FOLD IT
AND DROP IT IN THE MAIL.

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT PIN-POINT WHERE IT IS

**IN THIS SPACE, TELL WHAT IS WRONG
AND WHAT SHOULD BE DONE ABOUT IT.**

PAGE
NO.

PARA-
GRAPH

FIGURE
NO.

TABLE
NO.

PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER

SIGN HERE

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR
RECOMMENDATION MAKE A CARBON COPY OF THIS
AND GIVE IT TO YOUR HEADQUARTERS.

— TEAR ALONG PERFORATED LINE —

PIN 010016