

**DEPARTMENT OF THE ARMY TECHNICAL MANUAL**

---

**DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE  
REPAIR PARTS AND SPECIAL TOOLS LISTS (INCLUDING  
DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)  
CONVERTERS CV-2/TX (FSN 5815-243-4494),  
CV-2A/TX (FSN 5815-498-8152), AND  
CV-2C/TX (FSN 5815-503-2598)**

---

**Headquarters, Department of the Army, Washington, DC  
28 September 1973**

---

*Current as of March 1973*

	Paragraph	Page
Section I. INTRODUCTION		
Scope	1-1	2
General	1-2	2
Explanation of Columns	1-3	2
Special Information	1-4	4
Location of repair parts	1-5	4
Abbreviations (Not applicable)	1-6	4
Reporting of equipment publication improvements	1-7	4
II. REPAIR PARTS LIST		
III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER		23

\*This manual supersedes TM 11-5815-255-35P, 28 September 1962

SECTION I  
INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of direct support, general support, and depot maintenance of the CV-2/TX, CV-2A/TX, and CV-2C/TX. The PCCN for the equipment is GCMAAG for all models.

1-2. General

This repair parts and special tools list is divided into the following sections

*a. Repair Parts List-Section II* A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level. This repair parts list is arranged in alphabetical order

*b. Special Tools, Test and Support Equipment-Section III* Not applicable

*c. Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number-Section IV* A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphabetic sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list

*a. Source, Maintenance, and Recoverability Codes (SMR)*

(1) *Source code* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are-

<i>Code</i>	<i>Explanation</i>
PA	Item procured and stocked for anticipated or known usage
PB	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems
PC	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature
PD	Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment

<i>Code</i>	<i>Explanation</i>
PE	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities
PF	Support equipment which will not be stocked but which will be centrally procured on demand
PG	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time
KD	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair
KF	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance
KB	Item included in both a depot overhaul/repair kit and a maintenance kit
MO	Item to be manufactured or fabricated at organizational level
MF	Item to be manufactured or fabricated at direct support maintenance level
MH	Item to be manufactured or fabricated at general support maintenance level
MD	Item to be manufactured or fabricated at depot maintenance level
AO	Item to be assembled at organizational level
AF	Item to be assembled at direct support maintenance level
AH	Item to be assembled at general support maintenance level
AD	Item to be assembled at depot maintenance level
XA	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly
XB	Item is not procured or stocked. If not available through salvage, requisition
XC	Installation drawing, diagram, instruction sheet, field service drawing that is identified by manufacturers' part number
XL	Support items can be requisitioned with justification

**NOTE**

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42

(2) Maintenance code. Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows

(a) Use (third position). The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance

*Code*                      *Application/Explanation*  
0 - Support item is removed, replaced, used at the organizational level of maintenance

**NOTE**

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance

F - Support item is removed, replaced, used at the direct support maintenance level

H - Support item is removed, replaced, used at the general support maintenance

D - Support items that are removed, replaced, used at depot only

(b) *Repair* (fourth position) The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (ie, all authorized maintenance functions) When a maintenance code is not used a dash (-) sign is entered For multiservice equipment/systems or when a code is entered, this position will contain one of the following maintenance codes is assigned by the service(s) that require the code

*Code*                      *Application/Explanation*  
0 - The lowest maintenance level capable of complete repair of the support item is the organizational level  
7 - The lowest maintenance level capable of complete repair of the support item is direct support  
4 - The lowest maintenance level capable of complete repair of the support item is general support  
3 - The lowest maintenance level capable of complete repair of the support item is the depot level

*Code*

*Application/Explanation*

- L - Repair restricted to designated Specialized Repair Activity
- Z - Non-repairable No repair is authorized
- B - No repair is authorized The item may be re-conditioned by adjusting, lubricating, etc., at the user level No parts or special tools are procured for the maintenance of this item

(3) Recoverability code. Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows

*Code*

*Explanation*

- Z - Nonrepairable item When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code
- O - Repairable item. When uneconomically repairable, condemn and dispose at organizational level
- F - Repairable item. When uneconomically repairable, condemn and dispose at the direct support level
- H - Repairable item. When uneconomically repairable, condemn and dispose at the general support level
- D - Repairable item. When beyond lower level repair capability, return to depot Condemnation and disposal not authorized below depot level
- L - Repairable item Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level
- A - Item requires special handling or condemnation procedures because of specific reasons (ie, precious metal content, high dollar value, critical material or hazardous material)

*b Federal Stock Number* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes

*c Description* Indicates the Federal item name and a minimum description required to identify the item The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42

*d Unit of Measure (U/M)* Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function This measure is expressed by a two-character alphabetical abbreviation (eg ea, in, pr, etc) and is the basis

used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned

*e Quantity Incorporated in Unit* This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF"

*f 30-Day DS/GS Maintenance Allowances*

**NOTE**

Allowances in GS column are for GS maintenance only

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment

g. 1-Year Allowances Per 100 Equipments/Contingency Planning Purposes Column intentionally left blank

h. Depot Maintenance Allowance Per 100 Equipments This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments

i. Illustration This column is divided as follows

(1) Figure number Indicates the figure number of the illustration on which the item is shown in TM 11-2252 and TM 11-2253A

(2) Item number Indicates the item number or reference designation used to reference the item in the illustration

1-4. Special Information

a Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are -

<i>Code</i>	<i>Model</i>
AB1	CV-2/TX
AB2	CV-2A/TX
AB3	CV-2C/TX

b The following publications pertain to the equipment and its components

TM 11-2252	Converters CV-2/TX and CV-2A/TX
------------	---------------------------------

TM 11-2252-A

Converter CV-2C/TX

TM 11-4021

Converter CV-2/TX, Repair Instructions

TM 11-5815-255-20P

Organizational Repair Parts and Special Tools Lists  
Converters CV-2/TX, CV-2A/TX, and CV-2C/TX

1-5. Location of Repair Parts

a This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers

b When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation

(2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index

c When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (sec II) until the item is located

d When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (sec II), which is arranged in alphabetical order

1-6. Abbreviations

Not applicable

1-7. Reporting of Equipment Publications Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Report should be submitted on PA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN AMSEL-MA-CW, Fort Monmouth, NJ. 07703

(Next printed page is 6)

## SECTION II

TM11-5815-255-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENC NUMBER & MFR CODE    USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO	ITEM NO
PAOPD	5995-162-6866	CABLE ASSEMBLY, POWER ELECTRICAL NO-REF-- DESIG 2 COND STRANDED 14AWG 14FT 20-2061 (65599)	EA	1	*	*	*	*	*	*		5	5	
PAOPD	5995-162-6854	CABLE ASSEMBLY, POWER ELECTRICAL NO-REF-- DESIG 2 COND STRANDED 18AWG 6FT SCC13581C (80063)	EA	1	*	*	*	*	*	*		5	5	
PAFZZ	6145-162-7915	CABLE, SPECIAL PURPOSE, ELECTRICAL NO-... REF-DESIG 2 COND 20 AWG STRANDED WS2 (96026)	FT	20	*	*	*	*	*	*		5		
PAOZZ	5920-244-5150	CAP, ELECTRICAL                    CAP FOR FUSEHOLDER 9435-1-2 (71400)	EA	2	*	*	*	*	*	*		3		
PAOZZ	5920-244-5150	CAP, ELECTRICAL                    CAP FOR FUSEHOLDER 9435-1-2 (71400)	EA	REF	*	*	*	*	*	*		3		
PAFZZ	5910-101-5658	CAPACITOR, FIXED, MICA DIELECTRIC    C2... 82 UUF PORM5PCT 500 VDCW CM20C820J (81349)	EA	1	*	*	*	*	*	*		3	9	C2
PAFZZ	5910-101-5608	CAPACITOR, FIXED, MICA DIELECTRIC    C2... 120 UUF PORM5PCT 500 VDCW CM20C121J (81349)	EA	1	*	*	*	*	*	*		3	32	C2
PAFZZ	5910-762-2945	CAPACITOR, FXED, MICA DIELECTRIC    C5... 470 UUF PORM10PCT 500 V DC CM20B471K (81349)	EA	4	*	*	*	*	*	*		3	9	C5
PAFZZ	5910-762-2945	CAPACITOR, FIXED, MICA DIELECTRIC    C6... 470 UUF PORM10PCT 500 V DC CM20B471K (81349)	EA	REF	*	*	*	*	*	*		3	9	C6
PAFZZ	5910-762-2945	CAPACITOR, FIXED, MICA DIELECTRIC    C21... 470 UUF PORM10PCT 500 V DC CM20B471K (81349)	EA	REF	*	*	*	*	*	*		3	9	C21
PAFZZ	5910-762-2945	CAPACITOR, FIXED, MICA DIELECTRIC    C22... 470 UUF PORM10PCT 500 V DC CM20B471K (81349)	EA	REF	*	*	*	*	*	*		3		C22
PAFZZ	5910-762-2945	CAPACITOR, FIXED, MICA DIELECTRIC    C32... 470 UUF PORM10PCT 500 V DC CM20B471K (81349)	EA	2	*	*	*	*	*	*		3	20	C32
PAFZZ	5910-762-2945	CAPACITOR, FIXED, MICA DIELECTRIC    C33... 470 UUF PORM10PCT 500 V DC CM20B471K (81349)	EA	REF	*	*	*	*	*	*		3	20	C33
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC    C1... 1000 UUF PORM10PCT 500 V DC CM30B102K (81349)	EA	8	*	*	*	*	*	*		3	9	C1
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC    C17... 1000 UUF PORM10PCT 500 V DC CM30B102K (81349)	EA	REF	*	*	*	*	*	*		3	9	C17
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC    C19... 1000 UUF PORM10PCT 500 V DC CM30B102K (81349)	EA	REF	*	*	*	*	*	*		3	9	C19
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC    C33... 1000 UUF PORM10PCT 500 V DC CM30B102K (81349)	EA	REF	*	*	*	*	*	*		3	9	C33
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC    C34... 1000 UUF PORM10PCT 500 V DC CM30B102K (81349)	EA	REF	*	*	*	*	*	*		3	9	C34

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1 20	21 50	51 100	1 20	21 50	51 100			FIGURE NO	ITEM NO
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC 1000 UUF PORM10PCT 500 V DC CM30B102K (81349)	C35...	A	REF	*	*	*	*	*	*	3	9	C35	
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC 1000 UUF PORM10PCT 500 V DC CM30B102K (81349)	C36...	EA	REF	*	*	*	*	*	*	3	9	C36	
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC 1000 UUF PORM10PCT 500 V DC CM30B102K (81349)	C37...	EA	REF	*	*	*	*	*	*	3	9	C37	
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC 1000 UUF PORM10PCT 500 VDC CM30B102K (81349)	C1...	EA	8	*	*	*	*	*	*	3	20	C1	
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC 1000 UUF PORM10PCT 500 VDC CM30B102K (81349)	C15...	EA	REF	*	*	*	*	*	*	3	32	C15	
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC 1000 UUF PORM10PCT 500 VDC CM30B102K (81349)	C17...	EA	REF	*	*	*	*	*	*	3	20	C17	
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC 1000 UUF PORM10PCT 500 VDC CM30B102K (81349)	C18...	EA	REF	*	*	*	*	*	*	3	32	C18	
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC 1000 UUF PORM10PCT 500 VDC CM30B102K (81349)	C19...	EA	REF	*	*	*	*	*	*	3	20	C19	
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC 1000 UUF PORM10PCT 500 VDC CM30B102K (81349)	C23...	EA	REF	*	*	*	*	*	*	3	20	C23	
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC 10 UUF PORM10PCT 500 VDC CM30B102K (81349)	C28...	EA	REF	*	*	*	*	*	*	3	32	C28	
PAFZZ	5910-985-0223	CAPACITOR, FIXED, MICA DIELECTRIC 1000 UUF PORM10PCT 500 VDC CM30B102K (81349)	C30...	EA	REF	*	*	*	*	*	*	3	20	C30	
PAFZZ	5910-100-8059	CAPACITOR, FIXED, MICA DIELECTRIC 3300 UUF PORM10PCT 500 V DC CM30B332K (81349)	C10...	EA	2	*	*	*	*	*	*	3	9	C10	
PAFZZ	5910-100-8059	CAPACITOR, FIXED, MICA DIELECTRIC 3300 UUF PORM10PCT 500 V DC CM30B332K (81349)	C16...	EA	REF	*	*	*	*	*	*	3	9	C16	
PAFZZ	5910-100-8059	CAPACITOR, FIXED, MICA DIELECTRIC 3300 UUF PORM10PCT 500 VDC CM30B332K (81349)	C10...	EA	2	*	*	*	*	*	*	3	20	C10	
PAFZZ	5910-100-8059	CAPACITOR, FIXED, MICA DIELECTRIC 3300 UUF PORM10PCT 500 VDC CM30B332K (81349)	C26...	EA	REF	*	*	*	*	*	*	3	32	C26	
PAFZZ	5910-101-3847	CAPACITOR, FIXED, MICA DIELECTRIC 4700 UUF PORM10PCT 500 V DC CM35B472K (81349)	C7...	EA	4	*	*	*	*	*	*	3	9	C7	
PAFZZ	5910-101-3847	CAPACITOR, FIXED, MICA DIELECTRIC 4700 UUF PORM10PCT 500 V DC CM35B472K (81349)	C8...	EA	REF	*	*	*	*	*	*	3	9	C8	
PAFZZ	5910-101-3847	CAPACITOR, FIXED, MICA DIELECTRIC 4700 UUF PORM10PCT 500 V DC CM35B472K (81349)	C11...	EA	REF	*	*	*	*	*	*	3	9	C11	

CONTINUED

SECTION II

TM11-5815-255-34P

SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF MEAS	QTY INC IN UNIT	30 DAY DS MAINT ALLOWANCE			30 DAY CS MAINT ALLOWANCE			YR D E S C R I P T I O N	ILLUSTRATION		
					100	50	25	100	50	25			ALWPER 100	MAINT 100
					FIGURE NO	FIGURE NO	FIGURE NO	FIGURE NO	FIGURE NO	FIGURE NO			FIGURE NO	
CONTINUED														
PAFZZ	5910-101-3847	C4354472K (81349) CAPACITOR, FIXED, MICA DIELECTRIC 4700 UUF PORM20PCT 500 V DC	AB1,AB2 C23...	EA	REF	*	*	*	*	*	*	3	C23	
PAFZZ	5910-101-3847	C4358472K (81349) CAPACITOR, FIXED, MICA DIELECTRIC 4700 UUF PORM20PCT 200 VDCW	AB1,AB2 C5...	EA	4	*	*	*	*	*	*	3	C5	
PAFZZ	5910-101-3847	C4358472K (81349) CAPACITOR, FIXED, MICA DIELECTRIC 4700 UUF PORM20PCT 200 VDCW	AB3 C6...	EA	REF	*	*	*	*	*	*	3	C6	
PAFZZ	5910-101-3847	C4358472K (81349) CAPACITOR, FIXED, MICA DIELECTRIC 4700 UUF PORM20PCT 200 VDCW	AB3 C11...	EA	REF	*	*	*	*	*	*	3	C11	
PAFZZ	5910-101-3847	C4358472K (81349) CAPACITOR, FIXED, MICA DIELECTRIC 4700 UUF PORM20PCT 200 VDCW	AB3 C31...	EA	REF	*	*	*	*	*	*	3	C31	
PAFZZ	5910-161-0925	C4358472K (81349) CAPACITOR, FIXED, PAPER DIELECTRIC 7500 UUF PORM20PCT 200 VDCW	AB3 C7...	EA	1	*	*	*	*	*	*	3	C27	
PAFZZ	5910-161-0925	BT46 (76149) CAPACITOR, FIXED, PAPER DIELECTRIC 7500 UUF PORM20PCT 200 VDC	AB1,AB2 C23..	EA	1	*	*	*	*	*	*	3	C23	
PAFZZ	5910-112-7063	BT46 (76149) CAPACITOR, FIXED, PAPER DIELECTRIC 50,000 UUF PORM20PCT 600 V DC	AB3 C31..	EA	1	*	*	*	*	*	*	3	C31	
PAFZZ	5910-112-7063	CP29A1EF503M (96906) CAPACITOR, FIXED, PAPER DIELECTRIC 50,000 UUF PORM20PCT 600 VDC	AB1,AB2 C25..	EA	1	*	*	*	*	*	*	3	C25	
PAFZZ	5910-112-7690	CP29A1EF503M (96906) CAPACITOR, FIXED, PAPER DIELECTRIC 750,000 UUF PORM20PCT 200 V DC	AB3 C32..	EA	1	*	*	*	*	*	*	3	C32	
PAFZZ	5910-112-7490	CP29A1EC254M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC 250,000 UUF PORM20PCT 200 VDC	AB1,AB2 C29..	EA	1	*	*	*	*	*	*	3	C29	
PAFZZ	5910-112-7146	CP28A1EC254M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC 500,000 UUF PORM20PCT 200 VDC	AB3 C24..	EA	3	*	*	*	*	*	*	3	C24	
PAFZZ	5910-112-7146	CP29A1EC504M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC 500,000 UUF PORM20PCT 200 VDC	AB1,AB2 C25..	EA	REF	*	*	*	*	*	*	3	C25	
PAFZZ	5910-112-7146	CP29A1EF504M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC 500,000 UUF PORM20PCT 200 VDC	AB1,AB2 C26..	EA	REF	*	*	*	*	*	*	3	C26	
PAFZZ	5910-112-7146	CP29A1EC500 (81349) CAPACITOR, FIXED, PAPER DIELECTRIC 500,000 UUF PORM20PCT 200 VDC	AB1,AB2 C20..	EA	3	*	*	*	*	*	*	3	C20	
PAFZZ	5910-112-7146	CP29A1EC504M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC 500,000 UUF PORM20PCT 200 VDC	AB3 C21..	EA	REF	*	*	*	*	*	*	3	C21	
PAFZZ	5910-112-7146	CP29A1EC504M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC	AB3 C22..	EA	REF	*	*	*	*	*	*	3	C22	

CONTINUED

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
						1 20	21 50	51 100	1-20	21-50	51 100			FIGURE NO.	ITEM NO	
		CONTINUED														
PAFZZ	5910-112-6890	500,000 UUF PORM20PCT 200 VDC CP29A1EC504M (81349)	AB3	EA	1	*	*	*	*	*	*		3	9	C18	
PAFZZ	5910-112-6890	CAPACITOR, FIXED, PAPER DIELECTRIC C18.. 2 UF P20M10PCT 200 V DC CP53B1EC205V (81349)	AB1,AB2	EA	1	*	*	*	*	*	*		3	32	C16	
PAFZZ	5910-890-8958	2 UF PORM10PCT 200 VDC CP53B1EC205V (81349)	AB3	EA	1	*	*	*	*	*	*		3	5	C28 C29 C30	
		CAPACITOR, FIXED, ELECTROLYTIC C28 3... SECT 10 UF EA SECT 350 V DC EA SECT CB33C100P (81350)	AB1,AB2													
PAFZZ	5910-890-8958	CAPACITOR, FIXED, ELECTROLYTIC C24A 3... SECT 10 UF EA SECT 350 VDC EA SECT CB33C100P (81350)	AB3	EA	1	*	*	*	*	*	*		3	20	C24A C24B C24C	
PAFZZ	5910-126-9588	CAPACITOR, FIXED, ELECTROLYTIC C9 3... SECT 20 UF EA SECT 150 VDCW EA SECT CB33C200J (81350)	AB1,AB2	EA	1	*	*	*	*	*	*		3	5	C9 C15 C20	
PAFZZ	5915-126-9588	CAPACITOR, FIXED, ELECTROLYTIC C9A 3... SECT 20 UF EA SECT 150 VDCW EA SECT CB33C200J (81350)	AB3	EA	1	*	*	*	*	*	*		3	20	C9A C9B C9C	
PAFZZ	5950-228-7279	COIL, RADIO FREQUENCY RFC1 1 X 1 3-16... IN		EA	2	*	*	*	*	*	*		3	9	RFC1	
PAFZZ	5950-228-7279	RF582 (76149)	AB1,AB2	EA	REF	*	*	*	*	*	*		3	9	RFC2	
PAFZZ	5950-228-7279	COIL, RADIO FREQUENCY RFC2 1 X 1 3-16... IN RF582 (76149)	AB1,AB2	EA	2	*	*	*	*	*	*		3	20	L4	
		COIL, RADIO FREQUENCY L4 1X1 3-16 IN... RF582 (76149)	AB3													



## SECTION II

TM11-5815-255-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1 20	21 50	51 100	1 20	21 50	51 100			FIGURE NO	ITEM NO
PAFZZ	5950-228-7279	COIL, RADIO FREQUENCY	L5 1X1 3-16 IN..	EA	REF	*	*	*	*	*	*		3	20	L5
		RF582 (76149)	AB3												
PAFZZ	5915-198-6356	COIL, RADIO FREQUENCY	F5 1 5-8 X 3-8..	EA	1	*	*	*	*	*	*		3	5	F5
		IN													
		14-2070A (65599)	AB1,AB2												
PAFZZ	5915-198-6350	COIL, RADIO FREQUENCY	1 5-8X3-8IN..	EA	1	*	*	*	*	*	*		3	32	Z2
		14-2070A (65599)	AB3												
PAFZZ	5950-188-9776	COIL, RADIO FREQUENCY	OSC2 1 7-16 X 1 7-	EA	1	*	*	*	*	*	*		3	5	O 2
		16 X 3 1-2 IN													
		17-2408A (65599)	AB1,AB2												
PAFZZ	5950-188-9776	COIL, RADIO FREQUENCY	OSC1 1 7-16X1 7-..	EA	1	*	*	*	*	*	*		3	32	OSC1
		16X3 1-2IN.													
		17-2408A (65599)	AB3												
PAFZZ	5950-537-5102	COIL, RADIO FREQUENCY	OSC1 1 7-16 X 1 7-	EA	1	*	*	*	*	*	*		3	5	OSC1
		16 X 3 1-2 IN													
		17-2408B (65599)	AB1,AB2												
PAFZZ	5950-537-5102	COIL, RADIO FREQUENCY	OSC2 1 7-16X1 7-..	EA	1	*	*	*	*	*	*		3	32	OSC2
		16X3 1-2IN													
		17-2408B (65599)	AB3												
PAFZZ	5935-201-9768	CONNECTOR, PLUG PL-237	NO-REF-DESIG 8...	EA	2	*	*	*	*	*	*		3		
		CONTACT, FEMALE													
		S3C8CCT (71785)													
PAFZZ	5935-644-6747	CONNECTOR, RECEPTACLE, ELECTRICAL	PS1 8	EA	1	*	*	*	*	*	*		3	5	PS1
		CONTACT, MALE													
		P308AB (71785)	AB1,AB2												
PACZZ	5960-188-8573	ELECTRON TUBE	V11.....	EA	1	*	*	*	*	*	*		100	5	V11
		OD3 (81349)	AB1,AB2												
PACZZ	5960-188-8573	ELECTRON TUBE	V7.....	EA	1	*	*	*	*	*	*		100	20	V7
		OD3 (81349)	AB3												
PACZZ	5960-188-3968	ELECTRON TUBE	V6.....	EA	1	*	*	*	*	*	*		100	5	V6
		6E5 (81349)	AB1,AB2												
PACZZ	5960-188-3968	ELECTRON TUBE	V8.....	EA	1	*	*	*	*	*	*		100	20	V8
		6E5 (81349)	AB3												
PACZZ	5960-188-3575	ELECTRON TUBE	V2.....	EA	1	*	*	*	*	*	*		100	2	V2
		6SK7GT (81349)													
PACZZ	5960-188-0926	ELECTRON TUBE	V10.....	EA	1	*	*	*	*	*	*		100	5	V10
		6X5WGT (81349)	AB1,AB2												
PACZZ	5960-188-0926	ELECTRON TUBE	V6.....	EA	1	*	*	*	*	*	*		100	20	V6
		6X5WGT (81349)	AB3												
PACZZ	5960-100-6017	ELECTRON TUBE	V4.....	EA	1	*	*	*	*	*	*		100		V4
		7L7 (81349)													
PACZZ	5960-235-9108	ELECTRON TUBE	V1.....	EA	6	*	*	*	*	*	*		100	5	V1
		7N7 (81349)	AB1,AB2												
PACZZ	5960-235-9108	ELECTRON TUBE	V3.....	EA	REF	*	*	*	*	*	*		100	5	V3
		7N7 (81349)	AB1, AB2												
PACZZ	5960-235-9108	ELECTRON TUBE	V5.....	EA	REF	*	*	*	*	*	*		100	5	V5
		7N7 (81349)	AB1, AB2												
PACZZ	5960-235-9108	ELECTRON TUBE	V7.....	EA	REF	*	*	*	*	*	*		100	5	V7
		7N7 (81349)	AB1, AB2												
PACZZ	5960-235-9108	ELECTRON TUBE	V8.....	EA	REF	*	*	*	*	*	*		100		V8
		7N7 (81349)	AB1, AB2												
PACZZ	5960-235-9108	ELECTRON TUBE	V9.....	EA	REF	*	*	*	*	*	*		100	4	V9
		7N7 (81349)	AB1, AB2												

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1 20	21 50	51 100	1 20	21 50	51 100			FIGURE NO	ITEM NO
PACZZ	5960-235-9108	ELECTRON TUBE 7N7 (81349)	V1..... AB3	EA	6	*	*	*	*	*	*		100	20	V1
PACZZ	5960-235-9108	ELECTRON TUBE 7N7 (81349)	V3..... AB3	EA	REF	*	*	*	*	*	*		100	20	V3
PACZZ	5960-235-9108	ELECTRON TUBE 7N7 (81349)	V5..... AB3	EA	REF	*	*	*	*	*	*		100	20	V5
PACZZ	5960-235-9108	ELECTRON TUBE 7N7 (81349)	V9..... AB3	EA	REF	*	*	*	*	*	*		100	20	V9
PACZZ	5960-235-9108	ELECTRON TUBE 7N7 (81349)	V10..... AB3	EA	REF	*	*	*	*	*	*		100	20	V10
PACZZ	5960-235-9108	ELECTRON TUBE 7N7 (81349)	V11..... AB3	EA	REF	*	*	*	*	*	*		100	20	V11
PAHZZ	5815-498-8156	FASTENER, LATCH X 1-8 IN	NO-REF-DESIG 1 1-2 X 7-8	EA	2				*	*	*		3		
PAHZZ	5815-498-8157	FASTENER, LATCH X 7-8 IN W X 1-8 IN H	NO-REF-DESIG 1 1-2 IN LG	EA	2				*	*	*		3		
PAFZZ	5915-197-8613	SCB126849-2 (80063) FILTER, BAND PASS	F2 2-32 KC OPER..... FREQ 2 3-4 X 2 3-8 X 3 7-8 IN	EA	1	*	*	*	*	*	*		3	5	F2
PAFZZ	5915-197-8613	D2326 (04072) FILTER, BAND PASS	Z5 2-32 KC OPER..... FREQ 2 3-4X2 3-8X3 7-8 IN	EA	1	*	*	*	*	*	*		3	20	Z5
PAFZZ	5915-376-9998	D2326 (04072) FILTER, BAND PASS	Z3 1900 CPS, 2400... CPS OPER FREQ 2-781 X 2-187 X 2-25	EA	1	*	*	*	*	*	*		3	20	Z3
PAFZZ	5915-504-8042	SCB126894 (80063) FILTER, BAND PASS	Z4 1900 CPS, 2400... CPS OPER FREQ 1 3-4 X 1 3-4 X 3 7-8 IN	EA		*	*	*	*	*	*		3	20	Z4
PAFZZ	5915-197-8594	D5786 (04072) FILTER, BAND PASS	F4 2400 CPS OPER..... FREQ 3 1-4 X 2 3-16 X 2 1-16 IN	EA	1	*	*	*	*	*	*		3	5	F4
PAFZZ	6760-356-5478	A4047C (04072) FILTER, LIGHT	NO-REF-DESIG WRATTEN C.... COLOR GLASS RING TYPE MTG 15-16 X 1-64 IN	EA	1	*	*	*	*	*	*		3		
PAFZZ	5915-224-5179	5G (15671) FILTER, LOW PASS	F1 1050 CPS CUT-O F.. 3-531 X 1-446 X 1-446 IN	EA	1	*	*	*	*	*	*		3	5	F1
PAFZZ	5915-224-5179	SCB126889 (80063) FILTER, LOW PASS	Z1 1050 CPS CUT-OFF.. 3-531X1-446X1-446IN	EA	1	*	*	*	*	*	*		3	20	Z1
PAFZZ	5915-224-5184	SCB126885 (80063) FILTER, LOW PASS	F3 2000 CPS CUT-OFF.. 1 3-8 X 1 3-8 X 4 1-8 IN	EA	1	*	*	*	*	*	*		3	5	F3
PACZZ	5920-050-0598	14-2073-2 (65599) FUSE, CARTRIDGE	FU1 1 AMP 250 V MAX .. FO1G1ROQA (81349)	EA	1	*	*	*	*	*	*		50	5	FU1
PACZZ	5920-050-0598	FUSE, CARTRIDGE FO1G1ROQA (81349)	F1 1 AMP 250 V MAX .. AB3	EA	1	*	*	*	*	*	*		50	20	F1
PACZZ	5920-012-0151	FUSE, CARTRIDGE FO4A15RGA (81349)	FU2 15 AMP 32 V MAX .. AB3, AB2	EA	1	*	*	*	*	*	*		50	5	FU2

## SECTION II

TM11-5815-255-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
					1 20	21 50	51 100	1 20	21 50	51 100			FIGURE NO	ITEM NO
PAFZZ	5920-012-0151	FUSE, CARTRIDG F2 15 AMP 32 V MAX .. F04A15ROA (81349) AB3	EA	1	*	*	*	*	*	*	50	20	F2	
PAFZZ	5920-322-8218	FUSEHOLDER NO-REF-DESIG 2 9-64 X 11-16 . HJM (71400)	EA	1	*	*	*	*	*	*	3			
PAFZZ	5920-892-9311	FUSEHOLDER NO-REF-DESIG 2 1-8 X 11-16... IN	EA	1	*	*	*	*	*	*	3			
PAFZZ	5935-192-4729	HKPLQR (71400) JACK, TELEPHONE J1 ACCOM 3 COND PLUG . 1 1-4 X 15-16 X 49-64	EA	3	*	*	*	*	*	*	3	2	J1	
PAFZZ	5935-192-4729	JJ033 (81349) AB1,AB2 JACK, TELEPHONE J2 ACCOM 3 COND PLUG . 1 1-4 X 15-16 X 49-64	EA	REF	*	*	*	*	*	*	3	2	J2	
PAFZZ	5935-192-4729	JJ033 (81349) AB1,AB2 JACK, TELEPHONE J5 ACCOM 3 COND PLUG . 1 1-4 X 15-16 X 49-64	EA	REF	*	*	*	*	*	*	3	4	J5	
PAFZZ	5935-192-4729	JJ033 (81349) AB1,AB2 JACK, TELEPHONE J1 ACCOM 3 COND PLUG . 1 1-4X15-16X49-64	EA	3	*	*	*	*	*	*	3	6	J1	
PAFZZ	5935-192-4729	JJ033 (81349) AB3 JACK, TELEPHONE J2 ACCOM 3 COND PLUG . 1 1-4X15-16X49-64	EA	REF	*	*	*	*	*	*	3	6	J2	
PAFZZ	5935-192-4729	JJ033 (81349) AB3 JACK, TELEPHONE J3 ACCOM 3 COND PLUG . 1 1-4X15-16X49-64	EA	REF	*	*	*	*	*	*	3	6	J3	
PAFZZ	5935-283-1269	JJ033 (81349) AB3 JACK, TELEPHONE J3 ACCOM 2 COND PLUG . 1 1-4 X 15-16 X 49-64 IN	EA	2	*	*	*	*	*	*	3	4	J3	
PAFZZ	5935-283-1269	JJ034 (81349) AB1,AB2 JACK, TELEPHONE J4 ACCOM 2 COND PLUG . 1 1-4 X 15-16 X 49-64 IN	EA	REF	*	*	*	*	*	*	3	2	J4	
PAFZZ	5935-283-1269	JJ034 (81349) AB1,AB2 JACK, TELEPHONE J4 ACCOM 2 COND PLUG . 1 1-4X15-16X49-64IN	EA	1	*	*	*	*	*	*	3		J4	
PAFZZ	5935-283-1269	JJ034 (81349) AB3 JACK, TELEPHONE J5 ACCOM 2 COND PLUG . 1 1-4X15-16X49-64IN	EA	REF	*	*	*	*	*	*	3	6	J5	
PAQZZ	5355-162-3105	JJ034 (81349) AB3 KNOB RO/FLUTED EDGE FUP 1/4 IN DIA SHAFT BLACK BAKELITE 1 1-8 X 0-703	EA	4	*	*	*	*	*	*	3			
PAQZZ	6240-057-2887	S308-648840268 (75376) LAMP, INCANDESCENT P1 6-8 V 1-5 TD... 2W 0-25 AMP	EA	1	*	*	*	*	*	*	50	2	P1	
PAQZZ	6240-057-2887	44 (55521) AB1,AB2 LAMP, INCANDESCENT E2 6-8 V 1-5 TD... 2W 0-25 AMP	EA	1	*	*	*	*	*	*	50	6	E2	
PAFZZ	6210-186-8017	44 (55521) AB3 LIGHT, INDICATOR NO-REF-DESIG W/LENS 1- 2 1 1-16 X 15-16 IN	EA	1	*	*	*	*	*	*	5			
PAFZZ	5935-330-9703	50 (48120) MOUNTING TUBE MTS MAGIC EYE TUBE . 1-4 X 1 1-4 IN W/22 INLG C'BLE MEAG (02260) AB1,AB2	EA	1	*	*	*	*	*	*	1			

## SECTION II

TM11-5815-255-34P

SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF MEAS	QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE				(7) 30 DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER EQUIP CNTG	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATION		
					a		b		a		b			c	FIGURE NO	ITEM NO
					20	21	50	51	100	1	20			21		
AF24	5935-192-4753	PLUG, TELEPHONE NO-REF-DESIG 3 COND ....	EA	0	*	*	*	*	*	*	*		5			
		PJ068 (81349)														
AF27	5935-192-4760	PLUG, TELEPHONE NO-REF-DESIG 2 COND ....	EA	1	*	*	*	*	*	*	*		5			
		PJ055R (81349)														
AF22	5950-221-6691	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			11		
		REFLECTOR (04072)														
		AB1, AB2														
AF22	5950-221-6691	REFLECTOR (04072)	EA	1	*	*	*	*	*	*	*			16		
		AB3														
AF22	5935-244-1070	RESISTOR, FIXE, WIRE WOUND 1/2 W	EA	1	*	*	*	*	*	*	*			46		
		FORMER T 1-2 W														
		WM1-3 (48120)														
AF22	5935-114-2874	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			46		
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-114-2879	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			5		
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-173-1630	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			50		
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-249-1640	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			26		
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-197-1054	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	2	*	*	*	*	*	*	*			3	247	
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-297-1074	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			3	248	
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-197-1074	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			3	249	
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-197-1074	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			3	250	
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-197-1074	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			3	251	
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-197-1074	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			3	252	
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-197-1074	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			3	253	
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-197-1074	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			3	254	
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-197-1074	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			3	255	
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-197-1074	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			3	256	
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-197-1074	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			3	257	
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-197-1074	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			3	258	
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-197-1074	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			3	259	
		FORMER T 1-2 W														
		PJ062 (81349)														
AF22	5935-197-1074	RESISTOR, FIXE, COMPOSITION 1-2 W	EA	1	*	*	*	*	*	*	*			3	260	
		FORMER T 1-2 W														
		PJ062 (81349)														

## SECTION II

TM11-5815-255-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO	ITEM NO	
		CONTINUED														
PAFZZ	5905-279-2607	620 OHM ±5% 1/2 W RC20GF621J (81349)	R1	AB1,AB2 580...	EA	2	*	*	*	*	*	*				R1
PAFZZ	5905-279-2607	RC32GF681K (81349) RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1 W	R51	AB2 680...	EA	REF	*	*	*	*	*	*		3		R51
PAFZZ	5905-279-2607	RC22GF681K (81349) RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1 W	R1	AB2 680...	EA	2	*	*	*	*	*	*		3	20	R1
PAFZZ	5905-797-2607	RC32GF681K (81349) RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1 W	R56	AB3 680...	EA	REF	*	*	*	*	*	*		3	20	R56
PAFZZ	5905-299-2050	RC32GF681K (81349) RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1 W	R1	AB3 750...	EA	2	*	*	*	*	*	*		3	9	R1
PAFZZ	5905-299-2050	RC32GF751K (81349) RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1 W	R22	AB1 750...	EA	REF	*	*	*	*	*	*		3	9	R22
PAFZZ	5905-257-2631	RC32GF751K (81349) RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2 W	R22	AB1 820...	EA	1	*	*	*	*	*	*		3	20	R22
PAFZZ	5905-636-6635	RC20GF821K (81349) RESISTOR, FIXED, COMPOSITION OHM PORM2PCT 1-2 W	R40	AB2,AB3 1820..	EA	3	*	*	*	*	*	*		3	32	R40
PAFZZ	5905-636-6635	BTS (12400) RESISTOR, FIXED, COMPOSITION OHM PORM2PCT 1-2 W	R43	AB3 1820..	EA	REF	*	*	*	*	*	*		3	32	R43
PAFZZ	5905-636-6635	BTS (12400) RESISTOR, FIXED, COMPOSITION OHM PORM2PCT 1-2 W	R13	AB3 1820..	EA	REF	*	*	*	*	*	*		3	32	R13
PAFZZ	5905-636-6636	BTS (12400) RESISTOR, FIXED, COMPOSITION OHM PORM2PCT 1-2 W	R41	AB3 2325..	EA	2	*	*	*	*	*	*		3	9	R41
PAFZZ	5905-636-6636	BTS (12400) RESISTOR, FIXED, COMPOSITION OHM PORM2PCT 1-2 W	R42	AB1,AB2 2325..	EA	REF	*	*	*	*	*	*		3	9	R42
PAFZZ	5905-636-6636	BTS (12400) RESISTOR, FIXED, COMPOSITION OHM PORM2PCT 1-2 W	R36	AB1,AB2 2325..	EA	2	*	*	*	*	*	*		3	32	R36
PAFZZ	5905-636-6636	BTS (12400) RESISTOR, FIXED, COMPOSITION OHM PORM2PCT 1-2 W	R39	AB3 2325..	EA	REF	*	*	*	*	*	*		3	32	R39
PAFZZ	5905-278-1877	BTS (12400) RESISTOR, FIXED, COMPOSITION OHM PORM5PCT 1-2 W	R18	AB3 2400..	EA	1	*	*	*	*	*	*		3	9	R18
PAFZZ	5905-100-6302	RC20GF242J (81349) RESISTOR, FIXED, WIRE WOUND OHM PORM5PCT 7 W	R49	AB1,AB2 2500...	EA	1	*	*	*	*	*	*		3	0	R49
PAFZZ	5905-100-6302	RW32J252 (81349) RESISTOR, FIXED, WIRE WOUND	R27	AB1,AB2 2500...	EA	1	*	*	*	*	*	*		3	20	R27
		CONTINUED														

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE	4 UNIT OF MEAS	5 QTY INC UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 90 DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					a	b	c	(a)	(b)	(c)			(a)	(b)	
CONTINUED															
PAFZZ	5905-279-1751	RW32J252 (81349) RESISTOR, FIXED, COMPOSITION OHM PORM5PCT 1-2 W RC20GF302J (81349)	R 5	3000..	EA		*	*	*	*	*	*	3		1r
PAFZZ	5905-279-1751	RESISTOR, FIXED, COMPOSITION OHM PORM5PCT 1-2 W RC20GF302J (81349)	R17	3000..	EA	REF	*	*	*	*	*	*	3		R17
PAFZZ	5905-279-1751	RESISTOR, FIXED, COMPOSITION OHM PORM5PCT 1-2 W RC20GF302J (81349)	R12	3000..	EA	1	*	*	*	*	*	*	3		R12
PAFZZ	5905-636-8402	RESISTOR FIXED COMPOSITION PORM2PCT 1-2 W BTS (12400)	R41	4180 OHM	EA	2	*	*	*	*	*	*	3		R41
PAFZZ	5905-636-8402	RESISTOR FIXED COMPOSITION PORM2PCT 1-2 W BTS (12400)	R42	4180 OHM	EA	REF	*	*	*	*	*	*	3		R42
PAFZZ	5905-195-6449	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 2 W RC42GF472K (81349)	R28	4700..	EA	1	*	*	*	*	*	*	3		R28
PAFZZ	5905-195-6449	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 2W RC42GF472K (81349)	R58	4700..	EA	1	*	*	*	*	*	*	3		R58
PAFZZ	5905-279-2019	RESISTOR, FIXED, COMPOSITION OHM PORM5PCT 1-2 W RC20GF512J (81349)	R43	5100..	EA	2	*	*	*	*	*	*	3		R43
PAFZZ	5905-279-2019	RESISTOR, FIXED, COMPOSITION OHM PORM5PCT 1-2 W RC20GF512J (81349)	R44	5100..	EA	REF	*	*	*	*	*	*	3		R44
PAFZZ	5905-295-3720	RESISTOR, FIXED, COMPOSITION OHM PORM2PCT 1-2 W BTS (12400)	R37	5400..	EA	2	*	*	*	*	*	*	3		R37
PAFZZ	5905-295-3720	RESISTOR, FIXED, COMPOSITION OHM PORM2PCT 1-2 W BTS (12400)	R45	5400..	EA	2	*	*	*	*	*	*	3		R45
PAFZZ	5905-279-2019	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1 W RC31GF100K (81349)	R17	100000	EA	1	*	*	*	*	*	*	3		R17
PAFZZ	5905-279-2019	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1 W RC31GF100K (81349)	R17	100000	EA	2	*	*	*	*	*	*	3		R17
PAFZZ	5905-279-2019	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1 W RC31GF100K (81349)	R17	100000	EA	1	*	*	*	*	*	*	3		R17
PAFZZ	5905-279-2019	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1 W RC31GF100K (81349)	R17	100000	EA	1	*	*	*	*	*	*	3		R17
PAFZZ	5905-279-2019	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1 W RC31GF100K (81349)	R17	100000	EA	1	*	*	*	*	*	*	3		R17
PAFZZ	5905-279-2019	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1 W RC31GF100K (81349)	R17	100000	EA	1	*	*	*	*	*	*	3		R17

## SECTION II

TM11-5815-255-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a)    (b) FIGURE    ITEM NO        NO		
						(a)	(b)	(c)	(a)	(b)	(c)					
						1 20	21 50	51 100	1 20	21 50	51 100					
		CONTINUED														
PAFZZ	5905-279-3499	OHM PORM5PCT 1-2 W RC20GF273J (81349)	AB2 R17 27,000	EA	1	*	*	*	*	*	*		3	32	R17	
PAFZZ	5905-192-3978	RESISTOR, FIXED, COMPOSITION OHM PORM5PCT 1-2 W RC20GF273J (81349)	AB3 R3 30,000	EA	1	*	*	*	*	*	*		3	9	R3	
PAFZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM5PCT 1-2 W RC20GF303J (81349)	AB1 R9 47,000	EA	7	*	*	*	*	*	*		3	9	R9	
PAFZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2W RC20GF473K (81349)	AB1 R10 47,000	EA	REF	*	*	*	*	*	*		3	9	R10	
PAFZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2W RC20GF473K (81349)	AB1 R13 47,000	EA	REF	*	*	*	*	*	*		3	9	R13	
PAFZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2W RC20GF473K (81349)	AB1 R23 47,000	EA	REF	*	*	*	*	*	*		3	9	R23	
PAFZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2W RC20GF473K (81349)	AB1 R34 47,000	EA	REF	*	*	*	*	*	*		3	9	R34	
PAFZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2W RC20GF473K (81349)	AB1 R37 47,000	EA	REF	*	*	*	*	*	*		3	9	R37	
PAFZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2W RC20GF473K (81349)	AB1 R40 47,000	EA	REF	*	*	*	*	*	*		3	9	R40	
PAFZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2W RC20GF473K (81349)	AB1 R9 47,000	EA	6	*	*	*	*	*	*		3		R9	
PAFZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2W RC20GF473K (81349)	AB2 R13 47,000	EA	REF	*	*	*	*	*	*		3		R13	
PAFZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2W RC20GF473K (81349)	AB2 R23 47,000	EA	REF	*	*	*	*	*	*		3		R23	
PAFZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2W RC20GF473K (81349)	AB2 R34 47,000	EA	REF	*	*	*	*	*	*		3		R34	
PAFZZ	5305-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2W RC20GF473K (81349)	AB2 R37 47,000	EA	REF	*	*	*	*	*	*		3		R37	
PAFZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2W RC20GF473K (81349)	AB2 R40 47,000	EA	REF	*	*	*	*	*	*		3		R40	
PAFZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2W RC20GF473K (81349)	AB2 R5 47,000	EA	6	*	*	*	*	*	*		3	32	R5	
PAFZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION OHM PORM10PCT 1-2W RC20GF473K (81349)	AB3 R9 47,000	EA	REF	*	*	*	*	*	*		3	32	R9	
		CONTINUED														

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY CS MAINT ALLOWANCE			(8) YR LW PER 100 DUIP NTGCC	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION		
					(a)	(b)	(c)	(d)	(e)	(f)			(g)	(a) FIGURE NO	(b) ITEM NO
CONTINUED															
PAFZZ	5905-295-3410	RC20GF473K (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM10PCT 1-2W	R23	47,000	EA	REF	*	*	*	*	*	*	3	1	R23
PAFZZ	5905-295-3410	RC20GF473K (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM10PCT 1-2W	R41	47,000	EA	REF	*	*	*	*	*	*	3	2	R44
PAFZZ	5905-295-3410	RC20GF473K (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM10PCT 1-2W	R41	47,000	EA	REF	*	*	*	*	*	*	3		R47
PAFZZ	5905-295-3410	RC20GF473K (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM10PCT 1-2W	R50	47,000	EA	REF	*	*	*	*	*	*	3		R53
PAFZZ	5905-299-2007	RC20GF473K (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM10PCT 1 W	R32	68,000	EA	1	*	*	*	*	*	*	3		R32
PAFZZ	5905-299-2307	RC32GF683K (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM10PCT 1W	R52	68,000	EA	1	*	*	*	*	*	*	3	2	R53
PAFZZ	5305-195-6761	RC32GF683K (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM5PCT 1-2 W	R14	100,...	EA	2	*	*	*	*	*	*	3		R14
PAFZZ	5935-195-6761	RC20GF104J (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM5PCT 1-2 W	R15	100,...	EA	REF	*	*	*	*	*	*	3		R15
PAFZZ	5955-195-6761	RC20GF104J (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM5PCT 1-2W	R11	100,...	EA	2	*	*	*	*	*	*	3	2	R11
PAFZZ	5905-195-6761	RC20GF104J (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM10PCT 1 W	R14	100,...	EA	REF	*	*	*	*	*	*	3	2	R14
PAFZZ	5905-299-2002	RC20GF104J (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM10PCT 1 W	R29	120,...	EA	1	*	*	*	*	*	*	3		R29
PAFZZ	5905-299-2002	RC32GF124K (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM10PCT 1W	R52	120,...	EA	1	*	*	*	*	*	*	3		R52
PAFZZ	5905-192-9260	RC32GF124K (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM10PCT 1-2 W	R5	150,...	EA	2	*	*	*	*	*	*	3		R5
PAFZZ	5905-192-9260	RC20GF154K (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM10PCT 1-2 W	R6	150,...	EA	REF	*	*	*	*	*	*	3		R6
PAFZZ	5935-192-9260	RC20GF154K (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM10PCT 1-2W	R7	150,...	EA	2	*	*	*	*	*	*	3	2	R7
PAFZZ	5905-192-9260	RC20GF154K (81349) RESISTOR, FIXED, COMPOSITION 000 OHM PORM10PCT 1-2W	R16	150,...	EA	REF	*	*	*	*	*	*	3	2	R16
PAFZZ	5905-295-3409	RC20GF154K (81349) RESISTOR, FIXED, COMPOSITION	R20	220,...	EA	1	*	*	*	*	*	*			R20

CONTINUED



SECTION II

TM11-5815-255-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1 20	21 50	51 100	1 20	21 50	51 100			FIGURE NO	ITEM NO
CONTINUED															
PAFZZ	5905-185-6859	RC20GF224K (81349)	R4	300,...	EA	1	*	*	*	*	*	*	3		R4
PAFZZ	5905-221-5060	RC20GF304J (81349)	R3	330,...	EA	1	*	*	*	*	*	*	3	32	R3
PAFZZ	5905-279-2515	RC20GF334K (81349)	R11	470,...	EA	8	*	*	*	*	*	*	3	9	R11
PAFZZ	5905-279-2515	R220GF474K (81349)	R12	470,...	EA	REF	*	*	*	*	*	*	3	9	R12
PAFZZ	5905-279-2515	R220GF474K (81349)	R24	470,...	EA	REF	*	*	*	*	*	*	3	9	R24
PAFZZ	5905-279-2515	R220GF474K (81349)	R33	470,...	EA	REF	*	*	*	*	*	*	3	9	R33
PAFZZ	5905-279-2515	R220GF474K (81349)	R35	470,...	EA	REF	*	*	*	*	*	*	3	9	R35
PAFZZ	5905-279-2515	R220GF474K (81349)	R36	470,...	EA	REF	*	*	*	*	*	*	3	9	R36
PAFZZ	5905-279-2515	R220GF474K (81349)	R38	470,...	EA	REF	*	*	*	*	*	*	3	9	R38
PAFZZ	5905-279-2515	R220GF474K (81349)	R39	470,...	EA	REF	*	*	*	*	*	*	3	9	R39
PAFZZ	5905-279-2515	R220GF474K (81349)	R11	470,...	EA	7	*	*	*	*	*	*	3		R11
PAFZZ	5905-279-2515	R220GF474K (81349)	R12	470,...	EA	REF	*	*	*	*	*	*	3		R12
PAFZZ	5905-279-2515	R220GF474K (81349)	R33	470,...	EA	REF	*	*	*	*	*	*	3		R33
PAFZZ	5905-279-2515	R220GF474K (81349)	R35	470,...	EA	REF	*	*	*	*	*	*	3		R35
PAFZZ	5905-279-2515	R220GF474K (81349)	R36	470,...	EA	REF	*	*	*	*	*	*	3		R36
PAFZZ	5905-279-2515	R220GF474K (81349)	R38	470,...	EA	REF	*	*	*	*	*	*	3		R38
PAFZZ	5905-279-2515	R220GF474K (81349)	R39	470,...	EA	REF	*	*	*	*	*	*	3		R39
CONTINUED															

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION			
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)		
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO	ITEM NO		
		CONTINUED															
		000 OHM PORM10PCT 1-2 W															
PAFZZ	5905-279-2515	R220GF474K (81349)	AB2	EA	9	*	*	*	*	*	*		3	20		R8	
		RESISTOR, FIXED, COMPOSITION	R8	470,...													
		000 OHM PORM10PCT 1-2 W															
PAFZZ	5905-279-2515	R220GF474K (81349)	AB3	EA	REF	*	*	*	*	*	*		3	32		R10	
		RESISTOR, FIXED, COMPOSITION	R10	470,...													
		000 OHM PORM10PCT 1-2 W															
PAFZZ	5905-279-2515	R220GF474K (81349)	AB3	EA	REF	*	*	*	*	*	*		3	20		R28	
		RESISTOR, FIXED, COMPOSITION	R28	470,...													
		000 OHM PORM10PCT 1-2 W															
PAFZZ	5905-279-2515	R220GF474K (81349)	AB3	EA	REF	*	*	*	*	*	*		3	20		R31	
		RESISTOR, FIXED, COMPOSITION	R31	470,...													
		000 OHM PORM10PCT 1-2 W															
PAFZZ	5905-279-2515	R220GF474K (81349)	AB3	EA	REF	*	*	*	*	*	*		3	20		R45	
		RESISTOR, FIXED, COMPOSITION	R45	470,...													
		000 OHM PORM10PCT 1-2 W															
PAFZZ	5905-279-2515	R220GF474K (81349)	AB3	EA	REF	*	*	*	*	*	*		3	20		R46	
		RESISTOR, FIXED, COMPOSITION	R46	470,...													
		000 OHM PORM10PCT 1-2 W															
PAFZZ	5905-279-2515	R220GF474K (81349)	AB3	EA	REF	*	*	*	*	*	*		3	20		R48	
		RESISTOR, FIXED, COMPOSITION	R48	470,...													
		000 OHM PORM10PCT 1-2 W															
PAFZZ	5905-279-2515	R220GF474K (81349)	AB3	EA	REF	*	*	*	*	*	*		3	20		R49	
		RESISTOR, FIXED, COMPOSITION	R49	470,...													
		000 OHM PORM10PCT 1-2 W															
PAFZZ	5905-279-2515	R220GF474K (81349)	AB3	EA	REF	*	*	*	*	*	*		3	20		R51	
		RESISTOR, FIXED, COMPOSITION	R51	470,...													
		000 OHM PORM10PCT 1-2 W															
PAFZZ	5905-221-5841	R220GF474K (81349)	AB3	EA	1	*	*	*	*	*	*		3	9		R4	
		RESISTOR, FIXED, COMPOSITION	R4	620,...													
		000 OHM PORM5PCT 1-2 W															
PAFZZ	5905-192-3982	RC20GF624J (81349)	AB1	EA	5	*	*	*	*	*	*		3	9		R7	
		RESISTOR, FIXED, COMPOSITION	R7	1 MEG.													
		PORM10PCT 1-2 W															
PAFZZ	5905-192-3982	RC20GF105K (81349)	AB1,AB2	EA	REF	*	*	*	*	*	*		3	9		R8	
		RESISTOR, FIXED, COMPOSITION	R8	1 MEG.													
		PORM10PCT 1-2 W															
PAFZZ	5905-192-3902	RC20GF105K (81349)	AB1,AB2	EA	REF	*	*	*	*	*	*		3	9		R19	
		RESISTOR, FIXED, COMPOSITION	R19	1 MEG.													
		PORM10PCT 1-2 W															
PAFZZ	5905-192-3982	RC20GF105K (81349)	AB1,AB2	EA	REF	*	*	*	*	*	*		3	9		R25	
		RESISTOR, FIXED, COMPOSITION	R25	1 MEG.													
		PORM10PCT 1-2 W															
PAFZZ	5935-192-3962	RC20GF105K (81349)	AB1,AB2	EA	REF	*	*	*	*	*	*		3	9		R26	
		RESISTOR, FIXED, COMPOSITION	R26	1 MEG.													
		PORM10PCT 1-2 W															
PAFZZ	5905-192-3982	RC20GF105K (81349)	AB1,AB2	EA	5	*	*	*	*	*	*		3	32		R6	
		RESISTOR, FIXED, COMPOSITION	R6	1 MEG.													
		PORM10PCT 1-2 W															
PAFZZ	5965-192-3982	RC20GF105K (81349)	AB3	EA	REF	*	*	*	*	*	*		3	32		R15	
		RESISTOR, FIXED, COMPOSITION	R15	1 MEG.													
		CONTINUED															

## SECTION II

TM11-5815-255-34P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO	ITEM NO	
		CONTINUED														
PAFZZ	5905-192-3982	PORM10PCT 1-2W RC20GF105K (81349)	AB3	EA	REF	*	*	*	*	*	*		3	20	R19	
		RESISTOR, FIXED, COMPOSITION R19	1 MEG.													
PAFZZ	5905-192-3982	PORM10PCT 1-2W RC20GF105K (81349)	AB3	EA	REF	*	*	*	*	*	*		3	32	R32	
		RESISTOR, FIXED, COMPOSITION R32	1 MEG.													
PAFZZ	5905-192-3982	PORM10PCT 1-2W RC20GF105K (81349)	AB3	EA	REF	*	*	*	*	*	*		3	32	R33	
		RESISTOR, FIXED, COMPOSITION R33	1 MEG.													
PAFZZ	5905-195-4521	PORM10PCT 1-2W RC20GF105K (81349)	AB3	EA	1	*	*	*	*	*	*		5	2	R2	
		RESISTOR, VARIABLE R2	50,000 OHM.....													
PAFZZ	5905-299-2088	PORM20PCT 1-2 W RV2AUFK503D (81349)	AB1,AB2	EA	1	*	*	*	*	*	*		5	6	R2	
		RESISTOR, VARIABLE R2	75,000 OHM.....													
PAFZZ	5905-299-2103	PORM10PCT 1-2 W RV2ATSD753A (81349)	AB3	EA	1	*	*	*	*	*	*		5	6	R21	
		RESISTOR, VARIABLE R21	250,000 OHM.....													
PAFZZ	5905-295-3891	PORM10PCT 1-2 W RV2ATSD254C (81349)	AB3	EA	1	*	*	*	*	*	*		5	2	R21	
		RESISTOR, VARIABLE R21	250,000 OHM.....													
PAFZZ	5905-195-3624	PORM20PCT 1-4 W RV2BTFK254B (81349)	AB1,AB2	EA	2	*	*	*	*	*	*		5		R4A	
		RESISTOR, VARIABLE R4A	500,000 OHM.....													
PAFZZ	5905-195-3624	PORM20PCT 1-2 W RV2AUSD504D (81349)	AB2	EA	REF	*	*	*	*	*	*		5		R24A	
		RESISTOR, VARIABLE R24A	500,000 OHM.....													
PAFZZ	5905-295-5114	PORM20PCT 1-2 W RV2AUSD504D (81349)	AB2	EA	3	*	*	*	*	*	*		5	20	R4	
		RESISTOR, VARIABLE R4	1 MEG PORM20PCT. 1-4 W													
PAFZZ	5905-295-5114	SCB126880 (80063)	AB3	EA	REF	*	*	*	*	*	*		5	20	R29	
		RESISTOR, VARIABLE R29	1 MEG PORM20PCT. 1-4 W													
PAFZZ	5905-295-5114	SCB126880 (80063)	AB3	EA	REF	*	*	*	*	*	*		5	20	R30	
		RESISTOR, VARIABLE R30	1 MEG PORM20PCT. 1-4 W													
PAOZZ	5960-128-3820	SCB126880 (80063)	AB3	EA	3	*	*	*	*	*	*		8			
		SHIELD, ELECTRON TUBE NO-REF-DESIG.....														
		STRAIGHT CYL SHAPE CLOSED TOP 2 1-2 X 1 3-16 IN														
PAFZZ	5935-129-9358	G1330A (28478)	AB3	EA	3	*	*	*	*	*	*		3			
		SOCKET, ELECTRON TUBE NO-REF-DESIG OCTAL CONT CONFIGURATION 1-2 X 1 3-8 X 1 7-8 IN														
PAFZZ	5935-129-3116	TS101P02 (81349)	AB3	EA	6	*	*	*	*	*	*		3			
		SOCKET, ELECTRON TUBE NO-REF-DESIG 31-64 X 1 3-16 X 1 5-8 IN 8 TERM INCL ELECTRON TUBE RETAINING DEVICE														
PAFZZ	5935-129-3116	88-8XTM (02660)	AB1,AB2	EA	7	*	*	*	*	*	*		3			
		SOCKET, ELECTRON TUBE NO-REF-DESIG 31-64														
		CONTINUED														

MR CODE	FEDERAL TOCK NUMBER	DESCRIPTION	REFERENCE NUMBER	MFR CODE	USABLE IN CODE	QTY	UNIT	DAILY MAINT ALLOWANCE	DAY MAINT ALLOWANCE	R DEPT	DEPOT MAINT	ILLUSTRATION	EQUIP		ITEM NO
													FIGURE NO	NO	
PAF22	5930-548-9470	SWITCH, ROTARY 11 1 SECT 2 POSITIONS 6 POLES INCL METAL CASE 1 11-16 X 7-16 RD SHAFT 1-4 X 23-1/2 IN	3162 (76149)	AB3	EA	1	*	*	*	*	*	*	5		51
PAF22	5930-548-9470	SWITCH, ROTARY 12 1 SECT 2 POSITIONS 6 POLES INCL METAL CASE 1 11-16 X 7-16 RD SHAFT 1-4 X 23-1/2 IN	3162 (76149)	AB3	EA	REF	*	*	*	*	*	*	5		51
PAF22	5930-548-9470	SWITCH, ROTARY 11 1 SECT 2 POSITIONS 6 POLES INCL METAL CASE 1 11-16 X 7-16 RD SHAFT 1-4 X 23-1/2 IN	3162 (76149)	AB3	EA	1	*	*	*	*	*	*	5		51
PAF22	5930-655-1514	SWITCH, TOGGLE S3 BAT TYPE 1 1-8 X 5-8 X 3-64 IN	B149C8 (76149)	AB1,AB2	EA	1	*	*	*	*	*	*	5		53
PAF22	5930-050-2704	SWITCH, TOGGLE S2 BAT TYPE 1 21-64 X 49-64 X 1 1-16 IN	MS35056-22 (81349)	AB1,AB2	EA	2	*	*	*	*	*	*	5		52
PAF22	5930-050-2704	SWITCH, TOGGLE S5 BAT TYPE 1 21-64 X 49-64 X 1 1-16 IN	MS35059-9 (81349)	AB1,AB2	EA	REF	*	*	*	*	*	*	5		55
PAF22	5930-050-2704	SWITCH, TOGGLE S3 BAT TYPE 1-21/64 X 49/64 X 1-1/16 IN	MS35059-9 (81349)	AB1,AB2	EA	2	*	*	*	*	*	*	5		53
PAF22	5930-050-2704	SWITCH, TOGGLE S4 BAT TYPE 1-21/64 X 49/64 X 1-1/16 IN	MS35059-9 (81349)	AB3	EA	REF	*	*	*	*	*	*	5		54
PAF22	5930-752-2672	SWITCH, TOGGLE S4 BAT TYPE 1-21/64 X 49/64 X 1-1/16 IN	MS35059-9 (81349)	AB3	EA	1	*	*	*	*	*	*	5		54
PAF22	5930-752-2672	SWITCH, TOGGLE S5 BAT TYPE 1-21/64 X 49/64 X 1-1/16 IN	MS35059-23 (81349)	AB1,AB2	EA	1	*	*	*	*	*	*	5		56
PAF22	5930-752-2672	SWITCH, TOGGLE S3 BAT TYPE 1-21/64 X 49/64 X 1-1/16 IN	MS35059-23 (81349)	AB3	EA	REF	*	*	*	*	*	*	5		56

SECTION II

(1) JMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE    USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO	ITEM NO
PAFZZ	5950-250-1763	TRANSFORMER, AUDIO FREQUENCY 1-4 X 1 1-2 X 1 5-16 IN SCB126888 (87063)	T1 HS 2.	EA	1	*	*	*	*	*	*		3	5	T1
PAFZZ	5950-242-4998	TRANSFORMER, AUDIO FREQUENCY TYPE HS 1 3-4 X 0-895 SCC126893 (80063)	T2 LINE..	EA	1	*	*	*	*	*	*		3	5	T2
PAFZZ	5950-240-0763	TRANSFORMER, AUDIO FREQUENCY TYPE HS 1 27-32 X 31-32 IN SCC126856 (80063)	T3 LINE..	EA	1	*	*	*	*	*	*		3	5	T3
PAFZZ	5950-240-0763	TRANSFORMER, AUDIO FREQUENCY TYPE HS 1-27/32 X 31/32 IN SCC126856 (80063)	T4 LINE..	EA	1	*	*	*	*	*	*		3	20	T4
PACZZ	6130-237-7960	VIBRATOR, NONSYNCHRONUS DC 5 AMP OUTPUT 115 CYC FREQ 3 1-4 X 1 1-4 IN 629C (76149)	E1 INPUT 6 V..	EA	1	*	*	*	*	*	*		5	2-	E1

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITFM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5355-162-3105			5905-295-3410	9	R34
5315-408-8136			5905-295-3410	9	R37
5815-408-8137			5905-295-3410	9	R40
5905-100-6302	20	R27	5905-295-3410	20	R44
5905-100-6302	20	R49	5905-295-3410	20	R47
5905-100-3894		R46	5905-295-3410	20	R50
5905-05-8859		R4	5905-295-3720	32	R37
5905-07-3973		R30	5905-295-3720	32	R38
5905-192-3973		R31	5905-295-3891	2	R21
5905-192-3973		R54	5905-295-5114	20	R4
5905-07-3973		R55	5905-295-5114	20	R29
5905-07-3978		R3	5905-295-5114	20	R30
5905-07-3982	30	R6	5905-700-7007	9	R29
5905-07-3982	30	R7	5905-700-7007	20	R52
5905-07-3982	30	R8	5905-700-7007	9	R32
5905-07-3982	30	R15	5905-700-7007	20	R53
5905-07-3982	30	R19	5905-700-7070	9	R27
5905-07-3982	30	R25	5905-700-7070		R27
5905-07-3982	30	R26	5905-700-7079	32	R57
5905-07-3982	30	R32	5905-700-7079		R59
5905-07-3982	30	R33	5905-700-7050	9	R1
5905-192-9260		R5	5905-700-7050	9	R22
5905-192-9260		R6	5905-700-7054	32	R24
5905-192-9260		R7	5905-700-7054	32	R25
5905-07-9260		R16	5905-700-7054	9	R47
5905-05-3671		R44	5905-700-7054	9	R48
5905-05-3671		R24A	5905-700-7088	6	R2
5905-192-4571		R2	5905-700-7108	6	R21
5905-195-6449		R28	5905-030-0032	32	R13
5905-195-6449	30	R58	5905-030-0032	32	R40
5905-195-6761	30	R11	5905-030-0036	32	R43
5905-195-6761	30	R14	5905-030-0036	32	R36
5905-195-6761	30	R15	5905-030-0036	32	R39
5905-195-6800		R34	5905-030-0036	9	R41
5905-221-5841		R4	5905-030-0036	9	R42
5905-221-5860		R3	5905-030-8402	32	R41
5905-244-8780		R46	5905-030-8402	32	R42
5905-257-2631		R22	5905-100-8050	9	C10
5905-279-1751	30	R12	5905-100-8050		C16
5905-279-1751	30	R16	5905-100-8050	32	C26
5905-279-1751	30	R17	5905-100-8050	32	C5
5905-279-1761		R45	5905-100-8050	32	C6
5905-279-1877		R18	5905-100-8050	9	C7
5905-279-1877		R35	5905-100-8050	9	C8
5905-279-2019		R43	5905-100-8050	9	C11
5905-279-2515		R44	5905-100-8050	9	C23
5905-279-2515		R8	5905-100-8050	32	C31
5905-279-2515		R10	5905-100-8050		C2
5905-279-2515		P11	5905-100-8050	9	C2
5905-279-2515		R12	5905-100-8050	32	C16
5905-279-2515		R24	5905-100-8050	9	C18
5905-279-2515		R28	5905-100-8050	20	C25
5905-279-2515		R31	5905-100-8050	9	C31
5905-279-2515		R33	5905-100-8050	20	C20
5905-279-2515		R35	5905-100-8050	20	C21
5905-279-2515		R36	5905-100-8050	20	C22
5905-279-2515		R38	5905-100-8050	9	C24
5905-279-2515		R39	5905-100-8050	9	C25
5905-279-2515		R45	5905-100-8050	9	C6
5905-279-2515		R46	5905-100-8050	20	C29
5905-279-2515		R48	5905-100-8050	9	C32
5905-279-2515		R49	5905-100-8050	5	C9
5905-279-2607		P51	5905-100-8050	5	C15
5905-279-2607		R1	5905-100-8050	5	C20
5905-279-2607		R51	5905-100-8050	20	C9A
5905-279-2607		R56	5905-100-8050	20	C9B
5905-279-2639		R26	5905-100-8050	20	C9C
5905-279-2639		R50	5905-100-8050	20	C23
5905-279-3499		R3	5905-100-8050	20	C27
5905-279-3499		R10	5905-100-8050	4	C5
5905-279-3499		R17	5905-100-8050	9	R6
5905-295-3410		R20	5905-100-8050	9	C21
5905-295-3410		R5	5905-100-8050		C22
5905-295-3410		R9	5905-100-8050	20	C32
5905-295-3410		R10	5905-100-8050	20	C33
5905-295-3410		R13	5905-100-8050	5	C28
5905-295-3410		R23	5905-100-8050	5	C29

SECTION IV

TM11-5815-255-34P

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5910-890-8558		C30	5935-192-4729	4	J5
5910-890-8558	20	C24A	5935-192-4753		
5910-890-8558	20	C24B	5935-192-4760		
5910-890-8558	20	C24C	5935-201-9788		
5910-890-8558	4	C1	5935-277-9889		
5910-890-8558	32	C15	5935-287-1769		J3
5910-890-8558	9	C17	5935-287-1769		J4
5910-890-8558	32	C18	5935-287-1769		J5
5910-890-8558	9	C19	5935-330-9703		
5910-890-8558	20	C23	5935-644-6747		PS1
5910-890-8558	32	C28	5950-188-9776	2	OSC1
5910-890-8558	32	C30	5950-188-9776		OSC2
5910-890-8558	9	C33	5950-221-6691	5	L1
5910-890-8558	9	C34	5950-221-6691		L6
5910-890-8558	9	C35	5950-228-7770	2	L4
5910-890-8558	9	C36	5950-228-7770	2	L5
5910-890-8558	9	C37	5950-228-7770	2	RFC1
5910-890-8558	5	F4	5950-240-0733	2	RFC2
5910-890-8558	5	F2	5950-240-0733	2	T3
5910-890-8558	20	Z5	5953-240-0763		T4
5910-890-8558	32	Z2	5950-247-4998		T2
5910-890-8558	5	F5	5950-250-1763		T1
5910-890-8558	5	F1	5950-490-1955		T3
5910-890-8558	20	Z1	5950-490-1955		T4
5910-890-8558	5	F3	5950-537-5102		OSC1
5910-890-8558	20	Z3	5955-537-5102	2	OSC2
5910-890-8558	20	Z4	5960-100-6017		V4
5910-890-8558	20	F2	5960-128-3820		
5910-890-8558	5	FU2	5960-188-0976		V6
5910-890-8558	20	F1	5960-188-0976		V10
5910-890-8558	5	FU1	5960-188-2279		V2
5910-890-8558			5960-188-3068		V6
5910-890-8558			5960-188-3298		V8
5910-890-8558			5960-100-8573		V7
5910-890-8558			5960-100-8573		V11
5930-050-2704	2	S2	5960-235-9108		V1
5930-050-2704	6	S3	5960-235-9108		V3
5930-050-2704	6	S4	5960-235-9108		V5
5930-050-2704	2	S5	5960-235-9108		V7
5930-548-9470	2	S1	5960-235-9108		V8
5930-568-5875	6	S1	5960-235-9108		V9
5930-568-5875	6	S2	5960-235-9138		V10
5930-655-1514	2	S3	5963-235-9138		V11
5930-757-2677	2	S4	5995-702-6832		
5930-757-2677	6	S5	5995-162-6866		
5930-757-2677	6	S6	6130-237-7960		E1
5930-170-3101			6145-237-7912		
5930-170-3101			6210-186-8012		
5930-170-3101			6210-056-8887		E2
5935-192-4729	1	J1	6240-057-5887		P1
5935-192-4729	2	J2	6760-356-5478		
5935-192-4729	6	J3			

By Order of the Secretary of the Army:

**CREIGHTON W. ABRAMS**  
*General, United States Army*  
*Chief of Staff*

Official:

**VERNE L. BOWERS**  
*Major General, United States Army*  
*The Adjutant General*

**Distribution**

*Active Army*

USASA (2)  
CNGB (1)  
ACSC-F (2)  
USAARENBD (2)  
USAMB (10)  
AMC (1)  
FORSCOM (5)  
ARADCOM (2)  
ARADCOM Rgn (2)  
OS Maj Comd (4)  
LOGCOMD (5)  
MICOM (2)  
TECOM (2)  
USASTRATCOM (4)  
HISA (ECOM) (21)  
MDW (1)  
Armies (2)  
Corps (2)  
Svc Colleges (5)  
USASESS (5)  
USAADS (2)  
USAFAS (2)  
USAARMS (2)  
USAIS (2)  
USAES (2)  
USAINTS (3)

NG State AG (3)

USAR None

For explanation of abbreviations used, see AR 310-50

USACDCEC (5)  
Instl (2) except  
Fort Gordon (10)  
Fort Huachuca (10)  
Fort Carson (10)  
Ft Richardson (ECOM) (2)  
WSMR (2)  
Army Dep (2) except  
LBAD (14)  
SAAD (30)  
TOAD (14)  
LEAD (7)  
ATAD (10)  
USA Dep (2)  
Sig Sec USA Dep (2)  
Sig Dep (5)  
Sig FLDMS (1)  
USAERDAA (1)  
USAERDAW (1)  
MAAG (1)  
USARMIS (1)  
WRAMC (1)  
Units org under for TOE (1 Cycled)  
11-158  
29-134  
29-136