

TECHNICAL MANUAL

ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL
SUPPORT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOL LISTS
(INCLUDING DEPOT MAINTENANCE REPAIR PARTS
AND SPECIAL TOOLS)

FOR
FREQUENCY SHIFT
CONVERTER CV-278/GR
(NSN 5815-00-537-3948)

HEADQUARTERS, DEPARTMENT OF THE ARMY

APRIL 1977

TECHNICAL MANUAL
NO. 11-5815-266-24B }

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, DC, 20 April 1977

ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT MAINTENANCE
REPAIR PARTS AND SPECIAL TOLS LISTS
(INCLUDING DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)
FOR

FREQUENCY SHIFT CONVERTER CV-278/GR
(NSN 5815-00-537-3948)

Current as of 7 January 1977

REPORTING OF ERRORS

You can improve this manual by recommending improvements using DA Form 2028-2 (Test) located in the back of the manual. Simply tear out the self-addressed form, fill it out as shown on the sample, fold it where shown, and drop it in the mail.

If there are no blank DA Forms 2028-2 (Test) in the back of your manual, use the standard DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forward to the Commander, US Army Electronics Command, ATTN: DRSEL-MA-Q, Fort Monmouth, New Jersey 07703.

In either case a reply will be furnished direct to you.

Table of Contents

SECTION	Page	Illus Figure
Group	I. Introduction	1
	II. Repair parts list	5
00	Frequency Shift Converter CV-278/GR	5
	01 Mount MT-791/U (See TM 11-5805-295-14P for parts)	1-5
	02 Cable Assembly CX-4547/U (No parts authorized)	
	03 Cable Assembly CX-4540/U (No parts authorized)	
	04 Cable Assembly CG-1127/U (No parts authorized)	
Section	III. Special tools list (Not applicable)	
	IV. National stock number and part number index	14

*This manual supersedes TM 11-5815-266-20P, 31 July 1973 and TM 11-5815-266-34P, 31 July 1973.

SECTION I INTRODUCTION

1. Scope

This manual lists spares and repair parts; special tools; special test, measurement, and diagnostic equipment (TMDE), and other special support equipment required for performance of organizational, direct support, and general support maintenance of the CV-278/GR. It authorizes the requisitioning and issue of spares and repair parts as indicated by the source and maintenance codes.

2. General

This Repair Parts and Special Tools List is divided into the following sections:

a. *Section II. Repair Parts List.* A list of spares and repair parts authorized for use in the performance of maintenance. The list also includes parts which must be removed for replacement of the authorized parts. Parts lists are composed of functional groups in numeric sequence, with the parts in each group listed in figure and item number sequence.

b. *Section III. Special Tools List.* Not applicable.

c. *Section IV. National Stock Number and Part Number Index.* A list, in National item identification number (NIIN) sequence, of all National stock numbers, (NSN) appearing in the listings, followed by a list, in alphabetic sequence, of all part numbers appearing in the listings. National stock numbers and part numbers are cross-referenced to each illustration figure and item number appearance.

3. Explanation of Columns

a. *Illustration* This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown.

(2) *Item number.* The number used to identify item called out in the illustration.

b. *Source, .maintenance, and Recoverability (SMR) Codes.*

(1) *Source code.* Source codes indicate the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are entered in the first and second positions of the Uniform SMR Code format as follows:

Code Definition

PA - Item procured and stocked for anticipated or known usage.

PD - Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings.

Not subject to

automatic replenishment.

XD - A support item that is not stocked. When required, item will be procured through normal supply channels.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those codes XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code format as follows:

(a) The maintenance code entered in the third position will indicate the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position will indicate one of the following levels of maintenance:

Code Application/Explanation

O - Support item is removed, replaced, used at the organizational level.

F - Support item is removed, replaced, used at the direct support level.

(b) The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability, to perform complete repair (i.e., all authorized maintenance functions). This position will contain one of the following maintenance codes:

Code Application/Explanation

F -- The lowest maintenance level capable of complete(repair of the support item is the direct support level.

Z -- Nonreparable. No repair is authorized.

(3) Recoverability code. Recoverability codes are assigned(to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the Uniform SMR Code format as follows:

Recoverability

Code	Definition
Z -	Nonreparable item. When unserviceable, condemn and dispose at the level indicated in position 3.

F -	Reparable item. When uneconomically repairable. condemn and dispose at the direct support level.
-----	--

c. *National Stock Number.* Indicates the National stock number assigned to the item and will be used for requisitioning purpose.

d. Part Number. Indicates the primary number used by the manufacturer (individual, company, firm, corporation, or Government activity), which controls the design and characteristics of the item by means of its engineering drawings, specifications, standards, and inspection requirements to identify an item or range of items.

NOTE

When a stock numbered item is requisitioned, the repair part received may have a different part number than the part being replaced.

e. *Federal Supply Code for Manufacturer (FSCM)*. The FSCM is a 5-digit numeric code listed in SB 708-42 which is used to identify the manufacturer, distributor, or Government agency, etc.

f. *Description*. Indicates the Federal item name, and, if required, a minimum description to identify the item.

g. *Unit of Measure (U/M)*. Indicates the standard of the basic quantity of the listed item as used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation (e.g., ea, in, pr, etc). When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

h. *Quantity Incorporated in Unit*. Indicates the quantity of the item used in the breakout shown on the illustration figure, which is prepared for a functional group, subfunctional group, or an assembly.

4. Special Information

The following publications pertain to the CV-278/GR and its components:

TM 11-5805-210-10, Frequency Shift Converter CV-278/GR

TM 11-5805-210-20, Frequency Shift Converter CV-278/GR

TM 11-5805-210-35, Frequency Shift Converter CV-/278/GR

TM 11-5805-295-14P, Mountings MT-791/U and MT-791A/U

5. How to Locate Repair Parts

a. When National stock number or part number is unknown.

(1) *First*. Using the table of contents, determine the functional group within which the item belongs. This is necessary since illustrations are prepared for functional groups and listings are divided into the same groups.

(2) *Second*. Find the illustration covering the functional group to which the item belongs.

(3) *Third*. Identify the item on the illustration and note the illustration figure and item number of the item.

(4) *Fourth*. Using the Repair Parts Listing, find the figure and item number noted on the illustration.

b. When National stock number or part number is known.


(1) *First*. Using the Index of National Stock Numbers and Part Numbers, find the pertinent National stock number or part number. This index is in NIIN sequence followed by a list of part numbers in alphabetic sequence, cross-referenced to the illustration figure number and item number.

(2) *Second*. After finding the figure and item number, locate the figure and item number in the repair parts list.

6. Abbreviations

Not applicable


(Next printed page is 5)



EL2FB00I

Figure 1. Frequency Shift Converter, CV-278/GR.

(1) ILLUSTRATION		(2)	(3)	(4)	(5)	(6) DESCRIPTION	(7)	(8)
(a) FIG NO.	(b) ITEM NO.	SMR CODE	NATIONAL STOCK NUMBER	PART NUMBER	FSCM	USABLE ON CODE	QTY U/M	INC IN UNIT
1	1	XDOZZ		MT-791/U	80058	GROUP 00 FREQUENCY SHIFT CONVERTER CV-278/GR		
1	2	PAOZZ	5995-00-617-1876	CX-4547/U	80058	MOUNT	EA	1
1	3	PAOZZ	5995-00-617-1868	CX-4540/U3T	80058	CABLE ASSEMBLY.....	EA	1
1	4	PAOZZ	5995-00-577-8313	CG-1127/U2FT	80058	CABLE ASSEMBLY.....	EA	1




EL2FB002

Figure 2. Frequency Shift Converter, CV-278/GR, Front Panel.

(1) ILLUSTRATION		(2)	(3)	(4)	(5)	(6) DESCRIPTION	(7)	(8)
(a) FIG NO.	(b) ITEM NO.	SMR CODE	NATIONAL STOCK NUMBER	PART NUMBER	FSCM	USABLE ON CODE	QTY U/M	INC IN UNIT
2	1	PAOZZ	5355-00-616-7956	10-1001	05185	KNOB	EA	6
2	2	PAOZZ	6210-00-633-6735	23623-62A	74970	LENS, INDICATOR LIGHT	EA	1
2	3	PAFZZ	5820-00-632-7481	32P200089	98738	GASKET	EA	1
2	4	PAFZZ	5820-00-632-8755	20-1011	05185	RETAINER, KNOB TENSION SPRING	EA	6
2	5	PAFZZ	5360-00-584-3678	20-1041	05185	SPRING, HELICAL COMPRESSION	EA	12
2	6	PAFZZ	5820-00-631-6879	20-1001	05185	SHAFT	EA	6
2	7	PAOZZ	5355-00-616-9659	MS91525-1	81349	KNOB	EA	

6/(7 blank)



EL2FB003

Figure 3. Frequency Shift Converter, CV-278/GR,
Front Panel Tilted on Chassis.

SECTION II

TM 11-5815-266-24P

(1) ILLUSTRATION		(2)	(3)	(4)	(5)	(6) DESCRIPTION USABLE ON CODE	(7)	(8) QTY INC IN UNIT
(a) FIG NO.	(b) ITEM NO.	SMR CODE	NATIONAL STOCK NUMBER	PART NUMBER	FSCM		U/M	
3	1	PAFZZ	5920-00-280-4168	442006	75915	FUSEHOLDER	EA	1
3	2	PAFZZ	5930-00-577-2522	40P200047	98738	SWITCH, ROTARY	EA	1
3	3	PAFZZ	5935-00-892-9035	UG657U	81349	CONNECTOR, RECEPTACLE, ELECTRICAL	EA	1
3	4	PAFZZ	5935-00-201-3S98	CS2020-1P	81349	CONNECTOR, RECEPTACLE, ELECTRICAL	EA	1
3	5	XDFZZ		23-572-10	74970	LAMPHOLDER	EA	1
3	6	PAOZZ	6240-00-155-8714	MS25231-313	81349	LAMP, INCANDESCENT	EA	1
3	7	PAFZZ	5935-00-201-3998	CS202-1S	81349	CONNECTOR, RECEPTACLE, ELECTRICAL	EA	1
3	8	PAFZZ	5910-00-944-3501	CE44C471G	81349	CAPACITOR, FIXED, ELECTROLYTIC	EA	1
3	9	PAFZZ	5905-00-106-1247	RCR32G221JS	81349	RESISTOR.FIXED, COMPOSITION	EA	1
3	10	PAFZZ	5905-00-192-3959	RC42GF201J	81349	RESISTOR, FIXED, COMPOSITION	EA	1
3	11	PAFZZ	5905-00-141-0596	RCR20G473JS	81349	RESISTOR.FIXED, COMPOSITION	EA	4
3	12	PAFZZ	5910-00-688-6221	CP08A3KB1031	81349	CAPACITOR.FIXED, PAPER	EA	2
3	13	PAFZZ	5905-00-192-3987	RC20GF104K	81349	RESISTOR, FIXED, COMPOSITION	EA	2
3	14	PAFZZ	5905-00-111-8357	RCR200681J5	81349	RESISTOR, FIXED, COMPOSITION	EA	1
3	15	PAFZZ	5905-00-228-6088	RCR32G331JS	81349	RESISTOR, FIXED, COMPOSITION	EA	1
3	16	PAFZZ	5905-00-279-1754	RC20GF155J	81349	RESISTOR, FIXED.COMPOSITION	EA	3
3	17	PAFZZ	5905-00-195-6758	RC20GF273K	81349	RESISTOR.FIXED, COMPOSITION	EA	2
3	18	PAFZZ	5910-00-938-7227	CM15ED270G03	81349	CAPACITOR.FIXED, MICA	EA	1
3	19	PAFZZ	5905-00-104-8330	RCR20G333JS	81349	RESISTOR, FIXED, COMPOSITION	EA	1
3	20	PAFZZ	5950-00-617-3445	24P202222	98738	TRANSFORMER, RADIO FREQUENCY	EA	1
3	21	PAFZZ	5905-00-279-1756	RC20GF151K	81349	RESISTOR, FIXED, COMPOSITION	EA	3
3	22	PAFZZ	5905-00-186-3008	RC20GF101K	81349	RESISTOR, FIXED, COMPOSITION	EA	1
3	23	PAFZZ	5905-00-192-9260	RC20GF154K	81349	RESISTOR, FIXED, COMPOSITION	EA	1
3	24	PAFZZ	5905-00-185-6946	RC20GF474K	81349	RESISTOR, FIXED, COMPOSITION	EA	1
3	25	PAFZZ	5930-00-615-7326	40P202612	98738	SWITCH, ROTARY	EA	1
3	26	PAFZZ	6625-00-580-1901	72P200050	57733	AMMETER	EA	1
3	27	PAFZZ	6625-00-580-9579	72P200431	57733	AMMETER	EA	1
3	28	PAOZZ	5920-00-280-5039	F03G3R300	81349	FUSE, CARTRIDGE	EA	1





Figure 4. Frequency Shift Converter, CV-278/GR,
Top View.

SECTION II

TM 11-5815-266-24P

(1) ILLUSTRATION		(2)	(3)	(4)	(5)	(6) DESCRIPTION USABLE ON CODE	(7)	(8)
(a) FIG NO.	(b) ITEM NO.	SMR CODE	NATIONAL STOCK NUMBER	PART NUMBER	FSCM		U/M	QTY INC IN UNIT
4	1	PAFZZ	5950-00-617-4492	24X202223	98738	TRANSFORMER, DISCRIMINATOR.....	EA	1
4	2	XDFZZ		58P200278	57733	POST, ELECTRON TUBE RETAINER MOUNTING	EA	6
4	3	PAOZZ	596U-00-295-5582	BL16786	64959	RETAINER, ELECTRON TUBE.....	EA	5
4	4	PAOZZ	5961-00-296-4124!	B16152	05690	CRYSTAL UNIT, RECTIFYING	EA	1
4	5	PAFZZ	5935-00-063-5789	TS101P01	96906	SCCKET, ELECTRCN TUBE	EA	3
4	6	PAFZZ	5950-00-577-6178	TT1-4873	96253	REACTOR	EA	2
4	7	PAFZZ	5935-00-260-0516	TS410P01	B1349	SOCKET, ELECTRON TUBE	EA	8
4	8	PAOZZ	5960-00-188-0827	26A6	81349	ELECTRON TUBE.....	EA	9
4	9	PAOZZ	5960-00-577-6135	99X202262	57733	SHIELD, ELECTRON TUBE.....	EA	9
4	10	XDOZZ		86CP8	02660	DUMMY RELAY CCTAL PLUG FOR USE WHEN K101 IS NOT USED	EA	1
4	11	PAOZZ	5960-00-100-7111	26A7	81349	ELECTRON TUBE.....	EA	2
4	12	XDFZZ	5910-00-668-0654	NF10270-1	14655	CAPACITOR, FIXED, PAPER	EA	2
4	13	XDFZZ		99X202224	98738	REACTOR	EA	1
4	14	PAFZZ	5950-00-617-4382	24X202219	98738	TRANSFORMER, DISCRIMINATOR.....	EA	1
4	15	PAOZZ	5955-00-061-59681	CR25AU	81349	CRYSTAL UNIT, QUARTZ.....	EA	1
4	16	PAFZZ	5915-00-633-36021	24X202220	98737	NETWORK, PLATE LOAD	EA	1
4	17	PAFZZ	5915-00-617-42471	SMC114011	80063	FILTER, BAND PASS FREQUENCY	EA	1
4	18	PAOZZ	5945-00-542-7058	72A0Z160TSTCP	78277	RELAY, ARPATURE	EA	1



EL2FB005

Figure 5. Frequency Shift Converter, CV-278/GR,
Bottom View.

(1) ILLUSTRATION		(2)	(3)	(4)	(5)	(6) DESCRIPTION USABLE ON CODE	(7)	(8)
(a) FIG NO.	(b) ITEM NO.	SMR CODE	NATIONAL STOCK NUMBER	PART NUMBER	FSCM		U/M	QTY INC IN UNIT
5	1	PAFZZ	5905-00-078-8808	RN70D2491F	81349	RESISTOR, FIXED, FILM.....	EA	4
5	2	XDFZZ		RN7081003F	81349	RESISTOR, FIXED, COMPOSITION.....	EA	4
5	3	PAFZZ	5910-00-712-6166	CM35EC103GO3	81349	CAPACITOR, FIXED, MICA	EA	4
5	4	PAFZZ	5910-00-669-2630	CP09A1KC333M	81349	CAPACITOR.FIXED, PAPER	EA	5
5	5	PAFZZ	5905-00-141-0592	RCR20G122JS	81349	RESISTOR, FIXED, COMPOSITION.....	EA	1
5	6	PAFZZ	5961-00-284-6516	1N198	81349	SEMICONDUCTOR DEVICE, DIODE	EA	2
5	7	PAFZZ	5905-00-141-1116	RCR20G562JS	81349	RESISTOR, FIXED, COMPOSITION.....	EA	1
5	8	PAFZZ	5910-00-062-0032	CP09A3KF222K3	81349	CAPACITOR, FIXED, PAPER	EA	2
5	9	PAFZZ	5950-00-617-4488	24X200062	78385	COIL, RADIO FREQUENCY	EA	2
5	10	XDFZZ		CP09A1KE473H	81349	CAPACITOR, FIXED, PAPER	EA	3
5	11	PAFZZ	5905-00-195-5514	RC20GF152K	81349	RESISTOR, FIXED, COMPOSITION.....	EA	2
5	12	PAFZZ	5910-00-950-6428	CM15ED815GP3	8L349	CAPACITOR, FIXED.MICA	EA	1
5	13	PAFZZ	5950-00-577-6196	24X200060	98738	COIL, RADIO FREQUENCY	EA	1
5	14	PAFZZ	5910-00-823-1308	CM15CD220JP3	81349	CAPACITOR, FIXED, MICA	EA	1
5	15	PAFZZ	5935-00-581-6941	TS0205C01	81349	SOCKET, CRYSTAL	EA	1
5	16	PAFZZ	5905-00-256-0412	RC42GF181J	81349	RESISTOR, FIXED, COMPOSITCN.....	EA	1
5	17	PAFZZ	5910-00-727-4995	CM15C820G03	81349	CAPACITOR, FIXED, MICA	EA	t
5	18	PAFZZ	5905-00-185-6580	RC42GF471J	81349	RESISTOR, FIXED, COMPOSITION.....	EA	1
5	19	PAFZZ	5905-00-279-1933	RC42GF221J	81349	RESISTOR, FIXED, COMPOSITION.....	EA	1
5	20	PAFZZ	5935-00-063-5789	TS101P01	96906	SOCKET, ELECTRON TUBE	EA	2
5	21	PAFZZ	5905-00-192-3987	RC20GF104K	81349	RESISTOR, FIXED, COMPOSITION.....	EA	1
5	22	PAFZZ	5935-00-260-0516	TS102P01	81349	SOCKET, ELECTRON TUBE	EA	1
5	23	PAFZZ	5910-00-821-6698	CP08A3KC683K	81349	CAPACITOR, FIXED, PAPER	EA	2
5	24	PAFZZ	5905-00-114-5393	RCR20G224JS	81349	RESISTOR, FIXED, COMPOSITION.....	EA	2
5	25	PAFZZ	5905-00-190-8876	RC20GF153K	81349	RESISTOR, FIXED, COMPOSITION.....	EA	1
5	26	PAFZZ	5910-00-160-6756	CV21C450	81349	CAPACITOR, VARIABLE, CERAMIC.....	EA	2

NATIONAL STOCK NUMBER INDEX

NOTE: LATEST NATIONAL STOCK NUMBER AND PART NUMBER ASSIGNMENTS ARE INCLUDED AT END OF INDEX

STOCK NUMBER	FIG.	ITEM	STOCK NUMBER	FIG.	ITEM
5955-00-061-5968	4	15	5930-00-577-2522	3	2
5910-00-062-0032	5	8	5960-00-577-6135	4	9
5935-00-063-5789	4	5	5950-00-577-6178	4	6
5960-00-100-7111	4	11	5950-00-577-6196	5	13
6240-00-155-8714	3	6	6625-00-580-1901	3	26
5910-00-160-6756	5	26	6625-00-580-9579	3	27
5905-00-185-6946	3	24	5935-00-581-6941	5	15
5905-00-186-3008	3	22	5360-00-584-3678	2	5
5960-00-188-0827	4	8	5930-00-615-7326	3	25
5905-00-190-8876	5	25	5355-00-616-7956	2	1
5905-00-192-3959	3	10	5355-00-616-9659	2	7
5905-00-192-3987	3	13	5950-00-617-3445	3	20
5905-00-192-3987	5	21	5915-00-617-4247	4	17
5905-00-192-9260	3	23	5950-00-617-4382	4	14
5905-00-195-5514	5	11	5950-00-617-4488	5	9
5905-00-195-6758	3	17	5950-00-617-4492	4	1
5935-00-201-3997	3	7	5820-00-631-6879	2	6
5935-00-201-3998	3	4	5820-00-632-8748	2	3
5935-00-260-0516	4	7	5820-00-632-8755	2	4
5935-00-260-0516	5	22	5915-00-633-3602	4	16
5905-00-279-1756	3	21	6210-00-633-6735	2	2
5920-00-280-5039	3	28	5910-00-669-2630	5	4
5961-00-284-6516	5	6	5910-00-688-6221	3	12
5960-00-295-9582	4	3	5910-00-821-6698	5	23
5961-00-296-4124	4	4	5935-00-892-9035	3	3
5945-00-542-7058	4	18			

PART NUMBER	FIG.	ITEM	PART NUMBER	FIG.	ITEM		
FSCM	NO.	NO.	FSCM	NO.	NO.		
BL16786	64959	4	3	TS102P01	81349	5	22
BL6152	05690	4	4	TT1-4873	96253	4	6
CP08A3KB103M	81349	3	12	UG657U	81349	3	3
CP08A3KC683K	81349	5	23	1N198	81349	5	6
CP09A1KC333M	81349	5	4	10-1001	05185	2	1
CP09A1KE473M	81349	5	10	20-1001	05185	2	6
CP09A3KF222K3	81349	5	8	20-1011	05185	2	4
CR25AU	81349	4	15	20-1041	05185	2	5
CS202-1S	81349	3	7	23-572-10	74970	3	5
CS2020-1P	81349	3	4	23623-62A	74970	2	2
CV21C450	81349	5	26	24P202222	98738	3	20
F03G3R300	81349	3	28	24X200060	98738	5	13
MS25231-313	81349	3	6	24X200062	78385	5	9
MS91525-1	81349	2	7	24X202219	98738	4	14
NF10270-1	14655	4	12	24X202220	98737	4	16
RC20GF101K	81349	3	22	24X202223	98738	4	1
RC20GF104K	81349	3	13	26A6	81349	4	8
RC20GF104K	81349	5	21	26A7	81349	4	11
RC20GF151K	81349	3	21	32P200089	98738	2	3
RC20GF152K	81349	5	11	40P200047	98738	3	2
RC20GF153K	81349	5	25	40P202612	98738	3	25
RC20GF154K	81349	3	23	58P200278	57733	4	2
RC20GF273K	81349	3	17	72A0Z160TSTCP	78277	4	18
RC020F474K	81349	3	24	72P200050	57733	3	26
RC42GF201J	81349	3	10	72P200431	57733	3	27
RN70B1003F	81349	5	2	86CP8	02660	4	10
SMC114011	80063	4	17	99X202224	98738	4	13
TS0205C01	81349	5	15	99X202262	57733	4	9
TS101P01	96906	4	5				
TS101P01	96906	5	20				
TS102P01	81349	4	7				

NATIONAL STOCK NUMBER INDEX
LATEST NATIONAL STOCK NUMBER ASSIGNMENTS

STOCK NUMBER	FIG.	ITEM	STOCK NUMBER	FIG.	ITEM
5935-00-063-5789	5	20	5905-00-279-1754	3	16
5905-00-078-8808	5	1	5905-00-279-1933	5	19
5905-00-104-8330	3	19	5920-00-280-4168	3	1
5905-00-106-1247	3	9	5995-00-577-8313	1	4
5905-00-111-8357	3	14	5995-00-617-1868	1	3
5905-00-114-5393	5	24	5995-00-617-1876	1	2
5905-00-141-0592	5	5	5910-00-712-6166	5	3
5905-00-141-0596	3	11	5910-00-727-4995	5	17
5905-00-141-1116	5	7	5910-00-823-1308	5	14
5905-00-185-6580	5	18	5910-00-938-7227	3	18
5905-00-228-6088	3	5	5910-00-944-3501	3	8
5905-00-256-0412	5	16	5910-00-950-6428	5	12

LATEST PART NUMBER ASSIGNMENTS

PART NUMBER	FIG.	ITEM	PART NUMBER	FIG.	ITEM		
	FSCM	NO.	NO.	FSCM	NO.		
CE44C471G	81349	3	8	RCR20G333JS	81349	3	19
CG-1127/U2FT	80058	1	4	RCR20G473JS	81349	3	11
CM15CD220JP3	81349	5	14	RCR20G562JS	81349	5	7
CM150820G03	81349	5	17	RCR20G681JS	81349	3	14
CM15ED181GP3	81349	5	12	RCR32G221JS	81349	3	9
CM15ED270G03	81349	3	18	RCR32G331JS	81349	3	15
CN35EC103G03	81349	5	3	RC20GF155J	81349	3	16
CX-4540/U3FT	80058	1	3	RC42GF181J	81349	5	16
CX-4547/U	80058	1	2	RC42GF221J	81349	5	19
MT-791/U	80058	1	1	RC42GF471J	81349	5	18
NF10270-1	14655	4	12	RN70D2491F	81349	5	1
RCR20G122JS	81349	5	5	442006	75915	3	1
RCR20G224JS	81349	5	24				

ADDITIONAL LATEST NATIONAL STOCK NUMBER ASSIGNMENTS

STOCK NUMBER	FIG.	ITEM
5805-00-186-9464	1	1
5910-00-668-0854	4	12

15/(16 blank)

By Order of the Secretary of the Army

Official:

BERNARD W. ROGERS
General, United States Army
Chief of Staff

PAUL T. SMITH
Major General, United States Army
The Adjutant General

DISTRIBUTION:

To be distributed in accordance with DA Form 12-51, Organizational maintenance requirements for CV-278.

GPO 825-739

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

SOMETHING WRONG WITH THIS PUBLICATION?



THEN. . JOT DOWN THE
DOPE ABOUT IT ON THIS
FORM, CAREFULLY TEAR IT
OUT, FOLD IT AND DROP IT
IN THE MAIL!

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT. . PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG
AND WHAT SHOULD BE DONE ABOUT IT:

PAGE
NO.

PARA-
GRAPH

FIGURE
NO.

TABLE
NO.

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 2028-2
1 JUL 79

PREVIOUS EDITIONS
• ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR
RECOMMENDATION MAKE A CARBON COPY OF THIS
AND GIVE IT TO YOUR HEADQUARTERS.

PIN: 015474-000